

Table SE.1: Indicators selected for sampling error calculations

List of indicators selected for sampling error calculations, and base populations (denominators) for each indicator, Iraq, 2006

MICS Indicator	Base Population
HOUSEHOLDS	
41 Iodized salt consumption	All households
74 Child discipline	Children aged 2-14 years selected
HOUSEHOLD MEMBERS	
11 Use of improved drinking water sources	All household members
12 Use of improved sanitation facilities	All household members
55 Net primary school attendance rate	Children of primary school age
56 Net secondary school attendance rate	Children of secondary school age
Primary completion rate (net)	Children of primary school completion age
71 Child labour	Children aged 5-14 years
75 Prevalence of orphans	Children aged under 18
WOMEN	
4 Skilled attendant at delivery	Women aged 15-49 years with a live birth in the last 2 years
20 Antenatal care	Women aged 15-49 years with a live birth in the last 2 years
21 Contraceptive prevalence	Women aged 15-49 currently married
60 Adult literacy	Women aged 15-24 years
67 Marriage before age 18	Women aged 20-49 years
82 Comprehensive knowledge about HIV prevention among young people	Women aged 15-24 years
86 Attitude towards people with HIV/AIDS	Women aged 15-49 years
88 Women who have been tested for HIV	Women aged 15-49 years
89 Knowledge of mother- to-child transmission of HIV	Women aged 15-49 years
UNDER-FIVES	
6 Underweight prevalence	Children under age 5
25 Tuberculosis immunization coverage	Children aged 18-29 months
26 Polio immunization coverage	Children aged 18-29 months
27 Immunization coverage for DPT	Children aged 18-29 months
28 Measles immunization coverage	Children aged 18-29 months
31 Fully immunized children	Children aged 18-29 months
- Acute respiratory infection in last two weeks	Children under age 5
22 Antibiotic treatment of suspected pneumonia	Children under age 5 with suspected pneumonia in the last 2 weeks
- Diarrhoea in last two weeks	Children under age 5
35 Received ORT or increased fluids and continued feeding	Children under age 5 with diarrhoea in the last 2 weeks
46 Support for learning	Children under age 5
62 Birth registration	Children under age 5

Table SE.2: Sampling errors: Total sample

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.284	0.005	0.016	1.91	17806	17798	0.275	0.294
Child discipline	CP.4	0.836	0.005	0.005	1.9565	12789	13003	0.827	0.845
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.792	0.006	0.007	3.58	112856	17873	0.781	0.804
Use of improved sanitation facilities	EN.5	0.923	0.004	0.004	3.29	112856	17873	0.915	0.930
Net primary school attendance rate	ED.3	0.854	0.005	0.006	3.42	17634	18375	0.844	0.864
Net secondary school attendance rate	ED.4	0.400	0.006	0.015	2.63	16186	16990	0.388	0.412
Primary completion rate (net)	ED.6	0.439	0.009	0.020	0.92	2869	2964	0.421	0.456
Child labour	CP.2	0.107	0.004	0.033	4.01	29808	31188	0.100	0.114
Prevalence of orphans	HA.10	0.059	0.002	0.038	5.17	54179	56316	0.054	0.063
WOMEN									
Skilled attendant at delivery	RH.5	0.885	0.005	0.006	1.87	6551	6535	0.875	0.896
Antenatal care	RH.3	0.838	0.006	0.007	1.63	6551	6535	0.826	0.849
Contraceptive prevalence	RH.1	0.498	0.006	0.011	1.92	15875	15797	0.487	0.510
Adult literacy	ED.8	0.656	0.006	0.010	2.08	11662	11830	0.644	0.669
Marriage before age 18	CP.5	0.226	0.004	0.017	1.66	20800	20763	0.218	0.233
Comprehensive knowledge about HIV prevention among young people	HA.3	0.021	0.002	0.091	2.08	11662	11830	0.017	0.024
Attitude towards people with HIV/AIDS	HA.5	0.080	0.004	0.050	2.39	11187	11066	0.072	0.088
Women who have been tested for HIV	HA.6	0.028	0.002	0.061	2.91	27186	27186	0.025	0.032
Knowledge of mother- to-child transmission of HIV	HA.4	0.185	0.004	0.022	2.86	27186	27186	0.177	0.192
UNDER-FIVES									
Underweight prevalence	NU.1	0.076	0.003	0.037	1.70	15316	15328	0.070	0.082
Tuberculosis immunization coverage	CH.2	0.923	0.004	0.005	0.95	3324	3381	0.914	0.932
Polio immunization coverage	CH.2	0.656	0.009	0.013	1.09	3303	3353	0.639	0.673
Immunization coverage for DPT	CH.2	0.615	0.009	0.014	1.07	3285	3331	0.598	0.632
Immunization coverage for HepB	CH.2	0.576	0.009	0.016	1.11	3222	3266	0.558	0.595
Measles immunization coverage	CH.2	0.693	0.008	0.012	0.99	3239	3293	0.677	0.709
Fully immunized children	CH.2	0.535	0.009	0.016	1.02	3243	3292	0.518	0.553

Table SE.2: Sampling errors: Total sampleStandard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deft*) and confidence intervals for selected indicators, Iraq, 2006

Table	Value (<i>r</i>)	Standard error (<i>se</i>)	Coefficient of variation (<i>se/r</i>)	Design effect (<i>deff</i>)	Square root of design effect (<i>deft</i>)	Weighted count	Unweighted count	Confidence limits	
								<i>r</i> - 2 <i>se</i>	<i>r</i> + 2 <i>se</i>
Acute respiratory infection in last two weeks	CH.6 0.134	0.004	0.029	2.17	1.47	16469	16469	0.127	0.142
Antibiotic treatment of suspected pneumonia	CH.6 0.820	0.008	0.010	1.09	1.05	2213	2369	0.803	0.836
Diarrhoea in last two weeks	CH.4 0.130	0.004	0.029	2.11	1.45	16469	16469	0.122	0.138
Received ORT or increased fluids and continued feeding	CH.5 0.638	0.010	0.015	0.87	0.93	2142	2149	0.619	0.658
Support for learning	CD.1 0.464	0.007	0.015	3.21	1.79	16469	16469	0.450	0.477
Birth registration	CP.1 0.950	0.003	0.003	2.45	1.56	16469	16469	0.945	0.956

Table SE.3: Sampling errors: Urban area

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Urban area, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.344	0.006	0.018	2.11	12011	12071	0.331	0.356
Child discipline	CP.4	0.826	0.006	0.007	1.88622	8252	8558	0.815	0.838
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.919	0.002	0.002	0.53	71765	12113	0.915	0.923
Use of improved sanitation facilities	EN.5	0.982	0.002	0.002	3.44	71765	12113	0.978	0.987
Net primary school attendance rate	ED.3	0.913	0.004	0.004	2.07	10339	11162	0.905	0.921
Net secondary school attendance rate	ED.4	0.489	0.008	0.017	2.90	10318	11095	0.473	0.505
Primary completion rate (net)	ED.6	0.515	0.012	0.023	1.04	1748	1849	0.492	0.539
Child labour	CP.2	0.055	0.003	0.059	3.87	17594	19085	0.049	0.062
Prevalence of orphans	HA.10	0.062	0.003	0.047	5.17	32593	34946	0.056	0.068
WOMEN									
Skilled attendant at delivery	RH.5	0.950	0.005	0.005	2.13	4042	4139	0.941	0.960
Antenatal care	RH.3	0.895	0.006	0.007	1.61	4042	4139	0.883	0.907
Contraceptive prevalence	RH.1	0.532	0.007	0.013	2.02	10369	10534	0.518	0.546
Adult literacy	ED.8	0.762	0.006	0.008	1.82	7690	7957	0.749	0.775
Marriage before age 18	CP.5	0.215	0.005	0.022	1.79	13790	14052	0.205	0.224
Comprehensive knowledge about HIV prevention among young people	HA.3	0.028	0.003	0.098	2.22	7690	7957	0.023	0.034
Attitude towards people with HIV/AIDS	HA.5	0.077	0.004	0.050	1.96	9307	9284	0.070	0.085
Women who have been tested for HIV	HA.6	0.036	0.002	0.068	3.14	18028	18381	0.031	0.041
Knowledge of mother- to-child transmission of HIV	HA.4	0.230	0.005	0.024	3.06	18028	18381	0.219	0.241
UNDER-FIVES									
Underweight prevalence	NU.1	0.071	0.004	0.052	1.96	9216	9438	0.064	0.078
Tuberculosis immunization coverage	CH.2	0.946	0.004	0.005	0.74	1972	2050	0.938	0.955
Polio immunization coverage	CH.2	0.700	0.011	0.015	1.13	1958	2033	0.678	0.721
Immunization coverage for DPT	CH.2	0.687	0.011	0.016	1.13	1952	2023	0.665	0.709
Immunization coverage for HepB	CH.2	0.653	0.011	0.017	1.14	1921	1993	0.630	0.676
Measles immunization coverage	CH.2	0.759	0.009	0.012	0.93	1932	2008	0.740	0.777
Fully immunized children	CH.2	0.618	0.011	0.018	1.05	1931	2006	0.596	0.641

Table SE.3: Sampling errors: Urban area

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Urban area, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
Acute respiratory infection in last two weeks	CH.6 0.134	0.005	0.038	2.28	1.51	9865	10131	0.124	0.144
Antibiotic treatment of suspected pneumonia	CH.6 0.845	0.010	0.012	1.10	1.05	1323	1469	0.825	0.865
Diarrhoea in last two weeks	CH.4 0.133	0.005	0.038	2.19	1.48	9865	10131	0.123	0.143
Received ORT or increased fluids and continued feeding	CH.5 0.620	0.013	0.021	0.97	0.98	1315	1311	0.594	0.646
Support for learning	CD.1 0.521	0.009	0.017	3.34	1.83	9865	10131	0.503	0.539
Birth registration	CP.1 0.947	0.004	0.004	2.64	1.62	9865	10131	0.939	0.954

Table SE.4: Sampling errors: Metropolitan area

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*dseff*) and confidence intervals for selected indicators, Metropolitan area, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (dseff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.375	0.008	0.023	1.93	7262	6334	0.358	0.392
Child discipline	CP.4	0.832	0.007	0.009	1.63605	4831	4384	0.818	0.847
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.922	0.002	0.002	0.42	41881	6356	0.918	0.926
Use of improved sanitation facilities	EN.5	0.987	0.003	0.003	3.91	41881	6356	0.982	0.993
Net primary school attendance rate	ED.3	0.915	0.005	0.006	2.02	5779	5421	0.904	0.926
Net secondary school attendance rate	ED.4	0.504	0.010	0.020	2.32	5908	5722	0.484	0.524
Primary completion rate (net)	ED.6	0.530	0.019	0.035	1.28	1004	917	0.493	0.568
Child labour	CP.2	0.057	0.004	0.077	3.37	9881	9355	0.049	0.066
Prevalence of orphans	HA.10	0.067	0.004	0.062	4.87	18549	17434	0.059	0.075
WOMEN									
Skilled attendant at delivery	RH.5	0.964	0.005	0.005	1.40	2335	2111	0.954	0.973
Antenatal care	RH.3	0.912	0.007	0.008	1.40	2335	2111	0.897	0.926
Contraceptive prevalence	RH.1	0.548	0.009	0.016	1.67	6121	5491	0.530	0.565
Adult literacy	ED.8	0.795	0.008	0.010	1.71	4472	4182	0.778	0.811
Marriage before age 18	CP.5	0.205	0.006	0.029	1.57	8232	7443	0.193	0.217
Comprehensive knowledge about HIV prevention among young people	HA.3	0.027	0.003	0.109	1.38	4472	4182	0.021	0.033
Attitude towards people with HIV/AIDS	HA.5	0.067	0.004	0.063	1.55	6023	5499	0.058	0.075
Women who have been tested for HIV	HA.6	0.034	0.003	0.077	2.03	10677	9709	0.029	0.039
Knowledge of mother- to-child transmission of HIV	HA.4	0.257	0.007	0.028	2.57	10677	9709	0.242	0.271
UNDER-FIVES									
Underweight prevalence	NU.1	0.060	0.004	0.074	1.66	5306	4731	0.051	0.069
Tuberculosis immunization coverage	CH.2	0.953	0.006	0.006	0.72	1151	1049	0.942	0.964
Polio immunization coverage	CH.2	0.725	0.014	0.020	1.04	1142	1039	0.697	0.753

Table SE.4: Sampling errors: Metropolitan area

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Metropolitan area, Iraq, 2006

	Table	Value (<i>r</i>)	Standard error (<i>se</i>)	Coefficient of variation (<i>se/r</i>)	Design effect (<i>deff</i>)	Square root of design effect (<i>deff</i>)	Weighted count	Unweighted count	Confidence limits	
									$r - 2se$	$r + 2se$
Immunization coverage for DPT	CH.2	0.724	0.013	0.019	0.93	0.97	1145	1042	0.697	0.751
Immunization coverage for HepB	CH.2	0.692	0.013	0.019	0.85	0.92	1125	1027	0.665	0.719
Measles immunization coverage	CH.2	0.781	0.012	0.016	0.92	0.96	1141	1038	0.756	0.806
Fully immunized children	CH.2	0.659	0.015	0.023	1.03	1.01	1130	1030	0.630	0.689
Acute respiratory infection in last two weeks	CH.6	0.145	0.007	0.051	2.23	1.49	5661	5097	0.131	0.160
Antibiotic treatment of suspected pneumonia	CH.6	0.833	0.015	0.018	1.22	1.10	822	746	0.802	0.863
Diarrhoea in last two weeks	CH.4	0.132	0.007	0.050	1.97	1.40	5661	5097	0.119	0.145
Received ORT or increased fluids and continued feeding	CH.5	0.568	0.015	0.027	0.63	0.79	748	663	0.537	0.598
Support for learning	CD.1	0.543	0.012	0.022	2.88	1.70	5661	5097	0.519	0.567
Birth registration	CP.1	0.932	0.005	0.006	2.33	1.53	5661	5097	0.922	0.943

Table SE.5: Sampling errors: Urban other

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Urban other area, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.297	0.009	2.34	1.53	4749	5737	0.278	0.315
Child discipline	CP.4	0.818	0.009	2.24171	1.50	3421	4174	0.800	0.836
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.915	0.003	0.70	0.83	29884	5757	0.909	0.921
Use of improved sanitation facilities	EN.5	0.975	0.004	3.20	1.79	29884	5757	0.968	0.982
Net primary school attendance rate	ED.3	0.911	0.005	2.05	1.43	4560	5741	0.900	0.921
Net secondary school attendance rate	ED.4	0.469	0.013	3.78	1.94	4410	5373	0.443	0.496
Primary completion rate (net)	ED.6	0.495	0.012	0.54	0.73	744	932	0.471	0.519
Child labour	CP.2	0.053	0.005	4.53	2.13	7713	9730	0.043	0.063
Prevalence of orphans	HA.10	0.055	0.004	5.31	2.30	14044	17512	0.047	0.063
WOMEN									
Skilled attendant at delivery	RH.5	0.932	0.010	2.90	1.70	1707	2028	0.913	0.951
Antenatal care	RH.3	0.872	0.010	1.88	1.37	1707	2028	0.852	0.892
Contraceptive prevalence	RH.1	0.510	0.011	2.58	1.61	4248	5043	0.487	0.533
Adult literacy	ED.8	0.716	0.010	1.97	1.40	3218	3775	0.695	0.736
Marriage before age 18	CP.5	0.229	0.008	2.14	1.46	5558	6609	0.214	0.244
Comprehensive knowledge about HIV prevention among young people	HA.3	0.030	0.005	3.50	1.87	3218	3775	0.019	0.040
Attitude towards people with HIV/AIDS	HA.5	0.097	0.008	2.68	1.64	3284	3785	0.081	0.113
Women who have been tested for HIV	HA.6	0.038	0.005	4.92	2.22	7351	8672	0.029	0.048
Knowledge of mother- to-child transmission of HIV	HA.4	0.191	0.008	3.87	1.97	7351	8672	0.174	0.207
UNDER-FIVES									
Underweight prevalence	NU.1	0.086	0.006	2.39	1.55	3911	4707	0.073	0.098
Tuberculosis immunization coverage	CH.2	0.937	0.007	0.77	0.88	821	1001	0.923	0.950
Polio immunization coverage	CH.2	0.664	0.017	1.27	1.13	816	994	0.630	0.698
Immunization coverage for DPT	CH.2	0.636	0.019	1.48	1.22	807	981	0.598	0.673

Table SE.5: Sampling errors: Urban other

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Urban other area, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
Immunization coverage for HepB	CH.2	0.598	0.020	0.034	1.67	1.29	795	966	0.557	0.639
Measles immunization coverage	CH.2	0.727	0.014	0.019	0.94	0.97	791	970	0.699	0.754
Fully immunized children	CH.2	0.560	0.017	0.030	1.09	1.04	800	976	0.527	0.594
Acute respiratory infection in last two weeks	CH.6	0.119	0.007	0.056	2.10	1.45	4204	5034	0.106	0.132
Antibiotic treatment of suspected pneumonia	CH.6	0.866	0.009	0.010	0.47	0.69	501	723	0.849	0.883
Diarrhoea in last two weeks	CH.4	0.135	0.008	0.056	2.48	1.57	4204	5034	0.120	0.150
Received ORT or increased fluids and continued feeding	CH.5	0.689	0.022	0.032	1.48	1.22	567	648	0.645	0.734
Support for learning	CD.1	0.491	0.014	0.029	4.00	2.00	4204	5034	0.463	0.519
Birth registration	CP.1	0.966	0.004	0.005	3.02	1.74	4204	5034	0.957	0.974

Table SE.6: Sampling errors: Rural

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Rural area, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits r - 2se r + 2se
HOUSEHOLDS								
Iodized salt consumption	NU.5	0.161	0.038	1.57	1.25	5795	5727	0.148 0.173
Child discipline	CP.4	0.854	0.008	2.10274	1.45	4537	4445	0.839 0.870
HOUSEHOLD MEMBERS								
Use of improved drinking water sources	EN.1	0.570	0.015	5.42	2.33	41091	5760	0.540 0.601
Use of improved sanitation facilities	EN.5	0.819	0.009	3.20	1.79	41091	5760	0.800 0.837
Net primary school attendance rate	ED.3	0.770	0.010	3.99	2.00	7295	7213	0.751 0.790
Net secondary school attendance rate	ED.4	0.243	0.009	2.39	1.55	5868	5895	0.226 0.261
Primary completion rate (net)	ED.6	0.320	0.012	0.78	0.88	1121	1115	0.295 0.344
Child labour	CP.2	0.181	0.007	3.88	1.97	12214	12103	0.167 0.195
Prevalence of orphans	HA.10	0.054	0.004	5.18	2.28	21586	21370	0.047 0.061
WOMEN								
Skilled attendant at delivery	RH.5	0.781	0.012	1.89	1.37	2510	2396	0.758 0.804
Antenatal care	RH.3	0.746	0.012	1.70	1.30	2510	2396	0.723 0.769
Contraceptive prevalence	RH.1	0.435	0.009	1.77	1.33	5506	5263	0.417 0.453
Adult literacy	ED.8	0.452	0.013	2.47	1.57	3972	3873	0.427 0.477
Marriage before age 18	CP.5	0.248	0.006	1.45	1.20	7011	6711	0.235 0.261
Comprehensive knowledge about HIV prevention among young people	HA.3	0.006	0.001	1.11	1.05	3972	3873	0.003 0.009
Attitude towards people with HIV/AIDS	HA.5	0.094	0.014	3.98	2.00	1880	1782	0.066 0.122
Women who have been tested for HIV	HA.6	0.013	0.002	2.07	1.44	9158	8805	0.010 0.017
Knowledge of mother- to-child transmission of HIV	HA.4	0.096	0.005	2.37	1.54	9158	8805	0.086 0.105

Table SE.6: Sampling errors: Rural

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Rural area, Iraq, 2006

	Table	Value (<i>r</i>)	Standard error (<i>se</i>)	Coefficient of variation (<i>se/r</i>)	Design effect (<i>deff</i>)	Square root of design effect (<i>deff</i>)	Weighted count	Unweighted count	Confidence limits	
									<i>r</i> - 2 <i>se</i>	<i>r</i> + 2 <i>se</i>
UNDER-FIVES										
Underweight prevalence	NU.1	0.084	0.004	0.051	1.38	1.17	6100	5890	0.075	0.092
Tuberculosis immunization coverage	CH.2	0.889	0.009	0.010	1.10	1.05	1351	1331	0.871	0.907
Polio immunization coverage	CH.2	0.593	0.014	0.023	1.05	1.02	1345	1320	0.565	0.620
Immunization coverage for DPT	CH.2	0.509	0.014	0.027	1.02	1.01	1332	1308	0.481	0.537
Immunization coverage for HepB	CH.2	0.464	0.015	0.032	1.10	1.05	1301	1273	0.434	0.493
Measles immunization coverage	CH.2	0.596	0.014	0.024	1.11	1.05	1307	1285	0.567	0.624
Fully immunized children	CH.2	0.413	0.014	0.034	1.03	1.02	1312	1286	0.385	0.440
Acute respiratory infection in last two weeks	CH.6	0.135	0.006	0.045	2.03	1.42	6604	6338	0.122	0.147
Antibiotic treatment of suspected pneumonia	CH.6	0.782	0.014	0.018	1.05	1.02	890	900	0.753	0.810
Diarrhoea in last two weeks	CH.4	0.125	0.006	0.047	1.97	1.41	6604	6338	0.114	0.137
Received ORT or increased fluids and continued feeding	CH.5	0.668	0.014	0.021	0.72	0.85	827	838	0.640	0.695
Support for learning	CD.1	0.378	0.011	0.028	3.11	1.76	6604	6338	0.356	0.399
Birth registration	CP.1	0.956	0.004	0.004	2.15	1.46	6604	6338	0.948	0.963

Table SE.7: Sampling errors: South/Center governorates

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, South/Center governorates, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits		
								r - 2se	r + 2se	
HOUSEHOLDS										
Iodized salt consumption	NU.5	0.238	0.005	0.021	2.15	1.47	15293	15025	0.228	0.248
Child discipline	CP.4	0.860	0.005	0.006	2.1061	1.45	11122	11102	0.850	0.869
HOUSEHOLD MEMBERS										
Use of improved drinking water sources	EN.1	0.766	0.007	0.009	3.59	1.89	98219	15085	0.753	0.779
Use of improved sanitation facilities	EN.5	0.915	0.004	0.004	3.24	1.80	98219	15085	0.906	0.923
Net primary school attendance rate	ED.3	0.841	0.005	0.006	3.45	1.86	15502	15826	0.831	0.852
Net secondary school attendance rate	ED.4	0.380	0.007	0.018	2.79	1.67	13942	14445	0.367	0.394
Primary completion rate (net)	ED.6	0.432	0.010	0.022	0.96	0.98	2541	2572	0.413	0.452
Child labour	CP.2	0.113	0.004	0.035	4.10	2.02	26092	26760	0.105	0.121
Prevalence of orphans	HA.10	0.059	0.002	0.042	5.30	2.30	47427	48306	0.054	0.064
WOMEN										
Skilled attendant at delivery	RH.5	0.886	0.006	0.007	1.96	1.40	5804	5684	0.874	0.898
Antenatal care	RH.3	0.842	0.006	0.007	1.69	1.30	5804	5684	0.830	0.855
Contraceptive prevalence	RH.1	0.487	0.006	0.012	1.99	1.41	13910	13695	0.475	0.499
Adult literacy	ED.8	0.659	0.007	0.011	2.22	1.49	9964	10016	0.645	0.673
Marriage before age 18	CP.5	0.220	0.004	0.018	1.71	1.31	17917	17705	0.212	0.228
Comprehensive knowledge about HIV prevention among young people	HA.3	0.023	0.002	0.095	2.11	1.45	9964	10016	0.019	0.027
Attitude towards people with HIV/AIDS	HA.5	0.081	0.005	0.056	2.59	1.61	9640	9513	0.072	0.090
Women who have been tested for HIV	HA.6	0.032	0.002	0.062	2.93	1.71	23395	23179	0.028	0.036
Knowledge of mother- to-child transmission of HIV	HA.4	0.181	0.004	0.024	2.97	1.72	23395	23179	0.172	0.190

Table SE.7. Sampling errors: South/Center governorates

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deft*) and confidence intervals for selected indicators, South/Center governorates, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deft)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
UNDER-FIVES										
Underweight prevalence	NU.1	0.076	0.003	0.040	1.77	1.33	13540	13204	0.069	0.082
Tuberculosis immunization coverage	CH.2	0.916	0.005	0.005	0.94	0.97	2933	2900	0.906	0.926
Polio immunization coverage	CH.2	0.640	0.009	0.015	1.10	1.05	2922	2882	0.621	0.659
Immunization coverage for DPT	CH.2	0.603	0.010	0.016	1.08	1.04	2901	2858	0.584	0.622
Immunization coverage for HepB	CH.2	0.566	0.010	0.017	1.12	1.06	2857	2820	0.546	0.586
Measles immunization coverage	CH.2	0.682	0.009	0.013	1.00	1.00	2859	2830	0.664	0.700
Fully immunized children	CH.2	0.519	0.010	0.018	1.03	1.01	2865	2829	0.499	0.538
Acute respiratory infection in last two weeks	CH.6	0.141	0.004	0.031	2.20	1.48	14580	14225	0.132	0.149
Antibiotic treatment of suspected pneumonia	CH.6	0.826	0.009	0.011	1.17	1.08	2049	2191	0.809	0.844
Diarrhoea in last two weeks	CH.4	0.122	0.004	0.034	2.27	1.51	14580	14225	0.114	0.131
Received ORT or increased fluids and continued feeding	CH.5	0.640	0.011	0.017	0.90	0.95	1786	1727	0.618	0.662
Support for learning	CD.1	0.465	0.008	0.016	3.27	1.81	14580	14225	0.450	0.480
Birth registration	CP.1	0.946	0.003	0.003	2.44	1.56	14580	14225	0.940	0.952

Table SE.8: Sampling errors: Kurdistan Region

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Kurdistan Region, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits		
								r - 2se	r + 2se	
HOUSEHOLDS										
Iodized salt consumption	NU.5	0.568	0.012	0.021	1.58	1.26	2513	2773	0.544	0.591
Child discipline	CP.4	0.680	0.013	0.020	1.53791	1.24	1667	1901	0.653	0.706
HOUSEHOLD MEMBERS										
Use of improved drinking water sources	EN.1	0.969	0.006	0.006	3.08	1.76	14637	2788	0.957	0.980
Use of improved sanitation facilities	EN.5	0.977	0.005	0.005	3.01	1.73	14637	2788	0.967	0.987
Net primary school attendance rate	ED.3	0.945	0.005	0.006	1.38	1.18	2132	2549	0.934	0.955
Net secondary school attendance rate	ED.4	0.523	0.013	0.026	1.83	1.35	2244	2545	0.496	0.550
Primary completion rate (net)	ED.6	0.490	0.019	0.038	0.54	0.74	328	392	0.453	0.527
Child labour	CP.2	0.064	0.005	0.085	2.16	1.47	3716	4428	0.053	0.074
Prevalence of orphans	HA.10	0.055	0.005	0.090	3.81	1.95	6752	8010	0.045	0.065
WOMEN										
Skilled attendant at delivery	RH.5	0.881	0.012	0.013	1.11	1.05	747	851	0.858	0.904
Antenatal care	RH.3	0.802	0.015	0.019	1.25	1.12	747	851	0.771	0.832
Contraceptive prevalence	RH.1	0.582	0.012	0.021	1.33	1.15	1965	2102	0.557	0.607
Adult literacy	ED.8	0.642	0.013	0.020	1.26	1.12	1698	1814	0.617	0.667
Marriage before age 18	CP.5	0.261	0.009	0.035	1.35	1.16	2883	3058	0.243	0.280
Comprehensive knowledge about HIV prevention among young people	HA.3	0.007	0.002	0.303	1.10	1.05	1698	1814	0.003	0.011
Attitude towards people with HIV/AIDS	HA.5	0.076	0.007	0.090	1.03	1.01	1547	1553	0.062	0.089
Women who have been tested for HIV	HA.6	0.005	0.001	0.290	1.67	1.29	3791	4007	0.002	0.008
Knowledge of mother- to-child transmission of HIV	HA.4	0.207	0.009	0.046	2.20	1.48	3791	4007	0.188	0.226

Table SE.8: Sampling errors: Kurdistan Region

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Kurdistan Region, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits r - 2se r + 2se
UNDER-FIVES									
Underweight prevalence	NU.1	0.079	0.006	0.076	1.05	1.03	1776	2124	0.067 0.091
Tuberculosis immunization coverage	CH.2	0.975	0.006	0.006	0.77	0.88	391	481	0.963 0.988
Polio immunization coverage	CH.2	0.778	0.019	0.024	0.98	0.99	381	471	0.740 0.816
Immunization coverage for DPT	CH.2	0.708	0.019	0.027	0.85	0.92	384	473	0.670 0.747
Immunization coverage for HepB	CH.2	0.660	0.022	0.033	0.94	0.97	365	446	0.617 0.703
Measles immunization coverage	CH.2	0.775	0.017	0.022	0.77	0.88	380	463	0.741 0.809
Fully immunized children	CH.2	0.661	0.020	0.031	0.86	0.93	378	463	0.620 0.701
Acute respiratory infection in last two weeks	CH.6	0.087	0.007	0.084	1.51	1.23	1889	2244	0.072 0.101
Antibiotic treatment of suspected pneumonia	CH.6	0.738	0.021	0.029	0.42	0.64	164	178	0.695 0.781
Diarrhoea in last two weeks	CH.4	0.189	0.009	0.048	1.20	1.09	1889	2244	0.171 0.207
Received ORT or increased fluids and continued feeding	CH.5	0.631	0.019	0.030	0.63	0.80	356	422	0.594 0.668
Support for learning	CD.1	0.454	0.017	0.037	2.50	1.58	1889	2244	0.421 0.487
Birth registration	CP.1	0.985	0.003	0.003	1.25	1.12	1889	2244	0.979 0.991

Table SE.9: Sampling errors: Nineveh governorate

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Nineveh governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.181	0.019	0.103	2.27	1659	962	0.143	0.218
Child discipline	CP.4	0.892	0.019	0.021	2.80186	1307	754	0.855	0.930
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.837	0.026	0.031	4.64	11766	967	0.786	0.889
Use of improved sanitation facilities	EN.5	0.933	0.019	0.021	5.80	11766	967	0.895	0.972
Net primary school attendance rate	ED.3	0.818	0.023	0.029	4.44	2100	1218	0.771	0.865
Net secondary school attendance rate	ED.4	0.268	0.021	0.079	2.16	1649	955	0.226	0.310
Primary completion rate (net)	ED.6	0.307	0.036	0.116	1.16	194	194	0.236	0.378
Child labour	CP.2	0.074	0.010	0.139	3.06	3432	1982	0.054	0.095
Prevalence of orphans	HA.10	0.046	0.007	0.161	4.43	6223	3566	0.031	0.061
WOMEN									
Skilled attendant at delivery	RH.5	0.741	0.025	0.034	1.42	775	422	0.691	0.792
Antenatal care	RH.3	0.765	0.023	0.029	1.19	775	422	0.720	0.811
Contraceptive prevalence	RH.1	0.416	0.024	0.057	2.08	1615	891	0.369	0.464
Adult literacy	ED.8	0.519	0.027	0.053	1.97	1183	655	0.465	0.574
Marriage before age 18	CP.5	0.282	0.016	0.057	1.44	2011	1120	0.249	0.314
Comprehensive knowledge about HIV prevention among young people	HA.3	0.002	0.002	0.995	1.39	1183	655	-0.002	0.006
Attitude towards people with HIV/AIDS	HA.5	0.037	0.008	0.208	0.81	980	493	0.022	0.052
Women who have been tested for HIV	HA.6	0.049	0.008	0.157	1.87	2685	1487	0.034	0.064
Knowledge of mother- to-child transmission of HIV	HA.4	0.196	0.012	0.062	1.38	2685	1487	0.172	0.220

Table SE.9: Sampling errors: Nineveh governorate

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Nineveh governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits $r - 2se$ $r + 2se$
UNDER-FIVES									
Underweight prevalence	NU.1	0.051	0.008	0.151	1.25	1.12	1887	1029	0.035 0.066
Tuberculosis immunization coverage	CH.2	0.846	0.025	0.029	0.99	1.00	396	215	0.797 0.895
Polio immunization coverage	CH.2	0.676	0.027	0.040	0.72	0.85	396	215	0.622 0.730
Immunization coverage for DPT	CH.2	0.521	0.029	0.056	0.74	0.86	396	215	0.462 0.579
Immunization coverage for HepB	CH.2	0.493	0.028	0.057	0.67	0.82	388	211	0.436 0.549
Measles immunization coverage	CH.2	0.611	0.032	0.053	0.92	0.96	381	208	0.546 0.676
Fully immunized children	CH.2	0.448	0.031	0.068	0.80	0.89	391	213	0.387 0.509
Acute respiratory infection in last two weeks	CH.6	0.117	0.014	0.122	2.13	1.46	1978	1078	0.089 0.146
Antibiotic treatment of suspected pneumonia	CH.6	0.876	0.026	0.029	0.76	0.87	232	127	0.825 0.927
Diarrhoea in last two weeks	CH.4	0.117	0.013	0.110	1.74	1.32	1978	1078	0.091 0.143
Received ORT or increased fluids and continued feeding	CH.5	0.731	0.034	0.047	0.70	0.84	232	119	0.662 0.799
Support for learning	CD.1	0.376	0.025	0.067	2.94	1.71	1978	1078	0.326 0.427
Birth registration	CP.1	0.927	0.010	0.011	1.57	1.25	1978	1078	0.908 0.947

Table SE.10: Sampling errors: Kirkuk governorate

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Kirkuk governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.159	0.018	0.114	2.31	543	949	0.123	0.195
Child discipline	CP.4	0.712	0.029	0.041	2.89357	389	689	0.653	0.771
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.977	0.012	0.012	6.09	3378	954	0.953	1.001
Use of improved sanitation facilities	EN.5	0.936	0.014	0.015	3.31	3378	954	0.907	0.965
Net primary school attendance rate	ED.3	0.849	0.020	0.023	2.95	514	975	0.809	0.888
Net secondary school attendance rate	ED.4	0.392	0.023	0.059	2.23	552	988	0.346	0.439
Primary completion rate (net)	ED.6	0.488	0.043	0.088	1.10	83	150	0.403	0.574
Child labour	CP.2	0.063	0.011	0.172	3.40	908	1724	0.041	0.085
Prevalence of orphans	HA.10	0.061	0.012	0.191	6.94	1584	2924	0.038	0.085
WOMEN									
Skilled attendant at delivery	RH.5	0.755	0.031	0.041	1.30	144	256	0.694	0.817
Antenatal care	RH.3	0.851	0.028	0.033	1.59	144	256	0.795	0.907
Contraceptive prevalence	RH.1	0.564	0.026	0.046	2.02	417	741	0.512	0.616
Adult literacy	ED.8	0.673	0.029	0.043	2.42	358	638	0.616	0.731
Marriage before age 18	CP.5	0.168	0.013	0.077	1.30	624	1086	0.142	0.194
Comprehensive knowledge about HIV prevention among young people	HA.3	0.024	0.009	0.372	2.15	358	638	0.006	0.041
Attitude towards people with HIV/AIDS	HA.5	0.057	0.020	0.346	3.19	310	439	0.018	0.097
Women who have been tested for HIV	HA.6	0.015	0.003	0.228	1.16	828	1444	0.008	0.022
Knowledge of mother- to-child transmission of HIV	HA.4	0.104	0.016	0.152	3.89	828	1444	0.072	0.136

Table SE.10: Sampling errors: Kirkuk governorate

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Kirkuk governorate, Iraq, 2006

	Table	Value (<i>r</i>)	Standard error (<i>se</i>)	Coefficient of variation (<i>se/r</i>)	Design effect (<i>deff</i>)	Square root of design effect (<i>deff</i>)	Weighted count	Unweighted count	Confidence limits	
									<i>r</i> - 2 <i>se</i>	<i>r</i> + 2 <i>se</i>
UNDER-FIVES										
Underweight prevalence	NU.1	0.070	0.012	0.178	1.58	1.26	376	667	0.045	0.095
Tuberculosis immunization coverage	CH.2	0.945	0.008	0.009	0.20	0.44	78	142	0.928	0.962
Polio immunization coverage	CH.2	0.717	0.028	0.040	0.56	0.75	78	142	0.661	0.774
Immunization coverage for DPT	CH.2	0.704	0.028	0.040	0.54	0.73	77	140	0.648	0.761
Immunization coverage for HepB	CH.2	0.698	0.030	0.043	0.59	0.77	72	135	0.638	0.759
Measles immunization coverage	CH.2	0.742	0.031	0.042	0.68	0.82	73	136	0.680	0.804
Fully immunized children	CH.2	0.624	0.031	0.049	0.54	0.74	75	137	0.563	0.685
Acute respiratory infection in last two weeks	CH.6	0.090	0.019	0.207	2.89	1.70	388	688	0.053	0.127
Antibiotic treatment of suspected pneumonia	CH.6	0.759	0.020	0.026	0.13	0.36	35	61	0.720	0.799
Diarrhoea in last two weeks	CH.4	0.063	0.013	0.207	1.99	1.41	388	688	0.037	0.090
Received ORT or increased fluids and continued feeding	CH.5	0.816	0.037	0.045	0.31	0.55	25	35	0.742	0.890
Support for learning	CD.1	0.491	0.024	0.048	1.52	1.23	388	688	0.444	0.538
Birth registration	CP.1	0.970	0.009	0.009	2.00	1.41	388	688	0.952	0.989

Table SE.11: Sampling errors: Diala governorate

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Diala governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
HOUSEHOLDS										
Iodized salt consumption	NU.5	0.180	0.018	0.098	2.02	1.42	914	960	0.145	0.215
Child discipline	CP.4	0.772	0.024	0.031	2.2168	1.49	653	675	0.724	0.820
HOUSEHOLD MEMBERS										
Use of improved drinking water sources	EN.1	0.725	0.033	0.045	5.20	2.28	5384	972	0.660	0.791
Use of improved sanitation facilities	EN.5	0.958	0.015	0.016	5.66	2.38	5384	972	0.927	0.989
Net primary school attendance rate	ED.3	0.895	0.018	0.021	2.90	1.70	808	803	0.858	0.932
Net secondary school attendance rate	ED.4	0.481	0.032	0.066	3.23	1.80	742	790	0.417	0.545
Primary completion rate (net)	ED.6	0.603	0.037	0.062	0.77	0.88	132	133	0.528	0.678
Child labour	CP.2	0.108	0.019	0.179	5.43	2.33	1414	1395	0.070	0.147
Prevalence of orphans	HA.10	0.080	0.013	0.164	5.66	2.38	2430	2434	0.053	0.106
WOMEN										
Skilled attendant at delivery	RH.5	0.905	0.032	0.036	3.18	1.78	273	267	0.840	0.969
Antenatal care	RH.3	0.795	0.037	0.047	2.23	1.49	273	267	0.721	0.868
Contraceptive prevalence	RH.1	0.481	0.020	0.041	1.20	1.09	737	756	0.441	0.520
Adult literacy	ED.8	0.670	0.031	0.046	2.28	1.51	522	534	0.608	0.731
Marriage before age 18	CP.5	0.185	0.016	0.086	1.80	1.34	1024	1063	0.153	0.217
Comprehensive knowledge about HIV prevention among young people	HA.3	0.046	0.010	0.216	1.20	1.10	522	534	0.026	0.066
Attitude towards people with HIV/AIDS	HA.5	0.066	0.011	0.163	1.20	1.10	522	639	0.045	0.088
Women who have been tested for HIV	HA.6	0.027	0.005	0.177	1.17	1.08	1281	1339	0.018	0.037
Knowledge of mother- to-child transmission of HIV	HA.4	0.287	0.021	0.072	2.79	1.67	1281	1339	0.246	0.329

Table SE.11: Sampling errors: Diala governorate

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Diala governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
UNDER-FIVES										
Underweight prevalence	NU.1	0.063	0.013	0.202	1.71	1.31	647	622	0.038	0.089
Tuberculosis immunization coverage	CH.2	0.987	0.006	0.006	0.37	0.61	132	124	0.974	0.999
Polio immunization coverage	CH.2	0.898	0.020	0.023	0.55	0.74	132	124	0.858	0.939
Immunization coverage for DPT	CH.2	0.794	0.026	0.033	0.51	0.71	129	122	0.741	0.846
Immunization coverage for HepB	CH.2	0.699	0.050	0.071	1.43	1.19	131	123	0.600	0.798
Measles immunization coverage	CH.2	0.840	0.033	0.039	0.99	0.99	130	123	0.774	0.906
Fully immunized children	CH.2	0.736	0.035	0.048	0.77	0.88	129	122	0.666	0.806
Acute respiratory infection in last two weeks	CH.6	0.096	0.016	0.169	2.03	1.42	689	668	0.064	0.129
Antibiotic treatment of suspected pneumonia	CH.6	0.526	0.055	0.105	0.67	0.82	66	56	0.416	0.637
Diarrhoea in last two weeks	CH.4	0.096	0.014	0.147	1.53	1.24	689	668	0.068	0.124
Received ORT or increased fluids and continued feeding	CH.5	0.771	0.022	0.029	0.18	0.42	66	65	0.726	0.816
Support for learning	CD.1	0.577	0.049	0.084	6.48	2.55	689	668	0.479	0.674
Birth registration	CP.1	0.957	0.014	0.014	3.11	1.76	689	668	0.930	0.985

Table SE.12: Sampling errors: Al-Anbar governorate

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Al-Anbar governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	0.213	0.017	0.081	1.65	1.28	870	936	0.179	0.248
Child discipline	0.850	0.018	0.021	1.8333	1.35	666	716	0.814	0.886
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	0.942	0.019	0.020	6.00	2.45	6011	941	0.905	0.979
Use of improved sanitation facilities	0.994	0.003	0.003	1.10	1.05	6011	941	0.988	0.999
Net primary school attendance rate	0.880	0.024	0.027	5.56	2.36	1021	1066	0.833	0.927
Net secondary school attendance rate	0.490	0.022	0.046	2.13	1.46	958	1063	0.445	0.535
Primary completion rate (net)	0.530	0.035	0.067	0.90	0.95	172	182	0.459	0.600
Child labour	0.167	0.015	0.088	2.73	1.65	1672	1755	0.138	0.197
Prevalence of orphans	0.056	0.008	0.135	3.38	1.84	2924	3097	0.041	0.072
WOMEN									
Skilled attendant at delivery	0.940	0.008	0.009	0.41	0.64	306	319	0.923	0.957
Antenatal care	0.929	0.014	0.015	0.90	0.95	306	319	0.902	0.956
Contraceptive prevalence	0.453	0.018	0.040	1.15	1.07	823	870	0.417	0.489
Adult literacy	0.767	0.024	0.031	2.33	1.53	673	735	0.719	0.814
Marriage before age 18	0.198	0.010	0.052	0.79	0.89	1097	1175	0.177	0.218
Comprehensive knowledge about HIV prevention among young people	0.021	0.004	0.195	0.60	0.77	673	735	0.013	0.029
Attitude towards people with HIV/AIDS	0.203	0.025	0.123	3.62	1.90	796	934	0.153	0.253
Women who have been tested for HIV	0.033	0.005	0.154	1.30	1.14	1488	1598	0.023	0.043
Knowledge of mother- to-child transmission of HIV	0.237	0.019	0.079	3.08	1.76	1488	1598	0.199	0.274

Table SE.12: Sampling errors: Al-Anbar governorate

Standard errors, coefficients of variation, design effects (*deff*), square root of design effects (*deff*) and confidence intervals for selected indicators, Al-Anbar governorate, Iraq, 2006

Table	Value (<i>r</i>)	Standard error (<i>se</i>)	Coefficient of variation (<i>se/r</i>)	Design effect (<i>deff</i>)	Square root of design effect (<i>deff</i>)	Weighted count	Unweighted count	Confidence limits <i>r</i> - 2 <i>se</i> <i>r</i> + 2 <i>se</i>
UNDER-FIVES								
Underweight prevalence	0.083	0.012	0.140	1.20	1.09	663	673	0.060 0.107
Tuberculosis immunization coverage	0.964	0.013	0.013	0.73	0.85	152	157	0.938 0.989
Polio immunization coverage	0.467	0.026	0.056	0.42	0.65	152	157	0.415 0.519
Immunization coverage for DPT	0.733	0.025	0.034	0.49	0.70	152	156	0.683 0.783
Immunization coverage for HepB	0.682	0.036	0.053	0.92	0.96	147	153	0.610 0.755
Measles immunization coverage	0.763	0.028	0.037	0.65	0.81	146	150	0.707 0.819
Fully immunized children	0.603	0.033	0.055	0.67	0.82	144	149	0.537 0.669
Acute respiratory infection in last two weeks	0.120	0.014	0.115	1.45	1.20	778	796	0.093 0.148
Antibiotic treatment of suspected pneumonia	0.866	0.020	0.024	0.36	0.60	94	102	0.825 0.906
Diarrhoea in last two weeks	0.081	0.011	0.140	1.37	1.17	778	796	0.059 0.104
Received ORT or increased fluids and continued feeding	0.675	0.051	0.075	0.77	0.88	63	66	0.573 0.777
Support for learning	0.651	0.021	0.033	1.61	1.27	778	796	0.608 0.694
Birth registration	0.930	0.012	0.013	1.70	1.30	778	796	0.906 0.953

Table SE.13: Sampling errors: Baghdad governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Baghdad governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.346	0.013	1.18	1.09	4267	1594	0.320	0.371
Child discipline	CP.4	0.921	0.010	1.46503	1.21	2815	1061	0.901	0.941
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.956	0.008	2.67	1.63	23884	1594	0.939	0.973
Use of improved sanitation facilities	EN.5	0.995	0.003	2.26	1.50	23884	1594	0.989	1.000
Net primary school attendance rate	ED.3	0.917	0.008	0.94	0.97	3371	1278	0.902	0.932
Net secondary school attendance rate	ED.4	0.455	0.019	1.75	1.32	3202	1175	0.417	0.494
Primary completion rate (net)	ED.6	0.585	0.024	0.50	0.71	564	211	0.537	0.633
Child labour	CP.2	0.104	0.010	2.21	1.49	5637	2133	0.084	0.123
Prevalence of orphans	HA.10	0.063	0.007	3.08	1.76	10587	4005	0.049	0.076
WOMEN									
Skilled attendant at delivery	RH.5	0.939	0.013	1.41	1.19	1378	509	0.914	0.964
Antenatal care	RH.3	0.914	0.013	1.15	1.07	1378	509	0.887	0.941
Contraceptive prevalence	RH.1	0.530	0.015	1.18	1.09	3519	1293	0.499	0.560
Adult literacy	ED.8	0.791	0.014	1.02	1.01	2419	858	0.763	0.819
Marriage before age 18	CP.5	0.192	0.010	1.18	1.09	4674	1703	0.172	0.213
Comprehensive knowledge about HIV prevention among young people	HA.3	0.030	0.007	1.43	1.19	2419	858	0.016	0.044
Attitude towards people with HIV/AIDS	HA.5	0.056	0.007	0.94	0.97	3036	1037	0.042	0.069
Women who have been tested for HIV	HA.6	0.040	0.006	1.91	1.38	6012	2173	0.028	0.052
Knowledge of mother- to-child transmission of HIV	HA.4	0.186	0.012	1.96	1.40	6012	2173	0.163	0.210

Table SE.13: Sampling errors: Baghdad governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Baghdad governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
UNDER-FIVES										
Underweight prevalence	NU.1	0.064	0.009	0.137	1.47	1.21	3099	1144	0.047	0.082
Tuberculosis immunization coverage	CH.2	0.974	0.007	0.008	0.52	0.72	649	237	0.959	0.989
Polio immunization coverage	CH.2	0.705	0.025	0.036	0.72	0.85	647	236	0.654	0.755
Immunization coverage for DPT	CH.2	0.666	0.027	0.041	0.78	0.88	645	236	0.612	0.721
Immunization coverage for HepB	CH.2	0.645	0.027	0.042	0.74	0.86	642	235	0.591	0.698
Measles immunization coverage	CH.2	0.774	0.020	0.026	0.54	0.74	638	234	0.733	0.814
Fully immunized children	CH.2	0.613	0.025	0.041	0.62	0.79	642	235	0.562	0.663
Acute respiratory infection in last two weeks	CH.6	0.135	0.011	0.082	1.29	1.13	3337	1239	0.113	0.157
Antibiotic treatment of suspected pneumonia	CH.6	0.803	0.025	0.031	0.65	0.81	449	172	0.754	0.852
Diarrhoea in last two weeks	CH.4	0.143	0.012	0.084	1.47	1.21	3337	1239	0.119	0.167
Received ORT or increased fluids and continued feeding	CH.5	0.613	0.028	0.046	0.59	0.77	478	179	0.557	0.670
Support for learning	CD.1	0.552	0.020	0.036	1.96	1.40	3337	1239	0.512	0.591
Birth registration	CP.1	0.933	0.009	0.009	1.51	1.23	3337	1239	0.916	0.951

Table SE. 14: Sampling errors: Babil governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Babil governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.211	0.019	2.09	1.44	980	969	0.173	0.248
Child discipline	CP.4	0.763	0.019	1.43158	1.20	744	716	0.725	0.801
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.639	0.039	6.54	2.56	7125	969	0.560	0.718
Use of improved sanitation facilities	EN.5	0.834	0.024	4.08	2.02	7125	969	0.785	0.882
Net primary school attendance rate	ED.3	0.808	0.027	4.85	2.20	1155	1044	0.754	0.862
Net secondary school attendance rate	ED.4	0.393	0.023	2.25	1.50	1117	1061	0.348	0.438
Primary completion rate (net)	ED.6	0.437	0.032	0.75	0.87	190	183	0.373	0.501
Child labour	CP.2	0.217	0.019	3.56	1.89	1942	1756	0.179	0.254
Prevalence of orphans	HA.10	0.060	0.008	3.53	1.88	3433	3154	0.044	0.076
WOMEN									
Skilled attendant at delivery	RH.5	0.906	0.021	1.82	1.35	400	358	0.865	0.948
Antenatal care	RH.3	0.852	0.033	3.03	1.74	400	358	0.787	0.918
Contraceptive prevalence	RH.1	0.400	0.023	1.99	1.41	959	909	0.354	0.445
Adult literacy	ED.8	0.680	0.030	2.97	1.72	738	707	0.619	0.740
Marriage before age 18	CP.5	0.183	0.013	1.37	1.17	1298	1245	0.157	0.208
Comprehensive knowledge about HIV prevention among young people	HA.3	0.016	0.004	0.87	0.93	738	707	0.007	0.024
Attitude towards people with HIV/AIDS	HA.5	0.132	0.034	6.75	2.60	618	674	0.064	0.199
Women who have been tested for HIV	HA.6	0.021	0.004	1.52	1.23	1703	1638	0.012	0.030
Knowledge of mother- to-child transmission of HIV	HA.4	0.119	0.010	1.70	1.30	1703	1638	0.098	0.140

Table SE.14: Sampling errors: Babil governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Babil governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
UNDER-FIVES										
Underweight prevalence	NU.1	0.062	0.007	0.115	0.67	0.82	843	769	0.048	0.076
Tuberculosis immunization coverage	CH.2	0.912	0.021	0.023	0.74	0.86	162	140	0.871	0.954
Polio immunization coverage	CH.2	0.638	0.041	0.065	1.03	1.01	162	139	0.555	0.720
Immunization coverage for DPT	CH.2	0.659	0.041	0.063	1.05	1.03	161	139	0.577	0.742
Immunization coverage for HepB	CH.2	0.636	0.041	0.065	1.01	1.01	161	139	0.553	0.718
Measles immunization coverage	CH.2	0.683	0.038	0.056	0.94	0.97	161	139	0.606	0.760
Fully immunized children	CH.2	0.578	0.040	0.069	0.88	0.94	158	137	0.499	0.658
Acute respiratory infection in last two weeks	CH.6	0.084	0.012	0.139	1.46	1.21	918	829	0.061	0.107
Antibiotic treatment of suspected pneumonia	CH.6	0.922	0.022	0.024	0.49	0.70	77	72	0.877	0.967
Diarrhoea in last two weeks	CH.4	0.071	0.014	0.195	2.41	1.55	918	829	0.043	0.099
Received ORT or increased fluids and continued feeding	CH.5	0.636	0.026	0.041	0.16	0.39	65	53	0.583	0.688
Support for learning	CD.1	0.566	0.029	0.052	2.86	1.69	918	829	0.508	0.624
Birth registration	CP.1	0.958	0.008	0.009	1.42	1.19	918	829	0.941	0.975

Table SE.15: Sampling errors: Kerbala governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Kerbala governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.365	0.019	0.053	1.55	1.25	954	0.326	0.404
Child discipline	CP.4	0.864	0.015	0.017	1.28842	1.14	697	0.835	0.894
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.903	0.023	0.026	5.86	2.42	956	0.857	0.950
Use of improved sanitation facilities	EN.5	0.918	0.014	0.016	2.58	1.61	956	0.890	0.947
Net primary school attendance rate	ED.3	0.881	0.018	0.021	3.05	1.75	977	0.845	0.917
Net secondary school attendance rate	ED.4	0.340	0.025	0.074	2.36	1.54	836	0.290	0.391
Primary completion rate (net)	ED.6	0.335	0.039	0.117	0.96	0.98	140	0.257	0.414
Child labour	CP.2	0.081	0.014	0.174	4.27	2.07	1595	0.053	0.110
Prevalence of orphans	HA.10	0.087	0.012	0.137	5.38	2.32	3024	0.063	0.111
WOMEN									
Skilled attendant at delivery	RH.5	0.971	0.009	0.009	1.10	1.05	228	0.954	0.989
Antenatal care	RH.3	0.837	0.023	0.027	1.53	1.24	228	0.792	0.883
Contraceptive prevalence	RH.1	0.496	0.018	0.036	1.21	1.10	538	0.460	0.531
Adult literacy	ED.8	0.721	0.024	0.033	1.80	1.34	350	0.673	0.769
Marriage before age 18	CP.5	0.245	0.016	0.065	1.57	1.25	647	0.214	0.277
Comprehensive knowledge about HIV prevention among young people	HA.3	0.021	0.008	0.381	1.93	1.39	350	0.005	0.037
Attitude towards people with HIV/AIDS	HA.5	0.070	0.015	0.221	2.62	1.62	412	0.039	0.100
Women who have been tested for HIV	HA.6	0.051	0.010	0.193	3.01	1.74	841	0.031	0.071
Knowledge of mother- to-child transmission of HIV	HA.4	0.224	0.017	0.077	2.54	1.60	841	0.190	0.259

Table SE.15: Sampling errors: Kerbala governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Kerbala governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
UNDER-FIVES										
Underweight prevalence	NU.1	0.041	0.007	0.177	1.29	1.14	546	961	0.026	0.056
Tuberculosis immunization coverage	CH.2	0.847	0.020	0.024	0.62	0.79	111	191	0.807	0.888
Polio immunization coverage	CH.2	0.676	0.032	0.048	0.91	0.95	111	191	0.612	0.741
Immunization coverage for DPT	CH.2	0.614	0.034	0.055	0.91	0.96	109	189	0.546	0.681
Immunization coverage for HepB	CH.2	0.574	0.035	0.060	0.91	0.95	108	186	0.505	0.643
Measles immunization coverage	CH.2	0.667	0.037	0.056	1.16	1.07	109	188	0.592	0.741
Fully immunized children	CH.2	0.548	0.037	0.068	1.05	1.03	109	189	0.473	0.622
Acute respiratory infection in last two weeks	CH.6	0.266	0.021	0.080	2.34	1.53	565	998	0.224	0.309
Antibiotic treatment of suspected pneumonia	CH.6	0.824	0.018	0.021	0.53	0.73	151	252	0.789	0.859
Diarrhoea in last two weeks	CH.4	0.142	0.014	0.097	1.54	1.24	565	998	0.114	0.169
Received ORT or increased fluids and continued feeding	CH.5	0.569	0.041	0.072	0.95	0.97	80	139	0.486	0.651
Support for learning	CD.1	0.374	0.020	0.055	1.77	1.33	565	998	0.333	0.414
Birth registration	CP.1	0.945	0.010	0.010	1.73	1.31	565	998	0.926	0.964

Table SE.16: Sampling errors: Wasit governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Wasit governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
HOUSEHOLDS										
Iodized salt consumption	NU.5	0.182	0.014	0.077	1.28	1.13	634	972	0.154	0.211
Child discipline	CP.4	0.828	0.017	0.021	1.48616	1.22	467	715	0.793	0.862
HOUSEHOLD MEMBERS										
Use of improved drinking water sources	EN.1	0.710	0.033	0.046	5.06	2.25	4209	972	0.645	0.776
Use of improved sanitation facilities	EN.5	0.941	0.014	0.014	3.22	1.79	4209	972	0.914	0.968
Net primary school attendance rate	ED.3	0.793	0.019	0.024	2.15	1.46	655	967	0.755	0.831
Net secondary school attendance rate	ED.4	0.309	0.022	0.072	2.14	1.46	593	911	0.265	0.354
Primary completion rate (net)	ED.6	0.327	0.031	0.095	0.63	0.79	97	145	0.265	0.389
Child labour	CP.2	0.100	0.013	0.134	3.31	1.82	1118	1653	0.073	0.127
Prevalence of orphans	HA.10	0.052	0.008	0.162	4.43	2.11	2057	3067	0.035	0.069
WOMEN										
Skilled attendant at delivery	RH.5	0.775	0.032	0.041	2.08	1.44	249	366	0.712	0.838
Antenatal care	RH.3	0.761	0.028	0.036	1.53	1.24	249	366	0.706	0.817
Contraceptive prevalence	RH.1	0.520	0.018	0.035	1.17	1.08	595	896	0.484	0.556
Adult literacy	ED.8	0.604	0.026	0.043	1.90	1.38	435	672	0.552	0.656
Marriage before age 18	CP.5	0.224	0.015	0.065	1.44	1.20	760	1168	0.195	0.253
Comprehensive knowledge about HIV prevention among young people	HA.3	0.014	0.005	0.344	1.10	1.05	435	672	0.004	0.023
Attitude towards people with HIV/AIDS	HA.5	0.064	0.011	0.171	1.10	1.05	317	558	0.042	0.085
Women who have been tested for HIV	HA.6	0.027	0.005	0.173	1.25	1.12	991	1523	0.017	0.036
Knowledge of mother- to-child transmission of HIV	HA.4	0.179	0.015	0.082	2.23	1.49	991	1523	0.150	0.208

Table SE.16: Sampling errors: Wasit governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Wasit governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits r - 2se r + 2se
UNDER-FIVES								
Underweight prevalence	NU.1	0.120	0.014	0.113	1.55	617	894	0.093 0.147
Tuberculosis immunization coverage	CH.2	0.879	0.020	0.023	0.78	146	212	0.839 0.919
Polio immunization coverage	CH.2	0.468	0.028	0.060	0.65	142	206	0.412 0.524
Immunization coverage for DPT	CH.2	0.466	0.032	0.069	0.83	139	202	0.402 0.530
Immunization coverage for HepB	CH.2	0.466	0.032	0.068	0.82	140	203	0.402 0.529
Measles immunization coverage	CH.2	0.520	0.033	0.064	0.90	140	204	0.453 0.586
Fully immunized children	CH.2	0.408	0.032	0.078	0.85	139	202	0.345 0.472
Acute respiratory infection in last two weeks	CH.6	0.140	0.012	0.087	1.18	656	949	0.116 0.164
Antibiotic treatment of suspected pneumonia	CH.6	0.919	0.020	0.022	0.76	92	137	0.879 0.960
Diarrhoea in last two weeks	CH.4	0.112	0.010	0.088	0.94	656	949	0.093 0.132
Received ORT or increased fluids and continued feeding	CH.5	0.555	0.049	0.089	1.09	74	112	0.456 0.654
Support for learning	CD.1	0.300	0.021	0.071	2.02	656	949	0.258 0.342
Birth registration	CP.1	0.965	0.010	0.010	2.61	656	949	0.945 0.984

Table SE.17: Sampling errors: Salahuddin governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Salahuddin governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits		
								r - 2se	r + 2se	
HOUSEHOLDS										
Iodized salt consumption	NUJ.5	0.197	0.019	0.095	2.15	1.47	739	967	0.160	0.235
Child discipline	CP.4	0.881	0.015	0.017	1.61402	1.27	577	743	0.850	0.911
HOUSEHOLD MEMBERS										
Use of improved drinking water sources	EN.1	0.725	0.036	0.050	6.46	2.54	5673	970	0.653	0.798
Use of improved sanitation facilities	EN.5	0.928	0.012	0.013	2.23	1.49	5673	970	0.904	0.953
Net primary school attendance rate	ED.3	0.768	0.024	0.031	3.68	1.92	948	1162	0.721	0.816
Net secondary school attendance rate	ED.4	0.345	0.019	0.056	1.93	1.39	884	1155	0.307	0.384
Primary completion rate (net)	ED.6	0.300	0.027	0.091	0.71	0.84	164	200	0.245	0.354
Child labour	CP.2	0.181	0.018	0.097	3.97	1.99	1538	1914	0.146	0.216
Prevalence of orphans	HA.10	0.056	0.010	0.174	6.41	2.53	2855	3548	0.037	0.076
WOMEN										
Skilled attendant at delivery	RH.5	0.825	0.029	0.035	2.25	1.50	340	399	0.768	0.882
Antenatal care	RH.3	0.820	0.019	0.023	0.99	0.99	340	399	0.782	0.858
Contraceptive prevalence	RH.1	0.408	0.022	0.054	1.99	1.41	793	996	0.364	0.452
Adult literacy	ED.8	0.521	0.028	0.054	2.58	1.61	620	805	0.465	0.578
Marriage before age 18	CP.5	0.228	0.014	0.061	1.45	1.20	984	1316	0.201	0.256
Comprehensive knowledge about HIV prevention among young people	HA.3	0.022	0.005	0.240	1.05	1.03	620	805	0.012	0.033
Attitude towards people with HIV/AIDS	HA.5	0.098	0.022	0.228	3.91	1.98	350	694	0.054	0.143
Women who have been tested for HIV	HA.6	0.030	0.005	0.175	1.70	1.30	1339	1775	0.020	0.041
Knowledge of mother- to-child transmission of HIV	HA.4	0.146	0.013	0.088	2.33	1.53	1339	1775	0.121	0.172

Table SE.17: Sampling errors: Salahuddin governorate

Standard errors, coefficients of variation, design effects (def), square root of design effects (deft) and confidence intervals for selected indicators, Salahuddin governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deft)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
UNDER-FIVES										
Underweight prevalence	NU.1	0.062	0.011	0.185	2.15	1.47	833	959	0.039	0.085
Tuberculosis immunization coverage	CH.2	0.830	0.024	0.029	0.86	0.93	185	213	0.782	0.877
Polio immunization coverage	CH.2	0.534	0.038	0.071	1.23	1.11	185	213	0.458	0.610
Immunization coverage for DPT	CH.2	0.509	0.031	0.062	0.82	0.91	182	210	0.446	0.572
Immunization coverage for HepB	CH.2	0.449	0.036	0.079	1.05	1.03	178	206	0.378	0.520
Measles immunization coverage	CH.2	0.463	0.035	0.075	0.99	1.00	180	207	0.394	0.532
Fully immunized children	CH.2	0.320	0.032	0.101	1.02	1.01	185	212	0.256	0.385
Acute respiratory infection in last two weeks	CH.6	0.202	0.020	0.101	2.66	1.63	885	1024	0.161	0.243
Antibiotic treatment of suspected pneumonia	CH.6	0.747	0.041	0.055	1.65	1.28	179	186	0.665	0.829
Diarrhoea in last two weeks	CH.4	0.173	0.018	0.104	2.31	1.52	885	1024	0.137	0.208
Received ORT or increased fluids and continued feeding	CH.5	0.600	0.035	0.059	0.91	0.96	153	178	0.529	0.670
Support for learning	CD.1	0.600	0.024	0.041	2.52	1.59	885	1024	0.551	0.648
Birth registration	CP.1	0.965	0.009	0.009	2.30	1.52	885	1024	0.947	0.982

Table SE.18: Sampling errors: Najaf governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Najaf governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.377	0.019	1.46	1.21	641	968	0.339	0.415
Child discipline	CP.4	0.876	0.014	1.28688	1.13	470	712	0.848	0.904
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.881	0.021	4.19	2.05	4087	968	0.839	0.924
Use of improved sanitation facilities	EN.5	0.932	0.015	3.42	1.85	4087	968	0.902	0.962
Net primary school attendance rate	ED.3	0.849	0.014	1.59	1.26	637	979	0.821	0.878
Net secondary school attendance rate	ED.4	0.384	0.024	2.04	1.43	569	866	0.337	0.431
Primary completion rate (net)	ED.6	0.404	0.030	0.62	0.79	112	167	0.344	0.464
Child labour	CP.2	0.134	0.014	2.74	1.66	1098	1679	0.106	0.161
Prevalence of orphans	HA.10	0.057	0.008	3.70	1.92	1989	3032	0.041	0.073
WOMEN									
Skilled attendant at delivery	RH.5	0.979	0.009	1.55	1.24	257	379	0.960	0.997
Antenatal care	RH.3	0.886	0.019	1.33	1.15	257	379	0.849	0.924
Contraceptive prevalence	RH.1	0.550	0.022	1.67	1.29	598	889	0.507	0.593
Adult literacy	ED.8	0.625	0.025	1.67	1.29	402	602	0.574	0.676
Marriage before age 18	CP.5	0.235	0.012	0.81	0.90	714	1070	0.212	0.259
Comprehensive knowledge about HIV prevention among young people	HA.3	0.037	0.011	2.19	1.48	402	602	0.015	0.060
Attitude towards people with HIV/AIDS	HA.5	0.039	0.007	0.68	0.83	382	550	0.025	0.052
Women who have been tested for HIV	HA.6	0.020	0.005	1.51	1.23	929	1392	0.011	0.029
Knowledge of mother- to-child transmission of HIV	HA.4	0.159	0.021	4.50	2.12	929	1392	0.118	0.201

Table SE.18: Sampling errors: Najaf governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Najaf governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits
								r - 2se r + 2se
UNDER-FIVES								
Underweight prevalence	NU.1	0.081	0.012	0.146	1.68	600	890	0.058 0.105
Tuberculosis immunization coverage	CH.2	0.771	0.026	0.034	0.73	130	195	0.719 0.823
Polio immunization coverage	CH.2	0.471	0.031	0.066	0.76	130	195	0.409 0.534
Immunization coverage for DPT	CH.2	0.379	0.030	0.079	0.74	129	194	0.319 0.439
Immunization coverage for HepB	CH.2	0.357	0.028	0.078	0.65	129	194	0.301 0.413
Measles immunization coverage	CH.2	0.603	0.030	0.049	0.70	127	190	0.543 0.662
Fully immunized children	CH.2	0.317	0.030	0.095	0.80	129	193	0.257 0.377
Acute respiratory infection in last two weeks	CH.6	0.226	0.022	0.096	2.53	638	943	0.183 0.269
Antibiotic treatment of suspected pneumonia	CH.6	0.872	0.018	0.021	0.67	144	219	0.835 0.909
Diarrhoea in last two weeks	CH.4	0.170	0.015	0.090	1.55	638	943	0.140 0.201
Received ORT or increased fluids and continued feeding	CH.5	0.633	0.038	0.061	1.01	109	160	0.557 0.710
Support for learning	CD.1	0.552	0.022	0.040	1.84	638	943	0.508 0.596
Birth registration	CP.1	0.954	0.008	0.008	1.21	638	943	0.938 0.969

Table SE.19: Sampling errors: Qadisiya governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Qadisiya governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.110	0.012	1.54	1.24	589	967	0.085	0.135
Child discipline	CP.4	0.797	0.027	3.2304	1.80	439	713	0.743	0.852
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.745	0.039	7.79	2.79	4012	971	0.667	0.823
Use of improved sanitation facilities	EN.5	0.635	0.030	3.83	1.96	4012	971	0.575	0.696
Net primary school attendance rate	ED.3	0.725	0.026	3.35	1.83	637	1021	0.674	0.776
Net secondary school attendance rate	ED.4	0.302	0.025	2.76	1.66	572	914	0.252	0.353
Primary completion rate (net)	ED.6	0.265	0.028	0.67	0.82	98	162	0.208	0.322
Child labour	CP.2	0.135	0.021	6.38	2.53	1082	1732	0.093	0.176
Prevalence of orphans	HA.10	0.062	0.010	5.54	2.35	1985	3168	0.042	0.083
WOMEN									
Skilled attendant at delivery	RH.5	0.954	0.011	1.06	1.03	261	413	0.933	0.976
Antenatal care	RH.3	0.763	0.023	1.23	1.11	261	413	0.716	0.809
Contraceptive prevalence	RH.1	0.398	0.018	1.26	1.12	557	907	0.362	0.435
Adult literacy	ED.8	0.565	0.026	1.86	1.37	425	667	0.513	0.618
Marriage before age 18	CP.5	0.234	0.013	1.08	1.04	724	1165	0.208	0.260
Comprehensive knowledge about HIV prevention among young people	HA.3	0.011	0.004	0.73	0.86	425	667	0.004	0.018
Attitude towards people with HIV/AIDS	HA.5	0.076	0.015	1.42	1.19	261	468	0.047	0.105
Women who have been tested for HIV	HA.6	0.038	0.008	2.88	1.70	948	1516	0.021	0.054
Knowledge of mother- to-child transmission of HIV	HA.4	0.154	0.016	2.84	1.69	948	1516	0.123	0.185

Table SE.19: Sampling errors: Qadisiya governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Qadisiya governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits		
								r - 2se	r + 2se	
UNDER-FIVES										
Underweight prevalence	NU.1	0.085	0.011	0.127	1.35	1.16	577	901	0.064	0.107
Tuberculosis immunization coverage	CH.2	0.862	0.025	0.029	1.10	1.05	137	209	0.812	0.912
Polio immunization coverage	CH.2	0.509	0.038	0.074	1.17	1.08	137	209	0.434	0.585
Immunization coverage for DPT	CH.2	0.505	0.040	0.080	1.33	1.15	132	203	0.424	0.586
Immunization coverage for HepB	CH.2	0.457	0.039	0.086	1.23	1.11	131	201	0.378	0.535
Measles immunization coverage	CH.2	0.603	0.036	0.060	1.11	1.06	133	203	0.530	0.675
Fully immunized children	CH.2	0.406	0.036	0.090	1.11	1.05	131	202	0.333	0.479
Acute respiratory infection in last two weeks	CH.6	0.174	0.015	0.088	1.63	1.28	641	994	0.144	0.205
Antibiotic treatment of suspected pneumonia	CH.6	0.767	0.036	0.047	1.25	1.12	112	169	0.694	0.840
Diarrhoea in last two weeks	CH.4	0.095	0.012	0.129	1.73	1.32	641	994	0.071	0.120
Received ORT or increased fluids and continued feeding	CH.5	0.548	0.066	0.121	1.66	1.29	61	95	0.416	0.680
Support for learning	CD.1	0.283	0.023	0.080	2.51	1.58	641	994	0.238	0.328
Birth registration	CP.1	0.935	0.015	0.016	3.47	1.86	641	994	0.906	0.964

Table SE.20: Sampling errors: Al-Muthanna governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Al-Muthanna governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits r - 2se r + 2se
HOUSEHOLDS								
Iodized salt consumption	NU.5	0.300	0.017	0.055	1.25	1.12	350	966.000 0.333
Child discipline	CP.4	0.783	0.021	0.026	2.00352	1.42	299	801.000 0.824
HOUSEHOLD MEMBERS								
Use of improved drinking water sources	EN.1	0.531	0.033	0.063	4.34	2.08	2992	0.464 0.598
Use of improved sanitation facilities	EN.5	0.810	0.028	0.034	4.87	2.21	2992	0.755 0.866
Net primary school attendance rate	ED.3	0.773	0.028	0.036	5.81	2.41	531	0.718 0.828
Net secondary school attendance rate	ED.4	0.243	0.018	0.073	2.07	1.44	459	0.208 0.279
Primary completion rate (net)	ED.6	0.322	0.031	0.096	1.01	1.01	93	0.261 0.384
Child labour	CP.2	0.084	0.012	0.146	4.44	2.11	905	0.059 0.108
Prevalence of orphans	HA.10	0.088	0.012	0.141	7.61	2.76	1566	0.063 0.112
WOMEN								
Skilled attendant at delivery	RH.5	0.847	0.036	0.042	4.79	2.19	184	0.775 0.918
Antenatal care	RH.3	0.805	0.030	0.037	2.80	1.67	184	0.745 0.865
Contraceptive prevalence	RH.1	0.423	0.023	0.055	2.40	1.55	404	0.377 0.470
Adult literacy	ED.8	0.473	0.023	0.049	1.76	1.33	300	0.426 0.519
Marriage before age 18	CP.5	0.324	0.014	0.042	1.15	1.07	502	0.297 0.352
Comprehensive knowledge about HIV prevention among young people	HA.3	0.013	0.004	0.328	1.16	1.08	300	0.005 0.022
Attitude towards people with HIV/AIDS	HA.5	0.017	0.004	0.247	0.99	1.00	307	0.008 0.025
Women who have been tested for HIV	HA.6	0.005	0.002	0.437	1.84	1.36	665	0.001 0.010
Knowledge of mother- to-child transmission of HIV	HA.4	0.226	0.016	0.073	2.77	1.67	665	0.193 0.259

Table SE.20: Sampling errors: Al-Muthanna governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Al-Muthanna governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
UNDER-FIVES										
Underweight prevalence	NU.1	0.108	0.014	0.125	2.01	1.42	422	1066	0.081	0.135
Tuberculosis immunization coverage	CH.2	0.963	0.013	0.013	1.16	1.08	99	257	0.938	0.988
Polio immunization coverage	CH.2	0.658	0.036	0.055	1.50	1.23	99	258	0.586	0.731
Immunization coverage for DPT	CH.2	0.510	0.044	0.086	2.00	1.41	99	257	0.422	0.599
Immunization coverage for HepB	CH.2	0.492	0.036	0.073	1.32	1.15	99	256	0.420	0.564
Measles immunization coverage	CH.2	0.563	0.036	0.063	1.31	1.15	99	256	0.492	0.634
Fully immunized children	CH.2	0.410	0.036	0.087	1.34	1.16	99	257	0.339	0.481
Acute respiratory infection in last two weeks	CH.6	0.237	0.017	0.072	1.86	1.36	460	1156	0.203	0.271
Antibiotic treatment of suspected pneumonia	CH.6	0.850	0.037	0.043	2.98	1.73	109	283	0.776	0.923
Diarrhoea in last two weeks	CH.4	0.161	0.015	0.091	1.84	1.36	460	1156	0.132	0.190
Received ORT or increased fluids and continued feeding	CH.5	0.607	0.035	0.058	0.96	0.98	74	187	0.536	0.677
Support for learning	CD.1	0.355	0.039	0.110	7.67	2.77	460	1156	0.277	0.433
Birth registration	CP.1	0.925	0.011	0.012	1.97	1.40	460	1156	0.903	0.947

Table SE.21: Sampling errors: Thi-Qar governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Thi-qar governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.181	0.014	0.075	1.19	959	964	0.154	0.208
Child discipline	CP.4	0.866	0.018	0.020	1.79861	683	672	0.830	0.901
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.699	0.025	0.036	2.86	5844	966	0.649	0.749
Use of improved sanitation facilities	EN.5	0.808	0.014	0.017	1.16	5844	966	0.781	0.836
Net primary school attendance rate	ED.3	0.793	0.020	0.025	2.16	944	921	0.754	0.833
Net secondary school attendance rate	ED.4	0.314	0.021	0.066	1.57	777	778	0.272	0.356
Primary completion rate (net)	ED.6	0.364	0.037	0.102	0.92	157	155	0.290	0.439
Child labour	CP.2	0.097	0.014	0.147	3.70	1636	1594	0.069	0.126
Prevalence of orphans	HA.10	0.051	0.008	0.154	3.64	2914	2850	0.035	0.067
WOMEN									
Skilled attendant at delivery	RH.5	0.869	0.017	0.019	0.86	355	344	0.836	0.903
Antenatal care	RH.3	0.803	0.025	0.031	1.30	355	344	0.754	0.852
Contraceptive prevalence	RH.1	0.500	0.021	0.041	1.40	853	830	0.459	0.541
Adult literacy	ED.8	0.598	0.030	0.051	2.11	549	546	0.537	0.659
Marriage before age 18	CP.5	0.245	0.014	0.058	1.07	996	975	0.217	0.274
Comprehensive knowledge about HIV prevention among young people	HA.3	0.013	0.005	0.377	1.03	549	546	0.003	0.023
Attitude towards people with HIV/AIDS	HA.5	0.129	0.018	0.141	1.43	456	489	0.093	0.166
Women who have been tested for HIV	HA.6	0.030	0.007	0.224	1.92	1281	1258	0.016	0.043
Knowledge of mother- to-child transmission of HIV	HA.4	0.164	0.013	0.078	1.50	1281	1258	0.139	0.190

Table SE.21: Sampling errors: Thi-Qar governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Thi-qar governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
UNDER-FIVES										
Underweight prevalence	NU.1	0.065	0.008	0.125	0.86	0.93	837	792	0.049	0.082
Tuberculosis immunization coverage	CH.2	0.940	0.016	0.018	0.87	0.93	193	182	0.907	0.973
Polio immunization coverage	CH.2	0.601	0.035	0.058	0.94	0.97	195	184	0.531	0.672
Immunization coverage for DPT	CH.2	0.525	0.032	0.061	0.73	0.85	191	181	0.461	0.588
Immunization coverage for HepB	CH.2	0.479	0.031	0.064	0.68	0.82	188	178	0.417	0.540
Measles immunization coverage	CH.2	0.661	0.030	0.045	0.70	0.84	187	176	0.601	0.721
Fully immunized children	CH.2	0.435	0.031	0.070	0.68	0.82	189	179	0.374	0.496
Acute respiratory infection in last two weeks	CH.6	0.182	0.016	0.089	1.53	1.24	921	874	0.150	0.214
Antibiotic treatment of suspected pneumonia	CH.6	0.855	0.023	0.027	0.70	0.84	168	166	0.809	0.900
Diarrhoea in last two weeks	CH.4	0.180	0.016	0.087	1.46	1.21	921	874	0.148	0.211
Received ORT or increased fluids and continued feeding	CH.5	0.682	0.027	0.040	0.52	0.72	166	154	0.627	0.736
Support for learning	CD.1	0.352	0.021	0.059	1.66	1.29	921	874	0.311	0.394
Birth registration	CP.1	0.957	0.009	0.009	1.70	1.31	921	874	0.939	0.975

Table SE.22: Sampling errors: Missan governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Missan governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5	0.089	0.012	0.139	1.83	492	969	0.065	0.114
Child discipline	CP.4	0.846	0.020	0.024	2.19564	365	723	0.806	0.886
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1	0.751	0.020	0.027	2.16	3406	971	0.710	0.791
Use of improved sanitation facilities	EN.5	0.831	0.022	0.027	3.43	3406	971	0.786	0.875
Net primary school attendance rate	ED.3	0.698	0.016	0.022	1.35	585	1175	0.667	0.729
Net secondary school attendance rate	ED.4	0.229	0.020	0.086	2.09	488	954	0.190	0.268
Primary completion rate (net)	ED.6	0.246	0.042	0.169	1.59	88	172	0.163	0.329
Child labour	CP.2	0.116	0.015	0.131	4.51	1003	2010	0.086	0.147
Prevalence of orphans	HA.10	0.036	0.006	0.174	3.92	1766	3508	0.023	0.048
WOMEN									
Skilled attendant at delivery	RH.5	0.846	0.018	0.021	1.02	207	408	0.810	0.882
Antenatal care	RH.3	0.804	0.022	0.028	1.26	207	408	0.759	0.848
Contraceptive prevalence	RH.1	0.556	0.021	0.037	1.44	428	826	0.515	0.598
Adult literacy	ED.8	0.480	0.026	0.055	1.74	324	628	0.427	0.532
Marriage before age 18	CP.5	0.246	0.014	0.058	1.17	556	1083	0.217	0.274
Comprehensive knowledge about HIV prevention among young people	HA.3	0.020	0.007	0.359	1.64	324	628	0.006	0.034
Attitude towards people with HIV/AIDS	HA.5	0.081	0.014	0.170	0.86	176	337	0.053	0.109
Women who have been tested for HIV	HA.6	0.009	0.003	0.337	1.49	735	1423	0.003	0.015
Knowledge of mother- to-child transmission of HIV	HA.4	0.086	0.013	0.151	3.05	735	1423	0.060	0.112

Table SE.22: Sampling errors: Missan governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Missan governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits
									$r - 2se$ $r + 2se$
UNDER-FIVES									
Underweight prevalence	NU.1	0.111	0.011	0.095	1.07	1.04	496	949	0.090 0.132
Tuberculosis immunization coverage	CH.2	0.954	0.013	0.014	0.90	0.95	115	221	0.927 0.981
Polio immunization coverage	CH.2	0.566	0.032	0.057	0.87	0.93	107	208	0.502 0.630
Immunization coverage for DPT	CH.2	0.508	0.033	0.065	0.91	0.95	109	209	0.442 0.575
Immunization coverage for HepB	CH.2	0.497	0.033	0.067	0.91	0.96	108	207	0.430 0.564
Measles immunization coverage	CH.2	0.650	0.030	0.046	0.82	0.91	112	214	0.591 0.709
Fully immunized children	CH.2	0.392	0.032	0.083	0.91	0.96	108	209	0.327 0.457
Acute respiratory infection in last two weeks	CH.6	0.118	0.014	0.120	1.98	1.41	538	1033	0.090 0.146
Antibiotic treatment of suspected pneumonia	CH.6	0.857	0.048	0.056	2.27	1.51	63	122	0.762 0.953
Diarrhoea in last two weeks	CH.4	0.111	0.013	0.119	1.83	1.35	538	1033	0.084 0.137
Received ORT or increased fluids and continued feeding	CH.5	0.723	0.041	0.056	0.95	0.98	60	116	0.642 0.805
Support for learning	CD.1	0.366	0.027	0.073	3.21	1.79	538	1033	0.312 0.420
Birth registration	CP.1	0.975	0.006	0.006	1.59	1.26	538	1033	0.963 0.987

Table SE.23: Sampling errors: Basrah governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Basrah governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
HOUSEHOLDS										
Iodized salt consumption	NU.5	0.121	0.016	0.128	2.10	1.45	1134	928	0.090	0.152
Child discipline	CP.4	0.887	0.013	0.015	1.20795	1.10	868	715	0.861	0.913
HOUSEHOLD MEMBERS										
Use of improved drinking water sources	EN.1	0.015	0.005	0.331	1.59	1.26	7045	943	0.005	0.025
Use of improved sanitation facilities	EN.5	0.876	0.017	0.020	2.58	1.61	7045	943	0.842	0.911
Net primary school attendance rate	ED.3	0.901	0.012	0.013	1.47	1.21	1063	896	0.877	0.925
Net secondary school attendance rate	ED.4	0.448	0.023	0.051	1.64	1.28	927	784	0.403	0.494
Primary completion rate (net)	ED.6	0.476	0.033	0.070	0.64	0.80	177	145	0.410	0.543
Child labour	CP.2	0.051	0.008	0.163	2.22	1.49	1831	1545	0.034	0.068
Prevalence of orphans	HA.10	0.057	0.008	0.147	3.77	1.94	3456	2909	0.040	0.074
WOMEN										
Skilled attendant at delivery	RH.5	0.969	0.010	0.010	1.23	1.11	448	365	0.949	0.989
Antenatal care	RH.3	0.865	0.018	0.020	0.96	0.98	448	365	0.830	0.900
Contraceptive prevalence	RH.1	0.561	0.018	0.033	1.18	1.09	1075	857	0.524	0.598
Adult literacy	ED.8	0.709	0.021	0.030	1.18	1.09	665	538	0.666	0.752
Marriage before age 18	CP.5	0.228	0.012	0.055	0.91	0.95	1306	1030	0.203	0.253
Comprehensive knowledge about HIV prevention among young people	HA.3	0.047	0.012	0.247	1.64	1.28	665	538	0.024	0.071
Attitude towards people with HIV/AIDS	HA.5	0.116	0.016	0.135	1.25	1.12	717	526	0.085	0.147
Women who have been tested for HIV	HA.6	0.020	0.005	0.234	1.49	1.22	1669	1325	0.011	0.029
Knowledge of mother- to-child transmission of HIV	HA.4	0.179	0.014	0.079	1.78	1.33	1669	1325	0.151	0.207

Table SE.23: Sampling errors: Basrah governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Basrah governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
UNDER-FIVES										
Underweight prevalence	NU.1	0.139	0.012	0.090	1.16	1.08	1097	888	0.114	0.163
Tuberculosis immunization coverage	CH.2	0.973	0.009	0.009	0.62	0.79	249	205	0.955	0.991
Polio immunization coverage	CH.2	0.739	0.035	0.047	1.30	1.14	249	205	0.669	0.809
Immunization coverage for DPT	CH.2	0.767	0.028	0.036	0.89	0.94	249	205	0.711	0.823
Immunization coverage for HepB	CH.2	0.688	0.031	0.045	0.86	0.93	234	193	0.626	0.750
Measles immunization coverage	CH.2	0.826	0.024	0.029	0.80	0.90	245	202	0.778	0.874
Fully immunized children	CH.2	0.687	0.030	0.044	0.80	0.89	234	193	0.627	0.747
Acute respiratory infection in last two weeks	CH.6	0.066	0.012	0.177	2.11	1.45	1188	956	0.043	0.089
Antibiotic treatment of suspected pneumonia	CH.6	0.912	0.017	0.018	0.23	0.48	78	67	0.879	0.946
Diarrhoea in last two weeks	CH.4	0.068	0.009	0.128	1.15	1.07	1188	956	0.051	0.086
Received ORT or increased fluids and continued feeding	CH.5	0.538	0.037	0.069	0.38	0.61	81	69	0.464	0.612
Support for learning	CD.1	0.353	0.024	0.069	2.46	1.57	1188	956	0.305	0.402
Birth registration	CP.1	0.961	0.007	0.007	1.11	1.05	1188	956	0.948	0.974

Table SE.24: Sampling errors: Dohuk governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Dohuk governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
								r - 2se	r + 2se
HOUSEHOLDS									
Iodized salt consumption	NU.5 0.674	0.023	0.033	2.20	1.48	558	953	0.629	0.719
Child discipline	CP.4 0.848	0.019	0.023	2.03928	1.43	409	699	0.809	0.886
HOUSEHOLD MEMBERS									
Use of improved drinking water sources	EN.1 0.986	0.007	0.007	3.13	1.77	3746	956	0.973	1.000
Use of improved sanitation facilities	EN.5 0.981	0.007	0.007	2.35	1.53	3746	956	0.968	0.995
Net primary school attendance rate	ED.3 0.939	0.008	0.009	1.28	1.13	613	1055	0.922	0.956
Net secondary school attendance rate	ED.4 0.497	0.020	0.041	1.60	1.27	562	970	0.456	0.538
Primary completion rate (net)	ED.6 0.411	0.030	0.072	0.57	0.76	93	157	0.352	0.471
Child labour	CP.2 0.043	0.008	0.178	2.59	1.61	1064	1830	0.028	0.058
Prevalence of orphans	HA.10 0.055	0.008	0.151	4.38	2.09	1923	3289	0.038	0.072
WOMEN									
Skilled attendant at delivery	RH.5 0.840	0.022	0.026	1.26	1.12	221	368	0.796	0.883
Antenatal care	RH.3 0.829	0.020	0.025	1.08	1.04	221	368	0.788	0.870
Contraceptive prevalence	RH.1 0.406	0.021	0.052	1.49	1.22	487	809	0.363	0.448
Adult literacy	ED.8 0.525	0.022	0.043	1.40	1.18	413	695	0.480	0.570
Marriage before age 18	CP.5 0.297	0.014	0.047	1.04	1.02	677	1133	0.269	0.324
Comprehensive knowledge about HIV prevention among young people	HA.3 0.009	0.004	0.432	1.20	1.09	413	695	0.001	0.017
Attitude towards people with HIV/AIDS	HA.5 0.111	0.016	0.147	1.40	1.18	304	521	0.078	0.144
Women who have been tested for HIV	HA.6 0.004	0.002	0.430	1.11	1.05	887	1485	0.001	0.008
Knowledge of mother- to-child transmission of HIV	HA.4 0.230	0.018	0.079	2.75	1.66	887	1485	0.193	0.266

Table SE.24: Sampling errors: Dohuk governorate

Standard errors, coefficients of variation, design effects (def), square root of design effects (deff) and confidence intervals for selected indicators, Dohuk governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
UNDER-FIVES										
Underweight prevalence	NU.1	0.087	0.010	0.110	1.11	1.05	585	963	0.068	0.107
Tuberculosis immunization coverage	CH.2	0.969	0.013	0.014	1.17	1.08	120	205	0.943	0.995
Polio immunization coverage	CH.2	0.783	0.030	0.038	1.05	1.03	120	205	0.724	0.843
Immunization coverage for DPT	CH.2	0.667	0.032	0.048	0.95	0.97	119	204	0.603	0.732
Immunization coverage for HepB	CH.2	0.541	0.038	0.071	1.12	1.06	111	191	0.465	0.618
Measles immunization coverage	CH.2	0.804	0.028	0.035	1.01	1.00	118	201	0.748	0.860
Fully immunized children	CH.2	0.634	0.034	0.053	0.96	0.98	116	199	0.567	0.701
Acute respiratory infection in last two weeks	CH.6	0.076	0.011	0.145	1.70	1.30	600	988	0.054	0.098
Antibiotic treatment of suspected pneumonia	CH.6	0.742	0.033	0.044	0.40	0.63	45	73	0.677	0.808
Diarrhoea in last two weeks	CH.4	0.158	0.013	0.085	1.33	1.15	600	988	0.131	0.185
Received ORT or increased fluids and continued feeding	CH.5	0.722	0.035	0.049	0.95	0.97	95	153	0.652	0.793
Support for learning	CD.1	0.460	0.036	0.078	5.14	2.27	600	988	0.388	0.532
Birth registration	CP.1	0.989	0.003	0.003	1.14	1.07	600	988	0.983	0.996

Table SE.25: Sampling errors: Sulimaniya governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Sulimaniya governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits $r - 2se$ $r + 2se$
HOUSEHOLDS								
lodized salt consumption	NU.5	0.629	0.016	1.03	1.01	1178	919	0.597 0.661
Child discipline	CP.4	0.644	0.024	1.31433	1.15	695	545	0.597 0.691
HOUSEHOLD MEMBERS								
Use of improved drinking water sources	EN.1	0.955	0.011	0.012	2.71	6175	920	0.933 0.978
Use of improved sanitation facilities	EN.5	0.971	0.010	0.010	3.05	6175	920	0.952 0.991
Net primary school attendance rate	ED.3	0.958	0.009	0.009	1.34	810	650	0.940 0.976
Net secondary school attendance rate	ED.4	0.540	0.023	0.043	1.56	935	731	0.494 0.586
Primary completion rate (net)	ED.6	0.546	0.035	0.064	0.55	133	112	0.476 0.617
Child labour	CP.2	0.070	0.009	0.128	1.39	1388	1114	0.052 0.088
Prevalence of orphans	HA.10	0.058	0.009	0.163	3.28	2550	2027	0.039 0.076
WOMEN								
Skilled attendant at delivery	RH.5	0.919	0.020	0.021	1.02	281	200	0.880 0.958
Antenatal care	RH.3	0.800	0.031	0.039	1.21	281	200	0.738 0.863
Contraceptive prevalence	RH.1	0.655	0.022	0.034	1.25	830	582	0.611 0.699
Adult literacy	ED.8	0.736	0.017	0.024	0.81	739	519	0.701 0.771
Marriage before age 18	CP.5	0.237	0.016	0.066	1.23	1292	910	0.206 0.269
Comprehensive knowledge about HIV prevention among young people	HA.3	0.002	0.002	1.001	0.97	739	519	-0.002 0.006
Attitude towards people with HIV/AIDS	HA.5	0.084	0.012	0.147	0.82	621	416	0.059 0.108
Women who have been tested for HIV	HA.6	0.007	0.003	0.394	1.31	1692	1190	0.002 0.013
Knowledge of mother- to-child transmission of HIV	HA.4	0.172	0.015	0.087	1.86	1692	1190	0.142 0.201

Table SE.25: Sampling errors: Sulimaniya governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Sulimaniya governorate, Iraq, 2006

Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits		
								r - 2se	r + 2se	
UNDER-FIVES										
Underweight prevalence	NU.1	0.046	0.010	0.223	1.08	1.04	596	452	0.025	0.066
Tuberculosis immunization coverage	CH.2	0.978	0.001	0.001	0.00	0.04	122	96	0.977	0.979
Polio immunization coverage	CH.2	0.692	0.037	0.053	0.60	0.78	122	96	0.618	0.765
Immunization coverage for DPT	CH.2	0.684	0.037	0.054	0.59	0.77	122	96	0.611	0.758
Immunization coverage for HepB	CH.2	0.680	0.037	0.055	0.61	0.78	122	96	0.605	0.755
Measles immunization coverage	CH.2	0.710	0.033	0.047	0.51	0.71	122	96	0.643	0.776
Fully immunized children	CH.2	0.622	0.036	0.059	0.54	0.73	122	96	0.549	0.695
Acute respiratory infection in last two weeks	CH.6	0.098	0.015	0.154	1.26	1.12	649	492	0.068	0.128
Antibiotic treatment of suspected pneumonia	CH.6	0.872	0.018	0.020	0.13	0.36	63	47	0.836	0.908
Diarrhoea in last two weeks	CH.4	0.138	0.016	0.114	1.03	1.02	649	492	0.107	0.170
Received ORT or increased fluids and continued feeding	CH.5	0.607	0.037	0.061	0.40	0.63	90	70	0.533	0.682
Support for learning	CD.1	0.430	0.025	0.058	1.26	1.12	649	492	0.380	0.480
Birth registration	CP.1	0.979	0.006	0.006	0.90	0.95	649	492	0.967	0.991

Table SE.26: Sampling errors: Erbil governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Erbil governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits	
									r - 2se	r + 2se
HOUSEHOLDS										
Iodized salt consumption	NU.5	0.398	0.024	0.061	2.22	1.49	777	901	0.350	0.447
Child discipline	CP.4	0.602	0.022	0.037	1.35944	1.17	563	657	0.557	0.646
HOUSEHOLD MEMBERS										
Use of improved drinking water sources	EN.1	0.972	0.009	0.009	2.69	1.64	4716	912	0.954	0.990
Use of improved sanitation facilities	EN.5	0.982	0.007	0.007	2.26	1.50	4716	912	0.968	0.995
Net primary school attendance rate	ED.3	0.934	0.010	0.011	1.33	1.15	710	844	0.914	0.953
Net secondary school attendance rate	ED.4	0.522	0.023	0.045	1.86	1.36	747	844	0.475	0.568
Primary completion rate (net)	ED.6	0.488	0.030	0.061	0.44	0.66	102	123	0.428	0.547
Child labour	CP.2	0.074	0.011	0.143	2.40	1.55	1264	1484	0.053	0.095
Prevalence of orphans	HA.10	0.052	0.008	0.147	3.17	1.78	2279	2694	0.037	0.067
WOMEN										
Skilled attendant at delivery	RH.5	0.875	0.020	0.023	1.05	1.03	245	283	0.834	0.915
Antenatal care	RH.3	0.779	0.024	0.030	0.92	0.96	245	283	0.731	0.826
Contraceptive prevalence	RH.1	0.621	0.018	0.029	0.99	0.99	648	711	0.585	0.657
Adult literacy	ED.8	0.603	0.024	0.040	1.48	1.22	546	600	0.555	0.652
Marriage before age 18	CP.5	0.268	0.016	0.059	1.31	1.14	914	1015	0.237	0.300
Comprehensive knowledge about HIV prevention among young people	HA.3	0.011	0.005	0.436	1.26	1.12	546	600	0.001	0.021
Attitude towards people with HIV/AIDS	HA.5	0.050	0.008	0.165	0.89	0.94	623	616	0.034	0.067
Women who have been tested for HIV	HA.6	0.003	0.002	0.710	1.70	1.30	1212	1332	-0.001	0.006
Knowledge of mother- to-child transmission of HIV	HA.4	0.238	0.016	0.069	1.96	1.40	1212	1332	0.206	0.271

Table SE.26: Sampling errors: Erbil governorate

Standard errors, coefficients of variation, design effects (deff), square root of design effects (deff), square root of design effects (deff) and confidence intervals for selected indicators, Erbil governorate, Iraq, 2006

	Table	Value (r)	Standard error (se)	Coefficient of variation (se/r)	Design effect (deff)	Square root of design effect (deff)	Weighted count	Unweighted count	Confidence limits r - 2se r + 2se
UNDER-FIVES									
Underweight prevalence	NU.1	0.104	0.011	0.110	0.99	0.99	595	709	0.081 0.127
Tuberculosis immunization coverage	CH.2	0.978	0.012	0.013	1.29	1.13	149	180	0.954 1.003
Polio immunization coverage	CH.2	0.849	0.031	0.036	1.24	1.12	139	170	0.787 0.910
Immunization coverage for DPT	CH.2	0.763	0.031	0.041	0.92	0.96	143	173	0.701 0.825
Immunization coverage for HepB	CH.2	0.742	0.035	0.048	1.03	1.02	132	159	0.671 0.812
Measles immunization coverage	CH.2	0.809	0.027	0.033	0.77	0.88	140	166	0.755 0.862
Fully immunized children	CH.2	0.716	0.035	0.049	1.02	1.01	140	168	0.646 0.786
Acute respiratory infection in last two weeks	CH.6	0.086	0.011	0.133	1.26	1.12	640	764	0.063 0.108
Antibiotic treatment of suspected pneumonia	CH.6	0.580	0.049	0.084	0.55	0.74	55	58	0.482 0.677
Diarrhoea in last two weeks	CH.4	0.268	0.017	0.062	1.06	1.03	640	764	0.235 0.301
Received ORT or increased fluids and continued feeding	CH.5	0.593	0.028	0.047	0.65	0.81	172	199	0.537 0.650
Support for learning	CD.1	0.472	0.025	0.054	1.96	1.40	640	764	0.422 0.523
Birth registration	CP.1	0.987	0.005	0.005	1.30	1.14	640	764	0.978 0.996