

# El Salvador - Production and Business Services (Impact) 2009-2011

**Mathematica Policy Research, Inc.**

Report generated on: July 1, 2015

Visit our data catalog at: <http://microdata.worldbank.org>



# Sampling

## Sampling Procedure

---

For each value chain, a few weeks prior to the start of the first cycle, Chemonics provided Mathematica with lists of potential beneficiaries required for each value chain. The number of potential beneficiaries on these lists was determined by Chemonics' target number of participants for each implementation cycle, as well as Mathematica's preliminary calculations of the size of the impacts that the evaluation would be likely to detect with those sample sizes. Within the lists, producers were organized by groups -- either the groups in which they already worked or new groups organized by Chemonics for training and assistance purposes.

Then, for each value chain, Mathematica randomized the set of potential beneficiaries into two groups: the treatment group, which would be served in the first cycle, and the control group, which would be served in the second cycle. Groups and individuals designated as exceptions by Chemonics were excluded from randomization. Mathematica sent the randomized lists of assigned potential beneficiaries to Chemonics, and Chemonics informed producers of the start-date of their services.

## Response Rate

---

Baseline and follow-up surveys had response rates above 89 percent, and treatment and control groups in the dairy chain had slightly less than 90 percent of randomized producers in the final evaluation sample.

## Weighting

---

Statistical weights cannot be used to make the evaluation results truly representative of all PBS participants. This is because the study population was not drawn randomly from the full range of geographic locations served under PBS. Furthermore, the study population was deemed to be eligible only under Phase I selection criteria, as opposed to a substantial portion of PBS beneficiaries, who met stricter Phase II eligibility standards.

# Questionnaires

No content available

## Data Collection

### Data Collection Dates

Start	End	Cycle
2009-10	2010-05	Baseline - Handicrafts (Oct. 2009) - Horticulture and Dairy (Mar. 2010)
2010-11	2011-06	Follow-up - Handicrafts (Nov. 2010) - Horticulture (May 2011) - Dairy (Jun. 2011)

### Data Collection Mode

Face-to-face [f2f]

#### DATA COLLECTION NOTES

While this rigorous evaluation provides an unbiased estimate of the impact of PBS assistance, its primary limitation is the lack of generalizability of its impact estimates. With an analysis sample of less than 2,000 producers in only three value chains, this evaluation's results cannot be extrapolated to the entire population of 16,500 producers assisted all value chains of the PBS activity. In addition, the evaluation's one-year time frame precludes a rigorous evaluation of the impact of PBS assistance over the full multi-year compact period.

### Data Collectors

Name	Abbreviation	Affiliation
Isabel Rodriguez		FOMILENIO
William Meja		Chemonics
Ministry of Economy's General Office of Statistics and Census		Government of El Salvador

# Data Processing

No content available

# Data Appraisal

No content available

## File Description



# Variable List

**esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12**

## Content

Cases	518
Variable(s)	196
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V1	resp_id	respondent ID	contin	numeric	
V2	treatment	treatment	discrete	numeric	
V3	participant	participant	discrete	numeric	
V4	phase_i_assist	got assistance in Phase I	discrete	numeric	
V5	phase_i_big_donation	got a large donation in Phase I	discrete	numeric	
V6	phase_i_big_dose	large dosage in Phase I	discrete	numeric	
V7	phase_i_donation	got a donation in Phase I	discrete	numeric	
V8	phase_i_participant	Phase I participant	discrete	numeric	
V9	phase_ii_big_dose	large dosage in Phase II	discrete	numeric	
V10	phase_ii_participant	Phase II participant	discrete	numeric	
V11	group	productive group ID	contin	numeric	
V12	department	department	discrete	numeric	
V13	municipality	municipality	contin	numeric	
V14	female	female	discrete	numeric	
V15	fhh_b	female-headed household (baseline)	discrete	numeric	
V16	age_c3_97_b	age of interviewee at baseline c3_97	contin	numeric	
V17	mar_cohab_b	married/accompanied (baseline)	discrete	numeric	
V18	educ_non_b	no educational attainment (baseline)	discrete	numeric	
V19	educ_prim_b	basic educational attainment (baseline)	discrete	numeric	
V20	educ_high_b	more than basic educational attainment (baseline)	discrete	numeric	
V21	num_fam_c97_b	number of family members (baseline) c97	contin	numeric	
V22	num_adult_c97_b	number of adults that live in the household (baseline) c97	contin	numeric	
V23	num_child_c97_b	number of children that live in the household (baseline) c97	contin	numeric	
V24	annual_fte_c97_b	full-time equivalent jobs last year (baseline) c97	contin	numeric	
V25	annual_fte_c97_f	full-time equivalent jobs last year (follow-up) c97	contin	numeric	
V26	bot_price_r_b	average price of bottle of milk sold last year (baseline)	contin	numeric	
V27	bot_price_r_f	average price of bottle of milk sold last year (follow-up)	contin	numeric	
V28	bot_price_smr_r_b	price of bottle of milk sold: summer (baseline)	contin	numeric	

ID	Name	Label	Type	Format	Question
V29	bot_price_smr_r_f	price of bottle of milk sold: summer (follow-up)	contin	numeric	
V30	bot_price_smr_r_fl_f	price of bottle of milk sold imputed: summer (follow-up)	contin	numeric	
V31	bot_price_win_r_b	price of bottle of milk sold: winter (baseline)	contin	numeric	
V32	bot_price_win_r_f	price of bottle of milk sold: winter (follow-up)	contin	numeric	
V33	bot_price_win_r_fl_f	price of bottle of milk sold imputed: winter (follow-up)	contin	numeric	
V34	bot_sold_r_c97_b	average number of bottles sold per week last year (baseline) c97	contin	numeric	
V35	bot_sold_r_c97_f	average number of bottles sold per week last year (follow-up) c97	contin	numeric	
V36	bot_sold_smr_r_c97_b	number of bottles sold per week: summer (baseline) c97	contin	numeric	
V37	bot_sold_smr_r_c97_f	number of bottles sold per week: summer (follow-up) c97	contin	numeric	
V38	bot_sold_smr_r_fl_b	number of bottles sold per week adjusted (4/24): summer (baseline)	contin	numeric	
V39	bot_sold_smr_r_fl_f	number of bottles sold per week imputed: summer (follow-up)	discrete	numeric	
V40	bot_sold_win_r_c97_b	number of bottles sold per week: winter (baseline) c97	contin	numeric	
V41	bot_sold_win_r_c97_f	number of bottles sold per week: winter (follow-up) c97	contin	numeric	
V42	bot_sold_win_r_fl_b	number of bottles sold per week adjusted (4/24): winter (baseline)	contin	numeric	
V43	bot_sold_win_r_fl_f	number of bottles sold per week imputed: winter (follow-up)	discrete	numeric	
V44	cattle_cost_r_c97_b	total cattle sale costs last winter (baseline) c97	contin	numeric	
V45	cattle_cost_r_c97_f	total cattle sale costs last winter (follow-up) c97	contin	numeric	
V46	cost_smr_r_c97_b	total dairy costs last summer (baseline) c97	contin	numeric	
V47	cost_smr_r_c97_f	total dairy costs last summer (follow-up) c97	contin	numeric	
V48	cost_win_r_c97_b	total dairy costs last winter (baseline) c97	contin	numeric	
V49	cost_win_r_c97_f	total dairy costs last winter (follow-up) c97	contin	numeric	
V50	employer_b	employed at least one person last year (baseline)	discrete	numeric	
V51	employer_f	employed at least one person last year (follow-up)	discrete	numeric	
V52	employer_smr_b	employed at least one person last summer (baseline)	discrete	numeric	
V53	employer_smr_f	employed at least one person last summer (follow-up)	discrete	numeric	
V54	employer_win_b	employed at least one person last winter (baseline)	discrete	numeric	
V55	employer_win_f	employed at least one person last winter (follow-up)	discrete	numeric	
V56	final_consum_f	percentage of production sold to the final consumer	contin	numeric	
V57	fte_smr_c97_b	full-time equivalent jobs last summer (baseline) c97	contin	numeric	
V58	fte_smr_c97_f	full-time equivalent jobs last summer (follow-up) c97	contin	numeric	
V59	fte_win_c97_b	full-time equivalent jobs last winter (baseline) c97	contin	numeric	
V60	fte_win_c97_f	full-time equivalent jobs last winter (follow-up) c97	contin	numeric	
V61	mainten_smr_r_c97_b	maintenance costs last summer (baseline) c97	contin	numeric	
V62	mainten_smr_r_c97_f	maintenance costs last summer (follow-up) c97	contin	numeric	
V63	mainten_smr_r_fl_b	maintenance costs last summer adjusted (4/24) (baseline)	contin	numeric	
V64	mainten_smr_r_fl_f	maintenance costs last summer adjusted (4/24) (follow-up)	discrete	numeric	
V65	mainten_win_r_c97_b	maintenance costs last winter (baseline) c97	contin	numeric	
V66	mainten_win_r_c97_f	maintenance costs last winter (follow-up) c97	contin	numeric	

ID	Name	Label	Type	Format	Question
V67	mainten_win_r_fl_b	maintenance costs last winter adjusted (4/24) (baseline)	contin	numeric	
V68	mainten_win_r_fl_f	maintenance costs last winter adjusted (4/24) (follow-up)	discrete	numeric	
V69	mem_group_b	respondent is the member of a group of producers (baseline)	discrete	numeric	
V70	mem_group_f	respondent is the member of a group of producers (follow-up)	discrete	numeric	
V71	milk_smr_r_c97_b	dollar value of milk sold last summer (baseline) c97	contin	numeric	
V72	milk_smr_r_c97_f	dollar value of milk sold last summer (follow-up) c97	contin	numeric	
V73	milk_smr_r_fl_f	dollar value of milk sold last summer imputed (follow-up)	discrete	numeric	
V74	milk_win_r_c97_b	dollar value of milk sold last winter (baseline) c97	contin	numeric	
V75	milk_win_r_c97_f	dollar value of milk sold last winter (follow-up) c97	contin	numeric	
V76	milk_win_r_fl_f	dollar value of milk sold last winter imputed (follow-up)	discrete	numeric	
V77	ninc_smr_r_c3_97_b	net dairy sales last summer (baseline) c3_97	contin	numeric	
V78	ninc_smr_r_c3_97_f	net dairy sales last summer (follow-up) c3_97	contin	numeric	
V79	ninc_win_r_c3_97_b	net dairy sales last winter (baseline) c3_97	contin	numeric	
V80	ninc_win_r_c3_97_f	net dairy sales last winter (follow-up) c3_97	contin	numeric	
V81	num_client_c97_b	respondent's number of clients (baseline) c97	contin	numeric	
V82	num_client_c97_f	respondent's number of clients (follow-up) c97	contin	numeric	
V83	num_cows_c97_b	number of cows owned (baseline) c97	contin	numeric	
V84	num_cows_c97_f	number of cows owned (follow-up) c97	contin	numeric	
V85	num_cows_smr_c97_f	number of cows producing: summer (follow-up) c97	contin	numeric	
V86	num_cows_win_c97_f	number of cows producing: winter (follow-up) c97	contin	numeric	
V87	num_months_c3_97_b	respondent's number of months having worked in dairy (baseline) c3_97	contin	numeric	
V88	num_months_c3_97_f	respondent's number of months having worked in dairy (baseline) c3_97	contin	numeric	
V89	prac_acct_plan_b	used formal accounting procedures or a business plan (baseline)	discrete	numeric	
V90	prac_acct_plan_f	used formal accounting procedures or a business plan (follow-up)	contin	numeric	
V91	prac_acid_test_b	conducted acidity tests (baseline)	discrete	numeric	
V92	prac_acid_test_f	conducted acidity tests (follow-up)	discrete	numeric	
V93	prac_avoid_dis_f	took measures to avoid infections, reproductive illness (follow-up)	discrete	numeric	
V94	prac_conserve_soil_f	practiced soil conservation (follow-up)	discrete	numeric	
V95	prac_experiences_b	shared experiences with other producers (baseline)	discrete	numeric	
V96	prac_experiences_f	shared experiences with other producers (follow-up)	discrete	numeric	
V97	prac_fairs_b	participated in fairs or expositions (baseline)	discrete	numeric	
V98	prac_fairs_f	participated in fairs or expositions (follow-up)	discrete	numeric	
V99	prac_inf_src_f	number of information sources used to determine prices (follow-up)	discrete	numeric	
V100	prac_lower_costs_b	took measures to cut costs (baseline)	discrete	numeric	
V101	prac_lower_costs_f	took measures to cut costs (follow-up)	discrete	numeric	
V102	prac_new_clients_b	looked for new commercial clients (baseline)	discrete	numeric	
V103	prac_new_clients_f	looked for new commercial clients (follow-up)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V104	prac_new_eco_products_b	tried new dairy products or made eco-friendly products (baseline)	discrete	numeric	
V105	prac_new_eco_products_f	tried new dairy products or made eco-friendly products (follow-up)	contin	numeric	
V106	prac_new_tec_info_intrnt_b	used new technologies or used the internet for prices/products (baseline)	discrete	numeric	
V107	prac_new_tec_info_intrnt_f	used new technologies or used the internet for prices/products (follow-up)	contin	numeric	
V108	prac_new_tec_prod_b	tried improved cattle fodder (baseline)	discrete	numeric	
V109	prac_new_tec_prod_f	tried improved cattle fodder (follow-up)	discrete	numeric	
V110	prac_q_control_b	used quality control/standardization techniques (baseline)	discrete	numeric	
V111	prac_q_control_f	used quality control/standardization techniques (follow-up)	discrete	numeric	
V112	prac_reg_herd_b	made a herd registry (baseline)	discrete	numeric	
V113	prac_reg_herd_f	made a herd registry (follow-up)	discrete	numeric	
V114	prac_reg_prac_inv_mat_b	made a registry of practices or an inventory of materials/products (baseline)	discrete	numeric	
V115	prac_reg_prac_inv_mat_f	made a registry of practices or an inventory of materials/products (follow-up)	contin	numeric	
V116	prac_supplements_f	used nutritional supplements (follow-up)	discrete	numeric	
V117	prac_tech_cool_b	used cooling/packaging/manufacturing techniques (baseline)	discrete	numeric	
V118	prac_tech_cool_f	used cooling/packaging/manufacturing techniques (follow-up)	contin	numeric	
V119	prac_tech_health_b	tried health/reproductive practices (baseline)	discrete	numeric	
V120	prac_tech_health_f	tried health/reproductive practices (follow-up)	discrete	numeric	
V121	prac_thermo_b	used a thermometer or density meter (baseline)	discrete	numeric	
V122	prac_thermo_f	used a thermometer or density meter (follow-up)	discrete	numeric	
V123	prac_urea_f	used urea or sugarcane for fodder (follow-up)	discrete	numeric	
V124	prod_milk_r_b	produced milk last year (baseline)	discrete	numeric	
V125	prod_milk_r_f	produced milk last year (follow-up)	discrete	numeric	
V126	productive_cost_r_c97_b	total annual costs (baseline) c97	contin	numeric	
V127	productive_cost_r_c97_f	total annual costs (follow-up) c97	contin	numeric	
V128	productive_ninc_r_c3_97_b	net dairy sales (baseline) c3_97	contin	numeric	
V129	productive_ninc_r_c3_97_f	net dairy sales (follow-up) c3_97	contin	numeric	
V130	seccattle_ninc_smr_r_c3_97_b	secondary income from cattle sales last summer (baseline) c3_97	contin	numeric	
V131	seccattle_ninc_smr_r_c3_97_f	secondary income from cattle sales last summer (follow-up) c3_97	contin	numeric	
V132	seccattle_ninc_win_r_c3_97_b	secondary income from cattle sales last winter (baseline) c3_97	contin	numeric	
V133	seccattle_ninc_win_r_c3_97_f	secondary income from cattle sales last winter (follow-up) c3_97	contin	numeric	
V134	secdairy_ninc_smr_r_c3_97_b	respondent's secondary dairy income last summer (baseline) c3_97	contin	numeric	
V135	secdairy_ninc_smr_r_c3_97_f	respondent's secondary dairy income last summer (follow-up) c3_97	contin	numeric	
V136	secdairy_ninc_win_r_c3_97_b	respondent's secondary dairy income last winter (baseline) c3_97	contin	numeric	

ID	Name	Label	Type	Format	Question
V137	secdairy_ninc_win_r_c3_97_f	respondent's secondary dairy income last winter (follow-up) c3_97	contin	numeric	
V138	sold_milk_r_b	sold milk last year (baseline)	discrete	numeric	
V139	sold_milk_r_f	sold milk last year (follow-up)	discrete	numeric	
V140	sold_milk_smr_r_b	sold milk last summer (baseline)	discrete	numeric	
V141	sold_milk_smr_r_f	sold milk last summer (follow-up)	discrete	numeric	
V142	sold_milk_win_r_b	sold milk last winter (baseline)	discrete	numeric	
V143	sold_milk_win_r_f	sold milk last winter (follow-up)	discrete	numeric	
V144	sold_sec dairy_b	respondent sold secondary dairy products (baseline)	discrete	numeric	
V145	sold_sec dairy_f	respondent sold secondary dairy products (follow-up)	discrete	numeric	
V146	tot_business2_n_r_c3_97_b	respondent's other business net income (baseline) c3_97	contin	numeric	
V147	tot_business2_n_r_c3_97_f	respondent's other business net income (follow-up) c3_97	contin	numeric	
V148	tot_income2_r_c3_97_b	sum of respondent's other (non-dairy) income (baseline) c3_97	contin	numeric	
V149	tot_income2_r_c3_97_f	sum of respondent's other (non-dairy) income (follow-up) c3_97	contin	numeric	
V150	tot_sal2_r_c97_b	sum of respondent's salaries (baseline) c97	contin	numeric	
V151	tot_sal2_r_c97_f	sum of respondent's salaries (follow-up) c97	contin	numeric	
V152	yr_non_ninc_r_c3_97_b	respondent's non-dairy net income (baseline) c3_97	contin	numeric	
V153	yr_non_ninc_r_c3_97_f	respondent's non-dairy net income (follow-up) c3_97	contin	numeric	
V154	yr_tot_ninc_r_c3_97_b	respondent's total net income (baseline) c3_97	contin	numeric	
V155	yr_tot_ninc_r_c3_97_f	respondent's total net income (follow-up) c3_97	contin	numeric	
V156	hh_rep	household-level representative of household (one per hh_id)	discrete	numeric	
V157	hh_id	household-level ID	contin	numeric	
V158	treatment_hh	at least one hh member was assigned to treatment	discrete	numeric	
V159	participant_hh	at least one hh member participated in the program	discrete	numeric	
V160	age_hh_c3_97_b	age of interviewee(s): household level (baseline) c3_97	contin	numeric	
V161	num_fam_hh_c97_b	number of household members (baseline) c97	contin	numeric	
V162	num_adult_hh_c97_b	number of adults in household: household level (baseline) c97	contin	numeric	
V163	num_child_hh_c97_b	number of children in household: household level (baseline) c97	contin	numeric	
V164	fhh_hh_b	household head is female: household level (baseline)	discrete	numeric	
V165	mar_cohab_hh_b	married/co-habiting: household level (baseline)	discrete	numeric	
V166	educ_non_hh_b	no educational attainment: household level (baseline)	discrete	numeric	
V167	educ_prim_hh_b	primary educational attainment: household level (baseline)	discrete	numeric	
V168	educ_high_hh_b	more than primary educational attainment: household level (baseline)	discrete	numeric	
V169	pov186_con_hh_b	in poverty (using consumption): \$1.86 per member per day (baseline)	discrete	numeric	
V170	pov186_con_hh_f	in poverty (using consumption): \$1.86 per member per day (follow-up)	discrete	numeric	
V171	pov186_inc_hh_b	in poverty (using income) \$1.86 per member per day (baseline)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V172	pov186_inc_hh_f	in poverty (using income) \$1.86 per member per day (follow-up)	discrete	numeric	
V173	pov186a_con_hh_b	in relative poverty (using consumption): 0.93-\$1.86 per member/day (baseline)	discrete	numeric	
V174	pov186a_con_hh_f	in relative poverty (using consumption): 0.93-\$1.86 per member/day (follow-up)	discrete	numeric	
V175	pov186a_inc_hh_b	in relative poverty (using income): 0.93-\$1.86 per member/day (baseline)	discrete	numeric	
V176	pov186a_inc_hh_f	in relative poverty (using income): 0.93-\$1.86 per member/day (follow-up)	discrete	numeric	
V177	pov93_con_hh_b	in poverty (using consumption): \$0.93 per member per day (baseline)	discrete	numeric	
V178	pov93_con_hh_f	in poverty (using consumption): \$0.93 per member per day (follow-up)	discrete	numeric	
V179	pov93_inc_hh_b	in poverty (using income) \$0.93 per member per day (baseline)	discrete	numeric	
V180	pov93_inc_hh_f	in poverty (using income) \$0.93 per member per day (follow-up)	discrete	numeric	
V181	productive_ninc_hh_c3_97_b	annual net dairy income of household (baseline) c3_97	contin	numeric	
V182	productive_ninc_hh_c3_97_f	annual net dairy income of household (follow-up) c3_97	contin	numeric	
V183	tot_business2_n_hh_c3_97_b	total of non-dairy business income in household (baseline) c3_97	contin	numeric	
V184	tot_business2_n_hh_c3_97_f	total of non-dairy business income in household (follow-up) c3_97	contin	numeric	
V185	tot_income2_hh_c3_97_b	sum of household's other (non-dairy) income (baseline) c3_97	contin	numeric	
V186	tot_income2_hh_c3_97_f	sum of household's other (non-dairy) income (follow-up) c3_97	contin	numeric	
V187	tot_sal2_hh_c97_b	total of non-dairy salaries in household (baseline) c97	contin	numeric	
V188	tot_sal2_hh_c97_f	total of non-dairy salaries in household (follow-up) c97	contin	numeric	
V189	yr_hh_con_c3_97_b	annual household consumption (baseline) c3_97	contin	numeric	
V190	yr_hh_con_c3_97_f	annual household consumption (follow-up) c3_97	contin	numeric	
V191	yr_hh_sav_c3_97_b	annual household savings (baseline) c3_97	contin	numeric	
V192	yr_hh_sav_c3_97_f	annual household savings (follow-up) c3_97	contin	numeric	
V193	yr_non_ninc_hh_c3_97_b	household's non-dairy net income (baseline) c3_97	contin	numeric	
V194	yr_non_ninc_hh_c3_97_f	household's non-dairy net income (follow-up) c3_97	contin	numeric	
V195	yr_tot_ninc_hh_c3_97_b	annual household net income (baseline) c3_97	contin	numeric	
V196	yr_tot_ninc_hh_c3_97_f	annual household net income (follow-up) c3_97	contin	numeric	

**esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12**

## Content

Cases 593

Variable(s) 584

Structure Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

ID	Name	Label	Type	Format	Question
V197	resp_id	respondent ID	contin	numeric	
V198	treatment	treatment	discrete	numeric	
V199	participant	participant	discrete	numeric	
V200	phase_i_assist	got assistance in Phase I	discrete	numeric	
V201	phase_i_big_donation	got a large donation in Phase I	discrete	numeric	
V202	phase_i_big_dose	large dosage in Phase I	discrete	numeric	
V203	phase_i_donation	got a donation in Phase I	discrete	numeric	
V204	phase_i_participant	Phase I participant	discrete	numeric	
V205	phase_ii_big_dose	large dosage in Phase II	discrete	numeric	
V206	phase_ii_participant	Phase II participant	discrete	numeric	
V207	group	horticulture group	contin	numeric	
V208	department	department	discrete	numeric	
V209	municipality	municipality	contin	numeric	
V210	age_c3_97_b	age of interviewee (baseline) c3_97	contin	numeric	
V211	female	female	discrete	numeric	
V212	fhh_b	female-headed household (baseline)	discrete	numeric	
V213	mar_cohab_b	married/accompanied (baseline)	discrete	numeric	
V214	educ_non_b	no educational attainment (baseline)	discrete	numeric	
V215	educ_prim_b	basic educational attainment (baseline)	discrete	numeric	
V216	educ_high_b	more than basic educational attainment (baseline)	discrete	numeric	
V217	num_fam_c97_b	number of family members (baseline) c97	discrete	numeric	
V218	num_adult_c97_b	number of adults that live in the household (baseline) c97	discrete	numeric	
V219	num_child_c97_b	number of children that live in the household (baseline) c97	contin	numeric	
V220	annual_fte_c97_b	full-time equivalent jobs last year-all cultivation (baseline) c97	contin	numeric	
V221	annual_fte_c97_f	full-time equivalent jobs last year-all cultivation (follow-up) c97	contin	numeric	
V222	employer_b	employed at least one person last year-all cultivation (baseline)	discrete	numeric	



ID	Name	Label	Type	Format	Question
V223	employer_f	employed at least one person last year-all cultivation (follow-up)	discrete	numeric	
V224	hort_amnt_tons_cucum_c97_b	quantity harvested in tons (all year)-cucumber (baseline) c97	contin	numeric	
V225	hort_amnt_tons_cucum_c97_f	quantity harvested in tons (all year)-cucumber (follow-up) c97	contin	numeric	
V226	hort_amnt_tons_pepr_c97_b	quantity harvested in tons (all year)-pepper (baseline) c97	contin	numeric	
V227	hort_amnt_tons_pepr_c97_f	quantity harvested in tons (all year)-pepper (follow-up) c97	contin	numeric	
V228	hort_amnt_tons_pipian_c97_b	quantity harvested in tons (all year)-pipian (baseline) c97	contin	numeric	
V229	hort_amnt_tons_pipian_c97_f	quantity harvested in tons (all year)-pipian (follow-up) c97	contin	numeric	
V230	hort_amnt_tons_tomato_c97_b	quantity harvested in tons (all year)-tomato (baseline) c97	contin	numeric	
V231	hort_amnt_tons_tomato_c97_f	quantity harvested in tons (all year)-tomato (follow-up) c97	contin	numeric	
V232	hort_annual_fte_c97_b	full-time equivalent jobs last year-vegetables (baseline) c97	contin	numeric	
V233	hort_annual_fte_c97_f	full-time equivalent jobs last year-vegetables (follow-up) c97	contin	numeric	
V234	hort_area_cucum_c97_b	area of production in hectares (all year)-cucumber (baseline) c97	contin	numeric	
V235	hort_area_cucum_c97_f	area of production in hectares (all year)-cucumber (follow-up) c97	contin	numeric	
V236	hort_area_pepr_c97_b	area of production in hectares (all year)-pepper (baseline) c97	contin	numeric	
V237	hort_area_pepr_c97_f	area of production in hectares (all year)-pepper (follow-up) c97	contin	numeric	
V238	hort_area_pipian_c97_b	area of production in hectares (all year)-pipian (baseline) c97	contin	numeric	
V239	hort_area_pipian_c97_f	area of production in hectares (all year)-pipian (follow-up) c97	contin	numeric	
V240	hort_area_tomato_c97_b	area of production in hectares (all year)-tomato (baseline) c97	contin	numeric	
V241	hort_area_tomato_c97_f	area of production in hectares (all year)-tomato (follow-up) c97	contin	numeric	
V242	hort_cost_r_c97_b	total production costs of vegetables (baseline) c97	contin	numeric	
V243	hort_cost_r_c97_f	total production costs of vegetables (follow-up) c97	contin	numeric	
V244	hort_employer_b	employed at least one person last year-vegetables (baseline)	discrete	numeric	
V245	hort_employer_f	employed at least one person last year-vegetables (follow-up)	discrete	numeric	
V246	hort_ninc_r_c3_97_b	net income from vegetable production for the whole year (baseline) c3_97	contin	numeric	
V247	hort_ninc_r_c3_97_f	net income from vegetable production for the whole year (follow-up) c3_97	contin	numeric	
V248	hort_prod_b	has produced at least one crop-vegetables (baseline)	discrete	numeric	
V249	hort_prod_cucum_b	production of cucumber-yes/no (baseline)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V250	hort_prod_cucum_f	production of cucumber-yes/no (follow-up)	discrete	numeric	
V251	hort_prod_f	has produced at least one crop-vegetables (follow-up)	discrete	numeric	
V252	hort_prod_num_c97_b	number of vegetables cultivated (baseline) c97	contin	numeric	
V253	hort_prod_num_c97_f	number of vegetables cultivated (follow-up) c97	contin	numeric	
V254	hort_prod_pepr_b	production of pepper last winter-yes/no (baseline)	discrete	numeric	
V255	hort_prod_pepr_f	production of pepper last winter-yes/no (follow-up)	discrete	numeric	
V256	hort_prod_pipian_b	production of pipian-yes/no (baseline)	discrete	numeric	
V257	hort_prod_pipian_f	production of pipian-yes/no (follow-up)	discrete	numeric	
V258	hort_prod_tomato_b	production of tomato-yes/no (baseline)	discrete	numeric	
V259	hort_prod_tomato_f	production of tomato-yes/no (follow-up)	discrete	numeric	
V260	hort_smr_amnt_tons_cucum_c97_b	quantity harvested in tons last summer-cucumber (baseline) c97	contin	numeric	
V261	hort_smr_amnt_tons_cucum_c97_f	quantity harvested in tons last summer-cucumber (follow-up) c97	contin	numeric	
V262	hort_smr_amnt_tons_pepr_c97_b	quantity harvested in tons last summer-pepper (baseline) c97	contin	numeric	
V263	hort_smr_amnt_tons_pepr_c97_f	quantity harvested in tons last summer-pepper (follow-up) c97	contin	numeric	
V264	hort_smr_amnt_tons_pipian_c97_b	quantity harvested in tons last summer- pipian (baseline) c97	contin	numeric	
V265	hort_smr_amnt_tons_pipian_c97_f	quantity harvested in tons last summer- pipian (follow-up) c97	contin	numeric	
V266	hort_smr_amnt_tons_tomato_c97_b	quantity harvested in tons last summer-tomato (baseline) c97	contin	numeric	
V267	hort_smr_amnt_tons_tomato_c97_f	quantity harvested in tons last summer-tomato (follow-up) c97	contin	numeric	
V268	hort_smr_area_cucum_c97_b	area of production in hectares last summer-cucumber (baseline) c97	contin	numeric	
V269	hort_smr_area_cucum_c97_f	area of production in hectares last summer-cucumber (follow-up) c97	contin	numeric	
V270	hort_smr_area_pepr_c97_b	area of production in hectares last summer-pepper (baseline) c97	contin	numeric	
V271	hort_smr_area_pepr_c97_f	area of production in hectares last summer-pepper (follow-up) c97	contin	numeric	
V272	hort_smr_area_pipian_c97_b	area of production in hectares last summer-pipian (baseline) c97	contin	numeric	
V273	hort_smr_area_pipian_c97_f	area of production in hectares last summer-pipian (follow-up) c97	contin	numeric	
V274	hort_smr_area_tomato_c97_b	area of production in hectares last summer-tomato (baseline) c97	contin	numeric	
V275	hort_smr_area_tomato_c97_f	area of production in hectares last summer-tomato (follow-up) c97	contin	numeric	
V276	hort_smr_cost_r_c97_b	total production costs of vegetables-summer (baseline) c97	contin	numeric	
V277	hort_smr_cost_r_c97_f	total production costs of vegetables-summer (follow-up) c97	contin	numeric	
V278	hort_smr_employer_b	employed at least one person last summer-vegetables (baseline)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V279	hort_smr_employer_f	employed at least one person last summer-vegetables (follow-up)	discrete	numeric	
V280	hort_smr_fte_c97_b	full-time equivalent jobs last summer-vegetables (baseline) c97	contin	numeric	
V281	hort_smr_fte_c97_f	full-time equivalent jobs last summer-vegetables (follow-up) c97	contin	numeric	
V282	hort_smr_ninc_r_c3_97_b	net income from vegetable production-summer (baseline) c3_97	contin	numeric	
V283	hort_smr_ninc_r_c3_97_f	net income from vegetable production-summer (follow-up) c3_97	contin	numeric	
V284	hort_smr_price_cucum_b	price per kg last summer-cucumber (baseline)	contin	numeric	
V285	hort_smr_price_cucum_f	price per kg last summer-cucumber (follow-up)	contin	numeric	
V286	hort_smr_price_pepr_b	price per kg last summer-pepper (baseline)	contin	numeric	
V287	hort_smr_price_pepr_f	price per kg last summer-pepper (follow-up)	contin	numeric	
V288	hort_smr_price_pipian_b	price per kg last summer-pipian (baseline)	contin	numeric	
V289	hort_smr_price_pipian_f	price per kg last summer-pipian (follow-up)	contin	numeric	
V290	hort_smr_price_tomato_b	price per kg last summer-tomato (baseline)	contin	numeric	
V291	hort_smr_price_tomato_f	price per kg last summer-tomato (follow-up)	contin	numeric	
V292	hort_smr_prod_b	has produced at least one crop last summer-vegetables (baseline)	discrete	numeric	
V293	hort_smr_prod_cucum_b	production of cucumber last summer-yes/no (baseline)	discrete	numeric	
V294	hort_smr_prod_cucum_f	production of cucumber last summer-yes/no (follow-up)	discrete	numeric	
V295	hort_smr_prod_f	has produced at least one crop last summer-vegetables (follow-up)	discrete	numeric	
V296	hort_smr_prod_pepr_b	production of pepper last summer-yes/no (baseline)	discrete	numeric	
V297	hort_smr_prod_pepr_f	production of pepper last summer-yes/no (follow-up)	discrete	numeric	
V298	hort_smr_prod_pipian_b	production of pipian last summer-yes/no (baseline)	discrete	numeric	
V299	hort_smr_prod_pipian_f	production of pipian last summer-yes/no (follow-up)	discrete	numeric	
V300	hort_smr_prod_tomato_b	production of tomato last summer-yes/no (baseline)	discrete	numeric	
V301	hort_smr_prod_tomato_f	production of tomato last summer-yes/no (follow-up)	discrete	numeric	
V302	hort_smr_proval_cucum_c97_b	production value last summer-cucumber (baseline) c97	contin	numeric	
V303	hort_smr_proval_cucum_c97_f	production value last summer-cucumber (follow-up) c97	contin	numeric	
V304	hort_smr_proval_pepr_c97_b	production value last summer-pepper (baseline) c97	contin	numeric	
V305	hort_smr_proval_pepr_c97_f	production value last summer-pepper (follow-up) c97	contin	numeric	
V306	hort_smr_proval_pipian_c97_b	production value last summer-pipian (baseline) c97	contin	numeric	
V307	hort_smr_proval_pipian_c97_f	production value last summer-pipian (follow-up) c97	contin	numeric	
V308	hort_smr_proval_tomato_c97_b	production value last summer-tomato (baseline) c97	contin	numeric	
V309	hort_smr_proval_tomato_c97_f	production value last summer-tomato (follow-up) c97	contin	numeric	
V310	hort_smr_sold_b	has sold at least one crop last summer-vegetables (baseline)	discrete	numeric	
V311	hort_smr_sold_f	has sold at least one crop last summer-vegetables (follow-up)	discrete	numeric	
V312	hort_smr_soldkg_cucum_c97_b	quantity sold last summer (kg)-cucumber (baseline) c97	contin	numeric	

ID	Name	Label	Type	Format	Question
V313	hort_smr_soldkg_cucum_c97_f	quantity sold last summer (kg)-cucumber (follow-up) c97	contin	numeric	
V314	hort_smr_soldkg_pepr_c97_b	quantity sold last summer (kg)-pepper (baseline) c97	contin	numeric	
V315	hort_smr_soldkg_pepr_c97_f	quantity sold last summer (kg)-pepper (follow-up) c97	contin	numeric	
V316	hort_smr_soldkg_pipian_c97_b	quantity sold last summer (kg)-pipian (baseline) c97	contin	numeric	
V317	hort_smr_soldkg_pipian_c97_f	quantity sold last summer (kg)-pipian (follow-up) c97	contin	numeric	
V318	hort_smr_soldkg_tomato_c97_b	quantity sold last summer (kg)-tomato (baseline) c97	contin	numeric	
V319	hort_smr_soldkg_tomato_c97_f	quantity sold last summer (kg)-tomato (follow-up) c97	contin	numeric	
V320	hort_smr_value_cucum_c97_b	value of sales last summer-cucumber (baseline) c97	contin	numeric	
V321	hort_smr_value_cucum_c97_f	value of sales last summer-cucumber (follow-up) c97	contin	numeric	
V322	hort_smr_value_pepr_c97_b	value of sales last summer-pepper (baseline) c97	contin	numeric	
V323	hort_smr_value_pepr_c97_f	value of sales last summer-pepper (follow-up) c97	contin	numeric	
V324	hort_smr_value_pipian_c97_b	value of sales last summer-pipian (baseline) c97	contin	numeric	
V325	hort_smr_value_pipian_c97_f	value of sales last summer-pipian (follow-up) c97	contin	numeric	
V326	hort_smr_value_tomato_c97_b	value of sales last summer-tomato (baseline) c97	contin	numeric	
V327	hort_smr_value_tomato_c97_f	value of sales last summer-tomato (follow-up) c97	contin	numeric	
V328	hort_sold_b	has sold at least one crop-vegetables (baseline)	discrete	numeric	
V329	hort_sold_cucum_b	sold cucumber-yes/no (baseline)	discrete	numeric	
V330	hort_sold_cucum_f	sold cucumber-yes/no (follow-up)	discrete	numeric	
V331	hort_sold_f	has sold at least one crop-vegetables (follow-up)	discrete	numeric	
V332	hort_sold_num_c97_b	number of vegetables sold (baseline) c97	contin	numeric	
V333	hort_sold_num_c97_f	number of vegetables sold (follow-up) c97	contin	numeric	
V334	hort_sold_pepr_b	sold pepper last winter-yes/no (baseline)	discrete	numeric	
V335	hort_sold_pepr_f	sold pepper last winter-yes/no (follow-up)	discrete	numeric	
V336	hort_sold_pipian_b	sold pipian-yes/no (baseline)	discrete	numeric	
V337	hort_sold_pipian_f	sold pipian-yes/no (follow-up)	discrete	numeric	
V338	hort_sold_tomato_b	sold tomato-yes/no (baseline)	discrete	numeric	
V339	hort_sold_tomato_f	sold tomato-yes/no (follow-up)	discrete	numeric	
V340	hort_value_cucum_c97_b	value of sales (all year)-cucumber (baseline) c97	contin	numeric	
V341	hort_value_cucum_c97_f	value of sales (all year)-cucumber (follow-up) c97	contin	numeric	
V342	hort_value_pepr_c97_b	value of sales (all year)-pepper (baseline) c97	contin	numeric	
V343	hort_value_pepr_c97_f	value of sales (all year)-pepper (follow-up) c97	contin	numeric	
V344	hort_value_pipian_c97_b	value of sales (all year)-pipian (baseline) c97	contin	numeric	
V345	hort_value_pipian_c97_f	value of sales (all year)-pipian (follow-up) c97	contin	numeric	
V346	hort_value_tomato_c97_b	value of sales (all year)-tomato (baseline) c97	contin	numeric	
V347	hort_value_tomato_c97_f	value of sales (all year)-tomato (follow-up) c97	contin	numeric	
V348	hort_win_amnt_tons_cucum_c97_b	quantity harvested in tons last winter-cucumber (baseline) c97	contin	numeric	
V349	hort_win_amnt_tons_cucum_c97_f	quantity harvested in tons last winter-cucumber (follow-up) c97	contin	numeric	
V350	hort_win_amnt_tons_pepr_c97_b	quantity harvested in tons last winter-pepper (baseline) c97	contin	numeric	

ID	Name	Label	Type	Format	Question
V351	hort_win_amnt_tons_pepr_c97_f	quantity harvested in tons last winter-pepper (follow-up) c97	contin	numeric	
V352	hort_win_amnt_tons_pipian_c97_b	quantity harvested in tons last winter-pipian (baseline) c97	contin	numeric	
V353	hort_win_amnt_tons_pipian_c97_f	quantity harvested in tons last winter-pipian (follow-up) c97	contin	numeric	
V354	hort_win_amnt_tons_tomato_c97_b	quantity harvested in tons last winter-tomato (baseline) c97	contin	numeric	
V355	hort_win_amnt_tons_tomato_c97_f	quantity harvested in tons last winter-tomato (follow-up) c97	contin	numeric	
V356	hort_win_area_cucum_c97_b	area of production in hectares last winter-cucumber (baseline) c97	contin	numeric	
V357	hort_win_area_cucum_c97_f	area of production in hectares last winter-cucumber (follow-up) c97	contin	numeric	
V358	hort_win_area_pepr_c97_b	area of production in hectares last winter-pepper (baseline) c97	contin	numeric	
V359	hort_win_area_pepr_c97_f	area of production in hectares last winter-pepper (follow-up) c97	contin	numeric	
V360	hort_win_area_pipian_c97_b	area of production in hectares last winter-pipian (baseline) c97	contin	numeric	
V361	hort_win_area_pipian_c97_f	area of production in hectares last winter-pipian (follow-up) c97	contin	numeric	
V362	hort_win_area_tomato_c97_b	area of production in hectares last winter-tomato (baseline) c97	contin	numeric	
V363	hort_win_area_tomato_c97_f	area of production in hectares last winter-tomato (follow-up) c97	contin	numeric	
V364	hort_win_cost_r_c97_b	total production costs of vegetables-winter (baseline) c97	contin	numeric	
V365	hort_win_cost_r_c97_f	total production costs of vegetables-winter (follow-up) c97	contin	numeric	
V366	hort_win_employer_b	employed at least one person last winter-vegetables (baseline)	discrete	numeric	
V367	hort_win_employer_f	employed at least one person last winter-vegetables (follow-up)	discrete	numeric	
V368	hort_win_fte_c97_b	full-time equivalent jobs last winter-vegetables (baseline) c97	contin	numeric	
V369	hort_win_fte_c97_f	full-time equivalent jobs last winter-vegetables (follow-up) c97	contin	numeric	
V370	hort_win_ninc_r_c3_97_b	net income from vegetable production-winter (baseline) c3_97	contin	numeric	
V371	hort_win_ninc_r_c3_97_f	net income from vegetable production-winter (follow-up) c3_97	contin	numeric	
V372	hort_win_price_cucum_b	price per kg sold last winter-cucumber (baseline)	contin	numeric	
V373	hort_win_price_cucum_f	price per kg sold last winter-cucumber (follow-up)	contin	numeric	
V374	hort_win_price_pepr_b	price per kg sold last winter-pepper (baseline)	contin	numeric	
V375	hort_win_price_pepr_f	price per kg sold last winter-pepper (follow-up)	contin	numeric	
V376	hort_win_price_pipian_b	price per kg sold last winter-pipian (baseline)	contin	numeric	
V377	hort_win_price_pipian_f	price per kg sold last winter-pipian (follow-up)	contin	numeric	
V378	hort_win_price_tomato_b	price per kg sold last winter-tomato (baseline)	contin	numeric	

ID	Name	Label	Type	Format	Question
V379	hort_win_price_tomato_f	price per kg sold last winter-tomato (follow-up)	contin	numeric	
V380	hort_win_prod_b	has produced at least one crop last winter-vegetables (baseline)	discrete	numeric	
V381	hort_win_prod_cucum_b	production of cucumber last winter-yes/no (baseline)	discrete	numeric	
V382	hort_win_prod_cucum_f	production of cucumber last winter-yes/no (follow-up)	discrete	numeric	
V383	hort_win_prod_f	has produced at least one crop last winter-vegetables (follow-up)	discrete	numeric	
V384	hort_win_prod_pepr_b	production of pepper last winter-yes/no (baseline)	discrete	numeric	
V385	hort_win_prod_pepr_f	production of pepper last winter-yes/no (follow-up)	discrete	numeric	
V386	hort_win_prod_pipian_b	production of pipian last winter-yes/no (baseline)	discrete	numeric	
V387	hort_win_prod_pipian_f	production of pipian last winter-yes/no (follow-up)	discrete	numeric	
V388	hort_win_prod_tomato_b	production of tomato last winter-yes/no (baseline)	discrete	numeric	
V389	hort_win_prod_tomato_f	production of tomato last winter-yes/no (follow-up)	discrete	numeric	
V390	hort_win_prodval_cucum_c97_b	production value last winter-cucumber (baseline) c97	contin	numeric	
V391	hort_win_prodval_cucum_c97_f	production value last winter-cucumber (follow-up) c97	contin	numeric	
V392	hort_win_prodval_pepr_c97_b	production value last winter-pepper (baseline) c97	contin	numeric	
V393	hort_win_prodval_pepr_c97_f	production value last winter-pepper (follow-up) c97	contin	numeric	
V394	hort_win_prodval_pipian_c97_b	production value last winter-pipian (baseline) c97	contin	numeric	
V395	hort_win_prodval_pipian_c97_f	production value last winter-pipian (follow-up) c97	contin	numeric	
V396	hort_win_prodval_tomato_c97_b	production value last winter-tomato (baseline) c97	contin	numeric	
V397	hort_win_prodval_tomato_c97_f	production value last winter-tomato (follow-up) c97	contin	numeric	
V398	hort_win_sold_b	has sold at least one crop last winter-vegetables (baseline)	discrete	numeric	
V399	hort_win_sold_f	has sold at least one crop last winter-vegetables (follow-up)	discrete	numeric	
V400	hort_win_soldkg_cucum_c97_b	quantity sold last winter (kg)-cucumber (baseline) c97	contin	numeric	
V401	hort_win_soldkg_cucum_c97_f	quantity sold last winter (kg)-cucumber (follow-up) c97	contin	numeric	
V402	hort_win_soldkg_pepr_c97_b	quantity sold last winter (kg)-pepper (baseline) c97	contin	numeric	
V403	hort_win_soldkg_pepr_c97_f	quantity sold last winter (kg)-pepper (follow-up) c97	contin	numeric	
V404	hort_win_soldkg_pipian_c97_b	quantity sold last winter (kg)-pipian (baseline) c97	contin	numeric	
V405	hort_win_soldkg_pipian_c97_f	quantity sold last winter (kg)-pipian (follow-up) c97	contin	numeric	
V406	hort_win_soldkg_tomato_c97_b	quantity sold last winter (kg)-tomato (baseline) c97	contin	numeric	
V407	hort_win_soldkg_tomato_c97_f	quantity sold last winter (kg)-tomato (follow-up) c97	contin	numeric	
V408	hort_win_value_cucum_c97_b	value of sales last winter-cucumber (baseline) c97	contin	numeric	
V409	hort_win_value_cucum_c97_f	value of sales last winter-cucumber (follow-up) c97	contin	numeric	
V410	hort_win_value_pepr_c97_b	value of sales last winter-pepper (baseline) c97	contin	numeric	
V411	hort_win_value_pepr_c97_f	value of sales last winter-pepper (follow-up) c97	contin	numeric	
V412	hort_win_value_pipian_c97_b	value of sales last winter-pipian (baseline) c97	contin	numeric	
V413	hort_win_value_pipian_c97_f	value of sales last winter-pipian (follow-up) c97	contin	numeric	
V414	hort_win_value_tomato_c97_b	value of sales last winter-tomato (baseline) c97	contin	numeric	
V415	hort_win_value_tomato_c97_f	value of sales last winter-tomato (follow-up) c97	contin	numeric	

ID	Name	Label	Type	Format	Question
V416	mem_group_b	respondent is the member of a group of producers (baseline)	discrete	numeric	
V417	mem_group_f	respondent is the member of a group of producers (follow-up)	discrete	numeric	
V418	num_client_c97_b	number of customers (baseline) c97	contin	numeric	
V419	num_client_c97_f	number of customers (follow-up) c97	contin	numeric	
V420	num_months_b	number of months worked with vegetables (baseline)	contin	numeric	
V421	num_months_f	number of months worked with vegetables (follow-up)	contin	numeric	
V422	oth_amnt_tons_bean_c97_b	quantity harvested in tons (all year)-bean (baseline) c97	contin	numeric	
V423	oth_amnt_tons_bean_c97_f	quantity harvested in tons (all year)-bean (follow-up) c97	contin	numeric	
V424	oth_amnt_tons_corn_c97_b	quantity harvested in tons (all year)-corn (baseline) c97	contin	numeric	
V425	oth_amnt_tons_corn_c97_f	quantity harvested in tons (all year)-corn (follow-up) c97	contin	numeric	
V426	oth_amnt_tons_millet_c97_b	quantity harvested in tons (all year)-millet (baseline) c97	contin	numeric	
V427	oth_amnt_tons_millet_c97_f	quantity harvested in tons (all year)-millet (follow-up) c97	contin	numeric	
V428	oth_amnt_tons_otherf_c97_b	quantity harvested in tons (all year)-other fruits (baseline) c97	contin	numeric	
V429	oth_amnt_tons_otherf_c97_f	quantity harvested in tons (all year)-other fruits (follow-up) c97	contin	numeric	
V430	oth_amnt_tons_therm_c97_b	quantity harvested in tons (all year)-other misc (baseline) c97	contin	numeric	
V431	oth_amnt_tons_therm_c97_f	quantity harvested in tons (all year)-other misc (follow-up) c97	contin	numeric	
V432	oth_amnt_tons_therv_c97_b	quantity harvested in tons (all year)-other vegetables (baseline) c97	contin	numeric	
V433	oth_amnt_tons_therv_c97_f	quantity harvested in tons (all year)-other vegetables (follow-up) c97	contin	numeric	
V434	oth_annual_fte_c97_b	full-time equivalent jobs last year-other crops (baseline) c97	contin	numeric	
V435	oth_annual_fte_c97_f	full-time equivalent jobs last year-other crops (follow-up) c97	contin	numeric	
V436	oth_area_bean_c97_b	production area in hectares (all year)-bean (baseline) c97	contin	numeric	
V437	oth_area_bean_c97_f	production area in hectares (all year)-bean (follow-up) c97	contin	numeric	
V438	oth_area_corn_c97_b	production area in hectares (all year)-corn (baseline) c97	contin	numeric	
V439	oth_area_corn_c97_f	production area in hectares (all year)-corn (follow-up) c97	contin	numeric	
V440	oth_area_millet_c97_b	production area in hectares (all year)-millet (baseline) c97	contin	numeric	
V441	oth_area_millet_c97_f	production area in hectares (all year)-millet (follow-up) c97	contin	numeric	
V442	oth_area_otherf_c97_b	production area in hectares (all year)-other fruits (baseline) c97	contin	numeric	
V443	oth_area_otherf_c97_f	production area in hectares (all year)-other fruits (follow-up) c97	contin	numeric	

ID	Name	Label	Type	Format	Question
V444	oth_area_otherm_c97_b	production area in hectares (all year)-other misc (baseline) c97	contin	numeric	
V445	oth_area_otherm_c97_f	production area in hectares (all year)-other misc (follow-up) c97	contin	numeric	
V446	oth_area_otherv_c97_b	production area in hectares (all year)-other vegetables (baseline) c97	contin	numeric	
V447	oth_area_otherv_c97_f	production area in hectares (all year)-other vegetables (follow-up) c97	contin	numeric	
V448	oth_cost_r_c97_b	total production costs of other crops (baseline) c97	contin	numeric	
V449	oth_cost_r_c97_f	total production costs of other crops (follow-up) c97	contin	numeric	
V450	oth_employer_b	employed at least one person last year-other crops (baseline)	discrete	numeric	
V451	oth_employer_f	employed at least one person last year-other crops (follow-up)	discrete	numeric	
V452	oth_ninc_r_c3_97_b	net income from production of other crops for the whole year (baseline) c3_97	contin	numeric	
V453	oth_ninc_r_c3_97_f	net income from production of other crops for the whole year (follow-up) c3_97	contin	numeric	
V454	oth_prod_b	has produced at last one crop-other crops (baseline)	discrete	numeric	
V455	oth_prod_bean_b	production of bean-yes/no (baseline)	discrete	numeric	
V456	oth_prod_bean_f	production of bean-yes/no (follow-up)	discrete	numeric	
V457	oth_prod_corn_b	production of corn-yes/no (baseline)	discrete	numeric	
V458	oth_prod_corn_f	production of corn-yes/no (follow-up)	discrete	numeric	
V459	oth_prod_f	has produced at last one crop-other crops (follow-up)	discrete	numeric	
V460	oth_prod_millet_b	production of millet-yes/no (baseline)	discrete	numeric	
V461	oth_prod_millet_f	production of millet-yes/no (follow-up)	discrete	numeric	
V462	oth_prod_num_c97_b	number of other crops cultivated (baseline) c97	contin	numeric	
V463	oth_prod_num_c97_f	number of other crops cultivated (follow-up) c97	discrete	numeric	
V464	oth_prod_otherv_b	production of other fruits-yes/no (baseline)	discrete	numeric	
V465	oth_prod_otherv_f	production of other fruits-yes/no (follow-up)	discrete	numeric	
V466	oth_prod_otherm_b	production of other misc-yes/no (baseline)	discrete	numeric	
V467	oth_prod_otherm_f	production of other misc-yes/no (follow-up)	discrete	numeric	
V468	oth_prod_otherv_b	production of other vegetables-yes/no (baseline)	discrete	numeric	
V469	oth_prod_otherv_f	production of other vegetables-yes/no (follow-up)	discrete	numeric	
V470	oth_smr_amnt_tons_bean_c97_b	quantity harvested in tons last summer-bean (baseline) c97	contin	numeric	
V471	oth_smr_amnt_tons_bean_c97_f	quantity harvested in tons last summer-bean (follow-up) c97	contin	numeric	
V472	oth_smr_amnt_tons_corn_c97_b	quantity harvested in tons last summer-corn (baseline) c97	contin	numeric	
V473	oth_smr_amnt_tons_corn_c97_f	quantity harvested in tons last summer-corn (follow-up) c97	contin	numeric	
V474	oth_smr_amnt_tons_millet_c97_b	quantity harvested in tons last summer-millet (baseline) c97	contin	numeric	
V475	oth_smr_amnt_tons_millet_c97_f	quantity harvested in tons last summer-millet (follow-up) c97	contin	numeric	



ID	Name	Label	Type	Format	Question
V476	oth_smr_amnt_tons_otherf_c97_b	quantity harvested in tons last summer-other fruits (baseline) c97	contin	numeric	
V477	oth_smr_amnt_tons_otherf_c97_f	quantity harvested in tons last summer-other fruits (follow-up) c97	contin	numeric	
V478	oth_smr_amnt_tons_otherm_c97_b	quantity harvested in tons last summer-other misc (baseline) c97	contin	numeric	
V479	oth_smr_amnt_tons_otherm_c97_f	quantity harvested in tons last summer-other misc (follow-up) c97	contin	numeric	
V480	oth_smr_amnt_tons_otherv_c97_b	quantity harvested in tons last summer-other vegetables (baseline) c97	contin	numeric	
V481	oth_smr_amnt_tons_otherv_c97_f	quantity harvested in tons last summer-other vegetables (follow-up) c97	contin	numeric	
V482	oth_smr_area_bean_c97_b	area of production in hectares last summer-bean (baseline) c97	contin	numeric	
V483	oth_smr_area_bean_c97_f	area of production in hectares last summer-bean (follow-up) c97	contin	numeric	
V484	oth_smr_area_corn_c97_b	area of production in hectares last summer-corn (baseline) c97	contin	numeric	
V485	oth_smr_area_corn_c97_f	area of production in hectares last summer-corn (follow-up) c97	contin	numeric	
V486	oth_smr_area_millet_c97_b	area of production in hectares last summer-millet (baseline) c97	contin	numeric	
V487	oth_smr_area_millet_c97_f	area of production in hectares last summer-millet (follow-up) c97	contin	numeric	
V488	oth_smr_area_otherf_c97_b	area of production in hectares last summer-other fruits (baseline) c97	contin	numeric	
V489	oth_smr_area_otherf_c97_f	area of production in hectares last summer-other fruits (follow-up) c97	contin	numeric	
V490	oth_smr_area_otherm_c97_b	area of production in hectares last summer-other misc (baseline) c97	contin	numeric	
V491	oth_smr_area_otherm_c97_f	area of production in hectares last summer-other misc (follow-up) c97	contin	numeric	
V492	oth_smr_area_otherv_c97_b	area of production in hectares last summer-other vegetables (baseline) c97	contin	numeric	
V493	oth_smr_area_otherv_c97_f	area of production in hectares last summer-other vegetables (follow-up) c97	contin	numeric	
V494	oth_smr_cost_r_c97_b	total production costs of other crops-summer (baseline) c97	contin	numeric	
V495	oth_smr_cost_r_c97_f	total production costs of other crops-summer (follow-up) c97	contin	numeric	
V496	oth_smr_employer_b	employed at least one person last summer-other crops (baseline)	discrete	numeric	
V497	oth_smr_employer_f	employed at least one person last summer-other crops (follow-up)	discrete	numeric	
V498	oth_smr_fte_c97_b	full-time equivalent jobs last summer-other crops (baseline) c97	contin	numeric	
V499	oth_smr_fte_c97_f	full-time equivalent jobs last summer-other crops (follow-up) c97	contin	numeric	
V500	oth_smr_ninc_r_c3_97_b	net income from the production of other crops-summer (baseline) c3_97	contin	numeric	
V501	oth_smr_ninc_r_c3_97_f	net income from the production of other crops-summer (follow-up) c3_97	contin	numeric	

ID	Name	Label	Type	Format	Question
V502	oth_smr_price_bean_b	price per kg sold last summer-bean (baseline)	contin	numeric	
V503	oth_smr_price_bean_f	price per kg sold last summer-bean (follow-up)	contin	numeric	
V504	oth_smr_price_corn_b	price per kg sold last summer-corn (baseline)	contin	numeric	
V505	oth_smr_price_corn_f	price per kg sold last summer-corn (follow-up)	contin	numeric	
V506	oth_smr_price_millet_b	price per kg sold last summer-millet (baseline)	contin	numeric	
V507	oth_smr_price_millet_f	price per kg sold last summer-millet (follow-up)	contin	numeric	
V508	oth_smr_price_otherf_b	price per kg sold last summer-other fruits (baseline)	contin	numeric	
V509	oth_smr_price_otherf_f	price per kg sold last summer-other fruits (follow-up)	contin	numeric	
V510	oth_smr_price_otherm_b	price per kg sold last summer-other misc (baseline)	contin	numeric	
V511	oth_smr_price_otherm_f	price per kg sold last summer-other misc (follow-up)	contin	numeric	
V512	oth_smr_price_otherv_b	price per kg sold last summer-other vegetables (baseline)	contin	numeric	
V513	oth_smr_price_otherv_f	price per kg sold last summer-other vegetables (follow-up)	contin	numeric	
V514	oth_smr_prod_b	has produced at least one crop last summer-other crops (baseline)	discrete	numeric	
V515	oth_smr_prod_bean_b	production of bean last summer-yes/no (baseline)	discrete	numeric	
V516	oth_smr_prod_bean_f	production of bean last summer-yes/no (follow-up)	discrete	numeric	
V517	oth_smr_prod_corn_b	production of corn last summer-yes/no (baseline)	discrete	numeric	
V518	oth_smr_prod_corn_f	production of corn last summer-yes/no (follow-up)	discrete	numeric	
V519	oth_smr_prod_f	has produced at last one crop last summer-other crops (follow-up)	discrete	numeric	
V520	oth_smr_prod_millet_b	production of millet last summer-yes/no (baseline)	discrete	numeric	
V521	oth_smr_prod_millet_f	production of millet last summer-yes/no (follow-up)	discrete	numeric	
V522	oth_smr_prod_otherf_b	production of other fruits last summer-yes/no (baseline)	discrete	numeric	
V523	oth_smr_prod_otherf_f	production of other fruits last summer-yes/no (follow-up)	discrete	numeric	
V524	oth_smr_prod_otherm_b	production of other misc last summer-yes/no (baseline)	discrete	numeric	
V525	oth_smr_prod_otherm_f	production of other misc last summer-yes/no (follow-up)	discrete	numeric	
V526	oth_smr_prod_otherv_b	production of other vegetables last summer-yes/no (baseline)	discrete	numeric	
V527	oth_smr_prod_otherv_f	production of other vegetables last summer-yes/no (follow-up)	discrete	numeric	
V528	oth_smr_prodval_bean_c97_b	production value last summer-bean (baseline) c97	contin	numeric	
V529	oth_smr_prodval_bean_c97_f	production value last summer-bean (follow-up) c97	contin	numeric	
V530	oth_smr_prodval_corn_c97_b	production value last summer-corn (baseline) c97	contin	numeric	
V531	oth_smr_prodval_corn_c97_f	production value last summer-corn (follow-up) c97	contin	numeric	
V532	oth_smr_prodval_millet_c97_b	production value last summer-millet (baseline) c97	contin	numeric	
V533	oth_smr_prodval_millet_c97_f	production value last summer-millet (follow-up) c97	contin	numeric	
V534	oth_smr_prodval_otherf_c97_b	production value last summer-other fruits (baseline) c97	contin	numeric	
V535	oth_smr_prodval_otherf_c97_f	production value last summer-other fruits (follow-up) c97	contin	numeric	
V536	oth_smr_prodval_otherm_c97_b	production value last summer-other misc (baseline) c97	contin	numeric	

ID	Name	Label	Type	Format	Question
V537	oth_smr_prodval_therm_c97_f	production value last summer-other misc (follow-up) c97	contin	numeric	
V538	oth_smr_prodval_otherv_c97_b	production value last summer-other vegetables (baseline) c97	contin	numeric	
V539	oth_smr_prodval_otherv_c97_f	production value last summer-other vegetables (follow-up) c97	contin	numeric	
V540	oth_smr_sold_b	has sold at least one crop last summer-other crops (baseline)	discrete	numeric	
V541	oth_smr_sold_f	has sold at least one crop last summer-other crops (follow-up)	discrete	numeric	
V542	oth_smr_soldkg_bean_c97_b	quantity sold last summer (kg)-bean (baseline) c97	contin	numeric	
V543	oth_smr_soldkg_bean_c97_f	quantity sold last summer (kg)-bean (follow-up) c97	contin	numeric	
V544	oth_smr_soldkg_corn_c97_b	quantity sold last summer (kg)-corn (baseline) c97	contin	numeric	
V545	oth_smr_soldkg_corn_c97_f	quantity sold last summer (kg)-corn (follow-up) c97	discrete	numeric	
V546	oth_smr_soldkg_millet_c97_b	quantity sold last summer (kg)-millet (baseline) c97	contin	numeric	
V547	oth_smr_soldkg_millet_c97_f	quantity sold last summer (kg)-millet (follow-up) c97	discrete	numeric	
V548	oth_smr_soldkg_otherf_c97_b	quantity sold last summer (kg)-other fruits (baseline) c97	contin	numeric	
V549	oth_smr_soldkg_otherf_c97_f	quantity sold last summer (kg)-other fruits (follow-up) c97	contin	numeric	
V550	oth_smr_soldkg_therm_c97_b	quantity sold last summer (kg)-other misc (baseline) c97	contin	numeric	
V551	oth_smr_soldkg_therm_c97_f	quantity sold last summer (kg)-other misc (follow-up) c97	contin	numeric	
V552	oth_smr_soldkg_otherv_c97_b	quantity sold last summer (kg)-other vegetables (baseline) c97	contin	numeric	
V553	oth_smr_soldkg_otherv_c97_f	quantity sold last summer (kg)-other vegetables (follow-up) c97	contin	numeric	
V554	oth_smr_value_bean_c97_b	value of sales last summer-bean (baseline) c97	contin	numeric	
V555	oth_smr_value_bean_c97_f	value of sales last summer-bean (follow-up) c97	contin	numeric	
V556	oth_smr_value_corn_c97_b	value of sales last summer-corn (baseline) c97	contin	numeric	
V557	oth_smr_value_corn_c97_f	value of sales last summer-corn (follow-up) c97	discrete	numeric	
V558	oth_smr_value_millet_c97_b	value of sales last summer-millet (baseline) c97	contin	numeric	
V559	oth_smr_value_millet_c97_f	value of sales last summer-millet (follow-up) c97	discrete	numeric	
V560	oth_smr_value_otherf_c97_b	value of sales last summer-other fruits (baseline) c97	contin	numeric	
V561	oth_smr_value_otherf_c97_f	value of sales last summer-other fruits (follow-up) c97	contin	numeric	
V562	oth_smr_value_therm_c97_b	value of sales last summer-other misc (baseline) c97	contin	numeric	
V563	oth_smr_value_therm_c97_f	value of sales last summer-other misc (follow-up) c97	contin	numeric	
V564	oth_smr_value_otherv_c97_b	value of sales last summer-other vegetables (baseline) c97	contin	numeric	
V565	oth_smr_value_otherv_c97_f	value of sales last summer-other vegetables (follow-up) c97	contin	numeric	
V566	oth_sold_b	has sold at last one crop-other crops (baseline)	discrete	numeric	
V567	oth_sold_bean_b	sold bean-yes/no (baseline)	discrete	numeric	
V568	oth_sold_bean_f	sold bean-yes/no (follow-up)	discrete	numeric	
V569	oth_sold_corn_b	sold corn-yes/no (baseline)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V570	oth_sold_corn_f	sold corn-yes/no (follow-up)	discrete	numeric	
V571	oth_sold_f	has sold at last one crop-other crops (follow-up)	discrete	numeric	
V572	oth_sold_millet_b	sold millet-yes/no (baseline)	discrete	numeric	
V573	oth_sold_millet_f	sold millet-yes/no (follow-up)	discrete	numeric	
V574	oth_sold_num_c97_b	number of other crops sold (baseline) c97	contin	numeric	
V575	oth_sold_num_c97_f	number of other crops sold (follow-up) c97	discrete	numeric	
V576	oth_sold_otherf_b	sold other fruits-yes/no (baseline)	discrete	numeric	
V577	oth_sold_otherf_f	sold other fruits-yes/no (follow-up)	discrete	numeric	
V578	oth_sold_otherm_b	sold other misc-yes/no (baseline)	discrete	numeric	
V579	oth_sold_otherm_f	sold other misc-yes/no (follow-up)	discrete	numeric	
V580	oth_sold_otherv_b	sold other vegetables-yes/no (baseline)	discrete	numeric	
V581	oth_sold_otherv_f	sold other vegetables-yes/no (follow-up)	discrete	numeric	
V582	oth_value_bean_c97_b	value of sales (all year)-bean (baseline) c97	contin	numeric	
V583	oth_value_bean_c97_f	value of sales (all year)-bean (follow-up) c97	contin	numeric	
V584	oth_value_corn_c97_b	value of sales (all year)-corn (baseline) c97	contin	numeric	
V585	oth_value_corn_c97_f	value of sales (all year)-corn (follow-up) c97	contin	numeric	
V586	oth_value_millet_c97_b	value of sales (all year)-millet (baseline) c97	contin	numeric	
V587	oth_value_millet_c97_f	value of sales (all year)-millet (follow-up) c97	contin	numeric	
V588	oth_value_otherf_c97_b	value of sales (all year)-other fruits (baseline) c97	contin	numeric	
V589	oth_value_otherf_c97_f	value of sales (all year)-other fruits (follow-up) c97	contin	numeric	
V590	oth_value_otherm_c97_b	value of sales (all year)-other misc (baseline) c97	contin	numeric	
V591	oth_value_otherm_c97_f	value of sales (all year)-other misc (follow-up) c97	contin	numeric	
V592	oth_value_otherv_c97_b	value of sales (all year)-other vegetables (baseline) c97	contin	numeric	
V593	oth_value_otherv_c97_f	value of sales (all year)-other vegetables (follow-up) c97	contin	numeric	
V594	oth_win_amnt_tons_bean_c97_b	quantity harvested in tons last winter-bean (baseline) c97	contin	numeric	
V595	oth_win_amnt_tons_bean_c97_f	quantity harvested in tons last winter-bean (follow-up) c97	contin	numeric	
V596	oth_win_amnt_tons_corn_c97_b	quantity harvested in tons last winter-corn (baseline) c97	contin	numeric	
V597	oth_win_amnt_tons_corn_c97_f	quantity harvested in tons last winter-corn (follow-up) c97	contin	numeric	
V598	oth_win_amnt_tons_millet_c97_b	quantity harvested in tons last winter-millet (baseline) c97	contin	numeric	
V599	oth_win_amnt_tons_millet_c97_f	quantity harvested in tons last winter-millet (follow-up) c97	contin	numeric	
V600	oth_win_amnt_tons_otherf_c97_b	quantity harvested in tons last winter-other fruits (baseline) c97	contin	numeric	
V601	oth_win_amnt_tons_otherf_c97_f	quantity harvested in tons last winter-other fruits (follow-up) c97	contin	numeric	
V602	oth_win_amnt_tons_otherm_c97_b	quantity harvested in tons last winter-other misc (baseline) c97	contin	numeric	
V603	oth_win_amnt_tons_otherm_c97_f	quantity harvested in tons last winter-other misc (follow-up) c97	contin	numeric	

ID	Name	Label	Type	Format	Question
V604	oth_win_amnt_tons_otherv_c97_b	quantity harvested in tons last winter-other vegetables (baseline) c97	contin	numeric	
V605	oth_win_amnt_tons_otherv_c97_f	quantity harvested in tons last winter-other vegetables (follow-up) c97	contin	numeric	
V606	oth_win_area_bean_c97_b	production area in hectares last winter-bean (baseline) c97	contin	numeric	
V607	oth_win_area_bean_c97_f	production area in hectares last winter-bean (follow-up) c97	contin	numeric	
V608	oth_win_area_corn_c97_b	production area in hectares last winter-corn (baseline) c97	contin	numeric	
V609	oth_win_area_corn_c97_f	production area in hectares last winter-corn (follow-up) c97	contin	numeric	
V610	oth_win_area_millet_c97_b	production area in hectares last winter-millet (baseline) c97	contin	numeric	
V611	oth_win_area_millet_c97_f	production area in hectares last winter-millet (follow-up) c97	contin	numeric	
V612	oth_win_area_otherf_c97_b	production area in hectares last winter-other fruits (baseline) c97	contin	numeric	
V613	oth_win_area_otherf_c97_f	production area in hectares last winter-other fruits (follow-up) c97	contin	numeric	
V614	oth_win_area_otherm_c97_b	production area in hectares last winter-other misc (baseline) c97	contin	numeric	
V615	oth_win_area_otherm_c97_f	production area in hectares last winter-other misc (follow-up) c97	contin	numeric	
V616	oth_win_area_otherv_c97_b	production area in hectares last winter-other vegetables (baseline) c97	contin	numeric	
V617	oth_win_area_otherv_c97_f	production area in hectares last winter-other vegetables (follow-up) c97	contin	numeric	
V618	oth_win_cost_r_c97_b	total production costs of other crops-winter (baseline) c97	contin	numeric	
V619	oth_win_cost_r_c97_f	total production costs of other crops-winter (follow-up) c97	contin	numeric	
V620	oth_win_employer_b	employed at least one person last winter-other crops (baseline)	discrete	numeric	
V621	oth_win_employer_f	employed at least one person last winter-other crops (follow-up)	discrete	numeric	
V622	oth_win_fte_c97_b	full-time equivalent jobs last winter-other crops (baseline) c97	contin	numeric	
V623	oth_win_fte_c97_f	full-time equivalent jobs last winter-other crops (follow-up) c97	contin	numeric	
V624	oth_win_ninc_r_c3_97_b	net income from production of other crops-winter (baseline) c3_97	contin	numeric	
V625	oth_win_ninc_r_c3_97_f	net income from production of other crops-winter (follow-up) c3_97	contin	numeric	
V626	oth_win_price_bean_b	price per kg sold last winter-bean (baseline)	contin	numeric	
V627	oth_win_price_bean_f	price per kg sold last winter-bean (follow-up)	contin	numeric	
V628	oth_win_price_corn_b	price per kg sold last winter-corn (baseline)	contin	numeric	
V629	oth_win_price_corn_f	price per kg sold last winter-corn (follow-up)	contin	numeric	
V630	oth_win_price_millet_b	price per kg sold last winter-millet (baseline)	contin	numeric	
V631	oth_win_price_millet_f	price per kg sold last winter-millet (follow-up)	contin	numeric	

ID	Name	Label	Type	Format	Question
V632	oth_win_price_otherf_b	price per kg sold last winter-other fruits (baseline)	contin	numeric	
V633	oth_win_price_otherf_f	price per kg sold last winter-other fruits (follow-up)	contin	numeric	
V634	oth_win_price_otherm_b	price per kg sold last winter-other misc (baseline)	contin	numeric	
V635	oth_win_price_otherm_f	price per kg sold last winter-other misc (follow-up)	contin	numeric	
V636	oth_win_price_otherv_b	price per kg sold last winter-other vegetables (baseline)	contin	numeric	
V637	oth_win_price_otherv_f	price per kg sold last winter-other vegetables (follow-up)	contin	numeric	
V638	oth_win_prod_b	has produced at last one crop last winter-other crops (baseline)	discrete	numeric	
V639	oth_win_prod_bean_b	production of bean last winter-yes/no (baseline)	discrete	numeric	
V640	oth_win_prod_bean_f	production of bean last winter-yes/no (follow-up)	discrete	numeric	
V641	oth_win_prod_corn_b	production of corn last winter-yes/no (baseline)	discrete	numeric	
V642	oth_win_prod_corn_f	production of corn last winter-yes/no (follow-up)	discrete	numeric	
V643	oth_win_prod_f	has produced at last one crop last winter-other crops (follow-up)	discrete	numeric	
V644	oth_win_prod_millet_b	production of millet last winter-yes/no (baseline)	discrete	numeric	
V645	oth_win_prod_millet_f	production of millet last winter-yes/no (follow-up)	discrete	numeric	
V646	oth_win_prod_otherf_b	production of other fruits last winter-yes/no (baseline)	discrete	numeric	
V647	oth_win_prod_otherf_f	production of other fruits last winter-yes/no (follow-up)	discrete	numeric	
V648	oth_win_prod_otherm_b	production of other misc last winter-yes/no (baseline)	discrete	numeric	
V649	oth_win_prod_otherm_f	production of other misc last winter-yes/no (follow-up)	discrete	numeric	
V650	oth_win_prod_otherv_b	production of other vegetables last winter-yes/no (baseline)	discrete	numeric	
V651	oth_win_prod_otherv_f	production of other vegetables last winter-yes/no (follow-up)	discrete	numeric	
V652	oth_win_proddval_bean_c97_b	production value last winter-bean (baseline) c97	contin	numeric	
V653	oth_win_proddval_bean_c97_f	production value last winter-bean (follow-up) c97	contin	numeric	
V654	oth_win_proddval_corn_c97_b	production value last winter-corn (baseline) c97	contin	numeric	
V655	oth_win_proddval_corn_c97_f	production value last winter-corn (follow-up) c97	contin	numeric	
V656	oth_win_proddval_millet_c97_b	production value last winter-millet (baseline) c97	contin	numeric	
V657	oth_win_proddval_millet_c97_f	production value last winter-millet (follow-up) c97	contin	numeric	
V658	oth_win_proddval_otherf_c97_b	production value last winter-other fruits (baseline) c97	contin	numeric	
V659	oth_win_proddval_otherf_c97_f	production value last winter-other fruits (follow-up) c97	contin	numeric	
V660	oth_win_proddval_otherm_c97_b	production value last winter-other misc (baseline) c97	contin	numeric	
V661	oth_win_proddval_otherm_c97_f	production value last winter-other misc (follow-up) c97	contin	numeric	
V662	oth_win_proddval_otherv_c97_b	production value last winter-other vegetables (baseline) c97	contin	numeric	
V663	oth_win_proddval_otherv_c97_f	production value last winter-other vegetables (follow-up) c97	contin	numeric	
V664	oth_win_sold_b	has sold at least one crop last winter-other crops (baseline)	discrete	numeric	
V665	oth_win_sold_f	has sold at least one crop last winter-other crops (follow-up)	discrete	numeric	
V666	oth_win_soldkg_bean_c97_b	quantity sold last winter (kg)-bean (baseline) c97	contin	numeric	

ID	Name	Label	Type	Format	Question
V667	oth_win_soldkg_bean_c97_f	quantity sold last winter (kg)-bean (follow-up) c97	contin	numeric	
V668	oth_win_soldkg_corn_c97_b	quantity sold last winter (kg)-corn (baseline) c97	contin	numeric	
V669	oth_win_soldkg_corn_c97_f	quantity sold last winter (kg)-corn (follow-up) c97	contin	numeric	
V670	oth_win_soldkg_millet_c97_b	quantity sold last winter (kg)-millet (baseline) c97	contin	numeric	
V671	oth_win_soldkg_millet_c97_f	quantity sold last winter (kg)-millet (follow-up) c97	contin	numeric	
V672	oth_win_soldkg_otherf_c97_b	quantity sold last winter (kg)-other fruits (baseline) c97	contin	numeric	
V673	oth_win_soldkg_otherf_c97_f	quantity sold last winter (kg)-other fruits (follow-up) c97	contin	numeric	
V674	oth_win_soldkg_therm_c97_b	quantity sold last winter (kg)-other misc (baseline) c97	contin	numeric	
V675	oth_win_soldkg_therm_c97_f	quantity sold last winter (kg)-other misc (follow-up) c97	contin	numeric	
V676	oth_win_soldkg_therv_c97_b	quantity sold last winter (kg)-other vegetables (baseline) c97	contin	numeric	
V677	oth_win_soldkg_therv_c97_f	quantity sold last winter (kg)-other vegetables (follow-up) c97	contin	numeric	
V678	oth_win_value_bean_c97_b	value of sales last winter-bean (baseline) c97	contin	numeric	
V679	oth_win_value_bean_c97_f	value of sales last winter-bean (follow-up) c97	contin	numeric	
V680	oth_win_value_corn_c97_b	value of sales last winter-corn (baseline) c97	contin	numeric	
V681	oth_win_value_corn_c97_f	value of sales last winter-corn (follow-up) c97	contin	numeric	
V682	oth_win_value_millet_c97_b	value of sales last winter-millet (baseline) c97	contin	numeric	
V683	oth_win_value_millet_c97_f	value of sales last winter-millet (follow-up) c97	contin	numeric	
V684	oth_win_value_otherf_c97_b	value of sales last winter-other fruits (baseline) c97	contin	numeric	
V685	oth_win_value_otherf_c97_f	value of sales last winter-other fruits (follow-up) c97	contin	numeric	
V686	oth_win_value_therm_c97_b	value of sales last winter-other misc (baseline) c97	contin	numeric	
V687	oth_win_value_therm_c97_f	value of sales last winter-other misc (follow-up) c97	contin	numeric	
V688	oth_win_value_therv_c97_b	value of sales last winter-other vegetables (baseline) c97	contin	numeric	
V689	oth_win_value_therv_c97_f	value of sales last winter-other vegetables (follow-up) c97	contin	numeric	
V690	prac_conserve_soil_b	soil conservation measures, enviro-friendly products, or bpa (baseline)	discrete	numeric	
V691	prac_conserve_soil_f	soil conservation measures, enviro-friendly products, or bpa (follow-up)	contin	numeric	
V692	prac_controlvirus_tunnels_f	took measures to control contagions or tried protected horticulture (follow-up)	contin	numeric	
V693	prac_experiences_b	shared experiences, formed alliances, looked for new clients (baseline)	discrete	numeric	
V694	prac_experiences_f	shared experiences, formed alliances, looked for new clients (follow-up)	contin	numeric	
V695	prac_inf_src_f	number of information sources used to determine prices (follow-up)	contin	numeric	
V696	prac_info_tech_b	use info for new opportunities or intrnt for best pricing/mrktng (baseline)	discrete	numeric	
V697	prac_info_tech_f	use info for new opportunities or intrnt for best pricing/mrktng (follow-up)	contin	numeric	
V698	prac_irrig_soil_b	used irrigation sysems or pacticed soil management (baseline)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V699	prac_irrig_soil_f	used irrigation systems or practiced soil management (follow-up)	contin	numeric	
V700	prac_lower_costs_b	record of costs, msrmnts of lower costs or frml acctng sstm (baseline)	discrete	numeric	
V701	prac_lower_costs_f	record of costs, msrmnts of lower costs or frml acctng sstm (follow-up)	contin	numeric	
V702	prac_new_seeds_product_b	used improved seeds or tried new products (baseline)	discrete	numeric	
V703	prac_new_seeds_product_f	used improved seeds or tried new products (follow-up)	contin	numeric	
V704	prac_q_control_b	activities of quality control or business plan (baseline)	discrete	numeric	
V705	prac_q_control_f	activities of quality control or business plan (follow-up)	contin	numeric	
V706	prac_rows_rotation_f	used staggered planting or crop rotation (follow-up)	contin	numeric	
V707	prac_seedbed_f	used seedbeds (follow-up)	contin	numeric	
V708	productive_cost_r_c97_b	total production costs of all crops (baseline) c97	contin	numeric	
V709	productive_cost_r_c97_f	total production costs of all crops (follow-up) c97	contin	numeric	
V710	productive_ninc_r_c3_97_b	net income from the production of all crops (baseline) c3_97	contin	numeric	
V711	productive_ninc_r_c3_97_f	net income from the production of all crops (follow-up) c3_97	contin	numeric	
V712	smr_cost_r_c97_b	total production costs of all crops-summer (baseline) c97	contin	numeric	
V713	smr_cost_r_c97_f	total production costs of all crops-summer (follow-up) c97	contin	numeric	
V714	smr_employer_b	employed at least one person last summer-all crops (baseline)	discrete	numeric	
V715	smr_employer_f	employed at least one person last summer-all crops (follow-up)	discrete	numeric	
V716	smr_fte_c97_b	full-time equivalent jobs last summer-all cultivation (baseline) c97	contin	numeric	
V717	smr_fte_c97_f	full-time equivalent jobs last summer-all cultivation (follow-up) c97	contin	numeric	
V718	smr_ninc_r_c3_97_b	net income from the production of all crops-summer (baseline) c3_97	contin	numeric	
V719	smr_ninc_r_c3_97_f	net income from the production of all crops-summer (follow-up) c3_97	contin	numeric	
V720	tot_business2_n_r_c3_97_b	respondent's other business net income (baseline) c3_97	contin	numeric	
V721	tot_business2_n_r_c3_97_f	respondent's other business net income (follow-up) c3_97	contin	numeric	
V722	tot_income2_r_c3_97_b	sum of respondent's other (non-horticulture) income (baseline) c3_97	contin	numeric	
V723	tot_income2_r_c3_97_f	sum of respondent's other (non-horticulture) income (follow-up) c3_97	contin	numeric	
V724	tot_sal2_r_c97_b	sum of respondent's salaries (baseline) c97	contin	numeric	
V725	tot_sal2_r_c97_f	sum of respondent's salaries (follow-up) c97	contin	numeric	
V726	win_cost_r_c97_b	total production costs of all crops-winter (baseline) c97	contin	numeric	
V727	win_cost_r_c97_f	total production costs of all crops-winter (follow-up) c97	contin	numeric	
V728	win_employer_b	employed at least one person last winter-all crops (baseline)	discrete	numeric	



ID	Name	Label	Type	Format	Question
V729	win_employer_f	employed at least one person last winter-all crops (follow-up)	discrete	numeric	
V730	win_fte_c97_b	full-time equivalent jobs last winter-all cultivation (baseline) c97	contin	numeric	
V731	win_fte_c97_f	full-time equivalent jobs last winter-all cultivation (follow-up) c97	contin	numeric	
V732	win_ninc_r_c3_97_b	net income from production of all crops-winter (baseline) c3_97	contin	numeric	
V733	win_ninc_r_c3_97_f	net income from production of all crops-winter (follow-up) c3_97	contin	numeric	
V734	yr_non_ninc_r_c3_97_b	interviewee's total non-crop income (baseline) c3_97	contin	numeric	
V735	yr_non_ninc_r_c3_97_f	interviewee's total non-crop income (follow-up) c3_97	contin	numeric	
V736	yr_tot_ninc_r_c3_97_b	interviewee's total net income (baseline) c3_97	contin	numeric	
V737	yr_tot_ninc_r_c3_97_f	interviewee's total net income (follow-up) c3_97	contin	numeric	
V738	hh_rep	household-level representative of household (one per hh_id)	discrete	numeric	
V739	hh_id	household-level ID	contin	numeric	
V740	treatment_hh	at least one hh member was assigned to treatment	discrete	numeric	
V741	participant_hh	at least one hh member participated in the program	discrete	numeric	
V742	age_hh_c3_97_b	age of interviewee(s): household level (baseline) c3_97	contin	numeric	
V743	num_fam_hh_c97_b	number of household members (baseline) c97	contin	numeric	
V744	num_adult_hh_c97_b	number of adults in household: household level (baseline) c97	contin	numeric	
V745	num_child_hh_c97_b	number of children in household: household level (baseline) c97	contin	numeric	
V746	fhh_hh_b	household head is female: household level (baseline)	discrete	numeric	
V747	mar_cohab_hh_b	married/co-habiting: household level (baseline)	discrete	numeric	
V748	educ_non_hh_b	no educational attainment: household level (baseline)	discrete	numeric	
V749	educ_prim_hh_b	basic educational attainment: household level (baseline)	discrete	numeric	
V750	educ_high_hh_b	more than basic educational attainment: household level (baseline)	discrete	numeric	
V751	hort_ninc_hh_c3_97_b	annual net income from vegetable production for full year (baseline) c3_97	contin	numeric	
V752	hort_ninc_hh_c3_97_f	annual net income from vegetable production for full year (follow-up) c3_97	contin	numeric	
V753	pov186_con_hh_b	in poverty (using consumption): \$1.86 per member per day (baseline)	discrete	numeric	
V754	pov186_con_hh_f	in poverty (using consumption): \$1.86 per member per day (follow-up)	discrete	numeric	
V755	pov186_inc_hh_b	in poverty (using income) \$1.86 per member per day (baseline)	discrete	numeric	
V756	pov186_inc_hh_f	in poverty (using income) \$1.86 per member per day (follow-up)	discrete	numeric	
V757	pov186a_con_hh_b	in relative poverty (using consumption): 0.93-\$1.86 per member/day (baseline)	discrete	numeric	
V758	pov186a_con_hh_f	in relative poverty (using consumption): 0.93-\$1.86 per member/day (follow-up)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V759	pov186a_inc_hh_b	in relative poverty (using income): 0.93-\$1.86 per member/day (baseline)	discrete	numeric	
V760	pov186a_inc_hh_f	in relative poverty (using income): 0.93-\$1.86 per member/day (follow-up)	discrete	numeric	
V761	pov93_con_hh_b	in poverty (using consumption): \$0.93 per member per day (baseline)	discrete	numeric	
V762	pov93_con_hh_f	in poverty (using consumption): \$0.93 per member per day (follow-up)	discrete	numeric	
V763	pov93_inc_hh_b	in poverty (using income) \$0.93 per member per day (baseline)	discrete	numeric	
V764	pov93_inc_hh_f	in poverty (using income) \$0.93 per member per day (follow-up)	discrete	numeric	
V765	productive_ninc_hh_c3_97_b	annual net income from crop production for full year-household (baseline) c3_97	contin	numeric	
V766	productive_ninc_hh_c3_97_f	annual net income from crop production for full year-household (follow-up) c3_97	contin	numeric	
V767	tot_business2_n_hh_c3_97_b	total of non-horticulture business income in household (baseline) c3_97	contin	numeric	
V768	tot_business2_n_hh_c3_97_f	total of non-horticulture business income in household (follow-up) c3_97	contin	numeric	
V769	tot_income2_hh_c3_97_b	total net household other (non-hort) income (baseline) c3_97	contin	numeric	
V770	tot_income2_hh_c3_97_f	total net household other (non-hort) income (follow-up) c3_97	contin	numeric	
V771	tot_sal2_hh_c97_b	total of non-horticulture salaries in household (baseline) c97	contin	numeric	
V772	tot_sal2_hh_c97_f	total of non-horticulture salaries in household (follow-up) c97	contin	numeric	
V773	yr_hh_con_c3_97_b	annual household consumption (baseline) c3_97	contin	numeric	
V774	yr_hh_con_c3_97_f	annual household consumption (follow-up) c3_97	contin	numeric	
V775	yr_hh_sav_c3_97_b	annual household savings (baseline) c3_97	contin	numeric	
V776	yr_hh_sav_c3_97_f	annual household savings (follow-up) c3_97	contin	numeric	
V777	yr_non_ninc_hh_c3_97_b	household's non-horticulture income (baseline) c3_97	contin	numeric	
V778	yr_non_ninc_hh_c3_97_f	household's non-horticulture income (follow-up) c3_97	contin	numeric	
V779	yr_tot_ninc_hh_c3_97_b	annual household net income (baseline) c3_97	contin	numeric	
V780	yr_tot_ninc_hh_c3_97_f	annual household net income (follow-up) c3_97	contin	numeric	



## respondent ID (resp\_id)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 3	Minimum: 1
Decimals: 0	Maximum: 518
Range: 1-518	

## treatment (treatment)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

## participant (participant)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

## got assistance in Phase I (phase\_i\_assist)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

## got a large donation in Phase I (phase\_i\_big\_donation)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

large dosage in Phase I (phase\_i\_big\_dose)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

got a donation in Phase I (phase\_i\_donation)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

Phase I participant (phase\_i\_participant)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

large dosage in Phase II (phase\_ii\_big\_dose)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

Phase II participant (phase\_ii\_participant)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

## productive group ID (group)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 28
Range: 1-28	

## department (department)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 2	
Decimals: 0	
Range: 4-14	

## municipality (municipality)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 1416
Range: 1-1416	

## female (female)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

## female-headed household (baseline) (fhh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

age of interviewee at baseline c3\_97 (age\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
 Format: numeric  
 Width: 16  
 Decimals: 0  
 Range: 22.1000003814697-81.6900024414062  
 Invalid: 101

Valid cases: 517  
 Invalid: 1  
 Minimum: 22.1  
 Maximum: 81.7

married/accompanied (baseline) (mar\_cohab\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 518  
 Invalid: 0

no educational attainment (baseline) (educ\_non\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 518  
 Invalid: 0

basic educational attainment (baseline) (educ\_prim\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 518  
 Invalid: 0

more than basic educational attainment (baseline) (educ\_high\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 518  
 Invalid: 0

number of family members (baseline) c97 (num\_fam\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 1
Decimals: 0	Maximum: 12.4
Range: 1-12.3800001144409	

number of adults that live in the household (baseline) c97  
(num\_adult\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 7
Range: 0-7	

number of children that live in the household (baseline) c97  
(num\_child\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.6
Range: 0-4.57999992370606	

full-time equivalent jobs last year (baseline) c97 (annual\_fte\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 7.1
Range: 0-7.1100001335144	

full-time equivalent jobs last year (follow-up) c97  
(annual\_fte\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview



full-time equivalent jobs last year (follow-up) c97  
(annual\_fte\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 5.8
Range: 0-5.76999998092651	

average price of bottle of milk sold last year (baseline)  
(bot\_price\_r\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 355
Format: numeric	Invalid: 163
Width: 17	Minimum: 0.1
Decimals: 0	Maximum: 1
Range: 0.129999995231628-1	
Invalid: 11	

average price of bottle of milk sold last year (follow-up)  
(bot\_price\_r\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 422
Format: numeric	Invalid: 96
Width: 17	Minimum: 0.1
Decimals: 0	Maximum: 1.1
Range: 0.100000001490116-1.04999995231628	
Invalid: 11	

price of bottle of milk sold: summer (baseline) (bot\_price\_smr\_r\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 337
Format: numeric	Invalid: 181
Width: 17	Minimum: 0.2
Decimals: 0	Maximum: 1
Range: 0.200000002980232-1	
Invalid: 11	

price of bottle of milk sold: summer (follow-up) (bot\_price\_smr\_r\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

price of bottle of milk sold: summer (follow-up) (bot\_price\_smr\_r\_f)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous  
 Format: numeric  
 Width: 17  
 Decimals: 0  
 Range: 0.200000002980232-1.5  
 Invalid: 11

Valid cases: 392  
 Invalid: 126  
 Minimum: 0.2  
 Maximum: 1.5

price of bottle of milk sold imputed: summer (follow-up)  
 (bot\_price\_smr\_r\_fl\_f)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-1  
 Invalid: 11

Valid cases: 104  
 Invalid: 414  
 Minimum: 1  
 Maximum: 1

price of bottle of milk sold: winter (baseline) (bot\_price\_win\_r\_b)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
 Format: numeric  
 Width: 17  
 Decimals: 0  
 Range: 0.180000007152557-1  
 Invalid: 11

Valid cases: 347  
 Invalid: 171  
 Minimum: 0.2  
 Maximum: 1

price of bottle of milk sold: winter (follow-up) (bot\_price\_win\_r\_f)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
 Format: numeric  
 Width: 17  
 Decimals: 0  
 Range: 0.170000001788139-1  
 Invalid: 11

Valid cases: 408  
 Invalid: 110  
 Minimum: 0.2  
 Maximum: 1

price of bottle of milk sold imputed: winter (follow-up)  
 (bot\_price\_win\_r\_fl\_f)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

price of bottle of milk sold imputed: winter (follow-up)  
(bot\_price\_win\_r\_fl\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 106
Format: numeric	Invalid: 412
Width: 2	Minimum: 1
Decimals: 0	Maximum: 1
Range: 1-1	
Invalid: 11	

average number of bottles sold per week last year (baseline) c97  
(bot\_sold\_r\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3885
Range: 0-3885	

average number of bottles sold per week last year (follow-up) c97  
(bot\_sold\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3454.4
Range: 0-3454.39990234375	

number of bottles sold per week: summer (baseline) c97  
(bot\_sold\_smr\_r\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3885
Range: 0-3885	

number of bottles sold per week: summer (follow-up) c97  
(bot\_sold\_smr\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

number of bottles sold per week: summer (follow-up) c97  
(bot\_sold\_smr\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3449.6
Range: 0-3449.60009765625	

number of bottles sold per week adjusted (4/24): summer  
(baseline) (bot\_sold\_smr\_r\_fl\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 2	Minimum: 0
Decimals: 0	Maximum: 24
Range: 0-24	

number of bottles sold per week imputed: summer (follow-up)  
(bot\_sold\_smr\_r\_fl\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

number of bottles sold per week: winter (baseline) c97  
(bot\_sold\_win\_r\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4200
Range: 0-4200	

number of bottles sold per week: winter (follow-up) c97  
(bot\_sold\_win\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

number of bottles sold per week: winter (follow-up) c97  
(bot\_sold\_win\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3720.4
Range: 0-3720.39990234375	

number of bottles sold per week adjusted (4/24): winter (baseline)  
(bot\_sold\_win\_r\_fl\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 2	Minimum: 0
Decimals: 0	Maximum: 24
Range: 0-24	

number of bottles sold per week imputed: winter (follow-up)  
(bot\_sold\_win\_r\_fl\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

total cattle sale costs last winter (baseline) c97  
(cattle\_cost\_r\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 5	Minimum: 0
Decimals: 0	Maximum: 12000
Range: 0-12000	

total cattle sale costs last winter (follow-up) c97  
(cattle\_cost\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

total cattle sale costs last winter (follow-up) c97  
(cattle\_cost\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 6450
Range: 0-6450	

total dairy costs last summer (baseline) c97 (cost\_smr\_r\_c97\_b)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 14	Minimum: 0
Decimals: 0	Maximum: 21271.1
Range: 0-21271.08984375	
Invalid: 100001	

total dairy costs last summer (follow-up) c97 (cost\_smr\_r\_c97\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 5	Minimum: 0
Decimals: 0	Maximum: 30100
Range: 0-30100	

total dairy costs last winter (baseline) c97 (cost\_win\_r\_c97\_b)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 14	Minimum: 0
Decimals: 0	Maximum: 23439.8
Range: 0-23439.76953125	
Invalid: 100001	

total dairy costs last winter (follow-up) c97 (cost\_win\_r\_c97\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 13	Minimum: 0
Decimals: 0	Maximum: 25865.8
Range: 0-25865.8203125	

employed at least one person last year (baseline) (employer\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

employed at least one person last year (follow-up) (employer\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

employed at least one person last summer (baseline)  
(employer\_smr\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

employed at least one person last summer (follow-up)  
(employer\_smr\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

employed at least one person last winter (baseline)  
(employer\_win\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

employed at least one person last winter (baseline)  
(employer\_win\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

employed at least one person last winter (follow-up)  
(employer\_win\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

percentage of production sold to the final consumer  
(final\_consum\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-100

Valid cases: 518  
Invalid: 0  
Minimum: 0  
Maximum: 100

full-time equivalent jobs last summer (baseline) c97  
(fte\_smr\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-3.64000010490418

Valid cases: 518  
Invalid: 0  
Minimum: 0  
Maximum: 3.6

full-time equivalent jobs last summer (follow-up) c97  
(fte\_smr\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview



full-time equivalent jobs last summer (follow-up) c97  
(fte\_smr\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.9
Range: 0-2.88000011444092	

full-time equivalent jobs last winter (baseline) c97 (fte\_win\_c97\_b)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.4
Range: 0-4.36999988555908	

full-time equivalent jobs last winter (follow-up) c97 (fte\_win\_c97\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.9
Range: 0-2.88000011444092	

maintenance costs last summer (baseline) c97  
(mainten\_smr\_r\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 514
Format: numeric	Invalid: 4
Width: 13	Minimum: 0
Decimals: 0	Maximum: 14473.7
Range: 0-14473.6796875	
Invalid: 100001	

maintenance costs last summer (follow-up) c97  
(mainten\_smr\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

maintenance costs last summer (follow-up) c97  
(mainten\_smr\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 5	Minimum: 0
Decimals: 0	Maximum: 16640
Range: 0-16640	

maintenance costs last summer adjusted (4/24) (baseline)  
(mainten\_smr\_r\_fl\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 2	Minimum: 0
Decimals: 0	Maximum: 24
Range: 0-24	

maintenance costs last summer adjusted (4/24) (follow-up)  
(mainten\_smr\_r\_fl\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

maintenance costs last winter (baseline) c97  
(mainten\_win\_r\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 514
Format: numeric	Invalid: 4
Width: 6	Minimum: 0
Decimals: 0	Maximum: 10400
Range: 0-10400	
Invalid: 100001	

maintenance costs last winter (follow-up) c97  
(mainten\_win\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

maintenance costs last winter (follow-up) c97

(mainten\_win\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous

Format: numeric

Width: 16

Decimals: 0

Range: 0-13696.7998046875

Valid cases: 518

Invalid: 0

Minimum: 0

Maximum: 13696.8

maintenance costs last winter adjusted (4/24) (baseline)

(mainten\_win\_r\_fl\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-24

Valid cases: 518

Invalid: 0

Minimum: 0

Maximum: 24

maintenance costs last winter adjusted (4/24) (follow-up)

(mainten\_win\_r\_fl\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Valid cases: 518

Invalid: 0

respondent is the member of a group of producers (baseline)

(mem\_group\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Valid cases: 518

Invalid: 0

respondent is the member of a group of producers (follow-up)

(mem\_group\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

respondent is the member of a group of producers (follow-up)  
(mem\_group\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

dollar value of milk sold last summer (baseline) c97  
(milk\_smr\_r\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 0-37674

Valid cases: 518  
Invalid: 0  
Minimum: 0  
Maximum: 37674

dollar value of milk sold last summer (follow-up) c97  
(milk\_smr\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 0-31122

Valid cases: 518  
Invalid: 0  
Minimum: 0  
Maximum: 31122

dollar value of milk sold last summer imputed (follow-up)  
(milk\_smr\_r\_fl\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

dollar value of milk sold last winter (baseline) c97  
(milk\_win\_r\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

dollar value of milk sold last winter (baseline) c97  
(milk\_win\_r\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 5	Minimum: 0
Decimals: 0	Maximum: 37128
Range: 0-37128	

dollar value of milk sold last winter (follow-up) c97  
(milk\_win\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 12	Minimum: 0
Decimals: 0	Maximum: 35429.9
Range: 0-35429.890625	

dollar value of milk sold last winter imputed (follow-up)  
(milk\_win\_r\_fl\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

net dairy sales last summer (baseline) c3\_97 (ninc\_smr\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 16	Minimum: -8671.7
Decimals: 0	Maximum: 28964.9
Range: -8671.7099609375-28964.900390625	
Invalid: 100001	

net dairy sales last summer (follow-up) c3\_97 (ninc\_smr\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

net dairy sales last summer (follow-up) c3\_97 (ninc\_smr\_r\_c3\_97\_f)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous  
 Format: numeric  
 Width: 17  
 Decimals: 0  
 Range: -7118.72021484375-19003.5

Valid cases: 518  
 Invalid: 0  
 Minimum: -7118.7  
 Maximum: 19003.5

net dairy sales last winter (baseline) c3\_97 (ninc\_win\_r\_c3\_97\_b)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 17  
 Decimals: 0  
 Range: -11840.9697265625-26610.619140625  
 Invalid: 100001

Valid cases: 517  
 Invalid: 1  
 Minimum: -11841  
 Maximum: 26610.6

net dairy sales last winter (follow-up) c3\_97 (ninc\_win\_r\_c3\_97\_f)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 17  
 Decimals: 0  
 Range: -4631.89990234375-15414.9697265625

Valid cases: 518  
 Invalid: 0  
 Minimum: -4631.9  
 Maximum: 15415

respondent's number of clients (baseline) c97 (num\_client\_c97\_b)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-30  
 Invalid: 101

Valid cases: 499  
 Invalid: 19  
 Minimum: 0  
 Maximum: 30

respondent's number of clients (follow-up) c97 (num\_client\_c97\_f)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 16  
 Decimals: 0  
 Range: 0-20.5799999237061

Valid cases: 518  
 Invalid: 0  
 Minimum: 0  
 Maximum: 20.6

number of cows owned (baseline) c97 (num\_cows\_c97\_b)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 16	Minimum: 0
Decimals: 0	Maximum: 106
Range: 0-105.949996948242	
Invalid: 1001	

number of cows owned (follow-up) c97 (num\_cows\_c97\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 92.9
Range: 0-92.9000015258789	

number of cows producing: summer (follow-up) c97  
(num\_cows\_smr\_c97\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 36.4
Range: 0-36.4000015258789	

number of cows producing: winter (follow-up) c97  
(num\_cows\_win\_c97\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 20
Range: 0-20.0300006866455	

respondent's number of months having worked in dairy (baseline)  
c3\_97 (num\_months\_c3\_97\_b)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

respondent's number of months having worked in dairy (baseline)  
c3\_97 (num\_months\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 515
Format: numeric	Invalid: 3
Width: 4	Minimum: 0
Decimals: 0	Maximum: 608
Range: 0-608	
Invalid: 1001	

respondent's number of months having worked in dairy (baseline)  
c3\_97 (num\_months\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 4	Minimum: 0
Decimals: 0	Maximum: 720
Range: 0-720	
Invalid: 1001	

used formal accounting procedures or a business plan (baseline)  
(prac\_acct\_plan\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

used formal accounting procedures or a business plan (follow-up)  
(prac\_acct\_plan\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 424
Format: numeric	Invalid: 94
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

conducted acidity tests (baseline) (prac\_acid\_test\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview



conducted acidity tests (baseline) (prac\_acid\_test\_b)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 518  
 Invalid: 0

conducted acidity tests (follow-up) (prac\_acid\_test\_f)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-1  
 Invalid: 11

Valid cases: 424  
 Invalid: 94

took measures to avoid infections, reproductive illness (follow-up)  
 (prac\_avoid\_dis\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-1  
 Invalid: 11

Valid cases: 423  
 Invalid: 95

practiced soil conservation (follow-up) (prac\_conserve\_soil\_f)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-1  
 Invalid: 11

Valid cases: 424  
 Invalid: 94

shared experiences with other producers (baseline)  
 (prac\_experiences\_b)  
 File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

**Overview**

shared experiences with other producers (baseline)  
(prac\_experiences\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

shared experiences with other producers (follow-up)  
(prac\_experiences\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-1  
Invalid: 11

Valid cases: 424  
Invalid: 94

participated in fairs or expositions (baseline) (prac\_fairs\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

participated in fairs or expositions (follow-up) (prac\_fairs\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-1  
Invalid: 11

Valid cases: 424  
Invalid: 94

number of information sources used to determine prices  
(follow-up) (prac\_inf\_src\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

number of information sources used to determine prices  
(follow-up) (prac\_inf\_src\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-6  
Invalid: 11

Valid cases: 314  
Invalid: 204

took measures to cut costs (baseline) (prac\_lower\_costs\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

took measures to cut costs (follow-up) (prac\_lower\_costs\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-1  
Invalid: 11

Valid cases: 424  
Invalid: 94

looked for new commercial clients (baseline) (prac\_new\_clients\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

looked for new commercial clients (follow-up) (prac\_new\_clients\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-1  
Invalid: 11

Valid cases: 424  
Invalid: 94

tried new dairy products or made eco-friendly products (baseline)  
(prac\_new\_eco\_products\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

tried new dairy products or made eco-friendly products (follow-up)  
(prac\_new\_eco\_products\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 424
Format: numeric	Invalid: 94
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

used new technologies or used the internet for prices/products  
(baseline) (prac\_new\_tec\_info\_intrnt\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

used new technologies or used the internet for prices/products  
(follow-up) (prac\_new\_tec\_info\_intrnt\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 424
Format: numeric	Invalid: 94
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

tried improved cattle fodder (baseline) (prac\_new\_tec\_prod\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

tried improved cattle fodder (baseline) (prac\_new\_tec\_prod\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

tried improved cattle fodder (follow-up) (prac\_new\_tec\_prod\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-1  
Invalid: 11

Valid cases: 424  
Invalid: 94

used quality control/standardization techniques (baseline)  
(prac\_q\_control\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

used quality control/standardization techniques (follow-up)  
(prac\_q\_control\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-1  
Invalid: 11

Valid cases: 424  
Invalid: 94

made a herd registry (baseline) (prac\_reg\_herd\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

made a herd registry (follow-up) (prac\_reg\_herd\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 424
Format: numeric	Invalid: 94
Width: 2	
Decimals: 0	
Range: 0-1	
Invalid: 11	

made a registry of practices or an inventory of materials/products (baseline) (prac\_reg\_prac\_inv\_mat\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

made a registry of practices or an inventory of materials/products (follow-up) (prac\_reg\_prac\_inv\_mat\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 424
Format: numeric	Invalid: 94
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

used nutritional supplements (follow-up) (prac\_supplements\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 424
Format: numeric	Invalid: 94
Width: 2	
Decimals: 0	
Range: 0-1	
Invalid: 11	

used cooling/packaging/manufacturing techniques (baseline) (prac\_tech\_cool\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

used cooling/packaging/manufacturing techniques (baseline)  
(prac\_tech\_cool\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

used cooling/packaging/manufacturing techniques (follow-up)  
(prac\_tech\_cool\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-1  
Invalid: 11

Valid cases: 424  
Invalid: 94  
Minimum: 0  
Maximum: 1

tried health/reproductive practices (baseline) (prac\_tech\_health\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

tried health/reproductive practices (follow-up) (prac\_tech\_health\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-1  
Invalid: 11

Valid cases: 423  
Invalid: 95

used a thermometer or density meter (baseline) (prac\_thermo\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

used a thermometer or density meter (follow-up) (prac\_thermo\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 423
Format: numeric	Invalid: 95
Width: 2	
Decimals: 0	
Range: 0-1	
Invalid: 11	

used urea or sugarcane for fodder (follow-up) (prac\_urea\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 424
Format: numeric	Invalid: 94
Width: 2	
Decimals: 0	
Range: 0-1	
Invalid: 11	

produced milk last year (baseline) (prod\_milk\_r\_b)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

produced milk last year (follow-up) (prod\_milk\_r\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

total annual costs (baseline) c97 (productive\_cost\_r\_c97\_b)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 14	Minimum: 0
Decimals: 0	Maximum: 43194.3
Range: 0-43194.30078125	
Invalid: 100001	



total annual costs (follow-up) c97 (productive\_cost\_r\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 13	Minimum: 0
Decimals: 0	Maximum: 55849.1
Range: 0-55849.0703125	

net dairy sales (baseline) c3\_97 (productive\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 17	Minimum: -14564.1
Decimals: 0	Maximum: 56415.2
Range: -14564.1201171875-56415.19921875	
Invalid: 100001	

net dairy sales (follow-up) c3\_97 (productive\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: -8746.2
Decimals: 0	Maximum: 31361.5
Range: -8746.2197265625-31361.5	

secondary income from cattle sales last summer (baseline) c3\_97  
(seccattle\_ninc\_smr\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 7	Minimum: -5021.5
Decimals: 0	Maximum: 6900
Range: -5021.5-6900	
Invalid: 10001	

secondary income from cattle sales last summer (follow-up) c3\_97  
(seccattle\_ninc\_smr\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

secondary income from cattle sales last summer (follow-up) c3\_97  
(seccattle\_ninc\_smr\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous

Format: numeric

Width: 16

Decimals: 0

Range: -3406-5252.39990234375

Valid cases: 518

Invalid: 0

Minimum: -3406

Maximum: 5252.4

secondary income from cattle sales last winter (baseline) c3\_97  
(seccattle\_ninc\_win\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous

Format: numeric

Width: 5

Decimals: 0

Range: -4715-4858

Invalid: 10001

Valid cases: 517

Invalid: 1

Minimum: -4715

Maximum: 4858

secondary income from cattle sales last winter (follow-up) c3\_97  
(seccattle\_ninc\_win\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous

Format: numeric

Width: 5

Decimals: 0

Range: -2580-4151

Valid cases: 518

Invalid: 0

Minimum: -2580

Maximum: 4151

respondent's secondary dairy income last summer (baseline)  
c3\_97 (secdairy\_ninc\_smr\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous

Format: numeric

Width: 6

Decimals: 0

Range: 0-23887

Invalid: 100001

Valid cases: 516

Invalid: 2

Minimum: 0

Maximum: 23887

respondent's secondary dairy income last summer (follow-up)  
c3\_97 (secdairy\_ninc\_smr\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

respondent's secondary dairy income last summer (follow-up)  
c3\_97 (secdairy\_ninc\_smr\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 17	Minimum: -73.7
Decimals: 0	Maximum: 11500
Range: -73.7099990844726-11500	

respondent's secondary dairy income last winter (baseline) c3\_97  
(secdairy\_ninc\_win\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 515
Format: numeric	Invalid: 3
Width: 6	Minimum: 0
Decimals: 0	Maximum: 21157
Range: 0-21157	
Invalid: 100001	

respondent's secondary dairy income last winter (follow-up) c3\_97  
(secdairy\_ninc\_win\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: -25.8
Decimals: 0	Maximum: 8184.9
Range: -25.75-8184.89990234375	

sold milk last year (baseline) (sold\_milk\_r\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold milk last year (follow-up) (sold\_milk\_r\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

## sold milk last year (follow-up) (sold\_milk\_r\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 518  
 Invalid: 0

## sold milk last summer (baseline) (sold\_milk\_smr\_r\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 518  
 Invalid: 0

## sold milk last summer (follow-up) (sold\_milk\_smr\_r\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 518  
 Invalid: 0

## sold milk last winter (baseline) (sold\_milk\_win\_r\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 518  
 Invalid: 0

## sold milk last winter (follow-up) (sold\_milk\_win\_r\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 518  
 Invalid: 0

respondent sold secondary dairy products (baseline)  
(sold\_sec dairy\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

respondent sold secondary dairy products (follow-up)  
(sold\_sec dairy\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

respondent's other business net income (baseline) c3\_97  
(tot\_business2\_n\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 515
Format: numeric	Invalid: 3
Width: 13	Minimum: -6129
Decimals: 0	Maximum: 125539.4
Range: -6129-125539.421875	
Invalid: 1000001	

respondent's other business net income (follow-up) c3\_97  
(tot\_business2\_n\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 516
Format: numeric	Invalid: 2
Width: 15	Minimum: -2320
Decimals: 0	Maximum: 19840.1
Range: -2320-19840.099609375	
Invalid: 100001	

sum of respondent's other (non-dairy) income (baseline) c3\_97  
(tot\_income2\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

sum of respondent's other (non-dairy) income (baseline) c3\_97  
(tot\_income2\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 485
Format: numeric	Invalid: 33
Width: 17	Minimum: -5336.2
Decimals: 0	Maximum: 37190.4
Range: -5336.18994140625-37190.37890625	
Invalid: 100001	

sum of respondent's other (non-dairy) income (follow-up) c3\_97  
(tot\_income2\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 516
Format: numeric	Invalid: 2
Width: 17	Minimum: -4317.9
Decimals: 0	Maximum: 11631.6
Range: -4317.89990234375-11631.5498046875	
Invalid: 100001	

sum of respondent's salaries (baseline) c97 (tot\_sal2\_r\_c97\_b)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 5	Minimum: 0
Decimals: 0	Maximum: 12480
Range: 0-12480	

sum of respondent's salaries (follow-up) c97 (tot\_sal2\_r\_c97\_f)  
File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 6	Minimum: 0
Decimals: 0	Maximum: 18200
Range: 0-18200	
Invalid: 100001	

respondent's non-dairy net income (baseline) c3\_97  
(yr\_non\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

respondent's non-dairy net income (baseline) c3\_97  
(yr\_non\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 5	Minimum: -7190
Decimals: 0	Maximum: 62520
Range: -7190-62520	

respondent's non-dairy net income (follow-up) c3\_97  
(yr\_non\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 17	Minimum: -3014.3
Decimals: 0	Maximum: 20400
Range: -3014.34008789062-20400	
Invalid: 100001	

respondent's total net income (baseline) c3\_97  
(yr\_tot\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 15	Minimum: -15967.8
Decimals: 0	Maximum: 69063.2
Range: -15967.83984375-69063.203125	
Invalid: 100001	

respondent's total net income (follow-up) c3\_97  
(yr\_tot\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 17	Minimum: -6904.6
Decimals: 0	Maximum: 40253.5
Range: -6904.56005859375-40253.5	
Invalid: 100001	

household-level representative of household (one per hh\_id)  
(hh\_rep)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

household-level representative of household (one per hh\_id)  
(hh\_rep)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

household-level ID (hh\_id)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 3	Minimum: 1
Decimals: 0	Maximum: 505
Range: 1-505	

at least one hh member was assigned to treatment (treatment\_hh)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

at least one hh member participated in the program  
(participant\_hh)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

age of interviewee(s): household level (baseline) c3\_97  
(age\_hh\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview



age of interviewee(s): household level (baseline) c3\_97  
(age\_hh\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 16	Minimum: 22.1
Decimals: 0	Maximum: 81.7
Range: 22.1000003814697-81.6900024414062	
Invalid: 101	

number of household members (baseline) c97 (num\_fam\_hh\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 1
Decimals: 0	Maximum: 12.4
Range: 1-12.3800001144409	

number of adults in household: household level (baseline) c97  
(num\_adult\_hh\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 7
Range: 0-7	

number of children in household: household level (baseline) c97  
(num\_child\_hh\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.6
Range: 0-4.57999992370606	

household head is female: household level (baseline) (fhh\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

household head is female: household level (baseline) (fhh\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

married/co-habiting: household level (baseline)  
(mar\_cohab\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

no educational attainment: household level (baseline)  
(educ\_non\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

primary educational attainment: household level (baseline)  
(educ\_prim\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

more than primary educational attainment: household level  
(baseline) (educ\_high\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

more than primary educational attainment: household level  
(baseline) (educ\_high\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in poverty (using consumption): \$1.86 per member per day  
(baseline) (pov186\_con\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in poverty (using consumption): \$1.86 per member per day  
(follow-up) (pov186\_con\_hh\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in poverty (using income) \$1.86 per member per day (baseline)  
(pov186\_inc\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in poverty (using income) \$1.86 per member per day (follow-up)  
(pov186\_inc\_hh\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

in poverty (using income) \$1.86 per member per day (follow-up)  
(pov186\_inc\_hh\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in relative poverty (using consumption): 0.93-\$1.86 per  
member/day (baseline) (pov186a\_con\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in relative poverty (using consumption): 0.93-\$1.86 per  
member/day (follow-up) (pov186a\_con\_hh\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in relative poverty (using income): 0.93-\$1.86 per member/day  
(baseline) (pov186a\_inc\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in relative poverty (using income): 0.93-\$1.86 per member/day  
(follow-up) (pov186a\_inc\_hh\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

in relative poverty (using income): 0.93-\$1.86 per member/day  
(follow-up) (pov186a\_inc\_hh\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in poverty (using consumption): \$0.93 per member per day  
(baseline) (pov93\_con\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in poverty (using consumption): \$0.93 per member per day  
(follow-up) (pov93\_con\_hh\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in poverty (using income) \$0.93 per member per day (baseline)  
(pov93\_inc\_hh\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

in poverty (using income) \$0.93 per member per day (follow-up)  
(pov93\_inc\_hh\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

in poverty (using income) \$0.93 per member per day (follow-up)  
(pov93\_inc\_hh\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 518  
Invalid: 0

annual net dairy income of household (baseline) c3\_97  
(productive\_ninc\_hh\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 14  
Decimals: 0  
Range: -12115.6796875-57923.5390625  
Invalid: 100001

Valid cases: 511  
Invalid: 7  
Minimum: -12115.7  
Maximum: 57923.5

annual net dairy income of household (follow-up) c3\_97  
(productive\_ninc\_hh\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: -6237.89990234375-34533.12890625  
Invalid: 100001

Valid cases: 517  
Invalid: 1  
Minimum: -6237.9  
Maximum: 34533.1

total of non-dairy business income in household (baseline) c3\_97  
(tot\_business2\_n\_hh\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 12  
Decimals: 0  
Range: -5319.5-96665.796875  
Invalid: 100001

Valid cases: 513  
Invalid: 5  
Minimum: -5319.5  
Maximum: 96665.8

total of non-dairy business income in household (follow-up) c3\_97  
(tot\_business2\_n\_hh\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

total of non-dairy business income in household (follow-up) c3\_97  
(tot\_business2\_n\_hh\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 515
Format: numeric	Invalid: 3
Width: 6	Minimum: -800
Decimals: 0	Maximum: 23800
Range: -800-23800	
Invalid: 100001	

sum of household's other (non-dairy) income (baseline) c3\_97  
(tot\_income2\_hh\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 472
Format: numeric	Invalid: 46
Width: 6	Minimum: -5080
Decimals: 0	Maximum: 20194
Range: -5080-20194	
Invalid: 100001	

sum of household's other (non-dairy) income (follow-up) c3\_97  
(tot\_income2\_hh\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 513
Format: numeric	Invalid: 5
Width: 17	Minimum: -2973.9
Decimals: 0	Maximum: 9674.1
Range: -2973.89990234375-9674.099609375	
Invalid: 10001	

total of non-dairy salaries in household (baseline) c97  
(tot\_sal2\_hh\_c97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 6	Minimum: 0
Decimals: 0	Maximum: 22320
Range: 0-22320	
Invalid: 100001	

total of non-dairy salaries in household (follow-up) c97  
(tot\_sal2\_hh\_c97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 6	Minimum: 0
Decimals: 0	Maximum: 18200
Range: 0-18200	
Invalid: 100001	

annual household consumption (baseline) c3\_97  
(yr\_hh\_con\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 16	Minimum: 1151.6
Decimals: 0	Maximum: 28192.6
Range: 1151.59997558594-28192.630859375	
Invalid: 100001	

annual household consumption (follow-up) c3\_97  
(yr\_hh\_con\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 16	Minimum: 1136.6
Decimals: 0	Maximum: 34805.3
Range: 1136.63000488281-34805.2890625	
Invalid: 100001	

annual household savings (baseline) c3\_97 (yr\_hh\_sav\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 510
Format: numeric	Invalid: 8
Width: 14	Minimum: -34255.5
Decimals: 0	Maximum: 80494
Range: -34255.5390625-80494	
Invalid: 100001	

annual household savings (follow-up) c3\_97 (yr\_hh\_sav\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview



annual household savings (follow-up) c3\_97 (yr\_hh\_sav\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 516
Format: numeric	Invalid: 2
Width: 15	Minimum: -18155.5
Decimals: 0	Maximum: 39090.6
Range: -18155.48046875-39090.578125	
Invalid: 100001	

household's non-dairy net income (baseline) c3\_97

(yr\_non\_ninc\_hh\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 518
Format: numeric	Invalid: 0
Width: 13	Minimum: -5104
Decimals: 0	Maximum: 135230.9
Range: -5104-135230.921875	

household's non-dairy net income (follow-up) c3\_97

(yr\_non\_ninc\_hh\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 517
Format: numeric	Invalid: 1
Width: 17	Minimum: -2248.4
Decimals: 0	Maximum: 29463.7
Range: -2248.43994140625-29463.720703125	
Invalid: 100001	

annual household net income (baseline) c3\_97

(yr\_tot\_ninc\_hh\_c3\_97\_b)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 511
Format: numeric	Invalid: 7
Width: 16	Minimum: -9909.5
Decimals: 0	Maximum: 96893.8
Range: -9909.5302734375-96893.796875	
Invalid: 100001	

annual household net income (follow-up) c3\_97

(yr\_tot\_ninc\_hh\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

#### Overview

annual household net income (follow-up) c3\_97

(yr\_tot\_ninc\_hh\_c3\_97\_f)

File: esved\_pbs\_dairy\_combined\_analysis\_file\_PUF\_12

Type: Continuous

Format: numeric

Width: 17

Decimals: 0

Range: -6904.56005859375-56944.1796875

Invalid: 100001

Valid cases: 516

Invalid: 2

Minimum: -6904.6

Maximum: 56944.2

respondent ID (resp\_id)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 1
Decimals: 0	Maximum: 593
Range: 1-593	

treatment (treatment)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

participant (participant)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

got assistance in Phase I (phase\_i\_assist)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

got a large donation in Phase I (phase\_i\_big\_donation)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

large dosage in Phase I (phase\_i\_big\_dose)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

got a donation in Phase I (phase\_i\_donation)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

Phase I participant (phase\_i\_participant)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

large dosage in Phase II (phase\_ii\_big\_dose)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-0

Valid cases: 593  
Invalid: 0

Phase II participant (phase\_ii\_participant)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

## horticulture group (group)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 31
Range: 1-31	

## department (department)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 2-9	

## municipality (municipality)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 1
Decimals: 0	Maximum: 906
Range: 1-906	

## age of interviewee (baseline) c3\_97 (age\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 590
Format: numeric	Invalid: 3
Width: 16	Minimum: 19.7
Decimals: 0	Maximum: 76.8
Range: 19.7399997711182-76.8399963378906	
Invalid: 101	

## female (female)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

## female-headed household (baseline) (fhh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

## married/accompanied (baseline) (mar\_cohab\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

## no educational attainment (baseline) (educ\_non\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

## basic educational attainment (baseline) (educ\_prim\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

## more than basic educational attainment (baseline) (educ\_high\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

number of family members (baseline) c97 (num\_fam\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

Valid cases: 593  
Invalid: 0

number of adults that live in the household (baseline) c97  
(num\_adult\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Valid cases: 593  
Invalid: 0

number of children that live in the household (baseline) c97  
(num\_child\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-5.30999994277954

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 5.3

full-time equivalent jobs last year-all cultivation (baseline) c97  
(annual\_fte\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-4.05999994277954

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 4.1

full-time equivalent jobs last year-all cultivation (follow-up) c97  
(annual\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

full-time equivalent jobs last year-all cultivation (follow-up) c97  
(annual\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-1.98000001907349	

employed at least one person last year-all cultivation (baseline)  
(employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

employed at least one person last year-all cultivation (follow-up)  
(employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

quantity harvested in tons (all year)-cucumber (baseline) c97  
(hort\_amnt\_tons\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.6
Range: 0-2.58999991416931	

quantity harvested in tons (all year)-cucumber (follow-up) c97  
(hort\_amnt\_tons\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



quantity harvested in tons (all year)-cucumber (follow-up) c97  
(hort\_amnt\_tons\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3.5
Range: 0-3.52999997138977	

quantity harvested in tons (all year)-pepper (baseline) c97  
(hort\_amnt\_tons\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 5.3
Range: 0-5.30000019073486	

quantity harvested in tons (all year)-pepper (follow-up) c97  
(hort\_amnt\_tons\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.3
Range: 0-4.34000015258789	

quantity harvested in tons (all year)-pipian (baseline) c97  
(hort\_amnt\_tons\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.6
Range: 0-2.64000010490417	

quantity harvested in tons (all year)-pipian (follow-up) c97  
(hort\_amnt\_tons\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons (all year)-pipian (follow-up) c97  
(hort\_amnt\_tons\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3.8
Range: 0-3.75	

quantity harvested in tons (all year)-tomato (baseline) c97  
(hort\_amnt\_tons\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 5.9
Range: 0-5.86999988555908	

quantity harvested in tons (all year)-tomato (follow-up) c97  
(hort\_amnt\_tons\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 5.6
Range: 0-5.63000011444092	

full-time equivalent jobs last year-vegetables (baseline) c97  
(hort\_annual\_fte\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1.7
Range: 0-1.69000005722046	

full-time equivalent jobs last year-vegetables (follow-up) c97  
(hort\_annual\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

full-time equivalent jobs last year-vegetables (follow-up) c97  
(hort\_annual\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0-0.860000014305115	

area of production in hectares (all year)-cucumber (baseline) c97  
(hort\_area\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0-0.850000023841858	

area of production in hectares (all year)-cucumber (follow-up) c97  
(hort\_area\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.449999988079071	

area of production in hectares (all year)-pepper (baseline) c97  
(hort\_area\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	

area of production in hectares (all year)-pepper (follow-up) c97  
(hort\_area\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

area of production in hectares (all year)-pepper (follow-up) c97  
(hort\_area\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0-0.860000014305115	

area of production in hectares (all year)-pipian (baseline) c97  
(hort\_area\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 1.5
Range: 0-1.5	

area of production in hectares (all year)-pipian (follow-up) c97  
(hort\_area\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	

area of production in hectares (all year)-tomato (baseline) c97  
(hort\_area\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1.7
Range: 0-1.71000003814697	

area of production in hectares (all year)-tomato (follow-up) c97  
(hort\_area\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

area of production in hectares (all year)-tomato (follow-up) c97  
(hort\_area\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0-0.9200000166893	

total production costs of vegetables (baseline) c97  
(hort\_cost\_r\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2797.6
Range: 0-2797.60009765625	

total production costs of vegetables (follow-up) c97  
(hort\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2555.5
Range: 0-2555.46997070312	
Invalid: 10001	

employed at least one person last year-vegetables (baseline)  
(hort\_employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

employed at least one person last year-vegetables (follow-up)  
(hort\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

employed at least one person last year-vegetables (follow-up)  
(hort\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

net income from vegetable production for the whole year (baseline)  
c3\_97 (hort\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: -1462.08996582031-7310

Valid cases: 593  
Invalid: 0  
Minimum: -1462.1  
Maximum: 7310

net income from vegetable production for the whole year  
(follow-up) c3\_97 (hort\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: -492.329986572266-4923.64013671875  
Invalid: 10001

Valid cases: 592  
Invalid: 1  
Minimum: -492.3  
Maximum: 4923.6

has produced at least one crop-vegetables (baseline) (hort\_prod\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of cucumber-yes/no (baseline) (hort\_prod\_cucum\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

## production of cucumber-yes/no (baseline) (hort\_prod\_cucum\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 593  
 Invalid: 0

## production of cucumber-yes/no (follow-up) (hort\_prod\_cucum\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 593  
 Invalid: 0

## has produced at least one crop-vegetables (follow-up) (hort\_prod\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Valid cases: 593  
 Invalid: 0

## number of vegetables cultivated (baseline) c97

(hort\_prod\_num\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-5

Valid cases: 593  
 Invalid: 0  
 Minimum: 0  
 Maximum: 5

## number of vegetables cultivated (follow-up) c97

(hort\_prod\_num\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-5

Valid cases: 593  
 Invalid: 0  
 Minimum: 0  
 Maximum: 5

production of pepper last winter-yes/no (baseline)  
(hort\_prod\_pepr\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of pepper last winter-yes/no (follow-up)  
(hort\_prod\_pepr\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of pipian-yes/no (baseline) (hort\_prod\_pipian\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of pipian-yes/no (follow-up) (hort\_prod\_pipian\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of tomato-yes/no (baseline) (hort\_prod\_tomato\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	



production of tomato-yes/no (follow-up) (hort\_prod\_tomato\_f)  
 File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

quantity harvested in tons last summer-cucumber (baseline) c97  
 (hort\_smr\_amnt\_tons\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1.4
Range: 0-1.42999994754791	

quantity harvested in tons last summer-cucumber (follow-up) c97  
 (hort\_smr\_amnt\_tons\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0-0.889999985694885	

quantity harvested in tons last summer-pepper (baseline) c97  
 (hort\_smr\_amnt\_tons\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 6.8
Range: 0-6.75	

quantity harvested in tons last summer-pepper (follow-up) c97  
 (hort\_smr\_amnt\_tons\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons last summer-pepper (follow-up) c97  
(hort\_smr\_amnt\_tons\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1.9
Range: 0-1.87999999523163	

quantity harvested in tons last summer- pipian (baseline) c97  
(hort\_smr\_amnt\_tons\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.2
Range: 0-2.22000002861023	

quantity harvested in tons last summer- pipian (follow-up) c97  
(hort\_smr\_amnt\_tons\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.4
Range: 0-0.370000004768372	

quantity harvested in tons last summer-tomato (baseline) c97  
(hort\_smr\_amnt\_tons\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.2
Range: 0-2.19000005722046	

quantity harvested in tons last summer-tomato (follow-up) c97  
(hort\_smr\_amnt\_tons\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons last summer-tomato (follow-up) c97  
(hort\_smr\_amnt\_tons\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1.9
Range: 0-1.87999999523163	

area of production in hectares last summer-cucumber (baseline)  
c97 (hort\_smr\_area\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 0.3
Range: 0-0.25	

area of production in hectares last summer-cucumber (follow-up)  
c97 (hort\_smr\_area\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.2
Range: 0-0.239999994635582	

area of production in hectares last summer-pepper (baseline) c97  
(hort\_smr\_area\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.2
Range: 0-0.189999997615814	

area of production in hectares last summer-pepper (follow-up) c97  
(hort\_smr\_area\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

area of production in hectares last summer-pepper (follow-up) c97  
(hort\_smr\_area\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.5	

area of production in hectares last summer-pipian (baseline) c97  
(hort\_smr\_area\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 1.4
Range: 0-1.4099999666214	

area of production in hectares last summer-pipian (follow-up) c97  
(hort\_smr\_area\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.5	

area of production in hectares last summer-tomato (baseline) c97  
(hort\_smr\_area\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 0.3
Range: 0-0.25	

area of production in hectares last summer-tomato (follow-up) c97  
(hort\_smr\_area\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

area of production in hectares last summer-tomato (follow-up) c97  
(hort\_smr\_area\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.5	

total production costs of vegetables-summer (baseline) c97  
(hort\_smr\_cost\_r\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1050
Range: 0-1050	

total production costs of vegetables-summer (follow-up) c97  
(hort\_smr\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1606.8
Range: 0-1606.78002929688	
Invalid: 10001	

employed at least one person last summer-vegetables (baseline)  
(hort\_smr\_employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

employed at least one person last summer-vegetables (follow-up)  
(hort\_smr\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

employed at least one person last summer-vegetables (follow-up)  
(hort\_smr\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

full-time equivalent jobs last summer-vegetables (baseline) c97  
(hort\_smr\_fte\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: 0-0.479999989271164

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 0.5

full-time equivalent jobs last summer-vegetables (follow-up) c97  
(hort\_smr\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: 0-0.479999989271164

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 0.5

net income from vegetable production-summer (baseline) c3\_97  
(hort\_smr\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: -176.740005493164-748.940002441406

Valid cases: 593  
Invalid: 0  
Minimum: -176.7  
Maximum: 748.9

net income from vegetable production-summer (follow-up) c3\_97  
(hort\_smr\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

net income from vegetable production-summer (follow-up) c3\_97  
(hort\_smr\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 17	Minimum: -348.9
Decimals: 0	Maximum: 2342.5
Range: -348.929992675781-2342.53002929688	
Invalid: 10001	

price per kg last summer-cucumber (baseline)  
(hort\_smr\_price\_cucum\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 24
Format: numeric	Invalid: 569
Width: 4	Minimum: 0.1
Decimals: 0	Maximum: 40
Range: 0.13-40	
Invalid: 101	

price per kg last summer-cucumber (follow-up)  
(hort\_smr\_price\_cucum\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 25
Format: numeric	Invalid: 568
Width: 4	Minimum: 0.1
Decimals: 0	Maximum: 12
Range: 0.07-12	
Invalid: 101	

price per kg last summer-pepper (baseline)  
(hort\_smr\_price\_pepr\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 15
Format: numeric	Invalid: 578
Width: 4	Minimum: 0.2
Decimals: 0	Maximum: 14
Range: 0.22-14	
Invalid: 101	

price per kg last summer-pepper (follow-up)  
(hort\_smr\_price\_pepr\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

price per kg last summer-pepper (follow-up)

(hort\_smr\_price\_pepr\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 17
Format: numeric	Invalid: 576
Width: 4	Minimum: 0.3
Decimals: 0	Maximum: 14
Range: 0.29-14	
Invalid: 101	

price per kg last summer-pipian (baseline)

(hort\_smr\_price\_pipian\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 28
Format: numeric	Invalid: 565
Width: 4	Minimum: 0.1
Decimals: 0	Maximum: 46.3
Range: 0.09-46.3	
Invalid: 101	

price per kg last summer-pipian (follow-up)

(hort\_smr\_price\_pipian\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 19
Format: numeric	Invalid: 574
Width: 4	Minimum: 0.3
Decimals: 0	Maximum: 10
Range: 0.33-10	
Invalid: 101	

price per kg last summer-tomato (baseline)

(hort\_smr\_price\_tomato\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 16
Format: numeric	Invalid: 577
Width: 3	Minimum: 0.3
Decimals: 0	Maximum: 12
Range: 0.3-12	
Invalid: 101	



price per kg last summer-tomato (follow-up)

(hort\_smr\_price\_tomato\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 19
Format: numeric	Invalid: 574
Width: 4	Minimum: 0.7
Decimals: 0	Maximum: 36.4
Range: 0.71-36.38	
Invalid: 101	

has produced at least one crop last summer-vegetables (baseline)

(hort\_smr\_prod\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of cucumber last summer-yes/no (baseline)

(hort\_smr\_prod\_cucum\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of cucumber last summer-yes/no (follow-up)

(hort\_smr\_prod\_cucum\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

has produced at least one crop last summer-vegetables (follow-up)

(hort\_smr\_prod\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

has produced at least one crop last summer-vegetables (follow-up)  
(hort\_smr\_prod\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of pepper last summer-yes/no (baseline)  
(hort\_smr\_prod\_pepr\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of pepper last summer-yes/no (follow-up)  
(hort\_smr\_prod\_pepr\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of pipian last summer-yes/no (baseline)  
(hort\_smr\_prod\_pipian\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of pipian last summer-yes/no (follow-up)  
(hort\_smr\_prod\_pipian\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production of pipian last summer-yes/no (follow-up)  
(hort\_smr\_prod\_pipian\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of tomato last summer-yes/no (baseline)  
(hort\_smr\_prod\_tomato\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of tomato last summer-yes/no (follow-up)  
(hort\_smr\_prod\_tomato\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production value last summer-cucumber (baseline) c97  
(hort\_smr\_prodval\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-352.200012207031

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 352.2

production value last summer-cucumber (follow-up) c97  
(hort\_smr\_prodval\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production value last summer-cucumber (follow-up) c97  
(hort\_smr\_prodval\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 224.4
Range: 0-224.410003662109	

production value last summer-pepper (baseline) c97  
(hort\_smr\_prodval\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3600
Range: 0-3600	

production value last summer-pepper (follow-up) c97  
(hort\_smr\_prodval\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2046.8
Range: 0-2046.83996582031	

production value last summer-pipian (baseline) c97  
(hort\_smr\_prodval\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 735.7
Range: 0-735.719970703125	

production value last summer-pipian (follow-up) c97  
(hort\_smr\_prodval\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production value last summer-pipian (follow-up) c97  
(hort\_smr\_prodval\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 171.2
Range: 0-171.199996948242	

production value last summer-tomato (baseline) c97  
(hort\_smr\_prodval\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 14	Minimum: 0
Decimals: 0	Maximum: 2409.1
Range: 0-2409.080078125	

production value last summer-tomato (follow-up) c97  
(hort\_smr\_prodval\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1779
Range: 0-1779	

has sold at least one crop last summer-vegetables (baseline)  
(hort\_smr\_sold\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

has sold at least one crop last summer-vegetables (follow-up)  
(hort\_smr\_sold\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

has sold at least one crop last summer-vegetables (follow-up)  
(hort\_smr\_sold\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

quantity sold last summer (kg)-cucumber (baseline) c97  
(hort\_smr\_soldkg\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-1301.81005859375

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 1301.8

quantity sold last summer (kg)-cucumber (follow-up) c97  
(hort\_smr\_soldkg\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-493.049987792969

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 493.1

quantity sold last summer (kg)-pepper (baseline) c97  
(hort\_smr\_soldkg\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 6  
Decimals: 0  
Range: 0-6123.5

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 6123.5

quantity sold last summer (kg)-pepper (follow-up) c97  
(hort\_smr\_soldkg\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity sold last summer (kg)-pepper (follow-up) c97  
(hort\_smr\_soldkg\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1275.9
Range: 0-1275.93005371094	

quantity sold last summer (kg)-pipian (baseline) c97  
(hort\_smr\_soldkg\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2014
Range: 0-2013.94995117188	

quantity sold last summer (kg)-pipian (follow-up) c97  
(hort\_smr\_soldkg\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 296.4
Range: 0-296.350006103516	

quantity sold last summer (kg)-tomato (baseline) c97  
(hort\_smr\_soldkg\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 907.2
Range: 0-907.179992675781	

quantity sold last summer (kg)-tomato (follow-up) c97  
(hort\_smr\_soldkg\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity sold last summer (kg)-tomato (follow-up) c97  
(hort\_smr\_soldkg\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 793.8
Range: 0-793.789978027344	

value of sales last summer-cucumber (baseline) c97  
(hort\_smr\_value\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 352.2
Range: 0-352.200012207031	

value of sales last summer-cucumber (follow-up) c97  
(hort\_smr\_value\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 117.6
Range: 0-117.569999694824	

value of sales last summer-pepper (baseline) c97  
(hort\_smr\_value\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3600
Range: 0-3600	

value of sales last summer-pepper (follow-up) c97  
(hort\_smr\_value\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



value of sales last summer-pepper (follow-up) c97  
(hort\_smr\_value\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2033.9
Range: 0-2033.89001464844	

value of sales last summer-pipian (baseline) c97  
(hort\_smr\_value\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 735.7
Range: 0-735.719970703125	

value of sales last summer-pipian (follow-up) c97  
(hort\_smr\_value\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 171.2
Range: 0-171.199996948242	

value of sales last summer-tomato (baseline) c97  
(hort\_smr\_value\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 689.6
Range: 0-689.599975585938	

value of sales last summer-tomato (follow-up) c97  
(hort\_smr\_value\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

value of sales last summer-tomato (follow-up) c97  
(hort\_smr\_value\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 5	Minimum: 0
Decimals: 0	Maximum: 846.5
Range: 0-846.5	

has sold at least one crop-vegetables (baseline) (hort\_sold\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold cucumber-yes/no (baseline) (hort\_sold\_cucum\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold cucumber-yes/no (follow-up) (hort\_sold\_cucum\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

has sold at least one crop-vegetables (follow-up) (hort\_sold\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

number of vegetables sold (baseline) c97 (hort\_sold\_num\_c97\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.8
Range: 0-4.82999992370606	

number of vegetables sold (follow-up) c97 (hort\_sold\_num\_c97\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 4
Range: 0-4	

sold pepper last winter-yes/no (baseline) (hort\_sold\_pepr\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold pepper last winter-yes/no (follow-up) (hort\_sold\_pepr\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold pipian-yes/no (baseline) (hort\_sold\_pipian\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold pipian-yes/no (follow-up) (hort\_sold\_pipian\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold tomato-yes/no (baseline) (hort\_sold\_tomato\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold tomato-yes/no (follow-up) (hort\_sold\_tomato\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

value of sales (all year)-cucumber (baseline) c97  
(hort\_value\_cucum\_c97\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 393
Range: 0-393	

value of sales (all year)-cucumber (follow-up) c97  
(hort\_value\_cucum\_c97\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 565.2
Range: 0-565.200012207031	

value of sales (all year)-pepper (baseline) c97  
(hort\_value\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 6600
Range: 0-6600	

value of sales (all year)-pepper (follow-up) c97  
(hort\_value\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2358.7
Range: 0-2358.65991210938	

value of sales (all year)-pipian (baseline) c97  
(hort\_value\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 735.7
Range: 0-735.719970703125	

value of sales (all year)-pipian (follow-up) c97  
(hort\_value\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1731.2
Range: 0-1731.19995117188	

value of sales (all year)-tomato (baseline) c97  
(hort\_value\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

value of sales (all year)-tomato (baseline) c97  
(hort\_value\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 6648
Range: 0-6648	

value of sales (all year)-tomato (follow-up) c97  
(hort\_value\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 5481.6
Range: 0-5481.6201171875	

quantity harvested in tons last winter-cucumber (baseline) c97  
(hort\_win\_amnt\_tons\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1.8
Range: 0-1.78999996185303	

quantity harvested in tons last winter-cucumber (follow-up) c97  
(hort\_win\_amnt\_tons\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3.5
Range: 0-3.52999997138977	

quantity harvested in tons last winter-pepper (baseline) c97  
(hort\_win\_amnt\_tons\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons last winter-pepper (baseline) c97  
(hort\_win\_amnt\_tons\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.2
Range: 0-4.21000003814697	

quantity harvested in tons last winter-pepper (follow-up) c97  
(hort\_win\_amnt\_tons\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1.5
Range: 0-1.45000004768372	

quantity harvested in tons last winter-pipian (baseline) c97  
(hort\_win\_amnt\_tons\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.5
Range: 0-2.52999997138977	

quantity harvested in tons last winter-pipian (follow-up) c97  
(hort\_win\_amnt\_tons\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3.8
Range: 0-3.75	

quantity harvested in tons last winter-tomato (baseline) c97  
(hort\_win\_amnt\_tons\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons last winter-tomato (baseline) c97  
(hort\_win\_amnt\_tons\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3.3
Range: 0-3.27999997138977	

quantity harvested in tons last winter-tomato (follow-up) c97  
(hort\_win\_amnt\_tons\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3.8
Range: 0-3.75	

area of production in hectares last winter-cucumber (baseline) c97  
(hort\_win\_area\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0-0.850000023841858	

area of production in hectares last winter-cucumber (follow-up)  
c97 (hort\_win\_area\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.449999988079071	

area of production in hectares last winter-pepper (baseline) c97  
(hort\_win\_area\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



area of production in hectares last winter-pepper (baseline) c97  
(hort\_win\_area\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	

area of production in hectares last winter-pepper (follow-up) c97  
(hort\_win\_area\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0-0.860000014305115	

area of production in hectares last winter-pipian (baseline) c97  
(hort\_win\_area\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 1.4
Range: 0-1.4099999666214	

area of production in hectares last winter-pipian (follow-up) c97  
(hort\_win\_area\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	

area of production in hectares last winter-tomato (baseline) c97  
(hort\_win\_area\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

area of production in hectares last winter-tomato (baseline) c97  
(hort\_win\_area\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1.7
Range: 0-1.71000003814697	

area of production in hectares last winter-tomato (follow-up) c97  
(hort\_win\_area\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0-0.9200000166893	

total production costs of vegetables-winter (baseline) c97  
(hort\_win\_cost\_r\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1976.8
Range: 0-1976.81994628906	

total production costs of vegetables-winter (follow-up) c97  
(hort\_win\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1117.6
Range: 0-1117.61999511719	
Invalid: 10001	

employed at least one person last winter-vegetables (baseline)  
(hort\_win\_employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

employed at least one person last winter-vegetables (baseline)  
(hort\_win\_employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

employed at least one person last winter-vegetables (follow-up)  
(hort\_win\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

full-time equivalent jobs last winter-vegetables (baseline) c97  
(hort\_win\_fte\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-1.67999994754791

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 1.7

full-time equivalent jobs last winter-vegetables (follow-up) c97  
(hort\_win\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: 0-0.860000014305115

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 0.9

net income from vegetable production-winter (baseline) c3\_97  
(hort\_win\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

net income from vegetable production-winter (baseline) c3\_97  
(hort\_win\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: -1462.1
Decimals: 0	Maximum: 4359.9
Range: -1462.08996582031-4359.93017578125	

net income from vegetable production-winter (follow-up) c3\_97  
(hort\_win\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 16	Minimum: -236.3
Decimals: 0	Maximum: 3378.5
Range: -236.25-3378.52001953125	
Invalid: 10001	

price per kg sold last winter-cucumber (baseline)  
(hort\_win\_price\_cucum\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 38
Format: numeric	Invalid: 555
Width: 3	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	
Invalid: 101	

price per kg sold last winter-cucumber (follow-up)  
(hort\_win\_price\_cucum\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 51
Format: numeric	Invalid: 542
Width: 4	Minimum: 0.1
Decimals: 0	Maximum: 25
Range: 0.07-25	
Invalid: 101	

price per kg sold last winter-pepper (baseline)  
(hort\_win\_price\_pepr\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

price per kg sold last winter-pepper (baseline)  
(hort\_win\_price\_pepr\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 18
Format: numeric	Invalid: 575
Width: 4	Minimum: 0.2
Decimals: 0	Maximum: 12
Range: 0.18-12	
Invalid: 101	

price per kg sold last winter-pepper (follow-up)  
(hort\_win\_price\_pepr\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 20
Format: numeric	Invalid: 573
Width: 4	Minimum: 0.2
Decimals: 0	Maximum: 3.1
Range: 0.18-3.09	
Invalid: 11	

price per kg sold last winter-pipian (baseline)  
(hort\_win\_price\_pipian\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 33
Format: numeric	Invalid: 560
Width: 3	Minimum: 0.2
Decimals: 0	Maximum: 5
Range: 0.2-4.96	
Invalid: 11	

price per kg sold last winter-pipian (follow-up)  
(hort\_win\_price\_pipian\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 43
Format: numeric	Invalid: 550
Width: 4	Minimum: 0.3
Decimals: 0	Maximum: 10
Range: 0.26-10	
Invalid: 101	

price per kg sold last winter-tomato (baseline)  
(hort\_win\_price\_tomato\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 31
Format: numeric	Invalid: 562
Width: 3	Minimum: 0.5
Decimals: 0	Maximum: 10
Range: 0.5-10	
Invalid: 101	

price per kg sold last winter-tomato (follow-up)  
(hort\_win\_price\_tomato\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 36
Format: numeric	Invalid: 557
Width: 3	Minimum: 0.5
Decimals: 0	Maximum: 8
Range: 0.5-8	
Invalid: 11	

has produced at least one crop last winter-vegetables (baseline)  
(hort\_win\_prod\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of cucumber last winter-yes/no (baseline)  
(hort\_win\_prod\_cucum\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of cucumber last winter-yes/no (follow-up)  
(hort\_win\_prod\_cucum\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

production of cucumber last winter-yes/no (follow-up)  
(hort\_win\_prod\_cucum\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

has produced at least one crop last winter-vegetables (follow-up)  
(hort\_win\_prod\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of pepper last winter-yes/no (baseline)  
(hort\_win\_prod\_pepr\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of pepper last winter-yes/no (follow-up)  
(hort\_win\_prod\_pepr\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of pipian last winter-yes/no (baseline)  
(hort\_win\_prod\_pipian\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

production of pipian last winter-yes/no (baseline)  
(hort\_win\_prod\_pipian\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of pipian last winter-yes/no (follow-up)  
(hort\_win\_prod\_pipian\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of tomato last winter-yes/no (baseline)  
(hort\_win\_prod\_tomato\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of tomato last winter-yes/no (follow-up)  
(hort\_win\_prod\_tomato\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production value last winter-cucumber (baseline) c97  
(hort\_win\_prodval\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



production value last winter-cucumber (baseline) c97  
(hort\_win\_prodval\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 426.4
Range: 0-426.350006103516	

production value last winter-cucumber (follow-up) c97  
(hort\_win\_prodval\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 570.1
Range: 0-570.099975585938	

production value last winter-pepper (baseline) c97  
(hort\_win\_prodval\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 5	Minimum: 0
Decimals: 0	Maximum: 855.5
Range: 0-855.5	

production value last winter-pepper (follow-up) c97  
(hort\_win\_prodval\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 905.4
Range: 0-905.400024414062	

production value last winter-pipian (baseline) c97  
(hort\_win\_prodval\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production value last winter-pipian (baseline) c97  
(hort\_win\_prodval\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 640.7
Range: 0-640.700012207031	

production value last winter-pipian (follow-up) c97  
(hort\_win\_prodval\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1731.2
Range: 0-1731.19995117188	

production value last winter-tomato (baseline) c97  
(hort\_win\_prodval\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3885
Range: 0-3885	

production value last winter-tomato (follow-up) c97  
(hort\_win\_prodval\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 7	Minimum: 0
Decimals: 0	Maximum: 4643.3
Range: 0-4643.25	

has sold at least one crop last winter-vegetables (baseline)  
(hort\_win\_sold\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

has sold at least one crop last winter-vegetables (baseline)  
(hort\_win\_sold\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

has sold at least one crop last winter-vegetables (follow-up)  
(hort\_win\_sold\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

quantity sold last winter (kg)-cucumber (baseline) c97  
(hort\_win\_soldkg\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-1621.58996582031

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 1621.6

quantity sold last winter (kg)-cucumber (follow-up) c97  
(hort\_win\_soldkg\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 15  
Decimals: 0  
Range: 0-3204.6298828125

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 3204.6

quantity sold last winter (kg)-pepper (baseline) c97  
(hort\_win\_soldkg\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity sold last winter (kg)-pepper (baseline) c97  
(hort\_win\_soldkg\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 3816.9
Range: 0-3816.8701171875	

quantity sold last winter (kg)-pepper (follow-up) c97  
(hort\_win\_soldkg\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 1238
Range: 0-1238.0400390625	

quantity sold last winter (kg)-pipian (baseline) c97  
(hort\_win\_soldkg\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 2293.2
Range: 0-2293.2099609375	

quantity sold last winter (kg)-pipian (follow-up) c97  
(hort\_win\_soldkg\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3400.4
Range: 0-3400.42993164062	

quantity sold last winter (kg)-tomato (baseline) c97  
(hort\_win\_soldkg\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity sold last winter (kg)-tomato (baseline) c97  
(hort\_win\_soldkg\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2971
Range: 0-2971.03002929688	

quantity sold last winter (kg)-tomato (follow-up) c97  
(hort\_win\_soldkg\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 6	Minimum: 0
Decimals: 0	Maximum: 2619.5
Range: 0-2619.5	

value of sales last winter-cucumber (baseline) c97  
(hort\_win\_value\_cucum\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 196.6
Range: 0-196.600006103516	

value of sales last winter-cucumber (follow-up) c97  
(hort\_win\_value\_cucum\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 565.2
Range: 0-565.200012207031	

value of sales last winter-pepper (baseline) c97  
(hort\_win\_value\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

value of sales last winter-pepper (baseline) c97  
(hort\_win\_value\_pepr\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 5	Minimum: 0
Decimals: 0	Maximum: 855.5
Range: 0-855.5	

value of sales last winter-pepper (follow-up) c97  
(hort\_win\_value\_pepr\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 787.6
Range: 0-787.640014648438	

value of sales last winter-pipian (baseline) c97  
(hort\_win\_value\_pipian\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 640.7
Range: 0-640.700012207031	

value of sales last winter-pipian (follow-up) c97  
(hort\_win\_value\_pipian\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1731.2
Range: 0-1731.19995117188	

value of sales last winter-tomato (baseline) c97  
(hort\_win\_value\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

value of sales last winter-tomato (baseline) c97  
(hort\_win\_value\_tomato\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3885
Range: 0-3885	

value of sales last winter-tomato (follow-up) c97  
(hort\_win\_value\_tomato\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4155
Range: 0-4155	

respondent is the member of a group of producers (baseline)  
(mem\_group\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

respondent is the member of a group of producers (follow-up)  
(mem\_group\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

number of customers (baseline) c97 (num\_client\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

number of customers (baseline) c97 (num\_client\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-20  
Invalid: 101

Valid cases: 582  
Invalid: 11  
Minimum: 0  
Maximum: 20

number of customers (follow-up) c97 (num\_client\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-47.7700004577637  
Invalid: 101

Valid cases: 589  
Invalid: 4  
Minimum: 0  
Maximum: 47.8

number of months worked with vegetables (baseline)  
(num\_months\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-1287

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 1287

number of months worked with vegetables (follow-up)  
(num\_months\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-780  
Invalid: 1001

Valid cases: 592  
Invalid: 1  
Minimum: 0  
Maximum: 780

quantity harvested in tons (all year)-bean (baseline) c97  
(oth\_amnt\_tons\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



quantity harvested in tons (all year)-bean (baseline) c97  
(oth\_amnt\_tons\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.2
Range: 0-2.16000008583069	

quantity harvested in tons (all year)-bean (follow-up) c97  
(oth\_amnt\_tons\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 6.8
Range: 0-6.78000020980835	

quantity harvested in tons (all year)-corn (baseline) c97  
(oth\_amnt\_tons\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 27.5
Range: 0-27.4500007629395	

quantity harvested in tons (all year)-corn (follow-up) c97  
(oth\_amnt\_tons\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 17.3
Range: 0-17.3199996948242	

quantity harvested in tons (all year)-millet (baseline) c97  
(oth\_amnt\_tons\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons (all year)-millet (baseline) c97  
(oth\_amnt\_tons\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3.7
Range: 0-3.73000001907349	

quantity harvested in tons (all year)-millet (follow-up) c97  
(oth\_amnt\_tons\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 2.9
Range: 0-2.9300000667572	

quantity harvested in tons (all year)-other fruits (baseline) c97  
(oth\_amnt\_tons\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 6.6
Range: 0-6.6100001335144	

quantity harvested in tons (all year)-other fruits (follow-up) c97  
(oth\_amnt\_tons\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 26.2
Range: 0-26.1800003051758	

quantity harvested in tons (all year)-other misc (baseline) c97  
(oth\_amnt\_tons\_therm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons (all year)-other misc (baseline) c97  
(oth\_amnt\_tons\_therm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 186.7
Range: 0-186.710006713867	

quantity harvested in tons (all year)-other misc (follow-up) c97  
(oth\_amnt\_tons\_therm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 132
Range: 0-132.039993286133	

quantity harvested in tons (all year)-other vegetables (baseline)  
c97 (oth\_amnt\_tons\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 18.5
Range: 0-18.5200004577637	

quantity harvested in tons (all year)-other vegetables (follow-up)  
c97 (oth\_amnt\_tons\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 5.6
Range: 0-5.61999988555908	

full-time equivalent jobs last year-other crops (baseline) c97  
(oth\_annual\_fte\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

full-time equivalent jobs last year-other crops (baseline) c97  
(oth\_annual\_fte\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3.5
Range: 0-3.45000004768372	

full-time equivalent jobs last year-other crops (follow-up) c97  
(oth\_annual\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1.8
Range: 0-1.83000004291534	

production area in hectares (all year)-bean (baseline) c97  
(oth\_area\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.6
Range: 0-2.57999992370605	

production area in hectares (all year)-bean (follow-up) c97  
(oth\_area\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

production area in hectares (all year)-corn (baseline) c97  
(oth\_area\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production area in hectares (all year)-corn (baseline) c97  
(oth\_area\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 6.7
Range: 0-6.65999984741211	

production area in hectares (all year)-corn (follow-up) c97  
(oth\_area\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.8
Range: 0-4.82999992370606	

production area in hectares (all year)-millet (baseline) c97  
(oth\_area\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3.7
Range: 0-3.73000001907349	

production area in hectares (all year)-millet (follow-up) c97  
(oth\_area\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.3
Range: 0-2.30999994277954	

production area in hectares (all year)-other fruits (baseline) c97  
(oth\_area\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production area in hectares (all year)-other fruits (baseline) c97  
(oth\_area\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-8.97999954223633	

production area in hectares (all year)-other fruits (follow-up) c97  
(oth\_area\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.7
Range: 0-4.65999984741211	

production area in hectares (all year)-other misc (baseline) c97  
(oth\_area\_otherm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.9
Range: 0-4.90999984741211	

production area in hectares (all year)-other misc (follow-up) c97  
(oth\_area\_otherm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3.5
Range: 0-3.49000000953674	

production area in hectares (all year)-other vegetables (baseline)  
c97 (oth\_area\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production area in hectares (all year)-other vegetables (baseline)  
c97 (oth\_area\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-0.959999978542328	

production area in hectares (all year)-other vegetables (follow-up)  
c97 (oth\_area\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0-0.870000004768372	

total production costs of other crops (baseline) c97  
(oth\_cost\_r\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 13	Minimum: 0
Decimals: 0	Maximum: 5493.3
Range: 0-5493.33984375	

total production costs of other crops (follow-up) c97  
(oth\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 5	Minimum: 0
Decimals: 0	Maximum: 5495
Range: 0-5495	
Invalid: 10001	

employed at least one person last year-other crops (baseline)  
(oth\_employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

employed at least one person last year-other crops (baseline)  
(oth\_employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

employed at least one person last year-other crops (follow-up)  
(oth\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

net income from production of other crops for the whole year  
(baseline) c3\_97 (oth\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: -2887.57006835938-6598.60986328125

Valid cases: 593  
Invalid: 0  
Minimum: -2887.6  
Maximum: 6598.6

net income from production of other crops for the whole year  
(follow-up) c3\_97 (oth\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: -3084.02001953125-3593  
Invalid: 10001

Valid cases: 592  
Invalid: 1  
Minimum: -3084  
Maximum: 3593

has produced at last one crop-other crops (baseline) (oth\_prod\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



has produced at last one crop-other crops (baseline) (oth\_prod\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of bean-yes/no (baseline) (oth\_prod\_bean\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of bean-yes/no (follow-up) (oth\_prod\_bean\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of corn-yes/no (baseline) (oth\_prod\_corn\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of corn-yes/no (follow-up) (oth\_prod\_corn\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

has produced at last one crop-other crops (follow-up) (oth\_prod\_f)  
 File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of millet-yes/no (baseline) (oth\_prod\_millet\_b)  
 File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of millet-yes/no (follow-up) (oth\_prod\_millet\_f)  
 File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

number of other crops cultivated (baseline) c97  
 (oth\_prod\_num\_c97\_b)  
 File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 5.8
Range: 0-5.82999992370606	

number of other crops cultivated (follow-up) c97  
 (oth\_prod\_num\_c97\_f)  
 File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-4	

production of other fruits-yes/no (baseline) (oth\_prod\_otherf\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of other fruits-yes/no (follow-up) (oth\_prod\_otherf\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of other misc-yes/no (baseline) (oth\_prod\_therm\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of other misc-yes/no (follow-up) (oth\_prod\_therm\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of other vegetables-yes/no (baseline)  
(oth\_prod\_therv\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of other vegetables-yes/no (follow-up)  
(oth\_prod\_otherv\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

quantity harvested in tons last summer-bean (baseline) c97  
(oth\_smr\_amnt\_tons\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.5	

quantity harvested in tons last summer-bean (follow-up) c97  
(oth\_smr\_amnt\_tons\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.1
Range: 0-0.140000000596046	

quantity harvested in tons last summer-corn (baseline) c97  
(oth\_smr\_amnt\_tons\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.6
Range: 0-2.64000010490417	

quantity harvested in tons last summer-corn (follow-up) c97  
(oth\_smr\_amnt\_tons\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons last summer-corn (follow-up) c97  
(oth\_smr\_amnt\_tons\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	

quantity harvested in tons last summer-millet (baseline) c97  
(oth\_smr\_amnt\_tons\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

quantity harvested in tons last summer-millet (follow-up) c97  
(oth\_smr\_amnt\_tons\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.5	

quantity harvested in tons last summer-other fruits (baseline) c97  
(oth\_smr\_amnt\_tons\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 6.6
Range: 0-6.59999990463257	

quantity harvested in tons last summer-other fruits (follow-up) c97  
(oth\_smr\_amnt\_tons\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons last summer-other fruits (follow-up) c97  
(oth\_smr\_amnt\_tons\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 26
Range: 0-25.9599990844727	

quantity harvested in tons last summer-other misc (baseline) c97  
(oth\_smr\_amnt\_tons\_therm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.6
Range: 0-0.550000011920929	

quantity harvested in tons last summer-other misc (follow-up) c97  
(oth\_smr\_amnt\_tons\_therm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.6
Range: 0-4.59999990463257	

quantity harvested in tons last summer-other vegetables (baseline)  
c97 (oth\_smr\_amnt\_tons\_therv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 14.6
Range: 0-14.5500001907349	

quantity harvested in tons last summer-other vegetables  
(follow-up) c97 (oth\_smr\_amnt\_tons\_therv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons last summer-other vegetables  
(follow-up) c97 (oth\_smr\_amnt\_tons\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3.2
Range: 0-3.20000004768372	

area of production in hectares last summer-bean (baseline) c97  
(oth\_smr\_area\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	

area of production in hectares last summer-bean (follow-up) c97  
(oth\_smr\_area\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.479999989271164	

area of production in hectares last summer-corn (baseline) c97  
(oth\_smr\_area\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

area of production in hectares last summer-corn (follow-up) c97  
(oth\_smr\_area\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

area of production in hectares last summer-corn (follow-up) c97  
(oth\_smr\_area\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	

area of production in hectares last summer-millet (baseline) c97  
(oth\_smr\_area\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1.3
Range: 0-1.30999994277954	

area of production in hectares last summer-millet (follow-up) c97  
(oth\_smr\_area\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 0.8
Range: 0-0.75	

area of production in hectares last summer-other fruits (baseline)  
c97 (oth\_smr\_area\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.8
Range: 0-2.82999992370606	

area of production in hectares last summer-other fruits (follow-up)  
c97 (oth\_smr\_area\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



area of production in hectares last summer-other fruits (follow-up)  
c97 (oth\_smr\_area\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	

area of production in hectares last summer-other misc (baseline)  
c97 (oth\_smr\_area\_therm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 18	Minimum: 0
Decimals: 0	Maximum: 0.1
Range: 0-0.0500000007450581	

area of production in hectares last summer-other misc (follow-up)  
c97 (oth\_smr\_area\_therm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	

area of production in hectares last summer-other vegetables  
(baseline) c97 (oth\_smr\_area\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.3
Range: 0-0.330000013113022	

area of production in hectares last summer-other vegetables  
(follow-up) c97 (oth\_smr\_area\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

area of production in hectares last summer-other vegetables  
(follow-up) c97 (oth\_smr\_area\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.3
Range: 0-0.259999990463257	

total production costs of other crops-summer (baseline) c97  
(oth\_smr\_cost\_r\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 922.4
Range: 0-922.400024414062	

total production costs of other crops-summer (follow-up) c97  
(oth\_smr\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 16	Minimum: 0
Decimals: 0	Maximum: 800.7
Range: 0-800.700012207031	
Invalid: 1001	

employed at least one person last summer-other crops (baseline)  
(oth\_smr\_employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

employed at least one person last summer-other crops (follow-up)  
(oth\_smr\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

employed at least one person last summer-other crops (follow-up)  
(oth\_smr\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

full-time equivalent jobs last summer-other crops (baseline) c97  
(oth\_smr\_fte\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-2.05999994277954

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 2.1

full-time equivalent jobs last summer-other crops (follow-up) c97  
(oth\_smr\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: 0-0.370000004768372

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 0.4

net income from the production of other crops-summer (baseline)  
c3\_97 (oth\_smr\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: -465.5-458.899993896484

Valid cases: 593  
Invalid: 0  
Minimum: -465.5  
Maximum: 458.9

net income from the production of other crops-summer (follow-up)  
c3\_97 (oth\_smr\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

net income from the production of other crops-summer (follow-up)  
c3\_97 (oth\_smr\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 17	Minimum: -187.7
Decimals: 0	Maximum: 2.9
Range: -187.710006713867-2.88000011444092	
Invalid: 11	

price per kg sold last summer-bean (baseline)  
(oth\_smr\_price\_bean\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 22
Format: numeric	Invalid: 571
Width: 4	Minimum: 0.4
Decimals: 0	Maximum: 1.3
Range: 0.44-1.32	
Invalid: 11	

price per kg sold last summer-bean (follow-up)  
(oth\_smr\_price\_bean\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 17
Format: numeric	Invalid: 576
Width: 4	Minimum: 0.4
Decimals: 0	Maximum: 3.5
Range: 0.44-3.53	
Invalid: 11	

price per kg sold last summer-corn (baseline)  
(oth\_smr\_price\_corn\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 35
Format: numeric	Invalid: 558
Width: 4	Minimum: 0.1
Decimals: 0	Maximum: 0.6
Range: 0.07-0.55	
Invalid: 11	

price per kg sold last summer-corn (follow-up)  
(oth\_smr\_price\_corn\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

price per kg sold last summer-corn (follow-up)  
(oth\_smr\_price\_corn\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 4
Format: numeric	Invalid: 589
Width: 4	Minimum: 0.2
Decimals: 0	Maximum: 0.4
Range: 0.24-0.37	
Invalid: 11	

price per kg sold last summer-millet (baseline)  
(oth\_smr\_price\_millet\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 17
Format: numeric	Invalid: 576
Width: 4	Minimum: 0.2
Decimals: 0	Maximum: 0.6
Range: 0.22-0.62	
Invalid: 11	

price per kg sold last summer-millet (follow-up)  
(oth\_smr\_price\_millet\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 5
Format: numeric	Invalid: 588
Width: 4	Minimum: 0.2
Decimals: 0	Maximum: 0.9
Range: 0.22-0.88	
Invalid: 11	

price per kg sold last summer-other fruits (baseline)  
(oth\_smr\_price\_otherf\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 14
Format: numeric	Invalid: 579
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1.8
Range: 0.02-1.75	
Invalid: 11	

price per kg sold last summer-other fruits (follow-up)  
(oth\_smr\_price\_otherf\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 8
Format: numeric	Invalid: 585
Width: 4	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0.04-0.85	
Invalid: 11	

price per kg sold last summer-other misc (baseline)  
(oth\_smr\_price\_therm\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 7
Format: numeric	Invalid: 586
Width: 3	Minimum: 0.1
Decimals: 0	Maximum: 1.8
Range: 0.1-1.76	
Invalid: 11	

price per kg sold last summer-other misc (follow-up)  
(oth\_smr\_price\_therm\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 12
Format: numeric	Invalid: 581
Width: 4	Minimum: 0.1
Decimals: 0	Maximum: 20
Range: 0.06-20	
Invalid: 101	

price per kg sold last summer-other vegetables (baseline)  
(oth\_smr\_price\_otherv\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 47
Format: numeric	Invalid: 546
Width: 18	Minimum: 0
Decimals: 0	Maximum: 20
Range: 0.0299999993294477-20	
Invalid: 101	

price per kg sold last summer-other vegetables (follow-up)  
(oth\_smr\_price\_otherv\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 37
Format: numeric	Invalid: 556
Width: 18	Minimum: 0.1
Decimals: 0	Maximum: 20
Range: 0.079999982118607-20	
Invalid: 101	

has produced at least one crop last summer-other crops (baseline)  
(oth\_smr\_prod\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of bean last summer-yes/no (baseline)  
(oth\_smr\_prod\_bean\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of bean last summer-yes/no (follow-up)  
(oth\_smr\_prod\_bean\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of corn last summer-yes/no (baseline)  
(oth\_smr\_prod\_corn\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

production of corn last summer-yes/no (baseline)

(oth\_smr\_prod\_corn\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of corn last summer-yes/no (follow-up)

(oth\_smr\_prod\_corn\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

has produced at last one crop last summer-other crops (follow-up)

(oth\_smr\_prod\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of millet last summer-yes/no (baseline)

(oth\_smr\_prod\_millet\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of millet last summer-yes/no (follow-up)

(oth\_smr\_prod\_millet\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



production of millet last summer-yes/no (follow-up)  
(oth\_smr\_prod\_millet\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other fruits last summer-yes/no (baseline)  
(oth\_smr\_prod\_otherf\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other fruits last summer-yes/no (follow-up)  
(oth\_smr\_prod\_otherf\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other misc last summer-yes/no (baseline)  
(oth\_smr\_prod\_therm\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other misc last summer-yes/no (follow-up)  
(oth\_smr\_prod\_therm\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production of other misc last summer-yes/no (follow-up)  
(oth\_smr\_prod\_otherm\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other vegetables last summer-yes/no (baseline)  
(oth\_smr\_prod\_otherv\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other vegetables last summer-yes/no (follow-up)  
(oth\_smr\_prod\_otherv\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production value last summer-bean (baseline) c97  
(oth\_smr\_prodval\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-298.799987792969

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 298.8

production value last summer-bean (follow-up) c97  
(oth\_smr\_prodval\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production value last summer-bean (follow-up) c97  
(oth\_smr\_prodval\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 184.4
Range: 0-184.399993896484	

production value last summer-corn (baseline) c97  
(oth\_smr\_prodval\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 815.2
Range: 0-815.150024414062	

production value last summer-corn (follow-up) c97  
(oth\_smr\_prodval\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 220
Range: 0-220	

production value last summer-millet (baseline) c97  
(oth\_smr\_prodval\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 720
Range: 0-720	

production value last summer-millet (follow-up) c97  
(oth\_smr\_prodval\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production value last summer-millet (follow-up) c97  
(oth\_smr\_prodval\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	

production value last summer-other fruits (baseline) c97  
(oth\_smr\_prodval\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3905
Range: 0-3905	

production value last summer-other fruits (follow-up) c97  
(oth\_smr\_prodval\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 7	Minimum: 0
Decimals: 0	Maximum: 13274.5
Range: 0-13274.5	

production value last summer-other misc (baseline) c97  
(oth\_smr\_prodval\_therm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 240
Range: 0-240	

production value last summer-other misc (follow-up) c97  
(oth\_smr\_prodval\_therm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production value last summer-other misc (follow-up) c97  
(oth\_smr\_prodval\_otherm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 432
Range: 0-432	

production value last summer-other vegetables (baseline) c97  
(oth\_smr\_prodval\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1121.3
Range: 0-1121.31994628906	

production value last summer-other vegetables (follow-up) c97  
(oth\_smr\_prodval\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 720
Range: 0-720	

has sold at least one crop last summer-other crops (baseline)  
(oth\_smr\_sold\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

has sold at least one crop last summer-other crops (follow-up)  
(oth\_smr\_sold\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

has sold at least one crop last summer-other crops (follow-up)  
(oth\_smr\_sold\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

quantity sold last summer (kg)-bean (baseline) c97  
(oth\_smr\_soldkg\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-451.779998779297

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 451.8

quantity sold last summer (kg)-bean (follow-up) c97  
(oth\_smr\_soldkg\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-425.239990234375

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 425.2

quantity sold last summer (kg)-corn (baseline) c97  
(oth\_smr\_soldkg\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-1185.52001953125

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 1185.5

quantity sold last summer (kg)-corn (follow-up) c97  
(oth\_smr\_soldkg\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity sold last summer (kg)-corn (follow-up) c97  
(oth\_smr\_soldkg\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-0

Valid cases: 593  
Invalid: 0

quantity sold last summer (kg)-millet (baseline) c97  
(oth\_smr\_soldkg\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-1360.78002929688

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 1360.8

quantity sold last summer (kg)-millet (follow-up) c97  
(oth\_smr\_soldkg\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-0

Valid cases: 593  
Invalid: 0

quantity sold last summer (kg)-other fruits (baseline) c97  
(oth\_smr\_soldkg\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9600

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 9600

quantity sold last summer (kg)-other fruits (follow-up) c97  
(oth\_smr\_soldkg\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity sold last summer (kg)-other fruits (follow-up) c97  
(oth\_smr\_soldkg\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 5	Minimum: 0
Decimals: 0	Maximum: 23546
Range: 0-23546	

quantity sold last summer (kg)-other misc (baseline) c97  
(oth\_smr\_soldkg\_otherm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 2000
Range: 0-2000	

quantity sold last summer (kg)-other misc (follow-up) c97  
(oth\_smr\_soldkg\_otherm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3800
Range: 0-3800	

quantity sold last summer (kg)-other vegetables (baseline) c97  
(oth\_smr\_soldkg\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 5	Minimum: 0
Decimals: 0	Maximum: 13200
Range: 0-13200	

quantity sold last summer (kg)-other vegetables (follow-up) c97  
(oth\_smr\_soldkg\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



quantity sold last summer (kg)-other vegetables (follow-up) c97  
(oth\_smr\_soldkg\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1883
Range: 0-1883	

value of sales last summer-bean (baseline) c97  
(oth\_smr\_value\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 298.8
Range: 0-298.799987792969	

value of sales last summer-bean (follow-up) c97  
(oth\_smr\_value\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 320
Range: 0-320	

value of sales last summer-corn (baseline) c97  
(oth\_smr\_value\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 391.3
Range: 0-391.320007324219	

value of sales last summer-corn (follow-up) c97  
(oth\_smr\_value\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

value of sales last summer-corn (follow-up) c97  
(oth\_smr\_value\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-0

Valid cases: 593  
Invalid: 0

value of sales last summer-millet (baseline) c97  
(oth\_smr\_value\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-540

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 540

value of sales last summer-millet (follow-up) c97  
(oth\_smr\_value\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-0

Valid cases: 593  
Invalid: 0

value of sales last summer-other fruits (baseline) c97  
(oth\_smr\_value\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-3905

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 3905

value of sales last summer-other fruits (follow-up) c97  
(oth\_smr\_value\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

value of sales last summer-other fruits (follow-up) c97  
(oth\_smr\_value\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 7	Minimum: 0
Decimals: 0	Maximum: 13274.5
Range: 0-13274.5	

value of sales last summer-other misc (baseline) c97  
(oth\_smr\_value\_otherm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 240
Range: 0-240	

value of sales last summer-other misc (follow-up) c97  
(oth\_smr\_value\_otherm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 450
Range: 0-450	

value of sales last summer-other vegetables (baseline) c97  
(oth\_smr\_value\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1119.2
Range: 0-1119.15002441406	

value of sales last summer-other vegetables (follow-up) c97  
(oth\_smr\_value\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

value of sales last summer-other vegetables (follow-up) c97  
(oth\_smr\_value\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 720
Range: 0-720	

has sold at last one crop-other crops (baseline) (oth\_sold\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold bean-yes/no (baseline) (oth\_sold\_bean\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold bean-yes/no (follow-up) (oth\_sold\_bean\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold corn-yes/no (baseline) (oth\_sold\_corn\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold corn-yes/no (follow-up) (oth\_sold\_corn\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

has sold at last one crop-other crops (follow-up) (oth\_sold\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

sold millet-yes/no (baseline) (oth\_sold\_millet\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

sold millet-yes/no (follow-up) (oth\_sold\_millet\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

number of other crops sold (baseline) c97 (oth\_sold\_num\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-4.82999992370606

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 4.8

number of other crops sold (follow-up) c97 (oth\_sold\_num\_c97\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-3	

sold other fruits-yes/no (baseline) (oth\_sold\_otherf\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold other fruits-yes/no (follow-up) (oth\_sold\_otherf\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold other misc-yes/no (baseline) (oth\_sold\_therm\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold other misc-yes/no (follow-up) (oth\_sold\_therm\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold other vegetables-yes/no (baseline) (oth\_sold\_otherv\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

sold other vegetables-yes/no (follow-up) (oth\_sold\_otherv\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

value of sales (all year)-bean (baseline) c97 (oth\_value\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 905.6
Range: 0-905.599975585938	

value of sales (all year)-bean (follow-up) c97

(oth\_value\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1796
Range: 0-1796	

value of sales (all year)-corn (baseline) c97 (oth\_value\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 5932
Range: 0-5932	

value of sales (all year)-corn (follow-up) c97 (oth\_value\_corn\_c97\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 4442.2
Range: 0-4442.2001953125	

value of sales (all year)-millet (baseline) c97  
(oth\_value\_millet\_c97\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1091.2
Range: 0-1091.19995117188	

value of sales (all year)-millet (follow-up) c97  
(oth\_value\_millet\_c97\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 343.5
Range: 0-343.519989013672	

value of sales (all year)-other fruits (baseline) c97  
(oth\_value\_otherf\_c97\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4143
Range: 0-4143	

value of sales (all year)-other fruits (follow-up) c97  
(oth\_value\_otherf\_c97\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



value of sales (all year)-other fruits (follow-up) c97  
(oth\_value\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 13779.4
Range: 0-13779.400390625	

value of sales (all year)-other misc (baseline) c97  
(oth\_value\_therm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 7043.5
Range: 0-7043.4599609375	

value of sales (all year)-other misc (follow-up) c97  
(oth\_value\_therm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2215.1
Range: 0-2215.07006835938	

value of sales (all year)-other vegetables (baseline) c97  
(oth\_value\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1288.3
Range: 0-1288.31994628906	

value of sales (all year)-other vegetables (follow-up) c97  
(oth\_value\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

value of sales (all year)-other vegetables (follow-up) c97  
(oth\_value\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1660
Range: 0-1660	

quantity harvested in tons last winter-bean (baseline) c97  
(oth\_win\_amnt\_tons\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

quantity harvested in tons last winter-bean (follow-up) c97  
(oth\_win\_amnt\_tons\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 6.8
Range: 0-6.78000020980835	

quantity harvested in tons last winter-corn (baseline) c97  
(oth\_win\_amnt\_tons\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 27.5
Range: 0-27.4500007629395	

quantity harvested in tons last winter-corn (follow-up) c97  
(oth\_win\_amnt\_tons\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons last winter-corn (follow-up) c97  
(oth\_win\_amnt\_tons\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 17.3
Range: 0-17.3199996948242	

quantity harvested in tons last winter-millet (baseline) c97  
(oth\_win\_amnt\_tons\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3.7
Range: 0-3.73000001907349	

quantity harvested in tons last winter-millet (follow-up) c97  
(oth\_win\_amnt\_tons\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.7
Range: 0-2.69000005722046	

quantity harvested in tons last winter-other fruits (baseline) c97  
(oth\_win\_amnt\_tons\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 6.1
Range: 0-6.05000019073486	

quantity harvested in tons last winter-other fruits (follow-up) c97  
(oth\_win\_amnt\_tons\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons last winter-other fruits (follow-up) c97  
(oth\_win\_amnt\_tons\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 2.9
Range: 0-2.9300000667572	

quantity harvested in tons last winter-other misc (baseline) c97  
(oth\_win\_amnt\_tons\_therm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 186.7
Range: 0-186.710006713867	

quantity harvested in tons last winter-other misc (follow-up) c97  
(oth\_win\_amnt\_tons\_therm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 132
Range: 0-132.039993286133	

quantity harvested in tons last winter-other vegetables (baseline)  
c97 (oth\_win\_amnt\_tons\_therv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.2
Range: 0-0.239999994635582	

quantity harvested in tons last winter-other vegetables (follow-up)  
c97 (oth\_win\_amnt\_tons\_therv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity harvested in tons last winter-other vegetables (follow-up)  
c97 (oth\_win\_amnt\_tons\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.490000009536743	

production area in hectares last winter-bean (baseline) c97  
(oth\_win\_area\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.2
Range: 0-2.16000008583069	

production area in hectares last winter-bean (follow-up) c97  
(oth\_win\_area\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

production area in hectares last winter-corn (baseline) c97  
(oth\_win\_area\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 6.7
Range: 0-6.65999984741211	

production area in hectares last winter-corn (follow-up) c97  
(oth\_win\_area\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production area in hectares last winter-corn (follow-up) c97  
(oth\_win\_area\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.8
Range: 0-4.82999992370606	

production area in hectares last winter-millet (baseline) c97  
(oth\_win\_area\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

production area in hectares last winter-millet (follow-up) c97  
(oth\_win\_area\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.3
Range: 0-2.30999994277954	

production area in hectares last winter-other fruits (baseline) c97  
(oth\_win\_area\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 8.6
Range: 0-8.64000034332275	

production area in hectares last winter-other fruits (follow-up) c97  
(oth\_win\_area\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production area in hectares last winter-other fruits (follow-up) c97  
(oth\_win\_area\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.7
Range: 0-4.65999984741211	

production area in hectares last winter-other misc (baseline) c97  
(oth\_win\_area\_otherm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4.9
Range: 0-4.90999984741211	

production area in hectares last winter-other misc (follow-up) c97  
(oth\_win\_area\_otherm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3.5
Range: 0-3.49000000953674	

production area in hectares last winter-other vegetables (baseline)  
c97 (oth\_win\_area\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 3	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.5	

production area in hectares last winter-other vegetables  
(follow-up) c97 (oth\_win\_area\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production area in hectares last winter-other vegetables  
(follow-up) c97 (oth\_win\_area\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.9
Range: 0-0.870000004768372	

total production costs of other crops-winter (baseline) c97  
(oth\_win\_cost\_r\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4336.4
Range: 0-4336.35009765625	

total production costs of other crops-winter (follow-up) c97  
(oth\_win\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 5	Minimum: 0
Decimals: 0	Maximum: 5495
Range: 0-5495	
Invalid: 10001	

employed at least one person last winter-other crops (baseline)  
(oth\_win\_employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

employed at least one person last winter-other crops (follow-up)  
(oth\_win\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



employed at least one person last winter-other crops (follow-up)  
(oth\_win\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

full-time equivalent jobs last winter-other crops (baseline) c97  
(oth\_win\_fte\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-2.11999988555908

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 2.1

full-time equivalent jobs last winter-other crops (follow-up) c97  
(oth\_win\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-1.75999999046326

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 1.8

net income from production of other crops-winter (baseline) c3\_97  
(oth\_win\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: -2677.19995117188-7990.89990234375

Valid cases: 593  
Invalid: 0  
Minimum: -2677.2  
Maximum: 7990.9

net income from production of other crops-winter (follow-up)  
c3\_97 (oth\_win\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

net income from production of other crops-winter (follow-up)  
c3\_97 (oth\_win\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 17	Minimum: -3084
Decimals: 0	Maximum: 1885
Range: -3084.02001953125-1885	
Invalid: 10001	

price per kg sold last winter-bean (baseline)  
(oth\_win\_price\_bean\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 119
Format: numeric	Invalid: 474
Width: 4	Minimum: 0.2
Decimals: 0	Maximum: 3.5
Range: 0.22-3.53	
Invalid: 11	

price per kg sold last winter-bean (follow-up)  
(oth\_win\_price\_bean\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 85
Format: numeric	Invalid: 508
Width: 4	Minimum: 0.4
Decimals: 0	Maximum: 5.5
Range: 0.44-5.51	
Invalid: 11	

price per kg sold last winter-corn (baseline) (oth\_win\_price\_corn\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 349
Format: numeric	Invalid: 244
Width: 4	Minimum: 0.2
Decimals: 0	Maximum: 7.3
Range: 0.17-7.28	
Invalid: 11	

price per kg sold last winter-corn (follow-up)  
(oth\_win\_price\_corn\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

price per kg sold last winter-corn (follow-up)  
(oth\_win\_price\_corn\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 259
Format: numeric	Invalid: 334
Width: 4	Minimum: 0.1
Decimals: 0	Maximum: 1.3
Range: 0.12-1.32	
Invalid: 11	

price per kg sold last winter-millet (baseline)  
(oth\_win\_price\_millet\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 189
Format: numeric	Invalid: 404
Width: 4	Minimum: 0.1
Decimals: 0	Maximum: 300
Range: 0.13-300	
Invalid: 1001	

price per kg sold last winter-millet (follow-up)  
(oth\_win\_price\_millet\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 65
Format: numeric	Invalid: 528
Width: 4	Minimum: 0.2
Decimals: 0	Maximum: 40
Range: 0.19-40	
Invalid: 101	

price per kg sold last winter-other fruits (baseline)  
(oth\_win\_price\_otherf\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 14
Format: numeric	Invalid: 579
Width: 4	Minimum: 0.1
Decimals: 0	Maximum: 1.5
Range: 0.07-1.54	
Invalid: 11	

price per kg sold last winter-other fruits (follow-up)  
(oth\_win\_price\_otherf\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

price per kg sold last winter-other fruits (follow-up)  
(oth\_win\_price\_otherf\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 14
Format: numeric	Invalid: 579
Width: 4	Minimum: 0
Decimals: 0	Maximum: 15
Range: 0.04-15	
Invalid: 101	

price per kg sold last winter-other misc (baseline)  
(oth\_win\_price\_otherm\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 35
Format: numeric	Invalid: 558
Width: 4	Minimum: 0
Decimals: 0	Maximum: 150
Range: 0.03-150	
Invalid: 1001	

price per kg sold last winter-other misc (follow-up)  
(oth\_win\_price\_otherm\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 23
Format: numeric	Invalid: 570
Width: 4	Minimum: 0
Decimals: 0	Maximum: 150
Range: 0.02-150	
Invalid: 1001	

price per kg sold last winter-other vegetables (baseline)  
(oth\_win\_price\_otherv\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 33
Format: numeric	Invalid: 560
Width: 18	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0.0299999993294477-40	
Invalid: 101	

price per kg sold last winter-other vegetables (follow-up)  
(oth\_win\_price\_otherv\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 29
Format: numeric	Invalid: 564
Width: 18	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0.0299999993294477-40	
Invalid: 101	

has produced at last one crop last winter-other crops (baseline)  
(oth\_win\_prod\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of bean last winter-yes/no (baseline)  
(oth\_win\_prod\_bean\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of bean last winter-yes/no (follow-up)  
(oth\_win\_prod\_bean\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

production of corn last winter-yes/no (baseline)  
(oth\_win\_prod\_corn\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

production of corn last winter-yes/no (baseline)

(oth\_win\_prod\_corn\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of corn last winter-yes/no (follow-up)

(oth\_win\_prod\_corn\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

has produced at last one crop last winter-other crops (follow-up)

(oth\_win\_prod\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of millet last winter-yes/no (baseline)

(oth\_win\_prod\_millet\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of millet last winter-yes/no (follow-up)

(oth\_win\_prod\_millet\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production of millet last winter-yes/no (follow-up)  
(oth\_win\_prod\_millet\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other fruits last winter-yes/no (baseline)  
(oth\_win\_prod\_otherf\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other fruits last winter-yes/no (follow-up)  
(oth\_win\_prod\_otherf\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other misc last winter-yes/no (baseline)  
(oth\_win\_prod\_therm\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other misc last winter-yes/no (follow-up)  
(oth\_win\_prod\_therm\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production of other misc last winter-yes/no (follow-up)  
(oth\_win\_prod\_otherm\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other vegetables last winter-yes/no (baseline)  
(oth\_win\_prod\_otherv\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production of other vegetables last winter-yes/no (follow-up)  
(oth\_win\_prod\_otherv\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

production value last winter-bean (baseline) c97  
(oth\_win\_prodval\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-1409.59997558594

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 1409.6

production value last winter-bean (follow-up) c97  
(oth\_win\_prodval\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



production value last winter-bean (follow-up) c97  
(oth\_win\_prodval\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 2945
Range: 0-2945	

production value last winter-corn (baseline) c97  
(oth\_win\_prodval\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 6132.8
Range: 0-6132.7998046875	

production value last winter-corn (follow-up) c97  
(oth\_win\_prodval\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 5165.6
Range: 0-5165.5498046875	

production value last winter-millet (baseline) c97  
(oth\_win\_prodval\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 15701.4
Range: 0-15701.400390625	

production value last winter-millet (follow-up) c97  
(oth\_win\_prodval\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production value last winter-millet (follow-up) c97  
(oth\_win\_prodval\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1282.8
Range: 0-1282.76000976562	

production value last winter-other fruits (baseline) c97  
(oth\_win\_prodval\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1800
Range: 0-1800	

production value last winter-other fruits (follow-up) c97  
(oth\_win\_prodval\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4915
Range: 0-4915	

production value last winter-other misc (baseline) c97  
(oth\_win\_prodval\_therm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 7043.5
Range: 0-7043.4599609375	

production value last winter-other misc (follow-up) c97  
(oth\_win\_prodval\_therm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

production value last winter-other misc (follow-up) c97  
(oth\_win\_prodval\_otherm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2221.2
Range: 0-2221.18994140625	

production value last winter-other vegetables (baseline) c97  
(oth\_win\_prodval\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 448.9
Range: 0-448.920013427734	

production value last winter-other vegetables (follow-up) c97  
(oth\_win\_prodval\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 312.7
Range: 0-312.720001220703	

has sold at least one crop last winter-other crops (baseline)  
(oth\_win\_sold\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

has sold at least one crop last winter-other crops (follow-up)  
(oth\_win\_sold\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

has sold at least one crop last winter-other crops (follow-up)  
(oth\_win\_sold\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

quantity sold last winter (kg)-bean (baseline) c97  
(oth\_win\_soldkg\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-936.210021972656

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 936.2

quantity sold last winter (kg)-bean (follow-up) c97  
(oth\_win\_soldkg\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-3826.51000976562

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 3826.5

quantity sold last winter (kg)-corn (baseline) c97  
(oth\_win\_soldkg\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 0-24748

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 24748

quantity sold last winter (kg)-corn (follow-up) c97  
(oth\_win\_soldkg\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity sold last winter (kg)-corn (follow-up) c97  
(oth\_win\_soldkg\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 14052.3
Range: 0-14052.2900390625	

quantity sold last winter (kg)-millet (baseline) c97  
(oth\_win\_soldkg\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3320.3
Range: 0-3320.30004882812	

quantity sold last winter (kg)-millet (follow-up) c97  
(oth\_win\_soldkg\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1237.4
Range: 0-1237.40002441406	

quantity sold last winter (kg)-other fruits (baseline) c97  
(oth\_win\_soldkg\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 5490
Range: 0-5490	

quantity sold last winter (kg)-other fruits (follow-up) c97  
(oth\_win\_soldkg\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity sold last winter (kg)-other fruits (follow-up) c97  
(oth\_win\_soldkg\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 2660
Range: 0-2660	

quantity sold last winter (kg)-other misc (baseline) c97  
(oth\_win\_soldkg\_therm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 13	Minimum: 0
Decimals: 0	Maximum: 169385
Range: 0-169384.984375	

quantity sold last winter (kg)-other misc (follow-up) c97  
(oth\_win\_soldkg\_therm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 13	Minimum: 0
Decimals: 0	Maximum: 119782.9
Range: 0-119782.859375	

quantity sold last winter (kg)-other vegetables (baseline) c97  
(oth\_win\_soldkg\_therv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 217.2
Range: 0-217.16003662109	

quantity sold last winter (kg)-other vegetables (follow-up) c97  
(oth\_win\_soldkg\_therv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

quantity sold last winter (kg)-other vegetables (follow-up) c97  
(oth\_win\_soldkg\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 448.5
Range: 0-448.519989013672	

value of sales last winter-bean (baseline) c97  
(oth\_win\_value\_bean\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 905.6
Range: 0-905.599975585938	

value of sales last winter-bean (follow-up) c97  
(oth\_win\_value\_bean\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1796
Range: 0-1796	

value of sales last winter-corn (baseline) c97  
(oth\_win\_value\_corn\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 5932
Range: 0-5932	

value of sales last winter-corn (follow-up) c97  
(oth\_win\_value\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

value of sales last winter-corn (follow-up) c97  
(oth\_win\_value\_corn\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 4442.2
Range: 0-4442.2001953125	

value of sales last winter-millet (baseline) c97  
(oth\_win\_value\_millet\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 1091.2
Range: 0-1091.19995117188	

value of sales last winter-millet (follow-up) c97  
(oth\_win\_value\_millet\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 343.5
Range: 0-343.519989013672	

value of sales last winter-other fruits (baseline) c97  
(oth\_win\_value\_otherf\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1800
Range: 0-1800	

value of sales last winter-other fruits (follow-up) c97  
(oth\_win\_value\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



value of sales last winter-other fruits (follow-up) c97  
(oth\_win\_value\_otherf\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4160
Range: 0-4160	

value of sales last winter-other misc (baseline) c97  
(oth\_win\_value\_otherm\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 7043.5
Range: 0-7043.4599609375	

value of sales last winter-other misc (follow-up) c97  
(oth\_win\_value\_otherm\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2215.1
Range: 0-2215.07006835938	

value of sales last winter-other vegetables (baseline) c97  
(oth\_win\_value\_otherv\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 448.9
Range: 0-448.920013427734	

value of sales last winter-other vegetables (follow-up) c97  
(oth\_win\_value\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

value of sales last winter-other vegetables (follow-up) c97  
(oth\_win\_value\_otherv\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 209.6
Range: 0-209.600006103516	

soil conservation measures, enviro-friendly products, or bpa  
(baseline) (prac\_conserve\_soil\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

soil conservation measures, enviro-friendly products, or bpa  
(follow-up) (prac\_conserve\_soil\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 186
Format: numeric	Invalid: 407
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

took measures to control contagions or tried protected  
horticulture (follow-up) (prac\_controlvirus\_tunnels\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 186
Format: numeric	Invalid: 407
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

shared experiences, formed alliances, looked for new clients  
(baseline) (prac\_experiences\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

shared experiences, formed alliances, looked for new clients  
(baseline) (prac\_experiences\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

shared experiences, formed alliances, looked for new clients  
(follow-up) (prac\_experiences\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-1  
Invalid: 11

Valid cases: 186  
Invalid: 407  
Minimum: 0  
Maximum: 1

number of information sources used to determine prices  
(follow-up) (prac\_inf\_src\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-6  
Invalid: 11

Valid cases: 332  
Invalid: 261  
Minimum: 0  
Maximum: 6

use info for new opportunities or intrnt for best pricing/mrktng  
(baseline) (prac\_info\_tech\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

use info for new opportunities or intrnt for best pricing/mrktng  
(follow-up) (prac\_info\_tech\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

use info for new opportunities or intrnt for best pricing/mrktng  
(follow-up) (prac\_info\_tech\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 186
Format: numeric	Invalid: 407
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

used irrigation systems or pacticed soil management (baseline)  
(prac\_irrig\_soil\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

used irrigation systems or pacticed soil management (follow-up)  
(prac\_irrig\_soil\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 186
Format: numeric	Invalid: 407
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

record of costs, msrmnts of lower costs or frml acctng sstm  
(baseline) (prac\_lower\_costs\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

record of costs, msrmnts of lower costs or frml acctng sstm  
(follow-up) (prac\_lower\_costs\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

record of costs, msrmnts of lower costs or frml acctng sstm  
(follow-up) (prac\_lower\_costs\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 186
Format: numeric	Invalid: 407
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

used improved seeds or tried new products (baseline)  
(prac\_new\_seeds\_product\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

used improved seeds or tried new products (follow-up)  
(prac\_new\_seeds\_product\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 186
Format: numeric	Invalid: 407
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

activities of quality control or business plan (baseline)  
(prac\_q\_control\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

activities of quality control or business plan (follow-up)  
(prac\_q\_control\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

activities of quality control or business plan (follow-up)  
(prac\_q\_control\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 186
Format: numeric	Invalid: 407
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

used staggered planting or crop rotation (follow-up)  
(prac\_rows\_rotation\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 186
Format: numeric	Invalid: 407
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

used seedbeds (follow-up) (prac\_seedbed\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 186
Format: numeric	Invalid: 407
Width: 2	Minimum: 0
Decimals: 0	Maximum: 1
Range: 0-1	
Invalid: 11	

total production costs of all crops (baseline) c97  
(productive\_cost\_r\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 6389.7
Range: 0-6389.68017578125	

total production costs of all crops (follow-up) c97  
(productive\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

total production costs of all crops (follow-up) c97  
(productive\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 5	Minimum: 0
Decimals: 0	Maximum: 7074
Range: 0-7074	
Invalid: 10001	

net income from the production of all crops (baseline) c3\_97  
(productive\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: -4274.7
Decimals: 0	Maximum: 7310
Range: -4274.72021484375-7310	

net income from the production of all crops (follow-up) c3\_97  
(productive\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 16	Minimum: -3138.8
Decimals: 0	Maximum: 4991.8
Range: -3138.7900390625-4991.759765625	
Invalid: 10001	

total production costs of all crops-summer (baseline) c97  
(smr\_cost\_r\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 3079.1
Range: 0-3079.10009765625	

total production costs of all crops-summer (follow-up) c97  
(smr\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

total production costs of all crops-summer (follow-up) c97  
(smr\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2138.8
Range: 0-2138.84008789062	
Invalid: 10001	

employed at least one person last summer-all crops (baseline)  
(smr\_employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

employed at least one person last summer-all crops (follow-up)  
(smr\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

full-time equivalent jobs last summer-all cultivation (baseline) c97  
(smr\_fte\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 2.1
Range: 0-2.05999994277954	

full-time equivalent jobs last summer-all cultivation (follow-up)  
c97 (smr\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



full-time equivalent jobs last summer-all cultivation (follow-up)  
c97 (smr\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: 0
Decimals: 0	Maximum: 0.5
Range: 0-0.479999989271164	

net income from the production of all crops-summer (baseline)  
c3\_97 (smr\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: -1052.3
Decimals: 0	Maximum: 1888
Range: -1052.25-1887.9599609375	

net income from the production of all crops-summer (follow-up)  
c3\_97 (smr\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 17	Minimum: -500.1
Decimals: 0	Maximum: 2288.3
Range: -500.130004882812-2288.28002929688	
Invalid: 10001	

respondent's other business net income (baseline) c3\_97  
(tot\_business2\_n\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 589
Format: numeric	Invalid: 4
Width: 5	Minimum: 0
Decimals: 0	Maximum: 5504
Range: 0-5504	
Invalid: 10001	

respondent's other business net income (follow-up) c3\_97  
(tot\_business2\_n\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

respondent's other business net income (follow-up) c3\_97  
(tot\_business2\_n\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 590
Format: numeric	Invalid: 3
Width: 16	Minimum: 0
Decimals: 0	Maximum: 4716.4
Range: 0-4716.39990234375	
Invalid: 10001	

sum of respondent's other (non-horticulture) income (baseline)  
c3\_97 (tot\_income2\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 587
Format: numeric	Invalid: 6
Width: 5	Minimum: 0
Decimals: 0	Maximum: 7200
Range: 0-7200	
Invalid: 10001	

sum of respondent's other (non-horticulture) income (follow-up)  
c3\_97 (tot\_income2\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 589
Format: numeric	Invalid: 4
Width: 16	Minimum: -264
Decimals: 0	Maximum: 5202.2
Range: -264-5202.22998046875	
Invalid: 10001	

sum of respondent's salaries (baseline) c97 (tot\_sal2\_r\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 15	Minimum: 0
Decimals: 0	Maximum: 7012.8
Range: 0-7012.7998046875	

sum of respondent's salaries (follow-up) c97 (tot\_sal2\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

sum of respondent's salaries (follow-up) c97 (tot\_sal2\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous  
Format: numeric  
Width: 15  
Decimals: 0  
Range: 0-4615.2001953125  
Invalid: 10001

Valid cases: 592  
Invalid: 1  
Minimum: 0  
Maximum: 4615.2

total production costs of all crops-winter (baseline) c97  
(win\_cost\_r\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-6013.35009765625

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 6013.4

total production costs of all crops-winter (follow-up) c97  
(win\_cost\_r\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 0-7074  
Invalid: 10001

Valid cases: 592  
Invalid: 1  
Minimum: 0  
Maximum: 7074

employed at least one person last winter-all crops (baseline)  
(win\_employer\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

employed at least one person last winter-all crops (follow-up)  
(win\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

employed at least one person last winter-all crops (follow-up)  
(win\_employer\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

full-time equivalent jobs last winter-all cultivation (baseline) c97  
(win\_fte\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-3.54999995231628

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 3.6

full-time equivalent jobs last winter-all cultivation (follow-up) c97  
(win\_fte\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-1.98000001907349

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 2

net income from production of all crops-winter (baseline) c3\_97  
(win\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 17  
Decimals: 0  
Range: -2677.19995117188-7986.81982421875

Valid cases: 593  
Invalid: 0  
Minimum: -2677.2  
Maximum: 7986.8

net income from production of all crops-winter (follow-up) c3\_97  
(win\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

net income from production of all crops-winter (follow-up) c3\_97  
(win\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 16	Minimum: -3103.9
Decimals: 0	Maximum: 3125.2
Range: -3103.919921875-3125.15991210938	
Invalid: 10001	

interviewee's total non-crop income (baseline) c3\_97  
(yr\_non\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 5	Minimum: -711
Decimals: 0	Maximum: 10464
Range: -711-10464	

interviewee's total non-crop income (follow-up) c3\_97  
(yr\_non\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 592
Format: numeric	Invalid: 1
Width: 17	Minimum: -98.9
Decimals: 0	Maximum: 7800
Range: -98.9000015258789-7800	
Invalid: 10001	

interviewee's total net income (baseline) c3\_97  
(yr\_tot\_ninc\_r\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 17	Minimum: -4395.7
Decimals: 0	Maximum: 20463.4
Range: -4395.68994140625-20463.439453125	

interviewee's total net income (follow-up) c3\_97  
(yr\_tot\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

interviewee's total net income (follow-up) c3\_97  
(yr\_tot\_ninc\_r\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: -2289.2099609375-15529.2001953125  
Invalid: 100001

Valid cases: 591  
Invalid: 2  
Minimum: -2289.2  
Maximum: 15529.2

household-level representative of household (one per hh\_id)  
(hh\_rep)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

household-level ID (hh\_id)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-559

Valid cases: 593  
Invalid: 0  
Minimum: 1  
Maximum: 559

at least one hh member was assigned to treatment (treatment\_hh)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

at least one hh member participated in the program  
(participant\_hh)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

at least one hh member participated in the program  
(participant\_hh)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

age of interviewee(s): household level (baseline) c3\_97  
(age\_hh\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 19.7399997711182-76.1699981689453  
Invalid: 101

Valid cases: 590  
Invalid: 3  
Minimum: 19.7  
Maximum: 76.2

number of household members (baseline) c97 (num\_fam\_hh\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

Valid cases: 593  
Invalid: 0  
Minimum: 1  
Maximum: 12

number of adults in household: household level (baseline) c97  
(num\_adult\_hh\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Valid cases: 593  
Invalid: 0  
Minimum: 0  
Maximum: 8

number of children in household: household level (baseline) c97  
(num\_child\_hh\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

number of children in household: household level (baseline) c97  
(num\_child\_hh\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 16	Minimum: 0
Decimals: 0	Maximum: 5.3
Range: 0-5.30999994277954	

household head is female: household level (baseline) (fhh\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

married/co-habiting: household level (baseline)

(mar\_cohab\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

no educational attainment: household level (baseline)

(educ\_non\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete	Valid cases: 593
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-1	

basic educational attainment: household level (baseline)

(educ\_prim\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview



basic educational attainment: household level (baseline)  
(educ\_prim\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

more than basic educational attainment: household level (baseline)  
(educ\_high\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

annual net income from vegetable production for full year  
(baseline) c3\_97 (hort\_ninc\_hh\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 15  
Decimals: 0  
Range: -779-9405.6201171875  
Invalid: 10001

Valid cases: 588  
Invalid: 5  
Minimum: -779  
Maximum: 9405.6

annual net income from vegetable production for full year  
(follow-up) c3\_97 (hort\_ninc\_hh\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous  
Format: numeric  
Width: 5  
Decimals: 0  
Range: -188-5114  
Invalid: 10001

Valid cases: 591  
Invalid: 2  
Minimum: -188  
Maximum: 5114

in poverty (using consumption): \$1.86 per member per day  
(baseline) (pov186\_con\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

in poverty (using consumption): \$1.86 per member per day  
(baseline) (pov186\_con\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in poverty (using consumption): \$1.86 per member per day  
(follow-up) (pov186\_con\_hh\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in poverty (using income) \$1.86 per member per day (baseline)  
(pov186\_inc\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in poverty (using income) \$1.86 per member per day (follow-up)  
(pov186\_inc\_hh\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in relative poverty (using consumption): 0.93-\$1.86 per  
member/day (baseline) (pov186a\_con\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

in relative poverty (using consumption): 0.93-\$1.86 per member/day (baseline) (pov186a\_con\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in relative poverty (using consumption): 0.93-\$1.86 per member/day (follow-up) (pov186a\_con\_hh\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in relative poverty (using income): 0.93-\$1.86 per member/day (baseline) (pov186a\_inc\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in relative poverty (using income): 0.93-\$1.86 per member/day (follow-up) (pov186a\_inc\_hh\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in poverty (using consumption): \$0.93 per member per day (baseline) (pov93\_con\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

in poverty (using consumption): \$0.93 per member per day  
(baseline) (pov93\_con\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in poverty (using consumption): \$0.93 per member per day  
(follow-up) (pov93\_con\_hh\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in poverty (using income) \$0.93 per member per day (baseline)  
(pov93\_inc\_hh\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

in poverty (using income) \$0.93 per member per day (follow-up)  
(pov93\_inc\_hh\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Valid cases: 593  
Invalid: 0

annual net income from crop production for full year-household  
(baseline) c3\_97 (productive\_ninc\_hh\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

annual net income from crop production for full year-household  
(baseline) c3\_97 (productive\_ninc\_hh\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 588
Format: numeric	Invalid: 5
Width: 17	Minimum: -2814.8
Decimals: 0	Maximum: 10175
Range: -2814.76000976562-10175	
Invalid: 100001	

annual net income from crop production for full year-household  
(follow-up) c3\_97 (productive\_ninc\_hh\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 591
Format: numeric	Invalid: 2
Width: 17	Minimum: -3136.5
Decimals: 0	Maximum: 5224
Range: -3136.44995117188-5223.97998046875	
Invalid: 10001	

total of non-horticulture business income in household (baseline)  
c3\_97 (tot\_business2\_n\_hh\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 590
Format: numeric	Invalid: 3
Width: 5	Minimum: 0
Decimals: 0	Maximum: 6684
Range: 0-6684	
Invalid: 10001	

total of non-horticulture business income in household (follow-up)  
c3\_97 (tot\_business2\_n\_hh\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 590
Format: numeric	Invalid: 3
Width: 5	Minimum: 0
Decimals: 0	Maximum: 5200
Range: 0-5200	
Invalid: 10001	

total net household other (non-hort) income (baseline) c3\_97  
(tot\_income2\_hh\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

total net household other (non-hort) income (baseline) c3\_97  
(tot\_income2\_hh\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 578
Format: numeric	Invalid: 15
Width: 15	Minimum: -95
Decimals: 0	Maximum: 9439.5
Range: -95-9439.4501953125	
Invalid: 10001	

total net household other (non-hort) income (follow-up) c3\_97  
(tot\_income2\_hh\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 590
Format: numeric	Invalid: 3
Width: 17	Minimum: -1373.9
Decimals: 0	Maximum: 8246.1
Range: -1373.90002441406-8246.099609375	
Invalid: 10001	

total of non-horticulture salaries in household (baseline) c97  
(tot\_sal2\_hh\_c97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9186
Range: 0-9186	

total of non-horticulture salaries in household (follow-up) c97  
(tot\_sal2\_hh\_c97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 591
Format: numeric	Invalid: 2
Width: 13	Minimum: 0
Decimals: 0	Maximum: 8327
Range: 0-8326.98046875	
Invalid: 10001	

annual household consumption (baseline) c3\_97  
(yr\_hh\_con\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 591
Format: numeric	Invalid: 2
Width: 15	Minimum: 572.3
Decimals: 0	Maximum: 11154.7
Range: 572.27001953125-11154.66015625	
Invalid: 100001	

annual household consumption (follow-up) c3\_97  
(yr\_hh\_con\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 591
Format: numeric	Invalid: 2
Width: 16	Minimum: 538.2
Decimals: 0	Maximum: 7355.1
Range: 538.219970703125-7355.06005859375	
Invalid: 10001	

annual household savings (baseline) c3\_97 (yr\_hh\_sav\_c3\_97\_b)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 586
Format: numeric	Invalid: 7
Width: 16	Minimum: -10428.4
Decimals: 0	Maximum: 23349
Range: -10428.400390625-23349	
Invalid: 100001	

annual household savings (follow-up) c3\_97 (yr\_hh\_sav\_c3\_97\_f)  
File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

Type: Continuous	Valid cases: 589
Format: numeric	Invalid: 4
Width: 15	Minimum: -7750.7
Decimals: 0	Maximum: 8486.1
Range: -7750.740234375-8486.099609375	
Invalid: 10001	

household's non-horticulture income (baseline) c3\_97  
(yr\_non\_ninc\_hh\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

**Overview**

household's non-horticulture income (baseline) c3\_97  
(yr\_non\_ninc\_hh\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

Type: Continuous	Valid cases: 593
Format: numeric	Invalid: 0
Width: 5	Minimum: -711
Decimals: 0	Maximum: 22145
Range: -711-22145	

household's non-horticulture income (follow-up) c3\_97  
(yr\_non\_ninc\_hh\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 591
Format: numeric	Invalid: 2
Width: 17	Minimum: -73.9
Decimals: 0	Maximum: 11234.1
Range: -73.9000015258789-11234.080078125	
Invalid: 100001	

annual household net income (baseline) c3\_97  
(yr\_tot\_ninc\_hh\_c3\_97\_b)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 588
Format: numeric	Invalid: 5
Width: 6	Minimum: -2553
Decimals: 0	Maximum: 28800
Range: -2553-28800	
Invalid: 100001	

annual household net income (follow-up) c3\_97  
(yr\_tot\_ninc\_hh\_c3\_97\_f)

File: esved\_pbs\_hort\_combined\_analysis\_file\_PUF\_12

#### Overview

Type: Continuous	Valid cases: 589
Format: numeric	Invalid: 4
Width: 17	Minimum: -1453.9
Decimals: 0	Maximum: 12435.6
Range: -1453.90002441406-12435.6298828125	
Invalid: 100001	



## Related Materials

### Questionnaires

#### Final Questionnaires

---

Title Final Questionnaires  
 Author(s) Mathematica  
 Country El Salvador  
 Language English  
 Filename Questionnaires.zip

---

### Reports

#### Evaluation Design Report

---

Title Evaluation Design Report  
 Author(s) Mathematica  
 Country El Salvador  
 Language English  
 Filename design-report-feb12-slv-production-and-business-services.pdf

---

#### Final Evaluation Report Package

---

Title Final Evaluation Report Package  
 Author(s) Mathematica and MCC  
 Country El Salvador  
 Language English  
 Description This folder contains the following documents: (i) Independent Evaluator Final Evaluation Report, (ii) MCC Management Response, (iii) MCC Summary of Findings with Lessons Learned, (iv) external peer review comments.  
 Filename Final Evaluation Report Package.zip

---

#### Baseline Report

---

Title Baseline Report  
 Author(s) Mathematica  
 Country El Salvador  
 Language English  
 Filename baseline-report-handicrafts-jun10-slv-production-and-business-services.pdf

---

### Other materials

#### MCC Summary of Findings

---

Title MCC Summary of Findings  
 Filename <https://www.mcc.gov/docs/doc/summary-measuring-results-of-the-el-salvador-pbs-impact>

---

## MCC Management Response

---

Title MCC Management Response

Filename <https://www.mcc.gov/docs/doc/statement-mcc-management-response-to-el-salvador-pbsimpact>

---