

Uganda - Service Delivery Indicators Health Survey 2013 - Harmonized Public Use Data

Waly Wane - World Bank Group

Report generated on: January 4, 2017

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

A multi-stage clustered sampling strategy was adopted in the Uganda SDI. The first stage cluster selection was carried out independently within each explicit stratum. The primary cluster considered was at the county level, which was, therefore, the primary sampling unit (PSU). At the second stage, schools were selected and, at the third stage, health facility's staff for absence and clinicians for knowledge assessment. It was decided that within each stratum, except Kampala, 10 counties would be chosen with probability proportional to size (number of households)

Sampling Frame for the 2013 Uganda SDI:

The sampling frame for the 2013 Uganda SDI was based on the Health Facility Inventory of 2012 provided by the Ministry of Health. The original sample frame contained 4,999 health facilities (HC2, HC3, HC4, and hospitals) with identifier variables from the region to the parish in which each facility was located. The inventory also included the ownership of each facility as well as whether it was functional. The final sample frame was purged of all non-functional facilities as well as large hospitals which are not part of the SDI study.

Stratification of the Sampling Frame for the 2013 Uganda SDI:

Although the SDI was usually representative of the national and urban and rural areas, in Uganda it was requested that the survey be also representative at the regional level. Because of its special status, Kampala was extracted from the Central region and considered a stratum in and of itself.

Unfortunately, the sample frame did not contain an urban/rural variable necessary for proper (implicit) stratification of the health facilities. With the help of the Uganda Bureau of Statistics (UBoS), further work was done to create an urban/rural variable and match each health facility according to its location.

Sample Size and Sample Allocation for the 2013 Uganda SDI:

To approximate the precision of the estimate, a previous similar survey or a survey measuring the same indicator could be very useful. Uganda National Panel Survey (UNPS) 2010/11 visited health facilities to measure absence rate - a key variable for the SDI. The UNPS absence variable was used for simulation of the appropriate sample size

Sampling Health Facilities and Health Workers:

After the total sample size and its allocation across regions were decided, the next step was to sample the actual health facilities that would be included in the final sample and the health workers and clinicians that would be selected for absence and competence assessment within each health facility. This was done using a two-stage sampling method. First, in each stratum, health facilities were chosen within the selected counties, and then, staff were selected in a second stage within each selected health facility during the visit.

The health facilities were chosen using probability proportional to size (PPS), where size was the number of households as provided by the UBoS community database. As for the selection of the cluster, the use of PPS implied that each household within a stratum had an equal probability for its health facility to be selected.

Finally, within each health facility, up to 10 staff were selected for estimating absence and for the administration of the vignettes. There were two different sampling procedures for measuring absence rate and assessing knowledge. For absence rate, 10 staff were randomly selected in the facility roster and the whereabouts of those staff was ascertained in a return surprise visit. For the knowledge assessment, however, up to 10 clinicians among those who regularly see patients and provide prescriptions were included in the sample. These procedures implied that health workers across strata and within health facility (for assessment), did not all have the same probability of selection. It was, therefore, warranted to compute weights for reporting the survey results.

Response Rate

Not calculated.

Weighting

To be representative of the population of interest, sample estimates from the 2013 Uganda SDI had to be properly weighted using a sampling weight, or expansion factor. Note that different weights needed to be applied depending on the relevant

level for the variable (the health facility, staff or clinician). The basic weight for each entity was equal to the inverse of its probability of selection, which was computed by multiplying the probabilities of selection at each sampling stage. All the weights were computed and included in the dataset.

Questionnaires

Overview

Four modules were used, with multiple sections. All but module 4 (ressources) are in the archive.

Module 1 covers: (Section A) metadata; (B) general information; (C) Infrastructure; (D) Equipment, materials, and supplies; and (E) Drugs and consumables.

Module 2 covers: (Section A) basic demographic information on the facility; and (B) additional demographic information on a subset of staff.

Module 3 covers knowledge, as measured through seven patient case simulations.

Module 4 (not in the archive) covers resources and governance.

Data Collection

Data Collection Dates

Start	End	Cycle
2013-05	2013-07	N/A

Data Collection Mode

Face-to-face [f2f]

Data Processing

Data Editing

Data entry and editing was done using CSPro.

Other Processing

Data quality control were done in Stata and the data were harmonized to a reference questionnaire, which is the Tanzania 2014 survey.

Data Appraisal

No content available

File Description

Variable List

fileWeights_anon

Content	This data contains SDI survey weighting coefficients
Cases	397
Variable(s)	10
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V11	fac_idA	SDIH identification	discrete	numeric	
V12	wgt_fac	Facility inverse probability weight	contin	numeric	
V13	wgt_abs	Weight for absence, using actually monitored	contin	numeric	
V14	wgt_know_b	diarrhea knowledge weight (section b)	contin	numeric	
V15	wgt_know_c	pneumonia knowledge weight (section c)	contin	numeric	
V16	wgt_know_d	diabetes knowledge weight (section d)	contin	numeric	
V17	wgt_know_e	pulmonary_tb knowledge weight (section e)	contin	numeric	
V18	wgt_know_f	malaria_anemia knowledge weight (section f)	contin	numeric	
V19	wgt_know_g	PPH knowledge weight (section g)	contin	numeric	
V20	wgt_know_h	NNA knowledge weight (section h)	contin	numeric	

m1sa_anon

Content	Module 1 (Facility information), Section A (General information)
Cases	401
Variable(s)	14
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V21	fac_idA	SDIH identification	discrete	numeric	
V22	m1saq1A	Do you agree to be interviewed?	discrete	numeric	Do you agree to be interviewed ?
V23	m1saq2A	If refused, reason for refusal	discrete	numeric	
V24	m1saq3A	First administrative level (Region)	discrete	numeric	
V25	m1saq7A	Location of Facility (Urban, Rural, Semi-Urban)	discrete	numeric	Is the facility rural, urban or semi-urban ?
V26	m1saq10A	Date of First Visit	contin	numeric	Date of 1st visit
V27	m1saq12A	Arrival time for first visit	discrete	numeric	Survey start time for 1st visit
V28	m1saq13A	Departure time for first visit	discrete	numeric	Survey end time for 1st visit
V29	m1saq14A	Date of second visit	contin	numeric	Date of 2nd announced visit
V30	m1saq16A	Arrival time for second visit	discrete	numeric	Survey start time for 2nd announced visit
V31	m1saq17A	Departure time for second visit	discrete	numeric	Departure time for 2nd announced visit
V32	m1saq18aA	Result of verification by supervisor	discrete	numeric	Verification by supervisor
V33	m1saq18bA	Date of questionnaire supervision	contin	numeric	Data entered
V34	m1saq18dA	Data entered	discrete	numeric	

m1sb_anon

Content	Module 1 (Facility information), Section B (General information)
Cases	401
Variable(s)	37
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V35	fac_idA	SDIH identification	discrete	numeric	
V36	m1sbq3A	Position of Respondent in Facility	discrete	numeric	What is your position in this facility ?
V37	m1sbq4A	Type of Facility Ownership	discrete	numeric	Who owns this facility ?
V38	m1sbq5A	Who mainly pays salaries of staff?	discrete	numeric	Who mainly pays the salaries of staff at this facility? (in terms of numbers of people paid)
V39	m1sbq6A	Who mainly pays for medical supplies?	discrete	numeric	Who mainly pays for medical supplies for this facility?
V40	m1sbq7A	Who mainly pays the running costs?	discrete	numeric	Who mainly pays for running costs for this facility?
V41	m1sbq8A	Type of Health Facility (Some Reference)	discrete	numeric	What is the type of health facility?
V42	m1sbq9A	Mode of Transport from facility to Local Government Area headquarters	discrete	numeric	How do you get to the District headquarters ?
V43	m1sbq10A	Traveling time (hs) facility to Local headquarters	discrete	numeric	Using this method of transport, what is the approximate traveling time from this facility to the District headquarters?
V44	m1sbq11A	Number of working/open days per a regular week	discrete	numeric	How many days per week is this facility open ? Number (1-7)
V45	m1sbq12A	No. of hours per day open for outpatient consultation	discrete	numeric	How many hours per day (on average) does this facility offer outpatient consultation ?
V46	m1sbq13A	No. of outpatient visitors in the past three months over no. of consulting staff	discrete	numeric	How many outpatient visits have you had at this facility in the past 3 months ?
V47	m1sbq14A	Does this facility hospitalize patients ?	discrete	numeric	Does this facility hospitalize patients ?
V48	m1sbq15A	No. of inpatients in the past three months over no. of consulting staff	discrete	numeric	How many inpatients have you had at this facility in the past three months?
V49	m1sbq16A	No. of inpatient bed-days in the past three months over no. of consulting staff	discrete	numeric	How many in-patient bed-days have you had during the past 3 months?
V50	m1sbq17A	Total number of beds available for patients over no. of consulting staff	discrete	numeric	How many beds are available for hospitalization ?
V51	m1sbq18A	No. of beds available for hospitalization over no. of consulting staff	discrete	numeric	How many beds in TOTAL are available for patients at your facility?
V52	m1sbq19A	No. of beds available for maternity over no. of consulting staff	discrete	numeric	Of these beds, how many are for maternity ?
V53	m1sbq20A	No. of beds available for observation over no. of consulting staff	discrete	numeric	Of these beds, how many are for observation?
V54	m1sbq21A	Do women give birth at this facility ?	discrete	numeric	Do women give birth at this facility ?

ID	Name	Label	Type	Format	Question
V55	m1sbq22A	Does the facility has a maternity waiting center (first stage room)?	discrete	numeric	Does this facility have a maternity waiting home (first stage room) where women can stay prior to giving birth?
V56	m1sbq23A	Does this facility have a maternity delivery room (second stage room)?	discrete	numeric	Does this facility have a maternity delivery room (second stage room)?
V57	m1sbq24A	Does this facility offer administration of parenteral antibiotics?	discrete	numeric	Does this facility offer administration of parenteral antibiotics ?
V58	m1sbq25A	Does this facility offer administration of parenteral ocytocics?	discrete	numeric	Does this facility offer administration of parenteral ocytocics ?
V59	m1sbq26A	Does this facility offer administration of parenteral anticonvulsants?	discrete	numeric	Does this facility offer administration of parenteral anticonvulsants ?
V60	m1sbq27A	Does this facility offer manual extraction of placenta?	discrete	numeric	Does this facility offer manual extraction of placenta ?
V61	m1sbq28A	Does this facility offer manual extraction of products of conception?	discrete	numeric	Does this facility offer manual extraction of products of conception ?
V62	m1sbq29A	Does this facility offer instrumental delivery (ventouse, forceps)?	discrete	numeric	Does this facility offer instrumental delivery (ventouse, forceps) ?
V63	m1sbq30A	Does this facility offer neonatal resuscitation with a bag and mask?	discrete	numeric	Does this facility offer neonatal resuscitation with a bag and mask ?
V64	m1sbq31A	Does this facility offer blood transfusion?	discrete	numeric	Does this facility offer blood transfusion ?
V65	m1sbq32A	Does this facility offer Caesarean section?	discrete	numeric	Does this facility offer Caesarean section ?
V66	m1sbq33A	No. of successful deliveries in the last three months over no. of consulting sta	discrete	numeric	How many Caesareans were performed in the past 3 months ?
V67	m1sbq34A	No. of caesareans performed in the last three months over no. of consulting staf	discrete	numeric	How many successful deliveries took place at this facility in the past 3 months?
V68	m1sbq35A	No. of deliveries referred to other facilities in the last three months over no.	discrete	numeric	How many mothers died during delivery in the past 3 months ?
V69	m1sbq36A	No. of women who passed away during delivery in the past three months? over no.	discrete	numeric	How many deliveries were referred to another facility in the past 3 months ?
V70	m1sbq37A	Ever transferred mothers for emergency Caesarean section?	discrete	numeric	Does this facility ever transfer mothers for EMERGENCY Caesarean section ?
V71	m1sbq38A	Time it took to transfer mother to destination facility	discrete	numeric	If yes, consider the last time a woman was transferred from this facility to another facility for emergency Caesarean section. From the moment the decision was made to transfer her, how long was it until the patient arrived at the other facility ?

m1sc_anon

Content	Module 1 (Facility information), Section C (Infrastructure)
Cases	401
Variable(s)	86
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V72	fac_idA	SDIH identification	discrete	numeric	
V73	m1scq1A	Main source of power/electricity for the facility	discrete	numeric	What is the main source of electricity for the facility?
V74	m1scq2A	Did you have power interruptions in the last 3 months?	discrete	numeric	Over the last 3 months, have you experienced any power interruptions of this source of more than two hours ?
V75	m1scq3A	Duration of the longest power interruption	discrete	numeric	How long was the longest interruption ?
V76	m1scq4A	No. of days of power interruptions for more than 2 hrs in the last 2 weeks	contin	numeric	Over the past 2 weeks, how many days was electricity from this source interrupted for more than 2 hours at a time?
V77	m1scq5aA	Second source of power/electricity Mains	discrete	numeric	
V78	m1scq5bA	Second source of power/electricity generator	discrete	numeric	
V79	m1scq5cA	Second source of power/electricity batteries	discrete	numeric	
V80	m1scq5dA	Second source of power/electricity solar panel	discrete	numeric	
V81	m1scq5eA	Second source of power/electricity other	discrete	numeric	
V82	m1scq6A	Main source of water for facility	discrete	numeric	What is the main source of water for this facility ?
V83	m1scq7A	Did you have interruptions of water supply in the last 3 months?	discrete	numeric	Over the last 3 months, have you experienced water supply interruptions of this source of more than two hours?
V84	m1scq8A	Duration of the longest water supply interruption	contin	numeric	How long was the longest interruption ?
V85	m1scq9A	No. of days of water supply interruptions for more than 2 hrs. in the last 2 wee	contin	numeric	Over the past 2 weeks, how many days was water from this source interrupted for more than 2 hours at a time ?
V86	m1scq10A	Time it takes on foot to and from water source	discrete	numeric	On average, how much time does it take to go by foot to and from the main source of water ? (including waiting time)
V87	m1scq11A	Type of toilet(latrine) for use by outpatients	discrete	numeric	What type of toilet (latrine) is available for use by outpatients?
V88	m1scq12A	Number of outpatient toilets/latrines	discrete	numeric	How many of the mentioned (outpatient) toilets (latrines) are there?

ID	Name	Label	Type	Format	Question
V89	m1scq13A	Number of functioning outpatient toilets/latrines	discrete	numeric	How many of the mentioned (outpatient) toilets (latrines) are currently functioning?
V90	m1scq13aA	Outpatient toilets overall hygiene condition (Observed)	discrete	numeric	What is the overall hygiene condition of outpatient toilets?
V91	m1scq13bA	Separate toilets for male and female outpatients (observe)	discrete	numeric	Are there separate toilets for male and female outpatients?
V92	m1scq14A	Type of toilet(latrine) for use by inpatients	discrete	numeric	What type of toilets (latrines) are available for patients who are inpatients (hospitalized, in maternity or under observation)?
V93	m1scq15A	Number of inpatient toilets/latrines	discrete	numeric	How many of the mentioned toilets (latrines) that are only for inpatients are there?
V94	m1scq16A	Number of functioning inpatient toilets/latrines	discrete	numeric	How many of the mentioned toilets that are only for inpatients are currently functioning ?
V95	m1scq16aA	What is the overall hygiene condition of inpatient toilets?	discrete	numeric	What is the overall hygiene condition of inpatient toilets?
V96	m1scq16bA	Are there separate toilets for male and female inpatients?	discrete	numeric	Are there separate toilets for male and female inpatients?
V97	m1scq16cA	Is there at least one toilet (latrine) catering for people with disabilities?	discrete	numeric	Is there at least one toilet (latrine) catering for people with disabilities? (
V98	m1scq16dA	Are there functional (soap and water) hand washing facilities for patients near	discrete	numeric	Are there functional (soap and water) hand washing facilities for patients near or in the toilets (latrines)?
V99	m1scq17aA	Sharp disposal open burning no protection	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V100	m1scq17bA	Sharp disposal open burning pit or protected ground	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V101	m1scq17cA	Sharp disposal dump without burning Flat ground - no protection	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V102	m1scq17dA	Sharp disposal dump without burning Covered pit or pit latrine	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V103	m1scq17eA	Sharp disposal dump without burning Open-pit - no protection	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V104	m1scq17fA	Sharp disposal dump without burning Protected ground or pit	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V105	m1scq17gA	Sharp disposal Remove off-site stored in covered container	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V106	m1scq17hA	Sharp disposal Remove off-site stored in other protected environment	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V107	m1scq17iA	Sharp disposal Remove off-site stored unprotected	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V108	m1scq17jA	Sharp disposal Remove off-site other (specify)	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V109	m1scq17kA	Sharp disposal Remove off-site facility never has sharp waste	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V110	m1scq17lA	Sharp disposal Remove off-site burn incinerator	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V111	m1scq17mA	Sharp disposal flat ground - no protection Burn incinerator	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"
V112	m1scq17nA	Sharp disposal incinerator 2-chamber	discrete	numeric	What method does this facility use in the final disposal of Sharps "STATE ALL THAT APPLY"

ID	Name	Label	Type	Format	Question
V113	m1scq18A	Sharp disposal incinerator 1-chamber	discrete	numeric	Ask to see the place used by the facility for disposal of sharps waste and indicate the condition observed. If sharps waste is disposed offsite, observed where waste is stored prior to collection for offsite disposal.
V114	m1scq20aA	Medical waste (other) disposal open burning no protection	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V115	m1scq20bA	Medical waste (other) disposal open burning pit or protected ground	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V116	m1scq20cA	Medical waste (other) disposal dump without burning Flat ground - no protection	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V117	m1scq20dA	Medical waste (other) disposal dump without burning Covered pit or pit latrine	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V118	m1scq20eA	Medical waste (other) disposal dump without burning Open-pit - no protection	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V119	m1scq20fA	Medical waste (other) disposal dump without burning Protected ground or pit	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V120	m1scq20gA	Medical waste (other) disposal Remove off-site stored in covered container	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V121	m1scq20hA	Medical waste (other) disposal Remove off-site stored in other protected enviro	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V122	m1scq20iA	Medical waste (other) disposal Remove off-site stored unprotected	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V123	m1scq20jA	Medical waste (other) disposal Remove off-site other (specify)	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V124	m1scq20kA	Medical waste (other) disposal Remove off-site facility never has Medical waste	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V125	m1scq20lA	Medical waste (other) disposal Remove off-site burn incinerator	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V126	m1scq20mA	Medical waste (other) disposal flat ground - no protection Burn incinerator	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V127	m1scq20nA	Medical waste (other) disposal incinerator 2-chamber	discrete	numeric	How does this facility finally dispose of medical waste other than sharps boxes? "STATE ALL THAT APPLY"
V128	m1scq21A	Is the incinator functional today?	discrete	numeric	Is the incinerator functional today?
V129	m1scq22A	Is the power source for incinator available today?	discrete	numeric	Is the power source for the incinerator available today?
V130	m1scq23A	Condition of diposal of medical waste	discrete	numeric	Ask to see the place used by the facility for disposal of medical waste and indicate the condition observed. If medical waste is disposed offsite, observe where waste is stored prior to collection for offsite disposal.
V131	m1scq24A	Does the facility has guidelines on health care waste management?	discrete	numeric	Does this facility have any guidelines on health care waste management?

ID	Name	Label	Type	Format	Question
V132	m1scq25A	Has any staff received training in health care waste management?	discrete	numeric	Have you or any provider(s) received training in health care waste management practices in the past two years?
V133	m1scq26aA	Does facility have fixed telephone line?	discrete	numeric	At this facility are the following available? - Fixed telephone line
V134	m1scq26bA	Does facility have functioning telephone line?	discrete	numeric	At this facility are the following available? - Functioning fixed telephone line
V135	m1scq27aA	Does facility have mobile telephone?	discrete	numeric	At this facility are the following available? - Mobile telephone belonging to an individual but calls paid for by the facility
V136	m1scq27bA	Does facility have functioning mobile telephone?	discrete	numeric	At this facility are the following available? - Functioning mobile telephone belonging to an individual but calls paid for by the facility
V137	m1scq28aA	Is mobile phone owned by individual but paid for by facility?	discrete	numeric	At this facility are the following available? - Mobile telephone belonging to an individual but calls paid for by the facility
V138	m1scq28bA	Is mobile phone owned by individual but paid for by facility functioning?	discrete	numeric	At this facility are the following available? - Functioning mobile telephone belonging to an individual but calls paid for by the facility
V139	m1scq29aA	Is mobile phone owned by individual but paid for by individual?	discrete	numeric	At this facility are the following available? - Mobile telephone belonging to an individual and paid for by the individual but used by the facility
V140	m1scq29bA	Is mobile phone owned by individual but paid for by individual functioning?	discrete	numeric	At this facility are the following available? - Functioning mobile telephone belonging to an individual and paid for by the individual but used by the facility
V141	m1scq30aA	Does facility have computer?	discrete	numeric	At this facility are the following available? - Computer belonging to the facility
V142	m1scq30bA	Is computer owned by facility functional?	discrete	numeric	At this facility are the following available? - Functioning computer belonging to the facility
V143	m1scq31aA	Does facility use computer owned by individual?	discrete	numeric	At this facility are the following available? - Computer belonging to an individual
V144	m1scq31bA	Is computer owned by individual functioning?	discrete	numeric	At this facility are the following available? - Functioning computer belonging to an individual
V145	m1scq32aA	Does facility have short wave radio?	discrete	numeric	At this facility are the following available? - Short wave radio
V146	m1scq32bA	Is short wave radio functioning?	discrete	numeric	At this facility are the following available? - Functioning short wave radio
V147	m1scq33aA	Does facility have internet access?	discrete	numeric	At this facility are the following available? - Internet access
V148	m1scq33bA	Is internet access functioning?	discrete	numeric	At this facility are the following available? - Functioning internet access
V149	m1scq34aA	Does facility have ambulance for emergency?	discrete	numeric	Does the facility have the following arrangement for emergency transport? - Ambulance owned by the facility
V150	m1scq34bA	Does facility have ambulance available on call for emergency?	discrete	numeric	Does the facility have the following arrangement for emergency transport? - Ambulance available on call
V151	m1scq34cA	Does facility have vehicle for emergency	discrete	numeric	Does the facility have the following arrangement for emergency transport? - Official vehicle (not an ambulance) owned by facility
V152	m1scq34dA	Does facility have vehicle available on call for emergency?	discrete	numeric	Does the facility have the following arrangement for emergency transport? - Official vehicle (not an ambulance) available on call

ID	Name	Label	Type	Format	Question
V153	m1scq34eA	Does facility have private vehicle available on call for emergency?	discrete	numeric	Does the facility have the following arrangement for emergency transport? - Private vehicle (not ambulance) available on call
V154	m1scq34fA	Is emergency transport arranged by patient?	discrete	numeric	Does the facility have the following arrangement for emergency transport? - Self-arranged by patient
V155	m1scq34gA	Other(Specify) ways of emergency transportation	discrete	numeric	Does the facility have the following arrangement for emergency transport? - Any other (Specify)
V156	m1scq35A	Do you have fuel for ambulance or other vehicle today?	discrete	numeric	Is fuel for the ambulance or other vehicle available today?
V157	m1scq36A	Purpose of last trip ambulance/other vehicle made	discrete	numeric	What was the purpose of the last trip that the vehicle or ambulance made?

m1sd_anon

Content	Module 1 (Facility information), Section D (Equipment, materials, and supplies)
Cases	401
Variable(s)	25
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V158	fac_idA	SDIH identification	discrete	numeric	
V159	m1sdq1aA	Adult weighting scale present	discrete	numeric	Basic Equipment Which of the following items are used? Available - Adult weighing scale
V160	m1sdq1bA	Adult weighting scale functional	discrete	numeric	Basic Equipment Which of the following items are used? Functioning - Adult weighing scale
V161	m1sdq2aA	Thermometer present	discrete	numeric	Basic Equipment Which of the following items are used? Available - Thermometer
V162	m1sdq2bA	Thermometer functional	discrete	numeric	Basic Equipment Which of the following items are used? Functioning - Thermometer
V163	m1sdq3aA	Child weighting scale present	discrete	numeric	Basic Equipment Which of the following items are used? Available - Child weighing scale
V164	m1sdq3bA	Child weighting scale functional	discrete	numeric	Basic Equipment Which of the following items are used? Functioning - Child weighing scale
V165	m1sdq4aA	Stethoscope present	discrete	numeric	Basic Equipment Which of the following items are used? Available - Stethoscope
V166	m1sdq4bA	Stethoscope functional	discrete	numeric	Basic Equipment Which of the following items are used? Functioning - Stethoscope
V167	m1sdq5aA	Infant weighting scale present	discrete	numeric	Basic Equipment Which of the following items are used? Available - Infant weighing scale
V168	m1sdq5bA	Infant weighting scale functional	discrete	numeric	Basic Equipment Which of the following items are used? Functioning - Infant weighing scale
V169	m1sdq6aA	Sphygmomanometer present	discrete	numeric	Basic Equipment Which of the following items are used? Available - Sphygmomanometer
V170	m1sdq6bA	Sphygmomanometer functional	discrete	numeric	Basic Equipment Which of the following items are used? Functioning - Sphygmomanometer
V171	m1sdq7aA	Bag/mask for neonatal resuscitation present	discrete	numeric	Basic Equipment Which of the following items are used? Available - Bag and mask for neonatal resuscitation
V172	m1sdq7bA	Bag/mask for neonatal resuscitation functional	discrete	numeric	Basic Equipment Which of the following items are used? Functioning - Bag and mask for neonatal resuscitation
V173	m1sdq8aA	Instrument to clear upper airways of neonate present	discrete	numeric	Basic Equipment Which of the following items are used? Available - Instrument to clear upper airways of neonate
V174	m1sdq8bA	Instrument to clear upper airways of neonate functional	discrete	numeric	Basic Equipment Which of the following items are used? Functioning - Instrument to clear upper airways of neonate
V175	m1sdq9aA	Autoclave present	discrete	numeric	Basic Equipment Which of the following items are Available - Autoclave (pressure and wet heat)

ID	Name	Label	Type	Format	Question
V176	m1sdq9bA	Autoclave functional	discrete	numeric	Basic Equipment Which of the following items are Functioning - Autoclave (pressure and wet heat)
V177	m1sdq10aA	Electric boiler/steamer present	discrete	numeric	Basic Equipment Which of the following items are Available - Electric boiler or steamer (no pressure)
V178	m1sdq10bA	Electric boiler/steamer functional	discrete	numeric	Basic Equipment Which of the following items are Functioning - Electric boiler or steamer (no pressure)
V179	m1sdq11aA	Electric dry heat sterilizer present	discrete	numeric	Basic Equipment Which of the following items are Available - Electric dry heat sterilizer
V180	m1sdq11bA	Electric dry heat sterilizer functional	discrete	numeric	Basic Equipment Which of the following items are Functioning - Electric dry heat sterilizer
V181	m1sdq12aA	Non-electric pot for boiling/steaming present	discrete	numeric	Basic Equipment Which of the following items are Available - Non-electric pot for boiling/steam or Heat source from non-electric equipment (stove or cooker)
V182	m1sdq12bA	Non-electric pot for boiling/steaming functional	discrete	numeric	Basic Equipment Which of the following items are Functioning - Non-electric pot for boiling/steam or Heat source from non-electric equipment (stove or cooker)

m1se_anon

Content	Module 1 (Facility information), Section E (Drugs)
Cases	401
Variable(s)	139
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V183	fac_idA	SDIH identification	discrete	numeric	
V184	m1seq1aA	Amoxicillin available	discrete	numeric	
V185	m1seq1bA	Amoxicillin form	discrete	numeric	
V186	m1seq2aA	Ceftriaxone available	discrete	numeric	
V187	m1seq2bA	Ceftriaxone form	discrete	numeric	
V188	m1seq3aA	Ciprofloxacin available	discrete	numeric	
V189	m1seq3bA	Ciprofloxacin form	discrete	numeric	
V190	m1seq4aA	Diclofenac available	discrete	numeric	
V191	m1seq4bA	Diclofenac form	discrete	numeric	
V192	m1seq5aA	Atenolol available	discrete	numeric	
V193	m1seq5bA	Atenolol form	discrete	numeric	
V194	m1seq6aA	Captopril available	discrete	numeric	
V195	m1seq6bA	Captopril form	discrete	numeric	
V196	m1seq7aA	Simvastatin available	discrete	numeric	
V197	m1seq7bA	Simvastatin form	discrete	numeric	
V198	m1seq8aA	Glibenclamide available	discrete	numeric	
V199	m1seq8bA	Glibenclamide form	discrete	numeric	
V200	m1seq9aA	Oral hypoglycaemic available	discrete	numeric	
V201	m1seq9bA	Oral hypoglycaemic form	discrete	numeric	
V202	m1seq10aA	Insulin for subcutaneous injection available	discrete	numeric	
V203	m1seq10bA	Insulin for subcutaneous injection form	discrete	numeric	
V204	m1seq11aA	Salbutamol available	discrete	numeric	
V205	m1seq11bA	Salbutamol form	discrete	numeric	
V206	m1seq12aA	Omeprazole available	discrete	numeric	
V207	m1seq12bA	Omeprazole form	discrete	numeric	
V208	m1seq13aA	Diazepam available	discrete	numeric	
V209	m1seq13bA	Diazepam form	discrete	numeric	
V210	m1seq14aA	Amitriptyline available	discrete	numeric	

ID	Name	Label	Type	Format	Question
V211	m1seq14bA	Amitriptyline form	discrete	numeric	
V212	m1seq15aA	Rifampicin available	discrete	numeric	
V213	m1seq15bA	Rifampicin form	discrete	numeric	
V214	m1seq16aA	Isoniazid available	discrete	numeric	
V215	m1seq16bA	Isoniazid form	discrete	numeric	
V216	m1seq17aA	Pyrazinamide available	discrete	numeric	
V217	m1seq17bA	Pyrazinamide form	discrete	numeric	
V218	m1seq18aA	Ethambutol available	discrete	numeric	
V219	m1seq18bA	Ethambutol form	discrete	numeric	
V220	m1seq19aA	Oxytocin(Syntocinon) available	discrete	numeric	
V221	m1seq19bA	Oxytocin(Syntocinon) form	discrete	numeric	
V222	m1seq20aA	Calcium Gluconate available	discrete	numeric	
V223	m1seq20bA	Calcium Gluconate form	discrete	numeric	
V224	m1seq21aA	Magnesium Sulphate available	discrete	numeric	
V225	m1seq21bA	Magnesium Sulphate form	discrete	numeric	
V226	m1seq22aA	Sodium Chloride(Saline Solution/NaCl) available	discrete	numeric	
V227	m1seq22bA	Sodium Chloride(Saline Solution/NaCl) form	discrete	numeric	
V228	m1seq23aA	Misoprostol(Mifepristone) available	discrete	numeric	
V229	m1seq23bA	Misoprostol(Mifepristone) form	discrete	numeric	
V230	m1seq24aA	Ampicillin available	discrete	numeric	
V231	m1seq24bA	Ampicillin form	discrete	numeric	
V232	m1seq25aA	Gentamicin available	discrete	numeric	
V233	m1seq25bA	Gentamicin form	discrete	numeric	
V234	m1seq26aA	Metronidazole available	discrete	numeric	
V235	m1seq26bA	Metronidazole form	discrete	numeric	
V236	m1seq27aA	Azithromycin available	discrete	numeric	
V237	m1seq27bA	Azithromycin form	discrete	numeric	
V238	m1seq28aA	Cefixime available	discrete	numeric	
V239	m1seq28bA	Cefixime form	discrete	numeric	
V240	m1seq29aA	Benzanthine benzyl penicillin available	discrete	numeric	
V241	m1seq29bA	Benzanthine benzyl penicillin form	discrete	numeric	
V242	m1seq30aA	Betamethasone or Dexamethasone available	discrete	numeric	
V243	m1seq30bA	Betamethasone or Dexamethasone form	discrete	numeric	
V244	m1seq31aA	Nifedipine available	discrete	numeric	
V245	m1seq31bA	Nifedipine form	discrete	numeric	
V246	m1seq32aA	Oral contraceptive pill(OCP)available available	discrete	numeric	
V247	m1seq32bA	Oral contraceptive pill(OCP)check form	discrete	numeric	
V248	m1seq33aA	Medroxyprogesterone acetate(depo-provera) available	discrete	numeric	
V249	m1seq33bA	Medroxyprogesterone acetate(depo-provera) form	discrete	numeric	
V250	m1seq34aA	Ferrous salt available	discrete	numeric	

ID	Name	Label	Type	Format	Question
V251	m1seq34bA	Ferrous salt form	discrete	numeric	
V252	m1seq35aA	Ferrous salt and folic acid available	discrete	numeric	
V253	m1seq35bA	Ferrous salt and folic acid form	discrete	numeric	
V254	m1seq36aA	Folic acid available	discrete	numeric	
V255	m1seq36bA	Folic acid form	discrete	numeric	
V256	m1seq37aA	Sulfadoxine/pytimethamine available	discrete	numeric	
V257	m1seq37bA	Sulfadoxine/pytimethamine form	discrete	numeric	
V258	m1seq38aA	Paracetamol available	discrete	numeric	
V259	m1seq38bA	Paracetamol form	discrete	numeric	
V260	m1seq39_aA	Cotrimoxazole available	discrete	numeric	
V261	m1seq39_bA	Cotrimoxazole form	discrete	numeric	
V262	m1seq40_aA	Ergometrine available	discrete	numeric	
V263	m1seq40_bA	Ergometrine form	discrete	numeric	
V264	m1seq41_aA	Chloramphenicol available	discrete	numeric	
V265	m1seq41_bA	Chloramphenicol form	discrete	numeric	
V266	m1seq39aA	Morphine for children available	discrete	numeric	
V267	m1seq39bA	Morphine for children form	discrete	numeric	
V268	m1seq40aA	Amoxicilline for children(125mg) available	discrete	numeric	
V269	m1seq40bA	Amoxicilline for children(125mg) form	discrete	numeric	
V270	m1seq41aA	Trimethoprim+Sulfamethoxazole for children available	discrete	numeric	
V271	m1seq41bA	Trimethoprim+Sulfamethoxazole for children(125mg) form	discrete	numeric	
V272	m1seq42aA	Benzylpenicillin for children available	discrete	numeric	
V273	m1seq42bA	Benzylpenicillin for children form	discrete	numeric	
V274	m1seq43aA	Oral rehydration solution(ORS) for children available	discrete	numeric	
V275	m1seq43bA	Oral rehydration solution(ORS) for children form	discrete	numeric	
V276	m1seq44aA	Vitamin A for children available	discrete	numeric	
V277	m1seq44bA	Vitamin A for children form	discrete	numeric	
V278	m1seq45aA	Zinc for children available	discrete	numeric	
V279	m1seq45bA	Zinc for children form	discrete	numeric	
V280	m1seq46aA	Artemisinin combination therapy for children available	discrete	numeric	
V281	m1seq46bA	Artemisinin combination therapy for children form	discrete	numeric	
V282	m1seq47aA	Artesunate for children available	discrete	numeric	
V283	m1seq47bA	Artesunate for children form	discrete	numeric	
V284	m1seq48aA	Albendazole for children available	discrete	numeric	
V285	m1seq48bA	Albendazole for children form	discrete	numeric	
V286	m1seq49aA	Mebendazole for children available	discrete	numeric	Do you have Standard Treatment Guidelines available?
V287	m1seq49bA	Mebendazole for children form	discrete	numeric	Please show me these Standard Treatment Guidelines

ID	Name	Label	Type	Format	Question
V288	m1seq50A	Disposable gloves available	discrete	numeric	Consumables and other products
V289	m1seq51A	Male condoms available	discrete	numeric	
V290	m1seq51aA	Female condoms available	discrete	numeric	
V291	m1seq52A	Malaria rapid diagnostic test available	discrete	numeric	
V292	m1seq52aA	HIV test kit	discrete	numeric	
V293	m1seq52bA	Glucometer	discrete	numeric	
V294	m1seq52cA	Tuberculosis Test Kit (ZN stain, Tubercullin Test)	discrete	numeric	
V295	m1seq53A	Impregnated bed net available	discrete	numeric	
V296	m1seq53aA	Tape measure	discrete	numeric	
V297	m1seq53bA	Length board	discrete	numeric	
V298	m1seq53_UGD_1A	IUDs available	discrete	numeric	
V299	m1seq53_UGD_2A	Implants available	discrete	numeric	
V300	m1seq53_UGD_3A	Pills available	discrete	numeric	
V301	m1seq54A	Does facility provide immunization services?	discrete	numeric	Vaccines and related supplies for Children Does this facility provide immunization services or vaccinations?
V302	m1seq55A	Are vaccines stored at the facility?	discrete	numeric	Vaccines and related supplies for Children Are vaccines stored at this facility?
V303	m1seq56A	Are vaccines stored at another facility?	discrete	numeric	Vaccines and related supplies for Children Are vaccines stored at another facility?
V304	m1seq57A	Does facility have a working refrigerator?	discrete	numeric	Vaccines and related supplies for Children Does the facility have a working refrigerator?
V305	m1seq58A	Temprature of the refrigerator (degree Celsius)	discrete	numeric	Vaccines and related supplies for Children Write the temperature of the refrigerator
V306	m1seq59A	Evidence of temprature monitoring	discrete	numeric	Vaccines and related supplies for Children Is there evidence of regular temperature monitoring ?
V307	m1seq60A	Source of power for refrigerator	discrete	numeric	Vaccines and related supplies for Children What is the power source for the refrigerator ?
V308	m1seq61A	Measles vaccinie & diluent available today	discrete	numeric	Are the following vaccines available in this service site today?
V309	m1seq62A	Polio vaccine(OPV) available today	discrete	numeric	Are the following vaccines available in this service site today? - Measles vaccine and diluent

ID	Name	Label	Type	Format	Question
V310	m1seq63A	Diphtheria+pertussis+tetanus vaccine(DPT/Trivalent) available today	discrete	numeric	Are the following vaccines available in this service site today? - Diphtheria + pertussis + tetanus vaccine (DPT/Trivalent)
V311	m1seq64A	DTP-Hib+HepB(pentavalent) vaccine available today	discrete	numeric	Are the following vaccines available in this service site today? - DTP-Hib+HepB (pentavalent)
V312	m1seq65A	Pneumococcal(PCV 10) vaccine available today	discrete	numeric	Are the following vaccines available in this service site today? - Pneumococcal (PCV 10) vaccine
V313	m1seq66A	BCG vaccine & diluent available today	discrete	numeric	Are the following vaccines available in this service site today? - BCG vaccine and diluent
V314	m1seq67A	Hepatitis B vaccine available today	discrete	numeric	Are the following vaccines available in this service site today? - Hepatitis B
V315	m1seq68A	Anti tetanus vaccine available today	discrete	numeric	Are the following vaccines available in this service site today? - Anti tetanus
V316	m1seq69A	Disposable syringes with disposable needles available today	discrete	numeric	
V317	m1seq70A	Vaccine carrier(s) available	discrete	numeric	
V318	m1seq71A	Auto-disable syringes available today	discrete	numeric	Auto-disable syringes
V319	m1seq72A	Set of ice packs for vaccine carriers available today	discrete	numeric	
V320	m1seq73A	Sharps container(s)-safety box(es) available today	discrete	numeric	
V321	m1seq74A	Vaccines stored at another facility	discrete	numeric	If there is no storage at the facility, are this facility's vaccines stored at another facility (and picked up when vaccine services are being provided)?

m2sa_anon

Content	Module 2 (Staff roster), Section F (First facility visit)
Cases	2357
Variable(s)	16
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V322	fac_idA	SDIH identification	discrete	numeric	
V323	staff_idA	Staff Identification	discrete	numeric	
V324	m2saq1A	Total number of facility employees	discrete	numeric	
V325	m2saq2A	No. of health workers (medical staff) (Visit I)	discrete	numeric	How many are health workers (medical staff) ?
V326	m2saq3A	No. of non-medical staff (Visit I)	discrete	numeric	How many are non-medical staff? Note Q2 + Q3 should = Q1
V327	m2saq6A	Position (Visit I)	discrete	numeric	Post
V328	m2saq7A	Function of personnel (Visit I)	discrete	numeric	Function
V329	m2saq8A	Highest level of education (Visit I)	discrete	numeric	Highest Level of Education
V330	m2saq9A	Highest level of medical training (Visit I)	discrete	numeric	Highest Level of medical training
V331	m2saq10A	Sex of personnel (Visit I)	discrete	numeric	Sex
V332	m2saq11A	Age of personnel (Visit I)	discrete	numeric	Age
V333	m2saq12A	Does personnel perform outpatient consultations? (Visit I)	discrete	numeric	Does (___) regularly perform outpatient consultations (at least once per week) ?
V334	m2saq13A	Is personnel currently in the facility? (Visit I)	discrete	numeric	Is (___) currently in the facility ?
V335	m2saq14A	Reason for absence (Visit I)	discrete	numeric	Reason for absence
V336	m2saq15A	Is personnel selected for Module 2B (Visit I)	discrete	numeric	Selected for... Mod 2B
V337	m2saq16A	Is personnel selected for Module 3 (Visit I)	discrete	numeric	Selected for... Mod 3

m2sb_anon

Content	Module 2: Staff roster, Section G (Facility second visit)
Cases	1503
Variable(s)	13
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V338	fac_idA	SDIH identification	discrete	numeric	
V339	staff_idA	Staff Identification	discrete	numeric	
V340	m2sbq4A	Position (Visit II)	discrete	numeric	Post
V341	m2sbq5A	Function of personnel (Visit II)	discrete	numeric	Function
V342	m2sbq6A	Highest level of education (Visit II)	discrete	numeric	Highest Level of education
V343	m2sbq7A	Higherst level of medical training (Visit II)	discrete	numeric	Highest Level of medical training
V344	m2sbq8A	Peronnel started working in year yyyy	discrete	numeric	Year started working as a health worker
V345	m2sbq9A	Sex of personnel (Visit II)	discrete	numeric	Sex
V346	m2sbq10A	Age of personnel (Visit II)	discrete	numeric	Age
V347	m2sbq11A	Is personnel currently in the facility? (Visit II)	discrete	numeric	Is (__) currently in the facility ?
V348	m2sbq12A	Reason for absence (Visit II)	discrete	numeric	Reason for absence
V349	m2sbq13A	Current Activity (Visist II)	discrete	numeric	Current activity
V350	m2sbq14A	Was last salary delayed for personnel (Visit II)	discrete	numeric	Did you experience a delay in receiving your last salary?

m3sa_anon

Content	Module 3 (Clinical knowledge assessment), Section H (Preliminary information) Module 3 (Clinical knowledge assessment), Section I (Introduction)
Cases	732
Variable(s)	13
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V351	fac_idA	SDIH identification	discrete	numeric	
V352	staff_idA	Staff Identification	discrete	numeric	
V353	m3saq6A	Clinician originally selected	discrete	numeric	Clinician originally selected ?
V354	m3saq7aA	Enumerator playing Observer	discrete	numeric	
V355	m3saq7bA	Enumerator playing Patient	discrete	numeric	
V356	m3saq8A	Data entered	discrete	numeric	Data entered
V357	m3saq9A	Do you agree to participate?	discrete	numeric	Do you agree to participate ?
V358	m3saq10A	If no (to Q8), give the reason for refusal	discrete	numeric	
V359	m3saq11A	Post	discrete	numeric	Post (code)
V360	m3saq12A	Highest level of education	discrete	numeric	Highest level of education (code)
V361	m3saq13A	Function	discrete	numeric	Function (code)
V362	m3saq14A	Highest level of medical training of clinician	discrete	numeric	
V363	m3saq15A	Do you regularly consult patients?(At least once per week)	discrete	numeric	Do you regularly consult patients ? (At least once per week)

m3sb_anon

Content	Module 3 (Clinical knowledge assessment), Section K (Case study 1)
Cases	732
Variable(s)	77
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V364	fac_idA	SDIH identification	discrete	numeric	
V365	staff_idA	Staff Identification	discrete	numeric	
V366	m3sbq1A	Start time	discrete	numeric	
V367	m3sbq2A	Other Symptoms	discrete	numeric	
V368	m3sbq3A	Duration of diarrhea	discrete	numeric	
V369	m3sbq4A	Blood in stool	discrete	numeric	
V370	m3sbq5A	Consistency of stool	discrete	numeric	
V371	m3sbq6A	Frequency of diarrhea	discrete	numeric	
V372	m3sbq7A	Vomiting	discrete	numeric	
V373	m3sbq8A	Fever	discrete	numeric	
V374	m3sbq9A	Convulsions	discrete	numeric	
V375	m3sbq10A	Breastfeeding	discrete	numeric	
V376	m3sbq11A	Feeding well	discrete	numeric	
V377	m3sbq12A	Cough	discrete	numeric	
V378	m3sbq13A	Maeasles now or in the past 3 months	discrete	numeric	
V379	m3sbq14A	Tears	discrete	numeric	
V380	m3sbq15A	Other family members/neighbour have diarrhea	discrete	numeric	
V381	m3sbq16A	Do you feed him anything other than breast milk	discrete	numeric	
V382	m3sbq17A	If breastfed, how often	discrete	numeric	
V383	m3sbq18A	Other than breast milk, what do you feed him	discrete	numeric	
V384	m3sbq19A	How is this food given	discrete	numeric	
V385	m3sbq20A	Who prepares this food	discrete	numeric	
V386	m3sbq21A	What's the handwashing practice	discrete	numeric	
V387	m3sbq22A	Vaccination status	discrete	numeric	
V388	m3sbq23A	Medication/treatment	discrete	numeric	
V389	m3sbq23aA	Abdominal discomfort/Cramps	discrete	numeric	
V390	m3sbq24A	Last deworming	discrete	numeric	
V391	m3sbq25A	Temperature	discrete	numeric	

ID	Name	Label	Type	Format	Question
V392	m3sbq26A	Pulse/Heart rate	discrete	numeric	
V393	m3sbq27A	Blood pressure	discrete	numeric	
V394	m3sbq28A	Respiratory rate	discrete	numeric	
V395	m3sbq29A	Weight	discrete	numeric	
V396	m3sbq30A	Height/Length	discrete	numeric	
V397	m3sbq31A	General condition	discrete	numeric	
V398	m3sbq32A	Agitated/Irritable	discrete	numeric	
V399	m3sbq33A	Sunken eyes	discrete	numeric	
V400	m3sbq34A	Offer child drink	discrete	numeric	
V401	m3sbq35A	Mucous membrane	discrete	numeric	
V402	m3sbq36A	Does skin go back to state	discrete	numeric	
V403	m3sbq37A	Pallor of palms or conjunctiva	discrete	numeric	
V404	m3sbq38A	Neck stiffness	discrete	numeric	
V405	m3sbq39A	Ears/throat	discrete	numeric	
V406	m3sbq40A	Signs of severe malnutrition	discrete	numeric	
V407	m3sbq41A	Weight (check against a growth chart)	discrete	numeric	
V408	m3sbq42A	Oedema/Swelling	discrete	numeric	
V409	m3sbq43A	Glucose/Random	discrete	numeric	
V410	m3sbq43_UGD_1A	HIV status of the child	discrete	numeric	
V411	m3sbq43_UGD_2A	Palpate for the spleen	discrete	numeric	
V412	m3sbq43_UGD_3A	Check for visible severe wasting	discrete	numeric	
V413	m3sbq44A	Stool - rota	discrete	numeric	
V414	m3sbq45A	Stool - ova	discrete	numeric	
V415	m3sbq46A	Gastroenteritis	discrete	numeric	
V416	m3sbq47A	Diarrhea	discrete	numeric	
V417	m3sbq48A	Acute diarrhea	discrete	numeric	
V418	m3sbq49A	Dehydration	discrete	numeric	
V419	m3sbq50A	Severe dehydration	discrete	numeric	
V420	m3sbq51A	Other diagnosis	discrete	numeric	
V421	m3sbq52A	No diagnosis given	discrete	numeric	
V422	m3sbq53A	Rehydration using ORS	discrete	numeric	
V423	m3sbq54A	Rehydration using NGT	discrete	numeric	
V424	m3sbq55A	Intravenous infusion of ringers lactate or hartmans	discrete	numeric	
V425	m3sbq56A	Antibiotics	discrete	numeric	
V426	m3sbq57A	Vitamin A capsules	discrete	numeric	
V427	m3sbq58A	Zinc tablets	discrete	numeric	
V428	m3sbq59A	Kept for observation	discrete	numeric	
V429	m3sbq60A	Referred to another facility for treatment	discrete	numeric	
V430	m3sbq61A	Referred to another clinician within this facility	discrete	numeric	
V431	m3sbq62A	Beyond competence of clinician	discrete	numeric	

ID	Name	Label	Type	Format	Question
V432	m3sbq63A	Education on using ORS	discrete	numeric	
V433	m3sbq64A	Education on handwashing	discrete	numeric	
V434	m3sbq65A	Information on feeding child	discrete	numeric	
V435	m3sbq66A	Emphasis on not withholding feeding especially breast feeding	discrete	numeric	
V436	m3sbq67A	Given plenty of oral fluids	discrete	numeric	
V437	m3sbq68A	Information on giving Zinc	discrete	numeric	
V438	m3sbq69A	Information on next appointment	discrete	numeric	
V439	m3sbq69_UGD_1A	Proper cleaning of feeding utensils	discrete	numeric	
V440	m3sbq70A	End time of case simulation	discrete	numeric	

m3sc_anon

Content	Module 3 (Clinical knowledge assessment), Section L (Case study 2)
Cases	732
Variable(s)	65
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V441	fac_idA	SDIH identification	discrete	numeric	
V442	staff_idA	Staff Identification	discrete	numeric	
V443	m3scq1A	Start time	discrete	numeric	
V444	m3scq2A	Other symptoms	discrete	numeric	
V445	m3scq3A	Able to drink	discrete	numeric	
V446	m3scq4A	Duration of cough	discrete	numeric	
V447	m3scq5A	Sputum production or dry cough	discrete	numeric	
V448	m3scq6A	Blood in sputum	discrete	numeric	
V449	m3scq7A	Color of sputum	discrete	numeric	
V450	m3scq8A	Fever	discrete	numeric	
V451	m3scq9A	Chest pain	discrete	numeric	
V452	m3scq10A	Difficulty in breathing	discrete	numeric	
V453	m3scq11A	Appetite	discrete	numeric	
V454	m3scq12A	Vomiting	discrete	numeric	
V455	m3scq13A	Convulsions	discrete	numeric	
V456	m3scq14A	General condition	discrete	numeric	
V457	m3scq15A	Difficulty in swallowing	discrete	numeric	
V458	m3scq16A	Running nose	discrete	numeric	
V459	m3scq17A	Medication/treatment	discrete	numeric	
V460	m3scq18A	Recent history of Measles	discrete	numeric	
V461	m3scq19A	Family history of Asthma	discrete	numeric	
V462	m3scq20A	Redness of the eyes	discrete	numeric	
V463	m3scq21A	Diarrheapatient	discrete	numeric	
V464	m3scq22A	Ear	discrete	numeric	
V465	m3scq23A	Temperature	discrete	numeric	
V466	m3scq24A	Pulse/ Heart rate	discrete	numeric	
V467	m3scq25A	Blood pressure	discrete	numeric	
V468	m3scq26A	Respiratory rate	discrete	numeric	

ID	Name	Label	Type	Format	Question
V469	m3scq27A	Weight	discrete	numeric	
V470	m3scq28A	Height	discrete	numeric	
V471	m3scq29A	Lower chest wall in-drawing/ subcostal recession	discrete	numeric	
V472	m3scq30A	Nasal flaring	discrete	numeric	
V473	m3scq31A	Stridor	discrete	numeric	
V474	m3scq32A	Wheezing	discrete	numeric	
V475	m3scq33A	Auscultate (listen with stethoscope) to the chest/lungs/back	discrete	numeric	
V476	m3scq34A	Throat	discrete	numeric	
V477	m3scq35A	Ears	discrete	numeric	
V478	m3scq35_UGD_1A	HIV status of mother	discrete	numeric	
V479	m3scq35_UGD_2A	HIV status of child	discrete	numeric	
V480	m3scq36A	Lymph nodes	discrete	numeric	
V481	m3scq37A	Chest X-ray	discrete	numeric	
V482	m3scq38A	Full blood count	discrete	numeric	
V483	m3scq39A	Blood slide for malaria parasite	discrete	numeric	
V484	m3scq40A	Malaria rapid diagnostic test	discrete	numeric	
V485	m3scq41A	Pneumonia	discrete	numeric	
V486	m3scq42A	Other diagnosis (specify)	discrete	numeric	
V487	m3scq43A	No diagnosis given even AFTER prompting clinician to do so	discrete	numeric	
V488	m3scq44A	Ambulatory treatment	discrete	numeric	
V489	m3scq45A	Amoxicillin	discrete	numeric	
V490	m3scq46A	Amoxicillin (appropriate dose and frequency, see note)	discrete	numeric	
V491	m3scq47A	Other antibiotic (not amoxicillin)	discrete	numeric	
V492	m3scq48A	Antipyretics	discrete	numeric	
V493	m3scq49A	Paracetamol	discrete	numeric	
V494	m3scq50A	Paracetamol (appropriate dose and frequency; see note)	discrete	numeric	
V495	m3scq51A	Ask the parent to bring the child every day for procain penicillin injection	discrete	numeric	
V496	m3scq52A	Refer to another facility for treatment	discrete	numeric	
V497	m3scq53A	Refer to another clinician within this facility	discrete	numeric	
V498	m3scq54A	Beyond competence of clinician	discrete	numeric	
V499	m3scq55A	Administering the antibiotics for 5 days	discrete	numeric	
V500	m3scq56A	Guidance on how to feed	discrete	numeric	
V501	m3scq57A	Increase fluid intake	discrete	numeric	
V502	m3scq58A	Tell parent to bring child if the condition of the child worsens	discrete	numeric	
V503	m3scq59A	Tell the parent to bring the child if there are any danger signs	discrete	numeric	
V504	m3scq60A	Bring the child again in 2 days	discrete	numeric	
V505	m3scq61A	End time of simulation	discrete	numeric	

m3sd_anon

Content	Module 3 (Clinical knowledge assessment), Section M (Case study 3)
Cases	732
Variable(s)	62
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V506	fac_idA	SDIH identification	discrete	numeric	
V507	staff_idA	Staff Identification	discrete	numeric	
V508	m3sdq1A	Start time of case simulation	discrete	numeric	
V509	m3sdq2A	Other symptoms	discrete	numeric	
V510	m3sdq3A	Duration of symptoms	discrete	numeric	
V511	m3sdq4A	Fever	discrete	numeric	
V512	m3sdq5A	Headache	discrete	numeric	
V513	m3sdq6A	Convulsions	discrete	numeric	
V514	m3sdq7A	Appetite	discrete	numeric	
V515	m3sdq8A	Did you eat this morning	discrete	numeric	
V516	m3sdq9A	Thirst	discrete	numeric	
V517	m3sdq10A	Diarrhea	discrete	numeric	
V518	m3sdq11A	Vomiting	discrete	numeric	
V519	m3sdq12A	Cough/sputum	discrete	numeric	
V520	m3sdq13A	Difficulty in breathing	discrete	numeric	
V521	m3sdq14A	Medication/treatment	discrete	numeric	
V522	m3sdq15A	Urinary output	discrete	numeric	
V523	m3sdq16A	Lower limb numbness/excessively cold or hot feeling in the feet	discrete	numeric	
V524	m3sdq17A	Smoker	discrete	numeric	
V525	m3sdq18A	Exercise	discrete	numeric	
V526	m3sdq19A	Previous health checks	discrete	numeric	
V527	m3sdq20A	Tuberculosis / HIV in the family	discrete	numeric	
V528	m3sdq21A	Diabetes in the family	discrete	numeric	
V529	m3sdq22A	Hypertension/High blood pressure	discrete	numeric	
V530	m3sdq23A	Dizziness or fainting	discrete	numeric	
V531	m3sdq24A	Backache or joint pains	discrete	numeric	
V532	m3sdq25A	Temperature	discrete	numeric	
V533	m3sdq26A	Pulse/ Heart rate	discrete	numeric	

ID	Name	Label	Type	Format	Question
V534	m3sdq27A	Blood pressure	discrete	numeric	
V535	m3sdq28A	Respiratory rate	discrete	numeric	
V536	m3sdq29A	Weight	discrete	numeric	
V537	m3sdq30A	Height	discrete	numeric	
V538	m3sdq33_UGD_1A	Sunken eyes	discrete	numeric	
V539	m3sdq33_UGD_2A	Eye sight	discrete	numeric	
V540	m3sdq31A	Abdomen/Liver	discrete	numeric	
V541	m3sdq32A	Auscultate (listen with stethoscope) to the chest/lungs/back	discrete	numeric	
V542	m3sdq33A	Mouth	discrete	numeric	
V543	m3sdq34A	Neurological examination upper extremities	discrete	numeric	
V544	m3sdq35A	Neurological examination lower extremities	discrete	numeric	
V545	m3sdq36A	Fundoscopy	discrete	numeric	
V546	m3sdq37A	Random blood glucose/ capillary blood glucose	discrete	numeric	
V547	m3sdq38A	Fasting blood glucose	discrete	numeric	
V548	m3sdq39A	HBA1C	discrete	numeric	
V549	m3sdq40A	Urinalysis	discrete	numeric	
V550	m3sdq41A	Blood slide for malarial parasites	discrete	numeric	
V551	m3sdq42A	Diabetes	discrete	numeric	
V552	m3sdq43A	Diabetes Type II	discrete	numeric	
V553	m3sdq44A	Other diagnosis (specify)	discrete	numeric	
V554	m3sdq45A	No diagnosis given even AFTER prompting clinician to do so	discrete	numeric	
V555	m3sdq46A	Oral hypoglycemics	discrete	numeric	
V556	m3sdq47A	Insulin only when: oral hypoglycemics are not effective	discrete	numeric	
V557	m3sdq48A	Follow up at specialist diabetic outpatient clinic or a higher level center	discrete	numeric	
V558	m3sdq49A	Refer to another clinician within this facility	discrete	numeric	
V559	m3sdq50A	Beyond competence of clinician	discrete	numeric	
V560	m3sdq51A	Dietary modification, caloric restriction among obese patients	discrete	numeric	
V561	m3sdq52A	Exercise	discrete	numeric	
V562	m3sdq53A	Don't smoke/avoid tobacco	discrete	numeric	
V563	m3sdq54A	Measure blood sugar regularly	discrete	numeric	
V564	m3sdq55A	Observe medication regime	discrete	numeric	
V565	m3sdq56A	Regular follow up appointments	discrete	numeric	
V566	m3sdq57A	Explain that diabetes is a chronic illness	discrete	numeric	
V567	m3sdq58A	End time of simulation	discrete	numeric	

m3se_anon

Content	Module 3 (Clinical knowledge assessment), Section N (Case study 4)
Cases	732
Variable(s)	66
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V568	fac_idA	SDIH identification	discrete	numeric	
V569	staff_idA	Staff Identification	discrete	numeric	
V570	m3seq1A	Start time	discrete	numeric	
V571	m3seq2A	Other symptoms	discrete	numeric	
V572	m3seq3A	Duration of cough	discrete	numeric	
V573	m3seq4A	Productive cough	discrete	numeric	
V574	m3seq5A	Blood in sputum	discrete	numeric	
V575	m3seq6A	Difficulty in breathing	discrete	numeric	
V576	m3seq7A	Chest pain	discrete	numeric	
V577	m3seq8A	Fever	discrete	numeric	
V578	m3seq9A	Pattern of fever	discrete	numeric	
V579	m3seq10A	(Night) sweats	discrete	numeric	
V580	m3seq11A	Weight loss	discrete	numeric	
V581	m3seq12A	Appetite	discrete	numeric	
V582	m3seq13A	General health condition (tiredness/fatigue)	discrete	numeric	
V583	m3seq14A	Tuberculosis in the household	discrete	numeric	
V584	m3seq14aA	HIV Test taken	discrete	numeric	
V585	m3seq15A	History of contact with an adult with a prolonged cough in the household	discrete	numeric	
V586	m3seq16A	Has this type of cough happened to others in your family or dwelling	discrete	numeric	
V587	m3seq17A	Has this happened before	discrete	numeric	
V588	m3seq18A	Have you been given Medication/Treatment for this cough/fever	discrete	numeric	
V589	m3seq19A	Alcohol	discrete	numeric	
V590	m3seq20A	Smoking	discrete	numeric	
V591	m3seq21A	Do you have a normal diet	discrete	numeric	
V592	m3seq22A	Profession	discrete	numeric	
V593	m3seq23A	Have you taken any high-risk sexual behaviour	discrete	numeric	
V594	m3seq24A	Temperature	discrete	numeric	
V595	m3seq25A	Pulse/ Heart rate	discrete	numeric	

ID	Name	Label	Type	Format	Question
V596	m3seq26A	Blood pressure	discrete	numeric	
V597	m3seq27A	Respiratory rate	discrete	numeric	
V598	m3seq28A	Weight	discrete	numeric	
V599	m3seq29A	Height	discrete	numeric	
V600	m3seq29_UGD_1A	Have you ever been treated for TB before	discrete	numeric	
V601	m3seq29_UGD_2A	General condition	discrete	numeric	
V602	m3seq29_UGD_3A	Other symptoms	discrete	numeric	
V603	m3seq30A	Auscultate (with stethoscope) to the chest/lungs/back	discrete	numeric	
V604	m3seq31A	Retraction or decreased movement	discrete	numeric	
V605	m3seq32A	3 Sputum examinations	discrete	numeric	
V606	m3seq33A	Chest X-ray	discrete	numeric	
V607	m3seq34A	Intradermal reaction to tuberculin	discrete	numeric	
V608	m3seq35A	ESR (erythrocyte sedimentation rate) or CRP (C-reactive protein)	discrete	numeric	
V609	m3seq36A	Full blood count/hemoglobin	discrete	numeric	
V610	m3seq37A	Test for sickle cell anemia (HbS)	discrete	numeric	
V611	m3seq38A	HIV	discrete	numeric	
V612	m3seq39A	Glucose (random or fasting)	discrete	numeric	
V613	m3seq40A	Tuberculosis	discrete	numeric	
V614	m3seq41A	Pneumonia	discrete	numeric	
V615	m3seq42A	Bronchitis	discrete	numeric	
V616	m3seq43A	Other diagnosis	discrete	numeric	
V617	m3seq44A	No diagnosis given even AFTER prompting the clinician	discrete	numeric	
V618	m3seq45A	Combination therapy	discrete	numeric	
V619	m3seq46A	Treatment for 6 months	discrete	numeric	
V620	m3seq47A	Appropriate dose and frequency (see note)	discrete	numeric	
V621	m3seq48A	Names of drugs: Rifampicin, Isoniazid, Pyrazinamide, Ethambutol	discrete	numeric	
V622	m3seq49A	Macrolide (Erythromycin)	discrete	numeric	
V623	m3seq50A	Amoxicillin	discrete	numeric	
V624	m3seq50_UGD_1A	X-pen	discrete	numeric	
V625	m3seq51A	Follow up in TB clinic	discrete	numeric	
V626	m3seq52A	Refer to another facility for treatment	discrete	numeric	
V627	m3seq53A	Refer to another clinician within this facility	discrete	numeric	
V628	m3seq54A	Beyond competence of clinician	discrete	numeric	
V629	m3seq55A	Importance of adherence to medication regime	discrete	numeric	
V630	m3seq56A	Contact tracing	discrete	numeric	
V631	m3seq56_UGD_1A	Patient should wear a mask	discrete	numeric	
V632	m3seq56_UGD_2A	Cough etiquette	discrete	numeric	
V633	m3seq57A	End time of simulation	discrete	numeric	

m3sf_anon

Content	Module 3 (Clinical knowledge assessment), Section O (Case study 6)
Cases	732
Variable(s)	85
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V634	fac_idA	SDIH identification	discrete	numeric	
V635	staff_idA	Staff Identification	discrete	numeric	
V636	m3sfq1A	Start time of simulation	discrete	numeric	
V637	m3sfq2A	Other symptoms	discrete	numeric	
V638	m3sfq3A	Duration of fever	discrete	numeric	
V639	m3sfq4A	Pattern/history of fever	discrete	numeric	
V640	m3sfq5A	Shivering	discrete	numeric	
V641	m3sfq6A	Sweating	discrete	numeric	
V642	m3sfq7A	Vomiting	discrete	numeric	
V643	m3sfq8A	Convulsions	discrete	numeric	
V644	m3sfq9A	Lethargic or unconscious	discrete	numeric	
V645	m3sfq10A	Headache	discrete	numeric	
V646	m3sfq11A	Appetite	discrete	numeric	
V647	m3sfq12A	Diarrhea	discrete	numeric	
V648	m3sfq13A	Cough	discrete	numeric	
V649	m3sfq14A	Severity of cough	discrete	numeric	
V650	m3sfq15A	Difficulty in breathing	discrete	numeric	
V651	m3sfq17A	Urination	discrete	numeric	
V652	m3sfq18A	Medication/treatment	discrete	numeric	
V653	m3sfq19A	Quantity of paracetamol given	discrete	numeric	
V654	m3sfq20A	Vaccinations	discrete	numeric	
V655	m3sfq21A	Does the child sleep under an impregnated bed net	discrete	numeric	
V656	m3sfq22A	Measles now or in past 3 months	discrete	numeric	
V657	m3sfq23A	Temperature	discrete	numeric	
V658	m3sfq24A	Pulse/ Heart rate	discrete	numeric	
V659	m3sfq25A	Blood pressure	discrete	numeric	
V660	m3sfq26A	Respiratory rate	discrete	numeric	
V661	m3sfq27A	Weight	discrete	numeric	

ID	Name	Label	Type	Format	Question
V662	m3sfq28A	Height	discrete	numeric	
V663	m3sfq29A	General condition	discrete	numeric	
V664	m3sfq30A	Hands (palmar pallor)	discrete	numeric	
V665	m3sfq31A	Nail beds	discrete	numeric	
V666	m3sfq32A	Conjunctiva	discrete	numeric	
V667	m3sfq33A	Sunken eyes	discrete	numeric	
V668	m3sfq34A	Koplik sign	discrete	numeric	
V669	m3sfq35A	Skin rash	discrete	numeric	
V670	m3sfq36A	Runny nose	discrete	numeric	
V671	m3sfq37A	Red eyes	discrete	numeric	
V672	m3sfq38A	Yellow eyes/jaundice	discrete	numeric	
V673	m3sfq39A	Skin	discrete	numeric	
V674	m3sfq40A	Neck stiffness	discrete	numeric	
V675	m3sfq41A	Swollen face	discrete	numeric	
V676	m3sfq42A	Swollen feet/odema	discrete	numeric	
V677	m3sfq43A	Abdomen/liver	discrete	numeric	
V678	m3sfq43_UGD_1A	HIV status of the mother	discrete	numeric	
V679	m3sfq43_UGD_2A	HIV status of the child	discrete	numeric	
V680	m3sfq43_UGD_3A	Tongue	discrete	numeric	
V681	m3sfq44A	Color of urine	discrete	numeric	
V682	m3sfq45A	Blood slide for malaria parasites	discrete	numeric	
V683	m3sfq46A	Hyperparasitemia/ How many parasites	discrete	numeric	
V684	m3sfq47A	Malaria Rapid Diagnosit Test (RDT)	discrete	numeric	
V685	m3sfq48A	Hepatitis B	discrete	numeric	
V686	m3sfq49A	Full blood count	discrete	numeric	
V687	m3sfq50A	Test for sickle cell anemia (HbS)	discrete	numeric	
V688	m3sfq51A	Glucose	discrete	numeric	
V689	m3sfq52A	pH / acidosis	discrete	numeric	
V690	m3sfq53A	Malaria	discrete	numeric	
V691	m3sfq54A	Simple malaria	discrete	numeric	
V692	m3sfq55A	Severe/complicated malaria	discrete	numeric	
V693	m3sfq56A	Anemia	discrete	numeric	
V694	m3sfq56aA	Malaria with anemia	discrete	numeric	
V695	m3sfq57A	Other diagnosis(specify)	discrete	numeric	
V696	m3sfq58A	No diagnosis given even AFTER prompting the clinician	discrete	numeric	
V697	m3sfq59A	Coartem/artemether lumefantrine	discrete	numeric	
V698	m3sfq60A	6 doses, 2 tablets per dose	discrete	numeric	
V699	m3sfq61A	Anti malarial (monotherapy) tablets	discrete	numeric	
V700	m3sfq62A	Artesunate injectable	discrete	numeric	
V701	m3sfq63A	Quinine (iv infusion)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V702	m3sfq64A	Quinine (intramuscular injection)	discrete	numeric	
V703	m3sfq65A	Paracetamol	discrete	numeric	
V704	m3sfq66A	Adequate fluids and nutrition	discrete	numeric	
V705	m3sfq67A	Iron	discrete	numeric	
V706	m3sfq68A	Iron + folic acid	discrete	numeric	
V707	m3sfq69A	Blood transfusion	discrete	numeric	
V708	m3sfq70A	Mebendazole/Albendazole (if not had in past 3 months)	discrete	numeric	
V709	m3sfq71A	Refer to another facility for treatment	discrete	numeric	
V710	m3sfq72A	Refer to another clinician within this facility	discrete	numeric	
V711	m3sfq73A	Beyond competence of clinician	discrete	numeric	
V712	m3sfq74A	Follow antimalarial treatment	discrete	numeric	
V713	m3sfq75A	Return in 3 days	discrete	numeric	
V714	m3sfq76A	Follow anemia treatment	discrete	numeric	
V715	m3sfq77A	Return in 14 days	discrete	numeric	
V716	m3sfq78A	Return immediately if symptoms get worse	discrete	numeric	
V717	m3sfq79A	The child must sleep under a bed net every night	discrete	numeric	
V718	m3sfq80A	End time of simulation	discrete	numeric	

m3sg_anon

Content	Module 3 (Clinical knowledge assessment), Section P (Case study 6)
Cases	732
Variable(s)	65
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V719	fac_idA	SDIH identification	discrete	numeric	
V720	staff_idA	Staff Identification	discrete	numeric	
V721	m3sgq1A	Start time	discrete	numeric	
V722	m3sgq2A	Other symptoms	discrete	numeric	
V723	m3sgq3A	Type of delivery	discrete	numeric	
V724	m3sgq4A	Color of blood	discrete	numeric	
V725	m3sgq5A	Quantity	discrete	numeric	
V726	m3sgq6A	Number of pads	discrete	numeric	
V727	m3sgq7A	Total number of deliveries (Parity)	discrete	numeric	
V728	m3sgq8A	Total number of pregnancies (gestity)	discrete	numeric	
V729	m3sgq9A	Length of labor	discrete	numeric	
V730	m3sgq10A	Placenta delivery	discrete	numeric	
V731	m3sgq11A	Did you receive medication to speed up labo	discrete	numeric	
V732	m3sgq12A	Antenatal Consultations (ANC)	discrete	numeric	
V733	m3sgq13A	Care immediately prior to delivery	discrete	numeric	
V734	m3sgq14A	Did you ever have excessive bleeding after delivery (History of PPH)	discrete	numeric	
V735	m3sgq15A	History of fibroids/ prolonged or heavy periods	discrete	numeric	
V736	m3sgq16A	Excessive (amniotic) fluid during pregnancy (polyhydramnios)	discrete	numeric	
V737	m3sgq17A	Was this(previous q'n) a multiple pregnancy	discrete	numeric	
V738	m3sgq18A	Placenta prvia/Low lying placenta	discrete	numeric	
V739	m3sgq19A	Placental Abruption	discrete	numeric	
V740	m3sgq20A	Hypertension/High blood pressure	discrete	numeric	
V741	m3sgq21A	Temperature	discrete	numeric	
V742	m3sgq22A	Pulse/ Heart rate	discrete	numeric	
V743	m3sgq23A	Blood pressure	discrete	numeric	
V744	m3sgq24A	Respiratory rate	discrete	numeric	
V745	m3sgq25A	Weight	discrete	numeric	
V746	m3sgq26A	Height	discrete	numeric	

ID	Name	Label	Type	Format	Question
V747	m3sgq27A	Retained placenta	discrete	numeric	
V748	m3sgq28A	Ruptured uterus	discrete	numeric	
V749	m3sgq29A	Laceration / tears of genital tract (cervical / vaginal / vulvoperineal tears)	discrete	numeric	
V750	m3sgq30A	Palpation of uterus/ bimanual examination	discrete	numeric	
V751	m3sgq31A	Examination of external genitalia	discrete	numeric	
V752	m3sgq32A	Cervix	discrete	numeric	
V753	m3sgq33A	Conjunctiva	discrete	numeric	
V754	m3sgq33_UGD_1A	History of prolonged bleeding from cuts	discrete	numeric	
V755	m3sgq33_UGD_2A	Did you have any fever during labour	discrete	numeric	
V756	m3sgq33_UGD_3A	Pallor	discrete	numeric	
V757	m3sgq33_UGD_4A	Capillary refill	discrete	numeric	
V758	m3sgq33_UGD_5A	General condition of the patient	discrete	numeric	
V759	m3sgq34A	Blood for grouping and cross matching	discrete	numeric	
V760	m3sgq35A	Hemoglobin	discrete	numeric	
V761	m3sgq36A	Bleeding time	discrete	numeric	
V762	m3sgq37A	Coagulation time	discrete	numeric	
V763	m3sgq38A	Coagulation factors	discrete	numeric	
V764	m3sgq39A	Post partum hemorrhage	discrete	numeric	
V765	m3sgq40A	Other diagnosis (specify)	discrete	numeric	
V766	m3sgq41A	No diagnosis given even AFTER prompting the clinician	discrete	numeric	
V767	m3sgq42A	Determine the cause	discrete	numeric	
V768	m3sgq43A	Bimanual massage of uterus	discrete	numeric	
V769	m3sgq44A	IV line	discrete	numeric	
V770	m3sgq45A	Oxytocin infusion	discrete	numeric	
V771	m3sgq46A	Oxytocin (appropriate dose and frequency; see note)	discrete	numeric	
V772	m3sgq47A	Oxytocin delivery rate 20 drops per min. for 2 hrs.	discrete	numeric	
V773	m3sgq48A	IV infusion of plasmion (macromolecules)	discrete	numeric	
V774	m3sgq49A	Blood transfusion	discrete	numeric	
V775	m3sgq50A	Prostaglandins	discrete	numeric	
V776	m3sgq51A	Misoprostol	discrete	numeric	
V777	m3sgq52A	Uterine revision	discrete	numeric	
V778	m3sgq53A	Surgery: If other measures fail to stop bleeding, subtotal or total hysterectomy	discrete	numeric	
V779	m3sgq54A	Foley catheter	discrete	numeric	
V780	m3sgq55A	Refer to another facility for treatment	discrete	numeric	
V781	m3sgq56A	Refer to another clinician within this facility	discrete	numeric	
V782	m3sgq57A	Beyond competence of clinician	discrete	numeric	
V783	m3sgq58A	End time	discrete	numeric	

m3sh_anon

Content	Module 3 (Clinical knowledge assessment), Section Q (Case study 7)
Cases	732
Variable(s)	35
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V784	fac_idA	SDIH identification	discrete	numeric	
V785	staff_idA	Staff Identification	discrete	numeric	
V786	m3shq1A	Start time of simulation	discrete	numeric	
V787	m3shq2A	Pulse/heart rate	discrete	numeric	
V788	m3shq3A	Breathing/respiration	discrete	numeric	
V789	m3shq4A	Muscle tone	discrete	numeric	
V790	m3shq5A	Reactivity to stimulation (irritability reflex)	discrete	numeric	
V791	m3shq6A	Color	discrete	numeric	
V792	m3shq7A	Use of the APGAR score	discrete	numeric	
V793	m3shq7aA	APGAR Score 0-4/<4	discrete	numeric	
V794	m3shq8A	Action: Dry the baby	discrete	numeric	
V795	m3shq9A	Action: Keep the baby warm	discrete	numeric	
V796	m3shq10A	Action: Clear the airway	discrete	numeric	
V797	m3shq11A	Action: Clear the airway using aspirator/sucker	discrete	numeric	
V798	m3shq12A	Action: Place baby in neutral position (nose pointing to ceiling)	discrete	numeric	
V799	m3shq13A	Action: Start ventilation	discrete	numeric	
V800	m3shq14A	Action: Start ventilation using bag and mask	discrete	numeric	
V801	m3shq15A	Action: Use adapted mask and give 5 good inflation breaths	discrete	numeric	
V802	m3shq16A	Action: Check the heart rate (femoral pulse or cord or auscultate heart)	discrete	numeric	
V803	m3shq17A	Action: Check if the child is breathing	discrete	numeric	
V804	m3shq18A	Action: Continue at 30 ventilations per minute	discrete	numeric	
V805	m3shq19A	Action: During ventilations, check that the chest is rising	discrete	numeric	
V806	m3shq20A	Action: Every 1-2 min, check if the hearth rate/breathing improved	discrete	numeric	
V807	m3shq21A	Action: Stop ventilating when the heart rate is over 100 or the respiratroy rate	discrete	numeric	
V808	m3shq22A	Action: Chest compressions	discrete	numeric	
V809	m3shq23A	Action: Provide oxygen	discrete	numeric	
V810	m3shq24A	Action: Call for help	discrete	numeric	
V811	m3shq25A	Is there improvement in the state of the child	discrete	numeric	

ID	Name	Label	Type	Format	Question
V812	m3shq26A	Can stop resuscitation at heart rate/pulse>100 min	discrete	numeric	
V813	m3shq27A	Can stop resuscitation at heart rate/pulse>30 min	discrete	numeric	
V814	m3shq28A	Can give diagnosis of respiratory distress syndrome	discrete	numeric	
V815	m3shq29A	Can give diagnosis of noenatal asphyxia	discrete	numeric	
V816	m3shq30A	Other diagnosis(specify)	discrete	numeric	
V817	m3shq31A	No diagnosis given even AFTER prompting the clinician	discrete	numeric	
V818	m3shq32A	End time of the simulation	discrete	numeric	

m3si_anon

Content	Module 3 (Clinical knowledge assessment), Section I (Introduction)
Cases	732
Variable(s)	7
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V819	fac_idA	SDIH identification	discrete	numeric	
V820	staff_idA	Staff Identification	discrete	numeric	
V821	m3siq1A	Frequency of pediatrics consultations in the last 12 months	discrete	numeric	
V822	m3siq2A	Frequency of adults consultations in the last 12 months	discrete	numeric	
V823	m3siq3A	Frequency of Obstetrics and Gynaecology consultations in the last 12 months	discrete	numeric	
V824	m3siq4A	Frequency of Family planning or Antenatal consultations in the last 12 months	discrete	numeric	
V825	m3siq5A	No. of years working in medical profession	contin	numeric	

SDIH identification (fac_idA)

File: fileWeights_anon

Overview

Type: Discrete	Valid cases: 397
Format: numeric	Invalid: 0
Width: 3	
Decimals: 0	
Range: 1-401	

Facility inverse probability weight (wgt_fac)

File: fileWeights_anon

Overview

Type: Continuous	Valid cases: 397
Format: numeric	Invalid: 0
Width: 16	Minimum: 1
Decimals: 0	Maximum: 78.5
Range: 1-78.4664459228516	

Weight for absence, using actually monitored (wgt_abs)

File: fileWeights_anon

Overview

Type: Continuous	Valid cases: 389
Format: numeric	Invalid: 8
Width: 14	Minimum: 2
Decimals: 0	Maximum: 1210.5
Range: 2-1210.478515625	

diarrhea knowledge weight (section b) (wgt_know_b)

File: fileWeights_anon

Overview

Type: Continuous	Valid cases: 390
Format: numeric	Invalid: 7
Width: 16	Minimum: 1
Decimals: 0	Maximum: 273.4
Range: 1-273.403869628906	

pneumonia knowledge weight (section c) (wgt_know_c)

File: fileWeights_anon

Overview

Type: Continuous	Valid cases: 390
Format: numeric	Invalid: 7
Width: 16	Minimum: 1
Decimals: 0	Maximum: 273.4
Range: 1-273.403869628906	

diabetes knowledge weight (section d) (wgt_know_d)

File: fileWeights_anon

Overview

Type: Continuous	Valid cases: 390
Format: numeric	Invalid: 7
Width: 16	Minimum: 1
Decimals: 0	Maximum: 273.4
Range: 1-273.403869628906	

pulmonary_tb knowledge weight (section e) (wgt_know_e)

File: fileWeights_anon

Overview

Type: Continuous	Valid cases: 390
Format: numeric	Invalid: 7
Width: 16	Minimum: 1
Decimals: 0	Maximum: 273.4
Range: 1-273.403869628906	

malaria_anemia knowledge weight (section f) (wgt_know_f)

File: fileWeights_anon

Overview

Type: Continuous	Valid cases: 390
Format: numeric	Invalid: 7
Width: 16	Minimum: 1
Decimals: 0	Maximum: 273.4
Range: 1-273.403869628906	

PPH knowledge weight (section g) (wgt_know_g)

File: fileWeights_anon

Overview

Type: Continuous	Valid cases: 390
Format: numeric	Invalid: 7
Width: 16	Minimum: 1
Decimals: 0	Maximum: 273.4
Range: 1-273.403869628906	

NNA knowledge weight (section h) (wgt_know_h)

File: fileWeights_anon

Overview

Type: Continuous	Valid cases: 390
Format: numeric	Invalid: 7
Width: 16	Minimum: 1
Decimals: 0	Maximum: 273.4
Range: 1-273.403869628906	

SDIH identification (fac_idA)

File: m1sa_anon

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-401

Valid cases: 401
 Invalid: 0

Do you agree to be interviewed? (m1saq1A)

File: m1sa_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 401
 Invalid: 0

Literal question

Do you agree to be interviewed ?

If refused, reason for refusal (m1saq2A)

File: m1sa_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Valid cases: 0
 Invalid: 401

First administrative level (Region) (m1saq3A)

File: m1sa_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 384
 Invalid: 17

Location of Facility (Urban, Rural, Semi-Urban) (m1saq7A)

File: m1sa_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 397
 Invalid: 4

Literal question

Is the facility rural, urban or semi-urban ?

Date of First Visit (m1saq10A)

File: m1sa_anon

Overview

Type: Continuous	Valid cases: 401
Format: numeric	Invalid: 0
Width: 3	Minimum: 1
Decimals: 0	Maximum: 148
Range: 1-148	

Literal question

Date of 1st visit

Arrival time for first visit (m1saq12A)

File: m1sa_anon

Overview

Type: Discrete	Valid cases: 273
Format: numeric	Invalid: 128
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Survey start time for 1st visit

Departure time for first visit (m1saq13A)

File: m1sa_anon

Overview

Type: Discrete	Valid cases: 390
Format: numeric	Invalid: 11
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Survey end time for 1st visit

Date of second visit (m1saq14A)

File: m1sa_anon

Overview

Type: Continuous	Valid cases: 392
Format: numeric	Invalid: 9
Width: 3	Minimum: 22
Decimals: 0	Maximum: 149
Range: 22-149	

Literal question

Date of 2nd announced visit

Arrival time for second visit (m1saq16A)

File: m1sa_anon

Arrival time for second visit (m1saq16A)

File: m1sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Literal question

Survey start time for 2nd announced visit

Departure time for second visit (m1saq17A)

File: m1sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Literal question

Departure time for 2nd announced visit

Result of verification by supervisor (m1saq18aA)

File: m1sa_anon

Overview

Type: Discrete	Valid cases: 53
Format: numeric	Invalid: 348
Width: 1	
Decimals: 0	
Range: 1-4	

Literal question

Verification by supervisor

Date of questionnaire supervision (m1saq18bA)

File: m1sa_anon

Overview

Type: Continuous	Valid cases: 42
Format: numeric	Invalid: 359
Width: 3	Minimum: 24
Decimals: 0	Maximum: 149
Range: 24-149	

Literal question

Data entered

Data entered (m1saq18dA)

File: m1sa_anon

Overview

Data entered (m1saq18dA)

File: m1sa_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 401

SDIH identification (fac_idA)

File: m1sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-401

Valid cases: 401
 Invalid: 0

Position of Respondent in Facility (m1sbq3A)

File: m1sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 395
 Invalid: 6

Literal question

What is your position in this facility ?

Type of Facility Ownership (m1sbq4A)

File: m1sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 392
 Invalid: 9

Literal question

Who owns this facility ?

Who mainly pays salaries of staff? (m1sbq5A)

File: m1sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 390
 Invalid: 11

Literal question

Who mainly pays the salaries of staff at this facility? (in terms of numbers of people paid)

Who mainly pays for medical supplies? (m1sbq6A)

File: m1sb_anon

Overview

Who mainly pays for medical supplies? (m1sbq6A)

File: m1sb_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 390
Invalid: 11

Literal question

Who mainly pays for medical supplies for this facility?

Who mainly pays the running costs? (m1sbq7A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 390
Invalid: 11

Literal question

Who mainly pays for running costs for this facility?

Type of Health Facility (Some Reference) (m1sbq8A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 391
Invalid: 10

Literal question

What is the type of health facility?

Mode of Transport from facility to Local Government Area headquarters (m1sbq9A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Valid cases: 393
Invalid: 8

Literal question

How do you get to the District headquarters ?

Traveling time (hs) facility to Local headquarters (m1sbq10A)

File: m1sb_anon

Traveling time (hs) facility to Local headquarters (m1sbq10A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 394
Format: numeric	Invalid: 7
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

Using this method of transport, what is the approximate traveling time from this facility to the District headquarters?

Number of working/open days per a regular week (m1sbq11A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 373
Format: numeric	Invalid: 28
Width: 1	
Decimals: 0	
Range: 5-7	

Literal question

How many days per week is this facility open ? Number (1-7)

No. of hours per day open for outpatient consultation (m1sbq12A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 396
Format: numeric	Invalid: 5
Width: 2	
Decimals: 0	
Range: 9-24	

Literal question

How many hours per day (on average) does this facility offer outpatient consultation ?

No. of outpatient visitors in the past three months over no. of consulting staff (m1sbq13A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 393
Format: numeric	Invalid: 8
Width: 3	
Decimals: 0	
Range: 25-525	

Literal question

How many outpatient visits have you had at this facility in the past 3 months ?

Interviewer instructions

Ask to See record

Does this facility hospitalize patients ? (m1sbq14A)

File: m1sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 401

Literal question

Does this facility hospitalize patients ?

No. of inpatients in the past three months over no. of consulting staff (m1sbq15A)

File: m1sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -999--999

Valid cases: 0
 Invalid: 401

Literal question

How many inpatients have you had at this facility in the past three months?

Interviewer instructions

Ask to see record

No. of inpatient bed-days in the past three months over no. of consulting staff (m1sbq16A)

File: m1sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-100

Valid cases: 387
 Invalid: 14

Literal question

How many in-patient bed-days have you had during the past 3 months?

Interviewer instructions

Ask to See record

Total number of beds available for patients over no. of consulting staff (m1sbq17A)

File: m1sb_anon

Overview

Total number of beds available for patients over no. of consulting staff (m1sbq17A)

File: m1sb_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Valid cases: 392
Invalid: 9

Literal question

How many beds are available for hospitalization ?

No. of beds available for hospitalization over no. of consulting staff (m1sbq18A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -999--999

Valid cases: 0
Invalid: 401

Literal question

How many beds in TOTAL are available for patients at your facility?

Interviewer instructions

Note : Q17.=Q18.+Q19.+Q20.

No. of beds available for maternity over no. of consulting staff (m1sbq19A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Valid cases: 394
Invalid: 7

Literal question

Of these beds, how many are for maternity ?

No. of beds available for observation over no. of consulting staff (m1sbq20A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: -8--8

Valid cases: 0
Invalid: 401

Literal question

No. of beds available for observation over no. of consulting staff
(m1sbq20A)

File: m1sb_anon

Of these beds, how many are for observation?

Do women give birth at this facility ? (m1sbq21A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

Do women give birth at this facility ?

Post question

No = 2 > Q36.

Does the facility has a maternity waiting center (first stage room)?
(m1sbq22A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

Does this facility have a maternity waiting home (first stage room) where women can stay prior to giving birth?

Interviewer instructions

Observe

Does this facility have a maternity delivery room (second stage room)? (m1sbq23A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

Does this facility have a maternity delivery room (second stage room)?

Interviewer instructions

Observe

Does this facility offer administration of parenteral antibiotics? (m1sbq24A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 396
Format: numeric	Invalid: 5
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Does this facility offer administration of parenteral antibiotics ?

Does this facility offer administration of parenteral ocytotics? (m1sbq25A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Does this facility offer administration of parenteral ocytotics ?

Does this facility offer administration of parenteral anticonvulsants? (m1sbq26A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 396
Format: numeric	Invalid: 5
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Does this facility offer administration of parenteral anticonvulsants ?

Does this facility offer manual extraction of placenta? (m1sbq27A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 396
Format: numeric	Invalid: 5
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Does this facility offer manual extraction of placenta ?

Does this facility offer manual extraction of products of conception? (m1sbq28A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 396
Format: numeric	Invalid: 5
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Does this facility offer manual extraction of products of conception ?

Does this facility offer instrumental delivery (ventouse, forceps)? (m1sbq29A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 396
Format: numeric	Invalid: 5
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Does this facility offer instrumental delivery (ventouse, forceps) ?

Does this facility offer neonatal resuscitation with a bag and mask? (m1sbq30A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Does this facility offer neonatal resuscitation with a bag and mask ?

Does this facility offer blood transfusion? (m1sbq31A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 396
Format: numeric	Invalid: 5
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Does this facility offer blood transfusion ?

Does this facility offer Caesarean section? (m1sbq32A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 396
Format: numeric	Invalid: 5
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Does this facility offer Caesarean section ?

Post question

If No (2) > Q34

No. of successful deliveries in the last three months over no. of consulting sta (m1sbq33A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 261
Format: numeric	Invalid: 140
Width: 2	
Decimals: 0	
Range: 0-20	

Literal question

How many Caesareans were performed in the past 3 months ?

Interviewer instructions

Ask to see record

No. of caesareans performed in the last three months over no. of consulting staf (m1sbq34A)

File: m1sb_anon

Overview

Type: Discrete	Valid cases: 257
Format: numeric	Invalid: 144
Width: 2	
Decimals: 0	
Range: -9-0	

Literal question

How many successful deliveries took place at this facility in the past 3 months?

Interviewer instructions

Ask to see record

No. of deliveries referred to other facilities in the last three months over no. (m1sbq35A)

File: m1sb_anon

Overview

No. of deliveries referred to other facilities in the last three months over no. (m1sbq35A)

File: m1sb_anon

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: -9--9

Valid cases: 0
Invalid: 401

Literal question

How many mothers died during delivery in the past 3 months ?

Interviewer instructions

Ask to see record

No. of women who passed away during delivery in the past three months? over no. (m1sbq36A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: -9--9

Valid cases: 0
Invalid: 401

Literal question

How many deliveries were referred to another facility in the past 3 months ?

Interviewer instructions

Ask to see record

Ever transferred mothers for emergency Caesarean section? (m1sbq37A)

File: m1sb_anon

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: -8-2

Valid cases: 0
Invalid: 401

Literal question

Does this facility ever transfer mothers for EMERGENCY Caesarean section ?

Post question

Yes = 1, No = 2 > Section C

Time it took to transfer mother to destination facility (m1sbq38A)

File: m1sb_anon

Overview

Time it took to transfer mother to destination facility (m1sbq38A)

File: m1sb_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 401

Literal question

If yes, consider the last time a woman was transferred from this facility to another facility for emergency Caesarean section. From the moment the decision was made to transfer her, how long was it until the patient arrived at the other facility ?

SDIH identification (fac_idA)

File: m1sc_anon

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-401

Valid cases: 401
 Invalid: 0

Main source of power/electricity for the facility (m1scq1A)

File: m1sc_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 396
 Invalid: 5

Literal question

What is the main source of electricity for the facility?

Post question

If no power supply (1)>Q6

Did you have power interruptions in the last 3 months? (m1scq2A)

File: m1sc_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 401

Literal question

Over the last 3 months, have you experienced any power interruptions of this source of more than two hours ?

Post question

If no (2)>Q5.

Duration of the longest power interruption (m1scq3A)

File: m1sc_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Valid cases: 0
 Invalid: 401

Literal question

How long was the longest interruption ?

No. of days of power interruptions for more than 2 hrs in the last 2 weeks (m1scq4A)

File: m1sc_anon

Overview

Type: Continuous	Valid cases: 302
Format: numeric	Invalid: 99
Width: 2	Minimum: 0
Decimals: 0	Maximum: 14
Range: 0-99	
Invalid: 99	

Literal question

Over the past 2 weeks, how many days was electricity from this source interrupted for more than 2 hours at a time?

Second source of power/electricity Mains (m1scq5aA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Second source of power/electricity generator (m1scq5bA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Second source of power/electricity batteries (m1scq5cA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Second source of power/electricity solar panel (m1scq5dA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Second source of power/electricity other (m1scq5eA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Main source of water for facility (m1scq6A)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 396
Format: numeric	Invalid: 5
Width: 1	
Decimals: 0	
Range: 0-1	

Literal question

What is the main source of water for this facility ?

Post question

If none (1) > Q10

Did you have interruptions of water supply in the last 3 months? (m1scq7A)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Over the last 3 months, have you experienced water supply interruptions of this source of more than two hours?

Post question

No = 2 > Q10

Duration of the longest water supply interruption (m1scq8A)

File: m1sc_anon

Overview

Type: Continuous	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Literal question

How long was the longest interruption ?

No. of days of water supply interruptions for more than 2 hrs. in the last 2 wee (m1scq9A)

File: m1sc_anon

Overview

Type: Continuous	Valid cases: 390
Format: numeric	Invalid: 11
Width: 2	Minimum: 0
Decimals: 0	Maximum: 31
Range: 0-31	Mean: 3.3

Literal question

Over the past 2 weeks, how many days was water from this source interrupted for more than 2 hours at a time ?

Time it takes on foot to and from water source (m1scq10A)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 340
Format: numeric	Invalid: 61
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

On average, how much time does it take to go by foot to and from the main source of water ? (including waiting time)

Type of toilet(latrine) for use by outpatients (m1scq11A)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 2	
Decimals: 0	
Range: 0-11	

Literal question

What type of toilet (latrine) is available for use by outpatients?

Post question

If No functioning toilet/bush (1) or Non-functioning toilet (2) >Q14

Number of outpatient toilets/latrines (m1scq12A)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 397
Format: numeric	Invalid: 4
Width: 1	
Decimals: 0	
Range: 0-6	

Literal question

How many of the mentioned (outpatient) toilets (latrines) are there?

Post question

Observe

Number of functioning outpatient toilets/latrines (m1scq13A)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Valid cases: 397
Invalid: 4

Literal question

How many of the mentioned (outpatient) toilets (latrines) are currently functioning?

Post question

Observe

Outpatient toilets overall hygiene condition (Observed) (m1scq13aA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 0
Invalid: 401

Literal question

What is the overall hygiene condition of outpatient toilets?

Post question

Observe

Separate toilets for male and female outpatients (observe) (m1scq13bA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

Are there separate toilets for male and female outpatients?

Post question

Observe

Type of toilet(latrine) for use by inpatients (m1scq14A)

File: m1sc_anon

Overview

Type of toilet(latrine) for use by inpatients (m1scq14A)

File: m1sc_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Valid cases: 159
Invalid: 242

Literal question

What type of toilets (latrines) are available for patients who are inpatients (hospitalized, in maternity or under

Post question

Observe

Interviewer instructions

[Enumerator: Record those only exclusively meant for inpatient use]

Number of inpatient toilets/latrines (m1scq15A)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Valid cases: 165
Invalid: 236

Literal question

How many of the mentioned toilets (latrines) that are only for inpatients are there?

Post question

Observe

Number of functioning inpatient toilets/latrines (m1scq16A)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 0
Invalid: 401

Literal question

How many of the mentioned toilets that are only for inpatients are currently functioning ?

Post question

Observe

What is the overall hygiene condition of inpatient toilets? (m1scq16aA)

File: m1sc_anon

Overview

What is the overall hygiene condition of inpatient toilets? (m1scq16aA)

File: m1sc_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Valid cases: 163
Invalid: 238

Literal question

What is the overall hygiene condition of inpatient toilets?

Post question

Observe

Are there separate toilets for male and female inpatients? (m1scq16bA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 395
Invalid: 6

Literal question

Are there separate toilets for male and female inpatients?

Post question

Observe

Is there at least one toilet (latrine) catering for people with disabilities? (m1scq16cA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 395
Invalid: 6

Literal question

Is there at least one toilet (latrine) catering for people with disabilities? (

Post question

Observe

Are there functional (soap and water) hand washing facilities for patients near (m1scq16dA)

File: m1sc_anon

Overview

Are there functional (soap and water) hand washing facilities for patients near (m1scq16dA)

File: m1sc_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

Are there functional (soap and water) hand washing facilities for patients near or in the toilets (latrines)?

Post question

Observe

Sharp disposal open burning no protection (m1scq17aA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Pre question

Now I would like to ask you a few questions about waste management practices for sharps waste, such as needles or blades. PROBE TO ARRIVE AT CORRECT RESPONSE.

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal open burning pit or protected ground (m1scq17bA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal dump without burning Flat ground - no protection (m1scq17cA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Sharp disposal dump without burning Flat ground - no protection (m1scq17cA)

File: m1sc_anon

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal dump without burning Covered pit or pit latrine (m1scq17dA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal dump without burning Open-pit - no protection (m1scq17eA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal dump without burning Protected ground or pit (m1scq17fA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal Remove off-site stored in covered container (m1scq17gA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal Remove off-site stored in other protected environment (m1scq17hA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal Remove off-site stored unprotected (m1scq17iA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal Remove off-site other (specify) (m1scq17jA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Sharp disposal Remove off-site other (specify) (m1scq17jA)

File: m1sc_anon

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal Remove off-site facility never has sharp waste (m1scq17kA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal Remove off-site burn incinerator (m1scq17lA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal flat ground - no protection Burn incinerator (m1scq17mA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal incinerator 2-chamber (m1scq17nA)

File: m1sc_anon

Overview

Sharp disposal incinerator 2-chamber (m1scq17nA)

File: m1sc_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

What method does this facility use in the final disposal of Sharps
"STATE ALL THAT APPLY"

Sharp disposal incinerator 1-chamber (m1scq18A)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Valid cases: 0
Invalid: 401

Literal question

Ask to see the place used by the facility for disposal of sharps waste and indicate the condition observed. If sharps waste is disposed offsite, observed where waste is stored prior to collection for offsite disposal.

Medical waste (other) disposal open burning no protection (m1scq20aA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Medical waste (other) disposal open burning pit or protected ground (m1scq20bA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

Medical waste (other) disposal open burning pit or protected ground (m1scq20bA)

File: m1sc_anon

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal dump without burning Flat ground - no protectio (m1scq20cA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal dump without burning Covered pit or pit latrine (m1scq20dA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal dump without burning Open-pit - no protection (m1scq20eA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Medical waste (other) disposal dump without burning Open-pit - no protection (m1scq20eA)

File: m1sc_anon

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal dump without burning Protected ground or pit (m1scq20fA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal Remove off-site stored in covered container (m1scq20gA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal Remove off-site stored in other protected enviro (m1scq20hA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

Medical waste (other) disposal Remove off-site stored in other protected enviro (m1scq20hA)

File: m1sc_anon

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal Remove off-site stored unprotected (m1scq20iA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal Remove off-site other (specify) (m1scq20jA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal Remove off-site facility never has Medical waste (m1scq20kA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Medical waste (other) disposal Remove off-site facility never has Medical waste (m1scq20kA)

File: m1sc_anon

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal Remove off-site burn incinerator (m1scq20lA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal flat ground - no protection Burn incinerator (m1scq20mA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Medical waste (other) disposal incinerator 2-chamber (m1scq20nA) File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Medical waste (other) disposal incinerator 2-chamber (m1scq20nA)

File: m1sc_anon

Literal question

How does this facility finally dispose of medical waste other than sharps boxes?
"STATE ALL THAT APPLY"

Interviewer instructions

If ALL of 17.m, 17.n, 20.m, 20.n = 2 >Q23

Is the incinerator functional today? (m1scq21A)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Is the incinerator functional today?

Is the power source for incinerator available today? (m1scq22A)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Is the power source for the incinerator available today?

Condition of disposal of medical waste (m1scq23A)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-4	

Literal question

Ask to see the place used by the facility for disposal of medical waste and indicate the condition observed. If medical waste is disposed offsite, observe where waste is stored prior to collection for offsite disposal.

Does the facility has guidelines on health care waste management? (m1scq24A)

File: m1sc_anon

Does the facility has guidelines on health care waste management? (m1scq24A)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

Does this facility have any guidelines on health care waste management?

Interviewer instructions

IF YES, ASK TO SEE THE GUIDELINES.

Has any staff received training in health care waste management? (m1scq25A)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Have you or any provider(s) received training in health care waste management practices in the past two years?

Does facility have fixed telephone line? (m1scq26aA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

At this facility are the following available?
- Fixed telephone line

Interviewer instructions

Communication (OBSERVE FUNCTIONING)

Does facility have functioning telephone line? (m1scq26bA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Does facility have functioning telephone line? (m1scq26bA)

File: m1sc_anon

Literal question

At this facility are the following available?

- Functioning fixed telephone line

Does facility have mobile telephone? (m1scq27aA)

File: m1sc_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 399

Invalid: 2

Literal question

At this facility are the following available?

- Mobile telephone belonging to an individual but calls paid for by the facility

Does facility have functioning mobile telephone? (m1scq27bA)

File: m1sc_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 399

Invalid: 2

Literal question

At this facility are the following available?

- Functioning mobile telephone belonging to an individual but calls paid for by the facility

Is mobile phone owned by individual but paid for by facility?
(m1scq28aA)

File: m1sc_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 0

Invalid: 401

Literal question

At this facility are the following available?

- Mobile telephone belonging to an individual but calls paid for by the facility

Is mobile phone owned by individual but paid for by facility
functioning? (m1scq28bA)

File: m1sc_anon

Is mobile phone owned by individual but paid for by facility functioning? (m1scq28bA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

At this facility are the following available?
 - Functioning mobile telephone belonging to an individual but calls paid for by the facility

Is mobile phone owned by individual but paid for by individual? (m1scq29aA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

At this facility are the following available?
 - Mobile telephone belonging to an individual and paid for by the individual but used by the facility

Is mobile phone owned by individual but paid for by individual functioning? (m1scq29bA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

At this facility are the following available?
 - Functioning mobile telephone belonging to an individual and paid for by the individual but used by the facility

Does facility have computer? (m1scq30aA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

Does facility have computer? (m1scq30aA)

File: m1sc_anon

At this facility are the following available?
- Computer belonging to the facility

Is computer owned by facility functional? (m1scq30bA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

At this facility are the following available?
- Functioning computer belonging to the facility

Does facility use computer owned by individual? (m1scq31aA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

At this facility are the following available?
- Computer belonging to an individual

Is computer owned by individual functioning? (m1scq31bA)

File: m1sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

At this facility are the following available?
- Functioning computer belonging to an individual

Does facility have short wave radio? (m1scq32aA)

File: m1sc_anon

Overview

Does facility have short wave radio? (m1scq32aA)

File: m1sc_anon

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 399
 Invalid: 2

Literal question

At this facility are the following available?
 - Short wave radio

Is short wave radio functioning? (m1scq32bA)

File: m1sc_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 399
 Invalid: 2

Literal question

At this facility are the following available?
 - Functioning short wave radio

Does facility have internet access? (m1scq33aA)

File: m1sc_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 399
 Invalid: 2

Literal question

At this facility are the following available?
 - Internet access

Is internet access functioning? (m1scq33bA)

File: m1sc_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 399
 Invalid: 2

Literal question

At this facility are the following available?
 - Functioning internet access

Does facility have ambulance for emergency? (m1scq34aA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 394
Invalid: 7

Literal question

Does the facility have the following arrangement for emergency transport?
- Ambulance owned by the facility

Does facility have ambulance available on call for emergency? (m1scq34bA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 394
Invalid: 7

Literal question

Does the facility have the following arrangement for emergency transport?
- Ambulance available on call

Post question

IF THERE IS NO AMBULANCE OR OFFICIAL VEHICLE i.e. if answered 'No' to A-D above, >Section D

Interviewer instructions

READ OUT

Does facility have vehicle for emergency (m1scq34cA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 394
Invalid: 7

Literal question

Does the facility have the following arrangement for emergency transport?
- Official vehicle (not an ambulance) owned by facility

Does facility have vehicle available on call for emergency? (m1scq34dA)

File: m1sc_anon

Overview

Does facility have vehicle available on call for emergency? (m1scq34dA)

File: m1sc_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 394
Invalid: 7

Literal question

Does the facility have the following arrangement for emergency transport?
- Official vehicle (not an ambulance) available on call

Does facility have private vehicle available on call for emergency? (m1scq34eA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 394
Invalid: 7

Literal question

Does the facility have the following arrangement for emergency transport?
- Private vehicle (not ambulance) available on call

Is emergency transport arranged by patient? (m1scq34fA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 394
Invalid: 7

Literal question

Does the facility have the following arrangement for emergency transport?
- Self-arranged by patient

Other(Specify) ways of emergency transportation (m1scq34gA)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 394
Invalid: 7

Literal question

Does the facility have the following arrangement for emergency transport?
- Any other (Specify)

Do you have fuel for ambulance or other vehicle today?

(m1scq35A)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

Is fuel for the ambulance or other vehicle available today?

Purpose of last trip ambulance/other vehicle made (m1scq36A)

File: m1sc_anon

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: -8-9

Valid cases: 28
Invalid: 373

Literal question

What was the purpose of the last trip that the vehicle or ambulance made?

SDIH identification (fac_idA)

File: m1sd_anon

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-401

Valid cases: 401
 Invalid: 0

Adult weighting scale present (m1sdq1aA)

File: m1sd_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 399
 Invalid: 2

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment
 Which of the following items are used?
 Available - Adult weighing scale

Post question

If A =3 > next item

Interviewer instructions

If available, ask to verify functioning

Adult weighting scale functional (m1sdq1bA)

File: m1sd_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 322
 Invalid: 79

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment
 Which of the following items are used?
 Functioning - Adult weighing scale

Thermometer present (m1sdq2aA)

File: m1sd_anon

Thermometer present (m1sdq2aA)

File: m1sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 399
Invalid: 2

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment
Which of the following items are used?
Available - Thermometer

Post question

If A =3 > next item

Interviewer instructions

If available, ask to verify functioning

Thermometer functional (m1sdq2bA)

File: m1sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 337
Invalid: 64

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment
Which of the following items are used?
Functioning - Thermometer

Child weighting scale present (m1sdq3aA)

File: m1sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 399
Invalid: 2

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Child weighting scale present (m1sdq3aA)

File: m1sd_anon

Basic Equipment

Which of the following items are used?

Available - Child weighing scale

Post question

If A =3 > next item

Interviewer instructions

If available, ask to verify functioning

Child weighting scale functional (m1sdq3bA)

File: m1sd_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 293

Invalid: 108

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment

Which of the following items are used?

Functioning - Child weighing scale

Stethoscope present (m1sdq4aA)

File: m1sd_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 399

Invalid: 2

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment

Which of the following items are used?

Available - Stethoscope

Post question

If A =3 > next item

Interviewer instructions

If available, ask to verify functioning

Stethoscope functional (m1sdq4bA)

File: m1sd_anon

Overview

Type: Discrete	Valid cases: 363
Format: numeric	Invalid: 38
Width: 1	
Decimals: 0	
Range: 1-3	

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment
Which of the following items are used?
Functioning - Stethoscope

Infant weighting scale present (m1sdq5aA)

File: m1sd_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment
Which of the following items are used?
Available - Infant weighing scale

Post question

If A =3 > next item

Interviewer instructions

If available, ask to verify functioning

Infant weighting scale functional (m1sdq5bA)

File: m1sd_anon

Overview

Type: Discrete	Valid cases: 197
Format: numeric	Invalid: 204
Width: 1	
Decimals: 0	
Range: 1-3	

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Infant weighting scale functional (m1sdq5bA)

File: m1sd_anon

Basic Equipment

Which of the following items are used?

Functioning - Infant weighing scale

Sphygmomanometer present (m1sdq6aA)

File: m1sd_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 399

Invalid: 2

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment

Which of the following items are used?

Available - Sphygmomanometer

Post question

If A =3 > next item

Interviewer instructions

If available, ask to verify functioning

Sphygmomanometer functional (m1sdq6bA)

File: m1sd_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 352

Invalid: 49

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment

Which of the following items are used?

Functioning - Sphygmomanometer

Bag/mask for neonatal resuscitation present (m1sdq7aA)

File: m1sd_anon

Overview

Bag/mask for neonatal resuscitation present (m1sdq7aA)

File: m1sd_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 0
Invalid: 401

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment
Which of the following items are used?
Available - Bag and mask for neonatal resuscitation

Post question

If A =3 > next item

Interviewer instructions

If available, ask to verify functioning

Bag/mask for neonatal resuscitation functional (m1sdq7bA)

File: m1sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 0
Invalid: 401

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment
Which of the following items are used?
Functioning - Bag and mask for neonatal resuscitation

Instrument to clear upper airways of neonate present (m1sdq8aA)

File: m1sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 0
Invalid: 401

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment
Which of the following items are used?
Available - Instrument to clear upper airways of neonate

Instrument to clear upper airways of neonate present (m1sdq8aA)

File: m1sd_anon

Post question

If A =3 > next item

Interviewer instructions

If available, ask to verify functioning

Instrument to clear upper airways of neonate functional (m1sdq8bA)

File: m1sd_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 401

Pre question

Could you please tell me more about the materials and resources available in this facility? I am interested in knowing if the following basic equipment and supplies used in the provision of client services are available in the general outpatient area of this facility. Please tell me if the following is available today and is functioning.

Literal question

Basic Equipment
 Which of the following items are used?
 Functioning - Instrument to clear upper airways of neonate

Autoclave present (m1sdq9aA)

File: m1sd_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 399
 Invalid: 2

Literal question

Basic Equipment
 Which of the following items are
 Available - Autoclave (pressure and wet heat)

Interviewer instructions

If available, ask to verify functioning

Autoclave functional (m1sdq9bA)

File: m1sd_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 112
 Invalid: 289

Literal question

Autoclave functional (m1sdq9bA)

File: m1sd_anon

Basic Equipment

Which of the following items are

Functioning - Autoclave (pressure and wet heat)

Electric boiler/steamer present (m1sdq10aA)

File: m1sd_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 399

Invalid: 2

Literal question

Basic Equipment

Which of the following items are

Available - Electric boiler or steamer (no pressure)

Interviewer instructions

If available, ask to verify functioning

Electric boiler/steamer functional (m1sdq10bA)

File: m1sd_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 32

Invalid: 369

Literal question

Basic Equipment

Which of the following items are

Functioning - Electric boiler or steamer (no pressure)

Electric dry heat sterilizer present (m1sdq11aA)

File: m1sd_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Valid cases: 399

Invalid: 2

Literal question

Basic Equipment

Which of the following items are

Available - Electric dry heat sterilizer

Interviewer instructions

If available, ask to verify functioning

Electric dry heat sterilizer functional (m1sdq11bA)

File: m1sd_anon

Overview

Type: Discrete	Valid cases: 31
Format: numeric	Invalid: 370
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

Basic Equipment
Which of the following items are
Functioning - Electric dry heat sterilizer

Non-electric pot for boiling/steaming present (m1sdq12aA)

File: m1sd_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

Basic Equipment
Which of the following items are
Available - Non-electric pot for boiling/steam or Heat source from non-electric equipment (stove or cooker)

Interviewer instructions

If available, ask to verify functioning

Non-electric pot for boiling/steaming functional (m1sdq12bA)

File: m1sd_anon

Overview

Type: Discrete	Valid cases: 242
Format: numeric	Invalid: 159
Width: 1	
Decimals: 0	
Range: 1-3	

Literal question

Basic Equipment
Which of the following items are
Functioning - Non-electric pot for boiling/steam or Heat source from non-electric equipment (stove or cooker)

SDIH identification (fac_idA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-401

Valid cases: 401
Invalid: 0

Amoxicillin available (m1seq1aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 399
Invalid: 2

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

Ask to be shown the main location in the facility where medicines and other supplies are stored. Find the person most knowledgeable about storage and management of medicines and supplies in the facility (usually the pharmacist/pharmacy technician). INTRODUCE YOURSELF, EXPLAIN THE PURPOSE OF THE SURVEY AND ASK THE FOLLOWING QUESTIONS. The existence of the stock of drugs and vaccines has to be verified through direct observation. Observe

Enumerator read to the Pharmacist/Pharmacy Technician: I would like to know if the following medicines are available today in this facility. I would also like to observe the medicines that are available. If any of the medicines I mention is stored in another location in the facility, please tell me where in the facility it is stored so I can go there to verify.

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Amoxicillin form (m1seq1bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Ceftriaxone available (m1seq2aA)

File: m1se_anon

Ceftriaxone available (m1seq2aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Ceftriaxone form (m1seq2bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Ciprofloxacin available (m1seq3aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Ciprofloxacin form (m1seq3bA)

File: m1se_anon

Overview

Ciprofloxacin form (m1seq3bA)

File: m1se_anon

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 401

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Diclofenac available (m1seq4aA)

File: m1se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 0
 Invalid: 401

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Diclofenac form (m1seq4bA)

File: m1se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 401

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Atenolol available (m1seq5aA)

File: m1se_anon

Overview

Atenolol available (m1seq5aA)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Atenolol form (m1seq5bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Captopril available (m1seq6aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Captopril form (m1seq6bA)

File: m1se_anon

Overview

Captopril form (m1seq6bA)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Simvastatin available (m1seq7aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Simvastatin form (m1seq7bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Glibenclamide available (m1seq8aA)

File: m1se_anon

Overview

Glibenclamide available (m1seq8aA)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Glibenclamide form (m1seq8bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Oral hypoglycaemic available (m1seq9aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Oral hypoglycaemic form (m1seq9bA)

File: m1se_anon

Overview

Oral hypoglycaemic form (m1seq9bA)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Insulin for subcutaneous injection available (m1seq10aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Insulin for subcutaneous injection form (m1seq10bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Salbutamol available (m1seq11aA)

File: m1se_anon

Overview

Salbutamol available (m1seq11aA)

File: m1se_anon

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 0
 Invalid: 401

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Salbutamol form (m1seq11bA)

File: m1se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 401

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Omeprazole available (m1seq12aA)

File: m1se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 0
 Invalid: 401

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Omeprazole form (m1seq12bA)

File: m1se_anon

Overview

Omeprazole form (m1seq12bA)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Diazepam available (m1seq13aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Diazepam form (m1seq13bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Amitriptyline available (m1seq14aA)

File: m1se_anon

Overview

Amitriptyline available (m1seq14aA)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Amitriptyline form (m1seq14bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Rifampicin available (m1seq15aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Rifampicin form (m1seq15bA)

File: m1se_anon

Overview

Rifampicin form (m1seq15bA)

File: m1se_anon

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 401

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Isoniazid available (m1seq16aA)

File: m1se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 0
 Invalid: 401

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Isoniazid form (m1seq16bA)

File: m1se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 401

Post question

Not available today = 4 > next item
 Never available = 5 > next item
 Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Pyrazinamide available (m1seq17aA)

File: m1se_anon

Overview

Pyrazinamide available (m1seq17aA)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Pyrazinamide form (m1seq17bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Ethambutol available (m1seq18aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Ethambutol form (m1seq18bA)

File: m1se_anon

Overview

Ethambutol form (m1seq18bA)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Post question

Not available today = 4 > next item
Never available = 5 > next item
Not recommended at this level = 6 > next item

Interviewer instructions

PROBE FURTHER IF RESPONSE IS "NOT AVAILABLE TODAY"

Oxytocin(Syntocinon) available (m1seq19aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 399
Invalid: 2

Oxytocin(Syntocinon) form (m1seq19bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Calcium Gluconate available (m1seq20aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 399
Invalid: 2

Calcium Gluconate form (m1seq20bA)

File: m1se_anon

Overview

Calcium Gluconate form (m1seq20bA)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Magnesium Sulphate available (m1seq21aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 399
Invalid: 2

Magnesium Sulphate form (m1seq21bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Sodium Chloride(Saline Solution/NaCl) available (m1seq22aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 399
Invalid: 2

Sodium Chloride(Saline Solution/NaCl) form (m1seq22bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Misoprostol(Mifepristone) available (m1seq23aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Misoprostol(Mifepristone) form (m1seq23bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Ampicillin available (m1seq24aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Ampicillin form (m1seq24bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Gentamicin available (m1seq25aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Gentamicin form (m1seq25bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Metronidazole available (m1seq26aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Metronidazole form (m1seq26bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Azithromycin available (m1seq27aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Azithromycin form (m1seq27bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Cefixime available (m1seq28aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Cefixime form (m1seq28bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Benzanthine benzyl penicillin available (m1seq29aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Benzanthine benzyl penicillin form (m1seq29bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Betamethasone or Dexamethasone available (m1seq30aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Betamethasone or Dexamethasone form (m1seq30bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Nifedipine available (m1seq31aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Nifedipine form (m1seq31bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Oral contraceptive pill(OCP)available available (m1seq32aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Oral contraceptive pill(OCP)check form (m1seq32bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Medroxyprogesterone acetate(depo-provera) available (m1seq33aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Medroxyprogesterone acetate(depo-provera) form (m1seq33bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Ferrous salt available (m1seq34aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Ferrous salt form (m1seq34bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Ferrous salt and folic acid available (m1seq35aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Ferrous salt and folic acid form (m1seq35bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Folic acid available (m1seq36aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Folic acid form (m1seq36bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Sulfadoxine/pytimethamine available (m1seq37aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Sulfadoxine/pytimethamine form (m1seq37bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Paracetamol available (m1seq38aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Paracetamol form (m1seq38bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Cotrimoxazole available (m1seq39_aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Cotrimoxazole form (m1seq39_bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Ergometrine available (m1seq40_aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Ergometrine form (m1seq40_bA)

File: m1se_anon

Ergometrine form (m1seq40_bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Chloramphenicol available (m1seq41_aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Chloramphenicol form (m1seq41_bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	

Morphine for children available (m1seq39aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Morphine for children form (m1seq39bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Amoxicilline for children(125mg) available (m1seq40aA)

File: m1se_anon

Amoxicilline for children(125mg) available (m1seq40aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Amoxicilline for children(125mg) form (m1seq40bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Trimethoprim+Sulfamethoxazole for children available (m1seq41aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Trimethoprim+Sulfamethoxazole for children(125mg) form (m1seq41bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Benzylpenicillin for children available (m1seq42aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Benzylpenicillin for children form (m1seq42bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Oral rehydration solution(ORS) for children available (m1seq43aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Oral rehydration solution(ORS) for children form (m1seq43bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Vitamin A for children available (m1seq44aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Vitamin A for children form (m1seq44bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Zinc for children available (m1seq45aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Zinc for children form (m1seq45bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Artemisinin combination therapy for children available (m1seq46aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Artemisinin combination therapy for children form (m1seq46bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Artesunate for children available (m1seq47aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Artesunate for children form (m1seq47bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Albendazole for children available (m1seq48aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Albendazole for children form (m1seq48bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Mebendazole for children available (m1seq49aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-6	

Literal question

Do you have Standard Treatment Guidelines available?

Post question

Yes (at home) = 2 > Q50

No = 3 > Q50

Mebendazole for children form (m1seq49bA)

File: m1se_anon

Overview

Mebendazole for children form (m1seq49bA)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

Please show me these Standard Treatment Guidelines

Interviewer instructions

Observe

Disposable gloves available (m1seq50A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 398
Invalid: 3

Literal question

Consumables and other products

Interviewer instructions

Observe

Male condoms available (m1seq51A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 398
Invalid: 3

Female condoms available (m1seq51aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 397
Invalid: 4

Malaria rapid diagnostic test available (m1seq52A)

File: m1se_anon

Overview

Malaria rapid diagnostic test available (m1seq52A)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 399
Invalid: 2

HIV test kit (m1seq52aA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 399
Invalid: 2

Glucometer (m1seq52bA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 399
Invalid: 2

Tuberculosis Test Kit (ZN stain, Tubercullin Test) (m1seq52cA)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 399
Invalid: 2

Impregnated bed net available (m1seq53A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Tape measure (m1seq53aA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Length board (m1seq53bA)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

IUDs available (m1seq53_UGD_1A)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Implants available (m1seq53_UGD_2A)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Pills available (m1seq53_UGD_3A)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-6	

Does facility provide immunization services? (m1seq54A)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Vaccines and related supplies for Children

Does this facility provide immunization services or vaccinations?

Post question

No = 2 > Module 2A

Interviewer instructions

Ask to be shown the location in the facility where child immunization services are provided. Find the person most knowledgeable about child immunization services in the facility. Introduce yourself, explain the purpose of the survey, and ask the following questions.

Are vaccines stored at the facility? (m1seq55A)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 398
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Vaccines and related supplies for Children

Are vaccines stored at this facility?

Post question

Yes = 1 > Q57 (below)

No = 2 > Q74

Are vaccines stored at another facility? (m1seq56A)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 254
Format: numeric	Invalid: 147
Width: 2	
Decimals: 0	
Range: -8-2	

Literal question

Vaccines and related supplies for Children

Are vaccines stored at another facility?

Does facility have a working refrigerator? (m1seq57A)

File: m1se_anon

Does facility have a working refrigerator? (m1seq57A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Valid cases: 253
Invalid: 148

Literal question

Vaccines and related supplies for Children

Does the facility have a working refrigerator?

Post question

If not functioning (3) > Q61.

If not available (4) > Q61.

Interviewer instructions

Observe functioning = 2-8 degrees Centigrade

Temperature of the refrigerator (degree Celsius) (m1seq58A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 401

Literal question

Vaccines and related supplies for Children

Write the temperature of the refrigerator

Evidence of temperature monitoring (m1seq59A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 251
Invalid: 150

Literal question

Vaccines and related supplies for Children

Is there evidence of regular temperature monitoring ?

Post question

Observe

Source of power for refrigerator (m1seq60A)

File: m1se_anon

Overview

Source of power for refrigerator (m1seq60A)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 0
Invalid: 401

Literal question

Vaccines and related supplies for Children

What is the power source for the refrigerator ?

Measles vaccine & diluent available today (m1seq61A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Valid cases: 399
Invalid: 2

Literal question

Are the following vaccines available in this service site today?

Interviewer instructions

CHECK TO SEE IF AT LEAST ONE IS VALID (NOT EXPIRED)

Polio vaccine(OPV) available today (m1seq62A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 380
Invalid: 21

Literal question

Are the following vaccines available in this service site today?

- Measles vaccine and diluent

Interviewer instructions

CHECK TO SEE IF AT LEAST ONE IS VALID (NOT EXPIRED)

Diphtheria+pertussis+tetanus vaccine(DPT/Trivalent) available today (m1seq63A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Valid cases: 0
Invalid: 401

Literal question

Diphtheria+pertussis+tetanus vaccine(DPT/Trivalent) available today (m1seq63A)

File: m1se_anon

Are the following vaccines available in this service site today?

- Diphtheria + pertussis + tetanus vaccine (DPT/Trivalent)

Interviewer instructions

CHECK TO SEE IF AT LEAST ONE IS VALID (NOT EXPIRED)

DTP-Hib+HepB(pentavalent) vaccine available today (m1seq64A)

File: m1se_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 380

Invalid: 21

Literal question

Are the following vaccines available in this service site today?

- DTP-Hib+HepB (pentavalent)

Interviewer instructions

CHECK TO SEE IF AT LEAST ONE IS VALID (NOT EXPIRED)

Pneumococcal(PCV 10) vaccine available today (m1seq65A)

File: m1se_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 378

Invalid: 23

Literal question

Are the following vaccines available in this service site today?

- Pneumococcal (PCV 10) vaccine

Interviewer instructions

CHECK TO SEE IF AT LEAST ONE IS VALID (NOT EXPIRED)

BCG vaccine & diluent available today (m1seq66A)

File: m1se_anon

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 380

Invalid: 21

Literal question

Are the following vaccines available in this service site today?

- BCG vaccine and diluent

Interviewer instructions

BCG vaccine & diluent available today (m1seq66A)

File: m1se_anon

CHECK TO SEE IF AT LEAST ONE IS VALID (NOT EXPIRED)

Hepatitis B vaccine available today (m1seq67A)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-5	

Literal question

Are the following vaccines available in this service site today?

- Hepatitis B

Anti tetanus vaccine available today (m1seq68A)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 401
Width: 1	
Decimals: 0	
Range: 1-5	

Literal question

Are the following vaccines available in this service site today?

- Anti tetanus

Disposable syringes with disposable needles available today (m1seq69A)

File: m1se_anon

Overview

Type: Discrete	Valid cases: 399
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-9	

Pre question

I would like to know if the following items for immunization are available in this service area today. For each item, please tell me if it is available today. ASK TO SEE THE ITEMS.

Vaccine carrier(s) available (m1seq70A)

File: m1se_anon

Overview

Vaccine carrier(s) available (m1seq70A)

File: m1se_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 398
Invalid: 3

Auto-disable syringes available today (m1seq71A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 399
Invalid: 2

Literal question

Auto-disable syringes

Set of ice packs for vaccine carriers available today (m1seq72A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 398
Invalid: 3

Sharps container(s)-safety box(es) available today (m1seq73A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 399
Invalid: 2

Vaccines stored at another facility (m1seq74A)

File: m1se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 401

Literal question

If there is no storage at the facility, are this facility's vaccines stored at another facility (and picked up when vaccine services are being provided)?

SDIH identification (fac_idA)

File: m2sa_anon

Overview

Type: Discrete	Valid cases: 2302
Format: numeric	Invalid: 55
Width: 3	
Decimals: 0	
Range: 1-401	

Staff Identification (staff_idA)

File: m2sa_anon

Overview

Type: Discrete	Valid cases: 2302
Format: numeric	Invalid: 55
Width: 2	
Decimals: 0	
Range: 1-24	

Total number of facility employees (m2saq1A)

File: m2sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 2357
Width: 1	
Decimals: 0	

No. of health workers (medical staff) (Visit I) (m2saq2A)

File: m2sa_anon

Overview

Type: Discrete	Valid cases: 2357
Format: numeric	Invalid: 0
Width: 2	
Decimals: 0	
Range: 0-50	

Pre question

Enumerator: Identify the most senior staff in charge present at the time of the survey. Ask to see staff/personnel records if available. Please allow me to ask you a few questions about the employees in this facility

Literal question

How many are health workers (medical staff) ?

No. of non-medical staff (Visit I) (m2saq3A)

File: m2sa_anon

Overview

No. of non-medical staff (Visit I) (m2saq3A)

File: m2sa_anon

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-10

Valid cases: 2357
Invalid: 0

Literal question

How many are non-medical staff? Note Q2 + Q3 should = Q1

Position (Visit I) (m2saq6A)

File: m2sa_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 0
Invalid: 2357

Literal question

Post

Function of personnel (Visit I) (m2saq7A)

File: m2sa_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2352
Invalid: 5

Literal question

Function

Highest level of education (Visit I) (m2saq8A)

File: m2sa_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 0
Invalid: 2357

Literal question

Highest Level of Education

Highest level of medical training (Visit I) (m2saq9A)

File: m2sa_anon

Overview

Highest level of medical training (Visit I) (m2saq9A)

File: m2sa_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 0
Invalid: 2357

Literal question

Highest Level of medical training

Sex of personnel (Visit I) (m2saq10A)

File: m2sa_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 2355
Invalid: 2

Literal question

Sex

Age of personnel (Visit I) (m2saq11A)

File: m2sa_anon

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 25-50

Valid cases: 2321
Invalid: 36

Literal question

Age

Does personnel perform outpatient consultations? (Visit I) (m2saq12A)

File: m2sa_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 2348
Invalid: 9

Literal question

Does (___) regularly perform outpatient consultations (at least once per week) ?

Is personnel currently in the facility? (Visit I) (m2saq13A)

File: m2sa_anon

Is personnel currently in the facility? (Visit I) (m2saq13A)

File: m2sa_anon

Overview

Type: Discrete	Valid cases: 2346
Format: numeric	Invalid: 11
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Is (__) currently in the facility ?

Reason for absence (Visit I) (m2saq14A)

File: m2sa_anon

Overview

Type: Discrete	Valid cases: 1027
Format: numeric	Invalid: 1330
Width: 2	
Decimals: 0	
Range: 1-99	

Literal question

Reason for absence

Is personnel selected for Module 2B (Visit I) (m2saq15A)

File: m2sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 2357
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Selected for... Mod 2B

Is personnel selected for Module 3 (Visit I) (m2saq16A)

File: m2sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 2357
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Selected for... Mod 3

SDIH identification (fac_idA)

File: m2sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-401

Valid cases: 1474
 Invalid: 29

Staff Identification (staff_idA)

File: m2sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-24

Valid cases: 1474
 Invalid: 29

Position (Visit II) (m2sbq4A)

File: m2sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 0
 Invalid: 1503

Pre question

Enumerator: Record the 10 randomly selected health workers in the table below, along with each of their details. Ask a staff member in the facility to help you identify each health worker on the list and record their presence or absence in the facility. Make sure to observe each staff in the facility yourself . All

Literal question

Post

Function of personnel (Visit II) (m2sbq5A)

File: m2sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 1496
 Invalid: 7

Literal question

Function

Highest level of education (Visit II) (m2sbq6A)

File: m2sb_anon

Highest level of education (Visit II) (m2sbq6A)

File: m2sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 1503
Width: 1	
Decimals: 0	
Range: 1-9	

Literal question

Highest Level of education

Higherst level of medical training (Visit II) (m2sbq7A)

File: m2sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 1503
Width: 1	
Decimals: 0	
Range: 1-9	

Literal question

Highest Level of medical training

Peronnel started working in year yyyy (m2sbq8A)

File: m2sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 1503
Width: 1	
Decimals: 0	

Literal question

Year started working as a health worker

Sex of personnel (Visit II) (m2sbq9A)

File: m2sb_anon

Overview

Type: Discrete	Valid cases: 1502
Format: numeric	Invalid: 1
Width: 1	
Decimals: 0	
Range: 1-2	

Literal question

Sex

Age of personnel (Visit II) (m2sbq10A)

File: m2sb_anon

Overview

Age of personnel (Visit II) (m2sbq10A)

File: m2sb_anon

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Valid cases: 0
 Invalid: 1503

Literal question

Age

Is personnel currently in the facility? (Visit II) (m2sbq11A)

File: m2sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 1490
 Invalid: 13

Literal question

Is (__) currently in the facility ?

Reason for absence (Visit II) (m2sbq12A)

File: m2sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Valid cases: 832
 Invalid: 671

Literal question

Reason for absence

Current Activity (Visist II) (m2sbq13A)

File: m2sb_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 645
 Invalid: 858

Literal question

Current activity

Was last salary delayed for personnel (Visit II) (m2sbq14A)

File: m2sb_anon

Overview

Was last salary delayed for personnel (Visit II) (m2sbq14A)

File: m2sb_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Valid cases: 652
Invalid: 851

Literal question

Did you experience a delay in receiving your last salary?

SDIH identification (fac_idA)

File: m3sa_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 3	
Decimals: 0	
Range: 1-401	

Staff Identification (staff_idA)

File: m3sa_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 2	
Decimals: 0	
Range: 1-24	

Clinician originally selected (m3saq6A)

File: m3sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Literal question

Clinician originally selected ?

Enumerator playing Observer (m3saq7aA)

File: m3sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Enumerator playing Patient (m3saq7bA)

File: m3sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Data entered (m3saq8A)

File: m3sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Literal question

Data entered

Do you agree to participate? (m3saq9A)

File: m3sa_anon

Overview

Type: Discrete	Valid cases: 732
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 1-1	

Pre question

OBSERVER reads the following to the clinician :

We have come here today as part of our research on health service delivery in Tanzania. The research is conducted by REPOA in collaboration with The World Bank, The Ministry of Health and Social Welfare, and PMO RALG and is part of the government's on-going efforts to improve utilization of resources and quality of services. One of the aims of our research is to identify the possible challenges of health service delivery in Tanzania. We therefore want to kindly ask you to spend some time assisting us in learning more about the daily work that clinicians do. To understand the realities of your work we will be present during some of the daily activities in your facility. In addition it is important to understand how the work could be conducted, this time without the constraints of having patients present during our survey. To achieve this my colleague will pretend to be a patient, and would then ask you to do a consultation on him/her. What I ask from you is simply to pretend that my colleague is one of your normal patients and to treat him/her just like normal.

Permission for the survey has been obtained from the Ministry of Health and PMO RALG [show letter]. All information and responses that you provide will be confidential and no information will be attributed to you personally. The questionnaire will take approximately 40 minutes to complete. Do you have any questions?

Literal question

Do you agree to participate ?

If no (to Q8), give the reason for refusal (m3saq10A)

File: m3sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Post (m3saq11A)

File: m3sa_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Post (m3saq11A)

File: m3sa_anon

Literal question

Post (code)

Interviewer instructions

For each of the following questions, ASK the clinician (DO NOT copy from Module 2A)

Highest level of education (m3saq12A)

File: m3sa_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Literal question

Highest level of education (code)

Interviewer instructions

For each of the following questions, ASK the clinician (DO NOT copy from Module 2A)

Function (m3saq13A)

File: m3sa_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 715
Invalid: 17

Literal question

Function (code)

Interviewer instructions

For each of the following questions, ASK the clinician (DO NOT copy from Module 2A)

Highest level of medical training of clinician (m3saq14A)

File: m3sa_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Interviewer instructions

For each of the following questions, ASK the clinician (DO NOT copy from Module 2A)

Do you regularly consult patients?(At least once per week) (m3saq15A)

File: m3sa_anon

Do you regularly consult patients?(At least once per week) (m3saq15A)

File: m3sa_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Literal question

Do you regularly consult patients ? (At least once per week)

Post question

If No (2), STOP Clinician is not eligible for Case Simulations

Interviewer instructions

For each of the following questions, ASK the clinician (DO NOT copy from Module 2A)

SDIH identification (fac_idA)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 3	
Decimals: 0	
Range: 1-401	

Staff Identification (staff_idA)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 2	
Decimals: 0	
Range: 1-24	

Start time (m3sbq1A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 622
Format: numeric	Invalid: 110
Width: 1	
Decimals: 0	
Range: 1-2	

Other Symptoms (m3sbq2A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Duration of diarrhea (m3sbq3A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Blood in stool (m3sbq4A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Consistency of stool (m3sbq5A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Frequency of diarrhea (m3sbq6A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Vomiting (m3sbq7A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Fever (m3sbq8A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Convulsions (m3sbq9A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Breastfeeding (m3sbq10A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Feeding well (m3sbq11A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Cough (m3sbq12A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 0-2	

Maeasles now or in the past 3 months (m3sbq13A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Tears (m3sbq14A)

File: m3sb_anon

Tears (m3sbq14A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Other family members/neighbour have diarrhoea (m3sbq15A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Do you feed him anything other than breast milk (m3sbq16A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

If breastfed, how often (m3sbq17A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Other than breast milk, what do you feed him (m3sbq18A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

How is this food given (m3sbq19A)

File: m3sb_anon

How is this food given (m3sbq19A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Who prepares this food (m3sbq20A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

What's the handwashing practice (m3sbq21A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Vaccination status (m3sbq22A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Medication/treatment (m3sbq23A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Abdominal discomfort/Cramps (m3sbq23aA)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Last deworming (m3sbq24A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Temperature (m3sbq25A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Pulse/Heart rate (m3sbq26A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Blood pressure (m3sbq27A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Respiratory rate (m3sbq28A)

File: m3sb_anon

Respiratory rate (m3sbq28A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Weight (m3sbq29A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Height/Length (m3sbq30A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

General condition (m3sbq31A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Agitated/Irritable (m3sbq32A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Sunken eyes (m3sbq33A)

File: m3sb_anon

Sunken eyes (m3sbq33A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Offer child drink (m3sbq34A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Mucous membrane (m3sbq35A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Does skin go back to state (m3sbq36A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Pallor of palms or conjunctiva (m3sbq37A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Neck stiffness (m3sbq38A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Ears/throat (m3sbq39A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Signs of severe malnutrition (m3sbq40A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Weight (check against a growth chart) (m3sbq41A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-2	

Oedema/Swelling (m3sbq42A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Glucose/Random (m3sbq43A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

HIV status of the child (m3sbq43_UGD_1A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Palpate for the spleen (m3sbq43_UGD_2A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Check for visible severe wasting (m3sbq43_UGD_3A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Stool - rota (m3sbq44A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Stool - ova (m3sbq45A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Gastroenteritis (m3sbq46A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Diarrhea (m3sbq47A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Acute diarrhea (m3sbq48A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Dehydration (m3sbq49A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Severe dehydration (m3sbq50A)

File: m3sb_anon

Severe dehydration (m3sbq50A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Other diagnosis (m3sbq51A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

No diagnosis given (m3sbq52A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Rehydration using ORS (m3sbq53A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Rehydration using NGT (m3sbq54A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Intravenous infusion of ringers lactate or hartmans (m3sbq55A)

File: m3sb_anon

Overview

Intravenous infusion of ringers lactate or hartmans (m3sbq55A)

File: m3sb_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Antibiotics (m3sbq56A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Vitamin A capsules (m3sbq57A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Zinc tablets (m3sbq58A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

Kept for observation (m3sbq59A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 732

Referred to another facility for treatment (m3sbq60A)

File: m3sb_anon

Referred to another facility for treatment (m3sbq60A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Referred to another clinician within this facility (m3sbq61A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Beyond competence of clinician (m3sbq62A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Education on using ORS (m3sbq63A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Education on handwashing (m3sbq64A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Information on feeding child (m3sbq65A)

File: m3sb_anon

Information on feeding child (m3sbq65A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Emphasis on not withholding feeding especially breast feeding (m3sbq66A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Given plenty of oral fluids (m3sbq67A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Information on giving Zinc (m3sbq68A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Information on next appointment (m3sbq69A)

File: m3sb_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Proper cleaning of feeding utensils (m3sbq69_UGD_1A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 730
Invalid: 2

End time of case simulation (m3sbq70A)

File: m3sb_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 681
Invalid: 51

SDIH identification (fac_idA)

File: m3sc_anon

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-401

Valid cases: 716
Invalid: 16

Staff Identification (staff_idA)

File: m3sc_anon

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-24

Valid cases: 716
Invalid: 16

Start time (m3scq1A)

File: m3sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 622
Invalid: 110

Other symptoms (m3scq2A)

File: m3sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Able to drink (m3scq3A)

File: m3sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 0
Invalid: 732

Duration of cough (m3scq4A)

File: m3sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Sputum production or dry cough (m3scq5A)

File: m3sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Blood in sputum (m3scq6A)

File: m3sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Color of sputum (m3scq7A)

File: m3sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 0
Invalid: 732

Fever (m3scq8A)

File: m3sc_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Chest pain (m3scq9A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Difficulty in breathing (m3scq10A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Appetite (m3scq11A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Vomiting (m3scq12A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Convulsions (m3scq13A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

General condition (m3scq14A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Difficulty in swallowing (m3scq15A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Running nose (m3scq16A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Medication/treatment (m3scq17A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Recent history of Measles (m3scq18A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Family history of Asthma (m3scq19A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Redness of the eyes (m3scq20A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Diarrheapatient (m3scq21A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Ear (m3scq22A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Temperature (m3scq23A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-3	

Pulse/ Heart rate (m3scq24A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Blood pressure (m3scq25A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Respiratory rate (m3scq26A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Weight (m3scq27A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Height (m3scq28A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Lower chest wall in-drawing/ subcostal recession (m3scq29A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-3	

Nasal flaring (m3scq30A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Stridor (m3scq31A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Wheezing (m3scq32A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Auscultate (listen with stethoscope) to the chest/lungs/back (m3scq33A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Throat (m3scq34A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Ears (m3scq35A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

HIV status of mother (m3scq35_UGD_1A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

HIV status of child (m3scq35_UGD_2A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Lymph nodes (m3scq36A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Chest X-ray (m3scq37A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Full blood count (m3scq38A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Blood slide for malaria parasite (m3scq39A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Malaria rapid diagnostic test (m3scq40A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Pneumonia (m3scq41A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Other diagnosis (specify) (m3scq42A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

No diagnosis given even AFTER prompting clinician to do so (m3scq43A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Ambulatory treatment (m3scq44A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Amoxicillin (m3scq45A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Amoxicillin (apropriate dose and frequency, see note) (m3scq46A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Other antibiotic (not amoxicillin) (m3scq47A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Antipyretics (m3scq48A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Paracetamol (m3scq49A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Paracetamol (appropriate dose and frequency; see note)
(m3scq50A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Ask the parent to bring the child every day for procain penicillin
injection (m3scq51A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Refer to another facility for treatment (m3scq52A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Refer to another clinician within this facility (m3scq53A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Beyond competence of clinician (m3scq54A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Administering the antibiotics for 5 days (m3scq55A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Guidance on how to feed (m3scq56A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Increase fluid intake (m3scq57A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 728
Format: numeric	Invalid: 4
Width: 1	
Decimals: 0	
Range: 1-3	

Tell parent to bring child if the condition of the child worsens (m3scq58A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Tell the parent to bring the child if there are any danger signs (m3scq59A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Bring the child again in 2 days (m3scq60A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

End time of simulation (m3scq61A)

File: m3sc_anon

Overview

Type: Discrete	Valid cases: 681
Format: numeric	Invalid: 51
Width: 1	
Decimals: 0	
Range: 1-2	

SDIH identification (fac_idA)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 3	
Decimals: 0	
Range: 1-401	

Staff Identification (staff_idA)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 2	
Decimals: 0	
Range: 1-24	

Start time of case simulation (m3sdq1A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 622
Format: numeric	Invalid: 110
Width: 1	
Decimals: 0	
Range: 1-2	

Other symptoms (m3sdq2A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Duration of symptoms (m3sdq3A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Fever (m3sdq4A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Headache (m3sdq5A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Convulsions (m3sdq6A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Appetite (m3sdq7A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Did you eat this morning (m3sdq8A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Thirst (m3sdq9A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Diarrhea (m3sdq10A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Vomiting (m3sdq11A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Cough/sputum (m3sdq12A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Difficulty in breathing (m3sdq13A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Medication/treatment (m3sdq14A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Urinary output (m3sdq15A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Lower limb numbness/excessively cold or hot feeling in the feet (m3sdq16A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Smoker (m3sdq17A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Exercise (m3sdq18A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Previous health checks (m3sdq19A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Tuberculosis / HIV in the family (m3sdq20A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Diabetes in the family (m3sdq21A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Hypertension/High blood pressure (m3sdq22A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Dizziness or fainting (m3sdq23A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Backache or joint pains (m3sdq24A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Temperature (m3sdq25A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Pulse/ Heart rate (m3sdq26A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-3	

Blood pressure (m3sdq27A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Respiratory rate (m3sdq28A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Weight (m3sdq29A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Height (m3sdq30A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Sunken eyes (m3sdq33_UGD_1A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Eye sight (m3sdq33_UGD_2A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-3	

Abdomen/Liver (m3sdq31A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Auscultate (listen with stethoscope) to the chest/lungs/back (m3sdq32A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Mouth (m3sdq33A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Neurological examination upper extremities (m3sdq34A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Neurological examination lower extremities (m3sdq35A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Fundoscopy (m3sdq36A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Random blood glucose/ capillary blood glucose (m3sdq37A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Fasting blood glucose (m3sdq38A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

HBA1C (m3sdq39A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Urinalysis (m3sdq40A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Blood slide for malarial parasites (m3sdq41A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Diabetes (m3sdq42A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Diabetes Type II (m3sdq43A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Other diagnosis (specify) (m3sdq44A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

No diagnosis given even AFTER prompting clinician to do so (m3sdq45A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Oral hypoglycemics (m3sdq46A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Insulin only when: oral hypoglycemics are not effective (m3sdq47A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Follow up at specialist diabetic outpatient clinic or a higher level center (m3sdq48A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Refer to another clinician within this facility (m3sdq49A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Beyond competence of clinician (m3sdq50A)

File: m3sd_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Dietary modification, caloric restriction among obese patients (m3sdq51A)

File: m3sd_anon

Overview

Dietary modification, caloric restriction among obese patients (m3sdq51A)

File: m3sd_anon

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Exercise (m3sdq52A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Don't smoke/avoid tobacco (m3sdq53A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Measure blood sugar regularly (m3sdq54A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Observe medication regime (m3sdq55A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Regular follow up appointments (m3sdq56A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Explain that diabetes is a chronic illness (m3sdq57A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

End time of simulation (m3sdq58A)

File: m3sd_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 681
Invalid: 51

SDIH identification (fac_idA)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 3	
Decimals: 0	
Range: 1-401	

Staff Identification (staff_idA)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 2	
Decimals: 0	
Range: 1-24	

Start time (m3seq1A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 622
Format: numeric	Invalid: 110
Width: 1	
Decimals: 0	
Range: 1-2	

Other symptoms (m3seq2A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Duration of cough (m3seq3A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Productive cough (m3seq4A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Blood in sputum (m3seq5A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Difficulty in breathing (m3seq6A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Chest pain (m3seq7A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Fever (m3seq8A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Pattern of fever (m3seq9A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

(Night) sweats (m3seq10A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Weight loss (m3seq11A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Appetite (m3seq12A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

General health condition (tiredness/fatigue) (m3seq13A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Tuberculosis in the household (m3seq14A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

HIV Test taken (m3seq14aA)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

History of contact with an adult with a prolonged cough in the household (m3seq15A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Has this type of cough happened to others in your family or dwelling (m3seq16A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Has this happened before (m3seq17A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Have you been given Medication/Treatment for this cough/fever (m3seq18A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Alcohol (m3seq19A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Smoking (m3seq20A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Do you have a normal diet (m3seq21A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Profession (m3seq22A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Have you taken any high-risk sexual behaviour (m3seq23A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Temperature (m3seq24A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Pulse/ Heart rate (m3seq25A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Blood pressure (m3seq26A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Respiratory rate (m3seq27A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Weight (m3seq28A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Height (m3seq29A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Have you ever been treated for TB before (m3seq29_UGD_1A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

General condition (m3seq29_UGD_2A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Other symptoms (m3seq29_UGD_3A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Auscultate (with stethoscope) to the chest/lungs/back (m3seq30A)

File: m3se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

Retraction or decreased movement (m3seq31A)

File: m3se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

3 Sputum examinations (m3seq32A)

File: m3se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

Chest X-ray (m3seq33A)

File: m3se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

Intradermal reaction to tuberculin (m3seq34A)

File: m3se_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 732

ESR (erythrocyte sedimentation rate) or CRP (C-reactive protein) (m3seq35A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Full blood count/hemoglobin (m3seq36A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Test for sickle cell anemia (HbS) (m3seq37A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

HIV (m3seq38A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Glucose (random or fasting) (m3seq39A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Tuberculosis (m3seq40A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Pneumonia (m3seq41A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Bronchitis (m3seq42A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Other diagnosis (m3seq43A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

No diagnosis given even AFTER prompting the clinician (m3seq44A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Combination therapy (m3seq45A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Treatment for 6 months (m3seq46A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Appropriate dose and frequency (see note) (m3seq47A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Names of drugs: Rifampicin, Isoniazid, Pyrazinamide, Ethambutol (m3seq48A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Macrolide (Erythromycin) (m3seq49A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Amoxicillin (m3seq50A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

X-pen (m3seq50_UGD_1A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Follow up in TB clinic (m3seq51A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Refer to another facility for treatment (m3seq52A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Refer to another clinician within this facility (m3seq53A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Beyond competence of clinician (m3seq54A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Importance of adherence to medication regime (m3seq55A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Contact tracing (m3seq56A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Patient should wear a mask (m3seq56_UGD_1A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Cough etiquette (m3seq56_UGD_2A)

File: m3se_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

End time of simulation (m3seq57A)

File: m3se_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 681
Invalid: 51

SDIH identification (fac_idA)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 3	
Decimals: 0	
Range: 1-401	

Staff Identification (staff_idA)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 2	
Decimals: 0	
Range: 1-24	

Start time of simulation (m3sfq1A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 622
Format: numeric	Invalid: 110
Width: 1	
Decimals: 0	
Range: 1-2	

Other symptoms (m3sfq2A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Duration of fever (m3sfq3A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Pattern/history of fever (m3sfq4A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Shivering (m3sfq5A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Sweating (m3sfq6A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Vomiting (m3sfq7A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Convulsions (m3sfq8A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Lethargic or unconscious (m3sfq9A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Headache (m3sfq10A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Appetite (m3sfq11A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Diarrhea (m3sfq12A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Cough (m3sfq13A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Severity of cough (m3sfq14A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Difficulty in breathing (m3sfq15A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Urination (m3sfq17A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Medication/treatment (m3sfq18A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Quantity of paracetamol given (m3sfq19A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Vaccinations (m3sfq20A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Does the child sleep under an impregnated bed net (m3sfq21A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Measles now or in past 3 months (m3sfq22A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Temperature (m3sfq23A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Pulse/ Heart rate (m3sfq24A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Blood pressure (m3sfq25A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Respiratory rate (m3sfq26A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Weight (m3sfq27A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Height (m3sfq28A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

General condition (m3sfq29A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Hands (palmar pallor) (m3sfq30A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Nail beds (m3sfq31A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Conjunctiva (m3sfq32A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Sunken eyes (m3sfq33A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Koplik sign (m3sfq34A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Skin rash (m3sfq35A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Runny nose (m3sfq36A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Red eyes (m3sfq37A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Yellow eyes/jaundice (m3sfq38A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Skin (m3sfq39A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Neck stiffness (m3sfq40A)

File: m3sf_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

Swollen face (m3sfq41A)

File: m3sf_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

Swollen feet/odema (m3sfq42A)

File: m3sf_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

Abdomen/liver (m3sfq43A)

File: m3sf_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

HIV status of the mother (m3sfq43_UGD_1A)

File: m3sf_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

HIV status of the child (m3sfq43_UGD_2A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Tongue (m3sfq43_UGD_3A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Color of urine (m3sfq44A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Blood slide for malaria parasites (m3sfq45A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Hyperparasitemia/ How many parasites (m3sfq46A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Malaria Rapid Diagnost Test (RDT) (m3sfq47A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Hepatitis B (m3sfq48A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Full blood count (m3sfq49A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Test for sickle cell anemia (HbS) (m3sfq50A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Glucose (m3sfq51A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

pH / acidosis (m3sfq52A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Malaria (m3sfq53A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-3	

Simple malaria (m3sfq54A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Severe/complicated malaria (m3sfq55A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Anemia (m3sfq56A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Malaria with anemia (m3sfq56aA)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Other diagnosis(specify) (m3sfq57A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

No diagnosis given even AFTER prompting the clinician (m3sfq58A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Coartem/artemether lumefantrine (m3sfq59A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

6 doses, 2 tablets per dose (m3sfq60A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Anti malarial (monotherapy) tablets (m3sfq61A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Artesunate injectable (m3sfq62A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Quinine (iv infusion) (m3sfq63A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Quinine (intramuscular injection) (m3sfq64A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-3	

Paracetamol (m3sfq65A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Adequate fluids and nutrition (m3sfq66A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Iron (m3sfq67A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Iron + folic acid (m3sfq68A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Blood transfusion (m3sfq69A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-3	

Mebendazole/Albendazole (if not had in past 3 months) (m3sfq70A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Refer to another facility for treatment (m3sfq71A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Refer to another clinician within this facility (m3sfq72A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Beyond competence of clinician (m3sfq73A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Follow antimalarial treatment (m3sfq74A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Return in 3 days (m3sfq75A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Follow anemia treatment (m3sfq76A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Return in 14 days (m3sfq77A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Return immediately if symptoms get worse (m3sfq78A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

The child must sleep under a bed net every night (m3sfq79A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

End time of simulation (m3sfq80A)

File: m3sf_anon

Overview

Type: Discrete	Valid cases: 681
Format: numeric	Invalid: 51
Width: 1	
Decimals: 0	
Range: 1-2	

SDIH identification (fac_idA)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 3	
Decimals: 0	
Range: 1-401	

Staff Identification (staff_idA)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 2	
Decimals: 0	
Range: 1-24	

Start time (m3sgq1A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 622
Format: numeric	Invalid: 110
Width: 1	
Decimals: 0	
Range: 1-2	

Other symptoms (m3sgq2A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Type of delivery (m3sgq3A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Color of blood (m3sgq4A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Quantity (m3sgq5A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Number of pads (m3sgq6A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Total number of deliveries (Parity) (m3sgq7A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Total number of pregnancies (gestity) (m3sgq8A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Length of labor (m3sgq9A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Placenta delivery (m3sgq10A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Did you receive medication to speed up labo (m3sgq11A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Antenatal Consultations (ANC) (m3sgq12A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Care immediately prior to delivery (m3sgq13A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Did you ever have excessive bleeding after delivery (History of PPH) (m3sgq14A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

History of fibroids/ prolonged or heavy periods (m3sgq15A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Excessive (amniotic) fluid during pregnancy (polyhydramnios) (m3sgq16A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Was this(previous q'n) a multiple pregnancy (m3sgq17A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Placenta previa/Low lying placenta (m3sgq18A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Placental Abruption (m3sgq19A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Hypertension/High blood pressure (m3sgq20A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Temperature (m3sgq21A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Pulse/ Heart rate (m3sgq22A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Blood pressure (m3sgq23A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Respiratory rate (m3sgq24A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Weight (m3sgq25A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-3	

Height (m3sgq26A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Retained placenta (m3sgq27A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Ruptured uterus (m3sgq28A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Laceration / tears of genital tract (cervical / vaginal / vulvoperineal tears) (m3sgq29A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Palpation of uterus/ bimanual examination (m3sgq30A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Examination of external genitalia (m3sgq31A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Cervix (m3sgq32A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Conjunctiva (m3sgq33A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

History of prolonged bleeding from cuts (m3sgq33_UGD_1A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Did you have any fever during labour (m3sgq33_UGD_2A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Pallor (m3sgq33_UGD_3A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Capillary refill (m3sgq33_UGD_4A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

General condition of the patient (m3sgq33_UGD_5A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Blood for grouping and cross matching (m3sgq34A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Hemoglobin (m3sgq35A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Bleeding time (m3sgq36A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Coagulation time (m3sgq37A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Coagulation factors (m3sgq38A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Post partum hemorrhage (m3sgq39A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Other diagnosis (specify) (m3sgq40A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

No diagnosis given even AFTER prompting the clinician (m3sgq41A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Determine the cause (m3sgq42A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Bimanual massage of uterus (m3sgq43A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

IV line (m3sgq44A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Oxytocin infusion (m3sgq45A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Oxytocin (appropriate dose and frequency; see note) (m3sgq46A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	

Oxytocin delivery rate 20 drops per min. for 2 hrs. (m3sgq47A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

IV infusion of plasmion (macromolecules) (m3sgq48A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Blood transfusion (m3sgq49A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Prostaglandins (m3sgq50A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Misoprostol (m3sgq51A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Uterine revision (m3sgq52A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Surgery: If other measures fail to stop bleeding, subtotal or total hysterectomy (m3sgq53A)

File: m3sg_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-3	

Foley catheter (m3sgq54A)

File: m3sg_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

Refer to another facility for treatment (m3sgq55A)

File: m3sg_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 2

Refer to another clinician within this facility (m3sgq56A)

File: m3sg_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 732

Beyond competence of clinician (m3sgq57A)

File: m3sg_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 732

End time (m3sgq58A)

File: m3sg_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 681
 Invalid: 51

SDIH identification (fac_idA)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 3	
Decimals: 0	
Range: 1-401	

Staff Identification (staff_idA)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 2	
Decimals: 0	
Range: 1-24	

Start time of simulation (m3shq1A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 622
Format: numeric	Invalid: 110
Width: 1	
Decimals: 0	
Range: 1-2	

Pulse/heart rate (m3shq2A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Breathing/respiration (m3shq3A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Muscle tone (m3shq4A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Reactivity to stimulation (irritability reflex) (m3shq5A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Color (m3shq6A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Use of the APGAR score (m3shq7A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

APGAR Score 0-4/<4 (m3shq7aA)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-2	

Action: Dry the baby (m3shq8A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Action: Keep the baby warm (m3shq9A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Action: Clear the airway (m3shq10A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Action: Clear the airway using aspirator/sucker (m3shq11A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Action: Place baby in neutral position (nose pointing to ceiling) (m3shq12A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Action: Start ventilation (m3shq13A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Action: Start ventilation using bag and mask (m3shq14A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Action: Use adapted mask and give 5 good inflation breaths (m3shq15A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Action: Check the heart rate (femoral pulse or cord or auscultate heart) (m3shq16A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 730
Format: numeric	Invalid: 2
Width: 1	
Decimals: 0	
Range: 1-3	

Action: Check if the child is breathing (m3shq17A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Action: Continue at 30 ventilations per minute (m3shq18A)

File: m3sh_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Action: During ventilations, check that the chest is rising (m3shq19A)

File: m3sh_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 0
Invalid: 732

Action: Every 1-2 min, check if the hearth rate/breathing improved (m3shq20A)

File: m3sh_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 730
Invalid: 2

Action: Stop ventilating when the heart rate is over 100 or the respiratroy rate (m3shq21A)

File: m3sh_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 728
Invalid: 4

Action: Chest compressions (m3shq22A)

File: m3sh_anon

Overview

Action: Chest compressions (m3shq22A)

File: m3sh_anon

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Valid cases: 0
 Invalid: 732

Action: Provide oxygen (m3shq23A)

File: m3sh_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 732

Action: Call for help (m3shq24A)

File: m3sh_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 732

Is there improvement in the state of the child (m3shq25A)

File: m3sh_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 732

Can stop resuscitation at heart rate/pulse > 100 min (m3shq26A)

File: m3sh_anon

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 732

Can stop resuscitation at heart rate/pulse > 30 min (m3shq27A)

File: m3sh_anon

Can stop resuscitation at heart rate/pulse > 30 min (m3shq27A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

Can give diagnosis of respiratory distress syndrome (m3shq28A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 729
Format: numeric	Invalid: 3
Width: 1	
Decimals: 0	
Range: 1-3	

Can give diagnosis of neonatal asphyxia (m3shq29A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 728
Format: numeric	Invalid: 4
Width: 1	
Decimals: 0	
Range: 1-3	

Other diagnosis(specify) (m3shq30A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

No diagnosis given even AFTER prompting the clinician (m3shq31A)

File: m3sh_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 1	
Decimals: 0	
Range: 1-3	

End time of the simulation (m3shq32A)

File: m3sh_anon

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 681
Invalid: 51

SDIH identification (fac_idA)

File: m3si_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 3	
Decimals: 0	
Range: 1-401	

Staff Identification (staff_idA)

File: m3si_anon

Overview

Type: Discrete	Valid cases: 716
Format: numeric	Invalid: 16
Width: 2	
Decimals: 0	
Range: 1-24	

Frequency of pediatrics consultations in the last 12 months (m3siq1A)

File: m3si_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 2	
Decimals: 0	
Range: -8-6	

Frequency of adults consultations in the last 12 months (m3siq2A)

File: m3si_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 2	
Decimals: 0	
Range: -8-6	

Frequency of Obstetrics and Gynaecology consultations in the last 12 months (m3siq3A)

File: m3si_anon

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 732
Width: 2	
Decimals: 0	
Range: -8-6	

Frequency of Family planning or Antenatal consultations in the last 12 months (m3siq4A)

File: m3si_anon

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: -8-6

Valid cases: 0
Invalid: 732

No. of years working in medical profession (m3siq5A)

File: m3si_anon

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: -8--8

Valid cases: 0
Invalid: 732

Related Materials

Questionnaires

Uganda Service Delivery Indicator Health Questionnaire, Module H1 - Service Delivery

Title Uganda Service Delivery Indicator Health Questionnaire, Module H1 - Service Delivery
 Author(s) The World Bank
 Country Uganda
 Language English
 Filename usdi_health_module_1_final_june18_2013.pdf

Uganda Service Delivery Indicator Health Questionnaire, Module H2 - Staff Roster

Title Uganda Service Delivery Indicator Health Questionnaire, Module H2 - Staff Roster
 Author(s) The World Bank
 Country Uganda
 Language English
 Filename usdi_health_module_2_final_june18_2013.pdf

Reports

Uganda Service Delivery Indicator Survey, Education and Health

Title Uganda Service Delivery Indicator Survey, Education and Health
 Author(s) Waly Wane Gayle H. Martin
 Date 2013-11-01
 Country Uganda
 Language English
 Filename SDI-Report-Uganda.pdf

Technical documents

Harmonization Information

Title Harmonization Information
 Country Uganda
 Language English
 Filename uganda_health_20150717.xlsx

Other materials

Note on Harmonization to Data Users

Title Note on Harmonization to Data Users
Country Uganda
Language English
Filename readme_sdi_health.pdf

Note on Harmonization to Data Users (in French)

Title Note on Harmonization to Data Users (in French)
Country Uganda
Language French
Filename lisezmoi.pdf

Uganda Health Microdata Statistical Disclosure Control Process, External Report

Title Uganda Health Microdata Statistical Disclosure Control Process, External Report
Country Uganda
Language English
Filename sdi_uganda_health_sdcreport_external.pdf
