

CODEBOOK

CHINA 1997

VILLAGE FILES

# CONTENTS

File names correspond to the sections of the household questionnaire

NPT0101 .....	1
NPT0102 .....	5
PT0103 .....	14
PT0104 .....	26
NPT0105 .....	32
NPT0106 .....	58
NPT0107 .....	78
NPT0108A .....	101
NPT0108B .....	116
PT0109 .....	125
PT0110 .....	131
PT0111 .....	136
PT0112B .....	142
NPT0112A .....	148
PT0201A .....	155
PT0201B .....	163
PT0201C .....	170
PT0202A .....	177
PT0202B .....	182
PT0203A .....	188
PT0203B .....	192
PT0204A .....	198
PT0204B .....	206
PT0205 .....	211
NPT0301 .....	219
NPT0302 .....	227
NPT0303 .....	239
PT0304 .....	245
PT0305 .....	251
NPT0401 .....	255
PT0402 .....	260
PT0403 .....	266
PT0404A .....	273
PT0404B .....	279
PT0405A .....	290
PT0405B .....	297
PT0501A .....	306
PT0501B .....	316
PT0502A .....	325
PT0502B .....	333
NPT0701 .....	341
PT0801A .....	347

PT0801B.....	354
PT0802A .....	361
PT0802B.....	366
PT0803A .....	370
PT0803B.....	378
PT0804 .....	383
PT0901A .....	385
PT0901B.....	389
PT0902A .....	396
NPT0902B.....	404

File: NPT0101.DTA

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
bila	31	372.1935	185.1076	127	1034
bilb	31	6.548387	5.175833	2	27
bi2a	31	1332.484	668.0966	455	4008
bi2b	31	608.8065	338.3177	201	1920
bi3	31	3.670968	2.668857	0	10
bi4	30	2.033333	.6149479	1	5
bi5	30	16.75	12.62039	0	45
bi6	31	15.3871	15.5444	1	67
bi7	30	3.4	1.522249	2	5
bi8	31	43.43548	35.42192	1.5	180

. codebook

prov ----- (unlabeled)

type: numeric (float)  
range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)

type: numeric (float)  
range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31  
tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (float)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71

std. dev: 51.7714

percentiles:	10%	25%	50%	75%	90%
	712	722	811	822	831

village ----- (unlabeled)

type: numeric (float)

range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31

mean: 7738.55  
std. dev: 517.771

percentiles:	10%	25%	50%	75%	90%
	7122	7221	8111	8222	8313

bila ----- (unlabeled)

type: numeric (float)

range: [127,1034] units: 1  
unique values: 29 coded missing: 0 / 31

mean: 372.194  
std. dev: 185.108

percentiles:	10%	25%	50%	75%	90%
	181	260	351	436	510

bi1b ----- (unlabeled)

type: numeric (float)

range: [2,27] units: 1  
unique values: 13 coded missing: 0 / 31

mean: 6.54839  
std. dev: 5.17583

percentiles:	10%	25%	50%	75%	90%
	2	3	5	8	12

bi2a ----- (unlabeled)

type: numeric (float)

range: [455,4008] units: 1  
unique values: 31 coded missing: 0 / 31

mean: 1332.48  
std. dev: 668.097

percentiles:	10%	25%	50%	75%	90%
	661	878	1209	1600	1816

bi2b ----- (unlabeled)

type: numeric (float)  
range: [201,1920] units: 1  
unique values: 29 coded missing: 0 / 31  
mean: 608.806  
std. dev: 338.318  
percentiles: 10% 25% 50% 75% 90%  
265 355 575 743 860

bi3 ----- (unlabeled)

type: numeric (float)  
range: [0,10] units: .1  
unique values: 14 coded missing: 0 / 31  
mean: 3.67097  
std. dev: 2.66886  
percentiles: 10% 25% 50% 75% 90%  
1 1.5 3.5 5 7

bi4 ----- (unlabeled)

type: numeric (float)  
range: [1,5] units: 1  
unique values: 3 coded missing: 1 / 31  
tabulation: Freq. Value  
2 1  
27 2  
1 5

bi5 ----- (unlabeled)

type: numeric (float)  
range: [0,45] units: .1  
unique values: 15 coded missing: 1 / 31  
mean: 16.75  
std. dev: 12.6204  
percentiles: 10% 25% 50% 75% 90%  
.6 6 13.5 30 32.5

bi6 ----- (unlabeled)

type: numeric (float)  
range: [1,67] units: .1  
unique values: 19 coded missing: 0 / 31

mean: 15.3871  
std. dev: 15.5444

percentiles:	10%	25%	50%	75%	90%
	4	7.5	10	17.5	30

bi7 ----- (unlabeled)

type: numeric (float)

range: [2,5] units: 1  
unique values: 2 coded missing: 1 / 31

tabulation:	Freq.	Value
	16	2
	14	5

bi8 ----- (unlabeled)

type: numeric (float)

range: [1.5,180] units: .1  
unique values: 13 coded missing: 0 / 31

mean: 43.4355  
std. dev: 35.4219

percentiles:	10%	25%	50%	75%	90%
	10	20	40	60	60

File: NPT0102.DTA

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
bi9	31	1.032258	.1796053	1	2
bi1095	31	1.193548	.4774484	0	2
bi1195	31	34.67742	16.73198	0	72
bi1088	31	1	.7302967	0	3
bi1188	31	20.93548	18.35199	0	60
bi1295	31	1.903226	.3005372	1	2
bi1395	31	39.17742	51.59369	0	200
bi1495	31	1	0	1	1
bi1595	31	2.806452	3.45851	1	14
bi1695	31	1.483871	.8112118	1	3
bi1795	31	.0322581	.0979357	0	.5
bi1895	31	11.93548	.3592106	10	12
bi1995a	31	1.258065	.4448027	1	2
bi1995b	31	21.64516	36.86059	0	144
bi2095	31	.5483871	.847298	0	3
bi2195a	31	1.419355	.5641627	0	2
bi2195b	31	33.51613	71.84468	0	300
bi1288	31	1.83871	.4543695	0	2
bi1388	31	49.6129	75.59726	0	360
bi1488	31	1.032258	.1796053	1	2
bi1588	31	2.225806	2.692083	0	14
bi1688	31	2.096774	.9782583	0	3
bi1788	31	.0322581	.0979357	0	.5
bi1888	31	11.45161	2.17315	0	12
bi1988a	31	1.483871	.5080005	1	2
bi1988b	31	7.967742	15.21071	0	60
bi2088	31	.716129	.9241561	0	3
bi2188a	31	1.806452	.5427925	0	3
bi2188b	31	3.096774	10.03446	0	50

. codebook

prov ----- (unlabeled)

type: numeric (float)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (float)



range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (float)

range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31

mean: 773.71  
std. dev: 51.7714

percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (float)

range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31

mean: 7738.55  
std. dev: 517.771

percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

bi9 ----- (unlabeled)

type: numeric (float)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
30 1  
1 2

bi1095 ----- (unlabeled)

type: numeric (float)

range: [0,2] units: 1  
unique values: 3 coded missing: 0 / 31

tabulation: Freq. Value  
1 0

23 1  
7 2

bi1195 ----- (unlabeled)

type: numeric (float)  
range: [0,72] units: 1  
unique values: 19 coded missing: 0 / 31  
mean: 34.6774  
std. dev: 16.732  
percentiles: 10% 25% 50% 75% 90%  
16 22 33 50 60

bi1088 ----- (unlabeled)

type: numeric (float)  
range: [0,3] units: 1  
unique values: 4 coded missing: 0 / 31  
tabulation: Freq. Value  
7 0  
18 1  
5 2  
1 3

bi1188 ----- (unlabeled)

type: numeric (float)  
range: [0,60] units: 1  
unique values: 15 coded missing: 0 / 31  
mean: 20.9355  
std. dev: 18.352  
percentiles: 10% 25% 50% 75% 90%  
0 0 20 40 45

bi1295 ----- (unlabeled)

type: numeric (float)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
3 1  
28 2

bi1395 ----- (unlabeled)

type: numeric (float)

range: [0,200] units: .1  
unique values: 23 coded missing: 0 / 31

mean: 39.1774  
std. dev: 51.5937

percentiles:	10%	25%	50%	75%	90%
	4	7.5	15	65	110

bi1495 ----- (unlabeled)

type: numeric (float)

range: [1,1] units: 1  
unique values: 1 coded missing: 0 / 31

tabulation:	Freq.	Value
	31	1

bi1595 ----- (unlabeled)

type: numeric (float)

range: [1,14] units: 1  
unique values: 8 coded missing: 0 / 31

tabulation:	Freq.	Value
	16	1
	8	2
	1	3
	2	4
	1	7
	1	10
	1	13
	1	14

bi1695 ----- (unlabeled)

type: numeric (float)

range: [1,3] units: 1  
unique values: 3 coded missing: 0 / 31

tabulation:	Freq.	Value
	22	1
	3	2
	6	3

bi1795 ----- (unlabeled)

type: numeric (float)

range: [0,.5] units: .1  
unique values: 4 coded missing: 0 / 31

tabulation:	Freq.	Value
	26	0

3 .1  
1 .2  
1 .5

bi1895 ----- (unlabeled)

type: numeric (float)  
range: [10,12] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
              1 10  
              30 12

bi1995a ----- (unlabeled)

type: numeric (float)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
              23 1  
              8 2

bi1995b ----- (unlabeled)

type: numeric (float)  
range: [0,144] units: 1  
unique values: 17 coded missing: 0 / 31  
mean: 21.6452  
std. dev: 36.8606  
percentiles:       10%       25%       50%       75%       90%  
                  0        0        6       20       60

bi2095 ----- (unlabeled)

type: numeric (float)  
range: [0,3] units: .1  
unique values: 7 coded missing: 0 / 31  
tabulation: Freq. Value  
              16 0  
              2 .1  
              1 .30000001  
              3 .5  
              3 1  
              4 1.5  
              2 3

bi2195a ----- (unlabeled)

```

type: numeric (float)
range: [0,2] units: 1
unique values: 3 coded missing: 0 / 31

tabulation: Freq. Value
             1 0
             16 1
             14 2

```

bi2195b ----- (unlabeled)

```

type: numeric (float)
range: [0,300] units: 1
unique values: 14 coded missing: 0 / 31

mean: 33.5161
std. dev: 71.8447

percentiles: 10% 25% 50% 75% 90%
              0 0 2 20 100

```

bi1288 ----- (unlabeled)

```

type: numeric (float)
range: [0,2] units: 1
unique values: 3 coded missing: 0 / 31

tabulation: Freq. Value
             1 0
             3 1
             27 2

```

bi1388 ----- (unlabeled)

```

type: numeric (float)
range: [0,360] units: .1
unique values: 23 coded missing: 0 / 31

mean: 49.6129
std. dev: 75.5973

percentiles: 10% 25% 50% 75% 90%
              4 7.5 15 70 120

```

bi1488 ----- (unlabeled)

```

type: numeric (float)
range: [1,2] units: 1
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value
             30 1

```

1 2

bi1588 ----- (unlabeled)

type: numeric (float)  
range: [0,14] units: 1  
unique values: 8 coded missing: 0 / 31

tabulation:	Freq.	Value
	1	0
	17	1
	7	2
	1	3
	2	4
	1	5
	1	8
	1	14

bi1688 ----- (unlabeled)

type: numeric (float)  
range: [0,3] units: 1  
unique values: 4 coded missing: 0 / 31

tabulation:	Freq.	Value
	1	0
	10	1
	5	2
	15	3

bi1788 ----- (unlabeled)

type: numeric (float)  
range: [0,.5] units: .1  
unique values: 4 coded missing: 0 / 31

tabulation:	Freq.	Value
	26	0
	3	.1
	1	.2
	1	.5

bi1888 ----- (unlabeled)

type: numeric (float)  
range: [0,12] units: 1  
unique values: 4 coded missing: 0 / 31

tabulation:	Freq.	Value
	1	0
	1	10
	3	11
	26	12

bi1988a ----- (unlabeled)

type: numeric (float)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
16 1  
15 2

bi1988b ----- (unlabeled)

type: numeric (float)

range: [0,60] units: 1  
unique values: 11 coded missing: 0 / 31

mean: 7.96774  
std. dev: 15.2107

percentiles: 10% 25% 50% 75% 90%  
0 0 2 10 30

bi2088 ----- (unlabeled)

type: numeric (float)

range: [0,3] units: .1  
unique values: 7 coded missing: 0 / 31

tabulation: Freq. Value  
14 0  
2 .1  
3 .5  
3 1  
6 1.5  
1 2.5  
2 3

bi2188a ----- (unlabeled)

type: numeric (float)

range: [0,3] units: 1  
unique values: 4 coded missing: 0 / 31

tabulation: Freq. Value  
1 0  
5 1  
24 2  
1 3

bi2188b ----- (unlabeled)

type: numeric (float)

range: [0,50]  
unique values: 4

units: 1  
coded missing: 0 / 31

tabulation:	Freq.	Value
	26	0
	2	3
	2	20
	1	50



File: pt0103.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
bi2295	31	99.83871	.8980265	95	100
bi2395	31	68.74839	43.04249	0	100
bi2495	31	53.06452	28.58547	6	95
bi2595	31	17.86774	21.42605	0	85
bi2695a	31	8.3	6.338139	0	26
bi2695b	4	.5	.5773503	0	1
bi2288	31	99.67742	1.796053	90	100
bi2388	31	37.90323	46.77632	0	100
bi2488	31	14.35484	21.69378	0	90
bi2588	31	4.841935	12.05382	0	60
bi2688a	31	.1129032	.4417706	0	2
bi2688b	27	1.111111	.3202563	1	2
bi2795a	31	1.516129	.5080005	1	2
bi2795b	21	2.619048	.4976134	2	3
bi2895a	31	1.774194	.4250237	1	2
bi2895b	21	3	0	3	3
bi2995a	31	1.677419	.475191	1	2
bi2995b	20	2.65	.7451598	1	3
bi3095a	31	1.516129	.5080005	1	2
bi3095b	23	2.565217	.7277666	1	3
bi3195a	31	1.903226	.3005372	1	2
bi3195b	17	2.764706	.5622957	1	3
bi3295a	31	1.548387	.5058794	1	2
bi3295b	22	2.318182	.8387271	1	3
bi3395a	8	1.875	.3535534	1	2
bi3395b	5	2.6	.8944272	1	3
bi2788a	30	1.533333	.5713465	1	3
bi2788b	20	2.65	.4893605	2	3
bi2888a	30	1.7	.4660916	1	2
bi2888b	22	2.818182	.5010811	1	3
bi2988a	30	1.666667	.4794633	1	2
bi2988b	22	2.409091	.9081164	1	3
bi3088a	30	1.633333	.4901325	1	2
bi3088b	20	3.05	.7591547	2	6
bi3188a	30	1.9	.3051286	1	2
bi3188b	17	2.764706	.5622957	1	3
bi3288a	31	1.548387	.5058794	1	2
bi3288b	22	2.318182	.8387271	1	3
bi3388a	8	1.875	.3535534	1	2
bi3388b	4	3	0	3	3
bi34a	30	2.666667	2.48212	1	15
bi34b	9	2.333333	1	1	3
bi34c	0				
bi35a	23	6.478261	4.551419	1	15
bi35b	2	15	0	15	15
bi35c	0				

. codebook

prov ----- (unlabeled)

type: numeric (byte)  
range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
                  15 7  
                  16 8

county ----- (unlabeled)

type: numeric (byte)  
range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31  
tabulation: Freq. Value  
                  5 71  
                  5 72  
                  5 73  
                  5 81  
                  5 82  
                  6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles:           10%       25%       50%       75%       90%  
                  712       722       811       822       831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles:           10%       25%       50%       75%       90%  
                  7122       7221       8111       8222       8313

bi2295 ----- (unlabeled)

type: numeric (byte)

range: [95,100] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
1 95  
30 100

bi2395 ----- (unlabeled)

type: numeric (double)

range: [0,100] units: .1  
unique values: 8 coded missing: 0 / 31

tabulation: Freq. Value  
4 0  
1 6  
1 16  
2 18  
1 18.2  
2 30  
1 95  
19 100

bi2495 ----- (unlabeled)

type: numeric (byte)

range: [6,95] units: 1  
unique values: 13 coded missing: 0 / 31

mean: 53.0645  
std. dev: 28.5855

percentiles:	10%	25%	50%	75%	90%
	22	30	40	90	90

bi2595 ----- (unlabeled)

type: numeric (double)

range: [0,85] units: .1  
unique values: 15 coded missing: 0 / 31

mean: 17.8677  
std. dev: 21.426

percentiles:	10%	25%	50%	75%	90%
	1	3	10	30	40

bi2695a ----- (unlabeled)

type: numeric (double)

range: [0,26] units: .1  
unique values: 18 coded missing: 0 / 31

mean: 8.3  
std. dev: 6.33814

percentiles: 10% 25% 50% 75% 90%  
1.5 3 8 10 18

bi2695b ----- (unlabeled)

type: numeric (byte)

range: [0,1] units: 1  
unique values: 2 coded missing: 27 / 31

tabulation: Freq. Value  
2 0  
2 1

bi2288 ----- (unlabeled)

type: numeric (byte)

range: [90,100] units: 10  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
1 90  
30 100

bi2388 ----- (unlabeled)

type: numeric (byte)

range: [0,100] units: 1  
unique values: 7 coded missing: 0 / 31

tabulation: Freq. Value  
15 0  
1 4  
1 6  
1 15  
2 30  
1 90  
10 100

bi2488 ----- (unlabeled)

type: numeric (double)

range: [0,90] units: .1  
unique values: 12 coded missing: 0 / 31

mean: 14.3548  
std. dev: 21.6938

percentiles: 10% 25% 50% 75% 90%  
0 1 5 20 25

bi2588 ----- (unlabeled)

type: numeric (double)  
range: [0,60] units: .1  
unique values: 12 coded missing: 0 / 31  
mean: 4.84194  
std. dev: 12.0538  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 5 10

bi2688a ----- (unlabeled)

type: numeric (double)  
range: [0,2] units: .1  
unique values: 3 coded missing: 0 / 31  
tabulation: Freq. Value  
29 0  
1 1.5  
1 2

bi2688b ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 4 / 31  
tabulation: Freq. Value  
24 1  
3 2

bi2795a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
15 1  
16 2

bi2795b ----- (unlabeled)

type: numeric (byte)  
range: [2,3] units: 1  
unique values: 2 coded missing: 10 / 31  
tabulation: Freq. Value  
8 2

bi2895a ----- (unlabeled)

```

    type: numeric (byte)

    range: [1,2]                units: 1
unique values: 2                coded missing: 0 / 31

    tabulation: Freq.  Value
                  7   1
                  24  2
  
```

bi2895b ----- (unlabeled)

```

    type: numeric (byte)

    range: [3,3]                units: 1
unique values: 1                coded missing: 10 / 31

    tabulation: Freq.  Value
                  21  3
  
```

bi2995a ----- (unlabeled)

```

    type: numeric (byte)

    range: [1,2]                units: 1
unique values: 2                coded missing: 0 / 31

    tabulation: Freq.  Value
                  10  1
                  21  2
  
```

bi2995b ----- (unlabeled)

```

    type: numeric (byte)

    range: [1,3]                units: 1
unique values: 3                coded missing: 11 / 31

    tabulation: Freq.  Value
                  3   1
                  1   2
                  16  3
  
```

bi3095a ----- (unlabeled)

```

    type: numeric (byte)

    range: [1,2]                units: 1
unique values: 2                coded missing: 0 / 31

    tabulation: Freq.  Value
                  15  1
                  16  2
  
```

bi3095b ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 8 / 31

tabulation:	Freq.	Value
	3	1
	4	2
	16	3

bi3195a ----- (unlabeled)  
type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation:	Freq.	Value
	3	1
	28	2

bi3195b ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 14 / 31

tabulation:	Freq.	Value
	1	1
	2	2
	14	3

bi3295a ----- (unlabeled)  
type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation:	Freq.	Value
	14	1
	17	2

bi3295b ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 9 / 31

tabulation:	Freq.	Value
	5	1
	5	2
	12	3

bi3395a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 23 / 31  
tabulation: Freq. Value  
                  1 1  
                  7 2

bi3395b ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 2 coded missing: 26 / 31  
tabulation: Freq. Value  
                  1 1  
                  4 3

bi2788a ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 3 coded missing: 1 / 31  
tabulation: Freq. Value  
                  15 1  
                  14 2  
                  1 3

bi2788b ----- (unlabeled)

type: numeric (byte)  
range: [2,3] units: 1  
unique values: 2 coded missing: 11 / 31  
tabulation: Freq. Value  
                  7 2  
                  13 3

bi2888a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 1 / 31  
tabulation: Freq. Value  
                  9 1  
                  21 2



bi2888b ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 9 / 31

tabulation: Freq. Value  
1 1  
2 2  
19 3

bi2988a ----- (unlabeled)  
type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 1 / 31

tabulation: Freq. Value  
10 1  
20 2

bi2988b ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 9 / 31

tabulation: Freq. Value  
6 1  
1 2  
15 3

bi3088a ----- (unlabeled)  
type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 1 / 31

tabulation: Freq. Value  
11 1  
19 2

bi3088b ----- (unlabeled)  
type: numeric (byte)

range: [2,6] units: 1  
unique values: 3 coded missing: 11 / 31

tabulation: Freq. Value  
2 2  
17 3  
1 6

bi3188a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 1 / 31  
tabulation: Freq. Value  
                  3 1  
                 27 2

bi3188b ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 3 coded missing: 14 / 31  
tabulation: Freq. Value  
                  1 1  
                  2 2  
                 14 3

bi3288a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
                 14 1  
                 17 2

bi3288b ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 3 coded missing: 9 / 31  
tabulation: Freq. Value  
                  5 1  
                  5 2  
                 12 3

bi3388a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 23 / 31  
tabulation: Freq. Value  
                  1 1  
                  7 2

bi3388b ----- (unlabeled)

type: numeric (byte)  
range: [3,3] units: 1  
unique values: 1 coded missing: 27 / 31  
tabulation: Freq. Value  
                  4 3

bi34a ----- (unlabeled)

type: numeric (byte)  
range: [1,15] units: 1  
unique values: 4 coded missing: 1 / 31  
tabulation: Freq. Value  
                  8 1  
                  6 2  
                 15 3  
                  1 15

bi34b ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 2 coded missing: 22 / 31  
tabulation: Freq. Value  
                  3 1  
                  6 3

bi34c ----- (unlabeled)

type: string (str2), but longest is str0  
unique values: 0 coded missing: 31 / 31  
tabulation: Freq. Value

bi35a ----- (unlabeled)

type: numeric (byte)  
range: [1,15] units: 1  
unique values: 8 coded missing: 8 / 31  
tabulation: Freq. Value  
                  3 1  
                  3 2  
                  2 3  
                  1 4  
                  6 6  
                  1 9

4 10  
3 15

bi35b ----- (unlabeled)

type: numeric (byte)

range: [15,15] units: 1  
unique values: 1 coded missing: 29 / 31

tabulation: Freq. Value  
2 15

bi35c ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0 coded missing: 31 / 31

tabulation: Freq. Value

File: pt0104.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
bi3695g	30	3.333333	1.899788	1	9
bi3795gp	0				
bi3895g	29	1.344828	.4837253	1	2
bi3995g	19	7.473684	22.29441	0	98
bi4095	28	3.003571	1.642149	2	7.1
bi4195gp	0				
bi4295g	29	2.934483	1.83892	1	7.1
bi4395gp	0				
bi4495g	31	1.741935	.4448027	1	2
bi4595g	29	1.310345	.4708236	1	2
bi3695c	6	20.16667	38.68031	2	99
bi3795cp	0				
bi3895c	4	1	0	1	1
bi3995c	4	72.5	48.56267	0	100
bi4095_1	3	3	0	3	3
bi4195cp	0				
bi4295c	3	2.666667	.5773503	2	3
bi4395cp	0				
bi4495c	5	1.8	.4472136	1	2
bi4595c	5	1.6	.5477226	1	2

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

town ----- (unlabeled)

```

      type: numeric (int)
      range: [711,833]          units: 1
unique values: 18              coded missing: 0 / 31
      mean: 773.71
      std. dev: 51.7714
percentiles:    10%    25%    50%    75%    90%
                712    722    811    822    831

```

village ----- (unlabeled)

```

      type: numeric (int)
      range: [7111,8331]       units: 1
unique values: 31              coded missing: 0 / 31
      mean: 7738.55
      std. dev: 517.771
percentiles:    10%    25%    50%    75%    90%
                7122    7221    8111    8222    8313

```

bi3695g ----- (unlabeled)

```

      type: numeric (byte)
      range: [1,9]             units: 1
unique values: 6              coded missing: 1 / 31
      tabulation: Freq.  Value
                  2     1
                  7     2
                  16    3
                   1     6
                   3     7
                   1     9

```

bi3795gp ----- (unlabeled)

```

      type: string (str2), but longest is str0
unique values: 0              coded missing: 31 / 31
      tabulation: Freq.  Value

```

bi3895g ----- (unlabeled)

```

      type: numeric (byte)
      range: [1,2]             units: 1
unique values: 2              coded missing: 2 / 31

```

```

tabulation:  Freq.  Value
              19    1
              10    2

```

bi3995g ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [0,98]                units:  1
unique values: 8                  coded missing: 12 / 31

```

```

tabulation:  Freq.  Value
              11    0
              1    2
              1    3
              1    4
              2    5
              1   10
              1   15
              1   98

```

bi4095 ----- (unlabeled)

```

      type:  numeric (double)

      range:  [2,7.1]              units:  .1
unique values: 5                  coded missing: 3 / 31

```

```

tabulation:  Freq.  Value
              15    2
              9    3
              1    6
              2    7
              1   7.1

```

bi4195gp ----- (unlabeled)

```

      type:  string (str2), but longest is str0

unique values: 0                  coded missing: 31 / 31

```

```

tabulation:  Freq.  Value

```

bi4295g ----- (unlabeled)

```

      type:  numeric (double)

      range:  [1,7.1]              units:  .1
unique values: 6                  coded missing: 2 / 31

```

```

tabulation:  Freq.  Value
              4    1
             12    2
              7    3
              2    4
              3    7

```





range: [1,1] units: 1  
 unique values: 1 coded missing: 27 / 31  
 tabulation: Freq. Value  
                   4 1

bi3995c ----- (unlabeled)

type: numeric (byte)  
 range: [0,100] units: 10  
 unique values: 3 coded missing: 27 / 31  
 tabulation: Freq. Value  
                   1 0  
                   1 90  
                   2 100

bi4095\_1 ----- (unlabeled)

type: numeric (byte)  
 range: [3,3] units: 1  
 unique values: 1 coded missing: 28 / 31  
 tabulation: Freq. Value  
                   3 3

bi4195cp ----- (unlabeled)

type: string (str2), but longest is str0  
 unique values: 0 coded missing: 31 / 31  
 tabulation: Freq. Value

bi4295c ----- (unlabeled)

type: numeric (byte)  
 range: [2,3] units: 1  
 unique values: 2 coded missing: 28 / 31  
 tabulation: Freq. Value  
                   1 2  
                   2 3

bi4395cp ----- (unlabeled)

type: string (str2), but longest is str0  
 unique values: 0 coded missing: 31 / 31  
 tabulation: Freq. Value

bi4495c ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,2]
unique values: 2
                                units: 1
                                coded missing: 26 / 31

        tabulation: Freq.  Value
                    1    1
                    4    2

```

bi4595c ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,2]
unique values: 2
                                units: 1
                                coded missing: 26 / 31

        tabulation: Freq.  Value
                    2    1
                    3    2

```

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
lb195h1	31	8.419355	11.37768	0	50
lb195h2a	25	33.72	38.782	4	175
lb195h2b	25	19.72	23.37292	2	100
lb195h2c	25	10.28	11.6244	1	50
lb195h3	24	1.291667	2.475606	0	10
lb195h4	25	7.12	9.606074	0	40
lb195h5	25	.72	1.968925	0	8
lb195h6	25	.96	1.670329	0	6
lb195h7a	25	5.92	2.196968	2	9
lb195h7b	25	7.88	11.95241	1	50
lb195h7c	23	1197.826	1069.885	200	5000
lb195h8a	17	4.647059	2.827127	1	9
lb195h8b	17	2.117647	1.576482	1	7
lb195h9a	9	4.444444	2.603417	1	8
lb195h9b	9	2.111111	1.536591	1	5
lb195h10	5	6.2	7.854935	1	20
lb195h11	7	10.85714	11.15689	1	30
lb195h12	19	7.263158	9.145989	1	40
lb195h13	4	1.5	1	1	3
lb195h14	3	1.333333	.5773503	1	2
lb195h15	4	2.75	1.707825	1	5
lb195h16	19	6.842105	11.19158	1	50
lb195h17	15	4.266667	3.634491	1	12
lb195h18	5	10.8	8.786353	1	21
lb195h12	5	7.4	14.31084	1	33
lb195h19	3	8.333333	9.451631	1	19
lb195h11	3	2.666667	2.081666	1	5
lb195h20	1	5	.	5	5
lb195h21	1	2	.	2	2
lb195h21	1	1	.	1	1
lb195h22	25	5.16	10.73809	0	50
lb195i2a	31	1.870968	4.897223	0	20
lb195i2b	7	8.285714	7.609518	1	20
lb195i2c	7	7.142857	6.669047	1	18
lb195i3	7	.7142857	1.496026	0	4
lb195i4	6	7.833333	6.940221	0	18
lb195i5	6	.5	.83666	0	2
lb195i6	7	.2857143	.48795	0	1
lb195i7a	6	170.6667	405.8047	1	999
lb195i7b	6	174.1667	404.1096	1	999
lb195i7c	6	958.1667	385.2274	450	1500
lb195i8a	3	335.6667	574.467	2	999
lb195i8b	3	336.3333	573.8862	5	999
lb195i9a	1	999	.	999	999
lb195i9b	1	999	.	999	999
lb195i11	2	2	1.414214	1	3
lb195i12	5	210.2	440.9719	10	999

lb195i16	3	11	5.196152	5	14
lb195i17	3	4	2.645751	1	6
lb195i18	3	13.666667	11.01514	1	21
lb195i12	3	3.666667	4.618802	1	9
lb195i19	1	19	.	19	19
lb195i11	1	1	.	1	1
lb195i22	7	1.571429	3.735289	0	10
lb188h1	31	3.451613	8.698041	0	40
lb188h2a	13	27	35.60431	2	120
lb188h2b	13	16.61538	24.19552	1	80
lb188h2c	13	8.538462	12.01121	1	40
lb188h3	13	1.076923	1.754116	0	5
lb188h4	13	6.307692	10.31491	0	36
lb188h5	13	.0769231	.2773501	0	1
lb188h6	13	.0769231	.2773501	0	1
lb188h7a	13	5.153846	2.609155	1	8
lb188h7b	13	7.384615	12.44681	1	40
lb188h7c	11	659.0909	385.239	250	1500
lb188h8a	5	4	3.741657	1	9
lb188h8b	5	2.2	.4472136	2	3
lb188h10	3	8	10.44031	1	20
lb188h11	3	8.666667	10.01665	1	20
lb188h12	9	5.777778	9.175753	1	30
lb188h13	1	3	.	3	3
lb188h16	7	7.285714	14.442	1	40
lb188h17	10	5.2	8.829244	1	30
lb188h18	2	1	0	1	1
lb188h12	2	1	0	1	1
lb188h19	2	5.5	.7071068	5	6
lb188h11	2	1	0	1	1
lb188h22	13	5.538462	10.72859	0	40
lb188i2a	31	.6451613	2.009119	0	10
lb188i2b	5	4	3.674235	1	10
lb188i2c	5	3.8	3.834058	1	10
lb188i3	5	0	0	0	0
lb188i4	5	3.2	3.271085	0	8
lb188i5	5	2	2.915476	0	7
lb188i6	5	.2	.4472136	0	1
lb188i7a	5	205	443.862	5	999
lb188i7b	5	202.2	445.4264	2	999
lb188i7c	4	662.25	363.4101	150	999
lb188i8a	2	7	0	7	7
lb188i8b	2	3	1.414214	2	4
lb188i9a	1	2	.	2	2
lb188i9b	1	1	.	1	1
lb188i11	1	5	.	5	5
lb188i12	3	5.333333	4.163332	2	10
lb188i16	1	6	.	6	6
lb188i17	3	3.666667	1.527525	2	5
lb188i18	1	1	.	1	1
lb188i12	1	1	.	1	1
lb188i19	1	4	.	4	4
lb188i11	1	1	.	1	1
lb188i22	4	.5	1	0	2

. codebook

prov ----- (unlabeled)  
type: numeric (float)

range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)  
type: numeric (float)

range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)  
type: numeric (float)

range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31

mean: 773.71  
std. dev: 51.7714

percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)  
type: numeric (float)

range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31

mean: 7738.55  
std. dev: 517.771

percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

lb195h1 ----- (unlabeled)  
type: numeric (float)

range: [0,50] units: 1



3 2  
2 3  
1 7  
1 10

lb195h4 ----- (unlabeled)

type: numeric (float)  
range: [0,40] units: 1  
unique values: 13 coded missing: 6 / 31  
mean: 7.12  
std. dev: 9.60607  
percentiles: 10% 25% 50% 75% 90%  
1 2 4 7 20

lb195h5 ----- (unlabeled)

type: numeric (float)  
range: [0,8] units: 1  
unique values: 5 coded missing: 6 / 31  
tabulation: Freq. Value  
21 0  
1 1  
1 4  
1 5  
1 8

lb195h6 ----- (unlabeled)

type: numeric (float)  
range: [0,6] units: 1  
unique values: 6 coded missing: 6 / 31  
tabulation: Freq. Value  
17 0  
1 1  
3 2  
1 3  
2 4  
1 6

lb195h7a ----- (unlabeled)

type: numeric (float)  
range: [2,9] units: 1  
unique values: 6 coded missing: 6 / 31  
tabulation: Freq. Value  
3 2  
3 3

3 5  
12 7  
2 8  
2 9

lb195h7b ----- (unlabeled)

type: numeric (float)  
range: [1,50] units: 1  
unique values: 11 coded missing: 6 / 31  
mean: 7.88  
std. dev: 11.9524  
percentiles: 10% 25% 50% 75% 90%  
1 2 3 10 15

lb195h7c ----- (unlabeled)

type: numeric (float)  
range: [200,5000] units: 10  
unique values: 13 coded missing: 8 / 31  
mean: 1197.83  
std. dev: 1069.89  
percentiles: 10% 25% 50% 75% 90%  
400 500 1000 1500 2000

lb195h8a ----- (unlabeled)

type: numeric (float)  
range: [1,9] units: 1  
unique values: 7 coded missing: 14 / 31  
tabulation: Freq. Value  
4 1  
2 2  
5 5  
1 6  
1 7  
3 8  
1 9

lb195h8b ----- (unlabeled)

type: numeric (float)  
range: [1,7] units: 1  
unique values: 5 coded missing: 14 / 31  
tabulation: Freq. Value  
8 1  
4 2



3 3  
1 4  
1 7

lb195h9a ----- (unlabeled)

type: numeric (float)  
range: [1,8] units: 1  
unique values: 6 coded missing: 22 / 31

tabulation: Freq. Value  
1 1  
2 2  
1 3  
2 5  
1 6  
2 8

lb195h9b ----- (unlabeled)

type: numeric (float)  
range: [1,5] units: 1  
unique values: 5 coded missing: 22 / 31

tabulation: Freq. Value  
5 1  
1 2  
1 3  
1 4  
1 5

lb195h10 ----- (unlabeled)

type: numeric (float)  
range: [1,20] units: 1  
unique values: 5 coded missing: 26 / 31

tabulation: Freq. Value  
1 1  
1 2  
1 3  
1 5  
1 20

lb195h11 ----- (unlabeled)

type: numeric (float)  
range: [1,30] units: 1  
unique values: 6 coded missing: 24 / 31

tabulation: Freq. Value  
2 1  
1 3

1 6  
1 15  
1 20  
1 30

lb195h12 ----- (unlabeled)

type: numeric (float)  
range: [1,40] units: 1  
unique values: 10 coded missing: 12 / 31  
mean: 7.26316  
std. dev: 9.14599  
percentiles: 10% 25% 50% 75% 90%  
1 2 3 10 17

lb195h13 ----- (unlabeled)

type: numeric (float)  
range: [1,3] units: 1  
unique values: 2 coded missing: 27 / 31  
tabulation: Freq. Value  
3 1  
1 3

lb195h14 ----- (unlabeled)

type: numeric (float)  
range: [1,2] units: 1  
unique values: 2 coded missing: 28 / 31  
tabulation: Freq. Value  
2 1  
1 2

lb195h15 ----- (unlabeled)

type: numeric (float)  
range: [1,5] units: 1  
unique values: 4 coded missing: 27 / 31  
tabulation: Freq. Value  
1 1  
1 2  
1 3  
1 5

lb195h16 ----- (unlabeled)

type: numeric (float)

range: [1,50] units: 1  
 unique values: 11 coded missing: 12 / 31  
  
 mean: 6.84211  
 std. dev: 11.1916  
  
 percentiles: 10% 25% 50% 75% 90%  
                   1 1 3 7 17

lb195h17 ----- (unlabeled)  
 type: numeric (float)

range: [1,12] units: 1  
 unique values: 8 coded missing: 16 / 31

tabulation: Freq. Value  
                   3 1  
                   3 2  
                   4 3  
                   1 5  
                   1 6  
                   1 9  
                   1 11  
                   1 12

lb195h18 ----- (unlabeled)  
 type: numeric (float)

range: [1,21] units: 1  
 unique values: 5 coded missing: 26 / 31

tabulation: Freq. Value  
                   1 1  
                   1 5  
                   1 8  
                   1 19  
                   1 21

lb195h12 ----- (unlabeled)  
 type: numeric (float)

range: [1,40] units: 1  
 unique values: 10 coded missing: 12 / 31

mean: 7.26316  
 std. dev: 9.14599

percentiles: 10% 25% 50% 75% 90%  
                   1 2 3 10 17

lb195h19 ----- (unlabeled)  
 type: numeric (float)

range: [1,19] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 1  
1 5  
1 19

lb195h11 ----- (unlabeled)

type: numeric (float)

range: [1,30] units: 1  
unique values: 6 coded missing: 24 / 31

tabulation: Freq. Value  
2 1  
1 3  
1 6  
1 15  
1 20  
1 30

lb195h20 ----- (unlabeled)

type: numeric (float)

range: [5,5] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 5

lb195h21 ----- (unlabeled)

type: numeric (float)

range: [2,2] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 2

lb195h21 ----- (unlabeled)

type: numeric (float)

range: [2,2] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 2

lb195h22 ----- (unlabeled)

type: numeric (float)

range: [0,50] units: 1  
unique values: 11 coded missing: 6 / 31

mean: 5.16  
std. dev: 10.7381

percentiles: 10% 25% 50% 75% 90%  
0 0 0 5 15

lb195i2a ----- (unlabeled)

type: numeric (float)

range: [0,20] units: 1  
unique values: 5 coded missing: 0 / 31

tabulation: Freq. Value  
24 0  
3 1  
2 10  
1 15  
1 20

lb195i2b ----- (unlabeled)

type: numeric (float)

range: [1,20] units: 1  
unique values: 4 coded missing: 24 / 31

tabulation: Freq. Value  
3 1  
2 10  
1 15  
1 20

lb195i2c ----- (unlabeled)

type: numeric (float)

range: [1,18] units: 1  
unique values: 4 coded missing: 24 / 31

tabulation: Freq. Value  
3 1  
2 8  
1 13  
1 18

lb195i3 ----- (unlabeled)

type: numeric (float)

range: [0,4] units: 1  
unique values: 3 coded missing: 24 / 31

tabulation: Freq. Value

5 0  
1 1  
1 4

lb195i4 ----- (unlabeled)

type: numeric (float)

range: [0,18] units: 1  
unique values: 5 coded missing: 25 / 31

tabulation: Freq. Value  
2 0  
1 8  
1 10  
1 11  
1 18

lb195i5 ----- (unlabeled)

type: numeric (float)

range: [0,2] units: 1  
unique values: 3 coded missing: 25 / 31

tabulation: Freq. Value  
4 0  
1 1  
1 2

lb195i6 ----- (unlabeled)

type: numeric (float)

range: [0,1] units: 1  
unique values: 2 coded missing: 24 / 31

tabulation: Freq. Value  
5 0  
2 1

lb195i7a ----- (unlabeled)

type: numeric (float)

range: [1,999] units: 1  
unique values: 4 coded missing: 25 / 31

tabulation: Freq. Value  
1 1  
2 5  
2 7  
1 999

lb195i7b ----- (unlabeled)

type: numeric (float)

range: [1,999] units: 1  
unique values: 4 coded missing: 25 / 31

tabulation: Freq. Value  
1 1  
3 10  
1 15  
1 999

lb195i7c ----- (unlabeled)

type: numeric (float)

range: [450,1500] units: 1  
unique values: 6 coded missing: 25 / 31

tabulation: Freq. Value  
1 450  
1 600  
1 999  
1 1000  
1 1200  
1 1500

lb195i8a ----- (unlabeled)

type: numeric (float)

range: [2,999] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 2  
1 6  
1 999

lb195i8b ----- (unlabeled)

type: numeric (float)

range: [5,999] units: 1  
unique values: 2 coded missing: 28 / 31

tabulation: Freq. Value  
2 5  
1 999

lb195i9a ----- (unlabeled)

type: numeric (float)

range: [999,999] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 999

lb195i9b ----- (unlabeled)

type: numeric (float)  
range: [999,999] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
                  1 999

lb195i11 ----- (unlabeled)

type: numeric (float)  
range: [1,3] units: 1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
                  1 1  
                  1 3

lb195i12 ----- (unlabeled)

type: numeric (float)  
range: [10,999] units: 1  
unique values: 4 coded missing: 26 / 31  
tabulation: Freq. Value  
                  2 10  
                  1 12  
                  1 20  
                  1 999

lb195i16 ----- (unlabeled)

type: numeric (float)  
range: [5,14] units: 1  
unique values: 2 coded missing: 28 / 31  
tabulation: Freq. Value  
                  1 5  
                  2 14

lb195i17 ----- (unlabeled)

type: numeric (float)  
range: [1,6] units: 1  
unique values: 3 coded missing: 28 / 31  
tabulation: Freq. Value  
                  1 1  
                  1 5  
                  1 6



lb195i18 ----- (unlabeled)

type: numeric (float)  
range: [1,21] units: 1  
unique values: 3 coded missing: 28 / 31  
tabulation: Freq. Value  
1 1  
1 19  
1 21

lb195i12 ----- (unlabeled)

type: numeric (float)  
range: [10,999] units: 1  
unique values: 4 coded missing: 26 / 31  
tabulation: Freq. Value  
2 10  
1 12  
1 20  
1 999

lb195i19 ----- (unlabeled)

type: numeric (float)  
range: [19,19] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
1 19

lb195i11 ----- (unlabeled)

type: numeric (float)  
range: [1,3] units: 1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
1 1  
1 3

lb195i22 ----- (unlabeled)

type: numeric (float)  
range: [0,10] units: 1  
unique values: 3 coded missing: 24 / 31  
tabulation: Freq. Value  
5 0  
1 1

1 10

lb188h1 ----- (unlabeled)

type: numeric (float)  
range: [0,40] units: 1  
unique values: 8 coded missing: 0 / 31

tabulation:	Freq.	Value
	18	0
	1	1
	1	2
	4	3
	3	4
	2	5
	1	30
	1	40

lb188h2a ----- (unlabeled)

type: numeric (float)  
range: [2,120] units: 1  
unique values: 11 coded missing: 18 / 31

mean: 27  
std. dev: 35.6043

percentiles:	10%	25%	50%	75%	90%
	6	10	14	20	90

lb188h2b ----- (unlabeled)

type: numeric (float)  
range: [1,80] units: 1  
unique values: 9 coded missing: 18 / 31

tabulation:	Freq.	Value
	1	1
	1	4
	4	6
	2	8
	1	9
	1	10
	1	12
	1	60
	1	80

lb188h2c ----- (unlabeled)

type: numeric (float)  
range: [1,40] units: 1  
unique values: 8 coded missing: 18 / 31

tabulation:	Freq.	Value
	1	1
	1	2
	3	3
	3	4
	2	5
	1	7
	1	30
	1	40

lb188h3 ----- (unlabeled)

type: numeric (float)

range: [0,5] units: 1  
unique values: 5 coded missing: 18 / 31

tabulation:	Freq.	Value
	8	0
	2	1
	1	3
	1	4
	1	5

lb188h4 ----- (unlabeled)

type: numeric (float)

range: [0,36] units: 1  
unique values: 8 coded missing: 18 / 31

tabulation:	Freq.	Value
	2	0
	2	1
	2	2
	3	3
	1	5
	1	6
	1	20
	1	36

lb188h5 ----- (unlabeled)

type: numeric (float)

range: [0,1] units: 1  
unique values: 2 coded missing: 18 / 31

tabulation:	Freq.	Value
	12	0
	1	1

lb188h6 ----- (unlabeled)

type: numeric (float)

range: [0,1] units: 1



range: [1,9] units: 1  
unique values: 4 coded missing: 26 / 31

tabulation:	Freq.	Value
	2	1
	1	2
	1	7
	1	9

lb188h8b ----- (unlabeled)

type: numeric (float)

range: [2,3] units: 1  
unique values: 2 coded missing: 26 / 31

tabulation:	Freq.	Value
	4	2
	1	3

lb188h10 ----- (unlabeled)

type: numeric (float)

range: [1,20] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation:	Freq.	Value
	1	1
	1	3
	1	20

lb188h11 ----- (unlabeled)

type: numeric (float)

range: [1,20] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation:	Freq.	Value
	1	1
	1	5
	1	20

lb188h12 ----- (unlabeled)

type: numeric (float)

range: [1,30] units: 1  
unique values: 6 coded missing: 22 / 31

tabulation:	Freq.	Value
	2	1
	1	2
	3	3
	1	4
	1	5

1 30

lb188h13 ----- (unlabeled)

type: numeric (float)  
range: [3,3] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
                  1 3

lb188h16 ----- (unlabeled)

type: numeric (float)  
range: [1,40] units: 1  
unique values: 4 coded missing: 24 / 31  
tabulation: Freq. Value  
                  2 1  
                  3 2  
                  1 3  
                  1 40

lb188h17 ----- (unlabeled)

type: numeric (float)  
range: [1,30] units: 1  
unique values: 5 coded missing: 21 / 31  
tabulation: Freq. Value  
                  4 1  
                  3 3  
                  1 4  
                  1 5  
                  1 30

lb188h18 ----- (unlabeled)

type: numeric (float)  
range: [1,1] units: 1  
unique values: 1 coded missing: 29 / 31  
tabulation: Freq. Value  
                  2 1

lb188h12 ----- (unlabeled)

type: numeric (float)  
range: [1,30] units: 1  
unique values: 6 coded missing: 22 / 31  
tabulation: Freq. Value

2 1  
1 2  
3 3  
1 4  
1 5  
1 30

lb188h19 ----- (unlabeled)

type: numeric (float)  
range: [5,6] units: 1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
1 5  
1 6

lb188h11 ----- (unlabeled)

type: numeric (float)  
range: [1,20] units: 1  
unique values: 3 coded missing: 28 / 31  
tabulation: Freq. Value  
1 1  
1 5  
1 20

lb188h22 ----- (unlabeled)

type: numeric (float)  
range: [0,40] units: 1  
unique values: 8 coded missing: 18 / 31  
tabulation: Freq. Value  
4 0  
1 1  
1 2  
2 3  
2 4  
1 5  
1 10  
1 40

lb188i2a ----- (unlabeled)

type: numeric (float)  
range: [0,10] units: 1  
unique values: 5 coded missing: 0 / 31  
tabulation: Freq. Value  
26 0  
1 1

2 2  
1 5  
1 10

lb188i2b ----- (unlabeled)

type: numeric (float)

range: [1,10] units: 1  
unique values: 4 coded missing: 26 / 31

tabulation: Freq. Value  
1 1  
2 2  
1 5  
1 10

lb188i2c ----- (unlabeled)

type: numeric (float)

range: [1,10] units: 1  
unique values: 4 coded missing: 26 / 31

tabulation: Freq. Value  
2 1  
1 2  
1 5  
1 10

lb188i3 ----- (unlabeled)

type: numeric (float)

range: [0,0] units: 0  
unique values: 1 coded missing: 26 / 31

tabulation: Freq. Value  
5 0

lb188i4 ----- (unlabeled)

type: numeric (float)

range: [0,8] units: 1  
unique values: 5 coded missing: 26 / 31

tabulation: Freq. Value  
1 0  
1 1  
1 2  
1 5  
1 8

lb188i5 ----- (unlabeled)

type: numeric (float)



range: [0,7] units: 1  
unique values: 4 coded missing: 26 / 31

tabulation: Freq. Value  
2 0  
1 1  
1 2  
1 7

lb188i6 ----- (unlabeled)

type: numeric (float)

range: [0,1] units: 1  
unique values: 2 coded missing: 26 / 31

tabulation: Freq. Value  
4 0  
1 1

lb188i7a ----- (unlabeled)

type: numeric (float)

range: [5,999] units: 1  
unique values: 3 coded missing: 26 / 31

tabulation: Freq. Value  
2 5  
2 8  
1 999

lb188i7b ----- (unlabeled)

type: numeric (float)

range: [2,999] units: 1  
unique values: 4 coded missing: 26 / 31

tabulation: Freq. Value  
2 2  
1 3  
1 5  
1 999

lb188i7c ----- (unlabeled)

type: numeric (float)

range: [150,999] units: 1  
unique values: 4 coded missing: 27 / 31

tabulation: Freq. Value  
1 150  
1 700  
1 800

lb188i8a ----- (unlabeled)

type: numeric (float)

range: [7,7] units: 1

unique values: 1 coded missing: 29 / 31

tabulation: Freq. Value

2	7
---	---

lb188i8b ----- (unlabeled)

type: numeric (float)

range: [2,4] units: 1

unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value

1	2
1	4

lb188i9a ----- (unlabeled)

type: numeric (float)

range: [2,2] units: 1

unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value

1	2
---	---

lb188i9b ----- (unlabeled)

type: numeric (float)

range: [1,1] units: 1

unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value

1	1
---	---

lb188i11 ----- (unlabeled)

type: numeric (float)

range: [5,5] units: 1

unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value

1	5
---	---

lb188i12 ----- (unlabeled)

type: numeric (float)

range: [2,10] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 2  
1 4  
1 10

lb188i16 ----- (unlabeled)

type: numeric (float)

range: [6,6] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 6

lb188i17 ----- (unlabeled)

type: numeric (float)

range: [2,5] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 2  
1 4  
1 5

lb188i18 ----- (unlabeled)

type: numeric (float)

range: [1,1] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 1

lb188i12 ----- (unlabeled)

type: numeric (float)

range: [2,10] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 2  
1 4  
1 10

lb188i19 ----- (unlabeled)

type: numeric (float)

range: [4,4] units: 1



. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
lb295m1	31	29.77419	63.65779	0	280
lb295m2	21	4.666667	8.119934	0	30
lb295m3	21	30.09524	62.48272	0	260
lb295m4	21	20.47619	35.65336	0	100
lb295m5	21	3.190476	6.523949	0	25
lb295m6a	21	5	1.581139	2	7
lb295m6b	21	31.2381	52.22825	1	200
lb295m7	20	795	398.979	400	2000
lb295m8a	13	4.769231	2.204308	1	7
lb295m8b	13	12.84615	14.46171	1	40
lb295m9a	4	5.75	1.258306	4	7
lb295m9b	4	13.75	7.5	5	20
lb295m10	6	21.5	24.70425	1	70
lb295m11	7	12.71429	7.454625	1	20
lb295m12	17	41.35294	66.60325	1	240
lb295m13	1	1	.	1	1
lb295m15	1	4	.	4	4
lb295m16	7	10.57143	10.62791	1	30
lb295m17	13	24.30769	46.01519	1	160
lb295m18	8	66	66.32388	1	170
lb295m20	20	92.5	20.03287	25	100
lb295f1	31	4.645161	14.72084	0	80
lb295f2	8	0	0	0	0
lb295f3	8	13.75	22.53093	1	69
lb295f4	8	12.5	15.98213	0	50
lb295f5	8	0	0	0	0
lb295f6a	9	4.555556	1.943651	2	6
lb295f6b	9	10.44444	12.44097	1	40
lb295f7	9	490	233.5059	150	1000
lb295f8a	4	5	2.708013	1	7
lb295f8b	4	8.75	10.90489	2	25
lb295f9a	1	5	.	5	5
lb295f9b	1	10	.	10	10
lb295f10	4	7.75	8.261356	2	20
lb295f11	3	7	3	4	10
lb295f12	8	11.5	16.82685	1	50
lb295f16	1	10	.	10	10
lb295f17	4	7.5	8.504901	1	20
lb295f18	6	32.33333	40.51008	2	100
lb295f20	9	100	0	100	100
lb288m1	31	12.25806	27.93441	0	100
lb288m2	9	3.111111	4.255715	0	10
lb288m3	9	24.22222	30.04487	0	80
lb288m4	9	14.55556	18.39912	0	50
lb288m5	9	.5555556	1.130388	0	3
lb288m6a	9	4.333333	1.658312	2	7
lb288m6b	9	32.77778	30.10306	3	90

lb288m7	8	281.25	106.6955	100	400
lb288m8a	5	4.2	2.04939	2	6
lb288m8b	5	15.2	17.10848	1	45
lb288m10	3	7	5.196152	1	10
lb288m11	3	10	0	10	10
lb288m12	7	46.42857	37.638	3	93
lb288m15	2	27	24.04163	10	44
lb288m16	3	13.66667	10.96966	1	20
lb288m17	5	16.2	18.37662	3	48
lb288m18	4	59.25	36.13286	10	97
lb288m20	9	97.77778	6.666667	80	100
lb288f1	31	2.064516	8.996056	0	50
lb288f2	5	.2	.4472136	0	1
lb288f3	5	11	19.09188	0	45
lb288f4	5	10.6	16.562	0	40
lb288f5	5	0	0	0	0
lb288f6a	5	5.2	2.387467	1	7
lb288f6b	5	9.6	13.74045	1	34
lb288f7	5	400	447.2136	200	1200
lb288f8a	1	6	.	6	6
lb288f8b	1	10	.	10	10
lb288f9a	1	2	.	2	2
lb288f9b	1	6	.	6	6
lb288f10	1	5	.	5	5
lb288f11	1	40	.	40	40
lb288f12	4	4.75	3.86221	1	10
lb288f16	1	5	.	5	5
lb288f17	2	3	2.828427	1	5
lb288f18	3	17.66667	23.69247	3	45
lb288f20	5	100	0	100	100

. codebook

prov ----- (unlabeled)

type: numeric (float)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (float)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

town ----- (unlabeled)

```

      type: numeric (float)

      range: [711,833]          units: 1
unique values: 18              coded missing: 0 / 31

      mean: 773.71
      std. dev: 51.7714

percentiles:      10%      25%      50%      75%      90%
                  712      722      811      822      831

```

village ----- (unlabeled)

```

      type: numeric (float)

      range: [7111,8331]       units: 1
unique values: 31             coded missing: 0 / 31

      mean: 7738.55
      std. dev: 517.771

percentiles:      10%      25%      50%      75%      90%
                  7122     7221     8111     8222     8313

```

lb295m1 ----- (unlabeled)

```

      type: numeric (float)

      range: [0,280]          units: 1
unique values: 15            coded missing: 0 / 31

      mean: 29.7742
      std. dev: 63.6578

percentiles:      10%      25%      50%      75%      90%
                  0        0        2        20       110

```

lb295m2 ----- (unlabeled)

```

      type: numeric (float)

      range: [0,30]          units: 1
unique values: 9            coded missing: 10 / 31

      tabulation: Freq.  Value
                  12    0
                   1    1
                   2    4
                   1    5
                   1    7
                   1   12
                   1   15
                   1   20

```

lb295m3 ----- (unlabeled)

```

type: numeric (float)

range: [0,260]          units: 1
unique values: 15      coded missing: 10 / 31

mean: 30.0952
std. dev: 62.4827

percentiles:      10%      25%      50%      75%      90%
                  0        2        5        20       90
    
```

lb295m4 ----- (unlabeled)

```

type: numeric (float)

range: [0,100]         units: 1
unique values: 10     coded missing: 10 / 31

mean: 20.4762
std. dev: 35.6534

percentiles:      10%      25%      50%      75%      90%
                  0        0        3        10       90
    
```

lb295m5 ----- (unlabeled)

```

type: numeric (float)

range: [0,25]          units: 1
unique values: 7      coded missing: 10 / 31

tabulation:  Freq.  Value
              13    0
              2    1
              1    2
              1    3
              2   10
              1   15
              1   25
    
```

lb295m6a ----- (unlabeled)

```

type: numeric (float)

range: [2,7]           units: 1
unique values: 5      coded missing: 10 / 31

tabulation:  Freq.  Value
              3    2
              1    3
             10    5
              3    6
              4    7
    
```



lb295m6b ----- (unlabeled)

type: numeric (float)

range: [1,200] units: 1  
 unique values: 12 coded missing: 10 / 31

mean: 31.2381  
 std. dev: 52.2283

percentiles:	10%	25%	50%	75%	90%
	1	2	4	20	90

lb295m7 ----- (unlabeled)

type: numeric (float)

range: [400,2000] units: 10  
 unique values: 12 coded missing: 11 / 31

mean: 795  
 std. dev: 398.979

percentiles:	10%	25%	50%	75%	90%
	475	500	675	950	1350

lb295m8a ----- (unlabeled)

type: numeric (float)

range: [1,7] units: 1  
 unique values: 5 coded missing: 18 / 31

tabulation:	Freq.	Value
	1	1
	3	2
	2	5
	4	6
	3	7

lb295m8b ----- (unlabeled)

type: numeric (float)

range: [1,40] units: 1  
 unique values: 7 coded missing: 18 / 31

tabulation:	Freq.	Value
	2	1
	3	2
	1	4
	3	10
	1	15
	1	30
	2	40

lb295m9a ----- (unlabeled)  
type: numeric (float)

range: [4,7] units: 1  
unique values: 3 coded missing: 27 / 31

tabulation: Freq. Value  
1 4  
2 6  
1 7

lb295m9b ----- (unlabeled)  
type: numeric (float)

range: [5,20] units: 1  
unique values: 3 coded missing: 27 / 31

tabulation: Freq. Value  
1 5  
1 10  
2 20

lb295m10 ----- (unlabeled)  
type: numeric (float)

range: [1,70] units: 1  
unique values: 5 coded missing: 25 / 31

tabulation: Freq. Value  
1 1  
2 10  
1 18  
1 20  
1 70

lb295m11 ----- (unlabeled)  
type: numeric (float)

range: [1,20] units: 1  
unique values: 4 coded missing: 24 / 31

tabulation: Freq. Value  
1 1  
1 8  
2 10  
3 20

lb295m12 ----- (unlabeled)  
type: numeric (float)

range: [1,240] units: 1  
unique values: 13 coded missing: 14 / 31

mean: 41.3529  
std. dev: 66.6032

percentiles:           10%           25%           50%           75%           90%  
                  1           2           5           60           150

lb295m13 ----- (unlabeled)

type: numeric (float)

range: [1,1]                           units: 1  
unique values: 1                        coded missing: 30 / 31

tabulation: Freq. Value  
                  1 1

lb295m15 ----- (unlabeled)

type: numeric (float)

range: [4,4]                           units: 1  
unique values: 1                        coded missing: 30 / 31

tabulation: Freq. Value  
                  1 4

lb295m16 ----- (unlabeled)

type: numeric (float)

range: [1,30]                           units: 1  
unique values: 6                        coded missing: 24 / 31

tabulation: Freq. Value  
                  1 1  
                  1 3  
                  2 5  
                  1 10  
                  1 20  
                  1 30

lb295m17 ----- (unlabeled)

type: numeric (float)

range: [1,160]                           units: 1  
unique values: 8                        coded missing: 18 / 31

tabulation: Freq. Value  
                  1 1  
                  3 2  
                  3 3  
                  1 5  
                  1 15  
                  2 20  
                  1 80

1 160

lb295m18 ----- (unlabeled)

type: numeric (float)  
range: [1,170] units: 1  
unique values: 8 coded missing: 23 / 31

tabulation: Freq. Value  
1 1  
1 5  
1 10  
1 17  
1 90  
1 100  
1 135  
1 170

lb295m20 ----- (unlabeled)

type: numeric (float)  
range: [25,100] units: 1  
unique values: 4 coded missing: 11 / 31

tabulation: Freq. Value  
1 25  
1 50  
1 75  
17 100

lb295f1 ----- (unlabeled)

type: numeric (float)  
range: [0,80] units: 1  
unique values: 8 coded missing: 0 / 31

tabulation: Freq. Value  
22 0  
1 1  
1 2  
1 4  
1 7  
3 10  
1 20  
1 80

lb295f2 ----- (unlabeled)

type: numeric (float)  
range: [0,0] units: 0  
unique values: 1 coded missing: 23 / 31

tabulation: Freq. Value

lb295f3 ----- (unlabeled)

```

      type: numeric (float)

      range: [1,69]                units: 1
unique values: 5                    coded missing: 23 / 31

      tabulation: Freq.  Value
                   1    1
                   2    4
                   2    6
                   2   10
                   1   69

```

lb295f4 ----- (unlabeled)

```

      type: numeric (float)

      range: [0,50]                units: 1
unique values: 6                    coded missing: 23 / 31

      tabulation: Freq.  Value
                   1    0
                   1    2
                   1    3
                   3   10
                   1   15
                   1   50

```

lb295f5 ----- (unlabeled)

```

      type: numeric (float)

      range: [0,0]                 units: 0
unique values: 1                    coded missing: 23 / 31

      tabulation: Freq.  Value
                   8    0

```

lb295f6a ----- (unlabeled)

```

      type: numeric (float)

      range: [2,6]                 units: 1
unique values: 3                    coded missing: 22 / 31

      tabulation: Freq.  Value
                   3    2
                   1    5
                   5    6

```

lb295f6b ----- (unlabeled)

```

      type: numeric (float)

```

range: [1,40] units: 1  
unique values: 8 coded missing: 22 / 31

tabulation: Freq. Value  
1 1  
1 2  
1 4  
2 5  
1 7  
1 10  
1 20  
1 40

lb295f7 ----- (unlabeled)

type: numeric (float)

range: [150,1000] units: 10  
unique values: 6 coded missing: 22 / 31

tabulation: Freq. Value  
1 150  
1 360  
2 400  
2 450  
2 600  
1 1000

lb295f8a ----- (unlabeled)

type: numeric (float)

range: [1,7] units: 1  
unique values: 3 coded missing: 27 / 31

tabulation: Freq. Value  
1 1  
2 6  
1 7

lb295f8b ----- (unlabeled)

type: numeric (float)

range: [2,25] units: 1  
unique values: 4 coded missing: 27 / 31

tabulation: Freq. Value  
1 2  
1 3  
1 5  
1 25

lb295f9a ----- (unlabeled)

type: numeric (float)

range: [5,5] units: 1  
 unique values: 1 coded missing: 30 / 31  
 tabulation: Freq. Value  
                   1 5

lb295f9b ----- (unlabeled)

type: numeric (float)  
 range: [10,10] units: 10  
 unique values: 1 coded missing: 30 / 31  
 tabulation: Freq. Value  
                   1 10

lb295f10 ----- (unlabeled)

type: numeric (float)  
 range: [2,20] units: 1  
 unique values: 4 coded missing: 27 / 31  
 tabulation: Freq. Value  
                   1 2  
                   1 4  
                   1 5  
                   1 20

lb295f11 ----- (unlabeled)

type: numeric (float)  
 range: [4,10] units: 1  
 unique values: 3 coded missing: 28 / 31  
 tabulation: Freq. Value  
                   1 4  
                   1 7  
                   1 10

lb295f12 ----- (unlabeled)

type: numeric (float)  
 range: [1,50] units: 1  
 unique values: 7 coded missing: 23 / 31  
 tabulation: Freq. Value  
                   2 1  
                   1 2  
                   1 3  
                   1 5  
                   1 10  
                   1 20  
                   1 50

lb295f16 ----- (unlabeled)  
type: numeric (float)

range: [10,10] units: 10  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 10

lb295f17 ----- (unlabeled)  
type: numeric (float)

range: [1,20] units: 1  
unique values: 4 coded missing: 27 / 31

tabulation: Freq. Value  
1 1  
1 4  
1 5  
1 20

lb295f18 ----- (unlabeled)  
type: numeric (float)

range: [2,100] units: 1  
unique values: 5 coded missing: 25 / 31

tabulation: Freq. Value  
1 2  
1 7  
2 10  
1 65  
1 100

lb295f20 ----- (unlabeled)  
type: numeric (float)

range: [100,100] units: 100  
unique values: 1 coded missing: 22 / 31

tabulation: Freq. Value  
9 100

lb288m1 ----- (unlabeled)  
type: numeric (float)

range: [0,100] units: 1  
unique values: 9 coded missing: 0 / 31

tabulation: Freq. Value  
22 0  
1 3



2 10  
1 15  
1 20  
1 60  
1 65  
1 97  
1 100

lb288m2 ----- (unlabeled)

type: numeric (float)

range: [0,10] units: 1  
unique values: 3 coded missing: 22 / 31

tabulation: Freq. Value  
5 0  
2 4  
2 10

lb288m3 ----- (unlabeled)

type: numeric (float)

range: [0,80] units: 1  
unique values: 9 coded missing: 22 / 31

tabulation: Freq. Value  
1 0  
1 4  
1 5  
1 10  
1 11  
1 16  
1 20  
1 72  
1 80

lb288m4 ----- (unlabeled)

type: numeric (float)

range: [0,50] units: 1  
unique values: 8 coded missing: 22 / 31

tabulation: Freq. Value  
2 0  
1 1  
1 3  
1 4  
1 10  
1 30  
1 33  
1 50

lb288m5 ----- (unlabeled)

```

        type: numeric (float)
        range: [0,3]
unique values: 3
                                units: 1
                                coded missing: 22 / 31

        tabulation: Freq.  Value
                    7  0
                    1  2
                    1  3

```

lb288m6a ----- (unlabeled)

```

        type: numeric (float)

        range: [2,7]
unique values: 4
                                units: 1
                                coded missing: 22 / 31

        tabulation: Freq.  Value
                    2  2
                    1  3
                    5  5
                    1  7

```

lb288m6b ----- (unlabeled)

```

        type: numeric (float)

        range: [3,90]
unique values: 7
                                units: 1
                                coded missing: 22 / 31

        tabulation: Freq.  Value
                    1  3
                    3  10
                    1  15
                    1  48
                    1  50
                    1  59
                    1  90

```

lb288m7 ----- (unlabeled)

```

        type: numeric (float)

        range: [100,400]
unique values: 5
                                units: 10
                                coded missing: 23 / 31

        tabulation: Freq.  Value
                    1  100
                    2  200
                    2  300
                    1  350
                    2  400

```

lb288m8a ----- (unlabeled)

```

        type: numeric (float)

```

range: [2,6] units: 1  
unique values: 3 coded missing: 26 / 31

tabulation: Freq. Value  
2 2  
1 5  
2 6

lb288m8b ----- (unlabeled)

type: numeric (float)

range: [1,45] units: 1  
unique values: 3 coded missing: 26 / 31

tabulation: Freq. Value  
1 1  
3 10  
1 45

lb288m10 ----- (unlabeled)

type: numeric (float)

range: [1,10] units: 1  
unique values: 2 coded missing: 28 / 31

tabulation: Freq. Value  
1 1  
2 10

lb288m11 ----- (unlabeled)

type: numeric (float)

range: [10,10] units: 10  
unique values: 1 coded missing: 28 / 31

tabulation: Freq. Value  
3 10

lb288m12 ----- (unlabeled)

type: numeric (float)

range: [3,93] units: 1  
unique values: 7 coded missing: 24 / 31

tabulation: Freq. Value  
1 3  
1 10  
1 15  
1 55  
1 59  
1 90  
1 93

lb288m15 ----- (unlabeled)  
type: numeric (float)

range: [10,44] units: 1  
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value  
1 10  
1 44

lb288m16 ----- (unlabeled)  
type: numeric (float)

range: [1,20] units: 1  
unique values: 2 coded missing: 28 / 31

tabulation: Freq. Value  
1 1  
2 20

lb288m17 ----- (unlabeled)  
type: numeric (float)

range: [3,48] units: 1  
unique values: 5 coded missing: 26 / 31

tabulation: Freq. Value  
1 3  
1 5  
1 10  
1 15  
1 48

lb288m18 ----- (unlabeled)  
type: numeric (float)

range: [10,97] units: 1  
unique values: 3 coded missing: 27 / 31

tabulation: Freq. Value  
1 10  
2 65  
1 97

lb288m20 ----- (unlabeled)  
type: numeric (float)

range: [80,100] units: 10  
unique values: 2 coded missing: 22 / 31

tabulation: Freq. Value  
1 80

lb288f1 ----- (unlabeled)

type: numeric (float)  
 range: [0,50] units: 1  
 unique values: 5 coded missing: 0 / 31

tabulation:

Freq.	Value
26	0
1	1
1	3
2	5
1	50

lb288f2 ----- (unlabeled)

type: numeric (float)  
 range: [0,1] units: 1  
 unique values: 2 coded missing: 26 / 31

tabulation:

Freq.	Value
4	0
1	1

lb288f3 ----- (unlabeled)

type: numeric (float)  
 range: [0,45] units: 1  
 unique values: 5 coded missing: 26 / 31

tabulation:

Freq.	Value
1	0
1	2
1	3
1	5
1	45

lb288f4 ----- (unlabeled)

type: numeric (float)  
 range: [0,40] units: 1  
 unique values: 4 coded missing: 26 / 31

tabulation:

Freq.	Value
1	0
1	3
2	5
1	40

lb288f5 ----- (unlabeled)

type: numeric (float)



range: [10,10] units: 10  
 unique values: 1 coded missing: 30 / 31  
 tabulation: Freq. Value  
                   1 10

lb288f9a ----- (unlabeled)

type: numeric (float)  
 range: [2,2] units: 1  
 unique values: 1 coded missing: 30 / 31  
 tabulation: Freq. Value  
                   1 2

lb288f9b ----- (unlabeled)

type: numeric (float)  
 range: [6,6] units: 1  
 unique values: 1 coded missing: 30 / 31  
 tabulation: Freq. Value  
                   1 6

lb288f10 ----- (unlabeled)

type: numeric (float)  
 range: [5,5] units: 1  
 unique values: 1 coded missing: 30 / 31  
 tabulation: Freq. Value  
                   1 5

lb288f11 ----- (unlabeled)

type: numeric (float)  
 range: [40,40] units: 10  
 unique values: 1 coded missing: 30 / 31  
 tabulation: Freq. Value  
                   1 40

lb288f12 ----- (unlabeled)

type: numeric (float)  
 range: [1,10] units: 1  
 unique values: 4 coded missing: 27 / 31  
 tabulation: Freq. Value  
                   1 1  
                   1 3  
                   1 5

1 10

lb288f16 ----- (unlabeled)

type: numeric (float)

range: [5,5] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 5

lb288f17 ----- (unlabeled)

type: numeric (float)

range: [1,5] units: 1  
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value  
1 1  
1 5

lb288f18 ----- (unlabeled)

type: numeric (float)

range: [3,45] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 3  
1 5  
1 45

lb288f20 ----- (unlabeled)

type: numeric (float)

range: [100,100] units: 100  
unique values: 1 coded missing: 26 / 31

tabulation: Freq. Value  
5 100



. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
lb395m1	31	51.93548	53.6252	0	250
lb395m2	28	7.857143	11.8344	0	40
lb395m3	28	35.14286	46.37585	0	230
lb395m4	28	17.57143	19.03297	0	80
lb395m5	28	3.714286	7.327559	0	25
lb395m6a	28	4.582143	1.379225	2	7
lb395m6b	28	57.67857	95.17082	5	500
lb395m7	26	719.2308	370.6958	200	1800
lb395m8a	20	4.005	1.829718	2	7
lb395m8b	20	15.35	11.96607	3	40
lb395m9a	8	4.025	2.043631	2	7
lb395m9b	8	7.125	9.657529	1	30
lb395m10	8	13	19.94278	1	60
lb395m11	13	24.76923	38.40389	1	150
lb395m12	23	51.47826	40.68825	3	147
lb395m14	13	32.46154	61.15365	1	230
lb395m15	8	32.875	32.40563	3	85
lb395m16	18	45.66667	40.5216	2	150
lb395m17	3	15.33333	5.033223	10	20
lb395m19	2	25	7.071068	20	30
lb395m20	28	82.07143	29.88488	10	100
lb395f1	31	21.22581	32.55632	0	160
lb395f2	21	4.761905	14.28252	0	65
lb395f3	21	22.71429	24.56653	0	95
lb395f4	21	10.7619	10.73268	0	42
lb395f5	21	.2380952	1.091089	0	5
lb395f6a	21	4.62381	1.794967	2	7
lb395f6b	21	23.66667	18.70383	1	72
lb395f7	19	425.7895	199.341	170	1000
lb395f8a	5	3.66	2.137288	2	6
lb395f8b	5	18	11.59741	3	32
lb395f9a	2	4.15	2.616295	2.3	6
lb395f9b	2	10	0	10	10
lb395f10	1	125	.	125	125
lb395f11	8	23.25	18.24242	1	50
lb395f12	12	22.75	15.88667	2	60
lb395f13	1	14	.	14	14
lb395f14	8	21.375	25.53394	1	70
lb395f15	2	11.5	12.02082	3	20
lb395f16	10	26.8	19.12416	5	60
lb395f17	1	14	.	14	14
lb395f19	2	90	84.85281	30	150
lb395f20	21	89.04762	25.67192	0	100
lb388m1	31	33.6129	60.93859	0	320
lb388m2	24	2.083333	4.382938	0	20
lb388m3	24	34	59.95288	1	290
lb388m4	24	9.166667	17.23663	0	80

lb388m5	24	3.625	14.30966	0	70
lb388m6a	24	4.258333	1.438875	2	7
lb388m6b	24	30.04167	35.65716	2	160
lb388m7	21	324.2857	204.0483	60	900
lb388m8a	13	4.476923	1.786129	2	7
lb388m8b	13	10.69231	13.39393	2	40
lb388m9a	3	3	1.732051	2	5
lb388m9b	3	17	20.42058	1	40
lb388m10	4	19.5	18.43005	2	40
lb388m11	9	42.22222	78.88406	3	250
lb388m12	17	34.64706	30.29427	2	100
lb388m14	9	42.66667	97.27795	1	300
lb388m15	8	13	15.74802	1	50
lb388m16	10	42.2	34.96602	2	100
lb388m17	3	18.33333	10.40833	10	30
lb388m19	2	23	24.04163	6	40
lb388m20	24	81	33.2265	0	100
lb388f1	31	10.03226	22.78082	0	98
lb388f2	16	2.25	7.434155	0	30
lb388f3	16	15.625	23.15419	0	80
lb388f4	16	10.375	19.77161	0	70
lb388f5	16	0	0	0	0
lb388f6a	16	3.5875	1.727763	2	6
lb388f6b	16	11.125	11.37761	1	42
lb388f7	15	234	132.8694	60	600
lb388f8a	5	4.42	2.163793	2	6
lb388f8b	5	11	8.831761	4	26
lb388f9a	2	3.6	1.979899	2.2	5
lb388f9b	2	12.5	3.535534	10	15
lb388f10	2	21.5	27.57716	2	41
lb388f11	6	22.5	26.58383	1	57
lb388f12	11	12.27273	9.04534	1	30
lb388f14	3	24.33333	39.55165	1	70
lb388f15	2	5.5	4.949747	2	9
lb388f16	10	20	16.04854	10	57
lb388f17	1	5	.	5	5
lb388f19	2	21.5	27.57716	2	41
lb388f20	16	93.75	25	0	100

. codebook

prov ----- (unlabeled)

```

type: numeric (float)
range: [7,8] units: 1
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value
              15 7
              16 8

```

county ----- (unlabeled)

```

type: numeric (float)
range: [71,83] units: 1

```



```

14 0
1 1
1 2
1 4
1 8
5 10
1 25
3 30
1 40

```

lb395m3 ----- (unlabeled)

```

type: numeric (float)

range: [0,230] units: 1
unique values: 19 coded missing: 3 / 31

mean: 35.1429
std. dev: 46.3759

percentiles: 10% 25% 50% 75% 90%
              2 10 16 45 70

```

lb395m4 ----- (unlabeled)

```

type: numeric (float)

range: [0,80] units: 1
unique values: 14 coded missing: 3 / 31

mean: 17.5714
std. dev: 19.033

percentiles: 10% 25% 50% 75% 90%
              0 3.5 10 27.5 40

```

lb395m5 ----- (unlabeled)

```

type: numeric (float)

range: [0,25] units: 1
unique values: 7 coded missing: 3 / 31

tabulation: Freq. Value
              19 0
              1 2
              1 3
              1 5
              2 7
              2 15
              2 25

```

lb395m6a ----- (unlabeled)

```

type: numeric (float)

range: [2,7] units: .1

```





```

type: numeric (float)
range: [1,150] units: 1
unique values: 11 coded missing: 18 / 31

mean: 24.7692
std. dev: 38.4039

percentiles:      10%      25%      50%      75%      90%
                  7        10        15        20        30

```

lb395m12 ----- (unlabeled)

```

type: numeric (float)
range: [3,147] units: 1
unique values: 17 coded missing: 8 / 31

mean: 51.4783
std. dev: 40.6882

percentiles:      10%      25%      50%      75%      90%
                  5        15        35        85        100

```

lb395m14 ----- (unlabeled)

```

type: numeric (float)
range: [1,230] units: 1
unique values: 9 coded missing: 18 / 31

tabulation: Freq. Value
              1 1
              1 2
              1 5
              2 10
              1 14
              2 15
              3 20
              1 60
              1 230

```

lb395m15 ----- (unlabeled)

```

type: numeric (float)
range: [3,85] units: 1
unique values: 8 coded missing: 23 / 31

tabulation: Freq. Value
              1 3
              1 7
              1 8
              1 10
              1 25
              1 55
              1 70

```

lb395m16 ----- (unlabeled)

```

type: numeric (float)

range: [2,150]          units: 1
unique values: 14      coded missing: 13 / 31

mean: 45.6667
std. dev: 40.5216

percentiles:          10%      25%      50%      75%      90%
                    5        18      33.5     80       100
    
```

lb395m17 ----- (unlabeled)

```

type: numeric (float)

range: [10,20]         units: 1
unique values: 3       coded missing: 28 / 31

tabulation: Freq.  Value
             1    10
             1    16
             1    20
    
```

lb395m19 ----- (unlabeled)

```

type: numeric (float)

range: [20,30]         units: 10
unique values: 2       coded missing: 29 / 31

tabulation: Freq.  Value
             1    20
             1    30
    
```

lb395m20 ----- (unlabeled)

```

type: numeric (float)

range: [10,100]       units: 1
unique values: 7       coded missing: 3 / 31

tabulation: Freq.  Value
             1    10
             2    15
             3    50
             1    58
             1    70
             1    80
             19   100
    
```

lb395f1 ----- (unlabeled)

```

type: numeric (float)
    
```



range: [0,160] units: 1  
unique values: 17 coded missing: 0 / 31

mean: 21.2258  
std. dev: 32.5563

percentiles: 10% 25% 50% 75% 90%  
0 0 10 30 50

lb395f2 ----- (unlabeled)

type: numeric (float)

range: [0,65] units: 1  
unique values: 7 coded missing: 10 / 31

tabulation: Freq. Value  
14 0  
2 2  
1 3  
1 5  
1 8  
1 15  
1 65

lb395f3 ----- (unlabeled)

type: numeric (float)

range: [0,95] units: 1  
unique values: 14 coded missing: 10 / 31

mean: 22.7143  
std. dev: 24.5665

percentiles: 10% 25% 50% 75% 90%  
4 7 14 30 50

lb395f4 ----- (unlabeled)

type: numeric (float)

range: [0,42] units: 1  
unique values: 11 coded missing: 10 / 31

mean: 10.7619  
std. dev: 10.7327

percentiles: 10% 25% 50% 75% 90%  
0 2 10 13 25

lb395f5 ----- (unlabeled)

type: numeric (float)

range: [0,5] units: 1



1 2.2  
2 6

lb395f8b ----- (unlabeled)

type: numeric (float)  
range: [3,32] units: 1  
unique values: 5 coded missing: 26 / 31  
tabulation: Freq. Value  
1 3  
1 10  
1 20  
1 25  
1 32

lb395f9a ----- (unlabeled)

type: numeric (float)  
range: [2.3,6] units: .1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
1 2.3  
1 6

lb395f9b ----- (unlabeled)

type: numeric (float)  
range: [10,10] units: 10  
unique values: 1 coded missing: 29 / 31  
tabulation: Freq. Value  
2 10

lb395f10 ----- (unlabeled)

type: numeric (float)  
range: [125,125] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
1 125

lb395f11 ----- (unlabeled)

type: numeric (float)  
range: [1,50] units: 1  
unique values: 7 coded missing: 23 / 31  
tabulation: Freq. Value  
1 1

1 8  
2 10  
1 30  
1 35  
1 42  
1 50

lb395f12 ----- (unlabeled)

type: numeric (float)  
range: [2,60] units: 1  
unique values: 11 coded missing: 19 / 31  
mean: 22.75  
std. dev: 15.8867  
percentiles: 10% 25% 50% 75% 90%  
5 12.5 20 29 40

lb395f13 ----- (unlabeled)

type: numeric (float)  
range: [14,14] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
1 14

lb395f14 ----- (unlabeled)

type: numeric (float)  
range: [1,70] units: 1  
unique values: 8 coded missing: 23 / 31  
tabulation: Freq. Value  
1 1  
1 2  
1 5  
1 8  
1 10  
1 25  
1 50  
1 70

lb395f15 ----- (unlabeled)

type: numeric (float)  
range: [3,20] units: 1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
1 3  
1 20

lb395f16 ----- (unlabeled)

type: numeric (float)  
range: [5,60] units: 1  
unique values: 8 coded missing: 21 / 31

tabulation: Freq. Value  
1 5  
2 10  
1 15  
1 18  
1 20  
2 40  
1 50  
1 60

lb395f17 ----- (unlabeled)

type: numeric (float)  
range: [14,14] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 14

lb395f19 ----- (unlabeled)

type: numeric (float)  
range: [30,150] units: 10  
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value  
1 30  
1 150

lb395f20 ----- (unlabeled)

type: numeric (float)  
range: [0,100] units: 10  
unique values: 4 coded missing: 10 / 31

tabulation: Freq. Value  
1 0  
1 50  
2 60  
17 100

lb388m1 ----- (unlabeled)

type: numeric (float)  
range: [0,320] units: 1



```

tabulation:  Freq.  Value
              20    0
              1    3
              1    4
              1   10
              1   70

```

lb388m6a ----- (unlabeled)

```

      type:  numeric (float)

      range:  [2,7]                units:  .1
unique values: 6                  coded missing: 7 / 31

```

```

tabulation:  Freq.  Value
              2    2
              2  2.0999999
              5    3
             12    5
              2    6
              1    7

```

lb388m6b ----- (unlabeled)

```

      type:  numeric (float)

      range:  [2,160]             units:  1
unique values: 15                coded missing: 7 / 31

```

```

      mean:   30.0417
      std. dev: 35.6572

```

```

percentiles:      10%      25%      50%      75%      90%
                  5        10       15       36       70

```

lb388m7 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [60,900]           units:  10
unique values: 10                coded missing: 10 / 31

```

```

      mean:   324.286
      std. dev: 204.048

```

```

percentiles:      10%      25%      50%      75%      90%
                  150     200     300     450     500

```

lb388m8a ----- (unlabeled)

```

      type:  numeric (float)

      range:  [2,7]                units:  .1
unique values: 6                  coded missing: 18 / 31

```

```

tabulation:  Freq.  Value

```

2 2  
1 2.2  
2 3  
3 5  
4 6  
1 7

lb388m8b ----- (unlabeled)

type: numeric (float)  
range: [2,40] units: 1  
unique values: 6 coded missing: 18 / 31

tabulation: Freq. Value  
4 2  
1 3  
2 5  
1 8  
3 10  
2 40

lb388m9a ----- (unlabeled)

type: numeric (float)  
range: [2,5] units: 1  
unique values: 2 coded missing: 28 / 31

tabulation: Freq. Value  
2 2  
1 5

lb388m9b ----- (unlabeled)

type: numeric (float)  
range: [1,40] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 1  
1 10  
1 40

lb388m10 ----- (unlabeled)

type: numeric (float)  
range: [2,40] units: 1  
unique values: 4 coded missing: 27 / 31

tabulation: Freq. Value  
1 2  
1 6  
1 30  
1 40



lb388m11 ----- (unlabeled)

type: numeric (float)  
range: [3,250] units: 1  
unique values: 9 coded missing: 22 / 31

tabulation: Freq. Value  
1 3  
1 6  
1 8  
1 10  
1 13  
1 20  
1 28  
1 42  
1 250

lb388m12 ----- (unlabeled)

type: numeric (float)  
range: [2,100] units: 1  
unique values: 12 coded missing: 14 / 31

mean: 34.6471  
std. dev: 30.2943

percentiles: 10% 25% 50% 75% 90%  
7 15 20 50 80

lb388m14 ----- (unlabeled)

type: numeric (float)  
range: [1,300] units: 1  
unique values: 7 coded missing: 22 / 31

tabulation: Freq. Value  
1 1  
1 3  
2 5  
1 8  
2 10  
1 42  
1 300

lb388m15 ----- (unlabeled)

type: numeric (float)  
range: [1,50] units: 1  
unique values: 8 coded missing: 23 / 31

tabulation: Freq. Value  
1 1

1 2  
1 5  
1 8  
1 10  
1 13  
1 15  
1 50

lb388m16 ----- (unlabeled)

type: numeric (float)

range: [2,100] units: 1  
unique values: 9 coded missing: 21 / 31

tabulation: Freq. Value  
1 2  
1 10  
2 20  
1 28  
1 32  
1 40  
1 80  
1 90  
1 100

lb388m17 ----- (unlabeled)

type: numeric (float)

range: [10,30] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 10  
1 15  
1 30

lb388m19 ----- (unlabeled)

type: numeric (float)

range: [6,40] units: 1  
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value  
1 6  
1 40

lb388m20 ----- (unlabeled)

type: numeric (float)

range: [0,100] units: 1  
unique values: 8 coded missing: 7 / 31

tabulation: Freq. Value

```

      2  0
      1 20
      1 40
      1 50
      1 70
      1 80
      1 84
     16 100

```

lb388f1 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [0,98]                units:  1
unique values: 11                coded missing: 0 / 31

      mean:   10.0323
      std. dev: 22.7808

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10        20

```

lb388f2 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [0,30]                units:  1
unique values: 4                coded missing: 15 / 31

      tabulation:  Freq.  Value
                  11    0
                   2    1
                   2    2
                   1   30

```

lb388f3 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [0,80]                units:  1
unique values: 11                coded missing: 15 / 31

      mean:   15.625
      std. dev: 23.1542

percentiles:      10%      25%      50%      75%      90%
                  0        2        7.5      15        62

```

lb388f4 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [0,70]                units:  1
unique values: 8                coded missing: 15 / 31

      tabulation:  Freq.  Value
                  6    0

```

2 1  
2 5  
1 7  
1 9  
2 10  
1 48  
1 70

lb388f5 ----- (unlabeled)

type: numeric (float)

range: [0,0] units: 0  
unique values: 1 coded missing: 15 / 31

tabulation:	Freq.	Value
	16	0

lb388f6a ----- (unlabeled)

type: numeric (float)

range: [2,6] units: .1  
unique values: 6 coded missing: 15 / 31

tabulation:	Freq.	Value
	6	2
	1	2.0999999
	1	2.3
	1	3
	4	5
	3	6

lb388f6b ----- (unlabeled)

type: numeric (float)

range: [1,42] units: 1  
unique values: 9 coded missing: 15 / 31

tabulation:	Freq.	Value
	2	1
	3	2
	2	5
	4	10
	1	13
	1	15
	1	20
	1	30
	1	42

lb388f7 ----- (unlabeled)

type: numeric (float)

range: [60,600] units: 10  
unique values: 8 coded missing: 16 / 31

```

tabulation:  Freq.  Value
              2    60
              3   150
              1   170
              2   200
              1   250
              4   300
              1   320
              1   600

```

lb388f8a ----- (unlabeled)

```

      type:  numeric (float)

      range:  [2,6]                units:  .1
unique values: 3                  coded missing: 26 / 31

```

```

tabulation:  Freq.  Value
              1    2
              1  2.0999999
              3    6

```

lb388f8b ----- (unlabeled)

```

      type:  numeric (float)

      range:  [4,26]              units:  1
unique values: 4                  coded missing: 26 / 31

```

```

tabulation:  Freq.  Value
              1    4
              1    5
              2   10
              1   26

```

lb388f9a ----- (unlabeled)

```

      type:  numeric (float)

      range:  [2.2,5]             units:  .1
unique values: 2                  coded missing: 29 / 31

```

```

tabulation:  Freq.  Value
              1   2.2
              1    5

```

lb388f9b ----- (unlabeled)

```

      type:  numeric (float)

      range:  [10,15]            units:  1
unique values: 2                  coded missing: 29 / 31

```

```

tabulation:  Freq.  Value
              1   10
              1   15

```

lb388f10 ----- (unlabeled)

type: numeric (float)  
range: [2,41] units: 1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
                  1 2  
                  1 41

lb388f11 ----- (unlabeled)

type: numeric (float)  
range: [1,57] units: 1  
unique values: 6 coded missing: 25 / 31  
tabulation: Freq. Value  
                  1 1  
                  1 2  
                  1 9  
                  1 10  
                  1 56  
                  1 57

lb388f12 ----- (unlabeled)

type: numeric (float)  
range: [1,30] units: 1  
unique values: 8 coded missing: 20 / 31  
tabulation: Freq. Value  
                  1 1  
                  1 2  
                  1 5  
                  4 10  
                  1 13  
                  1 20  
                  1 24  
                  1 30

lb388f14 ----- (unlabeled)

type: numeric (float)  
range: [1,70] units: 1  
unique values: 3 coded missing: 28 / 31  
tabulation: Freq. Value  
                  1 1  
                  1 2  
                  1 70

lb388f15 ----- (unlabeled)

type: numeric (float)  
range: [2,9] units: 1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
                  1 2  
                  1 9

lb388f16 ----- (unlabeled)

type: numeric (float)  
range: [10,57] units: 1  
unique values: 5 coded missing: 21 / 31  
tabulation: Freq. Value  
                  5 10  
                  1 13  
                  2 20  
                  1 40  
                  1 57

lb388f17 ----- (unlabeled)

type: numeric (float)  
range: [5,5] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
                  1 5

lb388f19 ----- (unlabeled)

type: numeric (float)  
range: [2,41] units: 1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
                  1 2  
                  1 41

lb388f20 ----- (unlabeled)

type: numeric (float)  
range: [0,100] units: 100  
unique values: 2 coded missing: 15 / 31  
tabulation: Freq. Value  
                  1 0  
                  15 100

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
lb495m1	31	7.193548	16.39597	0	90
lb495m2	31	16.83871	17.10379	0	56
lb495m3	31	6.548387	15.45496	0	80
lb495m4	31	15.77419	17.01903	0	63
lb495m5	31	3.322581	3.176865	0	11
lb495m6	31	.483871	1.58894	0	8
lb495m7	31	3.870968	5.226483	0	15
lb495m8	31	1451.613	1745.255	200	10000
lb495m9	31	5.322581	8.87839	0	40
lb495m10	31	31.6129	37.03033	0	150
lb495m11	31	5.258065	11.31067	0	60
lb495m12	31	4.677419	11.12171	0	55
lb495m13	31	92.12903	14.88118	50	100
lb495f1	31	0	0	0	0
lb495f2	27	.6666667	2.218801	0	10
lb495f3	27	5.851852	16.51969	0	80
lb495f4	27	14.81481	21.3308	0	100
lb495f5	27	2.407407	3.003322	0	10
lb495f6	27	.1851852	.9622504	0	5
lb495f7	27	.9259259	2.448326	0	10
lb495f8	26	1213.846	2170.6	200	11000
lb495f9	27	1.222222	2.025479	0	8
lb495f10	27	17.18519	31.27673	0	150
lb495f11	27	2.62963	4.583819	0	17
lb495f12	27	1.666667	3.519178	0	15
lb495f13	26	97.69231	11.76697	40	100
lb488m1	31	3.258065	4.939418	0	20
lb488m2	30	4.166667	7.153891	0	27
lb488m3	30	3.4	5.629969	0	20
lb488m4	30	6.7	9.259292	0	40
lb488m5	30	1.166667	1.984132	0	9
lb488m6	30	.3	1.149213	0	6
lb488m7	30	1.533333	5.022249	0	26
lb488m8	30	581.3333	567.7283	90	3000
lb488m9	30	1.7	3.563706	0	14
lb488m10	30	10.33333	11.50212	0	40
lb488m11	30	2.6	4.635694	0	16
lb488m12	30	1.9	4.474834	0	18
lb488m13	29	95.41379	15.83964	33	100
lb488f1	31	0	0	0	0
lb488f2	20	0	0	0	0
lb488f3	20	1.7	4.027537	0	15
lb488f4	20	5.05	6.916609	0	30
lb488f5	20	.85	1.424411	0	5
lb488f6	20	0	0	0	0
lb488f7	20	0	0	0	0
lb488f8	20	598.5	816.7927	70	3300



lb488f9	20	.45	.9986833	0	3
lb488f10	20	4.75	4.940435	0	20
lb488f11	20	1.35	2.621269	0	11
lb488f12	20	.95	1.761429	0	7
lb488f13	20	100	0	100	100

. codebook

prov ----- (unlabeled)

```

type: numeric (float)

range: [7,8]                units: 1
unique values: 2            coded missing: 0 / 31

tabulation: Freq.  Value
              15    7
              16    8

```

county ----- (unlabeled)

```

type: numeric (float)

range: [71,83]             units: 1
unique values: 6           coded missing: 0 / 31

tabulation: Freq.  Value
              5    71
              5    72
              5    73
              5    81
              5    82
              6    83

```

town ----- (unlabeled)

```

type: numeric (float)

range: [711,833]          units: 1
unique values: 18         coded missing: 0 / 31

mean: 773.71
std. dev: 51.7714

percentiles: 10%    25%    50%    75%    90%
              712    722    811    822    831

```

village ----- (unlabeled)

```

type: numeric (float)

range: [7111,8331]        units: 1
unique values: 31         coded missing: 0 / 31

mean: 7738.55
std. dev: 517.771

```

percentiles:	10%	25%	50%	75%	90%
	7122	7221	8111	8222	8313

lb495m1 ----- (unlabeled)

```

type: numeric (float)

range: [0,90]          units: 1
unique values: 12      coded missing: 0 / 31

mean: 7.19355
std. dev: 16.396

```

percentiles:	10%	25%	50%	75%	90%
	0	0	2	6	15

lb495m2 ----- (unlabeled)

```

type: numeric (float)

range: [0,56]         units: 1
unique values: 20     coded missing: 0 / 31

mean: 16.8387
std. dev: 17.1038

```

percentiles:	10%	25%	50%	75%	90%
	2	3	9	30	40

lb495m3 ----- (unlabeled)

```

type: numeric (float)

range: [0,80]         units: 1
unique values: 12     coded missing: 0 / 31

mean: 6.54839
std. dev: 15.455

```

percentiles:	10%	25%	50%	75%	90%
	0	0	1	5	20

lb495m4 ----- (unlabeled)

```

type: numeric (float)

range: [0,63]         units: 1
unique values: 18     coded missing: 0 / 31

mean: 15.7742
std. dev: 17.019

```

percentiles:	10%	25%	50%	75%	90%
	1	3	7	22	40

lb495m5 ----- (unlabeled)

```

type: numeric (float)
range: [0,11] units: 1
unique values: 12 coded missing: 0 / 31
mean: 3.32258
std. dev: 3.17687
percentiles: 10% 25% 50% 75% 90%
              0 0 3 5 8

```

lb495m6 ----- (unlabeled)

```

type: numeric (float)
range: [0,8] units: 1
unique values: 4 coded missing: 0 / 31
tabulation: Freq. Value
              27 0
              1 1
              2 3
              1 8

```

lb495m7 ----- (unlabeled)

```

type: numeric (float)
range: [0,15] units: 1
unique values: 10 coded missing: 0 / 31
mean: 3.87097
std. dev: 5.22648
percentiles: 10% 25% 50% 75% 90%
              0 0 1 10 12

```

lb495m8 ----- (unlabeled)

```

type: numeric (float)
range: [200,10000] units: 100
unique values: 14 coded missing: 0 / 31
mean: 1451.61
std. dev: 1745.25
percentiles: 10% 25% 50% 75% 90%
              500 800 1000 1200 3000

```

lb495m9 ----- (unlabeled)

```

type: numeric (float)
range: [0,40] units: 1
unique values: 13 coded missing: 0 / 31

```

mean: 5.32258  
std. dev: 8.87839

percentiles:           10%           25%           50%           75%           90%  
                  0           0           0           8           15

lb495m10 ----- (unlabeled)

type: numeric (float)

range: [0,150]                           units: 1  
unique values: 23                        coded missing: 0 / 31

mean: 31.6129  
std. dev: 37.0303

percentiles:           10%           25%           50%           75%           90%  
                  3           5           10           50           77

lb495m11 ----- (unlabeled)

type: numeric (float)

range: [0,60]                           units: 1  
unique values: 8                        coded missing: 0 / 31

tabulation:   Freq.   Value  
              18    0  
              2    1  
              1    4  
              1    8  
              5   10  
              2   12  
              1   15  
              1   60

lb495m12 ----- (unlabeled)

type: numeric (float)

range: [0,55]                           units: 1  
unique values: 10                       coded missing: 0 / 31

mean: 4.67742  
std. dev: 11.1217

percentiles:           10%           25%           50%           75%           90%  
                  0           0           1           5           10

lb495m13 ----- (unlabeled)

type: numeric (float)

range: [50,100]                        units: 1  
unique values: 9                        coded missing: 0 / 31

tabulation:   Freq.   Value

```

      1  50
      1  55
      1  63
      1  67
      1  70
      1  80
      2  90
      1  91
     22 100

```

lb495f1 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [0,0]                units:  0
unique values: 1                coded missing: 0 / 31

      tabulation:  Freq.  Value
                   31    0

```

lb495f2 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [0,10]               units:  1
unique values: 4                coded missing: 4 / 31

      tabulation:  Freq.  Value
                   24    0
                   1    2
                   1    6
                   1   10

```

lb495f3 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [0,80]               units:  1
unique values: 8                coded missing: 4 / 31

      tabulation:  Freq.  Value
                   17    0
                   2    1
                   2    3
                   2    5
                   1   10
                   1   15
                   1   35
                   1   80

```

lb495f4 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [0,100]              units:  1
unique values: 13                coded missing: 4 / 31

```

mean: 14.8148  
std. dev: 21.3308

percentiles:           10%           25%           50%           75%           90%  
                  0           4           6           20           40

lb495f5 ----- (unlabeled)

type: numeric (float)

range: [0,10]                           units: 1  
unique values: 10                       coded missing: 4 / 31

mean: 2.40741  
std. dev: 3.00332

percentiles:           10%           25%           50%           75%           90%  
                  0           0           1           5           7

lb495f6 ----- (unlabeled)

type: numeric (float)

range: [0,5]                           units: 1  
unique values: 2                       coded missing: 4 / 31

tabulation:   Freq.   Value  
                  26    0  
                  1    5

lb495f7 ----- (unlabeled)

type: numeric (float)

range: [0,10]                           units: 1  
unique values: 6                       coded missing: 4 / 31

tabulation:   Freq.   Value  
                  22    0  
                  1    1  
                  1    2  
                  1    5  
                  1    7  
                  1  10

lb495f8 ----- (unlabeled)

type: numeric (float)

range: [200,11000]                       units: 10  
unique values: 12                       coded missing: 5 / 31

mean: 1213.85  
std. dev: 2170.6

percentiles:           10%           25%           50%           75%           90%  
                  250           300           550           1000           3000

lb495f9 ----- (unlabeled)

type: numeric (float)

range: [0,8] units: 1  
unique values: 5 coded missing: 4 / 31

tabulation: Freq. Value

18	0
2	2
3	3
3	4
1	8

lb495f10 ----- (unlabeled)

type: numeric (float)

range: [0,150] units: 1  
unique values: 17 coded missing: 4 / 31

mean: 17.1852  
std. dev: 31.2767

percentiles: 10% 25% 50% 75% 90%

0	3	7	15	34
---	---	---	----	----

lb495f11 ----- (unlabeled)

type: numeric (float)

range: [0,17] units: 1  
unique values: 9 coded missing: 4 / 31

tabulation: Freq. Value

17	0
2	1
1	3
1	5
1	6
2	8
1	10
1	12
1	17

lb495f12 ----- (unlabeled)

type: numeric (float)

range: [0,15] units: 1  
unique values: 8 coded missing: 4 / 31

tabulation: Freq. Value

18	0
2	1
1	2

1 3  
2 4  
1 5  
1 10  
1 15

lb495f13 ----- (unlabeled)

type: numeric (float)  
range: [40,100] units: 10  
unique values: 2 coded missing: 5 / 31  
tabulation: Freq. Value  
            1 40  
            25 100

lb488m1 ----- (unlabeled)

type: numeric (float)  
range: [0,20] units: 1  
unique values: 11 coded missing: 0 / 31  
mean: 3.25806  
std. dev: 4.93942  
percentiles: 10% 25% 50% 75% 90%  
                  0 0 1 5 10

lb488m2 ----- (unlabeled)

type: numeric (float)  
range: [0,27] units: 1  
unique values: 10 coded missing: 1 / 31  
mean: 4.16667  
std. dev: 7.15389  
percentiles: 10% 25% 50% 75% 90%  
                  0 0 0 5 16

lb488m3 ----- (unlabeled)

type: numeric (float)  
range: [0,20] units: 1  
unique values: 9 coded missing: 1 / 31  
tabulation: Freq. Value  
            15 0  
            4 1  
            3 2  
            2 6  
            1 8  
            2 10



1 15  
1 17  
1 20

lb488m4 ----- (unlabeled)

type: numeric (float)  
range: [0,40] units: 1  
unique values: 13 coded missing: 1 / 31  
mean: 6.7  
std. dev: 9.25929  
percentiles: 10% 25% 50% 75% 90%  
0 1 2 10 16.5

lb488m5 ----- (unlabeled)

type: numeric (float)  
range: [0,9] units: 1  
unique values: 6 coded missing: 1 / 31  
tabulation: Freq. Value  
17 0  
5 1  
2 2  
4 3  
1 5  
1 9

lb488m6 ----- (unlabeled)

type: numeric (float)  
range: [0,6] units: 1  
unique values: 4 coded missing: 1 / 31  
tabulation: Freq. Value  
27 0  
1 1  
1 2  
1 6

lb488m7 ----- (unlabeled)

type: numeric (float)  
range: [0,26] units: 1  
unique values: 6 coded missing: 1 / 31  
tabulation: Freq. Value  
23 0  
2 1  
2 2  
1 4

1 10  
1 26

lb488m8 ----- (unlabeled)

type: numeric (float)  
range: [90,3000] units: 10  
unique values: 14 coded missing: 1 / 31  
mean: 581.333  
std. dev: 567.728  
percentiles: 10% 25% 50% 75% 90%  
200 200 500 600 1150

lb488m9 ----- (unlabeled)

type: numeric (float)  
range: [0,14] units: 1  
unique values: 9 coded missing: 1 / 31  
tabulation: Freq. Value  
22 0  
1 1  
1 2  
1 4  
1 5  
1 7  
1 8  
1 10  
1 14

lb488m10 ----- (unlabeled)

type: numeric (float)  
range: [0,40] units: 1  
unique values: 15 coded missing: 1 / 31  
mean: 10.3333  
std. dev: 11.5021  
percentiles: 10% 25% 50% 75% 90%  
0 2 6.5 13 32.5

lb488m11 ----- (unlabeled)

type: numeric (float)  
range: [0,16] units: 1  
unique values: 11 coded missing: 1 / 31  
mean: 2.6  
std. dev: 4.63569





lb488f8 ----- (unlabeled)

```

    type: numeric (float)
        range: [70,3300]          units: 10
unique values: 11                coded missing: 11 / 31

    mean:      598.5
    std. dev:  816.793

    percentiles:      10%      25%      50%      75%      90%
                     175      200      350      500      1650

```

lb488f9 ----- (unlabeled)

```

    type: numeric (float)
        range: [0,3]            units: 1
unique values: 4                coded missing: 11 / 31

    tabulation:  Freq.  Value
                 16    0
                 1    1
                 1    2
                 2    3

```

lb488f10 ----- (unlabeled)

```

    type: numeric (float)
        range: [0,20]          units: 1
unique values: 8                coded missing: 11 / 31

    tabulation:  Freq.  Value
                 3    0
                 3    1
                 4    3
                 2    4
                 4    5
                 2   10
                 1   12
                 1   20

```

lb488f11 ----- (unlabeled)

```

    type: numeric (float)
        range: [0,11]         units: 1
unique values: 5                coded missing: 11 / 31

    tabulation:  Freq.  Value
                 13    0
                 3    2
                 2    3
                 1    4
                 1   11

```

lb488f12 ----- (unlabeled)

type: numeric (float)

range: [0,7] units: 1  
unique values: 5 coded missing: 11 / 31

tabulation:	Freq.	Value
	13	0
	2	1
	2	2
	2	3
	1	7

lb488f13 ----- (unlabeled)

type: numeric (float)

range: [100,100] units: 100  
unique values: 1 coded missing: 11 / 31

tabulation:	Freq.	Value
	20	100

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
lb595m1	31	15.48387	21.72383	0	80
lb595m2	20	2.1	3.878415	0	15
lb595m3	20	14.95	16.39151	1	60
lb595m4	20	6.55	9.676205	0	40
lb595m5	20	1.5	2.417045	0	8
lb595m11	13	24.15385	21.0707	1	65
lb595m12	15	11.4	10.42524	2	35
lb595f1	31	8.419355	12.83946	0	50
lb595f2	16	1.1875	2.737852	0	10
lb595f3	17	10.58824	10.27168	0	30
lb595f4	17	5.941176	7.553729	0	27
lb595f5	16	.3125	.8732125	0	3
lb595f11	11	11.18182	14.14085	1	50
lb595f12	14	10.28571	7.897698	1	27
lb588m1	31	8.645161	21.27212	0	100
lb588m2	14	.4285714	1.08941	0	3
lb588m3	14	10	20.47137	0	80
lb588m4	14	7.142857	13.71051	0	50
lb588m5	14	.3571429	.9287827	0	3
lb588m11	9	17.11111	18.73796	2	48
lb588m12	11	10.36364	20.03134	1	70
lb588f1	30	4.733333	11.05763	0	45
lb588f2	10	.3	.6749486	0	2
lb588f3	11	6.363636	9.080449	0	30
lb588f4	11	6.454545	8.618163	0	30
lb588f5	10	0	0	0	0
lb588f11	6	14.16667	15.71517	2	45
lb588f12	8	6.625	5.95069	1	20

. codebook

```

prov ----- (unlabeled)
      type: numeric (float)
      range: [7,8]
      unique values: 2
      units: 1
      coded missing: 0 / 31
      tabulation: Freq. Value
                  15 7
                  16 8
  
```

```

county ----- (unlabeled)
      type: numeric (float)
      range: [71,83]
      units: 1
  
```

unique values: 6                      coded missing: 0 / 31

tabulation: Freq. Value  
              5 71  
              5 72  
              5 73  
              5 81  
              5 82  
              6 83

town ----- (unlabeled)

          type: numeric (float)

          range: [711,833]                      units: 1  
unique values: 18                      coded missing: 0 / 31

          mean: 773.71  
          std. dev: 51.7714

percentiles:            10%            25%            50%            75%            90%  
                          712            722            811            822            831

village ----- (unlabeled)

          type: numeric (float)

          range: [7111,8331]                      units: 1  
unique values: 31                      coded missing: 0 / 31

          mean: 7738.55  
          std. dev: 517.771

percentiles:            10%            25%            50%            75%            90%  
                          7122            7221            8111            8222            8313

lb595m1 ----- (unlabeled)

          type: numeric (float)

          range: [0,80]                              units: 1  
unique values: 17                      coded missing: 0 / 31

          mean: 15.4839  
          std. dev: 21.7238

percentiles:            10%            25%            50%            75%            90%  
                          0            0            3            25            50

lb595m2 ----- (unlabeled)

          type: numeric (float)

          range: [0,15]                              units: 1  
unique values: 7                      coded missing: 11 / 31

tabulation: Freq. Value



```

13 0
1 1
1 3
1 4
1 5
2 7
1 15

```

lb595m3 ----- (unlabeled)

```

      type: numeric (float)

      range: [1,60]          units: 1
unique values: 13          coded missing: 11 / 31

      mean: 14.95
      std. dev: 16.3915

percentiles:      10%      25%      50%      75%      90%
                  1        3.5      8.5      22.5     40

```

lb595m4 ----- (unlabeled)

```

      type: numeric (float)

      range: [0,40]         units: 1
unique values: 9          coded missing: 11 / 31

      tabulation: Freq.  Value
                  9      0
                  1      2
                  1      3
                  1      6
                  1      7
                  1      8
                  2     10
                  3     15
                  1     40

```

lb595m5 ----- (unlabeled)

```

      type: numeric (float)

      range: [0,8]         units: 1
unique values: 8          coded missing: 11 / 31

      tabulation: Freq.  Value
                  12     0
                   2     1
                   1     2
                   1     3
                   1     4
                   1     5
                   1     6
                   1     8

```

lb595m11 ----- (unlabeled)  
 type: numeric (float)  
 range: [1,65] units: 1  
 unique values: 12 coded missing: 18 / 31  
 mean: 24.1538  
 std. dev: 21.0707  
 percentiles: 10% 25% 50% 75% 90%  
                   5 7 14 45 50

lb595m12 ----- (unlabeled)  
 type: numeric (float)  
 range: [2,35] units: 1  
 unique values: 9 coded missing: 16 / 31  
 tabulation: Freq. Value  
                   3 2  
                   2 3  
                   1 4  
                   1 5  
                   3 10  
                   1 15  
                   1 20  
                   2 25  
                   1 35

lb595f1 ----- (unlabeled)  
 type: numeric (float)  
 range: [0,50] units: 1  
 unique values: 12 coded missing: 0 / 31  
 mean: 8.41935  
 std. dev: 12.8395  
 percentiles: 10% 25% 50% 75% 90%  
                   0 0 1 19 24

lb595f2 ----- (unlabeled)  
 type: numeric (float)  
 range: [0,10] units: 1  
 unique values: 5 coded missing: 15 / 31  
 tabulation: Freq. Value  
                   12 0  
                   1 1  
                   1 3  
                   1 5  
                   1 10

lb595f3 ----- (unlabeled)  
 type: numeric (float)  
 range: [0,30] units: 1  
 unique values: 13 coded missing: 14 / 31  
 mean: 10.5882  
 std. dev: 10.2717  
 percentiles: 10% 25% 50% 75% 90%  
                   1       2       6       15       30

lb595f4 ----- (unlabeled)  
 type: numeric (float)  
 range: [0,27] units: 1  
 unique values: 9 coded missing: 14 / 31  
 tabulation: Freq. Value  
                   7 0  
                   1 3  
                   1 4  
                   2 5  
                   2 8  
                   1 10  
                   1 15  
                   1 16  
                   1 27

lb595f5 ----- (unlabeled)  
 type: numeric (float)  
 range: [0,3] units: 1  
 unique values: 3 coded missing: 15 / 31  
 tabulation: Freq. Value  
                   14 0  
                   1 2  
                   1 3

lb595f11 ----- (unlabeled)  
 type: numeric (float)  
 range: [1,50] units: 1  
 unique values: 9 coded missing: 20 / 31  
 tabulation: Freq. Value  
                   1 1  
                   2 2  
                   2 4  
                   1 5  
                   1 8  
                   1 14

1 15  
1 18  
1 50

lb595f12 ----- (unlabeled)

type: numeric (float)  
range: [1,27] units: 1  
unique values: 10 coded missing: 17 / 31  
mean: 10.2857  
std. dev: 7.8977  
percentiles: 10% 25% 50% 75% 90%  
2 3 8.5 15 20

lb588m1 ----- (unlabeled)

type: numeric (float)  
range: [0,100] units: 1  
unique values: 10 coded missing: 0 / 31  
mean: 8.64516  
std. dev: 21.2721  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 5 12

lb588m2 ----- (unlabeled)

type: numeric (float)  
range: [0,3] units: 1  
unique values: 2 coded missing: 17 / 31  
tabulation: Freq. Value  
12 0  
2 3

lb588m3 ----- (unlabeled)

type: numeric (float)  
range: [0,80] units: 1  
unique values: 9 coded missing: 17 / 31  
tabulation: Freq. Value  
1 0  
1 1  
2 2  
1 3  
2 4  
3 5  
2 7  
1 15

1 80

lb588m4 ----- (unlabeled)

type: numeric (float)  
range: [0,50] units: 1  
unique values: 7 coded missing: 17 / 31

tabulation:	Freq.	Value
	6	0
	2	2
	1	4
	2	5
	1	10
	1	22
	1	50

lb588m5 ----- (unlabeled)

type: numeric (float)  
range: [0,3] units: 1  
unique values: 3 coded missing: 17 / 31

tabulation:	Freq.	Value
	12	0
	1	2
	1	3

lb588m11 ----- (unlabeled)

type: numeric (float)  
range: [2,48] units: 1  
unique values: 7 coded missing: 22 / 31

tabulation:	Freq.	Value
	2	2
	1	3
	2	7
	1	10
	1	30
	1	45
	1	48

lb588m12 ----- (unlabeled)

type: numeric (float)  
range: [1,70] units: 1  
unique values: 6 coded missing: 20 / 31

tabulation:	Freq.	Value
	2	1
	2	2
	1	3

3 5  
2 10  
1 70

lb588f1 ----- (unlabeled)

type: numeric (float)  
range: [0,45] units: 1  
unique values: 8 coded missing: 1 / 31

tabulation: Freq. Value  
19 0  
2 1  
2 3  
1 5  
2 7  
2 15  
1 40  
1 45

lb588f2 ----- (unlabeled)

type: numeric (float)  
range: [0,2] units: 1  
unique values: 3 coded missing: 21 / 31

tabulation: Freq. Value  
8 0  
1 1  
1 2

lb588f3 ----- (unlabeled)

type: numeric (float)  
range: [0,30] units: 1  
unique values: 8 coded missing: 20 / 31

tabulation: Freq. Value  
1 0  
3 1  
2 2  
1 3  
1 5  
1 10  
1 15  
1 30

lb588f4 ----- (unlabeled)

type: numeric (float)  
range: [0,30] units: 1  
unique values: 6 coded missing: 20 / 31

tabulation:	Freq.	Value
	3	0
	3	3
	1	5
	1	7
	2	10
	1	30

lb588f5 ----- (unlabeled)

type: numeric (float)

range: [0,0] units: 0  
 unique values: 1 coded missing: 21 / 31

tabulation:	Freq.	Value
	10	0

lb588f11 ----- (unlabeled)

type: numeric (float)

range: [2,45] units: 1  
 unique values: 6 coded missing: 25 / 31

tabulation:	Freq.	Value
	1	2
	1	6
	1	7
	1	10
	1	15
	1	45

lb588f12 ----- (unlabeled)

type: numeric (float)

range: [1,20] units: 1  
 unique values: 6 coded missing: 23 / 31

tabulation:	Freq.	Value
	1	1
	2	3
	2	5
	1	7
	1	9
	1	20

File: pt0109.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
lb695h1	31	12.77419	29.914	0	120
lb695h2a	21	63.19048	116.6309	4	400
lb695h2b	21	.4285714	.9783368	0	3
lb695h3	21	8.952381	17.03959	0	80
lb695h4	21	.1428571	.6546537	0	3
lb695h5	21	1.714286	3.051931	0	10
lb695h10	0				
lb695h11	2	2.5	.7071068	2	3
lb695h12	10	18.5	36.09324	1	120
lb695h13	12	13.5	33.68706	1	120
lb695h8a	21	2.909524	2.729818	1	9.1
lb695h8b	21	15.14286	29.54536	1	120
lb695h8c	17	1215.647	2373.734	100	9999
lb695h9a	7	6.028571	3.24639	1	9.2
lb695h9b	7	8.428571	14.03397	1	40
lb695h14	3	3.333333	2.309401	2	6
lb695h15	3	2.333333	.5773503	2	3
lb695h22	18	12.77778	26.91283	0	100

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

6 83



town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

lb695h1 ----- (unlabeled)

type: numeric (byte)  
range: [0,120] units: 1  
unique values: 13 coded missing: 0 / 31  
mean: 12.7742  
std. dev: 29.914  
percentiles: 10% 25% 50% 75% 90%  
0 0 3 10 20

lb695h2a ----- (unlabeled)

type: numeric (int)  
range: [4,400] units: 1  
unique values: 15 coded missing: 10 / 31  
mean: 63.1905  
std. dev: 116.631  
percentiles: 10% 25% 50% 75% 90%  
4 7 18 40 150

lb695h2b ----- (unlabeled)

type: numeric (byte)  
range: [0,3] units: 1



```

        type: numeric (byte)
        range: [2,3]
unique values: 2
        units: 1
        coded missing: 29 / 31

    tabulation: Freq.  Value
                 1    2
                 1    3

```

lb695h12 ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,120]
unique values: 9
        units: 1
        coded missing: 21 / 31

    tabulation: Freq.  Value
                 1    1
                 1    2
                 1    3
                 1    5
                 1    6
                 2    8
                 1   12
                 1   20
                 1  120

```

lb695h13 ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,120]
unique values: 7
        units: 1
        coded missing: 19 / 31

    tabulation: Freq.  Value
                 3    1
                 2    2
                 2    3
                 1    4
                 1    5
                 2   10
                 1  120

```

lb695h8a ----- (unlabeled)

```

        type: numeric (double)
        range: [1,9.1]
unique values: 7
        units: .1
        coded missing: 10 / 31

    tabulation: Freq.  Value
                 12    1
                 2    2
                 1    4
                 1    5
                 1    6
                 3    7

```

1 9.1

lb695h8b ----- (unlabeled)

type: numeric (byte)  
range: [1,120] units: 1  
unique values: 12 coded missing: 10 / 31  
mean: 15.1429  
std. dev: 29.5454  
percentiles: 10% 25% 50% 75% 90%  
1 2 5 10 28

lb695h8c ----- (unlabeled)

type: numeric (int)  
range: [100,9999] units: 1  
unique values: 13 coded missing: 14 / 31  
mean: 1215.65  
std. dev: 2373.73  
percentiles: 10% 25% 50% 75% 90%  
100 300 500 1000 3187

lb695h9a ----- (unlabeled)

type: numeric (double)  
range: [1,9.2] units: .1  
unique values: 5 coded missing: 24 / 31  
tabulation: Freq. Value  
1 1  
1 2  
3 7  
1 9  
1 9.2

lb695h9b ----- (unlabeled)

type: numeric (byte)  
range: [1,40] units: 1  
unique values: 5 coded missing: 24 / 31  
tabulation: Freq. Value  
2 1  
1 3  
2 4  
1 6  
1 40

lb695h14 ----- LB695H10A

type: numeric (byte)  
 range: [2,6] units: 1  
 unique values: 2 coded missing: 28 / 31  
 tabulation: Freq. Value  
                   2 2  
                   1 6

lb695h15 ----- LB695H10B

type: numeric (byte)  
 range: [2,3] units: 1  
 unique values: 2 coded missing: 28 / 31  
 tabulation: Freq. Value  
                   2 2  
                   1 3

lb695h22 ----- (unlabeled)

type: numeric (byte)  
 range: [0,100] units: 1  
 unique values: 10 coded missing: 13 / 31  
 mean: 12.7778  
 std. dev: 26.9128  
 percentiles:           10%       25%       50%       75%       90%  
                           0        0       1.5       10       64

File: pt0110.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
lb75m1	31	3.580645	9.922279	0	50
lb75m2	7	143.4286	377.2735	0	999
lb75m3	7	153.7143	373.0361	2	999
lb75m4	7	5.857143	7.197883	0	15
lb75m5	7	.2857143	.48795	0	1
lb75m6	1	13	.	13	13
lb75m7	3	14	6.557439	7	20
lb75m8	5	11.2	13.40522	4	35
lb75m9	0				
lb75m10a	7	3.428571	2.43975	1	8
lb75m10b	7	13	9.72968	4	30
lb75m11	7	557.1429	428.5913	200	1500
lb75m12a	1	2	.	2	2
lb75m12b	1	15	.	15	15
lb75m13a	1	2	.	2	2
lb75m13b	1	5	.	5	5

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

```

type: numeric (int)
range: [711,833]
unique values: 18
units: 1
coded missing: 0 / 31
mean: 773.71
std. dev: 51.7714
percentiles: 10% 25% 50% 75% 90%
              712 722 811 822 831

```

village ----- (unlabeled)

```

type: numeric (int)
range: [7111,8331]
unique values: 31
units: 1
coded missing: 0 / 31
mean: 7738.55
std. dev: 517.771
percentiles: 10% 25% 50% 75% 90%
              7122 7221 8111 8222 8313

```

lb75m1 ----- (unlabeled)

```

type: numeric (byte)
range: [0,50]
unique values: 7
units: 1
coded missing: 0 / 31
tabulation: Freq. Value
              24 0
              2 4
              1 5
              1 13
              1 15
              1 20
              1 50

```

lb75m2 ----- (unlabeled)

```

type: numeric (int)
range: [0,999]
unique values: 4
units: 1
coded missing: 24 / 31
tabulation: Freq. Value
              4 0
              1 2
              1 3
              1 999

```

lb75m3 ----- (unlabeled)

```

type: numeric (int)

```

range: [2,999] units: 1  
unique values: 7 coded missing: 24 / 31

tabulation: Freq. Value  
1 2  
1 4  
1 5  
1 6  
1 15  
1 45  
1 999

lb75m4 ----- (unlabeled)

type: numeric (byte)

range: [0,15] units: 1  
unique values: 4 coded missing: 24 / 31

tabulation: Freq. Value  
3 0  
1 1  
1 10  
2 15

lb75m5 ----- (unlabeled)

type: numeric (byte)

range: [0,1] units: 1  
unique values: 2 coded missing: 24 / 31

tabulation: Freq. Value  
5 0  
2 1

lb75m6 ----- (unlabeled)

type: numeric (byte)

range: [13,13] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 13

lb75m7 ----- (unlabeled)

type: numeric (byte)

range: [7,20] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 7  
1 15  
1 20



lb75m8 ----- (unlabeled)

type: numeric (byte)

range: [4,35] units: 1  
unique values: 4 coded missing: 26 / 31

tabulation: Freq. Value  
2 4  
1 5  
1 8  
1 35

lb75m9 ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0 coded missing: 31 / 31

tabulation: Freq. Value

lb75m10a ----- (unlabeled)

type: numeric (byte)

range: [1,8] units: 1  
unique values: 5 coded missing: 24 / 31

tabulation: Freq. Value  
1 1  
3 2  
1 4  
1 5  
1 8

lb75m10b ----- (unlabeled)

type: numeric (byte)

range: [4,30] units: 1  
unique values: 6 coded missing: 24 / 31

tabulation: Freq. Value  
2 4  
1 5  
1 13  
1 15  
1 20  
1 30

lb75m11 ----- (unlabeled)

type: numeric (int)

range: [200,1500] units: 10  
unique values: 6 coded missing: 24 / 31

```

tabulation:  Freq.  Value
              1    200
              1    350
              1    400
              1    450
              2    500
              1   1500

```

lb75m12a ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [2,2]                units:  1
unique values: 1                coded missing: 30 / 31

      tabulation:  Freq.  Value
                  1    2

```

lb75m12b ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [15,15]             units:  1
unique values: 1                coded missing: 30 / 31

      tabulation:  Freq.  Value
                  1    15

```

lb75m13a ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [2,2]                units:  1
unique values: 1                coded missing: 30 / 31

      tabulation:  Freq.  Value
                  1    2

```

lb75m13b ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [5,5]                units:  1
unique values: 1                coded missing: 30 / 31

      tabulation:  Freq.  Value
                  1    5

```

File: pt0111.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
lb85m1	31	8.193548	13.58043	0	50
lb85m2	13	3.307692	5.907405	0	18
lb85m3	13	11.84615	10.35089	0	30
lb85m4	13	6.461538	7.933215	0	28
lb85m5	13	.1538462	.5547002	0	2
lb85m6	0				
lb85m7	7	13.28571	5.437962	6	22
lb85m8	10	16.5	13.68089	3	39
lb85m9	0				
lb85m10a	13	3.623077	2.780334	2	10
lb85m10b	13	14.38462	8.713385	3	30
lb85m11	13	538.4615	185.0156	300	1000
lb75m12a	3	4.333333	4.932883	1	10
lb75m12b	3	18.4	18.14056	2.2	38
lb75m13a	1	2.3	.	2.3	2.3
lb75m13b	1	2	.	2	2

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

```

        type: numeric (int)
        range: [711,833]
unique values: 18
                                units: 1
                                coded missing: 0 / 31

        mean: 773.71
        std. dev: 51.7714

        percentiles:      10%      25%      50%      75%      90%
                           712      722      811      822      831

```

village ----- (unlabeled)

```

        type: numeric (int)
        range: [7111,8331]
unique values: 31
                                units: 1
                                coded missing: 0 / 31

        mean: 7738.55
        std. dev: 517.771

        percentiles:      10%      25%      50%      75%      90%
                           7122      7221      8111      8222      8313

```

lb85m1 ----- (unlabeled)

```

        type: numeric (byte)
        range: [0,50]
unique values: 12
                                units: 1
                                coded missing: 0 / 31

        mean: 8.19355
        std. dev: 13.5804

        percentiles:      10%      25%      50%      75%      90%
                           0        0        0        15       22

```

lb85m2 ----- (unlabeled)

```

        type: numeric (byte)
        range: [0,18]
unique values: 5
                                units: 1
                                coded missing: 18 / 31

        tabulation:  Freq.  Value
                     9      0
                     1      4
                     1     10
                     1     11
                     1     18

```

lb85m3 ----- (unlabeled)

```

        type: numeric (byte)
        range: [0,30]
unique values: 11
                                units: 1
                                coded missing: 18 / 31

```

mean: 11.8462  
std. dev: 10.3509

percentiles:           10%           25%           50%           75%           90%  
                  2           5           10           18           29

lb85m4 ----- (unlabeled)

type: numeric (byte)

range: [0,28]                           units: 1  
unique values: 9                        coded missing: 18 / 31

tabulation: Freq. Value  
                  3 0  
                  1 1  
                  2 2  
                  1 3  
                  2 7  
                  1 9  
                  1 11  
                  1 14  
                  1 28

lb85m5 ----- (unlabeled)

type: numeric (byte)

range: [0,2]                           units: 1  
unique values: 2                        coded missing: 18 / 31

tabulation: Freq. Value  
                  12 0  
                  1 2

lb85m6 ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0                        coded missing: 31 / 31

tabulation: Freq. Value

lb85m7 ----- (unlabeled)

type: numeric (byte)

range: [6,22]                           units: 1  
unique values: 6                        coded missing: 24 / 31

tabulation: Freq. Value  
                  1 6  
                  2 10  
                  1 12  
                  1 15  
                  1 18

1 22

lb85m8 ----- (unlabeled)

type: numeric (byte)

range: [3,39] units: 1  
unique values: 8 coded missing: 21 / 31

tabulation: Freq. Value  
1 3  
2 5  
2 7  
1 15  
1 22  
1 24  
1 38  
1 39

lb85m9 ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0 coded missing: 31 / 31

tabulation: Freq. Value

lb85m10a ----- (unlabeled)

type: numeric (double)

range: [2,10] units: .1  
unique values: 7 coded missing: 18 / 31

tabulation: Freq. Value  
7 2  
1 2.1  
1 3  
1 4  
1 5  
1 9  
1 10

lb85m10b ----- (unlabeled)

type: numeric (byte)

range: [3,30] units: 1  
unique values: 11 coded missing: 18 / 31

mean: 14.3846  
std. dev: 8.71338

percentiles: 10% 25% 50% 75% 90%  
4 7 15 20 24

lb85m11 ----- (unlabeled)

type: numeric (int)  
range: [300,1000] units: 100  
unique values: 6 coded missing: 18 / 31

tabulation:	Freq.	Value
	2	300
	2	400
	3	500
	4	600
	1	700
	1	1000

lb75m12a ----- (unlabeled)

type: numeric (byte)  
range: [1,10] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation:	Freq.	Value
	1	1
	1	2
	1	10

lb75m12b ----- (unlabeled)

type: numeric (double)  
range: [2.2,38] units: .1  
unique values: 3 coded missing: 28 / 31

tabulation:	Freq.	Value
	1	2.2
	1	15
	1	38

lb75m13a ----- (unlabeled)

type: numeric (double)  
range: [2.3,2.3] units: .1  
unique values: 1 coded missing: 30 / 31

tabulation:	Freq.	Value
	1	2.3

lb75m13b ----- (unlabeled)

type: numeric (byte)  
range: [2,2] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation:	Freq.	Value
	1	2





File: pt0112b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
_5ol	29	11.05172	9.18495	0	32
_8ol	29	8.862069	7.786087	0	27
_5ol1a	25	3.124	1.65108	1	7.1
_5ol2a	0				
_5ol3a	25	1.96	1.645195	1	5
_5ol4a	24	2	.5107539	1	4
_5ol5a	24	1.041667	.2041241	1	2
_5ol6a	21	14.33333	8.002083	2	30
_5ol7a	23	68.95652	157.2073	0	583
_5ol8a	25	99	5	75	100
_5ol1b	17	3.129412	2.415514	1	7.2
_5ol2b	0				
_5ol3b	17	2.352941	1.765686	1	5
_5ol4b	16	1.9375	.25	1	2
_5ol5b	16	1	0	1	1
_5ol6b	15	14	8.062258	0	30
_5ol7b	16	88.5625	150.9296	0	518
_5ol8b	17	100	0	100	100

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

\_5ol ----- (unlabeled)

type: numeric (double)  
range: [0,32] units: .1  
unique values: 14 coded missing: 2 / 31  
mean: 11.0517  
std. dev: 9.18495  
percentiles: 10% 25% 50% 75% 90%  
0 4 10 15 25

\_8ol ----- (unlabeled)

type: numeric (byte)  
range: [0,27] units: 1  
unique values: 12 coded missing: 2 / 31  
mean: 8.86207  
std. dev: 7.78609  
percentiles: 10% 25% 50% 75% 90%  
0 4 6 12 21

\_5olla ----- (unlabeled)

type: numeric (double)  
range: [1,7.1] units: .1



\_5ol6a ----- (unlabeled)

type: numeric (byte)  
range: [2,30] units: 1  
unique values: 8 coded missing: 10 / 31

tabulation: Freq. Value  
1 2  
1 4  
2 5  
6 10  
4 15  
4 20  
1 25  
2 30

\_5ol7a ----- (unlabeled)

type: numeric (int)  
range: [0,583] units: 1  
unique values: 12 coded missing: 8 / 31

mean: 68.9565  
std. dev: 157.207

percentiles: 10% 25% 50% 75% 90%  
0 0 10 25 150

\_5ol8a ----- (unlabeled)

type: numeric (byte)  
range: [75,100] units: 1  
unique values: 2 coded missing: 6 / 31

tabulation: Freq. Value  
1 75  
24 100

\_5ol1b ----- (unlabeled)

type: numeric (double)  
range: [1,7.2] units: .1  
unique values: 6 coded missing: 14 / 31

tabulation: Freq. Value  
8 1  
3 3  
1 4  
3 6  
1 7  
1 7.2

\_5ol2b ----- (unlabeled)



\_5o17b ----- (unlabeled)

```

      type:  numeric (int)
      range:  [0,518]           units:  1
unique values: 10           coded missing: 15 / 31
      mean:  88.5625
      std. dev: 150.93
percentiles:      10%      25%      50%      75%      90%
                  0        0        15       100     320

```

\_5o18b ----- (unlabeled)

```

      type:  numeric (byte)
      range:  [100,100]       units:  100
unique values: 1           coded missing: 14 / 31
      tabulation:  Freq.  Value
                  17    100

```

File: NPT0112A.DTA

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
wg951a	31	1.548387	.5058794	1	2
wg952a	31	1.387097	.4951376	1	2
wg953a	31	1.580645	.5016103	1	2
wg951b	14	271.2143	517.1688	1	1800
wg952b	19	108.7895	226.594	1	1000
wg953b	13	138.7692	279.8735	1	1000
wg951c	13	21.89231	9.443734	2.6	35
wg952c	20	20.6	8.450475	10	35
wg953c	13	21.53846	10.35709	2	35
wg981b	0				
wg982b	0				
wg983b	0				
wg981c	5	11.8	7.014271	2	20
wg982c	6	11.58333	6.167793	2.5	20
wg983c	4	12.375	7.803578	2.5	20
wg954	31	1.677419	.475191	1	2
wg955	9	26.66667	7.071068	20	35
wg956	9	77.77778	97.56764	10	300
wg984	29	1.931034	.2578807	1	2
wg985	1	20	.	20	20
wg986	1	20	.	20	20

. codebook

prov ----- (unlabeled)

type: numeric (float)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (float)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82  
6 83

town ----- (unlabeled)

type: numeric (float)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (float)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

wg951a ----- (unlabeled)

type: numeric (float)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
14 1  
17 2

wg952a ----- (unlabeled)

type: numeric (float)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
19 1  
12 2

wg953a ----- (unlabeled)

type: numeric (float)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31



```

tabulation:  Freq.  Value
              13    1
              18    2

```

wg951b ----- (unlabeled)

```

      type:  numeric (float)

      range:  [1,1800]          units:  1
unique values: 10          coded missing: 17 / 31

      mean:   271.214
      std. dev: 517.169

percentiles:      10%      25%      50%      75%      90%
                  1        20       30       300     1000

```

wg952b ----- (unlabeled)

```

      type:  numeric (float)

      range:  [1,1000]         units:  1
unique values: 13          coded missing: 12 / 31

      mean:   108.789
      std. dev: 226.594

percentiles:      10%      25%      50%      75%      90%
                  2        11       20       100     200

```

wg953b ----- (unlabeled)

```

      type:  numeric (float)

      range:  [1,1000]         units:  1
unique values: 12          coded missing: 18 / 31

      mean:   138.769
      std. dev: 279.874

percentiles:      10%      25%      50%      75%      90%
                  8        10       30       100     400

```

wg951c ----- (unlabeled)

```

      type:  numeric (float)

      range:  [2.6,35]         units:  .1
unique values: 7          coded missing: 18 / 31

      tabulation:  Freq.  Value
                  1    2.5999999
                  1    12
                  2    15
                  3    20
                  2    25

```

2 30  
2 35

wg952c ----- (unlabeled)

type: numeric (float)

range: [10,35] units: 1  
unique values: 7 coded missing: 11 / 31

tabulation: Freq. Value  
3 10  
1 12  
4 15  
6 20  
1 25  
2 30  
3 35

wg953c ----- (unlabeled)

type: numeric (float)

range: [2,35] units: 1  
unique values: 7 coded missing: 18 / 31

tabulation: Freq. Value  
1 2  
1 8  
3 15  
2 20  
1 25  
3 30  
2 35

wg981b ----- (unlabeled)

type: string (str9), but longest is str3

unique values: 7 coded missing: 24 / 31

tabulation: Freq. Value  
1 "0"  
1 "1"  
1 "20"  
1 "25"  
1 "30"  
1 "5"  
1 "500"

wg982b ----- (unlabeled)

type: string (str9), but longest is str3

unique values: 5 coded missing: 25 / 31

tabulation: Freq. Value

```
2 "20"
1 "30"
1 "5"
1 "500"
1 "7"
```

wg983b ----- (unlabeled)

type: string (str9), but longest is str3

unique values: 4                      coded missing: 26 / 31

tabulation:	Freq.	Value
	1	"0"
	2	"20"
	1	"500"
	1	"6"

wg981c ----- (unlabeled)

type: numeric (float)

range: [2,20]                              units: 1  
unique values: 4                      coded missing: 26 / 31

tabulation:	Freq.	Value
	1	2
	2	10
	1	17
	1	20

wg982c ----- (unlabeled)

type: numeric (float)

range: [2.5,20]                              units: .1  
unique values: 4                      coded missing: 25 / 31

tabulation:	Freq.	Value
	1	2.5
	3	10
	1	17
	1	20

wg983c ----- (unlabeled)

type: numeric (float)

range: [2.5,20]                              units: .1  
unique values: 4                      coded missing: 27 / 31

tabulation:	Freq.	Value
	1	2.5
	1	10
	1	17
	1	20

wg954 ----- (unlabeled)  
type: numeric (float)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
10 1  
21 2

wg955 ----- (unlabeled)  
type: numeric (float)

range: [20,35] units: 1  
unique values: 4 coded missing: 22 / 31

tabulation: Freq. Value  
4 20  
1 25  
1 30  
3 35

wg956 ----- (unlabeled)  
type: numeric (float)

range: [10,300] units: 10  
unique values: 6 coded missing: 22 / 31

tabulation: Freq. Value  
1 10  
2 20  
3 30  
1 90  
1 170  
1 300

wg984 ----- (unlabeled)  
type: numeric (float)

range: [1,2] units: 1  
unique values: 2 coded missing: 2 / 31

tabulation: Freq. Value  
2 1  
27 2

wg985 ----- (unlabeled)  
type: numeric (float)

range: [20,20] units: 10  
unique values: 1 coded missing: 30 / 31

```
tabulation: Freq. Value
             1  20
```

wg986 ----- (unlabeled)

```
type: numeric (float)
```

```
range: [20,20]           units: 10
unique values: 1         coded missing: 30 / 31
```

```
tabulation: Freq. Value
             1  20
```

File: pt0201a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ld1951	31	2890.668	1580.412	483.7	6640
ld1952	31	117.3394	179.8557	0	650
ld1953	31	300.129	572.0809	0	2100
ld1954	31	2196.845	1360.349	0	5976
ld1955	31	257.8065	319.5153	0	1160
ld1956	31	16.77419	61.28551	0	300
ld1881	31	2912.645	1571.116	504	6650
ld1882	31	141.92	189.804	0	650
ld1883	31	89.80645	303.1103	0	1414
ld1884	31	2511.177	1504.451	0	6370
ld1885	31	105.3871	165.7115	0	600
ld1886	31	24.93548	109.1015	0	600
ld1hrs	31	1982.484	1.609782	1979	1989
ld1hrs1a	31	2914.323	1570.891	524	6650
ld1hrs2a	31	186.0813	378.9597	0	2000
ld1hrs3a	31	103.3548	308.3043	0	1414
ld1hrs4a	31	2533.435	1540.734	0	6400
ld1hrs5a	31	106.5161	167.1843	0	600
ld1hrs6a	31	5.258065	21.91798	0	113
ld1hrs1b	3	1	0	1	1
ld1hrs2b	16	1.25	1	1	5
ld1hrs3b	7	1	0	1	1
ld1hrs4b	29	1.310345	.6037649	1	3
ld1hrs5b	13	3.692308	1.436698	1	5
ld1hrs6b	1	5	.	5	5

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71  
 5 72  
 5 73  
 5 81  
 5 82  
 6 83

town ----- (unlabeled)  
 type: numeric (int)  
 range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31  
 mean: 773.71  
 std. dev: 51.7714  
 percentiles: 10% 25% 50% 75% 90%  
                   712 722 811 822 831

village ----- (unlabeled)  
 type: numeric (int)  
 range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31  
 mean: 7738.55  
 std. dev: 517.771  
 percentiles: 10% 25% 50% 75% 90%  
                   7122 7221 8111 8222 8313

ld1951 ----- (unlabeled)  
 type: numeric (double)  
 range: [483.7,6640] units: .1  
 unique values: 31 coded missing: 0 / 31  
 mean: 2890.67  
 std. dev: 1580.41  
 percentiles: 10% 25% 50% 75% 90%  
                   1100 1395 2923 3560 5130

ld1952 ----- (unlabeled)  
 type: numeric (double)  
 range: [0,650] units: .01  
 unique values: 12 coded missing: 0 / 31  
 mean: 117.339  
 std. dev: 179.856  
 percentiles: 10% 25% 50% 75% 90%

0 0 0 200 360

ld1953 ----- (unlabeled)

type: numeric (int)  
range: [0,2100] units: 1  
unique values: 10 coded missing: 0 / 31  
mean: 300.129  
std. dev: 572.081  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 420 1200

ld1954 ----- (unlabeled)

type: numeric (double)  
range: [0,5976] units: .01  
unique values: 29 coded missing: 0 / 31  
mean: 2196.84  
std. dev: 1360.35  
percentiles: 10% 25% 50% 75% 90%  
600 1050 2023 3200 3487

ld1955 ----- (unlabeled)

type: numeric (int)  
range: [0,1160] units: 1  
unique values: 20 coded missing: 0 / 31  
mean: 257.806  
std. dev: 319.515  
percentiles: 10% 25% 50% 75% 90%  
0 0 100 400 664

ld1956 ----- (unlabeled)

type: numeric (int)  
range: [0,300] units: 10  
unique values: 4 coded missing: 0 / 31  
tabulation: Freq. Value  
28 0  
1 50  
1 170  
1 300

ld1881 ----- (unlabeled)

type: numeric (int)



range: [504,6650] units: 1  
unique values: 31 coded missing: 0 / 31

mean: 2912.65  
std. dev: 1571.12

percentiles:	10%	25%	50%	75%	90%
	1304	1422	2563	3560	5260

ld1882 ----- (unlabeled)

type: numeric (double)

range: [0,650] units: .01  
unique values: 15 coded missing: 0 / 31

mean: 141.92  
std. dev: 189.804

percentiles:	10%	25%	50%	75%	90%
	0	0	0	322.52	436

ld1883 ----- (unlabeled)

type: numeric (int)

range: [0,1414] units: 1  
unique values: 4 coded missing: 0 / 31

tabulation:	Freq.	Value
	28	0
	1	500
	1	870
	1	1414

ld1884 ----- (unlabeled)

type: numeric (double)

range: [0,6370] units: .01  
unique values: 30 coded missing: 0 / 31

mean: 2511.18  
std. dev: 1504.45

percentiles:	10%	25%	50%	75%	90%
	1000	1420	2146	3387	4351

ld1885 ----- (unlabeled)

type: numeric (int)

range: [0,600] units: 1  
unique values: 16 coded missing: 0 / 31

mean: 105.387

std. dev: 165.712

percentiles:           10%           25%           50%           75%           90%

                  0           0           0           200           330

ld1886 ----- (unlabeled)

type: numeric (int)

range: [0,600]                           units: 1

unique values: 4                           coded missing: 0 / 31

tabulation: Freq. Value

28	0
1	60
1	113
1	600

ld1hrs ----- (unlabeled)

type: numeric (int)

range: [1979,1989]                       units: 1

unique values: 7                           coded missing: 0 / 31

tabulation: Freq. Value

1	1979
1	1980
3	1981
11	1982
12	1983
2	1984
1	1989

ld1hrs1a ----- (unlabeled)

type: numeric (int)

range: [524,6650]                       units: 1

unique values: 30                       coded missing: 0 / 31

mean: 2914.32

std. dev: 1570.89

percentiles:           10%           25%           50%           75%           90%

                  1305           1470           2563           3560           5261

ld1hrs2a ----- (unlabeled)

type: numeric (double)

range: [0,2000]                       units: .01

unique values: 14                       coded missing: 0 / 31

mean: 186.081

std. dev: 378.96

percentiles:	10%	25%	50%	75%	90%
	0	0	0	250	436

ld1hrs3a ----- (unlabeled)

```

type: numeric (int)

range: [0,1414]          units: 1
unique values: 5          coded missing: 0 / 31

tabulation: Freq. Value
              27  0
              1  420
              1  500
              1  870
              1 1414

```

ld1hrs4a ----- (unlabeled)

```

type: numeric (double)

range: [0,6400]          units: .01
unique values: 30        coded missing: 0 / 31

mean: 2533.43
std. dev: 1540.73

percentiles: 10%    25%    50%    75%    90%
              1000  1422  2161  3430  4500

```

ld1hrs5a ----- (unlabeled)

```

type: numeric (int)

range: [0,600]          units: 1
unique values: 15        coded missing: 0 / 31

mean: 106.516
std. dev: 167.184

percentiles: 10%    25%    50%    75%    90%
              0      0      0      200   330

```

ld1hrs6a ----- (unlabeled)

```

type: numeric (byte)

range: [0,113]          units: 1
unique values: 3          coded missing: 0 / 31

tabulation: Freq. Value
              29  0
              1  50
              1 113

```

ld1hrs1b ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,1]
unique values: 1
                                units: 1
                                coded missing: 28 / 31

        tabulation: Freq. Value
                    3 1

```

ld1hrs2b ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,5]
unique values: 2
                                units: 1
                                coded missing: 15 / 31

        tabulation: Freq. Value
                    15 1
                    1 5

```

ld1hrs3b ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,1]
unique values: 1
                                units: 1
                                coded missing: 24 / 31

        tabulation: Freq. Value
                    7 1

```

ld1hrs4b ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,3]
unique values: 3
                                units: 1
                                coded missing: 2 / 31

        tabulation: Freq. Value
                    22 1
                    5 2
                    2 3

```

ld1hrs5b ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,5]
unique values: 4
                                units: 1
                                coded missing: 18 / 31

        tabulation: Freq. Value
                    2 1
                    1 2
                    6 4
                    4 5

```

ld1hrs6b ----- (unlabeled)

```

        type: numeric (byte)

```

range: [5,5]  
unique values: 1

units: 1  
coded missing: 30 / 31

tabulation: Freq. Value  
            1 5

File: pt0201b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ld295p7	13	3	.9128709	2	4
ld295p8	13	1.153846	.5547002	1	3
ld295p9	13	1.153846	.3755338	1	2
ld295p10	13	1.153846	.5547002	1	3
ld295p11	13	1	0	1	1
ld295p12	13	2.153846	1.519109	1	5
ld288p7	15	2.866667	.9154754	2	4
ld288p8	15	1.333333	.8997354	1	4
ld288p9	15	1.133333	.3518658	1	2
ld288p10	15	1.133333	.5163978	1	3
ld288p11	15	1	0	1	1
ld288p12	15	2.333333	1.58865	1	5
ld295f7	0				
ld295f8	9	1.555556	.7264832	1	3
ld295f9	9	1.222222	.4409586	1	2
ld295f10	9	1.111111	.3333333	1	2
ld295f11	9	1	0	1	1
ld295f12	9	2.333333	1.118034	1	5
ld288f7	0				
ld288f8	5	1.6	.5477226	1	2
ld288f9	5	1.2	.4472136	1	2
ld288f10	5	1	0	1	1
ld288f11	5	1	0	1	1
ld288f12	5	2.8	1.30384	2	5

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72  
 5 73  
 5 81  
 5 82  
 6 83

town ----- (unlabeled)  
 type: numeric (int)  
 range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31  
 mean: 773.71  
 std. dev: 51.7714  
 percentiles: 10% 25% 50% 75% 90%  
 712 722 811 822 831

village ----- (unlabeled)  
 type: numeric (int)  
 range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31  
 mean: 7738.55  
 std. dev: 517.771  
 percentiles: 10% 25% 50% 75% 90%  
 7122 7221 8111 8222 8313

ld295p7 ----- (unlabeled)  
 type: numeric (byte)  
 range: [2,4] units: 1  
 unique values: 3 coded missing: 18 / 31  
 tabulation: Freq. Value  
 5 2  
 3 3  
 5 4

ld295p8 ----- (unlabeled)  
 type: numeric (byte)  
 range: [1,3] units: 1  
 unique values: 2 coded missing: 18 / 31  
 tabulation: Freq. Value  
 12 1  
 1 3

ld295p9 ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,2]
unique values: 2
                                units: 1
                                coded missing: 18 / 31

        tabulation: Freq.  Value
                    11  1
                    2  2

```

ld295p10 ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,3]
unique values: 2
                                units: 1
                                coded missing: 18 / 31

        tabulation: Freq.  Value
                    12  1
                    1  3

```

ld295p11 ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,1]
unique values: 1
                                units: 1
                                coded missing: 18 / 31

        tabulation: Freq.  Value
                    13  1

```

ld295p12 ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,5]
unique values: 4
                                units: 1
                                coded missing: 18 / 31

        tabulation: Freq.  Value
                    6  1
                    4  2
                    1  4
                    2  5

```

ld288p7 ----- (unlabeled)

```

        type: numeric (byte)

        range: [2,4]
unique values: 3
                                units: 1
                                coded missing: 16 / 31

        tabulation: Freq.  Value
                    7  2
                    3  3
                    5  4

```

ld288p8 ----- (unlabeled)



```

        type: numeric (byte)
        range: [1,4]
unique values: 3
        units: 1
        coded missing: 16 / 31

    tabulation: Freq. Value
                 13  1
                 1  3
                 1  4

```

1d288p9 ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,2]
unique values: 2
        units: 1
        coded missing: 16 / 31

    tabulation: Freq. Value
                 13  1
                 2  2

```

1d288p10 ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,3]
unique values: 2
        units: 1
        coded missing: 16 / 31

    tabulation: Freq. Value
                 14  1
                 1  3

```

1d288p11 ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,1]
unique values: 1
        units: 1
        coded missing: 16 / 31

    tabulation: Freq. Value
                 15  1

```

1d288p12 ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,5]
unique values: 4
        units: 1
        coded missing: 16 / 31

    tabulation: Freq. Value
                 6  1
                 5  2
                 1  4
                 3  5

```

1d295f7 ----- (unlabeled)

```

        type: string (str4), but longest is str3
unique values: 3                coded missing: 23 / 31

  tabulation: Freq. Value
                5  "2"
                1  "2+3"
                2  "3"

```

```

ld295f8 ----- (unlabeled)
        type: numeric (byte)

        range: [1,3]                units: 1
unique values: 3                coded missing: 22 / 31

  tabulation: Freq. Value
                5  1
                3  2
                1  3

```

```

ld295f9 ----- (unlabeled)
        type: numeric (byte)

        range: [1,2]                units: 1
unique values: 2                coded missing: 22 / 31

  tabulation: Freq. Value
                7  1
                2  2

```

```

ld295f10 ----- (unlabeled)
        type: numeric (byte)

        range: [1,2]                units: 1
unique values: 2                coded missing: 22 / 31

  tabulation: Freq. Value
                8  1
                1  2

```

```

ld295f11 ----- (unlabeled)
        type: numeric (byte)

        range: [1,1]                units: 1
unique values: 1                coded missing: 22 / 31

  tabulation: Freq. Value
                9  1

```

```

ld295f12 ----- (unlabeled)
        type: numeric (byte)

```

range: [1,5] units: 1  
unique values: 4 coded missing: 22 / 31

tabulation: Freq. Value  
1 1  
6 2  
1 3  
1 5

ld288f7 ----- (unlabeled)

type: string (str4), but longest is str3

unique values: 2 coded missing: 27 / 31

tabulation: Freq. Value  
3 "2"  
1 "2+3"

ld288f8 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 26 / 31

tabulation: Freq. Value  
2 1  
3 2

ld288f9 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 26 / 31

tabulation: Freq. Value  
4 1  
1 2

ld288f10 ----- (unlabeled)

type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 26 / 31

tabulation: Freq. Value  
5 1

ld288f11 ----- (unlabeled)

type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 26 / 31

```
tabulation: Freq. Value
             5  1
```

ld288f12 ----- (unlabeled)

```
type: numeric (byte)
```

```
range: [2,5]           units: 1
unique values: 3       coded missing: 26 / 31
```

```
tabulation: Freq. Value
             3  2
             1  3
             1  5
```

File: pt0201c.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ld395p15	13	1.076923	.2773501	1	2
ld395p16	13	1	0	1	1
ld388p15	15	1.066667	.2581989	1	2
ld388p16	15	1.066667	.2581989	1	2
ld395f14	8	1.375	.5175492	1	2
ld395f15	8	1.375	.5175492	1	2
ld395f16	8	1	0	1	1
ld388f14	4	1.25	.5	1	2
ld388f15	4	1.75	.5	1	2
ld388f16	4	1	0	1	1
ld395r13	30	1.033333	.1825742	1	2
ld395r14	30	1.066667	.2537081	1	2
ld395r15	30	1.133333	.3457459	1	2
ld395r16	30	1.066667	.2537081	1	2
ld388r13	30	1.066667	.2537081	1	2
ld388r14	30	1.066667	.2537081	1	2
ld388r15	30	1.1	.3051286	1	2
ld388r16	30	1.066667	.2537081	1	2
ld395c13	23	1.478261	.5107539	1	2
ld395c14	23	1.434783	.5068698	1	2
ld395c16	22	1.545455	.8004328	1	3
ld388c13	16	1.375	.5	1	2
ld388c14	15	1.333333	.48795	1	2
ld388c16	14	1.357143	.6333237	1	3
ld17	27	1.296296	.4653216	1	2

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

ld395p15 ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 18 / 31  
tabulation: Freq. Value  
12 1  
1 2

ld395p16 ----- (unlabeled)

type: numeric (byte)  
range: [1,1] units: 1  
unique values: 1 coded missing: 18 / 31  
tabulation: Freq. Value  
13 1

ld388p15 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 16 / 31

tabulation: Freq. Value  
14 1  
1 2

ld388p16 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 16 / 31

tabulation: Freq. Value  
14 1  
1 2

ld395f14 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 23 / 31

tabulation: Freq. Value  
5 1  
3 2

ld395f15 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 23 / 31

tabulation: Freq. Value  
5 1  
3 2

ld395f16 ----- (unlabeled)

type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 23 / 31

tabulation: Freq. Value  
8 1

ld388f14 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 27 / 31

tabulation: Freq. Value  
3 1  
1 2

ld388f15 ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 27 / 31

tabulation: Freq. Value  
1 1  
3 2

ld388f16 ----- (unlabeled)

type: numeric (byte)  
range: [1,1] units: 1  
unique values: 1 coded missing: 27 / 31

tabulation: Freq. Value  
4 1

ld395r13 ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 1 / 31

tabulation: Freq. Value  
29 1  
1 2

ld395r14 ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 1 / 31

tabulation: Freq. Value  
28 1  
2 2

ld395r15 ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 1 / 31

tabulation: Freq. Value  
26 1



ld395r16 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,2]                units:  1
unique values: 2                coded missing: 1 / 31

      tabulation:  Freq.  Value
                   28   1
                   2   2

```

ld388r13 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,2]                units:  1
unique values: 2                coded missing: 1 / 31

      tabulation:  Freq.  Value
                   28   1
                   2   2

```

ld388r14 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,2]                units:  1
unique values: 2                coded missing: 1 / 31

      tabulation:  Freq.  Value
                   28   1
                   2   2

```

ld388r15 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,2]                units:  1
unique values: 2                coded missing: 1 / 31

      tabulation:  Freq.  Value
                   27   1
                   3   2

```

ld388r16 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,2]                units:  1
unique values: 2                coded missing: 1 / 31

      tabulation:  Freq.  Value
                   28   1
                   2   2

```

ld395c13 ----- (unlabeled)  
type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 8 / 31

tabulation:	Freq.	Value
	12	1
	11	2

ld395c14 ----- (unlabeled)  
type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 8 / 31

tabulation:	Freq.	Value
	13	1
	10	2

ld395c16 ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 9 / 31

tabulation:	Freq.	Value
	14	1
	4	2
	4	3

ld388c13 ----- (unlabeled)  
type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 15 / 31

tabulation:	Freq.	Value
	10	1
	6	2

ld388c14 ----- (unlabeled)  
type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 16 / 31

tabulation:	Freq.	Value
	10	1
	5	2

ld388c16 ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 17 / 31

tabulation:	Freq.	Value
	10	1
	3	2
	1	3

ld17 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 4 / 31

tabulation:	Freq.	Value
	19	1
	8	2

File: pt0202a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ld4_18	31	2.451613	2.838294	0	13
ld4_19a1	28	1989	2.981424	1984	1994
ld4_20b1	27	1.259259	.8129998	1	5
ld4_19a2	20	1992.8	2.214783	1989	1996
ld4_20b2	20	1.35	.9880869	1	5
ld4_19a3	9	1994.889	1.054093	1994	1997
ld4_20b3	9	1.111111	.3333333	1	2
ld4_19a4	2	1995.5	.7071068	1995	1996
ld4_20b4	2	1	0	1	1
ld4_19a5	2	1996.5	.7071068	1996	1997
ld4_20b5	2	1	0	1	1
ld4_21	31	17.12903	32.35608	0	100
ld4_22	31	1714.097	465.0677	999	2034

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)

range: [711,833]

units: 1



```

23 1
 3 2
 1 5

```

ld4\_19a2 ----- (unlabeled)

```

      type: numeric (int)
      range: [1989,1996]          units: 1
unique values: 7                  coded missing: 11 / 31

```

```

tabulation: Freq. Value
             2 1989
             3 1990
             3 1992
             2 1993
             6 1994
             2 1995
             2 1996

```

ld4\_20b2 ----- (unlabeled)

```

      type: numeric (byte)
      range: [1,5]                units: 1
unique values: 4                  coded missing: 11 / 31

```

```

tabulation: Freq. Value
             17 1
              1 2
              1 3
              1 5

```

ld4\_19a3 ----- (unlabeled)

```

      type: numeric (int)
      range: [1994,1997]         units: 1
unique values: 4                  coded missing: 22 / 31

```

```

tabulation: Freq. Value
             4 1994
             3 1995
             1 1996
             1 1997

```

ld4\_20b3 ----- (unlabeled)

```

      type: numeric (byte)
      range: [1,2]                units: 1
unique values: 2                  coded missing: 22 / 31

```

```

tabulation: Freq. Value
             8 1
              1 2

```

ld4\_19a4 ----- (unlabeled)  
type: numeric (int)

range: [1995,1996] units: 1  
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value  
1 1995  
1 1996

ld4\_20b4 ----- (unlabeled)  
type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 29 / 31

tabulation: Freq. Value  
2 1

ld4\_19a5 ----- (unlabeled)  
type: numeric (int)

range: [1996,1997] units: 1  
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value  
1 1996  
1 1997

ld4\_20b5 ----- (unlabeled)  
type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 29 / 31

tabulation: Freq. Value  
2 1

ld4\_21 ----- (unlabeled)  
type: numeric (byte)

range: [0,100] units: 1  
unique values: 10 coded missing: 0 / 31

mean: 17.129  
std. dev: 32.3561

percentiles: 10% 25% 50% 75% 90%  
0 0 0 15 70

ld4\_22 ----- (unlabeled)

```
type: numeric (int)
range: [999,2034]
unique values: 12
units: 1
coded missing: 0 / 31

mean: 1714.1
std. dev: 465.068

percentiles:      10%      25%      50%      75%      90%
                  999      999      1998      2005      2026
```



File: pt0202b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ld5_23	27	1988.333	2.961289	1984	1994
ld5_24a	27	3.777778	3.042435	1	8
ld5_24b	6	5.833333	2.562551	1	8
ld5_25	27	6.814815	5.491511	2	27
ld5_26	27	343.6296	206.6904	80	1030
ld5_27	27	2659.704	1613.731	30	6640
ld6_28	20	1994.55	1.669384	1990	1997
ld6_29a	20	3.2	2.802255	1	8
ld6_29b	2	8	0	8	8
ld6_30	20	6.65	6.141104	2	27
ld6_31	20	342.65	162.5926	50	780
ld6_32	20	2634.75	1656.073	30	6640
ld7_33	3	1991	3.605551	1987	1994
ld7_34a	3	2.666667	2.886751	1	6
ld7_34b	0				
ld7_35	3	8	7	3	16
ld7_36	3	514.6667	257.405	266	780
ld7_37	3	3454.333	1233.832	2079	4464

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

6 83

town ----- (unlabeled)

type: numeric (int)  
 range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31  
 mean: 773.71  
 std. dev: 51.7714  
 percentiles: 10% 25% 50% 75% 90%  
 712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
 range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31  
 mean: 7738.55  
 std. dev: 517.771  
 percentiles: 10% 25% 50% 75% 90%  
 7122 7221 8111 8222 8313

ld5\_23 ----- (unlabeled)

type: numeric (int)  
 range: [1984,1994] units: 1  
 unique values: 11 coded missing: 4 / 31  
 mean: 1988.33  
 std. dev: 2.96129  
 percentiles: 10% 25% 50% 75% 90%  
 1985 1986 1989 1990 1993

ld5\_24a ----- (unlabeled)

type: numeric (byte)  
 range: [1,8] units: 1  
 unique values: 5 coded missing: 4 / 31  
 tabulation: Freq. Value  
 13 1  
 1 2  
 1 3  
 6 6  
 6 8

ld5\_24b ----- (unlabeled)

type: numeric (byte)

range: [1,8] units: 1  
unique values: 3 coded missing: 25 / 31

tabulation: Freq. Value  
1 1  
3 6  
2 8

ld5\_25 ----- (unlabeled)

type: numeric (byte)

range: [2,27] units: 1  
unique values: 13 coded missing: 4 / 31

mean: 6.81481  
std. dev: 5.49151

percentiles: 10% 25% 50% 75% 90%  
2 3 6 8 14

ld5\_26 ----- (unlabeled)

type: numeric (int)

range: [80,1030] units: 1  
unique values: 24 coded missing: 4 / 31

mean: 343.63  
std. dev: 206.69

percentiles: 10% 25% 50% 75% 90%  
90 205 310 430 520

ld5\_27 ----- (unlabeled)

type: numeric (int)

range: [30,6640] units: 1  
unique values: 27 coded missing: 4 / 31

mean: 2659.7  
std. dev: 1613.73

percentiles: 10% 25% 50% 75% 90%  
200 1400 2723 3420 5000

ld6\_28 ----- (unlabeled)

type: numeric (int)

range: [1990,1997] units: 1  
unique values: 7 coded missing: 11 / 31

tabulation: Freq. Value  
1 1990  
1 1992

1 1993  
 7 1994  
 4 1995  
 4 1996  
 2 1997

ld6\_29a ----- (unlabeled)

type: numeric (byte)  
 range: [1,8] units: 1  
 unique values: 4 coded missing: 11 / 31

tabulation:	Freq.	Value
	12	1
	5	6
	2	7
	1	8

ld6\_29b ----- (unlabeled)

type: numeric (byte)  
 range: [8,8] units: 1  
 unique values: 1 coded missing: 29 / 31

tabulation:	Freq.	Value
	2	8

ld6\_30 ----- (unlabeled)

type: numeric (byte)  
 range: [2,27] units: 1  
 unique values: 11 coded missing: 11 / 31

mean: 6.65  
 std. dev: 6.1411

percentiles:	10%	25%	50%	75%	90%
	2	3	5	7.5	15

ld6\_31 ----- (unlabeled)

type: numeric (int)  
 range: [50,780] units: 1  
 unique values: 18 coded missing: 11 / 31

mean: 342.65  
 std. dev: 162.593

percentiles:	10%	25%	50%	75%	90%
	140	248	346.5	422.5	509

ld6\_32 ----- (unlabeled)

```

        type: numeric (int)
        range: [30,6640]
unique values: 20
        units: 1
        coded missing: 11 / 31

        mean: 2634.75
        std. dev: 1656.07

percentiles:      10%      25%      50%      75%      90%
                  590      1340      2643      3390      4862.5

```

ld7\_33 ----- (unlabeled)

```

        type: numeric (int)
        range: [1987,1994]
unique values: 3
        units: 1
        coded missing: 28 / 31

tabulation: Freq.  Value
              1  1987
              1  1992
              1  1994

```

ld7\_34a ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,6]
unique values: 2
        units: 1
        coded missing: 28 / 31

tabulation: Freq.  Value
              2  1
              1  6

```

ld7\_34b ----- (unlabeled)

```

        type: string (str2), but longest is str0
unique values: 0
        coded missing: 31 / 31

tabulation: Freq.  Value

```

ld7\_35 ----- (unlabeled)

```

        type: numeric (byte)
        range: [3,16]
unique values: 3
        units: 1
        coded missing: 28 / 31

tabulation: Freq.  Value
              1  3
              1  5
              1  16

```

ld7\_36 ----- (unlabeled)

```

        type: numeric (int)

```

range: [266,780] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 266  
1 498  
1 780

ld7\_37 ----- (unlabeled)

type: numeric (int)

range: [2079,4464] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 2079  
1 3820  
1 4464

File: pt0203a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ld89538	31	1.774194	.4250237	1	2
ld89539	30	4.466667	1.833281	1	7
ld88838	31	1.774194	.4250237	1	2
ld88839	30	4.566667	1.83234	1	7
ld40	31	1.903226	.3005372	1	2
ld41	3	1.333333	.5773503	1	2
ld42	28	1.714286	.4600437	1	2
ld43	4	1	0	1	1
ld44	24	3.25	1.481773	1	5

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)

range: [711,833]

units: 1

unique values: 18

coded missing: 0 / 31

mean: 773.71  
std. dev: 51.7714

percentiles:            10%            25%            50%            75%            90%  
                           712            722            811            822            831

village ----- (unlabeled)

          type: numeric (int)  
           range: [7111,8331]                            units: 1  
 unique values: 31                            coded missing: 0 / 31  
           mean: 7738.55  
           std. dev: 517.771

percentiles:            10%            25%            50%            75%            90%  
                           7122            7221            8111            8222            8313

ld89538 ----- (unlabeled)

          type: numeric (byte)  
           range: [1,2]                                    units: 1  
 unique values: 2                            coded missing: 0 / 31

tabulation: Freq. Value  
                   7 1  
                   24 2

ld89539 ----- (unlabeled)

          type: numeric (byte)  
           range: [1,7]                                    units: 1  
 unique values: 6                            coded missing: 1 / 31

tabulation: Freq. Value  
                   2 1  
                   1 2  
                   11 3  
                   1 5  
                   13 6  
                   2 7

ld88838 ----- (unlabeled)

          type: numeric (byte)  
           range: [1,2]                                    units: 1  
 unique values: 2                            coded missing: 0 / 31

tabulation: Freq. Value  
                   7 1  
                   24 2

ld88839 ----- (unlabeled)

          type: numeric (byte)



range: [1,7] units: 1  
unique values: 6 coded missing: 1 / 31

tabulation:	Freq.	Value
	2	1
	1	2
	10	3
	1	5
	14	6
	2	7

ld40 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation:	Freq.	Value
	3	1
	28	2

ld41 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 28 / 31

tabulation:	Freq.	Value
	2	1
	1	2

ld42 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 3 / 31

tabulation:	Freq.	Value
	8	1
	20	2

ld43 ----- (unlabeled)

type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 27 / 31

tabulation:	Freq.	Value
	4	1

ld44 ----- (unlabeled)

```
type: numeric (byte)
range: [1,5]
unique values: 5
units: 1
coded missing: 7 / 31

tabulation: Freq. Value
             3 1
             6 2
             5 3
             2 4
             8 5
```

File: pt0203b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ld99545	31	1.483871	.9616294	1	5
ld99546	31	9.096774	8.407754	0	30
ld99547	31	65.48387	249.2069	0	999
ld99548	31	8.612903	7.360604	0	30
ld99549	31	26.6129	63.77705	0	300
ld99550	31	49.24194	48.55733	0	200
ld99551	31	37.33871	65.34924	0	220
ld99552	31	1.677419	1.165822	0	4
ld99552b	31	48.09677	40.64919	0	100
ld98845	31	1.677419	1.599731	0	7
ld98846	31	2.516129	4.746023	0	20
ld98847	31	.4516129	.7676245	0	3
ld98848	31	2.483871	4.617871	0	20
ld98849	31	0	0	0	0
ld98850	31	20.90323	72.11997	0	400
ld98851	31	14.51613	72.10357	0	400
ld98852	31	.483871	.9956896	0	4
ld98852b	31	16.45161	36.01374	0	100

. codebook

```
prov ----- (unlabeled)
      type: numeric (byte)
      range: [7,8]
      unique values: 2
      units: 1
      coded missing: 0 / 31
      tabulation: Freq. Value
                   15 7
                   16 8
```

```
county ----- (unlabeled)
      type: numeric (byte)
      range: [71,83]
      unique values: 6
      units: 1
      coded missing: 0 / 31
      tabulation: Freq. Value
                   5 71
                   5 72
                   5 73
                   5 81
                   5 82
                   6 83
```

town ----- (unlabeled)  
type: numeric (int)

range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31

mean: 773.71  
std. dev: 51.7714

percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)  
type: numeric (int)

range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31

mean: 7738.55  
std. dev: 517.771

percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

ld99545 ----- (unlabeled)  
type: numeric (byte)

range: [1,5] units: 1  
unique values: 5 coded missing: 0 / 31

tabulation: Freq. Value  
22 1  
6 2  
1 3  
1 4  
1 5

ld99546 ----- (unlabeled)  
type: numeric (byte)

range: [0,30] units: 1  
unique values: 15 coded missing: 0 / 31

mean: 9.09677  
std. dev: 8.40775

percentiles: 10% 25% 50% 75% 90%  
0 2 6 15 20

ld99547 ----- (unlabeled)  
type: numeric (int)

range: [0,999] units: 1  
unique values: 5 coded missing: 0 / 31

tabulation: Freq. Value  
4 0  
21 1  
1 2  
3 3  
2 999

ld99548 ----- (unlabeled)

type: numeric (byte)

range: [0,30] units: 1  
unique values: 16 coded missing: 0 / 31

mean: 8.6129  
std. dev: 7.3606

percentiles: 10% 25% 50% 75% 90%  
0 3 8 15 18

ld99549 ----- (unlabeled)

type: numeric (int)

range: [0,300] units: 1  
unique values: 10 coded missing: 0 / 31

mean: 26.6129  
std. dev: 63.777

percentiles: 10% 25% 50% 75% 90%  
0 0 0 7 100

ld99550 ----- (unlabeled)

type: numeric (double)

range: [0,200] units: .1  
unique values: 17 coded missing: 0 / 31

mean: 49.2419  
std. dev: 48.5573

percentiles: 10% 25% 50% 75% 90%  
0 7 50 80 100

ld99551 ----- (unlabeled)

type: numeric (double)

range: [0,220] units: .1  
unique values: 11 coded missing: 0 / 31

mean: 37.3387

std. dev: 65.3492  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 80 100

1d99552 ----- (unlabeled)

type: numeric (byte)  
range: [0,4] units: 1  
unique values: 5 coded missing: 0 / 31

tabulation:	Freq.	Value
	4	0
	11	1
	11	2
	1	3
	4	4

1d99552b ----- (unlabeled)

type: numeric (byte)  
range: [0,100] units: 1  
unique values: 11 coded missing: 0 / 31

mean: 48.0968  
std. dev: 40.6492

percentiles: 10% 25% 50% 75% 90%  
0 0 50 100 100

1d98845 ----- (unlabeled)

type: numeric (byte)  
range: [0,7] units: 1  
unique values: 6 coded missing: 0 / 31

tabulation:	Freq.	Value
	1	0
	21	1
	5	2
	1	3
	1	4
	2	7

1d98846 ----- (unlabeled)

type: numeric (byte)  
range: [0,20] units: 1  
unique values: 8 coded missing: 0 / 31

tabulation:	Freq.	Value
	22	0
	1	3

1 4  
2 7  
2 8  
1 10  
1 11  
1 20

ld98847 ----- (unlabeled)

type: numeric (byte)

range: [0,3] units: 1  
unique values: 4 coded missing: 0 / 31

tabulation:	Freq.	Value
	21	0
	7	1
	2	2
	1	3

ld98848 ----- (unlabeled)

type: numeric (byte)

range: [0,20] units: 1  
unique values: 7 coded missing: 0 / 31

tabulation:	Freq.	Value
	22	0
	1	4
	1	5
	2	7
	3	8
	1	10
	1	20

ld98849 ----- (unlabeled)

type: numeric (byte)

range: [0,0] units: 0  
unique values: 1 coded missing: 0 / 31

tabulation:	Freq.	Value
	31	0

ld98850 ----- (unlabeled)

type: numeric (int)

range: [0,400] units: 1  
unique values: 7 coded missing: 0 / 31

tabulation:	Freq.	Value
	23	0
	1	20
	1	28

```
2 30
1 40
2 50
1 400
```

ld98851 ----- (unlabeled)

```
type: numeric (int)
range: [0,400] units: 10
unique values: 3 coded missing: 0 / 31
tabulation: Freq. Value
              29  0
              1  50
              1  400
```

ld98852 ----- (unlabeled)

```
type: numeric (byte)
range: [0,4] units: 1
unique values: 5 coded missing: 0 / 31
tabulation: Freq. Value
              23  0
              4  1
              2  2
              1  3
              1  4
```

ld98852b ----- (unlabeled)

```
type: numeric (byte)
range: [0,100] units: 10
unique values: 4 coded missing: 0 / 31
tabulation: Freq. Value
              25  0
              1  30
              1  80
              4  100
```



File: pt0204a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ld10553	18	1.5	.5144958	1	2
ld10555	0				
ld10556a	19	54	100.3682	1	436
ld10556b	19	382.5789	341.244	20	1160
ld10557a	19	2.263158	.8056816	1	3
ld10558a	0				
ld10557b	5	2.6	.5477226	2	3
ld10558b	6	139.1667	61.67793	55	200
ld10559	0				
ld10560	30	2	0	2	2
ld10561	0				
ld10562	0				
ld10853	10	1.7	.4830459	1	2
ld10855	0				
ld10856a	10	23.9	18.32697	3	70
ld10856b	10	253	133.3375	60	500
ld10857a	10	2.3	.8232726	1	3
ld10857b	0				
ld10858a	8	122.5	88.43884	30	250
ld10858b	5	74	54.12947	20	150
ld10859	8	2.175	1.289241	1	4
ld10860	29	1.931034	.2578807	1	2
ld10861	2	356.5	344.361	113	600
ld10862	0				
ld1063a	27	3.777778	2.407254	1	11
ld1063b	27	4.185185	2.974727	1	13
ld1063c	26	4.384615	3.299417	1	13

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

```

tabulation:  Freq.  Value
              5    71
              5    72
              5    73
              5    81
              5    82
              6    83

```

town ----- (unlabeled)

```

      type:  numeric (int)

      range:  [711,833]          units:  1
unique values: 18                coded missing:  0 / 31

      mean:    773.71
      std. dev: 51.7714

percentiles:      10%      25%      50%      75%      90%
                  712      722      811      822      831

```

village ----- (unlabeled)

```

      type:  numeric (int)

      range:  [7111,8331]       units:  1
unique values: 31                coded missing:  0 / 31

      mean:    7738.55
      std. dev: 517.771

percentiles:      10%      25%      50%      75%      90%
                  7122      7221      8111      8222      8313

```

ld10553 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,2]             units:  1
unique values: 2                coded missing: 13 / 31

      tabulation:  Freq.  Value
                   9    1
                   9    2

```

ld10555 ----- (unlabeled)

```

      type:  string (str10), but longest is str9

unique values: 5                coded missing: 12 / 31

      tabulation:  Freq.  Value
                   11  "1"
                   4   "3"
                   2   "5"
                   1   "6"

```

1 "py:5 dd:2"

warning: variable has embedded blanks

ld10556a ----- (unlabeled)

type: numeric (int)

range: [1,436] units: 1  
unique values: 15 coded missing: 12 / 31

mean: 54  
std. dev: 100.368

percentiles:	10%	25%	50%	75%	90%
	2	7	15	82	120

ld10556b ----- (unlabeled)

type: numeric (int)

range: [20,1160] units: 1  
unique values: 17 coded missing: 12 / 31

mean: 382.579  
std. dev: 341.244

percentiles:	10%	25%	50%	75%	90%
	40	100	280	500	1100

ld10557a ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 12 / 31

tabulation: Freq. Value

	4	1
	6	2
	9	3

ld10558a ----- (unlabeled)

type: string (str12), but longest is str11

unique values: 14 coded missing: 12 / 31

examples: ""  
""  
"280"  
"40"

warning: variable has embedded blanks

ld10557b ----- (unlabeled)

```

        type: numeric (byte)
        range: [2,3]
unique values: 2
                                units: 1
                                coded missing: 26 / 31

    tabulation: Freq.  Value
                  2    2
                  3    3

```

ld10558b ----- (unlabeled)

```

        type: numeric (int)
        range: [55,200]
unique values: 5
                                units: 1
                                coded missing: 25 / 31

    tabulation: Freq.  Value
                  1    55
                  1    70
                  1   150
                  2   180
                  1   200

```

ld10559 ----- (unlabeled)

```

        type: string (str10), but longest is str9
unique values: 5
                                coded missing: 13 / 31

    tabulation: Freq.  Value
                  10   "1"
                   1   "3"
                   4   "3.1"
                   2   "3.2"
                   1   "pd:4 dd:1"

```

warning: variable has embedded blanks

ld10560 ----- (unlabeled)

```

        type: numeric (byte)
        range: [2,2]
unique values: 1
                                units: 1
                                coded missing: 1 / 31

    tabulation: Freq.  Value
                  30    2

```

ld10561 ----- (unlabeled)

```

        type: string (str2), but longest is str0
unique values: 0
                                coded missing: 31 / 31

    tabulation: Freq.  Value

```



```
1 100
3 200
1 240
1 300
1 330
1 400
1 500
```

ld10857a ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 21 / 31

tabulation: Freq. Value  
2 1  
3 2  
5 3

ld10857b ----- (unlabeled)

type: string (str12), but longest is str11

unique values: 4 coded missing: 25 / 31

tabulation: Freq. Value  
2 "2"  
1 "25"  
2 "3"  
1 "dd:25 pd:30"

warning: variable has embedded blanks

ld10858a ----- (unlabeled)

type: numeric (int)

range: [30,250] units: 10  
unique values: 7 coded missing: 23 / 31

tabulation: Freq. Value  
2 30  
1 60  
1 80  
1 110  
1 200  
1 220  
1 250

ld10858b ----- (unlabeled)

type: numeric (int)

range: [20,150] units: 10  
unique values: 5 coded missing: 26 / 31

```

tabulation:  Freq.  Value
              1    20
              1    40
              1    50
              1   110
              1   150

```

```

ld10859 ----- (unlabeled)
      type:  numeric (double)

```

```

      range:  [1,4]                units:  .1
unique values: 4                  coded missing: 23 / 31

```

```

tabulation:  Freq.  Value
              4     1
              1     3
              2    3.2
              1     4

```

```

ld10860 ----- (unlabeled)
      type:  numeric (byte)

```

```

      range:  [1,2]                units:  1
unique values: 2                  coded missing: 2 / 31

```

```

tabulation:  Freq.  Value
              2     1
              27    2

```

```

ld10861 ----- (unlabeled)
      type:  numeric (int)

```

```

      range:  [113,600]           units:  1
unique values: 2                  coded missing: 29 / 31

```

```

tabulation:  Freq.  Value
              1   113
              1   600

```

```

ld10862 ----- (unlabeled)
      type:  string (str2), but longest is str0

```

```

unique values: 0                  coded missing: 31 / 31

```

```

tabulation:  Freq.  Value

```

```

ld1063a ----- (unlabeled)
      type:  numeric (byte)

```

```

      range:  [1,11]              units:  1
unique values: 9                  coded missing: 4 / 31

```

```

tabulation:  Freq.  Value
              3    1
              6    2
              8    3
              2    4
              2    5
              2    6
              2    7
              1    8
              1   11

```

ld1063b ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,13]                units:  1
unique values: 10                coded missing: 4 / 31

      mean:   4.18519
      std. dev: 2.97473

percentiles:      10%      25%      50%      75%      90%
                  1        2        4        5        8

```

ld1063c ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,13]                units:  1
unique values: 11                coded missing: 5 / 31

      mean:   4.38462
      std. dev: 3.29942

percentiles:      10%      25%      50%      75%      90%
                  1        2        3.5      6        9

```



File: pt0204b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ld11564	2	3	1.414214	2	4
ld11566	1	1	.	1	1
ld11567a	2	52.5	31.81981	30	75
ld11567b	2	176.5	193.0402	40	313
ld11568a	2	2.5	.7071068	2	3
ld11569a	1	3	.	3	3
ld11568b	0				
ld11569b	0				
ld11570	1	3.2	.	3.2	3.2
ld11864	3	2.666667	1.154701	2	4
ld11866	2	3.5	.7071068	3	4
ld11867a	2	58.5	51.6188	22	95
ld11867b	3	210	252.3886	40	500
ld11868a	3	2	1	1	3
ld11869a	1	3	.	3	3
ld11868b	0				
ld11869b	0				
ld11870	2	3.2	0	3.2	3.2

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

ld11564 ----- (unlabeled)

type: numeric (byte)  
range: [2,4] units: 1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
1 2  
1 4

ld11566 ----- (unlabeled)

type: numeric (byte)  
range: [1,1] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
1 1

ld11567a ----- (unlabeled)

type: numeric (byte)  
range: [30,75] units: 1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
1 30  
1 75

```

ld11567b ----- (unlabeled)
      type: numeric (int)
           range: [40,313]                units: 1
unique values: 2                          coded missing: 29 / 31
           tabulation: Freq.  Value
                       1   40
                       1  313

ld11568a ----- (unlabeled)
      type: numeric (byte)
           range: [2,3]                   units: 1
unique values: 2                          coded missing: 29 / 31
           tabulation: Freq.  Value
                       1   2
                       1   3

ld11569a ----- (unlabeled)
      type: numeric (byte)
           range: [3,3]                   units: 1
unique values: 1                          coded missing: 30 / 31
           tabulation: Freq.  Value
                       1   3

ld11568b ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                          coded missing: 31 / 31
           tabulation: Freq.  Value

ld11569b ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                          coded missing: 31 / 31
           tabulation: Freq.  Value

ld11570 ----- (unlabeled)
      type: numeric (double)
           range: [3.2,3.2]                units: .1
unique values: 1                          coded missing: 30 / 31
           tabulation: Freq.  Value

```

ld11864 ----- (unlabeled)

```

type: numeric (byte)

range: [2,4] units: 1
unique values: 2 coded missing: 28 / 31

tabulation: Freq. Value
              2 2
              1 4
    
```

ld11866 ----- (unlabeled)

```

type: numeric (byte)

range: [3,4] units: 1
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value
              1 3
              1 4
    
```

ld11867a ----- (unlabeled)

```

type: numeric (byte)

range: [22,95] units: 1
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value
              1 22
              1 95
    
```

ld11867b ----- (unlabeled)

```

type: numeric (int)

range: [40,500] units: 10
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value
              1 40
              1 90
              1 500
    
```

ld11868a ----- (unlabeled)

```

type: numeric (byte)

range: [1,3] units: 1
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value
              1 1
              1 2
    
```

ld11869a ----- (unlabeled)

```

      type: numeric (byte)
      range: [3,3]                units: 1
unique values: 1                  coded missing: 30 / 31
      tabulation: Freq. Value
                   1 3

```

ld11868b ----- (unlabeled)

```

      type: string (str2), but longest is str0
unique values: 0                  coded missing: 31 / 31
      tabulation: Freq. Value

```

ld11869b ----- (unlabeled)

```

      type: string (str2), but longest is str0
unique values: 0                  coded missing: 31 / 31
      tabulation: Freq. Value

```

ld11870 ----- (unlabeled)

```

      type: numeric (double)
      range: [3.2,3.2]            units: .1
unique values: 1                  coded missing: 29 / 31
      tabulation: Freq. Value
                   2 3.2

```

.

File: pt0205.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ld12571	29	1.724138	.4548588	1	2
ld12572	0				
ld12573	11	51.81818	26.76497	20	100
ld12574	12	11.33333	27.52299	0	98
ld12575	9	92.77778	44.09586	15	150
ld12576	8	627.5	898.4669	55	2800
ld12577	8	22.9375	32.21406	.5	100
ld12578	16	403.4375	248.7213	120	1100
ld12579	12	101.75	146.8358	0	473
ld12580	11	4	4.626013	0	12
ld12581	8	2.5	1.603567	1	4
ld12582	2	7	0	7	7
ld12871	28	1.857143	.3563483	1	2
ld12872	4	2.5	1	2	4
ld12873	9	45.55556	25.05549	20	100
ld12874	9	3.888889	4.428443	0	10
ld12875	5	64	30.4959	20	100
ld12876	5	368	163.9207	140	600
ld12877	5	12.8	9.364828	4	27
ld12878	11	414.6364	298.0142	110	1100
ld12879	9	118.5556	167.3754	0	470
ld12880	7	1.142857	1.864454	0	5
ld12881	5	2.8	1.643168	1	4
ld1282	2	7	0	7	7

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

ld12571 ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 2 / 31  
tabulation: Freq. Value  
8 1  
21 2

ld12572 ----- (unlabeled)

type: string (str4), but longest is str3  
unique values: 3 coded missing: 23 / 31  
tabulation: Freq. Value  
2 "1+2"  
4 "2"  
2 "4"

ld12573 ----- (unlabeled)

type: numeric (byte)

range: [20,100] units: 10  
unique values: 5 coded missing: 20 / 31

tabulation: Freq. Value  
1 20  
3 30  
4 50  
1 60  
2 100

ld12574 ----- (unlabeled)

type: numeric (byte)

range: [0,98] units: 1  
unique values: 7 coded missing: 19 / 31

tabulation: Freq. Value  
4 0  
1 2  
1 3  
2 4  
1 5  
2 10  
1 98

ld12575 ----- (unlabeled)

type: numeric (int)

range: [15,150] units: 1  
unique values: 6 coded missing: 22 / 31

tabulation: Freq. Value  
1 15  
1 60  
2 70  
2 100  
1 120  
2 150

ld12576 ----- (unlabeled)

type: numeric (int)

range: [55,2800] units: 1  
unique values: 8 coded missing: 23 / 31

tabulation: Freq. Value  
1 55  
1 140  
1 275  
1 300  
1 350  
1 400  
1 700



1 2800

ld12577 ----- (unlabeled)

type: numeric (double)  
range: [.5,100] units: .1  
unique values: 6 coded missing: 23 / 31

tabulation: Freq. Value  
1 .5  
1 4  
2 8  
2 20  
1 23  
1 100

ld12578 ----- (unlabeled)

type: numeric (int)  
range: [120,1100] units: 1  
unique values: 15 coded missing: 15 / 31

mean: 403.438  
std. dev: 248.721  
percentiles: 10% 25% 50% 75% 90%  
127 230.5 392.5 476.5 747

ld12579 ----- (unlabeled)

type: numeric (int)  
range: [0,473] units: 1  
unique values: 11 coded missing: 19 / 31

mean: 101.75  
std. dev: 146.836  
percentiles: 10% 25% 50% 75% 90%  
0 8 25 135.5 300

ld12580 ----- (unlabeled)

type: numeric (byte)  
range: [0,12] units: 1  
unique values: 7 coded missing: 20 / 31

tabulation: Freq. Value  
4 0  
1 1  
1 2  
1 4  
1 5  
2 10

ld12581 ----- (unlabeled)

type: numeric (byte)

range: [1,4] units: 1  
 unique values: 2 coded missing: 23 / 31

tabulation: Freq. Value  
             4 1  
             4 4

ld12582 ----- (unlabeled)

type: numeric (byte)

range: [7,7] units: 1  
 unique values: 1 coded missing: 29 / 31

tabulation: Freq. Value  
             2 7

ld12871 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
 unique values: 2 coded missing: 3 / 31

tabulation: Freq. Value  
             4 1  
            24 2

ld12872 ----- (unlabeled)

type: numeric (byte)

range: [2,4] units: 1  
 unique values: 2 coded missing: 27 / 31

tabulation: Freq. Value  
             3 2  
             1 4

ld12873 ----- (unlabeled)

type: numeric (byte)

range: [20,100] units: 10  
 unique values: 5 coded missing: 22 / 31

tabulation: Freq. Value  
             2 20  
             2 30  
             3 50  
             1 60

1 100

ld12874 ----- (unlabeled)

type: numeric (byte)

range: [0,10] units: 1  
unique values: 5 coded missing: 22 / 31

tabulation:	Freq.	Value
	4	0
	1	2
	1	5
	1	8
	2	10

ld12875 ----- (unlabeled)

type: numeric (byte)

range: [20,100] units: 10  
unique values: 5 coded missing: 26 / 31

tabulation:	Freq.	Value
	1	20
	1	50
	1	70
	1	80
	1	100

ld12876 ----- (unlabeled)

type: numeric (int)

range: [140,600] units: 10  
unique values: 4 coded missing: 26 / 31

tabulation:	Freq.	Value
	1	140
	2	350
	1	400
	1	600

ld12877 ----- (unlabeled)

type: numeric (byte)

range: [4,27] units: 1  
unique values: 5 coded missing: 26 / 31

tabulation:	Freq.	Value
	1	4
	1	6
	1	10
	1	17
	1	27

ld12878 ----- (unlabeled)  
 type: numeric (int)  
 range: [110,1100] units: 1  
 unique values: 11 coded missing: 20 / 31  
 mean: 414.636  
 std. dev: 298.014  
 percentiles: 10% 25% 50% 75% 90%  
 120 145 340 516 750

ld12879 ----- (unlabeled)  
 type: numeric (int)  
 range: [0,470] units: 1  
 unique values: 8 coded missing: 22 / 31  
 tabulation: Freq. Value  
 2 0  
 1 3  
 1 9  
 1 20  
 1 110  
 1 145  
 1 310  
 1 470

ld12880 ----- (unlabeled)  
 type: numeric (byte)  
 range: [0,5] units: 1  
 unique values: 4 coded missing: 24 / 31  
 tabulation: Freq. Value  
 4 0  
 1 1  
 1 2  
 1 5

ld12881 ----- (unlabeled)  
 type: numeric (byte)  
 range: [1,4] units: 1  
 unique values: 2 coded missing: 26 / 31  
 tabulation: Freq. Value  
 2 1  
 3 4

ld1282 ----- (unlabeled)  
 type: numeric (byte)

range: [7,7]  
unique values: 1

units: 1  
coded missing: 29 / 31

tabulation: Freq. Value  
            2 7

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
mk1951	31	15.67742	16.49118	2	71
mk1952	9	5.888889	5.967505	1	17
mk1953	31	7.548387	4.998925	1	20
mk1954	11	6.818182	6.585107	1	20
mk1955	13	9.538462	9.270162	1	30
mk1956	8	1.375	1.06066	1	4
mk1957	29	16.17241	16.35994	2	70
mk1959	30	1.3	.7497126	1	4
mk19510	31	3.258065	.4448027	3	4
mk19511	31	1.064516	.249731	1	2
mk19512	29	1.586207	1.052794	1	4
mk19513	31	1.290323	.4614144	1	2
mk19514	20	2.35	.9880869	1	4
mk1881	31	7.419355	9.160692	1	48
mk1882	7	4	5.033223	1	15
mk1883	31	3.548387	2.350017	1	12
mk1884	8	2.5	1.690309	1	6
mk1885	9	8	8	1	21
mk1886	12	1.416667	.9003366	1	4
mk1887	27	7.777778	9.447561	1	48
mk1888	1	0	.	0	0
mk1889	29	1.689655	.9674506	1	4
mk18810	30	3.266667	.4497764	3	4
mk18811	31	1.129032	.3407771	1	2
mk18812	27	1.814815	1.110684	1	4
mk18813	31	1.483871	.5080005	1	2
mk18814	16	2.5625	1.030776	1	4
mk19515	29	2.172414	1.037475	1	4

. codebook

```

prov ----- (unlabeled)
      type: numeric (float)
      range: [7,8]
      unique values: 2
      units: 1
      coded missing: 0 / 31
      tabulation: Freq. Value
                   15 7
                   16 8
  
```

```

county ----- (unlabeled)
      type: numeric (float)
      range: [71,83]
      units: 1
  
```

unique values: 6                      coded missing: 0 / 31

tabulation: Freq. Value  
              5 71  
              5 72  
              5 73  
              5 81  
              5 82  
              6 83

town ----- (unlabeled)

          type: numeric (float)

          range: [711,833]                      units: 1  
unique values: 18                      coded missing: 0 / 31

          mean: 773.71  
          std. dev: 51.7714

percentiles:            10%            25%            50%            75%            90%  
                          712            722            811            822            831

village ----- (unlabeled)

          type: numeric (float)

          range: [7111,8331]                      units: 1  
unique values: 31                      coded missing: 0 / 31

          mean: 7738.55  
          std. dev: 517.771

percentiles:            10%            25%            50%            75%            90%  
                          7122            7221            8111            8222            8313

mk1951 ----- (unlabeled)

          type: numeric (float)

          range: [2,71]                              units: 1  
unique values: 17                      coded missing: 0 / 31

          mean: 15.6774  
          std. dev: 16.4912

percentiles:            10%            25%            50%            75%            90%  
                          4            5            8            22            38

mk1952 ----- (unlabeled)

          type: numeric (float)

          range: [1,17]                              units: 1  
unique values: 7                      coded missing: 22 / 31

tabulation: Freq. Value

1 1  
3 2  
1 3  
1 5  
1 6  
1 15  
1 17

mk1953 ----- (unlabeled)

type: numeric (float)  
range: [1,20] units: 1  
unique values: 16 coded missing: 0 / 31  
mean: 7.54839  
std. dev: 4.99892  
percentiles: 10% 25% 50% 75% 90%  
2 4 6 11 14

mk1954 ----- (unlabeled)

type: numeric (float)  
range: [1,20] units: 1  
unique values: 8 coded missing: 20 / 31  
tabulation: Freq. Value  
1 1  
2 2  
1 3  
2 4  
1 6  
2 7  
1 19  
1 20

mk1955 ----- (unlabeled)

type: numeric (float)  
range: [1,30] units: 1  
unique values: 11 coded missing: 18 / 31  
mean: 9.53846  
std. dev: 9.27016  
percentiles: 10% 25% 50% 75% 90%  
1 2 8 14 21

mk1956 ----- (unlabeled)

type: numeric (float)  
range: [1,4] units: 1  
unique values: 2 coded missing: 23 / 31



```

tabulation:  Freq.  Value
              7   1
              1   4

```

mk1957 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [2,70]          units:  1
unique values: 17          coded missing: 2 / 31

      mean:   16.1724
      std. dev: 16.3599

      percentiles:      10%      25%      50%      75%      90%
                       4         6         9        22        37

```

mk1959 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [1,4]          units:  1
unique values: 4          coded missing: 1 / 31

      tabulation:  Freq.  Value
                   25   1
                   2   2
                   2   3
                   1   4

```

mk19510 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [3,4]          units:  1
unique values: 2          coded missing: 0 / 31

      tabulation:  Freq.  Value
                   23   3
                   8   4

```

mk19511 ----- (unlabeled)

```

      type:  numeric (float)

      range:  [1,2]          units:  1
unique values: 2          coded missing: 0 / 31

      tabulation:  Freq.  Value
                   29   1
                   2   2

```

mk19512 ----- (unlabeled)

```

      type:  numeric (float)

```

range: [1,4] units: 1  
unique values: 4 coded missing: 2 / 31

tabulation: Freq. Value  
21 1  
2 2  
3 3  
3 4

mk19513 ----- (unlabeled)

type: numeric (float)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
22 1  
9 2

mk19514 ----- (unlabeled)

type: numeric (float)

range: [1,4] units: 1  
unique values: 4 coded missing: 11 / 31

tabulation: Freq. Value  
5 1  
5 2  
8 3  
2 4

mk1881 ----- (unlabeled)

type: numeric (float)

range: [1,48] units: 1  
unique values: 14 coded missing: 0 / 31

mean: 7.41935  
std. dev: 9.16069

percentiles: 10% 25% 50% 75% 90%  
2 2 5 9 13

mk1882 ----- (unlabeled)

type: numeric (float)

range: [1,15] units: 1  
unique values: 4 coded missing: 24 / 31

tabulation: Freq. Value  
2 1  
3 2  
1 5

mk1883 ----- (unlabeled)

type: numeric (float)  
 range: [1,12] units: 1  
 unique values: 8 coded missing: 0 / 31

tabulation:	Freq.	Value
	4	1
	9	2
	5	3
	4	4
	6	5
	1	7
	1	8
	1	12

mk1884 ----- (unlabeled)

type: numeric (float)  
 range: [1,6] units: 1  
 unique values: 4 coded missing: 23 / 31

tabulation:	Freq.	Value
	3	1
	1	2
	3	3
	1	6

mk1885 ----- (unlabeled)

type: numeric (float)  
 range: [1,21] units: 1  
 unique values: 7 coded missing: 22 / 31

tabulation:	Freq.	Value
	1	1
	3	2
	1	3
	1	9
	1	12
	1	20
	1	21

mk1886 ----- (unlabeled)

type: numeric (float)  
 range: [1,4] units: 1  
 unique values: 3 coded missing: 19 / 31

tabulation:	Freq.	Value
	9	1

2 2  
1 4

mk1887 ----- (unlabeled)

type: numeric (float)  
range: [1,48] units: 1  
unique values: 12 coded missing: 4 / 31  
mean: 7.77778  
std. dev: 9.44756  
percentiles: 10% 25% 50% 75% 90%  
2 3 5 9 15

mk1888 ----- (unlabeled)

type: numeric (float)  
range: [0,0] units: 0  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
1 0

mk1889 ----- (unlabeled)

type: numeric (float)  
range: [1,4] units: 1  
unique values: 4 coded missing: 2 / 31  
tabulation: Freq. Value  
17 1  
6 2  
4 3  
2 4

mk18810 ----- (unlabeled)

type: numeric (float)  
range: [3,4] units: 1  
unique values: 2 coded missing: 1 / 31  
tabulation: Freq. Value  
22 3  
8 4

mk18811 ----- (unlabeled)

type: numeric (float)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
27 1  
4 2

mk18812 ----- (unlabeled)

type: numeric (float)

range: [1,4] units: 1  
unique values: 4 coded missing: 4 / 31

tabulation: Freq. Value  
16 1  
3 2  
5 3  
3 4

mk18813 ----- (unlabeled)

type: numeric (float)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
16 1  
15 2

mk18814 ----- (unlabeled)

type: numeric (float)

range: [1,4] units: 1  
unique values: 4 coded missing: 15 / 31

tabulation: Freq. Value  
3 1  
4 2  
6 3  
3 4

mk19515 ----- (unlabeled)

type: numeric (float)

range: [1,4] units: 1  
unique values: 4 coded missing: 2 / 31

tabulation: Freq. Value  
9 1  
10 2  
6 3  
4 4

File: NPT0302.DTA

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
mk1a1	27	6.37037	5.573965	0	25
mk1a2	27	2.666667	.7337994	1	4
mk1a3	27	1965.407	19.55517	1949	1996
mk1a4	27	4.814815	.3958474	4	5
mk1a5	0				
mk1a6	22	3.863636	1.037187	2	5
mk1a7	0				
mk1a8	17	4.058824	1.028992	3	5
mk1a9	0				
mk1a10	13	3.923077	1.037749	3	5
mk1a11	26	15219.23	22668.75	400	80000
mk1a12	24	9912.5	14920.61	0	50000
mk1a13	19	5186.842	5898.678	0	20000
mk1a14	0				
mk1a15a	25	2.4	1.870829	1	6
mk1a15b	18	3.277778	1.742397	1	6
mk1a16	26	1.961538	.1961161	1	2
mk1a18a	27	2.888889	.6405126	2	4
mk1a19a	27	2.925926	.8286191	2	5
mk1a18b	11	3.545455	1.035725	2	5
mk1a19b	12	3.416667	.6685579	2	4
mk1b1	18	7.666667	5.630798	0	20
mk1b2	18	2.555556	.6156988	1	3
mk1b3	18	1968.111	20.18412	1949	1992
mk1b4	17	4.764706	.5622957	3	5
mk1b5	0				
mk1b6	16	3.5625	1.093542	2	5
mk1b7	0				
mk1b8	12	3.5	1.167748	2	5
mk1b9	0				
mk1b10	9	3	.8660254	2	5
mk1b11	18	19488.89	25262.9	300	80000
mk1b12	14	15664.29	21665.77	100	80000
mk1b13	11	4854.545	6273.653	0	20000
mk1b14	0				
mk1b15a	18	1.777778	1.395605	1	5
mk1b15b	14	3.428571	1.827747	1	6
mk1b16	18	1.944444	.2357023	1	2
mk1b18a	18	2.833333	.6183469	2	4
mk1b19a	18	3	.9074852	1	5
mk1b18b	9	3.333333	1	2	5
mk1b19b	11	3.181818	.7507572	2	4

. codebook

prov ----- (unlabeled)

```

type: numeric (float)
range: [7,8] units: 1
unique values: 2 coded missing: 0 / 31
tabulation: Freq. Value
              15 7
              16 8

```

county ----- (unlabeled)

```

type: numeric (float)
range: [71,83] units: 1
unique values: 6 coded missing: 0 / 31
tabulation: Freq. Value
              5 71
              5 72
              5 73
              5 81
              5 82
              6 83

```

town ----- (unlabeled)

```

type: numeric (float)
range: [711,833] units: 1
unique values: 18 coded missing: 0 / 31
mean: 773.71
std. dev: 51.7714
percentiles: 10% 25% 50% 75% 90%
              712 722 811 822 831

```

village ----- (unlabeled)

```

type: numeric (float)
range: [7111,8331] units: 1
unique values: 31 coded missing: 0 / 31
mean: 7738.55
std. dev: 517.771
percentiles: 10% 25% 50% 75% 90%
              7122 7221 8111 8222 8313

```

mk1a1 ----- (unlabeled)

```

type: numeric (float)
range: [0,25] units: .1
unique values: 17 coded missing: 4 / 31

```

```

    mean:      6.37037
    std. dev:  5.57397

    percentiles:      10%      25%      50%      75%      90%
                      1        1.5      6        8        15

```

mk1a2 ----- (unlabeled)

```

    type: numeric (float)

    range: [1,4]                units: 1
    unique values: 4            coded missing: 4 / 31

    tabulation:  Freq.  Value
                  1    1
                  10   2
                  13   3
                   3   4

```

mk1a3 ----- (unlabeled)

```

    type: numeric (float)

    range: [1949,1996]         units: 1
    unique values: 13          coded missing: 4 / 31

    mean:      1965.41
    std. dev:  19.5552

    percentiles:      10%      25%      50%      75%      90%
                      1949    1949    1949    1986    1994

```

mk1a4 ----- (unlabeled)

```

    type: numeric (float)

    range: [4,5]                units: 1
    unique values: 2            coded missing: 4 / 31

    tabulation:  Freq.  Value
                  5    4
                  22   5

```

mk1a5 ----- (unlabeled)

```

    type: string (str15), but longest is str14

    unique values: 13            coded missing: 4 / 31

    examples:  "1.3.6"
               "2.4.6.8.10"
               "7"
               "999"

```

mk1a6 ----- (unlabeled)

```

    type: numeric (float)

```



range: [2,5] units: 1  
unique values: 4 coded missing: 9 / 31

tabulation: Freq. Value  
1 2  
10 3  
2 4  
9 5

mk1a7 ----- (unlabeled)

type: string (str9), but longest is str8

unique values: 10 coded missing: 9 / 31

examples: ""  
"1.4.7"  
"3.6.9"  
"999"

mk1a8 ----- (unlabeled)

type: numeric (float)

range: [3,5] units: 1  
unique values: 2 coded missing: 14 / 31

tabulation: Freq. Value  
8 3  
9 5

mk1a9 ----- (unlabeled)

type: string (str9), but longest is str8

unique values: 9 coded missing: 13 / 31

tabulation: Freq. Value  
1 "1,6"  
1 "1.3.6"  
1 "1.4.7"  
2 "1.6.3.8"  
1 "2,7"  
1 "2.4.6.8"  
1 "2.4.6.8."  
1 "5"  
9 "999"

mk1a10 ----- (unlabeled)

type: numeric (float)

range: [3,5] units: 1  
unique values: 2 coded missing: 18 / 31

tabulation: Freq. Value

7 3  
6 5

mk1a11 ----- (unlabeled)

type: numeric (float)  
range: [400,80000] units: 100  
unique values: 16 coded missing: 5 / 31  
mean: 15219.2  
std. dev: 22668.7  
percentiles: 10% 25% 50% 75% 90%  
1000 2000 3500 20000 60000

mk1a12 ----- (unlabeled)

type: numeric (float)  
range: [0,50000] units: 100  
unique values: 14 coded missing: 7 / 31  
mean: 9912.5  
std. dev: 14920.6  
percentiles: 10% 25% 50% 75% 90%  
400 1000 1500 17500 30000

mk1a13 ----- (unlabeled)

type: numeric (float)  
range: [0,20000] units: 10  
unique values: 17 coded missing: 12 / 31  
mean: 5186.84  
std. dev: 5898.68  
percentiles: 10% 25% 50% 75% 90%  
100 600 3000 10000 15000

mk1a14 ----- (unlabeled)

type: string (str9), but longest is str3  
unique values: 4 coded missing: 7 / 31  
tabulation: Freq. Value  
1 "1"  
13 "2"  
8 "2,7"  
2 "7"

mk1a15a ----- (unlabeled)

type: numeric (float)

range: [1,6] units: 1  
unique values: 4 coded missing: 6 / 31

tabulation:	Freq.	Value
	15	1
	3	3
	6	5
	1	6

mk1a15b ----- (unlabeled)

type: numeric (float)

range: [1,6] units: 1  
unique values: 4 coded missing: 13 / 31

tabulation:	Freq.	Value
	5	1
	6	3
	6	5
	1	6

mk1a16 ----- (unlabeled)

type: numeric (float)

range: [1,2] units: 1  
unique values: 2 coded missing: 5 / 31

tabulation:	Freq.	Value
	1	1
	25	2

mk1a18a ----- (unlabeled)

type: numeric (float)

range: [2,4] units: 1  
unique values: 3 coded missing: 4 / 31

tabulation:	Freq.	Value
	7	2
	16	3
	4	4

mk1a19a ----- (unlabeled)

type: numeric (float)

range: [2,5] units: 1  
unique values: 4 coded missing: 4 / 31

tabulation:	Freq.	Value
	8	2
	15	3
	2	4

mk1a18b ----- (unlabeled)

```

type: numeric (float)

range: [2,5]          units: 1
unique values: 4      coded missing: 20 / 31

tabulation: Freq. Value
              2  2
              3  3
              4  4
              2  5
    
```

mk1a19b ----- (unlabeled)

```

type: numeric (float)

range: [2,4]          units: 1
unique values: 3      coded missing: 19 / 31

tabulation: Freq. Value
              1  2
              5  3
              6  4
    
```

mk1b1 ----- (unlabeled)

```

type: numeric (float)

range: [0,20]         units: .1
unique values: 13     coded missing: 13 / 31

mean: 7.66667
std. dev: 5.6308

percentiles:          10%      25%      50%      75%      90%
                    1         3.5     7.5     10       17
    
```

mk1b2 ----- (unlabeled)

```

type: numeric (float)

range: [1,3]          units: 1
unique values: 3      coded missing: 13 / 31

tabulation: Freq. Value
              1  1
              6  2
              11 3
    
```

mk1b3 ----- (unlabeled)

```

type: numeric (float)

range: [1949,1992]   units: 1
    
```



```

1 "1.4.7"
1 "1.6.11.16.21."
1 "2.4.6.8"
1 "2.4.6.8.10"
1 "3.6.9"
2 "5,10"
5 "999"

```

mk1b8 ----- (unlabeled)

```

type: numeric (float)

range: [2,5]          units: 1
unique values: 3      coded missing: 19 / 31

```

```

tabulation: Freq. Value
             2  2
             6  3
             4  5

```

mk1b9 ----- (unlabeled)

```

type: string (str14), but longest is str13

unique values: 9      coded missing: 20 / 31

```

```

tabulation: Freq. Value
             1 "1.3.5.7"
             1 "1.3.6.8"
             1 "1.4.7"
             1 "1.6.11.16.21."
             1 "2.4.6.8"
             1 "2.4.6.8.10"
             1 "3.6.9"
             2 "5,10"
             2 "999"

```

mk1b10 ----- (unlabeled)

```

type: numeric (float)

range: [2,5]          units: 1
unique values: 3      coded missing: 22 / 31

```

```

tabulation: Freq. Value
             2  2
             6  3
             1  5

```

mk1b11 ----- (unlabeled)

```

type: numeric (float)

range: [300,80000]   units: 100
unique values: 10     coded missing: 13 / 31

mean: 19488.9

```

std. dev: 25262.9

percentiles:           10%           25%           50%           75%           90%

                  500           3000           6000           30000           80000

mk1b12 ----- (unlabeled)

type: numeric (float)

range: [100,80000]                           units: 100

unique values: 11                            coded missing: 17 / 31

mean: 15664.3

std. dev: 21665.8

percentiles:           10%           25%           50%           75%           90%

                  1000           2000           5500           25000           30000

mk1b13 ----- (unlabeled)

type: numeric (float)

range: [0,20000]                            units: 100

unique values: 7                            coded missing: 20 / 31

tabulation:   Freq.   Value

1	0
2	300
1	800
2	1000
2	5000
2	10000
1	20000

mk1b14 ----- (unlabeled)

type: string (str9), but longest is str3

unique values: 4                            coded missing: 19 / 31

tabulation:   Freq.   Value

6	"2"
3	"2,7"
1	"3,4"
2	"7"

mk1b15a ----- (unlabeled)

type: numeric (float)

range: [1,5]                                units: 1

unique values: 3                            coded missing: 13 / 31

tabulation:   Freq.   Value

13	1
3	3
2	5

mk1b15b ----- (unlabeled)

type: numeric (float)  
range: [1,6] units: 1  
unique values: 5 coded missing: 17 / 31  
tabulation: Freq. Value  
4 1  
3 3  
1 4  
5 5  
1 6

mk1b16 ----- (unlabeled)

type: numeric (float)  
range: [1,2] units: 1  
unique values: 2 coded missing: 13 / 31  
tabulation: Freq. Value  
1 1  
17 2

mk1b18a ----- (unlabeled)

type: numeric (float)  
range: [2,4] units: 1  
unique values: 3 coded missing: 13 / 31  
tabulation: Freq. Value  
5 2  
11 3  
2 4

mk1b19a ----- (unlabeled)

type: numeric (float)  
range: [1,5] units: 1  
unique values: 5 coded missing: 13 / 31  
tabulation: Freq. Value  
1 1  
3 2  
10 3  
3 4  
1 5

mk1b18b ----- (unlabeled)

type: numeric (float)  
range: [2,5] units: 1



unique values: 4

coded missing: 22 / 31

tabulation:	Freq.	Value
	2	2
	3	3
	3	4
	1	5

mk1b19b ----- (unlabeled)

type: numeric (float)

range: [2,4]

units: 1

unique values: 3

coded missing: 20 / 31

tabulation:	Freq.	Value
	2	2
	5	3
	4	4

File: pt0303.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
mk295g1	31	2.354839	.8385856	1	3
mk295g10	31	63.35484	25.721	0	99
mk295g11	28	35.14286	26.35753	5	100
mk295g12	10	19.3	21.94463	0	72
mk295g13	7	29.71429	25.27657	8	70
mk295g14	25	45.52	29.68743	10	95
mk295g15	6	31.83333	30.1358	10	90
mk295g16	11	25.09091	18.97606	1	70
mk295g17	0				
mk295g1p	30	1.174067	.3382015	.78	1.8
mk288g1	31	2.387097	.843699	1	3
mk288g10	31	55	26.92582	0	90
mk288g11	29	38.55172	28.62764	0	100
mk288g12	10	20.6	12.79931	5	40
mk288g13	5	33.6	33.98235	8	80
mk288g14	22	40.65909	28.74079	2.5	95
mk288g15	7	32.5	34.07223	2.5	100
mk288g16	12	23.83333	20.87553	4	75
mk288g17	0				

. codebook

```
prov ----- (unlabeled)
      type: numeric (byte)
      range: [7,8]
      unique values: 2
      units: 1
      coded missing: 0 / 31
      tabulation: Freq. Value
                   15 7
                   16 8
```

```
county ----- (unlabeled)
      type: numeric (byte)
      range: [71,83]
      unique values: 6
      units: 1
      coded missing: 0 / 31
      tabulation: Freq. Value
                   5 71
                   5 72
                   5 73
                   5 81
                   5 82
                   6 83
```

town ----- (unlabeled)

type: numeric (int)  
 range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31  
 mean: 773.71  
 std. dev: 51.7714  
 percentiles: 10% 25% 50% 75% 90%  
 712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
 range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31  
 mean: 7738.55  
 std. dev: 517.771  
 percentiles: 10% 25% 50% 75% 90%  
 7122 7221 8111 8222 8313

mk295g1 ----- (unlabeled)

type: numeric (byte)  
 range: [1,3] units: 1  
 unique values: 3 coded missing: 0 / 31  
 tabulation: Freq. Value  
 7 1  
 6 2  
 18 3

mk295g10 ----- (unlabeled)

type: numeric (byte)  
 range: [0,99] units: 1  
 unique values: 12 coded missing: 0 / 31  
 mean: 63.3548  
 std. dev: 25.721  
 percentiles: 10% 25% 50% 75% 90%  
 30 40 70 80 90

mk295g11 ----- (unlabeled)

type: numeric (byte)  
 range: [5,100] units: 1



range: [10,90] units: 1  
unique values: 5 coded missing: 25 / 31

tabulation: Freq. Value  
2 10  
1 20  
1 25  
1 36  
1 90

mk295g16 ----- (unlabeled)

type: numeric (byte)

range: [1,70] units: 1  
unique values: 7 coded missing: 20 / 31

tabulation: Freq. Value  
1 1  
3 10  
1 20  
1 25  
3 30  
1 40  
1 70

mk295g17 ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0 coded missing: 31 / 31

tabulation: Freq. Value

mk295g1p ----- (unlabeled)

type: numeric (double)

range: [.78,1.8] units: .001  
unique values: 17 coded missing: 1 / 31

mean: 1.17407  
std. dev: .338202

percentiles: 10% 25% 50% 75% 90%  
.8 .9 1.05 1.5 1.651

mk288g1 ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 0 / 31

tabulation: Freq. Value  
7 1  
5 2

mk288g10 ----- (unlabeled)

```

type: numeric (byte)

range: [0,90] units: 1
unique values: 11 coded missing: 0 / 31

mean: 55
std. dev: 26.9258

percentiles: 10% 25% 50% 75% 90%
              20 30 60 80 90
    
```

mk288g11 ----- (unlabeled)

```

type: numeric (byte)

range: [0,100] units: 1
unique values: 16 coded missing: 2 / 31

mean: 38.5517
std. dev: 28.6276

percentiles: 10% 25% 50% 75% 90%
              5 10 40 56 80
    
```

mk288g12 ----- (unlabeled)

```

type: numeric (byte)

range: [5,40] units: 1
unique values: 9 coded missing: 21 / 31

tabulation: Freq. Value
              1 5
              1 7
              1 10
              1 12
              1 18
              1 20
              1 24
              1 30
              2 40
    
```

mk288g13 ----- (unlabeled)

```

type: numeric (byte)

range: [8,80] units: 1
unique values: 4 coded missing: 26 / 31

tabulation: Freq. Value
              1 8
              2 10
              1 60
    
```

mk288g14 ----- (unlabeled)

```

      type:  numeric (double)

      range:  [2.5,95]                units:  .1
unique values: 13                    coded missing: 9 / 31

      mean:   40.6591
      std. dev: 28.7408

      percentiles:      10%      25%      50%      75%      90%
                       10       20       35       60       84

```

mk288g15 ----- (unlabeled)

```

      type:  numeric (double)

      range:  [2.5,100]               units:  .1
unique values: 7                    coded missing: 24 / 31

      tabulation:  Freq.  Value
                   1    2.5
                   1    5
                   1    8
                   1   30
                   1   40
                   1   42
                   1  100

```

mk288g16 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [4,75]                  units:  1
unique values: 8                    coded missing: 19 / 31

      tabulation:  Freq.  Value
                   1    4
                   3   10
                   1   12
                   1   15
                   3   20
                   1   40
                   1   50
                   1   75

```

mk288g17 ----- (unlabeled)

```

      type:  string (str2), but longest is str0

unique values: 0                    coded missing: 31 / 31

      tabulation:  Freq.  Value

```

File: pt0304.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
mk395g1	31	1.535484	.7387144	1	4
mk395g10	31	33.74194	46.23561	0	100
mk395g11	0				
mk395g12	5	14	10.83974	5	30
mk395g13	0				
mk395g14	8	77.5	30.47247	20	100
mk395g15	6	60	32.24903	10	100
mk395g16	4	62.5	26.29956	40	100
mk395g17	0				
mk395g1p	16	2.4625	.6312686	1.7	4
mk388g1	31	1.567742	.861544	0	4
mk388g10	30	24.5	41.90198	0	100
mk388g11	1	50	.	50	50
mk388g12	3	50	30	20	80
mk388g13	0				
mk388g14	5	44	35.07136	10	100
mk388g15	6	56.66667	31.41125	10	100
mk388g16	4	52.5	37.74917	10	100
mk388g17	1	30	.	30	30

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

6 83



town ----- (unlabeled)

type: numeric (int)

range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31

mean: 773.71  
 std. dev: 51.7714

percentiles:	10%	25%	50%	75%	90%
	712	722	811	822	831

village ----- (unlabeled)

type: numeric (int)

range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31

mean: 7738.55  
 std. dev: 517.771

percentiles:	10%	25%	50%	75%	90%
	7122	7221	8111	8222	8313

mk395g1 ----- (unlabeled)

type: numeric (double)

range: [1,4] units: .1  
 unique values: 5 coded missing: 0 / 31

tabulation:	Freq.	Value
	18	1
	5	2
	6	2.1
	1	3
	1	4

mk395g10 ----- (unlabeled)

type: numeric (byte)

range: [0,100] units: 1  
 unique values: 7 coded missing: 0 / 31

tabulation:	Freq.	Value
	17	0
	1	1
	1	5
	1	20
	1	30
	1	90
	9	100

```

mk395g11 ----- (unlabeled)
      type:  string (str2), but longest is str0
unique values:  0                      coded missing:  31 / 31
      tabulation:  Freq.  Value

mk395g12 ----- (unlabeled)
      type:  numeric (byte)
      range:  [5,30]                      units:  1
unique values:  4                      coded missing:  26 / 31
      tabulation:  Freq.  Value
                   2    5
                   1   10
                   1   20
                   1   30

mk395g13 ----- (unlabeled)
      type:  string (str2), but longest is str0
unique values:  0                      coded missing:  31 / 31
      tabulation:  Freq.  Value

mk395g14 ----- (unlabeled)
      type:  numeric (byte)
      range:  [20,100]                     units:  1
unique values:  5                      coded missing:  23 / 31
      tabulation:  Freq.  Value
                   1   20
                   1   50
                   1   60
                   2   95
                   3  100

mk395g15 ----- (unlabeled)
      type:  numeric (byte)
      range:  [10,100]                     units:  10
unique values:  5                      coded missing:  25 / 31
      tabulation:  Freq.  Value
                   1   10
                   2   50
                   1   60
                   1   90
                   1  100

```

mk395g16 ----- (unlabeled)  
type: numeric (byte)

range: [40,100] units: 10  
unique values: 4 coded missing: 27 / 31

tabulation: Freq. Value  
1 40  
1 50  
1 60  
1 100

mk395g17 ----- (unlabeled)  
type: string (str2), but longest is str0

unique values: 0 coded missing: 31 / 31

tabulation: Freq. Value

mk395g1p ----- (unlabeled)  
type: numeric (double)

range: [1.7,4] units: .1  
unique values: 12 coded missing: 15 / 31

mean: 2.4625  
std. dev: .631269

percentiles: 10% 25% 50% 75% 90%  
1.8 2.05 2.25 2.8 3.4

mk388g1 ----- (unlabeled)  
type: numeric (double)

range: [0,4] units: .1  
unique values: 6 coded missing: 0 / 31

tabulation: Freq. Value  
1 0  
17 1  
3 2  
6 2.1  
3 3  
1 4

mk388g10 ----- (unlabeled)  
type: numeric (byte)

range: [0,100] units: 1  
unique values: 5 coded missing: 1 / 31

tabulation: Freq. Value

```
20 0
 1 5
 2 20
 1 90
 6 100
```

mk388g11 ----- (unlabeled)

```
type: numeric (byte)
range: [50,50] units: 10
unique values: 1 coded missing: 30 / 31
tabulation: Freq. Value
             1 50
```

mk388g12 ----- (unlabeled)

```
type: numeric (byte)
range: [20,80] units: 10
unique values: 3 coded missing: 28 / 31
tabulation: Freq. Value
             1 20
             1 50
             1 80
```

mk388g13 ----- (unlabeled)

```
type: string (str2), but longest is str0
unique values: 0 coded missing: 31 / 31
tabulation: Freq. Value
```

mk388g14 ----- (unlabeled)

```
type: numeric (byte)
range: [10,100] units: 10
unique values: 5 coded missing: 26 / 31
tabulation: Freq. Value
             1 10
             1 20
             1 40
             1 50
             1 100
```

mk388g15 ----- (unlabeled)

```
type: numeric (byte)
range: [10,100] units: 10
unique values: 6 coded missing: 25 / 31
```

```
tabulation:  Freq.  Value
              1   10
              1   40
              1   50
              1   60
              1   80
              1  100
```

mk388g16 ----- (unlabeled)

type: numeric (byte)

range: [10,100] units: 10  
unique values: 4 coded missing: 27 / 31

```
tabulation:  Freq.  Value
              1   10
              1   40
              1   60
              1  100
```

mk388g17 ----- (unlabeled)

type: numeric (byte)

range: [30,30] units: 10  
unique values: 1 coded missing: 30 / 31

```
tabulation:  Freq.  Value
              1   30
```

File: pt0305.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
mk9516	22	590.0409	503.0896	-12	999
mk9517	30	297.3667	467.2038	-20	999
mk9518	23	610.5217	495.4346	-4	999
mk9519	30	366.9333	489.1735	-10	999
mk8816	22	640.6364	485.2748	0	999
mk8817	30	273.0333	445.5798	-10	999
mk8818	23	650.7826	487.6391	-40	999
mk8819	29	315.1034	467.3146	-40	999

. codebook

prov ----- (unlabeled)  
          type: numeric (byte)

          range: [7,8]  units: 1  
unique values: 2  coded missing: 0 / 31

          tabulation: Freq. Value  
                          15 7  
                          16 8

county ----- (unlabeled)  
          type: numeric (byte)

          range: [71,83]  units: 1  
unique values: 6  coded missing: 0 / 31

          tabulation: Freq. Value  
                          5 71  
                          5 72  
                          5 73  
                          5 81  
                          5 82  
                          6 83

town ----- (unlabeled)  
          type: numeric (int)

          range: [711,833]  units: 1  
unique values: 18  coded missing: 0 / 31

          mean: 773.71  
          std. dev: 51.7714

percentiles:            10%            25%            50%            75%            90%  
                           712            722            811            822            831

village ----- (unlabeled)

          type: numeric (int)  
           range: [7111,8331]                                    units: 1  
 unique values: 31                                    coded missing: 0 / 31  
           mean: 7738.55  
           std. dev: 517.771

percentiles:            10%            25%            50%            75%            90%  
                           7122            7221            8111            8222            8313

mk9516 ----- (unlabeled)

          type: numeric (double)  
           range: [-12,999]                                    units: .1  
 unique values: 7                                    coded missing: 9 / 31

tabulation: Freq. Value  
                   1 -12  
                   1 -10  
                   1 -.1  
                   3 0  
                   1 4  
                   2 6  
                   13 999

mk9517 ----- (unlabeled)

          type: numeric (int)  
           range: [-20,999]                                    units: 1  
 unique values: 8                                    coded missing: 1 / 31

tabulation: Freq. Value  
                   1 -20  
                   4 -10  
                   1 -5  
                   2 -4  
                   1 -3  
                   11 0  
                   1 6  
                   9 999

mk9518 ----- (unlabeled)

          type: numeric (int)  
           range: [-4,999]                                    units: 1  
 unique values: 7                                    coded missing: 8 / 31

tabulation: Freq. Value

```

      1 -4
      2  0
      1  2
      2  4
      1 10
      2 20
     14 999

```

mk9519 ----- (unlabeled)

```

      type: numeric (int)
      range: [-10,999]           units: 1
unique values: 8                coded missing: 1 / 31

```

```

tabulation: Freq.  Value
             1   -10
             1    -3
             1    -2
            12     0
             2     2
             1    10
             1    20
            11   999

```

mk8816 ----- (unlabeled)

```

      type: numeric (int)
      range: [0,999]           units: 1
unique values: 7                coded missing: 9 / 31

```

```

tabulation: Freq.  Value
             1     0
             1     2
             1     6
             2    10
             1    20
             2    30
            14   999

```

mk8817 ----- (unlabeled)

```

      type: numeric (int)
      range: [-10,999]       units: 1
unique values: 14           coded missing: 1 / 31

```

```

      mean: 273.033
      std. dev: 445.58

```

```

percentiles:      10%      25%      50%      75%      90%
                 -4        0        10       999      999

```

mk8818 ----- (unlabeled)

```

      type: numeric (int)

```



range: [-40,999] units: 1  
unique values: 8 coded missing: 8 / 31

tabulation: Freq. Value  
1 -40  
1 -14  
2 0  
1 3  
1 4  
1 10  
1 20  
15 999

mk8819 ----- (unlabeled)

type: numeric (int)

range: [-40,999] units: 1  
unique values: 12 coded missing: 2 / 31

mean: 315.103  
std. dev: 467.315

percentiles: 10% 25% 50% 75% 90%  
-6 0 10 999 999

File: NPT0401.DTA

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ve1	12	1987.333	6.945677	1973	1993
ve295	12	4.916667	2.968267	1	8
ve2yr	11	4.636364	2.941861	1	8
ve3_1	12	1	0	1	1
ve3_2	12	1.666667	.9847319	1	4
ve3_3	12	43	4.880387	34	51
ve3_4	12	5	.7385489	3	6
ve3_5	12	4.75	5.642775	1	20
ve3_6	12	1992.917	3.528026	1983	1997
ve3_7a	12	5.75	1.815339	1	7
ve3_7b	2	4	0	4	4

. codebook

prov ----- (unlabeled)  
type: numeric (float)  
range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)  
type: numeric (float)  
range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31  
tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)  
type: numeric (float)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31

mean: 773.71  
std. dev: 51.7714

percentiles:           10%           25%           50%           75%           90%  
                  712           722           811           822           831

village ----- (unlabeled)

type: numeric (float)

range: [7111,8331]                   units: 1  
unique values: 31                    coded missing: 0 / 31

mean: 7738.55  
std. dev: 517.771

percentiles:           10%           25%           50%           75%           90%  
                  7122           7221           8111           8222           8313

ve1 ----- (unlabeled)

type: numeric (float)

range: [1973,1993]                   units: 1  
unique values: 7                    coded missing: 19 / 31

tabulation:   Freq.   Value  
                  1   1973  
                  1   1976  
                  1   1984  
                  2   1985  
                  1   1989  
                  2   1992  
                  4   1993

ve295 ----- (unlabeled)

type: numeric (float)

range: [1,8]                        units: 1  
unique values: 5                    coded missing: 19 / 31

tabulation:   Freq.   Value  
                  1   1  
                  3   2  
                  2   3  
                  1   6  
                  5   8

ve2yr ----- (unlabeled)

type: numeric (float)

range: [1,8]                        units: 1  
unique values: 5                    coded missing: 20 / 31

tabulation:   Freq.   Value

1 1  
3 2  
2 3  
1 6  
4 8

ve3\_1 ----- (unlabeled)

type: numeric (float)  
range: [1,1] units: 1  
unique values: 1 coded missing: 19 / 31  
tabulation: Freq. Value  
12 1

ve3\_2 ----- (unlabeled)

type: numeric (float)  
range: [1,4] units: 1  
unique values: 4 coded missing: 19 / 31  
tabulation: Freq. Value  
7 1  
3 2  
1 3  
1 4

ve3\_3 ----- (unlabeled)

type: numeric (float)  
range: [34,51] units: 1  
unique values: 9 coded missing: 19 / 31  
tabulation: Freq. Value  
1 34  
1 37  
2 41  
3 42  
1 43  
1 46  
1 48  
1 49  
1 51

ve3\_4 ----- (unlabeled)

type: numeric (float)  
range: [3,6] units: 1  
unique values: 3 coded missing: 19 / 31  
tabulation: Freq. Value  
1 3  
9 5

ve3\_5 ----- (unlabeled)

type: numeric (float)  
 range: [1,20] units: 1  
 unique values: 6 coded missing: 19 / 31

tabulation:	Freq.	Value
	3	1
	2	2
	2	3
	3	4
	1	12
	1	20

ve3\_6 ----- (unlabeled)

type: numeric (float)  
 range: [1983,1997] units: 1  
 unique values: 7 coded missing: 19 / 31

tabulation:	Freq.	Value
	1	1983
	3	1992
	3	1993
	1	1994
	2	1995
	1	1996
	1	1997

ve3\_7a ----- (unlabeled)

type: numeric (float)  
 range: [1,7] units: 1  
 unique values: 5 coded missing: 19 / 31

tabulation:	Freq.	Value
	1	1
	1	4
	2	5
	2	6
	6	7

ve3\_7b ----- (unlabeled)

type: numeric (float)  
 range: [4,4] units: 1  
 unique values: 1 coded missing: 29 / 31

tabulation:	Freq.	Value
	2	4



File: pt0402.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ve4	12	4	1.809068	1	5
ve5_195	12	2.416667	.9003366	1	3
ve5_295	12	2.416667	.9003366	1	3
ve5_395	12	1.833333	.9374369	1	3
ve5_495	12	2.5	1	1	4
ve5_595	12	1.416667	.9003366	1	4
ve5_695	12	1.75	.9653073	1	3
ve5_1yr	10	2.2	1.032796	1	3
ve5_2yr	10	2.1	.9944289	1	3
ve5_3yr	10	1.5	.8498366	1	3
ve5_4yr	10	2.2	1.135292	1	4
ve5_5yr	10	1.4	.9660918	1	4
ve5_6yr	10	1.8	1.032796	1	3
ve6_195	12	1.5	.6741999	1	3
ve6_295	12	1.833333	.9374369	1	3
ve6_395	12	1.583333	.7929615	1	3
ve6_1yr	10	1.7	.8232726	1	3
ve6_2yr	10	2.1	.9944289	1	3
ve6_3yr	10	1.8	.9189366	1	3
ve795	11	3.545455	1.572491	1	5
ve7yr	9	3.333333	2.061553	1	6

. codebook

prov ----- (unlabeled)  
type: numeric (byte)  
range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)  
type: numeric (byte)  
range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31  
tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81

5 82  
6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

ve4 ----- (unlabeled)

type: numeric (byte)  
range: [1,5] units: 1  
unique values: 2 coded missing: 19 / 31  
tabulation: Freq. Value  
3 1  
9 5

ve5\_195 ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 3 coded missing: 19 / 31  
tabulation: Freq. Value  
3 1  
1 2  
8 3

ve5\_295 ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1





ve5\_1yr ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 2 coded missing: 21 / 31

tabulation: Freq. Value  
4 1  
6 3

ve5\_2yr ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 21 / 31

tabulation: Freq. Value  
4 1  
1 2  
5 3

ve5\_3yr ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 21 / 31

tabulation: Freq. Value  
7 1  
1 2  
2 3

ve5\_4yr ----- (unlabeled)  
type: numeric (byte)

range: [1,4] units: 1  
unique values: 4 coded missing: 21 / 31

tabulation: Freq. Value  
4 1  
1 2  
4 3  
1 4

ve5\_5yr ----- (unlabeled)  
type: numeric (byte)

range: [1,4] units: 1  
unique values: 3 coded missing: 21 / 31

tabulation: Freq. Value  
8 1  
1 2

ve5\_6yr ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1

unique values: 2 coded missing: 21 / 31

tabulation: Freq. Value

6	1
4	3

ve6\_195 ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1

unique values: 3 coded missing: 19 / 31

tabulation: Freq. Value

7	1
4	2
1	3

ve6\_295 ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1

unique values: 3 coded missing: 19 / 31

tabulation: Freq. Value

6	1
2	2
4	3

ve6\_395 ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1

unique values: 3 coded missing: 19 / 31

tabulation: Freq. Value

7	1
3	2
2	3

ve6\_1yr ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1

unique values: 3 coded missing: 21 / 31

tabulation: Freq. Value

5 1  
3 2  
2 3

ve6\_2yr ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 3 coded missing: 21 / 31  
tabulation: Freq. Value  
4 1  
1 2  
5 3

ve6\_3yr ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 3 coded missing: 21 / 31  
tabulation: Freq. Value  
5 1  
2 2  
3 3

ve795 ----- (unlabeled)

type: numeric (byte)  
range: [1,5] units: 1  
unique values: 5 coded missing: 20 / 31  
tabulation: Freq. Value  
2 1  
1 2  
1 3  
3 4  
4 5

ve7yr ----- (unlabeled)

type: numeric (byte)  
range: [1,6] units: 1  
unique values: 5 coded missing: 22 / 31  
tabulation: Freq. Value  
3 1  
1 2  
1 4  
3 5  
1 6

File: pt0403.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ve8_0	6	1993.667	1.861899	1992	1996
ve8_1	6	3.333333	1.505545	1	5
ve8_2	5	47200	47949.97	6000	130000
ve9_095	6	5.666667	5.202563	0	15
ve9_195	5	29	40.5216	0	100
ve9_295	5	2.6	.5477226	2	3
ve9_395	5	480	238.7467	200	800
ve9_495	5	3	0	3	3
ve10_095	12	5389.417	11775.75	0	39000
ve10_195	9	45.66667	40.58017	0	100
ve10_295	9	1.666667	.5	1	2
ve10_395	9	168.5	305.5947	1.5	800
ve10_495	9	2.777778	.6666667	1	3
ve9_0yr	4	11.25	12.99679	0	30
ve9_1yr	3	6.333333	4.041452	2	10
ve9_2yr	3	2.333333	.5773503	2	3
ve9_3yr	3	400	100	300	500
ve9_4yr	3	3	0	3	3
ve10_0yr	10	2650.5	4302.491	0	12000
ve10_1yr	7	22.85714	40.70802	0	100
ve10_2yr	7	1.571429	.5345225	1	2
ve10_3yr	7	149.4714	265.8989	2.3	700
ve10_4yr	7	2.714286	.7559289	1	3

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)  
    type: numeric (int)  
    range: [711,833]                    units: 1  
unique values: 18                    coded missing: 0 / 31  
    mean: 773.71  
    std. dev: 51.7714  
    percentiles:    10%    25%    50%    75%    90%  
                    712    722    811    822    831

village ----- (unlabeled)  
    type: numeric (int)  
    range: [7111,8331]                  units: 1  
unique values: 31                    coded missing: 0 / 31  
    mean: 7738.55  
    std. dev: 517.771  
    percentiles:    10%    25%    50%    75%    90%  
                    7122    7221    8111    8222    8313

ve8\_0 ----- (unlabeled)  
    type: numeric (int)  
    range: [1992,1996]                  units: 1  
unique values: 3                    coded missing: 25 / 31  
    tabulation: Freq. Value  
                  2 1992  
                  2 1993  
                  2 1996

ve8\_1 ----- (unlabeled)  
    type: numeric (byte)  
    range: [1,5]                        units: 1  
unique values: 3                    coded missing: 25 / 31  
    tabulation: Freq. Value  
                  1 1  
                  3 3  
                  2 5

ve8\_2 ----- (unlabeled)

```

        type: numeric (long)
        range: [6000,130000]
unique values: 4
                                units: 1000
                                coded missing: 26 / 31

    tabulation: Freq.  Value
                  1   6000
                  2  30000
                  1  40000
                  1 130000

```

ve9\_095 ----- (unlabeled)

```

        type: numeric (byte)
        range: [0,15]
unique values: 5
                                units: 1
                                coded missing: 25 / 31

    tabulation: Freq.  Value
                  1   0
                  1   2
                  2   5
                  1   7
                  1  15

```

ve9\_195 ----- (unlabeled)

```

        type: numeric (byte)
        range: [0,100]
unique values: 5
                                units: 1
                                coded missing: 26 / 31

    tabulation: Freq.  Value
                  1   0
                  1   7
                  1  18
                  1  20
                  1 100

```

ve9\_295 ----- (unlabeled)

```

        type: numeric (byte)
        range: [2,3]
unique values: 2
                                units: 1
                                coded missing: 26 / 31

    tabulation: Freq.  Value
                  2   2
                  3   3

```

ve9\_395 ----- (unlabeled)

```

        type: numeric (int)
        range: [200,800]
unique values: 5
                                units: 100
                                coded missing: 26 / 31

```

```

tabulation:  Freq.  Value
              1    200
              1    300
              1    500
              1    600
              1    800

```

ve9\_495 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [3,3]                units:  1
unique values: 1                coded missing: 26 / 31

```

```

tabulation:  Freq.  Value
              5     3

```

ve10\_095 ----- (unlabeled)

```

      type:  numeric (long)

      range:  [0,39000]           units:  1
unique values: 10                coded missing: 19 / 31

```

```

      mean:   5389.42
      std. dev: 11775.8

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        7.5      30       3475     18000

```

ve10\_195 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [0,100]            units:  1
unique values: 8                coded missing: 22 / 31

```

```

tabulation:  Freq.  Value
              2     0
              1    15
              1    30
              1    33
              1    45
              1    90
              1    98
              1   100

```

ve10\_295 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,2]              units:  1
unique values: 2                coded missing: 22 / 31

```

```

tabulation:  Freq.  Value
              3     1
              6     2

```



ve10\_395 ----- (unlabeled)

type: numeric (double)

range: [1.5,800] units: .1  
unique values: 8 coded missing: 22 / 31

tabulation:	Freq.	Value
	1	1.5
	1	8
	1	12
	1	15
	1	20
	2	30
	1	600
	1	800

ve10\_495 ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1  
unique values: 2 coded missing: 22 / 31

tabulation:	Freq.	Value
	1	1
	8	3

ve9\_0yr ----- (unlabeled)

type: numeric (byte)

range: [0,30] units: 1  
unique values: 4 coded missing: 27 / 31

tabulation:	Freq.	Value
	1	0
	1	7
	1	8
	1	30

ve9\_1yr ----- (unlabeled)

type: numeric (byte)

range: [2,10] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation:	Freq.	Value
	1	2
	1	7
	1	10

ve9\_2yr ----- (unlabeled)

type: numeric (byte)

range: [2,3] units: 1  
unique values: 2 coded missing: 28 / 31

tabulation: Freq. Value  
2 2  
1 3

ve9\_3yr ----- (unlabeled)

type: numeric (int)  
range: [300,500] units: 100  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 300  
1 400  
1 500

ve9\_4yr ----- (unlabeled)

type: numeric (byte)  
range: [3,3] units: 1  
unique values: 1 coded missing: 28 / 31

tabulation: Freq. Value  
3 3

ve10\_0yr ----- (unlabeled)

type: numeric (int)  
range: [0,12000] units: 1  
unique values: 8 coded missing: 21 / 31

tabulation: Freq. Value  
3 0  
1 15  
1 40  
1 750  
1 2000  
1 2700  
1 9000  
1 12000

ve10\_1yr ----- (unlabeled)

type: numeric (byte)  
range: [0,100] units: 10  
unique values: 3 coded missing: 24 / 31

tabulation: Freq. Value  
5 0  
1 60

1 100

ve10\_2yr ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 24 / 31

tabulation:	Freq.	Value
	3	1
	4	2

ve10\_3yr ----- (unlabeled)

type: numeric (double)

range: [2.3,700] units: .1  
unique values: 7 coded missing: 24 / 31

tabulation:	Freq.	Value
	1	2.3
	1	6
	1	8
	1	10
	1	20
	1	300
	1	700

ve10\_4yr ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1  
unique values: 2 coded missing: 24 / 31

tabulation:	Freq.	Value
	1	1
	6	3

File: pt0404a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ve11_1	12	50.41667	121.5023	0	400
ve11_2	12	0	0	0	0
ve11_3	12	5.333333	11.82704	0	38
ve12_1	12	35.1	54.76912	0	200
ve12_2	12	0	0	0	0
ve12_3	12	0	0	0	0
ve12_4	12	77.25	228.5922	0	800
ve13	12	1991.167	3.809876	1984	1996
ve14_1	6	21.333333	22.32189	3	50
ve14_2	3	24	23.06513	2	48
ve14_3	1	2	.	2	2
ve14_4	1	1	.	1	1
ve14_5	2	17.425	17.78374	4.85	30
ve14_6	1	6	.	6	6
ve14_7	0				
ve14_8	1	3.4	.	3.4	3.4
ve14_9	0				
ve14_10	0				
ve14_11	0				
ve14_12	4	23.9	14.68015	5.6	40

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

town ----- (unlabeled)

```

      type: numeric (int)
      range: [711,833]          units: 1
unique values: 18              coded missing: 0 / 31
      mean: 773.71
      std. dev: 51.7714
percentiles:    10%    25%    50%    75%    90%
                712    722    811    822    831

```

village ----- (unlabeled)

```

      type: numeric (int)
      range: [7111,8331]       units: 1
unique values: 31              coded missing: 0 / 31
      mean: 7738.55
      std. dev: 517.771
percentiles:    10%    25%    50%    75%    90%
                7122    7221    8111    8222    8313

```

ve11\_1 ----- (unlabeled)

```

      type: numeric (int)
      range: [0,400]           units: 1
unique values: 5              coded missing: 19 / 31
      tabulation: Freq.  Value
                  8     0
                  1     3
                  1    22
                  1   180
                  1   400

```

ve11\_2 ----- (unlabeled)

```

      type: numeric (byte)
      range: [0,0]             units: 0
unique values: 1              coded missing: 19 / 31
      tabulation: Freq.  Value
                  12     0

```

ve11\_3 ----- (unlabeled)

```

      type: numeric (byte)
      range: [0,38]           units: 1

```



ve13 ----- (unlabeled)

type: numeric (int)  
range: [1984,1996] units: 1  
unique values: 8 coded missing: 19 / 31

tabulation:	Freq.	Value
	1	1984
	1	1985
	1	1988
	1	1989
	2	1992
	2	1993
	3	1994
	1	1996

ve14\_1 ----- (unlabeled)

type: numeric (byte)  
range: [3,50] units: 1  
unique values: 5 coded missing: 25 / 31

tabulation:	Freq.	Value
	1	3
	1	7
	1	8
	1	10
	2	50

ve14\_2 ----- (unlabeled)

type: numeric (byte)  
range: [2,48] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation:	Freq.	Value
	1	2
	1	22
	1	48

ve14\_3 ----- (unlabeled)

type: numeric (byte)  
range: [2,2] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation:	Freq.	Value
	1	2

ve14\_4 ----- (unlabeled)

type: numeric (byte)  
range: [1,1] units: 1







File: pt0404b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ve15_ayr	7	22.91429	17.65176	1.4	40
ve15_byr	7	21.71429	17.37541	7	50
ve15_cyr	7	20.28571	17.20188	4	50
ve15_dyr	7	28.42857	29.64151	4	90
ve15_eyr	7	3.1	2.176388	0	6
ve15_fyr	7	.5857143	.7448234	0	2
ve15_gyr	7	1.771429	1.303475	0	4
ve15_a93	10	65.1	64.77731	10	200
ve15_b93	10	46.84	42.80424	7	150
ve15_c93	10	36.58	29.90139	5	100
ve15_d93	10	31.3	23.54688	4	70
ve15_e93	10	4.97	11.03872	-20	20
ve15_f93	10	11.252	31.22695	0	100
ve15_g93	11	5	4.646719	0	13.4
ve15_a94	10	50.66	49.47188	10	150
ve15_b94	10	60.56	57.81909	6	190
ve15_c94	10	48.88	56.81066	5	190
ve15_d94	10	32.7	23.85628	4	70
ve15_e94	10	10.72	10.16495	-.4	25
ve15_f94	10	11.295	31.21284	0	100
ve15_g94	11	4.718182	4.739793	0	13.4
ve15_a95	11	62	76.41858	4	250
ve15_b95	11	65.54545	63.19076	3	215
ve15_c95	11	51.36364	61.38774	11	210
ve15_d95	11	27.27273	18.1609	4	60
ve15_e95	11	-9084.482	30152.94	-99999	30
ve15_f95	11	12.22273	29.63236	0	100
ve15_g95	12	4	4.241784	0	13.4
ve16_a	8	1.25	.46291	1	2
ve16_b	10	1.1	.3162278	1	2
ve16_c	7	1.571429	.5345225	1	2
ve16_d	7	1.571429	.5345225	1	2
ve16_e	4	2	0	2	2
ve16_f	1	2	.	2	2

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)  
range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31

mean: 773.71  
std. dev: 51.7714

percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31

mean: 7738.55  
std. dev: 517.771

percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

ve15\_ayr ----- (unlabeled)

type: numeric (double)  
range: [1.4,40] units: .1  
unique values: 6 coded missing: 24 / 31

tabulation: Freq. Value  
1 1.4  
1 5  
1 7  
1 30  
1 37  
2 40

ve15\_byr ----- (unlabeled)  
type: numeric (byte)

range: [7,50] units: 1  
unique values: 6 coded missing: 24 / 31

tabulation: Freq. Value  
2 7  
1 8  
1 15  
1 25  
1 40  
1 50

ve15\_cyr ----- (unlabeled)  
type: numeric (byte)

range: [4,50] units: 1  
unique values: 7 coded missing: 24 / 31

tabulation: Freq. Value  
1 4  
1 5  
1 11  
1 12  
1 25  
1 35  
1 50

ve15\_dyr ----- (unlabeled)  
type: numeric (byte)

range: [4,90] units: 1  
unique values: 5 coded missing: 24 / 31

tabulation: Freq. Value  
1 4  
1 7  
1 8  
3 30  
1 90

ve15\_eyr ----- (unlabeled)  
type: numeric (double)

range: [0,6] units: .1  
unique values: 7 coded missing: 24 / 31

tabulation: Freq. Value  
1 0  
1 1  
1 2  
1 3.7

1 4  
1 5  
1 6

ve15\_fyr ----- (unlabeled)

type: numeric (double)  
range: [0,2] units: .1  
unique values: 5 coded missing: 24 / 31

tabulation:	Freq.	Value
	3	0
	1	.3
	1	.8
	1	1
	1	2

ve15\_gyr ----- (unlabeled)

type: numeric (double)  
range: [0,4] units: .1  
unique values: 4 coded missing: 24 / 31

tabulation:	Freq.	Value
	1	0
	1	.4
	4	2
	1	4

ve15\_a93 ----- (unlabeled)

type: numeric (int)  
range: [10,200] units: 1  
unique values: 8 coded missing: 21 / 31

tabulation:	Freq.	Value
	2	10
	1	14
	1	32
	1	35
	2	50
	1	100
	1	150
	1	200

ve15\_b93 ----- (unlabeled)

type: numeric (double)  
range: [7,150] units: .1  
unique values: 10 coded missing: 21 / 31

mean: 46.84  
std. dev: 42.8042

percentiles:	10%	25%	50%	75%	90%
	8.5	20	34.1	60	115

ve15\_c93 ----- (unlabeled)

```

type: numeric (double)

range: [5,100]          units: .1
unique values: 10      coded missing: 21 / 31

mean: 36.58
std. dev: 29.9014

percentiles: 10%    25%    50%    75%    90%
              8     13.6   29.5   50     85

```

ve15\_d93 ----- (unlabeled)

```

type: numeric (byte)

range: [4,70]          units: 1
unique values: 9      coded missing: 21 / 31

tabulation: Freq.  Value
              1    4
              1   10
              1   14
              2   15
              1   30
              1   40
              1   55
              1   60
              1   70

```

ve15\_e93 ----- (unlabeled)

```

type: numeric (double)

range: [-20,20]       units: .1
unique values: 9      coded missing: 21 / 31

tabulation: Freq.  Value
              1  -20
              1  -2
              2   2
              1  3.7
              1   7
              1  10
              1  12
              1  15
              1  20

```

ve15\_f93 ----- (unlabeled)

```

type: numeric (double)

```

range: [0,100] units: .01  
unique values: 7 coded missing: 21 / 31

tabulation: Freq. Value  
3 0  
1 .12  
1 .4  
2 2  
1 3  
1 5  
1 100

ve15\_g93 ----- (unlabeled)

type: numeric (double)

range: [0,13.4] units: .1  
unique values: 9 coded missing: 20 / 31

tabulation: Freq. Value  
1 0  
1 .6  
2 2  
2 3  
1 4  
1 5  
1 10  
1 12  
1 13.4

ve15\_a94 ----- (unlabeled)

type: numeric (double)

range: [10,150] units: .1  
unique values: 8 coded missing: 21 / 31

tabulation: Freq. Value  
1 10  
2 14  
2 20  
1 37  
1 41.6  
1 80  
1 120  
1 150

ve15\_b94 ----- (unlabeled)

type: numeric (double)

range: [6,190] units: .1  
unique values: 10 coded missing: 21 / 31

mean: 60.56  
std. dev: 57.8191

percentiles:	10%	25%	50%	75%	90%
	8	20	46	86	155

ve15\_c94 ----- (unlabeled)

type: numeric (double)

range: [5,190] units: .1  
unique values: 9 coded missing: 21 / 31

tabulation:	Freq.	Value
	1	5
	1	11
	1	13.2
	1	15.6
	1	24
	2	40
	1	50
	1	100
	1	190

ve15\_d94 ----- (unlabeled)

type: numeric (byte)

range: [4,70] units: 1  
unique values: 9 coded missing: 21 / 31

tabulation:	Freq.	Value
	1	4
	1	10
	2	15
	1	18
	1	30
	1	50
	1	55
	1	60
	1	70

ve15\_e94 ----- (unlabeled)

type: numeric (double)

range: [-.4,25] units: .1  
unique values: 9 coded missing: 21 / 31

tabulation:	Freq.	Value
	1	-.4
	1	0
	1	2
	1	3
	1	3.6
	1	12
	2	20
	1	22
	1	25



ve15\_f94 ----- (unlabeled)  
type: numeric (double)

range: [0,100] units: .01  
unique values: 8 coded missing: 21 / 31

tabulation: Freq. Value  
3 0  
1 .15  
1 .4  
1 2  
1 2.4  
1 3  
1 5  
1 100

ve15\_g94 ----- (unlabeled)  
type: numeric (double)

range: [0,13.4] units: .1  
unique values: 9 coded missing: 20 / 31

tabulation: Freq. Value  
1 0  
1 .6  
1 1.9  
2 2  
2 3  
1 4  
1 10  
1 12  
1 13.4

ve15\_a95 ----- (unlabeled)  
type: numeric (int)

range: [4,250] units: 1  
unique values: 11 coded missing: 20 / 31

mean: 62  
std. dev: 76.4186

percentiles: 10% 25% 50% 75% 90%  
10 14 30 100 150

ve15\_b95 ----- (unlabeled)  
type: numeric (int)

range: [3,215] units: 1  
unique values: 10 coded missing: 20 / 31

mean: 65.5455  
std. dev: 63.1908

percentiles:	10%	25%	50%	75%	90%
	20	20	50	76	150

ve15\_c95 ----- (unlabeled)

type: numeric (int)

range: [11,210] units: 1

unique values: 9 coded missing: 20 / 31

tabulation:	Freq.	Value
	1	11
	1	13
	2	15
	1	17
	1	24
	1	40
	2	50
	1	120
	1	210

ve15\_d95 ----- (unlabeled)

type: numeric (byte)

range: [4,60] units: 1

unique values: 10 coded missing: 20 / 31

mean: 27.2727

std. dev: 18.1609

percentiles:	10%	25%	50%	75%	90%
	10	15	21	40	55

ve15\_e95 ----- (unlabeled)

type: numeric (double)

range: [-99999,30] units: .1

unique values: 9 coded missing: 20 / 31

tabulation:	Freq.	Value
	1	-99999
	1	-20
	1	-2
	2	0
	1	1.5
	1	2.2
	1	8
	1	20
	2	30

ve15\_f95 ----- (unlabeled)

type: numeric (double)

range: [0,100] units: .01  
unique values: 8 coded missing: 20 / 31

tabulation: Freq. Value  
3 0  
1 .15  
1 .3  
1 2  
1 3  
2 5  
1 19  
1 100

ve15\_g95 ----- (unlabeled)

type: numeric (double)

range: [0,13.4] units: .1  
unique values: 8 coded missing: 19 / 31

tabulation: Freq. Value  
2 0  
1 .6  
3 2  
2 3  
1 4  
1 8  
1 10  
1 13.4

ve16\_a ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 23 / 31

tabulation: Freq. Value  
6 1  
2 2

ve16\_b ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 21 / 31

tabulation: Freq. Value  
9 1  
1 2

ve16\_c ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1



File: pt0405a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ve17_1a	6	50	20	20	80
ve17_2a	4	55	23.80476	30	80
ve17_4a	1	40	.	40	40
ve17_5a	6	46.66667	35.0238	10	100
ve17_6a	1	20	.	20	20
ve17_7a	1	20	.	20	20
ve17_8a	0				
ve17_1b	5	2	1.414214	1	4
ve17_2b	2	3.5	3.535534	1	6
ve17_4b	1	4	.	4	4
ve17_5b	5	2.2	2.167948	1	6
ve17_6b	1	2	.	2	2
ve17_7b	0				
ve17_8b	0				
ve17_1c	5	72	40.86563	10	100
ve17_2c	2	65	49.49747	30	100
ve17_4c	1	100	.	100	100
ve17_5c	5	40	54.77226	0	100
ve17_6c	1	0	.	0	0
ve17_7c	0				
ve17_8c	0				
ve17_1d	5	2.4	.8944272	1	3
ve17_2d	2	2	1.414214	1	3
ve17_4d	1	3	.	3	3
ve17_5d	1	3	.	3	3
ve17_6d	0				
ve17_7d	0				
ve17_8d	0				

. codebook

prov ----- (unlabeled)

```

type: numeric (byte)
range: [7,8] units: 1
unique values: 2 coded missing: 0 / 31
tabulation: Freq. Value
              15 7
              16 8

```

county ----- (unlabeled)

```

type: numeric (byte)
range: [71,83] units: 1

```



```

tabulation:  Freq.  Value
              1    30
              1    40
              1    70
              1    80

```

ve17\_4a ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [40,40]                units:  10
unique values: 1                    coded missing: 30 / 31

      tabulation:  Freq.  Value
                   1    40

```

ve17\_5a ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [10,100]              units:  10
unique values: 5                    coded missing: 25 / 31

      tabulation:  Freq.  Value
                   2    10
                   1    40
                   1    50
                   1    70
                   1   100

```

ve17\_6a ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [20,20]                units:  10
unique values: 1                    coded missing: 30 / 31

      tabulation:  Freq.  Value
                   1    20

```

ve17\_7a ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [20,20]                units:  10
unique values: 1                    coded missing: 30 / 31

      tabulation:  Freq.  Value
                   1    20

```

ve17\_8a ----- (unlabeled)

```

      type:  string (str2), but longest is str0

unique values: 0                    coded missing: 31 / 31

      tabulation:  Freq.  Value

```

ve17\_1b ----- (unlabeled)

type: numeric (byte)

range: [1,4] units: 1  
unique values: 3 coded missing: 26 / 31

tabulation: Freq. Value  
3 1  
1 3  
1 4

ve17\_2b ----- (unlabeled)

type: numeric (byte)

range: [1,6] units: 1  
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value  
1 1  
1 6

ve17\_4b ----- (unlabeled)

type: numeric (byte)

range: [4,4] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 4

ve17\_5b ----- (unlabeled)

type: numeric (byte)

range: [1,6] units: 1  
unique values: 3 coded missing: 26 / 31

tabulation: Freq. Value  
3 1  
1 2  
1 6

ve17\_6b ----- (unlabeled)

type: numeric (byte)

range: [2,2] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 2



```

ve17_7b ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                      coded missing: 31 / 31
      tabulation: Freq. Value

ve17_8b ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                      coded missing: 31 / 31
      tabulation: Freq. Value

ve17_1c ----- (unlabeled)
      type: numeric (byte)
      range: [10,100]                  units: 10
unique values: 3                      coded missing: 26 / 31
      tabulation: Freq. Value
                   1  10
                   1  50
                   3  100

ve17_2c ----- (unlabeled)
      type: numeric (byte)
      range: [30,100]                 units: 10
unique values: 2                      coded missing: 29 / 31
      tabulation: Freq. Value
                   1  30
                   1  100

ve17_4c ----- (unlabeled)
      type: numeric (byte)
      range: [100,100]                units: 100
unique values: 1                      coded missing: 30 / 31
      tabulation: Freq. Value
                   1  100

ve17_5c ----- (unlabeled)
      type: numeric (byte)
      range: [0,100]                  units: 100
unique values: 2                      coded missing: 26 / 31
      tabulation: Freq. Value
                   3  0

```

```

ve17_6c ----- (unlabeled)
      type: numeric (byte)
           range: [0,0]                units: 0
unique values: 1                      coded missing: 30 / 31
           tabulation: Freq. Value
                       1 0

ve17_7c ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                      coded missing: 31 / 31
           tabulation: Freq. Value

ve17_8c ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                      coded missing: 31 / 31
           tabulation: Freq. Value

ve17_1d ----- (unlabeled)
      type: numeric (byte)
           range: [1,3]                units: 1
unique values: 3                      coded missing: 26 / 31
           tabulation: Freq. Value
                       1 1
                       1 2
                       3 3

ve17_2d ----- (unlabeled)
      type: numeric (byte)
           range: [1,3]                units: 1
unique values: 2                      coded missing: 29 / 31
           tabulation: Freq. Value
                       1 1
                       1 3

ve17_4d ----- (unlabeled)
      type: numeric (byte)
           range: [3,3]                units: 1
unique values: 1                      coded missing: 30 / 31

```

tabulation: Freq. Value  
                  1 3

ve17\_5d ----- (unlabeled)

          type: numeric (byte)

          range: [3,3]

          units: 1

unique values: 1

          coded missing: 30 / 31

tabulation: Freq. Value  
                  1 3

ve17\_6d ----- (unlabeled)

          type: string (str2), but longest is str0

unique values: 0

          coded missing: 31 / 31

tabulation: Freq. Value

ve17\_7d ----- (unlabeled)

          type: string (str2), but longest is str0

unique values: 0

          coded missing: 31 / 31

tabulation: Freq. Value

ve17\_8d ----- (unlabeled)

          type: string (str2), but longest is str0

unique values: 0

          coded missing: 31 / 31

tabulation: Freq. Value

.

File: pt0405b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
ve19_1a	5	94	13.41641	70	100
ve19_2a	0				
ve19_3a	0				
ve19_4a	0				
ve19_5a	0				
ve19_6a	2	65	49.49747	30	100
ve19_7a	0				
ve19_8a	3	100	0	100	100
ve19_1b	5	3.2	1.095445	2	4
ve19_2b	0				
ve19_3b	0				
ve19_4b	0				
ve19_5b	0				
ve19_6b	2	5	1.414214	4	6
ve19_7b	0				
ve19_8b	3	3.333333	1.154701	2	4
ve19_1c	5	4.6	1.67332	3	7
ve19_2c	0				
ve19_3c	0				
ve19_4c	0				
ve19_5c	0				
ve19_6c	2	2.5	2.12132	1	4
ve19_7c	0				
ve19_8c	3	3	2	1	5
ve19_1d	5	86	21.9089	50	100
ve19_2d	0				
ve19_3d	0				
ve19_4d	0				
ve19_5d	0				
ve19_6d	2	100	0	100	100
ve19_7d	0				
ve19_8d	3	46.66667	35.11885	10	80
ve19_1e	5	2.2	1.095445	1	3
ve19_2e	0				
ve19_3e	0				
ve19_4e	0				
ve19_5e	0				
ve19_6e	2	2.5	.7071068	2	3
ve19_7e	0				
ve19_8e	3	5.333333	4.041452	3	10

. codebook

prov ----- (unlabeled)  
type: numeric (byte)

range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)

range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31

mean: 773.71  
std. dev: 51.7714

percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)

range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31

mean: 7738.55  
std. dev: 517.771

percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

ve19\_1a ----- (unlabeled)

type: numeric (byte)

range: [70,100] units: 10  
unique values: 2 coded missing: 26 / 31

tabulation: Freq. Value  
1 70

```

ve19_2a ----- (unlabeled)
      type: string (str2), but longest is str0
      unique values: 0          coded missing: 31 / 31
      tabulation: Freq. Value

ve19_3a ----- (unlabeled)
      type: string (str2), but longest is str0
      unique values: 0          coded missing: 31 / 31
      tabulation: Freq. Value

ve19_4a ----- (unlabeled)
      type: string (str2), but longest is str0
      unique values: 0          coded missing: 31 / 31
      tabulation: Freq. Value

ve19_5a ----- (unlabeled)
      type: string (str2), but longest is str0
      unique values: 0          coded missing: 31 / 31
      tabulation: Freq. Value

ve19_6a ----- (unlabeled)
      type: numeric (byte)
      range: [30,100]          units: 10
      unique values: 2          coded missing: 29 / 31
      tabulation: Freq. Value
                   1  30
                   1  100

ve19_7a ----- (unlabeled)
      type: string (str2), but longest is str0
      unique values: 0          coded missing: 31 / 31
      tabulation: Freq. Value

ve19_8a ----- (unlabeled)
      type: numeric (byte)

```

```

        range: [100,100]                units: 100
unique values: 1                        coded missing: 28 / 31

    tabulation: Freq.  Value
                  3    100

```

```

ve19_1b ----- (unlabeled)
        type: numeric (byte)

```

```

        range: [2,4]                    units: 1
unique values: 2                        coded missing: 26 / 31

    tabulation: Freq.  Value
                  2    2
                  3    4

```

```

ve19_2b ----- (unlabeled)
        type: string (str2), but longest is str0

```

```

unique values: 0                        coded missing: 31 / 31

    tabulation: Freq.  Value

```

```

ve19_3b ----- (unlabeled)
        type: string (str2), but longest is str0

```

```

unique values: 0                        coded missing: 31 / 31

    tabulation: Freq.  Value

```

```

ve19_4b ----- (unlabeled)
        type: string (str2), but longest is str0

```

```

unique values: 0                        coded missing: 31 / 31

    tabulation: Freq.  Value

```

```

ve19_5b ----- (unlabeled)
        type: string (str2), but longest is str0

```

```

unique values: 0                        coded missing: 31 / 31

    tabulation: Freq.  Value

```

```

ve19_6b ----- (unlabeled)
        type: numeric (byte)

```

```

        range: [4,6]                    units: 1
unique values: 2                        coded missing: 29 / 31

    tabulation: Freq.  Value

```





```

ve19_5c ----- (unlabeled)
      type:  string (str2), but longest is str0
unique values:  0                      coded missing:  31 / 31
      tabulation:  Freq.  Value

ve19_6c ----- (unlabeled)
      type:  numeric (byte)
      range:  [1,4]                      units:  1
unique values:  2                      coded missing:  29 / 31
      tabulation:  Freq.  Value
                   1  1
                   1  4

ve19_7c ----- (unlabeled)
      type:  string (str2), but longest is str0
unique values:  0                      coded missing:  31 / 31
      tabulation:  Freq.  Value

ve19_8c ----- (unlabeled)
      type:  numeric (byte)
      range:  [1,5]                      units:  1
unique values:  3                      coded missing:  28 / 31
      tabulation:  Freq.  Value
                   1  1
                   1  3
                   1  5

ve19_1d ----- (unlabeled)
      type:  numeric (byte)
      range:  [50,100]                   units:  10
unique values:  3                      coded missing:  26 / 31
      tabulation:  Freq.  Value
                   1  50
                   1  80
                   3  100

ve19_2d ----- (unlabeled)
      type:  string (str2), but longest is str0
unique values:  0                      coded missing:  31 / 31

```

```

    tabulation: Freq. Value

ve19_3d ----- (unlabeled)
    type: string (str2), but longest is str0
unique values: 0          coded missing: 31 / 31
    tabulation: Freq. Value

ve19_4d ----- (unlabeled)
    type: string (str2), but longest is str0
unique values: 0          coded missing: 31 / 31
    tabulation: Freq. Value

ve19_5d ----- (unlabeled)
    type: string (str2), but longest is str0
unique values: 0          coded missing: 31 / 31
    tabulation: Freq. Value

ve19_6d ----- (unlabeled)
    type: numeric (byte)
    range: [100,100]          units: 100
unique values: 1          coded missing: 29 / 31
    tabulation: Freq. Value
                2  100

ve19_7d ----- (unlabeled)
    type: string (str2), but longest is str0
unique values: 0          coded missing: 31 / 31
    tabulation: Freq. Value

ve19_8d ----- (unlabeled)
    type: numeric (byte)
    range: [10,80]          units: 10
unique values: 3          coded missing: 28 / 31
    tabulation: Freq. Value
                1  10
                1  50
                1  80

```

```

ve19_1e ----- (unlabeled)
      type: numeric (byte)
           range: [1,3]                units: 1
unique values: 2                      coded missing: 26 / 31
           tabulation: Freq.  Value
                       2    1
                       3    3

ve19_2e ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                      coded missing: 31 / 31
           tabulation: Freq.  Value

ve19_3e ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                      coded missing: 31 / 31
           tabulation: Freq.  Value

ve19_4e ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                      coded missing: 31 / 31
           tabulation: Freq.  Value

ve19_5e ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                      coded missing: 31 / 31
           tabulation: Freq.  Value

ve19_6e ----- (unlabeled)
      type: numeric (byte)
           range: [2,3]                units: 1
unique values: 2                      coded missing: 29 / 31
           tabulation: Freq.  Value
                       1    2
                       1    3

ve19_7e ----- (unlabeled)
      type: string (str2), but longest is str0

```

unique values: 0

coded missing: 31 / 31

tabulation: Freq. Value

ve19\_8e ----- (unlabeled)

type: numeric (byte)

range: [3,10]

units: 1

unique values: 2

coded missing: 28 / 31

tabulation: Freq. Value

2 3

1 10

File: pt0501a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
rc195a	31	57.29032	25.96047	5	96
rc188a	31	31.79032	21.28841	.5	90
rc195b	31	8703.226	9542.029	500	40000
rc188b	31	2658.065	2125.053	300	10000
rc1951a	30	2.295	2.32625	0	8.5
rc1952a	27	5.055556	3.690772	0	17
rc1953a	7	7.428571	8.318797	1	25
rc1954a	8	5.625	3.324691	1	10
rc1955a	1	10	.	10	10
rc1956a	9	6.111111	5.600099	0	17
rc1951b	27	2.111111	.5063697	1	3
rc1952b	26	2.076923	.6883648	1	5
rc1953b	7	1.714286	.48795	1	2
rc1954b	8	1.75	.46291	1	2
rc1955b	1	1	.	1	1
rc1956b	8	2.125	1.246423	1	5
rc1951c	27	16.2963	12.84468	0	40
rc1952c	24	28.33333	16.65942	5	80
rc1953c	7	25	21.40872	5	60
rc1954c	7	36.42857	9.449112	20	50
rc1955c	1	35	.	35	35
rc1956c	7	26.14286	16.85654	8	50
rd1951d	30	59.73333	25.42187	5	100
rd1952d	25	35.84	23.05551	2	90
rd1953d	7	27.14286	24.97618	10	80
rd1954d	6	12.5	6.123724	5	20
rd1955d	0				
rd1956d	8	17.375	22.42408	1	70
re1951e	29	1	0	1	1
re1952e	24	1	0	1	1
re1953e	7	1	0	1	1
re1954e	6	1.5	.83666	1	3
re1955e	0				
re1956e	8	1.125	.3535534	1	2

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)  
 range: [71,83] units: 1  
 unique values: 6 coded missing: 0 / 31  
 tabulation: Freq. Value  
                   5 71  
                   5 72  
                   5 73  
                   5 81  
                   5 82  
                   6 83

town ----- (unlabeled)

type: numeric (int)  
 range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31  
 mean: 773.71  
 std. dev: 51.7714  
 percentiles: 10% 25% 50% 75% 90%  
                   712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
 range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31  
 mean: 7738.55  
 std. dev: 517.771  
 percentiles: 10% 25% 50% 75% 90%  
                   7122 7221 8111 8222 8313

rc195a ----- (unlabeled)

type: numeric (byte)  
 range: [5,96] units: 1  
 unique values: 11 coded missing: 0 / 31  
 mean: 57.2903  
 std. dev: 25.9605  
 percentiles: 10% 25% 50% 75% 90%  
                   20 30 60 80 80

rc188a ----- (unlabeled)

```

        type: numeric (double)
        range: [.5,90]
unique values: 11
        units: .1
        coded missing: 0 / 31

        mean: 31.7903
        std. dev: 21.2884

percentiles:      10%      25%      50%      75%      90%
                  10       10       30       50       60

```

rc195b ----- (unlabeled)

```

        type: numeric (long)
        range: [500,40000]
unique values: 14
        units: 100
        coded missing: 0 / 31

        mean: 8703.23
        std. dev: 9542.03

percentiles:      10%      25%      50%      75%      90%
                  1500    3000    5000    10000   20000

```

rc188b ----- (unlabeled)

```

        type: numeric (int)
        range: [300,10000]
unique values: 10
        units: 100
        coded missing: 0 / 31

        mean: 2658.06
        std. dev: 2125.05

percentiles:      10%      25%      50%      75%      90%
                  400     1000    2000    4000    5000

```

rc1951a ----- (unlabeled)

```

        type: numeric (double)
        range: [0,8.5]
unique values: 15
        units: .01
        coded missing: 1 / 31

        mean: 2.295
        std. dev: 2.32625

percentiles:      10%      25%      50%      75%      90%
                  0       .5      1.5     3.5     5.5

```

rc1952a ----- (unlabeled)

```

        type: numeric (double)
        range: [0,17]
unique values: 13
        units: .1
        coded missing: 4 / 31

```

mean: 5.05556  
std. dev: 3.69077

percentiles:           10%           25%           50%           75%           90%  
                  1           2           4           8           9

rc1953a ----- (unlabeled)

type: numeric (double)

range: [1,25]                           units: .1  
unique values: 7                           coded missing: 24 / 31

tabulation:   Freq.   Value  
                  1    1  
                  1   1.5  
                  1    2  
                  1    7  
                  1   7.5  
                  1    8  
                  1   25

rc1954a ----- (unlabeled)

type: numeric (double)

range: [1,10]                           units: .1  
unique values: 6                           coded missing: 23 / 31

tabulation:   Freq.   Value  
                  1    1  
                  2   3.5  
                  1    4  
                  1    5  
                  1    8  
                  2   10

rc1955a ----- (unlabeled)

type: numeric (byte)

range: [10,10]                           units: 10  
unique values: 1                           coded missing: 30 / 31

tabulation:   Freq.   Value  
                  1   10

rc1956a ----- (unlabeled)

type: numeric (byte)

range: [0,17]                           units: 1  
unique values: 6                           coded missing: 22 / 31

tabulation:   Freq.   Value  
                  1    0  
                  2    1



2 4  
1 8  
2 10  
1 17

rc1951b ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 3 coded missing: 4 / 31  
tabulation: Freq. Value  
2 1  
20 2  
5 3

rc1952b ----- (unlabeled)

type: numeric (byte)  
range: [1,5] units: 1  
unique values: 4 coded missing: 5 / 31  
tabulation: Freq. Value  
2 1  
22 2  
1 3  
1 5

rc1953b ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 24 / 31  
tabulation: Freq. Value  
2 1  
5 2

rc1954b ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 23 / 31  
tabulation: Freq. Value  
2 1  
6 2

rc1955b ----- (unlabeled)

type: numeric (byte)  
range: [1,1] units: 1



rc1954c ----- (unlabeled)

type: numeric (byte)

range: [20,50] units: 1  
unique values: 5 coded missing: 24 / 31

tabulation:		Freq.	Value
		1	20
		1	30
		1	35
		3	40
		1	50

rc1955c ----- (unlabeled)

type: numeric (byte)

range: [35,35] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation:		Freq.	Value
		1	35

rc1956c ----- (unlabeled)

type: numeric (byte)

range: [8,50] units: 1  
unique values: 6 coded missing: 24 / 31

tabulation:		Freq.	Value
		1	8
		2	10
		1	30
		1	35
		1	40
		1	50

rd1951d ----- (unlabeled)

type: numeric (byte)

range: [5,100] units: 1  
unique values: 12 coded missing: 1 / 31

mean: 59.7333  
std. dev: 25.4219

percentiles:	10%	25%	50%	75%	90%
	22.5	30	70	80	90

rd1952d ----- (unlabeled)

type: numeric (byte)

range: [2,90] units: 1  
unique values: 12 coded missing: 6 / 31

mean: 35.84  
std. dev: 23.0555

percentiles: 10% 25% 50% 75% 90%  
10 20 30 50 70

rd1953d ----- (unlabeled)

type: numeric (byte)

range: [10,80] units: 10  
unique values: 4 coded missing: 24 / 31

tabulation:	Freq.	Value
	3	10
	1	20
	2	30
	1	80

rd1954d ----- (unlabeled)

type: numeric (byte)

range: [5,20] units: 1  
unique values: 3 coded missing: 25 / 31

tabulation:	Freq.	Value
	1	5
	3	10
	2	20

rd1955d ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0 coded missing: 31 / 31

tabulation:	Freq.	Value
-------------	-------	-------

rd1956d ----- (unlabeled)

type: numeric (byte)

range: [1,70] units: 1  
unique values: 6 coded missing: 23 / 31

tabulation:	Freq.	Value
	1	1
	1	3
	1	5
	2	10
	2	20
	1	70

re1951e ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,1]
unique values: 1
                                units: 1
                                coded missing: 2 / 31
        tabulation: Freq. Value
                    29  1

```

re1952e ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,1]
unique values: 1
                                units: 1
                                coded missing: 7 / 31
        tabulation: Freq. Value
                    24  1

```

re1953e ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,1]
unique values: 1
                                units: 1
                                coded missing: 24 / 31
        tabulation: Freq. Value
                    7  1

```

re1954e ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,3]
unique values: 3
                                units: 1
                                coded missing: 25 / 31
        tabulation: Freq. Value
                    4  1
                    1  2
                    1  3

```

re1955e ----- (unlabeled)

```

        type: string (str2), but longest is str0
unique values: 0
                                coded missing: 31 / 31
        tabulation: Freq. Value

```

re1956e ----- (unlabeled)

```

        type: numeric (byte)
        range: [1,2]
unique values: 2
                                units: 1
                                coded missing: 23 / 31
        tabulation: Freq. Value
                    7  1

```

1 2

File: pt0501b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
rc2951a	31	18.71613	23.68293	0	70
rc2951b	21	741.9048	887.3704	150	4000
rc2951c	12	1.666667	.9847319	1	4
rc2951d	3	2.666667	.5773503	2	3
rc2951e	3	3	0	3	3
rc2951f	18	1.388889	.5016313	1	2
rc2951g	8	2	1.069045	1	4
rc2951h	0				
rc2881a	31	33.69355	31.34078	0	80
rc2881b	23	362.1739	282.6009	80	1000
rc2881c	18	1.333333	.4850713	1	2
rc2881d	1	2	.	2	2
rc2881e	6	2.166667	.9831921	1	3
rc2881f	18	1.611111	.6978023	1	3
rc2881g	7	2.142857	.6900656	1	3
rc2881h	0				
rc2952a	31	8.129032	15.27032	0	60
rc2952b	13	2607.692	4074.813	400	15000
rc2952c	10	1.8	.6324555	1	3
rc2952d	2	3	0	3	3
rc2952e	3	2.333333	1.154701	1	3
rc2952f	9	1.555556	.7264832	1	3
rc2952g	6	1.333333	.5163978	1	2
rc2952h	0				
rc2882a	31	14.74194	18.71892	0	60
rc2882b	16	1103.125	1289.763	200	5000
rc2882c	14	1.571429	.5135526	1	2
rc2882d	1	2	.	2	2
rc2882e	5	2.2	1.095445	1	3
rc2882f	13	1.692308	.8548504	1	3
rc2882g	5	1.8	.83666	1	3
rc2882h	0				

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)  
 range: [71,83] units: 1  
 unique values: 6 coded missing: 0 / 31  
 tabulation: Freq. Value  
                   5 71  
                   5 72  
                   5 73  
                   5 81  
                   5 82  
                   6 83

town ----- (unlabeled)

type: numeric (int)  
 range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31  
 mean: 773.71  
 std. dev: 51.7714  
 percentiles: 10% 25% 50% 75% 90%  
                   712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
 range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31  
 mean: 7738.55  
 std. dev: 517.771  
 percentiles: 10% 25% 50% 75% 90%  
                   7122 7221 8111 8222 8313

rc2951a ----- (unlabeled)

type: numeric (double)  
 range: [0,70] units: .1  
 unique values: 14 coded missing: 0 / 31  
 mean: 18.7161  
 std. dev: 23.6829  
 percentiles: 10% 25% 50% 75% 90%  
                   0 0 5 40 60

rc2951b ----- (unlabeled)

type: numeric (int)





range: [1,4] units: 1  
unique values: 4 coded missing: 23 / 31

tabulation: Freq. Value  
3 1  
3 2  
1 3  
1 4

rc2951h ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0 coded missing: 31 / 31

tabulation: Freq. Value

rc2881a ----- (unlabeled)

type: numeric (double)

range: [0,80] units: .1  
unique values: 13 coded missing: 0 / 31

mean: 33.6935  
std. dev: 31.3408

percentiles: 10% 25% 50% 75% 90%  
0 0 25 70 80

rc2881b ----- (unlabeled)

type: numeric (int)

range: [80,1000] units: 10  
unique values: 9 coded missing: 8 / 31

tabulation: Freq. Value  
1 80  
2 100  
2 150  
5 200  
6 300  
1 400  
2 500  
1 550  
3 1000

rc2881c ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 13 / 31

tabulation: Freq. Value

12 1  
6 2

rc2881d ----- (unlabeled)

type: numeric (byte)  
range: [2,2] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
            1 2

rc2881e ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 3 coded missing: 25 / 31  
tabulation: Freq. Value  
            2 1  
            1 2  
            3 3

rc2881f ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 3 coded missing: 13 / 31  
tabulation: Freq. Value  
            9 1  
            7 2  
            2 3

rc2881g ----- (unlabeled)

type: numeric (byte)  
range: [1,3] units: 1  
unique values: 3 coded missing: 24 / 31  
tabulation: Freq. Value  
            1 1  
            4 2  
            2 3

rc2881h ----- (unlabeled)

type: string (str2), but longest is str0  
unique values: 0 coded missing: 31 / 31  
tabulation: Freq. Value

rc2952a ----- (unlabeled)  
type: numeric (byte)

range: [0,60] units: 1  
unique values: 9 coded missing: 0 / 31

tabulation: Freq. Value  
18 0  
1 1  
2 3  
1 5  
3 10  
2 20  
2 30  
1 50  
1 60

rc2952b ----- (unlabeled)  
type: numeric (int)

range: [400,15000] units: 100  
unique values: 10 coded missing: 18 / 31

mean: 2607.69  
std. dev: 4074.81

percentiles: 10% 25% 50% 75% 90%  
400 500 1000 2000 6000

rc2952c ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 21 / 31

tabulation: Freq. Value  
3 1  
6 2  
1 3

rc2952d ----- (unlabeled)  
type: numeric (byte)

range: [3,3] units: 1  
unique values: 1 coded missing: 29 / 31

tabulation: Freq. Value  
2 3

rc2952e ----- (unlabeled)  
type: numeric (byte)

range: [1,3] units: 1  
unique values: 2 coded missing: 28 / 31

tabulation: Freq. Value  
1 1  
2 3

rc2952f ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 22 / 31

tabulation: Freq. Value  
5 1  
3 2  
1 3

rc2952g ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 25 / 31

tabulation: Freq. Value  
4 1  
2 2

rc2952h ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0 coded missing: 31 / 31

tabulation: Freq. Value

rc2882a ----- (unlabeled)

type: numeric (byte)

range: [0,60] units: 1  
unique values: 11 coded missing: 0 / 31

mean: 14.7419  
std. dev: 18.7189

percentiles: 10% 25% 50% 75% 90%  
0 0 5 20 50

rc2882b ----- (unlabeled)

type: numeric (int)

range: [200,5000] units: 10  
unique values: 13 coded missing: 15 / 31

mean: 1103.13  
std. dev: 1289.76

percentiles:           10%           25%           50%           75%           90%  
                  200           275           650           1250          3000

rc2882c ----- (unlabeled)

type: numeric (byte)

range: [1,2]                           units: 1  
unique values: 2                       coded missing: 17 / 31

tabulation: Freq. Value  
                  6 1  
                  8 2

rc2882d ----- (unlabeled)

type: numeric (byte)

range: [2,2]                           units: 1  
unique values: 1                       coded missing: 30 / 31

tabulation: Freq. Value  
                  1 2

rc2882e ----- (unlabeled)

type: numeric (byte)

range: [1,3]                           units: 1  
unique values: 2                       coded missing: 26 / 31

tabulation: Freq. Value  
                  2 1  
                  3 3

rc2882f ----- (unlabeled)

type: numeric (byte)

range: [1,3]                           units: 1  
unique values: 3                       coded missing: 18 / 31

tabulation: Freq. Value  
                  7 1  
                  3 2  
                  3 3

rc2882g ----- (unlabeled)

type: numeric (byte)

range: [1,3]                           units: 1  
unique values: 3                       coded missing: 26 / 31

```
tabulation: Freq. Value
             2  1
             2  2
             1  3
```

```
rc2882h ----- (unlabeled)
```

```
type: string (str2), but longest is str0
```

```
unique values: 0          coded missing: 31 / 31
```

```
tabulation: Freq. Value
```

File: pt0502a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
rc3951	30	76.5	22.93732	10	100
rc3952	29	27.86207	34.73957	0	100
rc3953	17	12.22941	10.14684	0	30
rc3881	31	61.87097	27.96753	3	100
rc3882	30	22.66667	35.51914	0	100
rc3883	13	11.45769	10.03257	0	30
rc4_0	0				
rc4_1a	7	1989.286	3.450328	1985	1994
rc4_1b	7	2.714286	1.380131	1	4
rc4_1c	7	4.028571	4.956381	0	15
rc4_1d	0				
rc4_2a	6	1993.167	3.371449	1987	1996
rc4_2b	6	2.333333	1.505545	1	4
rc4_2c	6	2.9	5.519058	0	14
rc4_2d	0				
rc4_3a	2	1992	5.656854	1988	1996
rc4_3b	2	2.5	2.12132	1	4
rc4_3c	2	0	0	0	0
rc4_3d	0				
rc4_4a	1	1996	.	1996	1996
rc4_4b	1	4	.	4	4
rc4_4c	1	0	.	0	0
rc4_4d	0				
rc4_5a	1	1996	.	1996	1996
rc4_5b	1	4	.	4	4
rc4_5c	1	0	.	0	0
rc4_5d	0				
rc4_6a	0				
rc4_6b	0				
rc4_6c	0				
rc4_6d	0				

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)



type: numeric (byte)  
 range: [71,83] units: 1  
 unique values: 6 coded missing: 0 / 31

tabulation: Freq. Value  
                   5 71  
                   5 72  
                   5 73  
                   5 81  
                   5 82  
                   6 83

town ----- (unlabeled)

type: numeric (int)  
 range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31

mean: 773.71  
 std. dev: 51.7714

percentiles:	10%	25%	50%	75%	90%
	712	722	811	822	831

village ----- (unlabeled)

type: numeric (int)  
 range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31

mean: 7738.55  
 std. dev: 517.771

percentiles:	10%	25%	50%	75%	90%
	7122	7221	8111	8222	8313

rc3951 ----- (unlabeled)

type: numeric (byte)  
 range: [10,100] units: 1  
 unique values: 10 coded missing: 1 / 31

mean: 76.5  
 std. dev: 22.9373

percentiles:	10%	25%	50%	75%	90%
	45	70	80	100	100

rc3952 ----- (unlabeled)

type: numeric (byte)  
 range: [0,100] units: 1







```

rc4_2d ----- (unlabeled)
      type:  string (str6), but longest is str5
      unique values:  4                      coded missing:  25 / 31
      tabulation:  Freq.  Value
                   2    "1"
                   2    "1.2.3"
                   1    "2"
                   1    "3"

rc4_3a ----- (unlabeled)
      type:  numeric (int)
      range:  [1988,1996]                    units:  1
      unique values:  2                      coded missing:  29 / 31
      tabulation:  Freq.  Value
                   1    1988
                   1    1996

rc4_3b ----- (unlabeled)
      type:  numeric (byte)
      range:  [1,4]                          units:  1
      unique values:  2                      coded missing:  29 / 31
      tabulation:  Freq.  Value
                   1    1
                   1    4

rc4_3c ----- (unlabeled)
      type:  numeric (byte)
      range:  [0,0]                          units:  0
      unique values:  1                      coded missing:  29 / 31
      tabulation:  Freq.  Value
                   2    0

rc4_3d ----- (unlabeled)
      type:  string (str6), but longest is str5
      unique values:  2                      coded missing:  29 / 31
      tabulation:  Freq.  Value
                   1    "1"
                   1    "1.2.3"

rc4_4a ----- (unlabeled)
      type:  numeric (int)

```

```

    range: [1996,1996]                units: 1
unique values: 1                      coded missing: 30 / 31

    tabulation: Freq.  Value
                  1  1996

```

rc4\_4b ----- (unlabeled)

```

    type: numeric (byte)

    range: [4,4]                      units: 1
unique values: 1                      coded missing: 30 / 31

    tabulation: Freq.  Value
                  1  4

```

rc4\_4c ----- (unlabeled)

```

    type: numeric (byte)

    range: [0,0]                      units: 0
unique values: 1                      coded missing: 30 / 31

    tabulation: Freq.  Value
                  1  0

```

rc4\_4d ----- (unlabeled)

```

    type: string (str6), but longest is str5

unique values: 1                      coded missing: 30 / 31

    tabulation: Freq.  Value
                  1  "1.2.3"

```

rc4\_5a ----- (unlabeled)

```

    type: numeric (int)

    range: [1996,1996]                units: 1
unique values: 1                      coded missing: 30 / 31

    tabulation: Freq.  Value
                  1  1996

```

rc4\_5b ----- (unlabeled)

```

    type: numeric (byte)

    range: [4,4]                      units: 1
unique values: 1                      coded missing: 30 / 31

    tabulation: Freq.  Value
                  1  4

```

rc4\_5c ----- (unlabeled)

```

        type: numeric (byte)
        range: [0,0]
        unique values: 1
        units: 0
        coded missing: 30 / 31
        tabulation: Freq. Value
                    1 0

```

```

rc4_5d ----- (unlabeled)
        type: string (str6), but longest is str5
        unique values: 1
        coded missing: 30 / 31
        tabulation: Freq. Value
                    1 "1.2.3"

```

```

rc4_6a ----- (unlabeled)
        type: string (str2), but longest is str0
        unique values: 0
        coded missing: 31 / 31
        tabulation: Freq. Value

```

```

rc4_6b ----- (unlabeled)
        type: string (str2), but longest is str0
        unique values: 0
        coded missing: 31 / 31
        tabulation: Freq. Value

```

```

rc4_6c ----- (unlabeled)
        type: string (str2), but longest is str0
        unique values: 0
        coded missing: 31 / 31
        tabulation: Freq. Value

```

```

rc4_6d ----- (unlabeled)
        type: string (str2), but longest is str0
        unique values: 0
        coded missing: 31 / 31
        tabulation: Freq. Value

```

File: pt0502b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
rc5h1_1a	0				
rc5h1_1b	0				
rc5h1_1c	0				
rc5h2_1a	0				
rc5h2_1b	0				
rc5h2_1c	0				
rc5h3_1a	3	11	8.544004	3	20
rc5h3_1b	3	18483.33	27388.88	450	50000
rc5h3_1c	2	55	63.63961	10	100
rc5h4_1a	0				
rc5h4_1b	0				
rc5h4_1c	0				
rc5h5_1a	0				
rc5h5_1b	0				
rc5h5_1c	0				
rc5h6_1a	0				
rc5h6_1b	0				
rc5h6_1c	1	5	.	5	5
rc5c1_1a	1	10000	.	10000	10000
rc5c1_1b	1	0	.	0	0
rc5c1_1c	0				
rc5c2_1a	0				
rc5c2_1b	0				
rc5c2_1c	0				
rc5c3_1a	0				
rc5c3_1b	0				
rc5c3_1c	0				
rc5c4_1a	0				
rc5c4_1b	0				
rc5c4_1c	0				
rc5c5_1a	0				
rc5c5_1b	1	6000	.	6000	6000
rc5c5_1c	1	100	.	100	100
rc5c6_1a	0				
rc5c6_1b	2	231000	323854.9	2000	460000
rc5c6_1c	2	100	0	100	100

. codebook

```
prov ----- (unlabeled)
      type: numeric (byte)
      range: [7,8]
      unique values: 2
      units: 1
      coded missing: 0 / 31
      tabulation: Freq. Value
```



15 7  
16 8

county ----- (unlabeled)

type: numeric (byte)  
range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31  
tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

rc5h1\_1a ----- (unlabeled)

type: string (str2), but longest is str0  
unique values: 0 coded missing: 31 / 31  
tabulation: Freq. Value

rc5h1\_1b ----- (unlabeled)

type: string (str2), but longest is str0  
unique values: 0 coded missing: 31 / 31

```

    tabulation: Freq. Value

rc5h1_1c ----- (unlabeled)
    type: string (str2), but longest is str0
unique values: 0          coded missing: 31 / 31
    tabulation: Freq. Value

rc5h2_1a ----- (unlabeled)
    type: string (str2), but longest is str0
unique values: 0          coded missing: 31 / 31
    tabulation: Freq. Value

rc5h2_1b ----- (unlabeled)
    type: string (str2), but longest is str0
unique values: 0          coded missing: 31 / 31
    tabulation: Freq. Value

rc5h2_1c ----- (unlabeled)
    type: string (str2), but longest is str0
unique values: 0          coded missing: 31 / 31
    tabulation: Freq. Value

rc5h3_1a ----- (unlabeled)
    type: numeric (byte)
    range: [3,20]          units: 1
unique values: 3          coded missing: 28 / 31
    tabulation: Freq. Value
                 1 3
                 1 10
                 1 20

rc5h3_1b ----- (unlabeled)
    type: numeric (long)
    range: [450,50000]    units: 10
unique values: 3          coded missing: 28 / 31
    tabulation: Freq. Value
                 1 450
                 1 5000

```

1 50000

rc5h3\_1c ----- (unlabeled)

type: numeric (byte)

range: [10,100]

units: 10

unique values: 2

coded missing: 29 / 31

tabulation: Freq. Value

1 10

1 100

rc5h4\_1a ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0

coded missing: 31 / 31

tabulation: Freq. Value

rc5h4\_1b ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0

coded missing: 31 / 31

tabulation: Freq. Value

rc5h4\_1c ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0

coded missing: 31 / 31

tabulation: Freq. Value

rc5h5\_1a ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0

coded missing: 31 / 31

tabulation: Freq. Value

rc5h5\_1b ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0

coded missing: 31 / 31

tabulation: Freq. Value

rc5h5\_1c ----- (unlabeled)

type: string (str2), but longest is str0



```

rc5c2_1a ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                coded missing: 31 / 31
      tabulation: Freq. Value

rc5c2_1b ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                coded missing: 31 / 31
      tabulation: Freq. Value

rc5c2_1c ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                coded missing: 31 / 31
      tabulation: Freq. Value

rc5c3_1a ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                coded missing: 31 / 31
      tabulation: Freq. Value

rc5c3_1b ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                coded missing: 31 / 31
      tabulation: Freq. Value

rc5c3_1c ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                coded missing: 31 / 31
      tabulation: Freq. Value

rc5c4_1a ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                coded missing: 31 / 31
      tabulation: Freq. Value

```

```

rc5c4_1b ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                      coded missing: 31 / 31
      tabulation: Freq. Value

rc5c4_1c ----- (unlabeled)
      type: string (str2), but longest is str0
unique values: 0                      coded missing: 31 / 31
      tabulation: Freq. Value

rc5c5_1a ----- (unlabeled)
      type: string (str4), but longest is str3
unique values: 1                      coded missing: 30 / 31
      tabulation: Freq. Value
                   1 "all"

rc5c5_1b ----- (unlabeled)
      type: numeric (int)
      range: [6000,6000]                units: 1000
unique values: 1                      coded missing: 30 / 31
      tabulation: Freq. Value
                   1 6000

rc5c5_1c ----- (unlabeled)
      type: numeric (byte)
      range: [100,100]                 units: 100
unique values: 1                      coded missing: 30 / 31
      tabulation: Freq. Value
                   1 100

rc5c6_1a ----- (unlabeled)
      type: string (str4), but longest is str3
unique values: 2                      coded missing: 29 / 31
      tabulation: Freq. Value
                   1 "330"
                   1 "all"

rc5c6_1b ----- (unlabeled)

```

```
      type: numeric (long)
      range: [2000,460000]          units: 1000
unique values: 2                    coded missing: 29 / 31

      tabulation: Freq.  Value
                   1    2000
                   1   460000
```

rc5c6\_1c ----- (unlabeled)

```
      type: numeric (byte)
      range: [100,100]             units: 100
unique values: 1                   coded missing: 29 / 31

      tabulation: Freq.  Value
                   2    100
```

File: pt0701.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
cn1	31	1.064516	.249731	1	2
cn2_195	23	6.695652	8.980711	0	40
cn2_295	28	31.42857	24.89635	.5	100
cn2_395	10	0	0	0	0
cn2_495	28	63.42857	25.63769	0	99
cn2_188	23	19.13043	16.41314	0	60
cn2_288	26	25.5	22.22296	2	100
cn2_388	9	0	0	0	0
cn2_488	27	59.33333	24.72308	0	95
cn3	29	1882.241	305.3509	999	1994
cn4	29	1974.207	7.889321	1960	1997
cn5_95	29	99.96552	.1856953	99	100
cn5_88	29	95.37931	19.17665	0	100
cn6	29	1943.483	181.791	999	1990
cn7_1	29	3.517241	2.487407	1	9
cn7_2	23	6.265217	2.688293	1	9.1
cn7_3	14	5.214286	2.750624	1	9

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

6 83



town ----- (unlabeled)

type: numeric (int)  
 range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31  
 mean: 773.71  
 std. dev: 51.7714  
 percentiles: 10% 25% 50% 75% 90%  
 712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
 range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31  
 mean: 7738.55  
 std. dev: 517.771  
 percentiles: 10% 25% 50% 75% 90%  
 7122 7221 8111 8222 8313

cn1 ----- (unlabeled)

type: numeric (byte)  
 range: [1,2] units: 1  
 unique values: 2 coded missing: 0 / 31  
 tabulation: Freq. Value  
 29 1  
 2 2

cn2\_195 ----- (unlabeled)

type: numeric (double)  
 range: [0,40] units: .1  
 unique values: 8 coded missing: 8 / 31  
 tabulation: Freq. Value  
 6 0  
 2 .5  
 1 1  
 1 2  
 4 5  
 7 10  
 1 20  
 1 40

cn2\_295 ----- (unlabeled)

type: numeric (double)

range: [.5,100] units: .1  
unique values: 15 coded missing: 3 / 31

mean: 31.4286  
std. dev: 24.8963

percentiles:	10%	25%	50%	75%	90%
	4	10	30	45	70

cn2\_395 ----- (unlabeled)

type: numeric (byte)

range: [0,0] units: 0  
unique values: 1 coded missing: 21 / 31

tabulation:	Freq.	Value
	10	0

cn2\_495 ----- (unlabeled)

type: numeric (byte)

range: [0,99] units: 1  
unique values: 12 coded missing: 3 / 31

mean: 63.4286  
std. dev: 25.6377

percentiles:	10%	25%	50%	75%	90%
	30	50	65	89	95

cn2\_188 ----- (unlabeled)

type: numeric (byte)

range: [0,60] units: 1  
unique values: 10 coded missing: 8 / 31

mean: 19.1304  
std. dev: 16.4131

percentiles:	10%	25%	50%	75%	90%
	3	5	10	30	40

cn2\_288 ----- (unlabeled)

type: numeric (byte)

range: [2,100] units: 1  
unique values: 10 coded missing: 5 / 31

mean: 25.5  
std. dev: 22.223

percentiles:	10%	25%	50%	75%	90%
	10	10	20	25	56

cn2\_388 ----- (unlabeled)

type: numeric (byte)  
range: [0,0] units: 0  
unique values: 1 coded missing: 22 / 31  
tabulation: Freq. Value  
                  9 0

cn2\_488 ----- (unlabeled)

type: numeric (byte)  
range: [0,95] units: 1  
unique values: 13 coded missing: 4 / 31  
mean: 59.3333  
std. dev: 24.7231  
percentiles:           10%       25%       50%       75%       90%  
                  20       40       60       80       90

cn3 ----- (unlabeled)

type: numeric (int)  
range: [999,1994] units: 1  
unique values: 13 coded missing: 2 / 31  
mean: 1882.24  
std. dev: 305.351  
percentiles:           10%       25%       50%       75%       90%  
                  999       1982       1983       1985       1990

cn4 ----- (unlabeled)

type: numeric (int)  
range: [1960,1997] units: 1  
unique values: 14 coded missing: 2 / 31  
mean: 1974.21  
std. dev: 7.88932  
percentiles:           10%       25%       50%       75%       90%  
                  1961       1971       1973       1975       1985

cn5\_95 ----- (unlabeled)

type: numeric (byte)  
range: [99,100] units: 1  
unique values: 2 coded missing: 2 / 31

```

tabulation:  Freq.  Value
              1    99
              28   100

```

cn5\_88 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [0,100]          units:  1
unique values: 4              coded missing: 2 / 31

```

```

tabulation:  Freq.  Value
              1    0
              1   70
              1   96
              26  100

```

cn6 ----- (unlabeled)

```

      type:  numeric (int)

      range:  [999,1990]      units:  1
unique values: 17           coded missing: 2 / 31

```

```

      mean:   1943.48
      std. dev: 181.791

```

```

percentiles:      10%      25%      50%      75%      90%
                  1965    1974    1976    1981    1990

```

cn7\_1 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,9]          units:  1
unique values: 6           coded missing: 2 / 31

```

```

tabulation:  Freq.  Value
              3    1
              16   2
              1    5
              5    6
              2    7
              2    9

```

cn7\_2 ----- (unlabeled)

```

      type:  numeric (double)

      range:  [1,9.1]        units:  .1
unique values: 8           coded missing: 8 / 31

```

```

tabulation:  Freq.  Value
              3    1
              1    2
              3    5
              1    6

```

```
8 7
1 8
5 9
1 9.1
```

cn7\_3 ----- (unlabeled)

type: numeric (byte)

range: [1,9] units: 1  
unique values: 7 coded missing: 17 / 31

tabulation: Freq. Value  
3 1  
1 4  
4 5  
1 6  
2 7  
1 8  
2 9

File: pt0801a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
cf1n951	31	1.645161	1.050346	1	5
cf1n952	30	2.3	1.235956	1	5
cf1n881	31	1.645161	1.050346	1	5
cf1n882	28	2.571429	1.372442	1	5
cf1p951	30	2.566667	.8976342	0	3
cf1p952	6	2.5	1.516575	1	5
cf1p881	28	2.392857	1.065947	1	5
cf1p882	6	2.166667	.9831921	1	3
cf1k951	16	1.8125	.8341663	0	4
cf1k952	1	1	.	1	1
cf1k881	5	1.6	.8944272	0	2
cf1k882	1	1	.	1	1
cf2n95	0				
cf2n88	0				
cf2p95	29	2.551724	.9097177	0	3
cf2p88	27	2.37037	.9260399	1	3
cf2k95	14	1.714286	.6112498	0	2
cf2k88	5	1.6	.8944272	0	2
cf395a	30	1.066667	.2537081	1	2
cf395b	0				
cf388a	30	1.466667	.5074163	1	2
cf388b	16	1.75	1.612452	1	5

. codebook

prov ----- (unlabeled)  
type: numeric (byte)

range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)  
type: numeric (byte)

range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73

5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

cf1n951 ----- (unlabeled)

type: numeric (byte)  
range: [1,5] units: 1  
unique values: 4 coded missing: 0 / 31  
tabulation: Freq. Value  
18 1  
10 2  
1 3  
2 5

cf1n952 ----- (unlabeled)

type: numeric (byte)  
range: [1,5] units: 1  
unique values: 4 coded missing: 1 / 31  
tabulation: Freq. Value  
10 1  
7 2  
10 3  
3 5

cf1n881 ----- (unlabeled)

type: numeric (byte)

range: [1,5] units: 1  
unique values: 4 coded missing: 0 / 31

tabulation:	Freq.	Value
	18	1
	10	2
	1	3
	2	5

cf1n882 ----- (unlabeled)

type: numeric (byte)

range: [1,5] units: 1  
unique values: 4 coded missing: 3 / 31

tabulation:	Freq.	Value
	7	1
	8	2
	8	3
	5	5

cf1p951 ----- (unlabeled)

type: numeric (byte)

range: [0,3] units: 1  
unique values: 3 coded missing: 1 / 31

tabulation:	Freq.	Value
	1	0
	5	1
	24	3

cf1p952 ----- (unlabeled)

type: numeric (byte)

range: [1,5] units: 1  
unique values: 4 coded missing: 25 / 31

tabulation:	Freq.	Value
	2	1
	1	2
	2	3
	1	5

cf1p881 ----- (unlabeled)

type: numeric (byte)

range: [1,5] units: 1  
unique values: 4 coded missing: 3 / 31



tabulation:	Freq.	Value
	9	1
	1	2
	17	3
	1	5

cf1p882 ----- (unlabeled)

type: numeric (byte)

range: [1,3] units: 1  
unique values: 3 coded missing: 25 / 31

tabulation:	Freq.	Value
	2	1
	1	2
	3	3

cf1k951 ----- (unlabeled)

type: numeric (byte)

range: [0,4] units: 1  
unique values: 4 coded missing: 15 / 31

tabulation:	Freq.	Value
	1	0
	3	1
	11	2
	1	4

cf1k952 ----- (unlabeled)

type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation:	Freq.	Value
	1	1

cf1k881 ----- (unlabeled)

type: numeric (byte)

range: [0,2] units: 1  
unique values: 2 coded missing: 26 / 31

tabulation:	Freq.	Value
	1	0
	4	2

cf1k882 ----- (unlabeled)

type: numeric (byte)

range: [1,1] units: 1



```

        type: numeric (byte)
        range: [0,2]
unique values: 3
                                units: 1
                                coded missing: 17 / 31

        tabulation: Freq.  Value
                    1  0
                    2  1
                    11 2

```

cf2k88 ----- (unlabeled)

```

        type: numeric (byte)

        range: [0,2]
unique values: 2
                                units: 1
                                coded missing: 26 / 31

        tabulation: Freq.  Value
                    1  0
                    4  2

```

cf395a ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,2]
unique values: 2
                                units: 1
                                coded missing: 1 / 31

        tabulation: Freq.  Value
                    28  1
                    2  2

```

cf395b ----- (unlabeled)

```

        type: string (str4), but longest is str3

unique values: 4
                                coded missing: 3 / 31

        tabulation: Freq.  Value
                    14  "1"
                    1  "1,5"
                    9  "5"
                    4  "6"

```

cf388a ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,2]
unique values: 2
                                units: 1
                                coded missing: 1 / 31

        tabulation: Freq.  Value
                    16  1
                    14  2

```

cf388b ----- (unlabeled)

```
type: numeric (byte)
range: [1,5]
unique values: 2
units: 1
coded missing: 15 / 31
tabulation: Freq. Value
             13  1
             3  5
```

File: pt0801b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
cf4n95a	31	1.483871	.5080005	1	2
cf4n95b	15	16.86667	16.61375	0	50
cf4n88a	31	1.193548	.4016097	1	2
cf4n88b	25	16.804	14.5262	.5	50
cf4p95a	28	1.964286	.1889822	1	2
cf4p95b	1	40	.	40	40
cf4p88a	27	1.851852	.362014	1	2
cf4p88b	4	6.5	4.358899	1	10
cf4k95a	24	2	0	2	2
cf4k95b	0				
cf4k88a	22	1.954545	.2132007	1	2
cf4k88b	0				
cf5_195a	14	9.071429	7.772281	.5	25
cf5_195b	14	1	0	1	1
cf5_295a	1	5	.	5	5
cf5_295b	1	1	.	1	1
cf5_395a	0				
cf5_395b	0				
cf5_188a	19	11.34211	14.71565	1	50
cf5_188b	0				
cf5_288a	4	10.25	6.849574	5	20
cf5_288b	4	1	0	1	1
cf5_388a	6	15.16667	9.847165	2	30
cf5_388b	6	1.833333	1.32916	1	4

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

cf4n95a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
16 1  
15 2

cf4n95b ----- (unlabeled)

type: numeric (double)  
range: [0,50] units: .1  
unique values: 9 coded missing: 16 / 31  
tabulation: Freq. Value  
1 0  
1 .5  
2 5  
1 7.5  
4 10  
1 15

2 20  
1 40  
2 50

cf4n88a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
                  25 1  
                  6 2

cf4n88b ----- (unlabeled)

type: numeric (double)  
range: [.5,50] units: .1  
unique values: 12 coded missing: 6 / 31  
mean: 16.804  
std. dev: 14.5262  
percentiles: 10% 25% 50% 75% 90%  
                  1 5 10 30 40

cf4p95a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 3 / 31  
tabulation: Freq. Value  
                  1 1  
                  27 2

cf4p95b ----- (unlabeled)

type: numeric (byte)  
range: [40,40] units: 10  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
                  1 40

cf4p88a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 4 / 31  
tabulation: Freq. Value

4 1  
23 2

cf4p88b ----- (unlabeled)

type: numeric (byte)  
range: [1,10] units: 1  
unique values: 3 coded missing: 27 / 31  
tabulation: Freq. Value  
            1 1  
            1 5  
            2 10

cf4k95a ----- (unlabeled)

type: numeric (byte)  
range: [2,2] units: 1  
unique values: 1 coded missing: 7 / 31  
tabulation: Freq. Value  
            24 2

cf4k95b ----- (unlabeled)

type: string (str2), but longest is str0  
unique values: 0 coded missing: 31 / 31  
tabulation: Freq. Value

cf4k88a ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 9 / 31  
tabulation: Freq. Value  
            1 1  
            21 2

cf4k88b ----- (unlabeled)

type: string (str2), but longest is str0  
unique values: 0 coded missing: 31 / 31  
tabulation: Freq. Value

cf5\_195a ----- (unlabeled)

type: numeric (double)  
range: [.5,25] units: .1





range: [1,50] units: .1  
unique values: 13 coded missing: 12 / 31

mean: 11.3421  
std. dev: 14.7156

percentiles:	10%	25%	50%	75%	90%
	1.7	2	5	15	50

cf5\_188b ----- (unlabeled)

type: string (str4), but longest is str3

unique values: 4 coded missing: 11 / 31

tabulation:	Freq.	Value
	17	"1"
	1	"1,6"
	1	"4"
	1	"5"

cf5\_288a ----- (unlabeled)

type: numeric (byte)

range: [5,20] units: 1  
unique values: 4 coded missing: 27 / 31

tabulation:	Freq.	Value
	1	5
	1	6
	1	10
	1	20

cf5\_288b ----- (unlabeled)

type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 27 / 31

tabulation:	Freq.	Value
	4	1

cf5\_388a ----- (unlabeled)

type: numeric (byte)

range: [2,30] units: 1  
unique values: 5 coded missing: 25 / 31

tabulation:	Freq.	Value
	1	2
	2	10
	1	19
	1	20

1 30

cf5\_388b ----- (unlabeled)

type: numeric (byte)

range: [1,4]

units: 1

unique values: 3

coded missing: 25 / 31

tabulation: Freq. Value

4 1

1 3

1 4

File: pt0802a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
cf6n88a	31	1.225806	.4250237	1	2
cf6n88b	1	4	.	4	4
cf6n89a	31	1.290323	.4614144	1	2
cf6n89b	1	3	.	3	3
cf6n90a	31	1.322581	.475191	1	2
cf6n90b	2	4	0	4	4
cf6n91a	31	1.322581	.475191	1	2
cf6n91b	2	4	0	4	4
cf6n92a	31	1.548387	.5058794	1	2
cf6n92b	6	3.166667	.9831921	2	4
cf6n93a	31	1.580645	.5016103	1	2
cf6n93b	3	34.66667	55.73449	1	99
cf6n94a	31	1.580645	.5016103	1	2
cf6n94b	0				
cf6n95a	29	1.586207	.50123	1	2
cf6n95b	1	4	.	4	4
cf6n96a	30	1.5	.5085476	1	2
cf6n96b	4	3.5	1	2	4

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

6 83

town ----- (unlabeled)

type: numeric (int)

range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31

mean: 773.71  
 std. dev: 51.7714

percentiles:	10%	25%	50%	75%	90%
	712	722	811	822	831

village ----- (unlabeled)

type: numeric (int)

range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31

mean: 7738.55  
 std. dev: 517.771

percentiles:	10%	25%	50%	75%	90%
	7122	7221	8111	8222	8313

cf6n88a ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
 unique values: 2 coded missing: 0 / 31

tabulation:	Freq.	Value
	24	1
	7	2

cf6n88b ----- (unlabeled)

type: numeric (byte)

range: [4,4] units: 1  
 unique values: 1 coded missing: 30 / 31

tabulation:	Freq.	Value
	1	4

cf6n89a ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
 unique values: 2 coded missing: 0 / 31

tabulation:	Freq.	Value
	22	1
	9	2

```

cf6n89b ----- (unlabeled)
      type: numeric (byte)

      range: [3,3]                units: 1
unique values: 1                coded missing: 30 / 31

      tabulation: Freq.  Value
                   1    3

cf6n90a ----- (unlabeled)
      type: numeric (byte)

      range: [1,2]                units: 1
unique values: 2                coded missing: 0 / 31

      tabulation: Freq.  Value
                   21    1
                   10    2

cf6n90b ----- (unlabeled)
      type: numeric (byte)

      range: [4,4]                units: 1
unique values: 1                coded missing: 29 / 31

      tabulation: Freq.  Value
                   2    4

cf6n91a ----- (unlabeled)
      type: numeric (byte)

      range: [1,2]                units: 1
unique values: 2                coded missing: 0 / 31

      tabulation: Freq.  Value
                   21    1
                   10    2

cf6n91b ----- (unlabeled)
      type: numeric (byte)

      range: [4,4]                units: 1
unique values: 1                coded missing: 29 / 31

      tabulation: Freq.  Value
                   2    4

cf6n92a ----- (unlabeled)
      type: numeric (byte)

```

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
14 1  
17 2

cf6n92b ----- (unlabeled)

type: numeric (byte)

range: [2,4] units: 1  
unique values: 3 coded missing: 25 / 31

tabulation: Freq. Value  
2 2  
1 3  
3 4

cf6n93a ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
13 1  
18 2

cf6n93b ----- (unlabeled)

type: numeric (byte)

range: [1,99] units: 1  
unique values: 3 coded missing: 28 / 31

tabulation: Freq. Value  
1 1  
1 4  
1 99

cf6n94a ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
13 1  
18 2

cf6n94b ----- (unlabeled)

type: string (str2), but longest is str0





File: pt0802b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
cf795	19	1.052632	.2294157	1	2
cf788	25	1.12	.3316625	1	2
cf895a	17	1.882353	.3321056	1	2
cf895b	0				
cf895c	0				
cf888a	25	1.92	.2768875	1	2
cf888b	1	2	.	2	2
cf888c	1	1	.	1	1
cf995	31	1.548387	.9605106	1	4
cf988	31	1.645161	.7549122	1	4

. codebook

prov ----- (unlabeled)

type: numeric (byte)  
range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)

type: numeric (byte)  
range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31  
tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71

std. dev: 51.7714

percentiles:           10%           25%           50%           75%           90%

                  712           722           811           822           831

village ----- (unlabeled)

          type: numeric (int)

          range: [7111,8331]                           units: 1

unique values: 31                                    coded missing: 0 / 31

          mean: 7738.55

          std. dev: 517.771

percentiles:           10%           25%           50%           75%           90%

                  7122           7221           8111           8222           8313

cf795 ----- (unlabeled)

          type: numeric (byte)

          range: [1,2]                                units: 1

unique values: 2                                    coded missing: 12 / 31

          tabulation: Freq. Value

                          18 1

                          1 2

cf788 ----- (unlabeled)

          type: numeric (byte)

          range: [1,2]                                units: 1

unique values: 2                                    coded missing: 6 / 31

          tabulation: Freq. Value

                          22 1

                          3 2

cf895a ----- (unlabeled)

          type: numeric (byte)

          range: [1,2]                                units: 1

unique values: 2                                    coded missing: 14 / 31

          tabulation: Freq. Value

                          2 1

                          15 2

cf895b ----- (unlabeled)

          type: string (str2), but longest is str0

unique values: 0                                    coded missing: 31 / 31

```

    tabulation:  Freq.  Value

cf895c ----- (unlabeled)
    type:  string (str2), but longest is str0
    unique values:  0                      coded missing:  31 / 31
    tabulation:  Freq.  Value

cf888a ----- (unlabeled)
    type:  numeric (byte)
    range:  [1,2]                      units:  1
    unique values:  2                      coded missing:  6 / 31
    tabulation:  Freq.  Value
                  2    1
                  23   2

cf888b ----- (unlabeled)
    type:  numeric (byte)
    range:  [2,2]                      units:  1
    unique values:  1                      coded missing:  30 / 31
    tabulation:  Freq.  Value
                  1    2

cf888c ----- (unlabeled)
    type:  numeric (byte)
    range:  [1,1]                      units:  1
    unique values:  1                      coded missing:  30 / 31
    tabulation:  Freq.  Value
                  1    1

cf995 ----- (unlabeled)
    type:  numeric (byte)
    range:  [1,4]                      units:  1
    unique values:  4                      coded missing:  0 / 31
    tabulation:  Freq.  Value
                  21   1
                   6   2
                   1   3
                   3   4

cf988 ----- (unlabeled)
    type:  numeric (byte)

```

range: [1,4]  
unique values: 4

units: 1  
coded missing: 0 / 31

tabulation:	Freq.	Value
	15	1
	13	2
	2	3
	1	4

File: pt0803a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
cf10951a	27	2.37037	2.306315	1	8
cf10951b	26	3.405769	2.896009	0	10
cf10951c	27	61.85185	27.74015	10	100
cf10952a	23	4.869565	2.201329	1	7
cf10952b	21	5.404762	9.116769	0	40
cf10952c	23	31.08696	18.02502	5	70
cf10953a	9	5.555556	2.403701	1	9
cf10953b	8	7.375	6.209152	0	17
cf10953c	9	27.22222	18.39006	5	55
cf10954a	2	6.5	2.12132	5	8
cf10954b	1	8.5	.	8.5	8.5
cf10954c	2	20	14.14214	10	30
cf10881a	30	1.866667	1.925032	1	8
cf10881b	29	3.465517	2.978887	0	10
cf10881c	30	82.66667	20.28815	40	100
cf10882a	17	4	2.061553	1	8
cf10882b	16	18.28125	36.4074	0	150
cf10882c	17	20.41176	16.80052	5	60
cf10883a	5	6.8	1.48324	5	9
cf10883b	4	7.25	5.377422	0	13
cf10883c	5	24	13.87444	5	40
cf10884a	2	7	1.414214	6	8
cf10884b	1	8.5	.	8.5	8.5
cf10884c	2	12.5	3.535534	10	15

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

cf10951a ----- (unlabeled)

type: numeric (byte)  
range: [1,8] units: 1  
unique values: 5 coded missing: 4 / 31  
tabulation: Freq. Value  
18 1  
4 3  
1 5  
3 7  
1 8

cf10951b ----- (unlabeled)

type: numeric (double)  
range: [0,10] units: .01  
unique values: 15 coded missing: 5 / 31  
mean: 3.40577  
std. dev: 2.89601  
percentiles: 10% 25% 50% 75% 90%



4 10  
2 20  
5 30  
1 35  
4 40  
3 50  
1 60  
1 70

cf10953a ----- (unlabeled)

type: numeric (byte)

range: [1,9] units: 1  
unique values: 6 coded missing: 22 / 31

tabulation: Freq. Value  
1 1  
1 3  
2 5  
1 6  
3 7  
1 9

cf10953b ----- (unlabeled)

type: numeric (byte)

range: [0,17] units: 1  
unique values: 7 coded missing: 23 / 31

tabulation: Freq. Value  
1 0  
2 1  
1 8  
1 9  
1 10  
1 13  
1 17

cf10953c ----- (unlabeled)

type: numeric (byte)

range: [5,55] units: 1  
unique values: 7 coded missing: 22 / 31

tabulation: Freq. Value  
1 5  
2 10  
2 20  
1 35  
1 40  
1 50  
1 55



cf10954a ----- (unlabeled)

type: numeric (byte)

range: [5,8] units: 1  
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value  
1 5  
1 8

cf10954b ----- (unlabeled)

type: numeric (double)

range: [8.5,8.5] units: .1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 8.5

cf10954c ----- (unlabeled)

type: numeric (byte)

range: [10,30] units: 10  
unique values: 2 coded missing: 29 / 31

tabulation: Freq. Value  
1 10  
1 30

cf10881a ----- (unlabeled)

type: numeric (byte)

range: [1,8] units: 1  
unique values: 4 coded missing: 1 / 31

tabulation: Freq. Value  
23 1  
4 3  
1 5  
2 8

cf10881b ----- (unlabeled)

type: numeric (double)

range: [0,10] units: .1  
unique values: 14 coded missing: 2 / 31

mean: 3.46552  
std. dev: 2.97889

percentiles: 10% 25% 50% 75% 90%  
.5 1 2.5 6 8

cf10881c ----- (unlabeled)

type: numeric (byte)

range: [40,100] units: 1  
unique values: 8 coded missing: 1 / 31

tabulation:	Freq.	Value
	1	40
	3	50
	4	60
	3	70
	1	80
	3	90
	2	95
	13	100

cf10882a ----- (unlabeled)

type: numeric (byte)

range: [1,8] units: 1  
unique values: 7 coded missing: 14 / 31

tabulation:	Freq.	Value
	1	1
	2	2
	7	3
	2	4
	1	5
	3	7
	1	8

cf10882b ----- (unlabeled)

type: numeric (double)

range: [0,150] units: .1  
unique values: 14 coded missing: 15 / 31

mean: 18.2813  
std. dev: 36.4074

percentiles:	10%	25%	50%	75%	90%
	0	3.25	8.25	13.75	40

cf10882c ----- (unlabeled)

type: numeric (byte)

range: [5,60] units: 1  
unique values: 8 coded missing: 14 / 31

tabulation:	Freq.	Value
	2	5
	1	7
	7	10

1 20  
3 30  
1 40  
1 50  
1 60

cf10883a ----- (unlabeled)

type: numeric (byte)

range: [5,9] units: 1  
unique values: 4 coded missing: 26 / 31

tabulation:	Freq.	Value
	1	5
	1	6
	2	7
	1	9

cf10883b ----- (unlabeled)

type: numeric (byte)

range: [0,13] units: 1  
unique values: 3 coded missing: 27 / 31

tabulation:	Freq.	Value
	1	0
	2	8
	1	13

cf10883c ----- (unlabeled)

type: numeric (byte)

range: [5,40] units: 1  
unique values: 4 coded missing: 26 / 31

tabulation:	Freq.	Value
	1	5
	1	15
	2	30
	1	40

cf10884a ----- (unlabeled)

type: numeric (byte)

range: [6,8] units: 1  
unique values: 2 coded missing: 29 / 31

tabulation:	Freq.	Value
	1	6
	1	8

cf10884b ----- (unlabeled)

type: numeric (double)  
range: [8.5,8.5] units: .1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
                  1 8.5

cf10884c ----- (unlabeled)

type: numeric (byte)  
range: [10,15] units: 1  
unique values: 2 coded missing: 29 / 31  
tabulation: Freq. Value  
                  1 10  
                  1 15

File: pt0803b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
cf1195a	27	153.0741	359.5072	1	999
cf1195b	0				
cf1195c	27	113.6667	318.9855	1	999
cf1188a	25	162.64	372.5531	1	999
cf1188b	0				
cf1188c	25	201.76	406.8461	1	999
cf12	31	1.741935	.4448027	1	2
cf12yr1	8	1991.25	2.434866	1988	1994
cf12yr2	4	1992.75	2.872281	1989	1995
cf12yr3	3	1993	3	1990	1996
cf13	8	1	0	1	1
cf13a	8	5.875	2.10017	1	7
cf13b	1	7	.	7	7
cf13c	0				

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)

```

    range: [711,833]                units: 1
unique values: 18                    coded missing: 0 / 31

    mean: 773.71
    std. dev: 51.7714

percentiles:      10%      25%      50%      75%      90%
                  712      722      811      822      831

```

village ----- (unlabeled)

```

    type: numeric (int)

    range: [7111,8331]              units: 1
unique values: 31                    coded missing: 0 / 31

    mean: 7738.55
    std. dev: 517.771

percentiles:      10%      25%      50%      75%      90%
                  7122     7221     8111     8222     8313

```

cf1195a ----- (unlabeled)

```

    type: numeric (int)

    range: [1,999]                  units: 1
unique values: 7                    coded missing: 4 / 31

tabulation:  Freq.  Value
              4     1
              1     2
              2     3
              1     4
              7     7
              8     9
              4    999

```

cf1195b ----- (unlabeled)

```

    type: string (str4), but longest is str3

unique values: 8                    coded missing: 4 / 31

tabulation:  Freq.  Value
              6     "1"
              1     "1,3"
              1     "2"
              1     "3"
              1     "4"
              1     "5,3"
              9     "9"
              7     "999"

```

cf1195c ----- (unlabeled)

```

    type: numeric (int)

```

range: [1,999] units: 1  
unique values: 7 coded missing: 4 / 31

tabulation:	Freq.	Value
	11	1
	1	2
	7	3
	1	4
	1	7
	3	9
	3	999

cf1188a ----- (unlabeled)

type: numeric (int)

range: [1,999] units: 1  
unique values: 8 coded missing: 6 / 31

tabulation:	Freq.	Value
	10	1
	3	3
	2	4
	1	5
	1	6
	2	7
	2	9
	4	999

cf1188b ----- (unlabeled)

type: string (str4), but longest is str3

unique values: 7 coded missing: 6 / 31

tabulation:	Freq.	Value
	8	"1"
	1	"1,3"
	2	"3"
	1	"4"
	1	"5"
	6	"9"
	6	"999"

cf1188c ----- (unlabeled)

type: numeric (int)

range: [1,999] units: 1  
unique values: 6 coded missing: 6 / 31

tabulation:	Freq.	Value
	13	1
	3	3
	1	4
	1	5

2 9  
5 999

cf12 ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
8 1  
23 2

cf12yr1 ----- (unlabeled)

type: numeric (int)  
range: [1988,1994] units: 1  
unique values: 6 coded missing: 23 / 31  
tabulation: Freq. Value  
2 1988  
1 1990  
1 1991  
1 1992  
1 1993  
2 1994

cf12yr2 ----- (unlabeled)

type: numeric (int)  
range: [1989,1995] units: 1  
unique values: 3 coded missing: 27 / 31  
tabulation: Freq. Value  
1 1989  
1 1992  
2 1995

cf12yr3 ----- (unlabeled)

type: numeric (int)  
range: [1990,1996] units: 1  
unique values: 3 coded missing: 28 / 31  
tabulation: Freq. Value  
1 1990  
1 1993  
1 1996

cf13 ----- (unlabeled)

type: numeric (byte)



range: [1,1] units: 1  
unique values: 1 coded missing: 23 / 31

tabulation: Freq. Value  
8 1

cf13a ----- (unlabeled)

type: numeric (byte)

range: [1,7] units: 1  
unique values: 4 coded missing: 23 / 31

tabulation: Freq. Value  
1 1  
1 5  
1 6  
5 7

cf13b ----- (unlabeled)

type: numeric (byte)

range: [7,7] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 7

cf13c ----- (unlabeled)

type: string (str2), but longest is str0

unique values: 0 coded missing: 31 / 31

tabulation: Freq. Value

File: pt0804.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
cf14	31	1.677419	.475191	1	2
cf15	31	1.032258	.1796053	1	2
cf16	29	2.482759	1.153278	1	5

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71

5 72

5 73

5 81

5 82

6 83

town ----- (unlabeled)

type: numeric (int)

range: [711,833]

units: 1

unique values: 18

coded missing: 0 / 31

mean: 773.71

std. dev: 51.7714

percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

```

        type: numeric (int)
        range: [7111,8331]
unique values: 31
                                units: 1
                                coded missing: 0 / 31

        mean: 7738.55
        std. dev: 517.771

        percentiles:      10%      25%      50%      75%      90%
                          7122      7221      8111      8222      8313

```

cf14 ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,2]
unique values: 2
                                units: 1
                                coded missing: 0 / 31

        tabulation: Freq. Value
                    10  1
                    21  2

```

cf15 ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,2]
unique values: 2
                                units: 1
                                coded missing: 0 / 31

        tabulation: Freq. Value
                    30  1
                     1  2

```

cf16 ----- (unlabeled)

```

        type: numeric (byte)

        range: [1,5]
unique values: 4
                                units: 1
                                coded missing: 2 / 31

        tabulation: Freq. Value
                    3  1
                   17  2
                     5  3
                     4  5

```

File: pt0901a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
vl1	31	1984.194	2.197261	1979	1989
vl295	31	4.645161	1.170424	3	7
vl288	31	5.387097	1.686761	3	11
vl3a	31	3	0	3	3
vl3b	31	1	0	1	1
vl495	31	.1935484	.5427925	0	2
vl488	31	.1290323	.4275461	0	2
vl5a	31	2.741935	.9649781	1	5
vl5b	0				
vl6a	31	3.129032	1.927726	1	10
vl6b	0				

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)

range: [711,833]

units: 1

unique values: 18

coded missing: 0 / 31

mean: 773.71  
std. dev: 51.7714

percentiles:           10%           25%           50%           75%           90%  
                  712           722           811           822           831

village ----- (unlabeled)

type: numeric (int)

range: [7111,8331]                   units: 1  
unique values: 31                    coded missing: 0 / 31

mean: 7738.55  
std. dev: 517.771

percentiles:           10%           25%           50%           75%           90%  
                  7122           7221           8111           8222           8313

vl1 ----- (unlabeled)

type: numeric (int)

range: [1979,1989]                   units: 1  
unique values: 8                    coded missing: 0 / 31

tabulation:   Freq.   Value  
                  1   1979  
                  6   1982  
                  6   1983  
                  5   1984  
                  6   1985  
                  3   1986  
                  3   1988  
                  1   1989

vl295 ----- (unlabeled)

type: numeric (byte)

range: [3,7]                        units: 1  
unique values: 5                    coded missing: 0 / 31

tabulation:   Freq.   Value  
                  8   3  
                  2   4  
                 16   5  
                  3   6  
                  2   7

vl288 ----- (unlabeled)

type: numeric (byte)

range: [3,11]                       units: 1  
unique values: 7                    coded missing: 0 / 31

```

tabulation:  Freq.  Value
              4    3
              1    4
             18    5
              1    6
              5    7
              1    9
              1   11

```

vl3a ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [3,3]                units:  1
unique values: 1                coded missing: 0 / 31

      tabulation:  Freq.  Value
                  31    3

```

vl3b ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [1,1]                units:  1
unique values: 1                coded missing: 0 / 31

      tabulation:  Freq.  Value
                  31    1

```

vl495 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [0,2]                units:  1
unique values: 3                coded missing: 0 / 31

      tabulation:  Freq.  Value
                  27    0
                   2    1
                   2    2

```

vl488 ----- (unlabeled)

```

      type:  numeric (byte)

      range:  [0,2]                units:  1
unique values: 3                coded missing: 0 / 31

      tabulation:  Freq.  Value
                  28    0
                   2    1
                   1    2

```

vl5a ----- (unlabeled)

```

      type:  numeric (byte)

```

range: [1,5] units: 1  
unique values: 5 coded missing: 0 / 31

tabulation:	Freq.	Value
	2	1
	12	2
	10	3
	6	4
	1	5

vl5b ----- (unlabeled)

type: string (str4), but longest is str3

unique values: 6 coded missing: 0 / 31

tabulation:	Freq.	Value
	1	"2"
	1	"2+6"
	14	"5"
	8	"6"
	6	"7"
	1	"9"

vl6a ----- (unlabeled)

type: numeric (byte)

range: [1,10] units: 1  
unique values: 8 coded missing: 0 / 31

tabulation:	Freq.	Value
	5	1
	7	2
	11	3
	3	4
	2	5
	1	6
	1	7
	1	10

vl6b ----- (unlabeled)

type: string (str4), but longest is str3

unique values: 4 coded missing: 3 / 31

tabulation:	Freq.	Value
	4	"1"
	21	"2"
	1	"2,1"
	2	"3"

File: pt0901b.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
vl7a951	31	1.580645	.5016103	1	2
vl7a952	13	1	.9128709	0	3
vl7a953	10	467.5	322.5369	0	900
vl7954	10	2	2.538591	1	9
vl7a881	31	1.548387	.5058794	1	2
vl7a882	14	1.714286	2.334641	0	8
vl7a883	11	415.4545	326.875	0	900
vl7884	11	2.090909	2.42712	1	9
vl7b951	31	1	0	1	1
vl7b952	31	3.129032	3.363945	0	20
vl7b953	30	41.733333	36.95844	10	220
vl7954_1	0				
vl7b881	31	1.064516	.249731	1	2
vl7b882	29	2.931034	2.103246	1	10
vl7b883	29	31.10345	16.59248	8	60
vl7884_1	0				
vl7c951	31	1.935484	.249731	1	2
vl7c952	2	5	1.414214	4	6
vl7c953	2	8.5	2.12132	7	10
vl7954_2	2	8.5	.7071068	8	9
vl7c881	30	1.966667	.1825742	1	2
vl7c882	1	6	.	6	6
vl7c883	1	10	.	10	10
vl7884_2	1	8	.	8	8

. codebook

prov ----- (unlabeled)

type: numeric (byte)

range: [7,8]

units: 1

unique values: 2

coded missing: 0 / 31

tabulation: Freq. Value

15 7

16 8

county ----- (unlabeled)

type: numeric (byte)

range: [71,83]

units: 1

unique values: 6

coded missing: 0 / 31

tabulation: Freq. Value

5 71



5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (int)  
range: [711,833] units: 1  
unique values: 18 coded missing: 0 / 31  
mean: 773.71  
std. dev: 51.7714  
percentiles: 10% 25% 50% 75% 90%  
712 722 811 822 831

village ----- (unlabeled)

type: numeric (int)  
range: [7111,8331] units: 1  
unique values: 31 coded missing: 0 / 31  
mean: 7738.55  
std. dev: 517.771  
percentiles: 10% 25% 50% 75% 90%  
7122 7221 8111 8222 8313

vl7a951 ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
13 1  
18 2

vl7a952 ----- (unlabeled)

type: numeric (byte)  
range: [0,3] units: 1  
unique values: 4 coded missing: 18 / 31  
tabulation: Freq. Value  
4 0  
6 1  
2 2  
1 3

vl7a953 ----- (unlabeled)

type: numeric (int)  
range: [0,900] units: 1  
unique values: 9 coded missing: 21 / 31

tabulation:	Freq.	Value
	1	0
	1	70
	1	120
	2	400
	1	550
	1	703
	1	732
	1	800
	1	900

vl7954 ----- (unlabeled)

type: numeric (byte)  
range: [1,9] units: 1  
unique values: 3 coded missing: 21 / 31

tabulation:	Freq.	Value
	8	1
	1	3
	1	9

vl7a881 ----- (unlabeled)

type: numeric (byte)  
range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation:	Freq.	Value
	14	1
	17	2

vl7a882 ----- (unlabeled)

type: numeric (byte)  
range: [0,8] units: 1  
unique values: 5 coded missing: 17 / 31

tabulation:	Freq.	Value
	4	0
	7	1
	1	4
	1	5
	1	8

vl7a883 ----- (unlabeled)

type: numeric (int)

range: [0,900] units: 10  
unique values: 9 coded missing: 20 / 31

tabulation:	Freq.	Value
	1	0
	1	70
	1	110
	1	200
	1	240
	2	400
	1	650
	1	700
	2	900

vl7884 ----- (unlabeled)

type: numeric (byte)

range: [1,9] units: 1  
unique values: 3 coded missing: 20 / 31

tabulation:	Freq.	Value
	8	1
	2	3
	1	9

vl7b951 ----- (unlabeled)

type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 0 / 31

tabulation:	Freq.	Value
	31	1

vl7b952 ----- (unlabeled)

type: numeric (byte)

range: [0,20] units: 1  
unique values: 8 coded missing: 0 / 31

tabulation:	Freq.	Value
	1	0
	3	1
	13	2
	7	3
	4	4
	1	5
	1	6
	1	20

vl7b953 ----- (unlabeled)

type: numeric (int)

range: [10,220] units: 1  
unique values: 24 coded missing: 1 / 31

mean: 41.7333  
std. dev: 36.9584

percentiles:	10%	25%	50%	75%	90%
	18.5	24	34	50	55

vl7954\_1 ----- (unlabeled)

type: string (str10), but longest is str9

unique values: 12 coded missing: 1 / 31

examples: "2.6.8"  
"6"  
"6"  
"6"

vl7b881 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation:	Freq.	Value
	29	1
	2	2

vl7b882 ----- (unlabeled)

type: numeric (byte)

range: [1,10] units: 1  
unique values: 7 coded missing: 2 / 31

tabulation:	Freq.	Value
	5	1
	11	2
	7	3
	3	4
	1	7
	1	8
	1	10

vl7b883 ----- (unlabeled)

type: numeric (byte)

range: [8,60] units: 1  
unique values: 20 coded missing: 2 / 31

mean: 31.1034  
std. dev: 16.5925



vl7c881 ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1

unique values: 2 coded missing: 1 / 31

tabulation: Freq. Value

1	1
29	2

vl7c882 ----- (unlabeled)

type: numeric (byte)

range: [6,6] units: 1

unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value

1	6
---	---

vl7c883 ----- (unlabeled)

type: numeric (byte)

range: [10,10] units: 10

unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value

1	10
---	----

vl7884\_2 ----- (unlabeled)

type: numeric (byte)

range: [8,8] units: 1

unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value

1	8
---	---

File: pt0902a.dta

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
vl81a	31	48.03226	6.107285	34	60
vl82a	31	9.064516	1.842742	5	14
vl83_1a	31	1990.065	7.545133	1969	1997
vl83_2a	0				
vl84a	31	18.96774	9.628028	2	37
vl85a	0				
vl86a	0				
vl87a	31	1.677419	.475191	1	2
vl89a	31	1.709677	.4614144	1	2
vl81b	31	47.06452	6.692959	31	62
vl82b	31	8.741935	2.308935	3	14
vl83_1b	31	1991.032	6.670751	1962	1997
vl83_2b	0				
vl84b	28	16.96429	10.37976	0	38
vl85b	31	1.193548	.5427925	1	3
vl86b	31	2.096774	2.70006	1	15
vl87b	31	1.870968	.3407771	1	2
vl88b	31	1.064516	.249731	1	2
vl81c	1	47	.	47	47
vl82c	1	8	.	8	8
vl83_1c	1	1995	.	1995	1995
vl83_2c	1	2	.	2	2
vl84c	1	22	.	22	22
vl85c	1	3	.	3	3
vl86c	1	1	.	1	1
vl87c	1	2	.	2	2
vl88c	1	1	.	1	1
vl89c	1	1	.	1	1

. codebook

prov ----- (unlabeled)

type: numeric (byte)  
range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31  
tabulation: Freq. Value  
                  15 7  
                  16 8

county ----- (unlabeled)

type: numeric (byte)  
range: [71,83] units: 1





```

1 5
1 6
3 7
4 8
15 9
1 10
2 11
3 12
1 14

```

vl83\_1a ----- (unlabeled)

```

type: numeric (int)

range: [1969,1997]          units: 1
unique values: 16          coded missing: 0 / 31

mean: 1990.06
std. dev: 7.54513

percentiles:      10%      25%      50%      75%      90%
                  1980      1986      1993      1996      1997

```

vl83\_2a ----- (unlabeled)

```

type: string (str12), but longest is str11

unique values: 14          coded missing: 1 / 31

examples: "10"
          "2"
          "2"
          "3,2"

```

vl84a ----- (unlabeled)

```

type: numeric (byte)

range: [2,37]              units: 1
unique values: 17          coded missing: 0 / 31

mean: 18.9677
std. dev: 9.62803

percentiles:      10%      25%      50%      75%      90%
                  5        14       20       27       30

```

vl85a ----- (unlabeled)

```

type: string (str4), but longest is str3

unique values: 6          coded missing: 0 / 31

tabulation: Freq. Value
              22 "1"
              1 "1,3"
              1 "12"

```

2 "2"  
4 "3"  
1 "6"

vl86a ----- (unlabeled)

type: string (str4), but longest is str3

unique values: 8                      coded missing: 1 / 31

tabulation:	Freq.	Value
	20	"1"
	1	"1,3"
	1	"1,5"
	2	"12"
	3	"2"
	1	"3"
	1	"4"
	1	"6"

vl87a ----- (unlabeled)

type: numeric (byte)

range: [1,2]                              units: 1  
unique values: 2                      coded missing: 0 / 31

tabulation:	Freq.	Value
	10	1
	21	2

vl89a ----- (unlabeled)

type: numeric (byte)

range: [1,2]                              units: 1  
unique values: 2                      coded missing: 0 / 31

tabulation:	Freq.	Value
	9	1
	22	2

vl81b ----- (unlabeled)

type: numeric (byte)

range: [31,62]                              units: 1  
unique values: 18                      coded missing: 0 / 31

mean: 47.0645  
std. dev: 6.69296

percentiles:	10%	25%	50%	75%	90%
	39	43	47	51	56

vl82b ----- (unlabeled)

```

type: numeric (byte)
range: [3,14] units: 1
unique values: 9 coded missing: 0 / 31

```

```

tabulation: Freq. Value
             1 3
             1 5
             5 6
             3 8
            13 9
             2 10
             2 11
             3 12
             1 14

```

vl83\_1b ----- (unlabeled)

```

type: numeric (int)
range: [1962,1997] units: 1
unique values: 14 coded missing: 0 / 31

```

```

mean: 1991.03
std. dev: 6.67075

```

```

percentiles:      10%      25%      50%      75%      90%
                 1986      1988      1993      1995      1996

```

vl83\_2b ----- (unlabeled)

```

type: string (str12), but longest is str11
unique values: 16 coded missing: 7 / 31

```

```

examples: ""
          "10"
          "2"
          "5"

```

vl84b ----- (unlabeled)

```

type: numeric (byte)
range: [0,38] units: 1
unique values: 21 coded missing: 3 / 31

```

```

mean: 16.9643
std. dev: 10.3798

```

```

percentiles:      10%      25%      50%      75%      90%
                 3        8.5      16.5      22        35

```

vl85b ----- (unlabeled)

```

type: numeric (byte)

```

range: [1,3] units: 1  
unique values: 3 coded missing: 0 / 31

tabulation:	Freq.	Value
	27	1
	2	2
	2	3

vl86b ----- (unlabeled)

type: numeric (byte)

range: [1,15] units: 1  
unique values: 7 coded missing: 0 / 31

tabulation:	Freq.	Value
	20	1
	6	2
	1	3
	1	4
	1	5
	1	6
	1	15

vl87b ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation:	Freq.	Value
	4	1
	27	2

vl88b ----- (unlabeled)

type: numeric (byte)

range: [1,2] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation:	Freq.	Value
	29	1
	2	2

vl81c ----- (unlabeled)

type: numeric (byte)

range: [47,47] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation:	Freq.	Value
	1	47

vl82c ----- (unlabeled)

type: numeric (byte)  
range: [8,8] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
                  1 8

vl83\_1c ----- (unlabeled)

type: numeric (int)  
range: [1995,1995] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
                  1 1995

vl83\_2c ----- (unlabeled)

type: numeric (byte)  
range: [2,2] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
                  1 2

vl84c ----- (unlabeled)

type: numeric (byte)  
range: [22,22] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
                  1 22

vl85c ----- (unlabeled)

type: numeric (byte)  
range: [3,3] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value  
                  1 3

vl86c ----- (unlabeled)

type: numeric (byte)  
range: [1,1] units: 1  
unique values: 1 coded missing: 30 / 31  
tabulation: Freq. Value

1 1

vl87c ----- (unlabeled)

type: numeric (byte)

range: [2,2] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 2

vl88c ----- (unlabeled)

type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 1

vl89c ----- (unlabeled)

type: numeric (byte)

range: [1,1] units: 1  
unique values: 1 coded missing: 30 / 31

tabulation: Freq. Value  
1 1

File: NPT0902B.DTA

. sum

Variable	Obs	Mean	Std. Dev.	Min	Max
prov	31	7.516129	.5080005	7	8
county	31	77.19355	5.179571	71	83
town	31	773.7097	51.77142	711	833
village	31	7738.548	517.7712	7111	8331
vl91yr	31	2253.784	1437.452	1994	9999
vl911a	30	2	1.203443	1	4
vl911b	30	1.233333	.5040069	1	3
vl912a	29	1.965517	.8230066	1	4
vl912b	29	1	0	1	1
vl913a	11	2.909091	.9438798	1	4
vl913b	11	1.272727	.4670994	1	2
vl92yr	29	1985.414	3.6556	1982	1997.3
vl921a	29	1.482759	.8289705	1	4
vl921b	29	1.241379	.4354942	1	2
vl922a	29	1.965517	.7310833	1	4
vl922b	29	1.103448	.309934	1	2
vl923a	8	3.375	.7440238	2	4
vl923b	8	1.25	.46291	1	2

. codebook

prov ----- (unlabeled)

type: numeric (float)

range: [7,8] units: 1  
unique values: 2 coded missing: 0 / 31

tabulation: Freq. Value  
15 7  
16 8

county ----- (unlabeled)

type: numeric (float)

range: [71,83] units: 1  
unique values: 6 coded missing: 0 / 31

tabulation: Freq. Value  
5 71  
5 72  
5 73  
5 81  
5 82  
6 83

town ----- (unlabeled)

type: numeric (float)

range: [711,833] units: 1  
 unique values: 18 coded missing: 0 / 31  
  
 mean: 773.71  
 std. dev: 51.7714  
  
 percentiles: 10% 25% 50% 75% 90%  
 712 722 811 822 831

village ----- (unlabeled)

type: numeric (float)  
  
 range: [7111,8331] units: 1  
 unique values: 31 coded missing: 0 / 31  
  
 mean: 7738.55  
 std. dev: 517.771  
  
 percentiles: 10% 25% 50% 75% 90%  
 7122 7221 8111 8222 8313

vl91yr ----- (unlabeled)

type: numeric (float)  
  
 range: [1994,9999] units: .1  
 unique values: 8 coded missing: 0 / 31  
  
 tabulation: Freq. Value  
           5 1994  
           9 1995  
           1 1995.3  
           8 1996  
           4 1997  
           2 1997.3  
           1 1997.4  
           1 9999

vl911a ----- (unlabeled)

type: numeric (float)  
  
 range: [1,4] units: 1  
 unique values: 4 coded missing: 1 / 31  
  
 tabulation: Freq. Value  
           16 1  
           3 2  
           6 3  
           5 4

vl911b ----- (unlabeled)

type: numeric (float)  
  
 range: [1,3] units: 1





range: [1982,1997.3] units: .1  
unique values: 12 coded missing: 2 / 31

mean: 1985.41  
std. dev: 3.6556

percentiles: 10% 25% 50% 75% 90%  
1982 1983 1984.3 1986 1991

vl921a ----- (unlabeled)

type: numeric (float)

range: [1,4] units: 1  
unique values: 4 coded missing: 2 / 31

tabulation: Freq. Value  
20 1  
5 2  
3 3  
1 4

vl921b ----- (unlabeled)

type: numeric (float)

range: [1,2] units: 1  
unique values: 2 coded missing: 2 / 31

tabulation: Freq. Value  
22 1  
7 2

vl922a ----- (unlabeled)

type: numeric (float)

range: [1,4] units: 1  
unique values: 4 coded missing: 2 / 31

tabulation: Freq. Value  
6 1  
20 2  
1 3  
2 4

vl922b ----- (unlabeled)

type: numeric (float)

range: [1,2] units: 1  
unique values: 2 coded missing: 2 / 31

tabulation: Freq. Value  
26 1  
3 2

v1923a ----- (unlabeled)

type: numeric (float)

range: [2,4] units: 1  
unique values: 3 coded missing: 23 / 31

tabulation:	Freq.	Value
	1	2
	3	3
	4	4

v1923b ----- (unlabeled)

type: numeric (float)

range: [1,2] units: 1  
unique values: 2 coded missing: 23 / 31

tabulation:	Freq.	Value
	6	1
	2	2