

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

Cover Page			
Q1: Facility ID	Q2: Facility Name		Q5: Result
Q3: Observer number	Q4a: Today's date (DD/MM/YYYY) __ / __ / __ __ __ __	Q4b: Time the observation started (HH:MM) __ : __ AM/PM	<input type="checkbox"/> Interview done <input type="checkbox"/> Health worker refused interview <input type="checkbox"/> Partially completed <input type="checkbox"/> Health worker is out
<p>OBSERVER: AFTER INFORMING THE STAFF PRESENT UPON YOUR ARRIVAL IN THE WARD, OBSERVE THE OBSTETRICS/GYNECOLOGY, PEDIATRICS, EMERGENCY, AND SURGICAL DEPARTMENTS AND WARDS. RECORD IF THE LISTED ROOMS, STAFF, EQUIPMENT AND SUPPLIES ARE PRESENT.</p> <p>- IF YOU SEE THE EQUIPMENT, RECORD "YES, SEEN". IF YOU ARE TOLD THE EQUIPMENT EXISTS BUT IS NOT PRESENT ON THE WARD AT THE TIME OF OBSERVATION, RECORD "YES, NOT SEEN". IN BOTH OF THOSE CASES, ALSO RECORD IF THE EQUIPMENT IS IN WORKING/STERILE CONDITION OR NOT. IF IT IS WORKING/STERILE, MAKE SURE YOU PICK THE COLUMN BASED ON HOW YOU VERIFIED THAT IT WORKED/WAS STERILE, I.E. WHETHER YOU SAW THE EQUIPMENT IN USE, YOU INSPECTED IT, OR YOU WERE TOLD IT WAS WORKING.</p> <p>- IF THE EQUIPMENT IS NOT PRESENT ON THE WARD AND YOU ARE TOLD IT IS NOT ANYWHERE ELSE, RECORD "NOT PRESENT" AND GO TO THE NEXT ITEM.</p>			

Section 1: Direct Observation of the Pediatric Department and Ward									
	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working	Go to
Q100	Dedicated Unit/ward for pediatrics clients with appropriate ventilation	1	2	0	3	4	5	6	
Q101	Examination rooms with privacy for physicians seeing/screening patients in the emergency area	1	2	0	3	4	5	6	
Q102	A clean waiting area with benches or seats for patients and family	1	2	0	3	4	5	6	
Q103	A clean procedure room or area	1	2	0	3	4	5	6	
Q104	An intensive care unit	1	2	0	3	4	5	6	
Q105	Clean wards for inpatient pediatric clients	1	2	0	3	4	5	6	
Q106	A nurses station in the pediatric areas	1	2	0	3	4	5	6	
Q107	Toilets/bathroom for patients and staff in the pediatric areas	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

	IS THE FOLLOWING ITEM PRESENT?	Yes		No → Next item	Verified, Yes	Verified, No	Method of verification Night visit morning visit staff interview not verified				GO TO
OBSERVER: CHECK THE CALL SCHEDULE TO ANSWER THE FOLLOWING QUESTIONS. THEN, FOLLOW UP BY VERIFYING USING ONE OR MORE OF THE FOLLOWING METHODS											
Q108	At least one physician on duty in the pediatric ward at any time, any day and night	1		0	1	0	A	B	C	D	
Q109	When the pediatric general practitioner is not in attendance, the medical director is on-call for emergencies	1		0	1	0	A	B	C	D	
Q110	At least 3-4 professional staff in the pediatric ward at any time, any day and night	1		0	1	0	A	B	C	D	
	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working		GO TO	
Q111	Incubators and/or warmers	1	2	0	3	4	5	6			
Q112	Phototherapy device (for jaundice)	1	2	0	3	4	5	6			
Q113	Inhalator	1	2	0	3	4	5	6			
Q114	Mechanical ventilator	1	2	0	3	4	5	6			
Q115	Functional oxygen concentrated machine or oxygen tank with tubing or oxygen tank with regulators and trolley	1	2	0	3	4	5	6			
Q116	Clear blankets	1	2	0	3	4	5	6			
Q117	Lumbar puncture kit	1	2	0	3	4	5	6			
Q118	Pulse oximeter	1	2	0	3	4	5	6			
Q119	IV cannula and tubing (22G & 24 G)	1	2	0	3	4	5	6			
Q120	Gudal (oral) airway (Sizes 0, 1, 2)	1	2	0	3	4	5	6			
Q121	Spacers or nebulizer machine	1	2	0	3	4	5	6			
Q122	Suction machine	1	2	0	3	4	5	6			
Q123	Tongue blades (depressor)	1	2	0	3	4	5	6			
Q124	Bag and mask	1	2	0	3	4	5	6			
Q125	Stethoscope	1	2	0	3	4	5	6			
Q126	Otoscope	1	2	0	3	4	5	6			
Q127	Ophthalmoscope	1	2	0	3	4	5	6			
Q128	Torch or flashlight with extra batteries	1	2	0	3	4	5	6			
Q129	Pediatric Blood pressure cuff	1	2	0	3	4	5	6			

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working	Go to
Q130	Height/length measurement device	1	2	0	3	4	5	6	
Q131	Measuring tape	1	2	0	3	4	5	6	
Q132	Pediatric scales	1	2	0	3	4	5	6	
Q133	Special beds for children	1	2	0	3	4	5	6	
Q134	Cabinets for storing clean equipment and supplies	1	2	0	3	4	5	6	
Q135	Equipment trolley	1	2	0	3	4	5	6	
Q136	Safety box (sharps container)	1	2	0	3	4	5	6	
Q137	Pediatric emergency trolley	1	2	0	3	4	5	6	If 0 → Q152
	OBSERVER: IS THE FOLLOWING ITEM PRESENT IN THE PEDIATRIC EMERGENCY TROLLEY?								
Q138	Tongue blades (depressor)	1	2	0	3	4	5	6	
Q139	Ambu bag and mask	1	2	0	3	4	5	6	
Q140	Safety blanket	1	2	0	3	4	5	6	
Q141	IV Cannula	1	2	0	3	4	5	6	
Q142	Manual suction	1	2	0	3	4	5	6	
Q143	Laryngoscope	1	2	0	3	4	5	6	
Q144	Gloves (sterile and non-sterile)	1	2	0	3	4	5	6	
Q145	Antiseptics	1	2	0	3	4	5	6	
Q146	Sterile Dressings set	1	2	0	3	4	5	6	
Q147	Syringes	1	2	0	3	4	5	6	
Q148	Thermometer	1	2	0	3	4	5	6	
Q149	Lasix (diuretic)	1	2	0	3	4	5	6	
Q150	50% Dextrose	1	2	0	3	4	5	6	
Q151	5% Dextrose	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working	Go to
Q152	Emergency drug cupboard for drugs needed 24 hours for pediatric patients when the pharmacy is closed	1	2	0	3	4	5	6	If 0 → Q174
	OBSERVER: IS THE FOLLOWING ITEM PRESENT IN THE EMERGENCY DRUG CUPBOARD?								
Q153	IV fluids	1	2	0	3	4	5	6	
Q154	IV cannula (22G & 24G)	1	2	0	3	4	5	6	
Q155	Nasal gastric tube (6, 8, 10, 12)	1	2	0	3	4	5	6	
Q156	Endotracheal tubes (3, 3 ½, 4, 5)	1	2	0	3	4	5	6	
Q157	Foley catheter with urine bag (6, 8, 10)	1	2	0	3	4	5	6	
Q158	Urine sample collection bags	1	2	0	3	4	5	6	
Q159	Suction catheter	1	2	0	3	4	5	6	
Q160	Oxygen catheter	1	2	0	3	4	5	6	
Q161	B-agonist	1	2	0	3	4	5	6	
Q162	Antibiotics for pediatric treatment	1	2	0	3	4	5	6	
Q163	Prednisone or dexamethasone or both	1	2	0	3	4	5	6	
Q164	Furosemide	1	2	0	3	4	5	6	
Q165	Adrenalin	1	2	0	3	4	5	6	
Q166	Dopamine	1	2	0	3	4	5	6	
Q167	Aminophylline	1	2	0	3	4	5	6	
Q168	Phenotone	1	2	0	3	4	5	6	
Q169	Diazepam/Paraldehyde	1	2	0	3	4	5	6	
Q170	Phinobarbital	1	2	0	3	4	5	6	
Q171	Hydrocortisone	1	2	0	3	4	5	6	
Q172	Calcium HCO ³	1	2	0	3	4	5	6	
Q173	Antidotes	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working	Go to
Q174	Face masks or nasal cannulas of appropriate sizes	1	2	0	3	4	5	6	
Q175	Diapers	1	2	0	3	4	5	6	
Q176	Appropriate patient charts, forms, and registers	1	2	0	3	4	5	6	
	Sanitation and Basic PPE								
Q177	Hand Washing Station with tap	1	2	0	3	4	5	6	If no -> Q181
Q178	Hand soap or detergent	1	2	0	3	4	5	6	
Q179	Mild Chlorine (0.05%) solution for washing bare hands	1	2	0	3	4	5	6	
Q180	Hand scrubbing brush	1	2	0	3	4	5	6	
Q181	Antiseptic for skin (such as chlorhexidine, savlon (chlorhexidine bigluconate), Dettol) or alcohol based hand rub	1	2	0	3	4	5	6	
Q183	Plastic container with a plastic liner for medical waste (gauze, etc.)	1	2	0	3	4	5	6	
Q184	Gloves	1	2	0	3	4	5	6	
Q185	Face shield/google and mask	1	2	0	3	4	5	6	
Q186	Fluid resistant gown	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

Section 2: Direct Observation of the OB/GYN Department and Ward									
OBSERVER: RECORD IF THE FOLLOWING ROOMS, STAFF, EQUIPMENT AND SUPPLIES ARE PRESENT AND SEEN, PRESENT AND NOT SEEN (E.G. IF SHARED WITH ANOTHER SERVICE), OR NOT PRESENT. IF THEY ARE SEEN, INDICATE IF THEY ARE IN VERIFIABLE WORKING / STERILE CONDITION AND IF SO, HOW IT WAS VERIFIED.									
	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working	Go to
Q200	Delivery table/bed	1	2	0	3	4	5	6	
Q201	Partograph	1	2	0	3	4	5	6	
Q202	Delivery light	1	2	0	3	4	5	6	
Q203	Eye drops or ointment for newborn	1	2	0	3	4	5	6	
Q204	Syringes and disposable needles	1	2	0	3	4	5	6	
Q205	16- or 18-gauge needles	1	2	0	3	4	5	6	
Q206	Needle holder	1	2	0	3	4	5	6	
Q207	Speculum, vaginal	1	2	0	3	4	5	6	
Q208	Clamps (hemostats)	1	2	0	3	4	5	6	
Q209	Suction pump, hand or foot operated	1	2	0	3	4	5	6	
Q210	Warmer for children	1	2	0	3	4	5	6	
Q211	Incubator	1	2	0	3	4	5	6	
Q212	Another source of heat for premature babies	1	2	0	3	4	5	6	
Q213	Resuscitation bag for newborn	1	2	0	3	4	5	6	
Q214	Bag Valve Mask (Ambu bag), Adult	1	2	0	3	4	5	6	
Q215	Guedel airways-neonatal, child, and adult	1	2	0	3	4	5	6	
Q216	Oxygen mask with oxygen tube for term infants (size 1)	1	2	0	3	4	5	6	
Q217	Oxygen mask with oxygen tube for preterm infants (size 0)	1	2	0	3	4	5	6	
Q218	Equipment and suction tube (catheter to aspirate, electrical or mechanical suction)	1	2	0	3	4	5	6	
Q219	Laryngoscope	1	2	0	3	4	5	6	
Q220	Blade for intubation size for a newborn	1	2	0	3	4	5	6	
Q221	Nasogastric tubes	1	2	0	3	4	5	6	
Q222	Installation for phototherapy	1	2	0	3	4	5	6	
Q223	Umbilical catheter	1	2	0	3	4	5	6	
Q224	Umbilical cord clamp or sterile tape or sterile tie	1	2	0	3	4	5	6	
Q225	Monitor (pulse, oxygenation)	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working	Go to
Q226	Light source operating around the clock	1	2	0	3	4	5	6	
Q228	Intravenous tubing/administration sets	1	2	0	3	4	5	6	
Q229	Intravenous needles or cannulas	1	2	0	3	4	5	6	
Q230	Suturing material	1	2	0	3	4	5	6	
Q231	Sterile scissors or scalpel	1	2	0	3	4	5	6	
Q232	Mucus suctioning bulb	1	2	0	3	4	5	6	
Q233	Resuscitation table for newborn	1	2	0	3	4	5	6	
Q234	Tweezers	1	2	0	3	4	5	6	
Q235	Vacuum extractor	1	2	0	3	4	5	6	
Q236	Manual vacuum aspirator	1	2	0	3	4	5	6	
Q237	Set for dilatation and curettage (D & C)	1	2	0	3	4	5	6	
Q238	Uterine dilator	1	2	0	3	4	5	6	
Q239	Vaginal retractor	1	2	0	3	4	5	6	
Q240	Perineal pads	1	2	0	3	4	5	6	
Q241	Electric autoclave (pressure and vapor)	1	2	0	3	4	5	6	
Q242	Non-electrical autoclave (pressure and steam)	1	2	0	3	4	5	6	
Q243	Electric Dry Heat Sterilizer	1	2	0	3	4	5	6	
Q244	Electric boiler or steamer (boiling or steam without pressure)	1	2	0	3	4	5	6	
Q245	Container with a lid for boiling or steaming, non-electrical	1	2	0	3	4	5	6	
Q246	Heat source for non-electrical equipment (gas cooker, gas)	1	2	0	3	4	5	6	
Q247	Automatic timer / stopwatch (can be installed on the equipment)	1	2	0	3	4	5	6	
Q248	Test strips TST (time / steam / temperature), or other device that indicates that the sterilization is complete.	1	2	0	3	4	5	6	
Q249	Chlorine or glutaraldehyde based solution (chemical sterilization)	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working	Go to
Q250	Thermometer to measure newborn temperature	1	2	0	3	4	5	6	
Q251	Baby scale (infant weighing scale)	1	2	0	3	4	5	6	
Q252	Clean towels	1	2	0	3	4	5	6	
Q253	Sterile cotton or gauze (to clean baby's mouth and nose)	1	2	0	3	4	5	6	
Q254	Sterile tray	1	2	0	3	4	5	6	
Q255	Plastic container with a plastic liner to dispose the placenta	1	2	0	3	4	5	6	
Q256	Stethoscope, adult	1	2	0	3	4	5	6	
Q257	Stethoscope, Pinard fetal	1	2	0	3	4	5	6	
Q258	Blood pressure instrument	1	2	0	3	4	5	6	
Q259	Kidney basin	1	2	0	3	4	5	6	
Q260	Steel bowl	1	2	0	3	4	5	6	
Q261	Protective apron and plastic draw sheet	1	2	0	3	4	5	6	
Q262	Tourniquet	1	2	0	3	4	5	6	
Q263	Two sterile towels (one to receive the baby, one for active management)	1	2	0	3	4	5	6	
Q264	Forceps, artery	1	2	0	3	4	5	6	
Q265	Forceps, dressing	1	2	0	3	4	5	6	
Q266	Forceps, uterine	1	2	0	3	4	5	6	
Q267	Intravenous solutions, including ringer lactate, D5NS (5% dextrose or glucose), or saline	1	2	0	3	4	5	6	
Q268	Ergometrine / metilergometrina injection	1	2	0	3	4	5	6	
Q269	Oxytocin / sintotsin injection	1	2	0	3	4	5	6	
Q270	Misoprostol	1	2	0	3	4	5	6	
Q271	Diazepam injection	1	2	0	3	4	5	6	
Q272	Magnesium sulphate for injection	1	2	0	3	4	5	6	
Q273	Phenobarbital injection	1	2	0	3	4	5	6	
Q274	Phenytoin Injection	1	2	0	3	4	5	6	
Q275	Hydralazine or aprezolin injection	1	2	0	3	4	5	6	
Q276	Methyldopa (methyldopa) / Aldomet	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

Q277	Labetalol	1	2	0	3	4	5	6	
Q278	Nifedipine	1	2	0	3	4	5	6	
Q279	Amoxicillin or ampicillin injection	1	2	0	3	4	5	6	
Q280	Gentamicin Injection	1	2	0	3	4	5	6	
Q281	calcium gluconate	1	2	0	3	4	5	6	
Q282	Lidocaine (lignocaine) / novocaine	1	2	0	3	4	5	6	
Q283	Zidovudine	1	2	0	3	4	5	6	
Q284	Lamivudine	1	2	0	3	4	5	6	
Q285	Nevirapine	1	2	0	3	4	5	6	
Q286	Glucose solution	1	2	0	3	4	5	6	
Q287	Metronidazole Injection	1	2	0	3	4	5	6	
Q288	Betamethasone or dexamethasone injection	1	2	0	3	4	5	6	
Q289	Ceftriaxone for Injection	1	2	0	3	4	5	6	
Q290	Procaine Penicillin	1	2	0	3	4	5	6	
Q291	Caffeine citrate	1	2	0	3	4	5	6	
Q292	Baby food (with unexpired date)	1	2	0	3	4	5	6	
	Sanitation and Basic PPE								
Q293	Hand Washing Station with tap	1	2	0	3	4	5	6	If no -> Q298
Q294	Hand soap or detergent	1	2	0	3	4	5	6	
Q296	Mild (0.05%) solution for washing bare hands	1	2	0	3	4	5	6	
Q297	Hand scrubbing brush	1	2	0	3	4	5	6	
Q298	Antiseptic for skin (such as chlorhexidine, savlon (chlorhexidine bigluconate), Dettol) or alcohol based hand rub	1	2	0	3	4	5	6	
Q299	Plastic container with a plastic liner for medical waste (gauze, etc.)	1	2	0	3	4	5	6	
Q299a	Sterile short Gloves	1	2	0	3	4	5	6	
Q299b	Long Elbow length gloves								
Q299c	Face shield/googles and mask	1	2	0	3	4	5	6	
Q299d	Fluid resistant gown	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

Section 3: Direct Observation of the Operating theater									
OBSERVER: RECORD IF THE FOLLOWING ROOMS, STAFF, EQUIPMENT AND SUPPLIES ARE PRESENT AND SEEN, PRESENT AND NOT SEEN (E.G. IF SHARED WITH ANOTHER SERVICE), OR NOT PRESENT. IF THEY ARE SEEN, INDICATE IF THEY ARE IN VERIFIABLE WORKING / STERILE CONDITION AND IF SO, HOW IT WAS VERIFIED.									
IF THERE ARE MORE THAN ONE OPERATING THEATERS IN THIS HOSPITALS, FILL OUT THIS SECTION FOR BOTH OPERATING THEATERS BY USING AN ADDITIONAL SHEET FOR OBSERVATION OF THE GENERAL INFRASTRUCTURE OF THE HOSPITAL.									
	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working	Go to
Q300	X-ray view box	1	2	0	3	4	5	6	
Q301	Endotracheal tubes of requisite sizes	1	2	0	3	4	5	6	
Q302	Emergency crash cart/ tray	1	2	0	3	4	5	6	
Q303	Ambu bag	1	2	0	3	4	5	6	
Q304	Suction apparatus	1	2	0	3	4	5	6	
Q305	Anesthesia machine	1	2	0	3	4	5	6	
Q306	Boyle's apparatus	1	2	0	3	4	5	6	
Q307	Oxygen mask	1	2	0	3	4	5	6	
Q308	Oxygen cylinder	1	2	0	3	4	5	6	
Q309	Washable floors	1	2	0	3	4	5	6	
Q310	Monitors	1	2	0	3	4	5	6	
Q311	Defibrillator	1	2	0	3	4	5	6	
Q312	Centralised pipeline	1	2	0	3	4	5	6	
Q313	Shadowless lamp	1	2	0	3	4	5	6	
Q314	Integrated CSSD	1	2	0	3	4	5	6	
Q315	height adjustable OT tables	1	2	0	3	4	5	6	
Q316	Changing and washing area	1	2	0	3	4	5	6	
Q317	positive air pressure	1	2	0	3	4	5	6	
Q318	portable OT light	1	2	0	3	4	5	6	
Q323	Plastic container with a plastic liner for medical waste (gauze, etc.)	1	2	0	3	4	5	6	
	Sanitation and Basic PPE								
Q324	Hand Washing Station with tap	1	2	0	3	4	5	6	If no -> Q328
Q325	Hand soap or detergent	1	2	0	3	4	5	6	
Q326	Mild (0.05%) solution for washing bare hands	1	2	0	3	4	5	6	
Q327	Hand scrubbing brush	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

Q328	Antiseptic for skin (such as chlorhexidine, savlon (chlorhexidine bigluconate), Dettol) or alcohol based hand rub	1	2	0	3	4	5	6	
Q329	Plastic container with a plastic liner for medical waste (gauze, etc.)	1	2	0	3	4	5	6	
Q330	Gloves	1	2	0	3	4	5	6	
Q331	Face shield/googles and mask	1	2	0	3	4	5	6	
Q332	Fluid resistant gown	1	2	0	3	4	5	6	

Section 4: Direct Observation of the Emergency ward									
OBSERVER: RECORD IF THE FOLLOWING ROOMS, STAFF, EQUIPMENT AND SUPPLIES ARE PRESENT AND SEEN, PRESENT AND NOT SEEN (E.G. IF SHARED WITH ANOTHER SERVICE), OR NOT PRESENT. IF THEY ARE SEEN, INDICATE IF THEY ARE IN VERIFIABLE WORKING / STERILE CONDITION AND IF SO, HOW IT WAS VERIFIED.									
	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working	Go to
Q400	Blood pressure apparatus	1	2	0	3	4	5	6	
Q401	Thermometer	1	2	0	3	4	5	6	
Q402	Torch	1	2	0	3	4	5	6	
Q403	Glucometer	1	2	0	3	4	5	6	
Q404	X-ray view box	1	2	0	3	4	5	6	
Q405	Endotracheal tubes of requisite sizes	1	2	0	3	4	5	6	
Q406	Emergency crash cart/tray	1	2	0	3	4	5	6	
Q407	Ambu bag	1	2	0	3	4	5	6	
Q408	Suction apparatus	1	2	0	3	4	5	6	
Q409	Oxygen mask	1	2	0	3	4	5	6	
Q410	Oxygen cylinder	1	2	0	3	4	5	6	
Q412	IV stand	1	2	0	3	4	5	6	
Q413	Needle destroyer	1	2	0	3	4	5	6	
Q414	Defibrillator	1	2	0	3	4	5	6	
Q415	Monitors	1	2	0	3	4	5	6	
Q416	Anti-snake venom	1	2	0	3	4	5	6	
Q417	Streptokinase	1	2	0	3	4	5	6	
Q418	Heparin	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

Q422	Plastic container with a plastic liner for medical waste (gauze, etc.)	1	2	0	3	4	5	6	
	Sanitation and Basic PPE								
Q423	Hand Washing Station with tap	1	2	0	3	4	5	6	If no -> Q427
Q424	Hand soap or detergent	1	2	0	3	4	5	6	
Q425	Mild (0.05%) solution for washing bare hands	1	2	0	3	4	5	6	
Q426	Hand scrubbing brush	1	2	0	3	4	5	6	
Q427	Antiseptic for skin (such as chlorhexidine, savlon (chlorhexidine bigluconate), Dettol) or alcohol based hand rub	1	2	0	3	4	5	6	
Q428	Plastic container with a plastic liner for medical waste (gauze, etc.)	1	2	0	3	4	5	6	
Q429	Gloves	1	2	0	3	4	5	6	
Q430	Face shield/googles and mask	1	2	0	3	4	5	6	
Q431	Fluid resistant gown	1	2	0	3	4	5	6	

Section 5: Direct Observation Patient Triage Infrastructure									
OBSERVER: RECORD IF THE FOLLOWING ROOMS, STAFF, EQUIPMENT AND SUPPLIES ARE PRESENT AND SEEN, PRESENT AND NOT SEEN (E.G. IF SHARED WITH ANOTHER SERVICE), OR NOT PRESENT. IF THEY ARE SEEN, INDICATE IF THEY ARE IN VERIFIABLE WORKING / STERILE CONDITION AND IF SO, HOW IT WAS VERIFIED.									
	IS THE FOLLOWING ITEM PRESENT?	Yes, seen	Yes, not seen	Not present → Next item	Working/sterile – seen in use	Working/sterile – inspected	Working/sterile – told it is working	Not working	Go to
Q500	Is there a dedicated entry point for triage of patients and visitors arriving at the hospital	1	2	0	3	4	5	6	If No -> Q507
Q501	Are Health workers working in this area properly equipped with basic PPE	1	2	0	3	4	5	6	
Q502	Is there sufficient space to ensure that patients can be separated from each other in this space	1	2	0	3	4	5	6	
Q503	Is the area equipped with tools for taking temperature (infrared scanner or axillary thermometer?)	1	2	0	3	4	5	6	
Q504	Is the area equipped with a hand washing station with mild chlorine solution	1	2	0	3	4	5	6	

GENERAL OBSERVATION OF THE HOSPITAL INFRASTRUCTURE

Q505	Is there sufficient supply of gloves in this area?	1	2	0	3	4	5	6	
Q506	Is it difficult for patients or visitors to enter the hospital without going through triage?	1	2	0	3	4	5	6	
Q507	Does the hospital have an Ebola Isolation room or area?	1	2	0	3	4	5	6	If No -> Q600
Q508	Does this room have a dedicated exit which does not return through the non-isolated areas of the hospital?	1	2	0	3	4	5	6	

Q600	RECORD DATE THE OBSERVATION ENDED (DD/MM/YYYY)	__ / __ / __ __ __
Q601	RECORD TIME THE OBSERVATION ENDED (HH:MM)	__ : __ AM/PM