Survey of Agricultural Holdings 2021, Production Methods and Environment Module

National Statistics Office of Georgia (Geostat)

report_generated_on: October 8, 2026

visit_data_catalog_at: https://microdata.worldbank.org/

Identification

SURVEY ID NUMBER

GEO_2021_SAH-PME_v01_M_v01_A_ESS

TITLE

Survey of Agricultural Holdings 2021, Production Methods and Environment Module

ABBREVIATION OR ACRONYM

SAH-PME 2021

COUNTRY/ECONOMY

Name	Country code
Georgia	GEO

STUDY TYPE

Agricultural Survey [ag/oth]

SERIES INFORMATION

Production Methods and the Environment Module is part of main Survey of Agricultural Holdings.

ABSTRACT

The sample design of the Production Methods and the Environment module survey is based on the sample of the current Survey of Agricultural Holdings, so firstly given the design of the current Survey. The main purpose of the Survey of Agricultural Holdings as well as Production Methods and the Environment module is to produce official indicators in line with agricultural sector. The survey allows the compilation of statistics on crops and animal husbandry, of which information annual and permanent crops, sown area, average yield of annual crops, farming practices and their linkages with the natural environment, crop and livestock production methods, access to and use of information services, infrastructure and communal resources and etc. Statistical tables are accessible through the following link: https://www.geostat.ge/en/modules/categories/196/agriculture.

Production Methods and the Environment Module is part of main Survey of Agricultural Holdings. One round of the main survey (reference year) includes 5 inquiries: The Inception interview is carried out using the inception questionnaire during the period of January-February of the reference year. During this interview the sampled holdings are identified and situation existing at the holding as of first January is recorded. I, II and III quarter interviews are conducted by means of quarterly questionnaire at the beginning of the following month of the corresponding quarter of the reference year. Based on these surveys, the information about agricultural activities during the corresponding quarter is collected. The final interview is conducted by means of final questionnaire in January of the following year of the reference year. During this interview, the information about agricultural activities at the holding during IV quarter of the reference year and the summery information about agricultural activities at the holding during the whole reference year (from 1 January to 31 December of the previous year) are collected. During all five interviews, the same agricultural holdings (about 12000) are interviewed which are selected by a two-stage stratified cluster random sampling procedure out of about 642 000 agricultural holdings operated in Georgia. On the first stage, clusters (settlements) are selected. On the second stage, holdings are selected within the selected clusters.

The survey completely covers the territory of Georgia, excluding the occupied territories of Autonomous Republic of Abkhazia and Tskhinvali region. Each year a new sample is selected based on a rotational design (on a 3-year basis). In particular, every year approximately 4000 holdings out of the 12000 sampled holdings are replaced by new holdings. Sampled holdings participate in the survey for 3 years. Large agricultural holdings are sampled every year with complete coverage. The statistical unit of the survey is the agricultural holding (family holdings and agricultural enterprises) - which is defined as an economic unit of agricultural production under single management comprising all livestock kept and all land used wholly or partly for agricultural production purposes, without regard to title, legal form or size. Agricultural activities are conducted under the supervision of a holder (in case of households - a member of household, in case of agricultural enterprises - director or authorized person), who is responsible for making decisions and takes all economic risks and

expenses related to agricultural activities. More than 270 interviewers participate in the survey fieldwork. For the Data collection, computer-assisted personal interviewing method (CAPI) is used in the family holdings. In case of agricultural enterprises, the authorized persons of the enterprises (respondent) fill the electronic (online) questionnaires by themselves (CAWI). Coordination of the interviewers and the primary control of the collected data during the field is carried out by coordinators. Their working area covers several municipalities. The function of the coordinators also includes consultation for agricultural enterprises on methodological and technical issues related to the survey. Production Methods and Environment module field work was carried out from May 5th to May 20th of 2022. 200 field staff participated in the survey, 22 of which were field supervisors. In total 5,880 agricultural holdings were selected for the PME survey. Such are the extra-large farms that are continuously participating in the survey and the third rotation farms that have been participating in the survey since 2019. Currently 943 extra-large farms and 3,899 third rotation farms are participating in the survey. Therefore, we have a total of 4,842 farm data for the last three years. The rest of the holdings will be selected from the first rotation clusters where interviews have been conducted for two years. In particular, using simple random sampling approximately 30% of the working clusters of the first rotation are selected in each stratum. This will give us about 1,038 farms. A total of about 5,880 farms will be selected.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Agricultural holding – economic unit of agricultural production under single management comprising all livestock kept and all land used wholly or partly for agricultural production purposes, without regard to title, legal form or size in which agricultural activities are conducted under the supervision of a holder, who is responsible for making decisions and takes all economic risks and expenses related to agricultural activities.

Scope

KEYWORDS

Temporary crop Permanent crop Sown area Harvested area Production of annual and permanent crops Average yield Number of livestock Livestock productivity Milk production Meat production Average yield of daily cows Average clip per sheep Average litter

Coverage

GEOGRAPHIC COVERAGE

Entire country (Georgia), excluding occupied regions (Abkhazia and Tskhinvali region)

UNIVERSE

Survey sampling frame includes about 642 000 agriculture holdings (households and agricultural enterprises) operated in country. The Agricultural Census 2014 is the main source of the sample frame. Sampling frame is updated on a permanent basis in according to the results of survey of agricultural holdings, business register and different administrative sources.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
National Statistics Office of Georgia (Geostat)

PRODUCERS

Name	Role
Food and Agriculture Organization of the United Nations	Technical Support

FUNDING AGENCY/SPONSOR

Name	Abbreviation	Role
National Statistics Office of Georgia	Geostat	
50x2030 Initiative (www.50x2030.org)	50x2030	Technical and Financial Assistance

Sampling

SAMPLING PROCEDURE

The sample design of the Production Methods and the Environment module survey is based on the sample of the current Survey of Agricultural Holdings, so firstly given the design of the current Survey.
• Main Source of the sample frame since 2016 - Agricultural Census 2014;
• Sample frame contained 642 000 holding - sample size 12 000 (1.9%);
• Sample Design: two-stage stratified cluster random sampling; - First stage - selection of cluster (Settlement); - Second stage - Selection of holdings within the selected clusters;
• Each year a new sample is selected based on a rotational design; - Every year 1/3 of holdings (4 000) selected a year before are replaced (Sampled holdings participate in the survey during 3 years);
• Extremely large agricultural holdings are sampled every year with complete coverage;
• Additional Sources for updating sample frame: Sample Survey of Agricultural Holdings, Statistical Business Register, Administrative data existing in MEPA (large agricultural holdings); Sampling error of main indicators do not exceed 5% for a country level and 10% for a regional level.

The sample design of the Production Methods and the Environment module survey:
• Sample Design: Two-stage cluster sampling was used for the survey. Sample is formed separately in each stratum. At first, clusters are selected in every stratum, and then holdings from selected clusters are selected for survey. Extra-large holdings will be in the sample by probability 1. That is, all clusters of extra-large holdings and all extra-large holdings from these clusters fall into sample. Primary sampling unit in the rest of the strata is the cluster. The same number of holdings will be interviewed in all the selected clusters of a stratum. Specifically, in small holding strata, 12 holdings will be interviewed in each selected cluster. This number is 8 for medium-sized strata and 4 for large strata. In each stratum the number of clusters that have to be selected is calculated by dividing the number of holdings to be selected in the stratum by the number of holdings to be interviewed in each cluster of the stratum. In each stratum selection of clusters is done by the PPS method (Probability Proportionally to Size). -The selection of holdings in each selected cluster is made using a random systematic sample.
• Rotational design: Survey has a panel design. Holdings, which will get into the sample, will stay there for three years. After this, they will be substituted by holdings from the same stratum. The database lists 943 extra-large holdings. All of them will constantly participate in the survey. Their rotation group number will be "0". Of the remaining holdings each of them will belong to one of the three rotation groups. Holdings selected from the same cluster will fall in the same rotation group. Each rotation group will have more or less the same number of holdings. Each rotation group represents an independent random sample. When holdings change by rotation , holding from the sample will be substituted by the new one from the same cluster. If the cluster does not have enough holdings to make the full rotation, then the cluster is deemed exhausted and is substituted by a randomly selected cluster from the same stratum. Newly introduced holdings will belong to the same rotation group which its predecessor belonged to

RESPONSE RATE

In the PME survey 237 holdings were not responded to due to refusing to be interviewed or would not be found during the fieldwork despite its existence. It is about 4.0% of the total Sampled holdings 5,880 holdings involved in the sample.

WEIGHTING

Weighting is performed on stratum level. All the interviewed holdings of the stratum have the same weight.

- At First, initial weights of selected holdings from s-th stratum will be calculated: Ws,0=Ns/ns, Where Ns is the number of holdings, and ns is the number of selected holdings in s-th stratum. In the strata of small, medium and large holdings, all the interviewed holdings of s-th stratum will have the following weight assigned: Ws,1=(Ns-us*Ws,0)*rs, Where rs is the number of responses in s-th stratum, and us is the number of selected holdings in the stratum that do not exist.

Survey instrument

QUESTIONNAIRES

Detailed information on structure, and sections of questionnaires used in the survey of agricultural holdings available in following link: https://www.geostat.ge/en/modules/categories/686/agriculture-holdings-surveys.

METHODOLOGY NOTES

Statistical Disclosure Control (SDC): Microdata are disseminated as Public Use Files under the terms indicated in Dissemination Policy at Geostat (().

This Policy establishes that, prior to using public use microdata, the user shall get familiar and comply with the following conditions:

- Public use microdata shall be used exclusively for statistical or scientific research purposes;
- Public use microdata shall be used just for receiving aggregated data and not for identifying information about specific statistical unit;
- Attempt to identify statistical unit using information available in public use microdata file (database) is inadmissible;
- Geostat shall be immediately notified in case a statistical unit is inadvertently revealed in public use microdata file (database).

In addition, anonymization methods have been applied to the microdata files to protect the confidentiality of the individual data collected. These methods include: i) removal of information that may directly identify a respondent (name, address, etc.), ii) grouping values of some variables into categories (e.g. age), iii) limiting geographical information to the region level, iv) suppression of some data points for variables that, in combination with others, may pose a relevant risk of identification of a statistical unit, v) censoring the highest values in continuous variables (top-coding), by groups, replacing them with less extreme values from other respondents, or vi) rounding numerical values. Users must therefore be aware that the data protection with SDC methods involves modifying the data, including suppression of some data points. It may therefore have unwanted consequences, such as sampling error and bias. It should be noted that the impact of anonymization on these data was generally stronger on the smaller sub-populations, and for this reason data by region were more distorted than national totals, and data from enterprises were much more impacted than data from family holdings (given that the number of holdings in the enterprises category is much lower).

Data collection

DATES OF DATA COLLECTION

Start	End
2022-05-05	2022-05-20

DATA COLLECTION MODE

- Computer Assisted Personal Interview [capi]

DATA COLLECTION NOTES

Data are collected using tablet-based computer-assisted personal interviewing (CAPI) methods. In case of agricultural enterprises, data are collected via online questionnaires CAWI- Computer Assisted Web-interviewing).

Data processing

DATA EDITING

After the field work, cleaning and harmonization of all inquiries are established at the Geostat head office - logical and arithmetical inconsistencies, as well as non-typical and suspicious data are detected, checked and corrected. Verification of the data is performed by contacting the respondents by phone. If verification with respondent is impossible, different imputation methods are used. Finally, indicators are calculated using weighted data. The obtained results are compared with corresponding results of the previous periods. In case of significant differences, the possible causes are identified and analyzed.

Access policy

CONFIDENTIALITY

Is signing of a confidentiality declaration required?	Confidentiality declaration text
yes	1. The Law of Georgia on Official Statistics: • According to the article 4 of the law individual data collected by statistical agencies for statistical compilation, whether they refer to natural or legal persons, are to be strictly confidential and used exclusively for statistical purposes. • According to the article 28 (Observing Confidentiality of Statistical Data) of the law. 1. The data collected for the purpose of producing official statistics shall be confidential if it allows for identification of observation unit or it is possible to identify such data through it. 2. The confidential statistical data shall not be issued or disseminated or used for a non-statistical purpose but for the exceptions envisaged by the Georgian legislation. 3. When official statistics, it is obligatory to destroy or store separately the identity data including the questionnaires containing such data and used for statistical surveys according to the rules defined in the Georgian legislation. • According to the article 29 (The Obligations and Responsibilities of the Employees of the Geostat) of the law the confidential statistical data collected and processed for the purpose of statistical survey shall not be used or disseminated by the employees of the units of the Geostat. https://www.geostat.ge/media/56202/The-Law-of-Georgia-on-Official-Statistics.pdf 1. Data Confidentiality Policy at Geostat 2. Public Use Microdata Dissemination Policy at Geostat 3. The Law of Georgia on Personal Data Protection https://matsne.gov.ge/en/document/view/1561437?publication=9

ACCESS CONDITIONS

Data Confidentiality Policy at Geostat

https://www.geostat.ge/media/20860/Data-Confidentiality-Policy-at-Geostat_En.pdf

Public Use Microdata Dissemination Policy at Geostat
https://www.geostat.ge/media/20862/Microdata-Dissemination-Policy_Eng.pdf

Contacts

CONTACTS

Name	Affiliation	Email
Giorgi Sanadze	Head of Agriculture and Environment Department at Geostat	gsanadze@geostat.ge

Metadata production

DDI DOCUMENT ID

DDI_GEO_2021_SAH-PME_v01_M_v01_A_ESS_FAO

PRODUCERS

Name	Abbreviation	Affiliation	Role
National Statistics of Georgia	GEOSTAT		Metadata producer
Oluwakayode Anidi			Metadata adapted for FAM
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

Metadata version

DDI DOCUMENT VERSION

Identical to a metadata (GEO_2021_SAH-PME_v01_EN_M_v01_A_ESS) published on FAO microdata repository (https://microdata.fao.org/index.php/catalog). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
PME_3_1_2	4531	16
PME_4_4_2	82	7
PME_4_4_5	392	7
PME_4_4_8	1870	7
PME_4_4_11	340	7
PME_4_5_1	9072	19
PME_5_1_1	7160	7
PME_6_4	10274	11
PME_main_table	5655	558

Data file: PME_3_1_2

Cases:	4531
variables:	16

variables

ID	Name	Label	Question
V1438	CodeIdent	Holding code	
V1439	Weight	Weight	
V1440	Region	Region	
V1441	HolderStatus	Legal status of the holding	
V1442	R_3_1_2__id	Id. of fertilizer applied	
V1443	Q_3_1_3_1	Area fertilized: Temporary crops (excluding for livestock feed) (ha)	
V1444	Q_3_1_3_2	Area fertilized: Temporary crops for livestock feed (ha)	
V1445	Q_3_1_3_3	Area fertilized: Temporary fallow (ha)	
V1446	Q_3_1_3_4	Area fertilized: Permanent crops (ha)	
V1447	Q_3_1_3_5	Area fertilized: Greenhouses (square meter)	
V1448	Q_3_1_4_1	Quantity of fertilizer (kg): on temporary crops (excl. crops for livestock feed)	
V1449	Q_3_1_4_2	Quantity of fertilizer (kg): on temporary meadows and pastures	
V1450	Q_3_1_4_3	Quantity of fertilizer (kg): on temporary fallows	
V1451	Q_3_1_4_4	Quantity of fertilizer (kg): on permanent crops	
V1452	Q_3_1_4_5	Quantity of fertilizer (kg): on greenhouses	
V1453	Q_3_1_4_6	Quantity of fertilizer (kg): on scattered trees	

total: 16

Data file: PME_4_4_2

Cases:	82
variables:	7

variables

ID	Name	Label	Question
V1454	CodeIdent	Holding code	
V1455	Weight	Weight	
V1456	Region	Region	
V1457	HolderStatus	Legal status of the holding	
V1458	R_4_4_2__id	Id. of type of livestock transported from the holding to the slaughterhouse	
V1459	Q_4_4_3	Main method to transport this livestock to a slaughterhouse	
V1460	Q_4_4_4	Quantity of transportation of this livestock to a slaughterhouse	

total: 7

Data file: PME_4_4_5

Cases:	392
variables:	7

variables

ID	Name	Label	Question
V1461	CodeIdent	Holding code	
V1462	Weight	Weight	
V1463	Region	Region	
V1464	HolderStatus	Legal status of the holding	
V1465	R_4_4_5__id	Id. of type of livestock transported from the holding to a market	
V1466	Q_4_4_6	Main method to transport this type of livestock to a market	
V1467	Q_4_4_7	Quantity of transportation of this livestock to a market	

total: 7

Data file: PME_4_4_8

Cases:	1870
variables:	7

variables

ID	Name	Label	Question
V1468	CodeIdent	Holding code	
V1469	Weight	Weight	
V1470	Region	Region	
V1471	HolderStatus	Legal status of the holding	
V1472	R_4_4_8__id	Id. of type of livestock transported to pastures outside the holding	
V1473	Q_4_4_9	Main method to transport this type of livestock to pastures	
V1474	Q_4_4_10	Quantity of transportation of this livestock to pastures	

total: 7

Data file: PME_4_4_11

Cases:	340
variables:	7

variables

ID	Name	Label	Question
V1475	CodeIdent	Holding code	
V1476	Weight	Weight	
V1477	Region	Region	
V1478	HolderStatus	Legal status of the holding	
V1479	R_4_4_11__id	Id. of type of livestock transported to another holding which fed them	
V1480	Q_4_4_12	Main method to transport this livestock to another holding which fed them	
V1481	Q_4_4_13	Quantity of transportation of livestock to another holding which fed them	

total: 7

Data file: PME_4_5_1

Cases:	9072
variables:	19

variables

ID	Name	Label	Question
V1482	CodeIdent	Holding code	
V1483	Weight	Weight	
V1484	Region	Region	
V1485	HolderStatus	Legal status of the holding	
V1486	R_4_5_1__id	Id. of type of livestock raised on the holding	
V1487	Q_4_5_1	Share by feeding method: percentage or quantitatively?	
V1488	Q_4_5_1_1Percent	Share by feeding method: only grazing, including scavenging (%)	
V1489	Q_4_5_1_2Percent	Share by feeding method: mainly grazing, but in part feeding (%)	
V1490	Q_4_5_1_3Percent	Share by feeding method: mainly fed by holding, with some grazing (%)	
V1491	Q_4_5_1_4Percent	Share by feeding method: fed only by holding (zero grazing) (%)	
V1492	Q_4_5_2a	Share by food type: Forages, including roughages (%)	
V1493	Q_4_5_2b	Share by food type: Crops and agro-industrial by-products (%)	
V1494	Q_4_5_2c	Share by food type: Swill and household wastes (in or outside farm) (%)	
V1495	Q_4_5_3	Were supplements and/or additives fed to this type of livestock?	
V1496	Q_4_5_4	Number of this type of livestock grazing on the holding	
V1497	Q_4_5_5	Area of holding with grazing by this type of livestock (ha)	
V1498	Q_4_5_6	Number of months with this type of livestock grazing on the holding	
V1499	Q_4_5_7	Number of this type of livestock grazing outside the holding	
V1500	Q_4_5_8	Number of months with this type of livestock grazing outside the holding	

total: 19

Data file: PME_5_1_1

Cases:	7160
variables:	7

variables

ID	Name	Label	Question
V1501	CodeIdent	Holding code	
V1502	Weight	Weight	
V1503	Region	Region	
V1504	HolderStatus	Legal status of the holding	
V1505	R_5_1_1__id	Id. of type of information used on the holding	
V1506	Q_5_1_2	Identify the main source of information for the holding	
V1507	Q_5_1_3	Identify the main method used for consulting information	

total: 7

Data file: PME_6_4

Cases:	10274
variables:	11

variables

ID	Name	Label	Question
V1508	CodeIdent	Holding code	
V1509	Weight	Weight	
V1510	Region	Region	
V1511	HolderStatus	Legal status of the holding	
V1512	R_6_4__id	Id. of type of waste generated by the holding	
V1513	Q_6_5__1	Treatment for waste: Waste taken away from the holding by a professional	
V1514	Q_6_5__2	Treatment for waste: Waste kept on the holding, treated by burning	
V1515	Q_6_5__3	Treatment for waste: Waste kept on the holding, treated by burying	
V1516	Q_6_5__4	Treatment for waste: Waste is dumped in the orderly bin	
V1517	Q_6_5__5	Treatment for waste: Waste was used in secondary form on the farm	
V1518	Q_6_5__999	Treatment for waste: Other treatment	

total: 11

Data file: PME_main_table

Cases:	5655
variables:	558

variables

ID	Name	Label	Question
V1519	CodeIdent	Holding code	
V1520	HasLandInPeriod	Did the farm have agricultural land, livestock, poultry or bees?	
V1521	HasOrchardOrGarden	Did the farm benefit from fruit, citrus, vines, orchards or vegetables?	
V1522	HolderAge	Holder age	
V1523	HolderGender	Holder sex	
V1524	HolderStatus	Legal status of the holding	
V1525	Region	Region	
V1526	Weight	Weight	
V1527	Year	Year	
V1528	Q_1_2_1__1	Was this holding profitable in the last tree years?: 2019	
V1529	Q_1_2_1__2	Was this holding profitable in the last tree years?: 2020	
V1530	Q_1_2_1__3	Was this holding profitable in the last tree years?: 2021	
V1531	Q_1_2_2__1	Mechanisms against external shocks?: credit (formal or informal)	
V1532	Q_1_2_2__2	Mechanisms against external shocks?: insurance	
V1533	Q_1_2_3	Prospects for the next 2-3 years, for development of its activities?	
V1534	Q_1_2_4__1	Main constraints on development: Access to land	
V1535	Q_1_2_4__2	Main constraints on development: Access to water	
V1536	Q_1_2_4__3	Main constraints on development: Access to financial resources	
V1537	Q_1_2_4__4	Main constraints on development: Access to machinery and equipment	
V1538	Q_1_2_4__5	Main constraints on development: Access to labour	
V1539	Q_1_2_4__6	Main constraints on development: Access to other agricultural inputs	
V1540	Q_1_2_4__7	Main constraints on development: Not enough demand for the products	
V1541	Q_1_2_4__8	Main constraints on development: Selling prices are too low	
V1542	Q_1_2_4__9	Main constraints on development: Decreasing soil fertility	
V1543	Q_1_2_4__10	Main constraints on development: Natural disasters	
V1544	Q_1_2_4__11	Main constraints on development: Lack of safety, thefts, etc	
V1545	Q_1_2_4__12	Main constraints on development: Poor transportation and/or infrastructure	
V1546	Q_1_2_4__999	Main constraints on development: Other	
V1547	Q_2_1_1__1	Energy sources: Network electricity	
V1548	Q_2_1_1__2	Energy sources: Petroleum fuels (gasoline, kerosene, diesel, oil, etc.)	
V1549	Q_2_1_1__3	Energy sources: Coal	
V1550	Q_2_1_1__4	Energy sources: Natural gas	
V1551	Q_2_1_1__5	Energy sources: Propane	
V1552	Q_2_1_1__6	Energy sources: Biomass (wood, plant material, etc.)	
V1553	Q_2_1_1__7	Energy sources: Biogas or methane	
V1554	Q_2_1_1__999	Energy sources: Other energy or fuel	
V1555	Q_2_1_1__0	Energy sources: None	
V1556	Q_2_2_1_1	Did the holding have Scattered trees?	

ID	Name	Label	Question
V1557	Q_2_2_1__1	Indicate the types of land use: arable land	
V1558	Q_2_2_1__2	Indicate the types of land use: permanent crops	
V1559	Q_2_2_1__3	Indicate the types of land use: Natural meadows	
V1560	Q_2_2_1__4	Indicate the types of land use: Natural Pastures	
V1561	Q_2_2_1__5	Indicate the types of land use: greenhouses	
V1562	Q_2_2_2_1	Crop rotation (replacement) carried out in the last 3 years?	
V1563	Q_2_2_2_2	Area of agricultural land with crop rotation used in the last 3 years (ha)	
V1564	Q_2_2_3__1	Reduce soil erosion, compaction, etc.: Fallowing or shifting cultivation	
V1565	Q_2_2_3__2	Reduce soil erosion, compaction, etc.: Vegetative strips	
V1566	Q_2_2_3__3	Reduce soil erosion, compaction, etc.: Liming	
V1567	Q_2_2_3__4	Reduce soil erosion, compaction, etc.: Terraces	
V1568	Q_2_2_3__5	Reduce soil erosion, compaction, etc.: Rotational grazing	
V1569	Q_2_2_3__6	Reduce soil erosion, compaction, etc.: Trees or hedgerows	
V1570	Q_2_2_3__7	Reduce soil erosion, compaction, etc.: Natural ponds or wetlands	
V1571	Q_2_2_3__999	Reduce soil erosion, compaction, etc.: Other practices and features	
V1572	Q_2_2_3a	Total area of the holding covered by trees or hedgerows (ha)	
V1573	Q_2_2_3b	Total area of the holding covered by natural ponds or wetlands (ha)	
V1574	Q_2_2_4	Did the holding conduct a soil analysis?	
V1575	Q_2_2_5	Did the holding conduct a soil analysis in the past five years?	
V1576	Q_2_2_6__1	Changes in the soil?: Soil colour	
V1577	Q_2_2_6__2	Changes in the soil?: Amount of fine and coarse particles	
V1578	Q_2_2_6__3	Changes in the soil?: Change in how easy it is to plough or work the soil	
V1579	Q_2_2_6__4	Changes in the soil?: Change in how easily crops emerge after planting	
V1580	Q_2_2_6__5	Changes in the soil?: Amount of stones present in the soil	
V1581	Q_2_2_7__1	Soil degradation threats: Soil erosion (loss of topsoil)	
V1582	Q_2_2_7__2	Soil degradation threats: Reduction in soil fertility	
V1583	Q_2_2_7__3	Soil degradation threats: Waterlogging , incl. by floods and heavy rains	
V1584	Q_2_2_7__4	Soil degradation threats: Salinization of irrigated land	
V1585	Q_2_2_7__999	Soil degradation threats: Other	
V1586	Q_2_2_8	Total area affected by the threats above during last 3 years? (ha)	
V1587	Q_2_3_1	Use water to irrigate crops (excl. greenhouses) during last 3 years?	
V1588	Q_2_3_2	Area (excl greenhouses) irrigated during the last 3 years (ha)	
V1589	Q_2_3_3	Reduction in water availability from well or other sources in last 3 years?	
V1590	Q_2_3_4	Are there organizations dealing with water allocation during last 3 years?	
V1591	Q_2_3_5	Was irrigation used on the holding (except greenhouses)?	
V1592	Q_2_3_6__1	Irrigation methods used: Surface irrigation (flooding, furrows)	
V1593	Q_2_3_6__2	Irrigation methods used: Sprinkler irrigation	
V1594	Q_2_3_6__3	Irrigation methods used: Spray or microsprinkler irrigation	
V1595	Q_2_3_6__4	Irrigation methods used: Drip irrigation	
V1596	Q_2_3_6__5	Irrigation methods used: Bubbler irrigation	
V1597	Q_2_3_6__999	Irrigation methods used: Other	
V1598	Q_2_3_6_a	Importance of Surface irrigation (flooding, furrows) in the holding	
V1599	Q_2_3_6_b	Importance of Sprinkler irrigation in the holding	
V1600	Q_2_3_6_c	Importance of Spray or microsprinkler irrigation in the holding	
V1601	Q_2_3_6_d	Importance of Drip irrigation in the holding	

ID	Name	Label	Question
V1602	Q_2_3_6_e	Importance of Bubbler irrigation in the holding	
V1603	Q_2_3_6_f	Importance of Other irrigation method in the holding	
V1604	Q_2_3_7__1	Irrigation sources used: On-farm ground water	
V1605	Q_2_3_7__2	Irrigation sources used: On-farm surface water	
V1606	Q_2_3_7__3	Irrigation sources used: Off-farm ground water	
V1607	Q_2_3_7__4	Irrigation sources used: Off-farm surface water	
V1608	Q_2_3_7__5	Irrigation sources used: Municipal water supply or other network	
V1609	Q_2_3_7__6	Irrigation sources used: collected rainwater	
V1610	Q_2_3_7__999	Irrigation sources used: Other source	
V1611	Q_2_3_7_a	Importance of on-farm ground water in the holding	
V1612	Q_2_3_7_b	Importance of on-farm surface water in the holding	
V1613	Q_2_3_7_c	Importance of off-farm ground water in the holding	
V1614	Q_2_3_7_d	Importance of off-farm surface water in the holding	
V1615	Q_2_3_7_e	Importance of municipal water supply or other network	
V1616	Q_2_3_7_f	Importance of collected rainwater in the holding	
V1617	Q_2_3_7_g	Importance of other source in the holding	
V1618	Q_2_3_8_3	Areas irrigated (ha): Permanent crops	
V1619	Q_2_3_8_5	Areas irrigated (ha): Permanent meadows and pastures	
V1620	Q_2_3_8_1	Areas irrigated (ha): Temporary crops, single irrigation	
V1621	Q_2_3_8_2	Areas irrigated (ha): Temporary crops, multiple irrigations	
V1622	Q_2_3_8_4	Areas irrigated (ha): Temporary meadows and pastures	
V1623	Q_2_3_9	Report the payment terms for irrigation carried out	
V1624	Q_2_3_10	Area equipped with working irrigation, even if not irrigated	
V1625	Q_2_3_11	Were there areas on the holding where drains were present?	
V1626	Q_2_3_12	Area equipped with surface drains (ha)	
V1627	Q_2_3_13	Area equipped with subsurface drains (ha)	
V1628	Q_3_1_1	Were fertilizers applied on the holding?	
V1629	Q_3_1_1_0	Why were fertilizers not applied?	
V1630	Q_3_1_2__1	Fertilizers applied: Mineral fertilizers	
V1631	Q_3_1_2__2	Fertilizers applied: Organo-mineral fertilizers	
V1632	Q_3_1_2__3	Fertilizers applied: Compost	
V1633	Q_3_1_2__4	Fertilizers applied: Mulch	
V1634	Q_3_1_2__5	Fertilizers applied: Biofertilizers	
V1635	Q_3_1_2__6	Fertilizers applied: Solid dung, incorporated	
V1636	Q_3_1_2__7	Fertilizers applied: Solid dung, not incorporated	
V1637	Q_3_1_2__8	Fertilizers applied: Liquid manure, incorporated	
V1638	Q_3_1_2__9	Fertilizers applied: Liquid manure, not incorporated	
V1639	Q_3_1_5	Are you aware of the environmental risks associated with fertilizer?	
V1640	Q_3_1_6__1	If so, measures adopted?: Follow protocols or local regulations	
V1641	Q_3_1_6__2	If so, measures adopted?: Use organic source of nutrients	
V1642	Q_3_1_6__3	If so, measures adopted?: Use legumes to reduce fertilizer input	
V1643	Q_3_1_6__4	If so, measures adopted?: Distribute application over growing period	
V1644	Q_3_1_6__5	If so, measures adopted?: Consider soil and climate for dose and frequency	
V1645	Q_3_1_6__6	If so, measures adopted?: Use soil sampling at least every 5 years	
V1646	Q_3_1_6__7	If so, measures adopted?: Use buffer strips along water courses	

ID	Name	Label	Question
V1647	Q_3_2_1	Use any pesticides for crop or livestock production?	
V1648	Q_3_2_2	Are you aware of environmental and health risks associated with pesticides?	
V1649	Q_3_2_3__1	Health protection?: Label directions (incl. protection equipment)	
V1650	Q_3_2_3__2	Health protection?: Maintenance of protection equipment after use	
V1651	Q_3_2_3__3	Health protection?: Safe disposal of waste (cartons, bottles and bags)	
V1652	Q_3_2_4__0	Pest control?: None above mentioned	
V1653	Q_3_2_4__1	Pest control?: Adherence to label directions for pesticide application	
V1654	Q_3_2_4__2	Pest control?: Adjustment of planting time	
V1655	Q_3_2_4__3	Pest control?: Application of crop spacing	
V1656	Q_3_2_4__4	Pest control?: Application of crop rotation	
V1657	Q_3_2_4__5	Pest control?: Application of mixed cropping	
V1658	Q_3_2_4__6	Pest control?: Perform biological pest control	
V1659	Q_3_2_4__7	Pest control?: Use of biopesticides	
V1660	Q_3_2_4__8	Pest control?: Adopting pasture rotation	
V1661	Q_3_2_4__9	Pest control?: Systematic removal of plant parts attacked by pests	
V1662	Q_3_2_4__10	Pest control?: Maintenance and cleansing of spray equipment after use	
V1663	Q_3_2_4__11	Pest control?: Use one pesticide no more than two times or in mixture	
V1664	Q_4_1_1	Was livestock raised on the holding?	
V1665	Q_4_1_2__1	Types of livestock raised: Cattle	
V1666	Q_4_1_2__4	Types of livestock raised: Buffaloes	
V1667	Q_4_1_2__7	Types of livestock raised: Sheep	
V1668	Q_4_1_2__9	Types of livestock raised: Goats	
V1669	Q_4_1_2__11	Types of livestock raised: Pigs	
V1670	Q_4_1_2__13	Types of livestock raised: Horses	
V1671	Q_4_1_2__14	Types of livestock raised: Asses and mules	
V1672	Q_4_1_2__15	Types of livestock raised: Rabbits	
V1673	Q_4_1_2__16	Types of livestock raised: Beehives	
V1674	Q_4_1_2__17	Types of livestock raised: Chickens	
V1675	Q_4_1_2__22	Types of livestock raised: Other poultry	
V1676	Q_4_1_3_Buffalo	Main reproduction technique for buffalo used on the holding	
V1677	Q_4_1_3_Cattle	Main reproduction technique for cattle used on the holding	
V1678	Q_4_1_3_Goat	Main reproduction technique for goat used on the holding	
V1679	Q_4_1_3_Horse	Main reproduction technique for horse used on the holding	
V1680	Q_4_1_3_Mule	Main reproduction technique for mule used on the holding	
V1681	Q_4_1_3_Pig	Main reproduction technique for pig used on the holding	
V1682	Q_4_1_3_Sheep	Main reproduction technique for sheep used on the holding	
V1683	Q_4_1_4	Main provider of breeding services for the holding	
V1684	Q_4_2_1__0	Livestock with veterinary services: Do not used the veterinary services	
V1685	Q_4_2_1__1	Livestock with veterinary services: Cattle	
V1686	Q_4_2_1__4	Livestock with veterinary services: Buffaloes	
V1687	Q_4_2_1__7	Livestock with veterinary services: Sheep	
V1688	Q_4_2_1__9	Livestock with veterinary services: Goats	
V1689	Q_4_2_1__11	Livestock with veterinary services: Pigs	
V1690	Q_4_2_1__13	Livestock with veterinary services: Horses	
V1691	Q_4_2_1__14	Livestock with veterinary services: Asses and mules	

ID	Name	Label	Question
V1692	Q_4_2_1__15	Livestock with veterinary services: Rabbits	
V1693	Q_4_2_1__16	Livestock with veterinary services: Beehives	
V1694	Q_4_2_1__17	Livestock with veterinary services: Chickens	
V1695	Q_4_2_1__22	Livestock with veterinary services: Other poultry	
V1696	Q_4_2_2_Bee__3	Veterinary services: Curative treatment, other	
V1697	Q_4_2_2_Bee__7	Veterinary services for bee: Preventative medicine, other	
V1698	Q_4_2_2_Buffalo__1	Veterinary services for buffalo: Reproduction	
V1699	Q_4_2_2_Buffalo__2	Veterinary services for buffalo: Curative treatment, surgical procedures	
V1700	Q_4_2_2_Buffalo__3	Veterinary services for buffalo: Curative treatment, other	
V1701	Q_4_2_2_Buffalo__4	Veterinary services for buffalo: Preventative medicine, vaccinations	
V1702	Q_4_2_2_Buffalo__5	Veterinary services for buffalo: Preventative medicine, deworming	
V1703	Q_4_2_2_Buffalo__6	Veterinary services for buffalo: Preventative medicine against parasites	
V1704	Q_4_2_2_Buffalo__7	Veterinary services for buffalo: Preventative medicine, other	
V1705	Q_4_2_2_Cattle__1	Veterinary services for cattle: Reproduction	
V1706	Q_4_2_2_Cattle__2	Veterinary services for cattle: Curative treatment, surgical procedures	
V1707	Q_4_2_2_Cattle__3	Veterinary services for cattle: Curative treatment, other	
V1708	Q_4_2_2_Cattle__4	Veterinary services for cattle: Preventative medicine, vaccinations	
V1709	Q_4_2_2_Cattle__5	Veterinary services for cattle: Preventative medicine, deworming	
V1710	Q_4_2_2_Cattle__6	Veterinary services for cattle: Preventative medicine against parasites	
V1711	Q_4_2_2_Cattle__7	Veterinary services for cattle: Preventative medicine, other	
V1712	Q_4_2_2_Chicken__1	Veterinary services for chicken: Reproduction	
V1713	Q_4_2_2_Chicken__2	Veterinary services for chicken: Curative treatment, surgical procedures	
V1714	Q_4_2_2_Chicken__3	Veterinary services for chicken: Curative treatment, other	
V1715	Q_4_2_2_Chicken__4	Veterinary services for chicken: Preventative medicine, vaccinations	
V1716	Q_4_2_2_Chicken__5	Veterinary services for chicken: Preventative medicine, deworming	
V1717	Q_4_2_2_Chicken__6	Veterinary services for chicken: Preventative medicine against parasites	
V1718	Q_4_2_2_Chicken__7	Veterinary services for chicken: Preventative medicine, other	
V1719	Q_4_2_2_Goat__1	Veterinary services for goat: Reproduction	
V1720	Q_4_2_2_Goat__2	Veterinary services for goat: Curative treatment, surgical procedures	
V1721	Q_4_2_2_Goat__3	Veterinary services for goat: Curative treatment, other	
V1722	Q_4_2_2_Goat__4	Veterinary services for goat: Preventative medicine, vaccinations	
V1723	Q_4_2_2_Goat__5	Veterinary services for goat: Preventative medicine, deworming	
V1724	Q_4_2_2_Goat__6	Veterinary services for goat: Preventative medicine against parasites	
V1725	Q_4_2_2_Goat__7	Veterinary services for goat: Preventative medicine, other	
V1726	Q_4_2_2_Horse__1	Veterinary services for horse: Reproduction	
V1727	Q_4_2_2_Horse__2	Veterinary services for horse: Curative treatment, surgical procedures	
V1728	Q_4_2_2_Horse__3	Veterinary services for horse: Curative treatment, other	
V1729	Q_4_2_2_Horse__4	Veterinary services for horse: Preventative medicine, vaccinations	
V1730	Q_4_2_2_Horse__5	Veterinary services for horse: Preventative medicine, deworming	
V1731	Q_4_2_2_Horse__6	Veterinary services for horse: Preventative medicine against parasites	
V1732	Q_4_2_2_Horse__7	Veterinary services for horse: Preventative medicine, other	
V1733	Q_4_2_2_Mule__1	Veterinary services for mule: Reproduction	
V1734	Q_4_2_2_Mule__2	Veterinary services for mule: Curative treatment, surgical procedures	
V1735	Q_4_2_2_Mule__3	Veterinary services for mule: Curative treatment, other	
V1736	Q_4_2_2_Mule__4	Veterinary services for mule: Preventative medicine, vaccinations	

ID	Name	Label	Question
V1737	Q_4_2_2_Mule__5	Veterinary services for mule: Preventative medicine, deworming	
V1738	Q_4_2_2_Mule__6	Veterinary services for mule: Preventative medicine against parasites	
V1739	Q_4_2_2_Mule__7	Veterinary services for mule: Preventative medicine, other	
V1740	Q_4_2_2_Paultry__1	Veterinary services for poultry: Reproduction	
V1741	Q_4_2_2_Paultry__2	Veterinary services for poultry: Curative treatment, surgical procedures	
V1742	Q_4_2_2_Paultry__3	Veterinary services for poultry: Curative treatment, other	
V1743	Q_4_2_2_Paultry__4	Veterinary services for poultry: Preventative medicine, vaccinations	
V1744	Q_4_2_2_Paultry__5	Veterinary services for poultry: Preventative medicine, deworming	
V1745	Q_4_2_2_Paultry__6	Veterinary services for poultry: Preventative medicine against parasites	
V1746	Q_4_2_2_Paultry__7	Veterinary services for poultry: Preventative medicine, other	
V1747	Q_4_2_2_Pig__1	Veterinary services for pig: Reproduction	
V1748	Q_4_2_2_Pig__2	Veterinary services for pig: Curative treatment, surgical procedures	
V1749	Q_4_2_2_Pig__3	Veterinary services for pig: Curative treatment, other	
V1750	Q_4_2_2_Pig__4	Veterinary services for pig: Preventative medicine, vaccinations	
V1751	Q_4_2_2_Pig__5	Veterinary services for pig: Preventative medicine, deworming	
V1752	Q_4_2_2_Pig__6	Veterinary services for pig: Preventative medicine against parasites	
V1753	Q_4_2_2_Pig__7	Veterinary services for pig: Preventative medicine, other	
V1754	Q_4_2_2_Rabbit__1	Veterinary services for rabbit: Reproduction	
V1755	Q_4_2_2_Rabbit__2	Veterinary services for rabbit: Curative treatment, surgical procedures	
V1756	Q_4_2_2_Rabbit__3	Veterinary services for rabbit: Curative treatment, other	
V1757	Q_4_2_2_Rabbit__4	Veterinary services for rabbit: Preventative medicine, vaccinations	
V1758	Q_4_2_2_Rabbit__5	Veterinary services for rabbit: Preventative medicine, deworming	
V1759	Q_4_2_2_Rabbit__6	Veterinary services for rabbit: Preventative medicine against parasites	
V1760	Q_4_2_2_Rabbit__7	Veterinary services for rabbit: Preventative medicine, other	
V1761	Q_4_2_2_Sheep__1	Veterinary services for sheep: Reproduction	
V1762	Q_4_2_2_Sheep__2	Veterinary services for sheep: Curative treatment, surgical procedures	
V1763	Q_4_2_2_Sheep__3	Veterinary services for sheep: Curative treatment, other	
V1764	Q_4_2_2_Sheep__4	Veterinary services for sheep: Preventative medicine, vaccinations	
V1765	Q_4_2_2_Sheep__5	Veterinary services for sheep: Preventative medicine, deworming	
V1766	Q_4_2_2_Sheep__6	Veterinary services for sheep: Preventative medicine against parasites	
V1767	Q_4_2_2_Sheep__7	Veterinary services for sheep: Preventative medicine, other	
V1768	Q_4_2_3__0	Livestock for which you used hormones : Did not use hormones	
V1769	Q_4_2_3__1	Livestock for which you used hormones : Cattle	
V1770	Q_4_2_3__4	Livestock for which you used hormones : Buffaloes	
V1771	Q_4_2_3__7	Livestock for which you used hormones : Sheep	
V1772	Q_4_2_3__9	Livestock for which you used hormones : Goats	
V1773	Q_4_2_3__11	Livestock for which you used hormones : Pigs	
V1774	Q_4_2_3__13	Livestock for which you used hormones : Horses	
V1775	Q_4_2_3__14	Livestock for which you used hormones : Asses and mules	
V1776	Q_4_2_3__15	Livestock for which you used hormones : Rabbits	
V1777	Q_4_2_3__16	Livestock for which you used hormones : Beehives	
V1778	Q_4_2_3__17	Livestock for which you used hormones : Chickens	
V1779	Q_4_2_3__22	Livestock for which you used hormones : Other poultry	
V1780	Q_4_2_4__0	Livestock for which you used antibiotics: Did not use antibiotics	
V1781	Q_4_2_4__1	Livestock for which you used antibiotics: Cattle	

ID	Name	Label	Question
V1782	Q_4_2_4__4	Livestock for which you used antibiotics: Buffaloes	
V1783	Q_4_2_4__7	Livestock for which you used antibiotics: Sheep	
V1784	Q_4_2_4__9	Livestock for which you used antibiotics: Goats	
V1785	Q_4_2_4__11	Livestock for which you used antibiotics: Pigs	
V1786	Q_4_2_4__13	Livestock for which you used antibiotics: Horses	
V1787	Q_4_2_4__14	Livestock for which you used antibiotics: Asses and mules	
V1788	Q_4_2_4__15	Livestock for which you used antibiotics: Rabbits	
V1789	Q_4_2_4__16	Livestock for which you used antibiotics: Beehives	
V1790	Q_4_2_4__17	Livestock for which you used antibiotics: Chickens	
V1791	Q_4_2_4__22	Livestock for which you used antibiotics: Other poultry	
V1792	Q_4_2_5	Medically important antimicrobials as growth promoter for your livestock?	
V1793	Q_4_2_6__0	Livestock for which you used traditional medicine: Not used	
V1794	Q_4_2_6__1	Livestock for which you used traditional medicine: Cattle	
V1795	Q_4_2_6__4	Livestock for which you used traditional medicine: Buffaloes	
V1796	Q_4_2_6__7	Livestock for which you used traditional medicine: Sheep	
V1797	Q_4_2_6__9	Livestock for which you used traditional medicine: Goats	
V1798	Q_4_2_6__11	Livestock for which you used traditional medicine: Pigs	
V1799	Q_4_2_6__13	Livestock for which you used traditional medicine: Horses	
V1800	Q_4_2_6__14	Livestock for which you used traditional medicine: Asses and mules	
V1801	Q_4_2_6__15	Livestock for which you used traditional medicine: Rabbits	
V1802	Q_4_2_6__16	Livestock for which you used traditional medicine: Beehives	
V1803	Q_4_2_6__17	Livestock for which you used traditional medicine: Chickens	
V1804	Q_4_2_6__22	Livestock for which you used traditional medicine: Other poultry	
V1805	Q_4_2_7_Bee__1	Objectives of traditional medicine on bee: Reproduction	
V1806	Q_4_2_7_Bee__2	Objectives of traditional medicine on bee: Curative	
V1807	Q_4_2_7_Bee__3	Objectives of traditional medicine on bee: Preventative	
V1808	Q_4_2_7_Bee__999	Objectives of traditional medicine on bee: Other	
V1809	Q_4_2_7_Buffalo__1	Objectives of traditional medicine on buffalo: Reproduction	
V1810	Q_4_2_7_Buffalo__2	Objectives of traditional medicine on buffalo: Curative	
V1811	Q_4_2_7_Buffalo__3	Objectives of traditional medicine on buffalo: Preventative	
V1812	Q_4_2_7_Buffalo__999	Objectives of traditional medicine on buffalo: Other	
V1813	Q_4_2_7_Cattle__1	Objectives of traditional medicine on cattle: Reproduction	
V1814	Q_4_2_7_Cattle__2	Objectives of traditional medicine on cattle: Curative	
V1815	Q_4_2_7_Cattle__3	Objectives of traditional medicine on cattle: Preventative	
V1816	Q_4_2_7_Cattle__999	Objectives of traditional medicine on cattle: Other	
V1817	Q_4_2_7_Chicken__1	Objectives of traditional medicine on chicken: Reproduction	
V1818	Q_4_2_7_Chicken__2	Objectives of traditional medicine on chicken: Curative	
V1819	Q_4_2_7_Chicken__3	Objectives of traditional medicine on chicken: Preventative	
V1820	Q_4_2_7_Chicken__999	Objectives of traditional medicine on chicken: Other	
V1821	Q_4_2_7_Goat__1	Objectives of traditional medicine on goat: Reproduction	
V1822	Q_4_2_7_Goat__2	Objectives of traditional medicine on goat: Curative	
V1823	Q_4_2_7_Goat__3	Objectives of traditional medicine on goat: Preventative	
V1824	Q_4_2_7_Goat__999	Objectives of traditional medicine on goat: Other	
V1825	Q_4_2_7_Horse__1	Objectives of traditional medicine on horse: Reproduction	
V1826	Q_4_2_7_Horse__2	Objectives of traditional medicine on horse: Curative	

ID	Name	Label	Question
V1827	Q_4_2_7_Horse__3	Objectives of traditional medicine on horse: Preventative	
V1828	Q_4_2_7_Horse__999	Objectives of traditional medicine on horse: Other	
V1829	Q_4_2_7_Mule__1	Objectives of traditional medicine on mule: Reproduction	
V1830	Q_4_2_7_Mule__2	Objectives of traditional medicine on mule: Curative	
V1831	Q_4_2_7_Mule__3	Objectives of traditional medicine on mule: Preventative	
V1832	Q_4_2_7_Mule__999	Objectives of traditional medicine on mule: Other	
V1833	Q_4_2_7_Paultry__1	Objectives of traditional medicine on poultry: Reproduction	
V1834	Q_4_2_7_Paultry__2	Objectives of traditional medicine on poultry: Curative	
V1835	Q_4_2_7_Paultry__3	Objectives of traditional medicine on poultry: Preventative	
V1836	Q_4_2_7_Paultry__999	Objectives of traditional medicine on poultry: Other	
V1837	Q_4_2_7_Pig__1	Objectives of traditional medicine on pig: Reproduction	
V1838	Q_4_2_7_Pig__2	Objectives of traditional medicine on pig: Curative	
V1839	Q_4_2_7_Pig__3	Objectives of traditional medicine on pig: Preventative	
V1840	Q_4_2_7_Pig__999	Objectives of traditional medicine on pig: Other	
V1841	Q_4_2_7_Rabbit__1	Objectives of traditional medicine on rabbit: Reproduction	
V1842	Q_4_2_7_Rabbit__2	Objectives of traditional medicine on rabbit: Curative	
V1843	Q_4_2_7_Rabbit__3	Objectives of traditional medicine on rabbit: Preventative	
V1844	Q_4_2_7_Rabbit__999	Objectives of traditional medicine on rabbit: Other	
V1845	Q_4_2_7_Sheep__1	Objectives of traditional medicine on sheep: Reproduction	
V1846	Q_4_2_7_Sheep__2	Objectives of traditional medicine on sheep: Curative	
V1847	Q_4_2_7_Sheep__3	Objectives of traditional medicine on sheep: Preventative	
V1848	Q_4_2_7_Sheep__999	Objectives of traditional medicine on sheep: Other	
V1849	Q_4_3_1_1_Buffalo	Main housing system was used for buffalo in warm season	
V1850	Q_4_3_1_1_Cattle	Main housing system was used for cattle in warm season	
V1851	Q_4_3_1_1_Chicken	Main housing system was used for chicken in warm season	
V1852	Q_4_3_1_1_Pig	Main housing system was used for pig in warm season	
V1853	Q_4_3_1_1_SheepGoat	Main housing system was used for sheep and goat in warm season	
V1854	Q_4_3_1_2_Buffalo	Main housing system was used for buffalo in cold season	
V1855	Q_4_3_1_2_Cattle	Main housing system was used for cattle in cold season	
V1856	Q_4_3_1_2_Chicken	Main housing system was used for chicken in cold season	
V1857	Q_4_3_1_2_Pig	Main housing system was used for pig in cold season	
V1858	Q_4_3_1_2_SheepGoat	Main housing system was used for sheep and goat in cold season	
V1859	Q_4_3_2__1	Ventilation systems: Fans switched on automatically	
V1860	Q_4_3_2__2	Ventilation systems: Fans switched on manually	
V1861	Q_4_3_2__3	Ventilation systems: Passive ventilation (side curtains, free air, etc.)	
V1862	Q_4_3_2__999	Ventilation systems: Other	
V1863	Q_4_3_3_Chicken	Filters on vents to control dust emissions in chicken housing?	
V1864	Q_4_3_3_Pig	Filters on vents to control dust emissions in pigs housing?	
V1865	Q_4_3_4	Temperature controls in buildings used to house livestock?	
V1866	Q_4_4_1__0	Livestock with transhumance: There was no practice for transhumance	
V1867	Q_4_4_1__1	Livestock with transhumance: Cattle	
V1868	Q_4_4_1__4	Livestock with transhumance: Buffaloes	
V1869	Q_4_4_1__7	Livestock with transhumance: Sheep	
V1870	Q_4_4_1__9	Livestock with transhumance: Goats	
V1871	Q_4_4_2__0	Livestock transported to slaughterhouse?: No livestock to slaughterhouse	

ID	Name	Label	Question
V1872	Q_4_4_2__1	Livestock transported to slaughterhouse?: Cattle	
V1873	Q_4_4_2__4	Livestock transported to slaughterhouse?: Buffaloes	
V1874	Q_4_4_2__7	Livestock transported to slaughterhouse?: Sheep	
V1875	Q_4_4_2__9	Livestock transported to slaughterhouse?: Goats	
V1876	Q_4_4_2__11	Livestock transported to slaughterhouse?: Pigs	
V1877	Q_4_4_2__13	Livestock transported to slaughterhouse?: Horses	
V1878	Q_4_4_2__14	Livestock transported to slaughterhouse?: Asses and mules	
V1879	Q_4_4_2__15	Livestock transported to slaughterhouse?: Rabbits	
V1880	Q_4_4_2__17	Livestock transported to slaughterhouse?: Chickens	
V1881	Q_4_4_2__22	Livestock transported to slaughterhouse?: other poultry	
V1882	Q_4_4_5__0	Livestock transported to market?: No livestock taken to market	
V1883	Q_4_4_5__1	Livestock transported to market?: Cattle	
V1884	Q_4_4_5__4	Livestock transported to market?: Buffaloes	
V1885	Q_4_4_5__7	Livestock transported to market?: Sheep	
V1886	Q_4_4_5__9	Livestock transported to market?: Goats	
V1887	Q_4_4_5__11	Livestock transported to market?: Pigs	
V1888	Q_4_4_5__13	Livestock transported to market?: Horses	
V1889	Q_4_4_5__14	Livestock transported to market?: Asses and mules	
V1890	Q_4_4_5__15	Livestock transported to market?: Rabbits	
V1891	Q_4_4_5__16	Livestock transported to market?: Beehives	
V1892	Q_4_4_5__17	Livestock transported to market?: Chickens	
V1893	Q_4_4_5__22	Livestock transported to market?: Other poultry	
V1894	Q_4_4_8__0	Livestock transported to pastures?: No livestock taken to pastures	
V1895	Q_4_4_8__1	Livestock transported to pastures?: Cattle	
V1896	Q_4_4_8__4	Livestock transported to pastures?: Buffaloes	
V1897	Q_4_4_8__7	Livestock transported to pastures?: Sheep	
V1898	Q_4_4_8__9	Livestock transported to pastures?: Goats	
V1899	Q_4_4_8__13	Livestock transported to pastures?: Horses	
V1900	Q_4_4_8__14	Livestock transported to pastures?: Asses and mules	
V1901	Q_4_4_8__16	Livestock transported to pastures?: Beehives	
V1902	Q_4_4_11__0	Livestock transported to another holding which fed them: None	
V1903	Q_4_4_11__1	Livestock transported to another holding which fed them: Cattle	
V1904	Q_4_4_11__4	Livestock transported to another holding which fed them: Buffaloes	
V1905	Q_4_4_11__7	Livestock transported to another holding which fed them: Sheep	
V1906	Q_4_4_11__9	Livestock transported to another holding which fed them: Goats	
V1907	Q_4_4_11__11	Livestock transported to another holding which fed them: Pigs	
V1908	Q_4_4_11__13	Livestock transported to another holding which fed them: Horses	
V1909	Q_4_4_11__14	Livestock transported to another holding which fed them: Asses and mules	
V1910	Q_4_4_11__15	Livestock transported to another holding which fed them: Rabbits	
V1911	Q_4_4_11__16	Livestock transported to another holding which fed them: Beehives	
V1912	Q_4_4_11__17	Livestock transported to another holding which fed them: Chickens	
V1913	Q_4_4_11__22	Livestock transported to another holding which fed them: Other poultry	
V1914	Q_4_4_14__0	Livestock used for transport or draft animal power: None	
V1915	Q_4_4_14__1	Livestock used for transport or draft animal power: Cattle	
V1916	Q_4_4_14__4	Livestock used for transport or draft animal power: Buffaloes	

ID	Name	Label	Question
V1917	Q_4_4_14__13	Livestock used for transport or draft animal power: Horses	
V1918	Q_4_4_14__14	Livestock used for transport or draft animal power: Asses and mules	
V1919	Q_4_4_15_Buffalo	How many buffalo were used for transporting?	
V1920	Q_4_4_15_Cattle	How many cattle were used for transporting?	
V1921	Q_4_4_15_Horse	How many horse were used for transporting?	
V1922	Q_4_4_15_Mule	How many mule were used for transporting?	
V1923	Q_4_4_16_Buffalo	How many buffaloes used for draft animal power (ploughing, farming, etc.)?	
V1924	Q_4_4_16_Catlle	How many cattle used for draft animal power (ploughing, farming, etc.)?	
V1925	Q_4_4_16_Horse	How many horses used for draft animal power (ploughing, farming, etc.)?	
V1926	Q_4_4_16_Mule	How many mules used for draft animal power (ploughing, farming, etc.)?	
V1927	Q_4_5_9a	Shares of forages, including roughages: Produced on the holding (%)	
V1928	Q_4_5_9b	Shares of forages, including roughages: Common pasture (%)	
V1929	Q_4_5_9c	Shares of forages, including roughages: Purchased (%)	
V1930	Q_4_5_9d	Shares of forages, including roughages: Exchanged (%)	
V1931	Q_4_5_9e	Shares of forages, including roughages: Received for free (%)	
V1932	Q_4_5_10a	Shares of crops & agro-industrial by-products: Produced on the holding (%)	
V1933	Q_4_5_10c	Shares of crops & agro-industrial by-products: Purchased (%)	
V1934	Q_4_5_10d	Shares of crops & agro-industrial by-products: Exchanged (%)	
V1935	Q_4_5_10e	Shares of crops & agro-industrial by-products: Received for free (%)	
V1936	Q_4_5_11a	Share of swill and household wastes: Produced on the holding (%)	
V1937	Q_4_5_11c	Share of swill and household wastes: Purchased (%)	
V1938	Q_4_5_11d	Share of swill and household wastes: Exchanged (%)	
V1939	Q_4_5_11e	Share of swill and household wastes: Received for free (%)	
V1940	Q_4_5_12a	Quantity of forages, including roughages, purchased: Hay or grass (kg)	
V1941	Q_4_5_12b	Quantity of forages, including roughages, purchased: Wrapped grass (kg)	
V1942	Q_4_5_12c	Quantity of forages, including roughages, purchased: Grass/hay silage (kg)	
V1943	Q_4_5_12d	Quantity of forages, including roughages, purchased: Maize (grain) (kg)	
V1944	Q_4_5_12e	Quantity of forages, including roughages, purchased: Maize silage (kg)	
V1945	Q_4_5_12f	Quantity of other type of forages: Other (kg)	
V1946	Q_4_5_12_0	Did holding use other type of forages?	
V1947	Q_4_5_13__1	Months with purchased feed used to feed livestock: January	
V1948	Q_4_5_13__2	Months with purchased feed used to feed livestock: February	
V1949	Q_4_5_13__3	Months with purchased feed used to feed livestock: March	
V1950	Q_4_5_13__4	Months with purchased feed used to feed livestock: April	
V1951	Q_4_5_13__5	Months with purchased feed used to feed livestock: May	
V1952	Q_4_5_13__6	Months with purchased feed used to feed livestock: June	
V1953	Q_4_5_13__7	Months with purchased feed used to feed livestock: July	
V1954	Q_4_5_13__8	Months with purchased feed used to feed livestock: August	
V1955	Q_4_5_13__9	Months with purchased feed used to feed livestock: September	
V1956	Q_4_5_13__10	Months with purchased feed used to feed livestock: October	
V1957	Q_4_5_13__11	Months with purchased feed used to feed livestock: November	
V1958	Q_4_5_13__12	Months with purchased feed used to feed livestock: December	
V1959	Q_4_6_1_Buffalo	Main source of water for Buffalo (summer 2021)	
V1960	Q_4_6_1_Cattle	Main source of water for Cattle (summer 2021)	
V1961	Q_4_6_1_Chicken	Main source of water for Chicken (summer 2021)	

ID	Name	Label	Question
V1962	Q_4_6_1_Goat	Main source of water for Goat (summer 2021)	
V1963	Q_4_6_1_Horse	Main source of water for Horse (summer 2021)	
V1964	Q_4_6_1_Mule	Main source of water for Mule (summer 2021)	
V1965	Q_4_6_1_Paultry	Main source of water for Poultry (summer 2021)	
V1966	Q_4_6_1_Pig	Main source of water for Pig (summer 2021)	
V1967	Q_4_6_1_Rabbit	Main source of water for Rabbit (summer 2021)	
V1968	Q_4_6_1_Sheep	Main source of water for Sheep (summer 2021)	
V1969	Q_4_6_2_Buffalo	Main source of water for Buffalo (others seasons, except summer 2021)	
V1970	Q_4_6_2_Cattle	Main source of water for Cattle (others seasons, except summer 2021)	
V1971	Q_4_6_2_Chicken	Main source of water for Chicken (others seasons, except summer 2021)	
V1972	Q_4_6_2_Goat	Main source of water for Goat (others seasons, except summer 2021)	
V1973	Q_4_6_2_Horse	Main source of water for Horse (others seasons, except summer 2021)	
V1974	Q_4_6_2_Mule	Main source of water for Mule (others seasons, except summer 2021)	
V1975	Q_4_6_2_Paultry	Main source of water for Poultry (others seasons, except summer 2021)	
V1976	Q_4_6_2_Pig	Main source of water for Pig (others seasons, except summer 2021)	
V1977	Q_4_6_2_Rabbit	Main source of water for Rabbit (others seasons, except summer 2021)	
V1978	Q_4_6_2_Sheep	Main source of water for Sheep (others seasons, except summer 2021)	
V1979	Q_4_6_3	Were problems encountered in watering livestock?	
V1980	Q_4_6_4__1	Months with problems encountered in watering livestock: January	
V1981	Q_4_6_4__2	Months with problems encountered in watering livestock: February	
V1982	Q_4_6_4__3	Months with problems encountered in watering livestock: March	
V1983	Q_4_6_4__4	Months with problems encountered in watering livestock: April	
V1984	Q_4_6_4__5	Months with problems encountered in watering livestock: May	
V1985	Q_4_6_4__6	Months with problems encountered in watering livestock: June	
V1986	Q_4_6_4__7	Months with problems encountered in watering livestock: July	
V1987	Q_4_6_4__8	Months with problems encountered in watering livestock: August	
V1988	Q_4_6_4__9	Months with problems encountered in watering livestock: September	
V1989	Q_4_6_4__10	Months with problems encountered in watering livestock: October	
V1990	Q_4_6_4__11	Months with problems encountered in watering livestock: November	
V1991	Q_4_6_4__12	Months with problems encountered in watering livestock: December	
V1992	Q_4_6_5	Main problem encountered in watering livestock during problematic periods	
V1993	Q_4_6_6	Solution implemented for watering livestock during problematic periods	
V1994	Q_4_6_7	Was water for livestock transported by trucks?	
V1995	Q_4_6_8__1	Months with water for livestock transported by trucks: January	
V1996	Q_4_6_8__2	Months with water for livestock transported by trucks: February	
V1997	Q_4_6_8__3	Months with water for livestock transported by trucks: March	
V1998	Q_4_6_8__4	Months with water for livestock transported by trucks: April	
V1999	Q_4_6_8__5	Months with water for livestock transported by trucks: May	
V2000	Q_4_6_8__6	Months with water for livestock transported by trucks: June	
V2001	Q_4_6_8__7	Months with water for livestock transported by trucks: July	
V2002	Q_4_6_8__8	Months with water for livestock transported by trucks: August	
V2003	Q_4_6_8__9	Months with water for livestock transported by trucks: September	
V2004	Q_4_6_8__10	Months with water for livestock transported by trucks: October	
V2005	Q_4_6_8__11	Months with water for livestock transported by trucks: November	
V2006	Q_4_6_8__12	Months with water for livestock transported by trucks: December	

ID	Name	Label	Question
V2007	Q_4_6_9_Jan	Report the frequency of transporting water by trucks during January	
V2008	Q_4_6_9_Feb	Report the frequency of transporting water by trucks during February	
V2009	Q_4_6_9_Mar	Report the frequency of transporting water by trucks during March	
V2010	Q_4_6_9_Apr	Report the frequency of transporting water by trucks during April	
V2011	Q_4_6_9_May	Report the frequency of transporting water by trucks during May	
V2012	Q_4_6_9_Jun	Report the frequency of transporting water by trucks during June	
V2013	Q_4_6_9_Jul	Report the frequency of transporting water by trucks during July	
V2014	Q_4_6_9_Aug	Report the frequency of transporting water by trucks during August	
V2015	Q_4_6_9_Sep	Report the frequency of transporting water by trucks during September	
V2016	Q_4_6_9_Oct	Report the frequency of transporting water by trucks during October	
V2017	Q_4_6_9_Now	Report the frequency of transporting water by trucks during November	
V2018	Q_4_6_9_Dec	Report the frequency of transporting water by trucks during December	
V2019	Q_4_7_1__1	Identify the types of manure produced on the holding: Solid dung	
V2020	Q_4_7_1__2	Identify the types of manure produced on the holding: Liquid manure	
V2021	Q_4_7_2_1__1	Types of solid dung storage facility: Open space to store manure	
V2022	Q_4_7_2_1__2	Types of solid dung storage facility: Closed building to store manure	
V2023	Q_4_7_2_1__3	Types of solid dung storage facility: Closed storage tank for manure	
V2024	Q_4_7_2_1__4	Types of solid dung storage facility: Open storage tank for manure	
V2025	Q_4_7_2_2__3	Types of liquid manure storage facility: Closed storage tank for manure	
V2026	Q_4_7_2_2__4	Types of liquid manure storage facility: Open storage tank for manure	
V2027	Q_4_7_3_1	Percent of solid dung covered (to keep off rain or reduce emissions) (%)	
V2028	Q_4_7_3_2	Percent of liquid manure covered (to keep off rain or reduce emissions) (%)	
V2029	Q_4_7_4	Quantity of liquid manure used for fuel (including heating) (kg)	
V2030	Q_4_7_5	Quantity of liquid manure used for construction (kg)	
V2031	Q_5_1_1__1	Information used: Crop rotation & other sustainable agricultural practices	
V2032	Q_5_1_1__2	Information used: Crop types to be produced	
V2033	Q_5_1_1__3	Information used: Use of fertilizers and/or plant protection products	
V2034	Q_5_1_1__4	Information used: Crop health issues	
V2035	Q_5_1_1__5	Information used: Livestock health issues	
V2036	Q_5_1_1__6	Information used: Livestock feed issues	
V2037	Q_5_1_1__7	Information used: Livestock breeding	
V2038	Q_5_1_1__8	Information used: Availability of inputs (including machinery & equipment)	
V2039	Q_5_1_1__9	Information used: Prices of inputs	
V2040	Q_5_1_1__10	Information used: Prices of outputs	
V2041	Q_5_1_1__11	Information used: Weather forecasts affecting production	
V2042	Q_5_1_1__12	Information used: Other environmental information	
V2043	Q_5_1_4	No. of visits by extension officer, veterinarian or animal health assistant	
V2044	Q_5_1_5	Main reason for not having more visits by extension officers, veterinarians	
V2045	Q_5_2_1	Was the holding covered by an agricultural products collection network?	
V2046	Q_5_2_2	Has this holding access to internet?	
V2047	Q_5_2_3	Does the holding use internet for agricultural activities?	
V2048	Q_6_1	Identify the main area of environmental concern for the holding	
V2049	Q_6_2__1	Methods to manage wastewater: Discharged to constructed retention or pond	
V2050	Q_6_2__2	Methods to manage wastewater: Discharged to a septic or sewer system	
V2051	Q_6_2__3	Methods to manage wastewater: Discharged into constructed wetland	

ID	Name	Label	Question
V2052	Q_6_2__4	Methods to manage wastewater: Applied to agricultural land	
V2053	Q_6_2__5	Methods to manage wastewater: Included in the liquid manure system	
V2054	Q_6_2__6	Methods to manage wastewater: Not managed, removed via natural drainage	
V2055	Q_6_2__999	Methods to manage wastewater: Other	
V2056	Q_6_3	Part of the wastewater discharged into environment treated or untreated?	
V2057	Q_6_4__1	Types of waste generated: Non-functioning vehicules (tractors, etc.)	
V2058	Q_6_4__2	Types of waste generated: Used tires	
V2059	Q_6_4__3	Types of waste generated: Waste oils (black oils and hydraulic oils)	
V2060	Q_6_4__4	Types of waste generated: Empty packaging of plant protection products	
V2061	Q_6_4__5	Types of waste generated: Empty packaging of fertilizer products	
V2062	Q_6_4__6	Types of waste generated: Empty packaging of diesel, gasoline, etc.	
V2063	Q_6_4__7	Types of waste generated: Empty packaging of disinfection products	
V2064	Q_6_4__8	Types of waste generated: Empty packaging of seeds (all sizes and materials	
V2065	Q_6_4__9	Types of waste generated: Used plastic film	
V2066	Q_6_4__10	Types of waste generated: Ropes & nets (forage conditioning or viticulture)	
V2067	Q_6_4__11	Types of waste generated: Plant protection products no longer usable	
V2068	Q_6_4__12	Types of waste generated: Veterinary waste	
V2069	Q_6_4__13	Types of waste generated: Fruit-soaking fungicidal liquids	
V2070	Q_6_4__14	Types of waste generated: Other non-hazardous organic waste	
V2071	Q_6_4__15	Types of waste generated: Other non-hazardous inorganic waste	
V2072	Q_6_4__16	Types of waste generated: Other hazardous waste	
V2073	Q_7_1_1	Was any worker hired for carrying out simple and routine tasks?	
V2074	Q_7_1_2	Average pay (cash or kind) for simple and routine tasks (8 hours) (GEL)	
V2075	Q_7_2_1	Official document on any of the agricultural lands in its use as of 2021?	
V2076	Q_7_2_2	Any other document on any of the agricultural lands in its use as of 2021?	

total: 558

CODEIDENT: Holding code

Data file: PME_3_1_2

Overview

Valid: 4531 Invalid: 0
Type: Discrete Width: 8 Format: character Weighted variable: 0

WEIGHT: Weight

Data file: PME_3_1_2

Overview

Valid: 4531 Invalid: 0 Minimum: 1 Maximum: 892.917
Type: Continuous Decimal: 0 Width: 16 Format: Numeric Weighted variable: 0

REGION: Region

Data file: PME_3_1_2

Overview

Valid: 4187 Invalid: 344
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	Tbilisi	2	0%
15	Adjara AR	437	10.4%
23	Guria	366	8.7%
26	Imereti	707	16.9%
29	Kakheti	565	13.5%
32	Mtskheta-Mtianeti	149	3.6%
35	Racha-Lechkhumi and Kvemo Svaneti	208	5%
38	Samegrelo-Zemo Svaneti	724	17.3%
41	Samtskhe-Javakheti	342	8.2%
44	Kvemo Kartli	387	9.2%
47	Shida Kartli	300	7.2%
Sysmiss		344	

HOLDERSTATUS: Legal status of the holding

Data file: PME_3_1_2

Overview

Valid: 4531 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Enterprises	168	3.7%
2	Family holdings	4363	96.3%

R_3_1_2__ID: Id. of fertilizer applied

Data file: PME_3_1_2

Overview

Valid: 4531 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Mineral fertilizers	2527	55.8%
2	Organo-mineral fertilizers	89	2%
3	Compost	5	0.1%
4	Mulch	2	0%
5	Biofertilizers	18	0.4%
6	Solid dung, incorporated	1441	31.8%
7	Solid dung, not incorporated	410	9%
8	Liquid manure, incorporated	26	0.6%
9	Liquid manure, not incorporated	13	0.3%

Q_3_1_3_1: Area fertilized: Temporary crops (excluding for livestock feed) (ha)

Data file: PME_3_1_2

Overview

Valid: 4177 Invalid: 354 Minimum: 0 Maximum: 413
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_3_1_3_2: Area fertilized: Temporary crops for livestock feed (ha)

Data file: PME_3_1_2

Overview

Valid: 4176 Invalid: 355 Minimum: 0 Maximum: 95
Type: Continuous Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Q_3_1_3_3: Area fertilized: Temporary fallow (ha)

Data file: PME_3_1_2

Overview

Valid: 4176 Invalid: 355 Minimum: -0.0003 Maximum: 0.21
Type: Continuous Decimal: 0 Width: 7 Format: Numeric Weighted variable: 0

Q_3_1_3_4: Area fertilized: Permanent crops (ha)

Data file: PME_3_1_2

Overview

Valid: 2813 Invalid: 1718 Minimum: 0 Maximum: 419
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_3_1_3_5: Area fertilized: Greenhouses (square meter)

Data file: PME_3_1_2

Overview

Valid: 136 Invalid: 4395 Minimum: 0 Maximum: 1500
Type: Continuous Decimal: 0 Width: 4 Format: Numeric Weighted variable: 0

Q_3_1_4_1: Quantity of fertilizer (kg): on temporary crops (excl. crops for livestock feed)

Data file: PME_3_1_2

Overview

Valid: 3461 Invalid: 1070 Minimum: 1 Maximum: 269000
Type: Continuous Decimal: 0 Width: 6 Format: Numeric Weighted variable: 0

Q_3_1_4_2: Quantity of fertilizer (kg): on temporary meadows and pastures

Data file: PME_3_1_2

Overview

Valid: 201 Invalid: 4330 Minimum: 1 Maximum: 20300
Type: Continuous Decimal: 0 Width: 5 Format: Numeric Weighted variable: 0

Q_3_1_4_3: Quantity of fertilizer (kg): on temporary fallows

Data file: PME_3_1_2

Overview

Valid: 57 Invalid: 4474 Minimum: 0 Maximum: 600
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_3_1_4_4: Quantity of fertilizer (kg): on permanent crops

Data file: PME_3_1_2

Overview

Valid: 1369 Invalid: 3162 Minimum: -3 Maximum: 100000
Type: Continuous Decimal: 0 Width: 6 Format: Numeric Weighted variable: 0

Q_3_1_4_5: Quantity of fertilizer (kg): on greenhouses

Data file: PME_3_1_2

Overview

Valid: 87 Invalid: 4444 Minimum: 1 Maximum: 15000
Type: Continuous Decimal: 0 Width: 5 Format: Numeric Weighted variable: 0

Q_3_1_4_6: Quantity of fertilizer (kg): on scattered trees

Data file: PME_3_1_2

Overview

Valid: 3724 Invalid: 807 Minimum: 0 Maximum: 1000
Type: Continuous Decimal: 0 Width: 4 Format: Numeric Weighted variable: 0

CODEIDENT: Holding code

Data file: PME_4_4_2

Overview

Valid: 82 Invalid: 0
Type: Discrete Width: 8 Format: character Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
id_00956		1	1.2%
id_02007		2	2.4%
id_03891		1	1.2%
id_04333		1	1.2%
id_04704		1	1.2%
id_04983		1	1.2%
id_07857		1	1.2%
id_09419		1	1.2%
id_10191		1	1.2%
id_10210		1	1.2%
id_11804		1	1.2%
id_13747		1	1.2%
id_13860		1	1.2%
id_14472		1	1.2%
id_16155		1	1.2%
id_16297		1	1.2%
id_17046		1	1.2%
id_17270		1	1.2%
id_17384		1	1.2%
id_17835		1	1.2%
id_18572		2	2.4%
id_18931		1	1.2%
id_19555		1	1.2%
id_19688		1	1.2%
id_21610		1	1.2%
id_22091		2	2.4%
id_22699		1	1.2%
id_23233		1	1.2%
id_23735		1	1.2%
id_23894		1	1.2%

id_24244		1	1.2%
id_24993		1	1.2%
id_25245		1	1.2%
id_26630		1	1.2%
id_27110		1	1.2%
id_28012		1	1.2%
id_29140		1	1.2%
id_29554		1	1.2%
id_29614		1	1.2%
id_30689		2	2.4%
id_32131		1	1.2%
id_35435		1	1.2%
id_35484		1	1.2%
id_35864		2	2.4%
id_36186		1	1.2%
id_36947		1	1.2%
id_37737		2	2.4%
id_38078		2	2.4%
id_38489		1	1.2%
id_40673		1	1.2%
id_41028		1	1.2%
id_41216		1	1.2%
id_41922		2	2.4%
id_43485		1	1.2%
id_44729		1	1.2%
id_44790		1	1.2%
id_44871		1	1.2%
id_45192		1	1.2%
id_45886		2	2.4%
id_46147		1	1.2%
id_46158		1	1.2%
id_46734		3	3.7%
id_47183		1	1.2%
id_47541		1	1.2%
id_48271		1	1.2%
id_49158		1	1.2%
id_49684		1	1.2%
id_52159		1	1.2%
id_54134		1	1.2%

id_54919		1	1.2%
id_55934		1	1.2%

WEIGHT: Weight

Data file: PME_4_4_2

Overview

Minimum: 1 Maximum: 297.138
Type: Continuous Decimal: 0 Width: 16 Format: Numeric Weighted variable: 0

REGION: Region

Data file: PME_4_4_2

Overview

Valid: 61 Invalid: 21
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	Tbilisi	0	0%
15	Adjara AR	5	8.2%
23	Guria	1	1.6%
26	Imereti	7	11.5%
29	Kakheti	29	47.5%
32	Mtskheta-Mtianeti	3	4.9%
35	Racha-Lechkhumi and Kvemo Svaneti	3	4.9%
38	Samegrelo-Zemo Svaneti	8	13.1%
41	Samtskhe-Javakheti	2	3.3%
44	Kvemo Kartli	1	1.6%
47	Shida Kartli	2	3.3%
Sysmiss		21	

HOLDERSTATUS: Legal status of the holding

Data file: PME_4_4_2

Overview

Valid: 82 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Enterprises	15	18.3%
2	Family holdings	67	81.7%

R_4_4_2__ID: Id. of type of livestock transported from the holding to the slaughterhouse

Data file: PME_4_4_2

Overview

Valid: 82 Invalid: 0
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	The livestock did not take to the slaughterhouse	0	0%
1	Cattle	49	59.8%
4	Buffaloes	2	2.4%
7	Sheep	11	13.4%
9	Goats	1	1.2%
11	Pigs	12	14.6%
13	Horses	0	0%
14	Asses and mules	0	0%
15	Rabbits	0	0%
17	Chickens	7	8.5%
22	other poultry	0	0%

Q_4_4_3: Main method to transport this livestock to a slaughterhouse

Data file: PME_4_4_2

Overview

Valid: 65 Invalid: 17
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	By foot	10	15.4%
2	By road with motor vhicules	55	84.6%
3	By rail vhicules	0	0%
999	Other (specify	0	0%
Sysmiss		17	

Q_4_4_4: Quantity of transportation of this livestock to a slaughterhouse

Data file: PME_4_4_2

Overview

Valid: 65 Invalid: 17
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	1.5%
1		23	35.4%
2		16	24.6%
3		4	6.2%
4		1	1.5%
5		10	15.4%
6		4	6.2%
8		3	4.6%
10		3	4.6%
Sysmiss		17	

CODEIDENT: Holding code

Data file: PME_4_4_5

Overview

Valid: 392 Invalid: 0
Type: Discrete Width: 8 Format: character Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
id_00044	
id_00121	
id_00142	
id_00189	
id_00422	
id_00496	
id_00810	
id_00956	
id_01237	
id_01442	
id_01459	
id_01697	
id_02619	
id_02852	
id_03158	
id_03220	
id_03621	
id_03659	
id_04032	
id_04228	
id_04278	
id_04333	
id_04338	
id_04434	
id_04521	
id_04807	
id_05121	
id_05234	
id_05422	
id_05436	

id_05494	
id_05881	
id_06026	
id_06033	
id_06186	
id_06245	
id_06393	
id_06422	
id_06750	
id_06766	
id_06816	
id_06983	
id_07209	
id_07252	
id_07344	
id_07678	
id_07768	
id_07857	
id_07944	
id_08145	
id_08259	
id_08454	
id_08537	
id_08701	
id_08773	
id_08797	
id_08927	
id_09209	
id_09312	
id_09582	
id_09702	
id_09735	
id_09792	
id_10029	
id_10210	
id_10245	
id_10391	
id_10804	
id_11157	

id_11179	
id_11220	
id_11223	
id_11266	
id_11403	
id_11943	
id_12140	
id_12291	
id_12692	
id_12737	
id_13335	
id_13791	
id_14072	
id_14227	
id_14577	
id_14727	
id_14977	
id_15034	
id_15096	
id_15135	
id_15280	
id_15483	
id_15487	
id_15747	
id_16331	
id_16677	
id_16775	
id_16865	
id_17346	
id_17537	
id_17580	
id_17597	
id_17602	
id_17775	
id_17961	
id_18002	
id_18093	
id_18289	
id_18291	

id_18423	
id_18572	
id_18773	
id_19257	
id_19355	
id_19400	
id_19414	
id_19487	
id_19498	
id_19685	
id_19688	
id_19778	
id_20000	
id_20963	
id_21054	
id_21073	
id_21094	
id_21121	
id_22020	
id_22232	
id_22448	
id_22488	
id_23137	
id_23207	
id_23488	
id_24301	
id_24428	
id_25055	
id_25245	
id_25532	
id_25841	
id_26027	
id_26507	
id_26551	
id_26630	
id_26850	
id_26912	
id_27015	
id_27178	

id_27538	
id_28612	
id_28714	
id_29402	
id_30293	
id_30309	
id_30389	
id_30430	
id_30486	
id_30644	
id_31116	
id_31122	
id_31735	
id_31920	
id_32083	
id_32112	
id_32516	
id_32700	
id_33211	
id_33228	
id_33294	
id_33407	
id_33496	
id_34085	
id_34177	
id_34343	
id_34626	
id_34627	
id_34694	
id_34888	
id_35037	
id_35120	
id_35484	
id_35557	
id_35691	
id_35772	
id_35864	
id_35910	
id_36110	

id_36186	
id_36248	
id_36458	
id_36594	
id_36623	
id_36825	
id_37029	
id_37214	
id_37267	
id_37317	
id_37569	
id_38028	
id_38078	
id_38080	
id_38186	
id_38417	
id_38489	
id_38675	
id_38903	
id_38968	
id_39345	
id_39434	
id_40125	
id_40281	
id_40331	
id_40650	
id_40673	
id_40678	
id_40682	
id_40843	
id_40912	
id_40938	
id_41169	
id_41631	
id_41643	
id_41652	
id_41811	
id_41922	
id_41938	

id_42518	
id_42654	
id_42723	
id_42784	
id_43075	
id_43117	
id_43299	
id_43332	
id_43346	
id_43609	
id_43819	
id_43856	
id_43972	
id_44053	
id_44457	
id_44488	
id_44682	
id_44729	
id_44871	
id_44881	
id_44940	
id_45192	
id_45597	
id_45913	
id_45922	
id_46029	
id_46058	
id_46218	
id_46322	
id_46504	
id_46716	
id_46734	
id_46837	
id_46940	
id_46959	
id_47068	
id_47227	
id_47434	
id_47535	

id_47577	
id_47774	
id_48567	
id_48614	
id_48816	
id_48921	
id_49122	
id_49684	
id_50065	
id_50224	
id_50304	
id_50406	
id_50510	
id_50550	
id_50822	
id_50850	
id_50884	
id_50971	
id_51595	
id_51604	
id_51614	
id_51637	
id_51709	
id_51965	
id_52027	
id_52159	
id_52168	
id_52208	
id_52452	
id_52747	
id_52963	
id_53001	
id_53078	
id_53135	
id_53256	
id_53296	
id_53655	
id_53678	
id_53796	

id_54057	
id_54134	
id_54426	
id_54676	
id_54836	
id_54919	
id_55306	
id_55521	
id_55535	
id_55668	
id_55764	
id_56069	
id_56164	
id_56204	
id_56296	
id_56323	

WEIGHT: Weight

Data file: PME_4_4_5

Overview

Minimum: 1 Maximum: 283.512
Type: Continuous Decimal: 0 Width: 16 Format: Numeric Weighted variable: 0

REGION: Region

Data file: PME_4_4_5

Overview

Valid: 362 Invalid: 30
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	Tbilisi	1	0.3%
15	Adjara AR	2	0.6%
23	Guria	5	1.4%
26	Imereti	14	3.9%
29	Kakheti	148	40.9%

32	Mtskheta-Mtianeti	4	1.1%
35	Racha-Lechkhumi and Kvemo Svaneti	6	1.7%
38	Samegrelo-Zemo Svaneti	18	5%
41	Samtskhe-Javakheti	37	10.2%
44	Kvemo Kartli	121	33.4%
47	Shida Kartli	6	1.7%
Sysmiss		30	

HOLDERSTATUS: Legal status of the holding

Data file: PME_4_4_5

Overview

Valid: 392 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Enterprises	16	4.1%
2	Family holdings	376	95.9%

R_4_4_5__ID: Id. of type of livestock transported from the holding to a market

Data file: PME_4_4_5

Overview

Valid: 392 Invalid: 0
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	The livestock did not taken to the market to sell them	0	0%
1	Cattle	206	52.6%
4	Buffaloes	2	0.5%
7	Sheep	106	27%
9	Goats	16	4.1%
11	Pigs	34	8.7%
13	Horses	0	0%

14	Asses and mules	0	0%
15	Rabbits	1	0.3%
16	Beehives	0	0%
17	Chickens	20	5.1%
22	Other poultry	7	1.8%

Q_4_4_6: Main method to transport this type of livestock to a market

Data file: PME_4_4_5

Overview

Valid: 362 Invalid: 30
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	By foot	81	22.4%
2	By road with motor vhicules	281	77.6%
3	By rail vhicules	0	0%
999	Other (specify	0	0%
Sysmiss		30	

Q_4_4_7: Quantity of transportation of this livestock to a market

Data file: PME_4_4_5

Overview

Minimum: 0 Maximum: 30
Type: Continuous Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

CODEIDENT: Holding code

Data file: PME_4_4_8

Overview

Valid: 1870 Invalid: 0
Type: Discrete Width: 8 Format: character Weighted variable: 0

WEIGHT: Weight

Data file: PME_4_4_8

Overview

Minimum: 1 Maximum: 297.138
Type: Continuous Decimal: 0 Width: 16 Format: Numeric Weighted variable: 0

REGION: Region

Data file: PME_4_4_8

Overview

Valid: 1692 Invalid: 178
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	Tbilisi	1	0.1%
15	Adjara AR	42	2.5%
23	Guria	5	0.3%
26	Imereti	26	1.5%
29	Kakheti	383	22.6%
32	Mtskheta-Mtianeti	100	5.9%
35	Racha-Lechkhumi and Kvemo Svaneti	17	1%
38	Samegrelo-Zemo Svaneti	261	15.4%
41	Samtskhe-Javakheti	359	21.2%
44	Kvemo Kartli	320	18.9%
47	Shida Kartli	178	10.5%
Sysmiss		178	

HOLDERSTATUS: Legal status of the holding

Data file: PME_4_4_8

Overview

Valid: 1870 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Enterprises	50	2.7%
2	Family holdings	1820	97.3%

R_4_4_8__ID: Id. of type of livestock transported to pastures outside the holding

Data file: PME_4_4_8

Overview

Valid: 1870 Invalid: 0
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	The livestock did not taken to the pastures outside the holding	0	0%
1	Cattle	1277	68.3%
4	Buffaloes	40	2.1%
7	Sheep	258	13.8%
9	Goats	81	4.3%
13	Horses	143	7.6%
14	Asses and mules	31	1.7%
16	Beehives	40	2.1%

Q_4_4_9: Main method to transport this type of livestock to pastures

Data file: PME_4_4_8

Overview

Valid: 1853 Invalid: 17
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	By foot	1778	96%
2	By road with motor vhicules	74	4%
3	By rail vhicules	1	0.1%
999	Other (specify	0	0%
Sysmiss		17	

Q_4_4_10: Quantity of transportation of this livestock to pastures

Data file: PME_4_4_8

Overview

Minimum: 1 Maximum: 365
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

CODEIDENT: Holding code

Data file: PME_4_4_11

Overview

Valid: 340 Invalid: 0
Type: Discrete Width: 8 Format: character Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
id_00121		2	0.6%
id_00189		1	0.3%
id_00611		1	0.3%
id_00810		6	1.8%
id_01122		1	0.3%
id_01584		5	1.5%
id_01697		2	0.6%
id_01917		1	0.3%
id_02322		1	0.3%
id_02483		1	0.3%
id_02844		1	0.3%
id_02848		1	0.3%
id_02936		1	0.3%
id_03258		2	0.6%
id_03484		1	0.3%
id_03663		1	0.3%
id_03924		2	0.6%
id_03988		1	0.3%
id_04025		1	0.3%
id_04036		1	0.3%
id_04312		1	0.3%
id_04581		1	0.3%
id_04616		1	0.3%
id_05209		1	0.3%
id_05797		2	0.6%
id_06079		1	0.3%
id_06257		1	0.3%
id_06793		1	0.3%
id_06853		1	0.3%
id_06932		2	0.6%

id_07592		1	0.3%
id_08144		3	0.9%
id_08239		1	0.3%
id_08672		1	0.3%
id_08996		1	0.3%
id_09014		2	0.6%
id_09140		1	0.3%
id_09319		1	0.3%
id_09419		1	0.3%
id_09727		1	0.3%
id_09858		1	0.3%
id_10767		2	0.6%
id_10791		1	0.3%
id_10945		3	0.9%
id_11021		1	0.3%
id_11165		1	0.3%
id_11269		1	0.3%
id_11270		1	0.3%
id_11545		1	0.3%
id_12406		1	0.3%
id_12692		1	0.3%
id_12737		2	0.6%
id_12995		1	0.3%
id_13045		3	0.9%
id_13656		1	0.3%
id_13691		1	0.3%
id_13749		1	0.3%
id_13809		4	1.2%
id_15307		1	0.3%
id_16066		1	0.3%
id_16865		2	0.6%
id_17200		3	0.9%
id_17298		1	0.3%
id_17299		1	0.3%
id_17333		2	0.6%
id_17580		1	0.3%
id_17860		5	1.5%
id_18109		1	0.3%
id_18249		1	0.3%

id_18637		2	0.6%
id_18952		1	0.3%
id_19158		1	0.3%
id_19416		1	0.3%
id_20053		1	0.3%
id_20311		2	0.6%
id_20701		1	0.3%
id_21532		1	0.3%
id_21610		1	0.3%
id_21694		2	0.6%
id_22008		1	0.3%
id_22273		1	0.3%
id_22348		1	0.3%
id_22444		1	0.3%
id_22487		2	0.6%
id_22733		1	0.3%
id_22747		1	0.3%
id_22976		2	0.6%
id_23007		1	0.3%
id_23208		1	0.3%
id_23898		1	0.3%
id_24259		1	0.3%
id_24345		1	0.3%
id_24447		1	0.3%
id_24843		1	0.3%
id_25467		1	0.3%
id_25780		1	0.3%
id_26624		3	0.9%
id_26910		1	0.3%
id_27136		4	1.2%
id_28314		1	0.3%
id_28758		1	0.3%
id_29170		2	0.6%
id_29791		2	0.6%
id_30486		4	1.2%
id_30492		2	0.6%
id_30515		1	0.3%
id_30834		2	0.6%
id_31045		1	0.3%

id_31053		1	0.3%
id_31064		1	0.3%
id_31116		6	1.8%
id_31122		1	0.3%
id_31187		1	0.3%
id_31290		1	0.3%
id_31307		1	0.3%
id_31852		2	0.6%
id_32232		1	0.3%
id_32692		3	0.9%
id_32872		1	0.3%
id_33063		1	0.3%
id_33197		1	0.3%
id_33294		5	1.5%
id_33429		1	0.3%
id_33656		2	0.6%
id_34056		1	0.3%
id_34332		1	0.3%
id_34892		1	0.3%
id_34934		1	0.3%
id_34992		1	0.3%
id_35170		2	0.6%
id_35368		1	0.3%
id_35385		1	0.3%
id_35444		2	0.6%
id_35691		1	0.3%
id_35724		2	0.6%
id_35864		2	0.6%
id_35865		1	0.3%
id_36186		5	1.5%
id_36264		1	0.3%
id_37029		2	0.6%
id_37300		3	0.9%
id_37508		3	0.9%
id_37894		1	0.3%
id_38078		2	0.6%
id_39122		1	0.3%
id_39625		1	0.3%
id_40075		2	0.6%

id_40170		2	0.6%
id_40537		1	0.3%
id_40650		2	0.6%
id_40739		3	0.9%
id_40942		1	0.3%
id_41015		1	0.3%
id_41645		1	0.3%
id_41648		1	0.3%
id_41905		3	0.9%
id_42333		3	0.9%
id_42344		2	0.6%
id_42353		1	0.3%
id_42623		1	0.3%
id_42969		1	0.3%
id_43028		1	0.3%
id_43127		1	0.3%
id_43146		1	0.3%
id_43170		3	0.9%
id_43312		1	0.3%
id_43346		1	0.3%
id_43485		1	0.3%
id_43669		2	0.6%
id_43687		1	0.3%
id_43871		1	0.3%
id_44009		1	0.3%
id_44032		1	0.3%
id_44488		2	0.6%
id_44881		3	0.9%
id_44940		4	1.2%
id_44977		1	0.3%
id_45192		1	0.3%
id_45234		1	0.3%
id_45887		1	0.3%
id_46058		2	0.6%
id_46337		3	0.9%
id_46467		2	0.6%
id_46684		1	0.3%
id_46880		1	0.3%
id_47123		1	0.3%

id_47176		1	0.3%
id_47331		1	0.3%
id_47774		2	0.6%
id_47859		1	0.3%
id_48065		5	1.5%
id_48504		1	0.3%
id_48614		1	0.3%
id_48708		2	0.6%
id_48748		2	0.6%
id_48816		5	1.5%
id_48890		4	1.2%
id_49310		1	0.3%
id_49446		1	0.3%
id_49598		1	0.3%
id_49684		2	0.6%
id_49948		2	0.6%
id_49987		1	0.3%
id_50198		1	0.3%
id_50630		2	0.6%
id_50819		1	0.3%
id_50957		1	0.3%
id_50965		1	0.3%
id_51200		1	0.3%
id_51965		1	0.3%
id_52568		1	0.3%
id_52851		1	0.3%
id_53423		1	0.3%
id_53806		1	0.3%
id_54707		1	0.3%
id_55214		1	0.3%
id_55482		1	0.3%
id_55934		1	0.3%
id_56021		1	0.3%
id_56120		1	0.3%
id_56327		1	0.3%

WEIGHT: Weight

Data file: PME_4_4_11

Overview

Minimum: 1 Maximum: 297.138
Type: Continuous Decimal: 0 Width: 16 Format: Numeric Weighted variable: 0

REGION: Region

Data file: PME_4_4_11

Overview

Valid: 281 Invalid: 59
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	Tbilisi	0	0%
15	Adjara AR	1	0.4%
23	Guria	2	0.7%
26	Imereti	5	1.8%
29	Kakheti	117	41.6%
32	Mtskheta-Mtianeti	13	4.6%
35	Racha-Lechkhumi and Kvemo Svaneti	18	6.4%
38	Samegrelo-Zemo Svaneti	23	8.2%
41	Samtskhe-Javakheti	21	7.5%
44	Kvemo Kartli	69	24.6%
47	Shida Kartli	12	4.3%
Sysmiss		59	

HOLDERSTATUS: Legal status of the holding

Data file: PME_4_4_11

Overview

Valid: 340 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Enterprises	14	4.1%
2	Family holdings	326	95.9%

R_4_4_11__ID: Id. of type of livestock transported to another holding which fed them

Data file: PME_4_4_11

Overview

Valid: 340 Invalid: 0
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	The livestock did not taken to another holding for fed them	0	0%
1	Cattle	152	44.7%
4	Buffaloes	4	1.2%
7	Sheep	74	21.8%
9	Goats	28	8.2%
11	Pigs	4	1.2%
13	Horses	35	10.3%
14	Asses and mules	12	3.5%
15	Rabbits	0	0%
16	Beehives	19	5.6%
17	Chickens	12	3.5%
22	other poultry	0	0%

Q_4_4_12: Main method to transport this livestock to another holding which fed them

Data file: PME_4_4_11

Overview

Valid: 313 Invalid: 27
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	By foot	281	89.8%
2	By road with motor vhicules	32	10.2%
3	By rail vhicules	0	0%
999	Other (specify	0	0%

Sysmiss		27	

Q_4_4_13: Quantity of transportation of livestock to another holding which fed them

Data file: PME_4_4_11

Overview

Minimum: 0 Maximum: 360
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

CODEIDENT: Holding code

Data file: PME_4_5_1

Overview

Valid: 9072 Invalid: 0
Type: Discrete Width: 8 Format: character Weighted variable: 0

WEIGHT: Weight

Data file: PME_4_5_1

Overview

Minimum: 1 Maximum: 892.917
Type: Continuous Decimal: 0 Width: 16 Format: Numeric Weighted variable: 0

REGION: Region

Data file: PME_4_5_1

Overview

Valid: 8383 Invalid: 689
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	Tbilisi	5	0.1%
15	Adjara AR	306	3.7%
23	Guria	463	5.5%
26	Imereti	1084	12.9%
29	Kakheti	2002	23.9%
32	Mtskheta-Mtianeti	421	5%
35	Racha-Lechkhumi and Kvemo Svaneti	319	3.8%
38	Samegrelo-Zemo Svaneti	1233	14.7%
41	Samtskhe-Javakheti	843	10.1%
44	Kvemo Kartli	1071	12.8%
47	Shida Kartli	636	7.6%
Sysmiss		689	

HOLDERSTATUS: Legal status of the holding

Data file: PME_4_5_1

Overview

Valid: 9072 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Enterprises	172	1.9%
2	Family holdings	8900	98.1%

R_4_5_1__ID: Id. of type of livestock raised on the holding

Data file: PME_4_5_1

Overview

Valid: 9072 Invalid: 0
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Cattle	2770	30.5%
4	Buffaloes	66	0.7%
7	Sheep	503	5.5%
9	Goats	182	2%
11	Pigs	985	10.9%
13	Horses	351	3.9%
14	Asses and mules	102	1.1%
15	Rabbits	65	0.7%
16	Beehives	266	2.9%
17	Chickens	3365	37.1%
22	Other poultry	417	4.6%

Q_4_5_1: Share by feeding method: percentage or quantitatively?

Data file: PME_4_5_1

Overview

Valid: 8788 Invalid: 284
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Percentage	6010	68.4%
2	Quantitively	2778	31.6%
Sysmiss		284	

Q_4_5_1_1PERCENT: Share by feeding method: only grazing, including scavenging (%)

Data file: PME_4_5_1

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_1_2PERCENT: Share by feeding method: mainly grazing, but in part feeding (%)

Data file: PME_4_5_1

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_1_3PERCENT: Share by feeding method: mainly fed by holding, with some grazing (%)

Data file: PME_4_5_1

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_1_4PERCENT: Share by feeding method: fed only by holding (zero grazing) (%)

Data file: PME_4_5_1

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_2A: Share by food type: Forages, including roughages (%)

Data file: PME_4_5_1

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_2B: Share by food type: Crops and agro-industrial by-products (%)

Data file: PME_4_5_1

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_2C: Share by food type: Swill and household wastes (in or outside farm) (%)

Data file: PME_4_5_1

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_3: Were supplements and/or additives fed to this type of livestock?

Data file: PME_4_5_1

Overview

Valid: 8789 Invalid: 283
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	8224	93.6%
1	Yes	565	6.4%
Sysmiss		283	

Q_4_5_4: Number of this type of livestock grazing on the holding

Data file: PME_4_5_1

Overview

Minimum: 0 Maximum: 122529
Type: Continuous Decimal: 0 Width: 6 Format: Numeric Weighted variable: 0

Q_4_5_5: Area of holding with grazing by this type of livestock (ha)

Data file: PME_4_5_1

Overview

Minimum: 0 Maximum: 757
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_6: Number of months with this type of livestock grazing on the holding

Data file: PME_4_5_1

Overview

Valid: 6106 Invalid: 2966
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		101	1.7%
2		215	3.5%
3		265	4.3%
4		287	4.7%
5		361	5.9%
6		568	9.3%
7		519	8.5%
8		631	10.3%
9		465	7.6%
10		315	5.2%
11		58	0.9%
12		2321	38%
Sysmiss		2966	

Q_4_5_7: Number of this type of livestock grazing outside the holding

Data file: PME_4_5_1

Overview

Minimum: 0 Maximum: 3500
Type: Continuous Decimal: 0 Width: 4 Format: Numeric Weighted variable: 0

Q_4_5_8: Number of months with this type of livestock grazing outside the holding

Data file: PME_4_5_1

Overview

Valid: 3652 Invalid: 5420
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		31	0.8%
2		95	2.6%
3		245	6.7%
4		173	4.7%
5		278	7.6%
6		563	15.4%
7		585	16%
8		421	11.5%
9		248	6.8%
10		262	7.2%
11		129	3.5%
12		622	17%
Sysmiss		5420	

CODEIDENT: Holding code

Data file: PME_5_1_1

Overview

Valid: 7160 Invalid: 0
Type: Discrete Width: 8 Format: character Weighted variable: 0

WEIGHT: Weight

Data file: PME_5_1_1

Overview

Minimum: 1 Maximum: 892.917
Type: Continuous Decimal: 0 Width: 16 Format: Numeric Weighted variable: 0

REGION: Region

Data file: PME_5_1_1

Overview

Valid: 6074 Invalid: 1086
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	Tbilisi	17	0.3%
15	Adjara AR	239	3.9%
23	Guria	246	4.1%
26	Imereti	634	10.4%
29	Kakheti	1647	27.1%
32	Mtskheta-Mtianeti	293	4.8%
35	Racha-Lechkhumi and Kvemo Svaneti	257	4.2%
38	Samegrelo-Zemo Svaneti	780	12.8%
41	Samtskhe-Javakheti	735	12.1%
44	Kvemo Kartli	765	12.6%
47	Shida Kartli	461	7.6%
Sysmiss		1086	

HOLDERSTATUS: Legal status of the holding

Data file: PME_5_1_1

Overview

Valid: 7160 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Enterprises	834	11.6%
2	Family holdings	6326	88.4%

R_5_1_1__ID: Id. of type of information used on the holding

Data file: PME_5_1_1

Overview

Valid: 7160 Invalid: 0
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Crop rotation and other sustainable agricultural practices	360	5%
2	Crop types to be produced	487	6.8%
3	Use of fertilizers and/or plant protection products	1285	17.9%
4	Crop health issues	578	8.1%
5	Livestock health issues	988	13.8%
6	Livestock feed issues	707	9.9%
7	Livestock breeding	328	4.6%
8	Availability of inputs (including machinery and equipment)	333	4.7%
9	Prices of inputs	409	5.7%
10	Prices of outputs	1033	14.4%
11	Weather forecasts affecting production	574	8%
12	Other environmental information	78	1.1%

Q_5_1_2: Identify the main source of information for the holding

Data file: PME_5_1_1

Overview

Valid: 7134 Invalid: 26
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Government or extension service	1127	15.8%
2	Other individual farmer	3418	47.9%
3	Farmers' group or association	722	10.1%
4	NGO or non-governmental project	70	1%
5	Trader or market stakeholder	1707	23.9%
999	Other (specify	90	1.3%
Sysmiss		26	

Q_5_1_3: Identify the main method used for consulting information

Data file: PME_5_1_1

Overview

Valid: 7134 Invalid: 26
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Face-to-face discussions	5186	72.7%
2	Phone calls	460	6.4%
3	Radio	3	0%
4	Television	640	9%
5	Internet or SMS	814	11.4%
6	Press or newspapers	11	0.2%
999	Other (specify	20	0.3%
Sysmiss		26	

CODEIDENT: Holding code

Data file: PME_6_4

Overview

Valid: 10274 Invalid: 0
Type: Discrete Width: 8 Format: character Weighted variable: 0

WEIGHT: Weight

Data file: PME_6_4

Overview

Minimum: 1 Maximum: 892.917
Type: Continuous Decimal: 0 Width: 16 Format: Numeric Weighted variable: 0

REGION: Region

Data file: PME_6_4

Overview

Valid: 9315 Invalid: 959
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	Tbilisi	30	0.3%
15	Adjara AR	844	9.1%
23	Guria	235	2.5%
26	Imereti	1108	11.9%
29	Kakheti	1817	19.5%
32	Mtskheta-Mtianeti	426	4.6%
35	Racha-Lechkhumi and Kvemo Svaneti	327	3.5%
38	Samegrelo-Zemo Svaneti	1612	17.3%
41	Samtskhe-Javakheti	1197	12.9%
44	Kvemo Kartli	1067	11.5%
47	Shida Kartli	652	7%
Sysmiss		959	

HOLDERSTATUS: Legal status of the holding

Data file: PME_6_4

Overview

Valid: 10274 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Enterprises	564	5.5%
2	Family holdings	9710	94.5%

R_6_4__ID: Id. of type of waste generated by the holding

Data file: PME_6_4

Overview

Valid: 10274 Invalid: 0
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Non-functioning vhicules (tractors, agricultural machinery, etc.)	39	0.4%
2	Used tires	191	1.9%
3	Waste oils (black oils and hydraulic oils)	211	2.1%
4	Empty packaging of plant protection products (PPPs)	1930	18.8%
5	Empty packaging of fertilizer products	1981	19.3%
6	Empty packaging of diesel, gasoline or other petroleum products	574	5.6%
7	Empty packaging of cleaning and disinfection products	404	3.9%
8	Empty packaging of seeds (bags and containers of all sizes and materials)	435	4.2%
9	Used plastic film	1908	18.6%
10	Ropes and nets (used for forage conditioning or viticulture)	1051	10.2%
11	Plant protection products (PPPs) that are no longer usable	161	1.6%
12	Veterinary waste	621	6%
13	Fruit-soaking fungicidal liquids	118	1.1%
14	Other non-hazardous organic waste	384	3.7%
15	Other non-hazardous inorganic waste	217	2.1%
16	Other hazardous waste	49	0.5%

Q_6_5__1: Treatment for waste: Waste taken away from the holding by a professional

Data file: PME_6_4

Overview

Valid: 9962 Invalid: 312
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	9700	97.4%
1	yes	262	2.6%
Sysmiss		312	

Q_6_5__2: Treatment for waste: Waste kept on the holding, treated by burning

Data file: PME_6_4

Overview

Valid: 9997 Invalid: 277
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5965	59.7%
1	yes	4032	40.3%
Sysmiss		277	

Q_6_5__3: Treatment for waste: Waste kept on the holding, treated by burying

Data file: PME_6_4

Overview

Valid: 9948 Invalid: 326
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	9572	96.2%

1	yes	376	3.8%
Sysmiss		326	

Q_6_5__4: Treatment for waste: Waste is dumped in the orderly bin

Data file: PME_6_4

Overview

Valid: 10089 Invalid: 185
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4437	44%
1	yes	5652	56%
Sysmiss		185	

Q_6_5__5: Treatment for waste: Waste was used in secondary form on the farm

Data file: PME_6_4

Overview

Valid: 8238 Invalid: 2036
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	7090	86.1%
1	yes	1148	13.9%
Sysmiss		2036	

Q_6_5__999: Treatment for waste: Other treatment

Data file: PME_6_4

Overview

Valid: 9944 Invalid: 330
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	9833	98.9%
1	yes	111	1.1%
Sysmiss		330	

CODEIDENT: Holding code

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Width: 8 Format: character Weighted variable: 0

HASLANDINPERIOD: Did the farm have agricultural land, livestock, poultry or bees?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	0	0%
1	yes	5625	99.5%
2		30	0.5%

HASORCHARDORGARDEN: Did the farm benefit from fruit, citrus, vines, orchards or vegetables?

Data file: PME_main_table

Overview

Valid: 15 Invalid: 5640
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	0	0%
1	yes	15	100%
Sysmiss		5640	

HOLDERAGE: Holder age

Data file: PME_main_table

Overview

Valid: 5362 Invalid: 0
Type: Discrete Width: 5 Format: character Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
35-54		1495	27.9%
55-64		1607	30%
65+		2116	39.5%
<35		144	2.7%

HOLDERGENDER: Holder sex

Data file: PME_main_table

Overview

Valid: 5653 Invalid: 2
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Male	4238	75%
2	Female	1415	25%
Sysmiss		2	

HOLDERSTATUS: Legal status of the holding

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Enterprises	296	5.2%
2	Family holdings	5359	94.8%

REGION: Region

Data file: PME_main_table

Overview

Valid: 5200 Invalid: 455
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	Tbilisi	30	0.6%
15	Adjara AR	358	6.9%
23	Guria	350	6.7%
26	Imereti	637	12.3%
29	Kakheti	1147	22.1%
32	Mtskheta-Mtianeti	323	6.2%
35	Racha-Lechkhumi and Kvemo Svaneti	232	4.5%
38	Samegrelo-Zemo Svaneti	660	12.7%
41	Samtskhe-Javakheti	438	8.4%
44	Kvemo Kartli	587	11.3%
47	Shida Kartli	438	8.4%
Sysmiss		455	

WEIGHT: Weight

Data file: PME_main_table

Overview

Minimum: 1 Maximum: 892.917
Type: Continuous Decimal: 0 Width: 16 Format: Numeric Weighted variable: 0

YEAR: Year

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 4 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
2021		5655	100%

Q_1_2_1__1: Was this holding profitable in the last tree years?: 2019

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2785	49.2%
1	yes	2870	50.8%

Q_1_2_1__2: Was this holding profitable in the last tree years?: 2020

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3360	59.4%
1	yes	2295	40.6%

Q_1_2_1__3: Was this holding profitable in the last tree years?: 2021

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3164	56%
1	yes	2491	44%

Q_1_2_2__1: Mechanisms against external shocks?: credit (formal or informal)

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3951	69.9%
1	yes	1704	30.1%

Q_1_2_2__2: Mechanisms against external shocks?: insurance

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4458	78.8%
1	yes	1197	21.2%

Q_1_2_3: Prospects for the next 2-3 years, for development of its activities?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	The holding is stable and no major changes or developments are planned	684	12.1%
2	The holding will develop, without any major obstacles having been identified	3857	68.2%
3	The holding will not develop, due to certain constraints	964	17%
4	The holding is likely to stop its agricultural activities in the next 2-3 years	150	2.7%

Q_1_2_4__1: Main constraints on development: Access to land

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	895	80.3%
1	yes	219	19.7%
Sysmiss		4541	

Q_1_2_4__2: Main constraints on development: Access to water

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	810	72.7%
1	yes	304	27.3%
Sysmiss		4541	

Q_1_2_4__3: Main constraints on development: Access to financial resources

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	325	29.2%
1	yes	789	70.8%
Sysmiss		4541	

Q_1_2_4__4: Main constraints on development: Access to machinery and equipment

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	949	85.2%
1	yes	165	14.8%
Sysmiss		4541	

Q_1_2_4__5: Main constraints on development: Access to labour

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	854	76.7%
1	yes	260	23.3%
Sysmiss		4541	

Q_1_2_4__6: Main constraints on development: Access to other agricultural inputs

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1010	90.7%
1	yes	104	9.3%
Sysmiss		4541	

Q_1_2_4__7: Main constraints on development: Not enough demand for the products

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	979	87.9%
1	yes	135	12.1%
Sysmiss		4541	

Q_1_2_4__8: Main constraints on development: Selling prices are too low

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	795	71.4%
1	yes	319	28.6%
Sysmiss		4541	

Q_1_2_4__9: Main constraints on development: Decreasing soil fertility

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	919	82.5%
1	yes	195	17.5%
Sysmiss		4541	

Q_1_2_4__10: Main constraints on development: Natural disasters

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1013	90.9%
1	yes	101	9.1%
Sysmiss		4541	

Q_1_2_4__11: Main constraints on development: Lack of safety, thefts, etc

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1094	98.2%
1	yes	20	1.8%
Sysmiss		4541	

Q_1_2_4__12: Main constraints on development: Poor transportation and/or infrastructure

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1036	93%
1	yes	78	7%
Sysmiss		4541	

Q_1_2_4__999: Main constraints on development: Other

Data file: PME_main_table

Overview

Valid: 1114 Invalid: 4541
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1067	95.8%

1	yes	47	4.2%
Sysmiss		4541	

Q_2_1_1__1: Energy sources: Network electricity

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4099	72.5%
1	yes	1556	27.5%

Q_2_1_1__2: Energy sources: Petroleum fuels (gasoline, kerosene, diesel, oil, etc.)

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2562	45.3%
1	yes	3093	54.7%

Q_2_1_1__3: Energy sources: Coal

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5621	99.4%
1	yes	34	0.6%

Q_2_1_1__4: Energy sources: Natural gas

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5242	92.7%
1	yes	413	7.3%

Q_2_1_1__5: Energy sources: Propane

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5566	98.4%
1	yes	89	1.6%

Q_2_1_1__6: Energy sources: Biomass (wood, plant material, etc.)

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5479	96.9%
1	yes	176	3.1%

Q_2_1_1__7: Energy sources: Biogas or methane

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5652	99.9%
1	yes	3	0.1%

Q_2_1_1__999: Energy sources: Other energy or fuel

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5654	100%
1	yes	1	0%

Q_2_1_1__0: Energy sources: None

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3898	68.9%
1	yes	1757	31.1%

Q_2_2_1_1: Did the holding have Scattered trees?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1160	20.5%
1	yes	4495	79.5%

Q_2_2_1__1: Indicate the types of land use: arable land

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	844	14.9%
1	yes	4811	85.1%

Q_2_2_1__2: Indicate the types of land use: permanent crops

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3018	53.4%
1	yes	2637	46.6%

Q_2_2_1__3: Indicate the types of land use: Natural meadows

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5292	93.6%
1	yes	363	6.4%

Q_2_2_1__4: Indicate the types of land use: Natural Pastures

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4910	86.8%
1	yes	745	13.2%

Q_2_2_1__5: Indicate the types of land use: greenhouses

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5545	98.1%
1	yes	110	1.9%

Q_2_2_2_1: Crop rotation (replacement) carried out in the last 3 years?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4931	87.2%
1	yes	724	12.8%

Q_2_2_2_2: Area of agricultural land with crop rotation used in the last 3 years (ha)

Data file: PME_main_table

Overview

Minimum: 0.0001 Maximum: 379
Type: Continuous Decimal: 0 Width: 6 Format: Numeric Weighted variable: 0

Q_2_2_3__1: Reduce soil erosion, compaction, etc.: Fallowing or shifting cultivation

Data file: PME_main_table

Overview

Valid: 4808 Invalid: 847
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4043	84.1%
1	yes	765	15.9%
Sysmiss		847	

Q_2_2_3__2: Reduce soil erosion, compaction, etc.: Vegetative strips

Data file: PME_main_table

Overview

Valid: 4808 Invalid: 847
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4718	98.1%
1	yes	90	1.9%
Sysmiss		847	

Q_2_2_3__3: Reduce soil erosion, compaction, etc.: Liming

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5622	99.4%
1	yes	33	0.6%

Q_2_2_3__4: Reduce soil erosion, compaction, etc.: Terraces

Data file: PME_main_table

Overview

Valid: 5181 Invalid: 474
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5154	99.5%
1	yes	27	0.5%
Sysmiss		474	

Q_2_2_3__5: Reduce soil erosion, compaction, etc.: Rotational grazing

Data file: PME_main_table

Overview

Valid: 361 Invalid: 5294
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	326	90.3%
1	yes	35	9.7%
Sysmiss		5294	

Q_2_2_3__6: Reduce soil erosion, compaction, etc.: Trees or hedgerows

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5633	99.6%
1	yes	22	0.4%

Q_2_2_3__7: Reduce soil erosion, compaction, etc.: Natural ponds or wetlands

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5655	100%
1	yes	0	0%

Q_2_2_3__999: Reduce soil erosion, compaction, etc.: Other practices and features

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5655	100%
1	yes	0	0%

Q_2_2_3A: Total area of the holding covered by trees or hedgerows (ha)

Data file: PME_main_table

Overview

Valid: 19 Invalid: 5636
Type: Discrete Decimal: 0 Width: 5 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0.007		1	5.3%

0.1		4	21.1%
0.2		3	15.8%
0.3		1	5.3%
1		3	15.8%
1.2		1	5.3%
2		1	5.3%
6.755		1	5.3%
10		1	5.3%
16		3	15.8%
Sysmiss		5636	

Q_2_2_3B: Total area of the holding covered by natural ponds or wetlands (ha)

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

Q_2_2_4: Did the holding conduct a soil analysis?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5542	98%
1	Yes	113	2%

Q_2_2_5: Did the holding conduct a soil analysis in the past five years?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5397	95.4%
1	Yes	258	4.6%

Q_2_2_6__1: Changes in the soil?: Soil colour

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5492	97.1%
1	yes	163	2.9%

Q_2_2_6__2: Changes in the soil?: Amount of fine and coarse particles

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5556	98.2%
1	yes	99	1.8%

Q_2_2_6__3: Changes in the soil?: Change in how easy it is to plough or work the soil

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5173	91.5%
1	yes	482	8.5%

Q_2_2_6__4: Changes in the soil?: Change in how easily crops emerge after planting

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5379	95.1%
1	yes	276	4.9%

Q_2_2_6__5: Changes in the soil?: Amount of stones present in the soil

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5396	95.4%

1	yes	259	4.6%

Q_2_2_7__1: Soil degradation threats: Soil erosion (loss of topsoil)

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5561	98.3%
1	yes	94	1.7%

Q_2_2_7__2: Soil degradation threats: Reduction in soil fertility

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4778	84.5%
1	yes	877	15.5%

Q_2_2_7__3: Soil degradation threats: Waterlogging , incl. by floods and heavy rains

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	

0	no	5537	97.9%
1	yes	118	2.1%

Q_2_2_7__4: Soil degradation threats: Salinization of irrigated land

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5623	99.4%
1	yes	32	0.6%

Q_2_2_7__999: Soil degradation threats: Other

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5652	99.9%
1	yes	3	0.1%

Q_2_2_8: Total area affected by the threats above during last 3 years? (ha)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 190
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_2_3_1: Use water to irrigate crops (excl. greenhouses) during last 3 years?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	3702	65.5%
2	No, I don<92>t need irrigation	888	15.7%
3	No, I can't afford irrigation	1026	18.1%
4	No, there is no water available	39	0.7%

Q_2_3_2: Area (excl greenhouses) irrigated during the last 3 years (ha)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 600
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_2_3_3: Reduction in water availability from well or other sources in last 3 years?

Data file: PME_main_table

Overview

Valid: 3702 Invalid: 1953
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	No, water is always available in sufficient quantity when I need it	2403	64.9%
2	Yes, water level in my well(s) is progressively going down	1299	35.1%
Sysmiss		1953	

Q_2_3_4: Are there organizations dealing with water allocation during last 3 years?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes, and they are working well	496	8.8%
2	Yes, but they are not working well (specify why)	216	3.8%
3	No, there are none	4199	74.3%
4	I don't know	744	13.2%

Q_2_3_5: Was irrigation used on the holding (except greenhouses)?

Data file: PME_main_table

Overview

Valid: 3693 Invalid: 1962
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	323	8.7%
1	Yes	3370	91.3%
Sysmiss		1962	

Q_2_3_6__1: Irrigation methods used: Surface irrigation (flooding, furrows)

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1829	54.3%
1	yes	1541	45.7%

Sysmiss		2285	

Q_2_3_6__2: Irrigation methods used: Sprinkler irrigation

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2960	87.8%
1	yes	410	12.2%
Sysmiss		2285	

Q_2_3_6__3: Irrigation methods used: Spray or microsprinkler irrigation

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3351	99.4%
1	yes	19	0.6%
Sysmiss		2285	

Q_2_3_6__4: Irrigation methods used: Drip irrigation

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3142	93.2%
1	yes	228	6.8%
Sysmiss		2285	

Q_2_3_6__5: Irrigation methods used: Bubbler irrigation

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2981	88.5%
1	yes	389	11.5%
Sysmiss		2285	

Q_2_3_6__999: Irrigation methods used: Other

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2435	72.3%
1	yes	935	27.7%
Sysmiss		2285	

Q_2_3_6_A: Importance of Surface irrigation (flooding, furrows) in the holding

Data file: PME_main_table

Overview

Valid: 1541 Invalid: 4114
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	43	2.8%
2	Used for a significant part of the area irrigated	55	3.6%
3	Main irrigation method used	1443	93.6%
Sysmiss		4114	

Q_2_3_6_B: Importance of Sprinkler irrigation in the holding

Data file: PME_main_table

Overview

Valid: 407 Invalid: 5248
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	18	4.4%
2	Used for a significant part of the area irrigated	28	6.9%
3	Main irrigation method used	361	88.7%
Sysmiss		5248	

Q_2_3_6_C: Importance of Spray or microsprinkler irrigation in the holding

Data file: PME_main_table

Overview

Valid: 14 Invalid: 5641
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	1	7.1%
2	Used for a significant part of the area irrigated	2	14.3%
3	Main irrigation method used	11	78.6%
Sysmiss		5641	

Q_2_3_6_D: Importance of Drip irrigation in the holding

Data file: PME_main_table

Overview

Valid: 226 Invalid: 5429
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	24	10.6%
2	Used for a significant part of the area irrigated	30	13.3%
3	Main irrigation method used	172	76.1%
Sysmiss		5429	

Q_2_3_6_E: Importance of Bubbler irrigation in the holding

Data file: PME_main_table

Overview

Valid: 385 Invalid: 5270
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	4	1%
2	Used for a significant part of the area irrigated	7	1.8%
3	Main irrigation method used	374	97.1%
Sysmiss		5270	

Q_2_3_6_F: Importance of Other irrigation method in the holding

Data file: PME_main_table

Overview

Valid: 934 Invalid: 4721
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	23	2.5%
2	Used for a significant part of the area irrigated	4	0.4%
3	Main irrigation method used	907	97.1%
Sysmiss		4721	

Q_2_3_7__1: Irrigation sources used: On-farm ground water

Data file: PME_main_table

Overview

Valid: 3371 Invalid: 2284
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2434	72.2%
1	yes	937	27.8%
Sysmiss		2284	

Q_2_3_7__2: Irrigation sources used: On-farm surface water

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	

0	no	2830	84%
1	yes	540	16%
Sysmiss		2285	

Q_2_3_7__3: Irrigation sources used: Off-farm ground water

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3221	95.6%
1	yes	149	4.4%
Sysmiss		2285	

Q_2_3_7__4: Irrigation sources used: Off-farm surface water

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2566	76.1%
1	yes	804	23.9%
Sysmiss		2285	

Q_2_3_7__5: Irrigation sources used: Municipal water supply or other network

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2251	66.8%
1	yes	1119	33.2%
Sysmiss		2285	

Q_2_3_7__6: Irrigation sources used: collected rainwater

Data file: PME_main_table

Overview

Valid: 3370 Invalid: 2285
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3262	96.8%
1	yes	108	3.2%
Sysmiss		2285	

Q_2_3_7__999: Irrigation sources used: Other source

Data file: PME_main_table

Overview

Valid: 3371 Invalid: 2284
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3371	100%
1	yes	0	0%
Sysmiss		2284	

Q_2_3_7_A: Importance of on-farm ground water in the holding

Data file: PME_main_table

Overview

Valid: 936 Invalid: 4719
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	72	7.7%
2	Used for a significant part of the area irrigated	50	5.3%
3	Main irrigation source used	814	87%
Sysmiss		4719	

Q_2_3_7_B: Importance of on-farm surface water in the holding

Data file: PME_main_table

Overview

Valid: 538 Invalid: 5117
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	24	4.5%
2	Used for a significant part of the area irrigated	19	3.5%
3	Main irrigation source used	495	92%
Sysmiss		5117	

Q_2_3_7_C: Importance of off-farm ground water in the holding

Data file: PME_main_table

Overview

Valid: 149 Invalid: 5506
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	6	4%
2	Used for a significant part of the area irrigated	12	8.1%
3	Main irrigation source used	131	87.9%
Sysmiss		5506	

Q_2_3_7_D: Importance of off-farm surface water in the holding

Data file: PME_main_table

Overview

Valid: 802 Invalid: 4853
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	19	2.4%
2	Used for a significant part of the area irrigated	48	6%
3	Main irrigation source used	735	91.6%
Sysmiss		4853	

Q_2_3_7_E: Importance of municipal water supply or other network

Data file: PME_main_table

Overview

Valid: 1119 Invalid: 4536
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	73	6.5%
2	Used for a significant part of the area irrigated	37	3.3%
3	Main irrigation source used	1009	90.2%
Sysmiss		4536	

Q_2_3_7_F: Importance of collected rainwater in the holding

Data file: PME_main_table

Overview

Valid: 104 Invalid: 5551
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not used very often, or used for a small part of the area irrigated	28	26.9%
2	Used for a significant part of the area irrigated	18	17.3%
3	Main irrigation source used	58	55.8%
Sysmiss		5551	

Q_2_3_7_G: Importance of other source in the holding

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
1	Not used very often, or used for a small part of the area irrigated
2	Used for a significant part of the area irrigated
3	Main irrigation source used
Sysmiss	

Q_2_3_8_3: Areas irrigated (ha): Permanent crops

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 226
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_2_3_8_5: Areas irrigated (ha): Permanent meadows and pastures

Data file: PME_main_table

Overview

Valid: 622 Invalid: 5033
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		601	96.6%
0.1		1	0.2%
0.15		4	0.6%
0.2		4	0.6%
0.26		1	0.2%
0.36		1	0.2%
0.5		2	0.3%
1		1	0.2%
2		1	0.2%
4		1	0.2%
6		1	0.2%
12		4	0.6%
Sysmiss		5033	

Q_2_3_8_1: Areas irrigated (ha): Temporary crops, single irrigation

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 80
Type: Continuous Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Q_2_3_8_2: Areas irrigated (ha): Temporary crops, multiple irrigations

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 330
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_2_3_8_4: Areas irrigated (ha): Temporary meadows and pastures

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 26
Type: Continuous Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Q_2_3_9: Report the payment terms for irrigation carried out

Data file: PME_main_table

Overview

Valid: 2084 Invalid: 3571
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	No payment for water	1329	63.8%
2	Pay a fixed fee (excluding irrigation area and amount of water used)	133	6.4%
3	Fee based on irrigated land area	369	17.7%
4	Fee based on volume of water used	253	12.1%
999	Other (specify	0	0%
Sysmiss		3571	

Q_2_3_10: Area equipped with working irrigation, even if not irrigated

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 1429
Type: Continuous Decimal: 0 Width: 4 Format: Numeric Weighted variable: 0

Q_2_3_11: Were there areas on the holding where drains were present?

Data file: PME_main_table

Overview

Valid: 5259 Invalid: 396
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5026	95.6%
1	Yes	233	4.4%
Sysmiss		396	

Q_2_3_12: Area equipped with surface drains (ha)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 165.6
Type: Continuous Decimal: 0 Width: 5 Format: Numeric Weighted variable: 0

Q_2_3_13: Area equipped with subsurface drains (ha)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 27
Type: Continuous Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Q_3_1_1: Were fertilizers applied on the holding?

Data file: PME_main_table

Overview

Valid: 5428 Invalid: 227
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2176	40.1%
1	Yes	3252	59.9%
Sysmiss		227	

Q_3_1_1_0: Why were fertilizers not applied?

Data file: PME_main_table

Overview

Valid: 2176 Invalid: 3479
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Fertilizers were too expensive	565	26%
2	Fertilizers were not available	84	3.9%
3	not needed	1483	68.2%
999	Other (specify	44	2%
Sysmiss		3479	

Q_3_1_2__1: Fertilizers applied: Mineral fertilizers

Data file: PME_main_table

Overview

Valid: 3250 Invalid: 2405
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		724	22.3%
1		2526	77.7%
Sysmiss		2405	

Q_3_1_2__2: Fertilizers applied: Organo-mineral fertilizers

Data file: PME_main_table

Overview

Valid: 3250 Invalid: 2405
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3161	97.3%
1		89	2.7%
Sysmiss		2405	

Q_3_1_2__3: Fertilizers applied: Compost

Data file: PME_main_table

Overview

Valid: 3250 Invalid: 2405
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3245	99.8%
1		5	0.2%
Sysmiss		2405	

Q_3_1_2__4: Fertilizers applied: Mulch

Data file: PME_main_table

Overview

Valid: 3250 Invalid: 2405
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3248	99.9%
1		2	0.1%
Sysmiss		2405	

Q_3_1_2__5: Fertilizers applied: Biofertilizers

Data file: PME_main_table

Overview

Valid: 3250 Invalid: 2405
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3232	99.4%
1		18	0.6%
Sysmiss		2405	

Q_3_1_2__6: Fertilizers applied: Solid dung, incorporated

Data file: PME_main_table

Overview

Valid: 3250 Invalid: 2405
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1810	55.7%
1		1440	44.3%
Sysmiss		2405	

Q_3_1_2__7: Fertilizers applied: Solid dung, not incorporated

Data file: PME_main_table

Overview

Valid: 3250 Invalid: 2405
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2840	87.4%
1		410	12.6%
Sysmiss		2405	

Q_3_1_2__8: Fertilizers applied: Liquid manure, incorporated

Data file: PME_main_table

Overview

Valid: 3250 Invalid: 2405

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3224	99.2%
1		26	0.8%
Sysmiss		2405	

Q_3_1_2__9: Fertilizers applied: Liquid manure, not incorporated

Data file: PME_main_table

Overview

Valid: 3250 Invalid: 2405
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3237	99.6%
1		13	0.4%
Sysmiss		2405	

Q_3_1_5: Are you aware of the environmental risks associated with fertilizer?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1312	23.2%
1	Yes	4343	76.8%

Q_3_1_6__1: If so, measures adopted?: Follow protocols or local regulations

Data file: PME_main_table

Overview

Valid: 5428 Invalid: 227
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3405	62.7%
1	yes	2023	37.3%
Sysmiss		227	

Q_3_1_6__2: If so, measures adopted?: Use organic source of nutrients

Data file: PME_main_table

Overview

Valid: 5428 Invalid: 227
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4921	90.7%
1	yes	507	9.3%
Sysmiss		227	

Q_3_1_6__3: If so, measures adopted?: Use legumes to reduce fertilizer input

Data file: PME_main_table

Overview

Valid: 5428 Invalid: 227
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5354	98.6%

1	yes	74	1.4%
Sysmiss		227	

Q_3_1_6__4: If so, measures adopted?: Distribute application over growing period

Data file: PME_main_table

Overview

Valid: 5428 Invalid: 227
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4859	89.5%
1	yes	569	10.5%
Sysmiss		227	

Q_3_1_6__5: If so, measures adopted?: Consider soil and climate for dose and frequency

Data file: PME_main_table

Overview

Valid: 5428 Invalid: 227
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4827	88.9%
1	yes	601	11.1%
Sysmiss		227	

Q_3_1_6__6: If so, measures adopted?: Use soil sampling at least every 5 years

Data file: PME_main_table

Overview

Valid: 5428 Invalid: 227
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5356	98.7%
1	yes	72	1.3%
Sysmiss		227	

Q_3_1_6__7: If so, measures adopted?: Use buffer strips along water courses

Data file: PME_main_table

Overview

Valid: 5428 Invalid: 227
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5402	99.5%
1	yes	26	0.5%
Sysmiss		227	

Q_3_2_1: Use any pesticides for crop or livestock production?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3495	61.8%
1	Yes	2160	38.2%

Q_3_2_2: Are you aware of environmental and health risks associated with pesticides?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1461	25.8%
1	Yes	4194	74.2%

Q_3_2_3__1: Health protection?: Label directions (incl. protection equipment)

Data file: PME_main_table

Overview

Valid: 2158 Invalid: 3497
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	145	6.7%
1	yes	2013	93.3%
Sysmiss		3497	

Q_3_2_3__2: Health protection?: Maintenance of protection equipment after use

Data file: PME_main_table

Overview

Valid: 2158 Invalid: 3497
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	777	36%
1	yes	1381	64%
Sysmiss		3497	

Q_3_2_3__3: Health protection?: Safe disposal of waste (cartons, bottles and bags)

Data file: PME_main_table

Overview

Valid: 2158 Invalid: 3497
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	856	39.7%
1	yes	1302	60.3%
Sysmiss		3497	

Q_3_2_4__0: Pest control?: None above mentioned

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2827	50%
1	yes	2828	50%

Q_3_2_4__1: Pest control?: Adherence to label directions for pesticide application

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	

0	no	3662	64.8%
1	yes	1993	35.2%

Q_3_2_4__2: Pest control?: Adjustment of planting time

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5452	96.4%
1	yes	203	3.6%

Q_3_2_4__3: Pest control?: Application of crop spacing

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5444	96.3%
1	yes	211	3.7%

Q_3_2_4__4: Pest control?: Application of crop rotation

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5473	96.8%
1	yes	182	3.2%

Q_3_2_4__5: Pest control?: Application of mixed cropping

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5578	98.6%
1	yes	77	1.4%

Q_3_2_4__6: Pest control?: Perform biological pest control

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5458	96.5%
1	yes	197	3.5%

Q_3_2_4__7: Pest control?: Use of biopesticides

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5553	98.2%
1	yes	102	1.8%

Q_3_2_4__8: Pest control?: Adopting pasture rotation

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5650	99.9%
1	yes	5	0.1%

Q_3_2_4__9: Pest control?: Systematic removal of plant parts attacked by pests

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4937	87.3%
1	yes	718	12.7%

Q_3_2_4__10: Pest control?: Maintenance and cleansing of spray equipment after use

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5242	92.7%
1	yes	413	7.3%

Q_3_2_4__11: Pest control?: Use one pesticide no more than two times or in mixture

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5383	95.2%
1	yes	272	4.8%

Q_4_1_1: Was livestock raised on the holding?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1494	26.4%
1	Yes	4161	73.6%

Q_4_1_2__1: Types of livestock raised: Cattle

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1391	33.4%
1		2770	66.6%
Sysmiss		1494	

Q_4_1_2__4: Types of livestock raised: Buffaloes

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4095	98.4%
1		66	1.6%
Sysmiss		1494	

Q_4_1_2__7: Types of livestock raised: Sheep

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3658	87.9%
1		503	12.1%
Sysmiss		1494	

Q_4_1_2__9: Types of livestock raised: Goats

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3979	95.6%
1		182	4.4%
Sysmiss		1494	

Q_4_1_2__11: Types of livestock raised: Pigs

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3176	76.3%
1		985	23.7%
Sysmiss		1494	

Q_4_1_2__13: Types of livestock raised: Horses

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3810	91.6%
1		351	8.4%
Sysmiss		1494	

Q_4_1_2__14: Types of livestock raised: Asses and mules

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4059	97.5%
1		102	2.5%
Sysmiss		1494	

Q_4_1_2__15: Types of livestock raised: Rabbits

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4096	98.4%
1		65	1.6%
Sysmiss		1494	

Q_4_1_2__16: Types of livestock raised: Beehives

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3895	93.6%
1		266	6.4%
Sysmiss		1494	

Q_4_1_2__17: Types of livestock raised: Chickens

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		796	19.1%
1		3365	80.9%
Sysmiss		1494	

Q_4_1_2__22: Types of livestock raised: Other poultry

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3744	90%
1		417	10%
Sysmiss		1494	

Q_4_1_3_BUFFALO: Main reproduction technique for buffalo used on the holding

Data file: PME_main_table

Overview

Valid: 64 Invalid: 5591
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Natural mating with a sire selected within the herd	19	29.7%
2	Natural mating with a rented sire	0	0%
3	Artificial insemination	0	0%
4	Dam was purchased/exchanged pregnant	0	0%
5	Not breed	13	20.3%
6		32	50%
999	Other (specify	0	0%
Sysmiss		5591	

Q_4_1_3_CATTLE: Main reproduction technique for cattle used on the holding

Data file: PME_main_table

Overview

Valid: 2771 Invalid: 2884
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Natural mating with a sire selected within the herd	998	36%
2	Natural mating with a rented sire	796	28.7%
3	Artificial insemination	44	1.6%
4	Dam was purchased/exchanged pregnant	1	0%
5	Not breed	327	11.8%
6		605	21.8%
999	Other (specify	0	0%
Sysmiss		2884	

Q_4_1_3_GOAT: Main reproduction technique for goat used on the holding

Data file: PME_main_table

Overview

Valid: 180 Invalid: 5475
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Natural mating with a sire selected within the herd	125	69.4%
2	Natural mating with a rented sire	9	5%
3	Artificial insemination	0	0%
4	Dam was purchased/exchanged pregnant	0	0%
5	Not breed	41	22.8%
6		5	2.8%
999	Other (specify	0	0%
Sysmiss		5475	

Q_4_1_3_HORSE: Main reproduction technique for horse used on the holding

Data file: PME_main_table

Overview

Valid: 349 Invalid: 5306
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Natural mating with a sire selected within the herd	20	5.7%
2	Natural mating with a rented sire	14	4%
3	Artificial insemination	0	0%
4	Dam was purchased/exchanged pregnant	0	0%
5	Not breed	302	86.5%
6		13	3.7%
999	Other (specify	0	0%
Sysmiss		5306	

Q_4_1_3_MULE: Main reproduction technique for mule used on the holding

Data file: PME_main_table

Overview

Valid: 98 Invalid: 5557
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Natural mating with a sire selected within the herd	2	2%
2	Natural mating with a rented sire	3	3.1%
3	Artificial insemination	0	0%
4	Dam was purchased/exchanged pregnant	0	0%
5	Not breed	92	93.9%
6		1	1%
999	Other (specify	0	0%
Sysmiss		5557	

Q_4_1_3_PIG: Main reproduction technique for pig used on the holding

Data file: PME_main_table

Overview

Valid: 989 Invalid: 4666
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Natural mating with a sire selected within the herd	187	18.9%
2	Natural mating with a rented sire	119	12%
3	Artificial insemination	10	1%
4	Dam was purchased/exchanged pregnant	2	0.2%
5	Not breed	546	55.2%
6		125	12.6%
999	Other (specify	0	0%
Sysmiss		4666	

Q_4_1_3_SHEEP: Main reproduction technique for sheep used on the holding

Data file: PME_main_table

Overview

Valid: 501 Invalid: 5154
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Natural mating with a sire selected within the herd	406	81%
2	Natural mating with a rented sire	42	8.4%
3	Artificial insemination	0	0%
4	Dam was purchased/exchanged pregnant	0	0%
5	Not breed	49	9.8%
6		4	0.8%
999	Other (specify	0	0%
Sysmiss		5154	

Q_4_1_4: Main provider of breeding services for the holding

Data file: PME_main_table

Overview

Valid: 2635 Invalid: 3020
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Private veterinarian	175	6.6%
2	Self-provision, farmer, a family member of a farmer or employed on a farm	2229	84.6%
3		217	8.2%
999	Other (specify	14	0.5%
Sysmiss		3020	

Q_4_2_1__0: Livestock with veterinary services: Do not used the veterinary services

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2437	58.6%
1	yes	1724	41.4%
Sysmiss		1494	

Q_4_2_1__1: Livestock with veterinary services: Cattle

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2283	54.9%
1	yes	1878	45.1%
Sysmiss		1494	

Q_4_2_1__4: Livestock with veterinary services: Buffaloes

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4130	99.3%
1	yes	31	0.7%
Sysmiss		1494	

Q_4_2_1__7: Livestock with veterinary services: Sheep

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3835	92.2%
1	yes	326	7.8%
Sysmiss		1494	

Q_4_2_1__9: Livestock with veterinary services: Goats

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4051	97.4%
1	yes	110	2.6%
Sysmiss		1494	

Q_4_2_1__11: Livestock with veterinary services: Pigs

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3876	93.2%
1	yes	285	6.8%
Sysmiss		1494	

Q_4_2_1__13: Livestock with veterinary services: Horses

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4089	98.3%
1	yes	72	1.7%
Sysmiss		1494	

Q_4_2_1__14: Livestock with veterinary services: Asses and mules

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4139	99.5%
1	yes	22	0.5%
Sysmiss		1494	

Q_4_2_1__15: Livestock with veterinary services: Rabbits

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4155	99.9%
1	yes	6	0.1%
Sysmiss		1494	

Q_4_2_1__16: Livestock with veterinary services: Beehives

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4077	98%
1	yes	84	2%
Sysmiss		1494	

Q_4_2_1__17: Livestock with veterinary services: Chickens

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3557	85.5%
1	yes	604	14.5%
Sysmiss		1494	

Q_4_2_1__22: Livestock with veterinary services: Other poultry

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4125	99.1%
1	yes	36	0.9%
Sysmiss		1494	

Q_4_2_2_BEE__3: Veterinary services: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 80 Invalid: 5575
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	46	57.5%
1	yes	34	42.5%
Sysmiss		5575	

Q_4_2_2_BEE__7: Veterinary services for bee: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 80 Invalid: 5575
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	30	37.5%

1	yes	50	62.5%
Sysmiss		5575	

Q_4_2_2_BUFFALO__1: Veterinary services for buffalo: Reproduction

Data file: PME_main_table

Overview

Valid: 30 Invalid: 5625
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	25	83.3%
1	yes	5	16.7%
Sysmiss		5625	

Q_4_2_2_BUFFALO__2: Veterinary services for buffalo: Curative treatment, surgical procedures

Data file: PME_main_table

Overview

Valid: 30 Invalid: 5625
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	30	100%
1	yes	0	0%
Sysmiss		5625	

Q_4_2_2_BUFFALO__3: Veterinary services for buffalo: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 30 Invalid: 5625
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	29	96.7%
1	yes	1	3.3%
Sysmiss		5625	

Q_4_2_2_BUFFALO__4: Veterinary services for buffalo: Preventative medicine, vaccinations

Data file: PME_main_table

Overview

Valid: 30 Invalid: 5625
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2	6.7%
1	yes	28	93.3%
Sysmiss		5625	

Q_4_2_2_BUFFALO__5: Veterinary services for buffalo: Preventative medicine, deworming

Data file: PME_main_table

Overview

Valid: 30 Invalid: 5625
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	16	53.3%
1	yes	14	46.7%
Sysmiss		5625	

Q_4_2_2_BUFFALO__6: Veterinary services for buffalo: Preventative medicine against parasites

Data file: PME_main_table

Overview

Valid: 30 Invalid: 5625
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	20	66.7%
1	yes	10	33.3%
Sysmiss		5625	

Q_4_2_2_BUFFALO__7: Veterinary services for buffalo: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 30 Invalid: 5625
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	30	100%
1	yes	0	0%
Sysmiss		5625	

Q_4_2_2_CATTLE__1: Veterinary services for cattle: Reproduction

Data file: PME_main_table

Overview

Valid: 1877 Invalid: 3778
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	

0	no	1669	88.9%
1	yes	208	11.1%
Sysmiss		3778	

Q_4_2_2_CATTLE__2: Veterinary services for cattle: Curative treatment, surgical procedures

Data file: PME_main_table

Overview

Valid: 1877 Invalid: 3778
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1832	97.6%
1	yes	45	2.4%
Sysmiss		3778	

Q_4_2_2_CATTLE__3: Veterinary services for cattle: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 1877 Invalid: 3778
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1832	97.6%
1	yes	45	2.4%
Sysmiss		3778	

Q_4_2_2_CATTLE__4: Veterinary services for cattle: Preventative medicine, vaccinations

Data file: PME_main_table

Overview

Valid: 1877 Invalid: 3778
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	341	18.2%
1	yes	1536	81.8%
Sysmiss		3778	

Q_4_2_2_CATTLE__5: Veterinary services for cattle: Preventative medicine, deworming

Data file: PME_main_table

Overview

Valid: 1877 Invalid: 3778
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1240	66.1%
1	yes	637	33.9%
Sysmiss		3778	

Q_4_2_2_CATTLE__6: Veterinary services for cattle: Preventative medicine against parasites

Data file: PME_main_table

Overview

Valid: 1877 Invalid: 3778
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1245	66.3%
1	yes	632	33.7%
Sysmiss		3778	

Q_4_2_2_CATTLE__7: Veterinary services for cattle: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 1877 Invalid: 3778
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1873	99.8%
1	yes	4	0.2%
Sysmiss		3778	

Q_4_2_2_CHICKEN__1: Veterinary services for chicken: Reproduction

Data file: PME_main_table

Overview

Valid: 604 Invalid: 5051
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	601	99.5%
1	yes	3	0.5%
Sysmiss		5051	

Q_4_2_2_CHICKEN__2: Veterinary services for chicken: Curative treatment, surgical procedures

Data file: PME_main_table

Overview

Valid: 604 Invalid: 5051
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	

0	no	602	99.7%
1	yes	2	0.3%
Sysmiss		5051	

Q_4_2_2_CHICKEN__3: Veterinary services for chicken: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 604 Invalid: 5051
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	594	98.3%
1	yes	10	1.7%
Sysmiss		5051	

Q_4_2_2_CHICKEN__4: Veterinary services for chicken: Preventative medicine, vaccinations

Data file: PME_main_table

Overview

Valid: 604 Invalid: 5051
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	124	20.5%
1	yes	480	79.5%
Sysmiss		5051	

Q_4_2_2_CHICKEN__5: Veterinary services for chicken: Preventative medicine, deworming

Data file: PME_main_table

Overview

Valid: 604 Invalid: 5051
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	477	79%
1	yes	127	21%
Sysmiss		5051	

Q_4_2_2_CHICKEN__6: Veterinary services for chicken: Preventative medicine against parasites

Data file: PME_main_table

Overview

Valid: 604 Invalid: 5051
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	513	84.9%
1	yes	91	15.1%
Sysmiss		5051	

Q_4_2_2_CHICKEN__7: Veterinary services for chicken: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 604 Invalid: 5051
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	599	99.2%
1	yes	5	0.8%
Sysmiss		5051	

Q_4_2_2_GOAT__1: Veterinary services for goat: Reproduction

Data file: PME_main_table

Overview

Valid: 103 Invalid: 5552
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	93	90.3%
1	yes	10	9.7%
Sysmiss		5552	

Q_4_2_2_GOAT__2: Veterinary services for goat: Curative treatment, surgical procedures

Data file: PME_main_table

Overview

Valid: 103 Invalid: 5552
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	103	100%
1	yes	0	0%
Sysmiss		5552	

Q_4_2_2_GOAT__3: Veterinary services for goat: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 103 Invalid: 5552
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	102	99%

1	yes	1	1%
Sysmiss		5552	

Q_4_2_2_GOAT__4: Veterinary services for goat: Preventative medicine, vaccinations

Data file: PME_main_table

Overview

Valid: 103 Invalid: 5552
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	19	18.4%
1	yes	84	81.6%
Sysmiss		5552	

Q_4_2_2_GOAT__5: Veterinary services for goat: Preventative medicine, deworming

Data file: PME_main_table

Overview

Valid: 103 Invalid: 5552
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	68	66%
1	yes	35	34%
Sysmiss		5552	

Q_4_2_2_GOAT__6: Veterinary services for goat: Preventative medicine against parasites

Data file: PME_main_table

Overview

Valid: 103 Invalid: 5552
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	47	45.6%
1	yes	56	54.4%
Sysmiss		5552	

Q_4_2_2_GOAT__7: Veterinary services for goat: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 103 Invalid: 5552
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	103	100%
1	yes	0	0%
Sysmiss		5552	

Q_4_2_2_HORSE__1: Veterinary services for horse: Reproduction

Data file: PME_main_table

Overview

Valid: 65 Invalid: 5590
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	65	100%
1	yes	0	0%
Sysmiss		5590	

Q_4_2_2_HORSE__2: Veterinary services for horse: Curative treatment, surgical procedures

Data file: PME_main_table

Overview

Valid: 65 Invalid: 5590
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	63	96.9%
1	yes	2	3.1%
Sysmiss		5590	

Q_4_2_2_HORSE__3: Veterinary services for horse: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 65 Invalid: 5590
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	64	98.5%
1	yes	1	1.5%
Sysmiss		5590	

Q_4_2_2_HORSE__4: Veterinary services for horse: Preventative medicine, vaccinations

Data file: PME_main_table

Overview

Valid: 65 Invalid: 5590
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	16	24.6%

1	yes	49	75.4%
Sysmiss		5590	

Q_4_2_2_HORSE__5: Veterinary services for horse: Preventative medicine, deworming

Data file: PME_main_table

Overview

Valid: 65 Invalid: 5590
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	47	72.3%
1	yes	18	27.7%
Sysmiss		5590	

Q_4_2_2_HORSE__6: Veterinary services for horse: Preventative medicine against parasites

Data file: PME_main_table

Overview

Valid: 65 Invalid: 5590
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	42	64.6%
1	yes	23	35.4%
Sysmiss		5590	

Q_4_2_2_HORSE__7: Veterinary services for horse: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 65 Invalid: 5590
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	65	100%
1	yes	0	0%
Sysmiss		5590	

Q_4_2_2_MULE__1: Veterinary services for mule: Reproduction

Data file: PME_main_table

Overview

Valid: 21 Invalid: 5634
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	20	95.2%
1	yes	1	4.8%
Sysmiss		5634	

Q_4_2_2_MULE__2: Veterinary services for mule: Curative treatment, surgical procedures

Data file: PME_main_table

Overview

Valid: 21 Invalid: 5634
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	21	100%
1	yes	0	0%
Sysmiss		5634	

Q_4_2_2_MULE__3: Veterinary services for mule: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 21 Invalid: 5634
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	21	100%
1	yes	0	0%
Sysmiss		5634	

Q_4_2_2_MULE__4: Veterinary services for mule: Preventative medicine, vaccinations

Data file: PME_main_table

Overview

Valid: 21 Invalid: 5634
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	7	33.3%
1	yes	14	66.7%
Sysmiss		5634	

Q_4_2_2_MULE__5: Veterinary services for mule: Preventative medicine, deworming

Data file: PME_main_table

Overview

Valid: 21 Invalid: 5634
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	18	85.7%

1	yes	3	14.3%
Sysmiss		5634	

Q_4_2_2_MULE__6: Veterinary services for mule: Preventative medicine against parasites

Data file: PME_main_table

Overview

Valid: 21 Invalid: 5634
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	8	38.1%
1	yes	13	61.9%
Sysmiss		5634	

Q_4_2_2_MULE__7: Veterinary services for mule: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 21 Invalid: 5634
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	21	100%
1	yes	0	0%
Sysmiss		5634	

Q_4_2_2_PAULTRY__1: Veterinary services for poultry: Reproduction

Data file: PME_main_table

Overview

Valid: 35 Invalid: 5620
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	35	100%
1	yes	0	0%
Sysmiss		5620	

Q_4_2_2_PAULTRY__2: Veterinary services for poultry: Curative treatment, surgical procedures

Data file: PME_main_table

Overview

Valid: 35 Invalid: 5620
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	35	100%
1	yes	0	0%
Sysmiss		5620	

Q_4_2_2_PAULTRY__3: Veterinary services for poultry: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 35 Invalid: 5620
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	34	97.1%
1	yes	1	2.9%
Sysmiss		5620	

Q_4_2_2_PAULTRY__4: Veterinary services for poultry: Preventative medicine, vaccinations

Data file: PME_main_table

Overview

Valid: 35 Invalid: 5620
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	8	22.9%
1	yes	27	77.1%
Sysmiss		5620	

Q_4_2_2_PAULTRY__5: Veterinary services for poultry: Preventative medicine, deworming

Data file: PME_main_table

Overview

Valid: 35 Invalid: 5620
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	28	80%
1	yes	7	20%
Sysmiss		5620	

Q_4_2_2_PAULTRY__6: Veterinary services for poultry: Preventative medicine against parasites

Data file: PME_main_table

Overview

Valid: 35 Invalid: 5620
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	

0	no	27	77.1%
1	yes	8	22.9%
Sysmiss		5620	

Q_4_2_2_PAULTRY__7: Veterinary services for poultry: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 35 Invalid: 5620
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	35	100%
1	yes	0	0%
Sysmiss		5620	

Q_4_2_2_PIG__1: Veterinary services for pig: Reproduction

Data file: PME_main_table

Overview

Valid: 284 Invalid: 5371
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	266	93.7%
1	yes	18	6.3%
Sysmiss		5371	

Q_4_2_2_PIG__2: Veterinary services for pig: Curative treatment, surgical procedures

Data file: PME_main_table

Overview

Valid: 286 Invalid: 5369
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	248	86.7%
1	yes	38	13.3%
Sysmiss		5369	

Q_4_2_2_PIG__3: Veterinary services for pig: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 286 Invalid: 5369
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	284	99.3%
1	yes	2	0.7%
Sysmiss		5369	

Q_4_2_2_PIG__4: Veterinary services for pig: Preventative medicine, vaccinations

Data file: PME_main_table

Overview

Valid: 284 Invalid: 5371
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	102	35.9%
1	yes	182	64.1%
Sysmiss		5371	

Q_4_2_2_PIG__5: Veterinary services for pig: Preventative medicine, deworming

Data file: PME_main_table

Overview

Valid: 284 Invalid: 5371
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	144	50.7%
1	yes	140	49.3%
Sysmiss		5371	

Q_4_2_2_PIG__6: Veterinary services for pig: Preventative medicine against parasites

Data file: PME_main_table

Overview

Valid: 284 Invalid: 5371
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	229	80.6%
1	yes	55	19.4%
Sysmiss		5371	

Q_4_2_2_PIG__7: Veterinary services for pig: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 284 Invalid: 5371
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	283	99.6%

1	yes	1	0.4%
Sysmiss		5371	

Q_4_2_2_RABBIT__1: Veterinary services for rabbit: Reproduction

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_2_RABBIT__2: Veterinary services for rabbit: Curative treatment, surgical procedures

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_2_RABBIT__3: Veterinary services for rabbit: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_2_RABBIT__4: Veterinary services for rabbit: Preventative medicine, vaccinations

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_2_RABBIT__5: Veterinary services for rabbit: Preventative medicine, deworming

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_2_RABBIT__6: Veterinary services for rabbit: Preventative medicine against parasites

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_2_RABBIT__7: Veterinary services for rabbit: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_2_SHEEP__1: Veterinary services for sheep: Reproduction

Data file: PME_main_table

Overview

Valid: 326 Invalid: 5329
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	302	92.6%

1	yes	24	7.4%
Sysmiss		5329	

Q_4_2_2_SHEEP__2: Veterinary services for sheep: Curative treatment, surgical procedures

Data file: PME_main_table

Overview

Valid: 326 Invalid: 5329
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	320	98.2%
1	yes	6	1.8%
Sysmiss		5329	

Q_4_2_2_SHEEP__3: Veterinary services for sheep: Curative treatment, other

Data file: PME_main_table

Overview

Valid: 326 Invalid: 5329
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	326	100%
1	yes	0	0%
Sysmiss		5329	

Q_4_2_2_SHEEP__4: Veterinary services for sheep: Preventative medicine, vaccinations

Data file: PME_main_table

Overview

Valid: 326 Invalid: 5329
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	72	22.1%
1	yes	254	77.9%
Sysmiss		5329	

Q_4_2_2_SHEEP__5: Veterinary services for sheep: Preventative medicine, deworming

Data file: PME_main_table

Overview

Valid: 326 Invalid: 5329
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	201	61.7%
1	yes	125	38.3%
Sysmiss		5329	

Q_4_2_2_SHEEP__6: Veterinary services for sheep: Preventative medicine against parasites

Data file: PME_main_table

Overview

Valid: 326 Invalid: 5329
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	172	52.8%
1	yes	154	47.2%
Sysmiss		5329	

Q_4_2_2_SHEEP__7: Veterinary services for sheep: Preventative medicine, other

Data file: PME_main_table

Overview

Valid: 326 Invalid: 5329
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	325	99.7%
1	yes	1	0.3%
Sysmiss		5329	

Q_4_2_3__0: Livestock for which you used hormones : Did not use hormones

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	64	1.5%
1	yes	4097	98.5%
Sysmiss		1494	

Q_4_2_3__1: Livestock for which you used hormones : Cattle

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4122	99.1%

1	yes	39	0.9%
Sysmiss		1494	

Q_4_2_3__4: Livestock for which you used hormones : Buffaloes

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4161	100%
1	yes	0	0%
Sysmiss		1494	

Q_4_2_3__7: Livestock for which you used hormones : Sheep

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4155	99.9%
1	yes	6	0.1%
Sysmiss		1494	

Q_4_2_3__9: Livestock for which you used hormones : Goats

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4160	100%
1	yes	1	0%
Sysmiss		1494	

Q_4_2_3__11: Livestock for which you used hormones : Pigs

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4158	99.9%
1	yes	3	0.1%
Sysmiss		1494	

Q_4_2_3__13: Livestock for which you used hormones : Horses

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4160	100%
1	yes	1	0%
Sysmiss		1494	

Q_4_2_3__14: Livestock for which you used hormones : Asses and mules

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4161	100%
1	yes	0	0%
Sysmiss		1494	

Q_4_2_3__15: Livestock for which you used hormones : Rabbits

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4161	100%
1	yes	0	0%
Sysmiss		1494	

Q_4_2_3__16: Livestock for which you used hormones : Beehives

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4159	100%

1	yes	2	0%
Sysmiss		1494	

Q_4_2_3__17: Livestock for which you used hormones : Chickens

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4140	99.5%
1	yes	21	0.5%
Sysmiss		1494	

Q_4_2_3__22: Livestock for which you used hormones : Other poultry

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4161	100%
1	yes	0	0%
Sysmiss		1494	

Q_4_2_4__0: Livestock for which you used antibiotics: Did not use antibiotics

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	687	16.5%
1	yes	3474	83.5%
Sysmiss		1494	

Q_4_2_4__1: Livestock for which you used antibiotics: Cattle

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3690	88.7%
1	yes	471	11.3%
Sysmiss		1494	

Q_4_2_4__4: Livestock for which you used antibiotics: Buffaloes

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4159	100%
1	yes	2	0%
Sysmiss		1494	

Q_4_2_4__7: Livestock for which you used antibiotics: Sheep

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4054	97.4%
1	yes	107	2.6%
Sysmiss		1494	

Q_4_2_4__9: Livestock for which you used antibiotics: Goats

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4121	99%
1	yes	40	1%
Sysmiss		1494	

Q_4_2_4__11: Livestock for which you used antibiotics: Pigs

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4111	98.8%

1	yes	50	1.2%
Sysmiss		1494	

Q_4_2_4__13: Livestock for which you used antibiotics: Horses

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4126	99.2%
1	yes	35	0.8%
Sysmiss		1494	

Q_4_2_4__14: Livestock for which you used antibiotics: Asses and mules

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4151	99.8%
1	yes	10	0.2%
Sysmiss		1494	

Q_4_2_4__15: Livestock for which you used antibiotics: Rabbits

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4160	100%
1	yes	1	0%
Sysmiss		1494	

Q_4_2_4__16: Livestock for which you used antibiotics: Beehives

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4133	99.3%
1	yes	28	0.7%
Sysmiss		1494	

Q_4_2_4__17: Livestock for which you used antibiotics: Chickens

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3992	95.9%
1	yes	169	4.1%
Sysmiss		1494	

Q_4_2_4__22: Livestock for which you used antibiotics: Other poultry

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4151	99.8%
1	yes	10	0.2%
Sysmiss		1494	

Q_4_2_5: Medically important antimicrobials as growth promoter for your livestock?

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3651	87.7%
1	Yes	192	4.6%
2	I don<92>t know	318	7.6%
Sysmiss		1494	

Q_4_2_6__0: Livestock for which you used traditional medicine: Not used

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	

0	no	322	7.7%
1	yes	3839	92.3%
Sysmiss		1494	

Q_4_2_6__1: Livestock for which you used traditional medicine: Cattle

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3975	95.5%
1	yes	186	4.5%
Sysmiss		1494	

Q_4_2_6__4: Livestock for which you used traditional medicine: Buffaloes

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4160	100%
1	yes	1	0%
Sysmiss		1494	

Q_4_2_6__7: Livestock for which you used traditional medicine: Sheep

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4130	99.3%
1	yes	31	0.7%
Sysmiss		1494	

Q_4_2_6__9: Livestock for which you used traditional medicine: Goats

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4157	99.9%
1	yes	4	0.1%
Sysmiss		1494	

Q_4_2_6__11: Livestock for which you used traditional medicine: Pigs

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4126	99.2%
1	yes	35	0.8%
Sysmiss		1494	

Q_4_2_6__13: Livestock for which you used traditional medicine: Horses

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4156	99.9%
1	yes	5	0.1%
Sysmiss		1494	

Q_4_2_6__14: Livestock for which you used traditional medicine: Asses and mules

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4161	100%
1	yes	0	0%
Sysmiss		1494	

Q_4_2_6__15: Livestock for which you used traditional medicine: Rabbits

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4160	100%

1	yes	1	0%
Sysmiss		1494	

Q_4_2_6__16: Livestock for which you used traditional medicine: Beehives

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4141	99.5%
1	yes	20	0.5%
Sysmiss		1494	

Q_4_2_6__17: Livestock for which you used traditional medicine: Chickens

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4064	97.7%
1	yes	97	2.3%
Sysmiss		1494	

Q_4_2_6__22: Livestock for which you used traditional medicine: Other poultry

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4152	99.8%
1	yes	9	0.2%
Sysmiss		1494	

Q_4_2_7_BEE__1: Objectives of traditional medicine on bee: Reproduction

Data file: PME_main_table

Overview

Valid: 14 Invalid: 5641
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	14	100%
1	yes	0	0%
Sysmiss		5641	

Q_4_2_7_BEE__2: Objectives of traditional medicine on bee: Curative

Data file: PME_main_table

Overview

Valid: 14 Invalid: 5641
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	9	64.3%
1	yes	5	35.7%
Sysmiss		5641	

Q_4_2_7_BEE__3: Objectives of traditional medicine on bee: Preventative

Data file: PME_main_table

Overview

Valid: 14 Invalid: 5641
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4	28.6%
1	yes	10	71.4%
Sysmiss		5641	

Q_4_2_7_BEE__999: Objectives of traditional medicine on bee: Other

Data file: PME_main_table

Overview

Valid: 14 Invalid: 5641
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	14	100%
1	yes	0	0%
Sysmiss		5641	

Q_4_2_7_BUFFALO__1: Objectives of traditional medicine on buffalo: Reproduction

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no

1	yes
Sysmiss	

Q_4_2_7_BUFFALO__2: Objectives of traditional medicine on buffalo: Curative

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_BUFFALO__3: Objectives of traditional medicine on buffalo: Preventative

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_BUFFALO__999: Objectives of traditional medicine on buffalo: Other

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_CATTLE__1: Objectives of traditional medicine on cattle: Reproduction

Data file: PME_main_table

Overview

Valid: 185 Invalid: 5470
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	174	94.1%
1	yes	11	5.9%
Sysmiss		5470	

Q_4_2_7_CATTLE__2: Objectives of traditional medicine on cattle: Curative

Data file: PME_main_table

Overview

Valid: 185 Invalid: 5470
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	43	23.2%
1	yes	142	76.8%
Sysmiss		5470	

Q_4_2_7_CATTLE__3: Objectives of traditional medicine on cattle: Preventative

Data file: PME_main_table

Overview

Valid: 185 Invalid: 5470
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	132	71.4%
1	yes	53	28.6%
Sysmiss		5470	

Q_4_2_7_CATTLE__999: Objectives of traditional medicine on cattle: Other

Data file: PME_main_table

Overview

Valid: 185 Invalid: 5470
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	185	100%
1	yes	0	0%
Sysmiss		5470	

Q_4_2_7_CHICKEN__1: Objectives of traditional medicine on chicken: Reproduction

Data file: PME_main_table

Overview

Valid: 91 Invalid: 5564
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	90	98.9%

1	yes	1	1.1%
Sysmiss		5564	

Q_4_2_7_CHICKEN__2: Objectives of traditional medicine on chicken: Curative

Data file: PME_main_table

Overview

Valid: 91 Invalid: 5564
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	33	36.3%
1	yes	58	63.7%
Sysmiss		5564	

Q_4_2_7_CHICKEN__3: Objectives of traditional medicine on chicken: Preventative

Data file: PME_main_table

Overview

Valid: 91 Invalid: 5564
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	57	62.6%
1	yes	34	37.4%
Sysmiss		5564	

Q_4_2_7_CHICKEN__999: Objectives of traditional medicine on chicken: Other

Data file: PME_main_table

Overview

Valid: 91 Invalid: 5564
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	91	100%
1	yes	0	0%
Sysmiss		5564	

Q_4_2_7_GOAT__1: Objectives of traditional medicine on goat: Reproduction

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_GOAT__2: Objectives of traditional medicine on goat: Curative

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_GOAT__3: Objectives of traditional medicine on goat: Preventative

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_GOAT__999: Objectives of traditional medicine on goat: Other

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_HORSE__1: Objectives of traditional medicine on horse: Reproduction

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3	100%

1	yes	0	0%
Sysmiss		5652	

Q_4_2_7_HORSE__2: Objectives of traditional medicine on horse: Curative

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	0	0%
1	yes	3	100%
Sysmiss		5652	

Q_4_2_7_HORSE__3: Objectives of traditional medicine on horse: Preventative

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3	100%
1	yes	0	0%
Sysmiss		5652	

Q_4_2_7_HORSE__999: Objectives of traditional medicine on horse: Other

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3	100%
1	yes	0	0%
Sysmiss		5652	

Q_4_2_7_MULE__1: Objectives of traditional medicine on mule: Reproduction

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_MULE__2: Objectives of traditional medicine on mule: Curative

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_MULE__3: Objectives of traditional medicine on mule: Preventative

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_MULE__999: Objectives of traditional medicine on mule: Other

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_PAULTRY__1: Objectives of traditional medicine on poultry: Reproduction

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3	100%

1	yes	0	0%
Sysmiss		5652	

Q_4_2_7_PAULTRY__2: Objectives of traditional medicine on poultry: Curative

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	0	0%
1	yes	3	100%
Sysmiss		5652	

Q_4_2_7_PAULTRY__3: Objectives of traditional medicine on poultry: Preventative

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2	66.7%
1	yes	1	33.3%
Sysmiss		5652	

Q_4_2_7_PAULTRY__999: Objectives of traditional medicine on poultry: Other

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3	100%
1	yes	0	0%
Sysmiss		5652	

Q_4_2_7_PIG__1: Objectives of traditional medicine on pig: Reproduction

Data file: PME_main_table

Overview

Valid: 32 Invalid: 5623
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	31	96.9%
1	yes	1	3.1%
Sysmiss		5623	

Q_4_2_7_PIG__2: Objectives of traditional medicine on pig: Curative

Data file: PME_main_table

Overview

Valid: 32 Invalid: 5623
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5	15.6%
1	yes	27	84.4%
Sysmiss		5623	

Q_4_2_7_PIG__3: Objectives of traditional medicine on pig: Preventative

Data file: PME_main_table

Overview

Valid: 32 Invalid: 5623
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	26	81.3%
1	yes	6	18.8%
Sysmiss		5623	

Q_4_2_7_PIG__999: Objectives of traditional medicine on pig: Other

Data file: PME_main_table

Overview

Valid: 32 Invalid: 5623
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	32	100%
1	yes	0	0%
Sysmiss		5623	

Q_4_2_7_RABBIT__1: Objectives of traditional medicine on rabbit: Reproduction

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no

1	yes
Sysmiss	

Q_4_2_7_RABBIT__2: Objectives of traditional medicine on rabbit: Curative

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_RABBIT__3: Objectives of traditional medicine on rabbit: Preventative

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_RABBIT__999: Objectives of traditional medicine on rabbit: Other

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
0	no
1	yes
Sysmiss	

Q_4_2_7_SHEEP__1: Objectives of traditional medicine on sheep: Reproduction

Data file: PME_main_table

Overview

Valid: 27 Invalid: 5628
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	23	85.2%
1	yes	4	14.8%
Sysmiss		5628	

Q_4_2_7_SHEEP__2: Objectives of traditional medicine on sheep: Curative

Data file: PME_main_table

Overview

Valid: 27 Invalid: 5628
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	10	37%
1	yes	17	63%
Sysmiss		5628	

Q_4_2_7_SHEEP__3: Objectives of traditional medicine on sheep: Preventative

Data file: PME_main_table

Overview

Valid: 27 Invalid: 5628
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	19	70.4%
1	yes	8	29.6%
Sysmiss		5628	

Q_4_2_7_SHEEP__999: Objectives of traditional medicine on sheep: Other

Data file: PME_main_table

Overview

Valid: 27 Invalid: 5628
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	27	100%
1	yes	0	0%
Sysmiss		5628	

Q_4_3_1_1_BUFFALO: Main housing system was used for buffalo in warm season

Data file: PME_main_table

Overview

Valid: 64 Invalid: 5591
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Open/no housing	26	40.6%

2	Stanchion-tied stable, with solid dung or liquid manure/slurry	20	31.3%
3	Loose housing, with solid dung or liquid manure/slurry	18	28.1%
999	Other	0	0%
Sysmiss		5591	

Q_4_3_1_1_CATTLE: Main housing system was used for cattle in warm season

Data file: PME_main_table

Overview

Valid: 2769 Invalid: 2886
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Open/no housing	502	18.1%
2	Stanchion-tied stable, with solid dung or liquid manure/slurry	1347	48.6%
3	Loose housing, with solid dung or liquid manure/slurry	920	33.2%
999	Other	0	0%
Sysmiss		2886	

Q_4_3_1_1_CHICKEN: Main housing system was used for chicken in warm season

Data file: PME_main_table

Overview

Valid: 3365 Invalid: 2290
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Open/No housing	386	11.5%
2	On straw-beds (deep litter loose housing)	168	5%
3	Chicken house with wood, stone or concrete-beds	2459	73.1%
4	Battery cage with manure belt	23	0.7%
5	Battery cage with deep pit	298	8.9%
999	Other	31	0.9%
Sysmiss		2290	

Q_4_3_1_1_PIG: Main housing system was used for pig in warm season

Data file: PME_main_table

Overview

Valid: 985 Invalid: 4670
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Open/no housing	75	7.6%
2	On partially or completely slatted floors	22	2.2%
3	Pighouse with straw / hay / sawdust-beds	43	4.4%
4	Pighouse with wood, stone or concrete-beds	840	85.3%
999	Other	5	0.5%
Sysmiss		4670	

Q_4_3_1_1_SHEEPGOAT: Main housing system was used for sheep and goat in warm season

Data file: PME_main_table

Overview

Valid: 541 Invalid: 5114
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Open/no housing	207	38.3%
2	Shelter	334	61.7%
999	Other	0	0%
Sysmiss		5114	

Q_4_3_1_2_BUFFALO: Main housing system was used for buffalo in cold season

Data file: PME_main_table

Overview

Valid: 64 Invalid: 5591
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Open/no housing	1	1.6%
2	Stanchion-tied stable, with solid dung or liquid manure/slurry	48	75%
3	Loose housing, with solid dung or liquid manure/slurry	15	23.4%
999	Other	0	0%
Sysmiss		5591	

Q_4_3_1_2_CATTLE: Main housing system was used for cattle in cold season

Data file: PME_main_table

Overview

Valid: 2769 Invalid: 2886
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Open/no housing	10	0.4%
2	Stanchion-tied stable, with solid dung or liquid manure/slurry	1760	63.6%
3	Loose housing, with solid dung or liquid manure/slurry	999	36.1%
999	Other	0	0%
Sysmiss		2886	

Q_4_3_1_2_CHICKEN: Main housing system was used for chicken in cold season

Data file: PME_main_table

Overview

Valid: 3365 Invalid: 2290
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Open/No housing	118	3.5%
2	On straw-beds (deep litter loose housing)	284	8.4%

3	Chicken house with wood, stone or concrete-beds	2614	77.7%
4	Battery cage with manure belt	22	0.7%
5	Battery cage with deep pit	298	8.9%
999	Other	29	0.9%
Sysmiss		2290	

Q_4_3_1_2_PIG: Main housing system was used for pig in cold season

Data file: PME_main_table

Overview

Valid: 985 Invalid: 4670
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Open/no housing	5	0.5%
2	On partially or completely slatted floors	23	2.3%
3	Pighouse with straw / hay / sawdust-beds	86	8.7%
4	Pighouse with wood, stone or concrete-beds	869	88.2%
999	Other	2	0.2%
Sysmiss		4670	

Q_4_3_1_2_SHEEPGOAT: Main housing system was used for sheep and goat in cold season

Data file: PME_main_table

Overview

Valid: 541 Invalid: 5114
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Open/no housing	12	2.2%
2	Shelter	529	97.8%
999	Other	0	0%
Sysmiss		5114	

Q_4_3_2__1: Ventilation systems: Fans switched on automatically

Data file: PME_main_table

Overview

Valid: 4025 Invalid: 1630
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3985	99%
1	yes	40	1%
Sysmiss		1630	

Q_4_3_2__2: Ventilation systems: Fans switched on manually

Data file: PME_main_table

Overview

Valid: 4025 Invalid: 1630
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3990	99.1%
1	yes	35	0.9%
Sysmiss		1630	

Q_4_3_2__3: Ventilation systems: Passive ventilation (side curtains, free air, etc.)

Data file: PME_main_table

Overview

Valid: 4025 Invalid: 1630
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	462	11.5%
1	yes	3563	88.5%
Sysmiss		1630	

Q_4_3_2__999: Ventilation systems: Other

Data file: PME_main_table

Overview

Valid: 4025 Invalid: 1630
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4025	100%
1	yes	0	0%
Sysmiss		1630	

Q_4_3_3_CHICKEN: Filters on vents to control dust emissions in chicken housing?

Data file: PME_main_table

Overview

Valid: 50 Invalid: 5605
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	26	52%
1	Yes	18	36%
2	There is no vents in buildings used to chicken house	6	12%
Sysmiss		5605	

Q_4_3_3_PIG: Filters on vents to control dust emissions in pigs housing?

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1	33.3%
1	Yes	2	66.7%
2	There is no vents in buildings used to pigs house	0	0%
Sysmiss		5652	

Q_4_3_4: Temperature controls in buildings used to house livestock?

Data file: PME_main_table

Overview

Valid: 4025 Invalid: 1630
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3719	92.4%
1	Yes	306	7.6%
Sysmiss		1630	

Q_4_4_1__0: Livestock with transhumance: There was no practice for transhumance

Data file: PME_main_table

Overview

Valid: 2875 Invalid: 2780
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	515	17.9%
1	yes	2360	82.1%

Sysmiss		2780	

Q_4_4_1__1: Livestock with transhumance: Cattle

Data file: PME_main_table

Overview

Valid: 2875 Invalid: 2780
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2458	85.5%
1	yes	417	14.5%
Sysmiss		2780	

Q_4_4_1__4: Livestock with transhumance: Buffaloes

Data file: PME_main_table

Overview

Valid: 2875 Invalid: 2780
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2873	99.9%
1	yes	2	0.1%
Sysmiss		2780	

Q_4_4_1__7: Livestock with transhumance: Sheep

Data file: PME_main_table

Overview

Valid: 2875 Invalid: 2780
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2631	91.5%
1	yes	244	8.5%
Sysmiss		2780	

Q_4_4_1__9: Livestock with transhumance: Goats

Data file: PME_main_table

Overview

Valid: 2875 Invalid: 2780
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2770	96.3%
1	yes	105	3.7%
Sysmiss		2780	

Q_4_4_2__0: Livestock transported to slaughterhouse?: No livestock to slaughterhouse

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		71	1.7%
1		4023	98.3%
Sysmiss		1561	

Q_4_4_2__1: Livestock transported to slaughterhouse?: Cattle

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4045	98.8%
1		49	1.2%
Sysmiss		1561	

Q_4_4_2__4: Livestock transported to slaughterhouse?: Buffaloes

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4092	100%
1		2	0%
Sysmiss		1561	

Q_4_4_2__7: Livestock transported to slaughterhouse?: Sheep

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4083	99.7%

1		11	0.3%
Sysmiss		1561	

Q_4_4_2__9: Livestock transported to slaughterhouse?: Goats

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4093	100%
1		1	0%
Sysmiss		1561	

Q_4_4_2__11: Livestock transported to slaughterhouse?: Pigs

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4082	99.7%
1		12	0.3%
Sysmiss		1561	

Q_4_4_2__13: Livestock transported to slaughterhouse?: Horses

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4094	100%
Sysmiss		1561	

Q_4_4_2__14: Livestock transported to slaughterhouse?: Asses and mules

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4094	100%
Sysmiss		1561	

Q_4_4_2__15: Livestock transported to slaughterhouse?: Rabbits

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4094	100%
Sysmiss		1561	

Q_4_4_2__17: Livestock transported to slaughterhouse?: Chickens

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4087	99.8%
1		7	0.2%
Sysmiss		1561	

Q_4_4_2__22: Livestock transported to slaughterhouse?: other poultry

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4094	100%
Sysmiss		1561	

Q_4_4_5__0: Livestock transported to market?: No livestock taken to market

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		319	7.7%
1		3842	92.3%
Sysmiss		1494	

Q_4_4_5__1: Livestock transported to market?: Cattle

Data file: PME_main_table

Overview

Valid: 4158 Invalid: 1497
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3952	95%
1		206	5%
Sysmiss		1497	

Q_4_4_5__4: Livestock transported to market?: Buffaloes

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4159	100%
1		2	0%
Sysmiss		1494	

Q_4_4_5__7: Livestock transported to market?: Sheep

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4055	97.5%

1		106	2.5%
Sysmiss		1494	

Q_4_4_5__9: Livestock transported to market?: Goats

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4145	99.6%
1		16	0.4%
Sysmiss		1494	

Q_4_4_5__11: Livestock transported to market?: Pigs

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4127	99.2%
1		34	0.8%
Sysmiss		1494	

Q_4_4_5__13: Livestock transported to market?: Horses

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4161	100%
Sysmiss		1494	

Q_4_4_5__14: Livestock transported to market?: Asses and mules

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4161	100%
Sysmiss		1494	

Q_4_4_5__15: Livestock transported to market?: Rabbits

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4160	100%
1		1	0%
Sysmiss		1494	

Q_4_4_5__16: Livestock transported to market?: Beehives

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4161	100%
Sysmiss		1494	

Q_4_4_5__17: Livestock transported to market?: Chickens

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4141	99.5%
1		20	0.5%
Sysmiss		1494	

Q_4_4_5__22: Livestock transported to market?: Other poultry

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4154	99.8%
1		7	0.2%
Sysmiss		1494	

Q_4_4_8__0: Livestock transported to pastures?: No livestock taken to pastures

Data file: PME_main_table

Overview

Valid: 2990 Invalid: 2665
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1387	46.4%
1		1603	53.6%
Sysmiss		2665	

Q_4_4_8__1: Livestock transported to pastures?: Cattle

Data file: PME_main_table

Overview

Valid: 2990 Invalid: 2665
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1714	57.3%
1		1276	42.7%
Sysmiss		2665	

Q_4_4_8__4: Livestock transported to pastures?: Buffaloes

Data file: PME_main_table

Overview

Valid: 2990 Invalid: 2665
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2950	98.7%
1		40	1.3%
Sysmiss		2665	

Q_4_4_8__7: Livestock transported to pastures?: Sheep

Data file: PME_main_table

Overview

Valid: 2990 Invalid: 2665
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2732	91.4%
1		258	8.6%
Sysmiss		2665	

Q_4_4_8__9: Livestock transported to pastures?: Goats

Data file: PME_main_table

Overview

Valid: 2990 Invalid: 2665
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2909	97.3%
1		81	2.7%
Sysmiss		2665	

Q_4_4_8__13: Livestock transported to pastures?: Horses

Data file: PME_main_table

Overview

Valid: 2990 Invalid: 2665

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2847	95.2%
1		143	4.8%
Sysmiss		2665	

Q_4_4_8__14: Livestock transported to pastures?: Asses and mules

Data file: PME_main_table

Overview

Valid: 2990 Invalid: 2665
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2959	99%
1		31	1%
Sysmiss		2665	

Q_4_4_8__16: Livestock transported to pastures?: Beehives

Data file: PME_main_table

Overview

Valid: 2990 Invalid: 2665
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2950	98.7%
1		40	1.3%
Sysmiss		2665	

Q_4_4_11__0: Livestock transported to another holding which fed them: None

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		221	5.3%
1		3940	94.7%
Sysmiss		1494	

Q_4_4_11__1: Livestock transported to another holding which fed them: Cattle

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4009	96.3%
1		152	3.7%
Sysmiss		1494	

Q_4_4_11__4: Livestock transported to another holding which fed them: Buffaloes

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4157	99.9%

1		4	0.1%
Sysmiss		1494	

Q_4_4_11__7: Livestock transported to another holding which fed them: Sheep

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4087	98.2%
1		74	1.8%
Sysmiss		1494	

Q_4_4_11__9: Livestock transported to another holding which fed them: Goats

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4133	99.3%
1		28	0.7%
Sysmiss		1494	

Q_4_4_11__11: Livestock transported to another holding which fed them: Pigs

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4157	99.9%
1		4	0.1%
Sysmiss		1494	

Q_4_4_11__13: Livestock transported to another holding which fed them: Horses

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4126	99.2%
1		35	0.8%
Sysmiss		1494	

Q_4_4_11__14: Livestock transported to another holding which fed them: Asses and mules

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4149	99.7%
1		12	0.3%
Sysmiss		1494	

Q_4_4_11__15: Livestock transported to another holding which fed them: Rabbits

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4161	100%
Sysmiss		1494	

Q_4_4_11__16: Livestock transported to another holding which fed them: Beehives

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4142	99.5%
1		19	0.5%
Sysmiss		1494	

Q_4_4_11__17: Livestock transported to another holding which fed them: Chickens

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4149	99.7%
1		12	0.3%

Sysmiss		1494	

Q_4_4_11__22: Livestock transported to another holding which fed them: Other poultry

Data file: PME_main_table

Overview

Valid: 4161 Invalid: 1494
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4161	100%
Sysmiss		1494	

Q_4_4_14__0: Livestock used for transport or draft animal power: None

Data file: PME_main_table

Overview

Valid: 2822 Invalid: 2833
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	256	9.1%
1	yes	2566	90.9%
Sysmiss		2833	

Q_4_4_14__1: Livestock used for transport or draft animal power: Cattle

Data file: PME_main_table

Overview

Valid: 2822 Invalid: 2833
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2797	99.1%
1	yes	25	0.9%
Sysmiss		2833	

Q_4_4_14__4: Livestock used for transport or draft animal power: Buffaloes

Data file: PME_main_table

Overview

Valid: 2822 Invalid: 2833
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2819	99.9%
1	yes	3	0.1%
Sysmiss		2833	

Q_4_4_14__13: Livestock used for transport or draft animal power: Horses

Data file: PME_main_table

Overview

Valid: 2822 Invalid: 2833
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2610	92.5%
1	yes	212	7.5%
Sysmiss		2833	

Q_4_4_14__14: Livestock used for transport or draft animal power: Asses and mules

Data file: PME_main_table

Overview

Valid: 2822 Invalid: 2833

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2745	97.3%
1	yes	77	2.7%
Sysmiss		2833	

Q_4_4_15_BUFFALO: How many buffalo were used for transporting?

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

Q_4_4_15_CATTLE: How many cattle were used for transporting?

Data file: PME_main_table

Overview

Valid: 19 Invalid: 5636
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	5.3%
1		3	15.8%
2		15	78.9%
Sysmiss		5636	

Q_4_4_15_HORSE: How many horse were used for transporting?

Data file: PME_main_table

Overview

Valid: 209 Invalid: 5446
Type: Discrete Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5	2.4%
1		121	57.9%
2		46	22%
3		9	4.3%
4		7	3.3%
5		5	2.4%
6		3	1.4%
8		8	3.8%
9		1	0.5%
10		1	0.5%
11		3	1.4%
Sysmiss		5446	

Q_4_4_15_MULE: How many mule were used for transporting?

Data file: PME_main_table

Overview

Valid: 72 Invalid: 5583
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		41	56.9%
2		21	29.2%
3		5	6.9%
4		1	1.4%
5		4	5.6%
Sysmiss		5583	

Q_4_4_16_BUFFALO: How many buffaloes used for draft animal power (ploughing, farming, etc.)?

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

Q_4_4_16_CATLLE: How many cattle used for draft animal power (ploughing, farming, etc.)?

Data file: PME_main_table

Overview

Valid: 19 Invalid: 5636
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2	10.5%
1		2	10.5%
2		15	78.9%
Sysmiss		5636	

Q_4_4_16_HORSE: How many horses used for draft animal power (ploughing, farming, etc.)?

Data file: PME_main_table

Overview

Valid: 209 Invalid: 5446
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		134	64.1%
1		67	32.1%
2		8	3.8%
Sysmiss		5446	

Q_4_4_16_MULE: How many mules used for draft animal power (ploughing, farming, etc.)?

Data file: PME_main_table

Overview

Valid: 72 Invalid: 5583
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		60	83.3%
1		6	8.3%
2		6	8.3%
Sysmiss		5583	

Q_4_5_9A: Shares of forages, including roughages: Produced on the holding (%)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_9B: Shares of forages, including roughages: Common pasture (%)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_9C: Shares of forages, including roughages: Purchased (%)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_9D: Shares of forages, including roughages: Exchanged (%)

Data file: PME_main_table

Overview

Valid: 2868 Invalid: 2787
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2868	100%
Sysmiss		2787	

Q_4_5_9E: Shares of forages, including roughages: Received for free (%)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 50
Type: Continuous Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Q_4_5_10A: Shares of crops & agro-industrial by-products: Produced on the holding (%)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_10C: Shares of crops & agro-industrial by-products: Purchased (%)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_10D: Shares of crops & agro-industrial by-products: Exchanged (%)

Data file: PME_main_table

Overview

Valid: 3671 Invalid: 1984
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3671	100%
Sysmiss		1984	

Q_4_5_10E: Shares of crops & agro-industrial by-products: Received for free (%)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_11A: Share of swill and household wastes: Produced on the holding (%)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_11C: Share of swill and household wastes: Purchased (%)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_11D: Share of swill and household wastes: Exchanged (%)

Data file: PME_main_table

Overview

Valid: 3270 Invalid: 2385
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3270	100%
Sysmiss		2385	

Q_4_5_11E: Share of swill and household wastes: Received for free (%)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 70
Type: Continuous Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Q_4_5_12A: Quantity of forages, including roughages, purchased: Hay or grass (kg)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 800000
Type: Continuous Decimal: 0 Width: 6 Format: Numeric Weighted variable: 0

Q_4_5_12B: Quantity of forages, including roughages, purchased: Wrapped grass (kg)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 80000
Type: Continuous Decimal: 0 Width: 5 Format: Numeric Weighted variable: 0

Q_4_5_12C: Quantity of forages, including roughages, purchased: Grass/hay silage (kg)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 50000
Type: Continuous Decimal: 0 Width: 5 Format: Numeric Weighted variable: 0

Q_4_5_12D: Quantity of forages, including roughages, purchased: Maize (grain) (kg)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 20000

Type: Continuous Decimal: 0 Width: 5 Format: Numeric Weighted variable: 0

Q_4_5_12E: Quantity of forages, including roughages, purchased: Maize silage (kg)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 350000
Type: Continuous Decimal: 0 Width: 6 Format: Numeric Weighted variable: 0

Q_4_5_12F: Quantity of other type of forages: Other (kg)

Data file: PME_main_table

Overview

Minimum: 15 Maximum: 300
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_5_12_0: Did holding use other type of forages?

Data file: PME_main_table

Overview

Valid: 1675 Invalid: 3980
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1646	98.3%
1	Yes	29	1.7%
Sysmiss		3980	

Q_4_5_13__1: Months with purchased feed used to feed livestock: January

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	490	14.1%
1	yes	2992	85.9%
Sysmiss		2173	

Q_4_5_13__2: Months with purchased feed used to feed livestock: February

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	395	11.3%
1	yes	3087	88.7%
Sysmiss		2173	

Q_4_5_13__3: Months with purchased feed used to feed livestock: March

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	566	16.3%
1	yes	2916	83.7%
Sysmiss		2173	

Q_4_5_13__4: Months with purchased feed used to feed livestock: April

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1166	33.5%
1	yes	2316	66.5%
Sysmiss		2173	

Q_4_5_13__5: Months with purchased feed used to feed livestock: May

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2033	58.4%
1	yes	1449	41.6%
Sysmiss		2173	

Q_4_5_13__6: Months with purchased feed used to feed livestock: June

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1722	49.5%
1	yes	1760	50.5%
Sysmiss		2173	

Q_4_5_13__7: Months with purchased feed used to feed livestock: July

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1746	50.1%
1	yes	1736	49.9%
Sysmiss		2173	

Q_4_5_13__8: Months with purchased feed used to feed livestock: August

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1754	50.4%
1	yes	1728	49.6%
Sysmiss		2173	

Q_4_5_13__9: Months with purchased feed used to feed livestock: September

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1736	49.9%

1	yes	1746	50.1%
Sysmiss		2173	

Q_4_5_13__10: Months with purchased feed used to feed livestock: October

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1594	45.8%
1	yes	1888	54.2%
Sysmiss		2173	

Q_4_5_13__11: Months with purchased feed used to feed livestock: November

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	1063	30.5%
1	yes	2419	69.5%
Sysmiss		2173	

Q_4_5_13__12: Months with purchased feed used to feed livestock: December

Data file: PME_main_table

Overview

Valid: 3482 Invalid: 2173
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	709	20.4%
1	yes	2773	79.6%
Sysmiss		2173	

Q_4_6_1_BUFFALO: Main source of water for Buffalo (summer 2021)

Data file: PME_main_table

Overview

Valid: 64 Invalid: 5591
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the summer buffalo did not have	0	0%
1	Central water system	7	10.9%
2	Borehole	3	4.7%
3	Well	6	9.4%
4	Dam or lake	0	0%
5	River, spring or stream	48	75%
6	Rainwater harvesting	0	0%
999	Other	0	0%
Sysmiss		5591	

Q_4_6_1_CATTLE: Main source of water for Cattle (summer 2021)

Data file: PME_main_table

Overview

Valid: 2769 Invalid: 2886
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	

0	In the summer cattle did not have	8	0.3%
1	Central water system	476	17.2%
2	Borehole	85	3.1%
3	Well	462	16.7%
4	Dam or lake	70	2.5%
5	River, spring or stream	1630	58.9%
6	Rainwater harvesting	28	1%
999	Other	10	0.4%
Sysmiss		2886	

Q_4_6_1_CHICKEN: Main source of water for Chicken (summer 2021)

Data file: PME_main_table

Overview

Valid: 3365 Invalid: 2290
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the summer chicken did not have	7	0.2%
1	Central water system	1517	45.1%
2	Borehole	169	5%
3	Well	916	27.2%
4	Dam or lake	18	0.5%
5	River, spring or stream	583	17.3%
6	Rainwater harvesting	144	4.3%
999	Other	11	0.3%
Sysmiss		2290	

Q_4_6_1_GOAT: Main source of water for Goat (summer 2021)

Data file: PME_main_table

Overview

Valid: 180 Invalid: 5475
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the summer goat did not have	1	0.6%
1	Central water system	14	7.8%
2	Borehole	12	6.7%
3	Well	12	6.7%
4	Dam or lake	20	11.1%
5	River, spring or stream	112	62.2%
6	Rainwater harvesting	4	2.2%
999	Other (specify	5	2.8%
Sysmiss		5475	

Q_4_6_1_HORSE: Main source of water for Horse (summer 2021)

Data file: PME_main_table

Overview

Valid: 349 Invalid: 5306
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the summer horse did not have	1	0.3%
1	Central water system	26	7.4%
2	Borehole	17	4.9%
3	Well	25	7.2%
4	Dam or lake	26	7.4%
5	River, spring or stream	242	69.3%
6	Rainwater harvesting	6	1.7%
999	Other	6	1.7%
Sysmiss		5306	

Q_4_6_1_MULE: Main source of water for Mule (summer 2021)

Data file: PME_main_table

Overview

Valid: 98 Invalid: 5557
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the summer asses and mules did not have	0	0%
1	Central water system	10	10.2%
2	Borehole	3	3.1%
3	Well	1	1%
4	Dam or lake	19	19.4%
5	River, spring or stream	56	57.1%
6	Rainwater harvesting	3	3.1%
999	Other	6	6.1%
Sysmiss		5557	

Q_4_6_1_PAULTRY: Main source of water for Poultry (summer 2021)

Data file: PME_main_table

Overview

Valid: 417 Invalid: 5238
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the summer other paultry did not have	1	0.2%
1	Central water system	156	37.4%
2	Borehole	27	6.5%
3	Well	123	29.5%
4	Dam or lake	4	1%
5	River, spring or stream	82	19.7%
6	Rainwater harvesting	23	5.5%
999	Other	1	0.2%
Sysmiss		5238	

Q_4_6_1_PIG: Main source of water for Pig (summer 2021)

Data file: PME_main_table

Overview

Valid: 985 Invalid: 4670
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the summer pig did not have	13	1.3%
1	Central water system	398	40.4%
2	Borehole	44	4.5%
3	Well	223	22.6%
4	Dam or lake	8	0.8%
5	River, spring or stream	280	28.4%
6	Rainwater harvesting	12	1.2%
999	Other	7	0.7%
Sysmiss		4670	

Q_4_6_1_RABBIT: Main source of water for Rabbit (summer 2021)

Data file: PME_main_table

Overview

Valid: 60 Invalid: 5595
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the summer rabbit did not have	1	1.7%
1	Central water system	32	53.3%
2	Borehole	1	1.7%
3	Well	14	23.3%
4	Dam or lake	1	1.7%
5	River, spring or stream	10	16.7%
6	Rainwater harvesting	0	0%
999	Other	1	1.7%
Sysmiss		5595	

Q_4_6_1_SHEEP: Main source of water for Sheep (summer 2021)

Data file: PME_main_table

Overview

Valid: 502 Invalid: 5153
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the summer sheep did not have	0	0%
1	Central water system	68	13.5%
2	Borehole	26	5.2%
3	Well	26	5.2%
4	Dam or lake	46	9.2%
5	River, spring or stream	314	62.5%
6	Rainwater harvesting	12	2.4%
999	Other	10	2%
Sysmiss		5153	

Q_4_6_2_BUFFALO: Main source of water for Buffalo (others seasons, except summer 2021)

Data file: PME_main_table

Overview

Valid: 64 Invalid: 5591
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the other season (except summer) buffalo did not have	0	0%
1	Central water system	9	14.1%
2	Borehole	4	6.3%
3	Well	9	14.1%
4	Dam or lake	0	0%
5	River, spring or stream	42	65.6%
6	Rainwater harvesting	0	0%

999	Other	0	0%
Sysmiss		5591	

Q_4_6_2_CATTLE: Main source of water for Cattle (others seasons, except summer 2021)

Data file: PME_main_table

Overview

Valid: 2769 Invalid: 2886
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the other season (except summer) cattle did not have	2	0.1%
1	Central water system	823	29.7%
2	Borehole	85	3.1%
3	Well	575	20.8%
4	Dam or lake	39	1.4%
5	River, spring or stream	1169	42.2%
6	Rainwater harvesting	70	2.5%
999	Other	6	0.2%
Sysmiss		2886	

Q_4_6_2_CHICKEN: Main source of water for Chicken (others seasons, except summer 2021)

Data file: PME_main_table

Overview

Valid: 3365 Invalid: 2290
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the other season (except summer) chicken did not have	4	0.1%
1	Central water system	1582	47%
2	Borehole	170	5.1%
3	Well	927	27.5%
4	Dam or lake	18	0.5%

5	River, spring or stream	499	14.8%
6	Rainwater harvesting	157	4.7%
999	Other	8	0.2%
Sysmiss		2290	

Q_4_6_2_GOAT: Main source of water for Goat (others seasons, except summer 2021)

Data file: PME_main_table

Overview

Valid: 180 Invalid: 5475
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the other season (except summer) goat did not have	0	0%
1	Central water system	27	15%
2	Borehole	11	6.1%
3	Well	17	9.4%
4	Dam or lake	17	9.4%
5	River, spring or stream	81	45%
6	Rainwater harvesting	24	13.3%
999	Other (specify	3	1.7%
Sysmiss		5475	

Q_4_6_2_HORSE: Main source of water for Horse (others seasons, except summer 2021)

Data file: PME_main_table

Overview

Valid: 349 Invalid: 5306
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the other season (except summer) horse did not have	0	0%
1	Central water system	60	17.2%
2	Borehole	20	5.7%

3	Well	32	9.2%
4	Dam or lake	29	8.3%
5	River, spring or stream	173	49.6%
6	Rainwater harvesting	29	8.3%
999	Other	6	1.7%
Sysmiss		5306	

Q_4_6_2_MULE: Main source of water for Mule (others seasons, except summer 2021)

Data file: PME_main_table

Overview

Valid: 98 Invalid: 5557
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the other season (except summer) asses and mules did not have	0	0%
1	Central water system	10	10.2%
2	Borehole	6	6.1%
3	Well	3	3.1%
4	Dam or lake	15	15.3%
5	River, spring or stream	41	41.8%
6	Rainwater harvesting	22	22.4%
999	Other	1	1%
Sysmiss		5557	

Q_4_6_2_PAULTRY: Main source of water for Poultry (others seasons, except summer 2021)

Data file: PME_main_table

Overview

Valid: 417 Invalid: 5238
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the other season (except summer) other paultry did not have	1	0.2%

1	Central water system	160	38.4%
2	Borehole	26	6.2%
3	Well	126	30.2%
4	Dam or lake	4	1%
5	River, spring or stream	77	18.5%
6	Rainwater harvesting	22	5.3%
999	Other	1	0.2%
Sysmiss		5238	

Q_4_6_2_PIG: Main source of water for Pig (others seasons, except summer 2021)

Data file: PME_main_table

Overview

Valid: 985 Invalid: 4670
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the other season (except summer) pig did not have	0	0%
1	Central water system	423	42.9%
2	Borehole	48	4.9%
3	Well	239	24.3%
4	Dam or lake	9	0.9%
5	River, spring or stream	236	24%
6	Rainwater harvesting	23	2.3%
999	Other	7	0.7%
Sysmiss		4670	

Q_4_6_2_RABBIT: Main source of water for Rabbit (others seasons, except summer 2021)

Data file: PME_main_table

Overview

Valid: 60 Invalid: 5595
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the other season (except summer) rabbit did not have	0	0%
1	Central water system	35	58.3%
2	Borehole	1	1.7%
3	Well	14	23.3%
4	Dam or lake	1	1.7%
5	River, spring or stream	8	13.3%
6	Rainwater harvesting	0	0%
999	Other	1	1.7%
Sysmiss		5595	

Q_4_6_2_SHEEP: Main source of water for Sheep (others seasons, except summer 2021)

Data file: PME_main_table

Overview

Valid: 502 Invalid: 5153
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	In the other season (except summer) sheep did not have	0	0%
1	Central water system	111	22.1%
2	Borehole	32	6.4%
3	Well	37	7.4%
4	Dam or lake	34	6.8%
5	River, spring or stream	234	46.6%
6	Rainwater harvesting	46	9.2%
999	Other	8	1.6%
Sysmiss		5153	

Q_4_6_3: Were problems encountered in watering livestock?

Data file: PME_main_table

Overview

Valid: 4094 Invalid: 1561
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3873	94.6%
1	Yes	221	5.4%
Sysmiss		1561	

Q_4_6_4__1: Months with problems encountered in watering livestock: January

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	174	79.8%
1	yes	44	20.2%
Sysmiss		5437	

Q_4_6_4__2: Months with problems encountered in watering livestock: February

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	177	81.2%
1	yes	41	18.8%
Sysmiss		5437	

Q_4_6_4__3: Months with problems encountered in watering livestock: March

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	190	87.2%
1	yes	28	12.8%
Sysmiss		5437	

Q_4_6_4__4: Months with problems encountered in watering livestock: April

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	197	90.4%
1	yes	21	9.6%
Sysmiss		5437	

Q_4_6_4__5: Months with problems encountered in watering livestock: May

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	183	83.9%

1	yes	35	16.1%
Sysmiss		5437	

Q_4_6_4__6: Months with problems encountered in watering livestock: June

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	105	48.2%
1	yes	113	51.8%
Sysmiss		5437	

Q_4_6_4__7: Months with problems encountered in watering livestock: July

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	49	22.5%
1	yes	169	77.5%
Sysmiss		5437	

Q_4_6_4__8: Months with problems encountered in watering livestock: August

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	45	20.6%
1	yes	173	79.4%
Sysmiss		5437	

Q_4_6_4__9: Months with problems encountered in watering livestock: September

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	166	76.1%
1	yes	52	23.9%
Sysmiss		5437	

Q_4_6_4__10: Months with problems encountered in watering livestock: October

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	197	90.4%
1	yes	21	9.6%
Sysmiss		5437	

Q_4_6_4__11: Months with problems encountered in watering livestock: November

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	193	88.5%
1	yes	25	11.5%
Sysmiss		5437	

Q_4_6_4__12: Months with problems encountered in watering livestock: December

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	175	80.3%
1	yes	43	19.7%
Sysmiss		5437	

Q_4_6_5: Main problem encountered in watering livestock during problematic periods

Data file: PME_main_table

Overview

Valid: 219 Invalid: 5436
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Restricted access to usual water sources	46	21%

2	Lack of water in usual water sources	169	77.2%
3	Poor quality of usual water sources	1	0.5%
999	Other (specify	3	1.4%
Sysmiss		5436	

Q_4_6_6: Solution implemented for watering livestock during problematic periods

Data file: PME_main_table

Overview

Valid: 218 Invalid: 5437
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	not passed	35	16.1%
1	Use of another water source near the holding, for free (neighbours, etc.)	130	59.6%
2	Use of another water source near the holding, with payment (cash or exchange of products or services)	32	14.7%
3	Use of another water source far from the holding, for free (public help, etc.)	16	7.3%
4	Use of another water source far from the holding, with payment (cash or exchange of products or services)	5	2.3%
Sysmiss		5437	

Q_4_6_7: Was water for livestock transported by trucks?

Data file: PME_main_table

Overview

Valid: 17 Invalid: 5638
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	9	52.9%
1	Yes	8	47.1%
Sysmiss		5638	

Q_4_6_8__1: Months with water for livestock transported by trucks: January

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4	57.1%
1	yes	3	42.9%
Sysmiss		5648	

Q_4_6_8__2: Months with water for livestock transported by trucks: February

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4	57.1%
1	yes	3	42.9%
Sysmiss		5648	

Q_4_6_8__3: Months with water for livestock transported by trucks: March

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	6	85.7%

1	yes	1	14.3%
Sysmiss		5648	

Q_4_6_8__4: Months with water for livestock transported by trucks: April

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	7	100%
1	yes	0	0%
Sysmiss		5648	

Q_4_6_8__5: Months with water for livestock transported by trucks: May

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	7	100%
1	yes	0	0%
Sysmiss		5648	

Q_4_6_8__6: Months with water for livestock transported by trucks: June

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5	71.4%
1	yes	2	28.6%
Sysmiss		5648	

Q_4_6_8__7: Months with water for livestock transported by trucks: July

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3	42.9%
1	yes	4	57.1%
Sysmiss		5648	

Q_4_6_8__8: Months with water for livestock transported by trucks: August

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	3	42.9%
1	yes	4	57.1%
Sysmiss		5648	

Q_4_6_8__9: Months with water for livestock transported by trucks: September

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5	71.4%
1	yes	2	28.6%
Sysmiss		5648	

Q_4_6_8__10: Months with water for livestock transported by trucks: October

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4	57.1%
1	yes	3	42.9%
Sysmiss		5648	

Q_4_6_8__11: Months with water for livestock transported by trucks: November

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4	57.1%

1	yes	3	42.9%
Sysmiss		5648	

Q_4_6_8__12: Months with water for livestock transported by trucks: December

Data file: PME_main_table

Overview

Valid: 7 Invalid: 5648
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4	57.1%
1	yes	3	42.9%
Sysmiss		5648	

Q_4_6_9_JAN: Report the frequency of transporting water by trucks during January

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Daily	0	0%
2	Once in two days	0	0%
3	Weekly	2	66.7%
4	Monthly	1	33.3%
Sysmiss		5652	

Q_4_6_9_FEB: Report the frequency of transporting water by trucks during February

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652

Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Daily	0	0%
2	Once in two days	0	0%
3	Weekly	2	66.7%
4	Monthly	1	33.3%
Sysmiss		5652	

Q_4_6_9_MAR: Report the frequency of transporting water by trucks during March

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
1	Daily
2	Once in two days
3	Weekly
4	Monthly
Sysmiss	

Q_4_6_9_APR: Report the frequency of transporting water by trucks during April

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
1	Daily

2	Once in two days
3	Weekly
4	Monthly
Sysmiss	

Q_4_6_9_MAY: Report the frequency of transporting water by trucks during May

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
1	Daily
2	Once in two days
3	Weekly
4	Monthly
Sysmiss	

Q_4_6_9_JUN: Report the frequency of transporting water by trucks during June

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
1	Daily
2	Once in two days
3	Weekly
4	Monthly
Sysmiss	

Q_4_6_9_JUL: Report the frequency of transporting water by trucks during July

Data file: PME_main_table

Overview

Valid: 4 Invalid: 5651
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Daily	0	0%
2	Once in two days	1	25%
3	Weekly	1	25%
4	Monthly	2	50%
Sysmiss		5651	

Q_4_6_9_AUG: Report the frequency of transporting water by trucks during August

Data file: PME_main_table

Overview

Valid: 4 Invalid: 5651
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Daily	0	0%
2	Once in two days	1	25%
3	Weekly	1	25%
4	Monthly	2	50%
Sysmiss		5651	

Q_4_6_9_SEP: Report the frequency of transporting water by trucks during September

Data file: PME_main_table

Overview

Valid: 0 Invalid: 5655
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category
1	Daily
2	Once in two days
3	Weekly
4	Monthly
Sysmiss	

Q_4_6_9_OCT: Report the frequency of transporting water by trucks during October

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Daily	0	0%
2	Once in two days	0	0%
3	Weekly	2	66.7%
4	Monthly	1	33.3%
Sysmiss		5652	

Q_4_6_9_NOW: Report the frequency of transporting water by trucks during November

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Daily	0	0%
2	Once in two days	0	0%

3	Weekly	2	66.7%
4	Monthly	1	33.3%
Sysmiss		5652	

Q_4_6_9_DEC: Report the frequency of transporting water by trucks during December

Data file: PME_main_table

Overview

Valid: 3 Invalid: 5652
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Daily	0	0%
2	Once in two days	0	0%
3	Weekly	2	66.7%
4	Monthly	1	33.3%
Sysmiss		5652	

Q_4_7_1__1: Identify the types of manure produced on the holding: Solid dung

Data file: PME_main_table

Overview

Valid: 4088 Invalid: 1567
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1339	32.8%
1		2749	67.2%
Sysmiss		1567	

Q_4_7_1__2: Identify the types of manure produced on the holding: Liquid manure

Data file: PME_main_table

Overview

Valid: 4074 Invalid: 1581
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4028	98.9%
1		46	1.1%
Sysmiss		1581	

Q_4_7_2_1__1: Types of solid dung storage facility: Open space to store manure

Data file: PME_main_table

Overview

Valid: 2747 Invalid: 2908
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		66	2.4%
1		2681	97.6%
Sysmiss		2908	

Q_4_7_2_1__2: Types of solid dung storage facility: Closed building to store manure

Data file: PME_main_table

Overview

Valid: 2747 Invalid: 2908
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2703	98.4%
1		44	1.6%
Sysmiss		2908	

Q_4_7_2_1__3: Types of solid dung storage facility: Closed storage tank for manure

Data file: PME_main_table

Overview

Valid: 2747 Invalid: 2908
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2735	99.6%
1		12	0.4%
Sysmiss		2908	

Q_4_7_2_1__4: Types of solid dung storage facility: Open storage tank for manure

Data file: PME_main_table

Overview

Valid: 2747 Invalid: 2908
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2728	99.3%
1		19	0.7%
Sysmiss		2908	

Q_4_7_2_2__3: Types of liquid manure storage facility: Closed storage tank for manure

Data file: PME_main_table

Overview

Valid: 53 Invalid: 5602
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		26	49.1%
1		27	50.9%
Sysmiss		5602	

Q_4_7_2_2__4: Types of liquid manure storage facility: Open storage tank for manure

Data file: PME_main_table

Overview

Valid: 53 Invalid: 5602
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		27	50.9%
1		26	49.1%
Sysmiss		5602	

Q_4_7_3_1: Percent of solid dung covered (to keep off rain or reduce emissions) (%)

Data file: PME_main_table

Overview

Minimum: 1 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_7_3_2: Percent of liquid manure covered (to keep off rain or reduce emissions) (%)

Data file: PME_main_table

Overview

Minimum: 1 Maximum: 100
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_4_7_4: Quantity of liquid manure used for fuel (including heating) (kg)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 10000
Type: Continuous Decimal: 0 Width: 5 Format: Numeric Weighted variable: 0

Q_4_7_5: Quantity of liquid manure used for construction (kg)

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 3500
Type: Continuous Decimal: 0 Width: 4 Format: Numeric Weighted variable: 0

Q_5_1_1__1: Information used: Crop rotation & other sustainable agricultural practices

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5295	93.6%
1		360	6.4%

Q_5_1_1__2: Information used: Crop types to be produced

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5168	91.4%
1		487	8.6%

Q_5_1_1__3: Information used: Use of fertilizers and/or plant protection products

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4370	77.3%
1		1285	22.7%

Q_5_1_1__4: Information used: Crop health issues

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5077	89.8%
1		578	10.2%

Q_5_1_1__5: Livestock health issues

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4667	82.5%
1		988	17.5%

Q_5_1_1__6: Information used: Livestock feed issues

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4948	87.5%
1		707	12.5%

Q_5_1_1__7: Information used: Livestock breeding

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5327	94.2%
1		328	5.8%

Q_5_1_1__8: Information used: Availability of inputs (including machinery & equipment)

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5322	94.1%
1		333	5.9%

Q_5_1_1__9: Information used: Prices of inputs

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5246	92.8%
1		409	7.2%

Q_5_1_1__10: Information used: Prices of outputs

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4622	81.7%
1		1033	18.3%

Q_5_1_1__11: Information used: Weather forecasts affecting production

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5081	89.8%

1		574	10.2%

Q_5_1_1__12: Information used: Other environmental information

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5577	98.6%
1		78	1.4%

Q_5_1_4: No. of visits by extension officer, veterinarian or animal health assistant

Data file: PME_main_table

Overview

Minimum: 0 Maximum: 150
Type: Continuous Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Q_5_1_5: Main reason for not having more visits by extension officers, veterinarians

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	No need	5035	89%
2	Too expensive	65	1.1%
3	Too far away	78	1.4%
4	Service provider was too busy/not available	67	1.2%
5	don<92>t know	354	6.3%
999	Other (specify	56	1%

Q_5_2_1: Was the holding covered by an agricultural products collection network?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3224	57%
1	Yes	2431	43%

Q_5_2_2: Has this holding access to internet?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1642	29%
1	Yes	4013	71%

Q_5_2_3: Does the holding use internet for agricultural activities?

Data file: PME_main_table

Overview

Valid: 4013 Invalid: 1642
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2691	67.1%

1	Yes	1322	32.9%
Sysmiss		1642	

Q_6_1: Identify the main area of environmental concern for the holding

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 3 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	None	2192	38.8%
1	Lack of water (drought)	1708	30.2%
2	Floods	128	2.3%
3	Air pollution	98	1.7%
4	Soil pollution	67	1.2%
5	Extreme temperature (cold or heat)	1258	22.2%
6		128	2.3%
7		54	1%
999	Other (specify	22	0.4%

Q_6_2__1: Methods to manage wastewater: Discharged to constructed retention or pond

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4646	82.2%
1	yes	1009	17.8%

Q_6_2__2: Methods to manage wastewater: Discharged to a septic or sewer system

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	4839	85.6%
1	yes	816	14.4%

Q_6_2__3: Methods to manage wastewater: Discharged into constructed wetland

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5200	92%
1	yes	455	8%

Q_6_2__4: Methods to manage wastewater: Applied to agricultural land

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5267	93.1%
1	yes	388	6.9%

Q_6_2__5: Methods to manage wastewater: Included in the liquid manure system

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5650	99.9%
1	yes	5	0.1%

Q_6_2__6: Methods to manage wastewater: Not managed, removed via natural drainage

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	2513	44.4%
1	yes	3142	55.6%

Q_6_2__999: Methods to manage wastewater: Other

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	no	5655	100%

1	yes	0	0%

Q_6_3: Part of the wastewater discharged into environment treated or untreated?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Full part of wastewater discharged in to the environment after treatment	694	12.3%
2	A small part of wastewater treated, a significant part of wastewater discharged in to the environment without treatment	237	4.2%
3	A significant part of wastewater treated, a small part of wastewater discharged in to the environment without treatment	253	4.5%
4	Fullt part of wastewater discharged in to the environment without treatment	4471	79.1%

Q_6_4__1: Types of waste generated: Non-functioning vehicules (tractors, etc.)

Data file: PME_main_table

Overview

Valid: 5498 Invalid: 157
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5459	99.3%
1		39	0.7%
Sysmiss		157	

Q_6_4__2: Types of waste generated: Used tires

Data file: PME_main_table

Overview

Valid: 5513 Invalid: 142
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5322	96.5%
1		191	3.5%
Sysmiss		142	

Q_6_4__3: Types of waste generated: Waste oils (black oils and hydraulic oils)

Data file: PME_main_table

Overview

Valid: 5512 Invalid: 143
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5301	96.2%
1		211	3.8%
Sysmiss		143	

Q_6_4__4: Types of waste generated: Empty packaging of plant protection products

Data file: PME_main_table

Overview

Valid: 5574 Invalid: 81
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3644	65.4%
1		1930	34.6%
Sysmiss		81	

Q_6_4__5: Types of waste generated: Empty packaging of fertilizer products

Data file: PME_main_table

Overview

Valid: 5563 Invalid: 92
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3582	64.4%
1		1981	35.6%
Sysmiss		92	

Q_6_4__6: Types of waste generated: Empty packaging of diesel, gasoline, etc.

Data file: PME_main_table

Overview

Valid: 5548 Invalid: 107
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4974	89.7%
1		574	10.3%
Sysmiss		107	

Q_6_4__7: Types of waste generated: Empty packaging of disinfection products

Data file: PME_main_table

Overview

Valid: 5571 Invalid: 84
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5167	92.7%

1		404	7.3%
Sysmiss		84	

Q_6_4__8: Types of waste generated: Empty packaging of seeds (all sizes and materials

Data file: PME_main_table

Overview

Valid: 5562 Invalid: 93
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5127	92.2%
1		435	7.8%
Sysmiss		93	

Q_6_4__9: Types of waste generated: Used plastic film

Data file: PME_main_table

Overview

Valid: 5618 Invalid: 37
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3710	66%
1		1908	34%
Sysmiss		37	

Q_6_4__10: Types of waste generated: Ropes & nets (forage conditioning or viticulture)

Data file: PME_main_table

Overview

Valid: 5566 Invalid: 89
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4515	81.1%
1		1051	18.9%
Sysmiss		89	

Q_6_4__11: Types of waste generated: Plant protection products no longer usable

Data file: PME_main_table

Overview

Valid: 5558 Invalid: 97
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5397	97.1%
1		161	2.9%
Sysmiss		97	

Q_6_4__12: Types of waste generated: Veterinary waste

Data file: PME_main_table

Overview

Valid: 5568 Invalid: 87
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4947	88.8%
1		621	11.2%
Sysmiss		87	

Q_6_4__13: Types of waste generated: Fruit-soaking fungicidal liquids

Data file: PME_main_table

Overview

Valid: 5557 Invalid: 98
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5439	97.9%
1		118	2.1%
Sysmiss		98	

Q_6_4__14: Types of waste generated: Other non-hazardous organic waste

Data file: PME_main_table

Overview

Valid: 5563 Invalid: 92
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5179	93.1%
1		384	6.9%
Sysmiss		92	

Q_6_4__15: Types of waste generated: Other non-hazardous inorganic waste

Data file: PME_main_table

Overview

Valid: 5545 Invalid: 110
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5328	96.1%

1		217	3.9%
Sysmiss		110	

Q_6_4__16: Types of waste generated: Other hazardous waste

Data file: PME_main_table

Overview

Valid: 5535 Invalid: 120
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5486	99.1%
1		49	0.9%
Sysmiss		120	

Q_7_1_1: Was any worker hired for carrying out simple and routine tasks?

Data file: PME_main_table

Overview

Valid: 5655 Invalid: 0
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	4453	78.7%
1	Yes	1202	21.3%

Q_7_1_2: Average pay (cash or kind) for simple and routine tasks (8 hours) (GEL)

Data file: PME_main_table

Overview

Minimum: 10 Maximum: 80
Type: Continuous Decimal: 0 Width: 2 Format: Numeric Weighted variable: 0

Q_7_2_1: Official document on any of the agricultural lands in its use as of 2021?

Data file: PME_main_table

Overview

Valid: 5251 Invalid: 404
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1206	23%
1	Yes	3915	74.6%
2	Don't know	130	2.5%
Sysmiss		404	

Q_7_2_2: Any other document on any of the agricultural lands in its use as of 2021?

Data file: PME_main_table

Overview

Valid: 1332 Invalid: 4323
Type: Discrete Decimal: 0 Width: 1 Format: Numeric Weighted variable: 0

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	366	27.5%
1	Yes	841	63.1%
2	Don't know	125	9.4%
Sysmiss		4323	

study_resources

questionnaires

Questionnaire of Survey of Production Methods and Environment Module

title	Questionnaire of Survey of Production Methods and Environment Module
filename	https://geostat.ge/media/58606/3_-Questionnaire-of-Survey-of-Production-Methods-and-Evironment-module_ENG.xlsx

reports

Metadata od Survey of Production Methods and Environment Module Report

title	Metadata od Survey of Production Methods and Environment Module Report
filename	https://geostat.ge/media/58605/2_Metadata_of_Survey_of_Production_Methods_and_Evironment_module_2021_ENG.pdf