

Annual Agricultural Survey 2024

Statistics Sierra Leone, Ministry of Agriculture and Food Security

report_generated_on: September 29, 2026

visit_data_catalog_at: <https://microdata.worldbank.org/>

Identification

SURVEY ID NUMBER

SLE_2024_AAS_v03_M_v01_A_ESS

TITLE

Annual Agricultural Survey 2024

ABBREVIATION OR ACRONYM

AAS 2024

COUNTRY/ECONOMY

Name	Country code
Sierra Leone	SLE

STUDY TYPE

Agriculture Integrated Survey [hh/nhh/agris]

SERIES INFORMATION

The 2024 Sierra Leone Annual Agricultural Survey (AAS) is the second round of AAS conducted in Sierra Leone. It was implemented under the 50x2030 Initiative, a program jointly launched by the World Bank, Food and Agriculture Organization of the United Nations (FAO) and International Fund for Agricultural Development (IFAD). The lead national implementing agencies in Sierra Leone are Statistics Sierra Leone (Stats SL) and the Ministry of Agriculture and Food Security (MAFS).

AAS was designed to ensure the production of foundational agricultural data that are timely and of quality, fit the needs of the country and match the main national development targets. The approach adopted is that of a modular approach. This second survey round cover the CORE survey with additional focus on the Production Methods and Environment (PME) module.

ABSTRACT

The Sierra Leone Annual Agricultural Survey (SLAAS) is a key component of Stats SL's efforts to provide up-to-date information on the agricultural sector. The SLAAS program follows the AGRIS methodology, an integrated approach that combines a core questionnaire with rotating thematic modules to capture the technical, economic, environmental, and social dimensions of agricultural holdings. In 2024, the Production Methods and Environment (PME) module was adopted, enriching the core survey with detailed data on irrigation, energy use, land management, rice cultivation, livestock breeding strategies, environmental strategies and adaptation to climate change which are important in identifying and quantifying the gaps that exist and capitalizing on specific interventions that address these gaps.

The overall objective of the SLAAS was to collect comprehensive data on crop and livestock production, as well as other relevant agricultural indicators. This information is essential for policymakers, researchers, and other stakeholders to assess the performance of the agricultural sector, identify opportunities for improvement, and inform evidence-based interventions.

The specific objectives of the SLAAS 2024 include:

- To collect disaggregated and timely data on agricultural production and productivity at both national, regional and district levels.
- To produce baseline and monitoring data that supports the formulation, implementation and evaluation of agricultural policies and programs.
- To generate consistent and comparable agricultural statistics for assessing trends, informing budget allocations, and facilitating investment in the sector.
- To compile fundamental statistics that facilitate comparisons in the development of the agriculture sector across the country.
- To collect key data necessary to assess the impact of agricultural activities on the environmental, social and economic sustainability of farming.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Agricultural households

Version

VERSION DESCRIPTION

v1.0: Edited and anonymized dataset files for dissemination. The type of release considered is Public Use File.

VERSION DATE

2026-03-18

Scope

NOTES

This survey collected data from agricultural households, covering the Post Planting (PP) season and the Post Harvesting (PH) season. The topics covered are: characteristics of agricultural households, agricultural production (crops, livestock, aquaculture, fisheries and forestry), input use, labor force, land use, energy use and environmental issues.

TOPICS

Topic	Vocabulary	URI
Agricultural households	ELSST Thesaurus	Link
Agricultural production	ELSST Thesaurus	Link
Crops	ELSST Thesaurus	Link
Livestock	ELSST Thesaurus	Link
Fishing	ELSST Thesaurus	Link
Forestry	ELSST Thesaurus	Link
Inputs	ELSST Thesaurus	Link
Environment	ELSST Thesaurus	Link

KEYWORDS

Keyword	Vocabulary	URI
Agricultural yields	ELSST Thesaurus	Link
Area measurement	ELSST Thesaurus	Link
Crop production	ELSST Thesaurus	Link
Forestry	ELSST Thesaurus	Link
Land use	ELSST Thesaurus	Link
Energy use	ELSST Thesaurus	Link
Environment	ELSST Thesaurus	Link

Coverage

GEOGRAPHIC COVERAGE

National coverage, with the exception of the Western Urban district

UNIVERSE

The survey covered agricultural households engaged in crop production, livestock rearing, fishing and aquaculture, and forestry production regardless of their scale of operation.

Producers and sponsors

PRIMARY INVESTIGATORS

Name	Affiliation
Statistics Sierra Leone	Government of Sierra Leone
Ministry of Agriculture and Food Security	Government of Sierra Leone

PRODUCERS

Name	Abbreviation	Affiliation	Role
Food and Agriculture Organization of the United Nations	FAO	United Nations	Technical assistance

FUNDING AGENCY/SPONSOR

Name	Abbreviation	Role
Government of Sierra Leone		Government funder
World Bank	WB	Financial assistance through the HISWA Project

Sampling

SAMPLING PROCEDURE

A two-stage sampling method was employed to select households. Both stages of sampling employed probabilistic methods.

The country was divided into districts and within each district, areas called Enumeration Areas (EAs) were identified. A sample of EAs was then selected, followed by a sample of agricultural households (Ag HHs) within each chosen EA. A total number of 520 EAs were selected as Primary Sampling Units (PSUs), out of which 5200 households were selected as Secondary Sampling Units (SSUs).

DEVIATIONS FROM THE SAMPLE DESIGN

Due to operational constraints, not all sampled households were successfully surveyed during data collection. In total, only 518 EAs and 5110 households were actually covered during the survey. Consequently, the PP phase comprised 4,998 households. Additionally, survey attrition occurred during the PH phase. Weight variables for each phase have been adjusted to account for these variations.

WEIGHTING

Sample weights were calculated for the data files computed as the inverse of the probability of selection of agricultural household, which is the product of the probability of selection of the EA in which the household is located (at the first stage) and the probability of selection of the household (at the second stage).

The weight variable in both visits is called "HH_Final_weight". Users should note that the PH weight was adjusted from the PP weight to account for differences in household coverage due to deviations in the sampling design and some decisions taken during the data cleaning process.

Data collection

DATES OF DATA COLLECTION

Start	End	Cycle
2024-01	2024-06	Post Planting (PP)
2024-07	2024-12	Post Harvesting (PH)

DATA COLLECTION MODE

Computer Assisted Personal Interview [capi]

SUPERVISION

The teams of data collectors were divided into two groups: enumerators, primarily responsible for collecting data from eligible and consenting households, and supervisors, responsible for assigning and assisting enumerators in solving problems that they may encounter during the administration of the survey questionnaire and reviewing each questionnaire before it is submitted.

DATA COLLECTION NOTES

The data of the SLAAS 2024 was collected throughout the annual agricultural period. This period is divided into two seasons: the first season gave rise to the first phase of the data collection, corresponding to the Post Planting (PP) phase, and the second season gave rise to the second phase of the data collection, corresponding to the Post Harvesting (PH) phase.

A training of enumerators was held before each phase. During the training, the questionnaires were presented and tested, and the main roles of each team member were discussed and elaborated.

DATA COLLECTORS

Name	Abbreviation	Affiliation
Statistics Sierra Leone	Stats SL	Government of Sierra Leone
Ministry of Agriculture and Food Security	MAFS	Government of Sierra Leone

questionnaires

QUESTIONNAIRES

For this survey, two (02) questionnaires were used: the Post Planting (PP) questionnaire and the Post Harvesting (PH) questionnaire.

They were administered in each household, preferably to the head of household. They cover two (02) modules, the CORE module and the PME (Production Methods and Environment) module, split into several topics such as household demographics, agricultural production (crop, livestock, fishing and aquaculture, forestry), input use and labour, land use, energy use and environmental issues.

The questionnaires are provided as external resources.

data_processing

DATA EDITING

The PP and PH questionnaire were implemented on CSPRO as CAPI tool. During data collection, some validation controls were integrated into the app to minimize mistakes when typing households' answers. After data collection, a processing program designed under SPSS software permitted to clean both cases and variables. Duplicated cases were deleted and then the sampling weights adjusted to take the two non-covered EAs into account. Missing, not allowed, unlike and incoherent values were detected and then locally imputed objectively in respecting filters. Finally, the necessary tabulation variables were created and then tables were produced according to the tabulation plan designed earlier.

data_appraisal

ESTIMATES OF SAMPLING ERROR

To appreciate the data quality, some tables were supported by sampling errors estimates. Especially, coefficients of variations and standard errors were estimated for a set of indicators for open data publishing purposes.

Access policy

CONFIDENTIALITY

Confidentiality of respondents is guaranteed by the Statistics Act of Sierra Leone, enacted in 2002.

ACCESS CONDITIONS

For access conditions, please refer to the external website.

CITATION REQUIREMENTS

Statistics Sierra Leone, Annual Agricultural Survey 2024 (SLAAS 2024), Version 2.3 of the public use dataset (April 2026).

Dataset downloaded from <https://microdata.statistics.sl/index.php/home>

ACCESS AUTHORITY

Name	Affiliation	Email	URL
Statistics Sierra Leone	Government of Sierra Leone	microdata@statistics.sl	Link

Disclaimer and copyrights

DISCLAIMER

The original collectors of the data, Stats SL, MAFS, and the relevant funding agencies bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

COPYRIGHT

All rights reserved (c) 2018, Statistics Sierra Leone

Metadata production

DDI DOCUMENT ID

DDI_SLE_2024_AAS_v03_M_v01_A_ESS_FAO

PRODUCERS

Name	Abbreviation	Affiliation	Role
Statistics Sierra Leone	Stats SL	Government of Sierra Leone	Documentation of the study
Ministry of Agriculture and Food Security	MAFS	Government of Sierra Leone	Documentation of the study
Food and Agriculture Organization of the United Nations	FAO	United Nations	Documentation of the study / Metadata adapted for FAM
Development Data Group	DECDG	World Bank Group	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2026-03-18

DDI DOCUMENT VERSION

Identical to a metadata (SLE_2024_SLAAS_v03_M_v01_A_ESS) published on FAO microdata repository (<https://microdata.fao.org/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
S0B_HH_DETAILS_final The file contains data related to the agricultural household details. The information refers to Section OB of the Post Planting questionnaire.	4973	20
S0D_RECORD_KEEPING_final The file contains data related to the agricultural household record keeping. The information refers to section OD of the Post Planting questionnaire.	4973	16
S1A_PARCEL_LAND_USE_final The file contains data related to the agricultural and non-agricultural use of the parcel. The information refers to section 1A of the Post Planting questionnaire.	6945	43
S1B_PARCELS_CHAR_final The file contains data related to the characteristics of the parcels used by the agricultural households. The information refers to section 1B of the Post Planting questionnaire.	6945	32
S2_PLOTS_DETAILS_final The file contains data related to plots in parcels used by the agricultural households. The information refers to section 2 of the Post Planting questionnaire.	7965	43
S3_CROPS_final The file contains data related to the crops cultivated by the agricultural households. The information refers to section 3 of the Post Planting questionnaire.	10805	22
S4_SEEDS_USES_final The file contains data related to the crop seeds used by the agricultural households. The information refers to section 4 of the Post Planting questionnaire.	10260	32
S5_PRACTICES_FARM_final The file contains data related to the agricultural practices on the farm. The information refers to section 5 of the Post Planting questionnaire.	4973	24
S5A_AQUACULTURE_PROD_final The file contains data related to aquaculture production. The information refers to section 5A of the Post Planting questionnaire.	102	15
S6A_FISHING_PROD_final The file contains data related to fishing production. The information refers to section 6A of the Post Planting questionnaire.	4695	27
S7A_FORESTRY_PROD_final The file contains data related to forestry production. The information refers to section 7A of the Post Planting questionnaire.	56029	17
S7B_FORESTS_CLEARED_final The file contains data related to forest area cleared by the household. The information refers to section 7B of the Post Planting questionnaire.	4972	16
S0B_ENERGY_IRR_GEN_PH_final The file contains data related to energy sources and irrigation practices. The information refers to section OB of the Post Harvest questionnaire.	5110	33
S0C_IRR_DRN_CUL_PLT_PH_final The file contains data related to irrigation and drainage of cultivated plots. The information refers to section OC of the Post Harvest questionnaire.	457	12
S0D_PST_MD_MGT_IRR_PH_final The file contains data related to pasture management and irrigation. The information refers to section OD of the Post Harvest questionnaire.	7792	27
S1A_TEM_NON_VEG_PROD_PH_final The file contains data related to temporary crop production. The information refers to section 1A of the Post Harvest questionnaire.	7143	56

S1B_TEM_VEG_PROD_PH_final The file contains data related to horticulture crop production. The information refers to section 1B of the Post Harvest questionnaire.	930	65
S1C_RICE_PROD_METHOD_PH_final The file contains data related to rice crop production. The information refers to section 1C of the Post Harvest questionnaire.	3462	59
S2A_TEM_VEG_PROD_PH_final The file contains data related to permanent crop production. The information refers to section 2A of the Post Harvest questionnaire.	2113	34
S2B_1D_destination_PH_final This file contains derived data on crop destination values from sections 1D and 2B of the Post Harvest Questionnaire.	9430	19
S3A_CRP_BY_PROD_PH_final The file contains data related to crop by-products. The information refers to section 3A of the Post Harvest questionnaire.	45990	19
S3B_CRP_PROCES_PROD_PH_final The file contains data related to the processed products for crops. The information refers to section 3B of the Post Harvest questionnaire.	691	22
S4A_LIVSTK_IN_STOCK_PH_final The file contains data related to livestock kept by the household. The information refers to section 4A of the Post Harvest questionnaire.	25671	14
S4B_CHANGE_IN_STOCK_PH_final The file contains data related to change in stock for large and medium sized animals. The information refers to section 4B of the Post Harvest questionnaire.	18330	28
S4C_CHANGE_STOCK_POULT_PH_final The file contains data related to change in stock for poultry animals. The information refers to section 4C of the Post Harvest questionnaire.	7332	28
S4D_MILK_PROD_PH_final The file contains data related to milk production. The information refers to section 4D of the Post Harvest questionnaire.	47	18
S4E_EGG_PROD_PH_final The file contains data related to egg production. The information refers to section 4E of the Post Harvest questionnaire.	1088	17
S4F_OTHER_LIVSTK_PROD_PH_final The file contains data related to other livestock products. The information refers to section 4F of the Post Harvest questionnaire.	5499	28
S4G_LIVSTK_BREED_HEALTH_PH_final The file contains data related to livestock breeding and health. The information refers to section 4G of the Post Harvest questionnaire.	1539	54
S4H1_LIVESTOCK_WATER_PH_final The file contains data related to water source for livestock. The information refers to section 4H1 of the Post Harvest questionnaire.	2356	14
S4H2_WATERING_PROBLEM_PH_final The file contains data related to watering problems encountered for livestock. The information refers to section 4H2 of the Post Harvest questionnaire.	1755	21
S4H4_FEED_TYPES_SOURCES_PH_final The file contains data related to source of feed for livestock. The information refers to section 4H4 of the Post Harvest questionnaire.	2917	19
S4H5_FEED_CROP_FORAGE_PH_final The file contains data related to feed crop forage. The information refers to section 4H5 of the Post Harvest questionnaire.	54	11

S4H6_MANURE_PH_final The file contains data on manure collected from pasture. The information refers to section 4H6 of the Post Harvest questionnaire.	1833	9
S4I_EQUIPT_TRASP_PH_final The file contains data related to equipment and transportation. The information refers to section 4I of the Post Harvest questionnaire.	4095	24
S5_OTHER_FARM_ACTV_PH_final The file contains data on other farm activities. The information refers to section 5 of the Post Harvest questionnaire.	20440	12
S6_LABOUR_PH_final The file contains data related to labour used by household. The information refers to section 6 of the Post Harvest questionnaire.	35770	11
S7_GHG_ENVIR_ISSUES_PH_final The file contains data related to greenhouse gases and environmental issues. The information refers to section 7 of the Post Harvest questionnaire.	5110	15
S8_CLIM_ENV_SHCK_ADA_PH_final The file contains data related to climate and environmental shocks, and adaptation strategies of the household. The information refers to section 8 of the Post Harvest questionnaire.	45988	31
S1A_1B_2A_production_PH_final This file contains derived data on production values from sections 1A, 1B and 2A of the Post Harvest Questionnaire.	9948	12
S3C_INPUT_USE_PH_final The file contains data related to inputs used by the household. The information refers to section 3C of the Post Harvest questionnaire.	2487	15
S3D_INPUT_DETAILS_PH_final The file contains data related to details of the inputs used by the household. The information refers to section 3D of the Post Harvest questionnaire.	5110	42

Data file: S0B_HH_DETAILS_final

The file contains data related to the agricultural household details. The information refers to Section OB of the Post Planting questionnaire.

Cases: 4973

variables: 20

variables

ID	Name	Label	Question
V1	HOUSEHOLD_ID	Unique Household ID	
V2	REGION	REGION	
V3	DISTRICT	DISTRICT	
V4	URB_RUR	Location Status	
V5	EA_CODE	Enumeration Area	
V6	S0BQ1	S0BQ1 - Operate land or raise livestock jointly with other households	
V7	S0BQ2	Number of households sharing activities	
V8	S0BQ3	S0BQ3 - Legal status of the farm	
V9	S0BQ5	S0BQ5 - Majority of farm activities conducted in the proximity of the household	
V10	S5AQ1	S5AQ1 - Practice of Aquaculture	
V11	S5AQ2	S5AQ2 - Land of Aquaculture out of farm	
V12	S5AQ3	S5AQ3 - Any trees lining the fish ponds used for aquaculture	
V13	S6AQ1	S6AQ1 - Fishing in this Household	
V14	S6AQ2	S6AQ2 - Keeping records of fishing production	
V15	S7AQ1	S7AQ1 - Practice of Forestry Activities	
V16	S0AQ15A	S0AQ15A - Household Growing Crops	
V17	S0AQ15B	S0AQ15B - Household intend to grow crops	
V18	S0AQ16A	S0AQ16A - Household raise livestock	
V19	S0AQ16B	S0AQ16B - household intend to raise livestock	
V20	HH_Final_weight	HH weight in the district	

total: 20

Data file: S0D_RECORD_KEEPING_final

The file contains data related to the agricultural household record keeping. The information refers to section OD of the Post Planting questionnaire.

Cases: 4973

variables: 16

variables

ID	Name	Label	Question
V21	HOUSEHOLD_ID	Unique Household ID	
V22	REGION	REGION	
V23	DISTRICT	DISTRICT	
V24	URB_RUR	Location Status	
V25	EA_CODE	Enumeration Area	
V26	S0DQ1	S0DQ1 - Record of transaction in the farm land	
V27	S0DQ2_A	S0DQ2_A - AREA CULTIVATED	
V28	S0DQ2_B	S0DQ2_B - CROP PRODUCTION	
V29	S0DQ2_C	S0DQ2_C - LIVESTOCK PRODUCTION	
V30	S0DQ2_D	S0DQ2_D - QUANTITIES SOLD	
V31	S0DQ2_E	S0DQ2_E - REVENUES FROM QUANTITIES SOLD	
V32	S0DQ2_F	S0DQ2_F - QUANTITIES OF INPUTS USED	
V33	S0DQ2_G	S0DQ2_G - QUANTITIES OF INPUTS PURCHASED AND THEIR COST	
V34	S0DQ2_H	S0DQ2_H - WORKER TIME	
V35	S0DQ2_I	S0DQ2_I - PAYMENTS TO WORKERS	
V36	HH_Final_weight	HH weight in the district	

total: 16

Data file: S1A_PARCEL_LAND_USE_final

The file contains data related to the agricultural and non-agricultural use of the parcel. The information refers to section 1A of the Post Planting questionnaire.

Cases: 6945

variables: 43

variables

ID	Name	Label	Question
V37	HOUSEHOLD_ID	Unique Household ID	
V38	REGION	REGION	
V39	DISTRICT	DISTRICT	
V40	URB_RUR	Location Status	
V41	EA_CODE	Enumeration Area	
V42	S1A_PARCEL_ID	S1A - Parcel ID	
V43	S1AQ3	S1AQ3 - How the Parcel was acquired	
V44	S1AQ3A	S1AQ3A - Official Document for the Parcel	
V45	S1AQ4	S1AQ4 - Area of Parcel reported on the document	
V46	S1AQ6	S1AQ6 - Source of Information	
V47	S1AQ7	S1AQ7 - The main mode of transportation	
V48	S1AQ8	S1AQ8 - Time to reach the parcel	
V49	S1AQ9A_A	S1AQ9A_A - KITCHEN GARDEN/BACKYARD	
V50	S1AQ9A_B	S1AQ9A_B - CULTIVATED WITH TEMPORARY CROPS	
V51	S1AQ9A_C	S1AQ9A_C - CULTIVATED WITH PERMANENT CROPS	
V52	S1AQ9A_D	S1AQ9A_D - TEMPORARY FALLOW	
V53	S1AQ9A_OTHERS	S1AQ9A_OTHERS - OTHER AGRICULTURAL USES	
V54	S1AQ9A_X	S1AQ9A_X - NONE OF THE ABOVE	
V55	S1AQ9B_A	S1AQ9B_A - FARM BUILDINGS AND FARMYARDS	
V56	S1AQ9B_B	S1AQ9B_B - FOREST AND OTHER WOODED LAND	
V57	S1AQ9B_D	S1AQ9B_D - RESIDENTIAL	
V58	S1AQ9B_E	S1AQ9B_E - BUSINESS/COMMERCIAL	
V59	S1AQ9B_OTHERS	S1AQ9B_OTHERS - OTHER NON-AGRICULTURAL USES	
V60	S1AQ9B_H	S1AQ9B_H - UNUTILIZED/NOT CLASSIFIED ELSEWHERE	
V61	S1AQ9B_X	S1AQ9B_X - NONE OF THE ABOVE	
V62	S1AQ10A	S1AQ10A - Proportion of parcel dedicated to Agricultural use	
V63	S1AQ10B	S1AQ10B - Proportion of parcel dedicated to Non-Agricultural use	
V64	S1AQ11	S1AQ11 - Irrigation infrastructure on the parcel	
V65	S1AQ12	S1AQ12 - Green house or high shelter on the parcel	
V66	S1AQ13	S1AQ13 - Number of Temporaray fallow plots in the parcels	
V67	S1AQ14	S1AQ14 - Total number of crop plots in the parcels	
V68	S1AQ15	S1AQ15 - Forest or Other wooded land on the parcel	
V69	S1AQ17_A	S1AQ17_A - NATURAL PASTURE OR GRASSLANDS	
V70	S1AQ17_B	S1AQ17_B - WILDFLOWER STRIPS	
V71	S1AQ17_C	S1AQ17_C - STONE OR WOOD HEAPS	
V72	S1AQ17_D	S1AQ17_D - TREES OR HEDGEROWS	

ID	Name	Label	Question
V73	S1AQ17_E	S1AQ17_E - NATURAL PONDS OR WETLANDS	
V74	S1AQ17_Z	S1AQ17_Z - OTHER (SPECIFY)	
V75	S1AQ17_X	S1AQ17_X - NONE	
V76	S1AQ18	S1AQ18 - Share of the farm covered by natural diverse vegetation	
V77	S1AQ19	S1AQ19 - Common areas of farm use not directly managed by the household	
V78	PLANTED_AREA_ha	Planted area in hectare	
V79	HH_Final_weight	HH weight in the district	

total: 43

Data file: S1B_PARCELS_CHAR_final

The file contains data related to the characteristics of the parcels used by the agricultural households. The information refers to section 1B of the Post Planting questionnaire.

Cases: 6945

variables: 32

variables

ID	Name	Label	Question
V80	HOUSEHOLD_ID	Unique Household ID	
V81	REGION	REGION	
V82	DISTRICT	DISTRICT	
V83	URB_RUR	Location Status	
V84	EA_CODE	Enumeration Area	
V85	S1B_PARCEL_ID	S1B - Parcel ID	
V86	S1BQ1	S1BQ1 - Slope of this PARCEL	
V87	S1BQ2	S1BQ2 - Predominant soil type of this Parcel	
V88	S1BQ3_A	S1BQ3_A - Change in soil colour	
V89	S1BQ3_B	S1BQ3_B - Change in the amount of fine and coarse particles present in the soil	
V90	S1BQ3_C	S1BQ3_C - Change in how easy it is to plough or work the soil	
V91	S1BQ3_D	S1BQ3_D - Change in how easy crops emerge after planting	
V92	S1BQ3_E	S1BQ3_E - Change in the amount of stones present in the soil	
V93	S1BQ3_X	S1BQ3_X - NONE OF THE ABOVE	
V94	S1BQ4_A	S1BQ4_A - Soil erosion	
V95	S1BQ4_B	S1BQ4_B - Reduction in soil fertility	
V96	S1BQ4_C	S1BQ4_C - Waterlogging, incl. By floods	
V97	S1BQ4_D	S1BQ4_D - Salinization of irrigated land	
V98	S1BQ4_Z	S1BQ4_Z - Other (specify)	
V99	S1BQ4_X	S1BQ4_X - None of the above	
V100	S1BQ5	S1BQ5 - Proportion of the PARCEL affected by THREAT	
V101	S1BQ6_A	S1BQ6_A - NO STRUCTURES	
V102	S1BQ6_B	S1BQ6_B - TERRACES	
V103	S1BQ6_C	S1BQ6_C - BONDS	
V104	S1BQ6_D	S1BQ6_D - GABIONS/SANDBAGS	
V105	S1BQ6_E	S1BQ6_E - WINDBREAKS AND HEDGES	
V106	S1BQ6_F	S1BQ6_F - VEGETATIVE STRIPS	
V107	S1BQ7	S1BQ7 - Large volumes of water accumulate on the soil surface of this [PARCEL	
V108	S1BQ8	S1BQ8 - Water accumulates on the soil surface of this PARCEL	
V109	S1BQ9	S1BQ9 - Salts accumulate on the soil of this PARCEL during dry	
V110	S1BQ10	S1BQ10 - Number of Agricultural Plots on this PARCEL	
V111	HH_Final_weight	HH weight in the district	

total: 32

Data file: S2_PLOTS_DETAILS_final

The file contains data related to plots in parcels used by the agricultural households. The information refers to section 2 of the Post Planting questionnaire.

Cases: 7965

variables: 43

variables

ID	Name	Label	Question
V112	HOUSEHOLD_ID	Unique Household ID	
V113	REGION	REGION	
V114	DISTRICT	DISTRICT	
V115	URB_RUR	Location Status	
V116	EA_CODE	Enumeration Area	
V117	S2_PARCEL_ID	S2 - Parcel ID	
V118	S2_PLOT_ID	S2 - Plot ID	
V119	S2Q2	S2Q2-During the (REFERENCE AGRICULTURAL SEASON)	
V120	S2Q3	S2Q3- Year did the Fallow period begin	
V121	S2Q4	S2Q4-Crop rotation been practiced	
V122	S2Q5	S2Q5-Frequency of crop rotation been practiced	
V123	S2Q6	S2Q6-Leguminous crops involved in rotation cycle	
V124	S2Q7	S2Q7- Plot in Pure stand or mixed	
V125	S2Q8	S2Q8- Trees/shrubs grown in combination with crops or fallow land on PLOT	
V126	S2Q9_A	S2Q9_A - COCOA	
V127	S2Q9_C	S2Q9_C - KOFFEE	
V128	S2Q9_D	S2Q9_D - KOLANUT	
V129	S2Q9_E	S2Q9_E - OIL PALM	
V130	S2Q9_F	S2Q9_F - MANGO	
V131	S2Q9_G	S2Q9_G - ORANGE	
V132	S2Q9_H	S2Q9_H - AVOCADO	
V133	S2Q9_I	S2Q9_I - COCONUT	
V134	S2Q9_M	S2Q9_M - LEMON	
V135	S2Q9_N	S2Q9_N - GUAVA	
V136	S2Q9_OTHERS	Other trees/shrubs	
V137	S2Q9_X	S2Q9_X - DO NOT KNOW	
V138	S2Q10	S2Q10 - Number of trees/shrubs are on this [PLOT]	
V139	S2Q11	S2Q11 - Year when most of these trees/shrubs were planted	
V140	S2Q12	S2Q12- Crop residues burned on this PLOT	
V141	S2Q14_A	S2Q14_A - BARE SOIL (NONE)	
V142	S2Q14_B	S2Q14_B - CROP RESIDUES LEFT ON THE FIELD	
V143	S2Q14_C	S2Q14_C - COVER CROP OR INTERMEDIATE CROP	
V144	S2Q14_D	S2Q14_D - NEXT SEASONAL CROP	
V145	S2Q14_E	S2Q14_E - PLASTIC MULCH	
V146	S2Q14_F	S2Q14_F - LIMING	
V147	S2Q15	S2Q15 - Proportion of plot covered with crop residues	

ID	Name	Label	Question
V148	S2Q16	S2Q16 - Crop residues left on this PLOT	
V149	S2Q17	S2Q17 - Proportion of PLOT remained covered with crop residues	
V150	S2Q18	S2Q18 - The soil prepared for planting on PLOT (Conventional tillage)	
V151	S2Q20	S2Q20 - Number of crops cultivated on PLOT during the Agricultural Season	
V152	AREA_cultivated_ha	Area in plot details	
V153	MEASURED_AREA_ha	Area measured in hectares	
V154	HH_Final_weight	HH weight in the district	

total: 43

Data file: S3_CROPS_final

The file contains data related to the crops cultivated by the agricultural households. The information refers to section 3 of the Post Planting questionnaire.

Cases: 10805

variables: 22

variables

ID	Name	Label	Question
V155	HOUSEHOLD_ID	Unique Household ID	
V156	REGION	REGION	
V157	DISTRICT	DISTRICT	
V158	URB_RUR	Location Status	
V159	EA_CODE	Enumeration Area	
V160	S3_PARCEL_ID	S3 - Parcel ID	
V161	S3_PLOT_ID	S3 - Plot ID	
V162	S3_CROP_ID_rec	CROP_ID_recoded	
V163	S3Q2	S3Q2 - Is this the main crop	
V164	S3Q3	S3Q3 - Percent of PLOT planted with CROP	
V165	S3Q4	S3Q4 - Was this CROP under a greenhouse or a high shelter	
V166	S3Q5	S3Q5 - IS THIS TEMPORARY OR PERMANENT CROP	
V167	S3Q6_M	S3Q6_M - Month of the TEMPORARY CROP seed planting	
V168	S3Q6_Y	S3Q6_Y - Year of the TEMPORARY CROP seed planting	
V169	S3Q7	S3Q7 - Is the PERMANENT CROP cultivated on this PLOT in a plantation	
V170	S3Q8_HA	S3Q8 - Area of the [Permanent Crop] plantation in ha	
V171	S3Q9	S3Q9 - Are the PERMANENT CROP plants on this PLOT planted in a row	
V172	S3Q10	S3Q10 - Distance between PERMANENT CROP rows (meters)	
V173	S3Q11	S3Q11 - Distance between PERMANENT CROP plants in a row (meters)	
V174	S3Q12	S3Q12 - Number of PERMANENT CROP plants on this PLOT	
V175	S3Q13	S3Q13 - Year of planting of most of the PERMANENT CROP	
V176	HH_Final_weight	HH weight in the district	

total: 22

Data file: S4_SEEDS_USES_final

The file contains data related to the crop seeds used by the agricultural households. The information refers to section 4 of the Post Planting questionnaire.

Cases: 10260

variables: 32

variables

ID	Name	Label	Question
V177	HOUSEHOLD_ID	Unique Household ID	
V178	REGION	REGION	
V179	DISTRICT	DISTRICT	
V180	URB_RUR	Location Status	
V181	EA_CODE	Enumeration Area	
V182	S4_CROP_ID	S4 CROP ID recoded	
V183	S4Q1	S4Q1 number of variety of seeds planted	
V184	S4Q2_A	S4Q2_A - MODERN VARIETIES, CERTIFIED SEED	
V185	S4Q2_B	S4Q2_B - MODERN VARIETIES, UNCERTIFIED SEED	
V186	S4Q2_C	S4Q2_C - TRADITIONAL VARIETIES, UNCERTIFIED SEED	
V187	S4Q3	S4Q3 certified seeds genetically modified	
V188	S4Q4_V1	S4Q4_V1 TOTAL PERCENTAGE OF SEEDS PLANTED	
V189	S4Q4_V2	S4Q4_V2 TOTAL PERCENTAGE OF SEEDS PLANTED	
V190	S4Q4_V3	S4Q4_V3 TOTAL PERCENTAGE OF SEEDS PLANTED	
V191	S45A_V1	S45A_V1 main reason	
V192	S45A_V2	S45A_V2 main reason	
V193	S45A_V3	S45A_V3 main reason	
V194	S4Q6A_V1	S4Q6A_V1 How was the [CROP] [VARIETY] obtained	
V195	S4Q6A_V2	S4Q6A_V2 How was the [CROP] [VARIETY] obtained	
V196	S4Q6A_V3	S4Q6A_V3 How was the [CROP] [VARIETY] obtained	
V197	S4Q7A_V1_TOTAL	S4Q7A_V1 TOTAL PERCENTAGE OF CROPS VARIETY PLANTED	
V198	S4Q7A_V2_TOTAL	S4Q7A_V2 TOTAL PERCENTAGE OF CROPS VARIETY PLANTED	
V199	S4Q7A_V3_TOTAL	S4Q7A_V3 TOTAL PERCENTAGE OF CROPS VARIETY PLANTED	
V200	S4Q8A_V1	S4Q8A_V1 whom did you obtain most of the [CROP] [VARIETY] planted	
V201	S4Q8A_V2	S4Q8A_V2 whom did you obtain most of the [CROP] [VARIETY] planted	
V202	S4Q8A_V3	S4Q8A_V3 whom did you obtain most of the [CROP] [VARIETY] planted	
V203	S4Q9A	S4Q9A - Select Temporary or Permanent Crop on this plot	
V204	S4Q10_Q	S4Q10_Q - TOTAL quantity of [TEMPORARY CROP] seeds planted	
V205	S4Q10_U	S4Q10_U - Unit of measure	
V206	S4Q11_Q	S4Q11_Q - TOTAL quantity of [PERMANENT CROP] seeds planted	
V207	S4Q11_U	S4Q11_U - Unit of measure	
V208	HH_Final_weight	HH weight in the district	

total: 32

Data file: S5_PRACTICES_FARM_final

The file contains data related to the agricultural practices on the farm. The information refers to section 5 of the Post Planting questionnaire.

Cases: 4973

variables: 24

variables

ID	Name	Label	Question
V209	HOUSEHOLD_ID	Unique Household ID	
V210	REGION	REGION	
V211	DISTRICT	DISTRICT	
V212	URB_RUR	Location Status	
V213	EA_CODE	Enumeration Area	
V214	S5Q1	S5Q1 Practice of slash and burned in this farm	
V215	S5Q2	S5Q2 Temporary fallow land on this farm burned	
V216	S5Q3	S5Q3 Total area of temporary fallow land on this farm, what share was burned	
V217	S5Q4	S5Q4 Forest and other wooded land on this farm burned	
V218	S5Q5	S5Q5 Total area of forest and other wooded land on this farm, what share was burned	
V219	S5Q6	S5Q6 Unutilized agricultural land on this farm burned	
V220	S5Q7	S5Q7 Total area of unutilized agricultural land on this farm, what share was burned	
V221	S5Q8	S5Q8 Practices or features used to enhance pollination on this farm	
V222	S5Q9_A	S5Q9_A - PLANTING OF WILDFLOWER-RICH FALLOWS OR STRIPS	
V223	S5Q9_B	S5Q9_B - PRESENCE OF FLOWERING HEDGEROWS	
V224	S5Q9_C	S5Q9_C - USE OF NECTAR-PRODUCING COVER CROPS	
V225	S5Q9_D	S5Q9_D - USE OF DEDICATED NECTAR AND POLLEN SEED MIXES	
V226	S5Q9_E	S5Q9_E - PROVISION OF NESTING SITES	
V227	S5Q9_F	S5Q9_F - PROTECTION OF EXISTING GROUND-BEE NESTING SITES	
V228	S5Q9_G	S5Q9_G - USE OF MANAGED HONEYBEE HIVES	
V229	S5Q9_H	S5Q9_H - USE OF MANAGED STINGLESS BEE HIVES	
V230	S5Q9_I	S5Q9_I - USE OF MANAGED BUMBLEBEE BOXES	
V231	S5Q9_J	S5Q9_J - USE OF MANAGED LEAFCUTTER NESTING SITES	
V232	HH_Final_weight	HH weight in the district	

total: 24

Data file: S5A_AQUACULTURE_PROD_final

The file contains data related to aquaculture production. The information refers to section 5A of the Post Planting questionnaire.

Cases: 102

variables: 15

variables

ID	Name	Label	Question
V233	HOUSEHOLD_ID	Unique Household ID	
V234	REGION	REGION	
V235	DISTRICT	DISTRICT	
V236	URB_RUR	Location Status	
V237	EA_CODE	Enumeration Area	
V238	S5A_ITEM_NAME	S5A - Item Name	
V239	S5AQ4	S5AQ4: Any member cultivate [ITEM NAME] in 12 mths	
V240	Qty_produced	Quantity produced in Kg	
V241	Qty_consumed	Quantity consumed in Kg	
V242	S5AQ7	S5AQ7: Any member sell [ITEM TYPE] in 12 mths	
V243	Qty_sold	Quantity sold in Kg	
V244	S5AQ8C	S5AQ8C: Total Value Or Unit Value	
V245	S5AQ8D	S5AQ8D: Total Earned from sales of [ITEM TYPE]	
V246	S5AQ8E	S5AQ8E: Average unit price of [ITEM TYPE] sold in 12 mTH	
V247	HH_Final_weight	HH weight in the district	

total: 15

Data file: S6A_FISHING_PROD_final

The file contains data related to fishing production. The information refers to section 6A of the Post Planting questionnaire.

Cases: 4695

variables: 27

variables

ID	Name	Label	Question
V248	HOUSEHOLD_ID	Unique Household ID	
V249	REGION	REGION	
V250	DISTRICT	DISTRICT	
V251	URB_RUR	Location Status	
V252	EA_CODE	Enumeration Area	
V253	S6A_ITEM_NAME	S6A - Item Name	
V254	S6AQ3	S6AQ3 - Any member of this farm catch	
V255	S6AQ4	S6AQ4 - Number of Months	
V256	S6AQ5	S6AQ5 - Number of Days	
V257	Total_qty_collected_kg	Total quantity collected	
V258	Total_qty_consumed_kg	Total quantity consumed	
V259	S6AQ8	S6AQ8 - Sell any of the fished	
V260	Total_qty_sold_kg	Total quantity sold	
V261	S6AQ10_UNIT	S6AQ10 - Average unit price of the item sold	
V262	S6AQ11A_Q	S6AQ11A_Q - Total quantity of item fished	
V263	S6AQ11B_U	S6AQ11B_U - Unit	
V264	S6AQ12A_Q	S6AQ12A_Q - Total quantity of item consumed by the household	
V265	S6AQ12B_U	S6AQ12B_U - Unit	
V266	S6AQ13	S6AQ13 - Sell any of the item fished	
V267	S6AQ14A_Q	S6AQ14A_Q - Quantity of the item fished	
V268	S6AQ14B_U	S6AQ14B_U - Unit	
V269	S6AQ15A	S6AQ15A - Total Value of earnings or Unit Price	
V270	S6AQ15B	S6AQ15B - Total value of sales	
V271	S6AQ15C	S6AQ15C - Average unit price of item sold	
V272	HH_Final_weight	HH weight in the district	
V273	Value_qty_sold	Total value of fish sales	
V274	Value_qty_collected	Total value of fish collected	

total: 27

Data file: S7A_FORESTRY_PROD_final

The file contains data related to forestry production. The information refers to section 7A of the Post Planting questionnaire.

Cases: 56029

variables: 17

variables

ID	Name	Label	Question
V275	HOUSEHOLD_ID	Unique Household ID	
V276	REGION	REGION	
V277	DISTRICT	DISTRICT	
V278	URB_RUR	Location Status	
V279	EA_CODE	Enumeration Area	
V280	S7A_PID	S7A - Product ID	
V281	S7A_PNAME	S7A - Product Name	
V282	S7AQ2	S7AQ2 - Collection of forestry products	
V283	S7AQ3	S7AQ3 - Land of collection part of the farm	
V284	S7AQ4	S7AQ4 - Number of months of collection of the product	
V285	S7AQ5	S7AQ5 - Average number of collection days per month	
V286	Total_qty_collected	Total quantity collected	
V287	Total_qty_used	Total quantity consumed	
V288	S7AQ8	S7AQ8 - Selling the product	
V289	Total_qty_sold	Total quantity sold	
V290	S7AQ10	S7AQ10 - Everage unit price	
V291	HH_Final_weight	HH weight in the district	

total: 17

Data file: S7B_FORESTS_CLEARED_final

The file contains data related to forest area cleared by the household. The information refers to section 7B of the Post Planting questionnaire.

Cases: 4972

variables: 16

variables

ID	Name	Label	Question
V292	HOUSEHOLD_ID	Unique Household ID	
V293	REGION	REGION	
V294	DISTRICT	DISTRICT	
V295	URB_RUR	Location Status	
V296	EA_CODE	Enumeration Area	
V297	S7BQ1	S7BQ1 - Forests cleared for farmig	
V298	AREA_cleared_5years	Area (ha) cleared these 5 past years	
V299	S7BQ3	S7BQ3 - Forest cleared during the past 12 months in that of last 5 years	
V300	AREA_cleared_12months	Area (ha) cleared these 12 last months	
V301	S7BQ5	S7BQ5 - Primary purpose for forest cleared during the past 12 months	
V302	S7BQ6	S7BQ6 - Planting trees to create forest or woodland	
V303	S7BQ6A	S7BQ6a - Intention to install Agroforestry partices	
V304	AREA_created_12months	Area (ha) planted with trees to create forest/wooded land in the past 12 months	
V305	S7BQ8	S7BQ8 - Presence of communal forest not used by the farm last 12 months	
V306	S7BQ9	S7BQ9 - Reason for not using communal forests	
V307	HH_Final_weight	HH weight in the district	

total: 16

Data file: S0B_ENERGY_IRR_GEN_PH_final

The file contains data related to energy sources and irrigation practices. The information refers to section OB of the Post Harvest questionnaire.

Cases: 5110

variables: 33

variables

ID	Name	Label	Question
V308	HOUSEHOLD_ID	Unique Household ID	
V309	REGION	REGION	
V310	DISTRICT	DISTRICT	
V311	URB_RUR	Location Status	
V312	EA_CODE	Enumeration Area	
V313	S0BQ1_A	ELECTRICITY (EDSA,BKPS)	
V314	S0BQ1_B	GENERATOR	
V315	S0BQ1_C	CHARCOAL	
V316	S0BQ1_D	NATURAL GAS	
V317	S0BQ1_E	Fire wood	
V318	S0BQ1_F	SOLAR ENERGY	
V319	S0BQ1_G	NO ENERGY USED	
V320	S0BQ2	S0BQ2 - Was irrigation used on any parts of this farm during the last 12 months	
V321	S0BQ3_A	ON-FARM GROUNDWATER (Eg Water well)	
V322	S0BQ3_B	ON-FARM SURFACE WATER	
V323	S0BQ3_C	OFF-FARM SURFACE WATER (LAKES, RIVERS, Stream)	
V324	S0BQ3_D	Pipe borne WATER SUPPLY OR OTHER WATER NETWORK (Tap Water)	
V325	S0BQ3_E	RAINWATER HARVESTING	
V326	S0BQ4_A	S0BQ4 - The total area that was irrigated with ON-FARM GROUNDWATER	
V327	S0BQ4_B	S0BQ4 - The total area that was irrigated with ON-FARM SURFACE WATER	
V328	S0BQ4_C	S0BQ4 - The total area that was irrigated with OFF-FARM SURFACE WATER	
V329	S0BQ4_D	S0BQ4 - The total area that was irrigated with PIPE BORNE WATER SUPPLY OR OTHER WATER NETWORK	
V330	S0BQ4_E	S0BQ4 - The total area that was irrigated with RAINWATER HARVESTING	
V331	S0BQ4_Z	S0BQ4 - The total area that was irrigated OTHER IRRIGATION METHODS	
V332	S0BQ5	S0BQ5 - Payments made for irrigation during the last 12 months	
V333	S0BQ6	S0BQ6 - Any reduction in water availability from the source(s) you've been using for irrigating the farm in the last three years	
V334	S0BQ7	S0BQ7 - In the last three years has water been always sufficient to irrigate your farm	
V335	S0BQ8	S0BQ8 - Any organization dealing with water allocation on the farm during the last three years	
V336	S0BQ9	S0BQ9 - Reason for not working well	
V337	S0BQ10	S0BQ10 - Are there communal irrigation facilities in working order in the farm's neighbourhood	
V338	S0BQ11	S0BQ11 - Communal irrigation facilities in the last 12 months	
V339	S0BQ12	S0BQ12 - Main reason why the farm did not use these communal irrigation facilities in the last 12 months	
V340	HH_Final_weight	PH weight adjusted from PP	

total: 33

Data file: SOC_IRR_DRN_CUL_PLT_PH_final

The file contains data related to irrigation and drainage of cultivated plots. The information refers to section OC of the Post Harvest questionnaire.

Cases: 457

variables: 12

variables

ID	Name	Label	Question
V341	HOUSEHOLD_ID	Unique Household ID	
V342	REGION	REGION	
V343	DISTRICT	DISTRICT	
V344	URB_RUR	Location Status	
V345	EA_CODE	Enumeration Area	
V346	SOC_PARCEL_ID	SOC - PARCEL ID	
V347	SOC_PLOT_ID	SOC - PLOT ID	
V348	SOCQ1	SOCQ1 - PLOT irrigated during the 2024 Agricultural season	
V349	SOCQ2	SOCQ2 - Main irrigation method used on plot during the 2024 Agricultural season	
V350	SOCQ3	SOCQ3 - Drainage system on plot	
V351	SOCQ4	SOCQ4 - Water-saving practices used on plot during the 2024 Agricultural season	
V352	HH_Final_weight	PH weight adjusted from PP	

total: 12

Data file: S0D_PST_MD_MGT_IRR_PH_final

The file contains data related to pasture management and irrigation. The information refers to section OD of the Post Harvest questionnaire.

Cases: 7792

variables: 27

variables

ID	Name	Label	Question
V353	HOUSEHOLD_ID	Unique Household ID	
V354	REGION	REGION	
V355	DISTRICT	DISTRICT	
V356	URB_RUR	Location Status	
V357	EA_CODE	Enumeration Area	
V358	S0D_PARCEL_ID	S0D - PARCEL ID	
V359	S0D_PLOT_ID	S0D - PLOT ID	
V360	S0DQ1	S0DQ1 - Rotational grazing practiced on part of parcel for pasture/meadow during the last 12 months	
V361	S0DQ2	S0DQ2 - Trees/shrubs on parcel dedicated to pasture/meadow	
V362	S0DQ3_A	Tectonia grandis	
V363	S0DQ3_B	Acacia mangium	
V364	S0DQ3_C	Lucaena leucocephala	
V365	S0DQ3_D	Gmelina Arborea(Yemani)	
V366	S0DQ3_E	Gercinia	
V367	S0DQ3_F	Moringa	
V368	S0DQ3_G	Don't know	
V369	S0DQ3_Y	Other	
V370	S0DQ4_A	How many Tectonia grandis are on this parcel ?	
V371	S0DQ4_B	How many Acacia mangium are on this parcel ?	
V372	S0DQ4_C	How many Lucaena leucocephala are on this parcel ?	
V373	S0DQ4_D	How many Gmelina Arborea(Yemani) are on this parcel ?	
V374	S0DQ4_E	How many Gercinia are on this parcel ?	
V375	S0DQ4_F	How many Moringa are on this parcel ?	
V376	S0DQ4_G	How many unknown trees/shrubs are on this parcel ?	
V377	S0DQ4_Y	How many other trees/shrubs are on this parcel ?	
V378	S0DQ5	S0DQ5 - Year most of these trees/shrubs planted on parcel	
V379	HH_Final_weight	PH weight adjusted from PP	

total: 27

Data file: S1A_TEM_NON_VEG_PROD_PH_final

The file contains data related to temporary crop production. The information refers to section 1A of the Post Harvest questionnaire.

Cases: 7143

variables: 56

variables

ID	Name	Label	Question
V400	HOUSEHOLD_ID	Unique Household ID	
V401	REGION	REGION	
V402	DISTRICT	DISTRICT	
V403	URB_RUR	Location Status	
V404	EA_CODE	Enumeration Area	
V405	S1A_PARCEL_ID	S1A - PARCEL ID	
V406	S1A_PLOT_ID	S1A - PLOT ID	
V407	S1A_CROP_ID	Crop ID recoded	
V408	S1AQ1_A	SOLID MANURE	
V409	S1AQ1_B	LIQUID MANURE/SLURRY	
V410	S1AQ1_C	VEG MATERIAL & COMPOST	
V411	S1AQ1_D	NO ORGANIC FERTILIZER USED	
V412	S1AQ2_A	UREA	
V413	S1AQ2_B	NPK 15:15:15	
V414	S1AQ2_C	NPK 0:20:20	
V415	S1AQ2_D	DIAMMONIUM PHOSPHATE (DAP)	
V416	S1AQ2_E	NO INORGANIC FERTILIZER USED	
V417	S1AQ3_A	INSECTICIDES	
V418	S1AQ3_B	HERBICIDE (SOLID)	
V419	S1AQ3_C	HERBICIDE (LIQUID)	
V420	S1AQ3_D	FUNGICIDE	
V421	S1AQ3_E	RODENTICIDE	
V422	S1AQ3_F	NO PESTICIDE USED	
V423	S1AQ4	S1AQ4 - Adoption of integrated pest management (IPM) system on the plot	
V424	S1AQ5	S1AQ5 - Did your farm harvest any of the [CROP] planted on this [PLOT] during the RAS	
V425	S1AQ6	S1AQ6 - Why did your farm not harvest any [CROP] from this [PLOT] during the RAS	
V426	S1AQ7_A	January	
V427	S1AQ7_B	February	
V428	S1AQ7_C	March	
V429	S1AQ7_D	April	
V430	S1AQ7_E	May	
V431	S1AQ7_F	June	
V432	S1AQ7_G	July	
V433	S1AQ7_H	August	
V434	S1AQ7_I	September	
V435	S1AQ7_J	October	

ID	Name	Label	Question
V436	S1AQ7_K	November	
V437	S1AQ7_L	December	
V438	S1AQ10	S1AQ10- Area harvested less than area planted?	
V439	S1AQ11	S1AQ11- Why area harvested was less than area planted	
V440	S1AQ12	S1AQ12-In 2024 what percentage of plot planted with crop harvested	
V441	S1AQ13	S1AQ13-Percentage of Expentance of harvest in 2024	
V442	S1AQ14	S1AQ14-Harvest of crop done on plot not harvested due to damage shocks	
V443	S1AQ15_A	Too little rain/drought	
V444	S1AQ15_B	Too much rain/flood	
V445	S1AQ15_C	Rain came too early	
V446	S1AQ15_D	Rain came too late	
V447	S1AQ15_E	Erratic/irregular rainfall	
V448	S1AQ15_F	Too much wind	
V449	S1AQ15_G	Pest/disease	
V450	S1AQ15_H	Fire	
V451	S1AQ15_I	Crop theft	
V452	S1AQ15_J	Unable to work on the field due to sickness	
V453	S1AQ15_K	No available labor	
V454	S1AQ16	S1AQ16-Percentage of plot area planted with crop in 2024 not due to shocks	
V455	HH_Final_weight	PH weight adjusted from PP	

total: 56

Data file: S1B_TEM_VEG_PROD_PH_final

The file contains data related to horticulture crop production. The information refers to section 1B of the Post Harvest questionnaire.

Cases: 930

variables: 65

variables

ID	Name	Label	Question
V456	HOUSEHOLD_ID	Unique Household ID	
V457	REGION	REGION	
V458	DISTRICT	DISTRICT	
V459	URB_RUR	Location Status	
V460	EA_CODE	Enumeration Area	
V461	S1B_PARCEL_ID	S1B - Parcel ID	
V462	S1B_PLOT_ID	S1B - PLOT ID	
V463	S1B_CROP_ID	Crop ID recoded	
V464	S1BQ1_A	SOLID MANURE	
V465	S1BQ1_B	LIQUID MANURE/SLURRY	
V466	S1BQ1_C	VEG MATERIAL & COMPOST	
V467	S1BQ1_D	NO ORGANIC FERTILIZER USED	
V468	S1BQ2_A	UREA	
V469	S1BQ2_B	NPK 15:15:15	
V470	S1BQ2_C	NPK 0:20:20	
V471	S1BQ2_D	DIAMMONIUM PHOSPHATE (DAP)	
V472	S1BQ2_E	NO INORGANIC FERTILIZER USED	
V473	S1BQ3_A	INSECTICIDES	
V474	S1BQ3_B	HERBICIDE (SOLID)	
V475	S1BQ3_C	HERBICIDE (LIQUID)	
V476	S1BQ3_D	FUNGICIDE	
V477	S1BQ3_E	RODENTICIDE	
V478	S1BQ3_F	NO PESTICIDE USED	
V479	S1BQ4	S1BQ4 - Was integrated pest management adopted on the CROP during the 2024 Agricultural season	
V480	S1BQ5	S1BQ5 - Number of plantings performed on CROP during the 2024 Agricultural season	
V481	S1BQ6	S1BQ6 - Month(s) CROP planted on farm during the 2024 Agricultural season	
V482	S1BQ7	S1BQ7- Did your farm harvest any of the [CROP] planted on this [PLOT] during the 2024 Agricultural season	
V483	S1BQ8	S1BQ8 - Reason your farm not harvest any [CROP] from this [PLOT] during the 2024 Agricultural season	
V484	S1BQ9_A	January	
V485	S1BQ9_B	February	
V486	S1BQ9_C	March	
V487	S1BQ9_D	April	
V488	S1BQ9_E	May	
V489	S1BQ9_F	June	

ID	Name	Label	Question
V490	S1BQ9_G	July	
V491	S1BQ9_H	August	
V492	S1BQ9_I	September	
V493	S1BQ9_J	October	
V494	S1BQ9_K	November	
V495	S1BQ9_L	December	
V496	S1BQ10	S1BQ10 - Is the [PLOT] where [CROP] was planted divided into beds?	
V497	S1BQ11	S1BQ11 - Number of beds of CROP on average your farm cultivated in each planting during the 2024 Agricultural season	
V498	S1BQ12	S1BQ12 - Average size of a bed IN SQUARE METERS.	
V499	S1BQ16	S1BQ16 - Area harvested of CROP from PLOT less than area planted	
V500	S1BQ17_1	S1BQ17_1 - Reason area harvested of CROP on PLOT less than area planted	
V501	S1BQ17_2	S1BQ17_2- Reason area harvested of CROP on PLOT less than area planted	
V502	S1BQ18	S1BQ18 - Percentage of PLOT planted with CROP that was harvested during 2024 Agricultural season	
V503	S1BQ19	S1BQ19 - Percentage of PLOT area planted with CROP expected to harvest during 2024 Agricultural season	
V504	S1BQ20	S1BQ20 - Area planted with CROP that was not harvested due to damages or shocks?	
V505	S1BQ21_A	TOO LITTLE RAIN/DROUGHT	
V506	S1BQ21_B	TOO MUCH RAIN/FLOOD	
V507	S1BQ21_C	RAIN CAME TOO EARLY	
V508	S1BQ21_D	RAIN CAME TOO LATE	
V509	S1BQ21_E	ERRATIC/IRREGULAR RAINFALL	
V510	S1BQ21_F	TOO MUCH WIND	
V511	S1BQ21_G	PEST/DISEASE	
V512	S1BQ21_H	FIRE	
V513	S1BQ21_I	DISAGREEMENT ON LAND OWNERSHIP	
V514	S1BQ21_J	CROP THEFT	
V515	S1BQ21_K	UNABLE TO WORK ON THE FIELD DUE TO SICKNESS	
V516	S1BQ21_L	NO AVAILABLE LABOR	
V517	S1BQ21_M	NOT HARVEST SEASON	
V518	S1BQ21_N	DELAYED/DEFERRED HARVEST	
V519	S1BQ22	S1BQ22 - Percentage of PLOT area planted not harvested due to these shocks	
V520	HH_Final_weight	PH weight adjusted from PP	

total: 65

Data file: S1C_RICE_PROD_METHOD_PH_final

The file contains data related to rice crop production. The information refers to section 1C of the Post Harvest questionnaire.

Cases: 3462

variables: 59

variables

ID	Name	Label	Question
V521	HOUSEHOLD_ID	Unique Household ID	
V522	REGION	REGION	
V523	DISTRICT	DISTRICT	
V524	URB_RUR	Location Status	
V525	EA_CODE	Enumeration Area	
V526	S1C_PARCEL_ID	S1C - Parcel ID	
V527	S1C_RICE_PLOT_ID	S1C - Rice Plot ID	
V528	S1C_CROP_ID	Rice code	
V529	S1CQ1	S1CQ1 - Complete rice cultivating cycles done on this [PLOT] in 2024	
V530	S1CQ2_Q	S0EQ2_Q - Average interval between two rice cultivating cycles on this [PLOT]	
V531	S1CQ2_U	S1CQ2_U - Unit of measurement	
V532	S1CQ3_A	Nerica L-19	
V533	S1CQ3_B	Rok34	
V534	S1CQ3_C	Rok5	
V535	S1CQ3_D	Rok10	
V536	S1CQ3_G	Orilux	
V537	S1CQ3_OTHERS	Other Rice Varieties	
V538	S1CQ4_NERICA	S1CQ4_Nerica - Length of the growing period for [Nerica] on this [PLOT]	
V539	S1CQ4_ROK34	S1CQ4_Rok34 - Length of the growing period for [Rok34] on this [PLOT]	
V540	S1CQ4_ROK5	S1CQ4_Rok5 - Length of the growing period for [Rok5] on this [PLOT]	
V541	SACQ4_ROK10	S1CQ4_Rok10 - length of the growing period for [Rok10] on this [PLOT]	
V542	S1CQ4_ORILUX	S1CQ4_Orilux - Length of the growing period for [Orilux] on this [PLOT]	
V543	S1CQ5_NERICA_A	IRRIGATED, CONTINUOUSLY FLOODED	
V544	S1CQ5_NERICA_B	IRRIGATED, INTERMITTENTLY REGULARLY RAIN-FED	
V545	S1CQ5_NERICA_C	DEEP WATER	
V546	S1CQ5_NERICA_D	DROUGHT-PRONE	
V547	S1CQ5_ROK34_A	IRRIGATED, CONTINUOUSLY FLOODED	
V548	S1CQ5_ROK34_B	IRRIGATED, INTERMITTENTLY REGULARLY RAIN-FED	
V549	S1CQ5_ROK34_C	DEEP WATER	
V550	S1CQ5_ROK34_D	DROUGHT-PRONE	
V551	S1CQ5_ROK5_A	IRRIGATED, CONTINUOUSLY FLOODED	
V552	S1CQ5_ROK5_B	IRRIGATED, INTERMITTENTLY REGULARLY RAIN-FED	
V553	S1CQ5_ROK5_C	DEEP WATER	
V554	S1CQ5_ROK5_D	DROUGHT-PRONE	
V555	S1CQ5_ROK10_A	IRRIGATED, CONTINUOUSLY FLOODED	
V556	S1CQ5_ROK10_B	IRRIGATED, INTERMITTENTLY REGULARLY RAIN-FED	
V557	S1CQ5_ROK10_C	DEEP WATER	

ID	Name	Label	Question
V558	S1CQ5_ROK10_D	DROUGHT-PRONE	
V559	S1CQ5_ORILUX_A	IRRIGATED, CONTINUOUSLY FLOODED	
V560	S1CQ5_ORILUX_B	IRRIGATED, INTERMITTENTLY REGULARLY RAIN-FED	
V561	S1CQ5_ORILUX_C	DEEP WATER	
V562	S1CQ5_ORILUX_D	DROUGHT-PRONE	
V563	S1CQ6	S1CQ6 - Type of organic inputs added to the soil before cultivating rice in the 2024 Agricultural season	
V564	S1CQ7	S1CQ7 - Method used to plant rice on this PLOT	
V565	S1CQ8_AU	S1CQ8_AU - Area Unit	
V566	S1CQ9_AU	S1CQ9_AU - Area Unit	
V567	S1CQ10	S1CQ10 - At what age were rice seedlings transplanted on this PLOT during the 2024 Agricultural season	
V568	S1CQ11	S1CQ11 - Were rice seedlings transplanted on this PLOT	
V569	S1CQ12	S1CQ12 - Average distance or space between rice seedlings when transplanted on this PLOT	
V570	S1CQ13	S1CQ13 - Complete weeding was done for rice on this PLOT during the 2024 Agricultural season	
V571	S1CQ14_1	S1CQ14_1 - Was the number of weeding on this PLOT done	
V572	S1CQ14_2	S1CQ14_2 - Was the [NUMBER OF WEEDING] on this [PLOT] done	
V573	S1CQ14_3	S1CQ14_3 - Was the [NUMBER OF WEEDING] on this [PLOT] done	
V574	S1CQ14_4	S1CQ14_4 - Was the [NUMBER OF WEEDING] on this [PLOT] done	
V575	S1CQ15_1	S1CQ15_1 - Number of days after transplanting was done on this PLOT	
V576	S1CQ15_2	S1CQ15_2 - Number of days after transplanting was done on this PLOT	
V577	S1CQ15_3	S1CQ15_3 - Number of days after transplanting was done on this PLOT	
V578	S1CQ15_4	S1CQ15_4 - Number of days after transplanting was done on this PLOT	
V579	HH_Final_weight	PH weight adjusted from PP	

total: 59

Data file: S2A_TEM_VEG_PROD_PH_final

The file contains data related to permanent crop production. The information refers to section 2A of the Post Harvest questionnaire.

Cases: 2113

variables: 34

variables

ID	Name	Label	Question
V580	HOUSEHOLD_ID	Unique Household ID	
V581	REGION	REGION	
V582	DISTRICT	DISTRICT	
V583	URB_RUR	Location Status	
V584	EA_CODE	Enumeration Area	
V585	S2A_PARCEL_ID	S2A - Parcel ID	
V586	S2A_PLOT_ID	S2A - Plot ID	
V587	S2A_CROP_ID	Crop ID recoded	
V588	S2AQ1_A	SOLID MANURE	
V589	S2AQ1_B	LIQUID MANURE/SLURRY	
V590	S2AQ1_C	VEG MATERIAL & COMPOST	
V591	S2AQ1_D	OTHER (SPEC)	
V592	S2AQ1_E	NO ORGANIC FERTILIZER USED	
V593	S2AQ2_A	UREA	
V594	S2AQ2_B	NPK 15:15:15	
V595	S2AQ2_C	NPK 0:20:20	
V596	S2AQ2_D	DIAMMONIUM PHOSPHATE (DAP)	
V597	S2AQ2_E	NO INORGANIC FERTILIZER USED	
V598	S2AQ3_A	INSECTICIDES	
V599	S2AQ3_B	HERBICIDE (SOLID)	
V600	S2AQ3_C	HERBICIDE (LIQUID)	
V601	S2AQ3_D	FUNGICIDE	
V602	S2AQ3_E	RODENTICIDE	
V603	S2AQ3_F	NO PESTICIDES USED	
V604	S2AQ4	S2AQ4 - Adoption of integrated pest management on the permanent crop during the 2024 Agricultural season	
V605	S2AQ5	S2AQ5 - Number of crop plant on this parcel that were in production in the 2024 Agricultural season	
V606	S2AQ6	S2AQ6 - Did your farm have any permanent crop during the 2024 Agricultural season	
V607	S2AQ7	S2AQ7- in which month did your farm harvest permanent crop on this parcel during the 2024 Agricultural season	
V608	S2AQ7_1	S2AQ7_A - In which year did your farm harvest permanent crop on this parcel during the 2024 Agricultural season	
V609	S2AQ8	S2AQ8 - in the last harvest period were there any losses of permanent crop on this parcel before the harvest	
V610	S2AQ9_1	S2AQ9_1 - Why were there losses before the harvest	
V611	S2AQ9_2	S2AQ9_2 - Why were there losses before the harvest	

ID	Name	Label	Question
V612	S2AQ9A	SA2Q9a - Percent of the parcel area planted with permanent crop in the the last Agricultural season	
V613	HH_Final_weight	PH weight adjusted from PP	

total: 34

Data file: S2B_1D_destination_PH_final

This file contains derived data on crop destination values from sections 1D and 2B of the Post Harvest Questionnaire.

Cases: 9430

variables: 19

variables

ID	Name	Label	Question
V614	HOUSEHOLD_ID	Unique Household ID	
V615	REGION	REGION	
V616	DISTRICT	DISTRICT	
V617	URB_RUR	Location Status	
V618	EA_CODE	Enumeration Area	
V619	Crop_ID	Crop ID recoded	
V620	DEST_1	Production quantity that was sold	
V621	DEST_2	Production quantity that was consumed	
V622	DEST_3	Production quantity that was given away as gift	
V623	DEST_4	Production quantity that was used for reimbursements	
V624	DEST_5	Production quantity that was used as animal feed	
V625	DEST_6	Production quantity that was used for seeds	
V626	DEST_7	Production quantity that was lost during harvest	
V627	DEST_8	Production quantity that was lost during post-harvest	
V628	DEST_9	Production quantity in storage	
V629	DEST_10	Production quantity that was processed	
V630	DEST_11	Production quantity that was used for other purposes	
V631	DEST_12	Production quantity that was stored in unprocessed form	
V632	HH_Final_weight	PH weight adjusted from PP	

total: 19

Data file: S3A_CRP_BY_PROD_PH_final

The file contains data related to crop by-products. The information refers to section 3A of the Post Harvest questionnaire.

Cases: 45990

variables: 19

variables

ID	Name	Label	Question
V633	HOUSEHOLD_ID	Unique Household ID	
V634	REGION	REGION	
V635	DISTRICT	DISTRICT	
V636	URB_RUR	Location Status	
V637	EA_CODE	Enumeration Area	
V638	S3A_PRODUCT_ID	S3A - Product ID	
V639	S3A_PRODUCT_NAME	S3A - Product Name	
V640	S3AQ1	S3AQ1- Crop by product obtained during the 2024 Agricultural season	
V641	S3Q2_Q	S3AQ2_Q - Number of Crop by product obtained during the 2024 Agricultural season	
V642	S3AQ2_U	S3AQ2_U - Unit of measurement	
V643	S3AQ2_Factor_kg	Conversion factor in kg	
V644	S3QAQ3	S3AQ3 - Crop By-product usage	
V645	S3AQ4a_Q	S3AQ4a_Q - Sales of Crop By-product obtained during the 2024 planting season	
V646	S3AQ4a_U	S3AQ4a_U - Unit of Measurement	
V647	S3AQ4A_Factor_kg	Conversion factor in kg	
V648	S3AQ4B	S3AQ4b - Observations on total value of earnings	
V649	S3AQ4C	S3AQ4c - Total value of all crop By-product sales in 2024 planting season	
V650	S3AQ4D	S3AQ4d - Average unit price of crop By-product sales in the 2024 planting season	
V651	HH_Final_weight	PH weight adjusted from PP	

total: 19

Data file: S3B_CRP_PROCES_PROD_PH_final

The file contains data related to the processed products for crops. The information refers to section 3B of the Post Harvest questionnaire.

Cases: 691

variables: 22

variables

ID	Name	Label	Question
V652	HOUSEHOLD_ID	Unique Household ID	
V653	REGION	REGION	
V654	DISTRICT	DISTRICT	
V655	URB_RUR	Location Status	
V656	EA_CODE	Enumeration Area	
V657	S3B_CROP_PRODUCT_ID	S3B - Crop Product ID	
V658	S3BQ1	Processing any of the crops produced on the farm	
V659	S3BQ2	S3BQ2 - Did your Farm produced any CROP PRODUCT in the past 12 months	
V660	S3BQ3	S3BQ3 - Usage of Crop Production/ stock from the previous agricultural year	
V661	S3BQ4_Q	S3BQ4_Q - Quantity CROP PRODUCT produced in the past 12 months	
V662	S3BQ4_U	S3BQ4_U - Unit of measurement	
V663	S3BQ4_Factor	Conversion factor	
V664	S3BQ5_Q	S3BQ5_Q - How much of the CROP PRODUCT produced was used for own consumption last year	
V665	S3BQ5_U	S3BQ5_U - Unit of Measurement	
V666	S3BQ5_Factor	Conversion factor	
V667	S3BQ6	S3BQ6 - Any of the CROP PRODUCT sold in the past 12 months	
V668	S3BQ7A_Q	S3BQ7a_Q - How much of the CROP PRODUCT produced in the past 12 months was sold	
V669	S3BQ7A_U	S3BQ7a_U - Unit of measurement	
V670	S3BQ7A_Factor	Conversion factor	
V671	S3BQ7C	S3BQ7c - Total value of all CROP PRODUCT sales in the past 12 months	
V672	S3BQ7D	S3BQ7d - Average unit price of the CROP PRODUCT sold in the past 12 months	
V673	HH_Final_weight	PH weight adjusted from PP	

total: 22

Data file: S4A_LIVSTK_IN_STOCK_PH_final

The file contains data related to livestock kept by the household. The information refers to section 4A of the Post Harvest questionnaire.

Cases: 25671

variables: 14

variables

ID	Name	Label	Question
V731	HOUSEHOLD_ID	Unique Household ID	
V732	REGION	REGION	
V733	DISTRICT	DISTRICT	
V734	URB_RUR	Location Status	
V735	EA_CODE	Enumeration Area	
V736	S4A_LIVESTOCK_GROUP_ID	S4A - Livestock Group ID	
V737	S4A_LIVESTOCK_ID	S4A - Livestock ID	
V738	S4AQ1	S4AQ1 - Farm keep any [LIVESTOCK] irrespective of who owns the [LIVESTOCK NAME]	
V739	S4AQ2	S4AQ2 - How many [LIVESTOCK NAME] does this farm currently keep	
V740	S4AQ3_A	MEN	
V741	S4AQ3_B	WOMEN	
V742	S4AQ3_C	CHILDREN	
V743	S4AQ3_D	ALL HOUSEHOLD MEMBERS	
V744	HH_Final_weight	PH weight adjusted from PP	

total: 14

Data file: S4B_CHANGE_IN_STOCK_PH_final

The file contains data related to change in stock for large and medium sized animals. The information refers to section 4B of the Post Harvest questionnaire.

Cases: 18330

variables: 28

variables

ID	Name	Label	Question
V745	HOUSEHOLD_ID	Unique Household ID	
V746	REGION	REGION	
V747	DISTRICT	DISTRICT	
V748	URB_RUR	Location Status	
V749	EA_CODE	Enumeration Area	
V750	S4B_LIVESTOCK_GROUP_ID	S4B - Livestock Group ID	
V751	S4B_LIVESTOCK_ID	S4B - Livestock ID	
V752	S4BQ1	S4BQ1 - Number of LIVESTOCK NAME kept by farm exactly 12 months ago	
V753	S4BQ2	S4BQ2 - Number of LIVESTOCK NAME born in the past 12 months	
V754	S4BQ3A	S4BQ3a - Number of LIVESTOCK NAME bought alive in the past 12 months	
V755	S4BQ3C	S4BQ3c - Total value of the LIVESTOCK NAME purchased alive in the past 12 months	
V756	S4BQ3D	S4BQ3d - Average unit price of the LIVESTOCK NAME purchased alive in the last 12 months	
V757	S4BQ4	S4BQ4 - Number of LIVESTOCK NAME received for free or as gifts in the past 12 months	
V758	S4BQ5A	S4BQ5a - Number of LIVESTOCK NAME sold alive in the past 12 month	
V759	S4BQ5C	S4BQ5c - Total revenues from these LIVESTOCK NAME sold alive in the last 12 months	
V760	S4BQ5D	S4BQ5d - Average unit price of the LIVESTOCK NAME sold alive in the last 12 months	
V761	S4BQ6	S4BQ6 - Number of LIVESTOCK NAME died (diseases, natural events etc.) in the past 12 months	
V762	S4BQ7	S4BQ7 - Number of LIVESTOCK NAME lost (stolen, missing etc.) in the past 12 months	
V763	S4BQ8	S4BQ8 - Number of LIVESTOCK NAME that was given away for free or as gifts in the past 12 months	
V764	S4BQ9	S4BQ9 - Number of LIVESTOCK NAME slaughtered in the past 12 months	
V765	S4BQ10	S4BQ10 - Proportion of LIVESTOCK NAME slaughtered and consumed by the household in the past 12 months	
V766	S4BQ11	Did the farm sell any slaughtered [LIVESTOCK NAME] or their meat in the past 12 months?	
V767	S4BQ12A	S4BQ12a - Proportion of LIVESTOCK NAME slaughtered was sold by the farm in the past 12 months	
V768	S4BQ12B	S4BQ12b - Total revenues from selling these slaughtered LIVESTOCK NAME in the past 12 months	
V769	S4BQ13	S4BQ13 - Availability of any meat in stock from the LIVESTOCK NAME that were slaughtered in the past 12 months	
V770	S4BQ14	S4BQ14 - Proportion of LIVESTOCK NAME meat in stock now	
V771	S4BQ15	S4BQ15 - Main purpose for stocking LIVESTOCK NAME meat	

ID	Name	Label	Question
V772	HH_Final_weight	PH weight adjusted from PP	

total: 28

Data file: S4C_CHANGE_STOCK_POULT_PH_final

The file contains data related to change in stock for poultry animals. The information refers to section 4C of the Post Harvest questionnaire.

Cases: 7332

variables: 28

variables

ID	Name	Label	Question
V773	HOUSEHOLD_ID	Unique Household ID	
V774	REGION	REGION	
V775	DISTRICT	DISTRICT	
V776	URB_RUR	Location Status	
V777	EA_CODE	Enumeration Area	
V778	S4C_LIVESTOCK_GROUP_ID	S4C - LiveStock Group ID	
V779	S4C_LIVESTOCK_ID	S4C - LiveStock ID	
V780	S4CQ1	S4CQ1 - Number of livestock kept exactly 3 months ago	
V781	S4CQ2	S4CQ2 - Number of livestock born in past 3 months	
V782	S4CQ3A	S4CQ3A - Number of livestock bought alive in past 3 months	
V783	S4CQ3C	S4CQ3C - Total value of livestock bought alive in past 3 months	
V784	S4CQ3D	S4CQ3D - Average unit price of livestock bought in last 3 months	
V785	S4CQ4	S4CQ4 - Number of Livestock received for free or gift in past 3 years	
V786	S4CQ5A	S4CQ5a - Number of Livestock sold alive in the past 3 months	
V787	S4CQ5C	S4CQ5C - Total revenues from livestock sold alive in the past 3 months	
V788	S4CQ5D	S4CQ5d - Average unit price of livestock sold alive in past 3 months	
V789	S4CQ6	S4CQ6 - Number of Livestock that died in past 3 months	
V790	S4CQ7	S4CQ7 - Number of Livestock lost in past 3 months	
V791	S4CQ8	S4CQ8 - Number of Livestock given away in past 3 months	
V792	S4CQ9	S4CQ9 - Number of Livestock slaughtered in past 3 months	
V793	S4CQ10	S4CQ10 - Number of Livestock eaten by household in past 3 months	
V794	S4CQ11	S4CQ11 - Did the farm Sell any livestock slaughtered in past 3 months	
V795	S4CQ12A	S4CQ12a - Number of slaughtered livestock sold in past 3 months	
V796	S4CQ12B	S4CQ12B - Total revenues from slaughtered livestock in past 3 months	
V797	S4CQ13	S4CQ13 - Availability of any stock of meet slaughtered in past 3 months	
V798	S4CQ14	S4CQ14 - Number of livestock approximately in stock presently	
V799	S4CQ15	S4CQ15 - Main purpose of stocking meat	
V800	HH_Final_weight	PH weight adjusted from PP	

total: 28

Data file: S4D_MILK_PROD_PH_final

The file contains data related to milk production. The information refers to section 4D of the Post Harvest questionnaire.

Cases: 47

variables: 18

variables

ID	Name	Label	Question
V801	HOUSEHOLD_ID	Unique Household ID	
V802	REGION	REGION	
V803	DISTRICT	DISTRICT	
V804	URB_RUR	Location Status	
V805	EA_CODE	Enumeration Area	
V806	S4D_LIVESTOCK_GROUP_ID	S4D - LiveStock Group ID	
V807	S4D_LIVESTOCK_ID	S4D - LiveStock ID	
V808	S4DQ1	S4DQ1 - Did this farm milk any livestock in past 12 months	
V809	S4DQ2	S4DQ2 - Number of months on average livestock were milked in past 12 months	
V810	S4DQ3	S4DQ3 - Number of animals milked on average per month	
V811	S4DQ4	S4DQ4 - Average quantity of milk milked per day from herd	
V812	S4DQ5	S4DQ5 - How much milk did household members consume per week	
V813	S4DQ6	S4DQ6 - Did farm sell any milk of livestock	
V814	S4DQ7A	S4DQ7a - How much of livestock milk was sold per week by farm	
V815	S4DQ7C	S4DQ7c - Total earnings from selling milk per week	
V816	S4DQ7D	S4DQ7d - Average unit price of milk sold	
V817	S4DQ8	S4DQ8 - How much milk was processed by farm per week	
V818	HH_Final_weight	PH weight adjusted from PP	

total: 18

Data file: S4E_EGG_PROD_PH_final

The file contains data related to egg production. The information refers to section 4E of the Post Harvest questionnaire.

Cases: 1088

variables: 17

variables

ID	Name	Label	Question
V819	HOUSEHOLD_ID	Unique Household ID	
V820	REGION	REGION	
V821	DISTRICT	DISTRICT	
V822	URB_RUR	Location Status	
V823	EA_CODE	Enumeration Area	
V824	S4E_LIVESTOCK_GROUP_ID	S4E - LiveStock Group ID	
V825	S4E_LIVESTOCK_ID	S4E - LiveStock ID	
V826	S4EQ1	S4EQ1 - Any livestock raised produced eggs in past 12 months	
V827	S4EQ2	How many clutching periods did [LIVESTOCK TYPE] have on average in the last 12 months?	
V828	S4EQ3	S4EQ3 - Average eggs laid per clutching period	
V829	S4EQ4	S4EQ4 - Number of livestock that had clutching period in past 3 months	
V830	S4EQ5	S4EQ5 - Number of laid eggs in last clutching period consumed by household in past 3 months	
V831	S4EQ6	S4EQ6 - Did farm sell any eggs laid in past 3 months	
V832	S4EQ7A	S4EQ7a - Number of eggs laid were sold in past 3 months	
V833	S4EQ7C	S4EQ7c - Earnings from selling eggs in past 3 months	
V834	S4EQ7D	S4EQ7d - Average unit price of eggs sold in past 3 months	
V835	HH_Final_weight	PH weight adjusted from PP	

total: 17

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

The file contains data related to other livestock products. The information refers to section 4F of the Post Harvest questionnaire.

Cases: 5499

variables: 28

variables

ID	Name	Label	Question
V836	HOUSEHOLD_ID	Unique Household ID	
V837	REGION	REGION	
V838	DISTRICT	DISTRICT	
V839	URB_RUR	Location Status	
V840	EA_CODE	Enumeration Area	
V841	PRODUCT_ID	S4F - Product ID	
V842	S4FQ1	S4FQ1 - Did farm produce any product type in past 12 months	
V843	S4FQ2_Q	S4FQ2_Q - Quantity produced in past 3 months	
V844	S4Q2_U	S4Q2_U - Unit of measurement	
V845	S4Q2_Factor_kg		
V846	S4Q2_Factor_liter		
V847	S4FQ3	S4FQ3 - Farm sell product in past 12 months	
V848	S4FQ4_Q	S4FQ4_Q - Quantity produced sold in past 12 months	
V849	S4FQ4_U	S4FQ4_U - Unit of measurement	
V850	S4Q4_Factor_liter		
V851	S4Q4_Factor_kg		
V852	S4FQ5B	S4FQ5b - Total earnings from product sales in past 12 months	
V853	S4FQ5C	S4FQ5c - Average unit price of product sold in past 12 months	
V854	S4FQ6	S4FQ6 - Did farm give product away in past 12 months	
V855	S4FQ7_Q	S4FQ7_Q - Quantity produced given away in past 12 months	
V856	S4FQ7_U	S4FQ7_U - Unit of measurement	
V857	S4Q7_Factor_liter	Conversion factor in liter	
V858	S4Q7_Factor_kg	Conversion factor in kg	
V859	S4FQ8	S4FQ8 - Any product exchange for goods or services	
V860	S4FQ9_Q	S4FQ9_Q - Quantity produced exchanged for goods or services	
V861	S4FQ9_U	S4FQ9_U - Unit of measurement	
V862	S4Q9_Factor_liter	Conversion factor in liter	
V863	HH_Final_weight	PH weight adjusted from PP	

total: 28

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

The file contains data related to livestock breeding and health. The information refers to section 4G of the Post Harvest questionnaire.

Cases: 1539

variables: 54

variables

ID	Name	Label	Question
V864	HOUSEHOLD_ID	Unique Household ID	
V865	REGION	REGION	
V866	DISTRICT	DISTRICT	
V867	URB_RUR	Location Status	
V868	EA_CODE	Enumeration Area	
V869	S4G_LIVESTOCK_GROUP_ID	S4G - LiveStock Group ID	
V870	S4G_LIVESTOCK_ID	S4G - LiveStock ID	
V871	S4GQ1	S4GQ1 - Farm use any controlled animal reproduction techniques for livestock group	
V872	S4GQ2_A	NATURAL MATING WITH A SIRE SELECTED WITHIN THE HERD	
V873	S4GQ2_B	NATURAL MATING WITH A PURCHASED OR RENTED SIRE	
V874	S4GQ2_C	NATURAL MATING WITH AN EXCHANGED SIRE	
V875	S4GQ2_D	NATURAL MATING WITH A NON-BREEDING MALE CASTRATED	
V876	S4GQ2_E	NATURAL MATING WITH A PURCHASED DAM	
V877	S4GQ2_F	ARTIFICIAL INSEMINATION	
V878	S4GQ2_G	DAM WAS PURCHASED PREGNANT	
V879	S4GQ2_H	DAM WAS EXCHANGED PREGNANT	
V880	S4GQ4	S4GQ4 - Livestock group suffer any disease in the past 12 months	
V881	S4GQ5_A	BRUCELOSIS	
V882	S4GQ5_B	LUMPY SKIN DISEASE	
V883	S4GQ5_C	RABIES	
V884	S4GQ5_D	FMD	
V885	S4GQ5_E	ANTHRAX	
V886	S4GQ5_F	BLACK QUARTER (BQ)	
V887	S4GQ5_G	NEW CASTLE DISEASE	
V888	S4GQ5_H	SMALL POX	
V889	S4GQ5_I	GOMBORO	
V890	S4GQ5_J	HELMINTHIOSIS	
V891	S4GQ5_K	TICK BORNE DISEASE	
V892	S4GQ5_L	TYPANOSOMIASIS	
V893	S4GQ6	S4GQ6 - Farm vaccinated any livestock	
V894	S4GQ7_A	BRUCELOSIS	
V895	S4GQ7_B	LUMPY SKIN DISEASE	
V896	S4GQ7_C	RABIES	
V897	S4GQ7_D	FMD	
V898	S4GQ7_E	ANTHRAX	

ID	Name	Label	Question
V899	S4GQ7_F	BLACK QUARTER (BQ)	
V900	S4GQ7_G	NEW CASTLE DISEASE	
V901	S4GQ7_H	SMALL POX	
V902	S4GQ7_I	GOMBORO	
V903	S4GQ7_J	HELMINTHIOSIS	
V904	S4GQ7_K	TICK BORNE DISEASE	
V905	S4GQ7_L	TYPANOSOMIASIS	
V906	S4GQ8	S4GQ8 - Did farm use any veterinary services for LIVESTOCK GROUP	
V907	S4GQ9_A	REPRODUCTION	
V908	S4GQ9_B	CURATIVE TREATMENT, SURGICAL PROCEDURES	
V909	S4GQ9_C	CURATIVE TREATMENT, OTHER (SPECIFY)	
V910	S4GQ9_D	PREVENTATIVE MEDICINE, VACCINATIONS	
V911	S4GQ9_E	PREVENTATIVE MEDICINE, DEWORMING (ANTHELMINTIC)	
V912	S4GQ9_F	PREVENTATIVE MEDICINE AGAINST PARASITES	
V913	S4GQ9_G	PREVENTATIVE MEDICINE	
V914	S4GQ10	S4GQ10 - Antibiotics used on LIVESTOCK GROUP	
V915	S4GQ11	S4GQ11 - LIVESTOCK GROUP treated with traditional medicine	
V916	S4GQ12	S4GQ12 - Purpose LIVESTOCK GROUP treated with traditional medicine	
V917	HH_Final_weight	PH weight adjusted from PP	

total: 54

Data file: S4H1_LIVESTOCK_WATER_PH_final

The file contains data related to water source for livestock. The information refers to section 4H1 of the Post Harvest questionnaire.

Cases: 2356

variables: 14

variables

ID	Name	Label	Question
V918	HOUSEHOLD_ID	Unique Household ID	
V919	REGION	REGION	
V920	DISTRICT	DISTRICT	
V921	URB_RUR	Location Status	
V922	EA_CODE	Enumeration Area	
V923	S4H_LIVESTOCK_GROUP_ID	S4H - LiveStock Group ID	
V924	S4HQ1	S4HQ1 - Main source of water for watering LIVESTOCK GROUP for all seasons	
V925	S4HQ2	S4HQ2 - Main source of water used for watering LIVESTOCK GROUP in the past 12 month	
V926	S4HQ3	S4HQ3 - Distance LIVETSOCK GROUP travel to reach watering point	
V927	S4HQ4	S4HQ4 - Main source of water used for watering LIVESTOCK GROUP in DRY season	
V928	S4HQ5	S4HQ5 - Distance LIVETSOCK GROUP travel to reach watering point in DRY season	
V929	S4HQ6	S4HQ6 - Main source of water used for watering LIVESTOCK GROUP in RAINY season	
V930	S4HQ7	S4HQ7 - Distance LIVESTOCK GROUP travel to reach watering point in RAINY season	
V931	HH_Final_weight	PH weight adjusted from PP	

total: 14

Data file: S4H2_WATERING_PROBLEM_PH_final

The file contains data related to watering problems encountered for livestock. The information refers to section 4H2 of the Post Harvest questionnaire.

Cases: 1755

variables: 21

variables

ID	Name	Label	Question
V932	HOUSEHOLD_ID	Unique Household ID	
V933	REGION	REGION	
V934	DISTRICT	DISTRICT	
V935	URB_RUR	Location Status	
V936	EA_CODE	Enumeration Area	
V937	S4HQ8	S4HQ8 - Problems encountered in watering LIVESTOCK in past 12 months	
V938	S4HQ9_A	January	
V939	S4HQ9_B	February	
V940	S4HQ9_C	March	
V941	S4HQ9_D	April	
V942	S4HQ9_E	May	
V943	S4HQ9_F	June	
V944	S4HQ9_G	July	
V945	S4HQ9_H	August	
V946	S4HQ9_I	September	
V947	S4HQ9_J	October	
V948	S4HQ9_K	November	
V949	S4HQ9_L	December	
V950	S4HQ10	S4HQ10 - Main problem encountered	
V951	S4HQ11	S4HQ11 - Solution provided to livestock during problematic period	
V952	HH_Final_weight	PH weight adjusted from PP	

total: 21

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

The file contains data related to source of feed for livestock. The information refers to section 4H4 of the Post Harvest questionnaire.

Cases: 2917

variables: 19

variables

ID	Name	Label	Question
V953	HOUSEHOLD_ID	Unique Household ID	
V954	REGION	REGION	
V955	DISTRICT	DISTRICT	
V956	URB_RUR	Location Status	
V957	EA_CODE	Enumeration Area	
V958	FEED_ID	FEED ID	
V959	S4H4_FEED_TYPE_NAME	S4H4 - Feed Type Name	
V960	S4HQ23_A	PRODUCED ON THE HOLDING/FARM	
V961	S4HQ23_B	COMMON PASTURE	
V962	S4HQ23_C	PURCHASED	
V963	S4HQ23_D	EXCHANGED	
V964	S4HQ23_E	RECEIVED FOR FREE	
V965	S4HQ24_A	S4HQ24_1 - Proportion of FEED TYPE PRODUCED ON THE HOLDING/FARM	
V966	S4HQ24_B	S4HQ24_2 - Proportion of FEED TYPE from COMMON PASTURE	
V967	S4HQ24_C	S4HQ24_3 - Proportion of FEED TYPE PURCHASED	
V968	S4HQ24_D	S4HQ24_4 - Proportion of FEED TYPE EXCHANGED	
V969	S4HQ24_E	S4HQ24_5 - Proportion of FEED TYPE RECEIVED FOR FREE	
V970	S4HQ25	S4HQ25 - Month(s) FEED TYPE purchased to feed livestock	
V971	HH_Final_weight	PH weight adjusted from PP	

total: 19

Data file: S4H5_FEED_CROP_FORAGE_PH_final

The file contains data related to feed crop forage. The information refers to section 4H5 of the Post Harvest questionnaire.

Cases: 54

variables: 11

variables

ID	Name	Label	Question
V972	HOUSEHOLD_ID	Unique Household ID	
V973	REGION	REGION	
V974	DISTRICT	DISTRICT	
V975	URB_RUR	Location Status	
V976	EA_CODE	Enumeration Area	
V977	CROP_FORAGE_ID	Crop Forage ID	
V978	S4HQ26_Q	S4HQ26_Q - Feed CROP/FORAGE purchased to feed livestock	
V979	S4HQ26_U	S4HQ26_U - Unit of measurement	
V980	S4HQ26_C	S4HQ26_C - Feed crop condition	
V981	S4HQ26_Factor	Conversion factor	
V982	HH_Final_weight	PH weight adjusted from PP	

total: 11

Data file: S4H6_MANURE_PH_final

The file contains data on manure collected from pasture. The information refers to section 4H6 of the Post Harvest questionnaire.

Cases: 1833

variables: 9

variables

ID	Name	Label	Question
V983	HOUSEHOLD_ID	Unique Household ID	
V984	REGION	REGION	
V985	DISTRICT	DISTRICT	
V986	URB_RUR	Location Status	
V987	EA_CODE	Enumeration Area	
V988	S4HQ27	S4HQ27 - Manure collected from pasture used as fuel	
V989	S4HQ28	S4HQ28 - Think about the community this farm operates and neighbourhood that not used by the farm for grazing livestock	
V990	S4HQ29	S4HQ29 - Reason communal pasture land not used by the farm for grazing livestock	
V991	HH_Final_weight	PH weight adjusted from PP	

total: 9

Data file: S4I_EQUIPT_TRASP_PH_final

The file contains data related to equipment and transportation. The information refers to section 4I of the Post Harvest questionnaire.

Cases: 4095

variables: 24

variables

ID	Name	Label	Question
V992	HOUSEHOLD_ID	Unique Household ID	
V993	REGION	REGION	
V994	DISTRICT	DISTRICT	
V995	URB_RUR	Location Status	
V996	EA_CODE	Enumeration Area	
V997	S4I_LIVESTOCK_GROUP_ID	S4I - LiveStock Group ID	
V998	S4I_LIVESSTOCK_ID	S4I - LiveStock ID	
V999	S4IQ1	S4IQ1- LIVESTOCK GROUP transported from the farm to a slaughterhouse	
V1000	S4IQ2	What was the main transportation method used to transport the live [LIVESTOCK GROUP] to the slaughterhouse in the past 12(3) months?	
V1001	S4IQ3	S4IQ3 - Frequency of LIVESTOCK GROUP transported to the slaughterhouse	
V1002	S4IQ4	S4IQ4 - LIVESTOCK GROUP transported from the farm to the market	
V1003	S4IQ5	S4IQ5 - Main transportation to transport the LIVESTOCK GROUP to the market	
V1004	S4IQ6	S4IQ6 - Frequency of LIVESTOCK GROUP transported to the market	
V1005	S4IQ7	Were live [LIVESTOCK GROUP] transported to pastures outside the farm in the past 12 months?	
V1006	S4IQ8	S4IQ8 - Main transportation to transport the LIVESTOCK GROUP outside the farm	
V1007	S4IQ9	S4IQ9 - Frequency of LIVESTOCK GROUP transported outside the farm	
V1008	S4IQ10	S4IQ10 - LIVESTOCK GROUP transported to another farm which fed 12 Months Ago	
V1009	S4IQ11	S4IQ11 - Main transportation to transport LIVESTOCK GROUP to another farm	
V1010	S4IQ12	S4IQ12 - Frequency of LIVESTOCK GROUP transported to another farm	
V1011	S4IQ13	S4IQ13 - Transhumance of LIVESTOCK GROUP practised by the farm	
V1012	S4IQ14	S4IQ14 - Cross-border transhumance of LIVESTOCK GROUP practised by the farm	
V1013	S4IQ15	Were [LIVESTOCK GROUP] used for draft animal power on the holding/farm in the past 12 months?	
V1014	S4IQ16	S4IQ16 - LIVESTOCK GROUP used for draft animal power	
V1015	HH_Final_weight	PH weight adjusted from PP	

total: 24

Data file: S5_OTHER_FARM_ACTV_PH_final

The file contains data on other farm activities. The information refers to section 5 of the Post Harvest questionnaire.

Cases: 20440

variables: 12

variables

ID	Name	Label	Question
V1016	HOUSEHOLD_ID	Unique Household ID	
V1017	REGION	REGION	
V1018	DISTRICT	DISTRICT	
V1019	URB_RUR	Location Status	
V1020	EA_CODE	Enumeration Area	
V1021	S5_ACTIVITY_ID	S5 - Activity ID	
V1022	S5Q1	S5Q1 - During the last 12 month did the farm engage in activity	
V1023	S5Q2_Q	S5Q2_Q - Total quantity produced for the main product obtained from engaging activity	
V1024	S5Q2_U	S5Q2_U - Unit of Measure	
V1025	S5Q2_Factor_kg	Conversion factor in kg	
V1026	S5Q3	S5Q3 - Average unit price of the main product obtained from engaging activity	
V1027	HH_Final_weight	PH weight adjusted from PP	

total: 12

Data file: S6_LABOUR_PH_final

The file contains data related to labour used by household. The information refers to section 6 of the Post Harvest questionnaire.

Cases: 35770

variables: 11

variables

ID	Name	Label	Question
V1028	HOUSEHOLD_ID	Unique Household ID	
V1029	REGION	REGION	
V1030	DISTRICT	DISTRICT	
V1031	URB_RUR	Location Status	
V1032	EA_CODE	Enumeration Area	
V1033	S6_WORKER_CATEGORY	S6 - WORKER CATEGORY	
V1034	S6Q1	S6Q1- Did worker category work to grow and harvest crops for this farm in the past 12month	
V1035	S6Q2_Q	S6Q2 - Did worker Category work on the livestock production for this farm in the past 12 month	
V1036	S6Q3	Did [WORKER CATEGORY] work on aquaculture for this farm in the past 12 months?	
V1037	S6Q4	S6Q4 - Number of worker category worked on all these Activities for this farm in the past 12 month	
V1038	HH_Final_weight	PH weight adjusted from PP	

total: 11

Data file: S7_GHG_ENVIR_ISSUES_PH_final

The file contains data related to greenhouse gases and environmental issues. The information refers to section 7 of the Post Harvest questionnaire.

Cases: 5110

variables: 15

variables

ID	Name	Label	Question
V1039	HOUSEHOLD_ID	Unique Household ID	
V1040	REGION	REGION	
V1041	DISTRICT	DISTRICT	
V1042	URB_RUR	Location Status	
V1043	EA_CODE	Enumeration Area	
V1044	S7Q1	S7Q1 - Agricultural area utilized in the past 12 months by the farm protected area	
V1045	S7Q3	S7Q3 - Any contaminated sites on the farm in the past 12 months	
V1046	S7Q4	S7Q4 - Farm involved in any organization(s) (cooperative, association, etc.) for environmental protection programs in the past 12 months	
V1047	S7Q5_A	Lack of water (drought)	
V1048	S7Q5_B	Floods	
V1049	S7Q5_C	Air pollution	
V1050	S7Q5_D	Soil pollution	
V1051	S7Q5_E	Extreme temperature (cold or heat)	
V1052	S7Q5_Z	None	
V1053	HH_Final_weight	PH weight adjusted from PP	

total: 15

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

The file contains data related to climate and environmental shocks, and adaptation strategies of the household. The information refers to section 8 of the Post Harvest questionnaire.

Cases: 45988

variables: 31

variables

ID	Name	Label	Question
V1054	HOUSEHOLD_ID	Unique Household ID	
V1055	REGION	REGION	
V1056	DISTRICT	DISTRICT	
V1057	URB_RUR	Location Status	
V1058	EA_CODE	Enumeration Area	
V1059	S8Q_SHOCK_ID	S8 - Shock ID	
V1060	S8Q2	S8Q2 - Shock type experience by farm in the past 12 months	
V1061	S8Q3	S8Q3 - Number of times farm experience [SHOCK TYPE] in the past 12 months	
V1062	S8Q4B	S8Q4B - Number of people injured in the farm due to this(these) shock(s) in the past 12 months	
V1063	S8Q4C	S8Q4C - Number of people in the farm rendered homeless due to this(these) shock(s) in the past 12 months	
V1064	S8Q4D	S8Q4D - Number of people in the farm evacuated due to this(these) shock(s) in the past 12 months	
V1065	S8Q5	S8Q5 - How severe was the impact of [SHOCK TYPE] on the livelihood of this farm	
V1066	S8Q6	S8Q6 - Physical impacts farm experienced as a consequence of [SHOCK TYPE] occurrence	
V1067	S8Q7	S8Q7 - How severe were these impacts	
V1068	S8Q8_A	Loss of income due to disruption of production	
V1069	S8Q8_B	Loss of revenues	
V1070	S8Q8_C	Reduction in the earnings of salaried household member(s)	
V1071	S8Q8_D	Loss of employment of salaried household member(s)	
V1072	S8Q8_E	None of the above	
V1073	S8Q9	S8Q9 - How severe were economic impacts	
V1074	S8Q10_A	Household had access to or availed formal credit for protection against the shock	
V1075	S8Q10_B	Household had access to or availed informal credit for protection against the shock	
V1076	S8Q10_C	Neither the holding had access to nor availed any of the above mechanisms for protection against external shocks	
V1077	S8Q0_A	Multicropping	
V1078	S8Q0_B	Shifting cultivation	
V1079	S8Q0_C	Use of traditional heritage practices and knowledge	
V1080	S8Q0_D	Use of traditional crop/animal varieties	
V1081	S8Q0_E	Use of seeds adapted to local conditions and stresses	
V1082	S8Q0_F	Use of new practices or technologies	
V1083	S8Q0_G	No adaptation practice put in place	
V1084	HH_Final_weight	PH weight adjusted from PP	

total: 31

Data file: S1A_1B_2A_production_PH_final

This file contains derived data on production values from sections 1A, 1B and 2A of the Post Harvest Questionnaire.

Cases: 9948

variables: 12

variables

ID	Name	Label	Question
V1085	HOUSEHOLD_ID	Unique Household ID	
V1086	REGION	REGION	
V1087	DISTRICT	DISTRICT	
V1088	URB_RUR	Location Status	
V1089	EA_CODE	Enumeration Area	
V1090	S1A_PARCEL_ID	S1A - PARCEL ID	
V1091	S1A_PLOT_ID	S1A - PLOT ID	
V1092	Crop_ID	Crop ID recoded	
V1093	MEASURED_AREA_ha	Crop area measured in hectares	
V1094	Harvested_Area_Ha_PH	Harvested area in hectares	
V1095	production_KGS_new	Production at the household level	
V1096	HH_Final_weight	PH weight adjusted from PP	

total: 12

Data file: S3C_INPUT_USE_PH_final

The file contains data related to inputs used by the household. The information refers to section 3C of the Post Harvest questionnaire.

Cases: 2487

variables: 15

variables

ID	Name	Label	Question
V1097	HOUSEHOLD_ID	Unique Household ID	
V1098	REGION	REGION	
V1099	DISTRICT	DISTRICT	
V1100	URB_RUR	Location Status	
V1101	EA_CODE	Enumeration Area	
V1102	S3C_INPUT_ID	Input ID	
V1103	S3C_INPUT_QUANTITY	Input Quantity	
V1104	UNITS	Input Units	
V1105	S3CQ1B	S3CQ1b - Did the farm purchase any of the INPUT TYPE used during the 2024 Agricu	
V1106	SC3Q2B	What percentage out of the TOTAL INPUT TYPE used was purchased?	
V1107	SC3Q3	SC3Q3 - Did the farm receive any of the INPUT TYPE used in exchange for goods an	
V1108	SC3Q4	What percentage out of the TOTAL INPUT TYPE used was received in exchange for goods and services?	
V1109	SC3Q5	SC3Q5 - Farm receive any of the INPUT TYPE used for free during the 2024 Agricul	
V1110	SC3Q6	What percentage out of the TOTAL INPUT TYPE used was received for free?	
V1111	HH_Final_weight	PH weight adjusted from PP	

total: 15

Data file: S3D_INPUT_DETAILS_PH_final

The file contains data related to details of the inputs used by the household. The information refers to section 3D of the Post Harvest questionnaire.

Cases: 5110

variables: 42

variables

ID	Name	Label	Question
V1112	HOUSEHOLD_ID	Unique Household ID	
V1113	REGION	REGION	
V1114	DISTRICT	DISTRICT	
V1115	URB_RUR	Location Status	
V1116	EA_CODE	Enumeration Area	
V1117	S3DQ_ORG_FERT_USE	Households reporting any organic fertilizer use	
V1118	S3DQ_INORG_FERT_USE	Households reporting any inorganic fertilizer use	
V1119	S3DQ_PEST_USE	Households reporting any pesticides use	
V1120	S3DQ_IPM	Households reporting any IPM use	
V1121	S3DQ1	S3DQ1 - Why were fertilizers not applied at all during the 2024 Agricultural sea	
V1122	S3DQ2	S3DQ2 - Awareness of the environmental risks associated with the excessive use o	
V1123	S3DQ3	S3DQ3 - Specific measures to mitigate the environmental risks associated with t	
V1124	S3DQ4_A	Follow protocols as per extension service or retail outlet directions or local r	
V1125	S3DQ4_B	Use organic source of nutrients (including manure or composting residues) alone,	
V1126	S3DQ4_C	Use legumes as a cover crop, or component of a multi/crop or pasture system to r	
V1127	S3DQ4_D	Distribute synthetic or mineral fertilizer application over the growing period	
V1128	S3DQ4_E	Consider soil type and climate in deciding fertilizer application doses and freq	
V1129	S3DQ5	S3DQ5 - Awareness of the environmental and health risks associated with the use	
V1130	S3DQ6_A	Adherence to label directions for pesticide use (including use of protection equ	
V1131	S3DQ6_B	Maintenance and cleansing of protection equipment after use	
V1132	S3DQ6_C	Safe disposal of waste (cartons, bottles and bags)	
V1133	S3DQ6_Y	NONE	
V1134	S3DQ7_A	Adherence to label directions for pesticide application	
V1135	S3DQ7_B	Adjustment of planting time	
V1136	S3DQ7_C	Application of crop spacing	
V1137	S3DQ7_D	Application of crop rotation	
V1138	S3DQ7_E	Application of mixed cropping	
V1139	S3DQ7_F	Application of inter-cropping	
V1140	S3DQ7_G	Perform biological pest control	
V1141	S3DQ7_H	Use of biopesticides	
V1142	S3DQ7_I	Adopting pasture rotation to suppress livestock pest population	
V1143	S3DQ7_J	Use of pest resistant/tolerant cultivars	
V1144	S3DQ7_K	Use of disease resistant/tolerant livestock breed	

ID	Name	Label	Question
V1145	S3DQ7_L	Systematic removal of plant parts attacked by pests	
V1146	S3DQ7_M	Maintenance and cleansing of spray equipment after use	
V1147	S3DQ7_N	Use one pesticide no more than two times or in mixture in a season to avoid pest	
V1148	S3DQ7_Y	NONE	
V1149	S3DQ8	S3DQ8 - Determinant of the correct dose of pesticide to be applied on your crops	
V1150	S3DQ9	S3DQ9 - Time decision taken to apply pesticides on your crops/plots	
V1151	S3DQ10	S3DQ10 - Time of the day you apply pesticides on your crops/plots	
V1152	S3DQ11	S3DQ11 - Use of natural pests against diseases or for weed control during the 20	
V1153	HH_Final_weight	PH weight adjusted from PP	

total: 42

HOUSEHOLD_ID: Unique Household ID**Data file:** SOB_HH_DETAILS_final**Overview**

Valid: 4973

Type: Discrete Width: 8 Range: - Format: character

S5AQ1: S5AQ1 - Practice of Aquaculture**Data file:** SOB_HH_DETAILS_final**Overview**

Valid: 4943 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	6	0.1%
2	NO	4937	99.3%
Sysmiss		30	0.6%

REGION: REGION**Data file:** SOB_HH_DETAILS_final**Overview**

Valid: 4967 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	1964	39.5%
2	NORTH-EASTERN	917	18.4%
3	NORTH-WESTERN	928	18.7%
4	SOUTHERN	1108	22.3%
5	WESTERN AREA	50	1%
Sysmiss		6	0.1%

DISTRICT: DISTRICT**Data file:** SOB_HH_DETAILS_final**Overview**

Valid: 4886 Minimum: 11 Maximum: 51
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	711	14.3%
12	KENEMA	634	12.7%
13	KONO	603	12.1%
21	BOMBALI	175	3.5%
22	FALABA	143	2.9%
23	KOINADUGU	82	1.6%
24	TONKOLILI	496	10%
31	KAMBIA	312	6.3%
32	KARENE	150	3%
33	PORTLOKO	444	8.9%
41	BO	402	8.1%
42	BONTHE	112	2.3%
43	MOYAMBA	291	5.9%
44	PUJEHUN	281	5.7%
51	WESTERN RURAL	50	1%
52	WESTERN URBAN	0	
Sysmiss		87	1.7%

URB_RUR: Location Status**Data file:** SOB_HH_DETAILS_final**Overview**

Valid: 4973
 Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area**Data file:** SOB_HH_DETAILS_final**Overview**

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S0BQ1: S0BQ1 - Operate land or raise livestock jointly with other households

Data file: S0B_HH_DETAILS_final

Overview

Valid: 4973 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	106	2.1%
2	NO	4867	97.9%

S0BQ2: Number of households sharing activities

Data file: S0B_HH_DETAILS_final

Overview

Valid: 4973 Minimum: 0 Maximum: 3
 Type: Discrete Width: 8 Range: - Format: Numeric

S0BQ3: S0BQ3 - Legal status of the farm

Data file: S0B_HH_DETAILS_final

Overview

Valid: 4927 Minimum: 1 Maximum: 3
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	SINGLE/SOLE PROPRIETORSHIP	4871	97.9%
2	COOPERATIVES	7	0.1%
3	PARTNERSHIP/MULTIPLE HOLDING	49	1%
4	OTHERS	0	
Sysmiss		46	0.9%

S0BQ5: S0BQ5 - Majority of farm activities conducted in the proximity of the household**Data file:** S0B_HH_DETAILS_final**Overview**

Valid: 4973 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	4555	91.6%
2	NO	418	8.4%

S5AQ2: S5AQ2 - Land of Aquaculture out of farm**Data file:** S0B_HH_DETAILS_final**Overview**

Valid: 34 Minimum: 0 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	NO	21	0.4%
1	YES, ALL OF IT	6	0.1%
2	YES, PART OF IT	7	0.1%
Sysmiss		4939	99.3%

S5AQ3: S5AQ3 - Any trees lining the fish ponds used for aquaculture**Data file:** S0B_HH_DETAILS_final**Overview**

Valid: 34 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	16	0.3%

2	NO	18	0.4%
Sysmiss		4939	99.3%

S6AQ1: S6AQ1 - Fishing in this Household

Data file: S0B_HH_DETAILS_final

Overview

Valid: 4955 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	1486	29.9%
2	NO	3469	69.8%
Sysmiss		18	0.4%

S6AQ2: S6AQ2 - Keeping records of fishing production

Data file: S0B_HH_DETAILS_final

Overview

Valid: 1565 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	193	3.9%
2	NO	1372	27.6%
Sysmiss		3408	68.5%

S7AQ1: S7AQ1 - Practice of Forestry Activities

Data file: S0B_HH_DETAILS_final

Overview

Valid: 2177 Minimum: 1 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	2177	43.8%
2	NO	0	
Sysmiss		2796	56.2%

S0AQ15A: S0AQ15A - Household Growing Crops

Data file: S0B_HH_DETAILS_final

Overview

Valid: 4953 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	4927	99.1%
2	NO	26	0.5%
Sysmiss		20	0.4%

S0AQ15B: S0AQ15B - Household intend to grow crops

Data file: S0B_HH_DETAILS_final

Overview

Valid: 46 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	40	0.8%
2	NO	6	0.1%
Sysmiss		4927	99.1%

S0AQ16A: S0AQ16A - Household raise livestock**Data file:** S0B_HH_DETAILS_final**Overview**

Valid: 4973 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	3057	61.5%
2	NO	1916	38.5%

S0AQ16B: S0AQ16B - household intend to raise livestock**Data file:** S0B_HH_DETAILS_final**Overview**

Valid: 1916 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	579	11.6%
2	NO	1337	26.9%
Sysmiss		3057	61.5%

HH_FINAL_WEIGHT: HH weight in the district**Data file:** S0B_HH_DETAILS_final**Overview**

Minimum: 13.77279036666 Maximum: 33222.343296819
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 4973
Type: Discrete Width: 8 Range: - Format: character

REGION: REGION

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 4967 Minimum: 1 Maximum: 5
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	1964	39.5%
2	NORTH-EASTERN	917	18.4%
3	NORTH-WESTERN	928	18.7%
4	SOUTHERN	1108	22.3%
5	WESTERN AREA	50	1%
Sysmiss		6	0.1%

DISTRICT: DISTRICT

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 4886 Minimum: 11 Maximum: 51
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	711	14.3%
12	KENEMA	634	12.7%
13	KONO	603	12.1%
21	BOMBALI	175	3.5%
22	FALABA	143	2.9%

23	KOINADUGU	82	1.6%
24	TONKOLILI	496	10%
31	KAMBIA	312	6.3%
32	KARENE	150	3%
33	PORTLOKO	444	8.9%
41	BO	402	8.1%
42	BONTHE	112	2.3%
43	MOYAMBA	291	5.9%
44	PUJEHUN	281	5.7%
51	WESTERN RURAL	50	1%
52	WESTERN URBAN	0	
Sysmiss		87	1.7%

URB_RUR: Location Status

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 4973

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S0D_RECORD_KEEPING_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S0DQ1: S0DQ1 - Record of transaction in the farm land

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 4973 Minimum: 1 Maximum: 4

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	NO, NEVER	4827	97.1%
2	OCCASIONALLY	79	1.6%

3	PARTIALLY	41	0.8%
4	YES, SYSTEMATICALLY	26	0.5%

S0DQ2_A: S0DQ2_A - AREA CULTIVATED

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 146 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Recorded	68	1.4%
2	Not Recorded	78	1.6%
Sysmiss		4827	97.1%

S0DQ2_B: S0DQ2_B - CROP PRODUCTION

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 146 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Recorded	97	2%
2	Not Recorded	49	1%
Sysmiss		4827	97.1%

S0DQ2_C: S0DQ2_C - LIVESTOCK PRODUCTION

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 146 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Recorded	26	0.5%
2	Not Recorded	120	2.4%
Sysmiss		4827	97.1%

S0DQ2_D: S0DQ2_D - QUANTITIES SOLD

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 146 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Recorded	22	0.4%
2	Not Recorded	124	2.5%
Sysmiss		4827	97.1%

S0DQ2_E: S0DQ2_E - REVENUES FROM QUANTITIES SOLD

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 146 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Recorded	21	0.4%
2	Not Recorded	125	2.5%
Sysmiss		4827	97.1%

S0DQ2_F: S0DQ2_F - QUANTITIES OF INPUTS USED**Data file: S0D_RECORD_KEEPING_final****Overview**

Valid: 146 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Recorded	45	0.9%
2	Not Recorded	101	2%
Sysmiss		4827	97.1%

S0DQ2_G: S0DQ2_G - QUANTITIES OF INPUTS PURCHASED AND THEIR COST**Data file: S0D_RECORD_KEEPING_final****Overview**

Valid: 146 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Recorded	37	0.7%
2	Not Recorded	109	2.2%
Sysmiss		4827	97.1%

S0DQ2_H: S0DQ2_H - WORKER TIME**Data file: S0D_RECORD_KEEPING_final****Overview**

Valid: 146 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Recorded	15	0.3%

2	Not Recorded	131	2.6%
Sysmiss		4827	97.1%

S0DQ2_I: S0DQ2_I - PAYMENTS TO WORKERS

Data file: S0D_RECORD_KEEPING_final

Overview

Valid: 146 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Recorded	55	1.1%
2	Not Recorded	91	1.8%
Sysmiss		4827	97.1%

HH_FINAL_WEIGHT: HH weight in the district

Data file: S0D_RECORD_KEEPING_final

Overview

Minimum: 13.77279036666 Maximum: 33222.343296819
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 6945

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 6939 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	3119	44.9%
2	NORTH-EASTERN	1371	19.7%
3	NORTH-WESTERN	1190	17.1%
4	SOUTHERN	1209	17.4%
5	WESTERN AREA	50	0.7%
Sysmiss		6	0.1%

DISTRICT: DISTRICT**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 6830 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	1275	18.4%
12	KENEMA	778	11.2%
13	KONO	1043	15%
21	BOMBALI	265	3.8%
22	FALABA	196	2.8%

23	KOINADUGU	110	1.6%
24	TONKOLILI	769	11.1%
31	KAMBIA	374	5.4%
32	KARENE	247	3.6%
33	PORTLOKO	541	7.8%
41	BO	432	6.2%
42	BONTHE	126	1.8%
43	MOYAMBA	323	4.7%
44	PUJEHUN	301	4.3%
51	WESTERN RURAL	50	0.7%
52	WESTERN URBAN	0	
Sysmiss		115	1.7%

URB_RUR: Location Status

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6945

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S1A_PARCEL_LAND_USE_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S1A_PARCEL_ID: S1A - Parcel ID

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6945 Minimum: 1 Maximum: 8

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		4973	71.6%
2		1542	22.2%

3		353	5.1%
4		66	1%
5		8	0.1%
6		1	0%
7		1	0%
8		1	0%

S1AQ3: S1AQ3 - How the Parcel was acquired

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6689 Minimum: 1 Maximum: 99
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	GRANTED BY CUSTOMARY/COMMUNITY AUTHORITIES	611	8.8%
2	ALLOCATED BY GOVERNMENT	19	0.3%
3	ALLOCATED BY FAMILY MEMBER	1995	28.7%
4	INHERITED BY THE DEATH OF A FAMILY MEMBER	3356	48.3%
5	PURCHASED	121	1.7%
6	RENTED IN, SHORT-TERM (< 3 YEARS)	162	2.3%
7	RENTED IN, LONG-TERM	50	0.7%
8	SHARECROPPED IN	0	
9	BORROWED FOR FREE	150	2.2%
10	BRIDE PRICE	20	0.3%
11	GIFT FROM NON-HOUSEHOLD MEMBER	38	0.5%
12	MOVED IN WITHOUT PERMISSION	21	0.3%
13	CHIEFDOM AUTHORITIES	80	1.2%
14	COMMUNAL	64	0.9%
99	OTHER (SPECIFY)	2	0%
Sysmiss		256	3.7%

S1AQ3A: S1AQ3A - Official Document for the Parcel

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6921 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	166	2.4%
2	NO	6755	97.3%
Sysmiss		24	0.3%

S1AQ4: S1AQ4 - Area of Parcel reported on the document

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 166 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	118	1.7%
2	NO	48	0.7%
Sysmiss		6779	97.6%

S1AQ6: S1AQ6 - Source of Information

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	RESPONDENT DECLARATION	6940	99.9%
2	OFFICIAL DOCUMENT	5	0.1%

S1AQ7: S1AQ7 - The main mode of transportation**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 6921 Minimum: 1 Maximum: 4
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	FOOT	6625	95.4%
2	MOTOR CYCLE (Okada)	168	2.4%
3	ON DWELLING	0	
4	OTHER (SPECIFY)	128	1.8%
Sysmiss		24	0.3%

S1AQ8: S1AQ8 - Time to reach the parcel**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 6945 Minimum: 1 Maximum: 5
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	<30 MINUTES	4073	58.6%
2	30 MINUTES-1 HOUR	2353	33.9%
3	1-2 HOURS	474	6.8%
4	2-3 HOURS	36	0.5%
5	>3 HOURS	9	0.1%

S1AQ9A_A: S1AQ9A_A - KITCHEN GARDEN/BACKYARD**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 6908 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	191	2.8%
2	NO	6717	96.7%
Sysmiss		37	0.5%

S1AQ9A_B: S1AQ9A_B - CULTIVATED WITH TEMPORARY CROPS

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6862 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	4976	71.6%
2	NO	1886	27.2%
Sysmiss		83	1.2%

S1AQ9A_C: S1AQ9A_C - CULTIVATED WITH PERMANENT CROPS

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6898 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	1857	26.7%
2	NO	5041	72.6%
Sysmiss		47	0.7%

S1AQ9A_D: S1AQ9A_D - TEMPORARY FALLOW**Data file:** S1A_PARCEL_LAND_USE_final**Overview**

Valid: 6945

Type: Discrete Width: 8 Range: - Format: character

S1AQ9A_OTHERS: S1AQ9A_OTHERS - OTHER AGRICULTURAL USES**Data file:** S1A_PARCEL_LAND_USE_final**Overview**

Valid: 6945 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		3	0%
2		6942	100%

S1AQ9A_X: S1AQ9A_X - NONE OF THE ABOVE**Data file:** S1A_PARCEL_LAND_USE_final**Overview**

Valid: 6945 Minimum: 1 Maximum: 2

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		6	0.1%
2		6939	99.9%

S1AQ9B_A: S1AQ9B_A - FARM BUILDINGS AND FARMYARDS**Data file:** S1A_PARCEL_LAND_USE_final**Overview**

Valid: 6836 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	641	9.2%
2	NO	6195	89.2%
Sysmiss		109	1.6%

S1AQ9B_B: S1AQ9B_B - FOREST AND OTHER WOODED LAND

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6909 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	91	1.3%
2	NO	6818	98.2%
Sysmiss		36	0.5%

S1AQ9B_D: S1AQ9B_D - RESIDENTIAL

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6909 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	23	0.3%
2	NO	6886	99.2%
Sysmiss		36	0.5%

S1AQ9B_E: S1AQ9B_E - BUSINESS/COMMERCIAL**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 6939 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	22	0.3%
2	NO	6917	99.6%
Sysmiss		6	0.1%

S1AQ9B_OTHERS: S1AQ9B_OTHERS - OTHER NON-AGRICULTURAL USES**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		25	0.4%
2		6920	99.6%

S1AQ9B_H: S1AQ9B_H - UNUTILIZED/NOT CLASSIFIED ELSEWHERE**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	62	0.9%
2	NO	6883	99.1%

S1AQ9B_X: S1AQ9B_X - NONE OF THE ABOVE**Data file:** S1A_PARCEL_LAND_USE_final**Overview**

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	5965	85.9%
2	NO	980	14.1%

S1AQ10A: S1AQ10A - Proportion of parcel dedicated to Agricultural use**Data file:** S1A_PARCEL_LAND_USE_final**Overview**

Valid: 6939 Minimum: 2 Maximum: 8
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2	< 10 %	174	2.5%
3	10 - 25 %	121	1.7%
4	26 - 41 %	75	1.1%
5	42 - 57 %	44	0.6%
6	58 - 73 %	53	0.8%
7	74 - 89 %	603	8.7%
8	100%	5869	84.5%
Sysmiss		6	0.1%

S1AQ10B: S1AQ10B - Proportion of parcel dedicated to Non-Agricultural use**Data file:** S1A_PARCEL_LAND_USE_final**Overview**

Valid: 980 Minimum: 2 Maximum: 8
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2	< 10 %	486	7%
3	10 - 25 %	175	2.5%
4	26 - 41 %	42	0.6%
5	42 - 57 %	30	0.4%
6	58 - 73 %	41	0.6%
7	74 - 89 %	58	0.8%
8	100%	148	2.1%
Sysmiss		5965	85.9%

S1AQ11: S1AQ11 - Irrigation infrastructure on the parcel

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6939 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	181	2.6%
2	NO	6758	97.3%
Sysmiss		6	0.1%

S1AQ12: S1AQ12 - Green house or high shelter on the parcel

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6939 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	64	0.9%

2	NO	6875	99%
Sysmiss		6	0.1%

S1AQ13: S1AQ13 - Number of Temporaray fallow plots in the parcels

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 165 Minimum: 1 Maximum: 5
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		153	2.2%
2		9	0.1%
3		1	0%
4		1	0%
5		1	0%
Sysmiss		6780	97.6%

S1AQ14: S1AQ14 - Total number of crop plots in the parcels

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6890 Minimum: 1 Maximum: 6
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		6051	87.1%
2		705	10.2%
3		115	1.7%
4		18	0.3%
6		1	0%
Sysmiss		55	0.8%

S1AQ15: S1AQ15 - Forest or Other wooded land on the parcel**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 122 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	32	0.5%
2	NO	90	1.3%
Sysmiss		6823	98.2%

S1AQ17_A: S1AQ17_A - NATURAL PASTURE OR GRASSLANDS**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 62 Minimum: 1 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		62	0.9%
Sysmiss		6883	99.1%

S1AQ17_B: S1AQ17_B - WILDFLOWER STRIPS**Data file: S1A_PARCEL_LAND_USE_final****Overview**

Valid: 62 Minimum: 2 Maximum: 2
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2		62	0.9%
Sysmiss		6883	99.1%

S1AQ17_C: S1AQ17_C - STONE OR WOOD HEAPS**Data file:** S1A_PARCEL_LAND_USE_final**Overview**

Valid: 62 Minimum: 1 Maximum: 2

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		8	0.1%
2		54	0.8%
Sysmiss		6883	99.1%

S1AQ17_D: S1AQ17_D - TREES OR HEDGEROWS**Data file:** S1A_PARCEL_LAND_USE_final**Overview**

Valid: 62 Minimum: 2 Maximum: 2

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2		62	0.9%
Sysmiss		6883	99.1%

S1AQ17_E: S1AQ17_E - NATURAL PONDS OR WETLANDS**Data file:** S1A_PARCEL_LAND_USE_final**Overview**

Valid: 62 Minimum: 2 Maximum: 2

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

2		62	0.9%
Sysmiss		6883	99.1%

S1AQ17_Z: S1AQ17_Z - OTHER (SPECIFY)

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 62 Minimum: 2 Maximum: 2

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2		62	0.9%
Sysmiss		6883	99.1%

S1AQ17_X: S1AQ17_X - NONE

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 62 Minimum: 2 Maximum: 2

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2		62	0.9%
Sysmiss		6883	99.1%

S1AQ18: S1AQ18 - Share of the farm covered by natural diverse vegetation

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6945

Type: Discrete Width: 8 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
2	< 10 %
3	10 - 25 %
4	26 - 41 %
5	42 - 57 %
6	58 - 73 %
7	74 - 89 %
8	100%

S1AQ19: S1AQ19 - Common areas of farm use not directly managed by the household

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	386	5.6%
2	NO	6559	94.4%

PLANTED_AREA_HA: Planted area in hectare

Data file: S1A_PARCEL_LAND_USE_final

Overview

Valid: 6945 Minimum: 1 Maximum: 6
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	<0.5ha	2877	41.4%
2	0.5-1ha	1892	27.2%
3	1-2ha	1418	20.4%
4	2-5ha	672	9.7%
5	5-10ha	77	1.1%
6	10-50ha	9	0.1%

7	>50ha	0	
---	-------	---	--

HH_FINAL_WEIGHT: HH weight in the district

Data file: S1A_PARCEL_LAND_USE_final

Overview

Minimum: 13.77279036666 Maximum: 33222.343296819
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S1B_PARCELS_CHAR_final****Overview**

Valid: 6945

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S1B_PARCELS_CHAR_final****Overview**

Valid: 6939 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	3119	44.9%
2	NORTH-EASTERN	1371	19.7%
3	NORTH-WESTERN	1190	17.1%
4	SOUTHERN	1209	17.4%
5	WESTERN AREA	50	0.7%
Sysmiss		6	0.1%

DISTRICT: DISTRICT**Data file: S1B_PARCELS_CHAR_final****Overview**

Valid: 6830 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	1275	18.4%
12	KENEMA	778	11.2%
13	KONO	1043	15%
21	BOMBALI	265	3.8%
22	FALABA	196	2.8%

23	KOINADUGU	110	1.6%
24	TONKOLILI	769	11.1%
31	KAMBIA	374	5.4%
32	KARENE	247	3.6%
33	PORTLOKO	541	7.8%
41	BO	432	6.2%
42	BONTHE	126	1.8%
43	MOYAMBA	323	4.7%
44	PUJEHUN	301	4.3%
51	WESTERN RURAL	50	0.7%
52	WESTERN URBAN	0	
Sysmiss		115	1.7%

URB_RUR: Location Status

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S1B_PARCELS_CHAR_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S1B_PARCEL_ID: S1B - Parcel ID

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 8

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		4973	71.6%
2		1542	22.2%

3		353	5.1%
4		66	1%
5		8	0.1%
6		1	0%
7		1	0%
8		1	0%

S1BQ1: S1BQ1 - Slope of this PARCEL

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 5
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	FLAT	5215	75.1%
2	TERRACED.	97	1.4%
3	GENTLE SLOPE	1320	19%
4	MODERATE SLOPE	249	3.6%
5	STEEP SLOPE	64	0.9%

S1BQ2: S1BQ2 - Predominant soil type of this Parcel

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 4
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Sandy	150	2.2%
2	Loam Between sandy & clay	1670	24%
3	Clay	208	3%
4	Loamy	4917	70.8%

S1BQ3_A: S1BQ3_A - Change in soil colour**Data file:** S1B_PARCELS_CHAR_final**Overview**

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	714	10.3%
2	NO	6231	89.7%

S1BQ3_B: S1BQ3_B - Change in the amount of fine and coarse particles present in the soil**Data file:** S1B_PARCELS_CHAR_final**Overview**

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	185	2.7%
2	NO	6760	97.3%

S1BQ3_C: S1BQ3_C - Change in how easy it is to plough or work the soil**Data file:** S1B_PARCELS_CHAR_final**Overview**

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	156	2.2%

2	NO	6789	97.8%
---	----	------	-------

S1BQ3_D: S1BQ3_D - Change in how easy crops emerge after planting

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	146	2.1%
2	NO	6799	97.9%

S1BQ3_E: S1BQ3_E - Change in the amount of stones present in the soil

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	44	0.6%
2	NO	6901	99.4%

S1BQ3_X: S1BQ3_X - NONE OF THE ABOVE

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	YES	5917	85.2%
2	NO	1028	14.8%

S1BQ4_A: S1BQ4_A - Soil erosion

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	329	4.7%
2	NO	6616	95.3%

S1BQ4_B: S1BQ4_B - Reduction in soil fertility

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	524	7.5%
2	NO	6421	92.5%

S1BQ4_C: S1BQ4_C - Waterlogging, incl. By floods

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	35	0.5%
2	NO	6910	99.5%

S1BQ4_D: S1BQ4_D - Salinization of irrigated land

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	14	0.2%
2	NO	6931	99.8%

S1BQ4_Z: S1BQ4_Z - Other (specify)

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 2 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	0	
2	NO	6945	100%

S1BQ4_X: S1BQ4_X - None of the above

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	6198	89.2%
2	NO	747	10.8%

S1BQ5: S1BQ5 - Proportion of the PARCEL affected by THREAT

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 740 Minimum: 2 Maximum: 8
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2	< 10 %	302	4.3%
3	10 - 25 %	242	3.5%
4	26 - 41 %	46	0.7%
5	42 - 57 %	16	0.2%
6	58 - 73 %	7	0.1%
7	74 - 89 %	11	0.2%
8	100%	116	1.7%
Sysmiss		6205	89.3%

S1BQ6_A: S1BQ6_A - NO STRUCTURES

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	6808	98%
2	NO	137	2%

S1BQ6_B: S1BQ6_B - TERRACES**Data file: S1B_PARCELS_CHAR_final****Overview**

Valid: 6939 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	30	0.4%
2	NO	6909	99.5%
Sysmiss		6	0.1%

S1BQ6_C: S1BQ6_C - BONDS**Data file: S1B_PARCELS_CHAR_final****Overview**

Valid: 6940 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	31	0.4%
2	NO	6909	99.5%
Sysmiss		5	0.1%

S1BQ6_D: S1BQ6_D - GABIONS/SANDBAGS**Data file: S1B_PARCELS_CHAR_final****Overview**

Valid: 6944 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	25	0.4%
2	NO	6919	99.6%
Sysmiss		1	0%

S1BQ6_E: S1BQ6_E - WINDBREAKS AND HEDGES

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	15	0.2%
2	NO	6930	99.8%

S1BQ6_F: S1BQ6_F - VEGETATIVE STRIPS

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6943 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	12	0.2%
2	NO	6931	99.8%
Sysmiss		2	0%

S1BQ7: S1BQ7 - Large volumes of water accumulate on the soil surface of this [PARCEL

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	1640	23.6%
2	NO	5305	76.4%

S1BQ8: S1BQ8 - Water accumulates on the soil surface of this PARCEL

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 1640 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	THE WATER IS CLEAR	872	12.6%
2	THE WATER IS NOT CLEAR AND/OR IS BROWN BECAUSE IT CONTAINS A LOT OF SOIL	768	11.1%
Sysmiss		5305	76.4%

S1BQ9: S1BQ9 - Salts accumulate on the soil of this PARCEL during dry

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	99	1.4%
2	NO	6846	98.6%

S1BQ10: S1BQ10 - Number of Agricultural Plots on this PARCEL

Data file: S1B_PARCELS_CHAR_final

Overview

Valid: 6945 Minimum: 0 Maximum: 6
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2	0%
1		6084	87.6%
2		714	10.3%
3		124	1.8%
4		20	0.3%
6		1	0%

HH_FINAL_WEIGHT: HH weight in the district

Data file: S1B_PARCELS_CHAR_final

Overview

Minimum: 13.7727903666 Maximum: 33222.343296819
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S2_PLOTS_DETAILS_final**Overview**

Valid: 7965

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S2_PLOTS_DETAILS_final**Overview**

Valid: 7958 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	3568	44.8%
2	NORTH-EASTERN	1666	20.9%
3	NORTH-WESTERN	1312	16.5%
4	SOUTHERN	1361	17.1%
5	WESTERN AREA	51	0.6%
Sysmiss		7	0.1%

DISTRICT: DISTRICT**Data file:** S2_PLOTS_DETAILS_final**Overview**

Valid: 7826 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	1466	18.4%
12	KENEMA	846	10.6%
13	KONO	1229	15.4%
21	BOMBALI	311	3.9%
22	FALABA	211	2.6%

23	KOINADUGU	113	1.4%
24	TONKOLILI	994	12.5%
31	KAMBIA	419	5.3%
32	KARENE	275	3.5%
33	PORTLOKO	585	7.3%
41	BO	475	6%
42	BONTHE	138	1.7%
43	MOYAMBA	352	4.4%
44	PUJEHUN	361	4.5%
51	WESTERN RURAL	51	0.6%
52	WESTERN URBAN	0	
Sysmiss		139	1.7%

URB_RUR: Location Status

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7965
Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S2_PLOTS_DETAILS_final

Overview

Minimum: 11010102 Maximum: 51040603
Type: Continuous Width: 8 Range: - Format: Numeric

S2_PARCEL_ID: S2 - Parcel ID

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7965 Minimum: 1 Maximum: 8
Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		5857	73.5%
2		1671	21%

3		359	4.5%
4		67	0.8%
5		8	0.1%
6		1	0%
7		1	0%
8		1	0%

S2_PLOT_ID: S2 - Plot ID

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7965 Minimum: 1 Maximum: 6
 Type: Discrete Width: 12 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		6939	87.1%
2		858	10.8%
3		145	1.8%
4		21	0.3%
5		1	0%
6		1	0%

S2Q2: S2Q2-During the (REFERENCE AGRICULTURAL SEASON)

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7965 Minimum: 1 Maximum: 3
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Conventional plot cultivated	7759	97.4%
2	A conventional plot left temporary fallow	99	1.2%
3	A kitchen garden/backyard	107	1.3%

S2Q3: S2Q3- Year did the Fallow period begin**Data file:** S2_PLOTS_DETAILS_final**Overview**

Valid: 99 Minimum: 2020 Maximum: 2023
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2020		67	0.8%
2021		9	0.1%
2022		10	0.1%
2023		13	0.2%
Sysmiss		7866	98.8%

S2Q4: S2Q4-Crop rotation been practiced**Data file:** S2_PLOTS_DETAILS_final**Overview**

Valid: 7866 Minimum: 1 Maximum: 4
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes, rotating different crops	2656	33.3%
2	Yes, rotating with pasture	97	1.2%
3	Yes, rotating with temporary fallow	32	0.4%
4	No	5081	63.8%
Sysmiss		99	1.2%

S2Q5: S2Q5-Frequency of crop rotation been practiced**Data file:** S2_PLOTS_DETAILS_final**Overview**

Valid: 2785 Minimum: 1 Maximum: 9
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EVERY YEAR	2681	33.7%
9	OTHER (SPECIFY)	104	1.3%
Sysmiss		5180	65%

S2Q6: S2Q6-Leguminous crops involved in rotation cycle

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 2681 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1537	19.3%
2	No	1144	14.4%
Sysmiss		5284	66.3%

S2Q7: S2Q7- Plot in Pure stand or mixed

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7866 Minimum: 1 Maximum: 3
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Pure stand	6440	80.9%
2	Intercropped	82	1%
3	Mixed cropping	1344	16.9%
Sysmiss		99	1.2%

S2Q8: S2Q8- Trees/shrubs grown in combination with crops or fallow land on PLOT**Data file: S2_PLOTS_DETAILS_final****Overview**

Valid: 7866 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1169	14.7%
2	No	6697	84.1%
Sysmiss		99	1.2%

S2Q9_A: S2Q9_A - COCOA**Data file: S2_PLOTS_DETAILS_final****Overview**

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	104	1.3%
2	No	1065	13.4%
Sysmiss		6796	85.3%

S2Q9_C: S2Q9_C - KOFFEE**Data file: S2_PLOTS_DETAILS_final****Overview**

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	154	1.9%

2	No	1015	12.7%
Sysmiss		6796	85.3%

S2Q9_D: S2Q9_D - KOLANUT

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	425	5.3%
2	No	744	9.3%
Sysmiss		6796	85.3%

S2Q9_E: S2Q9_E - OIL PALM

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	366	4.6%
2	No	803	10.1%
Sysmiss		6796	85.3%

S2Q9_F: S2Q9_F - MANGO

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	326	4.1%
2	No	843	10.6%
Sysmiss		6796	85.3%

S2Q9_G: S2Q9_G - ORANGE

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	218	2.7%
2	No	951	11.9%
Sysmiss		6796	85.3%

S2Q9_H: S2Q9_H - AVOCADO

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	221	2.8%
2	No	948	11.9%
Sysmiss		6796	85.3%

S2Q9_I: S2Q9_I - COCONUT**Data file: S2_PLOTS_DETAILS_final****Overview**

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	91	1.1%
2	No	1078	13.5%
Sysmiss		6796	85.3%

S2Q9_M: S2Q9_M - LEMON**Data file: S2_PLOTS_DETAILS_final****Overview**

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	57	0.7%
2	No	1112	14%
Sysmiss		6796	85.3%

S2Q9_N: S2Q9_N - GUAVA**Data file: S2_PLOTS_DETAILS_final****Overview**

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	93	1.2%

2	No	1076	13.5%
Sysmiss		6796	85.3%

S2Q9_OTHERS: Other trees/shrubs

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		99	1.2%
2		1070	13.4%
Sysmiss		6796	85.3%

S2Q9_X: S2Q9_X - DO NOT KNOW

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 1169 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		147	1.8%
2		1022	12.8%
Sysmiss		6796	85.3%

S2Q10: S2Q10 - Number of trees/shrubs are on this [PLOT]

Data file: S2_PLOTS_DETAILS_final

Overview

Minimum: 1 Maximum: 3200
 Type: Continuous Width: 7 Range: - Format: Numeric

S2Q11: S2Q11 - Year when most of these trees/shrubs were planted**Data file: S2_PLOTS_DETAILS_final****Overview**

Valid: 1169 Minimum: 1970 Maximum: 2024

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1970		3	0%
1972		2	0%
1973		1	0%
1974		1	0%
1975		3	0%
1976		1	0%
1977		1	0%
1978		2	0%
1979		3	0%
1980		32	0.4%
1982		10	0.1%
1983		2	0%
1984		7	0.1%
1985		15	0.2%
1986		11	0.1%
1987		12	0.2%
1988		2	0%
1989		5	0.1%
1990		42	0.5%
1991		5	0.1%
1992		4	0.1%
1993		2	0%
1994		3	0%
1995		10	0.1%
1996		5	0.1%
1997		4	0.1%
1998		12	0.2%
1999		16	0.2%
2000		129	1.6%
2001		58	0.7%

2002		42	0.5%
2003		34	0.4%
2004		62	0.8%
2005		64	0.8%
2006		19	0.2%
2007		16	0.2%
2008		22	0.3%
2009		25	0.3%
2010		60	0.8%
2011		19	0.2%
2012		22	0.3%
2013		17	0.2%
2014		41	0.5%
2015		53	0.7%
2016		31	0.4%
2017		17	0.2%
2018		40	0.5%
2019		32	0.4%
2020		43	0.5%
2021		46	0.6%
2022		31	0.4%
2023		15	0.2%
2024		15	0.2%
Sysmiss		6796	85.3%

S2Q12: S2Q12- Crop residues burned on this PLOT

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7866 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		163	2%
2		7703	96.7%
Sysmiss		99	1.2%

S2Q14_A: S2Q14_A - BARE SOIL (NONE)**Data file:** S2_PLOTS_DETAILS_final**Overview**

Valid: 7866 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2079	26.1%
2		5787	72.7%
Sysmiss		99	1.2%

S2Q14_B: S2Q14_B - CROP RESIDUES LEFT ON THE FIELD**Data file:** S2_PLOTS_DETAILS_final**Overview**

Valid: 7866 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		42	0.5%
2		7824	98.2%
Sysmiss		99	1.2%

S2Q14_C: S2Q14_C - COVER CROP OR INTERMEDIATE CROP**Data file:** S2_PLOTS_DETAILS_final**Overview**

Valid: 7866 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		5712	71.7%
2		2154	27%
Sysmiss		99	1.2%

S2Q14_D: S2Q14_D - NEXT SEASONAL CROP

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7866 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		27	0.3%
2		7839	98.4%
Sysmiss		99	1.2%

S2Q14_E: S2Q14_E - PLASTIC MULCH

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7866 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		3	0%
2		7863	98.7%
Sysmiss		99	1.2%

S2Q14_F: S2Q14_F - LIMING

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7866 Minimum: 1 Maximum: 2

Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		3	0%
2		7863	98.7%
Sysmiss		99	1.2%

S2Q15: S2Q15 - Proportion of plot covered with crop residues

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 42 Minimum: 5 Maximum: 100

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
5		1	0%
10		1	0%
15		1	0%
20		3	0%
25		4	0.1%
30		6	0.1%
35		7	0.1%
45		2	0%
50		3	0%
58		1	0%
75		1	0%
80		1	0%
100		11	0.1%
Sysmiss		7923	99.5%

S2Q16: S2Q16 - Crop residues left on this PLOT

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 42 Minimum: 1 Maximum: 7
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	35	0.4%
2	NO	4	0.1%
7	DO NOT KNOW	3	0%
Sysmiss		7923	99.5%

S2Q17: S2Q17 - Proportion of PLOT remained covered with crop residues

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 35 Minimum: 5 Maximum: 50
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
5		2	0%
10		4	0.1%
15		2	0%
20		9	0.1%
25		7	0.1%
30		5	0.1%
32		1	0%
35		3	0%
45		1	0%
50		1	0%
Sysmiss		7930	99.6%

S2Q18: S2Q18 - The soil prepared for planting on PLOT (Conventional tillage)

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7866 Minimum: 1 Maximum: 8
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Hand hoeing	7626	95.7%
2	Ploughed with moldboard or disc plough or powered tillage equipment	40	0.5%
3	Ploughed with traditional wood or iron plough drawn by animal power(work oxen)	199	2.5%
8		1	0%
Sysmiss		99	1.2%

S2Q20: S2Q20 - Number of crops cultivated on PLOT during the Agricultural Season

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7965 Minimum: 0 Maximum: 10
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		99	1.2%
1		6440	80.9%
2		618	7.8%
3		453	5.7%
4		176	2.2%
5		83	1%
6		51	0.6%
7		25	0.3%
8		12	0.2%
9		5	0.1%
10		3	0%

AREA_CULTIVATED_HA: Area in plot details

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7965 Minimum: 1 Maximum: 6
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	<0.5ha	3046	38.2%
2	0.5-1ha	2173	27.3%
3	1-2ha	1812	22.7%
4	2-5ha	893	11.2%
5	5-10ha	34	0.4%
6	10-50ha	7	0.1%
7	>50ha	0	

MEASURED_AREA_HA: Area measured in hectares

Data file: S2_PLOTS_DETAILS_final

Overview

Valid: 7965 Minimum: 1 Maximum: 6
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	<0.5ha	3697	46.4%
2	0.5-1ha	2112	26.5%
3	1-2ha	1495	18.8%
4	2-5ha	604	7.6%
5	5-10ha	50	0.6%
6	10-50ha	7	0.1%
7	>50ha	0	

HH_FINAL_WEIGHT: HH weight in the district

Data file: S2_PLOTS_DETAILS_final

Overview

Minimum: 13.77279036666 Maximum: 33222.343296819
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S3_CROPS_final**Overview**

Valid: 10805

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S3_CROPS_final**Overview**

Valid: 10796 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	4445	41.1%
2	NORTH-EASTERN	2043	18.9%
3	NORTH-WESTERN	1521	14.1%
4	SOUTHERN	2691	24.9%
5	WESTERN AREA	96	0.9%
Sysmiss		9	0.1%

DISTRICT: DISTRICT**Data file:** S3_CROPS_final**Overview**

Valid: 10591 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	1819	16.8%
12	KENEMA	1042	9.6%
13	KONO	1552	14.4%
21	BOMBALI	335	3.1%
22	FALABA	362	3.4%

23	KOINADUGU	147	1.4%
24	TONKOLILI	1152	10.7%
31	KAMBIA	469	4.3%
32	KARENE	294	2.7%
33	PORTLOKO	707	6.5%
41	BO	941	8.7%
42	BONTHE	153	1.4%
43	MOYAMBA	890	8.2%
44	PUJEHUN	632	5.8%
51	WESTERN RURAL	96	0.9%
52	WESTERN URBAN	0	
Sysmiss		214	2%

URB_RUR: Location Status

Data file: S3_CROPS_final

Overview

Valid: 10805

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S3_CROPS_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S3_PARCEL_ID: S3 - Parcel ID

Data file: S3_CROPS_final

Overview

Valid: 10805 Minimum: 1 Maximum: 8

Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		8325	77%
2		1975	18.3%

3		428	4%
4		67	0.6%
5		7	0.1%
6		1	0%
7		1	0%
8		1	0%

S3_PLOT_ID: S3 - Plot ID

Data file: S3_CROPS_final

Overview

Valid: 10805 Minimum: 1 Maximum: 6
 Type: Discrete Width: 12 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		9584	88.7%
2		1013	9.4%
3		183	1.7%
4		23	0.2%
5		1	0%
6		1	0%

S3_CROP_ID_REC: CROP_ID_recoded

Data file: S3_CROPS_final

Overview

Valid: 10805 Minimum: 1111 Maximum: 8007
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1111	Rice	3649	33.8%
1121	Maize	655	6.1%
1141	Millet	83	0.8%
2121	Chilli Peper	212	2%

2131	Cucumber	198	1.8%
2151	Okra	173	1.6%
2171	Sweet Peper	119	1.1%
2231	Krain Krain	63	0.6%
2251	Potato leaves	92	0.9%
3162	Cocoa	991	9.2%
3172	Coffee	194	1.8%
3262	Kola	69	0.6%
3311	Banana	108	1%
4111	Groundnut	1038	9.6%
4121	Soya Beans	79	0.7%
4131	Sesame(benie)	117	1.1%
4212	Oil Palm	769	7.1%
5131	Cassava	1234	11.4%
5141	Yams	85	0.8%
6111	Broad beans	158	1.5%
8001	Other Cereal Crops	27	0.2%
8002	Other Vegetable Crops	225	2.1%
8003	Other Fruits and Nuts Crops	190	1.8%
8004	Other Oil Seeds Crops	31	0.3%
8005	Other Tuber/Root Crops	178	1.6%
8006	Other Leguminous Crops	61	0.6%
8007	Other Industrial Crops	7	0.1%

S3Q2: S3Q2 - Is this the main crop

Data file: S3_CROPS_final

Overview

Valid: 10805 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	7726	71.5%
2	No	3079	28.5%

S3Q3: S3Q3 - Percent of PLOT planted with CROP**Data file:** S3_CROPS_final**Overview**

Minimum: 10 Maximum: 100

Type: Continuous Width: 8 Range: - Format: Numeric

S3Q4: S3Q4 - Was this CROP under a greenhouse or a high shelter**Data file:** S3_CROPS_final**Overview**

Valid: 132 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	32	0.3%
2	No	100	0.9%
Sysmiss		10673	98.8%

S3Q5: S3Q5 - IS THIS TEMPORARY OR PERMANENT CROP**Data file:** S3_CROPS_final**Overview**

Valid: 10805 Minimum: 1 Maximum: 2

Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TEMPORARAY CROPS	8637	79.9%
2	PERMANENT CROPS	2168	20.1%

S3Q6_M: S3Q6_M - Month of the TEMPORARY CROP seed planting**Data file:** S3_CROPS_final**Overview**

Valid: 8637 Minimum: 1 Maximum: 12

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	January	28	0.3%
2	February	40	0.4%
3	March	379	3.5%
4	April	1613	14.9%
5	May	3078	28.5%
6	June	1954	18.1%
7	July	956	8.8%
8	August	510	4.7%
9	September	33	0.3%
10	October	9	0.1%
11	November	14	0.1%
12	December	23	0.2%
Sysmiss		2168	20.1%

S3Q6_Y: S3Q6_Y - Year of the TEMPORARY CROP seed planting

Data file: S3_CROPS_final

Overview

Valid: 8637 Minimum: 2024 Maximum: 2024
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2024		8637	79.9%
Sysmiss		2168	20.1%

S3Q7: S3Q7 - Is the PERMANENT CROP cultivated on this PLOT in a plantation

Data file: S3_CROPS_final

Overview

Valid: 2168 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Plantation	1414	13.1%
2	Scattered	754	7%
Sysmiss		8637	79.9%

S3Q8_HA: S3Q8 - Area of the [Permanent Crop] plantation in ha

Data file: S3_CROPS_final

Overview

Valid: 10805

Type: Discrete Width: 8 Range: - Format: character

S3Q9: S3Q9 - Are the PERMANENT CROP plants on this PLOT planted in a row

Data file: S3_CROPS_final

Overview

Valid: 1414 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1413	13.1%
2	No	1	0%
Sysmiss		9391	86.9%

S3Q10: S3Q10 - Distance between PERMANENT CROP rows (meters)

Data file: S3_CROPS_final

Overview

Minimum: 0.1 Maximum: 450

Type: Continuous Width: 8 Range: - Format: Numeric

S3Q11: S3Q11 - Distance between PERMANENT CROP plants in a row (meters)

Data file: S3_CROPS_final

Overview

Minimum: 0.5 Maximum: 100

Type: Continuous Width: 8 Range: - Format: Numeric

S3Q12: S3Q12 - Number of PERMANENT CROP plants on this PLOT

Data file: S3_CROPS_final

Overview

Minimum: -99 Maximum: 9999

Type: Continuous Width: 7 Range: - Format: Numeric

S3Q13: S3Q13 - Year of planting of most of the PERMANENT CROP

Data file: S3_CROPS_final

Overview

Valid: 2168 Minimum: 1970 Maximum: 2024

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1970		34	0.3%
1971		3	0%
1972		3	0%
1973		1	0%
1974		3	0%
1975		2	0%
1976		6	0.1%
1977		1	0%
1978		6	0.1%
1979		1	0%
1980		43	0.4%
1981		2	0%
1982		10	0.1%
1983		6	0.1%
1984		15	0.1%
1985		37	0.3%
1986		29	0.3%
1987		21	0.2%

1988		11	0.1%
1989		18	0.2%
1990		50	0.5%
1991		11	0.1%
1992		17	0.2%
1993		10	0.1%
1994		16	0.1%
1995		32	0.3%
1996		23	0.2%
1997		14	0.1%
1998		25	0.2%
1999		34	0.3%
2000		131	1.2%
2001		69	0.6%
2002		84	0.8%
2003		79	0.7%
2004		82	0.8%
2005		75	0.7%
2006		30	0.3%
2007		53	0.5%
2008		43	0.4%
2009		56	0.5%
2010		84	0.8%
2011		25	0.2%
2012		56	0.5%
2013		37	0.3%
2014		80	0.7%
2015		78	0.7%
2016		44	0.4%
2017		45	0.4%
2018		117	1.1%
2019		80	0.7%
2020		92	0.9%
2021		73	0.7%
2022		60	0.6%
2023		60	0.6%
2024		51	0.5%
Sysmiss		8637	79.9%

HH_FINAL_WEIGHT: HH weight in the district**Data file: S3_CROPS_final****Overview**

Minimum: 13.77279036666 Maximum: 33222.343296819
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S4_SEEDS_USES_final**Overview**

Valid: 10260

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S4_SEEDS_USES_final**Overview**

Valid: 10251 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	4152	40.5%
2	NORTH-EASTERN	1913	18.6%
3	NORTH-WESTERN	1481	14.4%
4	SOUTHERN	2609	25.4%
5	WESTERN AREA	96	0.9%
Sysmiss		9	0.1%

DISTRICT: DISTRICT**Data file:** S4_SEEDS_USES_final**Overview**

Valid: 10058 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	1699	16.6%
12	KENEMA	1011	9.9%
13	KONO	1411	13.8%
21	BOMBALI	319	3.1%
22	FALABA	326	3.2%

23	KOINADUGU	138	1.3%
24	TONKOLILI	1087	10.6%
31	KAMBIA	454	4.4%
32	KARENE	285	2.8%
33	PORTLOKO	692	6.7%
41	BO	912	8.9%
42	BONTHE	152	1.5%
43	MOYAMBA	861	8.4%
44	PUJEHUN	615	6%
51	WESTERN RURAL	96	0.9%
52	WESTERN URBAN	0	
Sysmiss		202	2%

URB_RUR: Location Status

Data file: S4_SEEDS_USES_final

Overview

Valid: 10260

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4_SEEDS_USES_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S4_CROP_ID: S4 CROP ID recoded

Data file: S4_SEEDS_USES_final

Overview

Valid: 10260 Minimum: 1111 Maximum: 8007

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1111	Rice	3352	32.7%
1121	Maize	630	6.1%

1141	Millet	82	0.8%
2121	Chilli Peper	208	2%
2131	Cucumber	197	1.9%
2151	Okra	169	1.6%
2171	Sweet Peper	119	1.2%
2231	Krain Krain	62	0.6%
2251	Potato leaves	87	0.8%
3162	Cocoa	919	9%
3172	Coffee	186	1.8%
3262	Kola	66	0.6%
3311	Banana	103	1%
4111	Groundnut	1017	9.9%
4121	Soya Beans	78	0.8%
4131	Sesame(benie)	116	1.1%
4212	Oil Palm	738	7.2%
5131	Cassava	1189	11.6%
5141	Yams	82	0.8%
6111	Broad beans	156	1.5%
8001	Other Cereal Crops	25	0.2%
8002	Other Vegetable Crops	224	2.2%
8003	Other Fruits and Nuts Crops	185	1.8%
8004	Other Oil Seeds Crops	30	0.3%
8005	Other Tuber/Root Crops	176	1.7%
8006	Other Leguminous Crops	57	0.6%
8007	Other Industrial Crops	7	0.1%

S4Q1: S4Q1 number of variety of seeds planted

Data file: S4_SEEDS_USES_final

Overview

Valid: 10260 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	One variety	10007	97.5%
2	More than one variety	253	2.5%

S4Q2_A: S4Q2_A - MODERN VARIETIES, CERTIFIED SEED**Data file:** S4_SEEDS_USES_final**Overview**

Valid: 10260 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	9944	96.9%
1	Yes	316	3.1%

S4Q2_B: S4Q2_B - MODERN VARIETIES, UNCERTIFIED SEED**Data file:** S4_SEEDS_USES_final**Overview**

Valid: 10260 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7380	71.9%
1	Yes	2880	28.1%

S4Q2_C: S4Q2_C - TRADITIONAL VARIETIES, UNCERTIFIED SEED**Data file:** S4_SEEDS_USES_final**Overview**

Valid: 10260 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2942	28.7%

1	Yes	7318	71.3%
---	-----	------	-------

S4Q3: S4Q3 certified seeds genetically modified

Data file: S4_SEEDS_USES_final

Overview

Valid: 316 Minimum: 1 Maximum: 8
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	169	1.6%
2	No	81	0.8%
8	Do not know	66	0.6%
Sysmiss		9944	96.9%

S4Q4_V1: S4Q4_V1 TOTAL PERCENTAGE OF SEEDS PLANTED

Data file: S4_SEEDS_USES_final

Overview

Valid: 10260 Minimum: 0 Maximum: 100
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		9944	96.9%
25		2	0%
30		3	0%
40		2	0%
45		1	0%
50		7	0.1%
52		1	0%
55		1	0%
60		7	0.1%
70		16	0.2%
100		276	2.7%

S4Q4_V2: S4Q4_V2 TOTAL PERCENTAGE OF SEEDS PLANTED**Data file:** S4_SEEDS_USES_final**Overview**

Valid: 10260 Minimum: 0 Maximum: 100
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7380	71.9%
20		3	0%
25		2	0%
30		41	0.4%
35		6	0.1%
40		29	0.3%
45		5	0%
50		27	0.3%
55		2	0%
60		46	0.4%
63		1	0%
65		9	0.1%
66		1	0%
70		38	0.4%
75		9	0.1%
80		15	0.1%
85		1	0%
90		1	0%
100		2644	25.8%

S4Q4_V3: S4Q4_V3 TOTAL PERCENTAGE OF SEEDS PLANTED**Data file:** S4_SEEDS_USES_final**Overview**

Valid: 10260 Minimum: 0 Maximum: 100
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2943	28.7%
10		1	0%
15		1	0%
20		16	0.2%
25		9	0.1%
30		36	0.4%
34		1	0%
35		9	0.1%
37		1	0%
40		51	0.5%
45		3	0%
48		1	0%
50		27	0.3%
55		6	0.1%
60		29	0.3%
65		6	0.1%
70		25	0.2%
75		4	0%
80		3	0%
100		7088	69.1%

S45A_V1: S45A_V1 main reason

Data file: S4_SEEDS_USES_final

Overview

Valid: 316 Minimum: 1 Maximum: 17
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		234	2.3%
2		32	0.3%
3		2	0%

8		1	0%
9		1	0%
11		7	0.1%
12		7	0.1%
13		14	0.1%
14		11	0.1%
15		6	0.1%
17		1	0%
Sysmiss		9944	96.9%

S45A_V2: S45A_V2 main reason

Data file: S4_SEEDS_USES_final

Overview

Valid: 2880 Minimum: 1 Maximum: 17
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		1869	18.2%
2		757	7.4%
3		4	0%
4		3	0%
5		1	0%
6		1	0%
7		4	0%
8		6	0.1%
9		10	0.1%
10		3	0%
11		75	0.7%
12		25	0.2%
13		95	0.9%
14		15	0.1%
15		2	0%
17		10	0.1%
Sysmiss		7380	71.9%

S45A_V3: S45A_V3 main reason**Data file:** S4_SEEDS_USES_final**Overview**

Valid: 7318 Minimum: 1 Maximum: 17
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		4086	39.8%
2		686	6.7%
3		80	0.8%
4		77	0.8%
5		41	0.4%
6		31	0.3%
7		37	0.4%
8		3	0%
9		70	0.7%
10		76	0.7%
11		1238	12.1%
12		322	3.1%
13		418	4.1%
14		115	1.1%
15		28	0.3%
17		10	0.1%
Sysmiss		2942	28.7%

S4Q6A_V1: S4Q6A_V1 How was the [CROP] [VARIETY] obtained**Data file:** S4_SEEDS_USES_final**Overview**

Valid: 315 Minimum: 1 Maximum: 9
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	From own harvest/produced on the farm	37	0.4%

2	Obtained at exchange	24	0.2%
3	Purchased	172	1.7%
4	Received for free (gift or donation)	21	0.2%
5	Loan	2	0%
6	MAFS/Project	31	0.3%
7	NGO	13	0.1%
8	Agro dealer	13	0.1%
9	Other (specify)	2	0%
Sysmiss		9945	96.9%

S4Q6A_V2: S4Q6A_V2 How was the [CROP] [VARIETY] obtained

Data file: S4_SEEDS_USES_final

Overview

Valid: 2871 Minimum: 1 Maximum: 9
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	From own harvest/produced on the farm	1073	10.5%
2	Obtained at exchange	101	1%
3	Purchased	1369	13.3%
4	Received for free (gift or donation)	173	1.7%
5	Loan	37	0.4%
6	MAFS/Project	30	0.3%
7	NGO	7	0.1%
8	Agro dealer	69	0.7%
9	Other (specify)	12	0.1%
Sysmiss		7389	72%

S4Q6A_V3: S4Q6A_V3 How was the [CROP] [VARIETY] obtained

Data file: S4_SEEDS_USES_final

Overview

Valid: 7171 Minimum: 1 Maximum: 9
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	From own harvest/produced on the farm	3337	32.5%
2	Obtained at exchange	217	2.1%
3	Purchased	3121	30.4%
4	Received for free (gift or donation)	364	3.5%
5	Loan	86	0.8%
6	MAFS/Project	6	0.1%
7	NGO	3	0%
8	Agro dealer	13	0.1%
9	Other (specify)	24	0.2%
Sysmiss		3089	30.1%

S4Q7A_V1_TOTAL: S4Q7A_V1 TOTAL PERCENTAGE OF CROPS VARIETY PLANTED

Data file: S4_SEEDS_USES_final

Overview

Valid: 316 Minimum: 10 Maximum: 100
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
10		1	0%
25		1	0%
30		4	0%
40		1	0%
45		1	0%
50		9	0.1%
60		5	0%
65		2	0%
70		16	0.2%
100		276	2.7%
Sysmiss		9944	96.9%

S4Q7A_V2_TOTAL: S4Q7A_V2 TOTAL PERCENTAGE OF CROPS VARIETY PLANTED**Data file: S4_SEEDS_USES_final****Overview**

Valid: 2880 Minimum: 10 Maximum: 100
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
10		1	0%
20		5	0%
25		2	0%
30		36	0.4%
35		5	0%
40		33	0.3%
45		5	0%
50		43	0.4%
55		2	0%
60		31	0.3%
63		1	0%
65		8	0.1%
66		1	0%
70		35	0.3%
75		9	0.1%
80		12	0.1%
85		2	0%
90		1	0%
100		2648	25.8%
Sysmiss		7380	71.9%

S4Q7A_V3_TOTAL: S4Q7A_V3 TOTAL PERCENTAGE OF CROPS VARIETY PLANTED**Data file: S4_SEEDS_USES_final****Overview**

Valid: 7318 Minimum: 0 Maximum: 100
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		9	0.1%
10		1	0%
15		2	0%
20		14	0.1%
25		10	0.1%
30		37	0.4%
34		1	0%
35		11	0.1%
37		1	0%
40		32	0.3%
45		3	0%
50		45	0.4%
55		7	0.1%
60		31	0.3%
65		6	0.1%
70		25	0.2%
75		3	0%
80		6	0.1%
90		2	0%
100		7072	68.9%
Sysmiss		2942	28.7%

S4Q8A_V1: S4Q8A_V1 whom did you obtain most of the [CROP] [VARIETY] planted

Data file: S4_SEEDS_USES_final

Overview

Valid: 219 Minimum: 1 Maximum: 99

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		160	1.6%
2		8	0.1%
3		1	0%
4		43	0.4%
7		1	0%

10		2	0%
11		3	0%
99		1	0%
Sysmiss		10041	97.9%

S4Q8A_V2: S4Q8A_V2 whom did you obtain most of the [CROP] [VARIETY] planted

Data file: S4_SEEDS_USES_final

Overview

Valid: 1655 Minimum: 1 Maximum: 99
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		1040	10.1%
2		88	0.9%
3		8	0.1%
4		479	4.7%
5		1	0%
6		1	0%
7		6	0.1%
10		3	0%
11		6	0.1%
99		23	0.2%
Sysmiss		8605	83.9%

S4Q8A_V3: S4Q8A_V3 whom did you obtain most of the [CROP] [VARIETY] planted

Data file: S4_SEEDS_USES_final

Overview

Valid: 3726 Minimum: 1 Maximum: 99
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2574	25.1%

2		136	1.3%
3		11	0.1%
4		960	9.4%
6		2	0%
7		2	0%
10		4	0%
11		3	0%
99		34	0.3%
Sysmiss		6534	63.7%

S4Q9A: S4Q9A - Select Temporary or Permanent Crop on this plot

Data file: S4_SEEDS_USES_final

Overview

Valid: 10260 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TEMPORARY CROP	8208	80%
2	PERMANENT CROP	2052	20%

S4Q10_Q: S4Q10_Q - TOTAL quantity of [TEMPORARY CROP] seeds planted

Data file: S4_SEEDS_USES_final

Overview

Minimum: 1 Maximum: 6000
 Type: Continuous Width: 9 Range: - Format: Numeric

S4Q10_U: S4Q10_U - Unit of measure

Data file: S4_SEEDS_USES_final

Overview

Valid: 8206 Minimum: 1 Maximum: 99
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		3426	33.4%
2		1212	11.8%
3		2238	21.8%
4		49	0.5%
5		137	1.3%
6		417	4.1%
7		57	0.6%
8		79	0.8%
9		159	1.5%
10		32	0.3%
11		100	1%
12		148	1.4%
13		82	0.8%
99		70	0.7%
Sysmiss		2054	20%

S4Q11_Q: S4Q11_Q - TOTAL quantity of [PERMANENT CROP] seeds planted

Data file: S4_SEEDS_USES_final

Overview

Minimum: 0 Maximum: 9876

Type: Continuous Width: 9 Range: - Format: Numeric

S4Q11_U: S4Q11_U - Unit of measure

Data file: S4_SEEDS_USES_final

Overview

Valid: 1978 Minimum: 1 Maximum: 9

Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Kilogram	96	0.9%
2	Jut Bag	49	0.5%
3	SINGLE (Seedlings)	1678	16.4%
4	SINGLE (Seeds)	118	1.2%

9	Others Specify	37	0.4%
Sysmiss		8282	80.7%

HH_FINAL_WEIGHT: HH weight in the district

Data file: S4_SEEDS_USES_final

Overview

Minimum: 13.77279036666 Maximum: 33222.343296819
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S5_PRACTICES_FARM_final****Overview**

Valid: 4973

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S5_PRACTICES_FARM_final****Overview**

Valid: 4967 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	1964	39.5%
2	NORTH-EASTERN	917	18.4%
3	NORTH-WESTERN	928	18.7%
4	SOUTHERN	1108	22.3%
5	WESTERN AREA	50	1%
Sysmiss		6	0.1%

DISTRICT: DISTRICT**Data file: S5_PRACTICES_FARM_final****Overview**

Valid: 4886 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	711	14.3%
12	KENEMA	634	12.7%
13	KONO	603	12.1%
21	BOMBALI	175	3.5%
22	FALABA	143	2.9%

23	KOINADUGU	82	1.6%
24	TONKOLILI	496	10%
31	KAMBIA	312	6.3%
32	KARENE	150	3%
33	PORTLOKO	444	8.9%
41	BO	402	8.1%
42	BONTHE	112	2.3%
43	MOYAMBA	291	5.9%
44	PUJEHUN	281	5.7%
51	WESTERN RURAL	50	1%
52	WESTERN URBAN	0	
Sysmiss		87	1.7%

URB_RUR: Location Status

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 4973

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S5_PRACTICES_FARM_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S5Q1: S5Q1 Practice of slash and burned in this farm

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 4973 Minimum: 1 Maximum: 2

Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	2717	54.6%
2	NO	2256	45.4%

S5Q2: S5Q2 Temporary fallow land on this farm burned**Data file: S5_PRACTICES_FARM_final****Overview**

Valid: 111 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	9	0.2%
2	No	102	2.1%
Sysmiss		4862	97.8%

S5Q3: S5Q3 Total area of temporary fallow land on this farm, what share was burned**Data file: S5_PRACTICES_FARM_final****Overview**

Valid: 9 Minimum: 1 Maximum: 5
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Very small (less than 10%)	1	0%
2	Less than half (10% to 39%)	2	0%
3	About half (40% to 59%)	1	0%
4	Most (60% to 99%)	0	
5	All (100%)	5	0.1%
6	Do not know	0	
Sysmiss		4964	99.8%

S5Q4: S5Q4 Forest and other wooded land on this farm burned**Data file: S5_PRACTICES_FARM_final****Overview**

Valid: 8 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	5	0.1%
2	No	3	0.1%
Sysmiss		4965	99.8%

S5Q5: S5Q5 Total area of forest and other wooded land on this farm, what share was burned

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 5 Minimum: 3 Maximum: 5
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Very small (less than 10%)	0	
2	Less than half (10% to 39%)	0	
3	About half (40% to 59%)	1	0%
4	Most (60% to 99%)	2	0%
5	All (100%)	2	0%
6	Do not know	0	
Sysmiss		4968	99.9%

S5Q6: S5Q6 Unutilized agricultural land on this farm burned

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 57 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	6	0.1%
2	No	51	1%

Sysmiss		4916	98.9%
---------	--	------	-------

S5Q7: S5Q7 Total area of unutilized agricultural land on this farm, what share was burned

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 6 Minimum: 1 Maximum: 5
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Very small (less than 10%)	4	0.1%
2	Less than half (10% to 39%)	0	
3	About half (40% to 59%)	1	0%
4	Most (60% to 99%)	0	
5	All (100%)	1	0%
6	Do not know	0	
Sysmiss		4967	99.9%

S5Q8: S5Q8 Practices or features used to enhance pollination on this farm

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 4973 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	7	0.1%
2	NO	4966	99.9%

S5Q9_A: S5Q9_A - PLANTING OF WILDFLOWER-RICH FALLOWS OR STRIPS

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 7 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	5	0.1%
2	No	2	0%
Sysmiss		4966	99.9%

S5Q9_B: S5Q9_B - PRESENCE OF FLOWERING HEDGEROWS

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 7 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1	0%
2	No	6	0.1%
Sysmiss		4966	99.9%

S5Q9_C: S5Q9_C - USE OF NECTAR-PRODUCING COVER CROPS

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 7 Minimum: 2 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	0	
2	No	7	0.1%
Sysmiss		4966	99.9%

S5Q9_D: S5Q9_D - USE OF DEDICATED NECTAR AND POLLEN SEED MIXES**Data file:** S5_PRACTICES_FARM_final**Overview**

Valid: 7 Minimum: 2 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	0	
2	No	7	0.1%
Sysmiss		4966	99.9%

S5Q9_E: S5Q9_E - PROVISION OF NESTING SITES**Data file:** S5_PRACTICES_FARM_final**Overview**

Valid: 7 Minimum: 2 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	0	
2	No	7	0.1%
Sysmiss		4966	99.9%

S5Q9_F: S5Q9_F - PROTECTION OF EXISTING GROUND-BEE NESTING SITES**Data file:** S5_PRACTICES_FARM_final**Overview**

Valid: 7 Minimum: 2 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	0	

2	No	7	0.1%
Sysmiss		4966	99.9%

S5Q9_G: S5Q9_G - USE OF MANAGED HONEYBEE HIVES

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 7 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1	0%
2	No	6	0.1%
Sysmiss		4966	99.9%

S5Q9_H: S5Q9_H - USE OF MANAGED STINGLESS BEE HIVES

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 7 Minimum: 2 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	0	
2	No	7	0.1%
Sysmiss		4966	99.9%

S5Q9_I: S5Q9_I - USE OF MANAGED BUMBLEBEE BOXES

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 7 Minimum: 2 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	0	
2	No	7	0.1%
Sysmiss		4966	99.9%

S5Q9_J: S5Q9_J - USE OF MANAGED LEAFCUTTER NESTING SITES

Data file: S5_PRACTICES_FARM_final

Overview

Valid: 7 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1	0%
2	No	6	0.1%
Sysmiss		4966	99.9%

HH_FINAL_WEIGHT: HH weight in the district

Data file: S5_PRACTICES_FARM_final

Overview

Minimum: 13.77279036666 Maximum: 33222.343296819
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S5A_AQUACULTURE_PROD_final****Overview**

Valid: 102

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S5A_AQUACULTURE_PROD_final****Overview**

Valid: 102 Minimum: 1 Maximum: 4

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	18	17.6%
2	NORTH-EASTERN	39	38.2%
3	NORTH-WESTERN	24	23.5%
4	SOUTHERN	21	20.6%
5	WESTERN AREA	0	

DISTRICT: DISTRICT**Data file: S5A_AQUACULTURE_PROD_final****Overview**

Valid: 87 Minimum: 11 Maximum: 41

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	3	2.9%
12	KENEMA	0	
13	KONO	9	8.8%
21	BOMBALI	24	23.5%
22	FALABA	0	
23	KOINADUGU	6	5.9%

24	TONKOLILI	6	5.9%
31	KAMBIA	12	11.8%
32	KARENE	0	
33	PORTLOKO	9	8.8%
41	BO	18	17.6%
42	BONTHE	0	
43	MOYAMBA	0	
44	PUJEHUN	0	
51	WESTERN RURAL	0	
52	WESTERN URBAN	0	
Sysmiss		15	14.7%

URB_RUR: Location Status

Data file: S5A_AQUACULTURE_PROD_final

Overview

Valid: 102

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S5A_AQUACULTURE_PROD_final

Overview

Valid: 102 Minimum: 11110204 Maximum: 44140501

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11110204		3	2.9%
11120301		3	2.9%
11130508		3	2.9%
11140502		3	2.9%
12010706		3	2.9%
12030505		3	2.9%
12040305		3	2.9%
12090201		3	2.9%
13030102		3	2.9%
13100115		3	2.9%

13110901		3	2.9%
23030129		3	2.9%
24050304		3	2.9%
24070122		3	2.9%
24070301		3	2.9%
24080201		3	2.9%
24110302		3	2.9%
24150102		3	2.9%
24190108		3	2.9%
31050102		3	2.9%
31070103		3	2.9%
31090205		3	2.9%
32060101		3	2.9%
33050503		3	2.9%
33060401		3	2.9%
33110509		3	2.9%
33130202		3	2.9%
41150201		3	2.9%
42050105		3	2.9%
43120602		3	2.9%
44040703		3	2.9%
44130206		6	5.9%
44140501		3	2.9%

S5A_ITEM_NAME: S5A - Item Name

Data file: S5A_AQUACULTURE_PROD_final

Overview

Valid: 102

Type: Discrete Width: 8 Range: - Format: character

S5AQ4: S5AQ4: Any member cultivate [ITEM NAME] in 12 mths

Data file: S5A_AQUACULTURE_PROD_final

Overview

Valid: 102 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	29	28.4%
2	NO	73	71.6%

QTY_PRODUCED: Quantity produced in Kg

Data file: S5A_AQUACULTURE_PROD_final

Overview

Minimum: 0.86 Maximum: 286.72
 Type: Continuous Width: 14 Range: - Format: Numeric

QTY_CONSUMED: Quantity consumed in Kg

Data file: S5A_AQUACULTURE_PROD_final

Overview

Minimum: 0.215 Maximum: 227.32
 Type: Continuous Width: 14 Range: - Format: Numeric

S5AQ7: S5AQ7: Any member sell [ITEM TYPE] in 12 mths

Data file: S5A_AQUACULTURE_PROD_final

Overview

Valid: 29 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	7	6.9%
2	NO	22	21.6%
Sysmiss		73	71.6%

QTY_SOLD: Quantity sold in Kg

Data file: S5A_AQUACULTURE_PROD_final

Overview

Minimum: 0.43 Maximum: 172
 Type: Continuous Width: 10 Range: - Format: Numeric

S5AQ8C: S5AQ8C: Total Value Or Unit Value

Data file: S5A_AQUACULTURE_PROD_final

Overview

Valid: 7 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TOTAL VALUE	3	2.9%
2	UNIT PRICE	4	3.9%
Sysmiss		95	93.1%

S5AQ8D: S5AQ8D: Total Earned from sales of [ITEM TYPE]

Data file: S5A_AQUACULTURE_PROD_final

Overview

Valid: 3 Minimum: 200 Maximum: 1000
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
200		1	1%
600		1	1%
1000		1	1%
Sysmiss		99	97.1%

S5AQ8E: S5AQ8E: Average unit price of [ITEM TYPE] sold in 12 mTH

Data file: S5A_AQUACULTURE_PROD_final

Overview

Valid: 4 Minimum: 2 Maximum: 600
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2		1	1%
10		1	1%
15		1	1%
600		1	1%
Sysmiss		98	96.1%

HH_FINAL_WEIGHT: HH weight in the district

Data file: S5A_AQUACULTURE_PROD_final

Overview

Minimum: 36.606820120639 Maximum: 1169.2026297321
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S6A_FISHING_PROD_final**Overview**

Valid: 4695

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S6A_FISHING_PROD_final**Overview**

Valid: 4692 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	2331	49.6%
2	NORTH-EASTERN	858	18.3%
3	NORTH-WESTERN	402	8.6%
4	SOUTHERN	1068	22.7%
5	WESTERN AREA	33	0.7%
Sysmiss		3	0.1%

DISTRICT: DISTRICT**Data file:** S6A_FISHING_PROD_final**Overview**

Valid: 4617 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	876	18.7%
12	KENEMA	672	14.3%
13	KONO	768	16.4%
21	BOMBALI	147	3.1%
22	FALABA	225	4.8%

23	KOINADUGU	87	1.9%
24	TONKOLILI	372	7.9%
31	KAMBIA	42	0.9%
32	KARENE	60	1.3%
33	PORTLOKO	285	6.1%
41	BO	417	8.9%
42	BONTHE	183	3.9%
43	MOYAMBA	294	6.3%
44	PUJEHUN	156	3.3%
51	WESTERN RURAL	33	0.7%
52	WESTERN URBAN	0	
Sysmiss		78	1.7%

URB_RUR: Location Status

Data file: S6A_FISHING_PROD_final

Overview

Valid: 4695

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S6A_FISHING_PROD_final

Overview

Minimum: 11010305 Maximum: 51030677

Type: Continuous Width: 8 Range: - Format: Numeric

S6A_ITEM_NAME: S6A - Item Name

Data file: S6A_FISHING_PROD_final

Overview

Valid: 4695

Type: Discrete Width: 8 Range: - Format: character

S6AQ3: S6AQ3 - Any member of this farm catch

Data file: S6A_FISHING_PROD_final

Overview

Valid: 4695 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	2046	43.6%
2	NO	2649	56.4%

S6AQ4: S6AQ4 - Number of Months

Data file: S6A_FISHING_PROD_final

Overview

Valid: 1761 Minimum: 1 Maximum: 12
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		183	3.9%
2		344	7.3%
3		399	8.5%
4		223	4.7%
5		174	3.7%
6		230	4.9%
7		25	0.5%
8		42	0.9%
9		11	0.2%
10		20	0.4%
11		18	0.4%
12		92	2%
Sysmiss		2934	62.5%

S6AQ5: S6AQ5 - Number of Days

Data file: S6A_FISHING_PROD_final

Overview

Valid: 1761 Minimum: 1 Maximum: 29
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		53	1.1%
2		129	2.7%
3		182	3.9%
4		192	4.1%
5		194	4.1%
6		83	1.8%
7		69	1.5%
8		117	2.5%
9		21	0.4%
10		165	3.5%
11		8	0.2%
12		88	1.9%
13		3	0.1%
14		27	0.6%
15		103	2.2%
16		27	0.6%
17		2	0%
18		11	0.2%
19		2	0%
20		128	2.7%
21		14	0.3%
22		3	0.1%
23		2	0%
24		32	0.7%
25		40	0.9%
26		8	0.2%
27		5	0.1%
28		31	0.7%
29		22	0.5%
Sysmiss		2934	62.5%

TOTAL_QTY_COLLECTED_KG: Total quantity collected

Data file: S6A_FISHING_PROD_final

Overview

Minimum: 0.43 Maximum: 184.32
 Type: Continuous Width: 24 Range: - Format: Numeric

TOTAL_QTY_CONSUMED_KG: Total quantity consumed

Data file: S6A_FISHING_PROD_final

Overview

Minimum: 0 Maximum: 106.225
 Type: Continuous Width: 23 Range: - Format: Numeric

S6AQ8: S6AQ8 - Sell any of the fished

Data file: S6A_FISHING_PROD_final

Overview

Valid: 1761 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		156	3.3%
2		1605	34.2%
Sysmiss		2934	62.5%

TOTAL_QTY_SOLD_KG: Total quantity sold

Data file: S6A_FISHING_PROD_final

Overview

Minimum: 0.43 Maximum: 310.96
 Type: Continuous Width: 19 Range: - Format: Numeric

S6AQ10_UNIT: S6AQ10 - Average unit price of the item sold

Data file: S6A_FISHING_PROD_final

Overview

Valid: 156 Minimum: 1 Maximum: 6000
 Type: Discrete Width: 13 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2	0%
2		3	0.1%
3		2	0%
5		13	0.3%
6		3	0.1%
7		1	0%
10		19	0.4%
12		2	0%
13		1	0%
15		7	0.1%
20		11	0.2%
24		1	0%
25		4	0.1%
30		6	0.1%
32		2	0%
35		1	0%
40		3	0.1%
50		11	0.2%
60		2	0%
65		1	0%
80		1	0%
100		12	0.3%
120		2	0%
125		1	0%
128		1	0%
150		6	0.1%
160		2	0%
200		7	0.1%
216		1	0%
240		1	0%
250		6	0.1%
300		1	0%
330		1	0%
360		1	0%
500		6	0.1%

650		1	0%
800		2	0%
1000		2	0%
2000		3	0.1%
2500		1	0%
3000		1	0%
3500		1	0%
6000		1	0%
Sysmiss		4539	96.7%

S6AQ11A_Q: S6AQ11A_Q - Total quantity of item fished

Data file: S6A_FISHING_PROD_final

Overview

Minimum: 1 Maximum: 11124
 Type: Continuous Width: 11 Range: - Format: Numeric

S6AQ11B_U: S6AQ11B_U - Unit

Data file: S6A_FISHING_PROD_final

Overview

Valid: 285 Minimum: 1 Maximum: 3
 Type: Discrete Width: 11 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Dozen	69	1.5%
2	Single	86	1.8%
3	Pile/Heap	130	2.8%
4	Kilogram (Kg)	0	
Sysmiss		4410	93.9%

S6AQ12A_Q: S6AQ12A_Q - Total quantity of item consumed by the household

Data file: S6A_FISHING_PROD_final

Overview

Valid: 285 Minimum: 0 Maximum: 2496
 Type: Discrete Width: 11 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3	0.1%
1		3	0.1%
2		20	0.4%
4		16	0.3%
6		12	0.3%
8		5	0.1%
9		2	0%
10		6	0.1%
12		13	0.3%
15		6	0.1%
16		8	0.2%
18		8	0.2%
20		9	0.2%
21		2	0%
24		7	0.1%
27		1	0%
30		10	0.2%
32		2	0%
36		5	0.1%
40		5	0.1%
45		1	0%
48		5	0.1%
50		3	0.1%
54		1	0%
60		5	0.1%
63		1	0%
64		1	0%
72		8	0.2%
75		5	0.1%
80		6	0.1%
84		1	0%
96		2	0%
99		1	0%
100		4	0.1%
108		2	0%

112		2	0%
115		1	0%
120		12	0.3%
126		1	0%
140		2	0%
144		1	0%
150		5	0.1%
160		3	0.1%
161		1	0%
165		2	0%
168		1	0%
180		2	0%
192		2	0%
200		2	0%
220		1	0%
250		2	0%
270		1	0%
276		1	0%
288		1	0%
300		10	0.2%
320		1	0%
330		1	0%
336		1	0%
360		1	0%
408		1	0%
440		1	0%
450		2	0%
480		2	0%
540		2	0%
560		1	0%
576		1	0%
600		4	0.1%
660		1	0%
672		1	0%
720		1	0%
750		1	0%
768		1	0%
800		2	0%
875		1	0%

900		1	0%
960		2	0%
1000		1	0%
1056		1	0%
1120		1	0%
1152		1	0%
1248		2	0%
1440		1	0%
1740		1	0%
1890		1	0%
1920		1	0%
2200		1	0%
2240		1	0%
2250		1	0%
2496		1	0%
Sysmiss		4410	93.9%

S6AQ12B_U: S6AQ12B_U - Unit

Data file: S6A_FISHING_PROD_final

Overview

Valid: 282 Minimum: 1 Maximum: 3
 Type: Discrete Width: 11 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Dozen	63	1.3%
2	Single	92	2%
3	Pile/Heap	127	2.7%
4	Kilogram (Kg)	0	
Sysmiss		4413	94%

S6AQ13: S6AQ13 - Sell any of the item fished

Data file: S6A_FISHING_PROD_final

Overview

Valid: 285 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		23	0.5%
2		262	5.6%
Sysmiss		4410	93.9%

S6AQ14A_Q: S6AQ14A_Q - Quantity of the item fished

Data file: S6A_FISHING_PROD_final

Overview

Valid: 23 Minimum: 6 Maximum: 2625

Type: Discrete Width: 11 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
6		1	0%
18		1	0%
24		1	0%
64		1	0%
70		1	0%
80		1	0%
96		1	0%
120		1	0%
150		1	0%
156		2	0%
189		1	0%
200		1	0%
225		1	0%
240		2	0%
288		1	0%
320		1	0%
600		2	0%
1152		1	0%
1344		1	0%
2625		1	0%

Sysmiss		4672	99.5%
---------	--	------	-------

S6AQ14B_U: S6AQ14B_U - Unit

Data file: S6A_FISHING_PROD_final

Overview

Valid: 23 Minimum: 1 Maximum: 3

Type: Discrete Width: 11 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Dozen	8	0.2%
2	Single	5	0.1%
3	Pile/Heap	10	0.2%
4	Kilogram (Kg)	0	
Sysmiss		4672	99.5%

S6AQ15A: S6AQ15A - Total Value of earrings or Unit Price

Data file: S6A_FISHING_PROD_final

Overview

Valid: 23 Minimum: 2 Maximum: 2

Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2		23	0.5%
Sysmiss		4672	99.5%

S6AQ15B: S6AQ15B - Total value of sales

Data file: S6A_FISHING_PROD_final

Overview

Minimum: Maximum:

Type: Continuous Width: 9 Range: - Format: Numeric

S6AQ15C: S6AQ15C - Average unit price of item sold**Data file: S6A_FISHING_PROD_final****Overview**

Valid: 23 Minimum: 3 Maximum: 1500

Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
3		1	0%
5		3	0.1%
8		1	0%
10		6	0.1%
20		1	0%
25		1	0%
40		1	0%
50		2	0%
60		1	0%
80		1	0%
100		1	0%
140		1	0%
300		1	0%
900		1	0%
1500		1	0%
Sysmiss		4672	99.5%

HH_FINAL_WEIGHT: HH weight in the district**Data file: S6A_FISHING_PROD_final****Overview**

Minimum: 13.77279036666 Maximum: 33222.343296819

Type: Continuous Width: 15 Range: - Format: Numeric

VALUE_QTY_SOLD: Total value of fish sales**Data file: S6A_FISHING_PROD_final****Overview**

Minimum: 150 Maximum: 223020

Type: Continuous Width: 16 Range: - Format: Numeric

VALUE_QTY_COLLECTED: Total value of fish collected**Data file: S6A_FISHING_PROD_final****Overview**

Minimum: 300 Maximum: 325026

Type: Continuous Width: 21 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S7A_FORESTRY_PROD_final****Overview**

Valid: 56029

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S7A_FORESTRY_PROD_final****Overview**

Valid: 56010 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	25175	44.9%
2	NORTH-EASTERN	9783	17.5%
3	NORTH-WESTERN	8873	15.8%
4	SOUTHERN	12046	21.5%
5	WESTERN AREA	133	0.2%
Sysmiss		19	0%

DISTRICT: DISTRICT**Data file: S7A_FORESTRY_PROD_final****Overview**

Valid: 55174 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	10108	18%
12	KENEMA	7296	13%
13	KONO	7600	13.6%
21	BOMBALI	1632	2.9%
22	FALABA	2622	4.7%

23	KOINADUGU	1330	2.4%
24	TONKOLILI	3857	6.9%
31	KAMBIA	3211	5.7%
32	KARENE	1634	2.9%
33	PORTLOKO	3895	7%
41	BO	4693	8.4%
42	BONTHE	1178	2.1%
43	MOYAMBA	2679	4.8%
44	PUJEHUN	3306	5.9%
51	WESTERN RURAL	133	0.2%
52	WESTERN URBAN	0	
Sysmiss		855	1.5%

URB_RUR: Location Status

Data file: S7A_FORESTRY_PROD_final

Overview

Valid: 56029

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S7A_FORESTRY_PROD_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S7A_PID: S7A - Product ID

Data file: S7A_FORESTRY_PROD_final

Overview

Valid: 56029

Type: Discrete Width: 8 Range: - Format: character

S7A_PNAME: S7A - Product Name

Data file: S7A_FORESTRY_PROD_final

Overview

Valid: 56029

Type: Discrete Width: 26 Range: - Format: character

S7AQ2: S7AQ2 - Collection of forestry products**Data file:** S7A_FORESTRY_PROD_final**Overview**

Valid: 56029 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	6321	11.3%
2	No	49708	88.7%

S7AQ3: S7AQ3 - Land of collection part of the farm**Data file:** S7A_FORESTRY_PROD_final**Overview**

Valid: 6321 Minimum: 0 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2297	4.1%
1	Yes, all of it	1673	3%
2	Yes, part of it	2351	4.2%
Sysmiss		49708	88.7%

S7AQ4: S7AQ4 - Number of months of collection of the product**Data file:** S7A_FORESTRY_PROD_final**Overview**

Valid: 6321 Minimum: 1 Maximum: 12
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		587	1%
2		814	1.5%
3		848	1.5%
4		555	1%
5		487	0.9%
6		676	1.2%
7		179	0.3%
8		323	0.6%
9		82	0.1%
10		232	0.4%
11		173	0.3%
12		1365	2.4%
Sysmiss		49708	88.7%

S7AQ5: S7AQ5 - Average number of collection days per month

Data file: S7A_FORESTRY_PROD_final

Overview

Valid: 6321 Minimum: 1 Maximum: 91
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		670	1.2%
2		850	1.5%
3		660	1.2%
4		569	1%
5		564	1%
6		240	0.4%
7		254	0.5%
8		250	0.4%
9		45	0.1%
10		338	0.6%
11		19	0%
12		245	0.4%
13		16	0%

14		110	0.2%
15		347	0.6%
16		76	0.1%
17		10	0%
18		33	0.1%
19		10	0%
20		242	0.4%
21		34	0.1%
22		12	0%
23		5	0%
24		81	0.1%
25		127	0.2%
26		45	0.1%
27		29	0.1%
28		126	0.2%
29		44	0.1%
30		247	0.4%
31		8	0%
35		1	0%
38		1	0%
40		2	0%
48		1	0%
56		1	0%
60		2	0%
64		3	0%
71		1	0%
90		2	0%
91		1	0%
Sysmiss		49708	88.7%

TOTAL_QTY_COLLECTED: Total quantity collected

Data file: S7A_FORESTRY_PROD_final

Overview

Minimum: 0.95 Maximum: 18445

Type: Continuous Width: 21 Range: - Format: Numeric

TOTAL_QTY_USED: Total quantity consumed**Data file:** S7A_FORESTRY_PROD_final**Overview**

Minimum: 0 Maximum: 12240

Type: Continuous Width: 16 Range: - Format: Numeric

S7AQ8: S7AQ8 - Selling the product**Data file:** S7A_FORESTRY_PROD_final**Overview**

Valid: 6321 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		873	1.6%
2		5448	9.7%
Sysmiss		49708	88.7%

TOTAL_QTY_SOLD: Total quantity sold**Data file:** S7A_FORESTRY_PROD_final**Overview**

Minimum: 2 Maximum: 14382

Type: Continuous Width: 16 Range: - Format: Numeric

S7AQ10: S7AQ10 - Everage unit price**Data file:** S7A_FORESTRY_PROD_final**Overview**

Valid: 873 Minimum: 1 Maximum: 98333

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		6	0%
2		10	0%

3		9	0%
4		14	0%
5		80	0.1%
6		5	0%
7		6	0%
8		15	0%
9		2	0%
10		54	0.1%
12		5	0%
15		37	0.1%
18		2	0%
20		50	0.1%
25		23	0%
30		24	0%
34		1	0%
35		3	0%
40		10	0%
45		5	0%
50		28	0%
55		2	0%
60		13	0%
65		1	0%
70		7	0%
72		1	0%
75		3	0%
80		6	0%
90		2	0%
95		1	0%
100		39	0.1%
105		1	0%
110		1	0%
115		2	0%
116		1	0%
120		19	0%
125		1	0%
130		9	0%
135		3	0%
140		6	0%
145		2	0%

150		43	0.1%
160		3	0%
165		1	0%
170		3	0%
180		9	0%
185		1	0%
186		1	0%
200		62	0.1%
210		2	0%
215		1	0%
220		4	0%
230		9	0%
240		2	0%
250		85	0.2%
260		5	0%
270		1	0%
280		2	0%
300		52	0.1%
320		3	0%
350		22	0%
360		1	0%
380		1	0%
390		1	0%
400		9	0%
450		2	0%
480		1	0%
500		6	0%
510		1	0%
600		7	0%
700		3	0%
750		3	0%
800		2	0%
900		1	0%
1000		6	0%
1200		2	0%
1500		1	0%
1820		1	0%
2500		1	0%
3600		1	0%

5000		1	0%
10000		1	0%
98333		1	0%
Sysmiss		55156	98.4%

HH_FINAL_WEIGHT: HH weight in the district

Data file: S7A_FORESTRY_PROD_final

Overview

Minimum: 13.77279036666 Maximum: 33222.343296819
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID

Data file: S7B_FORESTS_CLEARED_final

Overview

Valid: 4972
Type: Discrete Width: 8 Range: - Format: character

REGION: REGION

Data file: S7B_FORESTS_CLEARED_final

Overview

Valid: 4966 Minimum: 1 Maximum: 5
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	1964	39.5%
2	NORTH-EASTERN	916	18.4%
3	NORTH-WESTERN	928	18.7%
4	SOUTHERN	1108	22.3%
5	WESTERN AREA	50	1%
Sysmiss		6	0.1%

DISTRICT: DISTRICT

Data file: S7B_FORESTS_CLEARED_final

Overview

Valid: 4885 Minimum: 11 Maximum: 51
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	711	14.3%
12	KENEMA	634	12.8%
13	KONO	603	12.1%
21	BOMBALI	174	3.5%
22	FALABA	143	2.9%

23	KOINADUGU	82	1.6%
24	TONKOLILI	496	10%
31	KAMBIA	312	6.3%
32	KARENE	150	3%
33	PORTLOKO	444	8.9%
41	BO	402	8.1%
42	BONTHE	112	2.3%
43	MOYAMBA	291	5.9%
44	PUJEHUN	281	5.7%
51	WESTERN RURAL	50	1%
52	WESTERN URBAN	0	
Sysmiss		87	1.7%

URB_RUR: Location Status

Data file: S7B_FORESTS_CLEARED_final

Overview

Valid: 4972

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S7B_FORESTS_CLEARED_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S7BQ1: S7BQ1 - Forests cleared for farmig

Data file: S7B_FORESTS_CLEARED_final

Overview

Valid: 4972 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	993	20%
2	NO	3979	80%

AREA_CLEARED_5YEARS: Area (ha) cleared these 5 past years**Data file:** S7B_FORESTS_CLEARED_final**Overview**

Minimum: 0.0040468564 Maximum: 6.0702846
 Type: Continuous Width: 21 Range: - Format: Numeric

S7BQ3: S7BQ3 - Forest cleared during the past 12 months in that of last 5 years**Data file:** S7B_FORESTS_CLEARED_final**Overview**

Valid: 993 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	651	13.1%
2	NO	342	6.9%
Sysmiss		3979	80%

AREA_CLEARED_12MONTHS: Area (ha) cleared these 12 last months**Data file:** S7B_FORESTS_CLEARED_final**Overview**

Minimum: 0.0040468564 Maximum: 4.0468564
 Type: Continuous Width: 23 Range: - Format: Numeric

S7BQ5: S7BQ5 - Primary purpose for forest cleared during the past 12 months**Data file:** S7B_FORESTS_CLEARED_final**Overview**

Valid: 651 Minimum: 1 Maximum: 9
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	CROPPING	587	11.8%
2	TREE PLANTATION	22	0.4%
3	PASTURE	1	0%
4	NON-AGRICULTURAL USES	18	0.4%
5	TIMBER EXTRACTION	2	0%
6	CHARCOALING	19	0.4%
9	OTHER (SPECIFY)	2	0%
Sysmiss		4321	86.9%

S7BQ6: S7BQ6 - Planting trees to create forest or woodland

Data file: S7B_FORESTS_CLEARED_final

Overview

Valid: 4972 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	38	0.8%
2	NO	4934	99.2%

S7BQ6A: S7BQ6a - Intention to install Agroforestry partices

Data file: S7B_FORESTS_CLEARED_final

Overview

Valid: 38 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	26	0.5%
2	NO	12	0.2%
Sysmiss		4934	99.2%

AREA_CREATED_12MONTHS: Area (ha) planted with trees to create forest/wooded land in the past 12 months

Data file: S7B_FORESTS_CLEARED_final

Overview

Minimum: 0.080937128 Maximum: 3.277953684
 Type: Continuous Width: 23 Range: - Format: Numeric

S7BQ8: S7BQ8 - Presence of communal forest not used by the farm last 12 months

Data file: S7B_FORESTS_CLEARED_final

Overview

Valid: 4972 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	834	16.8%
2	NO	4138	83.2%

S7BQ9: S7BQ9 - Reason for not using communal forests

Data file: S7B_FORESTS_CLEARED_final

Overview

Valid: 834 Minimum: 1 Maximum: 9
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	No interest in forestry production or use	355	7.1%
2	The forest land on the holding was sufficient for the holding's activities	98	2%
3	Too expensive	14	0.3%
4	No access granted	245	4.9%
5	Problems with other users	25	0.5%
6	Problems with the quality and quantity of forest or other wooded land...6	13	0.3%
9	Other (specify)	84	1.7%
Sysmiss		4138	83.2%

HH_FINAL_WEIGHT: HH weight in the district**Data file: S7B_FORESTS_CLEARED_final****Overview**

Minimum: 13.77279036666 Maximum: 33222.343296819
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: SOB_ENERGY_IRR_GEN_PH_final****Overview**

Valid: 5110

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: SOB_ENERGY_IRR_GEN_PH_final****Overview**

Valid: 5104 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	2015	39.4%
2	NORTH-EASTERN	924	18.1%
3	NORTH-WESTERN	955	18.7%
4	SOUTHERN	1144	22.4%
5	WESTERN AREA	66	1.3%
Sysmiss		6	0.1%

DISTRICT: DISTRICT**Data file: SOB_ENERGY_IRR_GEN_PH_final****Overview**

Valid: 5021 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	732	14.3%
12	KENEMA	637	12.5%
13	KONO	628	12.3%
21	BOMBALI	176	3.4%
22	FALABA	145	2.8%

23	KOINADUGU	82	1.6%
24	TONKOLILI	500	9.8%
31	KAMBIA	320	6.3%
32	KARENE	153	3%
33	PORTLOKO	460	9%
41	BO	436	8.5%
42	BONTHE	110	2.2%
43	MOYAMBA	294	5.8%
44	PUJEHUN	282	5.5%
51	WESTERN RURAL	66	1.3%
52	WESTERN URBAN	0	
Sysmiss		89	1.7%

URB_RUR: Location Status

Data file: SOB_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5110

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: SOB_ENERGY_IRR_GEN_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

SOBQ1_A: ELECTRICITY (EDSA,BKPS)

Data file: SOB_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5108 Minimum: 0 Maximum: 1

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5074	99.3%
1	Yes	34	0.7%

Sysmiss		2	0%
---------	--	---	----

S0BQ1_B: GENERATOR

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5108 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5074	99.3%
1	Yes	34	0.7%
Sysmiss		2	0%

S0BQ1_C: CHARCOAL

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5110 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	4483	87.7%
1	Yes	627	12.3%

S0BQ1_D: NATURAL GAS

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5110 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	4842	94.8%
1	Yes	268	5.2%

S0BQ1_E: Fire wood

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5110 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1899	37.2%
1	Yes	3211	62.8%

S0BQ1_F: SOLAR ENERGY

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5102 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5020	98.2%
1	Yes	82	1.6%
Sysmiss		8	0.2%

S0BQ1_G: NO ENERGY USED

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5110 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3511	68.7%
1	Yes	1599	31.3%

S0BQ2: S0BQ2 - Was irrigation used on any parts of this farm during the last 12 months

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5110 Minimum: 1 Maximum: 4
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	355	6.9%
2	NO, IRRIGATION NOT NEEDED	1809	35.4%
3	NO, CANNOT AFFORD IRRIGATION	2660	52.1%
4	NO, NO WATER AVAILABLE	286	5.6%

S0BQ3_A: ON-FARM GROUNDWATER (Eg Water well)

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5104 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	4908	96%
1	Yes	196	3.8%
Sysmiss		6	0.1%

S0BQ3_B: ON-FARM SURFACE WATER**Data file:** S0B_ENERGY_IRR_GEN_PH_final**Overview**

Valid: 5110 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5061	99%
1	Yes	49	1%

S0BQ3_C: OFF-FARM SURFACE WATER (LAKES, RIVERS, Stream)**Data file:** S0B_ENERGY_IRR_GEN_PH_final**Overview**

Valid: 5094 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5048	98.8%
1	Yes	46	0.9%
Sysmiss		16	0.3%

S0BQ3_D: Pipe borne WATER SUPPLY OR OTHER WATER NETWORK (Tap Water)**Data file:** S0B_ENERGY_IRR_GEN_PH_final**Overview**

Valid: 5105 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5102	99.8%
1	Yes	3	0.1%

Sysmiss		5	0.1%
---------	--	---	------

S0BQ3_E: RAINWATER HARVESTING

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5110 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5035	98.5%
1	Yes	75	1.5%

S0BQ4_A: S0BQ4 - The total area that was irrigated with ON-FARM GROUNDWATER

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 200 Minimum: 1 Maximum: 4
Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	Type not used by the household	0	
1	Used for a small part of the area irrigated (up to 10%)	26	0.5%
2	Used for a significant part of the area irrigated (from 10% to 50%)	62	1.2%
3	Used for most of the area irrigated (more than 50% but less than 100%)	75	1.5%
4	Used on all of the area irrigated (100%)	37	0.7%
Sysmiss		4910	96.1%

S0BQ4_B: S0BQ4 - The total area that was irrigated with ON-FARM SURFACE WATER

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 49 Minimum: 1 Maximum: 4
Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	Type not used by the household	0	
1	Used for a small part of the area irrigated (up to 10%)	6	0.1%
2	Used for a significant part of the area irrigated (from 10% to 50%)	29	0.6%
3	Used for most of the area irrigated (more than 50% but less than 100%)	9	0.2%
4	Used on all of the area irrigated (100%)	5	0.1%
Sysmiss		5061	99%

S0BQ4_C: S0BQ4 - The total area that was irrigated with OFF-FARM SURFACE WATER

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 62 Minimum: 1 Maximum: 4
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	Type not used by the household	0	
1	Used for a small part of the area irrigated (up to 10%)	4	0.1%
2	Used for a significant part of the area irrigated (from 10% to 50%)	15	0.3%
3	Used for most of the area irrigated (more than 50% but less than 100%)	25	0.5%
4	Used on all of the area irrigated (100%)	18	0.4%
Sysmiss		5048	98.8%

S0BQ4_D: S0BQ4 - The total area that was irrigated with PIPE BORNE WATER SUPPLY OR OTHER WATER NETWORK

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 8 Minimum: 2 Maximum: 4
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	Type not used by the household	0	
1	Used for a small part of the area irrigated (up to 10%)	0	
2	Used for a significant part of the area irrigated (from 10% to 50%)	3	0.1%
3	Used for most of the area irrigated (more than 50% but less than 100%)	1	0%
4	Used on all of the area irrigated (100%)	4	0.1%
Sysmiss		5102	99.8%

S0BQ4_E: S0BQ4 - The total area that was irrigated with RAINWATER HARVESTING

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 75 Minimum: 2 Maximum: 4
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	Type not used by the household	0	
1	Used for a small part of the area irrigated (up to 10%)	0	
2	Used for a significant part of the area irrigated (from 10% to 50%)	8	0.2%
3	Used for most of the area irrigated (more than 50% but less than 100%)	47	0.9%
4	Used on all of the area irrigated (100%)	20	0.4%
Sysmiss		5035	98.5%

S0BQ4_Z: S0BQ4 - The total area that was irrigated OTHER IRRIGATION METHODS

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 15 Minimum: 1 Maximum: 4
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	Type not used by the household	0	
1	Used for a small part of the area irrigated (up to 10%)	3	0.1%
2	Used for a significant part of the area irrigated (from 10% to 50%)	2	0%

3	Used for most of the area irrigated (more than 50% but less than 100%)	5	0.1%
4	Used on all of the area irrigated (100%)	5	0.1%
Sysmiss		5095	99.7%

S0BQ5: S0BQ5 - Payments made for irrigation during the last 12 months

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 355 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	67	1.3%
2	NO	288	5.6%
Sysmiss		4755	93.1%

S0BQ6: S0BQ6 - Any reduction in water availability from the source(s) you've been using for irrigating the farm in the last three years

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 355 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	234	4.6%
2	NO	121	2.4%
Sysmiss		4755	93.1%

S0BQ7: S0BQ7 - In the last three years has water been always sufficient to irrigate your farm

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 355 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	127	2.5%
2	NO	228	4.5%
Sysmiss		4755	93.1%

S0BQ8: S0BQ8 - Any organization dealing with water allocation on the farm during the last three years

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 355 Minimum: 1 Maximum: 4
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES, AND THEY ARE WORKING WELL	22	0.4%
2	YES, BUT THEY ARE NOT WORKING WELL	19	0.4%
3	NO, THERE ARE NONE	296	5.8%
4	I DON'T KNOW	18	0.4%
Sysmiss		4755	93.1%

S0BQ9: S0BQ9 - Reason for not working well

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 19 Minimum: 1 Maximum: 4
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Limited water supply during the dry season	11	0.2%
2	cater more only for domestic purposes	1	0%

3	Not appropriate for large use	2	0%
4	Lack of maintenance and supervision	5	0.1%
9	Other specify	0	
Sysmiss		5091	99.6%

S0BQ10: S0BQ10 - Are there communal irrigation facilities in working order in the farm's neighbourhood

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 5110 Minimum: 1 Maximum: 3
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	191	3.7%
2	NO	4747	92.9%
3	DO NOT KNOW	172	3.4%

S0BQ11: S0BQ11 - Communal irrigation facilities in the last 12 months

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 191 Minimum: 1 Maximum: 2
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	114	2.2%
2	NO	77	1.5%
Sysmiss		4919	96.3%

S0BQ12: S0BQ12 - Main reason why the farm did not use these communal irrigation facilities in the last 12 months

Data file: S0B_ENERGY_IRR_GEN_PH_final

Overview

Valid: 77 Minimum: 1 Maximum: 6
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	NO IRRIGATION NEEDED	14	0.3%
2	IRRIGATION FACILITIES ON THE HOLDING SUFFICIENT	4	0.1%
3	TOO EXPENSIVE	26	0.5%
4	NO ACCESS GRANTED	30	0.6%
5	PROBLEMS WITH OTHER USERS	0	
6	PROBLEMS WITH THE QUALITY AND QUANTITY OF WATER	3	0.1%
9	OTHER (SPECIFY)	0	
Sysmiss		5033	98.5%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: SOB_ENERGY_IRR_GEN_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** SOC_IRR_DRN_CUL_PLT_PH_final**Overview**

Valid: 457

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** SOC_IRR_DRN_CUL_PLT_PH_final**Overview**

Valid: 454 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	107	23.4%
2	NORTH-EASTERN	170	37.2%
3	NORTH-WESTERN	107	23.4%
4	SOUTHERN	36	7.9%
5	WESTERN AREA	34	7.4%
Sysmiss		3	0.7%

DISTRICT: DISTRICT**Data file:** SOC_IRR_DRN_CUL_PLT_PH_final**Overview**

Valid: 441 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	65	14.2%
12	KENEMA	33	7.2%
13	KONO	9	2%
21	BOMBALI	19	4.2%
22	FALABA	20	4.4%

23	KOINADUGU	9	2%
24	TONKOLILI	110	24.1%
31	KAMBIA	17	3.7%
32	KARENE	0	
33	PORTLOKO	89	19.5%
41	BO	3	0.7%
42	BONTHE	0	
43	MOYAMBA	19	4.2%
44	PUJEHUN	14	3.1%
51	WESTERN RURAL	34	7.4%
52	WESTERN URBAN	0	
Sysmiss		16	3.5%

URB_RUR: Location Status

Data file: SOC_IRR_DRN_CUL_PLT_PH_final

Overview

Valid: 457

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: SOC_IRR_DRN_CUL_PLT_PH_final

Overview

Minimum: 11010305 Maximum: 51010515

Type: Continuous Width: 8 Range: - Format: Numeric

SOC_PARCEL_ID: SOC - PARCEL ID

Data file: SOC_IRR_DRN_CUL_PLT_PH_final

Overview

Valid: 457 Minimum: 1 Maximum: 3

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		371	81.2%
2		78	17.1%

3		8	1.8%
---	--	---	------

S0C_PLOT_ID: S0C - PLOT ID

Data file: S0C_IRR_DRN_CUL_PLT_PH_final

Overview

Valid: 457 Minimum: 1 Maximum: 4
Type: Discrete Width: 13 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		404	88.4%
2		45	9.8%
3		7	1.5%
4		1	0.2%

S0CQ1: S0CQ1 - PLOT irrigated during the 2024 Agricultural season

Data file: S0C_IRR_DRN_CUL_PLT_PH_final

Overview

Valid: 457 Minimum: 1 Maximum: 2
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	322	70.5%
2	NO	135	29.5%

S0CQ2: S0CQ2 - Main irrigation method used on plot during the 2024 Agricultural season

Data file: S0C_IRR_DRN_CUL_PLT_PH_final

Overview

Valid: 322 Minimum: 1 Maximum: 6
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	SURFACE IRRIGATION (FLOODING, FURROWS)	80	17.5%
2	SPRINKLER IRRIGATION	50	10.9%
3	DRIP IRRIGATION	51	11.2%
4	DEVELOPED INLAND VALLEY (SWAMP)	93	20.4%
5	EQUIPPED FLOOD RECESSION CULTIVATION	7	1.5%
6	Manual	41	9%
9	OTHER (SPECIFY)	0	
Sysmiss		135	29.5%

S0CQ3: S0CQ3 - Drainage system on plot

Data file: S0C_IRR_DRN_CUL_PLT_PH_final

Overview

Valid: 457 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	161	35.2%
2	NO	296	64.8%

S0CQ4: S0CQ4 - Water-saving practices used on plot during the 2024 Agricultural season

Data file: S0C_IRR_DRN_CUL_PLT_PH_final

Overview

Valid: 457 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	127	27.8%
2	NO	330	72.2%

HH_FINAL_WEIGHT: PH weight adjusted from PP**Data file: SOC_IRR_DRN_CUL_PLT_PH_final****Overview**

Minimum: 33.159256715924 Maximum: 4174.8234681452

Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S0D_PST_MD_MGT_IRR_PH_final**Overview**

Valid: 7792

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S0D_PST_MD_MGT_IRR_PH_final**Overview**

Valid: 7785 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	3428	44%
2	NORTH-EASTERN	1667	21.4%
3	NORTH-WESTERN	1275	16.4%
4	SOUTHERN	1363	17.5%
5	WESTERN AREA	52	0.7%
Sysmiss		7	0.1%

DISTRICT: DISTRICT**Data file:** S0D_PST_MD_MGT_IRR_PH_final**Overview**

Valid: 7653 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	1404	18%
12	KENEMA	814	10.4%
13	KONO	1183	15.2%
21	BOMBALI	310	4%
22	FALABA	211	2.7%

23	KOINADUGU	114	1.5%
24	TONKOLILI	994	12.8%
31	KAMBIA	408	5.2%
32	KARENE	253	3.2%
33	PORTLOKO	582	7.5%
41	BO	481	6.2%
42	BONTHE	134	1.7%
43	MOYAMBA	353	4.5%
44	PUJEHUN	360	4.6%
51	WESTERN RURAL	52	0.7%
52	WESTERN URBAN	0	
Sysmiss		139	1.8%

URB_RUR: Location Status

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7792

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S0D_PARCEL_ID: S0D - PARCEL ID

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7792 Minimum: 1 Maximum: 10

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		5822	74.7%
2		1582	20.3%

3		326	4.2%
4		51	0.7%
5		5	0.1%
6		1	0%
7		1	0%
8		1	0%
10		3	0%

S0D_PLOT_ID: S0D - PLOT ID

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7792 Minimum: 1 Maximum: 6
 Type: Discrete Width: 13 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		6803	87.3%
2		830	10.7%
3		137	1.8%
4		20	0.3%
5		1	0%
6		1	0%

S0DQ1: S0DQ1 - Rotational grazing practiced on part of parcel for pasture/meadow during the last 12 months

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7792 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	1171	15%
2	NO	6621	85%

S0DQ2: S0DQ2 - Trees/shrubs on parcel dedicated to pasture/meadow**Data file:** S0D_PST_MD_MGT_IRR_PH_final**Overview**

Valid: 7792 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	2023	26%
2	NO	5769	74%

S0DQ3_A: Tectonia grandis**Data file:** S0D_PST_MD_MGT_IRR_PH_final**Overview**

Valid: 7761 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7570	97.2%
1	Yes	191	2.5%
Sysmiss		31	0.4%

S0DQ3_B: Acacia mangium**Data file:** S0D_PST_MD_MGT_IRR_PH_final**Overview**

Valid: 7774 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0	No	7570	97.2%
1	Yes	204	2.6%
Sysmiss		18	0.2%

S0DQ3_C: Lucaena leucocephala

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7771 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7696	98.8%
1	Yes	75	1%
Sysmiss		21	0.3%

S0DQ3_D: Gmelina Arborea(Yemani)

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7780 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6967	89.4%
1	Yes	813	10.4%
Sysmiss		12	0.2%

S0DQ3_E: Garcinia

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7781 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7744	99.4%
1	Yes	37	0.5%
Sysmiss		11	0.1%

S0DQ3_F: Moringa

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7790 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7670	98.4%
1	Yes	120	1.5%
Sysmiss		2	0%

S0DQ3_G: Don't know

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7792 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6391	82%
1	Yes	1401	18%

S0DQ3_Y: Other

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7792 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7625	97.9%
1	Yes	167	2.1%

S0DQ4_A: How many Tectonia grandis are on this parcel ?

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7761 Minimum: 0 Maximum: 300
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7570	97.2%
1		3	0%
2		19	0.2%
3		15	0.2%
4		18	0.2%
5		18	0.2%
6		10	0.1%
7		1	0%
8		5	0.1%
9		3	0%
10		15	0.2%
11		2	0%
12		7	0.1%
13		2	0%
14		1	0%
15		13	0.2%
17		2	0%
18		2	0%

20		12	0.2%
21		1	0%
22		2	0%
24		1	0%
25		7	0.1%
30		6	0.1%
38		1	0%
45		3	0%
46		1	0%
50		7	0.1%
55		3	0%
56		1	0%
65		1	0%
70		1	0%
72		1	0%
80		1	0%
100		2	0%
150		1	0%
188		1	0%
200		1	0%
300		1	0%
Sysmiss		31	0.4%

S0DQ4_B: How many Acacia mangium are on this parcel ?

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7774 Minimum: 0 Maximum: 576
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7570	97.2%
1		1	0%
2		19	0.2%
3		10	0.1%
4		8	0.1%

5		31	0.4%
6		15	0.2%
7		4	0.1%
8		3	0%
9		3	0%
10		26	0.3%
11		2	0%
12		4	0.1%
13		1	0%
14		3	0%
15		11	0.1%
16		1	0%
20		16	0.2%
24		2	0%
25		1	0%
30		8	0.1%
35		2	0%
36		1	0%
50		5	0.1%
52		1	0%
60		2	0%
80		1	0%
99		1	0%
100		5	0.1%
108		1	0%
150		2	0%
180		1	0%
200		3	0%
238		1	0%
258		1	0%
285		1	0%
336		1	0%
341		1	0%
369		1	0%
406		1	0%
489		1	0%
574		1	0%
576		1	0%
Sysmiss		18	0.2%

S0DQ4_C: How many Lucaena leucocephala are on this parcel ?**Data file: S0D_PST_MD_MGT_IRR_PH_final****Overview**

Valid: 7771 Minimum: 0 Maximum: 500
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7696	98.8%
1		1	0%
2		2	0%
3		5	0.1%
4		2	0%
6		3	0%
7		2	0%
8		3	0%
9		2	0%
10		10	0.1%
12		2	0%
14		1	0%
15		1	0%
17		1	0%
20		3	0%
30		5	0.1%
40		3	0%
45		2	0%
50		4	0.1%
60		4	0.1%
70		1	0%
80		1	0%
100		2	0%
150		1	0%
180		1	0%
200		2	0%
240		1	0%
250		1	0%

300		2	0%
420		1	0%
450		1	0%
480		1	0%
500		4	0.1%
Sysmiss		21	0.3%

S0DQ4_D: How many Gmelina Arborea(Yemani) are on this parcel ?

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7780 Minimum: 0 Maximum: 600
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		6967	89.4%
1		17	0.2%
2		25	0.3%
3		46	0.6%
4		37	0.5%
5		74	0.9%
6		41	0.5%
7		13	0.2%
8		26	0.3%
9		8	0.1%
10		93	1.2%
11		5	0.1%
12		24	0.3%
13		7	0.1%
14		7	0.1%
15		81	1%
16		3	0%
17		2	0%
18		3	0%
19		1	0%
20		57	0.7%

21		3	0%
22		2	0%
23		1	0%
25		26	0.3%
28		2	0%
30		28	0.4%
33		1	0%
34		1	0%
35		5	0.1%
36		2	0%
40		16	0.2%
41		1	0%
43		1	0%
45		6	0.1%
46		1	0%
49		1	0%
50		41	0.5%
51		1	0%
52		1	0%
55		2	0%
59		1	0%
60		9	0.1%
65		2	0%
66		1	0%
68		2	0%
70		4	0.1%
76		1	0%
78		1	0%
80		4	0.1%
86		1	0%
90		2	0%
99		1	0%
100		26	0.3%
101		1	0%
150		4	0.1%
158		1	0%
167		1	0%
180		1	0%
182		1	0%

192		1	0%
196		1	0%
200		10	0.1%
220		1	0%
221		1	0%
238		1	0%
250		2	0%
258		3	0%
259		1	0%
300		4	0.1%
302		1	0%
345		1	0%
358		1	0%
362		1	0%
385		1	0%
400		3	0%
402		1	0%
482		1	0%
500		1	0%
600		1	0%
Sysmiss		12	0.2%

S0DQ4_E: How many Gercinia are on this parcel ?

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7781 Minimum: 0 Maximum: 50
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7744	99.4%
1		3	0%
2		2	0%
3		4	0.1%
5		3	0%
6		2	0%

8		2	0%
10		2	0%
12		1	0%
14		2	0%
15		3	0%
18		1	0%
20		4	0.1%
25		1	0%
27		1	0%
30		2	0%
35		1	0%
40		1	0%
45		1	0%
50		1	0%
Sysmiss		11	0.1%

S0DQ4_F: How many Moringa are on this parcel ?

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7790 Minimum: 0 Maximum: 200
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7670	98.4%
1		4	0.1%
2		29	0.4%
3		10	0.1%
4		11	0.1%
5		17	0.2%
6		5	0.1%
7		4	0.1%
8		1	0%
10		6	0.1%
11		2	0%
12		2	0%

13		2	0%
15		8	0.1%
19		1	0%
20		5	0.1%
21		1	0%
23		1	0%
30		3	0%
40		1	0%
50		4	0.1%
75		1	0%
88		1	0%
200		1	0%
Sysmiss		2	0%

S0DQ4_G: How many unknown trees/shrubs are on this parcel ?

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7792 Minimum: 0 Maximum: 800
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		6391	82%
1		33	0.4%
2		88	1.1%
3		120	1.5%
4		79	1%
5		153	2%
6		78	1%
7		70	0.9%
8		62	0.8%
9		22	0.3%
10		134	1.7%
11		12	0.2%
12		41	0.5%
13		7	0.1%

14		8	0.1%
15		71	0.9%
16		6	0.1%
17		10	0.1%
18		10	0.1%
19		4	0.1%
20		90	1.2%
21		7	0.1%
22		4	0.1%
24		1	0%
25		24	0.3%
26		2	0%
27		1	0%
28		3	0%
30		25	0.3%
33		1	0%
35		8	0.1%
37		1	0%
39		1	0%
40		12	0.2%
42		2	0%
45		2	0%
47		1	0%
48		2	0%
50		43	0.6%
52		1	0%
55		2	0%
56		2	0%
60		8	0.1%
62		1	0%
65		1	0%
70		1	0%
73		1	0%
80		8	0.1%
90		2	0%
100		39	0.5%
110		2	0%
111		2	0%
112		1	0%

113		1	0%
120		13	0.2%
150		19	0.2%
180		2	0%
200		14	0.2%
208		1	0%
220		1	0%
240		1	0%
245		1	0%
250		5	0.1%
253		1	0%
256		1	0%
288		1	0%
300		15	0.2%
350		2	0%
400		7	0.1%
500		6	0.1%
800		1	0%

S0DQ4_Y: How many other trees/shrubs are on this parcel ?

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 7792 Minimum: 0 Maximum: 800
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7578	97.3%
1		52	0.7%
2		8	0.1%
3		19	0.2%
4		8	0.1%
5		11	0.1%
6		12	0.2%
7		3	0%
8		10	0.1%

9		7	0.1%
10		11	0.1%
12		1	0%
15		16	0.2%
16		3	0%
17		2	0%
20		14	0.2%
21		1	0%
22		1	0%
23		1	0%
25		2	0%
30		7	0.1%
33		1	0%
40		1	0%
50		5	0.1%
60		1	0%
61		1	0%
62		1	0%
70		2	0%
85		1	0%
100		2	0%
180		1	0%
200		1	0%
201		1	0%
280		1	0%
300		1	0%
500		2	0%
600		1	0%
650		1	0%
800		1	0%

S0DQ5: S0DQ5 - Year most of these trees/shrubs planted on parcel

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Valid: 2023 Minimum: 1970 Maximum: 2024
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1970		15	0.2%
1971		5	0.1%
1972		7	0.1%
1973		4	0.1%
1974		3	0%
1975		12	0.2%
1976		7	0.1%
1978		11	0.1%
1979		7	0.1%
1980		55	0.7%
1981		10	0.1%
1982		14	0.2%
1983		5	0.1%
1984		9	0.1%
1985		46	0.6%
1986		15	0.2%
1987		21	0.3%
1988		19	0.2%
1989		17	0.2%
1990		76	1%
1991		24	0.3%
1992		29	0.4%
1993		13	0.2%
1994		39	0.5%
1995		31	0.4%
1996		49	0.6%
1997		11	0.1%
1998		53	0.7%
1999		56	0.7%
2000		220	2.8%
2001		85	1.1%
2002		46	0.6%
2003		25	0.3%
2004		36	0.5%
2005		53	0.7%

2006		15	0.2%
2007		25	0.3%
2008		41	0.5%
2009		49	0.6%
2010		61	0.8%
2011		32	0.4%
2012		49	0.6%
2013		38	0.5%
2014		47	0.6%
2015		89	1.1%
2016		43	0.6%
2017		34	0.4%
2018		78	1%
2019		53	0.7%
2020		78	1%
2021		47	0.6%
2022		52	0.7%
2023		41	0.5%
2024		23	0.3%
Sysmiss		5769	74%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S0D_PST_MD_MGT_IRR_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S1A_TEM_NON_VEG_PROD_PH_final****Overview**

Valid: 7143

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S1A_TEM_NON_VEG_PROD_PH_final****Overview**

Valid: 7136 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	2257	31.6%
2	NORTH-EASTERN	1688	23.6%
3	NORTH-WESTERN	1256	17.6%
4	SOUTHERN	1880	26.3%
5	WESTERN AREA	55	0.8%
Sysmiss		7	0.1%

DISTRICT: DISTRICT**Data file: S1A_TEM_NON_VEG_PROD_PH_final****Overview**

Valid: 7020 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	836	11.7%
12	KENEMA	550	7.7%
13	KONO	854	12%
21	BOMBALI	289	4%
22	FALABA	288	4%

23	KOINADUGU	104	1.5%
24	TONKOLILI	977	13.7%
31	KAMBIA	383	5.4%
32	KARENE	261	3.7%
33	PORTLOKO	582	8.1%
41	BO	657	9.2%
42	BONTHE	130	1.8%
43	MOYAMBA	627	8.8%
44	PUJEHUN	427	6%
51	WESTERN RURAL	55	0.8%
52	WESTERN URBAN	0	
Sysmiss		123	1.7%

URB_RUR: Location Status

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S1A_PARCEL_ID: S1A - PARCEL ID

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 1 Maximum: 8

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		5708	79.9%
2		1166	16.3%

3		235	3.3%
4		31	0.4%
5		2	0%
8		1	0%

S1A_PLOT_ID: S1A - PLOT ID

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 1 Maximum: 4
 Type: Discrete Width: 13 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		6327	88.6%
2		681	9.5%
3		122	1.7%
4		13	0.2%

S1A_CROP_ID: Crop ID recoded

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 1111 Maximum: 8007
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1111	Rice	3462	48.5%
1121	Maize	604	8.5%
1141	Millet	74	1%
2121	Chilli Peper	0	
2131	Cucumber	0	
2151	Okra	0	
2171	Sweet Peper	0	
2231	Krain Krain	0	

2251	Potato leaves	0	
3162	Cocoa	0	
3172	Coffee	0	
3262	Kola	0	
3311	Banana	100	1.4%
4111	Groundnut	981	13.7%
4121	Soya Beans	74	1%
4131	Sesame(benie)	106	1.5%
4212	Oil Palm	0	
5131	Cassava	1114	15.6%
5141	Yams	79	1.1%
6111	Broad beans	137	1.9%
8001	Other Cereal Crops	24	0.3%
8002	Other Vegetable Crops	126	1.8%
8003	Other Fruits and Nuts Crops	72	1%
8004	Other Oil Seeds Crops	0	
8005	Other Tuber/Root Crops	122	1.7%
8006	Other Leguminous Crops	60	0.8%
8007	Other Industrial Crops	8	0.1%

S1AQ1_A: SOLID MANURE

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6321	88.5%
1	Yes	822	11.5%

S1AQ1_B: LIQUID MANURE/SLURRY

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7059	98.8%
1	Yes	84	1.2%

S1AQ1_C: VEG MATERIAL & COMPOST

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6858	96%
1	Yes	285	4%

S1AQ1_D: NO ORGANIC FERTILIZER USED

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1263	17.7%
1	Yes	5880	82.3%

S1AQ2_A: UREA

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6733	94.3%
1	Yes	410	5.7%

S1AQ2_B: NPK 15:15:15

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6697	93.8%
1	Yes	446	6.2%

S1AQ2_C: NPK 0:20:20

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7101	99.4%
1	Yes	42	0.6%

S1AQ2_D: DIAMMONIUM PHOSPHATE (DAP)

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7129	99.8%
1	Yes	14	0.2%

S1AQ2_E: NO INORGANIC FERTILIZER USED

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	721	10.1%
1	Yes	6422	89.9%

S1AQ3_A: INSECTICIDES

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6890	96.5%
1	Yes	253	3.5%

S1AQ3_B: HERBICIDE (SOLID)**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Valid: 7143 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7083	99.2%
1	Yes	60	0.8%

S1AQ3_C: HERBICIDE (LIQUID)**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Valid: 7143 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7047	98.7%
1	Yes	96	1.3%

S1AQ3_D: FUNGICIDE**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Valid: 7143 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7115	99.6%
1	Yes	28	0.4%

S1AQ3_E: RODENTICIDE**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6944	97.2%
1	Yes	199	2.8%

S1AQ3_F: NO PESTICIDE USED**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Valid: 7143 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	563	7.9%
1	Yes	6580	92.1%

S1AQ4: S1AQ4 - Adoption of integrated pest management (IPM) system on the plot**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Valid: 7143 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	1393	19.5%

2	NO	5750	80.5%
---	----	------	-------

S1AQ5: S1AQ5 - Did your farm harvest any of the [CROP] planted on this [PLOT] during the RAS

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7143 Minimum: 1 Maximum: 2
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	7140	100%
2	NO	3	0%

S1AQ6: S1AQ6 - Why did your farm not harvest any [CROP] from this [PLOT] during the RAS

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 3 Minimum: 2 Maximum: 14
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TOO LITTLE RAIN/DROUGHT	0	
2	TOO MUCH RAIN/FLOOD	1	0%
3	RAIN CAME TOO EARLY	0	
4	RAIN CAME TOO LATE	0	
5	ERRATIC/IRREGULAR RAINFALL	0	
6	TOO MUCH WIND	0	
7	PEST/DISEASE	0	
8	FIRE	0	
9	DISAGREEMENT ON LAND OWNERSHIP	0	
10	CROP THEFT	0	
11	UNABLE TO WORK ON THE FIELD DUE TO SICKNESS	1	0%
12	NO AVAILABLE LABOR	0	

13	NOT HARVEST SEASON	0	
14	DELAYED/DEFERRED HARVEST	1	0%
15	Animal attacks	0	
99	OTHER (SPECIFY)	0	
Sysmiss		7140	100%

S1AQ7_A: January

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7075	99%
1	Yes	65	0.9%
Sysmiss		3	0%

S1AQ7_B: February

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7115	99.6%
1	Yes	25	0.3%
Sysmiss		3	0%

S1AQ7_C: March

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7112	99.6%
1	Yes	28	0.4%
Sysmiss		3	0%

S1AQ7_D: April

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7096	99.3%
1	Yes	44	0.6%
Sysmiss		3	0%

S1AQ7_E: May

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7075	99%
1	Yes	65	0.9%
Sysmiss		3	0%

S1AQ7_F: June**Data file: S1A_TEM_NON_VEG_PROD_PH_final****Overview**

Valid: 7140 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7057	98.8%
1	Yes	83	1.2%
Sysmiss		3	0%

S1AQ7_G: July**Data file: S1A_TEM_NON_VEG_PROD_PH_final****Overview**

Valid: 7140 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	7007	98.1%
1	Yes	133	1.9%
Sysmiss		3	0%

S1AQ7_H: August**Data file: S1A_TEM_NON_VEG_PROD_PH_final****Overview**

Valid: 7140 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6664	93.3%
1	Yes	476	6.7%
Sysmiss		3	0%

S1AQ7_I: September

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6276	87.9%
1	Yes	864	12.1%
Sysmiss		3	0%

S1AQ7_J: October

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	6035	84.5%
1	Yes	1105	15.5%
Sysmiss		3	0%

S1AQ7_K: November

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5460	76.4%
1	Yes	1680	23.5%
Sysmiss		3	0%

S1AQ7_L: December

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5135	71.9%
1	Yes	2005	28.1%
Sysmiss		3	0%

S1AQ10: S1AQ10- Area harvested less than area planted?

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	985	13.8%
2	NO	6155	86.2%
Sysmiss		3	0%

S1AQ11: S1AQ11- Why area harvested was less than area planted**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Valid: 7143

Type: Discrete Width: 26 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
A	Too little rain/drought
B	Too much rain/flood
C	Rain came too early
D	Rain came too late
E	Erratic/irregular rainfall
F	Too much wind
G	Pest/disease
H	Fire
I	Crop theft
J	Unable to work on the field due to sickness
K	No available labor

S1AQ12: S1AQ12-In 2024 what percentage of plot planted with crop harvested**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Minimum: 5 Maximum: 100

Type: Continuous Width: 8 Range: - Format: Numeric

S1AQ13: S1AQ13-Percentage of Expentance of harvest in 2024**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Minimum: 5 Maximum: 100

Type: Continuous Width: 8 Range: - Format: Numeric

S1AQ14: S1AQ14-Harvest of crop done on plot not harvested due to damage shocks**Data file:** S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 7140 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	134	1.9%
2	NO	7006	98.1%
Sysmiss		3	0%

S1AQ15_A: Too little rain/drought

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 137 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	105	1.5%
1	Yes	32	0.4%
Sysmiss		7006	98.1%

S1AQ15_B: Too much rain/flood

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 137 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	111	1.6%
1	Yes	26	0.4%
Sysmiss		7006	98.1%

S1AQ15_C: Rain came too early**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Valid: 137 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	128	1.8%
1	Yes	9	0.1%
Sysmiss		7006	98.1%

S1AQ15_D: Rain came too late**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Valid: 137 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	128	1.8%
1	Yes	9	0.1%
Sysmiss		7006	98.1%

S1AQ15_E: Erratic/irregular rainfall**Data file:** S1A_TEM_NON_VEG_PROD_PH_final**Overview**

Valid: 137 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	133	1.9%
1	Yes	4	0.1%
Sysmiss		7006	98.1%

S1AQ15_F: Too much wind

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 137 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	132	1.8%
1	Yes	5	0.1%
Sysmiss		7006	98.1%

S1AQ15_G: Pest/disease

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 137 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	76	1.1%
1	Yes	61	0.9%
Sysmiss		7006	98.1%

S1AQ15_H: Fire

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 137 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	134	1.9%
1	Yes	3	0%
Sysmiss		7006	98.1%

S1AQ15_I: Crop theft

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 137 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	126	1.8%
1	Yes	11	0.2%
Sysmiss		7006	98.1%

S1AQ15_J: Unable to work on the field due to sickness

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Valid: 137 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	132	1.8%
1	Yes	5	0.1%
Sysmiss		7006	98.1%

S1AQ15_K: No available labor**Data file: S1A_TEM_NON_VEG_PROD_PH_final****Overview**

Valid: 137 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	127	1.8%
1	Yes	10	0.1%
Sysmiss		7006	98.1%

S1AQ16: S1AQ16-Percentage of plot area planted with crop in 2024 not due to shocks**Data file: S1A_TEM_NON_VEG_PROD_PH_final****Overview**

Valid: 134 Minimum: 3 Maximum: 100

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
3		1	0%
5		10	0.1%
10		15	0.2%
13		1	0%
15		3	0%
18		1	0%
20		15	0.2%
21		1	0%
22		1	0%
25		13	0.2%
28		1	0%
30		21	0.3%
32		2	0%
34		1	0%
35		1	0%

40		3	0%
43		1	0%
45		1	0%
48		2	0%
50		9	0.1%
60		9	0.1%
65		1	0%
70		13	0.2%
75		2	0%
80		1	0%
90		3	0%
95		1	0%
100		1	0%
Sysmiss		7009	98.1%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S1A_TEM_NON_VEG_PROD_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S1B_TEM_VEG_PROD_PH_final**Overview**

Valid: 930

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S1B_TEM_VEG_PROD_PH_final**Overview**

Valid: 928 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	303	32.6%
2	NORTH-EASTERN	175	18.8%
3	NORTH-WESTERN	152	16.3%
4	SOUTHERN	257	27.6%
5	WESTERN AREA	41	4.4%
Sysmiss		2	0.2%

DISTRICT: DISTRICT**Data file:** S1B_TEM_VEG_PROD_PH_final**Overview**

Valid: 889 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	115	12.4%
12	KENEMA	70	7.5%
13	KONO	113	12.2%
21	BOMBALI	18	1.9%
22	FALABA	53	5.7%

23	KOINADUGU	18	1.9%
24	TONKOLILI	79	8.5%
31	KAMBIA	43	4.6%
32	KARENE	21	2.3%
33	PORTLOKO	82	8.8%
41	BO	72	7.7%
42	BONTHE	1	0.1%
43	MOYAMBA	89	9.6%
44	PUJEHUN	74	8%
51	WESTERN RURAL	41	4.4%
52	WESTERN URBAN	0	
Sysmiss		41	4.4%

URB_RUR: Location Status

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Minimum: 11010305 Maximum: 51030605

Type: Continuous Width: 8 Range: - Format: Numeric

S1B_PARCEL_ID: S1B - Parcel ID

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 1 Maximum: 4

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		758	81.5%
2		131	14.1%

3		33	3.5%
4		8	0.9%

S1B_PLOT_ID: S1B - PLOT ID

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 1 Maximum: 4

Type: Discrete Width: 13 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		802	86.2%
2		108	11.6%
3		19	2%
4		1	0.1%

S1B_CROP_ID: Crop ID recoded

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 2121 Maximum: 8005

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1111	Rice	0	
1121	Maize	0	
1141	Millets	0	
2121	Chilli Peper	200	21.5%
2131	Cucumber	180	19.4%
2151	Okra	163	17.5%
2171	Sweet Peper	110	11.8%
2231	Krain Krain	62	6.7%
2251	Potato leaves	87	9.4%
3162	Cocoa	0	

3172	Coffee	0	
3262	Kola	0	
3311	Banana	0	
4111	Groundnut	0	
4121	Soya Beans	0	
4131	Sesame(benie)	0	
4212	Oil Palm	0	
5131	Cassava	0	
5141	Yams	0	
6111	Broad beans	0	
8001	Other Cereal Crops	0	
8002	Other Vegetable Crops	83	8.9%
8003	Other Fruits and Nuts Crops	0	
8004	Other Oil Seeds Crops	0	
8005	Other Tuber/Root Crops	45	4.8%
8006	Other Leguminous Crops	0	
8007	Other Industrial Crops	0	

S1BQ1_A: SOLID MANURE

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	764	82.2%
1	Yes	166	17.8%

S1BQ1_B: LIQUID MANURE/SLURRY

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	916	98.5%
1	Yes	14	1.5%

S1BQ1_C: VEG MATERIAL & COMPOST

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	894	96.1%
1	Yes	36	3.9%

S1BQ1_D: NO ORGANIC FERTILIZER USED

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	201	21.6%
1	Yes	729	78.4%

S1BQ2_A: UREA

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	836	89.9%
1	Yes	94	10.1%

S1BQ2_B: NPK 15:15:15

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	866	93.1%
1	Yes	64	6.9%

S1BQ2_C: NPK 0:20:20

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	926	99.6%
1	Yes	4	0.4%

S1BQ2_D: DIAMMONIUM PHOSPHATE (DAP)

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	929	99.9%
1	Yes	1	0.1%

S1BQ2_E: NO INORGANIC FERTILIZER USED

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	136	14.6%
1	Yes	794	85.4%

S1BQ3_A: INSECTICIDES

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	890	95.7%
1	Yes	40	4.3%

S1BQ3_B: HERBICIDE (SOLID)**Data file: S1B_TEM_VEG_PROD_PH_final****Overview**

Valid: 930 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	923	99.2%
1	Yes	7	0.8%

S1BQ3_C: HERBICIDE (LIQUID)**Data file: S1B_TEM_VEG_PROD_PH_final****Overview**

Valid: 930 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	925	99.5%
1	Yes	5	0.5%

S1BQ3_D: FUNGICIDE**Data file: S1B_TEM_VEG_PROD_PH_final****Overview**

Valid: 930 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	922	99.1%
1	Yes	8	0.9%

S1BQ3_E: RODENTICIDE**Data file:** S1B_TEM_VEG_PROD_PH_final**Overview**

Valid: 930 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	910	97.8%
1	Yes	20	2.2%

S1BQ3_F: NO PESTICIDE USED**Data file:** S1B_TEM_VEG_PROD_PH_final**Overview**

Valid: 930 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	70	7.5%
1	Yes	860	92.5%

S1BQ4: S1BQ4 - Was integrated pest management adopted on the CROP during the 2024 Agricultural season**Data file:** S1B_TEM_VEG_PROD_PH_final**Overview**

Valid: 930 Minimum: 1 Maximum: 2
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	YES	197	21.2%
2	NO	733	78.8%

S1BQ5: S1BQ5 - Number of plantings performed on CROP during the 2024 Agricultural season

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 1 Maximum: 9
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		544	58.5%
2		212	22.8%
3		75	8.1%
4		19	2%
5		49	5.3%
6		10	1.1%
8		14	1.5%
9		7	0.8%

S1BQ6: S1BQ6 - Month(s) CROP planted on farm during the 2024 Agricultural season

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930
 Type: Discrete Width: 26 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
A	January
B	February
C	March
D	April
E	May

F	June
G	July
H	August
I	September
J	October
K	November
L	December
M	2025

S1BQ7: S1BQ7- Did your farm harvest any of the [CROP] planted on this [PLOT] during the 2024 Agricultural season

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	684	73.5%
2	NO	246	26.5%

S1BQ8: S1BQ8 - Reason your farm not harvest any [CROP] from this [PLOT] during the 2024 Agricultural season

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 6 Minimum: 99 Maximum: 99
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TOO LITTLE RAIN/DROUGHT	0	
2	TOO MUCH RAIN/FLOOD	0	
3	RAIN CAME TOO EARLY	0	
4	RAIN CAME TOO LATE	0	
5	ERRATIC/IRREGULAR RAINFALL	0	

6	TOO MUCH WIND	0	
7	PEST/DISEASE	0	
8	FIRE	0	
9	DISAGREEMENT ON LAND OWNERSHIP	0	
10	CROP THEFT	0	
11	UNABLE TO WORK ON THE FIELD DUE TO SICKNESS	0	
12	NO AVAILABLE LABOR	0	
13	NOT HARVEST SEASON	0	
14	DELAYED/DEFERRED HARVEST	0	
99	OTHER (SPECIFY)	6	0.6%
Sysmiss		924	99.4%

S1BQ9_A: January

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	923	99.2%
1	Yes	7	0.8%

S1BQ9_B: February

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	924	99.4%
1	Yes	6	0.6%

S1BQ9_C: March**Data file: S1B_TEM_VEG_PROD_PH_final****Overview**

Valid: 930 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	915	98.4%
1	Yes	15	1.6%

S1BQ9_D: April**Data file: S1B_TEM_VEG_PROD_PH_final****Overview**

Valid: 930 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	909	97.7%
1	Yes	21	2.3%

S1BQ9_E: May**Data file: S1B_TEM_VEG_PROD_PH_final****Overview**

Valid: 930 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	907	97.5%

1	Yes	23	2.5%
---	-----	----	------

S1BQ9_F: June

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	882	94.8%
1	Yes	48	5.2%

S1BQ9_G: July

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	866	93.1%
1	Yes	64	6.9%

S1BQ9_H: August

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0	No	794	85.4%
1	Yes	136	14.6%

S1BQ9_I: September

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	794	85.4%
1	Yes	136	14.6%

S1BQ9_J: October

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	790	84.9%
1	Yes	140	15.1%

S1BQ9_K: November

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	799	85.9%
1	Yes	131	14.1%

S1BQ9_L: December

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	819	88.1%
1	Yes	111	11.9%

S1BQ10: S1BQ10 - Is the [PLOT] where [CROP] was planted divided into beds?

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 684 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	159	17.1%
2	NO	525	56.5%
Sysmiss		246	26.5%

S1BQ11: S1BQ11 - Number of beds of CROP on average your farm cultivated in each planting during the 2024 Agricultural season

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 159 Minimum: 2 Maximum: 700
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2		5	0.5%
3		8	0.9%
4		7	0.8%
5		8	0.9%
6		4	0.4%
7		3	0.3%
8		4	0.4%
10		16	1.7%
12		5	0.5%
13		2	0.2%
15		5	0.5%
17		1	0.1%
20		10	1.1%
21		1	0.1%
23		1	0.1%
24		2	0.2%
25		6	0.6%
30		4	0.4%
35		1	0.1%
37		1	0.1%
38		1	0.1%
40		6	0.6%
50		20	2.2%
60		4	0.4%
65		1	0.1%
75		4	0.4%
87		1	0.1%
100		9	1%
105		1	0.1%
110		1	0.1%
112		1	0.1%
120		2	0.2%
125		1	0.1%
166		1	0.1%
170		1	0.1%

200		5	0.5%
300		5	0.5%
700		1	0.1%
Sysmiss		771	82.9%

S1BQ12: S1BQ12 - Average size of a bed IN SQUARE METERS.

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Minimum: 1 Maximum: 44000

Type: Continuous Width: 8 Range: - Format: Numeric

S1BQ16: S1BQ16 - Area harvested of CROP from PLOT less than area planted

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 684 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	55	5.9%
2	NO	629	67.6%
Sysmiss		246	26.5%

S1BQ17_1: S1BQ17_1 - Reason area harvested of CROP on PLOT less than area planted

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 55 Minimum: 1 Maximum: 99

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TOO LITTLE RAIN/DROUGHT	14	1.5%
2	TOO MUCH RAIN/FLOOD	9	1%

3	RAIN CAME TOO EARLY	0	
4	RAIN CAME TOO LATE	1	0.1%
5	ERRATIC/IRREGULAR RAINFALL	0	
6	TOO MUCH WIND	1	0.1%
7	PEST/DISEASE	17	1.8%
8	FIRE	1	0.1%
9	DISAGREEMENT ON LAND OWNERSHIP	0	
10	CROP THEFT	11	1.2%
11	UNABLE TO WORK ON THE FIELD DUE TO SICKNESS	0	
12	NO AVAILABLE LABOR	0	
13	NOT HARVEST SEASON	0	
14	DELAYED/DEFERRED HARVEST	0	
99	OTHER (SPECIFY)	1	0.1%
Sysmiss		875	94.1%

S1BQ17_2: S1BQ17_2- Reason area harvested of CROP on PLOT less than area planted

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 55 Minimum: 0 Maximum: 99
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No other reason	11	1.2%
1	TOO LITTLE RAIN/DROUGHT	4	0.4%
2	TOO MUCH RAIN/FLOOD	12	1.3%
3	RAIN CAME TOO EARLY	2	0.2%
4	RAIN CAME TOO LATE	1	0.1%
5	ERRATIC/IRREGULAR RAINFALL	1	0.1%
6	TOO MUCH WIND	0	
7	PEST/DISEASE	7	0.8%
8	FIRE	0	
9	DISAGREEMENT ON LAND OWNERSHIP	0	
10	CROP THEFT	8	0.9%
11	UNABLE TO WORK ON THE FIELD DUE TO SICKNESS	1	0.1%
12	NO AVAILABLE LABOR	2	0.2%

13	NOT HARVEST SEASON	2	0.2%
14	DELAYED/DEFERRED HARVEST	3	0.3%
99	OTHER (SPECIFY)	1	0.1%
Sysmiss		875	94.1%

S1BQ18: S1BQ18 - Percentage of PLOT planted with CROP that was harvested during 2024 Agricultural season

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 684 Minimum: 3 Maximum: 100
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
3		2	0.2%
5		1	0.1%
10		5	0.5%
13		2	0.2%
15		3	0.3%
20		3	0.3%
25		1	0.1%
30		5	0.5%
35		1	0.1%
45		2	0.2%
50		1	0.1%
58		2	0.2%
60		2	0.2%
65		1	0.1%
70		2	0.2%
75		3	0.3%
80		10	1.1%
85		2	0.2%
90		4	0.4%
98		3	0.3%
100		629	67.6%
Sysmiss		246	26.5%

S1BQ19: S1BQ19 - Percentage of PLOT area planted with CROP expected to harvest during 2024 Agricultural season

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 684 Minimum: 1 Maximum: 100
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		1	0.1%
2		1	0.1%
20		1	0.1%
50		3	0.3%
60		1	0.1%
65		1	0.1%
75		1	0.1%
80		1	0.1%
90		1	0.1%
95		1	0.1%
100		672	72.3%
Sysmiss		246	26.5%

S1BQ20: S1BQ20 - Area planted with CROP that was not harvested due to damages or shocks?

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 55 Minimum: 1 Maximum: 2
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	11	1.2%
2	NO	44	4.7%
Sysmiss		875	94.1%

S1BQ21_A: TOO LITTLE RAIN/DROUGHT**Data file:** S1B_TEM_VEG_PROD_PH_final**Overview**

Valid: 930 Minimum: 0 Maximum: 0

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	930	100%
1	Yes	0	

S1BQ21_B: TOO MUCH RAIN/FLOOD**Data file:** S1B_TEM_VEG_PROD_PH_final**Overview**

Valid: 930 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	927	99.7%
1	Yes	3	0.3%

S1BQ21_C: RAIN CAME TOO EARLY**Data file:** S1B_TEM_VEG_PROD_PH_final**Overview**

Valid: 930 Minimum: 0 Maximum: 0

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	930	100%

1	Yes	0	
---	-----	---	--

S1BQ21_D: RAIN CAME TOO LATE

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	928	99.8%
1	Yes	2	0.2%

S1BQ21_E: ERRATIC/IRREGULAR RAINFALL

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 0
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	930	100%
1	Yes	0	

S1BQ21_F: TOO MUCH WIND

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 0
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0	No	930	100%
1	Yes	0	

S1BQ21_G: PEST/DISEASE

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	927	99.7%
1	Yes	3	0.3%

S1BQ21_H: FIRE

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	929	99.9%
1	Yes	1	0.1%

S1BQ21_I: DISAGREEMENT ON LAND OWNERSHIP

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 0
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	930	100%
1	Yes	0	

S1BQ21_J: CROP THEFT

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	928	99.8%
1	Yes	2	0.2%

S1BQ21_K: UNABLE TO WORK ON THE FIELD DUE TO SICKNESS

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 0
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	930	100%
1	Yes	0	

S1BQ21_L: NO AVAILABLE LABOR

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 0
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	930	100%
1	Yes	0	

S1BQ21_M: NOT HARVEST SEASON

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 0
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	930	100%
1	Yes	0	

S1BQ21_N: DELAYED/DEFERRED HARVEST

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 930 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	928	99.8%
1	Yes	2	0.2%

S1BQ22: S1BQ22 - Percentage of PLOT area planted not harvested due to these shocks

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Valid: 11 Minimum: 1 Maximum: 70

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		1	0.1%
2		1	0.1%
10		1	0.1%
20		2	0.2%
25		1	0.1%
30		1	0.1%
45		1	0.1%
50		2	0.2%
70		1	0.1%
Sysmiss		919	98.8%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S1B_TEM_VEG_PROD_PH_final

Overview

Minimum: 16.765396668552 Maximum: 4174.8234681452
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S1C_RICE_PROD_METHOD_PH_final****Overview**

Valid: 3462

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S1C_RICE_PROD_METHOD_PH_final****Overview**

Valid: 3460 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	1450	41.9%
2	NORTH-EASTERN	795	23%
3	NORTH-WESTERN	658	19%
4	SOUTHERN	553	16%
5	WESTERN AREA	4	0.1%
Sysmiss		2	0.1%

DISTRICT: DISTRICT**Data file: S1C_RICE_PROD_METHOD_PH_final****Overview**

Valid: 3425 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	531	15.3%
12	KENEMA	367	10.6%
13	KONO	543	15.7%
21	BOMBALI	137	4%
22	FALABA	155	4.5%

23	KOINADUGU	59	1.7%
24	TONKOLILI	432	12.5%
31	KAMBIA	225	6.5%
32	KARENE	138	4%
33	PORTLOKO	288	8.3%
41	BO	230	6.6%
42	BONTHE	28	0.8%
43	MOYAMBA	136	3.9%
44	PUJEHUN	152	4.4%
51	WESTERN RURAL	4	0.1%
52	WESTERN URBAN	0	
Sysmiss		37	1.1%

URB_RUR: Location Status

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S1C_PARCEL_ID: S1C - Parcel ID

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 1 Maximum: 8

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2840	82%
2		477	13.8%

3		126	3.6%
4		17	0.5%
5		1	0%
8		1	0%

S1C_RICE_PLOT_ID: S1C - Rice Plot ID

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 1 Maximum: 4
 Type: Discrete Width: 18 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		3204	92.5%
2		206	6%
3		46	1.3%
4		6	0.2%

S1C_CROP_ID: Rice code

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 1111 Maximum: 1111
 Type: Discrete Width: 13 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1111	Rice	3462	100%

S1CQ1: S1CQ1 - Complete rice cultivating cycles done on this [PLOT] in 2024

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 1 Maximum: 3
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2900	83.8%
2		450	13%
3		112	3.2%

S1CQ2_Q: S0EQ2_Q - Average interval between two rice cultivating cycles on this [PLOT]

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 562 Minimum: 1 Maximum: 86
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		186	5.4%
2		160	4.6%
3		111	3.2%
4		27	0.8%
5		24	0.7%
6		20	0.6%
7		3	0.1%
8		3	0.1%
9		2	0.1%
10		1	0%
12		5	0.1%
14		1	0%
16		1	0%
20		2	0.1%
21		1	0%
25		1	0%
28		4	0.1%
30		3	0.1%
42		1	0%
50		3	0.1%

69		1	0%
70		1	0%
86		1	0%
Sysmiss		2900	83.8%

S1CQ2_U: S1CQ2_U - Unit of measurement

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 562 Minimum: 1 Maximum: 2
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	WEEKS	294	8.5%
2	MONTHS	268	7.7%
Sysmiss		2900	83.8%

S1CQ3_A: Nerica L-19

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2795	80.7%
1	Yes	667	19.3%

S1CQ3_B: Rok34

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2272	65.6%
1	Yes	1190	34.4%

S1CQ3_C: Rok5

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3185	92%
1	Yes	277	8%

S1CQ3_D: Rok10

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3347	96.7%
1	Yes	115	3.3%

S1CQ3_G: Orilux

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3388	97.9%
1	Yes	74	2.1%

S1CQ3_OTHERS: Other Rice Varieties

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3428	99%
1		34	1%

S1CQ4_NERICA: S1CQ4_NERICA - Length of the growing period for [NERICA] on this [PLOT]

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 683 Minimum: 1 Maximum: 9
 Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		17	0.5%
2		18	0.5%
3		284	8.2%
4		210	6.1%
5		74	2.1%
6		68	2%
7		8	0.2%

8		3	0.1%
9		1	0%
Sysmiss		2779	80.3%

S1CQ4_ROK34: S1CQ4_Rok34 - Length of the growing period for [Rok34] on this [PLOT]

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 1195 Minimum: 0 Maximum: 9
 Type: Discrete Width: 13 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	0%
1		8	0.2%
2		17	0.5%
3		182	5.3%
4		458	13.2%
5		350	10.1%
6		163	4.7%
7		6	0.2%
8		9	0.3%
9		1	0%
Sysmiss		2267	65.5%

S1CQ4_ROK5: S1CQ4_Rok5 - Length of the growing period for [Rok5] on this [PLOT]

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 278 Minimum: 1 Maximum: 9
 Type: Discrete Width: 12 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2	0.1%
2		4	0.1%

3		49	1.4%
4		97	2.8%
5		84	2.4%
6		38	1.1%
7		1	0%
8		2	0.1%
9		1	0%
Sysmiss		3184	92%

SACQ4_ROK10: S1CQ4_Rok10 - length of the growing period for [Rok10] on this [PLOT]

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 116 Minimum: 1 Maximum: 9

Type: Discrete Width: 13 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		1	0%
2		1	0%
3		19	0.5%
4		33	1%
5		25	0.7%
6		25	0.7%
7		2	0.1%
8		7	0.2%
9		3	0.1%
Sysmiss		3346	96.6%

S1CQ4_ORILUX: S1CQ4_Orilux - Length of the growing period for [Orilux] on this [PLOT]

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 74 Minimum: 0 Maximum: 9

Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	0%
1		1	0%
2		12	0.3%
3		19	0.5%
4		20	0.6%
5		13	0.4%
6		7	0.2%
9		1	0%
Sysmiss		3388	97.9%

S1CQ5_NERICA_A: IRRIGATED, CONTINUOUSLY FLOODED

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3403	98.3%
1	Yes	59	1.7%

S1CQ5_NERICA_B: IRRIGATED, INTERMITTENTLY REGULARLY RAIN-FED

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2913	84.1%

1	Yes	549	15.9%
---	-----	-----	-------

S1CQ5_NERICA_C: DEEP WATER

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3404	98.3%
1	Yes	58	1.7%

S1CQ5_NERICA_D: DROUGHT-PRONE

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3441	99.4%
1	Yes	21	0.6%

S1CQ5_ROK34_A: IRRIGATED, CONTINUOUSLY FLOODED

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 0 Minimum: Maximum:
 Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0	No	0	
1	Yes	0	
Sysmiss		3462	100%

S1CQ5_ROK34_B: IRRIGATED, INTERMITTENTLY REGULARLY RAIN-FED

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 0 Minimum: Maximum:

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	0	
1	Yes	0	
Sysmiss		3462	100%

S1CQ5_ROK34_C: DEEP WATER

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 0 Minimum: Maximum:

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	0	
1	Yes	0	
Sysmiss		3462	100%

S1CQ5_ROK34_D: DROUGHT-PRONE

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 0 Minimum: Maximum:

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	0	
1	Yes	0	
Sysmiss		3462	100%

S1CQ5_ROK5_A: IRRIGATED, CONTINUOUSLY FLOODED

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3450	99.7%
1	Yes	12	0.3%

S1CQ5_ROK5_B: IRRIGATED, INTERMITTENTLY REGULARLY RAIN-FED

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3215	92.9%
1	Yes	247	7.1%

S1CQ5_ROK5_C: DEEP WATER

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3447	99.6%
1	Yes	15	0.4%

S1CQ5_ROK5_D: DROUGHT-PRONE

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3461	100%
1	Yes	1	0%

S1CQ5_ROK10_A: IRRIGATED, CONTINUOUSLY FLOODED

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3459	99.9%
1	Yes	3	0.1%

S1CQ5_ROK10_B: IRRIGATED, INTERMITTENTLY REGULARLY RAIN-FED**Data file: S1C_RICE_PROD_METHOD_PH_final****Overview**

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3359	97%
1	Yes	103	3%

S1CQ5_ROK10_C: DEEP WATER**Data file: S1C_RICE_PROD_METHOD_PH_final****Overview**

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3457	99.9%
1	Yes	5	0.1%

S1CQ5_ROK10_D: DROUGHT-PRONE**Data file: S1C_RICE_PROD_METHOD_PH_final****Overview**

Valid: 3462 Minimum: 0 Maximum: 0
 Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3462	100%
1	Yes	0	

S1CQ5_ORILUX_A: IRRIGATED, CONTINUOUSLY FLOODED**Data file:** S1C_RICE_PROD_METHOD_PH_final**Overview**

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3460	99.9%
1	Yes	2	0.1%

S1CQ5_ORILUX_B: IRRIGATED, INTERMITTENTLY REGULARLY RAIN-FED**Data file:** S1C_RICE_PROD_METHOD_PH_final**Overview**

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3419	98.8%
1	Yes	43	1.2%

S1CQ5_ORILUX_C: DEEP WATER**Data file:** S1C_RICE_PROD_METHOD_PH_final**Overview**

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3458	99.9%

1	Yes	4	0.1%
---	-----	---	------

S1CQ5_ORILUX_D: DROUGHT-PRONE

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 1
 Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	3437	99.3%
1	Yes	25	0.7%

S1CQ6: S1CQ6 - Type of organic inputs added to the soil before cultivating rice in the 2024 Agricultural season

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	None	2775	80.2%
1	Straw, incorporated shortly before cultivation (30 days or less}	448	12.9%
2	Straw, incorporated long before cultivation (more than 30 days)	239	6.9%
9	Other (specify)	0	

S1CQ7: S1CQ7 - Method used to plant rice on this PLOT

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TRANSPLANTING	1017	29.4%
2	DIRECT SEEDLING (BROADCASTING / OTHER TECHNIQS)	2445	70.6%

S1CQ8_AU: S1CQ8_AU - Area Unit

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 2445 Minimum: 1 Maximum: 3
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	ACRE	2243	64.8%
2	HECTARE	163	4.7%
3	SQUARE METER	39	1.1%
Sysmiss		1017	29.4%

S1CQ9_AU: S1CQ9_AU - Area Unit

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 1017 Minimum: 1 Maximum: 3
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	ACRE	903	26.1%
2	HECTARE	103	3%
3	SQUARE METER	11	0.3%
Sysmiss		2445	70.6%

S1CQ10: S1CQ10 - At what age were rice seedlings transplanted on this PLOT during the 2024 Agricultural season

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 1017 Minimum: 14 Maximum: 60
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
14		81	2.3%
15		11	0.3%
18		5	0.1%
19		2	0.1%
20		40	1.2%
21		226	6.5%
22		6	0.2%
23		20	0.6%
24		6	0.2%
25		32	0.9%
26		2	0.1%
27		9	0.3%
28		17	0.5%
29		1	0%
30		370	10.7%
31		5	0.1%
32		1	0%
33		5	0.1%
34		1	0%
35		11	0.3%
36		1	0%
37		3	0.1%
38		1	0%
39		1	0%
40		100	2.9%
45		13	0.4%
50		5	0.1%
52		1	0%
55		5	0.1%

60		36	1%
Sysmiss		2445	70.6%

S1CQ11: S1CQ11 - Were rice seedlings transplanted on this PLOT

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 1017 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	RANDOMLY	978	28.2%
2	IN STRAIGHT-ROW	39	1.1%
Sysmiss		2445	70.6%

S1CQ12: S1CQ12 - Average distance or space between rice seedlings when transplanted on this PLOT

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 1017 Minimum: 2 Maximum: 99
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2		9	0.3%
3		9	0.3%
4		11	0.3%
10		1	0%
12		8	0.2%
22		3	0.1%
25		7	0.2%
26		56	1.6%
30		11	0.3%
32		11	0.3%

36		73	2.1%
37		118	3.4%
38		1	0%
40		5	0.1%
44		6	0.2%
53		8	0.2%
64		81	2.3%
77		163	4.7%
88		138	4%
89		86	2.5%
99		212	6.1%
Sysmiss		2445	70.6%

S1CQ13: S1CQ13 - Complete weeding was done for rice on this PLOT during the 2024 Agricultural season

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3462 Minimum: 0 Maximum: 4
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		381	11%
1		1516	43.8%
2		1214	35.1%
3		262	7.6%
4		89	2.6%

S1CQ14_1: S1CQ14_1 - Was the number of weeding on this PLOT done

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 3081 Minimum: 1 Maximum: 3
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	MANUALLY	3054	88.2%
2	CHEMICALS (repeat this question depending on the number of weeding) Ask only if there is 2nd weeding	21	0.6%
3	BOTH	6	0.2%
Sysmiss		381	11%

S1CQ14_2: S1CQ14_2 - Was the [NUMBER OF WEEDING] on this [PLOT] done

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 1565 Minimum: 1 Maximum: 3
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	MANUALLY	1553	44.9%
2	CHEMICALS (repeat this question depending on the number of weeding) Ask only if there is 2nd weeding	9	0.3%
3	BOTH	3	0.1%
Sysmiss		1897	54.8%

S1CQ14_3: S1CQ14_3 - Was the [NUMBER OF WEEDING] on this [PLOT] done

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Valid: 351 Minimum: 1 Maximum: 3
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	MANUALLY	345	10%
2	CHEMICALS (repeat this question depending on the number of weeding) Ask only if there is 2nd weeding	4	0.1%
3	BOTH	2	0.1%
Sysmiss		3111	89.9%

S1CQ14_4: S1CQ14_4 - Was the [NUMBER OF WEEDING] on this [PLOT] done**Data file:** S1C_RICE_PROD_METHOD_PH_final**Overview**

Valid: 89 Minimum: 1 Maximum: 2

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	MANUALLY	88	2.5%
2	CHEMICALS (repeat this question depending on the number of weeding) Ask only if there is 2nd weeding	1	0%
3	BOTH	0	
Sysmiss		3373	97.4%

S1CQ15_1: S1CQ15_1 - Number of days after transplanting was done on this PLOT**Data file:** S1C_RICE_PROD_METHOD_PH_final**Overview**

Minimum: 4 Maximum: 95

Type: Continuous Width: 10 Range: - Format: Numeric

S1CQ15_2: S1CQ15_2 - Number of days after transplanting was done on this PLOT**Data file:** S1C_RICE_PROD_METHOD_PH_final**Overview**

Minimum: 4 Maximum: 122

Type: Continuous Width: 10 Range: - Format: Numeric

S1CQ15_3: S1CQ15_3 - Number of days after transplanting was done on this PLOT**Data file:** S1C_RICE_PROD_METHOD_PH_final**Overview**

Minimum: 4 Maximum: 100

Type: Continuous Width: 10 Range: - Format: Numeric

S1CQ15_4: S1CQ15_4 - Number of days after transplanting was done on this PLOT

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Minimum: 4 Maximum: 21
Type: Continuous Width: 10 Range: - Format: Numeric

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S1C_RICE_PROD_METHOD_PH_final

Overview

Minimum: 13.77279036666 Maximum: 1647.8228357147
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S2A_TEM_VEG_PROD_PH_final**Overview**

Valid: 2113

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S2A_TEM_VEG_PROD_PH_final**Overview**

Valid: 2113 Minimum: 1 Maximum: 4

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	1827	86.5%
2	NORTH-EASTERN	98	4.6%
3	NORTH-WESTERN	33	1.6%
4	SOUTHERN	155	7.3%
5	WESTERN AREA	0	

DISTRICT: DISTRICT**Data file:** S2A_TEM_VEG_PROD_PH_final**Overview**

Valid: 2081 Minimum: 11 Maximum: 44

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	847	40.1%
12	KENEMA	411	19.5%
13	KONO	560	26.5%
21	BOMBALI	8	0.4%
22	FALABA	21	1%
23	KOINADUGU	2	0.1%

24	TONKOLILI	61	2.9%
31	KAMBIA	5	0.2%
32	KARENE	7	0.3%
33	PORTLOKO	12	0.6%
41	BO	27	1.3%
42	BONTHE	7	0.3%
43	MOYAMBA	87	4.1%
44	PUJEHUN	26	1.2%
51	WESTERN RURAL	0	
52	WESTERN URBAN	0	
Sysmiss		32	1.5%

URB_RUR: Location Status

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Minimum: 11020203 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S2A_PARCEL_ID: S2A - Parcel ID

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 1 Maximum: 7

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		1312	62.1%
2		613	29%
3		153	7.2%

4		28	1.3%
5		5	0.2%
6		1	0%
7		1	0%

S2A_PLOT_ID: S2A - Plot ID

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 1 Maximum: 6
 Type: Discrete Width: 13 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		1890	89.4%
2		180	8.5%
3		35	1.7%
4		6	0.3%
5		1	0%
6		1	0%

S2A_CROP_ID: Crop ID recoded

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 3162 Maximum: 8004
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1111	Rice	0	
1121	Maize	0	
1141	Millet	0	
2121	Chilli Peper	0	
2131	Cucumber	0	
2151	Okra	0	

2171	Sweet Peper	0	
2231	Krain Krain	0	
2251	Potato leaves	0	
3162	Cocoa	975	46.1%
3172	Coffee	194	9.2%
3262	Kola	67	3.2%
3311	Banana	0	
4111	Groundnut	0	
4121	Soya Beans	0	
4131	Sesame(benie)	0	
4212	Oil Palm	743	35.2%
5131	Cassava	0	
5141	Yams	0	
6111	Broad beans	0	
8001	Other Cereal Crops	0	
8002	Other Vegetable Crops	0	
8003	Other Fruits and Nuts Crops	108	5.1%
8004	Other Oil Seeds Crops	26	1.2%
8005	Other Tuber/Root Crops	0	
8006	Other Leguminous Crops	0	
8007	Other Industrial Crops	0	

S2AQ1_A: SOLID MANURE

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2025	95.8%
1	Yes	88	4.2%

S2AQ1_B: LIQUID MANURE/SLURRY

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2106	99.7%
1	Yes	7	0.3%

S2AQ1_C: VEG MATERIAL & COMPOST

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1972	93.3%
1	Yes	141	6.7%

S2AQ1_D: OTHER (SPEC)

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 0 Maximum: 0
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2113	100%
1	Yes	0	

S2AQ1_E: NO ORGANIC FERTILIZER USED**Data file: S2A_TEM_VEG_PROD_PH_final****Overview**

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	316	15%
1	Yes	1797	85%

S2AQ2_A: UREA**Data file: S2A_TEM_VEG_PROD_PH_final****Overview**

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2099	99.3%
1	Yes	14	0.7%

S2AQ2_B: NPK 15:15:15**Data file: S2A_TEM_VEG_PROD_PH_final****Overview**

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2085	98.7%
1	Yes	28	1.3%

S2AQ2_C: NPK 0:20:20**Data file:** S2A_TEM_VEG_PROD_PH_final**Overview**

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2106	99.7%
1	Yes	7	0.3%

S2AQ2_D: DIAMMONIUM PHOSPHATE (DAP)**Data file:** S2A_TEM_VEG_PROD_PH_final**Overview**

Valid: 2113 Minimum: 0 Maximum: 0
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2113	100%
1	Yes	0	

S2AQ2_E: NO INORGANIC FERTILIZER USED**Data file:** S2A_TEM_VEG_PROD_PH_final**Overview**

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	41	1.9%

1	Yes	2072	98.1%
---	-----	------	-------

S2AQ3_A: INSECTICIDES

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2082	98.5%
1	Yes	31	1.5%

S2AQ3_B: HERBICIDE (SOLID)

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2104	99.6%
1	Yes	9	0.4%

S2AQ3_C: HERBICIDE (LIQUID)

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0	No	2104	99.6%
1	Yes	9	0.4%

S2AQ3_D: FUNGICIDE

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2108	99.8%
1	Yes	5	0.2%

S2AQ3_E: RODENTICIDE

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2070	98%
1	Yes	43	2%

S2AQ3_F: NO PESTICIDES USED

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	74	3.5%
1	Yes	2039	96.5%

S2AQ4: S2AQ4 - Adoption of integrated pest management on the permanent crop during the 2024 Agricultural season

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES...	405	19.2%
2	NO	1708	80.8%

S2AQ5: S2AQ5 - Number of crop plant on this parcel that were in production in the 2024 Agricultural season

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Minimum: 0 Maximum: 9000
 Type: Continuous Width: 7 Range: - Format: Numeric

S2AQ6: S2AQ6 - Did your farm havest any permanent crop during the 2024 Agricultural season

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 1674 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1312	62.1%
2	No	362	17.1%

Sysmiss		439	20.8%
---------	--	-----	-------

S2AQ7: S2AQ7- in which month did your farm harvest permanent crop on this parcel during the 2024 Agricultural season

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 2113

Type: Discrete Width: 26 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
A	January
B	February
C	March
D	April
E	May
F	June
G	July
H	August
I	September
J	October
K	November
L	December
M	2025

S2AQ7_1: S2AQ7_A - In which year did your farm harvest permanent crop on this parcel during the 2024 Agricultural season

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 1312 Minimum: 2024 Maximum: 2025

Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2024		1254	59.3%

2025		58	2.7%
Sysmiss		801	37.9%

S2AQ8: S2AQ8 - in the last harvest period were there any losses of permanent crop on this parcel before the harvest

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 1312 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	406	19.2%
2	NO	906	42.9%
Sysmiss		801	37.9%

S2AQ9_1: S2AQ9_1 - Why were there losses before the harvest

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 406 Minimum: 1 Maximum: 13
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TOO LITTLE RAIN /DROUGHT ..	14	0.7%
2	TOO MUCH RAIN /FLOOD..	83	3.9%
3	RAIN CAME TOO EARLY ...	21	1%
4	RAIN CAME TOO LATE	12	0.6%
5	ERRATIC/IRREGULAR RAINFALL..	5	0.2%
6	TOO MUCH WIND ..	15	0.7%
7	PEST /DISEASE ..	97	4.6%
8	FIRE	8	0.4%
9	CROP THEFT ..	98	4.6%
10	UNABLE TO WORK ON THE FIELD DUE TO SICKNESS.	13	0.6%

11	NO AVAILABLE LABOR ..	32	1.5%
12	Family/community land conflict	2	0.1%
13	Not identified Reason	6	0.3%
Sysmiss		1707	80.8%

S2AQ9_2: S2AQ9_2 - Why were there losses before the harvest

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 406 Minimum: 1 Maximum: 13
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TOO LITTLE RAIN /DROUGHT ..	7	0.3%
2	TOO MUCH RAIN /FLOOD..	36	1.7%
3	RAIN CAME TOO EARLY ...	28	1.3%
4	RAIN CAME TOO LATE	13	0.6%
5	ERRATIC/IRREGULAR RAINFALL..	7	0.3%
6	TOO MUCH WIND ..	30	1.4%
7	PEST /DISEASE ..	125	5.9%
8	FIRE	3	0.1%
9	CROP THEFT ..	58	2.7%
10	UNABLE TO WORK ON THE FIELD DUE TO SICKNESS.	21	1%
11	NO AVAILABLE LABOR ..	16	0.8%
12	Family/community land conflict	2	0.1%
13	No other reason	60	2.8%
Sysmiss		1707	80.8%

S2AQ9A: SA2Q9a - Percent of the parcel area planted with permanent crop in the the last Agricultural season

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Valid: 406 Minimum: 0 Maximum: 100
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		23	1.1%
1		23	1.1%
2		8	0.4%
3		1	0%
4		1	0%
5		34	1.6%
6		1	0%
7		1	0%
10		61	2.9%
11		1	0%
12		2	0.1%
15		32	1.5%
20		64	3%
25		10	0.5%
30		25	1.2%
35		5	0.2%
40		21	1%
45		7	0.3%
50		18	0.9%
55		6	0.3%
58		1	0%
60		23	1.1%
65		5	0.2%
70		10	0.5%
75		7	0.3%
80		10	0.5%
85		2	0.1%
90		1	0%
100		3	0.1%
Sysmiss		1707	80.8%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S2A_TEM_VEG_PROD_PH_final

Overview

Minimum: 13.77279036666 Maximum: 1571.236348937
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID

Data file: S2B_1D_destination_PH_final

Overview

Valid: 9430
Type: Discrete Width: 8 Range: - Format: character

REGION: REGION

Data file: S2B_1D_destination_PH_final

Overview

Valid: 9421 Minimum: 1 Maximum: 5
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	4006	42.5%
2	NORTH-EASTERN	1814	19.2%
3	NORTH-WESTERN	1385	14.7%
4	SOUTHERN	2121	22.5%
5	WESTERN AREA	95	1%
Sysmiss		9	0.1%

DISTRICT: DISTRICT

Data file: S2B_1D_destination_PH_final

Overview

Valid: 9251 Minimum: 11 Maximum: 51
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	1649	17.5%
12	KENEMA	978	10.4%
13	KONO	1351	14.3%
21	BOMBALI	296	3.1%
22	FALABA	324	3.4%

23	KOINADUGU	115	1.2%
24	TONKOLILI	1039	11%
31	KAMBIA	409	4.3%
32	KARENE	277	2.9%
33	PORTLOKO	656	7%
41	BO	696	7.4%
42	BONTHE	135	1.4%
43	MOYAMBA	720	7.6%
44	PUJEHUN	511	5.4%
51	WESTERN RURAL	95	1%
52	WESTERN URBAN	0	
Sysmiss		179	1.9%

URB_RUR: Location Status

Data file: S2B_1D_destination_PH_final

Overview

Valid: 9430

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S2B_1D_destination_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

CROP_ID: Crop ID recoded

Data file: S2B_1D_destination_PH_final

Overview

Valid: 9430 Minimum: 1111 Maximum: 8007

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1111	Rice	3171	33.6%
1121	Maize	581	6.2%

1141	Millet	73	0.8%
2121	Chilli Peper	196	2.1%
2131	Cucumber	179	1.9%
2151	Okra	159	1.7%
2171	Sweet Peper	110	1.2%
2231	Krain Krain	61	0.6%
2251	Potato leaves	82	0.9%
3162	Cocoa	904	9.6%
3172	Coffee	186	2%
3262	Kola	64	0.7%
3311	Banana	95	1%
4111	Groundnut	962	10.2%
4121	Soya Beans	73	0.8%
4131	Sesame(benie)	105	1.1%
4212	Oil Palm	713	7.6%
5131	Cassava	1076	11.4%
5141	Yams	76	0.8%
6111	Broad beans	136	1.4%
8001	Other Cereal Crops	0	
8002	Other Vegetable Crops	125	1.3%
8003	Other Fruits and Nuts Crops	133	1.4%
8004	Other Oil Seeds Crops	25	0.3%
8005	Other Tuber/Root Crops	87	0.9%
8006	Other Leguminous Crops	50	0.5%
8007	Other Industrial Crops	8	0.1%

DEST_1: Production quantity that was sold

Data file: S2B_1D_destination_PH_final

Overview

Minimum: 0 Maximum: 4765.5905322265

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_2: Production quantity that was consumed

Data file: S2B_1D_destination_PH_final

Overview

Minimum: 0 Maximum: 4937.1577734375

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_3: Production quantity that was given away as gift**Data file:** S2B_1D_destination_PH_final**Overview**

Minimum: 0 Maximum: 1610.0781005859

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_4: Production quantity that was used for reimbursements**Data file:** S2B_1D_destination_PH_final**Overview**

Minimum: 0 Maximum: 1990.3745117188

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_5: Production quantity that was used as animal feed**Data file:** S2B_1D_destination_PH_final**Overview**

Minimum: 0 Maximum: 2488.8669433594

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_6: Production quantity that was used for seeds**Data file:** S2B_1D_destination_PH_final**Overview**

Minimum: 0.0044636577367783 Maximum: 2046.3527075195

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_7: Production quantity that was lost during harvest**Data file:** S2B_1D_destination_PH_final**Overview**

Minimum: 0 Maximum: 3112.7736572266

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_8: Production quantity that was lost during post-harvest**Data file:** S2B_1D_destination_PH_final

Overview

Minimum: 0 Maximum: 1448.10375

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_9: Production quantity in storage**Data file:** S2B_1D_destination_PH_final**Overview**

Minimum: 0 Maximum: 1584.3159179688

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_10: Production quantity that was processed**Data file:** S2B_1D_destination_PH_final**Overview**

Minimum: 0 Maximum: 6168.4055078125

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_11: Production quantity that was used for other purposes**Data file:** S2B_1D_destination_PH_final**Overview**

Minimum: 0 Maximum: 7270.1388085937

Type: Continuous Width: 8 Range: - Format: Numeric

DEST_12: Production quantity that was stored in unprocessed form**Data file:** S2B_1D_destination_PH_final**Overview**

Minimum: 0 Maximum: 3318.6672705078

Type: Continuous Width: 8 Range: - Format: Numeric

HH_FINAL_WEIGHT: PH weight adjusted from PP**Data file:** S2B_1D_destination_PH_final**Overview**

Minimum: 13.77279036666 Maximum: 4174.8234681452

Type: Continuous Width: 8 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S3A_CRP_BY_PROD_PH_final**Overview**

Valid: 45990

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S3A_CRP_BY_PROD_PH_final**Overview**

Valid: 45936 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	18135	39.4%
2	NORTH-EASTERN	8316	18.1%
3	NORTH-WESTERN	8595	18.7%
4	SOUTHERN	10296	22.4%
5	WESTERN AREA	594	1.3%
Sysmiss		54	0.1%

DISTRICT: DISTRICT**Data file:** S3A_CRP_BY_PROD_PH_final**Overview**

Valid: 45189 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	6588	14.3%
12	KENEMA	5733	12.5%
13	KONO	5652	12.3%
21	BOMBALI	1584	3.4%
22	FALABA	1305	2.8%

23	KOINADUGU	738	1.6%
24	TONKOLILI	4500	9.8%
31	KAMBIA	2880	6.3%
32	KARENE	1377	3%
33	PORTLOKO	4140	9%
41	BO	3924	8.5%
42	BONTHE	990	2.2%
43	MOYAMBA	2646	5.8%
44	PUJEHUN	2538	5.5%
51	WESTERN RURAL	594	1.3%
52	WESTERN URBAN	0	
Sysmiss		801	1.7%

URB_RUR: Location Status

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Valid: 45990

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S3A_PRODUCT_ID: S3A - Product ID

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Valid: 45990 Minimum: 1 Maximum: 9

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Cassava starch	5110	11.1%
2	Palm kernal chaffs	5110	11.1%

3	Rice straw	5110	11.1%
4	Rice husk	5110	11.1%
5	Palm kernal Nut oil	5110	11.1%
6	Palm wine	5110	11.1%
7	Palm kernal shell	5110	11.1%
8	Cacao shell	5110	11.1%
9	Cacao liquid	5110	11.1%

S3A_PRODUCT_NAME: S3A - Product Name

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Valid: 45990

Type: Discrete Width: 26 Range: - Format: character

S3AQ1: S3AQ1- Crop by product obtained during the 2024 Agricultural season

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Valid: 45990 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	2056	4.5%
2	NO	43934	95.5%

S3Q2_Q: S3AQ2_Q - Number of Crop by product obtained during the 2024 Agricultural season

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Valid: 45990 Minimum: 0 Maximum: 99

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0		44036	95.8%
1		628	1.4%
2		471	1%
3		193	0.4%
4		98	0.2%
5		186	0.4%
6		50	0.1%
7		19	0%
8		13	0%
9		11	0%
10		73	0.2%
11		6	0%
12		18	0%
13		1	0%
14		2	0%
15		22	0%
16		6	0%
17		3	0%
18		3	0%
20		44	0.1%
23		1	0%
24		4	0%
25		9	0%
30		15	0%
32		3	0%
33		1	0%
35		4	0%
40		5	0%
42		1	0%
45		2	0%
46		1	0%
48		1	0%
50		29	0.1%
52		1	0%
54		1	0%
55		1	0%
57		1	0%
58		1	0%
60		11	0%

70		3	0%
75		1	0%
80		4	0%
90		6	0%
99		1	0%

S3AQ2_U: S3AQ2_U - Unit of measurement

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Valid: 11994 Minimum: 1 Maximum: 17
Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TONS	40	0.1%
2	KILOGRAM	127	0.3%
3	25 KG BAG	288	0.6%
4	50 KG BAG	478	1%
5	90 KG BAG	19	0%
6	PAIL (SMALL)	187	0.4%
7	PAIL (LARGE)	298	0.6%
8	NO. 10 PLATE	3	0%
9	NO. 12 PLATE	1	0%
10	BUNCH	44	0.1%
11	PIECES	3	0%
12	BALE	1	0%
13	BASKET (DENGU)	55	0.1%
14	HEADS	9	0%
15	OX-CART	2	0%
16	OTHER / LOCAL UNIT(SPECIFY)	399	0.9%
17	S3AQ4A_U=17 'LITER'	10040	21.8%
Sysmiss		33996	73.9%

S3AQ2_FACTOR_KG: Conversion factor in kg

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Valid: 276 Minimum: 1 Maximum: 1000
 Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		127	0.3%
25		40	0.1%
50		68	0.1%
90		1	0%
1000		40	0.1%
Sysmiss		45714	99.4%

S3QAQ3: S3AQ3 - Crop By-product usage

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Valid: 45990
 Type: Discrete Width: 26 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
0	NOT USED
A	SOLD
B	USED AS BUILDING MATERIAL
C	USED AS LITTER IN REARING
D	USED AS ANIMAL FEED
E	USED FOR ENERGY PRODUCTION
F	CONSUMED
G	MAKE ART PRODUCT
MAKE SOA	Z
OTHER (S	

S3AQ4A_Q: S3AQ4a_Q - Sales of Crop By-product obtained during the 2024 planting season

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Valid: 45990 Minimum: 0 Maximum: 90
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		45339	98.6%
1		105	0.2%
2		135	0.3%
3		66	0.1%
4		50	0.1%
5		78	0.2%
6		12	0%
7		6	0%
8		14	0%
9		5	0%
10		32	0.1%
11		2	0%
12		10	0%
13		2	0%
14		2	0%
15		10	0%
16		5	0%
17		1	0%
18		1	0%
19		1	0%
20		31	0.1%
21		1	0%
24		1	0%
25		17	0%
30		10	0%
32		5	0%
33		1	0%
35		1	0%
36		2	0%
40		11	0%
45		2	0%
47		1	0%

48		1	0%
50		13	0%
52		1	0%
57		1	0%
60		4	0%
65		1	0%
70		2	0%
80		5	0%
90		3	0%

S3AQ4A_U: S3AQ4a_U - Unit of Measurement

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Valid: 10794 Minimum: 1 Maximum: 17
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TONS	14	0%
2	KILOGRAM	30	0.1%
3	25 KG BAG	109	0.2%
4	50 KG BAG	137	0.3%
5	90 KG BAG	5	0%
6	PAIL (SMALL)	10	0%
7	PAIL (LARGE)	23	0.1%
8	NO. 10 PLATE	1	0%
9	NO. 12 PLATE	2	0%
10	BUNCH	19	0%
11	PIECES	2	0%
12	BALE	0	
13	BASKET (DENGU)	7	0%
14	HEADS	6	0%
15	OX-CART	3	0%
16	OTHER / LOCAL UNIT(SPECIFY)	148	0.3%
17	LITRES	10278	22.3%
Sysmiss		35196	76.5%

S3AQ4A_FACTOR_KG: Conversion factor in kg**Data file:** S3A_CRP_BY_PROD_PH_final**Overview**

Valid: 10409 Minimum: 1 Maximum: 1000
 Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		10308	22.4%
25		30	0.1%
50		56	0.1%
90		1	0%
1000		14	0%
Sysmiss		35581	77.4%

S3AQ4B: S3AQ4b - Observations on total value of earnings**Data file:** S3A_CRP_BY_PROD_PH_final**Overview**

Valid: 651 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TOTAL VALUE	496	1.1%
2	UNIT PRICE	155	0.3%
Sysmiss		45339	98.6%

S3AQ4C: S3AQ4c - Total value of all crop By-product sales in 2024 planting season**Data file:** S3A_CRP_BY_PROD_PH_final**Overview**

Minimum: 1 Maximum: 6187.5
 Type: Continuous Width: 8 Range: - Format: Numeric

S3AQ4D: S3AQ4d - Average unit price of crop By-product sales in the 2024 planting season

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Minimum: 0.3125 Maximum: 50000
Type: Continuous Width: 8 Range: - Format: Numeric

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S3A_CRP_BY_PROD_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S3B_CRP_PROCES_PROD_PH_final****Overview**

Valid: 691

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S3B_CRP_PROCES_PROD_PH_final****Overview**

Valid: 690 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	273	39.5%
2	NORTH-EASTERN	73	10.6%
3	NORTH-WESTERN	113	16.4%
4	SOUTHERN	228	33%
5	WESTERN AREA	3	0.4%
Sysmiss		1	0.1%

DISTRICT: DISTRICT**Data file: S3B_CRP_PROCES_PROD_PH_final****Overview**

Valid: 648 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	131	19%
12	KENEMA	116	16.8%
13	KONO	18	2.6%
21	BOMBALI	13	1.9%
22	FALABA	1	0.1%

23	KOINADUGU	0	
24	TONKOLILI	40	5.8%
31	KAMBIA	29	4.2%
32	KARENE	29	4.2%
33	PORTLOKO	43	6.2%
41	BO	43	6.2%
42	BONTHE	18	2.6%
43	MOYAMBA	135	19.5%
44	PUJEHUN	29	4.2%
51	WESTERN RURAL	3	0.4%
52	WESTERN URBAN	0	
Sysmiss		43	6.2%

URB_RUR: Location Status

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Valid: 691

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Minimum: 11020203 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S3B_CROP_PRODUCT_ID: S3B - Crop Product ID

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Valid: 690 Minimum: 1 Maximum: 10

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Maize flour	25	3.6%
2	Rice flour	67	9.7%

3	Polished, glazed, parboiled or converted	46	6.7%
4	Processed or preserved fruit and vegetab	14	2%
5	Palm oil	246	35.6%
6	Coconut oil	3	0.4%
7	Gari	127	18.4%
8	Foo foo	115	16.6%
9	Tobacco products (cigars, chewing tobacco)	4	0.6%
10	Other (specify)	43	6.2%
Sysmiss		1	0.1%

S3BQ1: Processing any of the crops produced on the farm

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Valid: 691 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	67	9.7%
2	NO	624	90.3%

S3BQ2: S3BQ2 - Did your Farm produced any CROP PRODUCT in the past 12 months

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Valid: 691 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	583	84.4%
2	NO	108	15.6%

S3BQ3: S3BQ3 - Usage of Crop Production/ stock from the previous agricultural year**Data file: S3B_CRP_PROCES_PROD_PH_final****Overview**

Valid: 583 Minimum: 1 Maximum: 4

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	ONLY THIS YEAR'S PRODUCTION	217	31.4%
2	ONLY PREVIOUS YEAR'S PRODUCTION	146	21.1%
3	MAINLY THIS YEAR'S PRODUCTION	24	3.5%
4	MAINLY LAST YEAR'S PRODUCTION	196	28.4%
Sysmiss		108	15.6%

S3BQ4_Q: S3BQ4_Q - Quantity CROP PRODUCT produced in the past 12 months**Data file: S3B_CRP_PROCES_PROD_PH_final****Overview**

Valid: 54 Minimum: 0 Maximum: 20000

Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2	0.3%
1		7	1%
2		4	0.6%
3		6	0.9%
4		2	0.3%
5		2	0.3%
6		1	0.1%
8		2	0.3%
10		2	0.3%
11		1	0.1%
12		1	0.1%
20		3	0.4%
30		1	0.1%

50		1	0.1%
54		1	0.1%
60		2	0.3%
75		2	0.3%
90		1	0.1%
100		1	0.1%
120		1	0.1%
150		3	0.4%
180		1	0.1%
300		1	0.1%
420		1	0.1%
750		1	0.1%
1002		1	0.1%
2150		1	0.1%
4000		1	0.1%
20000		1	0.1%
Sysmiss		637	92.2%

S3BQ4_U: S3BQ4_U - Unit of measurement

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Valid: 583 Minimum: 1 Maximum: 16
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TONS	7	1%
2	KILOGRAM	39	5.6%
3	25 KG BAG	89	12.9%
4	50 KG BAG	190	27.5%
5	90 KG BAG	17	2.5%
6	PAIL (SMALL)	2	0.3%
7	PAIL (LARGE)	1	0.1%
8	NO. 10 PLATE	11	1.6%
9	NO. 12 PLATE	1	0.1%
10	BUNCH	5	0.7%

11	PIECES	4	0.6%
12	BALE	0	
13	BASKET (DENGU)	10	1.4%
14	HEADS	5	0.7%
15	OX-CART	0	
16	OTHER / LOCAL UNIT(SPECIFY)	202	29.2%
Sysmiss		108	15.6%

S3BQ4_FACTOR: Conversion factor

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Valid: 53 Minimum: 1 Maximum: 1000

Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		39	5.6%
25		3	0.4%
50		4	0.6%
1000		7	1%
Sysmiss		638	92.3%

S3BQ5_Q: S3BQ5_Q - How much of the CROP PRODUCT produced was used for own consumption last year

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Minimum: 0 Maximum: 300

Type: Continuous Width: 9 Range: - Format: Numeric

S3BQ5_U: S3BQ5_U - Unit of Measurement

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Valid: 583 Minimum: 1 Maximum: 16

Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TONS	10	1.4%
2	KILOGRAM	42	6.1%
3	25 KG BAG	107	15.5%
4	50 KG BAG	157	22.7%
5	90 KG BAG	12	1.7%
6	PAIL (SMALL)	3	0.4%
7	PAIL (LARGE)	3	0.4%
8	NO. 10 PLATE	11	1.6%
9	NO. 12 PLATE	1	0.1%
10	BUNCH	6	0.9%
11	PIECES	2	0.3%
12	BALE	0	
13	BASKET (DENGU)	9	1.3%
14	HEADS	2	0.3%
15	OX-CART	0	
16	OTHER / LOCAL UNIT(SPECIFY)	218	31.5%
Sysmiss		108	15.6%

S3BQ5_FACTOR: Conversion factor

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Valid: 59 Minimum: 1 Maximum: 1000

Type: Discrete Width: 14 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		42	6.1%
25		4	0.6%
50		3	0.4%
1000		10	1.4%
Sysmiss		632	91.5%

S3BQ6: S3BQ6 - Any of the CROP PRODUCT sold in the past 12 months**Data file: S3B_CRP_PROCES_PROD_PH_final****Overview**

Valid: 583 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	393	56.9%
2	NO	190	27.5%
Sysmiss		108	15.6%

S3BQ7A_Q: S3BQ7a_Q - How much of the CROP PRODUCT produced in the past 12 months was sold**Data file: S3B_CRP_PROCES_PROD_PH_final****Overview**

Valid: 393 Minimum: 1 Maximum: 1170

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		43	6.2%
2		40	5.8%
3		40	5.8%
4		31	4.5%
5		23	3.3%
6		19	2.7%
7		15	2.2%
8		29	4.2%
9		11	1.6%
10		21	3%
11		2	0.3%
12		7	1%
13		5	0.7%
14		7	1%

15		14	2%
16		3	0.4%
17		4	0.6%
18		4	0.6%
19		3	0.4%
20		2	0.3%
21		1	0.1%
22		1	0.1%
23		1	0.1%
25		6	0.9%
27		2	0.3%
29		4	0.6%
30		10	1.4%
32		1	0.1%
36		3	0.4%
37		1	0.1%
38		2	0.3%
40		4	0.6%
47		1	0.1%
48		3	0.4%
50		4	0.6%
55		1	0.1%
60		2	0.3%
64		2	0.3%
68		1	0.1%
71		1	0.1%
80		2	0.3%
85		1	0.1%
90		3	0.4%
100		2	0.3%
120		2	0.3%
135		1	0.1%
175		1	0.1%
185		1	0.1%
270		1	0.1%
336		1	0.1%
360		1	0.1%
600		1	0.1%
800		1	0.1%

1170		1	0.1%
Sysmiss		298	43.1%

S3BQ7A_U: S3BQ7a_U - Unit of measurement

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Valid: 393 Minimum: 1 Maximum: 16

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	TONS	6	0.9%
2	KILOGRAM	28	4.1%
3	25 KG BAG	50	7.2%
4	50 KG BAG	128	18.5%
5	90 KG BAG	11	1.6%
6	PAIL (SMALL)	0	
7	PAIL (LARGE)	0	
8	NO. 10 PLATE	0	
9	NO. 12 PLATE	0	
10	BUNCH	4	0.6%
11	PIECES	0	
12	BALE	1	0.1%
13	BASKET (DENGU)	3	0.4%
14	HEADS	1	0.1%
15	OX-CART	0	
16	OTHER / LOCAL UNIT(SPECIFY)	161	23.3%
Sysmiss		298	43.1%

S3BQ7A_FACTOR: Conversion factor

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Valid: 37 Minimum: 1 Maximum: 1000

Type: Discrete Width: 15 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		28	4.1%
25		2	0.3%
50		1	0.1%
1000		6	0.9%
Sysmiss		654	94.6%

S3BQ7C: S3BQ7c - Total value of all CROP PRODUCT sales in the past 12 months

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Minimum: 1 Maximum: 4384.2857142857

Type: Continuous Width: 9 Range: - Format: Numeric

S3BQ7D: S3BQ7d - Average unit price of the CROP PRODUCT sold in the past 12 months

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Minimum: 1 Maximum: 5071.4285714286

Type: Continuous Width: 8 Range: - Format: Numeric

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S3B_CRP_PROCES_PROD_PH_final

Overview

Minimum: 13.77279036666 Maximum: 1647.8228357147

Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S4A_LIVSTK_IN_STOCK_PH_final****Overview**

Valid: 25671

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S4A_LIVSTK_IN_STOCK_PH_final****Overview**

Valid: 25615 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	7126	27.8%
2	NORTH-EASTERN	3668	14.3%
3	NORTH-WESTERN	6902	26.9%
4	SOUTHERN	7667	29.9%
5	WESTERN AREA	252	1%
Sysmiss		56	0.2%

DISTRICT: DISTRICT**Data file: S4A_LIVSTK_IN_STOCK_PH_final****Overview**

Valid: 24971 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	2282	8.9%
12	KENEMA	2450	9.5%
13	KONO	2212	8.6%
21	BOMBALI	616	2.4%
22	FALABA	224	0.9%

23	KOINADUGU	140	0.5%
24	TONKOLILI	2604	10.1%
31	KAMBIA	2786	10.9%
32	KARENE	1022	4%
33	PORTLOKO	2898	11.3%
41	BO	3089	12%
42	BONTHE	980	3.8%
43	MOYAMBA	2310	9%
44	PUJEHUN	1106	4.3%
51	WESTERN RURAL	252	1%
52	WESTERN URBAN	0	
Sysmiss		700	2.7%

URB_RUR: Location Status

Data file: S4A_LIVSTK_IN_STOCK_PH_final

Overview

Valid: 25671

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4A_LIVSTK_IN_STOCK_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S4A_LIVESTOCK_GROUP_ID: S4A - Livestock Group ID

Data file: S4A_LIVSTK_IN_STOCK_PH_final

Overview

Valid: 25671 Minimum: 1 Maximum: 8

Type: Discrete Width: 24 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Large ruminants - Cattle	9170	35.7%
2	Small ruminants	3668	14.3%

4	Pigs	1834	7.1%
5	Poultry	7333	28.6%
7	Bees	1833	7.1%
8	Others	1833	7.1%

S4A_LIVESTOCK_ID: S4A - Livestock ID

Data file: S4A_LIVSTK_IN_STOCK_PH_final

Overview

Valid: 25671 Minimum: 10 Maximum: 80
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
10	Bulls	1834	7.1%
11	Oxen	1834	7.1%
12	Cows	1834	7.1%
13	Steers/Heifers	1834	7.1%
14	Calves - Males/Females	1834	7.1%
20	Goats - Male, female and young	1834	7.1%
21	Sheep - Rams/Ewes/Lambs	1834	7.1%
41	Pigs - Boar/Sow/Piglets	1834	7.1%
51	Chicken - cocks/broilers	1834	7.1%
52	Chicken - hens/layers	1833	7.1%
53	Pullets/DOCs	1833	7.1%
54	Other - Ducks, Geese, Guineafowl	1833	7.1%
70	Bee hives	1833	7.1%
80	Other Specify	1833	7.1%

S4AQ1: S4AQ1 - Farm keep any [LIVESTOCK] irrespective of who owns the [LIVESTOCK NAME]

Data file: S4A_LIVSTK_IN_STOCK_PH_final

Overview

Valid: 25671 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	4030	15.7%
2	NO	21641	84.3%

S4AQ2: S4AQ2 - How many [LIVESTOCK NAME] does this farm currently keep

Data file: S4A_LIVSTK_IN_STOCK_PH_final

Overview

Valid: 25671 Minimum: 0 Maximum: 5
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		21641	84.3%
1		533	2.1%
2		797	3.1%
3		623	2.4%
4		468	1.8%
5		1609	6.3%

S4AQ3_A: MEN

Data file: S4A_LIVSTK_IN_STOCK_PH_final

Overview

Valid: 25671 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	24726	96.3%
1	Yes	945	3.7%

S4AQ3_B: WOMEN**Data file:** S4A_LIVSTK_IN_STOCK_PH_final**Overview**

Valid: 25671 Minimum: 0 Maximum: 2
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	23696	92.3%
1	Yes	1719	6.7%
2		256	1%

S4AQ3_C: CHILDREN**Data file:** S4A_LIVSTK_IN_STOCK_PH_final**Overview**

Valid: 25671 Minimum: 0 Maximum: 3
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	24541	95.6%
1	Yes	376	1.5%
2		669	2.6%
3		85	0.3%

S4AQ3_D: ALL HOUSEHOLD MEMBERS**Data file:** S4A_LIVSTK_IN_STOCK_PH_final**Overview**

Valid: 25671 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0	No	24513	95.5%
1	Yes	1158	4.5%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4A_LIVSTK_IN_STOCK_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S4B_CHANGE_IN_STOCK_PH_final****Overview**

Valid: 18330

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S4B_CHANGE_IN_STOCK_PH_final****Overview**

Valid: 18290 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	5090	27.8%
2	NORTH-EASTERN	2620	14.3%
3	NORTH-WESTERN	4930	26.9%
4	SOUTHERN	5470	29.8%
5	WESTERN AREA	180	1%
Sysmiss		40	0.2%

DISTRICT: DISTRICT**Data file: S4B_CHANGE_IN_STOCK_PH_final****Overview**

Valid: 17830 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	1630	8.9%
12	KENEMA	1750	9.5%
13	KONO	1580	8.6%
21	BOMBALI	440	2.4%
22	FALABA	160	0.9%

23	KOINADUGU	100	0.5%
24	TONKOLILI	1860	10.1%
31	KAMBIA	1990	10.9%
32	KARENE	730	4%
33	PORTLOKO	2070	11.3%
41	BO	2200	12%
42	BONTHE	700	3.8%
43	MOYAMBA	1650	9%
44	PUJEHUN	790	4.3%
51	WESTERN RURAL	180	1%
52	WESTERN URBAN	0	
Sysmiss		500	2.7%

URB_RUR: Location Status

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S4B_LIVESTOCK_GROUP_ID: S4B - Livestock Group ID

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 1 Maximum: 8

Type: Discrete Width: 24 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Large ruminants - Cattle	9165	50%
2	Small ruminants	3666	20%

4	Pigs	1833	10%
5	Poultry	0	
7	Bees	1833	10%
8	Others	1833	10%

S4B_LIVESTOCK_ID: S4B - Livestock ID

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 10 Maximum: 80
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
10	Bulls	1833	10%
11	Oxen	1833	10%
12	Cows	1833	10%
13	Steers/Heifers	1833	10%
14	Calves - Males/Females	1833	10%
20	Goats - Male, female and young	1833	10%
21	Sheep - Rams/Ewes/Lambs	1833	10%
41	Pigs - Boar/Sow/Piglets	1833	10%
51	Chicken - cocks/broilers	0	
52	Chicken - hens/layers	0	
53	Pullets/DOCs	0	
54	Other - Ducks, Geese, Guineafowl	0	
70	Bee hives	1833	10%
80	Other Specify	1833	10%

S4BQ1: S4BQ1 - Number of LIVESTOCK NAME kept by farm exactly 12 months ago

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 0 Maximum: 10
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		16836	91.8%
1		269	1.5%
2		334	1.8%
3		238	1.3%
4		191	1%
5		145	0.8%
6		89	0.5%
7		56	0.3%
8		34	0.2%
9		17	0.1%
10		121	0.7%

S4BQ2: S4BQ2 - Number of LIVESTOCK NAME born in the past 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 0 Maximum: 7
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		17527	95.6%
1		227	1.2%
2		292	1.6%
3		117	0.6%
4		75	0.4%
5		43	0.2%
6		14	0.1%
7		35	0.2%

S4BQ3A: S4BQ3a - Number of LIVESTOCK NAME bought alive in the past 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 0 Maximum: 5
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		17867	97.5%
1		215	1.2%
2		152	0.8%
3		58	0.3%
4		18	0.1%
5		20	0.1%

S4BQ3C: S4BQ3c - Total value of the LIVESTOCK NAME purchased alive in the past 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Minimum: 98 Maximum: 5516.35
 Type: Continuous Width: 8 Range: - Format: Numeric

S4BQ3D: S4BQ3d - Average unit price of the LIVESTOCK NAME purchased alive in the last 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 462 Minimum: 98 Maximum: 7000
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
98		2	0%
300		13	0.1%
325		1	0%
350		8	0%
375		2	0%
400		12	0.1%
410		1	0%

450		7	0%
467		2	0%
500		29	0.2%
533		1	0%
550		3	0%
580		1	0%
600		28	0.2%
633		1	0%
650		3	0%
660		1	0%
683		3	0%
700		42	0.2%
708		2	0%
725		1	0%
733		1	0%
750		13	0.1%
771		3	0%
775		1	0%
779		5	0%
796		1	0%
800		39	0.2%
804		7	0%
825		1	0%
833		1	0%
839		5	0%
850		9	0%
863		1	0%
875		1	0%
893		2	0%
900		22	0.1%
933		1	0%
945		1	0%
950		3	0%
978		2	0%
1000		52	0.3%
1065		2	0%
1100		3	0%
1158		2	0%
1167		1	0%

1200		9	0%
1250		3	0%
1300		7	0%
1333		1	0%
1352		1	0%
1400		4	0%
1430		1	0%
1500		47	0.3%
1600		3	0%
1667		1	0%
1707		3	0%
1800		3	0%
2000		9	0%
2400		1	0%
2500		7	0%
3000		1	0%
4000		1	0%
5000		6	0%
5050		6	0%
5200		2	0%
5533		2	0%
6000		1	0%
7000		1	0%
Sysmiss		17868	97.5%

S4BQ4: S4BQ4 - Number of LIVESTOCK NAME received for free or as gifts in the past 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 0 Maximum: 8
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		18149	99%
1		100	0.5%
2		49	0.3%

3		18	0.1%
4		2	0%
5		3	0%
6		4	0%
7		2	0%
8		3	0%

S4BQ5A: S4BQ5a - Number of LIVESTOCK NAME sold alive in the past 12 month

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 0 Maximum: 45
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		18158	99.1%
1		78	0.4%
2		54	0.3%
3		20	0.1%
4		9	0%
5		7	0%
6		1	0%
7		1	0%
8		1	0%
45		1	0%

S4BQ5C: S4BQ5c - Total revenues from these LIVESTOCK NAME sold alive in the last 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 172 Minimum: 350 Maximum: 14000
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
350		2	0%
400		5	0%
450		2	0%
500		5	0%
550		1	0%
560		1	0%
600		5	0%
700		6	0%
715		1	0%
750		3	0%
800		11	0.1%
804		2	0%
850		1	0%
900		7	0%
950		1	0%
1000		8	0%
1034		1	0%
1100		3	0%
1165		1	0%
1195		1	0%
1200		6	0%
1213		2	0%
1250		1	0%
1300		3	0%
1350		1	0%
1400		5	0%
1500		10	0.1%
1600		5	0%
1700		3	0%
1800		3	0%
1875		1	0%
2000		7	0%
2083		1	0%
2100		2	0%
2160		1	0%
2390		1	0%
2400		3	0%
2500		2	0%

2850		1	0%
2950		1	0%
3000		6	0%
3200		3	0%
3500		2	0%
3600		1	0%
4000		4	0%
4200		1	0%
4500		3	0%
4600		1	0%
5000		2	0%
5200		1	0%
5208		1	0%
5789		1	0%
6000		2	0%
7500		1	0%
8000		1	0%
9000		2	0%
10000		2	0%
12000		1	0%
14000		11	0.1%
Sysmiss		18158	99.1%

S4BQ5D: S4BQ5d - Average unit price of the LIVESTOCK NAME sold alive in the last 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 172 Minimum: 250 Maximum: 25000
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
250		1	0%
300		2	0%
350		3	0%
400		8	0%
450		3	0%

500		8	0%
533		1	0%
550		2	0%
560		1	0%
567		2	0%
597		2	0%
600		7	0%
625		1	0%
650		2	0%
667		2	0%
675		1	0%
700		12	0.1%
713		1	0%
715		1	0%
750		6	0%
800		15	0.1%
804		2	0%
850		2	0%
900		6	0%
920		1	0%
938		1	0%
950		1	0%
1000		14	0.1%
1034		1	0%
1042		2	0%
1050		1	0%
1080		1	0%
1100		2	0%
1165		2	0%
1167		1	0%
1200		6	0%
1213		2	0%
1250		1	0%
1300		1	0%
1447		1	0%
1475		1	0%
1500		15	0.1%
1600		2	0%
1800		3	0%

2000		3	0%
2500		1	0%
3000		1	0%
4000		1	0%
4500		1	0%
4667		1	0%
5000		4	0%
5200		1	0%
7000		2	0%
7500		1	0%
8000		1	0%
10000		1	0%
11750		3	0%
25000		1	0%
Sysmiss		18158	99.1%

S4BQ6: S4BQ6 - Number of LIVESTOCK NAME died (diseases, natural events etc.) in the past 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 0 Maximum: 43
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		17991	98.2%
1		129	0.7%
2		87	0.5%
3		44	0.2%
4		24	0.1%
5		21	0.1%
6		7	0%
7		10	0.1%
8		6	0%
10		3	0%
12		2	0%
13		1	0%

15		2	0%
18		1	0%
21		1	0%
43		1	0%

S4BQ7: S4BQ7 - Number of LIVESTOCK NAME lost (stolen, missing etc.) in the past 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 0 Maximum: 96
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		18191	99.2%
1		66	0.4%
2		35	0.2%
3		13	0.1%
4		12	0.1%
5		4	0%
6		1	0%
8		1	0%
10		1	0%
11		1	0%
15		1	0%
16		2	0%
47		1	0%
96		1	0%

S4BQ8: S4BQ8 - Number of LIVESTOCK NAME that was given away for free or as gifts in the past 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 0 Maximum: 8
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		18276	99.7%
1		33	0.2%
2		9	0%
3		7	0%
5		3	0%
6		1	0%
8		1	0%

S4BQ9: S4BQ9 - Number of LIVESTOCK NAME slaughtered in the past 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 18330 Minimum: 0 Maximum: 5
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		18257	99.6%
1		50	0.3%
2		13	0.1%
3		7	0%
4		2	0%
5		1	0%

S4BQ10: S4BQ10 - Proportion of LIVESTOCK NAME slaughtered and consumed by the household in the past 12 months

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Minimum: 0 Maximum: 100
 Type: Continuous Width: 8 Range: - Format: Numeric

S4BQ11: Did the farm sell any slaughtered [LIVESTOCK NAME] or their meat in the past 12 months?**Data file:** S4B_CHANGE_IN_STOCK_PH_final**Overview**

Valid: 73 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	10	0.1%
2	NO	63	0.3%
Sysmiss		18257	99.6%

S4BQ12A: S4BQ12a - Proportion of LIVESTOCK NAME slaughtered was sold by the farm in the past 12 months**Data file:** S4B_CHANGE_IN_STOCK_PH_final**Overview**

Minimum: 0.19762845849802 Maximum: 70
 Type: Continuous Width: 9 Range: - Format: Numeric

S4BQ12B: S4BQ12b - Total revenues from selling these slaughtered LIVESTOCK NAME in the past 12 months**Data file:** S4B_CHANGE_IN_STOCK_PH_final**Overview**

Minimum: 0.019762845849802 Maximum: 12000
 Type: Continuous Width: 9 Range: - Format: Numeric

S4BQ13: S4BQ13 - Availability of any meat in stock from the LIVESTOCK NAME that were slaughtered in the past 12 months**Data file:** S4B_CHANGE_IN_STOCK_PH_final**Overview**

Valid: 73 Minimum: 2 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	0	
2	NO	73	0.4%
Sysmiss		18257	99.6%

S4BQ14: S4BQ14 - Proportion of LIVESTOCK NAME meat in stock now

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Minimum: Maximum:

Type: Continuous Width: 8 Range: - Format: Numeric

S4BQ15: S4BQ15 - Main purpose for stocking LIVESTOCK NAME meat

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Valid: 0 Minimum: Maximum:

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	FOOD FOR THE HOUSEHOLD	0	
2	FOR SELLING	0	
3	RENDER PAYMENTS IN-KIND	0	
4	OFFER AS GIFT	0	
5	CERMONIAL PURPOSES	0	
6	OTHER SPECIFY	0	
Sysmiss		18330	100%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4B_CHANGE_IN_STOCK_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452

Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S4C_CHANGE_STOCK_POULT_PH_final****Overview**

Valid: 7332

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S4C_CHANGE_STOCK_POULT_PH_final****Overview**

Valid: 7316 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	2036	27.8%
2	NORTH-EASTERN	1048	14.3%
3	NORTH-WESTERN	1972	26.9%
4	SOUTHERN	2188	29.8%
5	WESTERN AREA	72	1%
Sysmiss		16	0.2%

DISTRICT: DISTRICT**Data file: S4C_CHANGE_STOCK_POULT_PH_final****Overview**

Valid: 7132 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	652	8.9%
12	KENEMA	700	9.5%
13	KONO	632	8.6%
21	BOMBALI	176	2.4%
22	FALABA	64	0.9%

23	KOINADUGU	40	0.5%
24	TONKOLILI	744	10.1%
31	KAMBIA	796	10.9%
32	KARENE	292	4%
33	PORTLOKO	828	11.3%
41	BO	880	12%
42	BONTHE	280	3.8%
43	MOYAMBA	660	9%
44	PUJEHUN	316	4.3%
51	WESTERN RURAL	72	1%
52	WESTERN URBAN	0	
Sysmiss		200	2.7%

URB_RUR: Location Status

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 7332

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S4C_LIVESTOCK_GROUP_ID: S4C - LiveStock Group ID

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 7332 Minimum: 5 Maximum: 5

Type: Discrete Width: 24 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
5	Poultry	7332	100%

S4C_LIVESTOCK_ID: S4C - LiveStock ID**Data file: S4C_CHANGE_STOCK_POULT_PH_final****Overview**

Valid: 7332 Minimum: 51 Maximum: 54
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
51	Chicken - cocks/broilers	1833	25%
52	Chicken - hens/layers	1833	25%
53	Pullets (Small chicken),/DOCs	1833	25%
54	Other - Ducks, Geese, Guineafowl	1833	25%

S4CQ1: S4CQ1 - Number of livestock kept exactly 3 months ago**Data file: S4C_CHANGE_STOCK_POULT_PH_final****Overview**

Valid: 7332 Minimum: 0 Maximum: 10
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5110	69.7%
1		232	3.2%
2		366	5%
3		361	4.9%
4		246	3.4%
5		241	3.3%
6		145	2%
7		102	1.4%
8		92	1.3%
9		40	0.5%
10		397	5.4%

S4CQ2: S4CQ2 - Number of livestock born in past 3 months**Data file: S4C_CHANGE_STOCK_POULT_PH_final****Overview**

Valid: 7332 Minimum: 0 Maximum: 8
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		5919	80.7%
1		96	1.3%
2		209	2.9%
3		186	2.5%
4		126	1.7%
5		154	2.1%
6		127	1.7%
7		75	1%
8		440	6%

S4CQ3A: S4CQ3A - Number of livestock bought alive in past 3 months**Data file: S4C_CHANGE_STOCK_POULT_PH_final****Overview**

Valid: 7332 Minimum: 0 Maximum: 3
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7008	95.6%
1		109	1.5%
2		99	1.4%
3		116	1.6%

S4CQ3C: S4CQ3C - Total value of livestock bought alive in past 3 months**Data file: S4C_CHANGE_STOCK_POULT_PH_final**

Overview

Valid: 324 Minimum: 25 Maximum: 600
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
25		2	0%
30		4	0.1%
40		6	0.1%
45		1	0%
50		30	0.4%
53		1	0%
55		1	0%
60		10	0.1%
63		1	0%
65		1	0%
70		9	0.1%
74		1	0%
75		1	0%
77		1	0%
78		1	0%
80		10	0.1%
85		3	0%
87		1	0%
90		11	0.2%
100		50	0.7%
107		4	0.1%
110		2	0%
118		1	0%
120		14	0.2%
122		4	0.1%
125		2	0%
130		2	0%
133		3	0%
140		10	0.1%
150		19	0.3%
155		1	0%
156		2	0%

160		6	0.1%
164		1	0%
167		1	0%
170		1	0%
175		1	0%
180		7	0.1%
183		1	0%
189		1	0%
200		11	0.2%
210		1	0%
213		3	0%
215		1	0%
217		1	0%
225		2	0%
234		1	0%
240		8	0.1%
245		1	0%
250		6	0.1%
260		1	0%
266		1	0%
278		1	0%
280		3	0%
289		1	0%
293		1	0%
300		12	0.2%
309		1	0%
310		1	0%
320		2	0%
348		1	0%
359		1	0%
360		3	0%
400		8	0.1%
420		1	0%
450		1	0%
480		2	0%
500		2	0%
600		18	0.2%
Sysmiss		7008	95.6%

S4CQ3D: S4CQ3D - Average unit price of livestock bought in last 3 months**Data file: S4C_CHANGE_STOCK_POULT_PH_final****Overview**

Valid: 324 Minimum: 21 Maximum: 300
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
21		1	0%
25		6	0.1%
27		1	0%
30		9	0.1%
33		2	0%
35		4	0.1%
38		1	0%
40		14	0.2%
45		5	0.1%
47		1	0%
50		71	1%
53		8	0.1%
55		2	0%
59		1	0%
60		29	0.4%
61		5	0.1%
63		2	0%
65		3	0%
67		3	0%
70		22	0.3%
72		5	0.1%
74		1	0%
75		11	0.2%
76		2	0%
77		1	0%
78		5	0.1%
80		19	0.3%
82		2	0%

83		2	0%
84		1	0%
85		4	0.1%
87		1	0%
89		1	0%
90		5	0.1%
98		1	0%
100		43	0.6%
103		2	0%
110		1	0%
111		1	0%
120		13	0.2%
125		3	0%
130		1	0%
150		7	0.1%
200		1	0%
300		1	0%
Sysmiss		7008	95.6%

S4CQ4: S4CQ4 - Number of Livestock received for free or gift in past 3 years

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 7332 Minimum: 0 Maximum: 20
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7065	96.4%
1		138	1.9%
2		77	1.1%
3		29	0.4%
4		6	0.1%
5		6	0.1%
6		2	0%
7		1	0%
8		6	0.1%

9		1	0%
20		1	0%

S4CQ5A: S4CQ5a - Number of Livestock sold alive in the past 3 months

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 7332 Minimum: 0 Maximum: 15
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7181	97.9%
1		39	0.5%
2		47	0.6%
3		29	0.4%
4		16	0.2%
5		8	0.1%
6		2	0%
7		2	0%
8		1	0%
9		1	0%
10		3	0%
12		2	0%
15		1	0%

S4CQ5C: S4CQ5C - Total revenues from livestock sold alive in the past 3 months

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Minimum: 30 Maximum: 702.5
 Type: Continuous Width: 8 Range: - Format: Numeric

S4CQ5D: S4CQ5d - Average unit price of livestock sold alive in past 3 months

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 151 Minimum: 25 Maximum: 300
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
25		1	0%
30		1	0%
35		2	0%
36		1	0%
40		6	0.1%
50		16	0.2%
57		1	0%
60		9	0.1%
67		1	0%
70		11	0.2%
72		1	0%
75		3	0%
80		12	0.2%
83		1	0%
84		1	0%
85		8	0.1%
88		1	0%
89		4	0.1%
90		10	0.1%
92		1	0%
95		1	0%
100		27	0.4%
102		1	0%
105		1	0%
110		2	0%
120		4	0.1%
125		4	0.1%
130		3	0%
150		11	0.2%
167		1	0%
200		2	0%
250		2	0%

300		1	0%
Sysmiss		7181	97.9%

S4CQ6: S4CQ6 - Number of Livestock that died in past 3 months

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 7332 Minimum: 0 Maximum: 35
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		6918	94.4%
1		91	1.2%
2		91	1.2%
3		60	0.8%
4		49	0.7%
5		36	0.5%
6		28	0.4%
7		9	0.1%
8		11	0.2%
9		5	0.1%
10		11	0.2%
11		1	0%
12		5	0.1%
13		2	0%
14		1	0%
15		7	0.1%
18		3	0%
23		2	0%
29		1	0%
35		1	0%

S4CQ7: S4CQ7 - Number of Livestock lost in past 3 months

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 7332 Minimum: 0 Maximum: 20
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7045	96.1%
1		100	1.4%
2		88	1.2%
3		31	0.4%
4		23	0.3%
5		24	0.3%
6		7	0.1%
7		2	0%
8		4	0.1%
10		7	0.1%
20		1	0%

S4CQ8: S4CQ8 - Number of Livestock given away in past 3 months

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 7332 Minimum: 0 Maximum: 8
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7147	97.5%
1		84	1.1%
2		57	0.8%
3		18	0.2%
4		12	0.2%
5		6	0.1%
6		1	0%
7		2	0%
8		5	0.1%

S4CQ9: S4CQ9 - Number of Livestock slaughtered in past 3 months**Data file:** S4C_CHANGE_STOCK_POULT_PH_final**Overview**

Valid: 7332 Minimum: 0 Maximum: 30
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7057	96.2%
1		113	1.5%
2		89	1.2%
3		34	0.5%
4		12	0.2%
5		11	0.2%
6		6	0.1%
7		1	0%
8		3	0%
10		3	0%
11		1	0%
12		1	0%
30		1	0%

S4CQ10: S4CQ10 - Number of Livestock eaten by household in past 3 months**Data file:** S4C_CHANGE_STOCK_POULT_PH_final**Overview**

Valid: 7332 Minimum: 0 Maximum: 70
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7038	96%
1		114	1.6%
2		91	1.2%

3		38	0.5%
4		12	0.2%
5		16	0.2%
6		5	0.1%
7		5	0.1%
8		4	0.1%
10		3	0%
12		1	0%
13		1	0%
15		2	0%
19		1	0%
70		1	0%

S4CQ11: S4CQ11 - Did the farm Sell any livestock slaughtered in past 3 months

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 823 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	9	0.1%
2	NO	814	11.1%
Sysmiss		6509	88.8%

S4CQ12A: S4CQ12a - Number of slaughtered livestock sold in past 3 months

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 7332 Minimum: 0 Maximum: 13
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		7323	99.9%

1		2	0%
2		5	0.1%
3		1	0%
13		1	0%

S4CQ12B: S4CQ12B - Total revenues from slaughtered livestock in past 3 months

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Minimum: 0 Maximum: 405

Type: Continuous Width: 8 Range: - Format: Numeric

S4CQ13: S4CQ13 - Availability of any stock of meet slaughtered in past 3 months

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 823 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	2	0%
2	NO	821	11.2%
Sysmiss		6509	88.8%

S4CQ14: S4CQ14 - Number of livestock approximately in stock presently

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Minimum: 0 Maximum: 23.75

Type: Continuous Width: 8 Range: - Format: Numeric

S4CQ15: S4CQ15 - Main purpose of stocking meat

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Valid: 1 Minimum: 1 Maximum: 1

Type: Discrete Width: 12 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	FOOD FOR THE HOUSEHOLD	1	0%
2	FOR SELLING	0	
3	RENDER PAYMENTS IN-KIND	0	
4	OFFER AS GIFT	0	
5	CEREMONIAL PURPOSES	0	
6	OTHER SPECIFY	0	
Sysmiss		7331	100%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4C_CHANGE_STOCK_POULT_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S4D_MILK_PROD_PH_final**Overview**

Valid: 47

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S4D_MILK_PROD_PH_final**Overview**

Valid: 47 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	6	12.8%
2	NORTH-EASTERN	13	27.7%
3	NORTH-WESTERN	27	57.4%
4	SOUTHERN	0	
5	WESTERN AREA	1	2.1%

DISTRICT: DISTRICT**Data file:** S4D_MILK_PROD_PH_final**Overview**

Valid: 45 Minimum: 13 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	0	
12	KENEMA	0	
13	KONO	5	10.6%
21	BOMBALI	0	
22	FALABA	11	23.4%
23	KOINADUGU	1	2.1%

24	TONKOLILI	0	
31	KAMBIA	3	6.4%
32	KARENE	10	21.3%
33	PORTLOKO	14	29.8%
41	BO	0	
42	BONTHE	0	
43	MOYAMBA	0	
44	PUJEHUN	0	
51	WESTERN RURAL	1	2.1%
52	WESTERN URBAN	0	
Sysmiss		2	4.3%

URB_RUR: Location Status

Data file: S4D_MILK_PROD_PH_final

Overview

Valid: 47

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4D_MILK_PROD_PH_final

Overview

Valid: 47 Minimum: 11030307 Maximum: 44080109

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11030307		1	2.1%
11130508		4	8.5%
12060302		1	2.1%
13050106		3	6.4%
13060207		1	2.1%
13060308		1	2.1%
13060404		1	2.1%
13100115		1	2.1%
13100504		1	2.1%
13110402		1	2.1%

13120201		2	4.3%
21020226		1	2.1%
21080815		1	2.1%
24110412		1	2.1%
24120114		1	2.1%
31050707		2	4.3%
31100308		2	4.3%
32020201		1	2.1%
32130311		5	10.6%
33130307		1	2.1%
41030503		2	4.3%
41100302		1	2.1%
43140102		4	8.5%
43140505		2	4.3%
44010504		1	2.1%
44020405		3	6.4%
44080109		2	4.3%

S4D_LIVESTOCK_GROUP_ID: S4D - LiveStock Group ID

Data file: S4D_MILK_PROD_PH_final

Overview

Valid: 47 Minimum: 1 Maximum: 1

Type: Discrete Width: 24 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Large ruminants - Cattle	47	100%

S4D_LIVESTOCK_ID: S4D - LiveStock ID

Data file: S4D_MILK_PROD_PH_final

Overview

Valid: 47 Minimum: 12 Maximum: 12

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
12	Cows	47	100%

S4DQ1: S4DQ1 - Did this farm milk any livestock in past 12 months

Data file: S4D_MILK_PROD_PH_final

Overview

Valid: 47 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	9	19.1%
2	NO	38	80.9%

S4DQ2: S4DQ2 - Number of months on average livestock were milked in past 12 months

Data file: S4D_MILK_PROD_PH_final

Overview

Valid: 9 Minimum: 1 Maximum: 12

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2	4.3%
2		3	6.4%
3		3	6.4%
12		1	2.1%
Sysmiss		38	80.9%

S4DQ3: S4DQ3 - Number of animals milked on average per month

Data file: S4D_MILK_PROD_PH_final

Overview

Minimum: 1 Maximum: 9.68

Type: Continuous Width: 7 Range: - Format: Numeric

S4DQ4: S4DQ4 - Average quantity of milk milked per day from herd

Data file: S4D_MILK_PROD_PH_final

Overview

Valid: 9 Minimum: 1 Maximum: 18

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		1	2.1%
2		3	6.4%
5		1	2.1%
6		2	4.3%
11		1	2.1%
18		1	2.1%
Sysmiss		38	80.9%

S4DQ5: S4DQ5 - How much milk did household members consume per week

Data file: S4D_MILK_PROD_PH_final

Overview

Valid: 9 Minimum: 0 Maximum: 11

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	2.1%
1		2	4.3%
2		4	8.5%
5		1	2.1%
11		1	2.1%
Sysmiss		38	80.9%

S4DQ6: S4DQ6 - Did farm sell any milk of livestock**Data file:** S4D_MILK_PROD_PH_final**Overview**

Valid: 9 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	4	8.5%
2	NO	5	10.6%
Sysmiss		38	80.9%

S4DQ7A: S4DQ7a - How much of livestock milk was sold per week by farm**Data file:** S4D_MILK_PROD_PH_final**Overview**

Minimum: 1 Maximum: 15.67

Type: Continuous Width: 8 Range: - Format: Numeric

S4DQ7C: S4DQ7c - Total earnings from selling milk per week**Data file:** S4D_MILK_PROD_PH_final**Overview**

Valid: 4 Minimum: 100 Maximum: 297

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
100		1	2.1%
160		1	2.1%
200		1	2.1%
297		1	2.1%
Sysmiss		43	91.5%

S4DQ7D: S4DQ7d - Average unit price of milk sold**Data file:** S4D_MILK_PROD_PH_final**Overview**

Valid: 4 Minimum: 10 Maximum: 100

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
10		1	2.1%
50		1	2.1%
60		1	2.1%
100		1	2.1%
Sysmiss		43	91.5%

S4DQ8: S4DQ8 - How much milk was processed by farm per week**Data file:** S4D_MILK_PROD_PH_final**Overview**

Minimum: 0 Maximum: 4.68

Type: Continuous Width: 7 Range: - Format: Numeric

HH_FINAL_WEIGHT: PH weight adjusted from PP**Data file:** S4D_MILK_PROD_PH_final**Overview**

Minimum: 42.51880413 Maximum: 968.25204018286

Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S4E_EGG_PROD_PH_final**Overview**

Valid: 1088

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S4E_EGG_PROD_PH_final**Overview**

Valid: 1087 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	269	24.7%
2	NORTH-EASTERN	106	9.7%
3	NORTH-WESTERN	265	24.4%
4	SOUTHERN	438	40.3%
5	WESTERN AREA	9	0.8%
Sysmiss		1	0.1%

DISTRICT: DISTRICT**Data file:** S4E_EGG_PROD_PH_final**Overview**

Valid: 1053 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	81	7.4%
12	KENEMA	88	8.1%
13	KONO	91	8.4%
21	BOMBALI	11	1%
22	FALABA	5	0.5%

23	KOINADUGU	2	0.2%
24	TONKOLILI	86	7.9%
31	KAMBIA	117	10.8%
32	KARENE	30	2.8%
33	PORTLOKO	109	10%
41	BO	181	16.6%
42	BONTHE	60	5.5%
43	MOYAMBA	130	11.9%
44	PUJEHUN	53	4.9%
51	WESTERN RURAL	9	0.8%
52	WESTERN URBAN	0	
Sysmiss		35	3.2%

URB_RUR: Location Status

Data file: S4E_EGG_PROD_PH_final

Overview

Valid: 1088

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4E_EGG_PROD_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S4E_LIVESTOCK_GROUP_ID: S4E - LiveStock Group ID

Data file: S4E_EGG_PROD_PH_final

Overview

Valid: 1088 Minimum: 5 Maximum: 5

Type: Discrete Width: 24 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
5	Poultry	1088	100%

S4E_LIVESTOCK_ID: S4E - LiveStock ID**Data file:** S4E_EGG_PROD_PH_final**Overview**

Valid: 1088 Minimum: 52 Maximum: 54
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
52	Chicken - hens/layers	997	91.6%
54	Other - Ducks, Geese, Guineafowl	91	8.4%

S4EQ1: S4EQ1 - Any livestock raised produced eggs in past 12 months**Data file:** S4E_EGG_PROD_PH_final**Overview**

Valid: 1088 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	719	66.1%
2	NO	369	33.9%

S4EQ2: How many clutching periods did [LIVESTOCK TYPE] have on average in the last 12 months?**Data file:** S4E_EGG_PROD_PH_final**Overview**

Valid: 719 Minimum: 1 Maximum: 12
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		160	14.7%
2		288	26.5%
3		169	15.5%
4		39	3.6%
5		20	1.8%
6		16	1.5%
7		4	0.4%
8		7	0.6%
9		3	0.3%
10		8	0.7%
11		1	0.1%
12		4	0.4%
Sysmiss		369	33.9%

S4EQ3: S4EQ3 - Average eggs laid per clutching period

Data file: S4E_EGG_PROD_PH_final

Overview

Valid: 719 Minimum: 1 Maximum: 94

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		11	1%
2		27	2.5%
3		50	4.6%
4		34	3.1%
5		62	5.7%
6		55	5.1%
7		44	4%
8		66	6.1%
9		47	4.3%
10		94	8.6%
11		22	2%
12		52	4.8%
13		15	1.4%
14		9	0.8%

15		35	3.2%
16		8	0.7%
17		6	0.6%
18		12	1.1%
19		3	0.3%
20		14	1.3%
21		6	0.6%
22		3	0.3%
23		5	0.5%
24		2	0.2%
25		6	0.6%
28		3	0.3%
29		2	0.2%
30		6	0.6%
31		3	0.3%
33		1	0.1%
35		1	0.1%
38		1	0.1%
39		1	0.1%
42		1	0.1%
43		1	0.1%
48		1	0.1%
50		4	0.4%
54		1	0.1%
60		2	0.2%
75		1	0.1%
90		1	0.1%
94		1	0.1%
Sysmiss		369	33.9%

S4EQ4: S4EQ4 - Number of livestock that had clutching period in past 3 months

Data file: S4E_EGG_PROD_PH_final

Overview

Valid: 719 Minimum: 0 Maximum: 40
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		4	0.4%
1		219	20.1%
2		214	19.7%
3		101	9.3%
4		53	4.9%
5		39	3.6%
6		24	2.2%
7		10	0.9%
8		13	1.2%
9		4	0.4%
10		11	1%
11		2	0.2%
12		4	0.4%
14		1	0.1%
15		5	0.5%
16		3	0.3%
18		2	0.2%
20		3	0.3%
21		2	0.2%
26		1	0.1%
28		1	0.1%
30		1	0.1%
33		1	0.1%
40		1	0.1%
Sysmiss		369	33.9%

S4EQ5: S4EQ5 - Number of laid eggs in last clutching period consumed by household in past 3 months

Data file: S4E_EGG_PROD_PH_final

Overview

Valid: 719 Minimum: 0 Maximum: 50
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		525	48.3%

1		18	1.7%
2		25	2.3%
3		26	2.4%
4		18	1.7%
5		18	1.7%
6		13	1.2%
7		6	0.6%
8		11	1%
9		8	0.7%
10		17	1.6%
11		1	0.1%
12		5	0.5%
13		2	0.2%
14		1	0.1%
15		6	0.6%
18		1	0.1%
20		8	0.7%
21		1	0.1%
25		2	0.2%
30		3	0.3%
40		1	0.1%
43		1	0.1%
48		1	0.1%
50		1	0.1%
Sysmiss		369	33.9%

S4EQ6: S4EQ6 - Did farm sell any eggs laid in past 3 months

Data file: S4E_EGG_PROD_PH_final

Overview

Valid: 719 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	8	0.7%
2	NO	711	65.3%

Sysmiss		369	33.9%
---------	--	-----	-------

S4EQ7A: S4EQ7a - Number of eggs laid were sold in past 3 months

Data file: S4E_EGG_PROD_PH_final

Overview

Minimum: 1 Maximum: 49.16

Type: Continuous Width: 8 Range: - Format: Numeric

S4EQ7C: S4EQ7c - Earnings from selling eggs in past 3 months

Data file: S4E_EGG_PROD_PH_final

Overview

Minimum: 2000 Maximum: 98274.936666667

Type: Continuous Width: 8 Range: - Format: Numeric

S4EQ7D: S4EQ7d - Average unit price of eggs sold in past 3 months

Data file: S4E_EGG_PROD_PH_final

Overview

Minimum: 1999.0833333333 Maximum: 2000

Type: Continuous Width: 8 Range: - Format: Numeric

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4E_EGG_PROD_PH_final

Overview

Minimum: 24.589248447209 Maximum: 1647.8228357147

Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S4F_OTHER_LIVSTK_PROD_PH_final****Overview**

Valid: 5499

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S4F_OTHER_LIVSTK_PROD_PH_final****Overview**

Valid: 5487 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	1527	27.8%
2	NORTH-EASTERN	786	14.3%
3	NORTH-WESTERN	1479	26.9%
4	SOUTHERN	1641	29.8%
5	WESTERN AREA	54	1%
Sysmiss		12	0.2%

DISTRICT: DISTRICT**Data file: S4F_OTHER_LIVSTK_PROD_PH_final****Overview**

Valid: 5349 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	489	8.9%
12	KENEMA	525	9.5%
13	KONO	474	8.6%
21	BOMBALI	132	2.4%
22	FALABA	48	0.9%

23	KOINADUGU	30	0.5%
24	TONKOLILI	558	10.1%
31	KAMBIA	597	10.9%
32	KARENE	219	4%
33	PORTLOKO	621	11.3%
41	BO	660	12%
42	BONTHE	210	3.8%
43	MOYAMBA	495	9%
44	PUJEHUN	237	4.3%
51	WESTERN RURAL	54	1%
52	WESTERN URBAN	0	
Sysmiss		150	2.7%

URB_RUR: Location Status

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 5499

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

PRODUCT_ID: S4F - Product ID

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 5499 Minimum: 2 Maximum: 11

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2	Cow Butter	1833	33.3%
4	Honey	1833	33.3%

11	Other product excl. dung/manure	1833	33.3%
----	---------------------------------	------	-------

S4FQ1: S4FQ1 - Did farm produce any product type in past 12 months

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 5499 Minimum: 1 Maximum: 2
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	32	0.6%
2	NO	5467	99.4%

S4FQ2_Q: S4FQ2_Q - Quantity produced in past 3 months

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 27 Minimum: 0 Maximum: 10
Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1	0%
1		7	0.1%
2		6	0.1%
3		4	0.1%
4		1	0%
5		4	0.1%
8		3	0.1%
10		1	0%
Sysmiss		5472	99.5%

S4Q2_U: S4Q2_U - Unit of measurement

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 32 Minimum: 1 Maximum: 5
 Type: Discrete Width: 12 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	LITRES	15	0.3%
2	KG	2	0%
3	STANDARD CUP	6	0.1%
4	25 KG BAG	6	0.1%
5	50 KG BAG	3	0.1%
Sysmiss		5467	99.4%

S4Q2_FACTOR_KG:

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Minimum: 0.5 Maximum: 50
 Type: Continuous Width: 16 Range: - Format: Numeric

S4Q2_FACTOR_LITER:

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 15 Minimum: 1 Maximum: 1
 Type: Discrete Width: 19 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		15	0.3%
Sysmiss		5484	99.7%

S4FQ3: S4FQ3 - Farm sell product in past 12 months

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 32 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	18	0.3%
2	NO	14	0.3%
Sysmiss		5467	99.4%

S4FQ4_Q: S4FQ4_Q - Quantity produced sold in past 12 months

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 18 Minimum: 1 Maximum: 40
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		3	0.1%
2		1	0%
3		4	0.1%
4		2	0%
6		3	0.1%
7		1	0%
8		1	0%
12		1	0%
20		1	0%
40		1	0%
Sysmiss		5481	99.7%

S4FQ4_U: S4FQ4_U - Unit of measurement

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 18 Minimum: 1 Maximum: 4
 Type: Discrete Width: 13 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	LITRES	15	0.3%
2	KG	0	
3	STANDARD CUP	1	0%
4	25 KG BAG	2	0%
5	50 KG BAG	0	
Sysmiss		5481	99.7%

S4Q4_FACTOR_LITER:

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 16 Minimum: 1 Maximum: 1

Type: Discrete Width: 19 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		16	0.3%
Sysmiss		5483	99.7%

S4Q4_FACTOR_KG:

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 3 Minimum: 1 Maximum: 25

Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		1	0%
25		2	0%
Sysmiss		5496	99.9%

S4FQ5B: S4FQ5b - Total earnings from product sales in past 12 months**Data file:** S4F_OTHER_LIVSTK_PROD_PH_final**Overview**

Minimum: 10 Maximum: 1455.25

Type: Continuous Width: 8 Range: - Format: Numeric

S4FQ5C: S4FQ5c - Average unit price of product sold in past 12 months**Data file:** S4F_OTHER_LIVSTK_PROD_PH_final**Overview**

Minimum: 10 Maximum: 1600

Type: Continuous Width: 8 Range: - Format: Numeric

S4FQ6: S4FQ6 - Did farm give product away in past 12 months**Data file:** S4F_OTHER_LIVSTK_PROD_PH_final**Overview**

Valid: 32 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	9	0.2%
2	NO	23	0.4%
Sysmiss		5467	99.4%

S4FQ7_Q: S4FQ7_Q - Quantity produced given away in past 12 months**Data file:** S4F_OTHER_LIVSTK_PROD_PH_final**Overview**

Valid: 9 Minimum: 1 Maximum: 5

Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		7	0.1%
2		1	0%
5		1	0%
Sysmiss		5490	99.8%

S4FQ7_U: S4FQ7_U - Unit of measurement

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 9 Minimum: 1 Maximum: 5

Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	LITRES	6	0.1%
2	KG	0	
3	STANDARD CUP	2	0%
4	25 KG BAG	0	
5	50 KG BAG	1	0%
Sysmiss		5490	99.8%

S4Q7_FACTOR_LITER: Conversion factor in liter

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 6 Minimum: 1 Maximum: 1

Type: Discrete Width: 19 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		6	0.1%
Sysmiss		5493	99.9%

S4Q7_FACTOR_KG: Conversion factor in kg

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 3 Minimum: 1 Maximum: 50

Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2	0%
50		1	0%
Sysmiss		5496	99.9%

S4FQ8: S4FQ8 - Any product exchange for goods or services

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 32 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	2	0%
2	NO	30	0.5%
Sysmiss		5467	99.4%

S4FQ9_Q: S4FQ9_Q - Quantity produced exchanged for goods or services

Data file: S4F_OTHER_LIVSTK_PROD_PH_final

Overview

Valid: 2 Minimum: 1 Maximum: 1

Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2	0%
Sysmiss		5497	100%

S4FQ9_U: S4FQ9_U - Unit of measurement**Data file:** S4F_OTHER_LIVSTK_PROD_PH_final**Overview**

Valid: 2 Minimum: 1 Maximum: 1
 Type: Discrete Width: 9 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	LITRES	2	0%
2	KG	0	
3	STANDARD CUP	0	
4	25 KG BAG	0	
5	50 KG BAG	0	
Sysmiss		5497	100%

S4Q9_FACTOR_LITER: Conversion factor in liter**Data file:** S4F_OTHER_LIVSTK_PROD_PH_final**Overview**

Valid: 2 Minimum: 1 Maximum: 1
 Type: Discrete Width: 19 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2	0%
Sysmiss		5497	100%

HH_FINAL_WEIGHT: PH weight adjusted from PP**Data file:** S4F_OTHER_LIVSTK_PROD_PH_final**Overview**

Minimum: 13.77279036666 Maximum: 4174.8234681452
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S4G_LIVSTK_BREED_HEALTH_PH_final****Overview**

Valid: 1539

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S4G_LIVSTK_BREED_HEALTH_PH_final****Overview**

Valid: 1538 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	393	25.5%
2	NORTH-EASTERN	238	15.5%
3	NORTH-WESTERN	584	37.9%
4	SOUTHERN	318	20.7%
5	WESTERN AREA	5	0.3%
Sysmiss		1	0.1%

DISTRICT: DISTRICT**Data file: S4G_LIVSTK_BREED_HEALTH_PH_final****Overview**

Valid: 1495 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	144	9.4%
12	KENEMA	107	7%
13	KONO	131	8.5%
21	BOMBALI	40	2.6%
22	FALABA	35	2.3%

23	KOINADUGU	12	0.8%
24	TONKOLILI	142	9.2%
31	KAMBIA	233	15.1%
32	KARENE	117	7.6%
33	PORTLOKO	220	14.3%
41	BO	116	7.5%
42	BONTHE	35	2.3%
43	MOYAMBA	119	7.7%
44	PUJEHUN	39	2.5%
51	WESTERN RURAL	5	0.3%
52	WESTERN URBAN	0	
Sysmiss		44	2.9%

URB_RUR: Location Status

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Minimum: 11010102 Maximum: 51030677

Type: Continuous Width: 8 Range: - Format: Numeric

S4G_LIVESTOCK_GROUP_ID: S4G - LiveStock Group ID

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 1 Maximum: 2

Type: Discrete Width: 24 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Large ruminants - Cattle	136	8.8%
2	Small ruminants	1403	91.2%

4	Pigs	0	
5	Poultry	0	
8	Others	0	

S4G_LIVESTOCK_ID: S4G - LiveStock ID

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1538 Minimum: 10 Maximum: 21
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
10	Bulls	48	3.1%
11	Oxen	3	0.2%
12	Cows	47	3.1%
13	Steers/Heifers	17	1.1%
14	Calves - Males/Females	20	1.3%
20	Goats - Male, female and young	945	61.4%
21	Sheep - Rams/Ewes/Lambs	458	29.8%
41	Pigs - Boar/Sow/Piglets	0	
51	Chicken - cocks/broilers	0	
52	Chicken - hens/layers	0	
53	Pullets/DOCs	0	
54	Other - Ducks, Geese, Guineafowl	0	
80	Other (Specify)	0	
Sysmiss		1	0.1%

S4GQ1: S4GQ1 - Farm use any controlled animal reproduction techniques for livestock group

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	113	7.3%
2	NO	1426	92.7%

S4GQ2_A: NATURAL MATING WITH A SIRE SELECTED WITHIN THE HERD

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1478	96%
1	Yes	61	4%

S4GQ2_B: NATURAL MATING WITH A PURCHASED OR RENTED SIRE

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1512	98.2%
1	Yes	27	1.8%

S4GQ2_C: NATURAL MATING WITH AN EXCHANGED SIRE

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1507	97.9%
1	Yes	32	2.1%

S4GQ2_D: NATURAL MATING WITH A NON-BREEDING MALE CASTRATED

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1532	99.5%
1	Yes	7	0.5%

S4GQ2_E: NATURAL MATING WITH A PURCHASED DAM

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1535	99.7%
1	Yes	4	0.3%

S4GQ2_F: ARTIFICIAL INSEMINATION

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1535	99.7%
1	Yes	4	0.3%

S4GQ2_G: DAM WAS PURCHASED PREGNANT

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1534	99.7%
1	Yes	5	0.3%

S4GQ2_H: DAM WAS EXCHANGED PREGNANT

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1535	99.7%
1	Yes	4	0.3%

S4GQ4: S4GQ4 - Livestock group suffer any disease in the past 12 months

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	378	24.6%
2	NO	1161	75.4%

S4GQ5_A: BRUCELOSIS

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1500	97.5%
1	Yes	39	2.5%

S4GQ5_B: LUMPY SKIN DISEASE

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1481	96.2%
1	Yes	58	3.8%

S4GQ5_C: RABIES**Data file: S4G_LIVSTK_BREED_HEALTH_PH_final****Overview**

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1510	98.1%
1	Yes	29	1.9%

S4GQ5_D: FMD**Data file: S4G_LIVSTK_BREED_HEALTH_PH_final****Overview**

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1329	86.4%
1	Yes	210	13.6%

S4GQ5_E: ANTHRAX**Data file: S4G_LIVSTK_BREED_HEALTH_PH_final****Overview**

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1514	98.4%
1	Yes	25	1.6%

S4GQ5_F: BLACK QUARTER (BQ)**Data file:** S4G_LIVSTK_BREED_HEALTH_PH_final**Overview**

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1531	99.5%
1	Yes	8	0.5%

S4GQ5_G: NEW CASTLE DISEASE**Data file:** S4G_LIVSTK_BREED_HEALTH_PH_final**Overview**

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1499	97.4%
1	Yes	40	2.6%

S4GQ5_H: SMALL POX**Data file:** S4G_LIVSTK_BREED_HEALTH_PH_final**Overview**

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1517	98.6%

1	Yes	22	1.4%
---	-----	----	------

S4GQ5_I: GOMBORO

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1537	99.9%
1	Yes	2	0.1%

S4GQ5_J: HELMINTHIOSIS

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1536	99.8%
1	Yes	3	0.2%

S4GQ5_K: TICK BORNE DISEASE

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0	No	1535	99.7%
1	Yes	4	0.3%

S4GQ5_L: TYPANOSOMIASIS

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1493	97%
1	Yes	46	3%

S4GQ6: S4GQ6 - Farm vaccinated any livestock

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 1 Maximum: 2
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	186	12.1%
2	NO	1353	87.9%

S4GQ7_A: BRUCELOSIS

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1518	98.6%
1	Yes	21	1.4%

S4GQ7_B: LUMPY SKIN DISEASE

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1492	96.9%
1	Yes	47	3.1%

S4GQ7_C: RABIES

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1512	98.2%
1	Yes	27	1.8%

S4GQ7_D: FMD

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1496	97.2%
1	Yes	43	2.8%

S4GQ7_E: ANTHRAX

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1516	98.5%
1	Yes	23	1.5%

S4GQ7_F: BLACK QUARTER (BQ)

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1531	99.5%
1	Yes	8	0.5%

S4GQ7_G: NEW CASTLE DISEASE

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1510	98.1%
1	Yes	29	1.9%

S4GQ7_H: SMALL POX

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1525	99.1%
1	Yes	14	0.9%

S4GQ7_I: GOMBORO

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1534	99.7%
1	Yes	5	0.3%

S4GQ7_J: HELMINTHIOSIS

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1537	99.9%
1	Yes	2	0.1%

S4GQ7_K: TICK BORNE DISEASE

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1528	99.3%
1	Yes	11	0.7%

S4GQ7_L: TYPANOSOMIASIS

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1515	98.4%
1	Yes	24	1.6%

S4GQ8: S4GQ8 - Did farm use any veterinary services for LIVESTOCK GROUP**Data file: S4G_LIVSTK_BREED_HEALTH_PH_final****Overview**

Valid: 1539 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	186	12.1%
2	NO	1353	87.9%

S4GQ9_A: REPRODUCTION**Data file: S4G_LIVSTK_BREED_HEALTH_PH_final****Overview**

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1534	99.7%
1	Yes	5	0.3%

S4GQ9_B: CURATIVE TREATMENT, SURGICAL PROCEDURES**Data file: S4G_LIVSTK_BREED_HEALTH_PH_final****Overview**

Valid: 1539 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1506	97.9%
1	Yes	33	2.1%

S4GQ9_C: CURATIVE TREATMENT, OTHER (SPECIFY)**Data file:** S4G_LIVSTK_BREED_HEALTH_PH_final**Overview**

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1487	96.6%
1	Yes	52	3.4%

S4GQ9_D: PREVENTATIVE MEDICINE, VACCINATIONS**Data file:** S4G_LIVSTK_BREED_HEALTH_PH_final**Overview**

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1453	94.4%
1	Yes	86	5.6%

S4GQ9_E: PREVENTATIVE MEDICINE, DEWORMING (ANTHELMINTIC)**Data file:** S4G_LIVSTK_BREED_HEALTH_PH_final**Overview**

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1528	99.3%

1	Yes	11	0.7%
---	-----	----	------

S4GQ9_F: PREVENTATIVE MEDICINE AGAINST PARASITES

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1515	98.4%
1	Yes	24	1.6%

S4GQ9_G: PREVENTATIVE MEDICINE

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1490	96.8%
1	Yes	49	3.2%

S4GQ10: S4GQ10 - Antibiotics used on LIVESTOCK GROUP

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 1 Maximum: 2
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	YES	131	8.5%
2	NO	1408	91.5%

S4GQ11: S4GQ11 - LIVESTOCK GROUP treated with traditional medicine

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 1539 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	229	14.9%
2	NO	1310	85.1%

S4GQ12: S4GQ12 - Purpose LIVESTOCK GROUP treated with traditional medicine

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Valid: 229 Minimum: 1 Maximum: 4
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	REPRODUCTION	6	0.4%
2	CURATIVE	148	9.6%
3	PREVENTATIVE	73	4.7%
4	FATTENING	2	0.1%
Sysmiss		1310	85.1%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4G_LIVSTK_BREED_HEALTH_PH_final

Overview

Minimum: 13.77279036666 Maximum: 3691.3714774244
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S4H1_LIVESTOCK_WATER_PH_final****Overview**

Valid: 2356

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S4H1_LIVESTOCK_WATER_PH_final****Overview**

Valid: 2351 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	627	26.6%
2	NORTH-EASTERN	314	13.3%
3	NORTH-WESTERN	682	28.9%
4	SOUTHERN	709	30.1%
5	WESTERN AREA	19	0.8%
Sysmiss		5	0.2%

DISTRICT: DISTRICT**Data file: S4H1_LIVESTOCK_WATER_PH_final****Overview**

Valid: 2284 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	203	8.6%
12	KENEMA	194	8.2%
13	KONO	210	8.9%
21	BOMBALI	48	2%
22	FALABA	26	1.1%

23	KOINADUGU	12	0.5%
24	TONKOLILI	221	9.4%
31	KAMBIA	275	11.7%
32	KARENE	100	4.2%
33	PORTLOKO	287	12.2%
41	BO	281	11.9%
42	BONTHE	92	3.9%
43	MOYAMBA	227	9.6%
44	PUJEHUN	89	3.8%
51	WESTERN RURAL	19	0.8%
52	WESTERN URBAN	0	
Sysmiss		72	3.1%

URB_RUR: Location Status

Data file: S4H1_LIVESTOCK_WATER_PH_final

Overview

Valid: 2356

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4H1_LIVESTOCK_WATER_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S4H_LIVESTOCK_GROUP_ID: S4H - LiveStock Group ID

Data file: S4H1_LIVESTOCK_WATER_PH_final

Overview

Valid: 2356 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Large ruminants - Cattle	65	2.8%
2	Small ruminants	1109	47.1%

4	Pigs	13	0.6%
5	Poultry	1169	49.6%
8	Other	0	

S4HQ1: S4HQ1 - Main source of water for watering LIVESTOCK GROUP for all seasons

Data file: S4H1_LIVESTOCK_WATER_PH_final

Overview

Valid: 2356 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	1714	72.8%
2	NO	642	27.2%

S4HQ2: S4HQ2 - Main source of water used for watering LIVESTOCK GROUP in the past 12 month

Data file: S4H1_LIVESTOCK_WATER_PH_final

Overview

Valid: 1702 Minimum: 1 Maximum: 7
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Bore hole	314	13.3%
2	Well	459	19.5%
3	Dam or lake	24	1%
4	River, spring or stream	277	11.8%
5	Rainwater harvesting	39	1.7%
6	WATER trough	81	3.4%
7	Man Made water dough_out	508	21.6%
Sysmiss		654	27.8%

S4HQ3: S4HQ3 - Distance LIVETSOCK GROUP travel to reach watering point**Data file: S4H1_LIVESTOCK_WATER_PH_final****Overview**

Valid: 1714 Minimum: 0 Maximum: 6
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	Water point is in the farm	683	29%
1	LESS THAN 0.5 KM	742	31.5%
2	0.5-3 KM	234	9.9%
3	3-5 KM	39	1.7%
4	5-15 KM	8	0.3%
5	15-30 KM	7	0.3%
6	MORE THAN 30 KM	1	0%
Sysmiss		642	27.2%

S4HQ4: S4HQ4 - Main source of water used for watering LIVESTOCK GROUP in DRY season**Data file: S4H1_LIVESTOCK_WATER_PH_final****Overview**

Valid: 641 Minimum: 1 Maximum: 7
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	NONE	0	
1	Borehole	92	3.9%
2	Well	131	5.6%
3	Dam or lake	4	0.2%
4	River, spring or stream	109	4.6%
5	Rainwater harvesting	25	1.1%
6	Water trough	112	4.8%
7	Man made water dough out	168	7.1%
9	Other Specify	0	
Sysmiss		1715	72.8%

S4HQ5: S4HQ5 - Distance LIVETSOCK GROUP travel to reach watering point in DRY season**Data file: S4H1_LIVESTOCK_WATER_PH_final****Overview**

Valid: 642 Minimum: 0 Maximum: 6
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	Water point is in the farm	261	11.1%
1	LESS THAN 0.5 KM	283	12%
2	0.5-3 KM	70	3%
3	3-5 KM	13	0.6%
4	5-15 KM	3	0.1%
5	15-30 KM	8	0.3%
6	MORE THAN 30 KM	4	0.2%
Sysmiss		1714	72.8%

S4HQ6: S4HQ6 - Main source of water used for watering LIVESTOCK GROUP in RAINY season**Data file: S4H1_LIVESTOCK_WATER_PH_final****Overview**

Valid: 642 Minimum: 1 Maximum: 6
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	NONE	0	
1	Borehole	70	3%
2	Well	108	4.6%
3	River, spring or stream	115	4.9%
4	Rainwater harvesting	173	7.3%
5	WATER trough	46	2%
6	Man made water dough_out	130	5.5%
9	Other specify	0	

Sysmiss		1714	72.8%
---------	--	------	-------

S4HQ7: S4HQ7 - Distance LIVESTOCK GROUP travel to reach watering point in RAINY season

Data file: S4H1_LIVESTOCK_WATER_PH_final

Overview

Valid: 642 Minimum: 0 Maximum: 7
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	Water point is in the farm	292	12.4%
1	LESS THAN 0.5 KM	247	10.5%
2	0.5-3 KM	67	2.8%
3	3-5 KM	14	0.6%
4	5-15 KM	7	0.3%
5	15-30 KM	9	0.4%
7	MORE THAN 30 KM	6	0.3%
Sysmiss		1714	72.8%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4H1_LIVESTOCK_WATER_PH_final

Overview

Minimum: 13.77279036666 Maximum: 3691.3714774244
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S4H2_WATERING_PROBLEM_PH_final****Overview**

Valid: 1755

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S4H2_WATERING_PROBLEM_PH_final****Overview**

Valid: 1752 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	483	27.5%
2	NORTH-EASTERN	251	14.3%
3	NORTH-WESTERN	478	27.2%
4	SOUTHERN	525	29.9%
5	WESTERN AREA	15	0.9%
Sysmiss		3	0.2%

DISTRICT: DISTRICT**Data file: S4H2_WATERING_PROBLEM_PH_final****Overview**

Valid: 1709 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	155	8.8%
12	KENEMA	163	9.3%
13	KONO	153	8.7%
21	BOMBALI	42	2.4%
22	FALABA	15	0.9%

23	KOINADUGU	10	0.6%
24	TONKOLILI	178	10.1%
31	KAMBIA	196	11.2%
32	KARENE	71	4%
33	PORTLOKO	199	11.3%
41	BO	208	11.9%
42	BONTHE	69	3.9%
43	MOYAMBA	162	9.2%
44	PUJEHUN	73	4.2%
51	WESTERN RURAL	15	0.9%
52	WESTERN URBAN	0	
Sysmiss		46	2.6%

URB_RUR: Location Status

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S4HQ8: S4HQ8 - Problems encountered in watering LIVESTOCK in past 12 months

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755 Minimum: 1 Maximum: 2

Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	281	16%
2	NO	1474	84%

S4HQ9_A: January**Data file:** S4H2_WATERING_PROBLEM_PH_final**Overview**

Valid: 1755 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1713	97.6%
1	Yes	42	2.4%

S4HQ9_B: February**Data file:** S4H2_WATERING_PROBLEM_PH_final**Overview**

Valid: 1755 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1697	96.7%
1	Yes	58	3.3%

S4HQ9_C: March**Data file:** S4H2_WATERING_PROBLEM_PH_final**Overview**

Valid: 1755 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1514	86.3%

1	Yes	241	13.7%
---	-----	-----	-------

S4HQ9_D: April

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1589	90.5%
1	Yes	166	9.5%

S4HQ9_E: May

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1725	98.3%
1	Yes	30	1.7%

S4HQ9_F: June

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0	No	1754	99.9%
1	Yes	1	0.1%

S4HQ9_G: July

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1752	99.8%
1	Yes	3	0.2%

S4HQ9_H: August

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1751	99.8%
1	Yes	4	0.2%

S4HQ9_I: September

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1753	99.9%
1	Yes	2	0.1%

S4HQ9_J: October

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755 Minimum: 0 Maximum: 0
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1755	100%
1	Yes	0	

S4HQ9_K: November

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1752	99.8%
1	Yes	3	0.2%

S4HQ9_L: December

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 1755 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1745	99.4%
1	Yes	10	0.6%

S4HQ10: S4HQ10 - Main problem encountered

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 281 Minimum: 1 Maximum: 3
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Restricted access to water sources	34	1.9%
2	Lack of water in usual water sources	209	11.9%
3	Poor quality of usual water sources	38	2.2%
9	Other specify	0	
Sysmiss		1474	84%

S4HQ11: S4HQ11 - Solution provided to livestock during problematic period

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Valid: 281 Minimum: 1 Maximum: 4
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Use another source near holding, for free (neighbors, etc)	201	11.5%
2	Use another source near holding, with payment (cash or exchange of products/services)	30	1.7%
3	Use another source far from holding, for free (public help, etc	44	2.5%
4	Use another source far from holding, with payment (cash or exchange of products/services)	6	0.3%
9	Other specify	0	

Sysmiss		1474	84%
---------	--	------	-----

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4H2_WATERING_PROBLEM_PH_final

Overview

Minimum: 13.77279036666 Maximum: 3691.3714774244
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S4H4_FEED_TYPES_SOURCES_PH_final****Overview**

Valid: 2917

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S4H4_FEED_TYPES_SOURCES_PH_final****Overview**

Valid: 2911 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	810	27.8%
2	NORTH-EASTERN	410	14.1%
3	NORTH-WESTERN	803	27.5%
4	SOUTHERN	871	29.9%
5	WESTERN AREA	17	0.6%
Sysmiss		6	0.2%

DISTRICT: DISTRICT**Data file: S4H4_FEED_TYPES_SOURCES_PH_final****Overview**

Valid: 2823 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	245	8.4%
12	KENEMA	267	9.2%
13	KONO	275	9.4%
21	BOMBALI	88	3%
22	FALABA	28	1%

23	KOINADUGU	17	0.6%
24	TONKOLILI	268	9.2%
31	KAMBIA	314	10.8%
32	KARENE	115	3.9%
33	PORTLOKO	343	11.8%
41	BO	341	11.7%
42	BONTHE	109	3.7%
43	MOYAMBA	278	9.5%
44	PUJEHUN	118	4%
51	WESTERN RURAL	17	0.6%
52	WESTERN URBAN	0	
Sysmiss		94	3.2%

URB_RUR: Location Status

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Valid: 2917

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

FEED_ID: FEED ID

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Valid: 2917 Minimum: 1 Maximum: 7

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	FEED CROPS/FORAGE	570	19.5%
2	TREE LEAVES	726	24.9%

3	CROP RESIDUES (e.g. straw or stover)	434	14.9%
4	AGRO-INDUSTRIAL BY-PRODUCTS (palm kernal cakes, or cereals brans)	123	4.2%
5	CONCENTRATES	28	1%
6	HOLDING/HOUSEHOLD WASTE	967	33.2%
7	Others Specify	69	2.4%

S4H4_FEED_TYPE_NAME: S4H4 - Feed Type Name

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Valid: 2917

Type: Discrete Width: 26 Range: - Format: character

S4HQ23_A: PRODUCED ON THE HOLDING/FARM

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Valid: 2917 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	903	31%
1	Yes	2014	69%

S4HQ23_B: COMMON PASTURE

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Valid: 2917 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1772	60.7%
1	Yes	1145	39.3%

S4HQ23_C: PURCHASED**Data file:** S4H4_FEED_TYPES_SOURCES_PH_final**Overview**

Valid: 2917 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2805	96.2%
1	Yes	112	3.8%

S4HQ23_D: EXCHANGED**Data file:** S4H4_FEED_TYPES_SOURCES_PH_final**Overview**

Valid: 2917 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2899	99.4%
1	Yes	18	0.6%

S4HQ23_E: RECEIVED FOR FREE**Data file:** S4H4_FEED_TYPES_SOURCES_PH_final**Overview**

Valid: 2917 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	2400	82.3%

1	Yes	517	17.7%
---	-----	-----	-------

S4HQ24_A: S4HQ24_1 - Proportion of FEED TYPE PRODUCED ON THE HOLDING/FARM

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Valid: 2917 Minimum: 0 Maximum: 100
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		894	30.6%
8		1	0%
10		7	0.2%
11		1	0%
14		1	0%
17		4	0.1%
18		2	0.1%
20		10	0.3%
22		7	0.2%
25		3	0.1%
27		1	0%
28		1	0%
29		2	0.1%
30		34	1.2%
31		3	0.1%
32		1	0%
33		11	0.4%
35		2	0.1%
36		3	0.1%
37		1	0%
38		6	0.2%
39		2	0.1%
40		26	0.9%
41		6	0.2%
42		5	0.2%
43		2	0.1%

44		11	0.4%
45		6	0.2%
46		1	0%
47		17	0.6%
48		3	0.1%
49		2	0.1%
50		150	5.1%
51		3	0.1%
52		2	0.1%
53		10	0.3%
54		5	0.2%
55		10	0.3%
56		9	0.3%
57		7	0.2%
58		6	0.2%
59		3	0.1%
60		84	2.9%
61		5	0.2%
62		3	0.1%
63		13	0.4%
64		4	0.1%
65		9	0.3%
67		15	0.5%
68		5	0.2%
69		3	0.1%
70		89	3.1%
71		3	0.1%
73		5	0.2%
74		3	0.1%
75		23	0.8%
78		13	0.4%
80		66	2.3%
82		1	0%
83		4	0.1%
85		3	0.1%
86		1	0%
89		1	0%
90		16	0.5%
95		1	0%

100		1266	43.4%
-----	--	------	-------

S4HQ24_B: S4HQ24_2 - Proportion of FEED TYPE from COMMON PASTURE

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Valid: 2917 Minimum: 0 Maximum: 100
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		1780	61%
5		1	0%
9		1	0%
10		2	0.1%
11		2	0.1%
13		1	0%
14		1	0%
15		4	0.1%
17		1	0%
18		3	0.1%
20		37	1.3%
22		15	0.5%
23		1	0%
24		1	0%
25		21	0.7%
26		4	0.1%
27		3	0.1%
29		3	0.1%
30		73	2.5%
31		5	0.2%
32		5	0.2%
33		15	0.5%
35		9	0.3%
36		4	0.1%
37		3	0.1%
38		10	0.3%

39		6	0.2%
40		61	2.1%
41		3	0.1%
42		8	0.3%
43		5	0.2%
44		7	0.2%
45		9	0.3%
46		5	0.2%
47		10	0.3%
48		2	0.1%
49		3	0.1%
50		87	3%
51		2	0.1%
52		3	0.1%
53		16	0.5%
54		1	0%
55		5	0.2%
56		6	0.2%
57		1	0%
58		4	0.1%
59		2	0.1%
60		17	0.6%
61		1	0%
62		2	0.1%
63		1	0%
64		2	0.1%
67		8	0.3%
69		1	0%
70		11	0.4%
71		1	0%
73		3	0.1%
75		4	0.1%
78		11	0.4%
80		12	0.4%
86		1	0%
88		3	0.1%
89		2	0.1%
90		8	0.3%
92		1	0%

100		577	19.8%
-----	--	-----	-------

S4HQ24_C: S4HQ24_3 - Proportion of FEED TYPE PURCHASED

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Valid: 2917 Minimum: 0 Maximum: 100
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2807	96.2%
5		1	0%
8		1	0%
10		2	0.1%
11		2	0.1%
17		2	0.1%
20		3	0.1%
22		4	0.1%
25		1	0%
30		4	0.1%
33		2	0.1%
37		1	0%
38		3	0.1%
39		2	0.1%
40		4	0.1%
43		1	0%
44		2	0.1%
50		13	0.4%
56		1	0%
60		3	0.1%
67		1	0%
70		3	0.1%
78		2	0.1%
90		1	0%
100		51	1.7%

S4HQ24_D: S4HQ24_4 - Proportion of FEED TYPE EXCHANGED**Data file: S4H4_FEED_TYPES_SOURCES_PH_final****Overview**

Valid: 2917 Minimum: 0 Maximum: 100
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2899	99.4%
18		1	0%
21		1	0%
33		3	0.1%
38		1	0%
50		6	0.2%
67		1	0%
100		5	0.2%

S4HQ24_E: S4HQ24_5 - Proportion of FEED TYPE RECEIVED FOR FREE**Data file: S4H4_FEED_TYPES_SOURCES_PH_final****Overview**

Valid: 2917 Minimum: 0 Maximum: 100
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		2406	82.5%
9		4	0.1%
10		26	0.9%
11		4	0.1%
13		5	0.2%
14		1	0%
17		4	0.1%
18		3	0.1%
20		59	2%
22		5	0.2%

23		1	0%
25		4	0.1%
27		3	0.1%
29		2	0.1%
30		29	1%
32		1	0%
33		11	0.4%
37		1	0%
38		2	0.1%
39		1	0%
40		17	0.6%
42		1	0%
43		1	0%
44		4	0.1%
46		1	0%
50		61	2.1%
53		2	0.1%
56		1	0%
58		1	0%
59		4	0.1%
60		7	0.2%
62		1	0%
63		1	0%
65		1	0%
67		3	0.1%
70		19	0.7%
78		3	0.1%
80		5	0.2%
82		1	0%
83		3	0.1%
90		4	0.1%
91		1	0%
100		203	7%

S4HQ25: S4HQ25 - Month(s) FEED TYPE purchased to feed livestock

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Valid: 112 Minimum: 1 Maximum: 12

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	JANUARY	20	0.7%
2	FEBRUARY	6	0.2%
3	MARCH	16	0.5%
4	APRIL	9	0.3%
5	MAY	9	0.3%
6	JUNE	5	0.2%
7	JULY	8	0.3%
8	AUGUST	16	0.5%
9	SEPTEMBER	6	0.2%
10	OCTOBER	5	0.2%
11	NOVEMBER	2	0.1%
12	DECEMBER	10	0.3%
Sysmiss		2805	96.2%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4H4_FEED_TYPES_SOURCES_PH_final

Overview

Minimum: 13.77279036666 Maximum: 3691.3714774244
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S4H5_FEED_CROP_FORAGE_PH_final**Overview**

Valid: 54

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S4H5_FEED_CROP_FORAGE_PH_final**Overview**

Valid: 54 Minimum: 1 Maximum: 4

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	25	46.3%
2	NORTH-EASTERN	2	3.7%
3	NORTH-WESTERN	14	25.9%
4	SOUTHERN	13	24.1%
5	WESTERN AREA	0	

DISTRICT: DISTRICT**Data file:** S4H5_FEED_CROP_FORAGE_PH_final**Overview**

Valid: 27 Minimum: 11 Maximum: 43

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	9	16.7%
12	KENEMA	0	
13	KONO	4	7.4%
21	BOMBALI	0	
22	FALABA	0	
23	KOINADUGU	0	

24	TONKOLILI	2	3.7%
31	KAMBIA	0	
32	KARENE	0	
33	PORTLOKO	9	16.7%
41	BO	0	
42	BONTHE	0	
43	MOYAMBA	3	5.6%
44	PUJEHUN	0	
51	WESTERN RURAL	0	
52	WESTERN URBAN	0	
Sysmiss		27	50%

URB_RUR: Location Status

Data file: S4H5_FEED_CROP_FORAGE_PH_final

Overview

Valid: 54

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4H5_FEED_CROP_FORAGE_PH_final

Overview

Valid: 54 Minimum: 11030108 Maximum: 44070301

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11030108		2	3.7%
11140302		1	1.9%
12080128		1	1.9%
12080641		4	7.4%
12090303		1	1.9%
12150304		2	3.7%
13010208		5	9.3%
13020510		3	5.6%
13040101		2	3.7%
13100504		1	1.9%

23060106		1	1.9%
24080601		3	5.6%
24190256		3	5.6%
31070103		2	3.7%
31090408		2	3.7%
31100604		2	3.7%
32100505		1	1.9%
33050305		2	3.7%
33060304		4	7.4%
33070201		2	3.7%
33090902		3	5.6%
41100101		3	5.6%
41110312		3	5.6%
44070301		1	1.9%

CROP_FORAGE_ID: Crop Forage ID

Data file: S4H5_FEED_CROP_FORAGE_PH_final

Overview

Valid: 52 Minimum: 1 Maximum: 8
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	GRASS	11	20.4%
2	HAY	1	1.9%
3	ROUGHAGE	9	16.7%
4	MAIZE	12	22.2%
5	SOYBEAN	4	7.4%
6	BARLEY	2	3.7%
7	CASSAVA	12	22.2%
8	OTHER FEED CROPS(SPECIFY)	1	1.9%
Sysmiss		2	3.7%

S4HQ26_Q: S4HQ26_Q - Feed CROP/FORAGE purchased to feed livestock

Data file: S4H5_FEED_CROP_FORAGE_PH_final

Overview

Valid: 54 Minimum: 1 Maximum: 800

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		10	18.5%
2		11	20.4%
3		5	9.3%
4		1	1.9%
5		2	3.7%
7		1	1.9%
10		4	7.4%
11		1	1.9%
15		1	1.9%
20		5	9.3%
30		1	1.9%
35		1	1.9%
42		1	1.9%
50		3	5.6%
150		1	1.9%
200		1	1.9%
250		1	1.9%
300		1	1.9%
400		1	1.9%
500		1	1.9%
800		1	1.9%

S4HQ26_U: S4HQ26_U - Unit of measurement

Data file: S4H5_FEED_CROP_FORAGE_PH_final

Overview

Valid: 54 Minimum: 1 Maximum: 3

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	25 KG	19	35.2%
2	50 Kg	19	35.2%
3	Bundle	16	29.6%

S4HQ26_C: S4HQ26_C - Feed crop condition

Data file: S4H5_FEED_CROP_FORAGE_PH_final

Overview

Valid: 54 Minimum: 1 Maximum: 3

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	WRAPPED	23	42.6%
2	GRAIN	27	50%
3	SILAGE	4	7.4%

S4HQ26_FACTOR: Conversion factor

Data file: S4H5_FEED_CROP_FORAGE_PH_final

Overview

Minimum: 4.5 Maximum: 50

Type: Continuous Width: 15 Range: - Format: Numeric

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4H5_FEED_CROP_FORAGE_PH_final

Overview

Minimum: 60.010102067055 Maximum: 757.36932061189

Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S4H6_MANURE_PH_final**Overview**

Valid: 1833

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S4H6_MANURE_PH_final**Overview**

Valid: 1829 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	509	27.8%
2	NORTH-EASTERN	262	14.3%
3	NORTH-WESTERN	493	26.9%
4	SOUTHERN	547	29.8%
5	WESTERN AREA	18	1%
Sysmiss		4	0.2%

DISTRICT: DISTRICT**Data file:** S4H6_MANURE_PH_final**Overview**

Valid: 1783 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	163	8.9%
12	KENEMA	175	9.5%
13	KONO	158	8.6%
21	BOMBALI	44	2.4%
22	FALABA	16	0.9%

23	KOINADUGU	10	0.5%
24	TONKOLILI	186	10.1%
31	KAMBIA	199	10.9%
32	KARENE	73	4%
33	PORTLOKO	207	11.3%
41	BO	220	12%
42	BONTHE	70	3.8%
43	MOYAMBA	165	9%
44	PUJEHUN	79	4.3%
51	WESTERN RURAL	18	1%
52	WESTERN URBAN	0	
Sysmiss		50	2.7%

URB_RUR: Location Status

Data file: S4H6_MANURE_PH_final

Overview

Valid: 1833

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4H6_MANURE_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S4HQ27: S4HQ27 - Manure collected from pasture used as fuel

Data file: S4H6_MANURE_PH_final

Overview

Valid: 1833 Minimum: 1 Maximum: 4

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	No manure was removed from pasture to be used as fuel	1668	91%
2	A small part of the manure on pasture was removed to be used as fuel	99	5.4%

3	About half of the manure on pasture was removed to be used as fuel	25	1.4%
4	Most or all of the manure on pasture was removed to be used as fuel	41	2.2%

S4HQ28: S4HQ28 - Think about the community this farm operates and neighbourhood that not used by the farm for grazing livestock

Data file: S4H6_MANURE_PH_final

Overview

Valid: 1833 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	352	19.2%
2	NO	1481	80.8%

S4HQ29: S4HQ29 - Reason communal pasture land not used by the farm for grazing livestock

Data file: S4H6_MANURE_PH_final

Overview

Valid: 352 Minimum: 1 Maximum: 9
 Type: Discrete Width: 11 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Not necessary because enough feed was available on the holding	176	9.6%
2	Too expensive	62	3.4%
3	No access granted	58	3.2%
4	Problems with other users	26	1.4%
5	Problems with the quality and quantity of pasture	28	1.5%
9	Other (specify)	2	0.1%
Sysmiss		1481	80.8%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4H6_MANURE_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
Type: Continuous Width: 15 Range: - Format: Numeric

S4IQ2: What was the main transportation method used to transport the live [LIVESTOCK GROUP] to the slaughterhouse in the past 12(3) months?

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 39 Minimum: 1 Maximum: 3
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	By foot	35	0.9%
2	By road with motor vehicles	1	0%
3	By road with motor bike	3	0.1%
4	By Bycycle	0	
5	By Cart/Kecker	0	
9	Other (specify)	0	
Sysmiss		4056	99%

S4IQ3: S4IQ3 - Frequency of LIVESTOCK GROUP transported to the slaughterhouse

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 39 Minimum: 1 Maximum: 9
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Weekly	7	0.2%
2	Monthly	16	0.4%
3	Once a year	14	0.3%
9	Other (specify)	2	0%
Sysmiss		4056	99%

HOUSEHOLD_ID: Unique Household ID

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 4095

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 4089 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	988	24.1%
2	NORTH-EASTERN	485	11.8%
3	NORTH-WESTERN	1176	28.7%
4	SOUTHERN	1415	34.6%
5	WESTERN AREA	25	0.6%
Sysmiss		6	0.1%

DISTRICT: DISTRICT

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 3960 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	316	7.7%
12	KENEMA	314	7.7%
13	KONO	324	7.9%
21	BOMBALI	59	1.4%
22	FALABA	46	1.1%
23	KOINADUGU	18	0.4%
24	TONKOLILI	350	8.5%
31	KAMBIA	482	11.8%

32	KARENE	183	4.5%
33	PORTLOKO	472	11.5%
41	BO	581	14.2%
42	BONTHE	173	4.2%
43	MOYAMBA	445	10.9%
44	PUJEHUN	172	4.2%
51	WESTERN RURAL	25	0.6%
52	WESTERN URBAN	0	
Sysmiss		135	3.3%

URB_RUR: Location Status

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 4095

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S4I_LIVESTOCK_GROUP_ID: S4I - LiveStock Group ID

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 4095 Minimum: 1 Maximum: 5

Type: Discrete Width: 24 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Large ruminants - Cattle	136	3.3%
2	Small ruminants	1403	34.3%
4	Pigs	14	0.3%
5	Poultry	2542	62.1%
8	Others	0	

S4I_LIVESSTOCK_ID: S4I - LiveStock ID**Data file: S4I_EQUIPT_TRASP_PH_final****Overview**

Valid: 4095 Minimum: 10 Maximum: 54
 Type: Discrete Width: 19 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
10	Bulls	48	1.2%
11	Oxen	4	0.1%
12	Cows	47	1.1%
13	Steers/Heifers	17	0.4%
14	Calves - Males/Females	20	0.5%
20	Goats - Male, female and young	945	23.1%
21	Sheep - Rams/Ewes/Lambs	458	11.2%
41	Pigs - Boar/Sow/Piglets	14	0.3%
51	Chicken - cocks/broilers	929	22.7%
52	Chicken - hens/layers	992	24.2%
53	Pullets/DOCs	536	13.1%
54	Other - Ducks, Geese, Guineafowl	85	2.1%
80	ON OTHER LIVESTOCK	0	

S4IQ1: S4IQ1- LIVESTOCK GROUP transported from the farm to a slaughterhouse**Data file: S4I_EQUIPT_TRASP_PH_final****Overview**

Valid: 4010 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	39	1%
2	NO	3971	97%
Sysmiss		85	2.1%

S4IQ4: S4IQ4 - LIVESTOCK GROUP transported from the farm to the market**Data file:** S4I_EQUIPT_TRASP_PH_final**Overview**

Valid: 4010 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	43	1.1%
2	NO	3967	96.9%
Sysmiss		85	2.1%

S4IQ5: S4IQ5 - Main transportation to transport the LIVESTOCK GROUP to the market**Data file:** S4I_EQUIPT_TRASP_PH_final**Overview**

Valid: 43 Minimum: 1 Maximum: 9
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	By foot	27	0.7%
2	By road with motor vehicles	6	0.1%
3	By road with motor bike	9	0.2%
9	Other (specify)	1	0%
Sysmiss		4052	98.9%

S4IQ6: S4IQ6 - Frequency of LIVESTOCK GROUP transported to the market**Data file:** S4I_EQUIPT_TRASP_PH_final**Overview**

Valid: 43 Minimum: 1 Maximum: 9
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Weekly	1	0%
2	Monthly	21	0.5%
3	Once a year	20	0.5%
9	Other (specify)	1	0%
Sysmiss		4052	98.9%

S4IQ7: Were live [LIVESTOCK GROUP] transported to pastures outside the farm in the past 12 months?

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 4095 Minimum: 1 Maximum: 2
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	166	4.1%
2	NO	3929	95.9%

S4IQ8: S4IQ8 - Main transportation to transport the LIVESTOCK GROUP outside the farm

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 166 Minimum: 1 Maximum: 3
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	By foot	163	4%
2	By road with motor vehicles	0	
3	By road with motor bike	3	0.1%
4	By rail	0	

9	Other (specify)	0	
Sysmiss		3929	95.9%

S4IQ9: S4IQ9 - Frequency of LIVESTOCK GROUP transported outside the farm

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 166 Minimum: 1 Maximum: 5
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Weekly	111	2.7%
2	Monthly	13	0.3%
3	Once a year	16	0.4%
4	Half yearly	5	0.1%
5	Daily	21	0.5%
9	Other (specify)	0	
Sysmiss		3929	95.9%

S4IQ10: S4IQ10 - LIVESTOCK GROUP transported to another farm which fed 12 Months Ago

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 4095 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	86	2.1%
2	NO	4009	97.9%

S4IQ11: S4IQ11 - Main transportation to transport LIVESTOCK GROUP to another farm

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 86 Minimum: 1 Maximum: 3
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	By foot	84	2.1%
2	By road with motor vehicles	0	
3	By road with motor bike	2	0%
4	By Bicycle	0	
5	By Cart/Kecker	0	
9	Other (specify)	0	
Sysmiss		4009	97.9%

S4IQ12: S4IQ12 - Frequency of LIVESTOCK GROUP transported to another farm

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 86 Minimum: 1 Maximum: 5
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Weekly	64	1.6%
2	Monthly	10	0.2%
3	Once a year	3	0.1%
4	Half yearly	5	0.1%
5	Daily	4	0.1%
9	Other (specify)	0	
Sysmiss		4009	97.9%

S4IQ13: S4IQ13 - Transhumance of LIVESTOCK GROUP practised by the farm

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 4095 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	28	0.7%
2	NO	4067	99.3%

S4IQ14: S4IQ14 - Cross-border transhumance of LIVESTOCK GROUP practised by the farm

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 4095 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	4	0.1%
2	NO	4091	99.9%

S4IQ15: Were [LIVESTOCK GROUP] used for draft animal power on the holding/farm in the past 12 months?

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 4095 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	1	0%
2	NO	4094	100%

S4IQ16: S4IQ16 - LIVESTOCK GROUP used for draft animal power

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Valid: 1 Minimum: 7 Maximum: 7

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
7		1	0%
Sysmiss		4094	100%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S4I_EQUIPT_TRASP_PH_final

Overview

Minimum: 13.77279036666 Maximum: 3691.3714774244

Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S5_OTHER_FARM_ACTV_PH_final****Overview**

Valid: 20440

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S5_OTHER_FARM_ACTV_PH_final****Overview**

Valid: 20416 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	8060	39.4%
2	NORTH-EASTERN	3696	18.1%
3	NORTH-WESTERN	3820	18.7%
4	SOUTHERN	4576	22.4%
5	WESTERN AREA	264	1.3%
Sysmiss		24	0.1%

DISTRICT: DISTRICT**Data file: S5_OTHER_FARM_ACTV_PH_final****Overview**

Valid: 20084 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	2928	14.3%
12	KENEMA	2548	12.5%
13	KONO	2512	12.3%
21	BOMBALI	704	3.4%
22	FALABA	580	2.8%

23	KOINADUGU	328	1.6%
24	TONKOLILI	2000	9.8%
31	KAMBIA	1280	6.3%
32	KARENE	612	3%
33	PORTLOKO	1840	9%
41	BO	1744	8.5%
42	BONTHE	440	2.2%
43	MOYAMBA	1176	5.8%
44	PUJEHUN	1128	5.5%
51	WESTERN RURAL	264	1.3%
52	WESTERN URBAN	0	
Sysmiss		356	1.7%

URB_RUR: Location Status

Data file: S5_OTHER_FARM_ACTV_PH_final

Overview

Valid: 20440

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S5_OTHER_FARM_ACTV_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S5_ACTIVITY_ID: S5 - Activity ID

Data file: S5_OTHER_FARM_ACTV_PH_final

Overview

Valid: 20440 Minimum: 1 Maximum: 4

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Processing of fish, crustaceans and molluscs/snails produced on-farm	5110	25%

2	Making manufactures and/or handicrafts using on-farm produce (e.g., textiles, shoes, bags, baskets, etc.)	5110	25%
3	Preparation of meals to be sold using on-farm produce	5110	25%
4	Other activity	5110	25%

S5Q1: S5Q1 - During the last 12 month did the farm engage in activity

Data file: S5_OTHER_FARM_ACTV_PH_final

Overview

Valid: 20440 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	68	0.3%
2	NO	20372	99.7%

S5Q2_Q: S5Q2_Q - Total quantity produced for the main product obtained from engaging activity

Data file: S5_OTHER_FARM_ACTV_PH_final

Overview

Valid: 68 Minimum: 1 Maximum: 1000
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		7	0%
2		7	0%
3		6	0%
4		4	0%
5		8	0%
6		2	0%
7		1	0%
8		1	0%
9		1	0%
10		1	0%

11		1	0%
12		6	0%
15		1	0%
20		4	0%
22		1	0%
23		1	0%
24		1	0%
26		1	0%
30		3	0%
32		1	0%
50		4	0%
60		1	0%
64		1	0%
150		1	0%
600		1	0%
700		1	0%
1000		1	0%
Sysmiss		20372	99.7%

S5Q2_U: S5Q2_U - Unit of Measure

Data file: S5_OTHER_FARM_ACTV_PH_final

Overview

Valid: 68 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	KG	17	0.1%
2	SINGLE	7	0%
3	PILE	6	0%
4	BASKET	20	0.1%
5	DOZEN	18	0.1%
6	LITRES	0	
Sysmiss		20372	99.7%

S5Q2_FACTOR_KG: Conversion factor in kg**Data file: S5_OTHER_FARM_ACTV_PH_final****Overview**

Valid: 68 Minimum: 0 Maximum: 240

Type: Discrete Width: 16 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		20	0.1%
1		17	0.1%
2		2	0%
3		1	0%
4		1	0%
5		2	0%
7		1	0%
10		1	0%
13		3	0%
16		1	0%
17		2	0%
20		4	0%
25		3	0%
36		1	0%
40		1	0%
42		2	0%
80		3	0%
120		1	0%
160		1	0%
240		1	0%
Sysmiss		20372	99.7%

S5Q3: S5Q3 - Average unit price of the main product obtained from engaging activity**Data file: S5_OTHER_FARM_ACTV_PH_final****Overview**

Valid: 68 Minimum: 2 Maximum: 1000

Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2		1	0%
3		1	0%
4		1	0%
7		1	0%
8		1	0%
10		4	0%
12		2	0%
20		3	0%
25		6	0%
28		1	0%
30		5	0%
32		3	0%
35		1	0%
40		2	0%
42		1	0%
49		1	0%
50		7	0%
51		1	0%
60		3	0%
63		3	0%
75		1	0%
90		1	0%
100		3	0%
106		2	0%
159		1	0%
200		3	0%
300		4	0%
400		2	0%
600		1	0%
1000		2	0%
Sysmiss		20372	99.7%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S5_OTHER_FARM_ACTV_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S6_LABOUR_PH_final**Overview**

Valid: 35770

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S6_LABOUR_PH_final**Overview**

Valid: 35728 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	14105	39.4%
2	NORTH-EASTERN	6468	18.1%
3	NORTH-WESTERN	6685	18.7%
4	SOUTHERN	8008	22.4%
5	WESTERN AREA	462	1.3%
Sysmiss		42	0.1%

DISTRICT: DISTRICT**Data file:** S6_LABOUR_PH_final**Overview**

Valid: 35147 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	5124	14.3%
12	KENEMA	4459	12.5%
13	KONO	4396	12.3%
21	BOMBALI	1232	3.4%
22	FALABA	1015	2.8%

23	KOINADUGU	574	1.6%
24	TONKOLILI	3500	9.8%
31	KAMBIA	2240	6.3%
32	KARENE	1071	3%
33	PORTLOKO	3220	9%
41	BO	3052	8.5%
42	BONTHE	770	2.2%
43	MOYAMBA	2058	5.8%
44	PUJEHUN	1974	5.5%
51	WESTERN RURAL	462	1.3%
52	WESTERN URBAN	0	
Sysmiss		623	1.7%

URB_RUR: Location Status

Data file: S6_LABOUR_PH_final

Overview

Valid: 34426

Type: Discrete Width: 8 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

EA_CODE: Enumeration Area

Data file: S6_LABOUR_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S6_WORKER_CATEGORY: S6 - WORKER CATEGORY

Data file: S6_LABOUR_PH_final

Overview

Valid: 35770 var_freq: 5110

Type: Discrete Width: 26 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category	Cases	
Adult females household members		5110	14.3%
Adult males household members		5110	14.3%
Casual hired workers (hired on daily basis)		5110	14.3%
Children (5 to 14 years old) household members		5110	14.3%
Free/exchange workers		5110	14.3%
Permanent hired workers (hired for more than one season)		5110	14.3%
Temporary hired workers (hired for a season or less)		5110	14.3%

S6Q1: S6Q1- Did worker category work to grow and harvest crops for this farm in the past 12month

Data file: S6_LABOUR_PH_final

Overview

Valid: 35770 Minimum: 1 Maximum: 2
Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	17071	47.7%
2	NO	18699	52.3%

S6Q2_Q: S6Q2 - Did worker Category work on the livestock production for this farm in the past 12 month

Data file: S6_LABOUR_PH_final

Overview

Valid: 35770 Minimum: 1 Maximum: 2
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	3867	10.8%

2	NO	31903	89.2%
---	----	-------	-------

S6Q3: Did [WORKER CATEGORY] work on aquaculture for this farm in the past 12 months?

Data file: S6_LABOUR_PH_final

Overview

Valid: 35770 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	1524	4.3%
2	NO	34246	95.7%

S6Q4: S6Q4 - Number of worker category worked on all these Activities for this farm in the past 12 month

Data file: S6_LABOUR_PH_final

Overview

Valid: 17522 Minimum: 1 Maximum: 42
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		2682	7.5%
2		3455	9.7%
3		2799	7.8%
4		1614	4.5%
5		1753	4.9%
6		641	1.8%
7		375	1%
8		466	1.3%
9		121	0.3%
10		1275	3.6%
11		84	0.2%
12		269	0.8%

13		65	0.2%
14		62	0.2%
15		591	1.7%
16		37	0.1%
17		29	0.1%
18		50	0.1%
19		20	0.1%
20		432	1.2%
21		18	0.1%
22		17	0%
23		9	0%
24		24	0.1%
25		149	0.4%
26		12	0%
27		10	0%
28		9	0%
29		1	0%
30		157	0.4%
31		7	0%
32		7	0%
33		4	0%
34		2	0%
35		25	0.1%
36		6	0%
37		3	0%
38		5	0%
39		2	0%
40		52	0.1%
41		2	0%
42		181	0.5%
Sysmiss		18248	51%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S6_LABOUR_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S7_GHG_ENVIR_ISSUES_PH_final****Overview**

Valid: 5110

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S7_GHG_ENVIR_ISSUES_PH_final****Overview**

Valid: 5104 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	2015	39.4%
2	NORTH-EASTERN	924	18.1%
3	NORTH-WESTERN	955	18.7%
4	SOUTHERN	1144	22.4%
5	WESTERN AREA	66	1.3%
Sysmiss		6	0.1%

DISTRICT: DISTRICT**Data file: S7_GHG_ENVIR_ISSUES_PH_final****Overview**

Valid: 5021 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	732	14.3%
12	KENEMA	637	12.5%
13	KONO	628	12.3%
21	BOMBALI	176	3.4%
22	FALABA	145	2.8%

23	KOINADUGU	82	1.6%
24	TONKOLILI	500	9.8%
31	KAMBIA	320	6.3%
32	KARENE	153	3%
33	PORTLOKO	460	9%
41	BO	436	8.5%
42	BONTHE	110	2.2%
43	MOYAMBA	294	5.8%
44	PUJEHUN	282	5.5%
51	WESTERN RURAL	66	1.3%
52	WESTERN URBAN	0	
Sysmiss		89	1.7%

URB_RUR: Location Status

Data file: S7_GHG_ENVIR_ISSUES_PH_final

Overview

Valid: 5110

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S7_GHG_ENVIR_ISSUES_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S7Q1: S7Q1 - Agricultural area utilized in the past 12 months by the farm protected area

Data file: S7_GHG_ENVIR_ISSUES_PH_final

Overview

Valid: 5110 Minimum: 1 Maximum: 2

Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	133	2.6%
2	NO	4977	97.4%

S7Q3: S7Q3 - Any contaminated sites on the farm in the past 12 months**Data file:** S7_GHG_ENVIR_ISSUES_PH_final**Overview**

Valid: 5110 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	95	1.9%
2	NO	5015	98.1%

S7Q4: S7Q4 - Farm involved in any organization(s) (cooperative, association, etc.) for environmental protection programs in the past 12 months**Data file:** S7_GHG_ENVIR_ISSUES_PH_final**Overview**

Valid: 5110 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	45	0.9%
2	NO	5065	99.1%

S7Q5_A: Lack of water (drought)**Data file:** S7_GHG_ENVIR_ISSUES_PH_final**Overview**

Valid: 5110 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0	No	5084	99.5%
1	Yes	26	0.5%

S7Q5_B: Floods

Data file: S7_GHG_ENVIR_ISSUES_PH_final

Overview

Valid: 5110 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5086	99.5%
1	Yes	24	0.5%

S7Q5_C: Air pollution

Data file: S7_GHG_ENVIR_ISSUES_PH_final

Overview

Valid: 5110 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5104	99.9%
1	Yes	6	0.1%

S7Q5_D: Soil pollution

Data file: S7_GHG_ENVIR_ISSUES_PH_final

Overview

Valid: 5110 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5090	99.6%
1	Yes	20	0.4%

S7Q5_E: Extreme temperature (cold or heat)

Data file: S7_GHG_ENVIR_ISSUES_PH_final

Overview

Valid: 5110 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	5091	99.6%
1	Yes	19	0.4%

S7Q5_Z: None

Data file: S7_GHG_ENVIR_ISSUES_PH_final

Overview

Valid: 5110 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	141	2.8%
1	Yes	4969	97.2%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S7_GHG_ENVIR_ISSUES_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
 Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S8_CLIM_ENV_SHCK_ADA_PH_final****Overview**

Valid: 45988

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S8_CLIM_ENV_SHCK_ADA_PH_final****Overview**

Valid: 45934 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	18135	39.4%
2	NORTH-EASTERN	8316	18.1%
3	NORTH-WESTERN	8593	18.7%
4	SOUTHERN	10296	22.4%
5	WESTERN AREA	594	1.3%
Sysmiss		54	0.1%

DISTRICT: DISTRICT**Data file: S8_CLIM_ENV_SHCK_ADA_PH_final****Overview**

Valid: 45187 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	6588	14.3%
12	KENEMA	5733	12.5%
13	KONO	5652	12.3%
21	BOMBALI	1584	3.4%
22	FALABA	1305	2.8%

23	KOINADUGU	738	1.6%
24	TONKOLILI	4500	9.8%
31	KAMBIA	2878	6.3%
32	KARENE	1377	3%
33	PORTLOKO	4140	9%
41	BO	3924	8.5%
42	BONTHE	990	2.2%
43	MOYAMBA	2646	5.8%
44	PUJEHUN	2538	5.5%
51	WESTERN RURAL	594	1.3%
52	WESTERN URBAN	0	
Sysmiss		801	1.7%

URB_RUR: Location Status

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S8Q_SHOCK_ID: S8 - Shock ID

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 1 Maximum: 25

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Drought or erratic rainfall	5110	11.1%
2	Floods or heavy rainfall	5110	11.1%

3	Landslides	5110	11.1%
4	Heavy winds	5110	11.1%
8	Unusually high level of crop pests & diseases	5110	11.1%
9	Unusually high level of livestock diseases	5110	11.1%
10	Unusually high food prices	5110	11.1%
11	Unusually low food availability	5109	11.1%
25	Other (specify)	5109	11.1%

S8Q2: S8Q2 - Shock type experience by farm in the past 12 months

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 1 Maximum: 2
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	3790	8.2%
2	NO	42198	91.8%

S8Q3: S8Q3 - Number of times farm experience [SHOCK TYPE] in the past 12 months

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 3790 Minimum: 1 Maximum: 80
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		864	1.9%
2		1237	2.7%
3		702	1.5%
4		317	0.7%
5		286	0.6%
6		155	0.3%
7		52	0.1%

8		67	0.1%
9		18	0%
10		56	0.1%
12		7	0%
14		3	0%
15		1	0%
18		2	0%
20		6	0%
21		1	0%
25		2	0%
30		3	0%
35		1	0%
50		6	0%
60		1	0%
80		3	0%
Sysmiss		42198	91.8%

S8Q4B: S8Q4B - Number of people injured in the farm due to this(these) shock(s) in the past 12 months

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 3790 Minimum: 0 Maximum: 30
 Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3720	8.1%
1		40	0.1%
2		18	0%
3		2	0%
4		1	0%
6		1	0%
8		7	0%
30		1	0%
Sysmiss		42198	91.8%

S8Q4C: S8Q4C - Number of people in the farm rendered homeless due to this(these) shock(s) in the past 12 months

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 3790 Minimum: 0 Maximum: 9
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3749	8.2%
1		14	0%
2		6	0%
3		3	0%
4		5	0%
5		6	0%
8		6	0%
9		1	0%
Sysmiss		42198	91.8%

S8Q4D: S8Q4D - Number of people in the farm evacuated due to this(these) shock(s) in the past 12 months

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 3790 Minimum: 0 Maximum: 9
Type: Discrete Width: 7 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0		3741	8.1%
1		14	0%
2		10	0%
3		8	0%
4		3	0%
5		4	0%
6		2	0%
7		2	0%

8		5	0%
9		1	0%
Sysmiss		42198	91.8%

S8Q5: S8Q5 - How severe was the impact of [SHOCK TYPE] on the livelihood of this farm

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 3790 Minimum: 2 Maximum: 5
Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
2	Slight impact	2352	5.1%
3	Moderate impact	455	1%
4	Strong impact	895	1.9%
5	Worst ever happened	88	0.2%
Sysmiss		42198	91.8%

S8Q6: S8Q6 - Physical impacts farm experienced as a consequence of [SHOCK TYPE] occurrence

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 3790 Minimum: 1 Maximum: 7
Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Loss of land	56	0.1%
2	Crop losses	3406	7.4%
3	Livestock losses	115	0.3%
4	Aquaculture losses	73	0.2%
5	Loss/damage of house	21	0%
6	Loss/damage of farm buildings/facilities	38	0.1%
7	Other physical impact (specify)	81	0.2%

Sysmiss		42198	91.8%
---------	--	-------	-------

S8Q7: S8Q7 - How severe were these impacts

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 3790 Minimum: 1 Maximum: 3
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Small losses/damages	1692	3.7%
2	Significant losses/damages	1882	4.1%
3	Almost total or total losses/damages	216	0.5%
Sysmiss		42198	91.8%

S8Q8_A: Loss of income due to disruption of production

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	42923	93.3%
1	Yes	3065	6.7%

S8Q8_B: Loss of revenues

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	44249	96.2%
1	Yes	1739	3.8%

S8Q8_C: Reduction in the earnings of salaried household member(s)

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	45562	99.1%
1	Yes	426	0.9%

S8Q8_D: Loss of employment of salaried household member(s)

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	45950	99.9%
1	Yes	38	0.1%

S8Q8_E: None of the above

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 0 Maximum: 1

Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	45970	100%
1	Yes	18	0%

S8Q9: S8Q9 - How severe were economic impacts

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 3777 Minimum: 1 Maximum: 3
 Type: Discrete Width: 6 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Small losses	1580	3.4%
2	Significant losses	1999	4.3%
3	Almost total or total losses	198	0.4%
Sysmiss		42211	91.8%

S8Q10_A: Household had access to or availed formal credit for protection against the shock

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	45375	98.7%
1	Yes	613	1.3%

S8Q10_B: Household had access to or availed informal credit for protection against the shock**Data file: S8_CLIM_ENV_SHCK_ADA_PH_final****Overview**

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	45632	99.2%
1	Yes	356	0.8%

S8Q10_C: Neither the holding had access to nor availed any of the above mechanisms for protection against external shocks**Data file: S8_CLIM_ENV_SHCK_ADA_PH_final****Overview**

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	42977	93.5%
1	Yes	3011	6.5%

S8Q0_A: Multicropping**Data file: S8_CLIM_ENV_SHCK_ADA_PH_final****Overview**

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	31489	68.5%
1	Yes	14499	31.5%

S8Q0_B: Shifting cultivation**Data file:** S8_CLIM_ENV_SHCK_ADA_PH_final**Overview**

Valid: 45988 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	37609	81.8%
1	Yes	8379	18.2%

S8Q0_C: Use of traditional heritage practices and knowledge**Data file:** S8_CLIM_ENV_SHCK_ADA_PH_final**Overview**

Valid: 45988 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	40273	87.6%
1	Yes	5715	12.4%

S8Q0_D: Use of traditional crop/animal varieties**Data file:** S8_CLIM_ENV_SHCK_ADA_PH_final**Overview**

Valid: 45988 Minimum: 0 Maximum: 1
Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	43576	94.8%

1	Yes	2412	5.2%
---	-----	------	------

S8Q0_E: Use of seeds adapted to local conditions and stresses

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	43936	95.5%
1	Yes	2052	4.5%

S8Q0_F: Use of new practices or technologies

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	45475	98.9%
1	Yes	513	1.1%

S8Q0_G: No adaptation practice put in place

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Valid: 45988 Minimum: 0 Maximum: 1
 Type: Discrete Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

0	No	24372	53%
1	Yes	21616	47%

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S8_CLIM_ENV_SHCK_ADA_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
Type: Continuous Width: 15 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S1A_1B_2A_production_PH_final****Overview**

Valid: 9948

Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S1A_1B_2A_production_PH_final****Overview**

Valid: 9939 Minimum: 1 Maximum: 5

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	4296	43.2%
2	NORTH-EASTERN	1938	19.5%
3	NORTH-WESTERN	1421	14.3%
4	SOUTHERN	2189	22%
5	WESTERN AREA	95	1%
Sysmiss		9	0.1%

DISTRICT: DISTRICT**Data file: S1A_1B_2A_production_PH_final****Overview**

Valid: 9759 Minimum: 11 Maximum: 51

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	1767	17.8%
12	KENEMA	1009	10.1%
13	KONO	1491	15%
21	BOMBALI	311	3.1%
22	FALABA	360	3.6%

23	KOINADUGU	122	1.2%
24	TONKOLILI	1102	11.1%
31	KAMBIA	424	4.3%
32	KARENE	285	2.9%
33	PORTLOKO	669	6.7%
41	BO	721	7.2%
42	BONTHE	136	1.4%
43	MOYAMBA	745	7.5%
44	PUJEHUN	522	5.2%
51	WESTERN RURAL	95	1%
52	WESTERN URBAN	0	
Sysmiss		189	1.9%

URB_RUR: Location Status

Data file: S1A_1B_2A_production_PH_final

Overview

Valid: 9539

Type: Discrete Width: 8 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

EA_CODE: Enumeration Area

Data file: S1A_1B_2A_production_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S1A_PARCEL_ID: S1A - PARCEL ID

Data file: S1A_1B_2A_production_PH_final

Overview

Valid: 9948 Minimum: 1 Maximum: 8

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		7592	76.3%
2		1867	18.8%
3		415	4.2%
4		65	0.7%
5		6	0.1%
6		1	0%
7		1	0%
8		1	0%

S1A_PLOT_ID: S1A - PLOT ID

Data file: S1A_1B_2A_production_PH_final

Overview

Valid: 9948 Minimum: 1 Maximum: 6
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		8815	88.6%
2		942	9.5%
3		169	1.7%
4		20	0.2%
5		1	0%
6		1	0%

CROP_ID: Crop ID recoded

Data file: S1A_1B_2A_production_PH_final

Overview

Valid: 9948 Minimum: 1111 Maximum: 8007
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1111	Rice	3462	34.8%
1121	Maize	604	6.1%
1141	Millet	74	0.7%
2121	Chilli Peper	200	2%
2131	Cucumber	180	1.8%
2151	Okra	163	1.6%
2171	Sweet Peper	110	1.1%
2231	Krain Krain	62	0.6%
2251	Potato leaves	87	0.9%
3162	Cocoa	975	9.8%
3172	Coffee	194	2%
3262	Kola	67	0.7%
3311	Banana	100	1%
4111	Groundnut	981	9.9%
4121	Soya Beans	74	0.7%
4131	Sesame(benie)	106	1.1%
4212	Oil Palm	743	7.5%
5131	Cassava	1114	11.2%
5141	Yams	79	0.8%
6111	Broad beans	137	1.4%
8001	Other Cereal Crops	0	
8002	Other Vegetable Crops	125	1.3%
8003	Other Fruits and Nuts Crops	136	1.4%
8004	Other Oil Seeds Crops	26	0.3%
8005	Other Tuber/Root Crops	87	0.9%
8006	Other Leguminous Crops	54	0.5%
8007	Other Industrial Crops	8	0.1%

MEASURED_AREA_HA: Crop area measured in hectares

Data file: S1A_1B_2A_production_PH_final

Overview

Valid: 9948 Minimum: 1 Maximum: 6
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	<0.5ha	4248	42.7%
2	0.5-1ha	2661	26.7%
3	1-2ha	2077	20.9%
4	2-5ha	895	9%
5	5-10ha	60	0.6%
6	10-50ha	7	0.1%
7	>50ha	0	

HARVESTED_AREA_HA_PH: Harvested area in hectares

Data file: S1A_1B_2A_production_PH_final

Overview

Valid: 9948 Minimum: 1 Maximum: 6
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	<0.5ha	5040	50.7%
2	0.5-1ha	2440	24.5%
3	1-2ha	1736	17.5%
4	2-5ha	687	6.9%
5	5-10ha	40	0.4%
6	10-50ha	5	0.1%
7	>50ha	0	

PRODUCTION_KGS_NEW: Production at the household level

Data file: S1A_1B_2A_production_PH_final

Overview

Minimum: 0 Maximum: 40456.347111816
 Type: Continuous Width: 8 Range: - Format: Numeric

HH_FINAL_WEIGHT: PH weight adjusted from PP**Data file: S1A_1B_2A_production_PH_final****Overview**

Minimum: 13.77279036666 Maximum: 4174.8234681452
Type: Continuous Width: 8 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file:** S3C_INPUT_USE_PH_final**Overview**

Valid: 2487 Invalid: 0
 Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file:** S3C_INPUT_USE_PH_final**Overview**

Valid: 2474 Invalid: 13 Minimum: 1 Maximum: 5
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	767	30.8%
2	NORTH-EASTERN	449	18.1%
3	NORTH-WESTERN	899	36.1%
4	SOUTHERN	240	9.7%
5	WESTERN AREA	119	4.8%
Sysmiss		13	0.5%

DISTRICT: DISTRICT**Data file:** S3C_INPUT_USE_PH_final**Overview**

Valid: 2417 Invalid: 70 Minimum: 11 Maximum: 51
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	378	15.2%
12	KENEMA	235	9.4%
13	KONO	149	6%
21	BOMBALI	87	3.5%
22	FALABA	37	1.5%

23	KOINADUGU	8	0.3%
24	TONKOLILI	302	12.1%
31	KAMBIA	382	15.4%
32	KARENE	84	3.4%
33	PORTLOKO	406	16.3%
41	BO	52	2.1%
42	BONTHE	12	0.5%
43	MOYAMBA	131	5.3%
44	PUJEHUN	35	1.4%
51	WESTERN RURAL	119	4.8%
52	WESTERN URBAN	0	
Sysmiss		70	2.8%

URB_RUR: Location Status

Data file: S3C_INPUT_USE_PH_final

Overview

Valid: 2487 Invalid: 0

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S3C_INPUT_USE_PH_final

Overview

Minimum: 11010102 Maximum: 51030605

Type: Continuous Width: 8 Range: - Format: Numeric

S3C_INPUT_ID: Input ID

Data file: S3C_INPUT_USE_PH_final

Overview

Valid: 2448 Invalid: 39 Minimum: 1 Maximum: 13

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	INORGANIC FERTILIZER: UREA	332	13.3%
2	INORGANIC FERTILIZER: NPK COMPOUND	411	16.5%

3	INORGANIC FERTILIZER: DIAMMONIUM PHOSPHA	3	0.1%
4	ORGANIC FERTILIZER: VEGETABLE MATERIAL	664	26.7%
5	ORGANIC FERTILIZER: SOLID MANURE	78	3.1%
7	ORGANIC FERTILIZER: LIQUID MANURE/SLURRY	297	11.9%
8	ORGANIC FERTILIZER: OTHER	122	4.9%
9	PESTICIDES: INSECTICIDES	227	9.1%
10	PESTICIDES: HERBICIDES (SOLID)	46	1.8%
11	PESTICIDES: HERBICIDES (LIQUID)	84	3.4%
12	PESTICIDES: FUNGICIDES AND BACTERICIDES	30	1.2%
13	PESTICIDES: RODENTICIDES	154	6.2%
14	PESTICIDES: OTHER	0	
Sysmiss		39	1.6%

S3C_INPUT_QUANTITY: Input Quantity

Data file: S3C_INPUT_USE_PH_final

Overview

Minimum: 0.0010000000474975 Maximum: 400
 Type: Continuous Width: 8 Range: - Format: Numeric

UNITS: Input Units

Data file: S3C_INPUT_USE_PH_final

Overview

Valid: 2487 Invalid: 0 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	KGS	2358	94.8%
2	LTRS	129	5.2%

S3CQ1B: S3CQ1b - Did the farm purchase any of the INPUT TYPE used during the 2024 Agricu

Data file: S3C_INPUT_USE_PH_final

Overview

Valid: 2487 Invalid: 0 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	2441	98.2%
2	NO	46	1.8%

SC3Q2B: What percentage out of the TOTAL INPUT TYPE used was purchased?

Data file: S3C_INPUT_USE_PH_final

Overview

Minimum: 0 Maximum: 100

Type: Continuous Width: 8 Range: - Format: Numeric

SC3Q3: SC3Q3 - Did the farm receive any of the INPUT TYPE used in exchange for goods an

Data file: S3C_INPUT_USE_PH_final

Overview

Valid: 2487 Invalid: 0 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	36	1.4%
2	NO	2451	98.6%

SC3Q4: What percentage out of the TOTAL INPUT TYPE used was received in exchange for goods and services?

Data file: S3C_INPUT_USE_PH_final

Overview

Minimum: 3 Maximum: 100

Type: Continuous Width: 8 Range: - Format: Numeric

SC3Q5: SC3Q5 - Farm receive any of the INPUT TYPE used for free during the 2024 Agricul

Data file: S3C_INPUT_USE_PH_final

Overview

Valid: 2487 Invalid: 0 Minimum: 1 Maximum: 2
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	57	2.3%
2	NO	2430	97.7%

SC3Q6: What percentage out of the TOTAL INPUT TYPE used was received for free?

Data file: S3C_INPUT_USE_PH_final

Overview

Minimum: 3 Maximum: 100
 Type: Continuous Width: 8 Range: - Format: Numeric

HH_FINAL_WEIGHT: PH weight adjusted from PP

Data file: S3C_INPUT_USE_PH_final

Overview

Minimum: 13.77279036666 Maximum: 4174.8234681452
 Type: Continuous Width: 8 Range: - Format: Numeric

HOUSEHOLD_ID: Unique Household ID**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 5110 Invalid: 0
 Type: Discrete Width: 8 Range: - Format: character

REGION: REGION**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 5104 Invalid: 6 Minimum: 1 Maximum: 5
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EASTERN	2015	39.4%
2	NORTH-EASTERN	924	18.1%
3	NORTH-WESTERN	955	18.7%
4	SOUTHERN	1144	22.4%
5	WESTERN AREA	66	1.3%
Sysmiss		6	0.1%

DISTRICT: DISTRICT**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 5021 Invalid: 89 Minimum: 11 Maximum: 51
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
11	KAILAHUN	732	14.3%
12	KENEMA	637	12.5%
13	KONO	628	12.3%
21	BOMBALI	176	3.4%
22	FALABA	145	2.8%

23	KOINADUGU	82	1.6%
24	TONKOLILI	500	9.8%
31	KAMBIA	320	6.3%
32	KARENE	153	3%
33	PORTLOKO	460	9%
41	BO	436	8.5%
42	BONTHE	110	2.2%
43	MOYAMBA	294	5.8%
44	PUJEHUN	282	5.5%
51	WESTERN RURAL	66	1.3%
52	WESTERN URBAN	0	
Sysmiss		89	1.7%

URB_RUR: Location Status

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 5110 Invalid: 0

Type: Discrete Width: 8 Range: - Format: character

EA_CODE: Enumeration Area

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Minimum: 11010102 Maximum: 51040603

Type: Continuous Width: 8 Range: - Format: Numeric

S3DQ_ORG_FERT_USE: Households reporting any organic fertilizer use

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 5110 Invalid: 0 Minimum: 0 Maximum: 1

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	NO	4062	79.5%
1	YES	1048	20.5%

S3DQ_INORG_FERT_USE: Households reporting any inorganic fertilizer use**Data file:** S3D_INPUT_DETAILS_PH_final**Overview**

Valid: 5110 Invalid: 0 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	NO	4505	88.2%
1	YES	605	11.8%

S3DQ_PEST_USE: Households reporting any pesticides use**Data file:** S3D_INPUT_DETAILS_PH_final**Overview**

Valid: 5110 Invalid: 0 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	NO	4647	90.9%
1	YES	463	9.1%

S3DQ_IPM: Households reporting any IPM use**Data file:** S3D_INPUT_DETAILS_PH_final**Overview**

Valid: 5110 Invalid: 0 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	NO	4043	79.1%

1	YES	1067	20.9%
---	-----	------	-------

S3DQ1: S3DQ1 - Why were fertilizers not applied at all during the 2024 Agricultural sea

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 3661 Invalid: 1449 Minimum: 0 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	NOT NECESSARY	3618	70.8%
1	FERTILIZERS WERE TOO EXPENSIVE	18	0.4%
2	FERTILIZERS WERE NOT AVAILABLE	25	0.5%
3	OTHER	0	
9	NOT APPLICABLE	0	
Sysmiss		1449	28.4%

S3DQ2: S3DQ2 - Awareness of the environmental risks associated with the excessive use o

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 605 Invalid: 4505 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	205	4%
2	NO	400	7.8%
Sysmiss		4505	88.2%

S3DQ3: S3DQ3 - Specific measures to mitigate the environmental risks associated with t

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 605 Invalid: 4505 Minimum: 1 Maximum: 2

Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	147	2.9%
2	NO	458	9%
Sysmiss		4505	88.2%

S3DQ4_A: Follow protocols as per extension service or retail outlet directions or local r

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 605 Invalid: 4505 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	15	0.3%
1	Yes	590	11.5%
Sysmiss		4505	88.2%

S3DQ4_B: Use organic source of nutrients (including manure or composting residues) alone,

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 605 Invalid: 4505 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	585	11.4%
1	Yes	20	0.4%
Sysmiss		4505	88.2%

S3DQ4_C: Use legumes as a cover crop, or component of a multi/crop or pasture system to r**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 605 Invalid: 4505 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	601	11.8%
1	Yes	4	0.1%
Sysmiss		4505	88.2%

S3DQ4_D: Distribute synthetic or mineral fertilizer application over the growing period**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 605 Invalid: 4505 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	600	11.7%
1	Yes	5	0.1%
Sysmiss		4505	88.2%

S3DQ4_E: Consider soil type and climate in deciding fertilizer application doses and freq**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 605 Invalid: 4505 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	590	11.5%

1	Yes	15	0.3%
Sysmiss		4505	88.2%

S3DQ5: S3DQ5 - Awareness of the environmental and health risks associated with the use

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 463 Invalid: 4647 Minimum: 1 Maximum: 2
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	194	3.8%
2	NO	269	5.3%
Sysmiss		4647	90.9%

S3DQ6_A: Adherence to label directions for pesticide use (including use of protection equ

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 463 Invalid: 4647 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	338	6.6%
1	Yes	125	2.4%
Sysmiss		4647	90.9%

S3DQ6_B: Maintenance and cleansing of protection equipment after use

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 463 Invalid: 4647 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	395	7.7%
1	Yes	68	1.3%
Sysmiss		4647	90.9%

S3DQ6_C: Safe disposal of waste (cartons, bottles and bags)

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 463 Invalid: 4647 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	404	7.9%
1	Yes	59	1.2%
Sysmiss		4647	90.9%

S3DQ6_Y: NONE

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 463 Invalid: 4647 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	190	3.7%
1	Yes	273	5.3%
Sysmiss		4647	90.9%

S3DQ7_A: Adherence to label directions for pesticide application**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1016	19.9%
1	Yes	51	1%
Sysmiss		4043	79.1%

S3DQ7_B: Adjustment of planting time**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	993	19.4%
1	Yes	74	1.4%
Sysmiss		4043	79.1%

S3DQ7_C: Application of crop spacing**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	987	19.3%

1	Yes	80	1.6%
Sysmiss		4043	79.1%

S3DQ7_D: Application of crop rotation

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	955	18.7%
1	Yes	112	2.2%
Sysmiss		4043	79.1%

S3DQ7_E: Application of mixed cropping

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	946	18.5%
1	Yes	121	2.4%
Sysmiss		4043	79.1%

S3DQ7_F: Application of inter-cropping

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1029	20.1%
1	Yes	38	0.7%
Sysmiss		4043	79.1%

S3DQ7_G: Perform biological pest control

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1017	19.9%
1	Yes	50	1%
Sysmiss		4043	79.1%

S3DQ7_H: Use of biopesticides

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1064	20.8%
1	Yes	3	0.1%
Sysmiss		4043	79.1%

S3DQ7_I: Adopting pasture rotation to suppress livestock pest population**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1064	20.8%
1	Yes	3	0.1%
Sysmiss		4043	79.1%

S3DQ7_J: Use of pest resistant/tolerant cultivars**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1048	20.5%
1	Yes	19	0.4%
Sysmiss		4043	79.1%

S3DQ7_K: Use of disease resistant/tolerant livestock breed**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1062	20.8%

1	Yes	5	0.1%
Sysmiss		4043	79.1%

S3DQ7_L: Systematic removal of plant parts attacked by pests

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1033	20.2%
1	Yes	34	0.7%
Sysmiss		4043	79.1%

S3DQ7_M: Maintenance and cleansing of spray equipment after use

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1040	20.4%
1	Yes	27	0.5%
Sysmiss		4043	79.1%

S3DQ7_N: Use one pesticide no more than two times or in mixture in a season to avoid pest

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	1064	20.8%
1	Yes	3	0.1%
Sysmiss		4043	79.1%

S3DQ7_Y: NONE

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 1067 Invalid: 4043 Minimum: 0 Maximum: 1
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
0	No	377	7.4%
1	Yes	690	13.5%
Sysmiss		4043	79.1%

S3DQ8: S3DQ8 - Determinant of the correct dose of pesticide to be applied on your crops

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 463 Invalid: 4647 Minimum: 1 Maximum: 5
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	RECOMMENDATION OF THE SELLER	185	3.6%
2	READ INSTRUCTIONS	44	0.9%
3	BASED ON PERSONAL EXPERIENCE	144	2.8%
4	RECOMMENDATION OF NEIGHBORS/FRIENDS	56	1.1%
5	RECOMMENDATION OF EXTENSION OFFICER	34	0.7%
6	OTHER (SPECIFY)	0	

7	UNKNOWN	0	
9	DON'T USE PESTICIDES	0	
Sysmiss		4647	90.9%

S3DQ9: S3DQ9 - Time decision taken to apply pesticides on your crops/plots

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 463 Invalid: 4647 Minimum: 1 Maximum: 4
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	AS SOON AS THE PEST APPEARS	206	4%
2	WHEN THE CROP REACHES A SPECIFIC GROWING STAGE	165	3.2%
3	WHEN THE PESTICIDE IS AVAILABLE	87	1.7%
4	OTHER (SPECIFY)	5	0.1%
7	UNKNOWN	0	
9	DON'T USE PESTICIDES	0	
Sysmiss		4647	90.9%

S3DQ10: S3DQ10 - Time of the day you apply pesticides on your crops/plots

Data file: S3D_INPUT_DETAILS_PH_final

Overview

Valid: 463 Invalid: 4647 Minimum: 1 Maximum: 5
 Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	EARLY MORNING	182	3.6%
2	LATE MORNING	21	0.4%
3	EARLY AFTERNOON	23	0.5%
4	LATE AFERNOON/EVENING	101	2%
5	NO SPECIFIC TIME	136	2.7%
Sysmiss		4647	90.9%

S3DQ11: S3DQ11 - Use of natural pests against diseases or for weed control during the 20**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Valid: 1067 Invalid: 4043 Minimum: 1 Maximum: 2
Type: Discrete Width: 8 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	YES	203	4%
2	NO	864	16.9%
Sysmiss		4043	79.1%

HH_FINAL_WEIGHT: PH weight adjusted from PP**Data file: S3D_INPUT_DETAILS_PH_final****Overview**

Minimum: 13.7727903666 Maximum: 4174.8234681452
Type: Continuous Width: 8 Range: - Format: Numeric

study_resources

questionnaires

Post Planting Questionnaire

title Post Planting Questionnaire
filename PME_AG_PP_SL2024FF.xlsx

Post Harvest Questionnaire

title Post Harvest Questionnaire
filename PME_AG_PH_SL2024F.xlsx

reports

Annual Agricultural Survey Report 2024

title Annual Agricultural Survey Report 2024
filename 2024-SLAAS-Report_V4.pdf
