

# Colombia - Encuesta de Prevalencia, Demografía y Salud 1990

**PROFAMILIA Asociación Pro-Bienestar de la Familia Colombiana**

Report generated on: June 12, 2017

Visit our data catalog at: <http://microdata.worldbank.org>



# Sampling

## Sampling Procedure

---

Se utilizó una submuestra de la Muestra Maestra Nacional (MMN) diseñada por el Departamento Nacional de Estadística (DANE), la cual tuvo como base el Censo de 1985, actualizada a finales de 1989. Esta muestra fue implementada para tener representatividad a nivel de 13 subregiones. Cada una de las tres ciudades mayores, Bogotá, Medellín y Cali, es una subregión. La muestra la conforman 174 segmentos, situados en 120 municipios del país. Cada subregión, excepto Bogotá que tiene 140 segmentos y que además es, por sí misma, una región, está conformada por 56 segmentos; sin embargo, en Antioquia se tienen 87 y en el Valle del Cauca 79, para permitir la representatividad de Medellín y Cali, respectivamente.

El concepto de rural en la MMN del DANE equivale a la población dispersa de todos los municipios, más los centros poblados diferentes a las cabeceras municipales, corregimientos e inspecciones de policía, más las cabeceras con menos de 10.000 habitantes; además, las cabeceras mayores de 10.000 habitantes que cumplen los siguientes criterios de ruralidad: que tengan menos del 50 por ciento de la población del municipio; que tengan más del 50 por ciento de su población económicamente activa dedicada a la agricultura; que la mayoría de las viviendas no cuente con servicios básicos adecuados. Para facilitar la comparación con trabajos anteriores y para efectos de la presentación de este informe no se sigue la nueva clasificación urbano-rural adoptada por el DANE sino la tradicional de cabecera-resto, si bien los términos se utilizarán intercambiablemente.

### UNIVERSO DEL ESTUDIO

Para efectos de la selección de la muestra y para la presentación de los resultados, se consideró el criterio tradicional de región geográfica: de las 5 regiones establecidas, 4 comprenden los 23 departamentos del país mientras la restante corresponde a Bogotá, D.E. Las subregiones están constituidas por uno o más departamentos dentro de una misma región, que obedecen a patrones socio-económicos y culturales relativamente semejantes. Para facilitar el análisis más detenido de las mayores ciudades del país se consideraron también como subregiones las áreas metropolitanas de Medellín y Cali.

A nivel de país y de región la muestra permite con excelente precisión la mayoría de las desagregaciones rutinarias de los resultados, y a nivel de subregión tienen precisión suficiente las estimaciones globales de las diferentes variables.

### MUESTRA BÁSICA DEL DANE

La Muestra Básica del DANE (MMN) está constituida por 174 municipios pertenecientes a los 23 departamentos del país. Por su mayor tamaño, las 13 cabeceras municipales más grandes del país tuvieron probabilidad 1 y fueron incluidas por definición en la muestra. Los restantes 161 municipios fueron seleccionados probabilísticamente dentro de cada región. Dentro de estos municipios, la muestra a su vez está constituida por 708 secciones cartográficas del Censo Nacional de Población y Vivienda de 1985: 278 rurales y 430 urbanas, también seleccionadas probabilísticamente.

### UNIVERSO Y MUESTRA RURAL

El universo rural de la Muestra Básica del DANE corresponde al 42.3 por ciento de la población del país; incluye 818 cabeceras municipales y la población dispersa de 968 municipios. El DANE definió como universo rural la población dispersa, la de caseríos, corregimientos e inspecciones y también las cabeceras de municipios de más de 10.000 habitantes con altos índices de ruralidad, es decir, municipios con una proporción de población urbana menor del 50 por ciento, una proporción económicamente activa dedicada a la agricultura mayor del 50 por ciento y una proporción de viviendas con servicios públicos inferior al 20 por ciento.

Para la selección, los municipios del universo rural se ordenaron alfabéticamente por departamento; dentro de cada región se asignaron probabilidades de selección proporcionales al tamaño de la población municipal; se calculó un intervalo de muestreo y se realizó una selección sistemática. Dentro de cada municipio seleccionado se asignaron a las secciones probabilidades de selección proporcionales al tamaño de su población. Se calculó un intervalo de muestreo y se seleccionaron algunas de ellas sistemáticamente. A su vez dentro de cada sección se listaron las viviendas existentes, se definieron con límites naturales segmentos con un promedio de 10 viviendas y se seleccionaron aleatoriamente con igual probabilidad los segmentos de la muestra.

### UNIVERSO Y MUESTRA URBANA

El universo urbano de la Muestra Básica del DANE lo constituyó la población concentrada en las cabeceras municipales mayores de 10.000 habitantes con bajo índice de ruralidad de 150 municipios. Este universo corresponde al 57.7 por ciento de la población del país. Se incluyeron forzosamente los 13 municipios de mayor tamaño poblacional. Para cada municipio

seleccionado forzosamente se construyeron 5 estratos socio-económicos dentro de los cuales se hizo una selección sistemática de secciones con probabilidad proporcional al tamaño y, dentro de estas, de segmentos de 10 viviendas en promedio, con igual probabilidad.

Para la selección de 19 municipios adicionales se construyeron 2 estratos en cada región. Dentro de cada estrato se hizo selección sistemática de dos o más municipios según tamaño del estrato. En cada municipio se hizo selección sistemática de secciones, con probabilidad proporcional al tamaño y, dentro de las secciones seleccionadas, de segmentos con igual probabilidad.

#### SUBMUESTRA PARA LA ENCUESTA DE PREVALENCIA, DEMOGRAFÍA Y SALUD 1990

La muestra de municipios de la EDPS-90 se seleccionó probabilísticamente a partir de la muestra básica del DANE, previa estratificación por 13 subregiones del país.

#### TAMAÑO DE LA SUBMUESTRA

El primer paso para adecuar la muestra básica del DANE fue la reducción del número de municipios a 120. Los municipios mayores de 98.000 habitantes se consideraron de forzosa inclusión para la nueva muestra. Tal límite corresponde al cociente entre la población total de los 174 municipios y 120. Con los 154 municipios restantes se construyeron 54 estratos, con un tamaño promedio de 65.000 habitantes, combinando 2 o más municipios de la misma subregión y teniendo en cuenta como variable prioritaria el nivel de urbanización. Cuando esta variable no fue suficiente se acudió al criterio de vecindad geográfica. Para llegar a la meta de 120 se descartó aleatoriamente, con probabilidad proporcional, al tamaño un municipio en cada estrato.

De otra parte, a fin de garantizar aproximadamente la misma precisión de la muestra a nivel subregional se fijó un tamaño igual de 56 segmentos a cada una de las subregiones. Adicionalmente, para obtener estimaciones separadas para las áreas metropolitanas de Medellín y Cali, segunda y tercera ciudades del país, se aumentó el número de segmentos para estas ciudades.

Dado que la muestra de segmentos del DANE no fue suficiente en todas las regiones para garantizar la precisión mínima esperada, fue necesario incrementar probabilísticamente los segmentos necesarios. En algunas subregiones, sin embargo, la muestra del DANE excedió los requerimientos de la EDPS-90 siendo necesaria la correspondiente reducción probabilísticamente. En el primer caso la selección adicional se hizo dentro del conjunto de segmentos existentes, no seleccionados, en las secciones seleccionadas originalmente.

## Deviations from Sample Design

---

Los problemas de orden público afectaron principalmente a Saravena y Miraflores. La primera estuvo paralizada durante todo el tiempo de la encuesta debido a un paro cívico; en la segunda no se pudo concluir el recuento de viviendas ni hacer la encuesta, porque la población fue tomada por un grupo guerrillero, lo cual originó combates con el ejército que obligaron a las encuestadoras a abandonar el lugar. Para compensar la pérdida de los 11 segmentos de Miraflores fue seleccionado el municipio de Santiago en el Putumayo.

## Response Rate

---

National: En total, se seleccionaron 8.615 hogares, de los cuales 86 por ciento tuvieron entrevista completa. El total de mujeres elegibles fue de 9.715 y 89 por ciento, es decir 8.644 mujeres, tuvieron entrevista completa.

Los Territorios Nacionales: El total de 1.300 hogares incluidos en la muestra, se encontraron 1.177 hogares y se entrevistaron 1.111, es decir, el 94.4 por ciento. Del total de 1.300 mujeres elegibles encontradas se realizaron 1.240 entrevistas completas, para una tasa de cobertura del 95.8 por ciento. Las altas tasas de cobertura se debieron en parte a la positiva novedad que despertó la encuesta entre la población.

# Questionnaires

## Overview

---

Tanto los cuestionarios básicos como los manuales de supervisoras y entrevistadoras fueron adaptados por PROFAMILIA, teniendo en cuenta las necesidades del país, de los diseñados por el IRD para la segunda ronda de su programa mundial de Encuestas de Salud y Demografía (Programa DHS-II). Esto permite realizar comparaciones con la información recolectada en Colombia en 1986 y en otros países, durante la primera ronda de Encuestas de Salud y Demografía (Programa DHS-I).

Se utilizaron dos tipos de cuestionarios: uno para (a) hogares y otro (b) individual para las mujeres en edad fértil.

a) En el cuestionario de hogares se obtuvo información sobre las características y servicios de la vivienda y sobre cada uno de los miembros del hogar: parentesco con el jefe, residencia habitual, sexo, edad, escolaridad y nivel educativo.

b) El cuestionario individual contiene información sobre reproducción, planificación familiar, salud infantil y lactancia, nupcialidad, preferencias de fecundidad, antecedentes de la mujer y del marido, e historia laboral y migratoria de la mujer. Además se incluyeron secciones de especial interés sobre conocimientos sobre el SIDA y formas de contagio y prevención; citología vaginal; cesárea; efectos de la esterilización sobre las relaciones sexuales y el matrimonio y, por último, violencia intrafamiliar.

En el cuestionario individual se incluyó un Calendario que recoge los eventos ocurridos, mes a mes, desde Enero de 1985: nacimientos, embarazos, terminaciones y uso de anticonceptivos (Columna 1 del calendario); razón por la que dejó de usar un método (columna 2); los meses de amenorrea (columna 3), abstinencia postparto (columna 4) y lactancia (columna 5); los meses en unión (columna 6); los tipos de localidades en que había vivido (columna 7); y si ha trabajado o no y el tipo de trabajo desempeñado (columna 8).

## Data Collection

### Data Collection Dates

| Start   | End     | Cycle |
|---------|---------|-------|
| 1990-05 | 1990-08 | N/A   |

### Data Collection Mode

Face-to-face [f2f]

#### DATA COLLECTION NOTES

##### TRABAJO DE CAMPO - ENCUESTA NACIONAL

El trabajo de campo tuvo un Director y cinco equipos de trabajo, compuesto cada uno por dos supervisoras, seis entrevistadoras y un chofer. Las entrevistas se realizaron durante los tres meses comprendidos entre el 21 de Mayo y el 20 de Agosto de 1990.

##### TRABAJO DE CAMPO - ENCUESTA DE LOS TERRITORIOS NACIONALES

La Encuesta de Prevalencia, Demografía y Salud (EPDS-90) de los Territorios Nacionales se llevo a cabo entre el 8 de Septiembre y el 10 de Octubre de 1990. Comparativamente con el resto del pas, represent mayores riesgos para el personal de campo por la situacion de orden pblico que afectaba a casi todos los municipios seleccionados en la muestra y por las dificultades de transporte, propias de estas apartadas regiones.

En principio fu seleccionada una muestra de 112 segmentos pertenecientes a las cabeceras de los siguientes municipios: ARAUCA: Arauca y Saravena; CASANARE: Aguazul y Yopal; PUTUMAYO: Orito y Puerto Asis; GUAVIARE: Miraflores; VAUPES: Mit.

A todos los municipios seleccionados se puede llegar por va area y solo hasta Aguazul y Orito se lleg por va terrestre desde Yopal y Puerto Asis, respectivamente. Para Miraflores se contrat6 un vuelo especial. El uso intensivo del transporte areo constituye un componente importante del costo total de la encuesta.

Los instrumentos de recoleccion (cuestionarios y manuales) son los mismos utilizados en la EPDS- 90 para los departamentos. Dentro de la planeacin de la encuesta se haba previsto que, previamente a la recoleccin, se requiera implementar un recuento de viviendas de las manzanas seleccionadas, hacer su particion en medidas de tamao de 10 viviendas aproximadamente y seleccionar una de estas partes o segmentos para aplicar all la encuesta. Debido a las deficiencias de la cartograffa y a que esta regin no se haba actualizado para la Muestra Bsica del DANE, hubo necesidad de hacer el recuento de viviendas, especialmente en Saravena y Mit. En algunos casos, la cartograffa solo cubra un 30 por ciento, aproximadamente, del tamao real de las poblaciones seleccionadas y presentaba inconsistencias con las respectivas bases geogrficas. Esto llevo a la necesidad de modificar las medidas de tamao seleccionadas previamente.

### Data Collectors

| Name  | Abbreviation | Affiliation |
|---|--------------|-------------|
| PROFAMILIA Asociacin Pro-Bienestar de la Familia Colombiana |              |             |

#### SUPERVISION

Solamente los procedimientos de seleccion fueron aplicados por las supervisoras, aunque en algunos casos el recuento lo realizaron stas con el apoyo de las encuestadoras. En todos los casos se actualiz la cartograffa y se entreg junto con los formularios de recuento y seleccin de segmentos al muestrista del proyecto. Estos procedimientos fueron revisados y supervigilados por el jefe de trabajo de campo, y verificados en terreno en los casos de Yopal, Arauca y Aguazul.

# Data Processing

## Data Editing

---

Se realizó una pre-cifra manual de los cuestionarios y en la grabación de la información se utilizó el Programa ISSA (Integrated System for Survey Analysis) diseñado por el IRD dentro del Programa DHS. Este paquete verifica los rangos de las variables, detecta inconsistencias y controla el flujo interno de los datos durante la grabación de cuestionarios. El mismo programa se utiliza para detectar y corregir inconsistencias, primero segmento por segmento y después para todo el conjunto de datos. ISSA también permite hacer imputación de fechas de eventos cuando la información es inconsistente o faltante. Los procesos de crítica y grabación se iniciaron el 15 de junio y se prolongaron hasta finales de Septiembre de 1990.

# Data Appraisal

## Estimates of Sampling Error

En el cuadro B.I del Informe Final se presentan los resultados para las 35 variables consideradas de mayor inters en la encuesta. Para cada variable se incluye, el correspondiente valor de  $r$  (sea un promedio o un porcentaje), el error estándar y el número de casos en la muestra total. Además del error estándar, en el cuadro aparecen también el DEFT, el error relativo ( $ES/r$ ) y el intervalo con 95 por ciento de confianza.

En general, los errores estándar son pequeños y que por ello la muestra puede calificarse como bastante precisa; esto es especialmente claro en la antepenúltima columna donde aparecen los errores relativos. Para ilustrar el uso de las cifras en este cuadro considérese la variable "Promedio Ideal de Hijos", que tiene un valor estimado de 2,579 con un error estándar de 0,027. Si se desea un intervalo de confianza del 95 por ciento, lo que se hace es sumarle y restarle al promedio dos veces al error estándar:  $2,579 + (2 \times 0,027)$ , lo que produce el intervalo de 2,525 a 2,632. Esto significa que se tiene una confianza de 95 por ciento de que el valor de la población total se encuentra entre esos valores que arroja la muestra.

Los resultados básicos por zona, región, subregión y edad de las mujeres se presentan a continuación de los resultados para la población total de mujeres entrevistadas.

## Other forms of Data Appraisal

El primer tipo de error incluye la falta de cobertura de todas las mujeres seleccionadas, errores en la formulación de las preguntas y en el registro de las respuestas, confusión o incapacidad de las mujeres para dar la información, errores de codificación o de procesamiento. En el presente estudio se trató de reducir a un mínimo este tipo de errores a través de una serie de procedimientos que se emplean en toda encuesta bien diseñada y ejecutada, como son: el diseño cuidadoso y numerosas pruebas del cuestionario, buena capacitación de las entrevistadoras, supervisión intensa y permanente del trabajo de campo, supervisión apropiada en la etapa de codificación y procesamiento de los datos y limpieza cuidadosa del archivo. Los elementos de juicio disponibles sealan que este tipo de errores se mantuvo dentro de márgenes razonables en la EPDS-90.



## File Description

## Variable List

**RECH0**

|              |                                    |
|--------------|------------------------------------|
| Content      | HOUSEHOLD - Household's Basic Data |
| Cases        | 8615                               |
| Variable(s)  | 30                                 |
| Structure    | Type:<br>Keys: ()                  |
| Version      |                                    |
| Producer     |                                    |
| Missing Data |                                    |

**Variables**

| ID  | Name  | Label                          | Type     | Format    | Question |
|-----|-------|--------------------------------|----------|-----------|----------|
| V1  | hhid  | Case Identification            | discrete | character |          |
| V2  | hv000 | Country code and phase         | discrete | character |          |
| V3  | hv001 | Cluster number                 | contin   | numeric   |          |
| V4  | hv002 | Household number               | discrete | numeric   |          |
| V5  | hv003 | Respondent's line number - NA  | discrete | numeric   |          |
| V6  | hv004 | Ultimate area unit             | contin   | numeric   |          |
| V7  | hv005 | Sample weight                  | contin   | numeric   |          |
| V8  | hv006 | Month of interview - NA        | discrete | numeric   |          |
| V9  | hv007 | Year of interview - NA         | discrete | numeric   |          |
| V10 | hv008 | Date of interview (CMC) - NA   | discrete | numeric   |          |
| V11 | hv009 | Number of household members    | discrete | numeric   |          |
| V12 | hv010 | Number of eligible women in HH | discrete | numeric   |          |
| V13 | hv011 | Number of eligible men in HH   | discrete | numeric   |          |
| V14 | hv012 | Number of de jure members      | discrete | numeric   |          |
| V15 | hv013 | Number of de facto members     | discrete | numeric   |          |
| V16 | hv014 | Number of children 5 and under | discrete | numeric   |          |
| V17 | hv015 | Result of household interview  | discrete | numeric   |          |
| V18 | hv016 | Day of interview - NA          | discrete | numeric   |          |
| V19 | hv017 | Number of visits - NA          | discrete | numeric   |          |
| V20 | hv018 | Interviewer identificatio - NA | discrete | numeric   |          |
| V21 | hv019 | Keyer identification - NA      | discrete | numeric   |          |
| V22 | hv020 | Ever-married sample            | discrete | numeric   |          |
| V23 | hv021 | Primary sampling unit          | contin   | numeric   |          |
| V24 | hv022 | Sample stratum number          | contin   | numeric   |          |
| V25 | hv023 | Sample domain                  | discrete | numeric   |          |
| V26 | hv024 | Region                         | discrete | numeric   |          |
| V27 | hv025 | Type of place of residence     | discrete | numeric   |          |
| V28 | hv026 | Place of residence             | discrete | numeric   |          |

| ID  | Name  | Label                          | Type     | Format  | Question |
|-----|-------|--------------------------------|----------|---------|----------|
| V29 | hv027 | Selection for male/husb. int.  | discrete | numeric |          |
| V30 | hv028 | Sample weight for male subsamp | discrete | numeric |          |

**RECH1**

|              |                                |
|--------------|--------------------------------|
| Content      | HOUSEHOLD - Household Schedule |
| Cases        | 35400                          |
| Variable(s)  | 20                             |
| Structure    | Type:<br>Keys: ()              |
| Version      |                                |
| Producer     |                                |
| Missing Data |                                |

**Variables**

| ID  | Name  | Label                          | Type     | Format    | Question |
|-----|-------|--------------------------------|----------|-----------|----------|
| V31 | hhid  | Case Identification            | discrete | character |          |
| V32 | hvidx | Line number                    | discrete | numeric   |          |
| V33 | hv101 | Relationship to head           | discrete | numeric   |          |
| V34 | hv102 | Usual resident                 | discrete | numeric   |          |
| V35 | hv103 | Slept last night               | discrete | numeric   |          |
| V36 | hv104 | Sex of household member        | discrete | numeric   |          |
| V37 | hv105 | Age of household members       | discrete | numeric   |          |
| V38 | hv106 | Highest educational level      | discrete | numeric   |          |
| V39 | hv107 | Highest year of education      | discrete | numeric   |          |
| V40 | hv108 | Education in single years      | discrete | numeric   |          |
| V41 | hv109 | Educational attainment         | discrete | numeric   |          |
| V42 | hv110 | Member still in school         | discrete | numeric   |          |
| V43 | hv111 | Mother alive - NA              | discrete | numeric   |          |
| V44 | hv112 | Mother's line number           | discrete | numeric   |          |
| V45 | hv113 | Father alive - NA              | discrete | numeric   |          |
| V46 | hv114 | Father's line number           | discrete | numeric   |          |
| V47 | hv115 | Current marital status - NA    | discrete | numeric   |          |
| V48 | hv116 | Currently, formerly, neve - NA | discrete | numeric   |          |
| V49 | hv117 | Eligibility for female intview | discrete | numeric   |          |
| V50 | hv118 | Eligibility for male interview | discrete | numeric   |          |

**RECH2**

|              |                                       |
|--------------|---------------------------------------|
| Content      | HOUSEHOLD - Household Characteristics |
| Cases        | 7412                                  |
| Variable(s)  | 21                                    |
| Structure    | Type:<br>Keys: ()                     |
| Version      |                                       |
| Producer     |                                       |
| Missing Data |                                       |

**Variables**

| ID  | Name  | Label                          | Type     | Format    | Question |
|-----|-------|--------------------------------|----------|-----------|----------|
| V51 | hhid  | Case Identification            | discrete | character |          |
| V52 | hv201 | Source of drinking water       | discrete | numeric   |          |
| V53 | hv202 | Source of non-drinking water   | discrete | numeric   |          |
| V54 | hv203 | Same source of water           | discrete | numeric   |          |
| V55 | hv204 | Time to get to water source    | discrete | numeric   |          |
| V56 | hv205 | Type of toilet facility        | discrete | numeric   |          |
| V57 | hv206 | Has electricity                | discrete | numeric   |          |
| V58 | hv207 | Has radio                      | discrete | numeric   |          |
| V59 | hv208 | Has television                 | discrete | numeric   |          |
| V60 | hv209 | Has refrigerator               | discrete | numeric   |          |
| V61 | hv210 | Has bicycle                    | discrete | numeric   |          |
| V62 | hv211 | Has motorcycle                 | discrete | numeric   |          |
| V63 | hv212 | Has car                        | discrete | numeric   |          |
| V64 | hv213 | Main floor material            | discrete | numeric   |          |
| V65 | hv214 | Main wall material - NA        | discrete | numeric   |          |
| V66 | hv215 | Main roof material - NA        | discrete | numeric   |          |
| V67 | hv216 | Rooms for sleeping             | contin   | numeric   |          |
| V68 | hv217 | Relationship structure         | discrete | numeric   |          |
| V69 | hv218 | Line number of head of househ. | discrete | numeric   |          |
| V70 | hv219 | Sex of head of household       | discrete | numeric   |          |
| V71 | hv220 | Age of head of household       | discrete | numeric   |          |

**RECH3**

|              |   |
|--------------|---|
| Content      | HOUSEHOLD - Country-specific Household Variable |
| Cases        | 8615  |
| Variable(s)  | 10  |
| Structure    | Type:<br>Keys: ()                               |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID  | Name   | Label                        | Type     | Format    | Question |
|-----|--------|------------------------------|----------|-----------|----------|
| V72 | hhid   | Case Identification          | discrete | character |          |
| V73 | sharea | Type of place of residence   | discrete | numeric   |          |
| V74 | shdep  | Departament                  | discrete | numeric   |          |
| V75 | shmun  | Municipality                 | contin   | numeric   |          |
| V76 | shviv  | Dwelling number              | contin   | numeric   |          |
| V77 | shh6   | Fuel used to cook            | discrete | numeric   |          |
| V78 | shh7a  | Household has telephone ?    | discrete | numeric   |          |
| V79 | shh7f  | Household has iron ?         | discrete | numeric   |          |
| V80 | shh7g  | Household has blender ?      | discrete | numeric   |          |
| V81 | shh8d  | Does anybody has a tractor ? | discrete | numeric   |          |

**RECH4**

|              |   |
|--------------|---|
| Content      | HOUSEHOLD - Country-specific Household Schedule |
| Cases        | 35400   |
| Variable(s)  | 6   |
| Structure    | Type:<br>Keys: ()                               |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID  | Name  | Label                       | Type     | Format    | Question |
|-----|-------|-----------------------------|----------|-----------|----------|
| V82 | hhid  | Case Identification         | discrete | character |          |
| V83 | idxh4 | Index to household schedule | discrete | numeric   |          |
| V84 | shq7  | Ever attended to school?    | discrete | numeric   |          |
| V85 | shq8n | Highest school level        | discrete | numeric   |          |
| V86 | shq8g | Highest grade               | discrete | numeric   |          |
| V87 | shq9  | Member still in school ?    | discrete | numeric   |          |



**REC01**

|              |                                 |
|--------------|---------------------------------|
| Content      | WOMAN - Respondent's Basic Data |
| Cases        | 9715                            |
| Variable(s)  | 32                              |
| Structure    | Type:<br>Keys: ()               |
| Version      |                                 |
| Producer     |                                 |
| Missing Data |                                 |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V88  | hhid   | Case Identification            | discrete | character |          |
| V89  | caseid | Case Identification            | discrete | character |          |
| V90  | v000   | Country code and phase         | discrete | character |          |
| V91  | v001   | Cluster number                 | contin   | numeric   |          |
| V92  | v002   | Household number               | discrete | numeric   |          |
| V93  | v003   | Respondent's line number       | discrete | numeric   |          |
| V94  | v004   | Ultimate area unit             | contin   | numeric   |          |
| V95  | v005   | Sample weight                  | contin   | numeric   |          |
| V96  | v006   | Month of interview             | discrete | numeric   |          |
| V97  | v007   | Year of interview              | discrete | numeric   |          |
| V98  | v008   | Date of interview (CMC)        | discrete | numeric   |          |
| V99  | v009   | Respondent's month of birth    | discrete | numeric   |          |
| V100 | v010   | Respondent's year of birth     | contin   | numeric   |          |
| V101 | v011   | Date of birth (CMC)            | contin   | numeric   |          |
| V102 | v012   | Current age - respondent       | contin   | numeric   |          |
| V103 | v013   | Age 5-year groups              | discrete | numeric   |          |
| V104 | v014   | Completeness of information    | discrete | numeric   |          |
| V105 | v015   | Result of individual interview | discrete | numeric   |          |
| V106 | v016   | Day of interview               | contin   | numeric   |          |
| V107 | v017   | CMC start of calendar/health   | discrete | numeric   |          |
| V108 | v018   | Row of month of interview      | discrete | numeric   |          |
| V109 | v019   | Length of calendar             | discrete | numeric   |          |
| V110 | v020   | Ever-married sample            | discrete | numeric   |          |
| V111 | v021   | Primary sampling unit          | contin   | numeric   |          |
| V112 | v022   | Sample stratum number          | contin   | numeric   |          |
| V113 | v023   | Sample domain                  | discrete | numeric   |          |
| V114 | v024   | Region                         | discrete | numeric   |          |
| V115 | v025   | Type of place of residence     | discrete | numeric   |          |

| ID   | Name | Label                       | Type     | Format  | Question |
|------|------|-----------------------------|----------|---------|----------|
| V116 | v026 | De facto place of residence | discrete | numeric |          |
| V117 | v027 | Number of visits            | discrete | numeric |          |
| V118 | v028 | Interviewer identification  | contin   | numeric |          |
| V119 | v029 | Keyer identification        | discrete | numeric |          |

## REC11

|              |   |
|--------------|---|
| Content      | WOMAN - Respondent's Basic Data (continued) |
| Cases        | 8644  |
| Variable(s)  | 54  |
| Structure    | Type:<br>Keys: ()                           |
| Version      |   |
| Producer     |   |
| Missing Data |   |

## Variables

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V120 | hhid   | Case Identification            | discrete | character |          |
| V121 | caseid | Case Identification            | discrete | character |          |
| V122 | v101   | Region                         | discrete | numeric   |          |
| V123 | v102   | Type of place of residence     | discrete | numeric   |          |
| V124 | v103   | Childhood place of residence   | discrete | numeric   |          |
| V125 | v104   | Years lived in place of res.   | discrete | numeric   |          |
| V126 | v105   | Type of place of previous res. | discrete | numeric   |          |
| V127 | v106   | Highest educational level      | discrete | numeric   |          |
| V128 | v107   | Highest year of education      | contin   | numeric   |          |
| V129 | v108   | Literacy                       | discrete | numeric   |          |
| V130 | v109   | Reads newspaper once a week    | discrete | numeric   |          |
| V131 | v110   | Watches TV every week          | discrete | numeric   |          |
| V132 | v111   | Listens to radio every day     | discrete | numeric   |          |
| V133 | v112   | Listens to radio every we - NA | discrete | numeric   |          |
| V134 | v113   | Source of drinking water       | discrete | numeric   |          |
| V135 | v114   | Source of non-drinking water   | discrete | numeric   |          |
| V136 | v115   | Time to get to water source    | discrete | numeric   |          |
| V137 | v116   | Type of toilet facility        | discrete | numeric   |          |
| V138 | v119   | Has electricity                | discrete | numeric   |          |
| V139 | v120   | Has radio                      | discrete | numeric   |          |
| V140 | v121   | Has television                 | discrete | numeric   |          |
| V141 | v122   | Has refrigerator               | discrete | numeric   |          |
| V142 | v123   | Has bicycle                    | discrete | numeric   |          |
| V143 | v124   | Has motorcycle                 | discrete | numeric   |          |
| V144 | v125   | Has car                        | discrete | numeric   |          |
| V145 | v127   | Main floor material            | discrete | numeric   |          |
| V146 | v128   | Main wall material - NA        | discrete | numeric   |          |
| V147 | v129   | Main roof material - NA        | discrete | numeric   |          |

| ID   | Name    | Label                          | Type     | Format  | Question |
|------|---------|--------------------------------|----------|---------|----------|
| V148 | v130    | Religion - NA                  | discrete | numeric |          |
| V149 | v131    | Ethnicity - NA                 | discrete | numeric |          |
| V150 | v133    | Education in single years      | discrete | numeric |          |
| V151 | v134    | De facto place of residence    | discrete | numeric |          |
| V152 | v135    | Usual resident or visitor      | discrete | numeric |          |
| V153 | v136    | Number of household members    | discrete | numeric |          |
| V154 | v137    | Number of children 5 and under | discrete | numeric |          |
| V155 | v138    | Number of eligible women in HH | discrete | numeric |          |
| V156 | v139    | De jure region of residence    | discrete | numeric |          |
| V157 | v140    | De jure type of place of res.  | discrete | numeric |          |
| V158 | v141    | De jure place of residence     | discrete | numeric |          |
| V159 | v142    | Same source of water           | discrete | numeric |          |
| V160 | v143    | Rooms for sleeping             | contin   | numeric |          |
| V161 | v144    | Communities lived in >Jan.8?   | discrete | numeric |          |
| V162 | v145    | Month moved to res. of Jan.8?  | contin   | numeric |          |
| V163 | v146    | Year moved to res. of Jan.8?   | discrete | numeric |          |
| V164 | v147    | Residence before Jan.85        | discrete | numeric |          |
| V165 | v148    | Respondent still in school     | discrete | numeric |          |
| V166 | v149    | Educational attainment         | discrete | numeric |          |
| V167 | v150    | Relationship to household head | discrete | numeric |          |
| V168 | v151    | Sex of household head          | discrete | numeric |          |
| V169 | v152    | Age of household head          | discrete | numeric |          |
| V170 | awfactt | All woman factor - total       | discrete | numeric |          |
| V171 | awfactu | All woman factor - urban/rural | discrete | numeric |          |
| V172 | awfactr | All woman factor - regional    | discrete | numeric |          |
| V173 | awfacte | All woman factor - educational | discrete | numeric |          |

**REC21**

|              |                                      |
|--------------|--------------------------------------|
| Content      | WOMAN - Reproduction (Birth History) |
| Cases        | 15976                                |
| Variable(s)  | 18                                   |
| Structure    | Type:<br>Keys: ()                    |
| Version      |                                      |
| Producer     |                                      |
| Missing Data |                                      |

**Variables**

| ID   | Name   | Label                         | Type     | Format    | Question |
|------|--------|-------------------------------|----------|-----------|----------|
| V174 | hhid   | Case Identification           | discrete | character |          |
| V175 | caseid | Case Identification           | discrete | character |          |
| V176 | bidx   | Birth column number           | discrete | numeric   |          |
| V177 | bord   | Birth order number            | discrete | numeric   |          |
| V178 | b0     | Child is twin                 | discrete | numeric   |          |
| V179 | b1     | Month of birth                | discrete | numeric   |          |
| V180 | b2     | Year of birth                 | contin   | numeric   |          |
| V181 | b3     | Date of birth (CMC)           | contin   | numeric   |          |
| V182 | b4     | Sex of child                  | discrete | numeric   |          |
| V183 | b5     | Child is alive                | discrete | numeric   |          |
| V184 | b6     | Age at death                  | discrete | numeric   |          |
| V185 | b7     | Age at death (months-imputed) | contin   | numeric   |          |
| V186 | b8     | Current age of child          | contin   | numeric   |          |
| V187 | b9     | Who child lives with          | discrete | numeric   |          |
| V188 | b10    | Completeness of information   | discrete | numeric   |          |
| V189 | b11    | Preceding birth interval      | discrete | numeric   |          |
| V190 | b12    | Succeeding birth interval     | discrete | numeric   |          |
| V191 | b13    | Flag for age at death         | discrete | numeric   |          |

**REC22**

|              |                      |
|--------------|----------------------|
| Content      | WOMAN - Reproduction |
| Cases        | 8644                 |
| Variable(s)  | 37                   |
| Structure    | Type:<br>Keys: ()    |
| Version      |                      |
| Producer     |                      |
| Missing Data |                      |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V192 | hhid   | Case Identification            | discrete | character |          |
| V193 | caseid | Case Identification            | discrete | character |          |
| V194 | v201   | Total children ever born       | discrete | numeric   |          |
| V195 | v202   | Sons at home                   | discrete | numeric   |          |
| V196 | v203   | Daughters at home              | discrete | numeric   |          |
| V197 | v204   | Sons elsewhere                 | discrete | numeric   |          |
| V198 | v205   | Daughters elsewhere            | discrete | numeric   |          |
| V199 | v206   | Sons who have died             | discrete | numeric   |          |
| V200 | v207   | Daughters who have died        | discrete | numeric   |          |
| V201 | v208   | Births in last five years      | discrete | numeric   |          |
| V202 | v209   | Births in past year            | discrete | numeric   |          |
| V203 | v210   | Births in month of interview   | discrete | numeric   |          |
| V204 | v211   | Date of first birth (CMC)      | contin   | numeric   |          |
| V205 | v212   | Age of respondent at 1st birth | contin   | numeric   |          |
| V206 | v213   | Currently pregnant             | discrete | numeric   |          |
| V207 | v214   | Duration of current pregnancy  | discrete | numeric   |          |
| V208 | v215   | Time since last menstrual perd | discrete | numeric   |          |
| V209 | v216   | Menstruated in last six weeks  | discrete | numeric   |          |
| V210 | v217   | Knowledge of ovulatory cycle   | discrete | numeric   |          |
| V211 | v218   | Number of living children      | discrete | numeric   |          |
| V212 | v219   | Living children + current preg | discrete | numeric   |          |
| V213 | v220   | Living children + curr preg 6+ | discrete | numeric   |          |
| V214 | v221   | Marriage to first birth int.   | discrete | numeric   |          |
| V215 | v222   | Last birth to interview        | contin   | numeric   |          |
| V216 | v223   | Completeness of curr preg. inf | discrete | numeric   |          |
| V217 | v224   | Entries in birth history       | discrete | numeric   |          |
| V218 | v225   | Current pregnancy wanted       | discrete | numeric   |          |
| V219 | v226   | Time since last period (comp)  | discrete | numeric   |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V220 | v227 | Flag for last period           | discrete | numeric |          |
| V221 | v228 | Ever had a terminated preg.    | discrete | numeric |          |
| V222 | v229 | Month pregnancy ended          | contin   | numeric |          |
| V223 | v230 | Year pregnancy ended           | discrete | numeric |          |
| V224 | v231 | CMC pregnancy ended            | discrete | numeric |          |
| V225 | v232 | Completeness of last term. inf | discrete | numeric |          |
| V226 | v233 | Months when pregnancy ended    | discrete | numeric |          |
| V227 | v234 | Other such pregnancies         | discrete | numeric |          |
| V228 | v235 | Index last child prior to '85  | discrete | numeric |          |

**REC31**

|              |                             |
|--------------|-----------------------------|
| Content      | WOMAN - Contraceptive Table |
| Cases        | 69152                       |
| Variable(s)  | 10                          |
| Structure    | Type:<br>Keys: ()           |
| Version      |                             |
| Producer     |                             |
| Missing Data |                             |

**Variables**

| ID   | Name        | Label                          | Type     | Format    | Question |
|------|-------------|--------------------------------|----------|-----------|----------|
| V229 | hhid        | Case Identification            | discrete | character |          |
| V230 | caseid      | Case Identification            | discrete | character |          |
| V231 | v301        | Knowledge of any method        | discrete | numeric   |          |
| V232 | v302        | Ever use of any method         | discrete | numeric   |          |
| V233 | v303        | Knows source for modern method | discrete | numeric   |          |
| V234 | rec31_group | Contraceptive Table            | discrete | character |          |
| V235 | v304a       | Type of method                 | discrete | numeric   |          |
| V236 | v304        | Knows method                   | discrete | numeric   |          |
| V237 | v305        | Ever used method               | discrete | numeric   |          |
| V238 | v306        | Source known for method        | discrete | numeric   |          |



**REC32**

|              |                           |
|--------------|---------------------------|
| Content      | WOMAN - Contraceptive Use |
| Cases        | 8644                      |
| Variable(s)  | 54                        |
| Structure    | Type:<br>Keys: ()         |
| Version      |                           |
| Producer     |                           |
| Missing Data |                           |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V239 | hhid   | Case Identification            | discrete | character |          |
| V240 | caseid | Case Identification            | discrete | character |          |
| V241 | v310   | Living children at first use   | contin   | numeric   |          |
| V242 | v311   | Children at first use (grp)    | discrete | numeric   |          |
| V243 | v312   | Current contraceptive method   | discrete | numeric   |          |
| V244 | v313   | Current use by method type     | discrete | numeric   |          |
| V245 | v315   | Month of sterilization         | discrete | numeric   |          |
| V246 | v316   | Year of sterilization          | contin   | numeric   |          |
| V247 | v317   | Date of sterilization (CMC)    | contin   | numeric   |          |
| V248 | v318   | Completeness of information    | discrete | numeric   |          |
| V249 | v319   | Years since sterilization      | discrete | numeric   |          |
| V250 | v320   | Age at sterilization           | discrete | numeric   |          |
| V251 | v321   | Marital duration at steriliz.  | discrete | numeric   |          |
| V252 | v322   | Parity at sterilization        | discrete | numeric   |          |
| V253 | v323   | Brand of pill used             | discrete | numeric   |          |
| V254 | v325   | Cost of pills                  | contin   | numeric   |          |
| V255 | v326   | Last source for current users  | discrete | numeric   |          |
| V256 | v327   | Last source for users by type  | discrete | numeric   |          |
| V257 | v337   | Months of use of current meth  | discrete | numeric   |          |
| V258 | v338   | Problem with current method    | discrete | numeric   |          |
| V259 | v339   | Problem with current method    | discrete | numeric   |          |
| V260 | v359   | Last method disc. last 5 years | discrete | numeric   |          |
| V261 | v360   | Reason of last discontinuation | discrete | numeric   |          |
| V262 | v361   | Pattern of use                 | discrete | numeric   |          |
| V263 | v362   | Intention to use               | discrete | numeric   |          |
| V264 | v363   | Preferred future method        | discrete | numeric   |          |
| V265 | v364   | Contraceptive use & intention  | discrete | numeric   |          |
| V266 | v365   | Heard FP message on radio      | discrete | numeric   |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V267 | v366 | Acceptability of media message | discrete | numeric |          |
| V268 | v367 | Wanted last child              | discrete | numeric |          |
| V269 | v369 | First method used              | discrete | numeric |          |
| V270 | v370 | Source of first method         | discrete | numeric |          |
| V271 | v371 | Source of first method         | discrete | numeric |          |
| V272 | v372 | Shown pill package             | discrete | numeric |          |
| V273 | v373 | Doctor/nurse for first pills   | discrete | numeric |          |
| V274 | v374 | Doctor/nurse for last pills    | discrete | numeric |          |
| V275 | v375 | Reason for current method      | discrete | numeric |          |
| V276 | v376 | Main reason not to use a meth. | discrete | numeric |          |
| V277 | v377 | Source for future method       | discrete | numeric |          |
| V278 | v378 | Source for future method       | discrete | numeric |          |
| V279 | v379 | Source known for any method    | discrete | numeric |          |
| V280 | v380 | Source known for any method    | discrete | numeric |          |
| V281 | v381 | Time to get to source          | discrete | numeric |          |
| V282 | v382 | Time to get to source(grouped) | discrete | numeric |          |
| V283 | v383 | Easy/difficult to get to place | discrete | numeric |          |
| V284 | v384 | Heard about FP on Television   | discrete | numeric |          |
| V285 | v385 | Contraceptive use before cal.  | discrete | numeric |          |
| V286 | v386 | Month started method pre 85    | contin   | numeric |          |
| V287 | v387 | Year started method pre 85     | discrete | numeric |          |
| V288 | v388 | Date started method pre 85     | discrete | numeric |          |
| V289 | v389 | Months use prior to calendar   | discrete | numeric |          |
| V290 | v390 | Month stopped method pre 85    | discrete | numeric |          |
| V291 | v391 | Year stopped method pre 85     | discrete | numeric |          |
| V292 | v392 | Date stopped method pre 85     | discrete | numeric |          |

**REC41**

Content WOMAN - Maternity

Cases 3751

Variable(s) 58

Structure Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V293 | hhid   | Case Identification            | discrete | character |          |
| V294 | caseid | Case Identification            | discrete | character |          |
| V295 | midx   | Index to birth history         | discrete | numeric   |          |
| V296 | m1     | Tetanus injections bef. birth  | discrete | numeric   |          |
| V297 | m2a    | Prenatal: doctor               | discrete | numeric   |          |
| V298 | m2b    | Prenatal: nurse/midwife        | discrete | numeric   |          |
| V299 | m2c    | Prenatal: auxiliary midwi - NA | discrete | numeric   |          |
| V300 | m2d    | Prenatal: CS health profe - NA | discrete | numeric   |          |
| V301 | m2e    | Prenatal: CS health profe - NA | discrete | numeric   |          |
| V302 | m2f    | Prenatal: trained birth a - NA | discrete | numeric   |          |
| V303 | m2g    | Prenatal: trad.birth attendant | discrete | numeric   |          |
| V304 | m2h    | Prenatal: relative - NA        | discrete | numeric   |          |
| V305 | m2i    | Prenatal: CS other person - NA | discrete | numeric   |          |
| V306 | m2j    | Prenatal: CS other person - NA | discrete | numeric   |          |
| V307 | m2k    | Prenatal: other resp (uncoded) | discrete | numeric   |          |
| V308 | m2l    | Prenatal: CS other - NA        | discrete | numeric   |          |
| V309 | m2m    | Prenatal: CS other - NA        | discrete | numeric   |          |
| V310 | m2n    | Prenatal: no one               | discrete | numeric   |          |
| V311 | m3a    | Assistance: doctor             | discrete | numeric   |          |
| V312 | m3b    | Assistance: nurse/midwife      | discrete | numeric   |          |
| V313 | m3c    | Assistance: auxiliary mid - NA | discrete | numeric   |          |
| V314 | m3d    | Assistance: CS health pro - NA | discrete | numeric   |          |
| V315 | m3e    | Assistance: CS health pro - NA | discrete | numeric   |          |
| V316 | m3f    | Assistance: trained birth - NA | discrete | numeric   |          |
| V317 | m3g    | Assistance: trad.birth attend. | discrete | numeric   |          |
| V318 | m3h    | Assistance: relative           | discrete | numeric   |          |
| V319 | m3i    | Assistance: CS other pers - NA | discrete | numeric   |          |
| V320 | m3j    | Assistance: CS other pers - NA | discrete | numeric   |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V321 | m3k  | Assistance: other resp (uncod) | discrete | numeric |          |
| V322 | m3l  | Assistance: CS other - NA      | discrete | numeric |          |
| V323 | m3m  | Assistance: CS other - NA      | discrete | numeric |          |
| V324 | m3n  | Assistance: no one             | discrete | numeric |          |
| V325 | m4   | Duration of breastfeeding      | discrete | numeric |          |
| V326 | m5   | Months of breastfeeding        | discrete | numeric |          |
| V327 | m6   | Duration of amenorrhea         | discrete | numeric |          |
| V328 | m7   | Months of amenorrhea           | discrete | numeric |          |
| V329 | m8   | Duration of abstinence         | discrete | numeric |          |
| V330 | m9   | Months of abstinence           | discrete | numeric |          |
| V331 | m10  | Time wanted pregnancy          | discrete | numeric |          |
| V332 | m11  | Time would have waited         | discrete | numeric |          |
| V333 | m12  | Antenatal card for pregnancy   | discrete | numeric |          |
| V334 | m13  | Timing of 1st antenatal check  | discrete | numeric |          |
| V335 | m14  | Antenatal visits for pregnancy | discrete | numeric |          |
| V336 | m15  | Place of delivery              | discrete | numeric |          |
| V337 | m16  | Premature birth                | discrete | numeric |          |
| V338 | m17  | Delivery by caesarian section  | discrete | numeric |          |
| V339 | m18  | Size of child at birth         | discrete | numeric |          |
| V340 | m19  | Birth weight (kilos - 3 dec.)  | discrete | numeric |          |
| V341 | m20  | Reason did not breastfeed      | discrete | numeric |          |
| V342 | m21  | Reason stopped breastfeeding   | discrete | numeric |          |
| V343 | m22  | Child given other food         | discrete | numeric |          |
| V344 | m23  | Age for formula or other milk  | discrete | numeric |          |
| V345 | m24  | Age for plain water            | discrete | numeric |          |
| V346 | m25  | Age for other liquids          | discrete | numeric |          |
| V347 | m26  | Age for solid or mushy food    | discrete | numeric |          |
| V348 | m27  | Flag for breastfeeding         | discrete | numeric |          |
| V349 | m28  | Flag for amenorrhea            | discrete | numeric |          |
| V350 | m29  | Flag for abstinence            | discrete | numeric |          |

**REC42**

|              |                                  |
|--------------|----------------------------------|
| Content      | WOMAN - Breastfeeding and Health |
| Cases        | 8644                             |
| Variable(s)  | 82                               |
| Structure    | Type:<br>Keys: ()                |
| Version      |                                  |
| Producer     |                                  |
| Missing Data |                                  |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V351 | hhid   | Case Identification            | discrete | character |          |
| V352 | caseid | Case Identification            | discrete | character |          |
| V353 | v401   | Last birth ceasarean section   | discrete | numeric   |          |
| V354 | v404   | Currently breastfeeding        | discrete | numeric   |          |
| V355 | v405   | Currently amenorrheic          | discrete | numeric   |          |
| V356 | v406   | Currently abstaining           | discrete | numeric   |          |
| V357 | v407   | Times breastfed during night   | discrete | numeric   |          |
| V358 | v408   | Times breastfed during day     | discrete | numeric   |          |
| V359 | v409   | Gave child plain water         | discrete | numeric   |          |
| V360 | v409a  | Gave child sugar water         | discrete | numeric   |          |
| V361 | v410   | Gave child juice               | discrete | numeric   |          |
| V362 | v410a  | Gave child herbal tea - NA     | discrete | numeric   |          |
| V363 | v411   | Gave child powder/tinned - NA  | discrete | numeric   |          |
| V364 | v411a  | Gave child baby formula        | discrete | numeric   |          |
| V365 | v412   | Gave child fresh milk          | discrete | numeric   |          |
| V366 | v413a  | Country specific other li - NA | discrete | numeric   |          |
| V367 | v413b  | Country specific other li - NA | discrete | numeric   |          |
| V368 | v413c  | Country specific other li - NA | discrete | numeric   |          |
| V369 | v413d  | Country specific other li - NA | discrete | numeric   |          |
| V370 | v413   | Gave child other liquid        | discrete | numeric   |          |
| V371 | v414a  | Country specific other fo - NA | discrete | numeric   |          |
| V372 | v414b  | Country specific other fo - NA | discrete | numeric   |          |
| V373 | v414c  | Country specific other fo - NA | discrete | numeric   |          |
| V374 | v414d  | Country specific other fo - NA | discrete | numeric   |          |
| V375 | v414   | Gave child solid or mushy food | discrete | numeric   |          |
| V376 | v415   | Fed food in bottle with nipple | discrete | numeric   |          |
| V377 | v416   | Heard of oral rehydration      | discrete | numeric   |          |
| V378 | v417   | Entries in maternity table     | discrete | numeric   |          |

| ID   | Name  | Label                          | Type     | Format  | Question |
|------|-------|--------------------------------|----------|---------|----------|
| V379 | v418  | Entries in health table        | discrete | numeric |          |
| V380 | v419  | Entries in height/weight table | discrete | numeric |          |
| V381 | v420  | Measurer's code - NA           | discrete | numeric |          |
| V382 | v421  | Assistant measurer's code - NA | discrete | numeric |          |
| V383 | v422  | Ever prepared ORS solution     | discrete | numeric |          |
| V384 | v423  | Quantity of water for ORS      | discrete | numeric |          |
| V385 | v424a | ORS source: government hosp.   | discrete | numeric |          |
| V386 | v424b | ORS source: govt health center | discrete | numeric |          |
| V387 | v424c | ORS source: govt health post   | discrete | numeric |          |
| V388 | v424d | ORS source: mobile clinic - NA | discrete | numeric |          |
| V389 | v424e | ORS source: comm.health worker | discrete | numeric |          |
| V390 | v424f | ORS source: CS public sec - NA | discrete | numeric |          |
| V391 | v424g | ORS source: CS public sec - NA | discrete | numeric |          |
| V392 | v424h | ORS source: CS public sec - NA | discrete | numeric |          |
| V393 | v424i | ORS source: CS public sec - NA | discrete | numeric |          |
| V394 | v424j | ORS source: private hosp/clin. | discrete | numeric |          |
| V395 | v424k | ORS source: private pharmacy   | discrete | numeric |          |
| V396 | v424l | ORS source: private doctor     | discrete | numeric |          |
| V397 | v424m | ORS source: private mobil - NA | discrete | numeric |          |
| V398 | v424n | ORS source: comm.health w - NA | discrete | numeric |          |
| V399 | v424o | ORS source: Profamilia clinic  | discrete | numeric |          |
| V400 | v424p | ORS source: CS med.priv s - NA | discrete | numeric |          |
| V401 | v424q | ORS source: CS med.priv s - NA | discrete | numeric |          |
| V402 | v424r | ORS source: CS med.priv s - NA | discrete | numeric |          |
| V403 | v424s | ORS source: shop               | discrete | numeric |          |
| V404 | v424t | ORS source: traditional p - NA | discrete | numeric |          |
| V405 | v424u | ORS source: CS oth.priv s - NA | discrete | numeric |          |
| V406 | v424v | ORS source: CS oth.priv s - NA | discrete | numeric |          |
| V407 | v424w | ORS source: CS oth.priv s - NA | discrete | numeric |          |
| V408 | v424x | ORS source: Other              | discrete | numeric |          |
| V409 | v424y | ORS source: Unknown            | discrete | numeric |          |
| V410 | v425  | Home fluid preparation teacher | discrete | numeric |          |
| V411 | v426  | When child put to breast       | discrete | numeric |          |
| V412 | v427  | Duration breastfeeding pre 85  | discrete | numeric |          |
| V413 | v428  | Months breastfeeding pre 1985  | discrete | numeric |          |
| V414 | v429  | Flag for breastfeeding pre 85  | discrete | numeric |          |
| V415 | v430  | Duration of amenorrhea pre 85  | discrete | numeric |          |
| V416 | v431  | Months of amenorrhea pre 85    | discrete | numeric |          |
| V417 | v432  | Flag for amenorrhea pre 85     | discrete | numeric |          |
| V418 | v433  | Duration of abstinence pre 85  | discrete | numeric |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V419 | v434 | Months of abstinence pre 85    | discrete | numeric |          |
| V420 | v435 | Flag for abstinence pre 85     | discrete | numeric |          |
| V421 | v436 | Arm circumference (cms-1d) -NA | discrete | numeric |          |
| V422 | v437 | Respondent's weight (kilo - NA | discrete | numeric |          |
| V423 | v438 | Respondent's height (cms- - NA | discrete | numeric |          |
| V424 | v439 | Ht/A Percentile (resp.) - NA   | discrete | numeric |          |
| V425 | v440 | Ht/A Standard deviations - NA  | discrete | numeric |          |
| V426 | v441 | Ht/A Percent ref. median - NA  | discrete | numeric |          |
| V427 | v442 | Wt/Ht Percent ref. median - NA | discrete | numeric |          |
| V428 | v443 | Wt/Ht Percent ref. median - NA | discrete | numeric |          |
| V429 | v444 | Wt/Ht Percent ref. median - NA | discrete | numeric |          |
| V430 | v445 | Body mass index for respo - NA | discrete | numeric |          |
| V431 | v446 | Rohrer's index for respon - NA | discrete | numeric |          |
| V432 | v447 | Result of measurement of - NA  | discrete | numeric |          |

**REC43**

|              |                                 |
|--------------|---------------------------------|
| Content      | WOMAN - Immunization and Health |
| Cases        | 3751                            |
| Variable(s)  | 129                             |
| Structure    | Type:<br>Keys: ()               |
| Version      |                                 |
| Producer     |                                 |
| Missing Data |                                 |

**Variables**

| ID   | Name   | Label                  | Type     | Format    | Question |
|------|--------|------------------------|----------|-----------|----------|
| V433 | hhid   | Case Identification    | discrete | character |          |
| V434 | caseid | Case Identification    | discrete | character |          |
| V435 | hidx   | Index to birth history | discrete | numeric   |          |
| V436 | h1     | Has health card        | discrete | numeric   |          |
| V437 | h2     | Received BCG           | discrete | numeric   |          |
| V438 | h2d    | BCG day                | discrete | numeric   |          |
| V439 | h2m    | BCG month              | discrete | numeric   |          |
| V440 | h2y    | BCG year               | discrete | numeric   |          |
| V441 | h3     | Received DPT 1         | discrete | numeric   |          |
| V442 | h3d    | DPT 1 day              | discrete | numeric   |          |
| V443 | h3m    | DPT 1 month            | discrete | numeric   |          |
| V444 | h3y    | DPT 1 year             | discrete | numeric   |          |
| V445 | h4     | Received POLIO 1       | discrete | numeric   |          |
| V446 | h4d    | POLIO 1 day            | discrete | numeric   |          |
| V447 | h4m    | POLIO 1 month          | discrete | numeric   |          |
| V448 | h4y    | POLIO 1 year           | discrete | numeric   |          |
| V449 | h5     | Received DPT 2         | discrete | numeric   |          |
| V450 | h5d    | DPT 2 day              | discrete | numeric   |          |
| V451 | h5m    | DPT 2 month            | discrete | numeric   |          |
| V452 | h5y    | DPT 2 year             | discrete | numeric   |          |
| V453 | h6     | Received POLIO 2       | discrete | numeric   |          |
| V454 | h6d    | POLIO 2 day            | discrete | numeric   |          |
| V455 | h6m    | POLIO 2 month          | discrete | numeric   |          |
| V456 | h6y    | POLIO 2 year           | discrete | numeric   |          |
| V457 | h7     | Received DPT 3         | discrete | numeric   |          |
| V458 | h7d    | DPT 3 day              | discrete | numeric   |          |
| V459 | h7m    | DPT 3 month            | discrete | numeric   |          |
| V460 | h7y    | DPT 3 year             | discrete | numeric   |          |



| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V461 | h8   | Received POLIO 3               | discrete | numeric |          |
| V462 | h8d  | POLIO 3 day                    | discrete | numeric |          |
| V463 | h8m  | POLIO 3 month                  | discrete | numeric |          |
| V464 | h8y  | POLIO 3 year                   | discrete | numeric |          |
| V465 | h9   | Received MEASLES               | discrete | numeric |          |
| V466 | h9d  | MEASLES day                    | discrete | numeric |          |
| V467 | h9m  | MEASLES month                  | discrete | numeric |          |
| V468 | h9y  | MEASLES year                   | discrete | numeric |          |
| V469 | h10  | Ever had vaccination           | discrete | numeric |          |
| V470 | h11  | Had diarrhea recently          | discrete | numeric |          |
| V471 | h11a | How long diarrhea lasted - NA  | discrete | numeric |          |
| V472 | h11b | Blood in the stools            | discrete | numeric |          |
| V473 | h12a | Diarrhea: government hosp.     | discrete | numeric |          |
| V474 | h12b | Diarrhea: govt health center   | discrete | numeric |          |
| V475 | h12c | Diarrhea: govt health post     | discrete | numeric |          |
| V476 | h12d | Diarrhea: mobile clinic - NA   | discrete | numeric |          |
| V477 | h12e | Diarrhea: comm.health worker   | discrete | numeric |          |
| V478 | h12f | Diarrhea: CS public secto - NA | discrete | numeric |          |
| V479 | h12g | Diarrhea: CS public secto - NA | discrete | numeric |          |
| V480 | h12h | Diarrhea: CS public secto - NA | discrete | numeric |          |
| V481 | h12i | Diarrhea: CS public secto - NA | discrete | numeric |          |
| V482 | h12j | Diarrhea: private hosp/clin.   | discrete | numeric |          |
| V483 | h12k | Diarrhea: private pharmacy     | discrete | numeric |          |
| V484 | h12l | Diarrhea: private doctor       | discrete | numeric |          |
| V485 | h12m | Diarrhea: private mobile - NA  | discrete | numeric |          |
| V486 | h12n | Diarrhea: comm.health wor - NA | discrete | numeric |          |
| V487 | h12o | Diarrhea: CS med.priv sec - NA | discrete | numeric |          |
| V488 | h12p | Diarrhea: CS med.priv sec - NA | discrete | numeric |          |
| V489 | h12q | Diarrhea: CS med.priv sec - NA | discrete | numeric |          |
| V490 | h12r | Diarrhea: CS med.priv sec - NA | discrete | numeric |          |
| V491 | h12s | Diarrhea: shop - NA            | discrete | numeric |          |
| V492 | h12t | Diarrhea: traditional pra - NA | discrete | numeric |          |
| V493 | h12u | Diarrhea: CS oth.priv sec - NA | discrete | numeric |          |
| V494 | h12v | Diarrhea: CS oth.priv sec - NA | discrete | numeric |          |
| V495 | h12w | Diarrhea: CS oth.priv sec - NA | discrete | numeric |          |
| V496 | h12x | Diarrhea: Other                | discrete | numeric |          |
| V497 | h12y | Diarrhea: no treatment         | discrete | numeric |          |
| V498 | h12z | Diarrhea: medical treatment    | discrete | numeric |          |
| V499 | h13  | Given oral rehydration         | discrete | numeric |          |
| V500 | h13a | Days given ORS                 | discrete | numeric |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V501 | h14  | Given recommend. home solution | discrete | numeric |          |
| V502 | h14a | Days given fluid               | discrete | numeric |          |
| V503 | h15  | Given other pills or syrups    | discrete | numeric |          |
| V504 | h15a | Given antibiotics              | discrete | numeric |          |
| V505 | h15b | Given an injection             | discrete | numeric |          |
| V506 | h15c | Given an intravenous (IV)      | discrete | numeric |          |
| V507 | h15d | Given home remedy, herbal med. | discrete | numeric |          |
| V508 | h15e | Given CS other treatment - NA  | discrete | numeric |          |
| V509 | h15f | Given CS other treatment - NA  | discrete | numeric |          |
| V510 | h15g | Given CS other treatment - NA  | discrete | numeric |          |
| V511 | h15h | Given CS other treatment - NA  | discrete | numeric |          |
| V512 | h16  | Increase or decrease fluids    | discrete | numeric |          |
| V513 | h18  | Increase or decrease in f - NA | discrete | numeric |          |
| V514 | h18a | Breastfeeding change           | discrete | numeric |          |
| V515 | h20  | Given other treatment          | discrete | numeric |          |
| V516 | h21a | Given no treatment             | discrete | numeric |          |
| V517 | h21  | Received any treatment         | discrete | numeric |          |
| V518 | h22  | Had fever in last two weeks    | discrete | numeric |          |
| V519 | h31  | Had cough in last two weeks    | discrete | numeric |          |
| V520 | h31a | How long cough lasted          | discrete | numeric |          |
| V521 | h31b | Short, rapid breaths           | discrete | numeric |          |
| V522 | h32a | Fever/cough: government hosp.  | discrete | numeric |          |
| V523 | h32b | Fever/cough: govt health cntr  | discrete | numeric |          |
| V524 | h32c | Fever/cough: govt health post  | discrete | numeric |          |
| V525 | h32d | Fever/cough: mobile clini - NA | discrete | numeric |          |
| V526 | h32e | Fever/cough: comm.health wrkr  | discrete | numeric |          |
| V527 | h32f | Fever/cough: CS public se - NA | discrete | numeric |          |
| V528 | h32g | Fever/cough: CS public se - NA | discrete | numeric |          |
| V529 | h32h | Fever/cough: CS public se - NA | discrete | numeric |          |
| V530 | h32i | Fever/cough: CS public se - NA | discrete | numeric |          |
| V531 | h32j | Fever/cough: private hosp/clin | discrete | numeric |          |
| V532 | h32k | Fever/cough: private pharmacy  | discrete | numeric |          |
| V533 | h32l | Fever/cough: private doctor    | discrete | numeric |          |
| V534 | h32m | Fever/cough: private mobi - NA | discrete | numeric |          |
| V535 | h32n | Fever/cough: comm.health - NA  | discrete | numeric |          |
| V536 | h32o | Fever/cough: CS med.priv - NA  | discrete | numeric |          |
| V537 | h32p | Fever/cough: CS med.priv - NA  | discrete | numeric |          |
| V538 | h32q | Fever/cough: CS med.priv - NA  | discrete | numeric |          |
| V539 | h32r | Fever/cough: CS med.priv - NA  | discrete | numeric |          |
| V540 | h32s | Fever/cough: shop - NA         | discrete | numeric |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V541 | h32t | Fever/cough: traditional - NA  | discrete | numeric |          |
| V542 | h32u | Fever/cough: CS oth.priv - NA  | discrete | numeric |          |
| V543 | h32v | Fever/cough: CS oth.priv - NA  | discrete | numeric |          |
| V544 | h32w | Fever/cough: CS oth.priv - NA  | discrete | numeric |          |
| V545 | h32x | Fever/cough: Other             | discrete | numeric |          |
| V546 | h32y | Fever/cough: no treatment      | discrete | numeric |          |
| V547 | h32z | Fever/cough: medical treatment | discrete | numeric |          |
| V548 | h33  | Given antibiotics              | discrete | numeric |          |
| V549 | h33a | Given antimalarials            | discrete | numeric |          |
| V550 | h34  | Given cough syrup              | discrete | numeric |          |
| V551 | h35  | Given other pills or syrups    | discrete | numeric |          |
| V552 | h35a | Given unknown pills or sy - NA | discrete | numeric |          |
| V553 | h36  | Given injection                | discrete | numeric |          |
| V554 | h36a | Given home remedy, herbal med. | discrete | numeric |          |
| V555 | h37a | Given CS other treatment - NA  | discrete | numeric |          |
| V556 | h37b | Given CS other treatment - NA  | discrete | numeric |          |
| V557 | h37c | Given CS other treatment - NA  | discrete | numeric |          |
| V558 | h37d | Given CS other treatment - NA  | discrete | numeric |          |
| V559 | h37  | Other treatment for cough      | discrete | numeric |          |
| V560 | h38a | Given no treatment             | discrete | numeric |          |
| V561 | h38  | Given any treatment for cough  | discrete | numeric |          |

**REC51**

|              |                           |
|--------------|---------------------------|
| Content      | WOMAN - Marriage/Exposure |
| Cases        | 8644                      |
| Variable(s)  | 24                        |
| Structure    | Type:<br>Keys: ()         |
| Version      |                           |
| Producer     |                           |
| Missing Data |                           |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V562 | hhid   | Case Identification            | discrete | character |          |
| V563 | caseid | Case Identification            | discrete | character |          |
| V564 | v501   | Current marital status         | discrete | numeric   |          |
| V565 | v502   | Currently/formerly/never marr. | discrete | numeric   |          |
| V566 | v503   | Number of unions               | discrete | numeric   |          |
| V567 | v504   | Husband lives in house         | discrete | numeric   |          |
| V568 | v505   | Number of other wives - NA     | discrete | numeric   |          |
| V569 | v506   | Wife rank number - NA          | discrete | numeric   |          |
| V570 | v507   | Month of first marriage        | discrete | numeric   |          |
| V571 | v508   | Year of first marriage         | contin   | numeric   |          |
| V572 | v509   | Date of first marriage (CMC)   | contin   | numeric   |          |
| V573 | v510   | Completeness of date inform.   | discrete | numeric   |          |
| V574 | v511   | Age at first marriage          | contin   | numeric   |          |
| V575 | v512   | Years since first marriage     | contin   | numeric   |          |
| V576 | v513   | Marital duration (grouped)     | discrete | numeric   |          |
| V577 | v525   | Age at first intercourse       | discrete | numeric   |          |
| V578 | v526   | Frequency of intercourse       | discrete | numeric   |          |
| V579 | v527   | Time since last intercourse    | discrete | numeric   |          |
| V580 | v528   | Time since last intercourse(g) | discrete | numeric   |          |
| V581 | v529   | Time since last intercourse(im | discrete | numeric   |          |
| V582 | v530   | Flag for V529                  | discrete | numeric   |          |
| V583 | v531   | Age at first intercourse (imp) | discrete | numeric   |          |
| V584 | v532   | Flag for V531                  | discrete | numeric   |          |
| V585 | v533   | Usual frequency of intercourse | discrete | numeric   |          |

**REC61**

|              |                               |
|--------------|-------------------------------|
| Content      | WOMAN - Fertility Preferences |
| Cases        | 8644                          |
| Variable(s)  | 24                            |
| Structure    | Type:<br>Keys: ()             |
| Version      |                               |
| Producer     |                               |
| Missing Data |                               |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V586 | hhid   | Case Identification            | discrete | character |          |
| V587 | caseid | Case Identification            | discrete | character |          |
| V588 | v602   | Fertility preference           | discrete | numeric   |          |
| V589 | v603   | Preferred waiting time         | discrete | numeric   |          |
| V590 | v604   | Preferred waiting time (grp)   | discrete | numeric   |          |
| V591 | v605   | Desire for more children       | discrete | numeric   |          |
| V592 | v608   | Ideal post-partum abst. p - NA | discrete | numeric   |          |
| V593 | v609   | Sex while breastfeeding - NA   | discrete | numeric   |          |
| V594 | v610   | Husband approves FP - NA       | discrete | numeric   |          |
| V595 | v611   | Discussed FP with partner - NA | discrete | numeric   |          |
| V596 | v612   | Respondent approves FP - NA    | discrete | numeric   |          |
| V597 | v613   | Ideal number of children       | discrete | numeric   |          |
| V598 | v614   | Ideal number of children (grp) | discrete | numeric   |          |
| V599 | v615   | Best birth interval - NA       | discrete | numeric   |          |
| V600 | v616   | Time for future birth          | discrete | numeric   |          |
| V601 | v617   | Age youngest at future birth   | discrete | numeric   |          |
| V602 | v618   | Reason regrets sterilization   | discrete | numeric   |          |
| V603 | v619   | Think would have sterilization | discrete | numeric   |          |
| V604 | v620   | Discussed number of children   | discrete | numeric   |          |
| V605 | v621   | Husbands desire for children   | discrete | numeric   |          |
| V606 | v623   | Exposure                       | discrete | numeric   |          |
| V607 | v624   | Unmet need                     | discrete | numeric   |          |
| V608 | v625   | Exposure (definition 2)        | discrete | numeric   |          |
| V609 | v626   | Unmet need (definition 2)      | discrete | numeric   |          |

**REC71**

|              |                                   |
|--------------|-----------------------------------|
| Content      | WOMAN - Partner's Characteristics |
| Cases        | 8644                              |
| Variable(s)  | 23                                |
| Structure    | Type:<br>Keys: ()                 |
| Version      |                                   |
| Producer     |                                   |
| Missing Data |                                   |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V610 | hhid   | Case Identification            | discrete | character |          |
| V611 | caseid | Case Identification            | discrete | character |          |
| V612 | v701   | Partner's education level      | discrete | numeric   |          |
| V613 | v702   | Highest year of education      | discrete | numeric   |          |
| V614 | v704   | Partner's occupation           | contin   | numeric   |          |
| V615 | v705   | Partner's occupation           | discrete | numeric   |          |
| V616 | v707   | Type of land where works       | discrete | numeric   |          |
| V617 | v714   | Respondent currently working   | discrete | numeric   |          |
| V618 | v715   | Husbands education-single yrs  | discrete | numeric   |          |
| V619 | v716   | Respondent's occupation        | discrete | numeric   |          |
| V620 | v717   | Respondent's occupation        | discrete | numeric   |          |
| V621 | v718   | Current type of employment     | discrete | numeric   |          |
| V622 | v719   | Work for family, others, self  | discrete | numeric   |          |
| V623 | v720   | Earns cash for work            | discrete | numeric   |          |
| V624 | v721   | Works at home or away          | discrete | numeric   |          |
| V625 | v722   | Child with resp. at work       | discrete | numeric   |          |
| V626 | v723   | Child minder                   | discrete | numeric   |          |
| V627 | v724   | Ever worked since Jan. 1985    | discrete | numeric   |          |
| V628 | v725   | Month started work before 85   | contin   | numeric   |          |
| V629 | v726   | Year started work before 85    | discrete | numeric   |          |
| V630 | v727   | Month job prior to 85 ended    | discrete | numeric   |          |
| V631 | v728   | Year job prior to 85 ended     | discrete | numeric   |          |
| V632 | v729   | Partner's educational attainm. | discrete | numeric   |          |

**REC81**

|              |  |
|--------------|--|
| Content      | WOMAN - Characteristics of the Interview |
| Cases        | 8644                                     |
| Variable(s)  | 12                                       |
| Structure    | Type:<br>Keys: ()                        |
| Version      |  |
| Producer     |  |
| Missing Data |  |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V633 | hhid   | Case Identification            | discrete | character |          |
| V634 | caseid | Case Identification            | discrete | character |          |
| V635 | v801   | Time interview started         | contin   | numeric   |          |
| V636 | v802   | Time interview ended           | contin   | numeric   |          |
| V637 | v803   | Length of interview in minutes | discrete | numeric   |          |
| V638 | v804   | Number of visits               | discrete | numeric   |          |
| V639 | v805   | Interviewer identification     | contin   | numeric   |          |
| V640 | v806   | Keyer identification           | discrete | numeric   |          |
| V641 | v811   | Pres. children < 10 (sec 5)    | discrete | numeric   |          |
| V642 | v812   | Pres. husband (sec 5)          | discrete | numeric   |          |
| V643 | v813   | Pres. other males (sec 5)      | discrete | numeric   |          |
| V644 | v814   | Pres. other females (sec 5)    | discrete | numeric   |          |

**REC82**

Content WOMAN - Calendar

Cases 77796

Variable(s) 4

Structure Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

| ID   | Name   | Label                  | Type     | Format    | Question |
|------|--------|------------------------|----------|-----------|----------|
| V645 | hhid   | Case Identification    | discrete | character |          |
| V646 | caseid | Case Identification    | discrete | character |          |
| V647 | vcol   | Calendar column number | discrete | numeric   |          |
| V648 | vcal   | Calendar               | discrete | character |          |



**REC91**

|              |   |
|--------------|---|
| Content      | WOMAN - Country-specific - Single variables |
| Cases        | 8644  |
| Variable(s)  | 120   |
| Structure    | Type:<br>Keys: ()                           |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V649 | hhid   | Case Identification            | discrete | character |          |
| V650 | caseid | Case Identification            | discrete | character |          |
| V651 | sareai | Type of place of residence     | discrete | numeric   |          |
| V652 | sdepi  | Departament                    | discrete | numeric   |          |
| V653 | smuni  | Municipality                   | contin   | numeric   |          |
| V654 | svivi  | Dwelling number                | contin   | numeric   |          |
| V655 | sdurv  | Duration of the interview      | discrete | numeric   |          |
| V656 | s232b  | How many losses ?              | contin   | numeric   |          |
| V657 | s236   | Do you know what citology is ? | discrete | numeric   |          |
| V658 | s237   | Have you had a citology ?      | discrete | numeric   |          |
| V659 | s238   | Times has had a citology       | discrete | numeric   |          |
| V660 | s239   | Frequency of citology          | discrete | numeric   |          |
| V661 | s240m  | Month of last citology         | discrete | numeric   |          |
| V662 | s240a  | Year of last citology          | discrete | numeric   |          |
| V663 | s241   | Where did you have a citology  | discrete | numeric   |          |
| V664 | s315   | Current contraceptive method   | discrete | numeric   |          |
| V665 | s319a  | Has used same brand always ?   | discrete | numeric   |          |
| V666 | s319ba | Used Noriday before ?          | discrete | numeric   |          |
| V667 | s319bb | Used Eugynon before ?          | discrete | numeric   |          |
| V668 | s319bc | Used Neogynon 21 before ?      | discrete | numeric   |          |
| V669 | s319bd | Used Neogynon 28 before ?      | discrete | numeric   |          |
| V670 | s319be | Has used Microgynon 21 before? | discrete | numeric   |          |
| V671 | s319bf | Has used Microgynon 28 before? | discrete | numeric   |          |
| V672 | s319bg | Hase used Noral 21 before ?    | discrete | numeric   |          |
| V673 | s319bh | Has used Noral 28 before ?     | discrete | numeric   |          |
| V674 | s319bi | Has used Nordette 21 before ?  | discrete | numeric   |          |
| V675 | s319bj | Has used Nordette 28 before ?  | discrete | numeric   |          |
| V676 | s319bk | Has used Ovral 21 before ?     | discrete | numeric   |          |

| ID   | Name    | Label                          | Type     | Format  | Question |
|------|---------|--------------------------------|----------|---------|----------|
| V677 | s319bl  | Other pill brand before ?      | discrete | numeric |          |
| V678 | s319bm  | Don't know pill brand used bef | discrete | numeric |          |
| V679 | s320a   | Preferred pill packing         | discrete | numeric |          |
| V680 | s320b   | Why do you prefer box package? | discrete | numeric |          |
| V681 | s320da  | Brand of condoms used          | discrete | numeric |          |
| V682 | s320ea  | Has used condom brand always ? | discrete | numeric |          |
| V683 | s320faa | Has used Tahiti before ?       | discrete | numeric |          |
| V684 | s320fab | Has used Stimula before ?      | discrete | numeric |          |
| V685 | s320fac | Has used Sultan before ?       | discrete | numeric |          |
| V686 | s320fad | Has used Prime before ?        | discrete | numeric |          |
| V687 | s320fae | Has used Rosetex before ?      | discrete | numeric |          |
| V688 | s320faf | Has used Nuda before ?         | discrete | numeric |          |
| V689 | s320fag | Has used Conture before ?      | discrete | numeric |          |
| V690 | s320fah | Has used Jellia before ?       | discrete | numeric |          |
| V691 | s320fai | Has used Million before ?      | discrete | numeric |          |
| V692 | s320faj | Has used Love before ?         | discrete | numeric |          |
| V693 | s320fak | Has used Paradise before ?     | discrete | numeric |          |
| V694 | s320fal | Has used Sanamed before ?      | discrete | numeric |          |
| V695 | s320fam | Used other condom brand before | discrete | numeric |          |
| V696 | s320fan | Don't know condom brand used b | discrete | numeric |          |
| V697 | s320db  | Brand of vaginal method        | discrete | numeric |          |
| V698 | s320eb  | Has used this vagynals always? | discrete | numeric |          |
| V699 | s320fba | Has used Norforms before ?     | discrete | numeric |          |
| V700 | s320fbb | Has used Neosampoon tubes befo | discrete | numeric |          |
| V701 | s320fbc | Has used Neosampoon tablets be | discrete | numeric |          |
| V702 | s320fbd | Has used Emko 40g before ?     | discrete | numeric |          |
| V703 | s320fbe | Has used Emko because before ? | discrete | numeric |          |
| V704 | s320fbf | Has used Farma 12 before ?     | discrete | numeric |          |
| V705 | s320fbg | Has used other vagynals brand  | discrete | numeric |          |
| V706 | s320fbh | Don't know brand vagynals used | discrete | numeric |          |
| V707 | s320dc  | Brand injection used           | discrete | numeric |          |
| V708 | s320ec  | Has used same injection always | discrete | numeric |          |
| V709 | s320fca | Has used Noristerat before ?   | discrete | numeric |          |
| V710 | s320fcb | Has used Perlutal before ?     | discrete | numeric |          |
| V711 | s320fcc | Has used Depoprovera before ?  | discrete | numeric |          |
| V712 | s320fcd | Has used Other injection befor | discrete | numeric |          |
| V713 | s320fce | Don't know brand of injection  | discrete | numeric |          |
| V714 | s320g   | Used condom as only method ?   | discrete | numeric |          |
| V715 | s320h   | Method used with condom        | discrete | numeric |          |
| V716 | s320i   | Out of 10, n times two methods | contin   | numeric |          |

| ID   | Name   | Label                          | Type     | Format  | Question |
|------|--------|--------------------------------|----------|---------|----------|
| V717 | s320j  | Used condom as provisional met | discrete | numeric |          |
| V718 | s320k  | Before which method used condo | discrete | numeric |          |
| V719 | s320l  | Out of 10, n times condom prov | discrete | numeric |          |
| V720 | s320m  | Used condom to prevent disease | discrete | numeric |          |
| V721 | s320n  | Out of 10, n times condom prev | contin   | numeric |          |
| V722 | s320o  | More than 1 condom in a relati | discrete | numeric |          |
| V723 | s320p  | Out of 10, n times more than 1 | discrete | numeric |          |
| V724 | s322a  | Age last child at sterilizatio | discrete | numeric |          |
| V725 | s322b  | Last child through cesarean se | discrete | numeric |          |
| V726 | s322c  | Was it your first cesarean ?   | discrete | numeric |          |
| V727 | s323ac | City of sterilization          | contin   | numeric |          |
| V728 | s323ad | Department of Sterilization    | discrete | numeric |          |
| V729 | sn323  | Original source                | discrete | numeric |          |
| V730 | s341a  | Transport media to supply site | discrete | numeric |          |
| V731 | s341b  | Cost of round trip to supply s | discrete | numeric |          |
| V732 | s343   | N of times heard FP message    | discrete | numeric |          |
| V733 | s345   | Has heard of AIDS              | discrete | numeric |          |
| V734 | s346a  | Acquired by sex man-woman      | discrete | numeric |          |
| V735 | s346b  | Acquired by sharing needles    | discrete | numeric |          |
| V736 | s346c  | Acquired by using needles twic | discrete | numeric |          |
| V737 | s346d  | Acquired by blood transfusion  | discrete | numeric |          |
| V738 | s346e  | Acquired by breastfeeding      | discrete | numeric |          |
| V739 | s346f  | Acquired by massages, masturb  | discrete | numeric |          |
| V740 | s346g  | Acquired by oral sex           | discrete | numeric |          |
| V741 | s346h  | Acquired by sex with homosexua | discrete | numeric |          |
| V742 | s346i  | Acquired by kiss               | discrete | numeric |          |
| V743 | s346j  | Acquired by another means      | discrete | numeric |          |
| V744 | s346k  | Don't know how to acquire AIDS | discrete | numeric |          |
| V745 | s347a  | AIDS affects only homosexuals  | discrete | numeric |          |
| V746 | s347b  | AIDS affects only prostitutes  | discrete | numeric |          |
| V747 | s347c  | AIDS can affect any man        | discrete | numeric |          |
| V748 | s347d  | AIDS can affect any woman      | discrete | numeric |          |
| V749 | s347e  | AIDS can affect any child      | discrete | numeric |          |
| V750 | s347f  | AIDS affects only drug addicts | discrete | numeric |          |
| V751 | s347g  | AIDS can affect anybody        | discrete | numeric |          |
| V752 | s347h  | Don't know who AIDS affect     | discrete | numeric |          |
| V753 | s348   | Can AIDS be prevented ?        | discrete | numeric |          |
| V754 | s349a  | Prevent AIDS by using condom   | discrete | numeric |          |
| V755 | s349b  | Prevent AIDS one sex partner   | discrete | numeric |          |
| V756 | s349c  | Prevent AIDS avoid homosexuals | discrete | numeric |          |

| ID   | Name  | Label                          | Type     | Format  | Question |
|------|-------|--------------------------------|----------|---------|----------|
| V757 | s349d | Prevent AIDS by sex abstinence | discrete | numeric |          |
| V758 | s349e | Prevent AIDS avoid blood trans | discrete | numeric |          |
| V759 | s349f | Prevent AIDS no needle sharing | discrete | numeric |          |
| V760 | s349g | Prevent AIDS no anal sex       | discrete | numeric |          |
| V761 | s349h | Other way to prevent AIDS      | discrete | numeric |          |
| V762 | s349i | Don't know how to prevent AIDS | discrete | numeric |          |
| V763 | s504  | Marital status                 | discrete | numeric |          |
| V764 | s514a | Satisfaction with sex relation | discrete | numeric |          |
| V765 | s514b | Satisf with sex rel before ste | discrete | numeric |          |
| V766 | s514c | Improved sex rel after sterilz | discrete | numeric |          |
| V767 | s514d | Marriage improved after steril | discrete | numeric |          |
| V768 | s704  | Can husband read letter/newspa | discrete | numeric |          |

**REC95**

|              |                                   |
|--------------|-----------------------------------|
| Content      | WOMAN - Country-specific - Health |
| Cases        | 3751                              |
| Variable(s)  | 5                                 |
| Structure    | Type:<br>Keys: ()                 |
| Version      |                                   |
| Producer     |                                   |
| Missing Data |                                   |

**Variables**

| ID   | Name   | Label                  | Type     | Format    | Question |
|------|--------|------------------------|----------|-----------|----------|
| V769 | hhid   | Case Identification    | discrete | character |          |
| V770 | caseid | Case Identification    | discrete | character |          |
| V771 | idx95  | Index to birth history | discrete | numeric   |          |
| V772 | s456   | Days cough lasted      | discrete | numeric   |          |
| V773 | s465   | Days diarrhea lasted   | discrete | numeric   |          |

**REC97**

|              |                          |
|--------------|--------------------------|
| Content      | WOMAN - Country-specific |
| Cases        | 8644                     |
| Variable(s)  | 33                       |
| Structure    | Type:<br>Keys: ()        |
| Version      |                          |
| Producer     |                          |
| Missing Data |                          |

**Variables**

| ID   | Name   | Label                           | Type     | Format    | Question |
|------|--------|---------------------------------|----------|-----------|----------|
| V774 | hhid   | Case Identification             | discrete | character |          |
| V775 | caseid | Case Identification             | discrete | character |          |
| V776 | s727   | Do you argue with your husband  | discrete | numeric   |          |
| V777 | s728   | Has your husband insulted you?  | discrete | numeric   |          |
| V778 | s729a  | Insult, intellectual ability    | discrete | numeric   |          |
| V779 | s729b  | Insult age, corporal image      | discrete | numeric   |          |
| V780 | s729c  | Insult, sex ability             | discrete | numeric   |          |
| V781 | s729d  | Insult, work at home            | discrete | numeric   |          |
| V782 | s729e  | Insult, work outside home       | discrete | numeric   |          |
| V783 | s729f  | Insult, child rearing           | discrete | numeric   |          |
| V784 | s729g  | Insult, family relations        | discrete | numeric   |          |
| V785 | s729h  | Insult, other                   | discrete | numeric   |          |
| V786 | s729i  | Does not answer wich insult     | discrete | numeric   |          |
| V787 | s730   | Has your husband beaten you     | discrete | numeric   |          |
| V788 | s731a  | Beaten. Drunk                   | discrete | numeric   |          |
| V789 | s731b  | Beaten. Infidelity              | discrete | numeric   |          |
| V790 | s731c  | Beaten. Beat children           | discrete | numeric   |          |
| V791 | s731d  | Beaten. Irresponsible           | discrete | numeric   |          |
| V792 | s731e  | Beaten. Family problems         | discrete | numeric   |          |
| V793 | s731f  | Beaten. Bad temper              | discrete | numeric   |          |
| V794 | s731g  | Beaten. Other reason            | discrete | numeric   |          |
| V795 | s731h  | Beaten. Do not answer           | discrete | numeric   |          |
| V796 | s732   | First time husband beat wife    | discrete | numeric   |          |
| V797 | s733   | How did you react to aggression | discrete | numeric   |          |
| V798 | s734   | To whom did you go when beaten  | discrete | numeric   |          |
| V799 | s735   | Authority denounced             | discrete | numeric   |          |
| V800 | s736   | Reason did not go to authority  | discrete | numeric   |          |
| V801 | s738   | Children present when beaten    | discrete | numeric   |          |

| ID   | Name | Label                           | Type     | Format  | Question |
|------|------|---------------------------------|----------|---------|----------|
| V802 | s739 | Has aggression affected childre | discrete | numeric |          |
| V803 | s740 | How were children affected      | discrete | numeric |          |
| V804 | s741 | Husband has forced to have sex  | discrete | numeric |          |
| V805 | s742 | Are children beaten             | discrete | numeric |          |
| V806 | s743 | Who else beats children         | discrete | numeric |          |

**SEC1**

Content            Wealth Index

Cases            7412

Variable(s)      3

Structure        Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

| ID   | Name     | Label                           | Type     | Format    | Question |
|------|----------|---------------------------------|----------|-----------|----------|
| V807 | whhid    | Household ID                    | discrete | character |          |
| V808 | wlthindf | Wealth Index from factor scores | contin   | numeric   |          |
| V809 | wlthind5 | Quintiles of wealth index       | discrete | numeric   |          |





## Case Identification (hhid)

File: RECH0

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Country code and phase (hv000)

File: RECH0

**Overview**

Type: Discrete  
 Format: character  
 Width: 3

## Cluster number (hv001)

File: RECH0

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 1001-5340

## Household number (hv002)

File: RECH0

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Respondent's line number - NA (hv003)

File: RECH0

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Ultimate area unit (hv004)

File: RECH0

**Overview**

## Ultimate area unit (hv004)

File: RECH0

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1001-5340

## Sample weight (hv005)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 7  
Decimals: 0  
Range: 0-8320933

## Month of interview - NA (hv006)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Year of interview - NA (hv007)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Date of interview (CMC) - NA (hv008)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Number of household members (hv009)

File: RECH0

### Overview

## Number of household members (hv009)

File: RECH0

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-19

## Number of eligible women in HH (hv010)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Number of eligible men in HH (hv011)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-0

## Number of de jure members (hv012)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-19

## Number of de facto members (hv013)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-19

## Number of children 5 and under (hv014)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Result of household interview (hv015)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Day of interview - NA (hv016)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Number of visits - NA (hv017)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Interviewer identificatio - NA (hv018)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Keyer identification - NA (hv019)

File: RECH0

## Keyer identification - NA (hv019)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Ever-married sample (hv020)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Primary sampling unit (hv021)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1001-5340

## Sample stratum number (hv022)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-321

## Sample domain (hv023)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-11

## Region (hv024)

File: RECH0

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-5

## Type of place of residence (hv025)

File: RECH0

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Place of residence (hv026)

File: RECH0

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-3

## Selection for male/husb. int. (hv027)

File: RECH0

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-2

## Sample weight for male subsamp (hv028)

File: RECH0

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-0

## Case Identification (hhid)

File: RECH1

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Line number (hvidx)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-19

## Relationship to head (hv101)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Usual resident (hv102)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Slept last night (hv103)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Sex of household member (hv104)

File: RECH1



## Sex of household member (hv104)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Age of household members (hv105)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Highest educational level (hv106)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Highest year of education (hv107)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Education in single years (hv108)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Educational attainment (hv109)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Member still in school (hv110)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Mother alive - NA (hv111)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Mother's line number (hv112)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Father alive - NA (hv113)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Father's line number (hv114)

File: RECH1

## Father's line number (hv114)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Current marital status - NA (hv115)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Currently, formerly, neve - NA (hv116)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Eligibility for female intview (hv117)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Eligibility for male interview (hv118)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Case Identification (hhid)

File: RECH2

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Source of drinking water (hv201)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Source of non-drinking water (hv202)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Same source of water (hv203)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Time to get to water source (hv204)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 1-999

## Type of toilet facility (hv205)

File: RECH2

## Type of toilet facility (hv205)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Has electricity (hv206)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Has radio (hv207)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Has television (hv208)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Has refrigerator (hv209)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Has bicycle (hv210)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Has motorcycle (hv211)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Has car (hv212)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Main floor material (hv213)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Main wall material - NA (hv214)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Main roof material - NA (hv215)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Rooms for sleeping (hv216)

File: RECH2

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Relationship structure (hv217)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Line number of head of househ. (hv218)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-1

## Sex of head of household (hv219)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

# Age of head of household (hv220)

## File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 14-99

Valid cases: 7412  
Invalid: 0



## Case Identification (hhid)

File: RECH3

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Type of place of residence (sharea)

File: RECH3

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Departament (shdep)

File: RECH3

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 5-76

## Municipality (shmun)

File: RECH3

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 1-898

## Dwelling number (shviv)

File: RECH3

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Fuel used to cook (shh6)

File: RECH3

## Fuel used to cook (shh6)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Household has telephone ? (shh7a)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household has iron ? (shh7f)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household has blender ? (shh7g)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Does anybody has a tractor ? (shh8d)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hhid)

File: RECH4

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Index to household schedule (idxh4)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-19

## Ever attended to school? (shq7)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Highest school level (shq8n)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Highest grade (shq8g)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Member still in school ? (shq9)

File: RECH4

## Member still in school ? (shq9)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hhid)

File: REC01

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC01

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Country code and phase (v000)

File: REC01

**Overview**

Type: Discrete  
 Format: character  
 Width: 3

## Cluster number (v001)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 1001-5340

## Household number (v002)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Respondent's line number (v003)

File: REC01

**Overview**

## Respondent's line number (v003)

File: REC01

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-18

## Ultimate area unit (v004)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 1001-5340

## Sample weight (v005)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 7  
 Decimals: 0  
 Range: 0-9310159

## Month of interview (v006)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 5-8

## Year of interview (v007)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 90-90

## Date of interview (CMC) (v008)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 1085-1088

## Respondent's month of birth (v009)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-12

## Respondent's year of birth (v010)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 40-75

## Date of birth (CMC) (v011)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 487-908

## Current age - respondent (v012)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 15-49

## Age 5-year groups (v013)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Completeness of information (v014)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Result of individual interview (v015)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Day of interview (v016)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-31

## CMC start of calendar/health (v017)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1021-1021



## Row of month of interview (v018)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-16

## Length of calendar (v019)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-68

## Ever-married sample (v020)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Primary sampling unit (v021)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 1001-5340

## Sample stratum number (v022)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 1-321

## Sample domain (v023)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-11

## Region (v024)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Type of place of residence (v025)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## De facto place of residence (v026)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Number of visits (v027)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Interviewer identification (v028)

File: REC01

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-33

## Keyer identification (v029)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-11

## Case Identification (hhid)

File: REC11

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC11

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Region (v101)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-5

## Type of place of residence (v102)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Childhood place of residence (v103)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Years lived in place of res. (v104)

File: REC11

**Overview**

## Years lived in place of res. (v104)

File: REC11

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Type of place of previous res. (v105)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Highest educational level (v106)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Highest year of education (v107)

File: REC11

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Literacy (v108)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Reads newspaper once a week (v109)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Watches TV every week (v110)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Listens to radio every day (v111)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Listens to radio every we - NA (v112)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source of drinking water (v113)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Source of non-drinking water (v114)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-71

## Time to get to water source (v115)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-999

## Type of toilet facility (v116)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Has electricity (v119)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has radio (v120)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has television (v121)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has refrigerator (v122)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has bicycle (v123)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has motorcycle (v124)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has car (v125)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9



## Main floor material (v127)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Main wall material - NA (v128)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Main roof material - NA (v129)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Religion - NA (v130)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Ethnicity - NA (v131)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Education in single years (v133)

File: REC11

### Overview

## Education in single years (v133)

File: REC11

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## De facto place of residence (v134)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Usual resident or visitor (v135)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Number of household members (v136)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-19

## Number of children 5 and under (v137)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Number of eligible women in HH (v138)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## De jure region of residence (v139)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## De jure type of place of res. (v140)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## De jure place of residence (v141)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Same source of water (v142)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Rooms for sleeping (v143)

File: REC11

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Communities lived in &gt;Jan.8? (v144)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Month moved to res. of Jan.8? (v145)

File: REC11

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Year moved to res. of Jan.8? (v146)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 42-99

## Residence before Jan.85 (v147)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Respondent still in school (v148)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Educational attainment (v149)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Relationship to household head (v150)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Sex of household head (v151)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Age of household head (v152)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 15-99

## All woman factor - total (awfactt)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 100-100

## All woman factor - urban/rural (awfactu)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 100-100

## All woman factor - regional (awfactr)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 100-100

## All woman factor - educational (awfacte)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 100-100

## Case Identification (hhid)

File: REC21

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC21

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Birth column number (bidx)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-17

## Birth order number (bord)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-17

## Child is twin (b0)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-5

## Month of birth (b1)

File: REC21

**Overview**

## Month of birth (b1)

File: REC21

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Year of birth (b2)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 55-90

## Date of birth (CMC) (b3)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 662-1088

## Sex of child (b4)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Child is alive (b5)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1



## Age at death (b6)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 100-999

## Age at death (months-imputed) (b7)

File: REC21

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-396

## Current age of child (b8)

File: REC21

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-35

## Who child lives with (b9)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Completeness of information (b10)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Preceding birth interval (b11)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 6-997

## Succeeding birth interval (b12)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 6-997

## Flag for age at death (b13)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Case Identification (hhid)

File: REC22

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC22

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Total children ever born (v201)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-17

## Sons at home (v202)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Daughters at home (v203)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Sons elsewhere (v204)

File: REC22

**Overview**

## Sons elsewhere (v204)

File: REC22

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Daughters elsewhere (v205)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Sons who have died (v206)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Daughters who have died (v207)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Births in last five years (v208)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Births in past year (v209)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Births in month of interview (v210)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Date of first birth (CMC) (v211)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 662-1088

## Age of respondent at 1st birth (v212)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 8-42

## Currently pregnant (v213)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Duration of current pregnancy (v214)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Time since last menstrual perd (v215)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 100-999

## Menstruated in last six weeks (v216)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Knowledge of ovulatory cycle (v217)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Number of living children (v218)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-15

## Living children + current preg (v219)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-15

## Living children + curr preg 6+ (v220)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Marriage to first birth int. (v221)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-996

## Last birth to interview (v222)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-379

## Completeness of curr preg. inf (v223)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 7-8

## Entries in birth history (v224)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-17

## Current pregnancy wanted (v225)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Time since last period (comp) (v226)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Flag for last period (v227)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever had a terminated preg. (v228)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1



## Month pregnancy ended (v229)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year pregnancy ended (v230)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 56-99

## CMC pregnancy ended (v231)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 708-9999

## Completeness of last term. inf (v232)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Months when pregnancy ended (v233)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Other such pregnancies (v234)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Index last child prior to '85 (v235)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Case Identification (hhid)

File: REC31

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC31

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Knowledge of any method (v301)

File: REC31

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-3

## Ever use of any method (v302)

File: REC31

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Knows source for modern method (v303)

File: REC31

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Contraceptive Table (rec31\_group)

File: REC31

**Overview**

## Contraceptive Table (rec31\_group)

File: REC31

Type: Discrete  
Format: character  
Width: 4

## Type of method (v304a)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Knows method (v304)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever used method (v305)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source known for method (v306)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hhid)

File: REC32

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC32

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Living children at first use (v310)

File: REC32

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Children at first use (grpdc) (v311)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Current contraceptive method (v312)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-15

## Current use by method type (v313)

File: REC32

**Overview**

## Current use by method type (v313)

File: REC32

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Month of sterilization (v315)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Year of sterilization (v316)

File: REC32

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 67-90

## Date of sterilization (CMC) (v317)

File: REC32

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 809-1087

## Completeness of information (v318)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Years since sterilization (v319)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Age at sterilization (v320)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Marital duration at steriliz. (v321)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Parity at sterilization (v322)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Brand of pill used (v323)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Cost of pills (v325)

File: REC32

### Overview

Type: Continuous  
Format: numeric  
Width: 6  
Decimals: 0  
Range: 1-999998

## Last source for current users (v326)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Last source for users by type (v327)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Months of use of current meth (v337)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Problem with current method (v338)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99



## Problem with current method (v339)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Last method disc. last 5 years (v359)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-15

## Reason of last discontinuation (v360)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Pattern of use (v361)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Intention to use (v362)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Preferred future method (v363)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Contraceptive use &amp; intention (v364)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

## Heard FP message on radio (v365)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Acceptability of media message (v366)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Wanted last child (v367)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## First method used (v369)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Source of first method (v370)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Source of first method (v371)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Shown pill package (v372)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Doctor/nurse for first pills (v373)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Doctor/nurse for last pills (v374)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason for current method (v375)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Main reason not to use a meth. (v376)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Source for future method (v377)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Source for future method (v378)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Source known for any method (v379)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Source known for any method (v380)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Time to get to source (v381)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 1000-9999

## Time to get to source(grouped) (v382)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Easy/difficult to get to place (v383)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Heard about FP on Television (v384)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Contraceptive use before cal. (v385)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Month started method pre 85 (v386)

File: REC32

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year started method pre 85 (v387)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 63-99

## Date started method pre 85 (v388)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 765-9999

## Months use prior to calendar (v389)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Month stopped method pre 85 (v390)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year stopped method pre 85 (v391)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 68-98

## Date stopped method pre 85 (v392)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 823-9998

## Case Identification (hhid)

File: REC41

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC41

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Index to birth history (midx)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

## Tetanus injections bef. birth (m1)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Prenatal: doctor (m2a)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Prenatal: nurse/midwife (m2b)

File: REC41

**Overview**



## Prenatal: nurse/midwife (m2b)

File: REC41

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Prenatal: auxiliary midwi - NA (m2c)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: CS health profe - NA (m2d)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: CS health profe - NA (m2e)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: trained birth a - NA (m2f)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: trad.birth attendant (m2g)

File: REC41

**Overview**

## Prenatal: trad.birth attendant (m2g)

File: REC41

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal: relative - NA (m2h)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Prenatal: CS other person - NA (m2i)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Prenatal: CS other person - NA (m2j)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Prenatal: other resp (uncoded) (m2k)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal: CS other - NA (m2l)

File: REC41

### Overview

## Prenatal: CS other - NA (m2l)

File: REC41

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: CS other - NA (m2m)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: no one (m2n)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Assistance: doctor (m3a)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Assistance: nurse/midwife (m3b)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Assistance: auxiliary mid - NA (m3c)

File: REC41

**Overview**

Assistance: auxiliary mid - NA (m3c)

File: REC41

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: CS health pro - NA (m3d)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: CS health pro - NA (m3e)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: trained birth - NA (m3f)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: trad.birth attend. (m3g)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Assistance: relative (m3h)

File: REC41

#### Overview

Assistance: relative (m3h)

File: REC41

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Assistance: CS other pers - NA (m3i)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: CS other pers - NA (m3j)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: other resp (uncod) (m3k)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Assistance: CS other - NA (m3l)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: CS other - NA (m3m)

File: REC41

#### Overview

Assistance: CS other - NA (m3m)

File: REC41

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: no one (m3n)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Duration of breastfeeding (m4)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

Months of breastfeeding (m5)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

Duration of amenorrhea (m6)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

Months of amenorrhea (m7)

File: REC41

## Months of amenorrhea (m7)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Duration of abstinence (m8)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Months of abstinence (m9)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Time wanted pregnancy (m10)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Time would have waited (m11)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 102-999

## Antenatal card for pregnancy (m12)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Timing of 1st antenatal check (m13)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Antenatal visits for pregnancy (m14)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Place of delivery (m15)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Premature birth (m16)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9



## Delivery by caesarian section (m17)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Size of child at birth (m18)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Birth weight (kilos - 3 dec.) (m19)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1000-9999

## Reason did not breastfeed (m20)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Reason stopped breastfeeding (m21)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Child given other food (m22)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age for formula or other milk (m23)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Age for plain water (m24)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Age for other liquids (m25)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Age for solid or mushy food (m26)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Flag for breastfeeding (m27)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Flag for amenorrhea (m28)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Flag for abstinence (m29)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Case Identification (hhid)

File: REC42

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC42

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Last birth cesarean section (v401)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Currently breastfeeding (v404)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Currently amenorrheic (v405)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Currently abstaining (v406)

File: REC42

**Overview**

## Currently abstaining (v406)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Times breastfed during night (v407)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Times breastfed during day (v408)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Gave child plain water (v409)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Gave child sugar water (v409a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Gave child juice (v410)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Gave child herbal tea - NA (v410a)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Gave child powder/tinned - NA (v411)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Gave child baby formula (v411a)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Gave child fresh milk (v412)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Country specific other li - NA (v413a)

File: REC42

## Country specific other li - NA (v413a)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other li - NA (v413b)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other li - NA (v413c)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other li - NA (v413d)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Gave child other liquid (v413)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Country specific other fo - NA (v414a)

File: REC42

**Overview**

## Country specific other fo - NA (v414a)

File: REC42

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other fo - NA (v414b)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other fo - NA (v414c)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other fo - NA (v414d)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Gave child solid or mushy food (v414)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Fed food in bottle with nipple (v415)

File: REC42

**Overview**



## Fed food in bottle with nipple (v415)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard of oral rehydration (v416)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Entries in maternity table (v417)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Entries in health table (v418)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Entries in height/weight table (v419)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-0

## Measurer's code - NA (v420)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Assistant measurer's code - NA (v421)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Ever prepared ORS solution (v422)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Quantity of water for ORS (v423)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 500-9999

## ORS source: government hosp. (v424a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## ORS source: govt health center (v424b)

File: REC42

ORS source: govt health center (v424b)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: govt health post (v424c)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: mobile clinic - NA (v424d)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: comm.health worker (v424e)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: CS public sec - NA (v424f)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS public sec - NA (v424g)

File: REC42

ORS source: CS public sec - NA (v424g)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS public sec - NA (v424h)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS public sec - NA (v424i)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: private hosp/clin. (v424j)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: private pharmacy (v424k)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: private doctor (v424l)

File: REC42

ORS source: private doctor (v424l)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: private mobil - NA (v424m)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: comm.health w - NA (v424n)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: Profamilia clinic (v424o)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: CS med.priv s - NA (v424p)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS med.priv s - NA (v424q)

File: REC42

ORS source: CS med.priv s - NA (v424q)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS med.priv s - NA (v424r)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: shop (v424s)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: traditional p - NA (v424t)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS oth.priv s - NA (v424u)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS oth.priv s - NA (v424v)

File: REC42

#### Overview

ORS source: CS oth.priv s - NA (v424v)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS oth.priv s - NA (v424w)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: Other (v424x)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: Unknown (v424y)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Home fluid preparation teacher (v425)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

When child put to breast (v426)

File: REC42

#### Overview

## When child put to breast (v426)

File: REC42

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Duration breastfeeding pre 85 (v427)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Months breastfeeding pre 1985 (v428)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Flag for breastfeeding pre 85 (v429)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Duration of amenorrhea pre 85 (v430)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99



## Months of amenorrhea pre 85 (v431)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Flag for amenorrhea pre 85 (v432)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-4

## Duration of abstinence pre 85 (v433)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Months of abstinence pre 85 (v434)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Flag for abstinence pre 85 (v435)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-4

## Arm circumference (cms-1d) -NA (v436)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Respondent's weight (kilo - NA (v437)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Respondent's height (cms- - NA (v438)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Ht/A Percentile (resp.) - NA (v439)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Ht/A Standard deviations - NA (v440)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Ht/A Percent ref. median - NA (v441)

File: REC42

**Overview**

Ht/A Percent ref. median - NA (v441)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Wt/Ht Percent ref. median - NA (v442)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Wt/Ht Percent ref. median - NA (v443)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Wt/Ht Percent ref. median - NA (v444)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Body mass index for respo - NA (v445)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Rohrer's index for respon - NA (v446)

File: REC42

#### Overview

## Rohrer's index for respon - NA (v446)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Result of measurement of - NA (v447)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Case Identification (hhid)

File: REC43

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC43

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Index to birth history (hidx)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

## Has health card (h1)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Received BCG (h2)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## BCG day (h2d)

File: REC43

**Overview**

## BCG day (h2d)

File: REC43

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## BCG month (h2m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## BCG year (h2y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 85-98

## Received DPT 1 (h3)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## DPT 1 day (h3d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## DPT 1 month (h3m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## DPT 1 year (h3y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 85-98

## Received POLIO 1 (h4)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## POLIO 1 day (h4d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## POLIO 1 month (h4m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## POLIO 1 year (h4y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 85-99

## Received DPT 2 (h5)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## DPT 2 day (h5d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## DPT 2 month (h5m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## DPT 2 year (h5y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 85-98



## Received POLIO 2 (h6)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## POLIO 2 day (h6d)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## POLIO 2 month (h6m)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## POLIO 2 year (h6y)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 85-98

## Received DPT 3 (h7)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## DPT 3 day (h7d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## DPT 3 month (h7m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## DPT 3 year (h7y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 85-98

## Received POLIO 3 (h8)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## POLIO 3 day (h8d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## POLIO 3 month (h8m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## POLIO 3 year (h8y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 85-99

## Received MEASLES (h9)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## MEASLES day (h9d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## MEASLES month (h9m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## MEASLES year (h9y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 85-98

## Ever had vaccination (h10)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Had diarrhea recently (h11)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## How long diarrhea lasted - NA (h11a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Blood in the stools (h11b)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: government hosp. (h12a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: govt health center (h12b)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: govt health post (h12c)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: mobile clinic - NA (h12d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: comm.health worker (h12e)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: CS public secto - NA (h12f)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: CS public secto - NA (h12g)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: CS public secto - NA (h12h)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: CS public secto - NA (h12i)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: private hosp/clin. (h12j)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: private pharmacy (h12k)

### File: REC43

#### Overview

## Diarrhea: private pharmacy (h12k)

File: REC43

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: private doctor (h12l)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: private mobile - NA (h12m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: comm.health wor - NA (h12n)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: CS med.priv sec - NA (h12o)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: CS med.priv sec - NA (h12p)

File: REC43

**Overview**

## Diarrhea: CS med.priv sec - NA (h12p)

File: REC43

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: CS med.priv sec - NA (h12q)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: CS med.priv sec - NA (h12r)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: shop - NA (h12s)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: traditional pra - NA (h12t)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: CS oth.priv sec - NA (h12u)

File: REC43

**Overview**



## Diarrhea: CS oth.priv sec - NA (h12u)

File: REC43

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: CS oth.priv sec - NA (h12v)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: CS oth.priv sec - NA (h12w)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: Other (h12x)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: no treatment (h12y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: medical treatment (h12z)

File: REC43

**Overview**

## Diarrhea: medical treatment (h12z)

File: REC43

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given oral rehydration (h13)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Days given ORS (h13a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Given recommend. home solution (h14)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Days given fluid (h14a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Given other pills or syrups (h15)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given antibiotics (h15a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given an injection (h15b)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given an intravenous (IV) (h15c)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given home remedy, herbal med. (h15d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given CS other treatment - NA (h15e)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Given CS other treatment - NA (h15f)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Given CS other treatment - NA (h15g)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Given CS other treatment - NA (h15h)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Increase or decrease fluids (h16)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Increase or decrease in f - NA (h18)

File: REC43

**Overview**

## Increase or decrease in f - NA (h18)

File: REC43

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Breastfeeding change (h18a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given other treatment (h20)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given no treatment (h21a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Received any treatment (h21)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Had fever in last two weeks (h22)

File: REC43

## Had fever in last two weeks (h22)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Had cough in last two weeks (h31)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## How long cough lasted (h31a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Short, rapid breaths (h31b)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Fever/cough: government hosp. (h32a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Fever/cough: govt health cntr (h32b)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: govt health post (h32c)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: mobile clini - NA (h32d)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: comm.health wrkr (h32e)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: CS public se - NA (h32f)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS public se - NA (h32g)

File: REC43

Fever/cough: CS public se - NA (h32g)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS public se - NA (h32h)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS public se - NA (h32i)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: private hosp/clin (h32j)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: private pharmacy (h32k)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: private doctor (h32l)

File: REC43



## Fever/cough: private doctor (h32l)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Fever/cough: private mobi - NA (h32m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Fever/cough: comm.health - NA (h32n)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Fever/cough: CS med.priv - NA (h32o)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Fever/cough: CS med.priv - NA (h32p)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Fever/cough: CS med.priv - NA (h32q)

File: REC43

**Overview**

Fever/cough: CS med.priv - NA (h32q)

File: REC43

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS med.priv - NA (h32r)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: shop - NA (h32s)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: traditional - NA (h32t)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS oth.priv - NA (h32u)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS oth.priv - NA (h32v)

File: REC43

#### Overview

## Fever/cough: CS oth.priv - NA (h32v)

File: REC43

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Fever/cough: CS oth.priv - NA (h32w)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Fever/cough: Other (h32x)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Fever/cough: no treatment (h32y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Fever/cough: medical treatment (h32z)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Given antibiotics (h33)

File: REC43

**Overview**

## Given antibiotics (h33)

File: REC43

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Given antimalarials (h33a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Given cough syrup (h34)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Given other pills or syrups (h35)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Given unknown pills or sy - NA (h35a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given injection (h36)

File: REC43

## Given injection (h36)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Given home remedy, herbal med. (h36a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Given CS other treatment - NA (h37a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Given CS other treatment - NA (h37b)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Given CS other treatment - NA (h37c)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Given CS other treatment - NA (h37d)

File: REC43

## Given CS other treatment - NA (h37d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Other treatment for cough (h37)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Given no treatment (h38a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Given any treatment for cough (h38)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Case Identification (hhid)

File: REC51

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC51

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Current marital status (v501)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Currently/formerly/never marr. (v502)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Number of unions (v503)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Husband lives in house (v504)

File: REC51

**Overview**

## Husband lives in house (v504)

File: REC51

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Number of other wives - NA (v505)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Wife rank number - NA (v506)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Month of first marriage (v507)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Year of first marriage (v508)

File: REC51

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 54-90

## Date of first marriage (CMC) (v509)

File: REC51

### Overview



## Date of first marriage (CMC) (v509)

File: REC51

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 649-1088

## Completeness of date inform. (v510)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Age at first marriage (v511)

File: REC51

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 8-43

## Years since first marriage (v512)

File: REC51

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-36

## Marital duration (grouped) (v513)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Age at first intercourse (v525)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Frequency of intercourse (v526)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Time since last intercourse (v527)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Time since last intercourse(g) (v528)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Time since last intercourse(im (v529)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Flag for V529 (v530)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age at first intercourse (imp) (v531)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Flag for V531 (v532)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Usual frequency of intercourse (v533)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Case Identification (hhid)

File: REC61

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC61

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Fertility preference (v602)

File: REC61

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Preferred waiting time (v603)

File: REC61

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 101-999

## Preferred waiting time (grpd) (v604)

File: REC61

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Desire for more children (v605)

File: REC61

**Overview**

## Desire for more children (v605)

File: REC61

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Ideal post-partum abst. p - NA (v608)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Sex while breastfeeding - NA (v609)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Husband approves FP - NA (v610)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Discussed FP with partner - NA (v611)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Respondent approves FP - NA (v612)

File: REC61

### Overview

## Respondent approves FP - NA (v612)

File: REC61

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Ideal number of children (v613)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ideal number of children (grp) (v614)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Best birth interval - NA (v615)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 996-996

## Time for future birth (v616)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-999

## Age youngest at future birth (v617)

File: REC61

## Age youngest at future birth (v617)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Reason regrets sterilization (v618)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Think would have sterilization (v619)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed number of children (v620)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Husbands desire for children (v621)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Exposure (v623)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Unmet need (v624)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Exposure (definition 2) (v625)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Unmet need (definition 2) (v626)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9



## Case Identification (hhid)

File: REC71

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC71

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Partner's education level (v701)

File: REC71

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Highest year of education (v702)

File: REC71

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Partner's occupation (v704)

File: REC71

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 1-999

## Partner's occupation (v705)

File: REC71

**Overview**

## Partner's occupation (v705)

File: REC71

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Type of land where works (v707)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Respondent currently working (v714)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Husbands education-single yrs (v715)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Respondent's occupation (v716)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Respondent's occupation (v717)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Current type of employment (v718)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Work for family, others, self (v719)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Earns cash for work (v720)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Works at home or away (v721)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Child with resp. at work (v722)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Child minder (v723)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ever worked since Jan. 1985 (v724)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Month started work before 85 (v725)

File: REC71

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year started work before 85 (v726)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 49-99

## Month job prior to 85 ended (v727)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Year job prior to 85 ended (v728)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Partner's educational attainm. (v729)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hhid)

File: REC81

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC81

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Time interview started (v801)

File: REC81

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 600-2330

## Time interview ended (v802)

File: REC81

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 635-2350

## Length of interview in minutes (v803)

File: REC81

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 4-97

## Number of visits (v804)

File: REC81

**Overview**

## Number of visits (v804)

File: REC81

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Interviewer identification (v805)

File: REC81

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-33

## Keyer identification (v806)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-11

## Pres. children < 10 (sec 5) (v811)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pres. husband (sec 5) (v812)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pres. other males (sec 5) (v813)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pres. other females (sec 5) (v814)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9



## Case Identification (hhid)

File: REC82

### Overview

Type: Discrete  
Format: character  
Width: 7

## Case Identification (caseid)

File: REC82

### Overview

Type: Discrete  
Format: character  
Width: 10

## Calendar column number (vcol)

File: REC82

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Calendar (vcal)

File: REC82

### Overview

Type: Discrete  
Format: character  
Width: 68

## Case Identification (hhid)

File: REC91

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC91

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Type of place of residence (sareai)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Departament (sdepi)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 5-97

## Municipality (smuni)

File: REC91

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 1-898

## Dwelling number (svivi)

File: REC91

**Overview**

## Dwelling number (svivi)

File: REC91

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Duration of the interview (sdurv)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 4-996

## How many losses ? (s232b)

File: REC91

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Do you know what citology is ? (s236)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Have you had a citology ? (s237)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times has had a citology (s238)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Frequency of citology (s239)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Month of last citology (s240m)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Year of last citology (s240a)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 60-99

## Where did you have a citology (s241)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Current contraceptive method (s315)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-14

## Has used same brand always ? (s319a)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Used Noriday before ? (s319ba)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Used Eugynon before ? (s319bb)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Used Neogynon 21 before ? (s319bc)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Used Neogynon 28 before ? (s319bd)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Microgynon 21 before? (s319be)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Microgynon 28 before? (s319bf)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Hase used Noral 21 before ? (s319bg)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Noral 28 before ? (s319bh)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Nordette 21 before ? (s319bi)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Nordette 28 before ? (s319bj)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Ovral 21 before ? (s319bk)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Other pill brand before ? (s319bl)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Don't know pill brand used bef (s319bm)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Preferred pill packing (s320a)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Why do you prefer box package? (s320b)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Brand of condoms used (s320da)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## Has used condom brand always ? (s320ea)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Has used Tahiti before ? (s320faa)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1



Has used Stimula before ? (s320fab)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Sultan before ? (s320fac)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Prime before ? (s320fad)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Rosetex before ? (s320fae)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Nuda before ? (s320faf)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Conture before ? (s320fag)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Jellia before ? (s320fah)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Million before ? (s320fai)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Love before ? (s320faj)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Paradise before ? (s320fak)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Sanamed before ? (s320fal)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Used other condom brand before (s320fam)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Don't know condom brand used b (s320fan)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Brand of vagynal method (s320db)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

Has used this vagynals always? (s320eb)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Has used Norforms before ? (s320fba)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Neosampoon tubes befo (s320fbb)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Neosampoon tablets be (s320fbc)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Emko 40g before ? (s320fbd)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Emko because before ? (s320fbe)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Farma 12 before ? (s320fbf)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used other vagynals brand (s320fbg)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Don't know brand vagynals used (s320fbh)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Brand injection used (s320dc)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

Has used same injection always (s320ec)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Has used Noristerat before ? (s320fca)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Perlutal before ? (s320fcb)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Depoprovera before ? (s320fcc)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Has used Other injection befor (s320fcd)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Don't know brand of injection (s320fce)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Used condom as only method ? (s320g)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Method used with condom (s320h)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-10

## Out of 10, n times two methods (s320i)

File: REC91

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 2-99

## Used condom as provisional met (s320j)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Before which method used condo (s320k)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-10

Out of 10, n times condom prov (s320l)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

Used condom to prevent disease (s320m)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Out of 10, n times condom prev (s320n)

File: REC91

#### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 5-99

More than 1 condom in a relati (s320o)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Out of 10, n times more than 1 (s320p)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2



## Age last child at sterilization (s322a)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 101-999

## Last child through cesarean section (s322b)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Was it your first cesarean ? (s322c)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## City of sterilization (s323ac)

File: REC91

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 1-999

## Department of Sterilization (s323ad)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 5-99

## Original source (sn323)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Transport media to supply site (s341a)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Cost of round trip to supply s (s341b)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 1-9999

## N of times heard FP message (s343)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Has heard of AIDS (s345)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Acquired by sex man-woman (s346a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acquired by sharing needles (s346b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acquired by using needles twic (s346c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acquired by blood transfusion (s346d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acquired by breastfeeding (s346e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acquired by massages, masturb (s346f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acquired by oral sex (s346g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acquired by sex with homosexua (s346h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acquired by kiss (s346i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acquired by another means (s346j)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Don't know how to acquire AIDS (s346k)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## AIDS affects only homosexuals (s347a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## AIDS affects only prostitutes (s347b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## AIDS can affect any man (s347c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## AIDS can affect any woman (s347d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## AIDS can affect any child (s347e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## AIDS affects only drug addicts (s347f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## AIDS can affect anybody (s347g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Don't know who AIDS affect (s347h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Can AIDS be prevented ? (s348)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prevent AIDS by using condom (s349a)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Prevent AIDS one sex partner (s349b)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Prevent AIDS avoid homosexuals (s349c)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Prevent AIDS by sex abstinence (s349d)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Prevent AIDS avoid blood trans (s349e)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Prevent AIDS no needle sharing (s349f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Prevent AIDS no anal sex (s349g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Other way to prevent AIDS (s349h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Don't know how to prevent AIDS (s349i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Marital status (s504)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99



## Satisfaction with sex relation (s514a)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Satisf with sex rel before ste (s514b)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Improved sex rel after sterilz (s514c)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Marriage improved after steril (s514d)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Can husband read letter/newspa (s704)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Case Identification (hhid)

File: REC95

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC95

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Index to birth history (idx95)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

## Days cough lasted (s456)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Days diarrhea lasted (s465)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Case Identification (hhid)

File: REC97

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

## Case Identification (caseid)

File: REC97

**Overview**

Type: Discrete  
 Format: character  
 Width: 10

## Do you argue with your husband (s727)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Has your husband insulted you? (s728)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Insult, intellectual ability (s729a)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Insult age, corporal image (s729b)

File: REC97

**Overview**

## Insult age, corporal image (s729b)

File: REC97

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Insult, sex ability (s729c)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Insult, work at home (s729d)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Insult, work outside home (s729e)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Insult, child rearing (s729f)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Insult, family relations (s729g)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Insult, other (s729h)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Does not answer with insult (s729i)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Has your husband beaten you (s730)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Beaten. Drunk (s731a)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Beaten. Infidelity (s731b)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Beaten. Beat children (s731c)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Beaten. Irresponsible (s731d)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Beaten. Family problems (s731e)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Beaten. Bad temper (s731f)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Beaten. Other reason (s731g)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Beaten. Do not answer (s731h)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## First time husband beat wife (s732)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## How did you react to aggression (s733)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## To whom did you go when beaten (s734)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Authority denounced (s735)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Reason did not go to authority (s736)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Children present when beaten (s738)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has aggression affected childre (s739)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## How were children affected (s740)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9



## Husband has forced to have sex (s741)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Are children beaten (s742)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Who else beats children (s743)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Household ID (whhid)

File: SEC1

### Overview

Type: Discrete  
Format: character  
Width: 7

## Wealth Index from factor scores (wlthindf)

File: SEC1

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: -3.17754-1.48476

## Quintiles of wealth index (wlthind5)

File: SEC1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Related Materials

### Questionnaires

#### Cuestionario de hogar

|                |  |
|----------------|--|
| Title          | Cuestionario de hogar  |
| Author(s)      | PROFAMILIA Asociación Pro-Bienestar de la Familia Colombiana   |
| Date           | 1990-04-01   |
| Country        | Colombia   |
| Language       | Spanish  |
| Contributor(s) | Institute for Resource Development/Macro International, Inc.   |
| Description    | En el cuestionario de hogares se obtuvo información sobre las características y servicios de la vivienda y sobre cada uno de los miembros del hogar: parentesco con el jefe, residencia habitual, sexo, edad, escolaridad y nivel educativo. |
| Filename       | COL_DHS_1990_Questionnaire_Household_Es.pdf  |

#### Cuestionario Individual

|                |  |
|----------------|--|
| Title          | Cuestionario Individual  |
| Author(s)      | PROFAMILIA Asociación Pro-Bienestar de la Familia Colombiana   |
| Date           | 1990-04-01   |
| Country        | Colombia   |
| Language       | Spanish  |
| Contributor(s) | Institute for Resource Development/Macro International, Inc.   |
| Description    | <p>El cuestionario individual contiene información sobre reproducción, planificación familiar, salud infantil y lactancia, nupcialidad, preferencias de fecundidad, antecedentes de la mujer y del marido, e historia laboral y migratoria de la mujer. Además se incluyeron secciones de especial interés sobre conocimientos sobre el SIDA y formas de contagio y prevención; citología vaginal; cesárea; efectos de la esterilización sobre las relaciones sexuales y el matrimonio y, por último, violencia intrafamiliar.</p> <p>En el cuestionario individual se incluyó un Calendario que recoge los eventos ocurridos, mes a mes, desde Enero de 1985: nacimientos, embarazos, terminaciones y uso de anticonceptivos (Columna 1 del calendario); razón por la que dejó de usar un método (columna 2); los meses de amenorrea (columna 3), abstinencia postparto (columna 4) y lactancia (columna 5); los meses en unión (columna 6); los tipos de localidades en que había vivido (columna 7); y si ha trabajado o no y el tipo de trabajo desempeñado (columna 8).</p> |
| Filename       | COL_DHS_1990_Questionnaire_Individual_Es.pdf   |

### Reports

#### Encuesta de Prevalencia, Demografía y Salud 1990

|                |   |
|----------------|---|
| Title          | Encuesta de Prevalencia, Demografía y Salud 1990  |
| Author(s)      | PROFAMILIA Asociación Pro-Bienestar de la Familia Colombiana  |
| Date           | 1990-04-01  |
| Country        | Colombia  |
| Language       | Spanish   |
| Contributor(s) | Institute for Resource Development/Macro International, Inc.  |
| Description    | En este informe se hace una presentación de Los resultados de la segunda Encuesta Nacional de Prevalencia, Demografía y Salud 1990 realizada en Colombia. |
| Filename       | <a href="http://www.dhsprogram.com/pubs/pdf/FR9/FR9.pdf">http://www.dhsprogram.com/pubs/pdf/FR9/FR9.pdf</a>   |

