

Guatemala - Encuesta Nacional de Salud Materno Infantil 1987

Ministerio de Salud Pública y Asistencia Social, Instituto de Nutrición de Centro América y Panamá (INCAP) - Organización Panamericana de la Salud (OPS)

Report generated on: June 14, 2017

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

DISEÑO DE LA MUESTRA

Para propósitos de la ENSMI-87 se definió como población de estudio a todas las mujeres entre 15 y 44 años de edad residentes en viviendas particulares. La cobertura fue a nivel nacional, con la exclusión del Departamento de El Petén.

La documentación y el material para el diseño de la muestra fueron proporcionados por la Unidad de Muestreo del Instituto Nacional de Estadística (INE). El marco para la ENSMI-87 se elaboró como una submuestra de las Unidades Primarias de Muestreo (sectores censales) de la Encuesta Socio-Demográfica (ESD), que fue llevada a cabo en Guatemala en 1987. Este marco fue complementado con un marco adicional de todos los centros poblados de menos de 500 habitantes, los cuales habían sido excluidos del plan de muestreo de la ESD.

La muestra fue diseñada para disponer de indicadores demográficos y de salud a nivel nacional, por área de residencia y para las regiones anteriormente mencionadas, con la excepción de El Petén. El tamaño esperado de esta se estimó en 5.900 entrevistas completas.

Para la ESD, el país fue dividido en 16 celdas, lo cual resultó de la combinación de 7 regiones de planificación y de las áreas de residencia (metropolitana, resto urbano y rural).

El diseño de muestra de la ESD considera un tamaño de muestra prefijado en cada celda y fue establecido en dos etapas. La primera etapa consistió en la selección de sectores censales mediante un procedimiento de selección sistemática y con probabilidad proporcional al tamaño, según datos del censo de 1981. La segunda etapa consistió en la selección de viviendas dentro de los sectores censales seleccionados. La función de muestreo varía de celda en celda, razón por la cual la muestra de la ESD a nivel nacional no es autoponderada.

El paso de la muestra ESD a la muestra ENSMI-87 se efectuó independientemente en cada una de las 16 celdas, aplicando el siguiente procedimiento con el fin de obtener una muestra autoponderada para la ENSMI-87.

Response Rate

Se pudo obtener información completa del 80 por ciento de las 6.870 viviendas seleccionadas. En el 5 por ciento de los casos no se encontró a los miembros del hogar, en un 2 por ciento hubo rechazo y en el 1 por ciento de los casos no fue posible localizar la vivienda. El 12 por ciento de las viviendas seleccionadas resultaron no ser efectivamente viviendas, por estar vacantes o estar destruidas. Si se estima en base a las viviendas elegibles, la tasa de no respuesta es del 9 por ciento. Puede observarse que no se dan diferencias substanciales entre las zonas rural y urbana en cuanto a los resultados de la entrevista.

En las viviendas donde se logró obtener información, se encontraron 5.528 mujeres elegibles, de las cuales, como puede observarse en el cuadro I1.4, el 93 por ciento pudo ser entrevistada con éxito. El 3 por ciento de las mujeres estaban ausentes y el 2 por ciento rechazó la entrevista. Las restantes mujeres corresponden a entrevistas aplazadas y entrevistas incompletas. En los resultados de las entrevistas individuales tampoco se observan diferencias importantes según zona de residencia de la mujer.

Questionnaires

Overview

Para la recolección de información se utilizaron tres instrumentos: un cuestionario de hogar, un cuestionario individual y un cuestionario de comunidad. Este último cuestionario consideraba información general sobre la comunidad del segmento seleccionado en la muestra, refiriéndose especialmente a la disponibilidad de servicios públicos, de salud y de planificación familiar cercanos al segmento. Los resultados de la aplicación de este último cuestionario no se incluyen en el presente informe.

Los cuestionarios de hogar e individual fueron traducidos al Quiché, Cakchiquel, Kekch' y Mam en las siguientes etapas:

a) El cuestionario de hogar recababa información sobre todos los residentes habituales y sobre cualquier otra persona que hubiere dormido en esa vivienda la noche anterior, con el objeto de obtener información referente a datos de la vivienda y composición del hogar.

b) El cuestionario individual está dividido en ocho secciones, así:

- Sección A. Antecedentes de la entrevistada: incluía datos generales de las mujeres entrevistadas como idioma, escolaridad, edad, residencia habitual.
- Sección B. Reproducción: información sobre la historia ginecica de la mujer entrevistada, la historia de los hijos nacidos vivos, si estaba o no embarazada en el momento de la encuesta, control prenatal y prueba de Papanicolaou.
- Sección C. Anticonceptivos: se indagaba respecto a métodos, conocimiento, uso y fuente de obtención, la opinión sobre el problema principal experimentando en cada método y la percepción de los mensajes referentes al tema a través de los diversos medios de comunicación social.
- Sección D. Salud y lactancia materna: incluía información sobre la administración del toxoide tetánico, asistencia al control prenatal, atención del parto, duración de la lactancia materna, y la historia de inmunización de los nacidos a partir de Enero 1982 y para los sobrevivientes, episodios de diarrea y uso de terapia de rehidratación oral.
- Sección E. Nupcialidad: obtenía información sobre el estado civil, la relación de convivencia de los padres de ambos cónyuges, las localidades donde ha residido la familia, y el inicio de las relaciones sexuales.
- Sección F. Preferencias de fecundidad: recababa información relacionada con las intenciones futuras de embarazos, el número ideal de hijos, y el uso futuro de métodos de planificación familiar.
- Sección G. Antecedentes del cónyuge y trabajo de la mujer: se refería a información de la escolaridad del esposo y ocupación de ambos.
- Sección H. Peso y talla: se incluyó la información antropométrica de todos los niños menores de 36 meses.

Data Collection

Data Collection Dates

Start	End	Cycle
1987-09	1987-12	N/A

Data Collection Mode

Face-to-face

DATA COLLECTION NOTES

PRUEBA PILOTO

Para la prueba piloto de los cuestionarios de hogar e individual se contrataron siete entrevistadoras indígenas bilinges (español y algún idioma indígena como kekchi, cakchiquel o quiché). Se realizaron en total 200 entrevistas de prueba en áreas urbanas, rurales y zonas marginales, las cuales sirvieron para modificar la formulación y el ordenamiento de las preguntas, analizar la consistencia de las respuestas y el uso y comprensión de términos específicos por parte de las entrevistadas.

SELECCION Y CAPACITACION DEL PERSONAL

Dadas las características de la ENSMI-87, para el trabajo de campo se seleccionaron enfermeras, trabajadoras sociales y maestras de educación primaria rural, diez de las cuales eran indígenas bilinges y trilingües.

La capacitación en el conocimiento de los instrumentos de recolección fue realizada durante cuatro semanas, desarrollándose para todos los equipos según la organización de los mismos. El personal de procesamiento de datos también recibió además de la capacitación específica en ingreso de datos, la referida a los instrumentos de recolección. En total se entrenaron cinco digitadores y un programador.

Para el trabajo de campo se integraron cinco equipos de 5 encuestadoras, 1 antropometrista, 1 auxiliar de antropometría, 1 editor de campo y 1 supervisor. La capacitación al personal de campo fue desarrollada en los siguientes componentes:

- Técnica de la entrevista;
- Conocimiento y uso de los instrumentos de recolección de información;
- Normas y niveles de supervisión;
- Estandarización en antropometría (nicamente a las antropometristas);
- Conceptos básicos sobre: embarazo, parto, puerperio, inmunizaciones, diarrea, terapia de rehidratación oral, antropometría, métodos de planificación familiar y lactancia materna;
- Uso del material cartográfico de la encuesta en: Ubicación del segmento seleccionado, Identificación de la vivienda seleccionada, Referencias y/o simbología de los planos y mapas, Problemas de ubicación de segmento y viviendas,

Las prácticas durante el período de capacitación se realizaron en alrededor de 200 cuestionarios individuales, en diferentes localidades próximas a la ciudad de Guatemala.

RESULTADOS DEL TRABAJO DE CAMPO

El trabajo de recolección de información se inicia el 25 de septiembre y finalizó el 16 de diciembre de 1987. Durante todo el desarrollo hubo constante comunicación entre los diferentes niveles de supervisión.

En general puede decirse que la recepción por parte de las mujeres fue excelente, obteniendo únicamente un 2 por ciento de rechazo a las entrevistas, para una tasa total de respuesta del 79 por ciento. Las no respuestas fueron básicamente el resultado de ausencia de adultos, viviendas destruidas y/o desocupadas o no encontradas.

Data Collectors

Name	Abbreviation	Affiliation
Instituto de Nutrición de Centro América y Panamá	INCAP	

SUPERVISION

La supervisión del trabajo de campo fue realizada a través del director de campo, una supervisora general y cinco supervisoras, una en cada grupo. La verificación de la información se completó con editores de campo y de oficina.

Editor de campo: realizaba la revisión inicial de cada cuestionario diligenciado indicando las correcciones, si existían errores, en el mismo lugar de la entrevista.

Supervisora de grupo: realizaba la segunda revisión de instrumentos, después de haberla hecho el editor de campo, realizándose correcciones en el lugar de recolección.

Editor central: realizaba la tercera revisión de instrumentos previo al envío a procesamiento de datos.

Editor de consistencias: analizaba los errores de inconsistencia que señalaba el programa elaborado y realizaba las modificaciones que no implicaran distorsión de la información, declarando incompletos los formularios en los que aún persistiera la inconsistencia.

Data Processing

Data Editing

El procesamiento de la información se inició prácticamente en forma simultánea con la recolección, para lo cual se organizaron dos equipos (turnos) de digitadores que estuvieron apoyados por el programador responsable de la organización y coordinación del trabajo de digitación y crítica.

La digitación y limpieza de información, así como su tabulación fue realizada con el programa ISSA (Integrated System for Survey Analysis) desarrollado por Institute for Resource Development para el procesamiento de encuestas complejas como la ENSMI-87.

Data Appraisal

Estimates of Sampling Error

En general, los errores estándar son pequeños y que por ello la muestra puede calificarse como bastante precisa; esto es especialmente claro en la antepenúltima columna donde aparecen los errores relativos. Para ilustrar el uso de las cifras en este cuadro considérese la variable "Promedio Ideal de Hijos", que tiene un valor de 3.812 con un error estándar de .053. Si se desea un intervalo de confianza del 95 por ciento, lo que se hace es sumarle y restarle al promedio dos veces al error estándar: $3.812 + (2 \times .053)$, lo que produce el intervalo de 3.706 a 3.918. Esto significa que se tiene una confianza de 95 por ciento de que el valor de la población total se encuentra entre esos valores que arroja la muestra.

File Description

Variable List

SECHM

Content	HOUSEHOLD - Cuestionaire hogar identification y result
Cases	7288
Variable(s)	26
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V16	level1id	Level1 Identification	discrete	character	
V17	depto	Departamento	contin	numeric	
V18	municip	Municipio	contin	numeric	
V19	area	Area urbana o rural	discrete	numeric	
V20	segmento	Número de segmento	contin	numeric	
V21	estruct	Número de estructura	contin	numeric	
V22	vivienda	Número de vivienda en el segm.	contin	numeric	
V23	hogar	Número de Hogar en la vivienda	discrete	numeric	
V24	resultf	Resultado final visitas hogar	discrete	numeric	
V25	entrev	Código entrevistadora	contin	numeric	
V26	confresh	Confirma resultado de entrevis	discrete	numeric	
V27	tpersona	Total de personas en el hogar	discrete	numeric	
V28	diavisf	Día de la visita final	contin	numeric	
V29	mesvisf	Mes de la visita final	discrete	numeric	
V30	anovisf	Año de la visita final	discrete	numeric	
V31	horavisf	Hora visita final en minutos	contin	numeric	
V32	region	Region (derivada)	discrete	numeric	
V33	sechm_group	Item created from ISSA Group	discrete	character	
V34	diavis	Día de la visita	discrete	numeric	
V35	mesvis	Mes de la visita	discrete	numeric	
V36	anovis	Año de la visita	discrete	numeric	
V37	result	Resultado de cada visita hogar	discrete	numeric	
V38	entrevis	Entrevistadora	discrete	numeric	
V39	horavis	Hora de la visita	discrete	numeric	
V40	minvis	Minuto de la visita	discrete	numeric	
V41	otravish	Otra visita al hogar ?	discrete	numeric	

SECDH

Content	HOUSEHOLD - Datos generales del hogar
Cases	5459
Variable(s)	15
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1	level1id	Level1 Identification	discrete	character	
V2	dh1	Fuente abast. agua para beber	discrete	numeric	
V3	dh2	Fuente abast. agua otros usos	discrete	numeric	
V4	dh3	Clase de sanitario	discrete	numeric	
V5	dh4bicic	Algun miembro tiene bicicleta	discrete	numeric	
V6	dh4moto	Algun miembro tiene motociclet	discrete	numeric	
V7	dh4carro	Algun miembro tiene carro	discrete	numeric	
V8	dh4casa	Algun miembro tiene casa	discrete	numeric	
V9	dh4tract	Algun miembro tiene tractor	discrete	numeric	
V10	dh5fono	Tiene telefono	discrete	numeric	
V11	dh5luzel	Tiene luz electrica	discrete	numeric	
V12	dh5radio	Tiene radio	discrete	numeric	
V13	dh5tele	Tiene televisor	discrete	numeric	
V14	dh5helad	Tiene heladera	discrete	numeric	
V15	dh6	Material predom. en el piso	discrete	numeric	

SECRMH

Content	HOUSEHOLD - Registro miembros del hogar
Cases	29606
Variable(s)	10
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V42	level1id	Level1 Identification	discrete	character	
V43	colrmh	Numero de linea de persona	discrete	numeric	
V44	parentes	Parentesco con jefe de hogar	discrete	numeric	
V45	viveaqui	Vive habitualmente aquí	discrete	numeric	
V46	durmioaq	Durmió aquí anoche	discrete	numeric	
V47	sexo	Sexo de la persona	discrete	numeric	
V48	edada	Edad en años cumplidos	contin	numeric	
V49	elegible	Mujer elegible	discrete	numeric	
V50	otrapers	Otra persona en registro de ho	discrete	numeric	
V51	digitada	Mujer ya fue digitada	discrete	numeric	

REC01

Content	WOMAN - Respondent' s Basic Data
Cases	5160
Variable(s)	16
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V52	caseid	Case identification	discrete	character	
V53	v000	Country code	discrete	character	
V54	v001	Cluster number	contin	numeric	
V55	v002	Household number	contin	numeric	
V56	v003	Line number	discrete	numeric	
V57	v004	Enumeration area	contin	numeric	
V58	v005	Sample weight	discrete	numeric	
V59	v006	Month of interview	discrete	numeric	
V60	v007	Year of interview	discrete	numeric	
V61	v008	Date of interview (CMC)	discrete	numeric	
V62	v009	Respondent's month of birth	discrete	numeric	
V63	v010	Respondent's year of birth	contin	numeric	
V64	v011	Date of birth (CMC)	contin	numeric	
V65	v012	Current age - respondent	contin	numeric	
V66	v013	Age 5-year groups	discrete	numeric	
V67	v014	Completeness of information	discrete	numeric	

REC11

Content	WOMAN - Respondent' s Basic Data (continued)
Cases	5160
Variable(s)	39
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V68	caseid	Case identification	discrete	character	
V69	v101	Region	discrete	numeric	
V70	v102	Type of place of residence	discrete	numeric	
V71	v103	Childhood place of residence	discrete	numeric	
V72	v104	Years lived in place of res.	discrete	numeric	
V73	v105	Type of place of previous res.	discrete	numeric	
V74	v106	Highest educational level	discrete	numeric	
V75	v107	Highest year of education	discrete	numeric	
V76	v108	Literacy	discrete	numeric	
V77	v109	Reads newspaper once a week	discrete	numeric	
V78	v110	Watches TV every week	discrete	numeric	
V79	v111	Listens to radio every day	discrete	numeric	
V80	v112	Listens to radio every week	discrete	numeric	
V81	v113	Source of drinking water	discrete	numeric	
V82	v114	Source of household water	discrete	numeric	
V83	v115	Time to get to water source	discrete	numeric	
V84	v116	Clase de sanitario	discrete	numeric	
V85	v117	Age children use toilet	discrete	numeric	
V86	v118	Cake of soap on premises	discrete	numeric	
V87	v119	Has electricity	discrete	numeric	
V88	v120	Has radio	discrete	numeric	
V89	v121	Has television	discrete	numeric	
V90	v122	Has refrigerator	discrete	numeric	
V91	v123	Has bicycle	discrete	numeric	
V92	v124	Has motorcycle	discrete	numeric	
V93	v125	Has car	discrete	numeric	
V94	v126	Has tractor	discrete	numeric	
V95	v127	Main material of floor	discrete	numeric	

ID	Name	Label	Type	Format	Question
V96	v128	Main wall material	discrete	numeric	
V97	v129	Main material of roof	discrete	numeric	
V98	v130	Religion	discrete	numeric	
V99	v131	Ethnicity	discrete	numeric	
V100	v132	Association membership	discrete	numeric	
V101	v133	Education in single years	discrete	numeric	
V102	v134	De facto place of residence	discrete	numeric	
V103	v135	Usual resident/visitor	discrete	numeric	
V104	v136	Household members	discrete	numeric	
V105	v137	Children resident under 5	discrete	numeric	
V106	v138	Eligible women	discrete	numeric	

REC21

Content	WOMAN - Reproduction (Birth History)
Cases	14698
Variable(s)	16
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V107	caseid	Case identification	discrete	character	
V108	bidx	Birth column number	discrete	numeric	
V109	bord	Birth order number	discrete	numeric	
V110	b0	Child is twin	discrete	numeric	
V111	b1	Month of birth	discrete	numeric	
V112	b2	Year of birth	contin	numeric	
V113	b3	Date of birth (CMC)	contin	numeric	
V114	b4	Sex of child	discrete	numeric	
V115	b5	Child is alive	discrete	numeric	
V116	b6	Age at death	discrete	numeric	
V117	b7	Age at death (months-imputed)	discrete	numeric	
V118	b8	Current age of child	contin	numeric	
V119	b9	Child lives with respondent	discrete	numeric	
V120	b10	Completeness of information	discrete	numeric	
V121	b11	Preceding birth interval	contin	numeric	
V122	b12	Succeeding birth interval	contin	numeric	

REC22

Content	WOMAN - Reproduction
Cases	5160
Variable(s)	25
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V123	caseid	Case identification	discrete	character	
V124	v201	Total children ever born	discrete	numeric	
V125	v202	Sons at home	discrete	numeric	
V126	v203	Daughters at home	discrete	numeric	
V127	v204	Sons elsewhere	discrete	numeric	
V128	v205	Daughters elsewhere	discrete	numeric	
V129	v206	Sons who have died	discrete	numeric	
V130	v207	Daughters who have died	discrete	numeric	
V131	v208	Births in last five years	discrete	numeric	
V132	v209	Births in past year	discrete	numeric	
V133	v210	Births in month of interview	discrete	numeric	
V134	v211	Date of first birth (CMC)	contin	numeric	
V135	v212	Age of respondent at 1st birth	contin	numeric	
V136	v213	Currently pregnant	discrete	numeric	
V137	v214	Duration of current pregnancy	discrete	numeric	
V138	v215	Time since last menstrual perd	discrete	numeric	
V139	v216	Menstruated in last six weeks	discrete	numeric	
V140	v217	Knowledge of ovulatory cycle	discrete	numeric	
V141	v218	Number of living children	discrete	numeric	
V142	v219	Living children + current preg	discrete	numeric	
V143	v220	Living children + curr preg 6+	discrete	numeric	
V144	v221	Marriage to first birth int.	discrete	numeric	
V145	v222	Last birth to interview	contin	numeric	
V146	v223	Completeness of information	discrete	numeric	
V147	v224	Entries in birth history	discrete	numeric	

REC31

Content	WOMAN - Contraceptive Table
Cases	41280
Variable(s)	11
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V148	caseid	Case identification	discrete	character	
V149	v301	Knowledge of any method	discrete	numeric	
V150	v302	Ever use of any method	discrete	numeric	
V151	v303	Knows source for modern method	discrete	numeric	
V152	rec31_group	Contraceptive Table	discrete	character	
V153	v304	Knows method	discrete	numeric	
V154	v305	Ever used method	discrete	numeric	
V155	v306	Source known for method	discrete	numeric	
V156	v307	Source for method by type	discrete	numeric	
V157	v308	Main problem with method	discrete	numeric	
V158	v309	Main problem with method	discrete	numeric	

REC32

Content	WOMAN - Contraceptive Use
Cases	5160
Variable(s)	60
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V159	caseid	Case identification	discrete	character	
V160	v310	Living children at first use	discrete	numeric	
V161	v311	Children at first use (grp)	discrete	numeric	
V162	v312	Current contraceptive method	discrete	numeric	
V163	v313	Current use by method type	discrete	numeric	
V164	v314	Method of periodic abstinence	discrete	numeric	
V165	v315	Month of sterilization	discrete	numeric	
V166	v316	Year of sterilization	discrete	numeric	
V167	v317	Date of sterilization (CMC)	contin	numeric	
V168	v318	Completeness of information	discrete	numeric	
V169	v319	Years since sterilization	discrete	numeric	
V170	v320	Age at sterilization	discrete	numeric	
V171	v321	Marital duration at steriliz.	discrete	numeric	
V172	v322	Parity at sterilization	discrete	numeric	
V173	v323	Brand of pill used	discrete	numeric	
V174	v324	Using social marketing brand	discrete	numeric	
V175	v325	Cost of pills	discrete	numeric	
V176	v326	Source of method	discrete	numeric	
V177	v327	Last source for users by type	discrete	numeric	
V178	v328	Disliked service received	discrete	numeric	
V179	v329	Source of method	discrete	numeric	
V180	v330	Source of info. for trad.users	discrete	numeric	
V181	v331	Disliked service received	discrete	numeric	
V182	v332	Source of method	discrete	numeric	
V183	v333	Source for past users by type	discrete	numeric	
V184	v334	Disliked service received	discrete	numeric	
V185	v335	Duration of current use	discrete	numeric	
V186	v336	Duration of current use	discrete	numeric	

ID	Name	Label	Type	Format	Question
V187	v337	Months of use of current meth	discrete	numeric	
V188	v338	Problem with current method	discrete	numeric	
V189	v339	Problem with current method	discrete	numeric	
V190	v340	Other method used	discrete	numeric	
V191	v341	Last method used before curr	discrete	numeric	
V192	v342	Date of previous use	discrete	numeric	
V193	v343	Date of previous use	discrete	numeric	
V194	v344	Date started using prev. meth.	discrete	numeric	
V195	v345	Completeness of information	discrete	numeric	
V196	v346	Duration of previous use	discrete	numeric	
V197	v347	Duration of previous use	discrete	numeric	
V198	v348	Months using previous method	discrete	numeric	
V199	v349	Reason stopped using prev. met	discrete	numeric	
V200	v350	Method used in OBI past users	discrete	numeric	
V201	v351	Date started last method	discrete	numeric	
V202	v352	Date started last method	discrete	numeric	
V203	v353	Date started using last method	discrete	numeric	
V204	v354	Completeness of information	discrete	numeric	
V205	v355	Duration last method in OBI	discrete	numeric	
V206	v356	Duration last method in OBI	discrete	numeric	
V207	v357	Months using last method	discrete	numeric	
V208	v358	Reason stopped using last meth	discrete	numeric	
V209	v359	Last method disc. last 5 years	discrete	numeric	
V210	v360	Reason of last discontinuation	discrete	numeric	
V211	v361	Pattern of use	discrete	numeric	
V212	v362	Intention to use	discrete	numeric	
V213	v363	Preferred future method	discrete	numeric	
V214	v364	Contraceptive use & intention	discrete	numeric	
V215	v365	Heard FP message on radio	discrete	numeric	
V216	v366	Acceptability of media message	discrete	numeric	
V217	v367	Wanted last child	discrete	numeric	
V218	v368	Entries in contraception table	discrete	numeric	

REC33

Content	WOMAN - Contraceptive Practice
Cases	5179
Variable(s)	11
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V219	caseid	Case identification	discrete	character	
V220	cpidx	Index to birth history	discrete	numeric	
V221	cp1	Last method used in interval	discrete	numeric	
V222	cp2	Previous method used in int.	discrete	numeric	
V223	cp3	Duration of use in interval	discrete	numeric	
V224	cp4	Duration of use in interval	discrete	numeric	
V225	cp5	Months of use of last method	discrete	numeric	
V226	cp6	Reason stopped using method	discrete	numeric	
V227	cp7	Fertility Planning (3 grps)	discrete	numeric	
V228	cp8	Fertility Planning (6 grps)	discrete	numeric	
V229	cp9	Outcome of birth	discrete	numeric	

REC41

Content	WOMAN - Maternity
Cases	4627
Variable(s)	11
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V230	caseid	Case identification	discrete	character	
V231	midx	Index to birth history	discrete	numeric	
V232	m1	Tetanus injection before birth	discrete	numeric	
V233	m2	Prenatal care before birth	discrete	numeric	
V234	m3	Assistance at delivery	discrete	numeric	
V235	m4	Duration of breastfeeding	discrete	numeric	
V236	m5	Months of breastfeeding	discrete	numeric	
V237	m6	Duration of amenorrhea	discrete	numeric	
V238	m7	Months of amenorrhea	discrete	numeric	
V239	m8	Duration of abstinence	discrete	numeric	
V240	m9	Months of abstinence	discrete	numeric	

REC42

Content	WOMAN - Health and Breastfeeding
Cases	5160
Variable(s)	22
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V241	caseid	Case identification	discrete	character	
V242	v401	Last birth cesarean section	discrete	numeric	
V243	v402	Tetanus injection current preg	discrete	numeric	
V244	v403	Prenatal care current preg.	discrete	numeric	
V245	v404	Currently breastfeeding	discrete	numeric	
V246	v405	Currently amenorrheic	discrete	numeric	
V247	v406	Currently abstaining	discrete	numeric	
V248	v407	Times breastfed during night	discrete	numeric	
V249	v408	Times breastfed during day	discrete	numeric	
V250	v409	Gave child plain water	discrete	numeric	
V251	v410	Gave child juice	discrete	numeric	
V252	v411	Gave child powdered milk	discrete	numeric	
V253	v412	Gave child cows or goats milk	discrete	numeric	
V254	v413	Gave child other liquid	discrete	numeric	
V255	v414	Gave child solid or mushy food	discrete	numeric	
V256	v415	Fed food in bottle with nipple	discrete	numeric	
V257	v416	Heard of oral rehydration	discrete	numeric	
V258	v417	Entries in maternity table	discrete	numeric	
V259	v418	Entries in health table	discrete	numeric	
V260	v419	Entries in height/weight table	discrete	numeric	
V261	v420	Measurer's code	discrete	numeric	
V262	v421	Assistant measurer's code	discrete	numeric	

REC43

Content	WOMAN - Health
Cases	4230
Variable(s)	64
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V263	caseid	Case identification	discrete	character	
V264	hidx	Index to birth history	discrete	numeric	
V265	h1	Has health card	discrete	numeric	
V266	h2	Received BCG	discrete	numeric	
V267	h2d	BCG day	discrete	numeric	
V268	h2m	BCG month	discrete	numeric	
V269	h2y	BCG year	discrete	numeric	
V270	h3	Received DPT 1	discrete	numeric	
V271	h3d	DPT 1 day	discrete	numeric	
V272	h3m	DPT 1 month	discrete	numeric	
V273	h3y	DPT 1 year	discrete	numeric	
V274	h4	Received POLIO 1	discrete	numeric	
V275	h4d	POLIO 1 day	discrete	numeric	
V276	h4m	POLIO 1 month	discrete	numeric	
V277	h4y	POLIO 1 year	discrete	numeric	
V278	h5	Received DPT 2	discrete	numeric	
V279	h5d	DPT 2 day	discrete	numeric	
V280	h5m	DPT 2 month	discrete	numeric	
V281	h5y	DPT 2 year	discrete	numeric	
V282	h6	Received POLIO 2	discrete	numeric	
V283	h6d	POLIO 2 day	discrete	numeric	
V284	h6m	POLIO 2 month	discrete	numeric	
V285	h6y	POLIO 2 year	discrete	numeric	
V286	h7	Received DPT 3	discrete	numeric	
V287	h7d	DPT 3 day	discrete	numeric	
V288	h7m	DPT 3 month	discrete	numeric	
V289	h7y	DPT 3 year	discrete	numeric	
V290	h8	Received POLIO 3	discrete	numeric	

ID	Name	Label	Type	Format	Question
V291	h8d	POLIO 3 day	discrete	numeric	
V292	h8m	POLIO 3 month	discrete	numeric	
V293	h8y	POLIO 3 year	discrete	numeric	
V294	h9	Received MEASLES	discrete	numeric	
V295	h9d	MEASLES day	discrete	numeric	
V296	h9m	MEASLES month	discrete	numeric	
V297	h9y	MEASLES year	discrete	numeric	
V298	h10	Ever had vaccination	discrete	numeric	
V299	h11	Had diarrhea recently	discrete	numeric	
V300	h12	Received medical treatment	discrete	numeric	
V301	h13	Given oral rehydration	discrete	numeric	
V302	h14	Given home solution of sugar	discrete	numeric	
V303	h15	Given tablets,injections,syrup	discrete	numeric	
V304	h16	Increase fluids	discrete	numeric	
V305	h17	Decrease fluids	discrete	numeric	
V306	h18	Increase foods	discrete	numeric	
V307	h19	Decrease foods	discrete	numeric	
V308	h20	Given other treatment	discrete	numeric	
V309	h21	Received any treatment	discrete	numeric	
V310	h22	Had fever in last 4 weeks	discrete	numeric	
V311	h23	Received medical treatment	discrete	numeric	
V312	h24	Given antimalarials	discrete	numeric	
V313	h25	Given antibiotics	discrete	numeric	
V314	h26	Given liquid or syrup	discrete	numeric	
V315	h27	Given aspirin	discrete	numeric	
V316	h28	Given injection	discrete	numeric	
V317	h29	Other treatment for fever	discrete	numeric	
V318	h30	Had any treatment for fever	discrete	numeric	
V319	h31	Had cough/difficult breathing	discrete	numeric	
V320	h32	Received medical treatment	discrete	numeric	
V321	h33	Given antibiotics	discrete	numeric	
V322	h34	Given cough syrup	discrete	numeric	
V323	h35	Given pill	discrete	numeric	
V324	h36	Given injection	discrete	numeric	
V325	h37	Other treatment for cough	discrete	numeric	
V326	h38	Given any treatment for cough	discrete	numeric	

REC44

Content	WOMAN - Height and Weight
Cases	2437
Variable(s)	15
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V327	caseid	Case identification	discrete	character	
V328	hwidx	Index to birth history	discrete	numeric	
V329	hw1	Age in months	contin	numeric	
V330	hw2	Weight in kilograms	contin	numeric	
V331	hw3	Height in centimetres	contin	numeric	
V332	hw4	Ht/A Percentile	discrete	numeric	
V333	hw5	Ht/A Standard deviations	discrete	numeric	
V334	hw6	Ht/A Percent of ref. median	discrete	numeric	
V335	hw7	Wt/A Percentile	discrete	numeric	
V336	hw8	Wt/A Standard deviations	discrete	numeric	
V337	hw9	Wt/A Percent of ref. median	discrete	numeric	
V338	hw10	Wt/Ht Percentile	discrete	numeric	
V339	hw11	Wt/Ht Standard deviations	discrete	numeric	
V340	hw12	Wt/Ht Percent of ref. median	discrete	numeric	
V341	hw13	Reason not measured	discrete	numeric	

REC51

Content	WOMAN - Marriage/Exposure
Cases	5160
Variable(s)	29
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V342	caseid	Case identification	discrete	character	
V343	v501	Current marital status	discrete	numeric	
V344	v502	Currently/formerly/never marr.	discrete	numeric	
V345	v503	Number of unions	discrete	numeric	
V346	v504	Husband lives in house	discrete	numeric	
V347	v505	Number of other wives	discrete	numeric	
V348	v506	Wife rank number	discrete	numeric	
V349	v507	Month of first marriage	discrete	numeric	
V350	v508	Year of first marriage	contin	numeric	
V351	v509	Date of first marriage (CMC)	contin	numeric	
V352	v510	Completeness of date inform.	discrete	numeric	
V353	v511	Age at first marriage	contin	numeric	
V354	v512	Years since first marriage	contin	numeric	
V355	v513	Marital duration (grouped)	discrete	numeric	
V356	v514	Respondents mother still alive	discrete	numeric	
V357	v515	Respondents father still alive	discrete	numeric	
V358	v516	Husband's mother still alive	discrete	numeric	
V359	v517	Husband's father still alive	discrete	numeric	
V360	v518	Resp. mother alive at union	discrete	numeric	
V361	v519	Resp. father alive at union	discrete	numeric	
V362	v520	Husb. mother alive at union	discrete	numeric	
V363	v521	Husb. father alive at union	discrete	numeric	
V364	v522	Years lived with parents	discrete	numeric	
V365	v523	Currently living with parents	discrete	numeric	
V366	v524	Localities since first marr.	discrete	numeric	
V367	v525	Age at first intercourse	discrete	numeric	
V368	v526	Frequency of intercourse	discrete	numeric	
V369	v527	Time since last intercourse	discrete	numeric	

ID	Name	Label	Type	Format	Question
V370	v528	Time since last intercourse(g)	discrete	numeric	

REC61

Content	WOMAN - Fertility Preferences
Cases	5160
Variable(s)	15
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V371	caseid	Case identification	discrete	character	
V372	v601	Preference and certainty	discrete	numeric	
V373	v602	Fertility preference	discrete	numeric	
V374	v603	Preferred waiting time	discrete	numeric	
V375	v604	Preferred waiting time (grpd)	discrete	numeric	
V376	v605	Desire for more children	discrete	numeric	
V377	v606	Attitude toward becoming preg.	discrete	numeric	
V378	v607	Main reason for non-use	discrete	numeric	
V379	v608	Ideal post-partum abst. period	discrete	numeric	
V380	v609	Sex while breastfeeding	discrete	numeric	
V381	v610	Husband approves FP	discrete	numeric	
V382	v611	Discussed FP with partner	discrete	numeric	
V383	v612	Respondent approves FP	discrete	numeric	
V384	v613	Ideal number of children	discrete	numeric	
V385	v614	Ideal number of children (grp)	discrete	numeric	

REC71

Content	WOMAN - Husband' s Characteristics
Cases	5160
Variable(s)	16
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V386	caseid	Case identification	discrete	character	
V387	v701	Husband's education level	discrete	numeric	
V388	v702	Highest year of education	discrete	numeric	
V389	v703	Husband's literacy	discrete	numeric	
V390	v704	Husband's occupation	contin	numeric	
V391	v705	Husband's occupation	discrete	numeric	
V392	v706	Nonagricultural earnings	discrete	numeric	
V393	v707	Type of land where works	discrete	numeric	
V394	v708	Type of agricultural wages	discrete	numeric	
V395	v709	Respondent worked before marr.	discrete	numeric	
V396	v710	Wages for family or self	discrete	numeric	
V397	v711	Respondent worked after marr.	discrete	numeric	
V398	v712	Respondent worked (nev.marr.)	discrete	numeric	
V399	v713	Wages for family or self	discrete	numeric	
V400	v714	Respondent currently working	discrete	numeric	
V401	v715	Husbands education-single yrs	discrete	numeric	

REC81

Content	WOMAN - Characteristics of Interview
Cases	5160
Variable(s)	15
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V402	caseid	Case identification	discrete	character	
V403	v801	Time interview started	contin	numeric	
V404	v802	Time interview ended	contin	numeric	
V405	v803	Length of interview in minutes	discrete	numeric	
V406	v804	Number of visits	discrete	numeric	
V407	v805	Interviewer identification	contin	numeric	
V408	v806	Keyer identification	discrete	numeric	
V409	v807	Pres. children < 10 (sec 2)	discrete	numeric	
V410	v808	Pres. husband (sec 2)	discrete	numeric	
V411	v809	Pres. other males (sec 2)	discrete	numeric	
V412	v810	Pres. other females (sec 2)	discrete	numeric	
V413	v811	Pres. children < 10 (sec 5)	discrete	numeric	
V414	v812	Pres. husband (sec 5)	discrete	numeric	
V415	v813	Pres. other males (sec 5)	discrete	numeric	
V416	v814	Pres. other females (sec 5)	discrete	numeric	

REC91

Content	WOMAN - Country specific - Single Variables
Cases	5160
Variable(s)	125
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V417	caseid	Case identification	discrete	character	
V418	sh4casa	Algun miembro tiene casa	discrete	numeric	
V419	sh5fono	Tiene telefono	discrete	numeric	
V420	sidioma	Idioma de la entrevista	discrete	numeric	
V421	scuest	Número de cuestionario	contin	numeric	
V422	sdepto	Departamento	contin	numeric	
V423	smunicip	Municipio	contin	numeric	
V424	sestruct	Estructura	contin	numeric	
V425	sviviend	Número de vivienda en el segm.	contin	numeric	
V426	sdiavis	Día de la visita	contin	numeric	
V427	sdurhora	Duración entrevista horas	discrete	numeric	
V428	sdurmin	Duración de la entrevista mins	contin	numeric	
V429	ssuperv	Supervisora	discrete	numeric	
V430	scritico	Crítico (oficina)	discrete	numeric	
V431	s102	Idioma hablado por la familia	discrete	numeric	
V432	s103	Puede hablar/entender español	discrete	numeric	
V433	s104	Donde ha vivido más tiempo	discrete	numeric	
V434	s106	Antes de vivir aquí donde vivi	discrete	numeric	
V435	s115	Ve televisión todos los días	discrete	numeric	
V436	s117	Fuma cigarros o puros	discrete	numeric	
V437	s118	N° de cigarros/puros que fuma	discrete	numeric	
V438	s119	Cada cuanto consume beb.alcoholó	discrete	numeric	
V439	s223a	N° inyecciones contra tétano	discrete	numeric	
V440	s223b	Donde le pusieron última inyec	discrete	numeric	
V441	s225	A quien consultó	discrete	numeric	
V442	s226b	Embarazada alguna vez	discrete	numeric	
V443	s226c	Quería hijo últ.vez embarazada	discrete	numeric	
V444	s226e	Ha tenido alguna pérdida	discrete	numeric	

ID	Name	Label	Type	Format	Question
V445	s226f	Número de pérdidas	discrete	numeric	
V446	s226g	Pérdida en últimos 12 meses	discrete	numeric	
V447	s226h	Alguna pérdida provocada	discrete	numeric	
V448	s226i	N° de pérdidas provocadas	discrete	numeric	
V449	s226jf	Una pérdida/ dos o mas	discrete	numeric	
V450	s226j	Requirió tratamiento médico	discrete	numeric	
V451	s226k	Lugar de tratamiento/pérdida	discrete	numeric	
V452	s226l	Necesitó internación	discrete	numeric	
V453	s226m	Noches hospitalizada/pérdida	contin	numeric	
V454	s228	Alguna vez examen ginecológico	discrete	numeric	
V455	s228ames	Mes último examen vaginal	discrete	numeric	
V456	s228aano	Año último examen vaginal	discrete	numeric	
V457	s229	Examen cancer en matriz	discrete	numeric	
V458	s229ames	Mes último examen cancer	discrete	numeric	
V459	s229aano	Año último examen cancer	discrete	numeric	
V460	s311a	Primer método que usó	discrete	numeric	
V461	s311b	Lugar de obtención del método	discrete	numeric	
V462	s317b	Satisfacción con operac. espos	discrete	numeric	
V463	s317e	Operación durante una cesárea	discrete	numeric	
V464	s317f	Satisfacción operación mujer	discrete	numeric	
V465	s317g	Problema con operación mujer	discrete	numeric	
V466	s317h	Ha recomendado la operación	discrete	numeric	
V467	s317i	Si no se hubiera operado se op	discrete	numeric	
V468	s317jc	Clinica/hospital operación	contin	numeric	
V469	s317jm	Municipio operación	contin	numeric	
V470	s317jd	Departamento operación	contin	numeric	
V471	s338a	Cree puede quedar embarazada	discrete	numeric	
V472	s338b	No cree poder embarazarse por	discrete	numeric	
V473	s338c	Razón no utilizar mét. actualm	discrete	numeric	
V474	s338d	Desea usar método anticoncept.	discrete	numeric	
V475	s413a	Vacunan en hospital privado	discrete	numeric	
V476	s413b	Vacunan en hospital publico	discrete	numeric	
V477	s413c	Vacunan en clinica privada	discrete	numeric	
V478	s413d	Vacunan en centro de salud	discrete	numeric	
V479	s413e	Vacunan en puesto de salud	discrete	numeric	
V480	s413f	Vacunan en IGSS	discrete	numeric	
V481	s413g	Vacunan en farmacia	discrete	numeric	
V482	s413h	Vacunan promotores de salud	discrete	numeric	
V483	s413i	Vacunan en jornadas vacunacion	discrete	numeric	
V484	s413j	Vacunan en escuela	discrete	numeric	

ID	Name	Label	Type	Format	Question
V485	s413k	Vacunan en otro sitio	discrete	numeric	
V486	s413l	Vacunan no sabe sitio	discrete	numeric	
V487	s423d	N° orden niño con epis.diarrea	discrete	numeric	
V488	s424	Días atrás que empezó el episo	contin	numeric	
V489	s424a	Días que duró el episodio	contin	numeric	
V490	s424b	Dió de mamar a niño con diarre	discrete	numeric	
V491	s424c	Cantidad de líquidos/diarrea	discrete	numeric	
V492	s424e	Dió suero/sales de rehidrat.	discrete	numeric	
V493	s424f	Donde aprendió a prep. sales	discrete	numeric	
V494	s424g	Efecto suero casero o sales	discrete	numeric	
V495	s424h	Cantidad de suero o sales admi	discrete	numeric	
V496	s424i	Días que le dió suero o sales	discrete	numeric	
V497	s424j	Cantidad de alimentos/diarrea	discrete	numeric	
V498	s424k	Dió medicamento para la diarre	discrete	numeric	
V499	s425	Lugar de consulta/diarrea	discrete	numeric	
V500	s426a	Recibio tratamiento inyeccion	discrete	numeric	
V501	s426b	Recibio tratam. intravenosa	discrete	numeric	
V502	s426c	Recibio tratam. medicamentos	discrete	numeric	
V503	s426d	Recibio tratam. rehidratacion	discrete	numeric	
V504	s426e	Recibio tratam. liquido casero	discrete	numeric	
V505	s426f	Recibio tratam. otro	discrete	numeric	
V506	s426g	No recibio tratamiento	discrete	numeric	
V507	s428	Ha escuchado de sobre de rehid	discrete	numeric	
V508	s429	Ha visto un sobre de rehidrata	discrete	numeric	
V509	s430	Sabe la utilización del sobre	discrete	numeric	
V510	s431	Ha utilizado el sobre de rehid	discrete	numeric	
V511	s432	Uso de bolsita de rehidrat.	discrete	numeric	
V512	s432a	Ult.prep.sobre,cantidad agua	discrete	numeric	
V513	s432b	Ult.prep.sobre agua hervida	discrete	numeric	
V514	s432c	Ult.prep.sobre mezcló en	discrete	numeric	
V515	s432d	Suero nuevo cada cuantos días	discrete	numeric	
V516	s433a	Obtiene sobres hospital privad	discrete	numeric	
V517	s433b	Obtiene sobres hospital public	discrete	numeric	
V518	s433c	Obtiene sobres clinica privada	discrete	numeric	
V519	s433d	Obtiene sobres centro de salud	discrete	numeric	
V520	s433e	Obtiene sobres puesto de salud	discrete	numeric	
V521	s433f	Obtiene sobres IGSS	discrete	numeric	
V522	s433g	Obtiene sobres farmacia/tienda	discrete	numeric	
V523	s433h	Obtiene sobres otra fuente	discrete	numeric	
V524	s433i	Obtiene sobres no sabe	discrete	numeric	

ID	Name	Label	Type	Format	Question
V525	s434	Cuanto cuesta un sobre de rehi	discrete	numeric	
V526	s435	Tiene un sobre de reh. en casa	discrete	numeric	
V527	s436	Muestra el sobre	discrete	numeric	
V528	s516cm	1era relación sexual, Mes	discrete	numeric	
V529	s516ca	1era relación sexual, Año	discrete	numeric	
V530	s516d	1era vez, Usaron metodo	discrete	numeric	
V531	s516e	1era vez, Usaron metodo: Cual	discrete	numeric	
V532	s516f	1era vez, Por que no usó	discrete	numeric	
V533	s608	Edad deseada para hijo menor	discrete	numeric	
V534	s608a	Interesada en esterilizarse	discrete	numeric	
V535	s608b	Interesada; sabe donde consul.	discrete	numeric	
V536	s608c	Interesada; sabe; que lugar?	discrete	numeric	
V537	s608d	Interesada; sabe; por que no?	discrete	numeric	
V538	s608e	Se operaría cuando tenga todos	discrete	numeric	
V539	s608f	Porque no se operaría	discrete	numeric	
V540	s707a	En su ocupación su esposo es	discrete	numeric	
V541	s708	Filtro 708 trab. en act. agrop	discrete	numeric	

REC94

Content	WOMAN - Country specific - Maternity
Cases	4627
Variable(s)	8
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V542	caseid	Case identification	discrete	character	
V543	idx94	Index to birth history	discrete	numeric	
V544	s403a	Razón no fue inyectada/tétano	discrete	numeric	
V545	s403b	N° de inyecc. que le colocaron	discrete	numeric	
V546	s403c	Meses de embarazo 1era inyecc.	discrete	numeric	
V547	s403d	Lugar colocaron últ. inyección	discrete	numeric	
V548	s406a	Porque no le dió de mamar	discrete	numeric	
V549	s407a	Porque dejó de darle de mamar	discrete	numeric	

HWREC

Content	Height and Weight Scores - WHO Child Growth Standards
Cases	2437
Variable(s)	7
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V550	hwcaseid	Case Identification	discrete	character	
V551	hwline	Line	discrete	numeric	
V552	hwlevel	Data from HH or individual	discrete	numeric	
V553	hc70	Ht/A Standard deviations (according to WHO)	discrete	numeric	
V554	hc71	Wt/A Standard deviations (according to WHO)	discrete	numeric	
V555	hc72	Wt/Ht Standard deviations (according to WHO)	discrete	numeric	
V556	hc73	BMI Standard deviations (according to WHO)	discrete	numeric	

SCOMFIN

Content	SERVICE AVAILABILITY - Cierre cuestionario
Cases	185
Variable(s)	2
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V557	level1id	Level1 Identification	discrete	character	
V558	xcomfin	Marca de fin de cuestionario	discrete	numeric	

SGENDATA

Content	SERVICE AVAILABILITY - Datos generales de comunidad
Cases	648
Variable(s)	43
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V559	level1id	Level1 Identification	discrete	character	
V560	cmunicip	Municipio	discrete	character	
V561	careaa	Area	discrete	numeric	
V562	csegmen	Nº de segmento	contin	numeric	
V563	csegref	Segmento de referencia	discrete	numeric	
V564	centrev	CENTREV	discrete	character	
V565	cdia	CDIA	contin	numeric	
V566	cmes	CMES	contin	numeric	
V567	cano	CANO	contin	numeric	
V568	cnombre	Nombre de la localidad	discrete	character	
V569	c2	Tipo de localidad	discrete	numeric	
V570	cnucl	Tipo de aldea/caserío	discrete	numeric	
V571	c3	Nº de habitantes	discrete	numeric	
V572	c4	Vía principal de acceso	discrete	numeric	
V573	c5	Kms a localidad de 20 mil habs	discrete	numeric	
V574	c6bus	Transporte: Bus	discrete	numeric	
V575	c6taxi	Transporte: Taxi	discrete	numeric	
V576	c6bote	Transporte: Bote o Lancha	discrete	numeric	
V577	c6no	Transporte: Ninguno	discrete	numeric	
V578	c7	Prog. distrib. anticonceptivos	discrete	numeric	
V579	c7a1	Programa/1º método: nombre	discrete	character	
V580	c7a1c	Programa/1º método: costo	contin	numeric	
V581	c7a2	Programa/2º método: nombre	discrete	character	
V582	c7a2c	Programa/2º método: costo	contin	numeric	
V583	c7a3	Programa/3º método: nombre	discrete	character	
V584	c7a3c	Programa/3º método: costo	contin	numeric	
V585	c8	Promotor PlanFam?	discrete	numeric	
V586	c8a	Promotor: Visitas x año	discrete	numeric	

ID	Name	Label	Type	Format	Question
V587	c8b1	Promotor/1º método: nombre	discrete	character	
V588	c8b1c	Promotor/1º método: costo	contin	numeric	
V589	c8b2	Promotor/2º método: nombre	discrete	character	
V590	c8b2c	Promotor/2º método: costo	contin	numeric	
V591	c8b3	Promotor/3º método: nombre	discrete	character	
V592	c8b3c	Promotor/3º método: costo	contin	numeric	
V593	c10	Comadrona o partera?	discrete	numeric	
V594	c12alcan	Servicio de Alcantarillado?	discrete	numeric	
V595	c12basur	Recolección de Basuras?	discrete	numeric	
V596	sgendata_group	Item created from ISSA Group	discrete	character	
V597	c121	Servicio en la localidad?	discrete	numeric	
V598	c122	Servicio/Distancia en Kms.	discrete	numeric	
V599	c123	Servicio/Transporte más común	discrete	numeric	
V600	c124	Servicio/Tiempo llegada	discrete	numeric	
V601	c125	Servicio/Costo transporte	discrete	numeric	

SPLFAM

Content	SERVICE AVAILABILITY - Servicios de planificacin familiar
Cases	925
Variable(s)	48
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V602	level1id	Level1 Identification	discrete	character	
V603	sptipo	SPIFam/Tipo	discrete	character	
V604	spnombre	SPIFam/Nombre del servicio	discrete	character	
V605	spabas	SPIFam/Abastecido x APROFAM	discrete	numeric	
V606	sptiene	SPIFam/Existe en la localidad	discrete	numeric	
V607	spdonde	SPIFam/Donde está el servicio	discrete	character	
V608	spdist	SPIFam/distancia en Kms.	discrete	numeric	
V609	sptrans	SPIFam/Transporte más común	discrete	numeric	
V610	sptiempo	SPIFam/Tiempo de llegada	discrete	numeric	
V611	sppil	SPIFam/Píldora, dispone de...	discrete	numeric	
V612	sppilc	SPIFam/Píldora, costo	discrete	numeric	
V613	sppili	SPIFam/Píldora, año inicio	contin	numeric	
V614	spdiu	SPIFam/DIU, dispone de...	discrete	numeric	
V615	spdiuc	SPIFam/DIU, costo	discrete	numeric	
V616	spdiui	SPIFam/DIU, año inicio	contin	numeric	
V617	spiny	SPIFam/Inyecc., dispone de...	discrete	numeric	
V618	spinyc	SPIFam/Inyecc., costo	discrete	numeric	
V619	spinyi	SPIFam/Inyecc., año inicio	contin	numeric	
V620	spcon	SPIFam/Condón, dispone de...	discrete	numeric	
V621	spconc	SPIFam/Condón, costo	discrete	numeric	
V622	spconi	SPIFam/Condón, año inicio	contin	numeric	
V623	spesf	SPIFam/Est.Fem, dispone de...	discrete	numeric	
V624	spesfc	SPIFam/Est.Fem, costo	discrete	numeric	
V625	spesfi	SPIFam/Est.Fem, año inicio	contin	numeric	
V626	spesm	SPIFam/EstMasc, dispone de...	discrete	numeric	
V627	spesmc	SPIFam/EstMasc, costo	discrete	numeric	
V628	spesmi	SPIFam/EstMasc, año inicio	contin	numeric	
V629	spotr	SPIFam/Otros, dispone de...	discrete	numeric	

ID	Name	Label	Type	Format	Question
V630	spotrc	SPIFam/Otros, costo	discrete	numeric	
V631	spotri	SPIFam/Otros, año inicio	contin	numeric	
V632	spmedic	SPIFam/Nº de Médicos	discrete	numeric	
V633	spenfer	SPIFam/Nº de Enfermeras	discrete	numeric	
V634	splu	SPIFam/Atiende Lunes?	discrete	numeric	
V635	spluh	SPIFam/Hrs atiende Lunes	contin	numeric	
V636	spma	SPIFam/Atiende Martes?	discrete	numeric	
V637	spmah	SPIFam/Hrs atiende Martes	contin	numeric	
V638	spmi	SPIFam/Atiende Miércoles?	discrete	numeric	
V639	spmih	SPIFam/Hrs atiende Miércoles	discrete	numeric	
V640	spju	SPIFam/Atiende Jueves?	discrete	numeric	
V641	spjuh	SPIFam/Hrs atiende Jueves	contin	numeric	
V642	spvi	SPIFam/Atiende Viernes?	discrete	numeric	
V643	spvih	SPIFam/Hrs atiende Viernes	discrete	numeric	
V644	spsa	SPIFam/Atiende Sábado?	discrete	numeric	
V645	spsah	SPIFam/Hrs atiende Sábado	discrete	numeric	
V646	spdo	SPIFam/Atiende Domingo?	discrete	numeric	
V647	spdoh	SPIFam/Hrs atiende Domingo	discrete	numeric	
V648	spot	SPIFam/Atiende otros días?	discrete	numeric	
V649	spoth	SPIFam/Hrs atiende otros días	discrete	numeric	

SSALUD

Content	SERVICE AVAILABILITY - Servicios de salud
Cases	925
Variable(s)	36
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V650	level1id	Level1 Identification	discrete	character	
V651	sstipo	SSalud/Tipo	discrete	character	
V652	ssnombre	SSalud/Nombre del servicio	discrete	character	
V653	sstiene	SSalud/Existe en la localidad	discrete	numeric	
V654	ssdonde	SSalud/Donde está el servicio	discrete	character	
V655	ssdist	SSalud/Distancia en Kms.	discrete	numeric	
V656	ssstrans	SSalud/Transporte más común	discrete	numeric	
V657	sstiempo	SSalud/Tiempo de llegada	discrete	numeric	
V658	ssmedic	SSalud/Nº de Médicos	discrete	numeric	
V659	ssenfer	SSalud/Nº de Enfermeras	discrete	numeric	
V660	sslu	SSalud/Atiende Lunes?	discrete	numeric	
V661	ssluh	SSalud/Hrs atiende Lunes	discrete	numeric	
V662	ssma	SSalud/Atiende Martes?	discrete	numeric	
V663	ssmah	SSalud/Hrs atiende Martes	discrete	numeric	
V664	ssmi	SSalud/Atiende Miércoles?	discrete	numeric	
V665	ssmih	SSalud/Hrs atiende Miércoles	discrete	numeric	
V666	ssju	SSalud/Atiende Jueves?	discrete	numeric	
V667	ssjuh	SSalud/Hrs atiende Jueves	discrete	numeric	
V668	ssvi	SSalud/Atiende Viernes?	discrete	numeric	
V669	ssvih	SSalud/Hrs atiende Viernes	discrete	numeric	
V670	sssa	SSalud/Atiende Sábado?	discrete	numeric	
V671	ssсах	SSalud/Hrs atiende Sábado	discrete	numeric	
V672	ssdo	SSalud/Atiende Domingo?	discrete	numeric	
V673	ssdoh	SSalud/Hrs atiende Domingo	discrete	numeric	
V674	ssot	SSalud/Atiende otros días?	discrete	numeric	
V675	ssoth	SSalud/Hrs atiende otros días	discrete	numeric	
V676	ssmat	SSalud/MaternoInf: tiene?	discrete	numeric	
V677	ssmati	SSalud/MaternoInf: año inicio	contin	numeric	

ID	Name	Label	Type	Format	Question
V678	sseme	SSalud/Emergencia: tiene?	discrete	numeric	
V679	ssemei	SSalud/Emergencia: año inicio	contin	numeric	
V680	sspla	SSalud/Planif.Fam: tiene?	discrete	numeric	
V681	ssplai	SSalud/Planif.Fam: año inicio	contin	numeric	
V682	ssreh	SSalud/RehidrOral: tiene?	discrete	numeric	
V683	ssrehi	SSalud/RehidrOral: año inicio	contin	numeric	
V684	ssgen	SSalud/General: tiene?	discrete	numeric	
V685	ssgeni	SSalud/General: año inicio	contin	numeric	

Level1 Identification (level1id)

File: SECHM

Overview

Type: Discrete
Format: character
Width: 7

Departamento (depto)

File: SECHM

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-30

Municipio (municip)

File: SECHM

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-601

Area urbana o rural (area)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Número de segmento (segmento)

File: SECHM

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-930

Número de estructura (estruct)

File: SECHM

Número de estructura (estruct)

File: SECHM

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-792

Número de vivienda en el segm. (vivienda)

File: SECHM

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-91

Número de Hogar en la vivienda (hogar)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Resultado final visitas hogar (resultf)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Código entrevistadora (entrev)

File: SECHM

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-30

Confirma resultado de entrevistas (confresh)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Total de personas en el hogar (tpersona)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-20

Día de la visita final (diavisf)

File: SECHM

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-30

Mes de la visita final (mesvisf)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 9-12

Año de la visita final (anovisf)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 87-87

Hora visita final en minutos (horavisf)

File: SECHM

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 420-1260

Region (derivada) (region)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Item created from ISSA Group (sechm_group)

File: SECHM

Overview

Type: Discrete
Format: character
Width: 33

Día de la visita (diavis)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Mes de la visita (mesvis)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Año de la visita (anovis)

File: SECHM

Año de la visita (anovis)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Resultado de cada visita hogar (result)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Entrevistadora (entrevis)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Hora de la visita (horavis)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Minuto de la visita (minvis)

File: SECHM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Otra visita al hogar ? (otravish)

File: SECHM

Overview

Otra visita al hogar ? (otravish)

File: SECHM

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Level1 Identification (level1id)

File: SECDH

Overview

Type: Discrete
 Format: character
 Width: 7

Fuente abast. agua para beber (dh1)

File: SECDH

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Fuente abast. agua otros usos (dh2)

File: SECDH

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Clase de sanitario (dh3)

File: SECDH

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Algun miembro tiene bicicleta (dh4bicic)

File: SECDH

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Algun miembro tiene motociclet (dh4moto)

File: SECDH

Algun miembro tiene motociclet (dh4moto)

File: SECDH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Algun miembro tiene carro (dh4carro)

File: SECDH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Algun miembro tiene casa (dh4casa)

File: SECDH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Algun miembro tiene tractor (dh4tract)

File: SECDH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Tiene telefono (dh5fono)

File: SECDH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Tiene luz electrica (dh5luzel)

File: SECDH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Tiene radio (dh5radio)

File: SECDH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Tiene televisor (dh5tele)

File: SECDH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Tiene heladera (dh5helad)

File: SECDH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Material predom. en el piso (dh6)

File: SECDH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Level1 Identification (level1id)

File: SECRMH

Overview

Type: Discrete
 Format: character
 Width: 7

Numero de linea de persona (colrmh)

File: SECRMH

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-20

Parentesco con jefe de hogar (parentes)

File: SECRMH

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Vive habitualmente aquí (viveaqui)

File: SECRMH

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Durmió aquí anoche (durmioaq)

File: SECRMH

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Sexo de la persona (sexo)

File: SECRMH

Sexo de la persona (sexo)

File: SECRMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Edad en años cumplidos (edada)

File: SECRMH

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Mujer elegible (elegible)

File: SECRMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

Otra persona en registro de ho (otrapers)

File: SECRMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Mujer ya fue digitada (digitada)

File: SECRMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

Case identification (caseid)

File: REC01

Overview

Type: Discrete
Format: character
Width: 10

Country code (v000)

File: REC01

Overview

Type: Discrete
Format: character
Width: 2

Cluster number (v001)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-242

Household number (v002)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 101-8001

Line number (v003)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Enumeration area (v004)

File: REC01

Overview

Enumeration area (v004)

File: REC01

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-242

Sample weight (v005)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 7
Decimals: 0
Range: 1000000-1000000

Month of interview (v006)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 9-12

Year of interview (v007)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 87-87

Date of interview (CMC) (v008)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1053-1056

Respondent's month of birth (v009)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Respondent's year of birth (v010)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 42-72

Date of birth (CMC) (v011)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 515-875

Current age - respondent (v012)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 15-44

Age 5-year groups (v013)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Completeness of information (v014)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Case identification (caseid)

File: REC11

Overview

Type: Discrete
 Format: character
 Width: 10

Region (v101)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Type of place of residence (v102)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Childhood place of residence (v103)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Years lived in place of res. (v104)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-97

Type of place of previous res. (v105)

File: REC11

Type of place of previous res. (v105)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Highest educational level (v106)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Highest year of education (v107)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Literacy (v108)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Reads newspaper once a week (v109)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Watches TV every week (v110)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Listens to radio every day (v111)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Listens to radio every week (v112)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of drinking water (v113)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Source of household water (v114)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time to get to water source (v115)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 996-996

Clase de sanitario (v116)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Age children use toilet (v117)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 96-96

Cake of soap on premises (v118)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Has electricity (v119)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Has radio (v120)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has television (v121)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has refrigerator (v122)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has bicycle (v123)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has motorcycle (v124)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has car (v125)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has tractor (v126)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Main material of floor (v127)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Main wall material (v128)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Main material of roof (v129)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Religion (v130)

File: REC11

Religion (v130)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Ethnicity (v131)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Association membership (v132)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Education in single years (v133)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-97

De facto place of residence (v134)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Usual resident/visitor (v135)

File: REC11

Usual resident/visitor (v135)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Household members (v136)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-20

Children resident under 5 (v137)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-6

Eligible women (v138)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Case identification (caseid)

File: REC21

Overview

Type: Discrete
 Format: character
 Width: 10

Birth column number (bidx)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-16

Birth order number (bord)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-16

Child is twin (b0)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Month of birth (b1)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-12

Year of birth (b2)

File: REC21

Year of birth (b2)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 56-87

Date of birth (CMC) (b3)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 675-1056

Sex of child (b4)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Child is alive (b5)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Age at death (b6)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-998

Age at death (months-imputed) (b7)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-90

Current age of child (b8)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-31

Child lives with respondent (b9)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Completeness of information (b10)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Preceding birth interval (b11)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 7-201

Succeeding birth interval (b12)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 7-201

Case identification (caseid)

File: REC22

Overview

Type: Discrete
 Format: character
 Width: 10

Total children ever born (v201)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-16

Sons at home (v202)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Daughters at home (v203)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Sons elsewhere (v204)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Daughters elsewhere (v205)

File: REC22

Daughters elsewhere (v205)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Sons who have died (v206)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Daughters who have died (v207)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Births in last five years (v208)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Births in past year (v209)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Births in month of interview (v210)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Date of first birth (CMC) (v211)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 675-1056

Age of respondent at 1st birth (v212)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 12-38

Currently pregnant (v213)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Duration of current pregnancy (v214)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time since last menstrual perd (v215)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-998

Menstruated in last six weeks (v216)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Knowledge of ovulatory cycle (v217)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Number of living children (v218)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-13

Living children + current preg (v219)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-13

Living children + curr preg 6+ (v220)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Marriage to first birth int. (v221)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-996

Last birth to interview (v222)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-321

Completeness of information (v223)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 5-6

Entries in birth history (v224)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

Case identification (caseid)

File: REC31

Overview

Type: Discrete
 Format: character
 Width: 10

Knowledge of any method (v301)

File: REC31

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Ever use of any method (v302)

File: REC31

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Knows source for modern method (v303)

File: REC31

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Contraceptive Table (rec31_group)

File: REC31

Overview

Type: Discrete
 Format: character
 Width: 1

Knows method (v304)

File: REC31

Overview

Knows method (v304)

File: REC31

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Ever used method (v305)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source known for method (v306)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Source for method by type (v307)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Main problem with method (v308)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Main problem with method (v309)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Case identification (caseid)

File: REC32

Overview

Type: Discrete
 Format: character
 Width: 10

Living children at first use (v310)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-12

Children at first use (grpdc) (v311)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Current contraceptive method (v312)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-15

Current use by method type (v313)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Method of periodic abstinence (v314)

File: REC32

Method of periodic abstinence (v314)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Month of sterilization (v315)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of sterilization (v316)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 71-87

Date of sterilization (CMC) (v317)

File: REC32

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 857-1055

Completeness of information (v318)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Years since sterilization (v319)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Age at sterilization (v320)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Marital duration at steriliz. (v321)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Parity at sterilization (v322)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Brand of pill used (v323)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Using social marketing brand (v324)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cost of pills (v325)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-998

Source of method (v326)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Last source for users by type (v327)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Disliked service received (v328)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Source of method (v329)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-16

Source of info. for trad.users (v330)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Disliked service received (v331)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Source of method (v332)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-16

Source for past users by type (v333)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Disliked service received (v334)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Duration of current use (v335)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Duration of current use (v336)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Months of use of current meth (v337)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

Problem with current method (v338)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Problem with current method (v339)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Other method used (v340)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

Last method used before curr (v341)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Date of previous use (v342)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Date of previous use (v343)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 68-98

Date started using prev. meth. (v344)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 822-9998

Completeness of information (v345)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Duration of previous use (v346)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Duration of previous use (v347)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Months using previous method (v348)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-998

Reason stopped using prev. met (v349)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 2-98

Method used in OBI past users (v350)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-15

Date started last method (v351)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

Date started last method (v352)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 69-98

Date started using last method (v353)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 832-9998

Completeness of information (v354)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Duration last method in OBI (v355)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Duration last method in OBI (v356)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Months using last method (v357)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-998

Reason stopped using last meth (v358)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Last method disc. last 5 years (v359)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Reason of last discontinuation (v360)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pattern of use (v361)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Intention to use (v362)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Preferred future method (v363)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Contraceptive use & intention (v364)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Heard FP message on radio (v365)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Acceptability of media message (v366)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Wanted last child (v367)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Entries in contraception table (v368)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Case identification (caseid)

File: REC33

Overview

Type: Discrete
 Format: character
 Width: 10

Index to birth history (cpidx)

File: REC33

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Last method used in interval (cp1)

File: REC33

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-15

Previous method used in int. (cp2)

File: REC33

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-15

Duration of use in interval (cp3)

File: REC33

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Duration of use in interval (cp4)

File: REC33

Duration of use in interval (cp4)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Months of use of last method (cp5)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-998

Reason stopped using method (cp6)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Fertility Planning (3 grps) (cp7)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Fertility Planning (6 grps) (cp8)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Outcome of birth (cp9)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Case identification (caseid)

File: REC41

Overview

Type: Discrete
 Format: character
 Width: 10

Index to birth history (midx)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Tetanus injection before birth (m1)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal care before birth (m2)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Assistance at delivery (m3)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-6

Duration of breastfeeding (m4)

File: REC41

Duration of breastfeeding (m4)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of breastfeeding (m5)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration of amenorrhea (m6)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Months of amenorrhea (m7)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Duration of abstinence (m8)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of abstinence (m9)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Case identification (caseid)

File: REC42

Overview

Type: Discrete
 Format: character
 Width: 10

Last birth cesarean section (v401)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Tetanus injection current preg (v402)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Prenatal care current preg. (v403)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Currently breastfeeding (v404)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Currently amenorrheic (v405)

File: REC42

Currently amenorrheic (v405)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Currently abstaining (v406)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Times breastfed during night (v407)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-96

Times breastfed during day (v408)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-96

Gave child plain water (v409)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Gave child juice (v410)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Gave child powdered milk (v411)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Gave child cows or goats milk (v412)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Gave child other liquid (v413)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Gave child solid or mushy food (v414)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fed food in bottle with nipple (v415)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Heard of oral rehydration (v416)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Entries in maternity table (v417)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Entries in health table (v418)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Entries in height/weight table (v419)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Measurer's code (v420)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistant measurer's code (v421)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Case identification (caseid)

File: REC43

Overview

Type: Discrete
 Format: character
 Width: 10

Index to birth history (hidx)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Has health card (h1)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Received BCG (h2)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

BCG day (h2d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

BCG month (h2m)

File: REC43

BCG month (h2m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

BCG year (h2y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 82-99

Received DPT 1 (h3)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

DPT 1 day (h3d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 1 month (h3m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 1 year (h3y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 82-99

Received POLIO 1 (h4)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

POLIO 1 day (h4d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 1 month (h4m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 1 year (h4y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 82-99

Received DPT 2 (h5)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

DPT 2 day (h5d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 2 month (h5m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 2 year (h5y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 82-99

Received POLIO 2 (h6)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

POLIO 2 day (h6d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 2 month (h6m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 2 year (h6y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 82-99

Received DPT 3 (h7)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

DPT 3 day (h7d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 3 month (h7m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 3 year (h7y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 83-99

Received POLIO 3 (h8)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

POLIO 3 day (h8d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 3 month (h8m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 3 year (h8y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 83-99

Received MEASLES (h9)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

MEASLES day (h9d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

MEASLES month (h9m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

MEASLES year (h9y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 83-99

Ever had vaccination (h10)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Had diarrhea recently (h11)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Received medical treatment (h12)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given oral rehydration (h13)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given home solution of sugar (h14)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given tablets,injections,syrup (h15)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Increase fluids (h16)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Decrease fluids (h17)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Increase foods (h18)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Decrease foods (h19)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given other treatment (h20)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Received any treatment (h21)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had fever in last 4 weeks (h22)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Received medical treatment (h23)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given antimalarials (h24)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given antibiotics (h25)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given liquid or syrup (h26)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given aspirin (h27)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given injection (h28)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other treatment for fever (h29)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had any treatment for fever (h30)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had cough/difficult breathing (h31)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Received medical treatment (h32)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given antibiotics (h33)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given cough syrup (h34)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given pill (h35)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given injection (h36)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other treatment for cough (h37)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given any treatment for cough (h38)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case identification (caseid)

File: REC44

Overview

Type: Discrete
 Format: character
 Width: 10

Index to birth history (hwidx)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Age in months (hw1)

File: REC44

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 3-36

Weight in kilograms (hw2)

File: REC44

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 30-999

Height in centimetres (hw3)

File: REC44

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 470-9999

Ht/A Percentile (hw4)

File: REC44

Ht/A Percentile (hw4)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9999

Ht/A Standard deviations (hw5)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -598-9999

Ht/A Percent of ref. median (hw6)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 7649-99999

Wt/A Percentile (hw7)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9999

Wt/A Standard deviations (hw8)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -522-9999

Wt/A Percent of ref. median (hw9)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 4491-99999

Wt/Ht Percentile (hw10)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 3-9999

Wt/Ht Standard deviations (hw11)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -340-9999

Wt/Ht Percent of ref. median (hw12)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 6984-99999

Reason not measured (hw13)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case identification (caseid)

File: REC51

Overview

Type: Discrete
 Format: character
 Width: 10

Current marital status (v501)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Currently/formerly/never marr. (v502)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Number of unions (v503)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Husband lives in house (v504)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Number of other wives (v505)

File: REC51

Number of other wives (v505)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Wife rank number (v506)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 98-98

Month of first marriage (v507)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of first marriage (v508)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 54-87

Date of first marriage (CMC) (v509)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 660-1056

Completeness of date inform. (v510)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Age at first marriage (v511)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 9-38

Years since first marriage (v512)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-32

Marital duration (grouped) (v513)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Respondents mother still alive (v514)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Respondents father still alive (v515)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband's mother still alive (v516)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband's father still alive (v517)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Resp. mother alive at union (v518)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Resp. father alive at union (v519)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husb. mother alive at union (v520)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husb. father alive at union (v521)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Years lived with parents (v522)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-97

Currently living with parents (v523)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Localities since first marr. (v524)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-97

Age at first intercourse (v525)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Frequency of intercourse (v526)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Time since last intercourse (v527)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Time since last intercourse(g) (v528)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Case identification (caseid)

File: REC61

Overview

Type: Discrete
Format: character
Width: 10

Preference and certainty (v601)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Fertility preference (v602)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Preferred waiting time (v603)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Preferred waiting time (grpd) (v604)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Desire for more children (v605)

File: REC61

Desire for more children (v605)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Attitude toward becoming preg. (v606)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Main reason for non-use (v607)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Ideal post-partum abst. period (v608)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 996-996

Sex while breastfeeding (v609)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Husband approves FP (v610)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Discussed FP with partner (v611)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Respondent approves FP (v612)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Ideal number of children (v613)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-96

Ideal number of children (grp) (v614)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Case identification (caseid)

File: REC71

Overview

Type: Discrete
 Format: character
 Width: 10

Husband's education level (v701)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Highest year of education (v702)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Husband's literacy (v703)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Husband's occupation (v704)

File: REC71

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Husband's occupation (v705)

File: REC71

Husband's occupation (v705)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Nonagricultural earnings (v706)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Type of land where works (v707)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Type of agricultural wages (v708)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Respondent worked before marr. (v709)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Wages for family or self (v710)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Respondent worked after marr. (v711)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Respondent worked (nev.marr.) (v712)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Wages for family or self (v713)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Respondent currently working (v714)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Husbands education-single yrs (v715)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Case identification (caseid)

File: REC81

Overview

Type: Discrete
Format: character
Width: 10

Time interview started (v801)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 700-2120

Time interview ended (v802)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 705-2130

Length of interview in minutes (v803)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-96

Number of visits (v804)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Interviewer identification (v805)

File: REC81

Interviewer identification (v805)

File: REC81

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Keyer identification (v806)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 11-15

Pres. children < 10 (sec 2) (v807)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Pres. husband (sec 2) (v808)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Pres. other males (sec 2) (v809)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Pres. other females (sec 2) (v810)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Pres. children < 10 (sec 5) (v811)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Pres. husband (sec 5) (v812)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Pres. other males (sec 5) (v813)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Pres. other females (sec 5) (v814)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case identification (caseid)

File: REC91

Overview

Type: Discrete
 Format: character
 Width: 10

Algun miembro tiene casa (sh4casa)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Tiene telefono (sh5fono)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Idioma de la entrevista (sidioma)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Número de cuestionario (scuest)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-32

Departamento (sdepto)

File: REC91

Departamento (sdepto)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-22

Municipio (smunicip)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-124

Estructura (sestruct)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-486

Número de vivienda en el segm. (sviviend)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-80

Día de la visita (sdiavis)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Duración entrevista horas (sdurhora)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Duración de la entrevista mins (sdurmin)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-59

Supervisora (ssuperv)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 301-305

Crítico (oficina) (scritico)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 201-207

Idioma hablado por la familia (s102)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Puede hablar/entender español (s103)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Donde ha vivido más tiempo (s104)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Antes de vivir aquí donde vivi (s106)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Ve televisión todos los días (s115)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Fuma cigarros o puros (s117)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

N° de cigarros/puros que fuma (s118)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Cada cuanto consume beb.alcoholó (s119)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

N° inyecciones contra tétano (s223a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Donde le pusieron última inyec (s223b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

A quien consultó (s225)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Embarazada alguna vez (s226b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Quería hijo últ.vez embarazada (s226c)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Ha tenido alguna pérdida (s226e)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Número de pérdidas (s226f)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-11

Pérdida en últimos 12 meses (s226g)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Alguna pérdida provocada (s226h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

N° de pérdidas provocadas (s226i)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Una pérdida/ dos o mas (s226jf)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Requirió tratamiento médico (s226j)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Lugar de tratamiento/pérdida (s226k)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Necesitó internación (s226l)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Noches hospitalizada/pérdida (s226m)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Alguna vez examen ginecologico (s228)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Mes último examen vaginal (s228ames)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

Año último examen vaginal (s228aano)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 66-98

Examen cancer en matriz (s229)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Mes último examen cancer (s229ames)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

Año último examen cancer (s229aano)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 66-98

Primer método que usó (s311a)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

Lugar de obtención del método (s311b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

Satisfacción con operac. espos (s317b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Operación durante una cesárea (s317e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Satisfacción operación mujer (s317f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Problema con operación mujer (s317g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Ha recomendado la operación (s317h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Si no se hubiera operado se op (s317i)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Clinica/hospital operación (s317jc)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Municipio operación (s317jm)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Departamento operación (s317jd)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Cree puede quedar embarazada (s338a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

No cree poder embarazarse por (s338b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Razón no utilizar mét. actualm (s338c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Desea usar método anticoncept. (s338d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Vacunan en hospital privado (s413a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunan en hospital publico (s413b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunar en clinica privada (s413c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunar en centro de salud (s413d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunar en puesto de salud (s413e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunar en IGSS (s413f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunar en farmacia (s413g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunan promotores de salud (s413h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunan en jornadas vacunacion (s413i)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunan en escuela (s413j)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunan en otro sitio (s413k)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vacunan no sabe sitio (s413l)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

N° orden niño con epis.diarrea (s423d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-13

Días atrás que empezó el episo (s424)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-30

Días que duró el episodio (s424a)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-30

Dió de mamar a niño con diarrea (s424b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Cantidad de líquidos/diarrea (s424c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Dió suero/sales de rehidrat. (s424e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Donde aprendió a prep. sales (s424f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Efecto suero casero o sales (s424g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Cantidad de suero o sales admi (s424h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Días que le dió suero o sales (s424i)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Cantidad de alimentos/diarrea (s424j)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Dió medicamento para la diarrea (s424k)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Lugar de consulta/diarrea (s425)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-88

Recibio tratamiento inyeccion (s426a)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Recibio tratam. intravenosa (s426b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Recibio tratam. medicamentos (s426c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Recibio tratam. rehidratacion (s426d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Recibio tratam. liquido casero (s426e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Recibio tratam. otro (s426f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

No recibio tratamiento (s426g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Ha escuchado de sobre de rehid (s428)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Ha visto un sobre de rehidrata (s429)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Sabe la utilización del sobre (s430)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Ha utilizado el sobre de rehid (s431)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Uso de bolsita de rehidrat. (s432)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Ult.prep.sobre,cantidad agua (s432a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Ult.prep.sobre agua hervida (s432b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Ult.prep.sobre mezcló en (s432c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Suero nuevo cada cuantos días (s432d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Obtiene sobres hospital privad (s433a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Obtiene sobres hospital public (s433b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Obtiene sobres clinica privada (s433c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Obtiene sobres centro de salud (s433d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Obtiene sobres puesto de salud (s433e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Obtiene sobres IGSS (s433f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Obtiene sobres farmacia/tienda (s433g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Obtiene sobres otra fuente (s433h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Obtiene sobres no sabe (s433i)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cuanto cuesta un sobre de rehi (s434)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 5-998

Tiene un sobre de reh. en casa (s435)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Muestra el sobre (s436)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

1era relación sexual, Mes (s516cm)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

1era relación sexual, Año (s516ca)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 74-98

1era vez, Usaron metodo (s516d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

1era vez, Usaron metodo: Cual (s516e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-10

1era vez, Por que no usó (s516f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Edad deseada para hijo menor (s608)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-98

Interesada en esterilizarse (s608a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Interesada; sabe donde consul. (s608b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Interesada; sabe; que lugar? (s608c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Interesada; sabe; por que no? (s608d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Se operaría cuando tenga todos (s608e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Porque no se operaría (s608f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

En su ocupación su esposo es (s707a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Filtro 708 trab. en act. agrop (s708)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Case identification (caseid)

File: REC94

Overview

Type: Discrete
 Format: character
 Width: 10

Index to birth history (idx94)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Razón no fue inyectada/tétano (s403a)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

N° de inyecc. que le colocaron (s403b)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

Meses de embarazo 1era inyecc. (s403c)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

Lugar colocaron últ. inyección (s403d)

File: REC94

Lugar colocaron últ. inyección (s403d)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Porque no le dió de mamar (s406a)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Porque dejó de darle de mamar (s407a)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-12

Case Identification (hwcaseid)

File: HWREC

Overview

Type: Discrete
 Format: character
 Width: 10

Line (hwline)

File: HWREC

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Data from HH or individual (hwlevel)

File: HWREC

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Ht/A Standard deviations (according to WHO) (hc70)

File: HWREC

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -597-9999

Wt/A Standard deviations (according to WHO) (hc71)

File: HWREC

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -515-9999

Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -432-9999

BMI Standard deviations (according to WHO) (hc73)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -483-9999

Level1 Identification (level1id)

File: SCOMFIN

Overview

Type: Discrete
Format: character
Width: 3

Marca de fin de cuestionario (xcomfin)

File: SCOMFIN

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

Level1 Identification (level1id)

File: SGENDATA

Overview

Type: Discrete
Format: character
Width: 3

Municipio (cmunicip)

File: SGENDATA

Overview

Type: Discrete
Format: character
Width: 55

Area (carea)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Nº de segmento (csegmen)

File: SGENDATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-254

Segmento de referencia (csegref)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

CENTREV (centrev)

File: SGENDATA

Overview

CENTREV (centrev)

File: SGENDATA

Type: Discrete
Format: character
Width: 21

CDIA (cdia)

File: SGENDATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-26

CMES (cmes)

File: SGENDATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-28

CANO (cano)

File: SGENDATA

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-88

Nombre de la localidad (cnombre)

File: SGENDATA

Overview

Type: Discrete
Format: character
Width: 31

Tipo de localidad (c2)

File: SGENDATA

Overview

Tipo de localidad (c2)

File: SGENDATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Tipo de aldea/caserío (cnucl)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Nº de habitantes (c3)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Vía principal de acceso (c4)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Kms a localidad de 20 mil habs (c5)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Transporte: Bus (c6bus)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Transporte: Taxi (c6taxi)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Transporte: Bote o Lancha (c6bote)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Transporte: Ninguno (c6no)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prog. distrib. anticonceptivos (c7)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Programa/1º método: nombre (c7a1)

File: SGENDATA

Overview

Type: Discrete
Format: character
Width: 15

Programa/1º método: costo (c7a1c)

File: SGENDATA

Overview

Type: Continuous
Format: numeric
Width: 15
Decimals: 0
Range: 0-88.879997253418

Programa/2º método: nombre (c7a2)

File: SGENDATA

Overview

Type: Discrete
Format: character
Width: 15

Programa/2º método: costo (c7a2c)

File: SGENDATA

Overview

Type: Continuous
Format: numeric
Width: 15
Decimals: 0
Range: 0-88.879997253418

Programa/3º método: nombre (c7a3)

File: SGENDATA

Overview

Type: Discrete
Format: character
Width: 14

Programa/3º método: costo (c7a3c)

File: SGENDATA

Overview

Programa/3º método: costo (c7a3c)

File: SGENDATA

Type: Continuous
Format: numeric
Width: 15
Decimals: 0
Range: 0-88.879997253418

Promotor PlanFam? (c8)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Promotor: Visitas x año (c8a)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Promotor/1º método: nombre (c8b1)

File: SGENDATA

Overview

Type: Discrete
Format: character
Width: 15

Promotor/1º método: costo (c8b1c)

File: SGENDATA

Overview

Type: Continuous
Format: numeric
Width: 17
Decimals: 0
Range: 0-0.360000014305115

Promotor/2º método: nombre (c8b2)

File: SGENDATA

Overview

Promotor/2º método: nombre (c8b2)

File: SGENDATA

Type: Discrete
Format: character
Width: 15

Promotor/2º método: costo (c8b2c)

File: SGENDATA

Overview

Type: Continuous
Format: numeric
Width: 17
Decimals: 0
Range: 0-0.300000011920929

Promotor/3º método: nombre (c8b3)

File: SGENDATA

Overview

Type: Discrete
Format: character
Width: 15

Promotor/3º método: costo (c8b3c)

File: SGENDATA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-3.5

Comadrona o partera? (c10)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Servicio de Alcantarillado? (c12alcan)

File: SGENDATA

Overview

Servicio de Alcantarillado? (c12alcan)

File: SGENDATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Recolección de Basuras? (c12basur)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Item created from ISSA Group (sgendata_group)

File: SGENDATA

Overview

Type: Discrete
Format: character
Width: 20

Servicio en la localidad? (c121)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Servicio/Distancia en Kms. (c122)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Servicio/Transporte más común (c123)

File: SGENDATA

Overview

Servicio/Transporte más común (c123)

File: SGENDATA

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Servicio/Tiempo llegada (c124)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

Servicio/Costo transporte (c125)

File: SGENDATA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-19

Level1 Identification (level1id)

File: SPLFAM

Overview

Type: Discrete
 Format: character
 Width: 3

SPlFam/Tipo (sptipo)

File: SPLFAM

Overview

Type: Discrete
 Format: character
 Width: 16

SPlFam/Nombre del servicio (spnombre)

File: SPLFAM

Overview

Type: Discrete
 Format: character
 Width: 12

SPlFam/Abastecido x APROFAM (spabas)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

SPlFam/Existe en la localidad (sptiene)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

SPlFam/Donde está el servicio (spdonde)

File: SPLFAM

Overview

SPlFam/Donde está el servicio (spdonde)

File: SPLFAM

Type: Discrete
 Format: character
 Width: 12

SPlFam/distancia en Kms. (spdist)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SPlFam/Transporte más común (sptrans)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

SPlFam/Tiempo de llegada (sptiempo)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-998

SPlFam/Píldora, dispone de... (sppil)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Píldora, costo (sppilc)

File: SPLFAM

Overview

SPlFam/Píldora, costo (sppilc)

File: SPLFAM

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

SPlFam/Píldora, año inicio (sppili)

File: SPLFAM

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SPlFam/DIU, dispone de... (spdiu)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/DIU, costo (spdiuc)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-998

SPlFam/DIU, año inicio (spdiui)

File: SPLFAM

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SPlFam/Inyecc., dispone de... (spiny)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Inyecc., costo (spinyc)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 3-98

SPlFam/Inyecc., año inicio (spinyi)

File: SPLFAM

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SPlFam/Condón, dispone de... (spcon)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Condón, costo (spconc)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

SPlFam/Condón, año inicio (spconi)

File: SPLFAM

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

SPlFam/Est.Fem, dispone de... (spesf)

File: SPLFAM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

SPlFam/Est.Fem, costo (spesfc)

File: SPLFAM

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 4-998

SPlFam/Est.Fem, año inicio (spesfi)

File: SPLFAM

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 18-98

SPlFam/EstMasc, dispone de... (spesm)

File: SPLFAM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

SPlFam/EstMasc, costo (spesmc)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 4-998

SPlFam/EstMasc, año inicio (spesmi)

File: SPLFAM

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SPlFam/Otros, dispone de... (spotr)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Otros, costo (spotrc)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-998

SPlFam/Otros, año inicio (spotri)

File: SPLFAM

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SPlFam/Nº de Médicos (spmedic)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SPlFam/Nº de Enfermeras (spenfer)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SPlFam/Atiende Lunes? (splu)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Hrs atiende Lunes (spluh)

File: SPLFAM

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 3-24

SPlFam/Atiende Martes? (spma)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Hrs atiende Martes (spmah)

File: SPLFAM

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 3-24

SPlFam/Atiende Miércoles? (spmi)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Hrs atiende Miércoles (spmih)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 4-24

SPlFam/Atiende Jueves? (spju)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Hrs atiende Jueves (spjuh)

File: SPLFAM

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-24

SPlFam/Atiende Viernes? (spvi)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Hrs atiende Viernes (spvih)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 4-24

SPlFam/Atiende Sábado? (spsa)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Hrs atiende Sábado (spsah)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 4-24

SPlFam/Atiende Domingo? (spdo)

File: SPLFAM

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SPlFam/Hrs atiende Domingo (spdoh)

File: SPLFAM

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 4-24

SPlFam/Atiende otros días? (spot)

File: SPLFAM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

SPlFam/Hrs atiende otros días (spoth)

File: SPLFAM

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Level1 Identification (level1id)

File: SSALUD

Overview

Type: Discrete
Format: character
Width: 3

SSalud/Tipo (sstipo)

File: SSALUD

Overview

Type: Discrete
Format: character
Width: 16

SSalud/Nombre del servicio (ssnombre)

File: SSALUD

Overview

Type: Discrete
Format: character
Width: 12

SSalud/Existe en la localidad (sstiene)

File: SSALUD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

SSalud/Donde está el servicio (ssdonde)

File: SSALUD

Overview

Type: Discrete
Format: character
Width: 12

SSalud/Distancia en Kms. (ssdist)

File: SSALUD

Overview

SSalud/Distancia en Kms. (ssdist)

File: SSALUD

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SSalud/Transporte más común (sstrans)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

SSalud/Tiempo de llegada (sstiempo)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-998

SSalud/Nº de Médicos (ssmedic)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SSalud/Nº de Enfermeras (ssenfer)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SSalud/Atiende Lunes? (sslu)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SSalud/Hrs atiende Lunes (ssluh)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 5-24

SSalud/Atiende Martes? (ssma)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SSalud/Hrs atiende Martes (ssmah)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 5-24

SSalud/Atiende Miércoles? (ssmi)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SSalud/Hrs atiende Miércoles (ssmih)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 4-24

SSalud/Atiende Jueves? (ssju)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SSalud/Hrs atiende Jueves (ssjuh)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 5-24

SSalud/Atiende Viernes? (ssvi)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SSalud/Hrs atiende Viernes (ssvih)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 5-24

SSalud/Atiende Sábado? (sssa)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SSalud/Hrs atiende Sábado (ssah)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 4-24

SSalud/Atiende Domingo? (ssdo)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SSalud/Hrs atiende Domingo (ssdoh)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 4-24

SSalud/Atiende otros días? (ssot)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SSalud/Hrs atiende otros días (ssoth)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 18-24

SSalud/MaternoInf: tiene? (ssmat)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SSalud/MaternoInf: año inicio (ssmati)

File: SSALUD

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SSalud/Emergencia: tiene? (sseme)

File: SSALUD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

SSalud/Emergencia: año inicio (ssemei)

File: SSALUD

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

SSalud/Planif.Fam: tiene? (sspla)

File: SSALUD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

SSalud/Planif.Fam: año inicio (ssplai)

File: SSALUD

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

SSalud/RehidrOral: tiene? (ssreh)

File: SSALUD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

SSalud/RehidrOral: año inicio (ssrehi)

File: SSALUD

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

SSalud/General: tiene? (ssgen)

File: SSALUD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

SSalud/General: año inicio (ssgeni)

File: SSALUD

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Related Materials

Questionnaires

Encuesta Nacional de Salud Materno Infantil 1987 - Cuestionario del Hogar

Title	Encuesta Nacional de Salud Materno Infantil 1987 - Cuestionario del Hogar
Author(s)	Ministerio de Salud Pública y Asistencia Social Instituto de Nutrición de Centro América y Panamá Guatemala
Date	1987-09-01
Country	Guatemala
Language	Spanish
Contributor(s)	Institute for Resource Development
Description	EL cuestionario de hogar recababa información sobre todos los residentes habituales y sobre cualquier otra persona que hubiere dormido en esa vivienda la noche anterior, con el objeto de obtener información referente a datos de la vivienda y composición del hogar.
Filename	GTM_DHS_1987_Questionnaire_Household_Es.pdf

Encuesta Nacional de Salud Materno Infantil 1987 - Cuestionario Individual

Title	Encuesta Nacional de Salud Materno Infantil 1987 - Cuestionario Individual
Author(s)	Ministerio de Salud Pública y Asistencia Social Instituto de Nutrición de Centro América y Panamá Guatemala
Date	1987-09-01
Country	Guatemala
Language	Spanish
Contributor(s)	Institute for Resource Development
Description	<p>El cuestionario individual está dividido en ocho secciones, así:</p> <ul style="list-style-type: none"> - Sección A. Antecedentes de la entrevistada: incluía datos generales de las mujeres entrevistadas como idioma, escolaridad, edad, residencia habitual. - Sección B. Reproducción: información sobre la historia genésica de la mujer entrevistada, la historia de los hijos nacidos vivos, si estaba o no embarazada en el momento de la encuesta, control prenatal y pmeba de Papanicolau. - Sección C. Anticonceptivos: se indagaba respecto a métodos, conocimiento, uso y fuente de obtención, la opinión sobre el problema principal experimentando en cada método y la percepción de los mensajes referentes al tema a través de los diversos medios de comunicación social. - Sección D. Salud y lactancia materna: incluía información sobre la administración del toxoide tetánico, asistencia al control prenatal, atención del parto, duración de la lactancia materna, y la historia de inmunización de los nacidos a partir de Enero 1982 y para los sobrevivientes, episodios de diarrea y uso de terapia de rehidratación oral. - Sección E. Nupcialidad: obtenía información sobre el estado civil, la relación de convivencia de los padres de ambos cónyuges, las localidades donde ha residido la familia, y el inicio de las relaciones sexuales. - Sección F. Preferencias de fecundidad: recababa información relacionada con las intenciones futuras de embarazos, el número ideal de hijos, y el uso futuro de métodos de planificación familiar. - Sección G. Antecedentes del cónyuge y trabajo de la mujer: se refería a información de la escolaridad del esposo y ocupación de ambos. - Sección H. Peso y talla: se incluyó la información antropométrica de todos los niños menores de 36 meses.
Filename	GTM_DHS_1987_Questionnaire_Individual_Es.pdf

Reports

Encuesta Nacional de Salud Materno Infantil 1987

Title	Encuesta Nacional de Salud Materno Infantil 1987
-------	--

Author(s)	Ministerio de Salud Pública y Asistencia Social Instituto de Nutrición de Centro América y Panamá Guatemala
Date	1989-05-01
Country	Guatemala
Language	Spanish
Contributor(s)	Institute for Resource Development
Description	<p>Este informe presenta los resultados de la Encuesta Nacional de Salud Materno Infantil de Guatemala (ENSMI-87), realizada en 1987 mediante un esfuerzo conjunto del Ministerio de Salud Pública y Asistencia Social y el Instituto de Nutrición de Centro América y Panamá, en el marco del programa de las Encuestas de Demografía y Salud (DHS).</p> <p>El Instituto de Nutrición de Centro América y Panamá (INCAP) es un organismo de carácter científico, afiliado a la Organización Panamericana de la Salud (OPS). INCAP sirve como centro especializado de la Organización para estudiar los problemas nutricionales de la Región, buscar medios de solucionarlos y colaborar, mediante asesoría técnica, a los Gobiernos Miembros para hacer efectivas las medidas recomendadas.</p>
Filename	http://www.dhsprogram.com/pubs/pdf/FR17/FR17.pdf

Encuesta Nacional de Salud Materno Infantil 1987 - Resumen

Title	Encuesta Nacional de Salud Materno Infantil 1987 - Resumen
Author(s)	Ministerio de Salud Pública y Asistencia Social Instituto de Nutrición de Centro América y Panamá Guatemala
Date	1989-05-01
Country	Guatemala
Language	Spanish
Contributor(s)	Institute for Resource Development
Description	<p>Este informe presenta los resultados de la Encuesta Nacional de Salud Materno Infantil de Guatemala (ENSMI-87), realizada en 1987 mediante un esfuerzo conjunto del Ministerio de Salud Pública y Asistencia Social y el Instituto de Nutrición de Centro América y Panamá, en el marco del programa de las Encuestas de Demografía y Salud (DHS).</p> <p>El Instituto de Nutrición de Centro América y Panamá (INCAP) es un organismo de carácter científico, afiliado a la Organización Panamericana de la Salud (OPS). INCAP sirve como centro especializado de la Organización para estudiar los problemas nutricionales de la Región, buscar medios de solucionarlos y colaborar, mediante asesoría técnica, a los Gobiernos Miembros para hacer efectivas las medidas recomendadas.</p>
Filename	http://www.dhsprogram.com/pubs/pdf/SR8/SR8.pdf