

# Jordan - Population and Family Health Survey 1990

**Department of Statistics (DOS) - Ministry of Planning**

Report generated on: June 12, 2017

Visit our data catalog at: <http://microdata.worldbank.org>



# Sampling

## Sampling Procedure

---

The sample for the JPFHS survey was selected to be representative of the major geographical regions, as well as the nation as a whole. The survey adopted a stratified, multi-stage sampling design. In each governorate, localities were classified into 9 strata according to the estimated population size in 1989. The sampling design also allowed for the survey results to be presented according to major cities (Amman, Irbid and Zarqa), other urban localities, and the rural areas. Localities with fewer than 5,000 people were considered rural.

For this survey, 349 sample units were drawn, containing 10,708 housing units for the individual interview. Since the survey used a separate household questionnaire, the Department of Statistics doubled the household sample size and added a few questions on labor force, while keeping the original individual sample intact. This yielded 21,172 housing units. During fieldwork for the household interview, it was found that 4,359 household units were ineligible either because the dwelling was vacant or destroyed, the household was absent during the team visit, or some other reason. There were 16,296 completed household interviews out of 16,813 eligible households, producing a response rate of 96.9 percent.

The completed household interviews yielded 7,246 women eligible for the individual interview, of which 6,461 were successfully interviewed, producing a response rate of 89.2 percent.

Note: See detailed description of sample design in APPENDIX A of the survey report.

## Response Rate

---

For the individual interview, the number of eligible women found in the selected households and the number of women successfully interviewed are presented. The data indicate a high response rate for the household interview (96.9 percent), and a lower rate for the individual interview (89.2 percent). Women in large cities have a slightly lower response rate (88.6 percent) than those in other areas. Most of the non-response for the individual interview was due to the absence of respondents and the postponement of interviews which were incomplete.

Note: See summarized response rates by place of residence in Table 1.1 of the survey report.

# Questionnaires

## Overview

---

The 1990 JPFIS utilized two questionnaires, one for the household interview and the other for individual women. Both questionnaires were developed first in English and then translated into Arabic. The household questionnaire was used to list all members of the sample households, including usual residents as well as visitors. For each member of the household, basic demographic and socioeconomic characteristics were recorded and women eligible for the individual interview were identified. To be eligible for individual interview, a woman had to be a usual member of the household (part of the de jure population), ever-married, and between 15 and 49 years of age. The household questionnaire was expanded from the standard DHS-II model questionnaire to facilitate the estimation of adult mortality using the orphanhood and widowhood techniques. In addition, the questionnaire obtained information on polygamy, economic activity of persons 15 years of age and over, family type, type of insurance covering the household members, country of work in the summer of 1990 which coincided with the Gulf crisis, and basic data for the calculation of the crude birth rate and the crude death rate. Additional questions were asked about deceased women if they were ever-married and age 15-49, in order to obtain information for the calculation of maternal mortality indices.

The individual questionnaire is a modified version of the standard DHS-II model "A" questionnaire. Experience gained from previous surveys, in particular the 1983 Jordan Fertility and Family Health Survey, and the questionnaire developed by the Pan Arab Project for Child Development (PAPCHILD), were useful in the discussions on the content of the JPFHS questionnaire. A major change from the DHS-II model questionnaire was the rearrangement of the sections so that the marriage section came before reproduction; this allowed the interview to flow more smoothly. Questions on children's cause of death based on verbal autopsy were added to the section on health, which, due to its size, was split into two parts. The first part focused on antenatal care and breastfeeding; the second part examined measures for prevention of childhood diseases and information on the morbidity and mortality of children born since January 1985. As questions on sexual relations were considered too sensitive, they were replaced by questions about the husband's presence in the household during the specified time period; this served as a proxy for recent sexual activity.

The JPFHS individual questionnaire consists of nine sections:

- Respondent's background and household characteristics
- Marriage
- Reproduction
- Contraception
- Breastfeeding and health
- Immunization, morbidity, and child mortality
- Fertility preferences
- Husband's background, residence, and woman's work
- Height and weight of children

# Data Collection

## Data Collection Dates

| Start   | End     | Cycle |
|---------|---------|-------|
| 1990-10 | 1990-12 | N/A   |

## Data Collection Mode

Face-to-face

### DATA COLLECTION NOTES

#### PRETEST

The household and individual questionnaires were pretested in July 1990 in a number of urban and rural clusters. All senior staff members of the survey organization participated in this activity. The field staff for the pretest was made up of female university graduates hired through the government recruitment office. To assist in the survey activities, particularly in regard to obtaining health information, the Ministry of Health provided a number of staff nurses.

Pretest training, which lasted three weeks, involved class discussion and field practice. Staffs from the Ministry of Health and the Jordan Family Planning and Protection Agency were invited to give talks on their respective area of expertise. The pretest teams were also trained to carry out supervisory tasks, since they were expected to act as supervisors or field editors during the main fieldwork. Anthropometric measurements were not included in the pretest because the scales and boards were not available. The pretest revealed some minor problems in the questionnaire skip patterns, which were corrected.

#### FIELDWORK

Prior to the main survey fieldwork, mapping was carried out and the enumeration areas/blocks were selected. During this process, buildings and dwelling units in the areas were listed and numbered. The selected clusters were identified and marked with large signs on the buildings forming the corners of the clusters. In the same activity, housing units were documented, along with the name of the owner/tenant of the unit, or household and the name of the household head. A large proportion (almost 17 percent) of the housing units were vacant. These activities were completed in between September 26 and October 10, 1990.

Fieldworkers for the main survey were hired through the government recruitment office. At the time of hiring, they were informed about the type of work they would be expected to do. All the interviewers had college degrees. Supervisors and field editors were selected from those who participated in the pretest. They were retained by the Department of Statistics after the pretest to assist in sampling activities.

Training of field workers was done in two stages; the first was training for the household interview. More than one hundred people participated in this activity. The household survey was carried out in September (ahead of the individual interview) to provide the government with much-needed data for planning purposes, particularly regarding employment and persons who returned from the Gulf countries. It should be noted that the fieldwork started after the crisis in the Gulf region began.

The training of interviewers and supervisors for the individual questionnaire lasted three weeks and was carried out concurrently at two training centers. One site was the Statistical Training Center in Amman, part of the Department of Statistics; the other was the regional statistical office in Irbid. The training was conducted by Dr. AbduUah Zou'bi, the Survey Director, Mr. Kamal Saleh, a senior demographer, and Dr. Mohamed Ayad of IRD/Macro International. Much of the training consisted of lectures on how to conduct the interviews and how to fill out the questionnaires. Practice interviewing was done in the third week of training. Staffs from the Ministry of Health and the Jordan Family Planning and Protection Agency were invited to speak on issues related to their activities.

The main survey fieldwork was carried out from October to December 1990. Each of the 11 field teams was made up of one supervisor, one field editor, three interviewers, and one anthropometrist. The teams were equipped with scales and measuring boards to collect information on the height and weight of children. A vehicle was assigned to each team. All teams started working in Amman, Zarqa, Irbid, and Balqa and were stationed in the respective governorates. In other governorates teams were formed from the field staff who had worked in Amman, Irbid and Zarqa. Data collection in these governorates was carried out in the first week of November through the end of December 1990.

# Data Processing

## Other Processing

---

Data processing started almost immediately after the field work began. Field editors checked the questionnaires for completeness and consistency. Supervisors also checked completed questionnaires on a sample basis with more emphasis in the first few days of the fieldwork. Questionnaires were then sent to the central office in Amman, where they were again hand edited and the open-ended questions were coded.

Data entry started one week after the beginning of fieldwork, using eight microcomputers. The process of data entry, editing and cleaning was done with ISSA (Integrated System for Survey Analysis) programs specially designed for DHS surveys. These activities took place through the first week of March 1991. Under normal circumstances, the DHS data processing specialist would have made a trip to Jordan toward the end of the fieldwork, to identify problems associated with data entry and editing, and to work on tabulations for the preliminary report. However, due to the Gulf crisis in early 1991, this trip was delayed. Instead, the survey data were sent to the DHS office in Columbia, Maryland, and it was not until May 1991 that preparations for the preliminary report were begun.

# Data Appraisal

## Estimates of Sampling Error

The results from sample surveys are affected by two types of errors, non-sampling error and sampling error. Nonsampling error is due to mistakes made in carrying out field activities, such as failure to locate and interview the correct household, errors in the way the questions are asked, misunderstanding on the part of either the interviewer or the respondent, data entry errors, etc. Although efforts were made during the design and implementation of the JPFHS to minimize this type of error, non-sampling errors are impossible to avoid and difficult to evaluate statistically.

Sampling errors, on the other hand, can be measured statistically. The sample of women selected in the JPFHS is only one of many samples that could have been selected from the same population, using the same design and expected size. Each one would have yielded results that differed somewhat from the actual sample selected. The sampling error is a measure of the variability between all possible samples; although it is not known exactly, it can be estimated from the survey results.

Sampling error is usually measured in terms of standard error of a particular statistic (mean, percentage, etc.), which is the square root of the variance. The standard error can be used to calculate confidence intervals within which one can reasonably assured that, apart from nonsampling errors, the true value of the variable for the whole population falls. For example, for any given statistic calculated from a sample survey, the value of that same statistic as measured in 95 percent of all possible samples with the same design (and expected size) will fall within a range of plus or minus two times the standard error of that statistic.

If the sample of women had been selected as a simple random sample, it would have been possible to use straightforward formulas for calculating sampling errors. However, the JPFHS sample design depended on stratification, stages and clusters. Consequently, it was necessary to utilize more complex formulas. The computer package CLUSTERS, developed by the International Statistical Institute for the World Fertility Survey, was used to assist in computing the sampling errors with the proper statistical methodology.

Note: See detailed estimate of sampling error calculation in APPENDIX B of the survey report.

## Other forms of Data Appraisal

### Data Quality Tables

- Household age distribution
- Age distribution of eligible and interviewed women
- Completeness of reporting
- Births by calendar year since birth
- Reporting of age at death in days
- Reporting of age at death in months

Note: See detailed tables in APPENDIX C of the report which is presented in this documentation.

## File Description



## Variable List

**RECH0**

|              |                                    |
|--------------|------------------------------------|
| Content      | HOUSEHOLD - Household's Basic Data |
| Cases        | 10708                              |
| Variable(s)  | 30                                 |
| Structure    | Type:<br>Keys: ()                  |
| Version      |                                    |
| Producer     |                                    |
| Missing Data |                                    |

**Variables**

| ID  | Name  | Label                          | Type     | Format    | Question |
|-----|-------|--------------------------------|----------|-----------|----------|
| V1  | hhid  | Case Identification            | discrete | character |          |
| V2  | hv000 | Country code and phase         | discrete | character |          |
| V3  | hv001 | Cluster number                 | contin   | numeric   |          |
| V4  | hv002 | Household number               | contin   | numeric   |          |
| V5  | hv003 | Respondent's line number NA    | discrete | numeric   |          |
| V6  | hv004 | Ultimate area unit             | contin   | numeric   |          |
| V7  | hv005 | Sample weight                  | contin   | numeric   |          |
| V8  | hv006 | Month of interview             | discrete | numeric   |          |
| V9  | hv007 | Year of interview              | discrete | numeric   |          |
| V10 | hv008 | Date of interview (CMC)        | discrete | numeric   |          |
| V11 | hv009 | Number of household members    | contin   | numeric   |          |
| V12 | hv010 | Number of eligible women in HH | discrete | numeric   |          |
| V13 | hv011 | Number of eligible men in HH   | discrete | numeric   |          |
| V14 | hv012 | Number of de jure members      | contin   | numeric   |          |
| V15 | hv013 | Number of de facto members     | contin   | numeric   |          |
| V16 | hv014 | Number of children 5 and under | discrete | numeric   |          |
| V17 | hv015 | Result of household interview  | discrete | numeric   |          |
| V18 | hv016 | Day of interview               | contin   | numeric   |          |
| V19 | hv017 | Number of visits               | discrete | numeric   |          |
| V20 | hv018 | Interviewer identification NA  | discrete | numeric   |          |
| V21 | hv019 | Keyer identification           | discrete | numeric   |          |
| V22 | hv020 | Ever-married sample            | discrete | numeric   |          |
| V23 | hv021 | Primary sampling unit          | contin   | numeric   |          |
| V24 | hv022 | Sample stratum number          | contin   | numeric   |          |
| V25 | hv023 | Sample domain                  | discrete | numeric   |          |
| V26 | hv024 | Region                         | discrete | numeric   |          |
| V27 | hv025 | Type of place of residence     | discrete | numeric   |          |
| V28 | hv026 | Place of residence             | discrete | numeric   |          |

| ID  | Name  | Label                          | Type     | Format  | Question |
|-----|-------|--------------------------------|----------|---------|----------|
| V29 | hv027 | Selection for male/husb. int.  | discrete | numeric |          |
| V30 | hv028 | Sample weight for male subsamp | discrete | numeric |          |

**RECH1**

|              |                                |
|--------------|--------------------------------|
| Content      | HOUSEHOLD - Household Schedule |
| Cases        | 58131                          |
| Variable(s)  | 20                             |
| Structure    | Type:<br>Keys: ()              |
| Version      |                                |
| Producer     |                                |
| Missing Data |                                |

**Variables**

| ID  | Name  | Label                          | Type     | Format    | Question |
|-----|-------|--------------------------------|----------|-----------|----------|
| V31 | hhid  | Case Identification            | discrete | character |          |
| V32 | hvidx | Line number                    | contin   | numeric   |          |
| V33 | hv101 | Relationship to head NA        | discrete | numeric   |          |
| V34 | hv102 | Usual resident                 | discrete | numeric   |          |
| V35 | hv103 | Slept last night               | discrete | numeric   |          |
| V36 | hv104 | Sex of household member        | discrete | numeric   |          |
| V37 | hv105 | Age of household members       | discrete | numeric   |          |
| V38 | hv106 | Highest educational level      | discrete | numeric   |          |
| V39 | hv107 | Highest year of education      | discrete | numeric   |          |
| V40 | hv108 | Education in single years      | discrete | numeric   |          |
| V41 | hv109 | Educational attainment         | discrete | numeric   |          |
| V42 | hv110 | Member still in school         | discrete | numeric   |          |
| V43 | hv111 | Mother alive                   | discrete | numeric   |          |
| V44 | hv112 | Mother's line number NA        | discrete | numeric   |          |
| V45 | hv113 | Father alive                   | discrete | numeric   |          |
| V46 | hv114 | Father's line number NA        | discrete | numeric   |          |
| V47 | hv115 | Current marital status         | discrete | numeric   |          |
| V48 | hv116 | Currently, formerly, never m.  | discrete | numeric   |          |
| V49 | hv117 | Eligibility for female intview | discrete | numeric   |          |
| V50 | hv118 | Eligibility for male interview | discrete | numeric   |          |

**RECH2**

|              |                                       |
|--------------|---------------------------------------|
| Content      | HOUSEHOLD - Household Characteristics |
| Cases        | 0                                     |
| Variable(s)  | 21                                    |
| Structure    | Type:<br>Keys: ()                     |
| Version      |                                       |
| Producer     |                                       |
| Missing Data |                                       |

**Variables**

| ID  | Name  | Label                          | Type     | Format    | Question |
|-----|-------|--------------------------------|----------|-----------|----------|
| V51 | hhid  | Case Identification            | discrete | character |          |
| V52 | hv201 | Source of drinking water NA    | discrete | numeric   |          |
| V53 | hv202 | Source of non-drinking waterNA | discrete | numeric   |          |
| V54 | hv203 | Same source of water NA        | discrete | numeric   |          |
| V55 | hv204 | Time to get to water source NA | discrete | numeric   |          |
| V56 | hv205 | Type of toilet facility NA     | discrete | numeric   |          |
| V57 | hv206 | Has electricity NA             | discrete | numeric   |          |
| V58 | hv207 | Has radio NA                   | discrete | numeric   |          |
| V59 | hv208 | Has television NA              | discrete | numeric   |          |
| V60 | hv209 | Has refrigerator NA            | discrete | numeric   |          |
| V61 | hv210 | Has bicycle NA                 | discrete | numeric   |          |
| V62 | hv211 | Has motorcycle NA              | discrete | numeric   |          |
| V63 | hv212 | Has car NA                     | discrete | numeric   |          |
| V64 | hv213 | Main floor material NA         | discrete | numeric   |          |
| V65 | hv214 | Main wall material NA          | discrete | numeric   |          |
| V66 | hv215 | Main roof material NA          | discrete | numeric   |          |
| V67 | hv216 | Rooms for sleeping NA          | discrete | numeric   |          |
| V68 | hv217 | Relationship structure NA      | discrete | numeric   |          |
| V69 | hv218 | Line number of head of houseNA | discrete | numeric   |          |
| V70 | hv219 | Sex of head of household NA    | discrete | numeric   |          |
| V71 | hv220 | Age of head of household NA    | discrete | numeric   |          |

**RECH3**

|              |   |
|--------------|---|
| Content      | HOUSEHOLD - Country-specific Household Variable |
| Cases        | 10708   |
| Variable(s)  | 10  |
| Structure    | Type:<br>Keys: ()                               |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID  | Name     | Label                    | Type     | Format    | Question |
|-----|----------|--------------------------|----------|-----------|----------|
| V72 | hhid     | Case Identification      | discrete | character |          |
| V73 | shgovern | Governorate              | discrete | numeric   |          |
| V74 | shurbrur | Urban rural              | discrete | numeric   |          |
| V75 | shdistri | District                 | discrete | numeric   |          |
| V76 | shlocali | Locality                 | contin   | numeric   |          |
| V77 | shstrata | Stratum number           | discrete | numeric   |          |
| V78 | shultblk | Ultimate Area Block      | contin   | numeric   |          |
| V79 | shdeaths | Total deaths in hh       | discrete | numeric   |          |
| V80 | shbirths | HH births last 12 months | discrete | numeric   |          |
| V81 | shfamily | Type of family           | discrete | numeric   |          |

**RECH4**

|              |   |
|--------------|---|
| Content      | HOUSEHOLD - Country-specific Household Schedule |
| Cases        | 58131   |
| Variable(s)  | 19  |
| Structure    | Type:<br>Keys: ()                               |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID   | Name  | Label                        | Type     | Format    | Question |
|------|-------|------------------------------|----------|-----------|----------|
| V82  | hhid  | Case Identification          | discrete | character |          |
| V83  | idxh4 | Index to household schedule  | contin   | numeric   |          |
| V84  | sh08  | Father alive                 | discrete | numeric   |          |
| V85  | sh09  | Mother alive                 | discrete | numeric   |          |
| V86  | sh10  | Ever been to school          | discrete | numeric   |          |
| V87  | sh10a | Still in school              | discrete | numeric   |          |
| V88  | sh11  | Highest grade attending      | discrete | numeric   |          |
| V89  | sh12  | Level of education attending | discrete | numeric   |          |
| V90  | sh13  | Highest grade completed      | discrete | numeric   |          |
| V91  | sh14  | Level of education completed | discrete | numeric   |          |
| V92  | sh16  | First spouse alive           | discrete | numeric   |          |
| V93  | sh17  | Number of wives              | discrete | numeric   |          |
| V94  | sh18  | Economic activity            | discrete | numeric   |          |
| V95  | sh19  | Insurance coverage           | discrete | numeric   |          |
| V96  | sh30  | Unemp. turn down job offer   | discrete | numeric   |          |
| V97  | sh31  | Why did you refuse           | discrete | numeric   |          |
| V98  | sh32  | Employed, how are you paid   | discrete | numeric   |          |
| V99  | sh33  | HH member working abroad     | discrete | numeric   |          |
| V100 | sh33a | Country they were working    | discrete | numeric   |          |

**RECH5**

|              |                              |
|--------------|------------------------------|
| Content      | HOUSEHOLD - Country-specific |
| Cases        | 108                          |
| Variable(s)  | 8                            |
| Structure    | Type:<br>Keys: ()            |
| Version      |                              |
| Producer     |                              |
| Missing Data |                              |

**Variables**

| ID   | Name  | Label                          | Type     | Format    | Question |
|------|-------|--------------------------------|----------|-----------|----------|
| V101 | hhid  | Case Identification            | discrete | character |          |
| V102 | sh23  | Order of death                 | discrete | numeric   |          |
| V103 | sh24  | Sex of HH member who died      | discrete | numeric   |          |
| V104 | sh25  | Age of HH member who died      | discrete | numeric   |          |
| V105 | sh26  | Marital status member who died | discrete | numeric   |          |
| V106 | sh27y | Year of death                  | discrete | numeric   |          |
| V107 | sh27m | Month of death                 | discrete | numeric   |          |
| V108 | sh28  | Cause of death HH member       | discrete | numeric   |          |



**REC01**

|              |                                 |
|--------------|---------------------------------|
| Content      | WOMAN - Respondent's Basic Data |
| Cases        | 7246                            |
| Variable(s)  | 32                              |
| Structure    | Type:<br>Keys: ()               |
| Version      |                                 |
| Producer     |                                 |
| Missing Data |                                 |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V109 | hhid   | Case Identification            | discrete | character |          |
| V110 | caseid | Case Identification            | discrete | character |          |
| V111 | v000   | Country code and phase         | discrete | character |          |
| V112 | v001   | Cluster number                 | contin   | numeric   |          |
| V113 | v002   | Household number               | contin   | numeric   |          |
| V114 | v003   | Respondent's line number       | discrete | numeric   |          |
| V115 | v004   | Ultimate area unit             | contin   | numeric   |          |
| V116 | v005   | Sample weight                  | contin   | numeric   |          |
| V117 | v006   | Month of interview             | discrete | numeric   |          |
| V118 | v007   | Year of interview              | discrete | numeric   |          |
| V119 | v008   | Date of interview (CMC)        | discrete | numeric   |          |
| V120 | v009   | Respondent's month of birth    | discrete | numeric   |          |
| V121 | v010   | Respondent's year of birth     | contin   | numeric   |          |
| V122 | v011   | Date of birth (CMC)            | contin   | numeric   |          |
| V123 | v012   | Current age - respondent       | contin   | numeric   |          |
| V124 | v013   | Age 5-year groups              | discrete | numeric   |          |
| V125 | v014   | Completeness of information    | discrete | numeric   |          |
| V126 | v015   | Result of individual interview | discrete | numeric   |          |
| V127 | v016   | Day of interview               | contin   | numeric   |          |
| V128 | v017   | CMC start of calendar/health   | discrete | numeric   |          |
| V129 | v018   | Row of month of interview      | discrete | numeric   |          |
| V130 | v019   | Length of calendar             | discrete | numeric   |          |
| V131 | v020   | Ever-married sample            | discrete | numeric   |          |
| V132 | v021   | Primary sampling unit          | contin   | numeric   |          |
| V133 | v022   | Sample stratum number          | contin   | numeric   |          |
| V134 | v023   | Sample domain                  | discrete | numeric   |          |
| V135 | v024   | Region                         | discrete | numeric   |          |
| V136 | v025   | Type of place of residence     | discrete | numeric   |          |

| ID   | Name | Label                       | Type     | Format  | Question |
|------|------|-----------------------------|----------|---------|----------|
| V137 | v026 | De facto place of residence | discrete | numeric |          |
| V138 | v027 | Number of visits            | discrete | numeric |          |
| V139 | v028 | Interviewer identification  | contin   | numeric |          |
| V140 | v029 | Keyer identification        | discrete | numeric |          |

**REC11**

|              |   |
|--------------|---|
| Content      | WOMAN - Respondent's Basic Data (continued) |
| Cases        | 6461  |
| Variable(s)  | 54  |
| Structure    | Type:<br>Keys: ()                           |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V141 | hhid   | Case Identification            | discrete | character |          |
| V142 | caseid | Case Identification            | discrete | character |          |
| V143 | v101   | Region                         | discrete | numeric   |          |
| V144 | v102   | Type of place of residence     | discrete | numeric   |          |
| V145 | v103   | Childhood place of residence   | discrete | numeric   |          |
| V146 | v104   | Years lived in place of res.   | discrete | numeric   |          |
| V147 | v105   | Type of place of previous res. | discrete | numeric   |          |
| V148 | v106   | Highest educational level      | discrete | numeric   |          |
| V149 | v107   | Highest year of education      | contin   | numeric   |          |
| V150 | v108   | Literacy                       | discrete | numeric   |          |
| V151 | v109   | Reads newspaper once a week NA | discrete | numeric   |          |
| V152 | v110   | Watches TV every week NA       | discrete | numeric   |          |
| V153 | v111   | Listens to radio every day NA  | discrete | numeric   |          |
| V154 | v112   | Listens to radio every week    | discrete | numeric   |          |
| V155 | v113   | Source of drinking water       | discrete | numeric   |          |
| V156 | v114   | Source of non-drinking waterNA | discrete | numeric   |          |
| V157 | v115   | Time to get to water source NA | discrete | numeric   |          |
| V158 | v116   | Type of toilet facility        | discrete | numeric   |          |
| V159 | v119   | Has electricity                | discrete | numeric   |          |
| V160 | v120   | Has radio                      | discrete | numeric   |          |
| V161 | v121   | Has television                 | discrete | numeric   |          |
| V162 | v122   | Has refrigerator               | discrete | numeric   |          |
| V163 | v123   | Has bicycle                    | discrete | numeric   |          |
| V164 | v124   | Has motorcycle                 | discrete | numeric   |          |
| V165 | v125   | Has car                        | discrete | numeric   |          |
| V166 | v127   | Main floor material NA         | discrete | numeric   |          |
| V167 | v128   | Main wall material             | discrete | numeric   |          |
| V168 | v129   | Main roof material NA          | discrete | numeric   |          |

| ID   | Name    | Label                          | Type     | Format  | Question |
|------|---------|--------------------------------|----------|---------|----------|
| V169 | v130    | Religion                       | discrete | numeric |          |
| V170 | v131    | Ethnicity NA                   | discrete | numeric |          |
| V171 | v133    | Education in single years      | discrete | numeric |          |
| V172 | v134    | De facto place of residence    | discrete | numeric |          |
| V173 | v135    | Usual resident or visitor      | discrete | numeric |          |
| V174 | v136    | Number of household members    | contin   | numeric |          |
| V175 | v137    | Number of children 5 and under | discrete | numeric |          |
| V176 | v138    | Number of eligible women in HH | discrete | numeric |          |
| V177 | v139    | De jure region of residence    | discrete | numeric |          |
| V178 | v140    | De jure type of place of res.  | discrete | numeric |          |
| V179 | v141    | De jure place of residence     | discrete | numeric |          |
| V180 | v142    | Same source of water NA        | discrete | numeric |          |
| V181 | v143    | Rooms for sleeping             | contin   | numeric |          |
| V182 | v144    | Communities lived in >Jan.85   | discrete | numeric |          |
| V183 | v145    | Month moved to res. of Jan.85  | discrete | numeric |          |
| V184 | v146    | Year moved to res. of Jan.85   | discrete | numeric |          |
| V185 | v147    | Residence before Jan.85        | discrete | numeric |          |
| V186 | v148    | Respondent still in school     | discrete | numeric |          |
| V187 | v149    | Educational attainment         | discrete | numeric |          |
| V188 | v150    | Relationship to household heNA | discrete | numeric |          |
| V189 | v151    | Sex of household head NA       | discrete | numeric |          |
| V190 | v152    | Age of household head NA       | discrete | numeric |          |
| V191 | awfactt | All woman factor - total       | contin   | numeric |          |
| V192 | awfactu | All woman factor - urban/rural | contin   | numeric |          |
| V193 | awfactr | All woman factor - regional    | contin   | numeric |          |
| V194 | awfacte | All woman factor - educational | contin   | numeric |          |

**REC21**

|              |                                      |
|--------------|--------------------------------------|
| Content      | WOMAN - Reproduction (Birth History) |
| Cases        | 32812                                |
| Variable(s)  | 18                                   |
| Structure    | Type:<br>Keys: ()                    |
| Version      |                                      |
| Producer     |                                      |
| Missing Data |                                      |

**Variables**

| ID   | Name   | Label                         | Type     | Format    | Question |
|------|--------|-------------------------------|----------|-----------|----------|
| V195 | hhid   | Case Identification           | discrete | character |          |
| V196 | caseid | Case Identification           | discrete | character |          |
| V197 | bidx   | Birth column number           | discrete | numeric   |          |
| V198 | bord   | Birth order number            | discrete | numeric   |          |
| V199 | b0     | Child is twin                 | discrete | numeric   |          |
| V200 | b1     | Month of birth                | discrete | numeric   |          |
| V201 | b2     | Year of birth                 | contin   | numeric   |          |
| V202 | b3     | Date of birth (CMC)           | contin   | numeric   |          |
| V203 | b4     | Sex of child                  | discrete | numeric   |          |
| V204 | b5     | Child is alive                | discrete | numeric   |          |
| V205 | b6     | Age at death                  | discrete | numeric   |          |
| V206 | b7     | Age at death (months-imputed) | contin   | numeric   |          |
| V207 | b8     | Current age of child          | contin   | numeric   |          |
| V208 | b9     | Who child lives with          | discrete | numeric   |          |
| V209 | b10    | Completeness of information   | discrete | numeric   |          |
| V210 | b11    | Preceding birth interval      | contin   | numeric   |          |
| V211 | b12    | Succeeding birth interval     | contin   | numeric   |          |
| V212 | b13    | Flag for age at death         | discrete | numeric   |          |

**REC22**

|              |                      |
|--------------|----------------------|
| Content      | WOMAN - Reproduction |
| Cases        | 6461                 |
| Variable(s)  | 37                   |
| Structure    | Type:<br>Keys: ()    |
| Version      |                      |
| Producer     |                      |
| Missing Data |                      |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V213 | hhid   | Case Identification            | discrete | character |          |
| V214 | caseid | Case Identification            | discrete | character |          |
| V215 | v201   | Total children ever born       | discrete | numeric   |          |
| V216 | v202   | Sons at home                   | discrete | numeric   |          |
| V217 | v203   | Daughters at home              | discrete | numeric   |          |
| V218 | v204   | Sons elsewhere                 | discrete | numeric   |          |
| V219 | v205   | Daughters elsewhere            | discrete | numeric   |          |
| V220 | v206   | Sons who have died             | discrete | numeric   |          |
| V221 | v207   | Daughters who have died        | discrete | numeric   |          |
| V222 | v208   | Births in last five years      | discrete | numeric   |          |
| V223 | v209   | Births in past year            | discrete | numeric   |          |
| V224 | v210   | Births in month of interview   | discrete | numeric   |          |
| V225 | v211   | Date of first birth (CMC)      | contin   | numeric   |          |
| V226 | v212   | Age of respondent at 1st birth | contin   | numeric   |          |
| V227 | v213   | Currently pregnant             | discrete | numeric   |          |
| V228 | v214   | Duration of current pregnancy  | discrete | numeric   |          |
| V229 | v215   | Time since last menstrual perd | discrete | numeric   |          |
| V230 | v216   | Menstruated in last six weeks  | discrete | numeric   |          |
| V231 | v217   | Knowledge of ovulatory cycle   | discrete | numeric   |          |
| V232 | v218   | Number of living children      | discrete | numeric   |          |
| V233 | v219   | Living children + current preg | discrete | numeric   |          |
| V234 | v220   | Living children + curr preg 6+ | discrete | numeric   |          |
| V235 | v221   | Marriage to first birth int.   | discrete | numeric   |          |
| V236 | v222   | Last birth to interview        | contin   | numeric   |          |
| V237 | v223   | Completeness of curr preg. inf | discrete | numeric   |          |
| V238 | v224   | Entries in birth history       | discrete | numeric   |          |
| V239 | v225   | Current pregnancy wanted       | discrete | numeric   |          |
| V240 | v226   | Time since last period (comp)  | discrete | numeric   |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V241 | v227 | Flag for last period           | discrete | numeric |          |
| V242 | v228 | Ever had a terminated preg.    | discrete | numeric |          |
| V243 | v229 | Month pregnancy ended          | discrete | numeric |          |
| V244 | v230 | Year pregnancy ended           | discrete | numeric |          |
| V245 | v231 | CMC pregnancy ended            | discrete | numeric |          |
| V246 | v232 | Completeness of last term. inf | discrete | numeric |          |
| V247 | v233 | Months when pregnancy ended    | discrete | numeric |          |
| V248 | v234 | Other such pregnancies         | discrete | numeric |          |
| V249 | v235 | Index last child prior to '85  | discrete | numeric |          |

**REC31**

|              |                             |
|--------------|-----------------------------|
| Content      | WOMAN - Contraceptive Table |
| Cases        | 51688                       |
| Variable(s)  | 10                          |
| Structure    | Type:<br>Keys: ()           |
| Version      |                             |
| Producer     |                             |
| Missing Data |                             |

**Variables**

| ID   | Name        | Label                          | Type     | Format    | Question |
|------|-------------|--------------------------------|----------|-----------|----------|
| V250 | hhid        | Case Identification            | discrete | character |          |
| V251 | caseid      | Case Identification            | discrete | character |          |
| V252 | v301        | Knowledge of any method        | discrete | numeric   |          |
| V253 | v302        | Ever use of any method         | discrete | numeric   |          |
| V254 | v303        | Knows source for modern method | discrete | numeric   |          |
| V255 | rec31_group | Contraceptive Table            | discrete | character |          |
| V256 | v304a       | Type of method                 | discrete | numeric   |          |
| V257 | v304        | Knows method                   | discrete | numeric   |          |
| V258 | v305        | Ever used method               | discrete | numeric   |          |
| V259 | v306        | Source known for method        | discrete | numeric   |          |



## REC32

|              |                           |
|--------------|---------------------------|
| Content      | WOMAN - Contraceptive Use |
| Cases        | 6461                      |
| Variable(s)  | 54                        |
| Structure    | Type:<br>Keys: ()         |
| Version      |                           |
| Producer     |                           |
| Missing Data |                           |

## Variables

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V260 | hhid   | Case Identification            | discrete | character |          |
| V261 | caseid | Case Identification            | discrete | character |          |
| V262 | v310   | Living children at first use   | contin   | numeric   |          |
| V263 | v311   | Children at first use (grp)    | discrete | numeric   |          |
| V264 | v312   | Current contraceptive method   | discrete | numeric   |          |
| V265 | v313   | Current use by method type     | discrete | numeric   |          |
| V266 | v315   | Month of sterilization         | discrete | numeric   |          |
| V267 | v316   | Year of sterilization          | contin   | numeric   |          |
| V268 | v317   | Date of sterilization (CMC)    | contin   | numeric   |          |
| V269 | v318   | Completeness of information    | discrete | numeric   |          |
| V270 | v319   | Years since sterilization      | discrete | numeric   |          |
| V271 | v320   | Age at sterilization           | discrete | numeric   |          |
| V272 | v321   | Marital duration at steriliz.  | discrete | numeric   |          |
| V273 | v322   | Parity at sterilization        | discrete | numeric   |          |
| V274 | v323   | Brand of pill used             | discrete | numeric   |          |
| V275 | v325   | Cost of pills                  | contin   | numeric   |          |
| V276 | v326   | Last source for current users  | discrete | numeric   |          |
| V277 | v327   | Last source for users by type  | discrete | numeric   |          |
| V278 | v337   | Months of use of current meth  | discrete | numeric   |          |
| V279 | v338   | Problem with current method    | discrete | numeric   |          |
| V280 | v339   | Problem with current method    | discrete | numeric   |          |
| V281 | v359   | Last method disc. last 5 years | discrete | numeric   |          |
| V282 | v360   | Reason of last discontinuation | discrete | numeric   |          |
| V283 | v361   | Pattern of use                 | discrete | numeric   |          |
| V284 | v362   | Intention to use               | discrete | numeric   |          |
| V285 | v363   | Preferred future method        | discrete | numeric   |          |
| V286 | v364   | Contraceptive use & intention  | discrete | numeric   |          |
| V287 | v365   | Heard FP message on radio NA   | discrete | numeric   |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V288 | v366 | Acceptability of media message | discrete | numeric |          |
| V289 | v367 | Wanted last child              | discrete | numeric |          |
| V290 | v369 | First method used              | discrete | numeric |          |
| V291 | v370 | Source of first method         | discrete | numeric |          |
| V292 | v371 | Source of first method         | discrete | numeric |          |
| V293 | v372 | Shown pill package             | discrete | numeric |          |
| V294 | v373 | Doctor/nurse for first pills   | discrete | numeric |          |
| V295 | v374 | Doctor/nurse for last pills    | discrete | numeric |          |
| V296 | v375 | Reason for current method      | discrete | numeric |          |
| V297 | v376 | Main reason not to use a meth. | discrete | numeric |          |
| V298 | v377 | Source for future method       | discrete | numeric |          |
| V299 | v378 | Source for future method       | discrete | numeric |          |
| V300 | v379 | Source known for any method    | discrete | numeric |          |
| V301 | v380 | Source known for any method    | discrete | numeric |          |
| V302 | v381 | Time to get to source          | discrete | numeric |          |
| V303 | v382 | Time to get to source(grouped) | discrete | numeric |          |
| V304 | v383 | Easy/difficult to get to place | discrete | numeric |          |
| V305 | v384 | Heard about FP on TelevisionNA | discrete | numeric |          |
| V306 | v385 | Contraceptive use before cal.  | discrete | numeric |          |
| V307 | v386 | Month started method pre 85    | discrete | numeric |          |
| V308 | v387 | Year started method pre 85     | discrete | numeric |          |
| V309 | v388 | Date started method pre 85     | discrete | numeric |          |
| V310 | v389 | Months use prior to calendar   | discrete | numeric |          |
| V311 | v390 | Month stopped method pre 85    | discrete | numeric |          |
| V312 | v391 | Year stopped method pre 85     | discrete | numeric |          |
| V313 | v392 | Date stopped method pre 85     | discrete | numeric |          |

**REC41**

|              |                   |
|--------------|-------------------|
| Content      | WOMAN - Maternity |
| Cases        | 8364              |
| Variable(s)  | 58                |
| Structure    | Type:<br>Keys: () |
| Version      |                   |
| Producer     |                   |
| Missing Data |                   |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V314 | hhid   | Case Identification            | discrete | character |          |
| V315 | caseid | Case Identification            | discrete | character |          |
| V316 | midx   | Index to birth history         | discrete | numeric   |          |
| V317 | m1     | Tetanus injections bef. birth  | discrete | numeric   |          |
| V318 | m2a    | Prenatal: doctor               | discrete | numeric   |          |
| V319 | m2b    | Prenatal: nurse/midwife        | discrete | numeric   |          |
| V320 | m2c    | Prenatal: auxiliary midwife NA | discrete | numeric   |          |
| V321 | m2d    | Prenatal: CS health professiNA | discrete | numeric   |          |
| V322 | m2e    | Prenatal: CS health professiNA | discrete | numeric   |          |
| V323 | m2f    | Prenatal: trained birth att.NA | discrete | numeric   |          |
| V324 | m2g    | Prenatal: trad.birth attendant | discrete | numeric   |          |
| V325 | m2h    | Prenatal: relative NA          | discrete | numeric   |          |
| V326 | m2i    | Prenatal: CS other person NA   | discrete | numeric   |          |
| V327 | m2j    | Prenatal: CS other person NA   | discrete | numeric   |          |
| V328 | m2k    | Prenatal: other resp (uncoded) | discrete | numeric   |          |
| V329 | m2l    | Prenatal: CS other NA          | discrete | numeric   |          |
| V330 | m2m    | Prenatal: CS other NA          | discrete | numeric   |          |
| V331 | m2n    | Prenatal: no one               | discrete | numeric   |          |
| V332 | m3a    | Assistance: doctor             | discrete | numeric   |          |
| V333 | m3b    | Assistance: nurse/midwife      | discrete | numeric   |          |
| V334 | m3c    | Assistance: auxiliary midwifNA | discrete | numeric   |          |
| V335 | m3d    | Assistance: CS health profesNA | discrete | numeric   |          |
| V336 | m3e    | Assistance: CS health profesNA | discrete | numeric   |          |
| V337 | m3f    | Assistance: trained birth atNA | discrete | numeric   |          |
| V338 | m3g    | Assistance: trad.birth attend. | discrete | numeric   |          |
| V339 | m3h    | Assistance: relative           | discrete | numeric   |          |
| V340 | m3i    | Assistance: CS other person NA | discrete | numeric   |          |
| V341 | m3j    | Assistance: CS other person NA | discrete | numeric   |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V342 | m3k  | Assistance: other resp (uncod) | discrete | numeric |          |
| V343 | m3l  | Assistance: CS other NA        | discrete | numeric |          |
| V344 | m3m  | Assistance: CS other NA        | discrete | numeric |          |
| V345 | m3n  | Assistance: no one             | discrete | numeric |          |
| V346 | m4   | Duration of breastfeeding      | discrete | numeric |          |
| V347 | m5   | Months of breastfeeding        | discrete | numeric |          |
| V348 | m6   | Duration of amenorrhea         | discrete | numeric |          |
| V349 | m7   | Months of amenorrhea           | discrete | numeric |          |
| V350 | m8   | Duration of abstinence         | discrete | numeric |          |
| V351 | m9   | Months of abstinence           | discrete | numeric |          |
| V352 | m10  | Time wanted pregnancy          | discrete | numeric |          |
| V353 | m11  | Time would have waited         | discrete | numeric |          |
| V354 | m12  | Antenatal card for pregnancyNA | discrete | numeric |          |
| V355 | m13  | Timing of 1st antenatal check  | discrete | numeric |          |
| V356 | m14  | Antenatal visits for pregnancy | discrete | numeric |          |
| V357 | m15  | Place of delivery              | discrete | numeric |          |
| V358 | m16  | Premature birth                | discrete | numeric |          |
| V359 | m17  | Delivery by caesarian section  | discrete | numeric |          |
| V360 | m18  | Size of child at birth         | discrete | numeric |          |
| V361 | m19  | Birth weight (kilos - 3 dec.)  | discrete | numeric |          |
| V362 | m20  | Reason did not breastfeed      | discrete | numeric |          |
| V363 | m21  | Reason stopped breastfeeding   | discrete | numeric |          |
| V364 | m22  | Child given other food         | discrete | numeric |          |
| V365 | m23  | Age for formula or other milk  | discrete | numeric |          |
| V366 | m24  | Age for plain water NA         | discrete | numeric |          |
| V367 | m25  | Age for other liquids          | discrete | numeric |          |
| V368 | m26  | Age for solid or mushy food    | discrete | numeric |          |
| V369 | m27  | Flag for breastfeeding         | discrete | numeric |          |
| V370 | m28  | Flag for amenorrhea            | discrete | numeric |          |
| V371 | m29  | Flag for abstinence            | discrete | numeric |          |

**REC42**

|              |                                  |
|--------------|----------------------------------|
| Content      | WOMAN - Breastfeeding and Health |
| Cases        | 6461                             |
| Variable(s)  | 82                               |
| Structure    | Type:<br>Keys: ()                |
| Version      |                                  |
| Producer     |                                  |
| Missing Data |                                  |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V372 | hhid   | Case Identification            | discrete | character |          |
| V373 | caseid | Case Identification            | discrete | character |          |
| V374 | v401   | Last birth cesarean section    | discrete | numeric   |          |
| V375 | v404   | Currently breastfeeding        | discrete | numeric   |          |
| V376 | v405   | Currently amenorrheic          | discrete | numeric   |          |
| V377 | v406   | Currently abstaining           | discrete | numeric   |          |
| V378 | v407   | Times breastfed during night   | discrete | numeric   |          |
| V379 | v408   | Times breastfed during day     | discrete | numeric   |          |
| V380 | v409   | Gave child plain water         | discrete | numeric   |          |
| V381 | v409a  | Gave child sugar water         | discrete | numeric   |          |
| V382 | v410   | Gave child juice               | discrete | numeric   |          |
| V383 | v410a  | Gave child herbal tea          | discrete | numeric   |          |
| V384 | v411   | Gave child powder/tinned milk  | discrete | numeric   |          |
| V385 | v411a  | Gave child baby formula        | discrete | numeric   |          |
| V386 | v412   | Gave child fresh milk          | discrete | numeric   |          |
| V387 | v413a  | Gave child yansoon (dill)      | discrete | numeric   |          |
| V388 | v413b  | Country specific other liquiNA | discrete | numeric   |          |
| V389 | v413c  | Country specific other liquiNA | discrete | numeric   |          |
| V390 | v413d  | Country specific other liquiNA | discrete | numeric   |          |
| V391 | v413   | Gave child other liquid        | discrete | numeric   |          |
| V392 | v414a  | Country specific other foodsNA | discrete | numeric   |          |
| V393 | v414b  | Country specific other foodsNA | discrete | numeric   |          |
| V394 | v414c  | Country specific other foodsNA | discrete | numeric   |          |
| V395 | v414d  | Country specific other foodsNA | discrete | numeric   |          |
| V396 | v414   | Gave child solid or mushy food | discrete | numeric   |          |
| V397 | v415   | Fed food in bottle with nipple | discrete | numeric   |          |
| V398 | v416   | Heard of oral rehydration      | discrete | numeric   |          |
| V399 | v417   | Entries in maternity table     | discrete | numeric   |          |

| ID   | Name  | Label                          | Type     | Format  | Question |
|------|-------|--------------------------------|----------|---------|----------|
| V400 | v418  | Entries in health table        | discrete | numeric |          |
| V401 | v419  | Entries in height/weight table | discrete | numeric |          |
| V402 | v420  | Measurer's code                | contin   | numeric |          |
| V403 | v421  | Assistant measurer's code      | contin   | numeric |          |
| V404 | v422  | Ever prepared ORS solution     | discrete | numeric |          |
| V405 | v423  | Quantity of water for ORS NA   | discrete | numeric |          |
| V406 | v424a | ORS source: government hosp.   | discrete | numeric |          |
| V407 | v424b | ORS source: govt health center | discrete | numeric |          |
| V408 | v424c | ORS source: govt health postNA | discrete | numeric |          |
| V409 | v424d | ORS source: mobile clinic NA   | discrete | numeric |          |
| V410 | v424e | ORS source: comm.health workNA | discrete | numeric |          |
| V411 | v424f | ORS source: Maternal ch. healt | discrete | numeric |          |
| V412 | v424g | ORS source: CS public sectorNA | discrete | numeric |          |
| V413 | v424h | ORS source: CS public sectorNA | discrete | numeric |          |
| V414 | v424i | ORS source: CS public sectorNA | discrete | numeric |          |
| V415 | v424j | ORS source: private hosp/clin. | discrete | numeric |          |
| V416 | v424k | ORS source: private pharmacy   | discrete | numeric |          |
| V417 | v424l | ORS source: private doctor     | discrete | numeric |          |
| V418 | v424m | ORS source: private mobile cNA | discrete | numeric |          |
| V419 | v424n | ORS source: comm.health workNA | discrete | numeric |          |
| V420 | v424o | ORS source: Specialist clinic  | discrete | numeric |          |
| V421 | v424p | ORS source: CS med.priv sectNA | discrete | numeric |          |
| V422 | v424q | ORS source: CS med.priv sectNA | discrete | numeric |          |
| V423 | v424r | ORS source: CS med.priv sectNA | discrete | numeric |          |
| V424 | v424s | ORS source: shop NA            | discrete | numeric |          |
| V425 | v424t | ORS source: traditional pracNA | discrete | numeric |          |
| V426 | v424u | ORS source: Friends/relatives  | discrete | numeric |          |
| V427 | v424v | ORS source: CS oth.priv sectNA | discrete | numeric |          |
| V428 | v424w | ORS source: CS oth.priv sectNA | discrete | numeric |          |
| V429 | v424x | ORS source: Other              | discrete | numeric |          |
| V430 | v424y | ORS source: Unknown NA         | discrete | numeric |          |
| V431 | v425  | Home fluid preparation teachNA | discrete | numeric |          |
| V432 | v426  | When child put to breast       | discrete | numeric |          |
| V433 | v427  | Duration breastfeeding pre 85  | discrete | numeric |          |
| V434 | v428  | Months breastfeeding pre 1985  | discrete | numeric |          |
| V435 | v429  | Flag for breastfeeding pre 85  | discrete | numeric |          |
| V436 | v430  | Duration of amenorrhea pre 85  | discrete | numeric |          |
| V437 | v431  | Months of amenorrhea pre 85    | discrete | numeric |          |
| V438 | v432  | Flag for amenorrhea pre 85     | discrete | numeric |          |
| V439 | v433  | Duration of abstinence pre 85  | discrete | numeric |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V440 | v434 | Months of abstinence pre 85    | discrete | numeric |          |
| V441 | v435 | Flag for abstinence pre 85     | discrete | numeric |          |
| V442 | v436 | Arm circumference (cms-1d) NA  | discrete | numeric |          |
| V443 | v437 | Respondent's weight (kilos NA  | discrete | numeric |          |
| V444 | v438 | Respondent's height (cms-1 NA  | discrete | numeric |          |
| V445 | v439 | Ht/A Percentile (resp.) NA     | discrete | numeric |          |
| V446 | v440 | Ht/A Standard deviations NA    | discrete | numeric |          |
| V447 | v441 | Ht/A Percent ref. median NA    | discrete | numeric |          |
| V448 | v442 | Wt/Ht Percent ref. median NA   | discrete | numeric |          |
| V449 | v443 | Wt/Ht Percent ref. median NA   | discrete | numeric |          |
| V450 | v444 | Wt/Ht Percent ref. median NA   | discrete | numeric |          |
| V451 | v445 | Body mass index for respond NA | discrete | numeric |          |
| V452 | v446 | Rohrer's index for responde NA | discrete | numeric |          |
| V453 | v447 | Result of measurement of re NA | discrete | numeric |          |

**REC43**

|              |                                 |
|--------------|---------------------------------|
| Content      | WOMAN - Immunization and Health |
| Cases        | 8364                            |
| Variable(s)  | 129                             |
| Structure    | Type:<br>Keys: ()               |
| Version      |                                 |
| Producer     |                                 |
| Missing Data |                                 |

**Variables**

| ID   | Name   | Label                  | Type     | Format    | Question |
|------|--------|------------------------|----------|-----------|----------|
| V454 | hhid   | Case Identification    | discrete | character |          |
| V455 | caseid | Case Identification    | discrete | character |          |
| V456 | hidx   | Index to birth history | discrete | numeric   |          |
| V457 | h1     | Has health card        | discrete | numeric   |          |
| V458 | h2     | Received BCG           | discrete | numeric   |          |
| V459 | h2d    | BCG day                | discrete | numeric   |          |
| V460 | h2m    | BCG month              | discrete | numeric   |          |
| V461 | h2y    | BCG year               | discrete | numeric   |          |
| V462 | h3     | Received DPT 1         | discrete | numeric   |          |
| V463 | h3d    | DPT 1 day              | discrete | numeric   |          |
| V464 | h3m    | DPT 1 month            | discrete | numeric   |          |
| V465 | h3y    | DPT 1 year             | discrete | numeric   |          |
| V466 | h4     | Received POLIO 1       | discrete | numeric   |          |
| V467 | h4d    | POLIO 1 day            | discrete | numeric   |          |
| V468 | h4m    | POLIO 1 month          | discrete | numeric   |          |
| V469 | h4y    | POLIO 1 year           | discrete | numeric   |          |
| V470 | h5     | Received DPT 2         | discrete | numeric   |          |
| V471 | h5d    | DPT 2 day              | discrete | numeric   |          |
| V472 | h5m    | DPT 2 month            | discrete | numeric   |          |
| V473 | h5y    | DPT 2 year             | discrete | numeric   |          |
| V474 | h6     | Received POLIO 2       | discrete | numeric   |          |
| V475 | h6d    | POLIO 2 day            | discrete | numeric   |          |
| V476 | h6m    | POLIO 2 month          | discrete | numeric   |          |
| V477 | h6y    | POLIO 2 year           | discrete | numeric   |          |
| V478 | h7     | Received DPT 3         | discrete | numeric   |          |
| V479 | h7d    | DPT 3 day              | discrete | numeric   |          |
| V480 | h7m    | DPT 3 month            | discrete | numeric   |          |
| V481 | h7y    | DPT 3 year             | discrete | numeric   |          |



| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V482 | h8   | Received POLIO 3               | discrete | numeric |          |
| V483 | h8d  | POLIO 3 day                    | discrete | numeric |          |
| V484 | h8m  | POLIO 3 month                  | discrete | numeric |          |
| V485 | h8y  | POLIO 3 year                   | discrete | numeric |          |
| V486 | h9   | Received MEASLES               | discrete | numeric |          |
| V487 | h9d  | MEASLES day                    | discrete | numeric |          |
| V488 | h9m  | MEASLES month                  | discrete | numeric |          |
| V489 | h9y  | MEASLES year                   | discrete | numeric |          |
| V490 | h10  | Ever had vaccination           | discrete | numeric |          |
| V491 | h11  | Had diarrhea recently          | discrete | numeric |          |
| V492 | h11a | How long diarrhea lasted NA    | discrete | numeric |          |
| V493 | h11b | Blood in the stools NA         | discrete | numeric |          |
| V494 | h12a | Diarrhea: government hosp.     | discrete | numeric |          |
| V495 | h12b | Diarrhea: govt health centerNA | discrete | numeric |          |
| V496 | h12c | Diarrhea: govt health post     | discrete | numeric |          |
| V497 | h12d | Diarrhea: mobile clinic NA     | discrete | numeric |          |
| V498 | h12e | Diarrhea: comm.health workerNA | discrete | numeric |          |
| V499 | h12f | Diarrhea: Maternal child care  | discrete | numeric |          |
| V500 | h12g | Diarrhea: CS public sector NA  | discrete | numeric |          |
| V501 | h12h | Diarrhea: CS public sector NA  | discrete | numeric |          |
| V502 | h12i | Diarrhea: CS public sector NA  | discrete | numeric |          |
| V503 | h12j | Diarrhea: private hosp/clin.   | discrete | numeric |          |
| V504 | h12k | Diarrhea: private pharmacy     | discrete | numeric |          |
| V505 | h12l | Diarrhea: private doctor       | discrete | numeric |          |
| V506 | h12m | Diarrhea: private mobile clnNA | discrete | numeric |          |
| V507 | h12n | Diarrhea: comm.health workerNA | discrete | numeric |          |
| V508 | h12o | Diarrhea: Specialist clinic    | discrete | numeric |          |
| V509 | h12p | Diarrhea: CS med.priv sectorNA | discrete | numeric |          |
| V510 | h12q | Diarrhea: CS med.priv sectorNA | discrete | numeric |          |
| V511 | h12r | Diarrhea: CS med.priv sectorNA | discrete | numeric |          |
| V512 | h12s | Diarrhea: shop NA              | discrete | numeric |          |
| V513 | h12t | Diarrhea: traditional pract.NA | discrete | numeric |          |
| V514 | h12u | Diarrhea: Firends/relatives    | discrete | numeric |          |
| V515 | h12v | Diarrhea: CS oth.priv sectorNA | discrete | numeric |          |
| V516 | h12w | Diarrhea: CS oth.priv sectorNA | discrete | numeric |          |
| V517 | h12x | Diarrhea: Other                | discrete | numeric |          |
| V518 | h12y | Diarrhea: no treatment         | discrete | numeric |          |
| V519 | h12z | Diarrhea: medical treatment    | discrete | numeric |          |
| V520 | h13  | Given oral rehydration         | discrete | numeric |          |
| V521 | h13a | Days given ORS NA              | discrete | numeric |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V522 | h14  | Given recommend. home solutiNA | discrete | numeric |          |
| V523 | h14a | Days given fluid NA            | discrete | numeric |          |
| V524 | h15  | Given other pills or syrups NA | discrete | numeric |          |
| V525 | h15a | Given antibiotics              | discrete | numeric |          |
| V526 | h15b | Given an injection NA          | discrete | numeric |          |
| V527 | h15c | Given an intravenous (IV) NA   | discrete | numeric |          |
| V528 | h15d | Given home remedy, herbal meNA | discrete | numeric |          |
| V529 | h15e | Given Tea                      | discrete | numeric |          |
| V530 | h15f | Given Meramya                  | discrete | numeric |          |
| V531 | h15g | Given Babunij                  | discrete | numeric |          |
| V532 | h15h | Given Rice water               | discrete | numeric |          |
| V533 | h16  | Increase or decrease fluids NA | discrete | numeric |          |
| V534 | h18  | Increase or decrease in foodNA | discrete | numeric |          |
| V535 | h18a | Breastfeeding change           | discrete | numeric |          |
| V536 | h20  | Given other treatment          | discrete | numeric |          |
| V537 | h21a | Given no treatment             | discrete | numeric |          |
| V538 | h21  | Received any treatment         | discrete | numeric |          |
| V539 | h22  | Had fever in last two weeks    | discrete | numeric |          |
| V540 | h31  | Had cough in last two weeks    | discrete | numeric |          |
| V541 | h31a | How long cough lasted NA       | discrete | numeric |          |
| V542 | h31b | Short, rapid breaths NA        | discrete | numeric |          |
| V543 | h32a | Fever/cough: government hosp.  | discrete | numeric |          |
| V544 | h32b | Fever/cough: govt health cntNA | discrete | numeric |          |
| V545 | h32c | Fever/cough: govt health post  | discrete | numeric |          |
| V546 | h32d | Fever/cough: mobile clinic NA  | discrete | numeric |          |
| V547 | h32e | Fever/cough: comm.health wrkNA | discrete | numeric |          |
| V548 | h32f | Fever/cough: Maternal child he | discrete | numeric |          |
| V549 | h32g | Fever/cough: CS public sectoNA | discrete | numeric |          |
| V550 | h32h | Fever/cough: CS public sectoNA | discrete | numeric |          |
| V551 | h32i | Fever/cough: CS public sectoNA | discrete | numeric |          |
| V552 | h32j | Fever/cough: private hosp/clin | discrete | numeric |          |
| V553 | h32k | Fever/cough: private pharmacy  | discrete | numeric |          |
| V554 | h32l | Fever/cough: private doctor    | discrete | numeric |          |
| V555 | h32m | Fever/cough: private mobile NA | discrete | numeric |          |
| V556 | h32n | Fever/cough: comm.health wrkNA | discrete | numeric |          |
| V557 | h32o | Fever/cough: Specialist clinic | discrete | numeric |          |
| V558 | h32p | Fever/cough: CS med.priv secNA | discrete | numeric |          |
| V559 | h32q | Fever/cough: CS med.priv secNA | discrete | numeric |          |
| V560 | h32r | Fever/cough: CS med.priv secNA | discrete | numeric |          |
| V561 | h32s | Fever/cough: shop NA           | discrete | numeric |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V562 | h32t | Fever/cough: traditional praNA | discrete | numeric |          |
| V563 | h32u | Fever/cough: Friends/relatives | discrete | numeric |          |
| V564 | h32v | Fever/cough: CS oth.priv secNA | discrete | numeric |          |
| V565 | h32w | Fever/cough: CS oth.priv secNA | discrete | numeric |          |
| V566 | h32x | Fever/cough: Other             | discrete | numeric |          |
| V567 | h32y | Fever/cough: no treatment      | discrete | numeric |          |
| V568 | h32z | Fever/cough: medical treatment | discrete | numeric |          |
| V569 | h33  | Given antibiotics NA           | discrete | numeric |          |
| V570 | h33a | Given antimalarials NA         | discrete | numeric |          |
| V571 | h34  | Given cough syrup NA           | discrete | numeric |          |
| V572 | h35  | Given other pills or syrups NA | discrete | numeric |          |
| V573 | h35a | Given unknown pills or syrupNA | discrete | numeric |          |
| V574 | h36  | Given injection NA             | discrete | numeric |          |
| V575 | h36a | Given home remedy, herbal meNA | discrete | numeric |          |
| V576 | h37a | Given CS other treatment NA    | discrete | numeric |          |
| V577 | h37b | Given CS other treatment NA    | discrete | numeric |          |
| V578 | h37c | Given CS other treatment NA    | discrete | numeric |          |
| V579 | h37d | Given CS other treatment NA    | discrete | numeric |          |
| V580 | h37  | Other treatment for cough NA   | discrete | numeric |          |
| V581 | h38a | Given no treatment NA          | discrete | numeric |          |
| V582 | h38  | Given any treatment for cougNA | discrete | numeric |          |

**REC44**

|              |                           |
|--------------|---------------------------|
| Content      | WOMAN - Height and Weight |
| Cases        | 8364                      |
| Variable(s)  | 29                        |
| Structure    | Type:<br>Keys: ()         |
| Version      |                           |
| Producer     |                           |
| Missing Data |                           |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V583 | hhid   | Case Identification            | discrete | character |          |
| V584 | caseid | Case Identification            | discrete | character |          |
| V585 | hwidx  | Index to birth history         | discrete | numeric   |          |
| V586 | hw1    | Age in months                  | contin   | numeric   |          |
| V587 | hw2    | Weight in kilograms (1 dec.)   | contin   | numeric   |          |
| V588 | hw3    | Height in centimeters (1 dec.) | contin   | numeric   |          |
| V589 | hw4    | Ht/A Percentile                | discrete | numeric   |          |
| V590 | hw5    | Ht/A Standard deviations       | discrete | numeric   |          |
| V591 | hw6    | Ht/A Percent of ref. median    | discrete | numeric   |          |
| V592 | hw7    | Wt/A Percentile                | discrete | numeric   |          |
| V593 | hw8    | Wt/A Standard deviations       | discrete | numeric   |          |
| V594 | hw9    | Wt/A Percent of ref. median    | discrete | numeric   |          |
| V595 | hw10   | Wt/Ht Percentile               | discrete | numeric   |          |
| V596 | hw11   | Wt/Ht Standard deviations      | discrete | numeric   |          |
| V597 | hw12   | Wt/Ht Percent of ref. median   | discrete | numeric   |          |
| V598 | hw13   | Reason not measured            | discrete | numeric   |          |
| V599 | hw14   | BCG scar on arm or shoulder    | discrete | numeric   |          |
| V600 | hw15   | Height: lying or standing      | discrete | numeric   |          |
| V601 | hw16   | Day of birth of child          | discrete | numeric   |          |
| V602 | hw17   | Date measured (day)            | contin   | numeric   |          |
| V603 | hw18   | Date measured (month)          | discrete | numeric   |          |
| V604 | hw19   | Date measured (year)           | discrete | numeric   |          |
| V605 | hw20   | Arm circumference (cms - 1d)   | contin   | numeric   |          |
| V606 | hw21   | Arm circ/A Percentile          | discrete | numeric   |          |
| V607 | hw22   | Arm circ/A Standard deviations | discrete | numeric   |          |
| V608 | hw23   | Arm c/A Percent of ref. median | discrete | numeric   |          |
| V609 | hw24   | Arm circ/Ht Percentile         | discrete | numeric   |          |
| V610 | hw25   | Arm cir/Ht Standard deviations | discrete | numeric   |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V611 | hw26 | Arm cir/Ht Percent ref. median | discrete | numeric |          |

**REC51**

|              |                           |
|--------------|---------------------------|
| Content      | WOMAN - Marriage/Exposure |
| Cases        | 6461                      |
| Variable(s)  | 24                        |
| Structure    | Type:<br>Keys: ()         |
| Version      |                           |
| Producer     |                           |
| Missing Data |                           |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V612 | hhid   | Case Identification            | discrete | character |          |
| V613 | caseid | Case Identification            | discrete | character |          |
| V614 | v501   | Current marital status         | discrete | numeric   |          |
| V615 | v502   | Currently/formerly/never marr. | discrete | numeric   |          |
| V616 | v503   | Number of unions               | discrete | numeric   |          |
| V617 | v504   | Husband lives in house         | discrete | numeric   |          |
| V618 | v505   | Number of other wives NA       | discrete | numeric   |          |
| V619 | v506   | Wife rank number NA            | discrete | numeric   |          |
| V620 | v507   | Month of first marriage        | discrete | numeric   |          |
| V621 | v508   | Year of first marriage         | contin   | numeric   |          |
| V622 | v509   | Date of first marriage (CMC)   | contin   | numeric   |          |
| V623 | v510   | Completeness of date inform.   | discrete | numeric   |          |
| V624 | v511   | Age at first marriage          | contin   | numeric   |          |
| V625 | v512   | Years since first marriage     | contin   | numeric   |          |
| V626 | v513   | Marital duration (grouped)     | discrete | numeric   |          |
| V627 | v525   | Age at first intercourse NA    | discrete | numeric   |          |
| V628 | v526   | Frequency of intercourse NA    | discrete | numeric   |          |
| V629 | v527   | Time since last intercourse NA | discrete | numeric   |          |
| V630 | v528   | Time since last intercourse(NA | discrete | numeric   |          |
| V631 | v529   | Time since last intercourse(NA | discrete | numeric   |          |
| V632 | v530   | Flag for V529 NA               | discrete | numeric   |          |
| V633 | v531   | Age at first intercourse (imNA | discrete | numeric   |          |
| V634 | v532   | Flag for V531 NA               | discrete | numeric   |          |
| V635 | v533   | Usual frequency of intercourNA | discrete | numeric   |          |

**REC61**

|              |                               |
|--------------|-------------------------------|
| Content      | WOMAN - Fertility Preferences |
| Cases        | 6461                          |
| Variable(s)  | 24                            |
| Structure    | Type:<br>Keys: ()             |
| Version      |                               |
| Producer     |                               |
| Missing Data |                               |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V636 | hhid   | Case Identification            | discrete | character |          |
| V637 | caseid | Case Identification            | discrete | character |          |
| V638 | v602   | Fertility preference           | discrete | numeric   |          |
| V639 | v603   | Preferred waiting time         | discrete | numeric   |          |
| V640 | v604   | Preferred waiting time (grp)   | discrete | numeric   |          |
| V641 | v605   | Desire for more children       | discrete | numeric   |          |
| V642 | v608   | Ideal post-partum abst. periNA | discrete | numeric   |          |
| V643 | v609   | Sex while breastfeeding NA     | discrete | numeric   |          |
| V644 | v610   | Husband approves FP NA         | discrete | numeric   |          |
| V645 | v611   | Discussed FP with partner NA   | discrete | numeric   |          |
| V646 | v612   | Respondent approves FP NA      | discrete | numeric   |          |
| V647 | v613   | Ideal number of children       | discrete | numeric   |          |
| V648 | v614   | Ideal number of children (grp) | discrete | numeric   |          |
| V649 | v615   | Best birth interval NA         | discrete | numeric   |          |
| V650 | v616   | Time for future birth          | discrete | numeric   |          |
| V651 | v617   | Age youngest at future birth   | discrete | numeric   |          |
| V652 | v618   | Reason regrets sterilization   | discrete | numeric   |          |
| V653 | v619   | Think would have sterilization | discrete | numeric   |          |
| V654 | v620   | Discussed number of children   | discrete | numeric   |          |
| V655 | v621   | Husbands desire for children   | discrete | numeric   |          |
| V656 | v623   | Exposure                       | discrete | numeric   |          |
| V657 | v624   | Unmet need                     | discrete | numeric   |          |
| V658 | v625   | Exposure (definition 2)        | discrete | numeric   |          |
| V659 | v626   | Unmet need (definition 2)      | discrete | numeric   |          |

**REC71**

|              |                                   |
|--------------|-----------------------------------|
| Content      | WOMAN - Partner's Characteristics |
| Cases        | 6461                              |
| Variable(s)  | 23                                |
| Structure    | Type:<br>Keys: ()                 |
| Version      |                                   |
| Producer     |                                   |
| Missing Data |                                   |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V660 | hhid   | Case Identification            | discrete | character |          |
| V661 | caseid | Case Identification            | discrete | character |          |
| V662 | v701   | Partner's education level      | discrete | numeric   |          |
| V663 | v702   | Highest year of education      | discrete | numeric   |          |
| V664 | v704   | Partner's occupation           | contin   | numeric   |          |
| V665 | v705   | Partner's occupation           | discrete | numeric   |          |
| V666 | v707   | Type of land where works       | discrete | numeric   |          |
| V667 | v714   | Respondent currently working   | discrete | numeric   |          |
| V668 | v715   | Husbands education-single yrs  | discrete | numeric   |          |
| V669 | v716   | Respondent's occupation        | discrete | numeric   |          |
| V670 | v717   | Respondent's occupation        | discrete | numeric   |          |
| V671 | v718   | Current type of employment     | discrete | numeric   |          |
| V672 | v719   | Work for family, others, self  | discrete | numeric   |          |
| V673 | v720   | Earns cash for work            | discrete | numeric   |          |
| V674 | v721   | Works at home or away          | discrete | numeric   |          |
| V675 | v722   | Child with resp. at work       | discrete | numeric   |          |
| V676 | v723   | Child minder                   | discrete | numeric   |          |
| V677 | v724   | Ever worked since Jan. 1985    | discrete | numeric   |          |
| V678 | v725   | Month started work before 85   | discrete | numeric   |          |
| V679 | v726   | Year started work before 85    | discrete | numeric   |          |
| V680 | v727   | Month job prior to 85 ended    | discrete | numeric   |          |
| V681 | v728   | Year job prior to 85 ended     | discrete | numeric   |          |
| V682 | v729   | Partner's educational attainm. | discrete | numeric   |          |



**REC81**

|              |  |
|--------------|--|
| Content      | WOMAN - Characteristics of the Interview |
| Cases        | 6461                                     |
| Variable(s)  | 12                                       |
| Structure    | Type:<br>Keys: ()                        |
| Version      |  |
| Producer     |  |
| Missing Data |  |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V683 | hhid   | Case Identification            | discrete | character |          |
| V684 | caseid | Case Identification            | discrete | character |          |
| V685 | v801   | Time interview started         | contin   | numeric   |          |
| V686 | v802   | Time interview ended           | contin   | numeric   |          |
| V687 | v803   | Length of interview in minutes | discrete | numeric   |          |
| V688 | v804   | Number of visits               | discrete | numeric   |          |
| V689 | v805   | Interviewer identification     | contin   | numeric   |          |
| V690 | v806   | Keyer identification           | discrete | numeric   |          |
| V691 | v811   | Pres. children < 10 (sec 5) NA | discrete | numeric   |          |
| V692 | v812   | Pres. husband (sec 5) NA       | discrete | numeric   |          |
| V693 | v813   | Pres. other males (sec 5) NA   | discrete | numeric   |          |
| V694 | v814   | Pres. other females (sec 5) NA | discrete | numeric   |          |

**REC82**

Content WOMAN - Calendar

Cases 58149

Variable(s) 4

Structure Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

| ID   | Name   | Label                  | Type     | Format    | Question |
|------|--------|------------------------|----------|-----------|----------|
| V695 | hhid   | Case Identification    | discrete | character |          |
| V696 | caseid | Case Identification    | discrete | character |          |
| V697 | vcol   | Calendar column number | discrete | numeric   |          |
| V698 | vcal   | Calendar               | discrete | character |          |

## REC91

|              |   |
|--------------|---|
| Content      | WOMAN - Country-specific - Single variables |
| Cases        | 7246  |
| Variable(s)  | 46  |
| Structure    | Type:<br>Keys: ()                           |
| Version      |   |
| Producer     |   |
| Missing Data |   |

## Variables

| ID   | Name    | Label                         | Type     | Format    | Question |
|------|---------|-------------------------------|----------|-----------|----------|
| V699 | hhid    | Case Identification           | discrete | character |          |
| V700 | caseid  | Case Identification           | discrete | character |          |
| V701 | sgovern | Governorate                   | discrete | numeric   |          |
| V702 | surbrur | Urban rural                   | discrete | numeric   |          |
| V703 | sdistri | District                      | discrete | numeric   |          |
| V704 | slocali | Locality                      | contin   | numeric   |          |
| V705 | sstrata | Stratum number                | discrete | numeric   |          |
| V706 | sultblk | Ultimate Area Block           | contin   | numeric   |          |
| V707 | s106    | Highest educational level     | discrete | numeric   |          |
| V708 | s107    | Highest grade at that level   | discrete | numeric   |          |
| V709 | s110    | Usually reads newspaper       | discrete | numeric   |          |
| V710 | s111    | Usually listens to the radio  | discrete | numeric   |          |
| V711 | s112    | Usually watches TV            | discrete | numeric   |          |
| V712 | s115    | Type of sewage system         | discrete | numeric   |          |
| V713 | s118e   | Video                         | discrete | numeric   |          |
| V714 | s118f   | Telephone                     | discrete | numeric   |          |
| V715 | s118g   | Air conditioner               | discrete | numeric   |          |
| V716 | s119d   | Commercial car                | discrete | numeric   |          |
| V717 | s119e   | Pickup                        | discrete | numeric   |          |
| V718 | s119f   | Other mode of transportation  | discrete | numeric   |          |
| V719 | s205    | Blood relation with husband   | discrete | numeric   |          |
| V720 | s209    | Last month lived with husband | discrete | numeric   |          |
| V721 | s210    | Days husband away last month  | contin   | numeric   |          |
| V722 | s211    | Husband visited in last month | discrete | numeric   |          |
| V723 | s420    | Miss taking a pill            | discrete | numeric   |          |
| V724 | s421    | Where did get IUD             | discrete | numeric   |          |
| V725 | s422a   | Cost of IUD                   | discrete | numeric   |          |
| V726 | s422b   | Cost of insertion             | discrete | numeric   |          |

| ID   | Name  | Label                          | Type     | Format  | Question |
|------|-------|--------------------------------|----------|---------|----------|
| V727 | s422c | Total cost of IUD              | discrete | numeric |          |
| V728 | s441  | Intention to use a method      | discrete | numeric |          |
| V729 | s448  | Reason dislike service source  | discrete | numeric |          |
| V730 | s629a | HMS prep teacher: doctor       | discrete | numeric |          |
| V731 | s629b | HMS prep teacher:nurse/midwife | discrete | numeric |          |
| V732 | s629c | HMS prep teacher: pharmacy     | discrete | numeric |          |
| V733 | s629d | HMS prep teacher: TBA          | discrete | numeric |          |
| V734 | s629e | HMS prep teacher: friends/rel  | discrete | numeric |          |
| V735 | s629f | HMS prep teacher: other        | discrete | numeric |          |
| V736 | s630h | Time of interview (hour)       | contin   | numeric |          |
| V737 | s630m | Time of interview (minutes)    | contin   | numeric |          |
| V738 | s637h | Time of interview (hour)       | contin   | numeric |          |
| V739 | s637m | Time of interview (minutes)    | contin   | numeric |          |
| V740 | s711a | Ideal number of boys           | discrete | numeric |          |
| V741 | s711b | Ideal number of girls          | discrete | numeric |          |
| V742 | s801  | Husband ever attended school   | discrete | numeric |          |
| V743 | s802  | Husbands level of education    | discrete | numeric |          |
| V744 | s803  | Husbands highest grade         | discrete | numeric |          |

**REC94**

|              |                                      |
|--------------|--------------------------------------|
| Content      | WOMAN - Country-specific - Maternity |
| Cases        | 8364                                 |
| Variable(s)  | 17                                   |
| Structure    | Type:<br>Keys: ()                    |
| Version      |                                      |
| Producer     |                                      |
| Missing Data |                                      |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V745 | hhid   | Case Identification            | discrete | character |          |
| V746 | caseid | Case Identification            | discrete | character |          |
| V747 | idx94  | Index to birth history         | discrete | numeric   |          |
| V748 | s506   | Place first antenatal care     | discrete | numeric   |          |
| V749 | s507   | Reason for antenatal care      | discrete | numeric   |          |
| V750 | s508   | Reason for visit               | discrete | numeric   |          |
| V751 | s515   | Premature birth                | discrete | numeric   |          |
| V752 | s519a  | Check up:doctor                | discrete | numeric   |          |
| V753 | s519b  | Check up:nurse/midwife         | discrete | numeric   |          |
| V754 | s519c  | Check up:trad. birth attendant | discrete | numeric   |          |
| V755 | s519d  | Check up:other                 | discrete | numeric   |          |
| V756 | s519e  | Check up: no one               | discrete | numeric   |          |
| V757 | s520   | Place of check-up first time   | discrete | numeric   |          |
| V758 | s530   | Know importance of colostrum   | discrete | numeric   |          |
| V759 | s533c  | Times breastfed in 24 hours    | discrete | numeric   |          |
| V760 | s534   | BF on demand/schedule          | discrete | numeric   |          |
| V761 | s537   | For how many months breastfed  | contin   | numeric   |          |

**REC95**

|              |                                   |
|--------------|-----------------------------------|
| Content      | WOMAN - Country-specific - Health |
| Cases        | 8364                              |
| Variable(s)  | 45                                |
| Structure    | Type:<br>Keys: ()                 |
| Version      |                                   |
| Producer     |                                   |
| Missing Data |                                   |

**Variables**

| ID   | Name     | Label                          | Type     | Format    | Question |
|------|----------|--------------------------------|----------|-----------|----------|
| V762 | hhid     | Case Identification            | discrete | character |          |
| V763 | caseid   | Case Identification            | discrete | character |          |
| V764 | idx95    | Index to birth history         | discrete | numeric   |          |
| V765 | s602pb   | Received polio booster         | discrete | numeric   |          |
| V766 | s602pbd  | Polio booster day              | discrete | numeric   |          |
| V767 | s602pbm  | Polio booster month            | discrete | numeric   |          |
| V768 | s602pby  | Polio booster year             | discrete | numeric   |          |
| V769 | s602db   | Received DPT booster           | discrete | numeric   |          |
| V770 | s602dbd  | DPT booster day                | discrete | numeric   |          |
| V771 | s602dbm  | DPT booster month              | discrete | numeric   |          |
| V772 | s602dbby | DPT booster year               | discrete | numeric   |          |
| V773 | s607     | Child ill in last 2 weeks      | discrete | numeric   |          |
| V774 | s608a    | Type of illness no.1           | discrete | numeric   |          |
| V775 | s608b    | Type of illness no.2           | discrete | numeric   |          |
| V776 | s608c    | Type of illness no.3           | discrete | numeric   |          |
| V777 | s609a    | Symptoms: fever                | discrete | numeric   |          |
| V778 | s609b    | Symptoms: rash                 | discrete | numeric   |          |
| V779 | s609c    | Symptoms: cough                | discrete | numeric   |          |
| V780 | s609d    | Symptoms: red/teary eyes       | discrete | numeric   |          |
| V781 | s609e    | Symptoms: whooping cough       | discrete | numeric   |          |
| V782 | s609f    | Symptoms: red hair             | discrete | numeric   |          |
| V783 | s609g    | Symptoms:swollen face and feet | discrete | numeric   |          |
| V784 | s609h    | Symptoms:vomitting             | discrete | numeric   |          |
| V785 | s609i    | Symptoms:emaciated/very thin   | discrete | numeric   |          |
| V786 | s609j    | Symptoms:difficult breathing   | discrete | numeric   |          |
| V787 | s609k    | Symptoms: convulsions          | discrete | numeric   |          |
| V788 | s609l    | Symptoms: red urine            | discrete | numeric   |          |
| V789 | s609m    | Symptoms: yellow eyes          | discrete | numeric   |          |

| ID   | Name  | Label                           | Type     | Format  | Question |
|------|-------|---------------------------------|----------|---------|----------|
| V790 | s609n | Symptoms: difficulty swallowing | discrete | numeric |          |
| V791 | s609o | Symptoms: blood in stools       | discrete | numeric |          |
| V792 | s611  | Sought treatment for illness    | discrete | numeric |          |
| V793 | s612a | Advc/trmnt: govt hospital       | discrete | numeric |          |
| V794 | s612b | Advc/trmnt: prvt hospital       | discrete | numeric |          |
| V795 | s612c | Advc/trmnt: MCH                 | discrete | numeric |          |
| V796 | s612d | Advc/trmnt: PHC                 | discrete | numeric |          |
| V797 | s612e | Advc/trmnt: GP clinic           | discrete | numeric |          |
| V798 | s612f | Advc/trmnt: specialist clinic   | discrete | numeric |          |
| V799 | s612g | Advc/trmnt: pharmacy            | discrete | numeric |          |
| V800 | s612h | Advc/trmnt: friends/relatives   | discrete | numeric |          |
| V801 | s612i | Advc/trmnt: other               | discrete | numeric |          |
| V802 | s618c | Treatment: Herbal tea           | discrete | numeric |          |
| V803 | s618d | Treatment: Yansoon (dill)       | discrete | numeric |          |
| V804 | s618f | Treatment: Sugar water          | discrete | numeric |          |
| V805 | s620  | How long to start treat diarrh  | discrete | numeric |          |
| V806 | s908b | Head circumference              | contin   | numeric |          |

**REC97**

Content WOMAN - Country-specific

Cases 589

Variable(s) 20

Structure Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V807 | hhid   | Case Identification            | discrete | character |          |
| V808 | caseid | Case Identification            | discrete | character |          |
| V809 | idx97  | Index to birth history         | discrete | numeric   |          |
| V810 | s633   | Cause of death                 | discrete | numeric   |          |
| V811 | s634   | Type of accident               | discrete | numeric   |          |
| V812 | s635   | Type of disease                | discrete | numeric   |          |
| V813 | s636a  | Symptom: unable to suck        | discrete | numeric   |          |
| V814 | s636b  | Symptom: unable to cry         | discrete | numeric   |          |
| V815 | s636c  | Symptom: fever                 | discrete | numeric   |          |
| V816 | s636d  | Symptom: rash                  | discrete | numeric   |          |
| V817 | s636e  | Symptom: cough                 | discrete | numeric   |          |
| V818 | s636f  | Symptom: red, teary eyes       | discrete | numeric   |          |
| V819 | s636g  | Symptom: cough & vomiting      | discrete | numeric   |          |
| V820 | s636h  | Symptom: whooping cough        | discrete | numeric   |          |
| V821 | s636i  | Symptom: red hair              | discrete | numeric   |          |
| V822 | s636j  | Symptom: swollen face and feet | discrete | numeric   |          |
| V823 | s636k  | Symptom: emaciated/very thin   | discrete | numeric   |          |
| V824 | s636l  | Symptom: 3+ stools per day     | discrete | numeric   |          |
| V825 | s636m  | Symptom: difficult breathing   | discrete | numeric   |          |
| V826 | s636n  | Symptom: convulsions           | discrete | numeric   |          |



**HWREC**

|              |   |
|--------------|---|
| Content      | Height and Weight Scores - WHO Child Growth Standards |
| Cases        | 8364  |
| Variable(s)  | 7   |
| Structure    | Type:<br>Keys: ()                                     |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID   | Name     | Label  | Type     | Format    | Question |
|------|----------|--|----------|-----------|----------|
| V827 | hwcaseid | Case Identification                          | discrete | character |          |
| V828 | hwline   | Line   | discrete | numeric   |          |
| V829 | hwlevel  | Data from HH or individual                   | discrete | numeric   |          |
| V830 | hc70     | Ht/A Standard deviations (according to WHO)  | discrete | numeric   |          |
| V831 | hc71     | Wt/A Standard deviations (according to WHO)  | discrete | numeric   |          |
| V832 | hc72     | Wt/Ht Standard deviations (according to WHO) | discrete | numeric   |          |
| V833 | hc73     | BMI Standard deviations (according to WHO)   | discrete | numeric   |          |

**SEC1**

Content            Wealth Index

Cases            8333

Variable(s)      3

Structure        Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

| ID   | Name     | Label                           | Type     | Format    | Question |
|------|----------|---------------------------------|----------|-----------|----------|
| V834 | whhid    | Household ID                    | discrete | character |          |
| V835 | wlthindf | Wealth Index from factor scores | contin   | numeric   |          |
| V836 | wlthind5 | Quintiles of wealth index       | discrete | numeric   |          |

**CSEC00**

|              |                                    |
|--------------|------------------------------------|
| Content      | SERVICE AVAILABILITY - Cover Sheet |
| Cases        | 348                                |
| Variable(s)  | 12                                 |
| Structure    | Type:<br>Keys: ()                  |
| Version      |                                    |
| Producer     |                                    |
| Missing Data |                                    |

**Variables**

| ID   | Name     | Label                 | Type     | Format    | Question |
|------|----------|-----------------------|----------|-----------|----------|
| V837 | level1id | Level1 Identification | discrete | character |          |
| V838 | sgovern  | Governorate           | discrete | numeric   |          |
| V839 | sdistri  | District              | discrete | numeric   |          |
| V840 | slocali  | Locality              | contin   | numeric   |          |
| V841 | sstrata  | Stratum number        | discrete | numeric   |          |
| V842 | sultblk  | Ultimate Area Block   | contin   | numeric   |          |
| V843 | scluster | Cluster number        | contin   | numeric   |          |
| V844 | sbdays   | Day visit start       | discrete | numeric   |          |
| V845 | sbmnth   | Month visit start     | discrete | numeric   |          |
| V846 | sedays   | Day visit end         | discrete | numeric   |          |
| V847 | semnth   | Month visit end       | discrete | numeric   |          |
| V848 | sinterv  | Interviewer name      | discrete | numeric   |          |

**CSEC10**

|              |  |
|--------------|--|
| Content      | SERVICE AVAILABILITY - Community Characteristics |
| Cases        | 1740   |
| Variable(s)  | 16   |
| Structure    | Type:<br>Keys: ()                                |
| Version      |  |
| Producer     |  |
| Missing Data |  |

**Variables**

| ID   | Name         | Label                          | Type     | Format    | Question |
|------|--------------|--------------------------------|----------|-----------|----------|
| V849 | level1id     | Level1 Identification          | discrete | character |          |
| V850 | s101         | Type of locality               | discrete | numeric   |          |
| V851 | s102         | Nearest urban center           | contin   | numeric   |          |
| V852 | s103         | Distance to urban center       | discrete | numeric   |          |
| V853 | s104         | Economic activity              | discrete | numeric   |          |
| V854 | s105         | Are there social groups        | discrete | numeric   |          |
| V855 | s106         | What are their programs        | discrete | numeric   |          |
| V856 | s110         | Birth attendat available       | discrete | numeric   |          |
| V857 | s111         | Birth attendant trained at MOH | discrete | numeric   |          |
| V858 | s112         | Area covered by midwife        | discrete | numeric   |          |
| V859 | s113         | Any talks about family plannin | discrete | numeric   |          |
| V860 | csec10_group | Item created from ISSA Group   | discrete | character |          |
| V861 | s107         | Distance to service in km.     | discrete | numeric   |          |
| V862 | s108         | Common transportation mode     | discrete | numeric   |          |
| V863 | s109h        | Hours to get to the service    | discrete | numeric   |          |
| V864 | s109m        | Minutes to get to service      | contin   | numeric   |          |

**CSEC20**

|              |                                   |
|--------------|-----------------------------------|
| Content      | SERVICE AVAILABILITY - Facilities |
| Cases        | 1392                              |
| Variable(s)  | 10                                |
| Structure    | Type:<br>Keys: ()                 |
| Version      |                                   |
| Producer     |                                   |
| Missing Data |                                   |

**Variables**

| ID   | Name     | Label                          | Type     | Format    | Question |
|------|----------|--------------------------------|----------|-----------|----------|
| V865 | level1id | Level1 Identification          | discrete | character |          |
| V866 | s2code   | S2CODE                         | discrete | numeric   |          |
| V867 | s201     | Name of the facility           | discrete | character |          |
| V868 | s202     | Address of the facility        | discrete | character |          |
| V869 | s203     | Distance to facility           | discrete | numeric   |          |
| V870 | s204     | Type of transport to facility  | discrete | numeric   |          |
| V871 | s205h    | Hours to get to the facility   | discrete | numeric   |          |
| V872 | s205m    | Minutes to get to the facility | contin   | numeric   |          |
| V873 | s206     | Facility provide F.P.          | discrete | numeric   |          |
| V874 | s207     | Facilities within 30 Kms       | discrete | numeric   |          |

**CSEC21**

|              |   |
|--------------|---|
| Content      | SERVICE AVAILABILITY - Contraceptive Method |
| Cases        | 348   |
| Variable(s)  | 21  |
| Structure    | Type:<br>Keys: ()                           |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID   | Name     | Label                         | Type     | Format    | Question |
|------|----------|-------------------------------|----------|-----------|----------|
| V875 | level1id | Level1 Identification         | discrete | character |          |
| V876 | s208     | Name facility provide pills   | discrete | character |          |
| V877 | s209     | Distance to pills provider    | discrete | numeric   |          |
| V878 | s210     | People go to get pills        | discrete | numeric   |          |
| V879 | s211     | Why not go for pills          | discrete | numeric   |          |
| V880 | s212     | Name facility provide condoms | discrete | character |          |
| V881 | s213     | Distance to pills provider    | discrete | numeric   |          |
| V882 | s214     | People go to get condoms      | discrete | numeric   |          |
| V883 | s215     | Why not go for pills          | discrete | numeric   |          |
| V884 | s216     | Name facility provide inject. | discrete | character |          |
| V885 | s217     | Distance to inject. provider  | discrete | numeric   |          |
| V886 | s218     | People go to get injectables  | discrete | numeric   |          |
| V887 | s219     | Why not go for injectables    | discrete | numeric   |          |
| V888 | s220     | Name facility provide tablets | discrete | character |          |
| V889 | s221     | Distance to tablets provider  | discrete | numeric   |          |
| V890 | s222     | People go to get tablets      | discrete | numeric   |          |
| V891 | s223     | Why not go for tablets        | discrete | numeric   |          |
| V892 | s224     | Name facility provide IUD     | discrete | character |          |
| V893 | s225     | Distance to IUD provider      | discrete | numeric   |          |
| V894 | s226     | People go to get IUD          | discrete | numeric   |          |
| V895 | s227     | Why not go for IUD            | discrete | numeric   |          |

**CSEC22**

|              |   |
|--------------|---|
| Content      | SERVICE AVAILABILITY - End of Cluster Interview |
| Cases        | 348   |
| Variable(s)  | 10  |
| Structure    | Type:<br>Keys: ()                               |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID   | Name     | Label                      | Type     | Format    | Question |
|------|----------|----------------------------|----------|-----------|----------|
| V896 | level1id | Level1 Identification      | discrete | character |          |
| V897 | s228a1   | Ocupation 1st informant    | discrete | character |          |
| V898 | s228a2   | Education 1st informant    | discrete | numeric   |          |
| V899 | s228b1   | Ocupation 2nd informant    | discrete | character |          |
| V900 | s228b2   | Education 2nd informant    | discrete | numeric   |          |
| V901 | s228c1   | Ocupation 3rd informant    | discrete | character |          |
| V902 | s228c2   | Education 3rd informant    | discrete | numeric   |          |
| V903 | s228d1   | Ocupation 4th informant    | discrete | character |          |
| V904 | s228d2   | Education 4th informant    | discrete | numeric   |          |
| V905 | s229     | Total informats in cluster | discrete | numeric   |          |

**CSEC30**

|              |  |
|--------------|--|
| Content      | SERVICE AVAILABILITY - Visit to Facilities |
| Cases        | 1044                                       |
| Variable(s)  | 119  |
| Structure    | Type:<br>Keys: ()                          |
| Version      |  |
| Producer     |  |
| Missing Data |  |

**Variables**

| ID   | Name     | Label                          | Type     | Format    | Question |
|------|----------|--------------------------------|----------|-----------|----------|
| V906 | level1id | Level1 Identification          | discrete | character |          |
| V907 | s3occ    | Section code                   | discrete | numeric   |          |
| V908 | s3name   | Name of the facility           | discrete | character |          |
| V909 | s3clust  | Facility in other cluster      | discrete | numeric   |          |
| V910 | x00      | Odometer distance from cluster | discrete | numeric   |          |
| V911 | x01      | Estimated distance reasonable  | discrete | numeric   |          |
| V912 | x02      | Estimated time reasonable      | discrete | numeric   |          |
| V913 | x03      | Year the facility opened       | discrete | numeric   |          |
| V914 | x04      | Who operates the hospital      | discrete | numeric   |          |
| V915 | x05a     | Are there restrictions         | discrete | numeric   |          |
| V916 | x05b     | Kind of restrictions           | discrete | character |          |
| V917 | x06      | Beds facility has              | discrete | numeric   |          |
| V918 | x07      | Patients spend night           | discrete | numeric   |          |
| V919 | x08      | Outpatients seen daily         | discrete | numeric   |          |
| V920 | x09a     | Total general practitioners    | discrete | numeric   |          |
| V921 | x09b     | Total specialists              | discrete | numeric   |          |
| V922 | x09c     | Total nurses                   | discrete | numeric   |          |
| V923 | x09d     | Total trained midwives         | discrete | numeric   |          |
| V924 | x09e     | Total auxiliary staff          | discrete | numeric   |          |
| V925 | x10      | % Doctors work more 1 year     | discrete | numeric   |          |
| V926 | x11      | Disposable injections needles  | discrete | numeric   |          |
| V927 | x12      | Run out of disposable needles  | discrete | numeric   |          |
| V928 | x13      | Steriliz. medical instruments  | discrete | numeric   |          |
| V929 | x14a     | Facility has blood-bank        | discrete | numeric   |          |
| V930 | x14b     | Facility has table-gyn examns  | discrete | numeric   |          |
| V931 | x14c     | Facility has light-gyn examns  | discrete | numeric   |          |
| V932 | x14d     | Facility has microscope        | discrete | numeric   |          |
| V933 | x14e     | Facility has AIDS test         | discrete | numeric   |          |



| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V934 | x151 | Ant-care available             | discrete | numeric |          |
| V935 | x161 | Ant-care days per week         | discrete | numeric |          |
| V936 | x171 | Ant-care average fee           | discrete | numeric |          |
| V937 | x181 | Ant-care proportion pay        | discrete | numeric |          |
| V938 | x191 | Ant-care patients seen daily   | discrete | numeric |          |
| V939 | x201 | Ant-care year service offered  | discrete | numeric |          |
| V940 | x152 | Del-care available             | discrete | numeric |          |
| V941 | x172 | Del-care average fee           | discrete | numeric |          |
| V942 | x182 | Del-care proportion pay        | discrete | numeric |          |
| V943 | x192 | Del-care patients seen daily   | discrete | numeric |          |
| V944 | x202 | Del-care year service offered  | discrete | numeric |          |
| V945 | x153 | Post-care available            | discrete | numeric |          |
| V946 | x163 | Post-care days per week        | discrete | numeric |          |
| V947 | x173 | Post-care average fee          | discrete | numeric |          |
| V948 | x183 | Post-care proportion pay       | discrete | numeric |          |
| V949 | x193 | Post-care patients seen daily  | discrete | numeric |          |
| V950 | x203 | Post-care year service offered | discrete | numeric |          |
| V951 | x154 | Immuniz. available             | discrete | numeric |          |
| V952 | x164 | Immuniz. days per week         | discrete | numeric |          |
| V953 | x174 | Immuniz. average fee           | discrete | numeric |          |
| V954 | x184 | Immuniz. proportion pay        | discrete | numeric |          |
| V955 | x194 | Immuniz. patients seen daily   | discrete | numeric |          |
| V956 | x204 | Immuniz. year service offered  | discrete | numeric |          |
| V957 | x155 | Ch-growth available            | discrete | numeric |          |
| V958 | x165 | Ch-growth days per week        | discrete | numeric |          |
| V959 | x175 | Ch-growth average fee          | discrete | numeric |          |
| V960 | x185 | Ch-growth proportion pay       | discrete | numeric |          |
| V961 | x195 | Ch-growth patients seen daily  | discrete | numeric |          |
| V962 | x205 | Ch-growth year service offered | discrete | numeric |          |
| V963 | x156 | Rehidrat. available            | discrete | numeric |          |
| V964 | x166 | Rehidrat. days per week        | discrete | numeric |          |
| V965 | x176 | Rehidrat. average fee          | discrete | numeric |          |
| V966 | x186 | Rehidrat. proportion pay       | discrete | numeric |          |
| V967 | x196 | Rehidrat. patients seen daily  | discrete | numeric |          |
| V968 | x206 | Rehidrat. year service offered | discrete | numeric |          |
| V969 | x157 | F.P. available                 | discrete | numeric |          |
| V970 | x167 | F.P. days per week             | discrete | numeric |          |
| V971 | x177 | F.P. average fee               | discrete | numeric |          |
| V972 | x187 | F.P proportion pay             | discrete | numeric |          |
| V973 | x197 | F.P patients seen daily        | discrete | numeric |          |

| ID    | Name | Label                          | Type     | Format  | Question |
|-------|------|--------------------------------|----------|---------|----------|
| V974  | x207 | F.P. year service offered      | discrete | numeric |          |
| V975  | x21  | Dispensary affiliated          | discrete | numeric |          |
| V976  | x221 | DPT vaccine available          | discrete | numeric |          |
| V977  | x231 | Run out of DPT vaccine         | discrete | numeric |          |
| V978  | x222 | Polio vaccine available        | discrete | numeric |          |
| V979  | x232 | Run out of Polio vaccine       | discrete | numeric |          |
| V980  | x223 | Tetanus vaccine available      | discrete | numeric |          |
| V981  | x233 | Run out of Tetanus vaccine     | discrete | numeric |          |
| V982  | x224 | Measles vaccine available      | discrete | numeric |          |
| V983  | x234 | Run out of Measles vaccine     | discrete | numeric |          |
| V984  | x225 | BCG vaccine available          | discrete | numeric |          |
| V985  | x235 | Run out of BCG vaccine         | discrete | numeric |          |
| V986  | x24  | ORS packets available          | discrete | numeric |          |
| V987  | x25  | Run out of ORS packets         | discrete | numeric |          |
| V988  | x26a | Doctors provide F.P            | discrete | numeric |          |
| V989  | x26b | Nurses provide F.P.            | discrete | numeric |          |
| V990  | x26c | Auxiliary staff providing F.P. | discrete | numeric |          |
| V991  | x27  | Doctors trained in sterilizat. | discrete | numeric |          |
| V992  | x28a | Doctors trained in DIU         | discrete | numeric |          |
| V993  | x28b | Other staff trained in DIU     | discrete | numeric |          |
| V994  | x29  | New patients for F.P. monthly  | discrete | numeric |          |
| V995  | x30  | Patients visit resupply mothly | discrete | numeric |          |
| V996  | x311 | Pill available                 | discrete | numeric |          |
| V997  | x321 | Days in week pill available    | discrete | numeric |          |
| V998  | x331 | Run out of pills               | discrete | numeric |          |
| V999  | x341 | First year pill was offered    | discrete | numeric |          |
| V1000 | x312 | IUD available                  | discrete | numeric |          |
| V1001 | x322 | Days in week IUD available     | discrete | numeric |          |
| V1002 | x332 | Run out of IUDs                | discrete | numeric |          |
| V1003 | x342 | First year IUD was offered     | discrete | numeric |          |
| V1004 | x313 | Injection available            | discrete | numeric |          |
| V1005 | x323 | Days in week Inject. available | discrete | numeric |          |
| V1006 | x333 | Run out of injections          | discrete | numeric |          |
| V1007 | x343 | First year inject. was offered | discrete | numeric |          |
| V1008 | x314 | Condom available               | discrete | numeric |          |
| V1009 | x324 | Days in week condom available  | discrete | numeric |          |
| V1010 | x334 | Run out of condoms             | discrete | numeric |          |
| V1011 | x344 | First year condom was offered  | discrete | numeric |          |
| V1012 | x315 | Tablets available              | discrete | numeric |          |
| V1013 | x325 | Days in week tablets available | discrete | numeric |          |

| ID    | Name | Label                          | Type     | Format    | Question |
|-------|------|--------------------------------|----------|-----------|----------|
| V1014 | x335 | Run out of tablets             | discrete | numeric   |          |
| V1015 | x345 | First year tablets was offered | discrete | numeric   |          |
| V1016 | x316 | Sterilization available        | discrete | numeric   |          |
| V1017 | x326 | Days in week steril. available | discrete | numeric   |          |
| V1018 | x346 | First year steril. was offered | discrete | numeric   |          |
| V1019 | x317 | Other available                | discrete | numeric   |          |
| V1020 | x327 | Days in week other available   | discrete | numeric   |          |
| V1021 | x337 | Run out of others              | discrete | numeric   |          |
| V1022 | x347 | First year other was offered   | discrete | numeric   |          |
| V1023 | x35  | Position in the facility       | discrete | character |          |
| V1024 | x36  | Informant sees knowledgeable   | discrete | numeric   |          |

**CSEC60**

|              |                                       |
|--------------|---------------------------------------|
| Content      | SERVICE AVAILABILITY - Pharmacy Visit |
| Cases        | 348                                   |
| Variable(s)  | 44                                    |
| Structure    | Type:<br>Keys: ()                     |
| Version      |                                       |
| Producer     |                                       |
| Missing Data |                                       |

**Variables**

| ID    | Name     | Label                          | Type     | Format    | Question |
|-------|----------|--------------------------------|----------|-----------|----------|
| V1025 | level1id | Level1 Identification          | discrete | character |          |
| V1026 | s6occ    | Section number                 | discrete | numeric   |          |
| V1027 | s6name   | Name of the pharmacy           | discrete | character |          |
| V1028 | s6clust  | Facility in other cluster      | discrete | numeric   |          |
| V1029 | s600     | Odometer distance from cluster | discrete | numeric   |          |
| V1030 | s601     | Estimated distance reasonable  | discrete | numeric   |          |
| V1031 | s602     | Estimated time reasonable      | discrete | numeric   |          |
| V1032 | s603     | Hours per week pharmacy open   | discrete | numeric   |          |
| V1033 | s604     | Days per week pharmacy open    | discrete | numeric   |          |
| V1034 | s605     | Trained pharmacist available   | discrete | numeric   |          |
| V1035 | s606     | Year pharmacy was open         | discrete | numeric   |          |
| V1036 | s6071    | Chloroquine available          | discrete | numeric   |          |
| V1037 | s6081    | Run out of chloroquine         | discrete | numeric   |          |
| V1038 | s6091    | Carry social market chloroquin | discrete | numeric   |          |
| V1039 | s6072    | Quinine available              | discrete | numeric   |          |
| V1040 | s6082    | Run out of quinine             | discrete | numeric   |          |
| V1041 | s6092    | Carry social market quinine    | discrete | numeric   |          |
| V1042 | s6073    | Penicillin available           | discrete | numeric   |          |
| V1043 | s6083    | Run out of penicillin          | discrete | numeric   |          |
| V1044 | s6093    | Carry social market penicillin | discrete | numeric   |          |
| V1045 | s6074    | Iron-folate available          | discrete | numeric   |          |
| V1046 | s6084    | Run out of iron-folate         | discrete | numeric   |          |
| V1047 | s6094    | Carry social market iron-folat | discrete | numeric   |          |
| V1048 | s6075    | ORS packets available          | discrete | numeric   |          |
| V1049 | s6085    | Run out of ORS packets         | discrete | numeric   |          |
| V1050 | s6095    | Carry social market ORS packet | discrete | numeric   |          |
| V1051 | s610     | Pharmacy carry F.P. methods    | discrete | numeric   |          |
| V1052 | s6111    | Pill available at pharmacy     | discrete | numeric   |          |

| ID    | Name  | Label                         | Type     | Format    | Question |
|-------|-------|-------------------------------|----------|-----------|----------|
| V1053 | s6121 | Run out of pills              | discrete | numeric   |          |
| V1054 | s6131 | Pharmacy distribute pills     | discrete | numeric   |          |
| V1055 | s6112 | IUD available at pharmacy     | discrete | numeric   |          |
| V1056 | s6122 | Run out of IUDs               | discrete | numeric   |          |
| V1057 | s6132 | Pharmacy distribute IUDs      | discrete | numeric   |          |
| V1058 | s6113 | Condom available at pharmacy  | discrete | numeric   |          |
| V1059 | s6123 | Run out of condoms            | discrete | numeric   |          |
| V1060 | s6133 | Pharmacy distribute condoms   | discrete | numeric   |          |
| V1061 | s6114 | Tablets available at pharmacy | discrete | numeric   |          |
| V1062 | s6124 | Run out of tablets            | discrete | numeric   |          |
| V1063 | s6134 | Pharmacy distribute tablets   | discrete | numeric   |          |
| V1064 | s6115 | Other available at pharmacy   | discrete | numeric   |          |
| V1065 | s6125 | Run out of others             | discrete | numeric   |          |
| V1066 | s6135 | Pharmacy distribute others    | discrete | numeric   |          |
| V1067 | s614  | Occupation at pharmacy        | discrete | character |          |
| V1068 | s615  | Informant seems knowledgeable | discrete | numeric   |          |



## Case Identification (hhid)

File: RECH0

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Country code and phase (hv000)

File: RECH0

**Overview**

Type: Discrete  
 Format: character  
 Width: 3

## Cluster number (hv001)

File: RECH0

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 1-349

## Household number (hv002)

File: RECH0

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-81

## Respondent's line number NA (hv003)

File: RECH0

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Ultimate area unit (hv004)

File: RECH0

**Overview**

## Ultimate area unit (hv004)

File: RECH0

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-349

## Sample weight (hv005)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 7  
Decimals: 0  
Range: 0-3606136

## Month of interview (hv006)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Year of interview (hv007)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 90-90

## Date of interview (CMC) (hv008)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1081-1092



## Number of household members (hv009)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-25

## Number of eligible women in HH (hv010)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Number of eligible men in HH (hv011)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-0

## Number of de jure members (hv012)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-25

## Number of de facto members (hv013)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-25

## Number of children 5 and under (hv014)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-10

## Result of household interview (hv015)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Day of interview (hv016)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-31

## Number of visits (hv017)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Interviewer identification NA (hv018)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Keyer identification (hv019)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-17

## Ever-married sample (hv020)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Primary sampling unit (hv021)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-349

## Sample stratum number (hv022)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-173

## Sample domain (hv023)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Region (hv024)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Type of place of residence (hv025)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Place of residence (hv026)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Selection for male/husb. int. (hv027)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Sample weight for male subsamp (hv028)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-0

## Case Identification (hhid)

File: RECH1

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Line number (hvidx)

File: RECH1

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-25

## Relationship to head NA (hv101)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Usual resident (hv102)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Slept last night (hv103)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Sex of household member (hv104)

File: RECH1

## Sex of household member (hv104)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Age of household members (hv105)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Highest educational level (hv106)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Highest year of education (hv107)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Education in single years (hv108)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Educational attainment (hv109)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Member still in school (hv110)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Mother alive (hv111)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Mother's line number NA (hv112)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Father alive (hv113)

File: RECH1

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Father's line number NA (hv114)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Current marital status (hv115)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Currently, formerly, never m. (hv116)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Eligibility for female intview (hv117)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Eligibility for male interview (hv118)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1



## Case Identification (hhid)

File: RECH2

**Overview**

Type: Discrete  
 Format: character  
 Width: 12

## Source of drinking water NA (hv201)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

## Source of non-drinking water NA (hv202)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

## Same source of water NA (hv203)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

## Time to get to water source NA (hv204)

File: RECH2

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

## Type of toilet facility NA (hv205)

File: RECH2

**Overview**

## Type of toilet facility NA (hv205)

File: RECH2

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Has electricity NA (hv206)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Has radio NA (hv207)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Has television NA (hv208)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Has refrigerator NA (hv209)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Has bicycle NA (hv210)

File: RECH2

### Overview

## Has bicycle NA (hv210)

File: RECH2

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Has motorcycle NA (hv211)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Has car NA (hv212)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Main floor material NA (hv213)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Main wall material NA (hv214)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Main roof material NA (hv215)

File: RECH2

### Overview

## Main roof material NA (hv215)

File: RECH2

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Rooms for sleeping NA (hv216)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Relationship structure NA (hv217)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Line number of head of houseNA (hv218)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Sex of head of household NA (hv219)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Age of head of household NA (hv220)

File: RECH2

### Overview

## Age of head of household NA (hv220)

File: RECH2

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0

## Case Identification (hhid)

File: RECH3

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Governorate (shgovern)

File: RECH3

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Urban rural (shurbrur)

File: RECH3

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-3

## District (shdistri)

File: RECH3

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-7

## Locality (shlocali)

File: RECH3

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 111-225

## Stratum number (shstrata)

File: RECH3

## Stratum number (shstrata)

File: RECH3

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Ultimate Area Block (shultblk)

File: RECH3

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 5  
 Decimals: 0  
 Range: 11001-96007

## Total deaths in hh (shdeaths)

File: RECH3

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-2

## HH births last 12 months (shbirths)

File: RECH3

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-4

## Type of family (shfamily)

File: RECH3

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Case Identification (hhid)

File: RECH4

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Index to household schedule (idxh4)

File: RECH4

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-25

## Father alive (sh08)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Mother alive (sh09)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Ever been to school (sh10)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Still in school (sh10a)

File: RECH4



## Still in school (sh10a)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Highest grade attending (sh11)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Level of education attending (sh12)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Highest grade completed (sh13)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Level of education completed (sh14)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## First spouse alive (sh16)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Number of wives (sh17)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Economic activity (sh18)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Insurance coverage (sh19)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Unemp. turn down job offer (sh30)

File: RECH4

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Why did you refuse (sh31)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Employed, how are you paid (sh32)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## HH member working abroad (sh33)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Country they were working (sh33a)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Case Identification (hhid)

File: RECH5

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Order of death (sh23)

File: RECH5

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Sex of HH member who died (sh24)

File: RECH5

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Age of HH member who died (sh25)

File: RECH5

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Marital status member who died (sh26)

File: RECH5

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

## Year of death (sh27y)

File: RECH5

## Year of death (sh27y)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 89-99

## Month of death (sh27m)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Cause of death HH member (sh28)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Case Identification (hhid)

File: REC01

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC01

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Country code and phase (v000)

File: REC01

**Overview**

Type: Discrete  
 Format: character  
 Width: 3

## Cluster number (v001)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 1-349

## Household number (v002)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-81

## Respondent's line number (v003)

File: REC01

**Overview**

## Respondent's line number (v003)

File: REC01

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-21

## Ultimate area unit (v004)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 1-349

## Sample weight (v005)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 7  
 Decimals: 0  
 Range: 0-3615665

## Month of interview (v006)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 9-12

## Year of interview (v007)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 90-90

## Date of interview (CMC) (v008)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 1089-1092

## Respondent's month of birth (v009)

File: REC01

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-12

## Respondent's year of birth (v010)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 40-75

## Date of birth (CMC) (v011)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 491-910

## Current age - respondent (v012)

File: REC01

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 15-49



## Age 5-year groups (v013)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Completeness of information (v014)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Result of individual interview (v015)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Day of interview (v016)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-31

## CMC start of calendar/health (v017)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1021-1021

## Row of month of interview (v018)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-12

## Length of calendar (v019)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-72

## Ever-married sample (v020)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Primary sampling unit (v021)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-349

## Sample stratum number (v022)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-173

## Sample domain (v023)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Region (v024)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Type of place of residence (v025)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## De facto place of residence (v026)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Number of visits (v027)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Interviewer identification (v028)

File: REC01

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Keyer identification (v029)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-17

## Case Identification (hhid)

File: REC11

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC11

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Region (v101)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-5

## Type of place of residence (v102)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Childhood place of residence (v103)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Years lived in place of res. (v104)

File: REC11

**Overview**

## Years lived in place of res. (v104)

File: REC11

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Type of place of previous res. (v105)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Highest educational level (v106)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Highest year of education (v107)

File: REC11

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Literacy (v108)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Reads newspaper once a week NA (v109)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Watches TV every week NA (v110)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Listens to radio every day NA (v111)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Listens to radio every week (v112)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source of drinking water (v113)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-71

## Source of non-drinking waterNA (v114)

File: REC11

## Source of non-drinking waterNA (v114)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Time to get to water source NA (v115)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Type of toilet facility (v116)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-41

## Has electricity (v119)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Has radio (v120)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Has television (v121)

File: REC11



## Has television (v121)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Has refrigerator (v122)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Has bicycle (v123)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Has motorcycle (v124)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Has car (v125)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Main floor material NA (v127)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Main wall material (v128)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 20-99

## Main roof material NA (v129)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Religion (v130)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Ethnicity NA (v131)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Education in single years (v133)

File: REC11

## Education in single years (v133)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## De facto place of residence (v134)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Usual resident or visitor (v135)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Number of household members (v136)

File: REC11

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-25

## Number of children 5 and under (v137)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-10

## Number of eligible women in HH (v138)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## De jure region of residence (v139)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## De jure type of place of res. (v140)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## De jure place of residence (v141)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Same source of water NA (v142)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Rooms for sleeping (v143)

File: REC11

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Communities lived in &gt;Jan.85 (v144)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Month moved to res. of Jan.85 (v145)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Year moved to res. of Jan.85 (v146)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 47-99

## Residence before Jan.85 (v147)

File: REC11

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Respondent still in school (v148)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Educational attainment (v149)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Relationship to household heNA (v150)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Sex of household head NA (v151)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Age of household head NA (v152)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## All woman factor - total (awfactt)

File: REC11

## All woman factor - total (awfactt)

File: REC11

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 101-4773

## All woman factor - urban/rural (awfactu)

File: REC11

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 100-5475

## All woman factor - regional (awfactr)

File: REC11

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 5  
 Decimals: 0  
 Range: 0-11450

## All woman factor - educational (awfacte)

File: REC11

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 0-6190

## Case Identification (hhid)

File: REC21

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC21

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Birth column number (bidx)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-18

## Birth order number (bord)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-18

## Child is twin (b0)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-5

## Month of birth (b1)

File: REC21

**Overview**



## Month of birth (b1)

File: REC21

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Year of birth (b2)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 55-90

## Date of birth (CMC) (b3)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 666-1092

## Sex of child (b4)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Child is alive (b5)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Age at death (b6)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 100-999

## Age at death (months-imputed) (b7)

File: REC21

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-360

## Current age of child (b8)

File: REC21

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-35

## Who child lives with (b9)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Completeness of information (b10)

File: REC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Preceding birth interval (b11)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-205

## Succeeding birth interval (b12)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-205

## Flag for age at death (b13)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Case Identification (hhid)

File: REC22

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC22

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Total children ever born (v201)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-18

## Sons at home (v202)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-11

## Daughters at home (v203)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-10

## Sons elsewhere (v204)

File: REC22

**Overview**

## Sons elsewhere (v204)

File: REC22

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Daughters elsewhere (v205)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Sons who have died (v206)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Daughters who have died (v207)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Births in last five years (v208)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Births in past year (v209)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Births in month of interview (v210)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Date of first birth (CMC) (v211)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 666-1092

## Age of respondent at 1st birth (v212)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 9-41

## Currently pregnant (v213)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Duration of current pregnancy (v214)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Time since last menstrual perd (v215)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 100-999

## Menstruated in last six weeks (v216)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Knowledge of ovulatory cycle (v217)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Number of living children (v218)

File: REC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-17

## Living children + current preg (v219)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-18

## Living children + curr preg 6+ (v220)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Marriage to first birth int. (v221)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-996

## Last birth to interview (v222)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-323

## Completeness of curr preg. inf (v223)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 7-8



## Entries in birth history (v224)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-18

## Current pregnancy wanted (v225)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Time since last period (comp) (v226)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Flag for last period (v227)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever had a terminated preg. (v228)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Month pregnancy ended (v229)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year pregnancy ended (v230)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 59-99

## CMC pregnancy ended (v231)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 714-9999

## Completeness of last term. inf (v232)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Months when pregnancy ended (v233)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Other such pregnancies (v234)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Index last child prior to '85 (v235)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Case Identification (hhid)

File: REC31

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC31

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Knowledge of any method (v301)

File: REC31

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-3

## Ever use of any method (v302)

File: REC31

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Knows source for modern method (v303)

File: REC31

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Contraceptive Table (rec31\_group)

File: REC31

**Overview**

## Contraceptive Table (rec31\_group)

File: REC31

Type: Discrete  
Format: character  
Width: 4

## Type of method (v304a)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Knows method (v304)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever used method (v305)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source known for method (v306)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Case Identification (hhid)

File: REC32

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC32

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Living children at first use (v310)

File: REC32

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Children at first use (grpdc) (v311)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Current contraceptive method (v312)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-15

## Current use by method type (v313)

File: REC32

**Overview**

## Current use by method type (v313)

File: REC32

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Month of sterilization (v315)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Year of sterilization (v316)

File: REC32

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 68-90

## Date of sterilization (CMC) (v317)

File: REC32

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 817-1091

## Completeness of information (v318)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Years since sterilization (v319)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Age at sterilization (v320)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Marital duration at steriliz. (v321)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Parity at sterilization (v322)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Brand of pill used (v323)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99



## Cost of pills (v325)

File: REC32

### Overview

Type: Continuous  
Format: numeric  
Width: 6  
Decimals: 0  
Range: 10-999999

## Last source for current users (v326)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-98

## Last source for users by type (v327)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Months of use of current meth (v337)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Problem with current method (v338)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Problem with current method (v339)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Last method disc. last 5 years (v359)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-15

## Reason of last discontinuation (v360)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Pattern of use (v361)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Intention to use (v362)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Preferred future method (v363)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Contraceptive use &amp; intention (v364)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

## Heard FP message on radio NA (v365)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Acceptability of media message (v366)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Wanted last child (v367)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-3

## First method used (v369)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-15

## Source of first method (v370)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Source of first method (v371)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Shown pill package (v372)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Doctor/nurse for first pills (v373)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Doctor/nurse for last pills (v374)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason for current method (v375)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Main reason not to use a meth. (v376)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Source for future method (v377)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-98

## Source for future method (v378)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Source known for any method (v379)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Source known for any method (v380)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Time to get to source (v381)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 1000-9999

## Time to get to source(grouped) (v382)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Easy/difficult to get to place (v383)

File: REC32

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Heard about FP on TelevisionNA (v384)

### File: REC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Contraceptive use before cal. (v385)

### File: REC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Month started method pre 85 (v386)

### File: REC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year started method pre 85 (v387)

### File: REC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 64-99

## Date started method pre 85 (v388)

### File: REC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 817-9999

## Months use prior to calendar (v389)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Month stopped method pre 85 (v390)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year stopped method pre 85 (v391)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 68-99

## Date stopped method pre 85 (v392)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 825-9999



## Case Identification (hhid)

File: REC41

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC41

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Index to birth history (midx)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-5

## Tetanus injections bef. birth (m1)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Prenatal: doctor (m2a)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Prenatal: nurse/midwife (m2b)

File: REC41

**Overview**

## Prenatal: nurse/midwife (m2b)

File: REC41

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Prenatal: auxiliary midwife NA (m2c)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: CS health professiNA (m2d)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: CS health professiNA (m2e)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: trained birth att.NA (m2f)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: trad.birth attendant (m2g)

File: REC41

**Overview**

## Prenatal: trad.birth attendant (m2g)

File: REC41

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Prenatal: relative NA (m2h)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: CS other person NA (m2i)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: CS other person NA (m2j)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: other resp (uncoded) (m2k)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Prenatal: CS other NA (m2l)

File: REC41

**Overview**

## Prenatal: CS other NA (m2l)

File: REC41

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: CS other NA (m2m)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Prenatal: no one (m2n)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Assistance: doctor (m3a)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Assistance: nurse/midwife (m3b)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Assistance: auxiliary midwife NA (m3c)

File: REC41

**Overview**

Assistance: auxiliary midwifeNA (m3c)

File: REC41

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: CS health professionalNA (m3d)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: CS health professionalNA (m3e)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: trained birth attendantNA (m3f)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: traditional birth attendant. (m3g)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Assistance: relative (m3h)

File: REC41

#### Overview

## Assistance: relative (m3h)

File: REC41

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Assistance: CS other person NA (m3i)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Assistance: CS other person NA (m3j)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Assistance: other resp (uncod) (m3k)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Assistance: CS other NA (m3l)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Assistance: CS other NA (m3m)

File: REC41

**Overview**

Assistance: CS other NA (m3m)

File: REC41

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Assistance: no one (m3n)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Duration of breastfeeding (m4)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

Months of breastfeeding (m5)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

Duration of amenorrhea (m6)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

Months of amenorrhea (m7)

File: REC41

## Months of amenorrhea (m7)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Duration of abstinence (m8)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Months of abstinence (m9)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Time wanted pregnancy (m10)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-3

## Time would have waited (m11)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 101-998



## Antenatal card for pregnancyNA (m12)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Timing of 1st antenatal check (m13)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Antenatal visits for pregnancy (m14)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Place of delivery (m15)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Premature birth (m16)

File: REC41

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Delivery by caesarian section (m17)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Size of child at birth (m18)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Birth weight (kilos - 3 dec.) (m19)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Reason did not breastfeed (m20)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Reason stopped breastfeeding (m21)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Child given other food (m22)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age for formula or other milk (m23)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Age for plain water NA (m24)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Age for other liquids (m25)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Age for solid or mushy food (m26)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Flag for breastfeeding (m27)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Flag for amenorrhea (m28)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Flag for abstinence (m29)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Case Identification (hhid)

File: REC42

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC42

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Last birth cesarean section (v401)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Currently breastfeeding (v404)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Currently amenorrheic (v405)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Currently abstaining (v406)

File: REC42

**Overview**

## Currently abstaining (v406)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Times breastfed during night (v407)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Times breastfed during day (v408)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Gave child plain water (v409)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Gave child sugar water (v409a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Gave child juice (v410)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Gave child herbal tea (v410a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Gave child powder/tinned milk (v411)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Gave child baby formula (v411a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Gave child fresh milk (v412)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Gave child yansoon (dill) (v413a)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Country specific other liquiNA (v413b)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other liquiNA (v413c)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other liquiNA (v413d)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Gave child other liquid (v413)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Country specific other foodsNA (v414a)

File: REC42



## Country specific other foodsNA (v414a)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other foodsNA (v414b)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other foodsNA (v414c)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Country specific other foodsNA (v414d)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Gave child solid or mushy food (v414)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Fed food in bottle with nipple (v415)

File: REC42

**Overview**

## Fed food in bottle with nipple (v415)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard of oral rehydration (v416)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Entries in maternity table (v417)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Entries in health table (v418)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Entries in height/weight table (v419)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Measurer's code (v420)

File: REC42

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Assistant measurer's code (v421)

File: REC42

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ever prepared ORS solution (v422)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Quantity of water for ORS NA (v423)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## ORS source: government hosp. (v424a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: govt health center (v424b)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: govt health postNA (v424c)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: mobile clinic NA (v424d)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: comm.health workNA (v424e)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: Maternal ch. healt (v424f)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: CS public sectorNA (v424g)

File: REC42

ORS source: CS public sectorNA (v424g)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS public sectorNA (v424h)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS public sectorNA (v424i)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: private hosp/clin. (v424j)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: private pharmacy (v424k)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: private doctor (v424l)

File: REC42

ORS source: private doctor (v424l)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: private mobile cNA (v424m)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: comm.health workNA (v424n)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: Specialist clinic (v424o)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: CS med.priv sectNA (v424p)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS med.priv sectNA (v424q)

File: REC42

ORS source: CS med.priv sectNA (v424q)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS med.priv sectNA (v424r)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: shop NA (v424s)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: traditional pracNA (v424t)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: Friends/relatives (v424u)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: CS oth.priv sectNA (v424v)

File: REC42

#### Overview

ORS source: CS oth.priv sectNA (v424v)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: CS oth.priv sectNA (v424w)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

ORS source: Other (v424x)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

ORS source: Unknown NA (v424y)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Home fluid preparation teachNA (v425)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

When child put to breast (v426)

File: REC42

#### Overview



## When child put to breast (v426)

File: REC42

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-220

## Duration breastfeeding pre 85 (v427)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Months breastfeeding pre 1985 (v428)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Flag for breastfeeding pre 85 (v429)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Duration of amenorrhea pre 85 (v430)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Months of amenorrhea pre 85 (v431)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Flag for amenorrhea pre 85 (v432)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-4

## Duration of abstinence pre 85 (v433)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Months of abstinence pre 85 (v434)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Flag for abstinence pre 85 (v435)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-4

## Arm circumference (cms-1d) NA (v436)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Respondent's weight (kilos NA (v437)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Respondent's height (cms-1 NA (v438)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Ht/A Percentile (resp.) NA (v439)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Ht/A Standard deviations NA (v440)

File: REC42

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Ht/A Percent ref. median NA (v441)

File: REC42

**Overview**

Ht/A Percent ref. median NA (v441)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Wt/Ht Percent ref. median NA (v442)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Wt/Ht Percent ref. median NA (v443)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Wt/Ht Percent ref. median NA (v444)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Body mass index for respond NA (v445)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Rohrer's index for responde NA (v446)

File: REC42

#### Overview

## Rohrer's index for responde NA (v446)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Result of measurement of re NA (v447)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Case Identification (hhid)

File: REC43

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC43

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Index to birth history (hidx)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-5

## Has health card (h1)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Received BCG (h2)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## BCG day (h2d)

File: REC43

**Overview**

## BCG day (h2d)

File: REC43

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## BCG month (h2m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## BCG year (h2y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 86-98

## Received DPT 1 (h3)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## DPT 1 day (h3d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## DPT 1 month (h3m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## DPT 1 year (h3y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 86-98

## Received POLIO 1 (h4)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## POLIO 1 day (h4d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## POLIO 1 month (h4m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98



## POLIO 1 year (h4y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 86-98

## Received DPT 2 (h5)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## DPT 2 day (h5d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## DPT 2 month (h5m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## DPT 2 year (h5y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 86-98

## Received POLIO 2 (h6)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## POLIO 2 day (h6d)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## POLIO 2 month (h6m)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## POLIO 2 year (h6y)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 86-98

## Received DPT 3 (h7)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## DPT 3 day (h7d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## DPT 3 month (h7m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## DPT 3 year (h7y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 86-98

## Received POLIO 3 (h8)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## POLIO 3 day (h8d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## POLIO 3 month (h8m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## POLIO 3 year (h8y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 86-98

## Received MEASLES (h9)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## MEASLES day (h9d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## MEASLES month (h9m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-98

## MEASLES year (h9y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 86-99

## Ever had vaccination (h10)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Had diarrhea recently (h11)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## How long diarrhea lasted NA (h11a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Blood in the stools NA (h11b)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: government hosp. (h12a)

File: REC43

## Diarrhea: government hosp. (h12a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: govt health centerNA (h12b)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: govt health post (h12c)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: mobile clinic NA (h12d)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: comm.health workerNA (h12e)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: Maternal child care (h12f)

File: REC43

## Diarrhea: Maternal child care (h12f)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: CS public sector NA (h12g)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: CS public sector NA (h12h)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: CS public sector NA (h12i)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: private hosp/clin. (h12j)

### File: REC43

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: private pharmacy (h12k)

### File: REC43

## Diarrhea: private pharmacy (h12k)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: private doctor (h12l)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: private mobile clnNA (h12m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: comm.health workerNA (h12n)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: Specialist clinic (h12o)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: CS med.priv sectorNA (h12p)

File: REC43



## Diarrhea: CS med.priv sectorNA (h12p)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: CS med.priv sectorNA (h12q)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: CS med.priv sectorNA (h12r)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: shop NA (h12s)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: traditional pract.NA (h12t)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: Firends/relatives (h12u)

### File: REC43

#### Overview

## Diarrhea: Firends/relatives (h12u)

File: REC43

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: CS oth.priv sectorNA (h12v)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: CS oth.priv sectorNA (h12w)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Diarrhea: Other (h12x)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: no treatment (h12y)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Diarrhea: medical treatment (h12z)

File: REC43

**Overview**

## Diarrhea: medical treatment (h12z)

File: REC43

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given oral rehydration (h13)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Days given ORS NA (h13a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given recommend. home solutiNA (h14)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Days given fluid NA (h14a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given other pills or syrups NA (h15)

File: REC43

### Overview

## Given other pills or syrups NA (h15)

File: REC43

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given antibiotics (h15a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given an injection NA (h15b)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given an intravenous (IV) NA (h15c)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given home remedy, herbal meNA (h15d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given Tea (h15e)

File: REC43

### Overview

## Given Tea (h15e)

File: REC43

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Given Meramya (h15f)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Given Babunij (h15g)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Given Rice water (h15h)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Increase or decrease fluids NA (h16)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Increase or decrease in foodNA (h18)

File: REC43

## Increase or decrease in foodNA (h18)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Breastfeeding change (h18a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Given other treatment (h20)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given no treatment (h21a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Received any treatment (h21)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Had fever in last two weeks (h22)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Had cough in last two weeks (h31)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## How long cough lasted NA (h31a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Short, rapid breaths NA (h31b)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Fever/cough: government hosp. (h32a)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Fever/cough: govt health cntNA (h32b)

File: REC43

Fever/cough: govt health cntNA (h32b)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: govt health post (h32c)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Fever/cough: mobile clinic NA (h32d)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: comm.health wrkNA (h32e)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: Maternal child he (h32f)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Fever/cough: CS public sectoNA (h32g)

File: REC43



Fever/cough: CS public sectoNA (h32g)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS public sectoNA (h32h)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS public sectoNA (h32i)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: private hosp/clin (h32j)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Fever/cough: private pharmacy (h32k)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Fever/cough: private doctor (h32l)

File: REC43

## Fever/cough: private doctor (h32l)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Fever/cough: private mobile NA (h32m)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Fever/cough: comm.health wrkNA (h32n)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Fever/cough: Specialist clinic (h32o)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Fever/cough: CS med.priv secNA (h32p)

File: REC43

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Fever/cough: CS med.priv secNA (h32q)

File: REC43

Fever/cough: CS med.priv secNA (h32q)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS med.priv secNA (h32r)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: shop NA (h32s)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: traditional praNA (h32t)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: Friends/relatives (h32u)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Fever/cough: CS oth.priv secNA (h32v)

File: REC43

#### Overview

Fever/cough: CS oth.priv secNA (h32v)

File: REC43

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS oth.priv secNA (h32w)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: Other (h32x)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Fever/cough: no treatment (h32y)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Fever/cough: medical treatment (h32z)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Given antibiotics NA (h33)

File: REC43

#### Overview

## Given antibiotics NA (h33)

File: REC43

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given antimalarials NA (h33a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given cough syrup NA (h34)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given other pills or syrups NA (h35)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given unknown pills or syrupNA (h35a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given injection NA (h36)

File: REC43

### Overview

## Given injection NA (h36)

File: REC43

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given home remedy, herbal meNA (h36a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given CS other treatment NA (h37a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given CS other treatment NA (h37b)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given CS other treatment NA (h37c)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given CS other treatment NA (h37d)

File: REC43

### Overview

## Given CS other treatment NA (h37d)

File: REC43

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Other treatment for cough NA (h37)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given no treatment NA (h38a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given any treatment for cough NA (h38)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Case Identification (hhid)

File: REC44

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC44

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Index to birth history (hwidx)

File: REC44

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-5

## Age in months (hw1)

File: REC44

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-59

## Weight in kilograms (1 dec.) (hw2)

File: REC44

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 10-999

## Height in centimeters (1 dec.) (hw3)

File: REC44

**Overview**



## Height in centimeters (1 dec.) (hw3)

File: REC44

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 375-9999

## Ht/A Percentile (hw4)

File: REC44

**Overview**

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

## Ht/A Standard deviations (hw5)

File: REC44

**Overview**

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: -596-9999

## Ht/A Percent of ref. median (hw6)

File: REC44

**Overview**

Type: Discrete

Format: numeric

Width: 5

Decimals: 0

Range: 7629-99999

## Wt/A Percentile (hw7)

File: REC44

**Overview**

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

## Wt/A Standard deviations (hw8)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -537-9999

## Wt/A Percent of ref. median (hw9)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 4487-99999

## Wt/Ht Percentile (hw10)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Wt/Ht Standard deviations (hw11)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -397-9999

## Wt/Ht Percent of ref. median (hw12)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 6046-99999

## Reason not measured (hw13)

File: REC44

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## BCG scar on arm or shoulder (hw14)

File: REC44

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Height: lying or standing (hw15)

File: REC44

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Day of birth of child (hw16)

File: REC44

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Date measured (day) (hw17)

File: REC44

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-31

Date measured (month) (hw18)

File: REC44

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-12

Date measured (year) (hw19)

File: REC44

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 90-90

Arm circumference (cms - 1d) (hw20)

File: REC44

#### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 50-999

Arm circ/A Percentile (hw21)

File: REC44

#### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

Arm circ/A Standard deviations (hw22)

File: REC44

#### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -502-9999

## Arm c/A Percent of ref. median (hw23)

### File: REC44

#### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5384-99999

## Arm circ/Ht Percentile (hw24)

### File: REC44

#### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Arm cir/Ht Standard deviations (hw25)

### File: REC44

#### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -586-9999

## Arm cir/Ht Percent ref. median (hw26)

### File: REC44

#### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5581-99999

## Case Identification (hhid)

File: REC51

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC51

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Current marital status (v501)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-5

## Currently/formerly/never marr. (v502)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-2

## Number of unions (v503)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Husband lives in house (v504)

File: REC51

**Overview**

## Husband lives in house (v504)

File: REC51

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Number of other wives NA (v505)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Wife rank number NA (v506)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Month of first marriage (v507)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Year of first marriage (v508)

File: REC51

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 54-90

## Date of first marriage (CMC) (v509)

File: REC51

### Overview

## Date of first marriage (CMC) (v509)

File: REC51

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 653-1091

## Completeness of date inform. (v510)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Age at first marriage (v511)

File: REC51

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 8-44

## Years since first marriage (v512)

File: REC51

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-36

## Marital duration (grouped) (v513)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-7



## Age at first intercourse NA (v525)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Frequency of intercourse NA (v526)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Time since last intercourse NA (v527)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Time since last intercourse(NA (v528)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Time since last intercourse(NA (v529)

File: REC51

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Flag for V529 NA (v530)

File: REC51

**Overview**

## Flag for V529 NA (v530)

File: REC51

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Age at first intercourse (imNA (v531)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Flag for V531 NA (v532)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Usual frequency of intercourNA (v533)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Case Identification (hhid)

File: REC61

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC61

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Fertility preference (v602)

File: REC61

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Preferred waiting time (v603)

File: REC61

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 100-999

## Preferred waiting time (grp) (v604)

File: REC61

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Desire for more children (v605)

File: REC61

**Overview**

## Desire for more children (v605)

File: REC61

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Ideal post-partum abst. periNA (v608)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Sex while breastfeeding NA (v609)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Husband approves FP NA (v610)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Discussed FP with partner NA (v611)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Respondent approves FP NA (v612)

File: REC61

### Overview

## Respondent approves FP NA (v612)

File: REC61

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Ideal number of children (v613)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ideal number of children (grp) (v614)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Best birth interval NA (v615)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Time for future birth (v616)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Age youngest at future birth (v617)

File: REC61

### Overview

## Age youngest at future birth (v617)

File: REC61

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 2-99

## Reason regrets sterilization (v618)

File: REC61

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Think would have sterilization (v619)

File: REC61

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Discussed number of children (v620)

File: REC61

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Husbands desire for children (v621)

File: REC61

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Exposure (v623)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Unmet need (v624)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Exposure (definition 2) (v625)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Unmet need (definition 2) (v626)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Case Identification (hhid)

File: REC71

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC71

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Partner's education level (v701)

File: REC71

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Highest year of education (v702)

File: REC71

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Partner's occupation (v704)

File: REC71

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Partner's occupation (v705)

File: REC71

**Overview**



## Partner's occupation (v705)

File: REC71

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Type of land where works (v707)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Respondent currently working (v714)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Husbands education-single yrs (v715)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Respondent's occupation (v716)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Respondent's occupation (v717)

File: REC71

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Current type of employment (v718)

File: REC71

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-6

## Work for family, others, self (v719)

File: REC71

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-3

## Earns cash for work (v720)

File: REC71

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Works at home or away (v721)

File: REC71

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Child with resp. at work (v722)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Child minder (v723)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ever worked since Jan. 1985 (v724)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Month started work before 85 (v725)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year started work before 85 (v726)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 52-99

## Month job prior to 85 ended (v727)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Year job prior to 85 ended (v728)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Partner's educational attainm. (v729)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Case Identification (hhid)

File: REC81

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC81

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Time interview started (v801)

File: REC81

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 800-9999

## Time interview ended (v802)

File: REC81

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 835-9999

## Length of interview in minutes (v803)

File: REC81

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Number of visits (v804)

File: REC81

**Overview**

## Number of visits (v804)

File: REC81

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Interviewer identification (v805)

File: REC81

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Keyer identification (v806)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-17

## Pres. children < 10 (sec 5) NA (v811)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Pres. husband (sec 5) NA (v812)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Pres. other males (sec 5) NA (v813)

File: REC81

### Overview

## Pres. other males (sec 5) NA (v813)

File: REC81

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Pres. other females (sec 5) NA (v814)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Case Identification (hhid)

File: REC82

### Overview

Type: Discrete  
Format: character  
Width: 6

## Case Identification (caseid)

File: REC82

### Overview

Type: Discrete  
Format: character  
Width: 9

## Calendar column number (vcol)

File: REC82

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Calendar (vcal)

File: REC82

### Overview

Type: Discrete  
Format: character  
Width: 72



## Case Identification (hhid)

File: REC91

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC91

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Governorate (sgovern)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Urban rural (surbrur)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-3

## District (sdistri)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-7

## Locality (slocali)

File: REC91

**Overview**

## Locality (slocali)

File: REC91

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 111-225

## Stratum number (sstrata)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Ultimate Area Block (sultblk)

File: REC91

### Overview

Type: Continuous  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 11001-96007

## Highest educational level (s106)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Highest grade at that level (s107)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Usually reads newspaper (s110)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Usually listens to the radio (s111)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Usually watches TV (s112)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Type of sewage system (s115)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Video (s118e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Telephone (s118f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Air conditioner (s118g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Commercial car (s119d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Pickup (s119e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Other mode of transportation (s119f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Blood relation with husband (s205)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Last month lived with husband (s209)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Days husband away last month (s210)

File: REC91

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-29

## Husband visited in last month (s211)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Miss taking a pill (s420)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Where did get IUD (s421)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Cost of IUD (s422a)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 0-9999

## Cost of insertion (s422b)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 0-9999

## Total cost of IUD (s422c)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 0-9999

## Intention to use a method (s441)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Reason dislike service source (s448)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## HMS prep teacher: doctor (s629a)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## HMS prep teacher:nurse/midwife (s629b)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## HMS prep teacher: pharmacy (s629c)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## HMS prep teacher: TBA (s629d)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## HMS prep teacher: friends/rel (s629e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## HMS prep teacher: other (s629f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Time of interview (hour) (s630h)

File: REC91

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 8-99

## Time of interview (minutes) (s630m)

File: REC91

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Time of interview (hour) (s637h)

File: REC91

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 9-99



## Time of interview (minutes) (s637m)

File: REC91

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Ideal number of boys (s711a)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Ideal number of girls (s711b)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Husband ever attended school (s801)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-3

## Husbands level of education (s802)

File: REC91

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Husbands highest grade (s803)

### File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Case Identification (hhid)

File: REC94

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC94

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Index to birth history (idx94)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-5

## Place first antenatal care (s506)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Reason for antenatal care (s507)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Reason for visit (s508)

File: REC94

**Overview**

## Reason for visit (s508)

File: REC94

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Premature birth (s515)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Check up:doctor (s519a)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Check up:nurse/midwife (s519b)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Check up:trad. birth attendant (s519c)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Check up:other (s519d)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Check up: no one (s519e)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Place of check-up first time (s520)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Know importance of colostrum (s530)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Times breastfed in 24 hours (s533c)

File: REC94

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## BF on demand/schedule (s534)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## For how many months breastfed (s537)

File: REC94

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-54

## Case Identification (hhid)

File: REC95

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC95

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Index to birth history (idx95)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-5

## Received polio booster (s602pb)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Polio booster day (s602pbd)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Polio booster month (s602pbm)

File: REC95

**Overview**

## Polio booster month (s602pbm)

File: REC95

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Polio booster year (s602pby)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 86-98

## Received DPT booster (s602db)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## DPT booster day (s602dbd)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## DPT booster month (s602dbm)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99



## DPT booster year (s602dby)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 86-99

## Child ill in last 2 weeks (s607)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Type of illness no.1 (s608a)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Type of illness no.2 (s608b)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Type of illness no.3 (s608c)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Symptoms: fever (s609a)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptoms: rash (s609b)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptoms: cough (s609c)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptoms: red/teary eyes (s609d)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptoms: whooping cough (s609e)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptoms: red hair (s609f)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Symptoms:swollen face and feet (s609g)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Symptoms:vomitting (s609h)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Symptoms:emaciated/very thin (s609i)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Symptoms:difficult breathing (s609j)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Symptoms: convulsions (s609k)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptoms: red urine (s609l)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptoms: yellow eyes (s609m)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptoms: difficulty swallowing (s609n)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptoms: blood in stools (s609o)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Sought treatment for illness (s611)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Advc/trmnt: govt hospital (s612a)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Advc/trmnt: prvt hospital (s612b)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Advc/trmnt: MCH (s612c)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Advc/trmnt: PHC (s612d)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Advc/trmnt: GP clinic (s612e)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Advc/trmnt: specialist clinic (s612f)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Advc/trmnt: pharmacy (s612g)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Advc/trmnt: friends/relatives (s612h)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Advc/trmnt: other (s612i)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Treatment: Herbal tea (s618c)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Treatment: Yansoon (dill) (s618d)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Treatment: Sugar water (s618f)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## How long to start treat diarrh (s620)

File: REC95

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 101-999

## Head circumference (s908b)

File: REC95

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 11-99

## Case Identification (hhid)

File: REC97

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Case Identification (caseid)

File: REC97

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Index to birth history (idx97)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

## Cause of death (s633)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Type of accident (s634)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Type of disease (s635)

File: REC97

**Overview**



## Type of disease (s635)

File: REC97

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Symptom: unable to suck (s636a)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptom: unable to cry (s636b)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptom: fever (s636c)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Symptom: rash (s636d)

File: REC97

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Symptom: cough (s636e)

File: REC97

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Symptom: red, teary eyes (s636f)

File: REC97

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Symptom: cough & vomiting (s636g)

File: REC97

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Symptom: whooping cough (s636h)

File: REC97

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Symptom: red hair (s636i)

File: REC97

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Symptom: swollen face and feet (s636j)

File: REC97

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Symptom: emaciated/very thin (s636k)

File: REC97

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Symptom: 3+ stools per day (s636l)

File: REC97

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Symptom: difficult breathing (s636m)

File: REC97

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Symptom: convulsions (s636n)

File: REC97

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hwcaseid)

File: HWREC

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Line (hwline)

File: HWREC

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-5

## Data from HH or individual (hwlevel)

File: HWREC

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Ht/A Standard deviations (according to WHO) (hc70)

File: HWREC

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: -598-9999

## Wt/A Standard deviations (according to WHO) (hc71)

File: HWREC

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: -573-9999

## Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

## Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -487-9999

## BMI Standard deviations (according to WHO) (hc73)

File: HWREC

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -495-9999

## Household ID (whhid)

File: SEC1

### Overview

Type: Discrete  
Format: character  
Width: 6

## Wealth Index from factor scores (wlthindf)

File: SEC1

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: -4.14373-0.96813

## Quintiles of wealth index (wlthind5)

File: SEC1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Level1 Identification (level1id)

File: CSEC00

### Overview

Type: Discrete  
Format: character  
Width: 3

## Governorate (sgovern)

File: CSEC00

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## District (sdistri)

File: CSEC00

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Locality (slocali)

File: CSEC00

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 111-623

## Stratum number (sstrata)

File: CSEC00

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Ultimate Area Block (sultblk)

File: CSEC00

## Ultimate Area Block (sultblk)

File: CSEC00

### Overview

Type: Continuous  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 11001-96007

## Cluster number (scluster)

File: CSEC00

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-349

## Day visit start (sbdlay)

File: CSEC00

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-30

## Month visit start (sbmnth)

File: CSEC00

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 12-12

## Day visit end (seday)

File: CSEC00

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-30



Month visit end (semnth)

File: CSEC00

**Overview**

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 12-12

Interviewer name (sinterv)

File: CSEC00

**Overview**

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-20

## Level1 Identification (level1id)

### File: CSEC10

#### Overview

Type: Discrete  
Format: character  
Width: 3

## Type of locality (s101)

### File: CSEC10

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Nearest urban center (s102)

### File: CSEC10

#### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Distance to urban center (s103)

### File: CSEC10

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Economic activity (s104)

### File: CSEC10

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Are there social groups (s105)

### File: CSEC10

## Are there social groups (s105)

File: CSEC10

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## What are their programs (s106)

File: CSEC10

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-91

## Birth attendat available (s110)

File: CSEC10

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Birth attendant trained at MOH (s111)

File: CSEC10

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Area covered by midwife (s112)

File: CSEC10

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Any talks about family plannin (s113)

File: CSEC10

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Item created from ISSA Group (csec10\_group)

File: CSEC10

**Overview**

Type: Discrete  
 Format: character  
 Width: 6

## Distance to service in km. (s107)

File: CSEC10

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Common transportation mode (s108)

File: CSEC10

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Hours to get to the service (s109h)

File: CSEC10

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Minutes to get to service (s109m)

File: CSEC10

## Minutes to get to service (s109m)

### File: CSEC10

#### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Level1 Identification (level1id)

File: CSEC20

### Overview

Type: Discrete  
Format: character  
Width: 3

## S2CODE (s2code)

File: CSEC20

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Name of the facility (s201)

File: CSEC20

### Overview

Type: Discrete  
Format: character  
Width: 30

## Address of the facility (s202)

File: CSEC20

### Overview

Type: Discrete  
Format: character  
Width: 30

## Distance to facility (s203)

File: CSEC20

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Type of transport to facility (s204)

File: CSEC20

### Overview

## Type of transport to facility (s204)

File: CSEC20

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Hours to get to the facility (s205h)

File: CSEC20

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Minutes to get to the facility (s205m)

File: CSEC20

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Facility provide F.P. (s206)

File: CSEC20

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Facilities within 30 Kms (s207)

File: CSEC20

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Level1 Identification (level1id)

File: CSEC21

**Overview**

Type: Discrete  
 Format: character  
 Width: 3

## Name facility provide pills (s208)

File: CSEC21

**Overview**

Type: Discrete  
 Format: character  
 Width: 30

## Distance to pills provider (s209)

File: CSEC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## People go to get pills (s210)

File: CSEC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Why not go for pills (s211)

File: CSEC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-6

## Name facility provide condoms (s212)

File: CSEC21

**Overview**



## Name facility provide condoms (s212)

File: CSEC21

Type: Discrete  
 Format: character  
 Width: 29

## Distance to pills provider (s213)

File: CSEC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## People go to get condoms (s214)

File: CSEC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Why not go for pills (s215)

File: CSEC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Name facility provide inject. (s216)

File: CSEC21

**Overview**

Type: Discrete  
 Format: character  
 Width: 29

## Distance to inject. provider (s217)

File: CSEC21

**Overview**

## Distance to inject. provider (s217)

File: CSEC21

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## People go to get injectables (s218)

File: CSEC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Why not go for injectables (s219)

File: CSEC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Name facility provide tablets (s220)

File: CSEC21

**Overview**

Type: Discrete  
 Format: character  
 Width: 29

## Distance to tablets provider (s221)

File: CSEC21

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## People go to get tablets (s222)

File: CSEC21

**Overview**

## People go to get tablets (s222)

File: CSEC21

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Why not go for tablets (s223)

File: CSEC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Name facility provide IUD (s224)

File: CSEC21

### Overview

Type: Discrete  
Format: character  
Width: 29

## Distance to IUD provider (s225)

File: CSEC21

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## People go to get IUD (s226)

File: CSEC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Why not go for IUD (s227)

File: CSEC21

### Overview

## Why not go for IUD (s227)

File: CSEC21

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Level1 Identification (level1id)

File: CSEC22

### Overview

Type: Discrete  
Format: character  
Width: 3

## Occupation 1st informant (s228a1)

File: CSEC22

### Overview

Type: Discrete  
Format: character  
Width: 20

## Education 1st informant (s228a2)

File: CSEC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Occupation 2nd informant (s228b1)

File: CSEC22

### Overview

Type: Discrete  
Format: character  
Width: 20

## Education 2nd informant (s228b2)

File: CSEC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Occupation 3rd informant (s228c1)

File: CSEC22

### Overview

## Occupation 3rd informant (s228c1)

File: CSEC22

Type: Discrete  
 Format: character  
 Width: 16

## Education 3rd informant (s228c2)

File: CSEC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-6

## Occupation 4th informant (s228d1)

File: CSEC22

**Overview**

Type: Discrete  
 Format: character  
 Width: 9

## Education 4th informant (s228d2)

File: CSEC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-6

## Total informats in cluster (s229)

File: CSEC22

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

## Level1 Identification (level1id)

File: CSEC30

### Overview

Type: Discrete  
Format: character  
Width: 3

## Section code (s3occ)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 3-5

## Name of the facility (s3name)

File: CSEC30

### Overview

Type: Discrete  
Format: character  
Width: 30

## Facility in other cluster (s3clust)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-342

## Odometer distance from cluster (x00)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Estimated distance reasonable (x01)

File: CSEC30

### Overview

## Estimated distance reasonable (x01)

File: CSEC30

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Estimated time reasonable (x02)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Year the facility opened (x03)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 36-99

## Who operates the hospital (x04)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Are there restrictions (x05a)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9



## Kind of restrictions (x05b)

File: CSEC30

**Overview**

Type: Discrete  
 Format: character  
 Width: 20

## Beds facility has (x06)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Patients spend night (x07)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Outpatients seen daily (x08)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Total general practitioners (x09a)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Total specialists (x09b)

File: CSEC30

## Total specialists (x09b)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Total nurses (x09c)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Total trained midwives (x09d)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Total auxiliary staff (x09e)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## % Doctors work more 1 year (x10)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Disposable injections needles (x11)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Run out of disposable needles (x12)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Steriliz. medical instruments (x13)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Facility has blood-bank (x14a)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Facility has table-gyn examns (x14b)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Facility has light-gyn examns (x14c)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Facility has microscope (x14d)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Facility has AIDS test (x14e)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Ant-care available (x151)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Ant-care days per week (x161)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Ant-care average fee (x171)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ant-care proportion pay (x181)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ant-care patients seen daily (x191)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Ant-care year service offered (x201)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 39-99

## Del-care available (x152)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Del-care average fee (x172)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Del-care proportion pay (x182)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Del-care patients seen daily (x192)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Del-care year service offered (x202)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 45-99

## Post-care available (x153)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Post-care days per week (x163)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-7

## Post-care average fee (x173)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Post-care proportion pay (x183)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Post-care patients seen daily (x193)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Post-care year service offered (x203)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 39-99

## Immuniz. available (x154)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Immuniz. days per week (x164)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Immuniz. average fee (x174)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Immuniz. proportion pay (x184)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Immuniz. patients seen daily (x194)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999



## Immuniz. year service offered (x204)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 39-99

## Ch-growth available (x155)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Ch-growth days per week (x165)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Ch-growth average fee (x175)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Ch-growth proportion pay (x185)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Ch-growth patients seen daily (x195)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Ch-growth year service offered (x205)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 52-99

## Rehidrat. available (x156)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Rehidrat. days per week (x166)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Rehidrat. average fee (x176)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Rehidrat. proportion pay (x186)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Rehidrat. patients seen daily (x196)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Rehidrat. year service offered (x206)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 52-99

## F.P. available (x157)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## F.P. days per week (x167)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

F.P. average fee (x177)

File: CSEC30

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

F.P proportion pay (x187)

File: CSEC30

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

F.P patients seen daily (x197)

File: CSEC30

#### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

F.P. year service offered (x207)

File: CSEC30

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 45-99

Dispensary affiliated (x21)

File: CSEC30

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## DPT vaccine available (x221)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Run out of DPT vaccine (x231)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Polio vaccine available (x222)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Run out of Polio vaccine (x232)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Tetanus vaccine available (x223)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Run out of Tetanus vaccine (x233)

### File: CSEC30

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Measles vaccine available (x224)

### File: CSEC30

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Run out of Measles vaccine (x234)

### File: CSEC30

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## BCG vaccine available (x225)

### File: CSEC30

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Run out of BCG vaccine (x235)

### File: CSEC30

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## ORS packets available (x24)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Run out of ORS packets (x25)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Doctors provide F.P (x26a)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Nurses provide F.P. (x26b)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Auxiliary staff providing F.P. (x26c)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Doctors trained in sterilizat. (x27)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Doctors trained in DIU (x28a)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Other staff trained in DIU (x28b)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## New patients for F.P. monthly (x29)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

## Patients visit resupply mothly (x30)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999



## Pill available (x311)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Days in week pill available (x321)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Run out of pills (x331)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## First year pill was offered (x341)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 45-99

## IUD available (x312)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Days in week IUD available (x322)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 2-9

## Run out of IUDs (x332)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## First year IUD was offered (x342)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 45-99

## Injection available (x313)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Days in week Inject. available (x323)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 6-9

## Run out of injections (x333)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## First year inject. was offered (x343)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 75-99

## Condom available (x314)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Days in week condom available (x324)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Run out of condoms (x334)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## First year condom was offered (x344)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 58-99

## Tablets available (x315)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Days in week tablets available (x325)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Run out of tablets (x335)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## First year tablets was offered (x345)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 60-99

## Sterilization available (x316)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Days in week steril. available (x326)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 6-9

## First year steril. was offered (x346)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 45-99

## Other available (x317)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Days in week other available (x327)

File: CSEC30

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 6-9

## Run out of others (x337)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## First year other was offered (x347)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 65-99

## Position in the facility (x35)

File: CSEC30

**Overview**

Type: Discrete  
 Format: character  
 Width: 20

## Informant sees knowledgeable (x36)

File: CSEC30

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Level1 Identification (level1id)

File: CSEC60

### Overview

Type: Discrete  
Format: character  
Width: 3

## Section number (s6occ)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 6-6

## Name of the pharmacy (s6name)

File: CSEC60

### Overview

Type: Discrete  
Format: character  
Width: 26

## Facility in other cluster (s6clust)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-339

## Odometer distance from cluster (s600)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Estimated distance reasonable (s601)

File: CSEC60

### Overview

## Estimated distance reasonable (s601)

File: CSEC60

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Estimated time reasonable (s602)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Hours per week pharmacy open (s603)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 42-99

## Days per week pharmacy open (s604)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 3-9

## Trained pharmacist available (s605)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9



## Year pharmacy was open (s606)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 22-99

## Chloroquine available (s6071)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Run out of chloroquine (s6081)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Carry social market chloroquin (s6091)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Quinine available (s6072)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Run out of quinine (s6082)

File: CSEC60

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Carry social market quinine (s6092)

File: CSEC60

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Penicillin available (s6073)

File: CSEC60

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Run out of penicillin (s6083)

File: CSEC60

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Carry social market penicillin (s6093)

File: CSEC60

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Iron-folate available (s6074)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Run out of iron-folate (s6084)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Carry social market iron-folat (s6094)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## ORS packets available (s6075)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Run out of ORS packets (s6085)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Carry social market ORS packet (s6095)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Pharmacy carry F.P. methods (s610)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Pill available at pharmacy (s6111)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Run out of pills (s6121)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Pharmacy distribute pills (s6131)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## IUD available at pharmacy (s6112)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Run out of IUDs (s6122)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Pharmacy distribute IUDs (s6132)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Condom available at pharmacy (s6113)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Run out of condoms (s6123)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Pharmacy distribute condoms (s6133)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Tablets available at pharmacy (s6114)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Run out of tablets (s6124)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Pharmacy distribute tablets (s6134)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Other available at pharmacy (s6115)

File: CSEC60

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Run out of others (s6125)

File: CSEC60

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Pharmacy distribute others (s6135)

File: CSEC60

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Occupation at pharmacy (s614)

File: CSEC60

**Overview**

Type: Discrete  
 Format: character  
 Width: 20

## Informant seems knowledgeable (s615)

File: CSEC60

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Related Materials

### Questionnaires

#### 1990 Jordan Population and Family Health Survey (JPFHS) - Questionnaire

---

Title 1990 Jordan Population and Family Health Survey (JPFHS) - Questionnaire  
 Author(s) Department of Statistics (DOS), Jordan Ministry of Health, Jordan IRD/Macro International Inc., Columbia, Maryland, USA  
 Date 1990-01-01  
 Country Jordan  
 Language English  
 Filename Jordan\_1990\_DHS\_questionnaire.pdf

---

### Reports

#### 1990 Jordan Population and Family Health Survey (JPFHS) - Report

---

Title 1990 Jordan Population and Family Health Survey (JPFHS) - Report  
 Author(s) Department of Statistics (DOS), Jordan Ministry of Health, Jordan IRD/Macro International Inc., Columbia, Maryland, USA  
 Date 1992-08-01  
 Country Jordan  
 Language English  
 Description This report summarizes the findings of the 1990 Jordan Population and Family Health Survey (JPFHS).  
 Filename <http://www.dhsprogram.com/pubs/pdf/FR20/FR20.pdf>

---

#### 1990 Jordan Population and Family Health Survey (JPFHS) - Summary Report

---

Title 1990 Jordan Population and Family Health Survey (JPFHS) - Summary Report  
 Author(s) Macro International Inc. Calverton, Maryland, USA  
 Date 1992-06-01  
 Country Jordan  
 Language English  
 Filename <http://www.dhsprogram.com/pubs/pdf/SR11/SR11.pdf>

---