

Liberia - Demographic and Health Survey 1986

Ministry of Planning and Economic Affairs

Report generated on: June 12, 2017

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

The sample for the Liberia Demographic and Health Survey was based on the sampling frame of about 4,500 censal enumeration areas (EAs) that were created for the 1984 Population Census. It was decided to eliminate very remote EAs prior to selecting the sample. The definition of remoteness used was "any EA in which the largest village was estimated to be more than 3-4 hours' walk from a road." According to the 1984 census, the excluded areas represent less than 3 percent of the total number of households in the country. Since the major analytic objective of the LDHS was to adequately estimate basic demographic and health indicators including fertility, mortality, and contraceptive prevalence for the whole country and the two sub-universes (Sinoe and Grand Gedeh Counties), it was decided to oversample these two counties. Consequently, three explicit sub-universes of EAs were created: (1) Sinoe County, (2) Grand Gedeh County, and (3) the rest of the country.

The design provided a self-weighted sample within each sub-universe, but, because of the oversampling in Sinoe and Grand Gedeh Counties, the sample is not self-weighting at the national level. Eligible respondents for the survey were women aged 15-49 years who were present the night before the interview in any of the households included in the sample selected for the LDHS.

The total sample size was expected to be about 6,000 women aged 15-49 with a target by sub-universe of 1,000 each in Sinoe and Grand Gedeh Counties and 4,000 in the rest of the country. It was decided that a sample of approximately 5,500 households selected through a two-stage procedure would be appropriate to reach those objectives. Sampling was carried out independently in each sub-universe. In the rest of the country sub-universe, counties were arranged for selection in serpentine order from the northwest (Cape Mount County) to the southeast (Maryland County). In the first stage EAs were selected systematically with probability proportional to size (size = number of households in 1984). Twenty-four EAs were selected in each of Sinoe and Grand Gedeh Counties and 108 EAs in the rest of the country.

See full sample procedure in the survey final report.

Response Rate

Out of the total of 6,1306 households selected, 14.5 percent were found not to be valid households in the field, either because the dwelling had been vacated or destroyed, or the household could not be located or did not exist. Of the 5,609 households that were found to exist, 90 percent were successfully interviewed. In the households that were interviewed, a total of 5,340 women were identified as being eligible for individual interview (that is, they were aged 15-49 and had spent the night before the interview in the selected household). This represents an average of slightly over one eligible woman per household.

The response rate for eligible women was 98 percent. The main reason for nonresponse was the absence of the woman. Similar data are presented by sample subuniverse.

Questionnaires

Overview

The Liberia Demographic and Health Survey (LDHS) utilized two questionnaires: One to list members of the selected households (Household Questionnaire) and the other to record information from all women aged 15-49 who were present in the selected households the night before the interview (Individual Questionnaire).

Both questionnaires were produced in Liberian English and were pretested in September 1985. The Individual Questionnaire was an early version of the DHS model questionnaire. It covered three main topics: (1) fertility, including a birth history and questions concerning desires for future childbearing, (2) family planning knowledge and use, and (3) family health, including prevalence of childhood diseases, immunizations for children under age five, and breastfeeding and weaning practices.

Data Collection

Data Collection Dates

| Start | End | Cycle |
|---------|---------|-------|
| 1986-02 | 1986-07 | N/A |

Data Collection Mode

Face-to-face

DATA COLLECTION NOTES

The field staff for the LDHS consisted of 24 female interviewers, 6 field editors, 6 supervisors, and one fieldwork coordinator. Except for the supervisors, who were experienced MPEA staff members, all field staff were specially recruited for the LDHS. Two training courses were held simultaneously in Monrovia, and Zwedru, Grand Gedeh, for the entire month of February, 1986. Training included practice interviewing, both in the classroom, as well as in the field. Since most of the interviews were conducted in the local dialects, the training course also covered practice in asking questions in the vernacular. After training, six teams were formed, one for each of the major dialects covered in the sample. Data collection began in late February and was largely completed by July, except for some call-backs.

Data Processing

Data Editing

Data from the questionnaires were entered onto microcomputers at the Bureau of Statistics office in Monrovia. The data were then subjected to extensive checks for consistency and accuracy.

Errors detected during this operation were resolved either by referring to the original questionnaire, or, in some cases, by logical inference from other information given in the record. Finally, dates were imputed for the small number of cases where complete dates of important events were not given.

Data Appraisal

Estimates of Sampling Error

The results from sample surveys are affected by two types of errors: (1) nonsampling error and (2) sampling error. Nonsampling error is due to mistakes made in carrying out field activities, such as failure to locate and interview the correct household, errors in the way questions are asked, misunderstanding of the questions on the part of either the interviewer or the respondent, data entry errors, etc. Although efforts were made during the design and implementation of the Liberia Demographic and Health Survey to minimize this type of error, nonsampling errors are impossible to avoid and difficult to evaluate statistically.

The sample of women selected in the LDHS is only one of many samples of the same size that could have been selected from the same population, using the same design. Each one would have yielded results that differed somewhat from the actual sample selected. The variability observed between all possible samples constitutes sampling error, which, although it is not known exactly, can be estimated from the survey results. Sampling error is usually measured in terms of the "standard error" of a particular statistic (mean, percentage, etc.), which is the square root of the variance of the statistic across all possible samples of equal size and design.

The standard error can be used to calculate confidence intervals within which one can be reasonably assured the true value of the variable for the whole population falls. For example, for any given statistic calculated from a sample survey, the value of that same statistic as measured in 95 percent of all possible samples of identical size and design will fall within a range of plus or minus two times the standard error of that statistic.

If the sample of women had been selected as a simple random sample, it would have been possible to use straightforward formulas for calculating sampling errors. However, the LDHS sample design depended on stratification, stages, and clusters and consequently, it was necessary to utilize more complex formulas. The computer package CLUSTERS was used to assist in computing the sampling errors with the proper statistical methodology.

Other forms of Data Appraisal

Information on the completeness of date reporting is of interest in assessing data quality. With regard to dates of birth of individual women, 42 percent of respondents reported both a month and year of birth, 21 percent gave a year of birth in addition to current age, and 37 percent gave only their ages. With regard to children's dates of birth in the birth history, 85 percent of births had both month and year reported, 12 percent had year and age reported, 1 percent had only age reported, and 2 percent had no date information.

File Description

Variable List

SEC00

| | |
|--------------|--------------------------------------|
| Content | HOUSEHOLD - Household Identification |
| Cases | 6007 |
| Variable(s) | 8 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|----|----------|----------------------------|----------|---------|----------|
| V1 | hhclust | HOUSEHOLD CLUSTER NUMBER | contin | numeric | |
| V2 | hhhhno | HOUSEHOLD HOUSEHOLD NUMBER | contin | numeric | |
| V3 | hhjunk | PLACE HOLDER | discrete | numeric | |
| V4 | hhcounty | HOUSEHOLD COUNTY | discrete | numeric | |
| V5 | hh distr | HOUSEHOLD DISTRICT | discrete | numeric | |
| V6 | hhresult | HOUSEHOLD RESULT | discrete | numeric | |
| V7 | hhvisits | HOUSEHOLD VISITS | discrete | numeric | |
| V8 | hhweight | HOUSEHOLD WEIGHT * .000001 | contin | numeric | |

SEC01

| | |
|--------------|-------------------------------|
| Content | HOUSEHOLD - Household Members |
| Cases | 28541 |
| Variable(s) | 10 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-----|----------|-----------------------------|----------|---------|----------|
| V9 | hhclust | HOUSEHOLD CLUSTER NUMBER | contin | numeric | |
| V10 | hhhhno | HOUSEHOLD HOUSEHOLD NUMBER | contin | numeric | |
| V11 | hhlineno | HOUSEHOLD LINE NUMBER | contin | numeric | |
| V12 | hhllives | HOUSEHOLD MEMBER LIVES HERE | discrete | numeric | |
| V13 | hhslept | HOUSEHOLD MEMBER SLEPT HERE | discrete | numeric | |
| V14 | hhsex | HOUSEHOLD MEMBER SEX | discrete | numeric | |
| V15 | hhage | HOUSEHOLD MEMBER AGE | contin | numeric | |
| V16 | hhmother | MOTHER USUALLY LIVES HERE | discrete | numeric | |
| V17 | hhoccup | HOUSEHOLD MEMBER OCCUPATION | contin | numeric | |
| V18 | hhemp | HOUSEHOLD MEMBER EMPLOYMENT | discrete | numeric | |

REC01

| | |
|--------------|----------------------------------|
| Content | WOMAN - Respondent' s Basic Data |
| Cases | 5239 |
| Variable(s) | 16 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|-----------------------------|----------|-----------|----------|
| V428 | caseid | Case Identification | discrete | character | |
| V429 | v000 | Country code | discrete | character | |
| V430 | v001 | Cluster number | contin | numeric | |
| V431 | v002 | Household number | contin | numeric | |
| V432 | v003 | Line number | contin | numeric | |
| V433 | v004 | Enumeration area | contin | numeric | |
| V434 | v005 | Sample weight | contin | numeric | |
| V435 | v006 | Month of interview | discrete | numeric | |
| V436 | v007 | Year of interview | discrete | numeric | |
| V437 | v008 | Date of interview (CMC) | discrete | numeric | |
| V438 | v009 | Respondent's month of birth | discrete | numeric | |
| V439 | v010 | Respondent's year of birth | contin | numeric | |
| V440 | v011 | Date of birth (CMC) | contin | numeric | |
| V441 | v012 | Current age - respondent | contin | numeric | |
| V442 | v013 | Age 5-year groups | discrete | numeric | |
| V443 | v014 | Completeness of information | discrete | numeric | |

REC11

| | |
|--------------|--|
| Content | WOMAN - Respondent' s Basic Data (continued) |
| Cases | 5239 |
| Variable(s) | 39 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V444 | caseid | Case Identification | discrete | character | |
| V445 | v101 | Region | discrete | numeric | |
| V446 | v102 | Type of place of residence | discrete | numeric | |
| V447 | v103 | Childhood place of residence | discrete | numeric | |
| V448 | v104 | Years lived in place of res. | discrete | numeric | |
| V449 | v105 | Type of place of previous res. | discrete | numeric | |
| V450 | v106 | Highest educational level | discrete | numeric | |
| V451 | v107 | Highest year of education | contin | numeric | |
| V452 | v108 | Literacy | discrete | numeric | |
| V453 | v109 | Reads newspaper once a week | discrete | numeric | |
| V454 | v110 | Watches TV every week | discrete | numeric | |
| V455 | v111 | Listens to radio every day | discrete | numeric | |
| V456 | v112 | Listens to radio every week | discrete | numeric | |
| V457 | v113 | Source of drinking water | discrete | numeric | |
| V458 | v114 | Source of non-drinking water | discrete | numeric | |
| V459 | v115 | Time to get to water source | discrete | numeric | |
| V460 | v116 | Type of toilet facility | discrete | numeric | |
| V461 | v117 | Age children use toilet | discrete | numeric | |
| V462 | v118 | Cake of soap on premises | discrete | numeric | |
| V463 | v119 | Has electricity | discrete | numeric | |
| V464 | v120 | Has radio | discrete | numeric | |
| V465 | v121 | Has television | discrete | numeric | |
| V466 | v122 | Has refrigerator | discrete | numeric | |
| V467 | v123 | Has bicycle | discrete | numeric | |
| V468 | v124 | Has motorcycle | discrete | numeric | |
| V469 | v125 | Has car | discrete | numeric | |
| V470 | v126 | Has tractor | discrete | numeric | |
| V471 | v127 | Main floor material | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V472 | v128 | Main wall material | discrete | numeric | |
| V473 | v129 | Main roof material | discrete | numeric | |
| V474 | v130 | Religion | discrete | numeric | |
| V475 | v131 | Ethnicity | discrete | numeric | |
| V476 | v132 | Association membership | discrete | numeric | |
| V477 | v133 | Education in single years | discrete | numeric | |
| V478 | v134 | De facto place of residence | discrete | numeric | |
| V479 | v135 | Usual resident or visitor | discrete | numeric | |
| V480 | v136 | Number of household members | contin | numeric | |
| V481 | v137 | Number of children 5 and under | discrete | numeric | |
| V482 | v138 | Number of eligible women in HH | discrete | numeric | |

REC21

| | |
|--------------|--------------------------------------|
| Content | WOMAN - Reproduction (Birth History) |
| Cases | 17264 |
| Variable(s) | 16 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|-------------------------------|----------|-----------|----------|
| V483 | caseid | Case Identification | discrete | character | |
| V484 | bidx | Birth column number | discrete | numeric | |
| V485 | bord | Birth order number | discrete | numeric | |
| V486 | b0 | Child is twin | discrete | numeric | |
| V487 | b1 | Month of birth | discrete | numeric | |
| V488 | b2 | Year of birth | contin | numeric | |
| V489 | b3 | Date of birth (CMC) | contin | numeric | |
| V490 | b4 | Sex of child | discrete | numeric | |
| V491 | b5 | Child is alive | discrete | numeric | |
| V492 | b6 | Age at death | discrete | numeric | |
| V493 | b7 | Age at death (months-imputed) | discrete | numeric | |
| V494 | b8 | Current age of child | contin | numeric | |
| V495 | b9 | Child lives with respondent | discrete | numeric | |
| V496 | b10 | Completeness of information | discrete | numeric | |
| V497 | b11 | Preceding birth interval | contin | numeric | |
| V498 | b12 | Succeeding birth interval | contin | numeric | |

REC22

| | |
|--------------|----------------------|
| Content | WOMAN - Reproduction |
| Cases | 5239 |
| Variable(s) | 25 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V499 | caseid | Case Identification | discrete | character | |
| V500 | v201 | Total children ever born | discrete | numeric | |
| V501 | v202 | Sons at home | discrete | numeric | |
| V502 | v203 | Daughters at home | discrete | numeric | |
| V503 | v204 | Sons elsewhere | discrete | numeric | |
| V504 | v205 | Daughters elsewhere | discrete | numeric | |
| V505 | v206 | Sons who have died | discrete | numeric | |
| V506 | v207 | Daughters who have died | discrete | numeric | |
| V507 | v208 | Births in last five years | discrete | numeric | |
| V508 | v209 | Births in past year | discrete | numeric | |
| V509 | v210 | Births in month of interview | discrete | numeric | |
| V510 | v211 | Date of first birth (CMC) | contin | numeric | |
| V511 | v212 | Age of respondent at 1st birth | contin | numeric | |
| V512 | v213 | Currently pregnant | discrete | numeric | |
| V513 | v214 | Duration of current pregnancy | discrete | numeric | |
| V514 | v215 | Time since last menstrual perd | discrete | numeric | |
| V515 | v216 | Menstruated in last six weeks | discrete | numeric | |
| V516 | v217 | Knowledge of ovulatory cycle | discrete | numeric | |
| V517 | v218 | Number of living children | discrete | numeric | |
| V518 | v219 | Living children + current preg | discrete | numeric | |
| V519 | v220 | Living children + curr preg 6+ | discrete | numeric | |
| V520 | v221 | Marriage to first birth int. | discrete | numeric | |
| V521 | v222 | Last birth to interview | contin | numeric | |
| V522 | v223 | Completeness of information | discrete | numeric | |
| V523 | v224 | Entries in birth history | discrete | numeric | |

REC31

| | |
|--------------|-----------------------------|
| Content | WOMAN - Contraceptive Table |
| Cases | 41912 |
| Variable(s) | 11 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|-------------|--------------------------------|----------|-----------|----------|
| V524 | caseid | Case Identification | discrete | character | |
| V525 | v301 | Knowledge of any method | discrete | numeric | |
| V526 | v302 | Ever use of any method | discrete | numeric | |
| V527 | v303 | Knows source for modern method | discrete | numeric | |
| V528 | rec31_group | Contraceptive Table | discrete | character | |
| V529 | v304 | Knows method | discrete | numeric | |
| V530 | v305 | Ever used method | discrete | numeric | |
| V531 | v306 | Source known for method | discrete | numeric | |
| V532 | v307 | Source for method by type | discrete | numeric | |
| V533 | v308 | Main problem with method | discrete | numeric | |
| V534 | v309 | Main problem with method | discrete | numeric | |

REC32

| | |
|--------------|---------------------------|
| Content | WOMAN - Contraceptive Use |
| Cases | 5239 |
| Variable(s) | 60 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V535 | caseid | Case Identification | discrete | character | |
| V536 | v310 | Living children at first use | discrete | numeric | |
| V537 | v311 | Children at first use (grpd) | discrete | numeric | |
| V538 | v312 | Current contraceptive method | discrete | numeric | |
| V539 | v313 | Current use by method type | discrete | numeric | |
| V540 | v314 | Method of periodic abstinence | discrete | numeric | |
| V541 | v315 | Month of sterilization | discrete | numeric | |
| V542 | v316 | Year of sterilization | discrete | numeric | |
| V543 | v317 | Date of sterilization (CMC) | discrete | numeric | |
| V544 | v318 | Completeness of information | discrete | numeric | |
| V545 | v319 | Years since sterilization | discrete | numeric | |
| V546 | v320 | Age at sterilization | discrete | numeric | |
| V547 | v321 | Marital duration at steriliz. | discrete | numeric | |
| V548 | v322 | Parity at sterilization | discrete | numeric | |
| V549 | v323 | Brand of pill used | discrete | numeric | |
| V550 | v324 | Using social marketing brand | discrete | numeric | |
| V551 | v325 | Cost of pills | discrete | numeric | |
| V552 | v326 | Last source for current users | discrete | numeric | |
| V553 | v327 | Last source for users by type | discrete | numeric | |
| V554 | v328 | Satisfaction with services | discrete | numeric | |
| V555 | v329 | Source of info. for trad.users | discrete | numeric | |
| V556 | v330 | Source of info. for trad.users | discrete | numeric | |
| V557 | v331 | Satisf. with services(trad.us) | discrete | numeric | |
| V558 | v332 | Last source for past users | discrete | numeric | |
| V559 | v333 | Source for past users by type | discrete | numeric | |
| V560 | v334 | Satisf. with services(past us) | discrete | numeric | |
| V561 | v335 | Duration of current use | discrete | numeric | |
| V562 | v336 | Duration of current use | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V563 | v337 | Months of use of current meth | discrete | numeric | |
| V564 | v338 | Problem with current method | discrete | numeric | |
| V565 | v339 | Problem with current method | discrete | numeric | |
| V566 | v340 | Other method used | discrete | numeric | |
| V567 | v341 | Last method used before curr | discrete | numeric | |
| V568 | v342 | Date of previous use | discrete | numeric | |
| V569 | v343 | Date of previous use | discrete | numeric | |
| V570 | v344 | Date started using prev. meth. | discrete | numeric | |
| V571 | v345 | Completeness of information | discrete | numeric | |
| V572 | v346 | Duration of previous use | discrete | numeric | |
| V573 | v347 | Duration of previous use | discrete | numeric | |
| V574 | v348 | Months using previous method | discrete | numeric | |
| V575 | v349 | Reason stopped using prev. met | discrete | numeric | |
| V576 | v350 | Method used in OBI past users | discrete | numeric | |
| V577 | v351 | Date started last method | discrete | numeric | |
| V578 | v352 | Date started last method | discrete | numeric | |
| V579 | v353 | Date started using last method | discrete | numeric | |
| V580 | v354 | Completeness of information | discrete | numeric | |
| V581 | v355 | Duration last method in OBI | discrete | numeric | |
| V582 | v356 | Duration last method in OBI | discrete | numeric | |
| V583 | v357 | Months using last method | discrete | numeric | |
| V584 | v358 | Reason stopped using last meth | discrete | numeric | |
| V585 | v359 | Last method disc. last 5 years | discrete | numeric | |
| V586 | v360 | Reason of last discontinuation | discrete | numeric | |
| V587 | v361 | Pattern of use | discrete | numeric | |
| V588 | v362 | Intention to use | discrete | numeric | |
| V589 | v363 | Preferred future method | discrete | numeric | |
| V590 | v364 | Contraceptive use & intention | discrete | numeric | |
| V591 | v365 | Heard FP message on radio | discrete | numeric | |
| V592 | v366 | Acceptability of media message | discrete | numeric | |
| V593 | v367 | Wanted last child | discrete | numeric | |
| V594 | v368 | Entries in contraception table | discrete | numeric | |

REC41

| | |
|--------------|-------------------|
| Content | WOMAN - Maternity |
| Cases | 3215 |
| Variable(s) | 11 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V595 | caseid | Case Identification | discrete | character | |
| V596 | midx | Index to birth history | discrete | numeric | |
| V597 | m1 | Tetanus injection before birth | discrete | numeric | |
| V598 | m2 | Prenatal care before birth | discrete | numeric | |
| V599 | m3 | Assistance at delivery | discrete | numeric | |
| V600 | m4 | Duration of breastfeeding | discrete | numeric | |
| V601 | m5 | Months of breastfeeding | discrete | numeric | |
| V602 | m6 | Duration of amenorrhea | discrete | numeric | |
| V603 | m7 | Months of amenorrhea | discrete | numeric | |
| V604 | m8 | Duration of abstinence | discrete | numeric | |
| V605 | m9 | Months of abstinence | discrete | numeric | |

REC42

| | |
|--------------|----------------------------------|
| Content | WOMAN - Health and Breastfeeding |
| Cases | 5239 |
| Variable(s) | 22 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V606 | caseid | Case Identification | discrete | character | |
| V607 | v401 | Last birth cesarean section | discrete | numeric | |
| V608 | v402 | Tetanus injection current preg | discrete | numeric | |
| V609 | v403 | Prenatal care current preg. | discrete | numeric | |
| V610 | v404 | Currently breastfeeding | discrete | numeric | |
| V611 | v405 | Currently amenorrheic | discrete | numeric | |
| V612 | v406 | Currently abstaining | discrete | numeric | |
| V613 | v407 | Times breastfed during night | discrete | numeric | |
| V614 | v408 | Times breastfed during day | discrete | numeric | |
| V615 | v409 | Gave child plain water | discrete | numeric | |
| V616 | v410 | Gave child juice | discrete | numeric | |
| V617 | v411 | Gave child powdered milk | discrete | numeric | |
| V618 | v412 | Gave child cows or goats milk | discrete | numeric | |
| V619 | v413 | Gave child other liquid | discrete | numeric | |
| V620 | v414 | Gave child solid or mushy food | discrete | numeric | |
| V621 | v415 | Fed food in bottle with nipple | discrete | numeric | |
| V622 | v416 | Heard of oral rehydration | discrete | numeric | |
| V623 | v417 | Entries in maternity table | discrete | numeric | |
| V624 | v418 | Entries in health table | discrete | numeric | |
| V625 | v419 | Entries in height/weight table | discrete | numeric | |
| V626 | v420 | Measurer's code | discrete | numeric | |
| V627 | v421 | Assistant measurer's code | discrete | numeric | |

REC43

Content WOMAN - Health

Cases 4373

Variable(s) 64

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|------------------------|----------|-----------|----------|
| V628 | caseid | Case Identification | discrete | character | |
| V629 | hidx | Index to birth history | discrete | numeric | |
| V630 | h1 | Has health card | discrete | numeric | |
| V631 | h2 | Received BCG | discrete | numeric | |
| V632 | h2d | BCG day | discrete | numeric | |
| V633 | h2m | BCG month | discrete | numeric | |
| V634 | h2y | BCG year | discrete | numeric | |
| V635 | h3 | Received DPT 1 | discrete | numeric | |
| V636 | h3d | DPT 1 day | discrete | numeric | |
| V637 | h3m | DPT 1 month | discrete | numeric | |
| V638 | h3y | DPT 1 year | discrete | numeric | |
| V639 | h4 | Received POLIO 1 | discrete | numeric | |
| V640 | h4d | POLIO 1 day | discrete | numeric | |
| V641 | h4m | POLIO 1 month | discrete | numeric | |
| V642 | h4y | POLIO 1 year | discrete | numeric | |
| V643 | h5 | Received DPT 2 | discrete | numeric | |
| V644 | h5d | DPT 2 day | discrete | numeric | |
| V645 | h5m | DPT 2 month | discrete | numeric | |
| V646 | h5y | DPT 2 year | discrete | numeric | |
| V647 | h6 | Received POLIO 2 | discrete | numeric | |
| V648 | h6d | POLIO 2 day | discrete | numeric | |
| V649 | h6m | POLIO 2 month | discrete | numeric | |
| V650 | h6y | POLIO 2 year | discrete | numeric | |
| V651 | h7 | Received DPT 3 | discrete | numeric | |
| V652 | h7d | DPT 3 day | discrete | numeric | |
| V653 | h7m | DPT 3 month | discrete | numeric | |
| V654 | h7y | DPT 3 year | discrete | numeric | |
| V655 | h8 | Received POLIO 3 | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V656 | h8d | POLIO 3 day | discrete | numeric | |
| V657 | h8m | POLIO 3 month | discrete | numeric | |
| V658 | h8y | POLIO 3 year | discrete | numeric | |
| V659 | h9 | Received MEASLES | discrete | numeric | |
| V660 | h9d | MEASLES day | discrete | numeric | |
| V661 | h9m | MEASLES month | discrete | numeric | |
| V662 | h9y | MEASLES year | discrete | numeric | |
| V663 | h10 | Ever had vaccination | discrete | numeric | |
| V664 | h11 | Had diarrhea recently | discrete | numeric | |
| V665 | h12 | Received medical treatment | discrete | numeric | |
| V666 | h13 | Given oral rehydration | discrete | numeric | |
| V667 | h14 | Given home solution of sugar | discrete | numeric | |
| V668 | h15 | Given tablets,injections,syrup | discrete | numeric | |
| V669 | h16 | Increase fluids | discrete | numeric | |
| V670 | h17 | Decrease fluids | discrete | numeric | |
| V671 | h18 | Increase foods | discrete | numeric | |
| V672 | h19 | Decrease foods | discrete | numeric | |
| V673 | h20 | Given other treatment | discrete | numeric | |
| V674 | h21 | Received any treatment | discrete | numeric | |
| V675 | h22 | Had fever in last 4 weeks | discrete | numeric | |
| V676 | h23 | Received medical treatment | discrete | numeric | |
| V677 | h24 | Given antimalarials | discrete | numeric | |
| V678 | h25 | Given antibiotics | discrete | numeric | |
| V679 | h26 | Given liquid or syrup | discrete | numeric | |
| V680 | h27 | Given aspirin | discrete | numeric | |
| V681 | h28 | Given injection | discrete | numeric | |
| V682 | h29 | Other treatment for fever | discrete | numeric | |
| V683 | h30 | Had any treatment for fever | discrete | numeric | |
| V684 | h31 | Had cough/difficult breathing | discrete | numeric | |
| V685 | h32 | Received medical treatment | discrete | numeric | |
| V686 | h33 | Given antibiotics | discrete | numeric | |
| V687 | h34 | Given cough syrup | discrete | numeric | |
| V688 | h35 | Given pill | discrete | numeric | |
| V689 | h36 | Given injection | discrete | numeric | |
| V690 | h37 | Other treatment for cough | discrete | numeric | |
| V691 | h38 | Given any treatment for cough | discrete | numeric | |

REC51

| | |
|--------------|---------------------------|
| Content | WOMAN - Marriage/Exposure |
| Cases | 5239 |
| Variable(s) | 29 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V692 | caseid | Case Identification | discrete | character | |
| V693 | v501 | Current marital status | discrete | numeric | |
| V694 | v502 | Currently/formerly/never marr. | discrete | numeric | |
| V695 | v503 | Number of unions | discrete | numeric | |
| V696 | v504 | Husband lives in house | discrete | numeric | |
| V697 | v505 | Number of other wives | discrete | numeric | |
| V698 | v506 | Wife rank number | discrete | numeric | |
| V699 | v507 | Month of first marriage | discrete | numeric | |
| V700 | v508 | Year of first marriage | contin | numeric | |
| V701 | v509 | Date of first marriage (CMC) | contin | numeric | |
| V702 | v510 | Completeness of date inform. | discrete | numeric | |
| V703 | v511 | Age at first marriage | contin | numeric | |
| V704 | v512 | Years since first marriage | contin | numeric | |
| V705 | v513 | Marital duration (grouped) | discrete | numeric | |
| V706 | v514 | Respondents mother still alive | discrete | numeric | |
| V707 | v515 | Respondents father still alive | discrete | numeric | |
| V708 | v516 | Husband's mother still alive | discrete | numeric | |
| V709 | v517 | Husband's father still alive | discrete | numeric | |
| V710 | v518 | Resp. mother alive at union | discrete | numeric | |
| V711 | v519 | Resp. father alive at union | discrete | numeric | |
| V712 | v520 | Husb. mother alive at union | discrete | numeric | |
| V713 | v521 | Husb. father alive at union | discrete | numeric | |
| V714 | v522 | Years lived with parents | discrete | numeric | |
| V715 | v523 | Currently living with parents | discrete | numeric | |
| V716 | v524 | Localities since first marr. | discrete | numeric | |
| V717 | v525 | Age at first intercourse | discrete | numeric | |
| V718 | v526 | Frequency of intercourse | discrete | numeric | |
| V719 | v527 | Time since last intercourse | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V720 | v528 | Time since last intercourse(g) | discrete | numeric | |

REC61

| | |
|--------------|-------------------------------|
| Content | WOMAN - Fertility Preferences |
| Cases | 5239 |
| Variable(s) | 15 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V721 | caseid | Case Identification | discrete | character | |
| V722 | v601 | Preference and certainty | discrete | numeric | |
| V723 | v602 | Fertility preference | discrete | numeric | |
| V724 | v603 | Preferred waiting time | discrete | numeric | |
| V725 | v604 | Preferred waiting time (grpd) | discrete | numeric | |
| V726 | v605 | Desire for more children | discrete | numeric | |
| V727 | v606 | Attitude toward becoming preg. | discrete | numeric | |
| V728 | v607 | Main reason for non-use | discrete | numeric | |
| V729 | v608 | Ideal post-partum abst. period | contin | numeric | |
| V730 | v609 | Sex while breastfeeding | discrete | numeric | |
| V731 | v610 | Husband approves FP | discrete | numeric | |
| V732 | v611 | Discussed FP with partner | discrete | numeric | |
| V733 | v612 | Respondent approves FP | discrete | numeric | |
| V734 | v613 | Ideal number of children | discrete | numeric | |
| V735 | v614 | Ideal number of children (grp) | discrete | numeric | |

REC71

| | |
|--------------|------------------------------------|
| Content | WOMAN - Husband' s Characteristics |
| Cases | 5239 |
| Variable(s) | 16 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V736 | caseid | Case Identification | discrete | character | |
| V737 | v701 | Husband's education level | discrete | numeric | |
| V738 | v702 | Highest year of education | discrete | numeric | |
| V739 | v703 | Husband's literacy | discrete | numeric | |
| V740 | v704 | Husband's occupation | discrete | numeric | |
| V741 | v705 | Husband's occupation | discrete | numeric | |
| V742 | v706 | Nonagricultural earnings | discrete | numeric | |
| V743 | v707 | Type of land where works | discrete | numeric | |
| V744 | v708 | Type of agricultural wages | discrete | numeric | |
| V745 | v709 | Respondent worked before marr. | discrete | numeric | |
| V746 | v710 | Wages for family or self | discrete | numeric | |
| V747 | v711 | Respondent worked after marr. | discrete | numeric | |
| V748 | v712 | Respondent worked (nev.marr.) | discrete | numeric | |
| V749 | v713 | Wages for family or self | discrete | numeric | |
| V750 | v714 | Respondent currently working | discrete | numeric | |
| V751 | v715 | Husbands education-single yrs | discrete | numeric | |

REC81

| | |
|--------------|--------------------------------------|
| Content | WOMAN - Characteristics of Interview |
| Cases | 5239 |
| Variable(s) | 15 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V752 | caseid | Case Identification | discrete | character | |
| V753 | v801 | Time interview started | contin | numeric | |
| V754 | v802 | Time interview ended | contin | numeric | |
| V755 | v803 | Length of interview in minutes | discrete | numeric | |
| V756 | v804 | Number of visits | discrete | numeric | |
| V757 | v805 | Interviewer identification | contin | numeric | |
| V758 | v806 | Keyer identification | discrete | numeric | |
| V759 | v807 | Pres. children < 10 (sec 2) | discrete | numeric | |
| V760 | v808 | Pres. husband (sec 2) | discrete | numeric | |
| V761 | v809 | Pres. other males (sec 2) | discrete | numeric | |
| V762 | v810 | Pres. other females (sec 2) | discrete | numeric | |
| V763 | v811 | Pres. children < 10 (sec 5) | discrete | numeric | |
| V764 | v812 | Pres. husband (sec 5) | discrete | numeric | |
| V765 | v813 | Pres. other males (sec 5) | discrete | numeric | |
| V766 | v814 | Pres. other females (sec 5) | discrete | numeric | |

REC91

| | |
|--------------|---|
| Content | WOMAN - Country specific - Single Variables |
| Cases | 5239 |
| Variable(s) | 55 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|---------|--------------------------------|----------|-----------|----------|
| V767 | caseid | Case Identification | discrete | character | |
| V768 | scounty | County code | discrete | numeric | |
| V769 | sdistr | District code | discrete | numeric | |
| V770 | shoccup | Occupation | contin | numeric | |
| V771 | shemp | Employment status | discrete | numeric | |
| V772 | s102 | Where lived as young girl | discrete | numeric | |
| V773 | s105 | Literacy | discrete | numeric | |
| V774 | s107 | Highest level of education | discrete | numeric | |
| V775 | s108 | Highest grade at that level | discrete | numeric | |
| V776 | s114a | Have table with chair | discrete | numeric | |
| V777 | s114b | Have bed with mattress | discrete | numeric | |
| V778 | s219 | Had period in last four weeks | discrete | numeric | |
| V779 | s336 | Future source | discrete | numeric | |
| V780 | s229b | Gave rice water | discrete | numeric | |
| V781 | s229f | Gave any other liquid | discrete | numeric | |
| V782 | s234a | Where last child born | discrete | numeric | |
| V783 | s516 | Husband's objection | discrete | numeric | |
| V784 | s517d | Dollar cost for FP | discrete | numeric | |
| V785 | s517c | Cents cost for FP | discrete | numeric | |
| V786 | s608 | Ideal birth interval - years | discrete | numeric | |
| V787 | s614 | Type of woman preferred by man | discrete | numeric | |
| V788 | s702 | Husband literate | discrete | numeric | |
| V789 | s704 | Partner's highest level | discrete | numeric | |
| V790 | s705 | Highest grade at that level | discrete | numeric | |
| V791 | s706a | Past 4 weeks buy salt | discrete | numeric | |
| V792 | s706b | Past 4 weeks buy soap | discrete | numeric | |
| V793 | s706c | Past 4 weeks buy toothpaste | discrete | numeric | |
| V794 | s706d | Past 4 weeks buy aspirin | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|-------|-------------------------------|----------|---------|----------|
| V795 | s706e | Past 4 weeks buy canned fish | discrete | numeric | |
| V796 | s706f | Past 4 weeks buy face powder | discrete | numeric | |
| V797 | s706g | Past 4 weeks buy chloroquine | discrete | numeric | |
| V798 | s801a | RS - Plenty food | discrete | numeric | |
| V799 | s801b | RS - Drinking dirty water | discrete | numeric | |
| V800 | s801c | RS - Eating bad food | discrete | numeric | |
| V801 | s801d | RS - Sore in stomach | discrete | numeric | |
| V802 | s801e | RS - Other | discrete | numeric | |
| V803 | s802 | Knows nearest health clinic | discrete | numeric | |
| V804 | s803h | Hours to clinic | discrete | numeric | |
| V805 | s803m | Minutes to clinic | discrete | numeric | |
| V806 | s804 | Treatment at clinic | discrete | numeric | |
| V807 | s805 | Treatment for what | discrete | numeric | |
| V808 | s806 | Reason did not go to clinic | discrete | numeric | |
| V809 | s807d | Dollar cost for treatment | discrete | numeric | |
| V810 | s807c | Cents cost for treatment | discrete | numeric | |
| V811 | s808 | Knows nearest medicine store | discrete | numeric | |
| V812 | s809h | Hours to medicine store | discrete | numeric | |
| V813 | s809m | Minutes to medicine store | discrete | numeric | |
| V814 | s810 | Purchased medicine at store | discrete | numeric | |
| V815 | s811 | Type of medicine purchased | discrete | numeric | |
| V816 | s812 | Injections available at store | discrete | numeric | |
| V817 | s813 | Village Development Council | discrete | numeric | |
| V818 | s814 | Village Health Worker | discrete | numeric | |
| V819 | s901 | Native language | discrete | numeric | |
| V820 | s902 | Language of interview | discrete | numeric | |
| V821 | s903 | Interpreter for interview | discrete | numeric | |

REC95

Content WOMAN - Country specific - Health

Cases 4373

Variable(s) 15

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V822 | caseid | Case Identification | discrete | character | |
| V823 | idx95 | Index to birth history | discrete | numeric | |
| V824 | s405 | Had running stomach in 4 wks | discrete | numeric | |
| V825 | s406 | Treated running stomach | discrete | numeric | |
| V826 | s407a | RS - Country medecine or herbs | discrete | numeric | |
| V827 | s407b | RS - Antibiotics | discrete | numeric | |
| V828 | s407c | RS - Oral rehydration packet | discrete | numeric | |
| V829 | s407d | RS - Homemade sugar salt water | discrete | numeric | |
| V830 | s407e | RS - Other | discrete | numeric | |
| V831 | s410b | Fever - Country med or herbs | discrete | numeric | |
| V832 | s410d | Fever - Other treatments | discrete | numeric | |
| V833 | s413c | Cough - Country med or herbs | discrete | numeric | |
| V834 | s413d | Cough - Hospital | discrete | numeric | |
| V835 | s413e | Cough - Other treatments | discrete | numeric | |
| V836 | s414 | Ever had measles | discrete | numeric | |

HOUSEHOLD CLUSTER NUMBER (hhclust)

File: SEC00

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 101-408

HOUSEHOLD HOUSEHOLD NUMBER (hhhhno)

File: SEC00

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

PLACE HOLDER (hhjunk)

File: SEC00

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-0

HOUSEHOLD COUNTY (hhcounty)

File: SEC00

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-14

HOUSEHOLD DISTRICT (hh distr)

File: SEC00

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

HOUSEHOLD RESULT (hhresult)

File: SEC00

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

HOUSEHOLD VISITS (hhvisits)

File: SEC00

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

HOUSEHOLD WEIGHT * .000001 (hhweight)

File: SEC00

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 180176-1355862

HOUSEHOLD CLUSTER NUMBER (hhclust)

File: SEC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 101-408

HOUSEHOLD HOUSEHOLD NUMBER (hhhhno)

File: SEC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

HOUSEHOLD LINE NUMBER (hhlineno)

File: SEC01

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-40

HOUSEHOLD MEMBER LIVES HERE (hhlives)

File: SEC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

HOUSEHOLD MEMBER SLEPT HERE (hhslept)

File: SEC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

HOUSEHOLD MEMBER SEX (hhsex)

File: SEC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

HOUSEHOLD MEMBER AGE (hhage)

File: SEC01

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

MOTHER USUALLY LIVES HERE (hhmother)

File: SEC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

HOUSEHOLD MEMBER OCCUPATION (hhoccup)

File: SEC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 3-999

HOUSEHOLD MEMBER EMPLOYMENT (hhemp)

File: SEC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Case Identification (caseid)

File: REC01

Overview

Type: Discrete
 Format: character
 Width: 9

Country code (v000)

File: REC01

Overview

Type: Discrete
 Format: character
 Width: 2

Cluster number (v001)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 101-408

Household number (v002)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

Line number (v003)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-33

Enumeration area (v004)

File: REC01

Overview

Enumeration area (v004)

File: REC01

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 101-408

Sample weight (v005)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 180202-1376195

Month of interview (v006)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 2-8

Year of interview (v007)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 86-86

Date of interview (CMC) (v008)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1034-1040

Respondent's month of birth (v009)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Respondent's year of birth (v010)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 36-71

Date of birth (CMC) (v011)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 436-858

Current age - respondent (v012)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 15-49

Age 5-year groups (v013)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Completeness of information (v014)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Case Identification (caseid)

File: REC11

Overview

Type: Discrete
Format: character
Width: 9

Region (v101)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Type of place of residence (v102)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Childhood place of residence (v103)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Years lived in place of res. (v104)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 95-97

Type of place of previous res. (v105)

File: REC11

Type of place of previous res. (v105)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Highest educational level (v106)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Highest year of education (v107)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Literacy (v108)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Reads newspaper once a week (v109)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Watches TV every week (v110)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Listens to radio every day (v111)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Listens to radio every week (v112)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Source of drinking water (v113)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Source of non-drinking water (v114)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

Time to get to water source (v115)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 996-996

Type of toilet facility (v116)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Age children use toilet (v117)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 96-96

Cake of soap on premises (v118)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Has electricity (v119)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Has radio (v120)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has television (v121)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has refrigerator (v122)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has bicycle (v123)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has motorcycle (v124)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has car (v125)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has tractor (v126)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Main floor material (v127)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

Main wall material (v128)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

Main roof material (v129)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Religion (v130)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ethnicity (v131)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Association membership (v132)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Education in single years (v133)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

De facto place of residence (v134)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Usual resident or visitor (v135)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Number of household members (v136)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-40

Number of children 5 and under (v137)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-10

Number of eligible women in HH (v138)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-10

Case Identification (caseid)

File: REC21

Overview

Type: Discrete
 Format: character
 Width: 9

Birth column number (bidx)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-17

Birth order number (bord)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-17

Child is twin (b0)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Month of birth (b1)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-12

Year of birth (b2)

File: REC21

Year of birth (b2)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 50-86

Date of birth (CMC) (b3)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 604-1039

Sex of child (b4)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Child is alive (b5)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Age at death (b6)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-999

Age at death (months-imputed) (b7)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-90

Current age of child (b8)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-35

Child lives with respondent (b9)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Completeness of information (b10)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Preceding birth interval (b11)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 6-281

Succeeding birth interval (b12)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 6-281

Case Identification (caseid)

File: REC22

Overview

Type: Discrete
 Format: character
 Width: 9

Total children ever born (v201)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-17

Sons at home (v202)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Daughters at home (v203)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-6

Sons elsewhere (v204)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Daughters elsewhere (v205)

File: REC22

Daughters elsewhere (v205)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Sons who have died (v206)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Daughters who have died (v207)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Births in last five years (v208)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Births in past year (v209)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Births in month of interview (v210)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Date of first birth (CMC) (v211)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 604-1039

Age of respondent at 1st birth (v212)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 10-42

Currently pregnant (v213)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Duration of current pregnancy (v214)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time since last menstrual perd (v215)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 994-998

Menstruated in last six weeks (v216)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Knowledge of ovulatory cycle (v217)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Number of living children (v218)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-13

Living children + current preg (v219)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-13

Living children + curr preg 6+ (v220)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Marriage to first birth int. (v221)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-996

Last birth to interview (v222)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-374

Completeness of information (v223)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 5-6

Entries in birth history (v224)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-17

Case Identification (caseid)

File: REC31

Overview

Type: Discrete
Format: character
Width: 9

Knowledge of any method (v301)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ever use of any method (v302)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Knows source for modern method (v303)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Contraceptive Table (rec31_group)

File: REC31

Overview

Type: Discrete
Format: character
Width: 1

Knows method (v304)

File: REC31

Overview

Knows method (v304)

File: REC31

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Ever used method (v305)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source known for method (v306)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Source for method by type (v307)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Main problem with method (v308)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Main problem with method (v309)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Case Identification (caseid)

File: REC32

Overview

Type: Discrete
 Format: character
 Width: 9

Living children at first use (v310)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Children at first use (grpdc) (v311)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 4-5

Current contraceptive method (v312)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Current use by method type (v313)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Method of periodic abstinence (v314)

File: REC32

Method of periodic abstinence (v314)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Month of sterilization (v315)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Year of sterilization (v316)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Date of sterilization (CMC) (v317)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Completeness of information (v318)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Years since sterilization (v319)

File: REC32

Years since sterilization (v319)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Age at sterilization (v320)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Marital duration at steriliz. (v321)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Parity at sterilization (v322)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 5-5

Brand of pill used (v323)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-96

Using social marketing brand (v324)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cost of pills (v325)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 996-998

Last source for current users (v326)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Last source for users by type (v327)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Satisfaction with services (v328)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of info. for trad.users (v329)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Source of info. for trad.users (v330)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Satisf. with services(trad.us) (v331)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Last source for past users (v332)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Source for past users by type (v333)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Satisf. with services(past us) (v334)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Duration of current use (v335)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-98

Duration of current use (v336)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-98

Months of use of current meth (v337)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 997-998

Problem with current method (v338)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Problem with current method (v339)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Other method used (v340)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

Last method used before curr (v341)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

Date of previous use (v342)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 97-98

Date of previous use (v343)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 97-98

Date started using prev. meth. (v344)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9997-9998

Completeness of information (v345)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Duration of previous use (v346)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 97-98

Duration of previous use (v347)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 97-98

Months using previous method (v348)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 997-998

Reason stopped using prev. met (v349)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

Method used in OBI past users (v350)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-15

Date started last method (v351)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 97-98

Date started last method (v352)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 97-98

Date started using last method (v353)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9997-9998

Completeness of information (v354)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Duration last method in OBI (v355)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 97-98

Duration last method in OBI (v356)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 97-98

Months using last method (v357)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 997-998

Reason stopped using last meth (v358)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Last method disc. last 5 years (v359)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-15

Reason of last discontinuation (v360)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pattern of use (v361)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Intention to use (v362)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 3-9

Preferred future method (v363)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Contraceptive use & intention (v364)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Heard FP message on radio (v365)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Acceptability of media message (v366)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Wanted last child (v367)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Entries in contraception table (v368)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Case Identification (caseid)

File: REC41

Overview

Type: Discrete
 Format: character
 Width: 9

Index to birth history (midx)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-1

Tetanus injection before birth (m1)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal care before birth (m2)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Assistance at delivery (m3)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Duration of breastfeeding (m4)

File: REC41

Duration of breastfeeding (m4)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-99

Months of breastfeeding (m5)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-97

Duration of amenorrhea (m6)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-99

Months of amenorrhea (m7)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-97

Duration of abstinence (m8)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-99

Months of abstinence (m9)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 97-97

Case Identification (caseid)

File: REC42

Overview

Type: Discrete
 Format: character
 Width: 9

Last birth cesarean section (v401)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Tetanus injection current preg (v402)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal care current preg. (v403)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Currently breastfeeding (v404)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Currently amenorrheic (v405)

File: REC42

Currently amenorrheic (v405)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Currently abstaining (v406)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Times breastfed during night (v407)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Times breastfed during day (v408)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Gave child plain water (v409)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child juice (v410)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child powdered milk (v411)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child cows or goats milk (v412)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child other liquid (v413)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child solid or mushy food (v414)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fed food in bottle with nipple (v415)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Heard of oral rehydration (v416)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Entries in maternity table (v417)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Entries in health table (v418)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Entries in height/weight table (v419)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Measurer's code (v420)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistant measurer's code (v421)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Case Identification (caseid)

File: REC43

Overview

Type: Discrete
 Format: character
 Width: 9

Index to birth history (hidx)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Has health card (h1)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Received BCG (h2)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

BCG day (h2d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

BCG month (h2m)

File: REC43

BCG month (h2m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

BCG year (h2y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 81-99

Received DPT 1 (h3)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

DPT 1 day (h3d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 1 month (h3m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 1 year (h3y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 81-99

Received POLIO 1 (h4)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

POLIO 1 day (h4d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 1 month (h4m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 1 year (h4y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 81-99

Received DPT 2 (h5)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

DPT 2 day (h5d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 2 month (h5m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 2 year (h5y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 81-99

Received POLIO 2 (h6)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

POLIO 2 day (h6d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 2 month (h6m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 2 year (h6y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 81-99

Received DPT 3 (h7)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

DPT 3 day (h7d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 3 month (h7m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 3 year (h7y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 82-99

Received POLIO 3 (h8)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

POLIO 3 day (h8d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 3 month (h8m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 3 year (h8y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 82-99

Received MEASLES (h9)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

MEASLES day (h9d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

MEASLES month (h9m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

MEASLES year (h9y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 81-99

Ever had vaccination (h10)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Had diarrhea recently (h11)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Received medical treatment (h12)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given oral rehydration (h13)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given home solution of sugar (h14)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given tablets,injections,syrup (h15)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Increase fluids (h16)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Decrease fluids (h17)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Increase foods (h18)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Decrease foods (h19)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given other treatment (h20)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Received any treatment (h21)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had fever in last 4 weeks (h22)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Received medical treatment (h23)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given antimalarials (h24)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given antibiotics (h25)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given liquid or syrup (h26)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given aspirin (h27)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given injection (h28)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other treatment for fever (h29)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had any treatment for fever (h30)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Had cough/difficult breathing (h31)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Received medical treatment (h32)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given antibiotics (h33)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given cough syrup (h34)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given pill (h35)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given injection (h36)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other treatment for cough (h37)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given any treatment for cough (h38)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (caseid)

File: REC51

Overview

Type: Discrete
 Format: character
 Width: 9

Current marital status (v501)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Currently/formerly/never marr. (v502)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Number of unions (v503)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Husband lives in house (v504)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Number of other wives (v505)

File: REC51

Number of other wives (v505)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Wife rank number (v506)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 98-98

Month of first marriage (v507)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of first marriage (v508)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 43-86

Date of first marriage (CMC) (v509)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 520-1039

Completeness of date inform. (v510)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Age at first marriage (v511)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 2-49

Years since first marriage (v512)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-43

Marital duration (grouped) (v513)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Respondents mother still alive (v514)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Respondents father still alive (v515)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband's mother still alive (v516)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband's father still alive (v517)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Resp. mother alive at union (v518)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Resp. father alive at union (v519)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husb. mother alive at union (v520)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Husb. father alive at union (v521)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Years lived with parents (v522)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 95-96

Currently living with parents (v523)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Localities since first marr. (v524)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Age at first intercourse (v525)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Frequency of intercourse (v526)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Time since last intercourse (v527)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Time since last intercourse(g) (v528)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Case Identification (caseid)

File: REC61

Overview

Type: Discrete
Format: character
Width: 9

Preference and certainty (v601)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Fertility preference (v602)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Preferred waiting time (v603)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Preferred waiting time (grpd) (v604)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Desire for more children (v605)

File: REC61

Desire for more children (v605)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Attitude toward becoming preg. (v606)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Main reason for non-use (v607)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Ideal post-partum abst. period (v608)

File: REC61

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 101-999

Sex while breastfeeding (v609)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Husband approves FP (v610)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed FP with partner (v611)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Respondent approves FP (v612)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ideal number of children (v613)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ideal number of children (grp) (v614)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (caseid)

File: REC71

Overview

Type: Discrete
Format: character
Width: 9

Husband's education level (v701)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Highest year of education (v702)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Husband's literacy (v703)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Husband's occupation (v704)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Husband's occupation (v705)

File: REC71

Husband's occupation (v705)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Nonagricultural earnings (v706)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Type of land where works (v707)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Type of agricultural wages (v708)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Respondent worked before marr. (v709)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Wages for family or self (v710)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Respondent worked after marr. (v711)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Respondent worked (nev.marr.) (v712)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Wages for family or self (v713)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Respondent currently working (v714)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Husbands education-single yrs (v715)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Case Identification (caseid)

File: REC81

Overview

Type: Discrete
 Format: character
 Width: 9

Time interview started (v801)

File: REC81

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 512-9999

Time interview ended (v802)

File: REC81

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 509-9999

Length of interview in minutes (v803)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Number of visits (v804)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Interviewer identification (v805)

File: REC81

Interviewer identification (v805)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 10-66

Keyer identification (v806)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Pres. children < 10 (sec 2) (v807)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Pres. husband (sec 2) (v808)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Pres. other males (sec 2) (v809)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Pres. other females (sec 2) (v810)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Pres. children < 10 (sec 5) (v811)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Pres. husband (sec 5) (v812)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Pres. other males (sec 5) (v813)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Pres. other females (sec 5) (v814)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Case Identification (caseid)

File: REC91

Overview

Type: Discrete
 Format: character
 Width: 9

County code (scounty)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-14

District code (sdistr)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Occupation (shoccup)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 3-999

Employment status (shemp)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Where lived as young girl (s102)

File: REC91

Where lived as young girl (s102)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Literacy (s105)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Highest level of education (s107)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Highest grade at that level (s108)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Have table with chair (s114a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Have bed with mattress (s114b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Had period in last four weeks (s219)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Future source (s336)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Gave rice water (s229b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Gave any other liquid (s229f)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Where last child born (s234a)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Husband's objection (s516)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Dollar cost for FP (s517d)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Cents cost for FP (s517c)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Ideal birth interval - years (s608)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Type of woman preferred by man (s614)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Husband literate (s702)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Partner's highest level (s704)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Highest grade at that level (s705)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Past 4 weeks buy salt (s706a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Past 4 weeks buy soap (s706b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Past 4 weeks buy toothpaste (s706c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Past 4 weeks buy aspirin (s706d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Past 4 weeks buy canned fish (s706e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Past 4 weeks buy face powder (s706f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Past 4 weeks buy chloroquine (s706g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

RS - Plenty food (s801a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

RS - Drinking dirty water (s801b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

RS - Eating bad food (s801c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

RS - Sore in stomach (s801d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

RS - Other (s801e)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Knows nearest health clinic (s802)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Hours to clinic (s803h)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Minutes to clinic (s803m)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Treatment at clinic (s804)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Treatment for what (s805)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Reason did not go to clinic (s806)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Dollar cost for treatment (s807d)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Cents cost for treatment (s807c)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Knows nearest medicine store (s808)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Hours to medicine store (s809h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Minutes to medicine store (s809m)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Purchased medicine at store (s810)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Type of medicine purchased (s811)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Injections available at store (s812)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Village Development Council (s813)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Village Health Worker (s814)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Native language (s901)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Language of interview (s902)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Interpreter for interview (s903)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Case Identification (caseid)

File: REC95

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (idx95)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Had running stomach in 4 wks (s405)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Treated running stomach (s406)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

RS - Country medecine or herbs (s407a)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

RS - Antibiotics (s407b)

File: REC95

RS - Antibiotics (s407b)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

RS - Oral rehydration packet (s407c)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

RS - Homemade sugar salt water (s407d)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

RS - Other (s407e)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever - Country med or herbs (s410b)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever - Other treatments (s410d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cough - Country med or herbs (s413c)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cough - Hospital (s413d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cough - Other treatments (s413e)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ever had measles (s414)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Related Materials

Questionnaires

Demographic and Health Survey 1986 - Questionnaire

Title Demographic and Health Survey 1986 - Questionnaire
 Author(s) Ministry of Planning and Economic Affairs
 Country Liberia
 Language English
 Filename LBR_1986_DHS_questionnaire.pdf

Reports

Demographic and Health Survey 1986 - Report

Title Demographic and Health Survey 1986 - Report
 Author(s) Bureau of Statistics Ministry of Planning and Economic Affairs, Monrovia, Liberia Institute for Resource Development/ Westinghouse, Colombia, Maryland, U.S.A
 Date 1988-02-01
 Country Liberia
 Language English
 Filename <http://www.dhsprogram.com/pubs/pdf/FR22/FR22.pdf>

Demographic and Health Survey 1986 - Summary Report

Title Demographic and Health Survey 1986 - Summary Report
 Author(s) DHS, IRD/Westinghouse
 Date 1988-09-01
 Country Liberia
 Language English
 Filename <http://www.dhsprogram.com/pubs/pdf/SR13/SR13.pdf>
