

Morocco - Enquête Nationale sur la Planification Familiale, la Fécondité et la Santé de la Population 1987

Service des Etudes et de l'Information Sanitaire (SELS) - Ministère de la Santé Publique

Report generated on: June 14, 2017

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

L'ENPS est basé sur un chantillon stratifié auto-pondéré d'environ 7000 ménages (ou femmes non-clibataires, en tige de reproduction de 15 à 49 ans). D'après le recensement de 1982, on a estimé 1,0 le nombre de femmes possédant ces mêmes caractéristiques par ménage. Le chantillon de l'ENPS est un sous-chantillon de l'Enquête Passages Rpts (EPR). Il a pour base de sondage le chantillon-mère labor par la Direction de la Statistique du Ministre du Plan, en vue d'effectuer les diverses enquêtes post-censitaires.

En milieu urbain, une unité primaire est constituée de 3 à 4 districts de recensement (DR) de 1982, et ayant une taille de 600 ménages en moyenne. En milieu rural, une unité primaire (UP) est constituée d'une zone ayant une taille de 1000 ménages en moyenne.

Le tirage des UP dans le chantillon-mère a été effectué comme suit:

- Au premier degré, on a tiré 536 UP en milieu urbain et 432 UP en milieu rural par tirage systématique avec probabilités proportionnelles à la taille des ménages.
- Au second degré, on a tiré une unité secondaire par UP avec probabilités gaies.

Pour les besoins de l'ENPS, on a tiré 138 grappes urbaines et 74 grappes rurales, qui constituent la moitié des grappes tirées dans le cadre de l'EPR, et au niveau de chaque grappe tirée, on a sélectionné la moitié des ménages qui y résident.

Response Rate

Au total, 7472 ménages ont été sélectionnés dont 6985 ont été trouvés. Parmi les ménages trouvés, 6960 ont été enquêtés avec succès, soit une taux de réponse de 99,6 pour cent. Au niveau des entrevues individuelles, 6050 ont été tentées dont 5982 ont été conduites entièrement, ce qui donne un taux de réponse de 98,9 pour cent.

Questionnaires

Overview

Le questionnaire de l'enquête a été préparé à partir du questionnaire de base du programme EDS pour les pays prévalence contraceptive élevée, en tenant compte des réalités socio-culturelles et démographiques du Maroc. Deux volets principaux composent le questionnaire de cette enquête: la feuille de ménage et le questionnaire individuel.

La feuille de ménage consiste en un groupe de questions relativement simples qui sont posées à chaque membre du ménage et à chaque visiteur(se) ayant passé la nuit précédant le jour de l'interview dans ce ménage: nom et prénoms, lien de parent avec le chef du ménage, statut de résidence, sexe, âge, statut matrimonial et niveau d'instruction. La question sur l'état matrimonial est posée aux personnes âgées de 15 ans ou plus et la question sur le niveau d'instruction est adressée aux femmes âgées d'au moins 15 ans. Le but de la feuille de ménage est de fournir les dénominateurs pour le calcul de certains taux et indices comme les taux de fécondité générale, l'indice synthétique de fécondité et l'âge au premier mariage d'une part et de permettre l'identification des femmes éligibles pour les entrevues individuelles d'autre part.

Le questionnaire individuel comprend neuf sections qui traitent de trois thèmes principaux:

1. Nuptialité, fécondité et mortalité infantile et juvénile, y compris l'historique des naissances de tous les enfants de chacune des femmes enquêtées;
2. Régulation de la fécondité, y compris la connaissance, la pratique, la discontinuation et les raisons de la non utilisation de la planification familiale;
3. Santé de la mère et de l'enfant, y compris les visites prénatales, l'assistance à l'accouchement, l'allaitement au sein, la prévalence et le traitement de la diarrhée, les vaccinations, les causes des décès des enfants, les mesures anthropométriques des enfants âgés de moins de cinq ans et la connaissance et l'utilisation du système de Santé Publique.

Le questionnaire de l'ENPS a d'abord été préparé en français et, par la suite, a été traduit en arabe marocain, langue utilisée sur le terrain par les enquêtrices durant les interviews. Il est à noter que seules les questions adressées aux femmes enquêtées sont en arabe, les codes et les instructions réservées aux enquêtrices sont restés en français.

Data Collection

Data Collection Dates

| Start | End | Cycle |
|---------|---------|-------|
| 1987-05 | 1987-07 | N/A |

Data Collection Mode

Face-to-face

DATA COLLECTION NOTES

La formation pour la pr-enquête a dur deux semaines (26 janvier-7 février 1987) avec la participation de 16 agents de santé diplômés d'état (ASDE) du Ministre de la Santé Publique. Le travail sur le terrain pour la pr-enquête s'est déroulé du 9 au 14 février dans quatre zones: deux urbaines (Rabat) et deux rurales (Temara). Au total, 202 femmes ont été interviewées et 173 enfants de moins de 5 ans ont été mesurés et pesés. Bien que la majorité des agents aient bien rempli le questionnaire, deux enquêtrices ont, cependant, trouvé beaucoup de difficultés à maîtriser (non respect des filtres et confusion en remplissant le tableau de régulation de fécondité).

Environ 60 agents ont été recrutés parmi le personnel régional du Ministre de la Santé Publique ayant au moins trois années d'expérience, pour effectuer l'enquête sur le terrain. La formation a duré du 28 mars au 24 avril 1987; les enquêtrices ont reçu une formation de quatre semaines, les aide-contrôleurs et les contrôleurs ont bénéficié de 3 semaines et de 4 semaines de formation respectivement.

Tous les candidats aux différents postes ont participé à un programme de formation consacré aux différents aspects de l'enquête: description détaillée des méthodes contraceptives, étude des sujets liés à la démographie, la santé familiale et la nutrition et techniques d'interview. Des spécialistes ont renforcé la compréhension des candidats sur tous les aspects qui recouvrent le questionnaire par le biais d'explications suivies de discussions. Par ailleurs, des interviews simulées et réelles sur le terrain ont fait l'objet du stage de formation.

La formation du personnel chargé des mesures anthropométriques (poids, taille et prisme crânien) a duré quatre jours et a été centrée sur les séances pratiques. Elle a été assurée par quatre médecins dans deux maternités de Rabat. Le test de standardisation a montré que presque le tiers des enquêtrices avait choisi, et, par conséquent, celles-ci ont passé un jour supplémentaire dans les deux maternités pour pratiquer les mesures de taille. Les enquêtrices ont été formées pour être maitresses et les aide-contrôleuses ont été formées pour être assistantes ou maitresses de réserve.

A la fin de la formation, huit équipes ont été sélectionnées pour participer à la phase du terrain. Chacune des équipes comprenait un contrôleur (chef d'équipe), une aide-contrôleuse (responsable du contrôle du travail des enquêtrices), quatre enquêtrices et un chauffeur. La collecte des données a commencé le 4 mai 1987 et a duré trois mois.

Data Collectors

| Name | Abbreviation | Affiliation |
|--|--------------|--------------------------------|
| Service des Etudes et de l'Information Sanitaire | SELS | Ministère de la Santé Publique |

SUPERVISION

La supervision était assurée, en plus du directeur technique et de son adjoint, par deux cadres statisticiens du SEIS qui ont été désignés comme coordinateurs sur le terrain.

Data Processing

Data Editing

Cette phase de l'enquête qui a dur trois mois (10 juin-15 septembre) a comport les trois tapes suivantes:

1. Reception et classement des donnes: Les questionnaires remplis et contrôlés étaient envoyés au Bureau Central (SELS) de Rabat où, après contrôle d'exhaustivité, ils étaient classés dans l'ordre des ménages par grappe et province.
2. Saisie des données: Elle a été effectuée par une équipe de 8 agents sur trois micro-ordinateurs fournis à l'enquête par le programme DHS. Le logiciel ISSA (Integrated Systems for Survey Analysis) développé par IRD/Westinghouse pour les besoins de DHS a été utilisé pour cette tâche. Les agents de saisie ont, en même temps, codifié la seule question sur la profession du mari.
3. Apurement des données: Cette opération, utilisant toujours le logiciel ISSA, avait lieu en même temps que la saisie. Les questionnaires de chaque grappe étaient soumis à un programme de vérification batch (ensemble de grappes) plus exhaustif. De plus, pendant la saisie, les vérifications des champs de validité des codes et des cohérences des filtres avaient été effectuées.

Après l'apurement des données, les dates des événements ont été imputées, dans le cas où ces informations n'ont pas été enregistrées dans le questionnaire (date de naissance de la femme, date du premier mariage de la femme, date de naissance des enfants et âge au décès des enfants décédés). Les données suivantes donnent les proportions de réponses imputées pour les événements indiqués ci-dessus:

- Date de naissance de la femme (impute partir de l'âge de naissance et/ou l'âge actuel)
- Mois et année imputés 0,0% Mois imputé 87,1% Date du premier mariage de la femme
- Mois et année imputés 0,2% Mois imputé 76,4%
- Date de naissance des enfants (impute partir de l'âge de naissance et/ou l'âge actuel)
- Mois et année imputés 0,5% Mois imputé 42,9%
- Âge au décès des enfants décédés 0,3%

Data Appraisal

Estimates of Sampling Error

Les estimations des erreurs de sondage ont été obtenues partir d'un chantillon national auto-pondré de 5982 femmes non-clibataires âgées de 15 à 49 ans. Si l'enquête avait effectué auprès d'autres répondants, on a tout lieu de penser que les fréquences des réponses auraient été quelque peu différentes de celles qu'on a présentes. C'est l'incertitude de cette hypothèse qui reflète l'erreur de sondage; celle-ci permet donc de mesurer le degré de variation des réponses suivant l'chantillon. L'erreur-type (ET) est un indice particulièrement utile pour mesurer l'erreur de sondage. On l'estime partir de la variance des réponses dans l'chantillon même. Cet indice a pour propriété que:

- 1) dans 2 chantillons sur 3, la valeur vraie d'un paramètre pour l'ensemble d'une population se trouve à l'intérieur de l'intervalle $+ ET$ de part et d'autre de la moyenne observée.
- 2) dans 19 chantillons sur 20, la valeur vraie d'un paramètre pour l'ensemble d'une population se trouve à l'intérieur de $+ 2ET$.

A titre d'exemple, pour les femmes non-clibataires, l'ENPS a donné un nombre moyen d'enfants nés vivants de 4,266 auquel correspond une erreur-type de 0,059 enfant. La fourchette dans laquelle se place la moyenne $+ 2ET$ est donc de 4,149 à 4,383. La probabilité que la vraie valeur ne soit pas à l'intérieur de cet intervalle est de 5 pour cent, si on suppose que les femmes enquêtées ont répondu correctement aux questions dans le tableau des naissances.

Il existe un deuxième indice souvent utile qui s'intitule la racine carrée de l'effet du plan de sondage ou effet de grappe: c'est le rapport de l'erreur-type observé sur l'erreur-type qu'on aurait obtenue si on avait eu recours à un sondage alatoire simple. Cet indice vaut dans quelle mesure le plan de sondage qui a été choisi (au Maroc, un chantillon à degrés multiples stratifiés) se rapproche d'un chantillon alatoire simple de la même taille. Autrement dit, la REPS mesure la perte de précision de sondage due au fait qu'on a utilisé un plan de sondage complexe. Les deux principaux facteurs qui déterminent sa valeur sont le nombre moyen de tirages dans chaque grappe et l'hétérogénéité relative des réponses pour une variable donnée, l'intérieur et entre les grappes. Pour des chantillons tirés partir de très petites grappes, pour des très petits sous-chantillons dans des grappes de n'importe quelle taille, et pour des variables relativement homogènes, on peut s'attendre ce que l'effet de grappe ne soit pas très différent de 1. Ceci veut dire qu'on aura perdu très peu en matière de précision d'chantillonnage, du fait du tirage d'un chantillon en grappes par rapport à un sondage alatoire simple.

File Description

Variable List

SEC01

| | |
|--------------|---|
| Content | HOUSEHOLD - Household Interview Information |
| Cases | 7472 |
| Variable(s) | 18 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-----|----------|----------------------------|----------|-----------|----------|
| V1 | level1id | Level1 Identification | discrete | character | |
| V2 | mgrappe | Numro de grappe | contin | numeric | |
| V3 | mprov | Province ou Prfecture | contin | numeric | |
| V4 | mcercle | Cercle | discrete | numeric | |
| V5 | mmunicip | Municipalit | contin | numeric | |
| V6 | mcentre | Centre | discrete | numeric | |
| V7 | muprim | Numro de l'unit primaire | contin | numeric | |
| V8 | musecond | Numro de l'unit secondaire | discrete | numeric | |
| V9 | mstrate | Strate | discrete | numeric | |
| V10 | mmenage | Numro du mnage | contin | numeric | |
| V11 | mmois | Mois de l'interview | discrete | numeric | |
| V12 | mannee | Anne de l'interview | discrete | numeric | |
| V13 | menq | Code enquatrice | contin | numeric | |
| V14 | mresult | Résultat final | discrete | numeric | |
| V15 | mvisites | Nombre de visites | discrete | numeric | |
| V16 | msaisi | Code de saisie | discrete | numeric | |
| V17 | mmembres | Nombre de membres du mnage | contin | numeric | |
| V18 | mfemmes | Nombre de femmes ligibles | discrete | numeric | |

SEC02

| | |
|--------------|--------------------------------|
| Content | HOUSEHOLD - Household Schedule |
| Cases | 44192 |
| Variable(s) | 12 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-----|----------|-----------------------------|----------|-----------|----------|
| V19 | level1id | Level1 Identification | discrete | character | |
| V20 | mligne | Numro de la ligne du membre | contin | numeric | |
| V21 | mhabit | Rsidence habituellement | discrete | numeric | |
| V22 | mvisit | Present la dernire nuit | discrete | numeric | |
| V23 | msexe | Sexe | discrete | numeric | |
| V24 | mage | Age | contin | numeric | |
| V25 | metat | Etat matrimonial | discrete | numeric | |
| V26 | minstruc | Frequent l'école | discrete | numeric | |
| V27 | mniveau | Niveau d'instruction | discrete | numeric | |
| V28 | mclasse | Classe de ce niveau | discrete | numeric | |
| V29 | mselect | Selection de la femme | contin | numeric | |
| V30 | mpunch | Femme saisie | discrete | numeric | |

REC01

| | |
|--------------|----------------------------------|
| Content | WOMAN - Respondent' s Basic Data |
| Cases | 5982 |
| Variable(s) | 16 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-----|--------|-----------------------------|----------|-----------|----------|
| V31 | caseid | Case identification | discrete | character | |
| V32 | v000 | Country code | discrete | character | |
| V33 | v001 | Cluster number | contin | numeric | |
| V34 | v002 | Household number | contin | numeric | |
| V35 | v003 | Line number | contin | numeric | |
| V36 | v004 | Enumeration area | contin | numeric | |
| V37 | v005 | Sample weight | discrete | numeric | |
| V38 | v006 | Month of interview | discrete | numeric | |
| V39 | v007 | Year of interview | discrete | numeric | |
| V40 | v008 | Date of interview (CMC) | discrete | numeric | |
| V41 | v009 | Respondent's month of birth | discrete | numeric | |
| V42 | v010 | Respondent's year of birth | contin | numeric | |
| V43 | v011 | Date of birth (CMC) | contin | numeric | |
| V44 | v012 | Current age - respondent | contin | numeric | |
| V45 | v013 | Age 5-year groups | discrete | numeric | |
| V46 | v014 | Completeness of information | discrete | numeric | |

REC11

| | |
|--------------|--|
| Content | WOMAN - Respondent' s Basic Data (continued) |
| Cases | 5982 |
| Variable(s) | 39 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-----|--------|--------------------------------|----------|-----------|----------|
| V47 | caseid | Case identification | discrete | character | |
| V48 | v101 | Region | discrete | numeric | |
| V49 | v102 | Type of place of residence | discrete | numeric | |
| V50 | v103 | Childhood place of residence | discrete | numeric | |
| V51 | v104 | Years lived in place of res. | discrete | numeric | |
| V52 | v105 | Type of place of previous res. | discrete | numeric | |
| V53 | v106 | Highest educational level | discrete | numeric | |
| V54 | v107 | Highest year of education | contin | numeric | |
| V55 | v108 | Literacy | discrete | numeric | |
| V56 | v109 | Reads newspaper once a week | discrete | numeric | |
| V57 | v110 | Watches TV every week | discrete | numeric | |
| V58 | v111 | Listens to radio every day | discrete | numeric | |
| V59 | v112 | Listens to radio every week | discrete | numeric | |
| V60 | v113 | Source of drinking water | discrete | numeric | |
| V61 | v114 | Source of non-drinking water | discrete | numeric | |
| V62 | v115 | Time to get to water source | discrete | numeric | |
| V63 | v116 | Type of toilet facility | discrete | numeric | |
| V64 | v117 | Age children use toilet | discrete | numeric | |
| V65 | v118 | Cake of soap on premises | discrete | numeric | |
| V66 | v119 | Has electricity | discrete | numeric | |
| V67 | v120 | Has radio | discrete | numeric | |
| V68 | v121 | Has television | discrete | numeric | |
| V69 | v122 | Has refrigerator | discrete | numeric | |
| V70 | v123 | Has bicycle | discrete | numeric | |
| V71 | v124 | Has motorcycle | discrete | numeric | |
| V72 | v125 | Has car | discrete | numeric | |
| V73 | v126 | Has tractor | discrete | numeric | |
| V74 | v127 | Main floor material | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|-----------|-------------|-------------------------------|-------------|---------------|-----------------|
| V75 | v128 | Main wall material | discrete | numeric | |
| V76 | v129 | Main roof material | discrete | numeric | |
| V77 | v130 | Religion | discrete | numeric | |
| V78 | v131 | Ethnicity | discrete | numeric | |
| V79 | v132 | Association membership | discrete | numeric | |
| V80 | v133 | Education in single years | discrete | numeric | |
| V81 | v134 | De facto place of residence | discrete | numeric | |
| V82 | v135 | Usual resident or visitor | discrete | numeric | |
| V83 | v136 | Household members | contin | numeric | |
| V84 | v137 | Children resident 5 and under | discrete | numeric | |
| V85 | v138 | Eligible women in household | discrete | numeric | |

REC21

| | |
|--------------|--------------------------------------|
| Content | WOMAN - Reproduction (Birth History) |
| Cases | 25518 |
| Variable(s) | 16 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|-------------------------------|----------|-----------|----------|
| V86 | caseid | Case identification | discrete | character | |
| V87 | bidx | Birth column number | discrete | numeric | |
| V88 | bord | Birth order number | discrete | numeric | |
| V89 | b0 | Child is twin | discrete | numeric | |
| V90 | b1 | Month of birth | discrete | numeric | |
| V91 | b2 | Year of birth | contin | numeric | |
| V92 | b3 | Date of birth (CMC) | contin | numeric | |
| V93 | b4 | Sex of child | discrete | numeric | |
| V94 | b5 | Child is alive | discrete | numeric | |
| V95 | b6 | Age at death | discrete | numeric | |
| V96 | b7 | Age at death (months-imputed) | discrete | numeric | |
| V97 | b8 | Current age of child | contin | numeric | |
| V98 | b9 | Child lives with respondent | discrete | numeric | |
| V99 | b10 | Completeness of information | discrete | numeric | |
| V100 | b11 | Preceding birth interval | contin | numeric | |
| V101 | b12 | Succeeding birth interval | contin | numeric | |

REC22

Content WOMAN - Reproduction

Cases 5982

Variable(s) 25

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V102 | caseid | Case identification | discrete | character | |
| V103 | v201 | Total children ever born | discrete | numeric | |
| V104 | v202 | Sons at home | discrete | numeric | |
| V105 | v203 | Daughters at home | discrete | numeric | |
| V106 | v204 | Sons elsewhere | discrete | numeric | |
| V107 | v205 | Daughters elsewhere | discrete | numeric | |
| V108 | v206 | Sons who have died | discrete | numeric | |
| V109 | v207 | Daughters who have died | discrete | numeric | |
| V110 | v208 | Births in last five years | discrete | numeric | |
| V111 | v209 | Births in past year | discrete | numeric | |
| V112 | v210 | Births in month of interview | discrete | numeric | |
| V113 | v211 | Date of first birth (CMC) | contin | numeric | |
| V114 | v212 | Age of respondent at 1st birth | contin | numeric | |
| V115 | v213 | Currently pregnant | discrete | numeric | |
| V116 | v214 | Duration of current pregnancy | discrete | numeric | |
| V117 | v215 | Time since last menstrual per | discrete | numeric | |
| V118 | v216 | Menstruated in last six weeks | discrete | numeric | |
| V119 | v217 | Knowledge of ovulatory cycle | discrete | numeric | |
| V120 | v218 | Number of living children | discrete | numeric | |
| V121 | v219 | Living children + current preg | discrete | numeric | |
| V122 | v220 | Living children + curr preg 6+ | discrete | numeric | |
| V123 | v221 | Marriage to first birth int. | discrete | numeric | |
| V124 | v222 | Last birth to interview | contin | numeric | |
| V125 | v223 | Completeness of information | discrete | numeric | |
| V126 | v224 | Entries in birth history | discrete | numeric | |

REC31

| | |
|--------------|-----------------------------|
| Content | WOMAN - Contraceptive Table |
| Cases | 47856 |
| Variable(s) | 11 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|-------------|--------------------------------|----------|-----------|----------|
| V127 | caseid | Case identification | discrete | character | |
| V128 | v301 | Knowledge of any method | discrete | numeric | |
| V129 | v302 | Ever use of any method | discrete | numeric | |
| V130 | v303 | Knows source for modern method | discrete | numeric | |
| V131 | rec31_group | Contraceptive Table | discrete | character | |
| V132 | v304 | Knows method | discrete | numeric | |
| V133 | v305 | Ever used method | discrete | numeric | |
| V134 | v306 | Source known for method | discrete | numeric | |
| V135 | v307 | Source for method by type | discrete | numeric | |
| V136 | v308 | Main problem with method | discrete | numeric | |
| V137 | v309 | Main problem with method | discrete | numeric | |

REC32

| | |
|--------------|---------------------------|
| Content | WOMAN - Contraceptive Use |
| Cases | 5982 |
| Variable(s) | 60 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V138 | caseid | Case identification | discrete | character | |
| V139 | v310 | Living children at first use | contin | numeric | |
| V140 | v311 | Children at first use (grpd) | discrete | numeric | |
| V141 | v312 | Current contraceptive method | discrete | numeric | |
| V142 | v313 | Current use by method type | discrete | numeric | |
| V143 | v314 | Method of periodic abstinence | discrete | numeric | |
| V144 | v315 | Month of sterilization | discrete | numeric | |
| V145 | v316 | Year of sterilization | contin | numeric | |
| V146 | v317 | Date of sterilization (CMC) | contin | numeric | |
| V147 | v318 | Completeness of information | discrete | numeric | |
| V148 | v319 | Years since sterilization | discrete | numeric | |
| V149 | v320 | Age at sterilization | discrete | numeric | |
| V150 | v321 | Marital duration at steriliz. | discrete | numeric | |
| V151 | v322 | Parity at sterilization | discrete | numeric | |
| V152 | v323 | Brand of pill used | discrete | numeric | |
| V153 | v324 | Using social marketing brand | discrete | numeric | |
| V154 | v325 | Cost of pills | discrete | numeric | |
| V155 | v326 | Last source for current users | discrete | numeric | |
| V156 | v327 | Last source for users by type | discrete | numeric | |
| V157 | v328 | Satisfaction with services | discrete | numeric | |
| V158 | v329 | Source of info. for trad.users | discrete | numeric | |
| V159 | v330 | Source of info. for trad.users | discrete | numeric | |
| V160 | v331 | Satisf. with services(trad.us) | discrete | numeric | |
| V161 | v332 | Last source for past users | discrete | numeric | |
| V162 | v333 | Source for past users by type | discrete | numeric | |
| V163 | v334 | Satisf. with services(past us) | discrete | numeric | |
| V164 | v335 | Duration of current use | discrete | numeric | |
| V165 | v336 | Duration of current use | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V166 | v337 | Months of use of current meth | discrete | numeric | |
| V167 | v338 | Problem with current method | discrete | numeric | |
| V168 | v339 | Problem with current method | discrete | numeric | |
| V169 | v340 | Other method used | discrete | numeric | |
| V170 | v341 | Last method used before curr | discrete | numeric | |
| V171 | v342 | Date of previous use | discrete | numeric | |
| V172 | v343 | Date of previous use | discrete | numeric | |
| V173 | v344 | Date started using prev. meth. | discrete | numeric | |
| V174 | v345 | Completeness of information | discrete | numeric | |
| V175 | v346 | Duration of previous use | discrete | numeric | |
| V176 | v347 | Duration of previous use | discrete | numeric | |
| V177 | v348 | Months using previous method | discrete | numeric | |
| V178 | v349 | Reason stopped using prev. met | discrete | numeric | |
| V179 | v350 | Method used in OBI past users | discrete | numeric | |
| V180 | v351 | Date started last method | discrete | numeric | |
| V181 | v352 | Date started last method | discrete | numeric | |
| V182 | v353 | Date started using last method | discrete | numeric | |
| V183 | v354 | Completeness of information | discrete | numeric | |
| V184 | v355 | Duration last method in OBI | discrete | numeric | |
| V185 | v356 | Duration last method in OBI | discrete | numeric | |
| V186 | v357 | Months using last method | discrete | numeric | |
| V187 | v358 | Reason stopped using last meth | discrete | numeric | |
| V188 | v359 | Last method disc. last 5 years | discrete | numeric | |
| V189 | v360 | Reason of last discontinuation | discrete | numeric | |
| V190 | v361 | Pattern of use | discrete | numeric | |
| V191 | v362 | Intention to use | discrete | numeric | |
| V192 | v363 | Preferred future method | discrete | numeric | |
| V193 | v364 | Contraceptive use & intention | discrete | numeric | |
| V194 | v365 | Heard FP message on radio | discrete | numeric | |
| V195 | v366 | Acceptability of media message | discrete | numeric | |
| V196 | v367 | Wanted last child | discrete | numeric | |
| V197 | v368 | Entries in contraception table | discrete | numeric | |

REC33

| | |
|--------------|--------------------------------|
| Content | WOMAN - Contraceptive Practice |
| Cases | 6819 |
| Variable(s) | 11 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|------------------------------|----------|-----------|----------|
| V198 | caseid | Case identification | discrete | character | |
| V199 | cpxidx | Index to birth history | discrete | numeric | |
| V200 | cp1 | Last method used in interval | discrete | numeric | |
| V201 | cp2 | Previous method used in int. | discrete | numeric | |
| V202 | cp3 | Duration of use in interval | discrete | numeric | |
| V203 | cp4 | Duration of use in interval | discrete | numeric | |
| V204 | cp5 | Months of use of last method | discrete | numeric | |
| V205 | cp6 | Reason stopped using method | discrete | numeric | |
| V206 | cp7 | Fertility Planning (3 grps) | discrete | numeric | |
| V207 | cp8 | Fertility Planning (6 grps) | discrete | numeric | |
| V208 | cp9 | Outcome of birth | discrete | numeric | |

REC41

Content WOMAN - Maternity

Cases 6102

Variable(s) 11

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V209 | caseid | Case identification | discrete | character | |
| V210 | midx | Index to birth history | discrete | numeric | |
| V211 | m1 | Tetanus injection before birth | discrete | numeric | |
| V212 | m2 | Prenatal care before birth | discrete | numeric | |
| V213 | m3 | Assistance at delivery | discrete | numeric | |
| V214 | m4 | Duration of breastfeeding | discrete | numeric | |
| V215 | m5 | Months of breastfeeding | discrete | numeric | |
| V216 | m6 | Duration of amenorrhea | discrete | numeric | |
| V217 | m7 | Months of amenorrhea | discrete | numeric | |
| V218 | m8 | Duration of abstinence | discrete | numeric | |
| V219 | m9 | Months of abstinence | discrete | numeric | |

REC42

Content WOMAN - Health and Breastfeeding

Cases 5982

Variable(s) 22

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V220 | caseid | Case identification | discrete | character | |
| V221 | v401 | Last birth cesarean section | discrete | numeric | |
| V222 | v402 | Tetanus injection current preg | discrete | numeric | |
| V223 | v403 | Prenatal care current preg. | discrete | numeric | |
| V224 | v404 | Currently breastfeeding | discrete | numeric | |
| V225 | v405 | Currently amenorrheic | discrete | numeric | |
| V226 | v406 | Currently abstaining | discrete | numeric | |
| V227 | v407 | Times breastfed during night | discrete | numeric | |
| V228 | v408 | Times breastfed during day | discrete | numeric | |
| V229 | v409 | Gave child plain water | discrete | numeric | |
| V230 | v410 | Gave child juice | discrete | numeric | |
| V231 | v411 | Gave child powdered milk | discrete | numeric | |
| V232 | v412 | Gave child cows or goats milk | discrete | numeric | |
| V233 | v413 | Gave child other liquid | discrete | numeric | |
| V234 | v414 | Gave child solid or mushy food | discrete | numeric | |
| V235 | v415 | Fed food in bottle with nipple | discrete | numeric | |
| V236 | v416 | Heard of oral rehydration | discrete | numeric | |
| V237 | v417 | Entries in maternity table | discrete | numeric | |
| V238 | v418 | Entries in health table | discrete | numeric | |
| V239 | v419 | Entries in height/weight table | discrete | numeric | |
| V240 | v420 | Measurers code | discrete | numeric | |
| V241 | v421 | Assistant measurers code | discrete | numeric | |

REC43

| | |
|--------------|-------------------|
| Content | WOMAN - Health |
| Cases | 5602 |
| Variable(s) | 64 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|------------------------|----------|-----------|----------|
| V242 | caseid | Case identification | discrete | character | |
| V243 | hidx | Index to birth history | discrete | numeric | |
| V244 | h1 | Has health card | discrete | numeric | |
| V245 | h2 | Received BCG | discrete | numeric | |
| V246 | h2d | BCG day | discrete | numeric | |
| V247 | h2m | BCG month | discrete | numeric | |
| V248 | h2y | BCG year | discrete | numeric | |
| V249 | h3 | Received DPT 1 | discrete | numeric | |
| V250 | h3d | DPT 1 day | discrete | numeric | |
| V251 | h3m | DPT 1 month | discrete | numeric | |
| V252 | h3y | DPT 1 year | discrete | numeric | |
| V253 | h4 | Received POLIO 1 | discrete | numeric | |
| V254 | h4d | POLIO 1 day | discrete | numeric | |
| V255 | h4m | POLIO 1 month | discrete | numeric | |
| V256 | h4y | POLIO 1 year | discrete | numeric | |
| V257 | h5 | Received DPT 2 | discrete | numeric | |
| V258 | h5d | DPT 2 day | discrete | numeric | |
| V259 | h5m | DPT 2 month | discrete | numeric | |
| V260 | h5y | DPT 2 year | discrete | numeric | |
| V261 | h6 | Received POLIO 2 | discrete | numeric | |
| V262 | h6d | POLIO 2 day | discrete | numeric | |
| V263 | h6m | POLIO 2 month | discrete | numeric | |
| V264 | h6y | POLIO 2 year | discrete | numeric | |
| V265 | h7 | Received DPT 3 | discrete | numeric | |
| V266 | h7d | DPT 3 day | discrete | numeric | |
| V267 | h7m | DPT 3 month | discrete | numeric | |
| V268 | h7y | DPT 3 year | discrete | numeric | |
| V269 | h8 | Received POLIO 3 | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V270 | h8d | POLIO 3 day | discrete | numeric | |
| V271 | h8m | POLIO 3 month | discrete | numeric | |
| V272 | h8y | POLIO 3 year | discrete | numeric | |
| V273 | h9 | Received MEASLES | discrete | numeric | |
| V274 | h9d | MEASLES day | discrete | numeric | |
| V275 | h9m | MEASLES month | discrete | numeric | |
| V276 | h9y | MEASLES year | discrete | numeric | |
| V277 | h10 | Ever had vaccination | discrete | numeric | |
| V278 | h11 | Had diarrhea recently | discrete | numeric | |
| V279 | h12 | Received medical treatment | discrete | numeric | |
| V280 | h13 | Given oral rehydration | discrete | numeric | |
| V281 | h14 | Given home solution of sugar | discrete | numeric | |
| V282 | h15 | Given tablets,injections,syrup | discrete | numeric | |
| V283 | h16 | Increase fluids | discrete | numeric | |
| V284 | h17 | Decrease fluids | discrete | numeric | |
| V285 | h18 | Increase foods | discrete | numeric | |
| V286 | h19 | Decrease foods | discrete | numeric | |
| V287 | h20 | Given other treatment | discrete | numeric | |
| V288 | h21 | Received any treatment | discrete | numeric | |
| V289 | h22 | Had fever in last 4 weeks | discrete | numeric | |
| V290 | h23 | Received medical treatment | discrete | numeric | |
| V291 | h24 | Given antimalarials | discrete | numeric | |
| V292 | h25 | Given antibiotics | discrete | numeric | |
| V293 | h26 | Given liquid or syrup | discrete | numeric | |
| V294 | h27 | Given aspirin | discrete | numeric | |
| V295 | h28 | Given injection | discrete | numeric | |
| V296 | h29 | Other treatment for fever | discrete | numeric | |
| V297 | h30 | Had any treatment for fever | discrete | numeric | |
| V298 | h31 | Had cough/difficult breathing | discrete | numeric | |
| V299 | h32 | Received medical treament | discrete | numeric | |
| V300 | h33 | Given antibiotics | discrete | numeric | |
| V301 | h34 | Given cough syrup | discrete | numeric | |
| V302 | h35 | Given pill | discrete | numeric | |
| V303 | h36 | Given injection | discrete | numeric | |
| V304 | h37 | Other treatment for cough | discrete | numeric | |
| V305 | h38 | Given any treatment for cough | discrete | numeric | |

REC44

| | |
|--------------|---------------------------|
| Content | WOMAN - Height and Weight |
| Cases | 5693 |
| Variable(s) | 15 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|------------------------------|----------|-----------|----------|
| V306 | caseid | Case identification | discrete | character | |
| V307 | hwidx | Index to birth history | discrete | numeric | |
| V308 | hw1 | Age in months | contin | numeric | |
| V309 | hw2 | Weight in kilograms | contin | numeric | |
| V310 | hw3 | Height in centimetres | contin | numeric | |
| V311 | hw4 | Ht/A Percentile | discrete | numeric | |
| V312 | hw5 | Ht/A Standard deviations | discrete | numeric | |
| V313 | hw6 | Ht/A Percent of ref. median | discrete | numeric | |
| V314 | hw7 | Wt/A Percentile | discrete | numeric | |
| V315 | hw8 | Wt/A Standard deviations | discrete | numeric | |
| V316 | hw9 | Wt/A Percent of ref. median | discrete | numeric | |
| V317 | hw10 | Wt/Ht Percentile | discrete | numeric | |
| V318 | hw11 | Wt/Ht Standard deviations | discrete | numeric | |
| V319 | hw12 | Wt/Ht Percent of ref. median | discrete | numeric | |
| V320 | hw13 | Reason not measured | discrete | numeric | |

REC51

| | |
|--------------|---------------------------|
| Content | WOMAN - Marriage/Exposure |
| Cases | 5982 |
| Variable(s) | 29 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V321 | caseid | Case identification | discrete | character | |
| V322 | v501 | Current marital status | discrete | numeric | |
| V323 | v502 | Currently/formerly/never marr. | discrete | numeric | |
| V324 | v503 | Number of unions | discrete | numeric | |
| V325 | v504 | Husband lives in house | discrete | numeric | |
| V326 | v505 | Number of other wives | discrete | numeric | |
| V327 | v506 | Wife rank number | discrete | numeric | |
| V328 | v507 | Month of first marriage | discrete | numeric | |
| V329 | v508 | Year of first marriage | contin | numeric | |
| V330 | v509 | Date of first marriage (CMC) | contin | numeric | |
| V331 | v510 | Completeness of date inform. | discrete | numeric | |
| V332 | v511 | Age at first marriage | contin | numeric | |
| V333 | v512 | Years since first marriage | contin | numeric | |
| V334 | v513 | Marital duration (grouped) | discrete | numeric | |
| V335 | v514 | Respondents mother still alive | discrete | numeric | |
| V336 | v515 | Respondents father still alive | discrete | numeric | |
| V337 | v516 | Husband's mother still alive | discrete | numeric | |
| V338 | v517 | Husband's father still alive | discrete | numeric | |
| V339 | v518 | Resp. mother alive at union | discrete | numeric | |
| V340 | v519 | Resp. father alive at union | discrete | numeric | |
| V341 | v520 | Husb. mother alive at union | discrete | numeric | |
| V342 | v521 | Husb. father alive at union | discrete | numeric | |
| V343 | v522 | Years lived with parents | discrete | numeric | |
| V344 | v523 | Currently living with parents | discrete | numeric | |
| V345 | v524 | Localities since first marr. | discrete | numeric | |
| V346 | v525 | Age at first intercourse | discrete | numeric | |
| V347 | v526 | Frequency of intercourse | discrete | numeric | |
| V348 | v527 | Time since last intercourse | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V349 | v528 | Time since last intercourse(g) | discrete | numeric | |

REC61

Content WOMAN - Fertility Preferences

Cases 5982

Variable(s) 15

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V350 | caseid | Case identification | discrete | character | |
| V351 | v601 | Preference and certainty | discrete | numeric | |
| V352 | v602 | Fertility preference | discrete | numeric | |
| V353 | v603 | Preferred waiting time | discrete | numeric | |
| V354 | v604 | Preferred waiting time (grpd) | discrete | numeric | |
| V355 | v605 | Desire for more children | discrete | numeric | |
| V356 | v606 | Attitude toward becoming preg. | discrete | numeric | |
| V357 | v607 | Main reason for non-use | discrete | numeric | |
| V358 | v608 | Ideal post-partum abst. period | discrete | numeric | |
| V359 | v609 | Sex while brestfeeding | discrete | numeric | |
| V360 | v610 | Husband approves FP | discrete | numeric | |
| V361 | v611 | Discussed FP with partner | discrete | numeric | |
| V362 | v612 | Respondent approves FP | discrete | numeric | |
| V363 | v613 | Ideal number of children | discrete | numeric | |
| V364 | v614 | Ideal number of children (grp) | discrete | numeric | |

REC71

| | |
|--------------|------------------------------------|
| Content | WOMAN - Husband' s Characteristics |
| Cases | 5982 |
| Variable(s) | 16 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V365 | caseid | Case identification | discrete | character | |
| V366 | v701 | Husband's education level | discrete | numeric | |
| V367 | v702 | Highest year of education | discrete | numeric | |
| V368 | v703 | Husband's literacy | discrete | numeric | |
| V369 | v704 | Husband's occupation | contin | numeric | |
| V370 | v705 | Husband's occupation | discrete | numeric | |
| V371 | v706 | Nonagricultural earnings | discrete | numeric | |
| V372 | v707 | Type of land where works | discrete | numeric | |
| V373 | v708 | Type of agricultural wages | discrete | numeric | |
| V374 | v709 | Respondent worked before marr. | discrete | numeric | |
| V375 | v710 | Wages for family or self | discrete | numeric | |
| V376 | v711 | Respondent worked after marr. | discrete | numeric | |
| V377 | v712 | Respondent worked (nev.marr.) | discrete | numeric | |
| V378 | v713 | Wages for family or self | discrete | numeric | |
| V379 | v714 | Respondent currently working | discrete | numeric | |
| V380 | v715 | Husbands education-single yrs | discrete | numeric | |

REC81

| | |
|--------------|--------------------------------------|
| Content | WOMAN - Characteristics of Interview |
| Cases | 5982 |
| Variable(s) | 15 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V381 | caseid | Case identification | discrete | character | |
| V382 | v801 | Time interview started | contin | numeric | |
| V383 | v802 | Time interview ended | contin | numeric | |
| V384 | v803 | Length of interview in minutes | discrete | numeric | |
| V385 | v804 | Number of visits | discrete | numeric | |
| V386 | v805 | Interviewer identification | contin | numeric | |
| V387 | v806 | Keyer identification | discrete | numeric | |
| V388 | v807 | Pres. children < 10 (sec 2) | discrete | numeric | |
| V389 | v808 | Pres. husband (sec 2) | discrete | numeric | |
| V390 | v809 | Pres. other males (sec 2) | discrete | numeric | |
| V391 | v810 | Pres. other females (sec 2) | discrete | numeric | |
| V392 | v811 | Pres. children < 10 (sec 5) | discrete | numeric | |
| V393 | v812 | Pres. husband (sec 5) | discrete | numeric | |
| V394 | v813 | Pres. other males (sec 5) | discrete | numeric | |
| V395 | v814 | Pres. other females (sec 5) | discrete | numeric | |

REC91

| | |
|--------------|---|
| Content | WOMAN - Country specific - Single Variables |
| Cases | 5982 |
| Variable(s) | 68 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|----------|--------------------------------|----------|-----------|----------|
| V396 | caseid | Case identification | discrete | character | |
| V397 | awfactt | All woman factor - Total | contin | numeric | |
| V398 | awfactu | All woman factor - Urban/Rural | contin | numeric | |
| V399 | awfactr | All woman factor - Regions | contin | numeric | |
| V400 | awfacte | All woman factor - Education | contin | numeric | |
| V401 | sprov | Province ou Prfecture | contin | numeric | |
| V402 | scercle | Cercle | discrete | numeric | |
| V403 | smunicip | Municipalit | contin | numeric | |
| V404 | scentre | Centre | discrete | numeric | |
| V405 | suprim | Numro de l'unit primaire | contin | numeric | |
| V406 | susecond | Numro de l'unit secondaire | discrete | numeric | |
| V407 | sstrate | Strate | discrete | numeric | |
| V408 | s107 | Document de naissance | discrete | numeric | |
| V409 | s123 | Mode d'eclairage | discrete | numeric | |
| V410 | s124 | Mode cuire les repas | discrete | numeric | |
| V411 | s125c | Possedez-vous une video | discrete | numeric | |
| V412 | s126d | Possede une camionnette | discrete | numeric | |
| V413 | s126e | Possede un camion | discrete | numeric | |
| V414 | s126g | Possede une charette | discrete | numeric | |
| V415 | s126h | Possede une mulet/ane | discrete | numeric | |
| V416 | s130 | Nombre de pieces d'habitation | contin | numeric | |
| V417 | s131 | Statut d'occupation | discrete | numeric | |
| V418 | s132 | Urbain/Rural | discrete | numeric | |
| V419 | s133 | Avez-vous une curie | discrete | numeric | |
| V420 | s134 | L'curie l'int. ou l'ext. | discrete | numeric | |
| V421 | s328 | Nombre de visites prnatales | discrete | numeric | |
| V422 | s329 | Ou eu premire consultation | discrete | numeric | |
| V423 | s330 | Mois de gross. pour 1re vis. | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|--------|---------------------------------|----------|---------|----------|
| V424 | s418 | Comment utiliser la pilule | discrete | numeric | |
| V425 | s419 | Jours prendre la pilule | discrete | numeric | |
| V426 | s420 | Quand prendre la pilule, si oub | discrete | numeric | |
| V427 | s425 | N'aime pas la prestation | discrete | numeric | |
| V428 | s429 | N'aime pas strilet/ligature | discrete | numeric | |
| V429 | s431 | Problmes dep. strilet/str.f | discrete | numeric | |
| V430 | s432 | Problme avec strilet/str.f | discrete | numeric | |
| V431 | s453 | Principale mthode connue | discrete | numeric | |
| V432 | s454 | Raison n'utilise pas | discrete | numeric | |
| V433 | s515c | Donn th | discrete | numeric | |
| V434 | s515e | Donn lait de vache | discrete | numeric | |
| V435 | s515f | Donn lait de chvre | discrete | numeric | |
| V436 | s515g | Donn lait concentr | discrete | numeric | |
| V437 | s515h | Donn autre liquide | discrete | numeric | |
| V438 | s515i | Donn bouillie | discrete | numeric | |
| V439 | s515j | Donn aliments solides | discrete | numeric | |
| V440 | s518 | Raison cess d'allaiter | discrete | numeric | |
| V441 | s519 | Arrt progressiv. ou brutal. | discrete | numeric | |
| V442 | s204 | Nombre de fois marie | discrete | numeric | |
| V443 | s219 | Lien de parente entre fem/mari | discrete | numeric | |
| V444 | s609 | Dernier enfant par cesarienne | discrete | numeric | |
| V445 | s612a | Nombre d'enfants desir | discrete | numeric | |
| V446 | s612b | Nombre d'enfants desir | discrete | numeric | |
| V447 | s613a | Nombre de garons desir | discrete | numeric | |
| V448 | s613b | Nombre de filles desir | discrete | numeric | |
| V449 | s713 | Mari a eloign plus d'un mois | discrete | numeric | |
| V450 | s717 | Avez-vous travail depuis mar | discrete | numeric | |
| V451 | s718 | Donne l'argent sa famille | discrete | numeric | |
| V452 | s801 | Eu des soins pour une maladie | discrete | numeric | |
| V453 | s802 | Assist quelqu'un avec maladie | discrete | numeric | |
| V454 | s803 | O alle pour vous/se soigner | discrete | numeric | |
| V455 | s804 | Satisfaite par le service | discrete | numeric | |
| V456 | s805 | Raison n'tait pas satisfaite | discrete | numeric | |
| V457 | s806 | Raison n'est pas alle a l'hp | discrete | numeric | |
| V458 | s807 | L'adresse du dispensaire | discrete | numeric | |
| V459 | s808h | Temps pour aller au dispens. H | discrete | numeric | |
| V460 | s808m | Temps pour aller au dispens. M | discrete | numeric | |
| V461 | s910h | Heure de la fin de l'interview | discrete | numeric | |
| V462 | s910m | Minutes de la fin de l'interv. | discrete | numeric | |
| V463 | srec97 | Count of Entries in REC97 | discrete | numeric | |

REC92

| | |
|--------------|-----------------------------------|
| Content | WOMAN - Country specific - Births |
| Cases | 25518 |
| Variable(s) | 3 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|------------------------|----------|-----------|----------|
| V464 | caseid | Case identification | discrete | character | |
| V465 | idx92 | Index to birth history | discrete | numeric | |
| V466 | s317 | Document d'enfant | discrete | numeric | |

REC94

| | |
|--------------|--------------------------------------|
| Content | WOMAN - Country specific - Maternity |
| Cases | 6102 |
| Variable(s) | 5 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|-------------------------|----------|-----------|----------|
| V467 | caseid | Case identification | discrete | character | |
| V468 | idx94 | Index to birth history | discrete | numeric | |
| V469 | s503 | Nombre de consultations | contin | numeric | |
| V470 | s504 | Premire consultation o | discrete | numeric | |
| V471 | s506 | O accouch enfant | discrete | numeric | |

REC95

| | |
|--------------|-----------------------------------|
| Content | WOMAN - Country specific - Health |
| Cases | 5602 |
| Variable(s) | 14 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|------------------------|----------|-----------|----------|
| V472 | caseid | Case identification | discrete | character | |
| V473 | idx95 | Index to birth history | discrete | numeric | |
| V474 | svd1 | Received Vitamin D2/1 | discrete | numeric | |
| V475 | svd1d | Day of immunization | discrete | numeric | |
| V476 | svd1m | Month of immunization | discrete | numeric | |
| V477 | svd1y | Year of immunization | discrete | numeric | |
| V478 | svd2 | Received Vitamin D2/2 | discrete | numeric | |
| V479 | svd2d | Day of immunization | discrete | numeric | |
| V480 | svd2m | Month of immunization | discrete | numeric | |
| V481 | svd2y | Year of immunization | discrete | numeric | |
| V482 | s529b | Bouillie eau de riz | discrete | numeric | |
| V483 | s529c | Soupe carottes | discrete | numeric | |
| V484 | s529f | Plantes mdicinales | discrete | numeric | |
| V485 | s529g | Autre | discrete | numeric | |

REC96

| | |
|--------------|--|
| Content | WOMAN - Country specific - Height and Weight |
| Cases | 5693 |
| Variable(s) | 13 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|-------------------------------|----------|-----------|----------|
| V486 | caseid | Case identification | discrete | character | |
| V487 | idx96 | Index to birth history | discrete | numeric | |
| V488 | s904a | Diarrhe: Pli cutane | discrete | numeric | |
| V489 | s904b | Diarrhe: Langue seche | discrete | numeric | |
| V490 | s904c | Diarrhe: Cerne sous occulaire | discrete | numeric | |
| V491 | s905c | Primetre cranien (cm) | contin | numeric | |
| V492 | s906 | Oedemes | discrete | numeric | |
| V493 | s907a | Enfant coute | discrete | numeric | |
| V494 | s907b | Enfant parle | discrete | numeric | |
| V495 | s907c | Enfant voit | discrete | numeric | |
| V496 | s907d | Enfant normal | discrete | numeric | |
| V497 | s908 | Paralysie des membres super. | discrete | numeric | |
| V498 | s909 | Paralysie des membres infer. | discrete | numeric | |

REC97

| | |
|--------------|--------------------------|
| Content | WOMAN - Country specific |
| Cases | 500 |
| Variable(s) | 19 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|------------------------------|----------|-----------|----------|
| V499 | caseid | Case identification | discrete | character | |
| V500 | idx97 | Index to birth history | discrete | numeric | |
| V501 | s530a | Enflm. des extrm. du corps | discrete | numeric | |
| V502 | s530b | Maigreur extrme | discrete | numeric | |
| V503 | s530c | Forte fivre | discrete | numeric | |
| V504 | s530d | Diarrhe | discrete | numeric | |
| V505 | s530e | Vomissements | discrete | numeric | |
| V506 | s530f | Impossible ouvrir la bouche | discrete | numeric | |
| V507 | s530g | Toux frquente et intense | discrete | numeric | |
| V508 | s530h | Gn respiratoire | discrete | numeric | |
| V509 | s530i | Ictere | discrete | numeric | |
| V510 | s530j | Eruption | discrete | numeric | |
| V511 | s530k | Convulsions | discrete | numeric | |
| V512 | s530l | Corps raide | discrete | numeric | |
| V513 | s530m | Contractures musculaires | discrete | numeric | |
| V514 | s530n | Accidents | discrete | numeric | |
| V515 | s530o | Intoxication ou envenimation | discrete | numeric | |
| V516 | s530p | Autres signes | discrete | numeric | |
| V517 | s531 | Maladie qui a tue l'enfant | discrete | numeric | |

HWREC

| | |
|--------------|---|
| Content | Height and Weight Scores - WHO Child Growth Standards |
| Cases | 5693 |
| Variable(s) | 7 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|----------|--|----------|-----------|----------|
| V518 | hwcaseid | Case Identification | discrete | character | |
| V519 | hwline | Line | discrete | numeric | |
| V520 | hwlevel | Data from HH or individual | discrete | numeric | |
| V521 | hc70 | Ht/A Standard deviations (according to WHO) | discrete | numeric | |
| V522 | hc71 | Wt/A Standard deviations (according to WHO) | discrete | numeric | |
| V523 | hc72 | Wt/Ht Standard deviations (according to WHO) | discrete | numeric | |
| V524 | hc73 | BMI Standard deviations (according to WHO) | discrete | numeric | |

Level1 Identification (level1id)

File: SEC01

Overview

Type: Discrete
Format: character
Width: 6

Numro de grappe (mgrappe)

File: SEC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-427

Province ou Prfecture (mprov)

File: SEC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-85

Cercle (mcercle)

File: SEC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Municipalit (mmunicip)

File: SEC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-50

Centre (mcentre)

File: SEC01

Centre (mcentre)

File: SEC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Numro de l'unit primaire (muprim)

File: SEC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-150

Numro de l'unit secondaire (musecond)

File: SEC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-21

Strate (mstrate)

File: SEC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Numro du mnage (mmenage)

File: SEC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-106

Mois de l'interview (mmois)

File: SEC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 5-8

Anne de l'interview (mannee)

File: SEC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 87-87

Code enquitrice (menq)

File: SEC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-52

Résultat final (mresult)

File: SEC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Nombre de visites (mvisites)

File: SEC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Code de saisie (msaisi)

File: SEC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Nombre de membres du ménage (mmembres)

File: SEC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-30

Nombre de femmes ligibles (mfemmes)

File: SEC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Level1 Identification (level1id)

File: SEC02

Overview

Type: Discrete
Format: character
Width: 6

Numro de la ligne du membre (mligne)

File: SEC02

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-30

Rsidence habituellement (mhabit)

File: SEC02

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Present la dernire nuit (mvisit)

File: SEC02

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Sexe (msexe)

File: SEC02

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Age (mage)

File: SEC02

Age (mage)

File: SEC02

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Etat matrimonial (metat)

File: SEC02

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Frequent l'école (minstruc)

File: SEC02

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Niveau d'instruction (mniveau)

File: SEC02

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Classe de ce niveau (mclasse)

File: SEC02

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Selection de la femme (mselect)

File: SEC02

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-29

Femme saisie (mpunch)

File: SEC02

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Case identification (caseid)

File: REC01

Overview

Type: Discrete
Format: character
Width: 9

Country code (v000)

File: REC01

Overview

Type: Discrete
Format: character
Width: 2

Cluster number (v001)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-427

Household number (v002)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-105

Line number (v003)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-29

Enumeration area (v004)

File: REC01

Overview

Enumeration area (v004)

File: REC01

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-427

Sample weight (v005)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 7

Decimals: 0

Range: 1000000-1000000

Month of interview (v006)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 5-8

Year of interview (v007)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 87-87

Date of interview (CMC) (v008)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 1049-1052

Respondent's month of birth (v009)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Respondent's year of birth (v010)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 37-72

Date of birth (CMC) (v011)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 451-869

Current age - respondent (v012)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 15-49

Age 5-year groups (v013)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Completeness of information (v014)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Case identification (caseid)

File: REC11

Overview

Type: Discrete
Format: character
Width: 9

Region (v101)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Type of place of residence (v102)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Childhood place of residence (v103)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Years lived in place of res. (v104)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Type of place of previous res. (v105)

File: REC11

Type of place of previous res. (v105)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Highest educational level (v106)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Highest year of education (v107)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Literacy (v108)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Reads newspaper once a week (v109)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Watches TV every week (v110)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Listens to radio every day (v111)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Listens to radio every week (v112)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of drinking water (v113)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Source of non-drinking water (v114)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time to get to water source (v115)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Type of toilet facility (v116)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Age children use toilet (v117)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-96

Cake of soap on premises (v118)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has electricity (v119)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has radio (v120)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has television (v121)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has refrigerator (v122)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has bicycle (v123)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has motorcycle (v124)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has car (v125)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has tractor (v126)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Main floor material (v127)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Main wall material (v128)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Main roof material (v129)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Religion (v130)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Ethnicity (v131)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Association membership (v132)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Education in single years (v133)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

De facto place of residence (v134)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Usual resident or visitor (v135)

File: REC11

Usual resident or visitor (v135)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Household members (v136)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-30

Children resident 5 and under (v137)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Eligible women in household (v138)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Case identification (caseid)

File: REC21

Overview

Type: Discrete
Format: character
Width: 9

Birth column number (bidx)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Birth order number (bord)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Child is twin (b0)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Month of birth (b1)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of birth (b2)

File: REC21

Year of birth (b2)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 50-87

Date of birth (CMC) (b3)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 609-1051

Sex of child (b4)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Child is alive (b5)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Age at death (b6)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-999

Age at death (months-imputed) (b7)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-90

Current age of child (b8)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-36

Child lives with respondent (b9)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Completeness of information (b10)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Preceding birth interval (b11)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 7-305

Succeeding birth interval (b12)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 7-305

Case identification (caseid)

File: REC22

Overview

Type: Discrete
Format: character
Width: 9

Total children ever born (v201)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

Sons at home (v202)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Daughters at home (v203)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Sons elsewhere (v204)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Daughters elsewhere (v205)

File: REC22

Daughters elsewhere (v205)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Sons who have died (v206)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Daughters who have died (v207)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-13

Births in last five years (v208)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Births in past year (v209)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Births in month of interview (v210)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Date of first birth (CMC) (v211)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 609-1051

Age of respondent at 1st birth (v212)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 9-45

Currently pregnant (v213)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Duration of current pregnancy (v214)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Time since last menstrual period (v215)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-999

Menstruated in last six weeks (v216)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Knowledge of ovulatory cycle (v217)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of living children (v218)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-13

Living children + current preg (v219)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-13

Living children + curr preg 6+ (v220)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Marriage to first birth int. (v221)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 2-996

Last birth to interview (v222)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-413

Completeness of information (v223)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 5-6

Entries in birth history (v224)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

Case identification (caseid)

File: REC31

Overview

Type: Discrete
Format: character
Width: 9

Knowledge of any method (v301)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ever use of any method (v302)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Knows source for modern method (v303)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Contraceptive Table (rec31_group)

File: REC31

Overview

Type: Discrete
Format: character
Width: 9

Knows method (v304)

File: REC31

Overview

Knows method (v304)

File: REC31

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Ever used method (v305)

File: REC31

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Source known for method (v306)

File: REC31

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

Source for method by type (v307)

File: REC31

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Main problem with method (v308)

File: REC31

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

Main problem with method (v309)

File: REC31

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Case identification (caseid)

File: REC32

Overview

Type: Discrete
Format: character
Width: 9

Living children at first use (v310)

File: REC32

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Children at first use (grpds) (v311)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Current contraceptive method (v312)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Current use by method type (v313)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Method of periodic abstinence (v314)

File: REC32

Method of periodic abstinence (v314)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Month of sterilization (v315)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of sterilization (v316)

File: REC32

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 64-87

Date of sterilization (CMC) (v317)

File: REC32

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 776-1050

Completeness of information (v318)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Years since sterilization (v319)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Age at sterilization (v320)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Marital duration at steriliz. (v321)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Parity at sterilization (v322)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Brand of pill used (v323)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-96

Using social marketing brand (v324)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cost of pills (v325)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 996-998

Last source for current users (v326)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Last source for users by type (v327)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Satisfaction with services (v328)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Source of info. for trad.users (v329)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Source of info. for trad.users (v330)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Satisf. with services(trad.us) (v331)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Last source for past users (v332)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Source for past users by type (v333)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Satisf. with services(past us) (v334)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Duration of current use (v335)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Duration of current use (v336)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Months of use of current meth (v337)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-999

Problem with current method (v338)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Problem with current method (v339)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Other method used (v340)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

Last method used before curr (v341)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Date of previous use (v342)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Date of previous use (v343)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 68-99

Date started using prev. meth. (v344)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 831-9999

Completeness of information (v345)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Duration of previous use (v346)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration of previous use (v347)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months using previous method (v348)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Reason stopped using prev. met (v349)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Method used in OBI past users (v350)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Date started last method (v351)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Date started last method (v352)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 63-99

Date started using last method (v353)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 763-9999

Completeness of information (v354)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Duration last method in OBI (v355)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration last method in OBI (v356)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months using last method (v357)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Reason stopped using last meth (v358)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Last method disc. last 5 years (v359)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Reason of last discontinuation (v360)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Pattern of use (v361)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Intention to use (v362)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Preferred future method (v363)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Contraceptive use & intention (v364)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Heard FP message on radio (v365)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Acceptability of media message (v366)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Wanted last child (v367)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Entries in contraception table (v368)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Case identification (caseid)

File: REC33

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (cpidx)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Last method used in interval (cp1)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Previous method used in int. (cp2)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration of use in interval (cp3)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration of use in interval (cp4)

File: REC33

Duration of use in interval (cp4)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of use of last method (cp5)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Reason stopped using method (cp6)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Fertility Planning (3 grps) (cp7)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Fertility Planning (6 grps) (cp8)

File: REC33

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Outcome of birth (cp9)

File: REC33

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

Case identification (caseid)

File: REC41

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (midx)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Tetanus injection before birth (m1)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Prenatal care before birth (m2)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Assistance at delivery (m3)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Duration of breastfeeding (m4)

File: REC41

Duration of breastfeeding (m4)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of breastfeeding (m5)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration of amenorrhea (m6)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of amenorrhea (m7)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration of abstinence (m8)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 90-97

Months of abstinence (m9)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 90-97

Case identification (caseid)

File: REC42

Overview

Type: Discrete
Format: character
Width: 9

Last birth cesarean section (v401)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Tetanus injection current preg (v402)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal care current preg. (v403)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Currently breastfeeding (v404)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Currently amenorrheic (v405)

File: REC42

Currently amenorrheic (v405)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Currently abstaining (v406)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Times breastfed during night (v407)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Times breastfed during day (v408)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Gave child plain water (v409)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child juice (v410)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child powdered milk (v411)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child cows or goats milk (v412)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child other liquid (v413)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child solid or mushy food (v414)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fed food in bottle with nipple (v415)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Heard of oral rehydration (v416)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Entries in maternity table (v417)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Entries in health table (v418)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Entries in height/weight table (v419)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Measurers code (v420)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Assistant measurers code (v421)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Case identification (caseid)

File: REC43

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (hidx)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Has health card (h1)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Received BCG (h2)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

BCG day (h2d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

BCG month (h2m)

File: REC43

BCG month (h2m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

BCG year (h2y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 82-99

Received DPT 1 (h3)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

DPT 1 day (h3d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 1 month (h3m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 1 year (h3y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 82-99

Received POLIO 1 (h4)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

POLIO 1 day (h4d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 1 month (h4m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 1 year (h4y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 82-99

Received DPT 2 (h5)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

DPT 2 day (h5d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 2 month (h5m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 2 year (h5y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 82-99

Received POLIO 2 (h6)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

POLIO 2 day (h6d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 2 month (h6m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 2 year (h6y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 82-99

Received DPT 3 (h7)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

DPT 3 day (h7d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 3 month (h7m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 3 year (h7y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 82-99

Received POLIO 3 (h8)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

POLIO 3 day (h8d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 3 month (h8m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 3 year (h8y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 82-99

Received MEASLES (h9)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

MEASLES day (h9d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

MEASLES month (h9m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

MEASLES year (h9y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 82-99

Ever had vaccination (h10)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had diarrhea recently (h11)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Received medical treatment (h12)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given oral rehydration (h13)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given home solution of sugar (h14)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given tablets,injections,syrup (h15)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Increase fluids (h16)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Decrease fluids (h17)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Increase foods (h18)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Decrease foods (h19)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given other treatment (h20)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Received any treatment (h21)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Had fever in last 4 weeks (h22)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Received medical treatment (h23)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Given antimalarials (h24)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given antibiotics (h25)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given liquid or syrup (h26)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given aspirin (h27)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given injection (h28)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other treatment for fever (h29)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had any treatment for fever (h30)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had cough/difficult breathing (h31)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Received medical treament (h32)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Given antibiotics (h33)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given cough syrup (h34)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given pill (h35)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given injection (h36)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other treatment for cough (h37)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given any treatment for cough (h38)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case identification (caseid)

File: REC44

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (hwidx)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Age in months (hw1)

File: REC44

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-60

Weight in kilograms (hw2)

File: REC44

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Height in centimetres (hw3)

File: REC44

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 408-9999

Ht/A Percentile (hw4)

File: REC44

Ht/A Percentile (hw4)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Ht/A Standard deviations (hw5)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -597-9999

Ht/A Percent of ref. median (hw6)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 7565-99999

Wt/A Percentile (hw7)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Wt/A Standard deviations (hw8)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -475-9999

Wt/A Percent of ref. median (hw9)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 4248-99999

Wt/Ht Percentile (hw10)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Wt/Ht Standard deviations (hw11)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -400-9999

Wt/Ht Percent of ref. median (hw12)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 5887-99999

Reason not measured (hw13)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Case identification (caseid)

File: REC51

Overview

Type: Discrete
Format: character
Width: 9

Current marital status (v501)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Currently/formerly/never marr. (v502)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Number of unions (v503)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Husband lives in house (v504)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Number of other wives (v505)

File: REC51

Number of other wives (v505)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Wife rank number (v506)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 98-98

Month of first marriage (v507)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of first marriage (v508)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 48-87

Date of first marriage (CMC) (v509)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 583-1051

Completeness of date inform. (v510)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Age at first marriage (v511)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 8-48

Years since first marriage (v512)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-38

Marital duration (grouped) (v513)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Respondents mother still alive (v514)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Respondents father still alive (v515)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Husband's mother still alive (v516)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Husband's father still alive (v517)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Resp. mother alive at union (v518)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Resp. father alive at union (v519)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Husb. mother alive at union (v520)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Husb. father alive at union (v521)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Years lived with parents (v522)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Currently living with parents (v523)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Localities since first marr. (v524)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Age at first intercourse (v525)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Frequency of intercourse (v526)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Time since last intercourse (v527)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 996-998

Time since last intercourse(g) (v528)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 31-98

Case identification (caseid)

File: REC61

Overview

Type: Discrete
Format: character
Width: 9

Preference and certainty (v601)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Fertility preference (v602)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Preferred waiting time (v603)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-999

Preferred waiting time (grpd) (v604)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Desire for more children (v605)

File: REC61

Desire for more children (v605)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Attitude toward becoming preg. (v606)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Main reason for non-use (v607)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Ideal post-partum abst. period (v608)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 996-996

Sex while brestfeeding (v609)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Husband approves FP (v610)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Discussed FP with partner (v611)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Respondent approves FP (v612)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Ideal number of children (v613)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ideal number of children (grp) (v614)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Case identification (caseid)

File: REC71

Overview

Type: Discrete
Format: character
Width: 9

Husband's education level (v701)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Highest year of education (v702)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Husband's literacy (v703)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Husband's occupation (v704)

File: REC71

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: -32-999

Husband's occupation (v705)

File: REC71

Husband's occupation (v705)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Nonagricultural earnings (v706)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Type of land where works (v707)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Type of agricultural wages (v708)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Respondent worked before marr. (v709)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Wages for family or self (v710)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Respondent worked after marr. (v711)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Respondent worked (nev.marr.) (v712)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Wages for family or self (v713)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Respondent currently working (v714)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Husbands education-single yrs (v715)

File: REC71

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Case identification (caseid)

File: REC81

Overview

Type: Discrete
Format: character
Width: 9

Time interview started (v801)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 615-9999

Time interview ended (v802)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 700-9999

Length of interview in minutes (v803)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Number of visits (v804)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Interviewer identification (v805)

File: REC81

Interviewer identification (v805)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-52

Keyer identification (v806)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Pres. children < 10 (sec 2) (v807)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pres. husband (sec 2) (v808)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pres. other males (sec 2) (v809)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pres. other females (sec 2) (v810)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pres. children < 10 (sec 5) (v811)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Pres. husband (sec 5) (v812)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Pres. other males (sec 5) (v813)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Pres. other females (sec 5) (v814)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case identification (caseid)

File: REC91

Overview

Type: Discrete
Format: character
Width: 9

All woman factor - Total (awfactt)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 100-4591

All woman factor - Urban/Rural (awfactu)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 100-7567

All woman factor - Regions (awfactr)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 100-4600

All woman factor - Education (awfacte)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 100-7000

Province ou Prfecture (sprov)

File: REC91

Province ou Prfecture (sprov)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-85

Cercle (scercle)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Municipalit (smunicip)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-50

Centre (scentre)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Numro de l'unit primaire (suprim)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-150

Numro de l'unit secondaire (susecond)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-21

Strate (sstrate)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Document de naissance (s107)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Mode d'eclairage (s123)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Mode cuire les repas (s124)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Possedez-vous une video (s125c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Possede une camionnette (s126d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Possede un camion (s126e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Possede une charette (s126g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Possede une mulet/ane (s126h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Nombre de pieces d'habitation (s130)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Statut d'occupation (s131)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Urbain/Rural (s132)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Avez-vous une curie (s133)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

L'curie l'int. ou l'ext. (s134)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Nombre de visites prnatales (s328)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ou eu premire consultation (s329)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Mois de gross. pour 1re vis. (s330)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Comment utiliser la pilule (s418)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Jours prendre la pilule (s419)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Quand prendre la pilule, si oub (s420)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

N'aime pas la prestation (s425)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

N'aime pas strilet/ligature (s429)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Problmes dep. strilet/str.f (s431)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Problme avec strilet/str.f (s432)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Principale méthode connue (s453)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Raison n'utilise pas (s454)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Donn th (s515c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Donn lait de vache (s515e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Donn lait de chvre (s515f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Donn lait concentr (s515g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Donn autre liquide (s515h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Donn bouillie (s515i)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Donn aliments solides (s515j)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Raison cess d'allaiter (s518)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Arrt progressiv. ou brutal. (s519)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Nombre de fois marie (s204)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Lien de parente entre fem/mari (s219)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Dernier enfant par cesarienne (s609)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Nombre d'enfants desir (s612a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Nombre d'enfants desir (s612b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Nombre de garons desir (s613a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Nombre de filles desir (s613b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Mari a eloign plus d'un mois (s713)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Avez-vous travaill depuis mar (s717)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Donne l'argent sa famille (s718)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Eu des soins pour une maladie (s801)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Assist quelqu'un avec maladie (s802)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

O alle pour vous/se soigner (s803)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Satisfaite par le service (s804)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Raison n'tait pas satisfaite (s805)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Raison n'est pas alle a l'hp (s806)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

L'adresse du dispensaire (s807)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Temps pour aller au dispens. H (s808h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Temps pour aller au dispens. M (s808m)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Heure de la fin de l'interview (s910h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 7-99

Minutes de la fin de l'interv. (s910m)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Count of Entries in REC97 (srec97)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Case identification (caseid)

File: REC92

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (idx92)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Document d'enfant (s317)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Case identification (caseid)

File: REC94

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (idx94)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Nombre de consultations (s503)

File: REC94

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Première consultation o (s504)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

O accouch enfant (s506)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Case identification (caseid)

File: REC95

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (idx95)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Received Vitamin D2/1 (svd1)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Day of immunization (svd1d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Month of immunization (svd1m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Year of immunization (svd1y)

File: REC95

Year of immunization (svd1y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 82-99

Received Vitamin D2/2 (svd2)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Day of immunization (svd2d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Month of immunization (svd2m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Year of immunization (svd2y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 82-99

Bouillie eau de riz (s529b)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Soupe carottes (s529c)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Plantes mdicinales (s529f)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Autre (s529g)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case identification (caseid)

File: REC96

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (idx96)

File: REC96

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Diarrhe: Pli cutane (s904a)

File: REC96

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Diarrhe: Langue seche (s904b)

File: REC96

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Diarrhe: Cerne sous oculaire (s904c)

File: REC96

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Primetre cranien (cm) (s905c)

File: REC96

Primetre cranien (cm) (s905c)

File: REC96

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 0-999

Oedemes (s906)

File: REC96

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Enfant coute (s907a)

File: REC96

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Enfant parle (s907b)

File: REC96

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Enfant voit (s907c)

File: REC96

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Enfant normal (s907d)

File: REC96

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Paralysie des membres super. (s908)

File: REC96

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Paralysie des membres infer. (s909)

File: REC96

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Case identification (caseid)

File: REC97

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (idx97)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Enflm. des extrm. du corps (s530a)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Maigreur extrme (s530b)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Forte fivre (s530c)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhe (s530d)

File: REC97

Diarrhe (s530d)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vomissements (s530e)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Impossible ouvrir la bouche (s530f)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Toux frquente et intense (s530g)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Gn respiratoire (s530h)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Ictere (s530i)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Eruption (s530j)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Convulsions (s530k)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Corps raide (s530l)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Contractures musculaires (s530m)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Accidents (s530n)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Intoxication ou envenimation (s530o)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Autres signes (s530p)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Maladie qui a tue l'enfant (s531)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Case Identification (hwcaseid)

File: HWREC

Overview

Type: Discrete
Format: character
Width: 9

Line (hwline)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Data from HH or individual (hwlevel)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Ht/A Standard deviations (according to WHO) (hc70)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -596-9999

Wt/A Standard deviations (according to WHO) (hc71)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -546-9999

Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -479-9999

BMI Standard deviations (according to WHO) (hc73)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -479-9999

Related Materials

Questionnaires

ENPS - Feuille Ménage

| | |
|----------------|--|
| Title | ENPS - Feuille Ménage |
| Author(s) | Ministère de la Santé Publique Service des Etudes et de l'Information Sanitaire |
| Date | 1987-01-01 |
| Country | Morocco |
| Language | French |
| Contributor(s) | Institute for Resource Development/Westinghouse |
| Description | <p>La feuille de ménage consiste en un groupe de questions relativement simples qui sont posées chaque membre du ménage et chaque visiteur(se) ayant passé la nuit précédent le jour de l'interview dans ce ménage: nom et prénoms, lien de parenté avec le chef du ménage, état de résidence, sexe, figure, état matrimonial et niveau d'instruction. La question sur l'état matrimonial est posée aux personnes âgées de 15 ans ou plus et la question sur le niveau d'instruction est adressée aux femmes âgées d'au moins 15 ans. Le but de la feuille de ménage est de fournir les dénominateurs pour le calcul de certains taux et indices comme les taux de fécondité générale, l'indice synthétique de fécondité et l'âge au premier mariage d'une part et de permettre l'identification des femmes éligibles pour les entrevues individuelles d'autre part.</p> |
| Filename | MAR_DHS_1987_Questionnaire_Household_Fr.pdf |

ENPS - Questionnaire Individuel

| | |
|----------------|---|
| Title | ENPS - Questionnaire Individuel |
| Author(s) | Ministère de la Santé Publique Service des Etudes et de l'Information Sanitaire |
| Date | 1987-01-01 |
| Country | Morocco |
| Language | French |
| Contributor(s) | Institute for Resource Development/Westinghouse |
| Description | <p>Le questionnaire individuel comprend neuf sections qui traitent de trois thèmes principaux:</p> <ol style="list-style-type: none"> 1. Nuptialité, fécondité et mortalité infantile et juvénile, y compris l'historique des naissances de tous les enfants de chacune des femmes enquêtées; 2. Régulation de la fécondité, y compris la connaissance, la pratique, la discontinuation et les raisons de la non utilisation de la planification familiale; 3. Santé de la mère et de l'enfant, y compris les visites prénatales, l'assistance à l'accouchement, l'allaitement au sein, la prévalence et le traitement de la diarrhée, les vaccinations, les causes des décès des enfants, les mesures anthropométriques des enfants âgés de moins de cinq ans et la connaissance et l'utilisation du système de Santé Publique. |
| Filename | MAR_DHS_1987_Questionnaire_Individual_Fr.pdf |

ENPS - Traduction du Questionnaire

| | |
|----------------|---|
| Title | ENPS - Traduction du Questionnaire |
| Author(s) | Ministère de la Santé Publique Service des Etudes et de l'Information Sanitaire |
| Date | 1987-01-01 |
| Country | Morocco |
| Language | French |
| Contributor(s) | Institute for Resource Development/Westinghouse |

| | |
|-------------|--|
| Description | Le questionnaire de l'ENPS a d'abord été préparé en français et, par la suite, a été traduit en arabe marocain, langue utilisée sur le terrain par les enquêtrices durant les interviews. Il est à noter que seules les questions adressées aux femmes enquêtées sont en arabe, les codes et les instructions réservées aux enquêtrices sont restés en français. |
| Filename | MAR_DHS_1987_Questionnaire_Translation_Fr.pdf |

Reports

Enquête Nationale sur la Planification Familiale, La Fécondité et la Santé de la Population au Maroc (ENPS) 1987 - Rapport Final

| | |
|----------------|--|
| Title | Enquête Nationale sur la Planification Familiale, La Fécondité et la Santé de la Population au Maroc (ENPS) 1987 - Rapport Final |
| Author(s) | Ministère de la Santé Publique Service des Etudes et de l'Information Sanitaire |
| Date | 1989-09-01 |
| Country | Morocco |
| Language | French |
| Contributor(s) | Institute for Resource Development/Westinghouse |
| Description | Ce document présente les résultats de l'Enquête Nationale sur la Planification Familiale, la Fécondité et la Santé de la Population au Maroc (ENPS), entreprise par le Service des Etudes et de l'Information Sanitaire (SELS) du Ministère de la Santé Publique en 1987. Cette enquête fait partie du projet mondial des Enquêtes Démographiques et de Santé Familiale (EDS) qui a pour but la collecte des données sur la fécondité, la planification familiale et la santé maternelle et infantile. Pour avoir plus de renseignements sur cette enquête, s'adresser au SELS, Ministère de la Santé Publique, Km 5, Route de Casablanca, Rabat, Maroc. |
| Filename | http://www.dhsprogram.com/pubs/pdf/FR25/FR25.pdf |

Other materials

Enquête Nationale sur la Planification Familiale, La Fécondité et la Santé de la Population au Maroc (ENPS) 1987 - Rapport de Synthèse

| | |
|----------------|--|
| Title | Enquête Nationale sur la Planification Familiale, La Fécondité et la Santé de la Population au Maroc (ENPS) 1987 - Rapport de Synthèse |
| Author(s) | Ministère de la Santé Publique Service des Etudes et de l'Information Sanitaire |
| Date | 1989-09-01 |
| Country | Morocco |
| Language | French |
| Contributor(s) | Institute for Resource Development/Westinghouse |
| Description | Ce document présente les résultats de l'Enquête Nationale sur la Planification Familiale, la Fécondité et la Santé de la Population au Maroc (ENPS), entreprise par le Service des Etudes et de l'Information Sanitaire (SELS) du Ministère de la Santé Publique en 1987. Cette enquête fait partie du projet mondial des Enquêtes Démographiques et de Santé Familiale (EDS) qui a pour but la collecte des données sur la fécondité, la planification familiale et la santé maternelle et infantile. Pour avoir plus de renseignements sur cette enquête, s'adresser au SELS, Ministère de la Santé Publique, Km 5, Route de Casablanca, Rabat, Maroc. |
| Filename | http://www.dhsprogram.com/pubs/pdf/SR163/SR163.pdf |