

# Morocco - Enquête sur la Population et la Santé Familiale 2003-2004

**Service des Etudes et de l'Information Sanitaire - SEIS, Division de la Planification  
et des Études, Direction de la Planification et des Ressources Financières -  
Ministère de la Santé**

Report generated on: June 6, 2017

Visit our data catalog at: <http://microdata.worldbank.org>



# Sampling

## Sampling Procedure

---

L'Enquête sur la Population et la Santé Familiale au Maroc en 2003-2004 (EPSF-2003-2004) vise un chantillon national d'environ 12 000 ménages, toutes les femmes âgées de 15 à 49 ans dans les ménages sélectionnés seront interrogées. Elle a pour principal objectif de recueillir des informations sur la fécondité, la mortalité maternelle et infantile, la connaissance et l'utilisation des méthodes contraceptives, les maladies chroniques des femmes, la santé familiale et la santé reproductive, la connaissance et les attitudes sur les infections sexuellement transmissibles et le sida. Les résultats de l'enquête seront présentés pour le Maroc, pour le milieu urbain et le milieu rural, pour chacune des quinze régions économiques.

### BASE DE SONDAGE

Le Royaume du Maroc a réalisé un Recensement Général de la Population et de l'Habitat en 2004 (RGPH-2004). Les Districts de Recensement (DR) qui ont été choisis pour les besoins du RGPH-2004 sont choisis comme unités primaires de l'enquête. Le pays a été découpé en 37 000 DRs environ. Les DRs contiennent des informations sur leur identifiant, leur milieu de résidence (urbain ou rural) et leur taille en ménage. Chaque DR a une carte délimitant sa position et ses limites. La base de sondage retenue est la liste complète des DRs. Cette base est stratifiée ensuite selon la région économique, le milieu de résidence (urbain/rural), la dimension de la ville et le type de l'habitat (en cinq catégories).

### CHANTILLONNAGE

L'chantillon de l'EPSF-2003-2004 est un chantillon aléatoire, stratifié et tiré 2 degrés. L'unité primaire de sondage est le DR tel que défini au RGPH-2004. Chaque région économique a été divisée en parties urbaine et rurale parmi lesquelles des strates d'chantillonage ont été créées selon la dimension de la ville et le type de l'habitat. L'chantillon a été tiré indépendamment dans chaque strate. Au premier degré, 480 DRs ont été tirés avec une probabilité proportionnelle à la taille, la taille étant le nombre de ménages dans le DR pendant l'opération de cartographie pour le RGPH 2004. Les DRs tirés sont ensuite découpés en segments (appel aussi grappe) de taille moyenne de 40 ménages. Un seul segment sera choisi pour l'enquête EPSF-2003-2004. Un échantillonnage des ménages dans chaque grappe sélectionnée a permis d'obtenir une liste de ménages qui a servi à sélectionner des ménages au deuxième degré. La segmentation des DRs n'est pas considérée comme une étape d'chantillonage car elle a pour seul but de limiter le travail de dénombrement à l'intérieur du DR. Au second degré, dans chacune des grappes sélectionnées, 25 ménages ont été sélectionnés avec un tirage systématique de probabilité gale, à partir des listes nouvellement établies au moment du dénombrement. Au total, 480 DRs ont été sélectionnés, dont 271 dans le milieu urbain et 209 dans le milieu rural. Par conséquent, 12 000 ménages ont été sélectionnés dont 6 775 ménages dans le milieu urbain et 5 225 ménages dans le milieu rural.

Tous les membres dans les ménages tirés sont enregistrés dans le questionnaire du ménage. Chaque femme âgée de 15 à 49 ans que l'on identifie dans le ménage est enquêtée en lui administrant un questionnaire individuel appelé questionnaire femme.

## Response Rate

---

### Enquête ménages:

- Ménages sélectionnés: 12 000
- Ménages identifiés: 11 650
- Ménages enquêtés: 11 513
- Taux de réponse des ménages: 98,8%

### Enquête individuelle femme:

- Effectif de femmes éligibles: 17 443
- Effectif de femmes éligibles enquêtées: 16 798
- Taux de réponse des femmes éligibles: 96,3%

# Questionnaires

## Overview

---

Dans le cadre de l'EPSF, deux questionnaires différents ont été utilisés :

- Le questionnaire ménage ;
- Le questionnaire individuel femme.

Les questionnaires Ménage et Individuel sont adaptés à partir des questionnaires modèles de DHS (ORC Macro) et du projet PAPFAM.

### a) Questionnaire ménage

Le questionnaire ménage permet d'enregistrer tous les membres du ménage avec certaines de leurs caractéristiques : nom, lien de parent avec le chef de ménage, sexe, gé situation de résidence, niveau d'instruction. Il contient également des informations sur les caractéristiques du logement et sur les caractéristiques relatives aux conditions de vie du ménage. En dehors de ces caractéristiques, ce questionnaire comporte une page de couverture pour l'identification du ménage, et le résultat de l'interview. Le but premier du questionnaire ménage est de fournir les informations permettant d'établir les dénominateurs pour le calcul des taux démographiques (mortalité, natalité, fécondité), et d'identifier les femmes et les hommes éligibles pour être interviewés individuellement.

### b) Questionnaire individuel

Le questionnaire individuel femme est utilisé pour enregistrer les informations concernant les femmes éligibles, c'est-à-dire les femmes âgées de 15-49 ans, ayant passé la nuit précédant l'interview dans le ménage sélectionné, quel que soit leur statut de résidence. En dehors de la page de couverture similaire celle du questionnaire ménage, il comprend neuf sections qui traitent des sujets suivants :

- Caractéristiques socio-démographiques de l'enquête : Cette section comprend des questions qui portent sur le lieu de résidence, l'âge, la scolarisation et l'alphabétisation, l'accès aux média et les conditions d'habitat (limits aux femmes visiteuses).
- Nuptialité : La deuxième section comporte 12 questions portant sur l'état matrimonial de la femme, l'âge au mariage, le régime de mariage (monogamie ou polygamie) et le lien de parent avec le mari.
- Reproduction : Elle comprend des informations portant sur l'historique des naissances (enfants vivants, mort-nés, fausse couche, décès), l'état de grossesse au moment de l'enquête et le statut de cette grossesse (tait-elle désirer ou pas?). Une question relative à la date et la durée des menstruations et des questions se rapportant à la connaissance et l'aptitude de la femme à déterminer sa période féconde ont également été posées.
- Contraception : Cette section comprend des questions concernant la connaissance des méthodes contraceptives, spontanée ou non, leur utilisation et leurs sources d'approvisionnement. La section comprend également des questions sur la non-utilisation et la discontinuation des méthodes contraceptives et sur l'utilisation future de la contraception.
- Santé et Allaitement : Cette section permet d'obtenir des renseignements sur les visites et l'immunisation prénatales, sur le lieu d'accouchement et la qualification de la personne ayant assisté à l'accouchement, sur les conditions cliniques d'accouchement et les caractéristiques physiques des nouveau-nés. Des questions portant sur le retour des couches et la reprise des relations sexuelles après la naissance du nouveau-né ont également été posées. La section comprend également des questions sur l'allaitement (fréquence et durée, type d'allaitement et utilisation des différents compléments nutritionnels).
- Vaccination et santé : Cette section traite de la vaccination et de la santé des enfants de moins de 5 ans (fréquence et traitement de la fièvre, de la toux et de la diarrhée).
- Préférences en matière de fécondité : Dans cette section, des questions ont été posées pour saisir les intentions des femmes enquêtées en matière de fécondité, comme le désir d'avoir des enfants, le nombre d'enfants supplémentaires désirés et la taille idéale de la famille.
- Caractéristiques du conjoint, résidence et activité professionnelle de la femme : Cette section comporte 26 questions consacrées aux caractéristiques socioprofessionnelles du conjoint des femmes mariées, l'activité professionnelle de la femme, aux changements de résidence de l'enquête et la garde des enfants.
- Taille et poids : Cette section est consacrée aux mesures anthropométriques des enfants de 0-4 ans des femmes interviewées et aux mesures anthropométriques des mères enquêtées ayant des enfants de moins de cinq ans.

# Data Collection

## Data Collection Dates

| Start   | End     | Cycle |
|---------|---------|-------|
| 2003-10 | 2004-02 | N/A   |

## Data Collection Mode

Face-to-face

### DATA COLLECTION NOTES

#### PRE ENQUETE

Une formation de deux semaines environ (20 janvier au 5 février 2003) pour la pré enquête a été nécessaire au cours de laquelle 12 agents de santé diplômés d'état du Ministre de la Santé ont participé. La pré enquête s'est déroulée dans la Wilaya de Rabat-Sal-Skhira-Tmara dans six grappes. Aucune de ces grappes ne faisait partie de l'chantillon principal.

Environ 150 ménages ont été interviewés par trois équipes de trois enquêtrices chacune pendant cinq jours. L'objectif de cet exercice était de tester l'acceptabilité des questionnaires ménage et femme, la traduction des questions spécifiques au Maroc ainsi que l'estimation de la durée moyenne de l'interview.

#### RECRUTEMENT ET FORMATION DU PERSONNEL DE TERRAIN

Pour effectuer l'enquête sur le terrain, environ 70 agents ont été recrutés parmi le personnel régional du Ministre de la Santé ayant au moins trois années d'expérience. La formation a eu lieu du 8 septembre au 10 octobre 2003.

Tous les candidats aux différents postes ont participé à un programme de formation consacré aux différents aspects de l'enquête : description détaillée des méthodes contraceptives, étude des sujets liés à la démographie, la santé familiale et la nutrition et techniques d'interview. Des spécialistes ont amélioré la compréhension des candidats par le biais d'exposés portant sur tous les aspects qui recouvrent le questionnaire. Par ailleurs, des interviews simulées et réelles sur le terrain ont été conduites durant le stage de formation.

La formation sur les mesures anthropométriques (poids et taille) a duré quatre jours et a été centrée sur les séances pratiques. Les enquêtrices ont été formées pour pouvoir assurer le travail de mesurage et les contrôleuses ont été formées pour être assistantes ou mesurageuses de réserve.

#### COLLECTE DES DONNEES

À la fin de la formation, 14 équipes ont été sélectionnées pour participer à la phase de terrain. Chacune des équipes comprenait un chef d'équipe, une contrôleuse (responsable du contrôle du travail des enquêtrices), quatre enquêtrices et un chauffeur. La collecte des données a commencé le 15 octobre 2003 et s'est achevée le 29 février 2004.

#### SUPERVISION

La supervision était assurée, en plus du directeur technique, par trois cadres qui ont été désignés comme coordinateurs sur le terrain.

# Data Processing

## Data Editing

---

Cette phase de l'enquête qui a dur trois mois (novembre 2003 - mars 2004) a comport les trois tapes suivantes :

- 1) Rception et classement des donnes : Les questionnaires remplis et contrôlés étaient envoyés au Bureau Central (SEIS) de Rabat où, après contrôle d'exhaustivité, ils étaient classés dans l'ordre des images par grappe et province.
- 2) Saisie des données : Elle a été effectuée par une équipe de 5 agents sur un micro-ordinateur multiposte fourni l'enquête par le programme DHS. Le logiciel CSPro (Census and Survey Processing), développé par le Bureau of Census des Etats Unis, le programme DHS de ORC Macro et SERPRO de Chili, pour les besoins des recensements et des enquêtes, a été utilisé pour cette tâche.
- 3) Apurement des données : Cette opération, utilisant toujours le même logiciel a lieu en même temps que la saisie. Les questionnaires de chaque grappe étaient soumis à un programme de vérification batch (ensemble de grappes) plus exhaustif. Pendant la saisie, les vérifications des champs de validité des codes et des cohérences des filtres étaient effectuées.

Après l'apurement des données, les dates des événements ont été imputées, dans les cas où ces informations n'avaient pas été enregistrées dans le questionnaire (date de naissance de la femme, date du premier mariage de la femme, date de naissance des enfants et âge au début des enfants décédés).

Après cette version du fichier, des recodifications (autres réponses) et une série de vérifications supplémentaires ont été appliquées pour permettre d'obtenir en avril 2004 un fichier de données devant servir l'obtention des résultats préliminaires. Les tableaux définitifs ont été finalisés en juin 2004.

# Data Appraisal

## Estimates of Sampling Error

Les erreurs de sondage peuvent tre values statistiquement. L'chantillon slectionn pour l'EPSF 2003-2004 n'est qu'un parmi un grand nombre d'chantillons de mme taille qui peuvent tre slectionns dans la mme population avec le mme plan de sondage. Chacun de ces chantillons peut produire des rsultats peu diffrents de ceux obtenus avec l'chantillon actuellement choisi. L'erreur de sondage est une mesure de cette variabilit entre tous les chantillons possibles. Bien que cette variabilit ne puisse pas tre mesure exactement, mais elle peut tre estime partir des donnes collectes.

L'erreur-type (ET) est un indice particulirement utile pour mesurer l'erreur de sondage d'un paramtre (moyenne, proportion ou taux), elle est la racine carre de la variance du paramtre. L'erreur type peut tre utilise pour calculer des intervalles de confiance dans lesquels se situe la vraie valeur du paramtre avec un certain niveau de confiance. Par exemple, la vraie valeur d'un paramtre se trouve dans les limites de sa valeur estime plus ou moins deux fois son erreur-type, avec un niveau de confiance de 95 %.

Si l'chantillon avait t tir d'aprs un plan de sondage alatoire simple, il aurait t possible d'utiliser des formules simples pour calculer les erreurs de sondage. Cependant, l'chantillon de l'EPSF 2003-2004 tant un chantillon stratifi et tir deux degrs, des formules plus complexes ont t utilises. Le module erreurs de sondage du logiciel ISSA a t utilis pour calculer les erreurs de sondage suivant la mthodologie statistique approprie. Ce module utilise la mthode de linarisation (Taylor) pour des estimations telles que les moyennes ou proportions, et la mthode de Jackknife pour des estimations plus complexes tels que l'indice synthtique de fcondit et les quotients de mortalit.

La mthode de Jackknife drive les estimations des taux complexes partir de chacun des souschantillons de l'chantillon principal, et calcule les variances de ces estimations avec des formules simples. Chaque sous-chantillon exclut une grappe dans les calculs des estimations. Ainsi, des souschantillons pseudo-indpendants ont t crs. Dans l'EPSF 2003-2004, il y a 480 grappes non-vides. Par consquent, 480 sous-chantillons ont t crs.

Il existe un deuxime indice trs utile qui est la racine carre de l'effet du plan de sondage (REPS) ou effet de grappe : c'est le rapport de l'erreur-type observe sur l'erreur-type qu'on aurait obtenue si un sondage alatoire simple avait t utilis. Cet indice rvle dans quelle mesure le plan de sondage qui a t choisi se rapproche d'un chantillon alatoire simple de mme taille : la valeur 1 de la REPS indique que le plan de sondage est aussi efficace qu'un chantillon alatoire simple, alors qu'une valeur suprieure 1 indique un accroissement de l'erreur de sondage d un plan de sondage plus complexe et moins efficace au point de vue statistique. Le logiciel calcule aussi l'erreur relative et l'intervalle de confiance pour chaque estimation.

Les erreurs de sondage pour l'EPSF 2003-2004 ont t calcules pour certaines des variables les plus intressantes. Les rsultats sont prsents en annexe du Rapport Final pour l'ensemble du pays, le milieu urbain et le milieu rural. Pour chaque variable, le type de statistique (moyenne, proportion ou taux) et la population de base sont prsents dans le tableau B.1 du Rapport Final. Les tableaux B.2 B.4 prsentent la valeur de la statistique (M), l'erreur-type (ET), le nombre de cas non-pondrs (N) et pondrs (N'), la racine carre de l'effet du plan de sondage (REPS), l'erreur relative (ET/M), et l'intervalle de confiance 95 % (M $\pm$ 2ET) pour chaque variable. L'effet du plan de sondage (REPS) est non-dfini quand l'cart type sous l'chantillon alatoire simple est zro (quand l'estimation est proche de 0 ou 1). Dans le cas de l'indice synthtique de fcondit, le nombre de cas non-pondrs n'est pas pertinent, car la valeur non-pondre de femmes-annes d'exposition au risque de grossesse n'est pas connue.

L'intervalle de confiance est interprt de la manire suivante : pour la variable Enfants ns vivants, l'EPSF 2003-2004 a donn un nombre moyen d'enfants ns vivants de 1,887 pour l'ensemble des femmes, auquel correspond une erreur-type de 0,026 enfants. Dans 95% des chantillons de taille et de caractristique identiques, la valeur relle du nombre moyen d'enfants ns vivants des femmes ges de 15 49 ans se trouve entre 1,887 - 20,026 et 1,887 + 20,026, soit 1,835 et 1,939.

Les erreurs de sondage ont t analyses pour l'chantillon national de femmes et pour deux groupes d'estimations : (1) moyennes et proportions, et (2) taux dmographiques. Les erreurs relatives (ET/M) des moyennes et proportions se situent entre 0,1 % et 9,7 % avec une moyenne de 2,7 %. Les erreurs relatives les plus leves sont gnralement celles des estimations de trs faible valeur (par exemple, parmi les femmes actuellement maries qui Utilise actuellement le condom). Si on enlve les estimations de trs faible valeur (moins de 10 %), la moyenne tombe 1,9 %. Ainsi, en gnral, les erreurs relatives de la plupart des estimations pour l'ensemble du pays sont faibles, sauf dans le cas de trs faibles proportions. L'erreur relative de l'indice de fcondit est assez faible, soit 2,4 %. Cependant, pour les taux de mortalit, l'erreur relative moyenne est plus leve, soit 8,6 %.

Il existe des diffrences entre les erreurs relatives au niveau des sous-chantillons. Par exemple, pour la variable Enfants ns vivants des femmes ges de 40 49 ans, l'erreur relative pour l'chantillon de femmes est respectivement de 1,6 %, 2,0 % et 2,4 % pour l'ensemble du pays, le milieu urbain et le milieu rural.

Pour l'chantillon national de femmes, la moyenne de la racine carre de l'effet du plan de sondage (REPS) calcule pour l'ensemble des estimations est de 1,29 ce qui veut dire que, par rapport un chantillon alatoire simple, l'erreur de sondage est multiplie en moyenne par un facteur de 1,29 parce qu'on utilise un plan de sondage complexe (par grappes et plusieurs degrs) et moins efficace.

## File Description

## Variable List

## RECHO

|              |                                  |
|--------------|----------------------------------|
| Content      | HOUSEHOLD - Household Basic Data |
| Cases        | 12000                            |
| Variable(s)  | 40                               |
| Structure    | Type:<br>Keys: ()                |
| Version      |                                  |
| Producer     |                                  |
| Missing Data |                                  |

## Variables

| ID  | Name  | Label                          | Type     | Format    | Question |
|-----|-------|--------------------------------|----------|-----------|----------|
| V1  | hhid  | Case Identification            | discrete | character |          |
| V2  | hv000 | Country code and phase         | discrete | character |          |
| V3  | hv001 | Cluster number                 | contin   | numeric   |          |
| V4  | hv002 | Household number               | contin   | numeric   |          |
| V5  | hv003 | Respondent's line number       | contin   | numeric   |          |
| V6  | hv004 | Ultimate area unit             | contin   | numeric   |          |
| V7  | hv005 | Sample weight                  | contin   | numeric   |          |
| V8  | hv006 | Month of interview             | discrete | numeric   |          |
| V9  | hv007 | Year of interview              | discrete | numeric   |          |
| V10 | hv008 | Date of interview (CMC)        | discrete | numeric   |          |
| V11 | hv009 | Number of household members    | contin   | numeric   |          |
| V12 | hv010 | Number of eligible women in HH | discrete | numeric   |          |
| V13 | hv011 | Number of eligible men in H-NA | discrete | numeric   |          |
| V14 | hv012 | Number of de jure members      | contin   | numeric   |          |
| V15 | hv013 | Number of de facto members     | contin   | numeric   |          |
| V16 | hv014 | Number of children 5 and under | discrete | numeric   |          |
| V17 | hv015 | Result of household interview  | discrete | numeric   |          |
| V18 | hv016 | Day of interview               | contin   | numeric   |          |
| V19 | hv017 | Number of visits               | discrete | numeric   |          |
| V20 | hv018 | Interviewer identification     | contin   | numeric   |          |
| V21 | hv019 | Keyer identification           | discrete | numeric   |          |
| V22 | hv020 | Ever-married sample            | discrete | numeric   |          |
| V23 | hv021 | Primary sampling unit          | contin   | numeric   |          |
| V24 | hv022 | Sample stratum number          | contin   | numeric   |          |
| V25 | hv023 | Sample domain                  | discrete | numeric   |          |
| V26 | hv024 | Region                         | discrete | numeric   |          |
| V27 | hv025 | Type of place of residence     | discrete | numeric   |          |
| V28 | hv026 | Place of residence             | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                    | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|---|-------------|---------------|-----------------|
| V29       | hv027       | Selection for male/husb. in-NA                  | discrete    | numeric       |                 |
| V30       | hv028       | Sample weight for male subsamp                  | discrete    | numeric       |                 |
| V31       | hv030       | Field supervisor                                | contin      | numeric       |                 |
| V32       | hv031       | Field editor                                    | contin      | numeric       |                 |
| V33       | hv032       | Office editor                                   | discrete    | numeric       |                 |
| V34       | hv033       | Ultimate area selection prob.                   | contin      | numeric       |                 |
| V35       | hv035       | Number of eligible children for height & weight | discrete    | numeric       |                 |
| V36       | hv040       | Cluster altitude in meters                      | contin      | numeric       |                 |
| V37       | hv041       | Total adults measured                           | discrete    | numeric       |                 |
| V38       | hv042       | Selection for hemoglobin -NA                    | discrete    | numeric       |                 |
| V39       | hv043       | Selection for women's statu-NA                  | discrete    | numeric       |                 |
| V40       | hv044       | Selection for domestic viol-NA                  | discrete    | numeric       |                 |

**RECH1**

|              |                                |
|--------------|--------------------------------|
| Content      | HOUSEHOLD - Household Schedule |
| Cases        | 64044                          |
| Variable(s)  | 30                             |
| Structure    | Type:<br>Keys: ()              |
| Version      |                                |
| Producer     |                                |
| Missing Data |                                |

**Variables**

| ID  | Name  | Label   | Type     | Format    | Question |
|-----|-------|---|----------|-----------|----------|
| V41 | hhid  | Case Identification                                   | discrete | character |          |
| V42 | hvidx | Line number   | contin   | numeric   |          |
| V43 | hv101 | Relationship to head                                  | discrete | numeric   |          |
| V44 | hv102 | Usual resident  | discrete | numeric   |          |
| V45 | hv103 | Slept last night                                      | discrete | numeric   |          |
| V46 | hv104 | Sex of household member                               | discrete | numeric   |          |
| V47 | hv105 | Age of household members                              | discrete | numeric   |          |
| V48 | hv106 | Highest educational level                             | discrete | numeric   |          |
| V49 | hv107 | Highest year of education                             | discrete | numeric   |          |
| V50 | hv108 | Education in single years                             | discrete | numeric   |          |
| V51 | hv109 | Educational attainment                                | discrete | numeric   |          |
| V52 | hv110 | Member still in school                                | discrete | numeric   |          |
| V53 | hv111 | Mother alive -NA                                      | discrete | numeric   |          |
| V54 | hv112 | Mother's line number -NA                              | discrete | numeric   |          |
| V55 | hv113 | Father alive -NA                                      | discrete | numeric   |          |
| V56 | hv114 | Father's line number -NA                              | discrete | numeric   |          |
| V57 | hv115 | Current marital status -NA                            | discrete | numeric   |          |
| V58 | hv116 | Currently, formerly, never m.                         | discrete | numeric   |          |
| V59 | hv117 | Eligibility for female interview                      | discrete | numeric   |          |
| V60 | hv118 | Eligibility for male interv-NA                        | discrete | numeric   |          |
| V61 | hv120 | Children eligibility for height/weight and hemoglobin | discrete | numeric   |          |
| V62 | hv121 | Member attended school during current school year     | discrete | numeric   |          |
| V63 | hv122 | Educational level during cu-NA                        | discrete | numeric   |          |
| V64 | hv123 | Grade of education during c-NA                        | discrete | numeric   |          |
| V65 | hv124 | Education in single years --NA                        | discrete | numeric   |          |
| V66 | hv125 | Member attended school duri-NA                        | discrete | numeric   |          |
| V67 | hv126 | Educational level during pr-NA                        | discrete | numeric   |          |
| V68 | hv127 | Grade of education during p-NA                        | discrete | numeric   |          |

| ID  | Name  | Label                          | Type     | Format  | Question |
|-----|-------|--------------------------------|----------|---------|----------|
| V69 | hv128 | Education in single years --NA | discrete | numeric |          |
| V70 | hv129 | School attendance status -NA   | discrete | numeric |          |

## RECH2

|              |                                       |
|--------------|---------------------------------------|
| Content      | HOUSEHOLD - Household Characteristics |
| Cases        | 11513                                 |
| Variable(s)  | 28                                    |
| Structure    | Type:<br>Keys: ()                     |
| Version      |                                       |
| Producer     |                                       |
| Missing Data |                                       |

## Variables

| ID  | Name  | Label                                     | Type     | Format    | Question |
|-----|-------|---|----------|-----------|----------|
| V71 | hhid  | Case Identification                       | discrete | character |          |
| V72 | hv201 | Source of drinking water                  | discrete | numeric   |          |
| V73 | hv204 | Time to get to water source-NA            | discrete | numeric   |          |
| V74 | hv205 | Type of toilet facility                   | discrete | numeric   |          |
| V75 | hv206 | Has electricity                           | discrete | numeric   |          |
| V76 | hv207 | Has radio                                 | discrete | numeric   |          |
| V77 | hv208 | Has television                            | discrete | numeric   |          |
| V78 | hv209 | Has refrigerator                          | discrete | numeric   |          |
| V79 | hv210 | Has bicycle                               | discrete | numeric   |          |
| V80 | hv211 | Has motorcycle/scooter                    | discrete | numeric   |          |
| V81 | hv212 | Has car/truck                             | discrete | numeric   |          |
| V82 | hv213 | Main floor material                       | discrete | numeric   |          |
| V83 | hv214 | Main wall material -NA                    | discrete | numeric   |          |
| V84 | hv215 | Main roof material -NA                    | discrete | numeric   |          |
| V85 | hv217 | Relationship structure                    | discrete | numeric   |          |
| V86 | hv218 | Line number of head of househ.            | discrete | numeric   |          |
| V87 | hv219 | Sex of head of household                  | discrete | numeric   |          |
| V88 | hv220 | Age of head of household                  | discrete | numeric   |          |
| V89 | hv221 | Has telephone                             | discrete | numeric   |          |
| V90 | hv225 | Share toilet with other households        | discrete | numeric   |          |
| V91 | hv226 | Type of cooking fuel                      | discrete | numeric   |          |
| V92 | hv227 | Have bednet for sleeping -NA              | discrete | numeric   |          |
| V93 | hv228 | Children under 5 slept unde-NA            | discrete | numeric   |          |
| V94 | hv230 | Place for hand washing -NA                | discrete | numeric   |          |
| V95 | hv231 | Items present: Water, tap -NA             | discrete | numeric   |          |
| V96 | hv232 | Items present: Soap/other cleansing agent | discrete | numeric   |          |
| V97 | hv233 | Items present: Basin -NA                  | discrete | numeric   |          |
| V98 | hv234 | Test salt for Iodine -NA                  | discrete | numeric   |          |

## RECH3

|              |  |
|--------------|--|
| Content      | HOUSEHOLD - Country-specific Household Variables |
| Cases        | 12000  |
| Variable(s)  | 50   |
| Structure    | Type:<br>Keys: ()                                |
| Version      |  |
| Producer     |  |
| Missing Data |  |

## Variables

| ID   | Name     | Label                                  | Type     | Format    | Question |
|------|----------|--|----------|-----------|----------|
| V99  | hhid     | Case Identification                    | discrete | character |          |
| V100 | hv270    | Wealth index                           | discrete | numeric   |          |
| V101 | hv271    | Wealth index factor score (5 decimals) | contin   | numeric   |          |
| V102 | shpref   | Province or prefecture                 | contin   | numeric   |          |
| V103 | shcercle | Cercle                                 | contin   | numeric   |          |
| V104 | shmunici | Municipalit/Commune rurale             | contin   | numeric   |          |
| V105 | shcentre | Other centre                           | discrete | numeric   |          |
| V106 | shdistri | Census district                        | contin   | numeric   |          |
| V107 | sh00     | Time household interview started       | contin   | numeric   |          |
| V108 | sh51     | Type of dwelling                       | discrete | numeric   |          |
| V109 | sh52     | Possession of dwelling                 | discrete | numeric   |          |
| V110 | sh54     | Number of rooms                        | contin   | numeric   |          |
| V111 | sh55     | Sleeping rooms                         | contin   | numeric   |          |
| V112 | sh56     | Type of windows                        | discrete | numeric   |          |
| V113 | sh57     | Animals inside                         | discrete | numeric   |          |
| V114 | sh58     | Animal kept at night                   | discrete | numeric   |          |
| V115 | sh60     | Paid water                             | discrete | numeric   |          |
| V116 | sh61     | Water preservation                     | discrete | numeric   |          |
| V117 | sh62     | Water treatment                        | discrete | numeric   |          |
| V118 | sh66     | Toilet piping                          | discrete | numeric   |          |
| V119 | sh68     | Lighting                               | discrete | numeric   |          |
| V120 | sh69     | Kitchen                                | discrete | numeric   |          |
| V121 | sh70     | Kitchen sharing                        | discrete | numeric   |          |
| V122 | sh72     | Garbage collecting                     | discrete | numeric   |          |
| V123 | sh73     | Trash emplacement                      | discrete | numeric   |          |
| V124 | sh74     | Trash removal                          | discrete | numeric   |          |
| V125 | sh75     | Removal frequency                      | discrete | numeric   |          |
| V126 | sh76b    | Household Goods: Large color TV        | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                 | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V127      | sh76c       | Household Goods: Small color TV              | discrete    | numeric       |                 |
| V128      | sh76d       | Household Goods: Video                       | discrete    | numeric       |                 |
| V129      | sh76e       | Household Goods: Dish                        | discrete    | numeric       |                 |
| V130      | sh76g       | Household Goods: Butagaz                     | discrete    | numeric       |                 |
| V131      | sh76h       | Household Goods: Water heater                | discrete    | numeric       |                 |
| V132      | sh76i       | Household Goods: Dish washer                 | discrete    | numeric       |                 |
| V133      | sh76j       | Household Goods: Vacum cleaner               | discrete    | numeric       |                 |
| V134      | sh76k       | Household Goods: Microwave                   | discrete    | numeric       |                 |
| V135      | sh76m       | Household Goods: Washing machine             | discrete    | numeric       |                 |
| V136      | sh76n       | Household Goods: Air conditioner             | discrete    | numeric       |                 |
| V137      | sh77d       | Other Goods: Live stock                      | discrete    | numeric       |                 |
| V138      | sh77e       | Other Goods: Poultry                         | discrete    | numeric       |                 |
| V139      | sh77f       | Other Goods: Farming land                    | discrete    | numeric       |                 |
| V140      | sh77g       | Other Goods: Non farming land                | discrete    | numeric       |                 |
| V141      | sh77h       | Other Goods: Tractor                         | discrete    | numeric       |                 |
| V142      | sh77i       | Other Goods: Housing construction            | discrete    | numeric       |                 |
| V143      | sh77j       | Other Goods: Commercial construction         | discrete    | numeric       |                 |
| V144      | sh77k       | Other Goods: Manufactory                     | discrete    | numeric       |                 |
| V145      | sh77l       | Other Goods: Machinery and industrial equip. | discrete    | numeric       |                 |
| V146      | sh77m       | Other Goods: Mean of transportation of goods | discrete    | numeric       |                 |
| V147      | sh78        | Dwelling surrounding                         | discrete    | numeric       |                 |
| V148      | sh79        | Time household interview ended               | contin      | numeric       |                 |

**RECH4**

|              |   |
|--------------|---|
| Content      | HOUSEHOLD - Country-specific Household Schedule |
| Cases        | 64044   |
| Variable(s)  | 34  |
| Structure    | Type:<br>Keys: ()                               |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID   | Name  | Label                                      | Type     | Format    | Question |
|------|-------|--|----------|-----------|----------|
| V149 | hhid  | Case Identification                        | discrete | character |          |
| V150 | idxh4 | Index to household schedule                | contin   | numeric   |          |
| V151 | sh04  | Enregistrement l'état civil                | discrete | numeric   |          |
| V152 | sh09  | Matrimonial status                         | discrete | numeric   |          |
| V153 | sh15a | Highest level of education                 | discrete | numeric   |          |
| V154 | sh15b | Higest grade completed                     | discrete | numeric   |          |
| V155 | sh17  | Reason dropped out of school               | discrete | numeric   |          |
| V156 | sh18  | Currently working                          | discrete | numeric   |          |
| V157 | sh19  | Occupation                                 | discrete | numeric   |          |
| V158 | sh22  | Chronic disease                            | discrete | numeric   |          |
| V159 | sh23  | Nature of the disease                      | discrete | numeric   |          |
| V160 | sh24  | Informed by a health worker of the disease | discrete | numeric   |          |
| V161 | sh25  | Age informed of the disease                | discrete | numeric   |          |
| V162 | sh26  | Medication for the disease                 | discrete | numeric   |          |
| V163 | sh27  | Other illness                              | discrete | numeric   |          |
| V164 | sh28  | Nature the disease                         | discrete | numeric   |          |
| V165 | sh29  | Informed by a health worker of the disease | discrete | numeric   |          |
| V166 | sh30  | Age informed of the disease                | discrete | numeric   |          |
| V167 | sh31  | Mediation for the disease                  | discrete | numeric   |          |
| V168 | sh32  | Insured                                    | discrete | numeric   |          |
| V169 | sh33  | Smokes tobacco                             | discrete | numeric   |          |
| V170 | sh34  | Smoked and stopped                         | discrete | numeric   |          |
| V171 | sh42  | Handicapped                                | discrete | numeric   |          |
| V172 | sh43a | Handicap                                   | discrete | numeric   |          |
| V173 | sh43b | Handicap                                   | discrete | numeric   |          |
| V174 | sh43c | Handicap                                   | discrete | numeric   |          |
| V175 | sh43d | Handicap                                   | discrete | numeric   |          |
| V176 | sh43e | Handicap                                   | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>           | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|------------------------|-------------|---------------|-----------------|
| V177      | sh43f       | Handicap               | discrete    | numeric       |                 |
| V178      | sh43x       | Handicap               | discrete    | numeric       |                 |
| V179      | sh43z       | Handicap               | discrete    | numeric       |                 |
| V180      | sh44        | Reason of the handicap | discrete    | numeric       |                 |
| V181      | sh45        | Age at handicap        | discrete    | numeric       |                 |
| V182      | sh46        | Taken care             | discrete    | numeric       |                 |

## RECH5

|              |  |
|--------------|--|
| Content      | HOUSEHOLD - Women Height/Weight/Hemoglobin |
| Cases        | 18128                                      |
| Variable(s)  | 27   |
| Structure    | Type:<br>Keys: ()                          |
| Version      |  |
| Producer     |  |
| Missing Data |  |

## Variables

| ID   | Name  | Label                           | Type     | Format    | Question |
|------|-------|---------------------------------|----------|-----------|----------|
| V183 | hhid  | Case Identification             | discrete | character |          |
| V184 | ha0   | Index to household schedule     | contin   | numeric   |          |
| V185 | ha1   | Women's age in years            | contin   | numeric   |          |
| V186 | ha2   | Respondent's weight (kilos-1d)  | contin   | numeric   |          |
| V187 | ha3   | Respondent's height (cms-1d)    | contin   | numeric   |          |
| V188 | ha4   | Ht/A Percentile (resp.)         | discrete | numeric   |          |
| V189 | ha5   | Ht/A Standard deviations (resp) | discrete | numeric   |          |
| V190 | ha6   | Ht/A Percent ref. median (resp) | discrete | numeric   |          |
| V191 | ha11  | Wt/Ht Std deviations(resp) DHS  | discrete | numeric   |          |
| V192 | ha12  | Wt/Ht Percent ref. median (DHS) | discrete | numeric   |          |
| V193 | ha12a | Wt/Ht Percent ref. median (Fog) | discrete | numeric   |          |
| V194 | ha12b | Wt/Ht Percent ref. median (WHO) | discrete | numeric   |          |
| V195 | ha13  | Result of measurement of resp.  | discrete | numeric   |          |
| V196 | ha32  | Date of birth (cmc)             | contin   | numeric   |          |
| V197 | ha33  | Completeness of information     | discrete | numeric   |          |
| V198 | ha35  | Smoking                         | discrete | numeric   |          |
| V199 | ha40  | Body mass index for respondent  | discrete | numeric   |          |
| V200 | ha41  | Rohrer's index for respondent   | discrete | numeric   |          |
| V201 | ha50  | Under age 18 -NA                | discrete | numeric   |          |
| V202 | ha51  | Line no. of parent/caretake-NA  | discrete | numeric   |          |
| V203 | ha52  | Read consent statement -NA      | discrete | numeric   |          |
| V204 | ha53  | Hemoglobin level (g/dl - 1 -NA  | discrete | numeric   |          |
| V205 | ha54  | Currently pregnant -NA          | discrete | numeric   |          |
| V206 | ha55  | Result of measuring (Hemogl-NA  | discrete | numeric   |          |
| V207 | ha56  | Hemoglobin level adjusted b-NA  | discrete | numeric   |          |
| V208 | ha57  | Anemia level -NA                | discrete | numeric   |          |
| V209 | ha58  | Agrees to referral -NA          | discrete | numeric   |          |

**RECH6**

|              |   |
|--------------|---|
| Content      | HOUSEHOLD - Children Height/Weight/Hemoglobin |
| Cases        | 6310  |
| Variable(s)  | 37  |
| Structure    | Type:<br>Keys: ()                             |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID   | Name | Label                          | Type     | Format    | Question |
|------|------|--------------------------------|----------|-----------|----------|
| V210 | hhid | Case Identification            | discrete | character |          |
| V211 | hc0  | Index to household schedule    | contin   | numeric   |          |
| V212 | hc1  | Age in months                  | contin   | numeric   |          |
| V213 | hc2  | Weight in kilograms (1 dec.)   | contin   | numeric   |          |
| V214 | hc3  | Height in centimeters (1 dec.) | contin   | numeric   |          |
| V215 | hc4  | Ht/A Percentile                | discrete | numeric   |          |
| V216 | hc5  | Ht/A Standard deviations       | discrete | numeric   |          |
| V217 | hc6  | Ht/A Percent of ref. median    | discrete | numeric   |          |
| V218 | hc7  | Wt/A Percentile                | discrete | numeric   |          |
| V219 | hc8  | Wt/A Standard deviations       | discrete | numeric   |          |
| V220 | hc9  | Wt/A Percent of ref. median    | discrete | numeric   |          |
| V221 | hc10 | Wt/Ht Percentile               | discrete | numeric   |          |
| V222 | hc11 | Wt/Ht Standard deviations      | discrete | numeric   |          |
| V223 | hc12 | Wt/Ht Percent of ref. median   | discrete | numeric   |          |
| V224 | hc13 | Reason not measured            | discrete | numeric   |          |
| V225 | hc15 | Height: lying or standing      | discrete | numeric   |          |
| V226 | hc16 | Day of birth of child          | contin   | numeric   |          |
| V227 | hc17 | Date measured (day)            | contin   | numeric   |          |
| V228 | hc18 | Date measured (month)          | discrete | numeric   |          |
| V229 | hc19 | Date measured (year)           | discrete | numeric   |          |
| V230 | hc27 | Sex                            | discrete | numeric   |          |
| V231 | hc30 | Month of birth of child        | discrete | numeric   |          |
| V232 | hc31 | Year of birth of child         | discrete | numeric   |          |
| V233 | hc32 | Date of birth (cmc)            | contin   | numeric   |          |
| V234 | hc33 | Completeness of information    | discrete | numeric   |          |
| V235 | hc51 | Line no. of parent/caretake-NA | discrete | numeric   |          |
| V236 | hc52 | Read consent statement -NA     | discrete | numeric   |          |
| V237 | hc53 | Hemoglobin level (g/dl - 1 -NA | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                    | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|---|-------------|---------------|-----------------|
| V238      | hc55        | Result of measuring (Hemogl-NA)                 | discrete    | numeric       |                 |
| V239      | hc56        | Hemoglobin level adjusted b-NA                  | discrete    | numeric       |                 |
| V240      | hc57        | Anemia level -NA                                | discrete    | numeric       |                 |
| V241      | hc58        | Agrees to referral -NA                          | discrete    | numeric       |                 |
| V242      | hc60        | Mother's line number from woman's questionnaire | discrete    | numeric       |                 |
| V243      | hc61        | Mother's highest educational level              | discrete    | numeric       |                 |
| V244      | hc62        | Mother's highest year of education              | contin      | numeric       |                 |
| V245      | hc63        | Preceding birth interval                        | contin      | numeric       |                 |
| V246      | hc64        | Birth order number                              | contin      | numeric       |                 |

**REC01**

|              |                                 |
|--------------|---------------------------------|
| Content      | WOMAN - Respondent's Basic Data |
| Cases        | 17443                           |
| Variable(s)  | 42                              |
| Structure    | Type:<br>Keys: ()               |
| Version      |                                 |
| Producer     |                                 |
| Missing Data |                                 |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V247 | hhid   | Case Identification            | discrete | character |          |
| V248 | caseid | Case Identification            | discrete | character |          |
| V249 | v000   | Country code and phase         | discrete | character |          |
| V250 | v001   | Cluster number                 | contin   | numeric   |          |
| V251 | v002   | Household number               | contin   | numeric   |          |
| V252 | v003   | Respondent's line number       | contin   | numeric   |          |
| V253 | v004   | Ultimate area unit             | contin   | numeric   |          |
| V254 | v005   | Sample weight                  | contin   | numeric   |          |
| V255 | v006   | Month of interview             | discrete | numeric   |          |
| V256 | v007   | Year of interview              | discrete | numeric   |          |
| V257 | v008   | Date of interview (CMC)        | discrete | numeric   |          |
| V258 | v009   | Respondent's month of birth    | discrete | numeric   |          |
| V259 | v010   | Respondent's year of birth     | contin   | numeric   |          |
| V260 | v011   | Date of birth (CMC)            | contin   | numeric   |          |
| V261 | v012   | Current age - respondent       | contin   | numeric   |          |
| V262 | v013   | Age 5-year groups              | discrete | numeric   |          |
| V263 | v014   | Completeness of information    | discrete | numeric   |          |
| V264 | v015   | Result of individual interview | discrete | numeric   |          |
| V265 | v016   | Day of interview               | contin   | numeric   |          |
| V266 | v017   | CMC start of calendar          | discrete | numeric   |          |
| V267 | v018   | Row of month of interview      | discrete | numeric   |          |
| V268 | v019   | Length of calendar             | discrete | numeric   |          |
| V269 | v019a  | Number of calendar columns     | discrete | numeric   |          |
| V270 | v020   | Ever-married sample            | discrete | numeric   |          |
| V271 | v021   | Primary sampling unit          | contin   | numeric   |          |
| V272 | v022   | Sample stratum number          | contin   | numeric   |          |
| V273 | v023   | Sample domain                  | discrete | numeric   |          |
| V274 | v024   | Region                         | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                   | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--------------------------------|-------------|---------------|-----------------|
| V275      | v025        | Type of place of residence     | discrete    | numeric       |                 |
| V276      | v026        | De facto place of residence    | discrete    | numeric       |                 |
| V277      | v027        | Number of visits               | discrete    | numeric       |                 |
| V278      | v028        | Interviewer identification     | contin      | numeric       |                 |
| V279      | v029        | Keyer identification           | discrete    | numeric       |                 |
| V280      | v030        | Field supervisor               | contin      | numeric       |                 |
| V281      | v031        | Field editor                   | contin      | numeric       |                 |
| V282      | v032        | Office editor                  | discrete    | numeric       |                 |
| V283      | v033        | Ultimate area selection prob.  | contin      | numeric       |                 |
| V284      | v034        | Line number of husband -NA     | discrete    | numeric       |                 |
| V285      | v040        | Cluster altitude in meters     | contin      | numeric       |                 |
| V286      | v042        | Household selection for hem-NA | discrete    | numeric       |                 |
| V287      | v043        | Selection for women's statu-NA | discrete    | numeric       |                 |
| V288      | v044        | Selection for domestic viol-NA | discrete    | numeric       |                 |

**REC11**

|              |   |
|--------------|---|
| Content      | WOMAN - Respondent's Basic Data (continued) |
| Cases        | 16798                                       |
| Variable(s)  | 54  |
| Structure    | Type:<br>Keys: ()                           |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V289 | hhid   | Case Identification            | discrete | character |          |
| V290 | caseid | Case Identification            | discrete | character |          |
| V291 | v101   | Region                         | discrete | numeric   |          |
| V292 | v102   | Type of place of residence     | discrete | numeric   |          |
| V293 | v103   | Childhood place of residence   | discrete | numeric   |          |
| V294 | v104   | Years lived in place of res.   | discrete | numeric   |          |
| V295 | v105   | Type of place of previous res. | discrete | numeric   |          |
| V296 | v106   | Highest educational level      | discrete | numeric   |          |
| V297 | v107   | Highest year of education      | contin   | numeric   |          |
| V298 | v113   | Source of drinking water       | discrete | numeric   |          |
| V299 | v115   | Time to get to water source-NA | discrete | numeric   |          |
| V300 | v116   | Type of toilet facility        | discrete | numeric   |          |
| V301 | v119   | Has electricity                | discrete | numeric   |          |
| V302 | v120   | Has radio                      | discrete | numeric   |          |
| V303 | v121   | Has television                 | discrete | numeric   |          |
| V304 | v122   | Has refrigerator               | discrete | numeric   |          |
| V305 | v123   | Has bicycle                    | discrete | numeric   |          |
| V306 | v124   | Has motorcycle/scooter         | discrete | numeric   |          |
| V307 | v125   | Has car/truck                  | discrete | numeric   |          |
| V308 | v127   | Main floor material            | discrete | numeric   |          |
| V309 | v128   | Main wall material -NA         | discrete | numeric   |          |
| V310 | v129   | Main roof material -NA         | discrete | numeric   |          |
| V311 | v130   | Religion -NA                   | discrete | numeric   |          |
| V312 | v131   | Ethnicity -NA                  | discrete | numeric   |          |
| V313 | v133   | Education in single years      | discrete | numeric   |          |
| V314 | v134   | De facto place of residence    | discrete | numeric   |          |
| V315 | v135   | Usual resident or visitor      | discrete | numeric   |          |
| V316 | v136   | Number of household members    | contin   | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>   | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V317      | v137        | Number of children 5 and under                             | discrete    | numeric       |                 |
| V318      | v138        | Number of eligible women in HH                             | discrete    | numeric       |                 |
| V319      | v139        | De jure region of residence                                | discrete    | numeric       |                 |
| V320      | v140        | De jure type of place of res.                              | discrete    | numeric       |                 |
| V321      | v141        | De jure place of residence                                 | discrete    | numeric       |                 |
| V322      | v149        | Educational attainment                                     | discrete    | numeric       |                 |
| V323      | v150        | Relationship to household head                             | discrete    | numeric       |                 |
| V324      | v151        | Sex of household head                                      | discrete    | numeric       |                 |
| V325      | v152        | Age of household head                                      | discrete    | numeric       |                 |
| V326      | v153        | Has telephone  | discrete    | numeric       |                 |
| V327      | awfactt     | All woman factor - total                                   | discrete    | numeric       |                 |
| V328      | awfactu     | All woman factor - urban/rural                             | discrete    | numeric       |                 |
| V329      | awfactr     | All woman factor - regional                                | discrete    | numeric       |                 |
| V330      | awfacte     | All woman factor - educational                             | discrete    | numeric       |                 |
| V331      | v155        | Literacy   | discrete    | numeric       |                 |
| V332      | v156        | Ever participated in a literacy program outside of primary | discrete    | numeric       |                 |
| V333      | v157        | Frequency of reading newpaper or magazine                  | discrete    | numeric       |                 |
| V334      | v158        | Frequency of listening to radio                            | discrete    | numeric       |                 |
| V335      | v159        | Frequency of watching television                           | discrete    | numeric       |                 |
| V336      | v160        | Toilet facilities shared                                   | discrete    | numeric       |                 |
| V337      | v161        | Type of cooking fuel                                       | discrete    | numeric       |                 |
| V338      | v162        | Place for hand washing -NA                                 | discrete    | numeric       |                 |
| V339      | v163        | Presence of water/tap in ho-NA                             | discrete    | numeric       |                 |
| V340      | v164        | Presence of soap/ash/other cleansing agent in household    | discrete    | numeric       |                 |
| V341      | v165        | Presence of basin in househ-NA                             | discrete    | numeric       |                 |
| V342      | v166        | Results of salt iodine test-NA                             | discrete    | numeric       |                 |

**REC21**

|              |                                     |
|--------------|-------------------------------------|
| Content      | WOMAN - Reproduction(Birth history) |
| Cases        | 32494                               |
| Variable(s)  | 20                                  |
| Structure    | Type:<br>Keys: ()                   |
| Version      |                                     |
| Producer     |                                     |
| Missing Data |                                     |

**Variables**

| ID   | Name   | Label                            | Type     | Format    | Question |
|------|--------|----------------------------------|----------|-----------|----------|
| V343 | hhid   | Case Identification              | discrete | character |          |
| V344 | caseid | Case Identification              | discrete | character |          |
| V345 | bidx   | Birth column number              | discrete | numeric   |          |
| V346 | bord   | Birth order number               | discrete | numeric   |          |
| V347 | b0     | Child is twin                    | discrete | numeric   |          |
| V348 | b1     | Month of birth                   | discrete | numeric   |          |
| V349 | b2     | Year of birth                    | contin   | numeric   |          |
| V350 | b3     | Date of birth (CMC)              | contin   | numeric   |          |
| V351 | b4     | Sex of child                     | discrete | numeric   |          |
| V352 | b5     | Child is alive                   | discrete | numeric   |          |
| V353 | b6     | Age at death                     | discrete | numeric   |          |
| V354 | b7     | Age at death (months-imputed)    | contin   | numeric   |          |
| V355 | b8     | Current age of child             | contin   | numeric   |          |
| V356 | b9     | Child lives with whom            | discrete | numeric   |          |
| V357 | b10    | Completeness of information      | discrete | numeric   |          |
| V358 | b11    | Preceding birth interval         | contin   | numeric   |          |
| V359 | b12    | Succeeding birth interval        | contin   | numeric   |          |
| V360 | b13    | Flag for age at death            | discrete | numeric   |          |
| V361 | b15    | Live birth between births -NA    | discrete | numeric   |          |
| V362 | b16    | Child's line number in household | discrete | numeric   |          |

**REC22**

|              |                                  |
|--------------|----------------------------------|
| Content      | WOMAN - Reproduction (continued) |
| Cases        | 16798                            |
| Variable(s)  | 44                               |
| Structure    | Type:<br>Keys: ()                |
| Version      |                                  |
| Producer     |                                  |
| Missing Data |                                  |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V363 | hhid   | Case Identification            | discrete | character |          |
| V364 | caseid | Case Identification            | discrete | character |          |
| V365 | v201   | Total children ever born       | discrete | numeric   |          |
| V366 | v202   | Sons at home                   | discrete | numeric   |          |
| V367 | v203   | Daughters at home              | discrete | numeric   |          |
| V368 | v204   | Sons elsewhere                 | discrete | numeric   |          |
| V369 | v205   | Daughters elsewhere            | discrete | numeric   |          |
| V370 | v206   | Sons who have died             | discrete | numeric   |          |
| V371 | v207   | Daughters who have died        | discrete | numeric   |          |
| V372 | v208   | Births in last five years      | discrete | numeric   |          |
| V373 | v209   | Births in past year            | discrete | numeric   |          |
| V374 | v210   | Births in month of interview   | discrete | numeric   |          |
| V375 | v211   | Date of first birth (CMC)      | contin   | numeric   |          |
| V376 | v212   | Age of respondent at 1st birth | contin   | numeric   |          |
| V377 | v213   | Currently pregnant             | discrete | numeric   |          |
| V378 | v214   | Duration of current pregnancy  | discrete | numeric   |          |
| V379 | v215   | Time since last menstrual perd | discrete | numeric   |          |
| V380 | v216   | Menstruated in last six weeks  | discrete | numeric   |          |
| V381 | v217   | Knowledge of ovulatory cycle   | discrete | numeric   |          |
| V382 | v218   | Number of living children      | discrete | numeric   |          |
| V383 | v219   | Living children + current preg | discrete | numeric   |          |
| V384 | v220   | Living children + curr preg 6+ | discrete | numeric   |          |
| V385 | v221   | Marriage to first birth int.   | discrete | numeric   |          |
| V386 | v222   | Last birth to interview        | contin   | numeric   |          |
| V387 | v223   | Completeness of curr preg. inf | discrete | numeric   |          |
| V388 | v224   | Entries in birth history       | discrete | numeric   |          |
| V389 | v225   | Current pregnancy wanted       | discrete | numeric   |          |
| V390 | v226   | Time since last period (comp)  | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>  | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|---|-------------|---------------|-----------------|
| V391      | v227        | Flag for last period                                    | discrete    | numeric       |                 |
| V392      | v228        | Ever had a terminated preg.                             | discrete    | numeric       |                 |
| V393      | v229        | Month pregnancy ended                                   | discrete    | numeric       |                 |
| V394      | v230        | Year pregnancy ended                                    | discrete    | numeric       |                 |
| V395      | v231        | CMC pregnancy ended                                     | discrete    | numeric       |                 |
| V396      | v232        | Completeness of last term. inf                          | discrete    | numeric       |                 |
| V397      | v233        | Months when pregnancy ended                             | discrete    | numeric       |                 |
| V398      | v234        | Other such pregnancies                                  | discrete    | numeric       |                 |
| V399      | v235        | Index last child prior to cal.                          | discrete    | numeric       |                 |
| V400      | v237        | Birth between last & interview                          | discrete    | numeric       |                 |
| V401      | v238        | Births in last three years                              | discrete    | numeric       |                 |
| V402      | v239        | Pregnancies terminated before calendar beginning        | discrete    | numeric       |                 |
| V403      | v240        | Month of last termination prior to calendar             | discrete    | numeric       |                 |
| V404      | v241        | Year of last termination prior to calendar              | discrete    | numeric       |                 |
| V405      | v242        | CMC termination ended prior to calendar                 | discrete    | numeric       |                 |
| V406      | v243        | Completeness of last termination date prior to calendar | discrete    | numeric       |                 |

**REC31**

|              |                             |
|--------------|-----------------------------|
| Content      | WOMAN - Contraception Table |
| Cases        | 176379                      |
| Variable(s)  | 9                           |
| Structure    | Type:<br>Keys: ()           |
| Version      |                             |
| Producer     |                             |
| Missing Data |                             |

**Variables**

| ID   | Name      | Label                     | Type     | Format    | Question |
|------|-----------|---------------------------|----------|-----------|----------|
| V407 | hhid      | Case Identification       | discrete | character |          |
| V408 | caseid    | Case Identification       | discrete | character |          |
| V409 | v301      | Knowledge of any method   | discrete | numeric   |          |
| V410 | v302      | Ever use of any method    | discrete | numeric   |          |
| V411 | contr_tbl | Contraceptive Table       | discrete | character |          |
| V412 | v304a     | Type of method            | discrete | numeric   |          |
| V413 | v304      | Knows method              | discrete | numeric   |          |
| V414 | v305      | Ever used method -NA      | discrete | numeric   |          |
| V415 | v307      | Method currently used -NA | discrete | numeric   |          |

**REC32**

|              |   |
|--------------|---|
| Content      | WOMAN - Contraception Knowledge and Use |
| Cases        | 16798                                   |
| Variable(s)  | 93                                      |
| Structure    | Type:<br>Keys: ()                       |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID   | Name   | Label                                | Type     | Format    | Question |
|------|--------|--------------------------------------|----------|-----------|----------|
| V416 | hhid   | Case Identification                  | discrete | character |          |
| V417 | caseid | Case Identification                  | discrete | character |          |
| V418 | v310   | Living children at first use         | contin   | numeric   |          |
| V419 | v311   | Children at first use (grpds)        | discrete | numeric   |          |
| V420 | v312   | Current contraceptive method         | discrete | numeric   |          |
| V421 | v313   | Current use by method type           | discrete | numeric   |          |
| V422 | v315   | Month of start of use of method      | discrete | numeric   |          |
| V423 | v316   | Year of start of use of method       | contin   | numeric   |          |
| V424 | v317   | Date of start of use of method (CMC) | contin   | numeric   |          |
| V425 | v318   | Completeness of information          | discrete | numeric   |          |
| V426 | v319   | Years since sterilization            | discrete | numeric   |          |
| V427 | v320   | Age at sterilization                 | discrete | numeric   |          |
| V428 | v321   | Marital duration at sterilization    | discrete | numeric   |          |
| V429 | v322   | Parity at sterilization              | discrete | numeric   |          |
| V430 | v326   | Last source for current users        | discrete | numeric   |          |
| V431 | v327   | Last source for users by type        | discrete | numeric   |          |
| V432 | v337   | Months of use of current method      | discrete | numeric   |          |
| V433 | v359   | Last method disc. last 5 years       | discrete | numeric   |          |
| V434 | v360   | Reason of last discontinuation       | discrete | numeric   |          |
| V435 | v361   | Pattern of use                       | discrete | numeric   |          |
| V436 | v362   | Intention to use                     | discrete | numeric   |          |
| V437 | v363   | Preferred future method              | discrete | numeric   |          |
| V438 | v364   | Contraceptive use & intention        | discrete | numeric   |          |
| V439 | v367   | Wanted last child                    | discrete | numeric   |          |
| V440 | v375a  | Main reason not using a met-NA       | discrete | numeric   |          |
| V441 | v376   | Main reason not to use a meth.       | discrete | numeric   |          |
| V442 | v376a  | Would ever use method if marr.       | discrete | numeric   |          |
| V443 | v379   | Source known for any method          | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                       | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V444      | v380        | Source known for any method                        | discrete    | numeric       |                 |
| V445      | v384a       | Heard FP on radio last months                      | discrete    | numeric       |                 |
| V446      | v384b       | Heard FP on TV last months                         | discrete    | numeric       |                 |
| V447      | v384c       | Heard FP newspaper last months                     | discrete    | numeric       |                 |
| V448      | v393        | Visited by FP worker last 12m                      | discrete    | numeric       |                 |
| V449      | v394        | Visited health facil. last 12m                     | discrete    | numeric       |                 |
| V450      | v395        | At health facility, told of FP                     | discrete    | numeric       |                 |
| V451      | v3a00a      | Source of FP for non-users: government hosp.       | discrete    | numeric       |                 |
| V452      | v3a00b      | Source of FP for non-users: govt health cntr       | discrete    | numeric       |                 |
| V453      | v3a00c      | Source of FP for non-users:-NA                     | discrete    | numeric       |                 |
| V454      | v3a00d      | Source of FP for non-users: mobile clinic          | discrete    | numeric       |                 |
| V455      | v3a00e      | Source of FP for non-users: fieldworker            | discrete    | numeric       |                 |
| V456      | v3a00f      | Source of FP for non-users: CS public sector       | discrete    | numeric       |                 |
| V457      | v3a00g      | Source of FP for non-users: CS public sector       | discrete    | numeric       |                 |
| V458      | v3a00h      | Source of FP for non-users:-NA                     | discrete    | numeric       |                 |
| V459      | v3a00i      | Source of FP for non-users: oth public sector      | discrete    | numeric       |                 |
| V460      | v3a00j      | Source of FP for non-users: private hosp/clin      | discrete    | numeric       |                 |
| V461      | v3a00k      | Source of FP for non-users: private pharmacy       | discrete    | numeric       |                 |
| V462      | v3a00l      | Source of FP for non-users:-NA                     | discrete    | numeric       |                 |
| V463      | v3a00m      | Source of FP for non-users:-NA                     | discrete    | numeric       |                 |
| V464      | v3a00n      | Source of FP for non-users:-NA                     | discrete    | numeric       |                 |
| V465      | v3a00o      | Source of FP for non-users: CS med.priv sect       | discrete    | numeric       |                 |
| V466      | v3a00p      | Source of FP for non-users: CS med.priv sect       | discrete    | numeric       |                 |
| V467      | v3a00q      | Source of FP for non-users:-NA                     | discrete    | numeric       |                 |
| V468      | v3a00r      | Source of FP for non-users: oth med.priv sect      | discrete    | numeric       |                 |
| V469      | v3a00s      | Source of FP for non-users:-NA                     | discrete    | numeric       |                 |
| V470      | v3a00t      | Source of FP for non-users: traditional pract      | discrete    | numeric       |                 |
| V471      | v3a00u      | Source of FP for non-users: friend, relative       | discrete    | numeric       |                 |
| V472      | v3a00v      | Source of FP for non-users:-NA                     | discrete    | numeric       |                 |
| V473      | v3a00w      | Source of FP for non-users:-NA                     | discrete    | numeric       |                 |
| V474      | v3a00x      | Source of FP for non-users: Other                  | discrete    | numeric       |                 |
| V475      | v3a00y      | Source of FP for non-users: no source              | discrete    | numeric       |                 |
| V476      | v3a00z      | Source of FP for non-users: any source             | discrete    | numeric       |                 |
| V477      | v3a01       | Told sterilization would mean no more children     | discrete    | numeric       |                 |
| V478      | v3a02       | Told about side effects                            | discrete    | numeric       |                 |
| V479      | v3a03       | Told about side effects by health or FP worker     | discrete    | numeric       |                 |
| V480      | v3a04       | Told how to deal with side effects                 | discrete    | numeric       |                 |
| V481      | v3a05       | Told about other FP methods                        | discrete    | numeric       |                 |
| V482      | v3a06       | Told about other FP methods by health or FP worker | discrete    | numeric       |                 |
| V483      | v3a07       | First source for current method                    | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                       | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V484      | v3a08a      | Reason not using: Not married                      | discrete    | numeric       |                 |
| V485      | v3a08b      | Reason not using: Not having sex                   | discrete    | numeric       |                 |
| V486      | v3a08c      | Reason not using: Infrequent sex                   | discrete    | numeric       |                 |
| V487      | v3a08d      | Reason not using: Menopausal/hysterectomy          | discrete    | numeric       |                 |
| V488      | v3a08e      | Reason not using: Subfecund/infecund               | discrete    | numeric       |                 |
| V489      | v3a08f      | Reason not using: Postpartum amenorrheic           | discrete    | numeric       |                 |
| V490      | v3a08g      | Reason not using: Breastfeeding                    | discrete    | numeric       |                 |
| V491      | v3a08h      | Reason not using: Fatalistic                       | discrete    | numeric       |                 |
| V492      | v3a08i      | Reason not using: Respondent opposed               | discrete    | numeric       |                 |
| V493      | v3a08j      | Reason not using: Husband/partner opposed          | discrete    | numeric       |                 |
| V494      | v3a08k      | Reason not using: Others opposed                   | discrete    | numeric       |                 |
| V495      | v3a08l      | Reason not using: Religious prohibition            | discrete    | numeric       |                 |
| V496      | v3a08m      | Reason not using: Knows no method                  | discrete    | numeric       |                 |
| V497      | v3a08n      | Reason not using: Knows no source                  | discrete    | numeric       |                 |
| V498      | v3a08o      | Reason not using: Health concerns                  | discrete    | numeric       |                 |
| V499      | v3a08p      | Reason not using: Fear of side effects             | discrete    | numeric       |                 |
| V500      | v3a08q      | Reason not using: Lack of access/too far           | discrete    | numeric       |                 |
| V501      | v3a08r      | Reason not using: Costs too much                   | discrete    | numeric       |                 |
| V502      | v3a08s      | Reason not using: Inconvenient to use              | discrete    | numeric       |                 |
| V503      | v3a08t      | Reason not using: Interferes with body's processes | discrete    | numeric       |                 |
| V504      | v3a08u      | Reason not using: Country s-NA                     | discrete    | numeric       |                 |
| V505      | v3a08v      | Reason not using: Country s-NA                     | discrete    | numeric       |                 |
| V506      | v3a08w      | Reason not using: Country s-NA                     | discrete    | numeric       |                 |
| V507      | v3a08x      | Reason not using: Other                            | discrete    | numeric       |                 |
| V508      | v3a08z      | Reason not using: Don't know                       | discrete    | numeric       |                 |

**REC41**

|              |                   |
|--------------|-------------------|
| Content      | WOMAN - Maternity |
| Cases        | 6180              |
| Variable(s)  | 156               |
| Structure    | Type:<br>Keys: () |
| Version      |                   |
| Producer     |                   |
| Missing Data |                   |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V509 | hhid   | Case Identification            | discrete | character |          |
| V510 | caseid | Case Identification            | discrete | character |          |
| V511 | midx   | Index to birth history         | discrete | numeric   |          |
| V512 | m1     | Tetanus injections bef. birth  | discrete | numeric   |          |
| V513 | m2a    | Prenatal: doctor               | discrete | numeric   |          |
| V514 | m2b    | Prenatal: nurse/midwife        | discrete | numeric   |          |
| V515 | m2c    | Prenatal: auxiliary midwife-NA | discrete | numeric   |          |
| V516 | m2d    | Prenatal: CS health profession | discrete | numeric   |          |
| V517 | m2e    | Prenatal: CS health profess-NA | discrete | numeric   |          |
| V518 | m2f    | Prenatal: trained birth att-NA | discrete | numeric   |          |
| V519 | m2g    | Prenatal: trad.birth attendant | discrete | numeric   |          |
| V520 | m2h    | Prenatal: relative -NA         | discrete | numeric   |          |
| V521 | m2i    | Prenatal: CS other person -NA  | discrete | numeric   |          |
| V522 | m2j    | Prenatal: CS other person -NA  | discrete | numeric   |          |
| V523 | m2k    | Prenatal: other resp (uncoded) | discrete | numeric   |          |
| V524 | m2l    | Prenatal: CS other -NA         | discrete | numeric   |          |
| V525 | m2m    | Prenatal: CS other -NA         | discrete | numeric   |          |
| V526 | m2n    | Prenatal: no one               | discrete | numeric   |          |
| V527 | m3a    | Assistance: doctor             | discrete | numeric   |          |
| V528 | m3b    | Assistance: nurse/midwife      | discrete | numeric   |          |
| V529 | m3c    | Assistance: auxiliary midwi-NA | discrete | numeric   |          |
| V530 | m3d    | Assistance: CS health profe-NA | discrete | numeric   |          |
| V531 | m3e    | Assistance: CS health profe-NA | discrete | numeric   |          |
| V532 | m3f    | Assistance: trained birth a-NA | discrete | numeric   |          |
| V533 | m3g    | Assistance: trad.birth attend. | discrete | numeric   |          |
| V534 | m3h    | Assistance: relative, friend   | discrete | numeric   |          |
| V535 | m3i    | Assistance: CS other person-NA | discrete | numeric   |          |
| V536 | m3j    | Assistance: CS other person-NA | discrete | numeric   |          |

| ID   | Name | Label  | Type     | Format  | Question |
|------|------|--|----------|---------|----------|
| V537 | m3k  | Assistance: other resp (uncod)                             | discrete | numeric |          |
| V538 | m3l  | Assistance: CS other -NA                                   | discrete | numeric |          |
| V539 | m3m  | Assistance: CS other -NA                                   | discrete | numeric |          |
| V540 | m3n  | Assistance: no one   | discrete | numeric |          |
| V541 | m4   | Duration of breastfeeding                                  | discrete | numeric |          |
| V542 | m5   | Months of breastfeeding                                    | discrete | numeric |          |
| V543 | m6   | Duration of amenorrhea                                     | discrete | numeric |          |
| V544 | m7   | Months of amenorrhea                                       | discrete | numeric |          |
| V545 | m8   | Duration of abstinence                                     | discrete | numeric |          |
| V546 | m9   | Months of abstinence                                       | discrete | numeric |          |
| V547 | m10  | Time wanted pregnancy                                      | discrete | numeric |          |
| V548 | m11  | Time would have waited                                     | discrete | numeric |          |
| V549 | m13  | Timing of 1st antenatal check                              | discrete | numeric |          |
| V550 | m14  | Antenatal visits for pregnancy                             | discrete | numeric |          |
| V551 | m15  | Place of delivery  | discrete | numeric |          |
| V552 | m17  | Delivery by caesarian section                              | discrete | numeric |          |
| V553 | m18  | Size of child at birth                                     | discrete | numeric |          |
| V554 | m19  | Birth weight (kilos - 3 dec.)                              | discrete | numeric |          |
| V555 | m19a | Weight at birth recall                                     | discrete | numeric |          |
| V556 | m27  | Flag for breastfeeding                                     | discrete | numeric |          |
| V557 | m28  | Flag for amenorrhea  | discrete | numeric |          |
| V558 | m29  | Flag for abstinence  | discrete | numeric |          |
| V559 | m34  | When child put to breast                                   | discrete | numeric |          |
| V560 | m35  | Times breastfed during night                               | discrete | numeric |          |
| V561 | m36  | Times breastfed during day                                 | discrete | numeric |          |
| V562 | m37a | Times gave child plain water                               | discrete | numeric |          |
| V563 | m37b | Times gave child sugar wate-NA                             | discrete | numeric |          |
| V564 | m37c | Times gave child fruit juice                               | discrete | numeric |          |
| V565 | m37d | Times gave child herbal tea-NA                             | discrete | numeric |          |
| V566 | m37e | Times gave child powdered/t-NA                             | discrete | numeric |          |
| V567 | m37f | Times gave child commercially produced baby formula        | discrete | numeric |          |
| V568 | m37g | Times gave child fresh milk-NA                             | discrete | numeric |          |
| V569 | m37h | Times given tinned, powdered or fresh animal milk          | discrete | numeric |          |
| V570 | m37i | Times given country specifi-NA                             | discrete | numeric |          |
| V571 | m37j | Times given country specifi-NA                             | discrete | numeric |          |
| V572 | m37k | Times given country specifi-NA                             | discrete | numeric |          |
| V573 | m37l | Times gave child other liquid                              | discrete | numeric |          |
| V574 | m37m | Times given pumpkin, carrots, red/yel yams, red sweet pot. | discrete | numeric |          |
| V575 | m37n | Times given any green leafy vegetables                     | discrete | numeric |          |
| V576 | m37o | Times given mango, papaya or other Vit A rich fruits       | discrete | numeric |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>  | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|---|-------------|---------------|-----------------|
| V577      | m37p        | Times given other solid, semi-solid foods             | discrete    | numeric       |                 |
| V578      | m37q        | Times given food made from local grain                | discrete    | numeric       |                 |
| V579      | m37r        | Times given food made from local roots/tuber          | discrete    | numeric       |                 |
| V580      | m37s        | Times gave child eggs, fish-NA                        | discrete    | numeric       |                 |
| V581      | m37t        | Times gave child meat -NA                             | discrete    | numeric       |                 |
| V582      | m37u        | Times gave child other fruits/vegetables              | discrete    | numeric       |                 |
| V583      | m37v        | Times gave child meat, poultry, fish, shellfish, eggs | discrete    | numeric       |                 |
| V584      | m37w        | Times gave child legumes (lentils, beans, peanuts)    | discrete    | numeric       |                 |
| V585      | m37x        | Times gave child cheese/yogurt                        | discrete    | numeric       |                 |
| V586      | m37y        | Times gave child foods made-NA                        | discrete    | numeric       |                 |
| V587      | m37z        | Times gave child country sp-NA                        | discrete    | numeric       |                 |
| V588      | m37xx       | Times gave child country sp-NA                        | discrete    | numeric       |                 |
| V589      | m37xy       | Times gave child country sp-NA                        | discrete    | numeric       |                 |
| V590      | m37xz       | Times gave child country sp-NA                        | discrete    | numeric       |                 |
| V591      | m38         | Drank from bottle with nipple                         | discrete    | numeric       |                 |
| V592      | m39         | Times ate solid, semi-solid or soft food yesterday    | discrete    | numeric       |                 |
| V593      | m40a        | Last 7 days - plain water -NA                         | discrete    | numeric       |                 |
| V594      | m40b        | Last 7 days - sugar water -NA                         | discrete    | numeric       |                 |
| V595      | m40c        | Last 7 days - fruit juice -NA                         | discrete    | numeric       |                 |
| V596      | m40d        | Last 7 days - herbal tea -NA                          | discrete    | numeric       |                 |
| V597      | m40e        | Last 7 days - powdered/tinn-NA                        | discrete    | numeric       |                 |
| V598      | m40f        | Last 7 days - commercially -NA                        | discrete    | numeric       |                 |
| V599      | m40g        | Last 7 days - fresh milk -NA                          | discrete    | numeric       |                 |
| V600      | m40h        | Last 7 days - tinned, powde-NA                        | discrete    | numeric       |                 |
| V601      | m40i        | Last 7 days - country speci-NA                        | discrete    | numeric       |                 |
| V602      | m40j        | Last 7 days - country speci-NA                        | discrete    | numeric       |                 |
| V603      | m40k        | Last 7 days - country speci-NA                        | discrete    | numeric       |                 |
| V604      | m40l        | Last 7 days - other liquid -NA                        | discrete    | numeric       |                 |
| V605      | m40m        | Last 7 days - pumpkin, carr-NA                        | discrete    | numeric       |                 |
| V606      | m40n        | Last 7 days - any green lea-NA                        | discrete    | numeric       |                 |
| V607      | m40o        | Last 7 days - mango, papaya-NA                        | discrete    | numeric       |                 |
| V608      | m40p        | Last 7 days - other solid, -NA                        | discrete    | numeric       |                 |
| V609      | m40q        | Last 7 days - food made fro-NA                        | discrete    | numeric       |                 |
| V610      | m40r        | Last 7 days - food made fro-NA                        | discrete    | numeric       |                 |
| V611      | m40s        | Last 7 days - eggs, fish, p-NA                        | discrete    | numeric       |                 |
| V612      | m40t        | Last 7 days - meat -NA                                | discrete    | numeric       |                 |
| V613      | m40u        | Last 7 days - other fruits/-NA                        | discrete    | numeric       |                 |
| V614      | m40v        | Last 7 days - meat, poultry-NA                        | discrete    | numeric       |                 |
| V615      | m40w        | Last 7 days - legumes (lent-NA                        | discrete    | numeric       |                 |
| V616      | m40x        | Last 7 days - cheese/yogurt-NA                        | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>   | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V617      | m40y        | Last 7 days - foods made wi-NA                           | discrete    | numeric       |                 |
| V618      | m40z        | Last 7 days - country speci-NA                           | discrete    | numeric       |                 |
| V619      | m40xx       | Last 7 days - country speci-NA                           | discrete    | numeric       |                 |
| V620      | m40xy       | Last 7 days - country speci-NA                           | discrete    | numeric       |                 |
| V621      | m40xz       | Last 7 days - country speci-NA                           | discrete    | numeric       |                 |
| V622      | m41         | Months pregnant for last antenatal visit                 | discrete    | numeric       |                 |
| V623      | m42a        | During pregnancy - weighed                               | discrete    | numeric       |                 |
| V624      | m42b        | During pregnancy - height measured                       | discrete    | numeric       |                 |
| V625      | m42c        | During pregnancy - blood pressure taken                  | discrete    | numeric       |                 |
| V626      | m42d        | During pregnancy - urine sample taken                    | discrete    | numeric       |                 |
| V627      | m42e        | During pregnancy - blood sample taken                    | discrete    | numeric       |                 |
| V628      | m43         | Told about pregnancy complications                       | discrete    | numeric       |                 |
| V629      | m44         | Told where to go for pregnancy complications             | discrete    | numeric       |                 |
| V630      | m45         | During pregancy, given or bought iron tablets/syrup      | discrete    | numeric       |                 |
| V631      | m46         | Days tablets or syrup taken                              | discrete    | numeric       |                 |
| V632      | m47         | During pregnancy, had difficulty with daylight vision    | discrete    | numeric       |                 |
| V633      | m48         | During pregnancy, had difficulty with night blindness    | discrete    | numeric       |                 |
| V634      | m49a        | During pregnancy - took Fan-NA                           | discrete    | numeric       |                 |
| V635      | m49b        | During pregnancy - took Chl-NA                           | discrete    | numeric       |                 |
| V636      | m49c        | During pregnancy - took Unk-NA                           | discrete    | numeric       |                 |
| V637      | m49d        | During pregnancy - took cou-NA                           | discrete    | numeric       |                 |
| V638      | m49e        | During pregnancy - took cou-NA                           | discrete    | numeric       |                 |
| V639      | m49f        | During pregnancy - took cou-NA                           | discrete    | numeric       |                 |
| V640      | m49g        | During pregnancy - took cou-NA                           | discrete    | numeric       |                 |
| V641      | m49x        | During pregnancy - took oth-NA                           | discrete    | numeric       |                 |
| V642      | m49z        | During pregnancy - took no -NA                           | discrete    | numeric       |                 |
| V643      | m50         | After birth, health professional checked health          | discrete    | numeric       |                 |
| V644      | m51         | Checkup after deliver timing                             | discrete    | numeric       |                 |
| V645      | m52         | After birth, health professional checked health          | discrete    | numeric       |                 |
| V646      | m53         | Place for checkup  | discrete    | numeric       |                 |
| V647      | m54         | Received Vitamin A dose in first 2 months after delivery | discrete    | numeric       |                 |
| V648      | m55a        | First 3 days, given milk other than breast milk          | discrete    | numeric       |                 |
| V649      | m55b        | First 3 days, given plain water                          | discrete    | numeric       |                 |
| V650      | m55c        | First 3 days, given sugar/glucose water                  | discrete    | numeric       |                 |
| V651      | m55d        | First 3 days, given gripe water                          | discrete    | numeric       |                 |
| V652      | m55e        | First 3 days, given sugar/salt/water solution            | discrete    | numeric       |                 |
| V653      | m55f        | First 3 days, given fruit juice                          | discrete    | numeric       |                 |
| V654      | m55g        | First 3 days, given infant formula                       | discrete    | numeric       |                 |
| V655      | m55h        | First 3 days, given tea/infusions                        | discrete    | numeric       |                 |
| V656      | m55i        | First 3 days, given honey                                | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>  | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|---|-------------|---------------|-----------------|
| V657      | m55j        | First 3 days, given country-NA                            | discrete    | numeric       |                 |
| V658      | m55k        | First 3 days, given country-NA                            | discrete    | numeric       |                 |
| V659      | m55l        | First 3 days, given country-NA                            | discrete    | numeric       |                 |
| V660      | m55m        | First 3 days, given country-NA                            | discrete    | numeric       |                 |
| V661      | m55n        | First 3 days, given country-NA                            | discrete    | numeric       |                 |
| V662      | m55x        | First 3 days, given other                                 | discrete    | numeric       |                 |
| V663      | m55z        | First 3 days, given nothing                               | discrete    | numeric       |                 |
| V664      | m56         | Sugar added to any of foods or liquids consumed yesterday | discrete    | numeric       |                 |

**REC42**

|              |                                  |
|--------------|----------------------------------|
| Content      | WOMAN - Health and Breastfeeding |
| Cases        | 16798                            |
| Variable(s)  | 119                              |
| Structure    | Type:<br>Keys: ()                |
| Version      |                                  |
| Producer     |                                  |
| Missing Data |                                  |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V665 | hhid   | Case Identification            | discrete | character |          |
| V666 | caseid | Case Identification            | discrete | character |          |
| V667 | v401   | Last birth cesarean section    | discrete | numeric   |          |
| V668 | v404   | Currently breastfeeding        | discrete | numeric   |          |
| V669 | v405   | Currently amenorrheic          | discrete | numeric   |          |
| V670 | v406   | Currently abstaining           | discrete | numeric   |          |
| V671 | v407   | Times breastfed during night   | discrete | numeric   |          |
| V672 | v408   | Times breastfed during day     | discrete | numeric   |          |
| V673 | v415   | Drank from bottle with nipple  | discrete | numeric   |          |
| V674 | v416   | Heard of oral rehydration      | discrete | numeric   |          |
| V675 | v417   | Entries in maternity table     | discrete | numeric   |          |
| V676 | v418   | Entries in health table        | discrete | numeric   |          |
| V677 | v419   | Entries in height/weight table | discrete | numeric   |          |
| V678 | v420   | Measurer's code -NA            | discrete | numeric   |          |
| V679 | v421   | Assistant measurer's code -NA  | discrete | numeric   |          |
| V680 | v426   | When child put to breast       | discrete | numeric   |          |
| V681 | v437   | Respondent's weight (kilos-1d) | contin   | numeric   |          |
| V682 | v438   | Respondent's height (cms-1d)   | contin   | numeric   |          |
| V683 | v439   | Ht/A Percentile (resp.)        | discrete | numeric   |          |
| V684 | v440   | Ht/A Standard deviations (resp | discrete | numeric   |          |
| V685 | v441   | Ht/A Percent ref. median (resp | discrete | numeric   |          |
| V686 | v442   | Wt/Ht Percent ref. median (DHS | discrete | numeric   |          |
| V687 | v443   | Wt/Ht Percent ref. median (Fog | discrete | numeric   |          |
| V688 | v444   | Wt/Ht Percent ref. median (WHO | discrete | numeric   |          |
| V689 | v444a  | Wt/Ht Std deviations(resp) DHS | discrete | numeric   |          |
| V690 | v445   | Body mass index for respondent | discrete | numeric   |          |
| V691 | v446   | Rohrer's index for respondent  | discrete | numeric   |          |
| V692 | v447   | Result of measurement of resp. | discrete | numeric   |          |

| ID   | Name  | Label  | Type     | Format  | Question |
|------|-------|--|----------|---------|----------|
| V693 | v447a | Women's age in years from household report                   | contin   | numeric |          |
| V694 | v452a | Under age 18 (HH report) -NA                                 | discrete | numeric |          |
| V695 | v452b | Line no. of parent/caretake-NA                               | discrete | numeric |          |
| V696 | v452c | Read consent statement -NA                                   | discrete | numeric |          |
| V697 | v453  | Hemoglobin level (g/dl - 1 -NA                               | discrete | numeric |          |
| V698 | v454  | Currently pregnant (househo-NA                               | discrete | numeric |          |
| V699 | v455  | Result of measuring (Hemogl-NA                               | discrete | numeric |          |
| V700 | v456  | Hemoglobin level adjusted b-NA                               | discrete | numeric |          |
| V701 | v457  | Anemia level -NA   | discrete | numeric |          |
| V702 | v458  | Agrees to referral -NA                                       | discrete | numeric |          |
| V703 | v459  | Have bednet for sleeping (h-NA                               | discrete | numeric |          |
| V704 | v460  | Children under 5 slept unde-NA                               | discrete | numeric |          |
| V705 | v461  | Respondent slept under bedn-NA                               | discrete | numeric |          |
| V706 | v462  | Washed hands before prepari-NA                               | discrete | numeric |          |
| V707 | v463a | Smokes cigarettes -NA  | discrete | numeric |          |
| V708 | v463b | Smokes pipe -NA  | discrete | numeric |          |
| V709 | v463c | Smokes other tobacco -NA                                     | discrete | numeric |          |
| V710 | v463d | Smokes country specific -NA                                  | discrete | numeric |          |
| V711 | v463e | Smokes country specific -NA                                  | discrete | numeric |          |
| V712 | v463f | Smokes country specific -NA                                  | discrete | numeric |          |
| V713 | v463g | Smokes country specific -NA                                  | discrete | numeric |          |
| V714 | v463z | Smokes nothing -NA   | discrete | numeric |          |
| V715 | v464  | Number of cigarettes in las-NA                               | discrete | numeric |          |
| V716 | v465  | Disposal of youngest child's stools when not using toilet    | discrete | numeric |          |
| V717 | v466  | When child is seriously ill, can decide whether med tx sough | discrete | numeric |          |
| V718 | v467a | Getting medical help for self: know where to go              | discrete | numeric |          |
| V719 | v467b | Getting medical help for self: getting permission to go      | discrete | numeric |          |
| V720 | v467c | Getting medical help for self: getting money needed for tx   | discrete | numeric |          |
| V721 | v467d | Getting medical help for self: distance to health facility   | discrete | numeric |          |
| V722 | v467e | Getting medical help for self: having to take transport      | discrete | numeric |          |
| V723 | v467f | Getting medical help for self: not wanting to go alone       | discrete | numeric |          |
| V724 | v467g | Getting medical help for self: concern no female health prov | discrete | numeric |          |
| V725 | v468  | Columns used for Last Birth Only variables                   | discrete | numeric |          |
| V726 | v469a | Times gave child plain water                                 | discrete | numeric |          |
| V727 | v469b | Times gave child sugar wate-NA                               | discrete | numeric |          |
| V728 | v469c | Times gave child fruit juice                                 | discrete | numeric |          |
| V729 | v469d | Times gave child herbal tea-NA                               | discrete | numeric |          |
| V730 | v469e | Times gave child powdered/t-NA                               | discrete | numeric |          |
| V731 | v469f | Times gave child commercially produced baby formula          | discrete | numeric |          |
| V732 | v469g | Times gave child fresh milk-NA                               | discrete | numeric |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>   | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V733      | v469h       | Times given tinned, powdered or fresh animal milk          | discrete    | numeric       |                 |
| V734      | v469i       | Times given country specifi-NA                             | discrete    | numeric       |                 |
| V735      | v469j       | Times given country specifi-NA                             | discrete    | numeric       |                 |
| V736      | v469k       | Times given country specifi-NA                             | discrete    | numeric       |                 |
| V737      | v469l       | Times gave child other liquid                              | discrete    | numeric       |                 |
| V738      | v469m       | Times given pumpkin, carrots, red/yel yams, red sweet pot. | discrete    | numeric       |                 |
| V739      | v469n       | Times given any green leafy vegetables                     | discrete    | numeric       |                 |
| V740      | v469o       | Times given mango, papaya or other Vit A rich fruits       | discrete    | numeric       |                 |
| V741      | v469p       | Times given other solid, semi-solid foods                  | discrete    | numeric       |                 |
| V742      | v469q       | Times given food made from local grain                     | discrete    | numeric       |                 |
| V743      | v469r       | Times given food made from local roots/tuber               | discrete    | numeric       |                 |
| V744      | v469s       | Times gave child eggs, fish-NA                             | discrete    | numeric       |                 |
| V745      | v469t       | Times gave child meat -NA                                  | discrete    | numeric       |                 |
| V746      | v469u       | Times gave child other fruits/vegetables                   | discrete    | numeric       |                 |
| V747      | v469v       | Times gave child meat, poultry, fish, shellfish, eggs      | discrete    | numeric       |                 |
| V748      | v469w       | Times gave child legumes (lentils, beans, peanuts)         | discrete    | numeric       |                 |
| V749      | v469x       | Times gave child cheese/yogurt                             | discrete    | numeric       |                 |
| V750      | v469y       | Times gave child foods made-NA                             | discrete    | numeric       |                 |
| V751      | v469z       | Times gave child country sp-NA                             | discrete    | numeric       |                 |
| V752      | v469xx      | Times gave child country sp-NA                             | discrete    | numeric       |                 |
| V753      | v469xy      | Times gave child country sp-NA                             | discrete    | numeric       |                 |
| V754      | v469xz      | Times gave child country sp-NA                             | discrete    | numeric       |                 |
| V755      | v470a       | Last 7 days - plain water -NA                              | discrete    | numeric       |                 |
| V756      | v470b       | Last 7 days - sugar water -NA                              | discrete    | numeric       |                 |
| V757      | v470c       | Last 7 days - fruit juice -NA                              | discrete    | numeric       |                 |
| V758      | v470d       | Last 7 days - herbal tea -NA                               | discrete    | numeric       |                 |
| V759      | v470e       | Last 7 days - powdered/tinn-NA                             | discrete    | numeric       |                 |
| V760      | v470f       | Last 7 days - commercially -NA                             | discrete    | numeric       |                 |
| V761      | v470g       | Last 7 days - fresh milk -NA                               | discrete    | numeric       |                 |
| V762      | v470h       | Last 7 days - tinned, powde-NA                             | discrete    | numeric       |                 |
| V763      | v470i       | Last 7 days - country speci-NA                             | discrete    | numeric       |                 |
| V764      | v470j       | Last 7 days - country speci-NA                             | discrete    | numeric       |                 |
| V765      | v470k       | Last 7 days - country speci-NA                             | discrete    | numeric       |                 |
| V766      | v470l       | Last 7 days - other liquid -NA                             | discrete    | numeric       |                 |
| V767      | v470m       | Last 7 days - pumpkin, carr-NA                             | discrete    | numeric       |                 |
| V768      | v470n       | Last 7 days - any green lea-NA                             | discrete    | numeric       |                 |
| V769      | v470o       | Last 7 days - mango, papaya-NA                             | discrete    | numeric       |                 |
| V770      | v470p       | Last 7 days - other solid, -NA                             | discrete    | numeric       |                 |
| V771      | v470q       | Last 7 days - food made fro-NA                             | discrete    | numeric       |                 |
| V772      | v470r       | Last 7 days - food made fro-NA                             | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                   | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--------------------------------|-------------|---------------|-----------------|
| V773      | v470s       | Last 7 days - eggs, fish, p-NA | discrete    | numeric       |                 |
| V774      | v470t       | Last 7 days - meat -NA         | discrete    | numeric       |                 |
| V775      | v470u       | Last 7 days - other fruits/-NA | discrete    | numeric       |                 |
| V776      | v470v       | Last 7 days - meat, poultry-NA | discrete    | numeric       |                 |
| V777      | v470w       | Last 7 days - legumes (lent-NA | discrete    | numeric       |                 |
| V778      | v470x       | Last 7 days - cheese/yogurt-NA | discrete    | numeric       |                 |
| V779      | v470y       | Last 7 days - foods made wi-NA | discrete    | numeric       |                 |
| V780      | v470z       | Last 7 days - country speci-NA | discrete    | numeric       |                 |
| V781      | v470xx      | Last 7 days - country speci-NA | discrete    | numeric       |                 |
| V782      | v470xy      | Last 7 days - country speci-NA | discrete    | numeric       |                 |
| V783      | v470xz      | Last 7 days - country speci-NA | discrete    | numeric       |                 |

**REC43**

|              |                   |
|--------------|-------------------|
| Content      | WOMAN - Health    |
| Cases        | 6180              |
| Variable(s)  | 136               |
| Structure    | Type:<br>Keys: () |
| Version      |                   |
| Producer     |                   |
| Missing Data |                   |

**Variables**

| ID   | Name   | Label                  | Type     | Format    | Question |
|------|--------|------------------------|----------|-----------|----------|
| V784 | hhid   | Case Identification    | discrete | character |          |
| V785 | caseid | Case Identification    | discrete | character |          |
| V786 | hidx   | Index to birth history | discrete | numeric   |          |
| V787 | h1     | Has health card        | discrete | numeric   |          |
| V788 | h2     | Received BCG           | discrete | numeric   |          |
| V789 | h2d    | BCG day                | discrete | numeric   |          |
| V790 | h2m    | BCG month              | discrete | numeric   |          |
| V791 | h2y    | BCG year               | discrete | numeric   |          |
| V792 | h3     | Received DPT 1         | discrete | numeric   |          |
| V793 | h3d    | DPT 1 day              | discrete | numeric   |          |
| V794 | h3m    | DPT 1 month            | discrete | numeric   |          |
| V795 | h3y    | DPT 1 year             | discrete | numeric   |          |
| V796 | h4     | Received POLIO 1       | discrete | numeric   |          |
| V797 | h4d    | POLIO 1 day            | discrete | numeric   |          |
| V798 | h4m    | POLIO 1 month          | discrete | numeric   |          |
| V799 | h4y    | POLIO 1 year           | discrete | numeric   |          |
| V800 | h5     | Received DPT 2         | discrete | numeric   |          |
| V801 | h5d    | DPT 2 day              | discrete | numeric   |          |
| V802 | h5m    | DPT 2 month            | discrete | numeric   |          |
| V803 | h5y    | DPT 2 year             | discrete | numeric   |          |
| V804 | h6     | Received POLIO 2       | discrete | numeric   |          |
| V805 | h6d    | POLIO 2 day            | discrete | numeric   |          |
| V806 | h6m    | POLIO 2 month          | discrete | numeric   |          |
| V807 | h6y    | POLIO 2 year           | discrete | numeric   |          |
| V808 | h7     | Received DPT 3         | discrete | numeric   |          |
| V809 | h7d    | DPT 3 day              | discrete | numeric   |          |
| V810 | h7m    | DPT 3 month            | discrete | numeric   |          |
| V811 | h7y    | DPT 3 year             | discrete | numeric   |          |

| ID   | Name | Label                          | Type     | Format  | Question |
|------|------|--------------------------------|----------|---------|----------|
| V812 | h8   | Received POLIO 3               | discrete | numeric |          |
| V813 | h8d  | POLIO 3 day                    | discrete | numeric |          |
| V814 | h8m  | POLIO 3 month                  | discrete | numeric |          |
| V815 | h8y  | POLIO 3 year                   | discrete | numeric |          |
| V816 | h9   | Received MEASLES               | discrete | numeric |          |
| V817 | h9d  | MEASLES day                    | discrete | numeric |          |
| V818 | h9m  | MEASLES month                  | discrete | numeric |          |
| V819 | h9y  | MEASLES year                   | discrete | numeric |          |
| V820 | h0   | Received POLIO 0 -NA           | discrete | numeric |          |
| V821 | h0d  | POLIO 0 day -NA                | discrete | numeric |          |
| V822 | h0m  | POLIO 0 month -NA              | discrete | numeric |          |
| V823 | h0y  | POLIO 0 year -NA               | discrete | numeric |          |
| V824 | h10  | Ever had vaccination           | discrete | numeric |          |
| V825 | h11  | Had diarrhea recently          | discrete | numeric |          |
| V826 | h12a | Diarrhea: government hosp.     | discrete | numeric |          |
| V827 | h12b | Diarrhea: govt health center   | discrete | numeric |          |
| V828 | h12c | Diarrhea: govt health post -NA | discrete | numeric |          |
| V829 | h12d | Diarrhea: mobile clinic        | discrete | numeric |          |
| V830 | h12e | Diarrhea: comm.health worker   | discrete | numeric |          |
| V831 | h12f | Diarrhea: CS public sector     | discrete | numeric |          |
| V832 | h12g | Diarrhea: CS public sector -NA | discrete | numeric |          |
| V833 | h12h | Diarrhea: CS public sector -NA | discrete | numeric |          |
| V834 | h12i | Diarrhea: other public sector  | discrete | numeric |          |
| V835 | h12j | Diarrhea: private hosp/clin.   | discrete | numeric |          |
| V836 | h12k | Diarrhea: private pharmacy     | discrete | numeric |          |
| V837 | h12l | Diarrhea: private doctor       | discrete | numeric |          |
| V838 | h12m | Diarrhea: private mobile cl-NA | discrete | numeric |          |
| V839 | h12n | Diarrhea: comm.health worke-NA | discrete | numeric |          |
| V840 | h12o | Diarrhea: CS med.priv secto-NA | discrete | numeric |          |
| V841 | h12p | Diarrhea: CS med.priv secto-NA | discrete | numeric |          |
| V842 | h12q | Diarrhea: CS med.priv secto-NA | discrete | numeric |          |
| V843 | h12r | Diarrhea: other med.priv sect. | discrete | numeric |          |
| V844 | h12s | Diarrhea: shop                 | discrete | numeric |          |
| V845 | h12t | Diarrhea: traditional pract-NA | discrete | numeric |          |
| V846 | h12u | Diarrhea: CS oth.priv sector   | discrete | numeric |          |
| V847 | h12v | Diarrhea: CS oth.priv sector   | discrete | numeric |          |
| V848 | h12w | Diarrhea: CS oth.priv secto-NA | discrete | numeric |          |
| V849 | h12x | Diarrhea: Other                | discrete | numeric |          |
| V850 | h12y | Diarrhea: no treatment         | discrete | numeric |          |
| V851 | h12z | Diarrhea: medical treatment    | discrete | numeric |          |

| ID   | Name | Label                                 | Type     | Format  | Question |
|------|------|---------------------------------------|----------|---------|----------|
| V852 | h13  | Given oral rehydration                | discrete | numeric |          |
| V853 | h14  | Given recommend. home solution        | discrete | numeric |          |
| V854 | h15  | Given other pills or syrups           | discrete | numeric |          |
| V855 | h15a | Given antibiotics (CS) -NA            | discrete | numeric |          |
| V856 | h15b | Given an injection                    | discrete | numeric |          |
| V857 | h15c | Given an intravenous (IV)             | discrete | numeric |          |
| V858 | h15d | Given home remedy, herbal med.        | discrete | numeric |          |
| V859 | h15e | Given CS other treatment -NA          | discrete | numeric |          |
| V860 | h15f | Given CS other treatment -NA          | discrete | numeric |          |
| V861 | h15g | Given CS other treatment -NA          | discrete | numeric |          |
| V862 | h15h | Given CS other treatment -NA          | discrete | numeric |          |
| V863 | h20  | Given other treatment                 | discrete | numeric |          |
| V864 | h21a | Given no treatment                    | discrete | numeric |          |
| V865 | h21  | Received any treatment                | discrete | numeric |          |
| V866 | h22  | Had fever in last two weeks           | discrete | numeric |          |
| V867 | h31  | Had cough in last two weeks           | discrete | numeric |          |
| V868 | h31b | Short, rapid breaths                  | discrete | numeric |          |
| V869 | h32a | Fever/cough: government hosp.         | discrete | numeric |          |
| V870 | h32b | Fever/cough: govt health cntr         | discrete | numeric |          |
| V871 | h32c | Fever/cough: govt health po-NA        | discrete | numeric |          |
| V872 | h32d | Fever/cough: mobile clinic            | discrete | numeric |          |
| V873 | h32e | Fever/cough: comm.health wrkr         | discrete | numeric |          |
| V874 | h32f | Fever/cough: CS public sector         | discrete | numeric |          |
| V875 | h32g | Fever/cough: CS public sect-NA        | discrete | numeric |          |
| V876 | h32h | Fever/cough: CS public sect-NA        | discrete | numeric |          |
| V877 | h32i | Fever/cough: oth public sector        | discrete | numeric |          |
| V878 | h32j | Fever/cough: private hosp/clin        | discrete | numeric |          |
| V879 | h32k | Fever/cough: private pharmacy         | discrete | numeric |          |
| V880 | h32l | Fever/cough: private doctor           | discrete | numeric |          |
| V881 | h32m | Fever/cough: private mobile-NA        | discrete | numeric |          |
| V882 | h32n | Fever/cough: comm.health wr-NA        | discrete | numeric |          |
| V883 | h32o | Fever/cough: CS med.priv se-NA        | discrete | numeric |          |
| V884 | h32p | Fever/cough: CS med.priv se-NA        | discrete | numeric |          |
| V885 | h32q | Fever/cough: CS med.priv se-NA        | discrete | numeric |          |
| V886 | h32r | Fever/cough: oth med.priv sect        | discrete | numeric |          |
| V887 | h32s | Fever/cough: Shop                     | discrete | numeric |          |
| V888 | h32t | Fever/cough: Traditional practitioner | discrete | numeric |          |
| V889 | h32u | Fever/cough: CS oth.priv sect         | discrete | numeric |          |
| V890 | h32v | Fever/cough: CS oth.priv sect         | discrete | numeric |          |
| V891 | h32w | Fever/cough: CS oth.priv sect         | discrete | numeric |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>  | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|---|-------------|---------------|-----------------|
| V892      | h32x        | Fever/cough: Other                                    | discrete    | numeric       |                 |
| V893      | h32y        | Fever/cough: no treatment                             | discrete    | numeric       |                 |
| V894      | h32z        | Fever/cough: medical treatment                        | discrete    | numeric       |                 |
| V895      | h33         | Received Vitamin A                                    | discrete    | numeric       |                 |
| V896      | h33d        | Vitamin A Day   | discrete    | numeric       |                 |
| V897      | h33m        | Vitamin A month                                       | discrete    | numeric       |                 |
| V898      | h33y        | Vitamin A year  | discrete    | numeric       |                 |
| V899      | h34         | Vitamin A in last 6 months                            | discrete    | numeric       |                 |
| V900      | h35         | Any vaccinations in last 2 -NA                        | discrete    | numeric       |                 |
| V901      | h36a        | Vaccinated during Campaign -NA                        | discrete    | numeric       |                 |
| V902      | h36b        | Vaccinated during Campaign -NA                        | discrete    | numeric       |                 |
| V903      | h36c        | Vaccinated during Campaign -NA                        | discrete    | numeric       |                 |
| V904      | h36d        | Vaccinated during Campaign -NA                        | discrete    | numeric       |                 |
| V905      | h36e        | Vaccinated during Campaign -NA                        | discrete    | numeric       |                 |
| V906      | h36f        | Vaccinated during Campaign -NA                        | discrete    | numeric       |                 |
| V907      | h37a        | Fansidar taken for fever -NA                          | discrete    | numeric       |                 |
| V908      | h37b        | Chloroquine taken for fever-NA                        | discrete    | numeric       |                 |
| V909      | h37c        | Aspirin taken for fever -NA                           | discrete    | numeric       |                 |
| V910      | h37d        | Ibuprofen/acetaminophen tak-NA                        | discrete    | numeric       |                 |
| V911      | h37e        | Country specific taken for -NA                        | discrete    | numeric       |                 |
| V912      | h37f        | Country specific taken for -NA                        | discrete    | numeric       |                 |
| V913      | h37g        | Country specific taken for -NA                        | discrete    | numeric       |                 |
| V914      | h37h        | Country specific taken for -NA                        | discrete    | numeric       |                 |
| V915      | h37x        | Other taken for fever -NA                             | discrete    | numeric       |                 |
| V916      | h37y        | Nothing taken for fever -NA                           | discrete    | numeric       |                 |
| V917      | h37z        | Don't know if or what was t-NA                        | discrete    | numeric       |                 |
| V918      | h38         | Had diarrhea in last 2 weeks: Amount offered to drink | discrete    | numeric       |                 |
| V919      | h39         | Had diarrhea in last 2 weeks: Amount offered to eat   | discrete    | numeric       |                 |

**REC44**

|              |                           |
|--------------|---------------------------|
| Content      | WOMAN - Height and Weight |
| Cases        | 6180                      |
| Variable(s)  | 28                        |
| Structure    | Type:<br>Keys: ()         |
| Version      |                           |
| Producer     |                           |
| Missing Data |                           |

**Variables**

| ID   | Name   | Label                          | Type     | Format    | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V920 | hhid   | Case Identification            | discrete | character |          |
| V921 | caseid | Case Identification            | discrete | character |          |
| V922 | hwidx  | Index to birth history         | discrete | numeric   |          |
| V923 | hw1    | Age in months                  | contin   | numeric   |          |
| V924 | hw2    | Weight in kilograms (1 dec.)   | contin   | numeric   |          |
| V925 | hw3    | Height in centimeters (1 dec.) | contin   | numeric   |          |
| V926 | hw4    | Ht/A Percentile                | discrete | numeric   |          |
| V927 | hw5    | Ht/A Standard deviations       | discrete | numeric   |          |
| V928 | hw6    | Ht/A Percent of ref. median    | discrete | numeric   |          |
| V929 | hw7    | Wt/A Percentile                | discrete | numeric   |          |
| V930 | hw8    | Wt/A Standard deviations       | discrete | numeric   |          |
| V931 | hw9    | Wt/A Percent of ref. median    | discrete | numeric   |          |
| V932 | hw10   | Wt/Ht Percentile               | discrete | numeric   |          |
| V933 | hw11   | Wt/Ht Standard deviations      | discrete | numeric   |          |
| V934 | hw12   | Wt/Ht Percent of ref. median   | discrete | numeric   |          |
| V935 | hw13   | Reason not measured            | discrete | numeric   |          |
| V936 | hw15   | Height: lying or standing      | discrete | numeric   |          |
| V937 | hw16   | Day of birth of child          | discrete | numeric   |          |
| V938 | hw17   | Date measured (day)            | contin   | numeric   |          |
| V939 | hw18   | Date measured (month)          | discrete | numeric   |          |
| V940 | hw19   | Date measured (year)           | discrete | numeric   |          |
| V941 | hw51   | Line no. of parent/caretake-NA | discrete | numeric   |          |
| V942 | hw52   | Read consent statement -NA     | discrete | numeric   |          |
| V943 | hw53   | Hemoglobin level (g/dl - 1 -NA | discrete | numeric   |          |
| V944 | hw55   | Result of measuring (Hemogl-NA | discrete | numeric   |          |
| V945 | hw56   | Hemoglobin level adjusted b-NA | discrete | numeric   |          |
| V946 | hw57   | Anemia level -NA               | discrete | numeric   |          |
| V947 | hw58   | Agrees to referral -NA         | discrete | numeric   |          |

**REC51**

|              |                            |
|--------------|----------------------------|
| Content      | WOMAN - Marriage/ Exposure |
| Cases        | 16798                      |
| Variable(s)  | 25                         |
| Structure    | Type:<br>Keys: ()          |
| Version      |                            |
| Producer     |                            |
| Missing Data |                            |

**Variables**

| ID   | Name   | Label                           | Type     | Format    | Question |
|------|--------|---------------------------------|----------|-----------|----------|
| V948 | hhid   | Case Identification             | discrete | character |          |
| V949 | caseid | Case Identification             | discrete | character |          |
| V950 | v501   | Current marital status          | discrete | numeric   |          |
| V951 | v502   | Currently/formerly/never marr.  | discrete | numeric   |          |
| V952 | v503   | Number of unions                | discrete | numeric   |          |
| V953 | v504   | Husband lives in house -NA      | discrete | numeric   |          |
| V954 | v505   | Number of other wives           | discrete | numeric   |          |
| V955 | v506   | Wife rank number -NA            | discrete | numeric   |          |
| V956 | v507   | Month of first marriage         | discrete | numeric   |          |
| V957 | v508   | Year of first marriage          | contin   | numeric   |          |
| V958 | v509   | Date of first marriage (CMC)    | contin   | numeric   |          |
| V959 | v510   | Completeness of date inform.    | discrete | numeric   |          |
| V960 | v511   | Age at first marriage           | contin   | numeric   |          |
| V961 | v512   | Years since first marriage      | contin   | numeric   |          |
| V962 | v513   | Marital duration (grouped)      | discrete | numeric   |          |
| V963 | v525   | Age at first intercourse -NA    | discrete | numeric   |          |
| V964 | v527   | Time since last intercourse-NA  | discrete | numeric   |          |
| V965 | v528   | Time since last intercourse-NA  | discrete | numeric   |          |
| V966 | v529   | Time since last intercourse-NA  | discrete | numeric   |          |
| V967 | v530   | Flag for V529 -NA               | discrete | numeric   |          |
| V968 | v531   | Age at first intercourse (i-NA) | discrete | numeric   |          |
| V969 | v532   | Flag for V531 -NA               | discrete | numeric   |          |
| V970 | v535   | Have ever been married -NA      | discrete | numeric   |          |
| V971 | v536   | Recent sexual activity -NA      | discrete | numeric   |          |
| V972 | v537   | Months of abstinence -NA        | discrete | numeric   |          |

**REC61**

|              |                               |
|--------------|-------------------------------|
| Content      | WOMAN - Fertility Preferences |
| Cases        | 16798                         |
| Variable(s)  | 45                            |
| Structure    | Type:<br>Keys: ()             |
| Version      |                               |
| Producer     |                               |
| Missing Data |                               |

**Variables**

| ID    | Name   | Label                           | Type     | Format    | Question |
|-------|--------|---------------------------------|----------|-----------|----------|
| V973  | hhid   | Case Identification             | discrete | character |          |
| V974  | caseid | Case Identification             | discrete | character |          |
| V975  | v602   | Fertility preference            | discrete | numeric   |          |
| V976  | v603   | Preferred waiting time          | discrete | numeric   |          |
| V977  | v604   | Preferred waiting time (grpd)   | discrete | numeric   |          |
| V978  | v605   | Desire for more children        | discrete | numeric   |          |
| V979  | v610   | Husband approves FP             | discrete | numeric   |          |
| V980  | v611   | Discussed FP with partner       | discrete | numeric   |          |
| V981  | v612   | Respondent approves FP          | discrete | numeric   |          |
| V982  | v613   | Ideal number of children        | discrete | numeric   |          |
| V983  | v614   | Ideal number of children (grp)  | discrete | numeric   |          |
| V984  | v616   | Time for future birth           | discrete | numeric   |          |
| V985  | v621   | Husbands desire for children    | discrete | numeric   |          |
| V986  | v623   | Exposure                        | discrete | numeric   |          |
| V987  | v624   | Unmet need                      | discrete | numeric   |          |
| V988  | v625   | Exposure (definition 2)         | discrete | numeric   |          |
| V989  | v626   | Unmet need (definition 2)       | discrete | numeric   |          |
| V990  | v627   | Ideal number of boys            | discrete | numeric   |          |
| V991  | v628   | Ideal number of girls           | discrete | numeric   |          |
| V992  | v629   | Ideal number of either sex      | discrete | numeric   |          |
| V993  | v630a  | Discussed FP with partner       | discrete | numeric   |          |
| V994  | v630b  | Discussed FP with mother        | discrete | numeric   |          |
| V995  | v630c  | Discussed FP with father        | discrete | numeric   |          |
| V996  | v630d  | Discussed FP with sister(s)     | discrete | numeric   |          |
| V997  | v630e  | Discussed FP with brother(s)    | discrete | numeric   |          |
| V998  | v630f  | Discussed FP with daughter(s)   | discrete | numeric   |          |
| V999  | v630g  | Discussed FP with mother-in-law | discrete | numeric   |          |
| V1000 | v630h  | Discussed FP with friends/nbrs  | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                       | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V1001     | v630i       | Discussed FP with son(s)                           | discrete    | numeric       |                 |
| V1002     | v630j       | Discussed FP -country speci-NA                     | discrete    | numeric       |                 |
| V1003     | v630k       | Discussed FP -country speci-NA                     | discrete    | numeric       |                 |
| V1004     | v630l       | Discussed FP -country speci-NA                     | discrete    | numeric       |                 |
| V1005     | v630m       | Discussed FP -country speci-NA                     | discrete    | numeric       |                 |
| V1006     | v630n       | Discussed FP -country speci-NA                     | discrete    | numeric       |                 |
| V1007     | v630o       | Discussed FP -country speci-NA                     | discrete    | numeric       |                 |
| V1008     | v630x       | Discussed FP with others                           | discrete    | numeric       |                 |
| V1009     | v631        | Problem if became pregnant                         | discrete    | numeric       |                 |
| V1010     | v632        | Decision maker for using contraception             | discrete    | numeric       |                 |
| V1011     | v633a       | Reason for not having sex: Husband has STD         | discrete    | numeric       |                 |
| V1012     | v633b       | Reason for not having sex: Husband has other women | discrete    | numeric       |                 |
| V1013     | v633c       | Reason for not having sex: Recent birth            | discrete    | numeric       |                 |
| V1014     | v633d       | Reason for not having sex: Tired, mood             | discrete    | numeric       |                 |
| V1015     | v633e       | Reason for not having sex: -NA                     | discrete    | numeric       |                 |
| V1016     | v633f       | Reason for not having sex: -NA                     | discrete    | numeric       |                 |
| V1017     | v633g       | Reason for not having sex: -NA                     | discrete    | numeric       |                 |

**REC71**

|              |                                   |
|--------------|-----------------------------------|
| Content      | WOMAN - Partner's Characteristics |
| Cases        | 16798                             |
| Variable(s)  | 30                                |
| Structure    | Type:<br>Keys: ()                 |
| Version      |                                   |
| Producer     |                                   |
| Missing Data |                                   |

**Variables**

| ID    | Name   | Label  | Type     | Format    | Question |
|-------|--------|--|----------|-----------|----------|
| V1018 | hhid   | Case Identification  | discrete | character |          |
| V1019 | caseid | Case Identification  | discrete | character |          |
| V1020 | v701   | Partner's education level                                  | discrete | numeric   |          |
| V1021 | v702   | Highest year of education                                  | discrete | numeric   |          |
| V1022 | v704   | Partner's occupation                                       | discrete | numeric   |          |
| V1023 | v705   | Partner's occupation                                       | discrete | numeric   |          |
| V1024 | v714   | Respondent currently working                               | discrete | numeric   |          |
| V1025 | v715   | Husbands education-single yrs                              | discrete | numeric   |          |
| V1026 | v716   | Respondent's occupation                                    | discrete | numeric   |          |
| V1027 | v717   | Respondent's occupation                                    | discrete | numeric   |          |
| V1028 | v719   | Work for family, others, self                              | discrete | numeric   |          |
| V1029 | v721   | Works at home or away                                      | discrete | numeric   |          |
| V1030 | v729   | Partner's educational attainm.                             | discrete | numeric   |          |
| V1031 | v730   | Partners age   | discrete | numeric   |          |
| V1032 | v731   | Worked in last 12 months                                   | discrete | numeric   |          |
| V1033 | v732   | Employment all year/seasonal                               | discrete | numeric   |          |
| V1034 | v739   | Who decides how to spend money                             | discrete | numeric   |          |
| V1035 | v740   | Type of land where resp. works                             | discrete | numeric   |          |
| V1036 | v741   | Type of earnings for work                                  | discrete | numeric   |          |
| V1037 | v742   | Portion of household expenditures respondents earnings pay | discrete | numeric   |          |
| V1038 | v743a  | Final say on own health care                               | discrete | numeric   |          |
| V1039 | v743b  | Final say on making large household purchases              | discrete | numeric   |          |
| V1040 | v743c  | Final say on making household purchases for daily needs    | discrete | numeric   |          |
| V1041 | v743d  | Final say on visits to family or relatives                 | discrete | numeric   |          |
| V1042 | v743e  | Final say on food to be cooked each day                    | discrete | numeric   |          |
| V1043 | v744a  | Wife beating justified if she goes out without telling him | discrete | numeric   |          |
| V1044 | v744b  | Wife beating justified if she neglects the children        | discrete | numeric   |          |
| V1045 | v744c  | Wife beating justified if she argues with him              | discrete | numeric   |          |

| ID    | Name  | Label  | Type     | Format  | Question |
|-------|-------|--|----------|---------|----------|
| V1046 | v744d | Wife beating justified if she refuses to have sex with him | discrete | numeric |          |
| V1047 | v744e | Wife beating justified if she burns the food               | discrete | numeric |          |

**REC75**

|              |                                   |
|--------------|-----------------------------------|
| Content      | WOMAN - AIDS, STIs and Condom Use |
| Cases        | 16798                             |
| Variable(s)  | 194                               |
| Structure    | Type:<br>Keys: ()                 |
| Version      |                                   |
| Producer     |                                   |
| Missing Data |                                   |

**Variables**

| ID    | Name   | Label  | Type     | Format    | Question |
|-------|--------|--|----------|-----------|----------|
| V1048 | hhid   | Case Identification                                | discrete | character |          |
| V1049 | caseid | Case Identification                                | discrete | character |          |
| V1050 | v750   | Heard sexual transmit. disease                     | discrete | numeric   |          |
| V1051 | v751   | Ever heard of AIDS                                 | discrete | numeric   |          |
| V1052 | v753   | Ways to avoid AIDS                                 | discrete | numeric   |          |
| V1053 | v754a  | AIDS: Safe sex -NA                                 | discrete | numeric   |          |
| V1054 | v754b  | AIDS: abstain from sex                             | discrete | numeric   |          |
| V1055 | v754c  | AIDS: use condoms during sex                       | discrete | numeric   |          |
| V1056 | v754d  | AIDS: only one sex partner                         | discrete | numeric   |          |
| V1057 | v754e  | AIDS: avoid sex prostitutes                        | discrete | numeric   |          |
| V1058 | v754f  | AIDS: avoid sex homosexuals                        | discrete | numeric   |          |
| V1059 | v754g  | AIDS: avoid blood transfusions                     | discrete | numeric   |          |
| V1060 | v754h  | AIDS: avoid injections                             | discrete | numeric   |          |
| V1061 | v754i  | AIDS: avoid kissing                                | discrete | numeric   |          |
| V1062 | v754j  | AIDS: avoid mosquito bites                         | discrete | numeric   |          |
| V1063 | v754k  | AIDS: protection trad. healer                      | discrete | numeric   |          |
| V1064 | v754l  | AIDS: Limit number of sex partners                 | discrete | numeric   |          |
| V1065 | v754m  | AIDS: Avoid partners who have many partners        | discrete | numeric   |          |
| V1066 | v754n  | AIDS: Avoid sex with intravenous drug users        | discrete | numeric   |          |
| V1067 | v754o  | AIDS: avoid sharing razor blades with AIDS patient | discrete | numeric   |          |
| V1068 | v754p  | AIDS: country specific -NA                         | discrete | numeric   |          |
| V1069 | v754q  | AIDS: country specific -NA                         | discrete | numeric   |          |
| V1070 | v754r  | AIDS: country specific -NA                         | discrete | numeric   |          |
| V1071 | v754s  | AIDS: country specific -NA                         | discrete | numeric   |          |
| V1072 | v754t  | AIDS: country specific -NA                         | discrete | numeric   |          |
| V1073 | v754u  | AIDS: country specific -NA                         | discrete | numeric   |          |
| V1074 | v754v  | AIDS: country specific -NA                         | discrete | numeric   |          |
| V1075 | v754x  | AIDS: other responses                              | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>   | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V1076     | v754z       | AIDS: DK ways to avoid AIDS                                  | discrete    | numeric       |                 |
| V1077     | v754cp      | Reduce chances of AIDS by always using condoms during sex    | discrete    | numeric       |                 |
| V1078     | v754dp      | Reduce chance of AIDS: have 1 sex partner with no oth partnr | discrete    | numeric       |                 |
| V1079     | v754jp      | Get AIDS from mosquito bites                                 | discrete    | numeric       |                 |
| V1080     | v754wp      | Get AIDS by sharing food with person who has AIDS            | discrete    | numeric       |                 |
| V1081     | v756        | Can a healthy person have AIDS                               | discrete    | numeric       |                 |
| V1082     | v759a       | Acceptable to discuss AIDS -NA                               | discrete    | numeric       |                 |
| V1083     | v759b       | Acceptable to discuss AIDS -NA                               | discrete    | numeric       |                 |
| V1084     | v759c       | Acceptable to discuss AIDS -NA                               | discrete    | numeric       |                 |
| V1085     | v759d       | Acceptable to discuss AIDS:-NA                               | discrete    | numeric       |                 |
| V1086     | v759e       | Acceptable to discuss AIDS:-NA                               | discrete    | numeric       |                 |
| V1087     | v759f       | Acceptable to discuss AIDS:-NA                               | discrete    | numeric       |                 |
| V1088     | v759g       | Acceptable to discuss AIDS:-NA                               | discrete    | numeric       |                 |
| V1089     | v759h       | Acceptable to discuss AIDS:-NA                               | discrete    | numeric       |                 |
| V1090     | v759i       | Acceptable to discuss AIDS:-NA                               | discrete    | numeric       |                 |
| V1091     | v761        | Last intercourse used condo-NA                               | discrete    | numeric       |                 |
| V1092     | v761b       | Intercourse with other man -NA                               | discrete    | numeric       |                 |
| V1093     | v761c       | Intercourse with other man -NA                               | discrete    | numeric       |                 |
| V1094     | v762aa      | Source for condoms: Governm-NA                               | discrete    | numeric       |                 |
| V1095     | v762ab      | Source for condoms: Governm-NA                               | discrete    | numeric       |                 |
| V1096     | v762ac      | Source for condoms: Family -NA                               | discrete    | numeric       |                 |
| V1097     | v762ad      | Source for condoms: Mobile -NA                               | discrete    | numeric       |                 |
| V1098     | v762ae      | Source for condoms: Public -NA                               | discrete    | numeric       |                 |
| V1099     | v762af      | Source for condoms: Other p-NA                               | discrete    | numeric       |                 |
| V1100     | v762ag      | Source for condoms: Public -NA                               | discrete    | numeric       |                 |
| V1101     | v762ah      | Source for condoms: Public -NA                               | discrete    | numeric       |                 |
| V1102     | v762ai      | Source for condoms: Public -NA                               | discrete    | numeric       |                 |
| V1103     | v762aj      | Source for condoms: Private-NA                               | discrete    | numeric       |                 |
| V1104     | v762ak      | Source for condoms: Pharmac-NA                               | discrete    | numeric       |                 |
| V1105     | v762al      | Source for condoms: Private-NA                               | discrete    | numeric       |                 |
| V1106     | v762am      | Source for condoms: Private-NA                               | discrete    | numeric       |                 |
| V1107     | v762an      | Source for condoms: Private-NA                               | discrete    | numeric       |                 |
| V1108     | v762ao      | Source for condoms: Other p-NA                               | discrete    | numeric       |                 |
| V1109     | v762ap      | Source for condoms: Private-NA                               | discrete    | numeric       |                 |
| V1110     | v762aq      | Source for condoms: Private-NA                               | discrete    | numeric       |                 |
| V1111     | v762ar      | Source for condoms: Private-NA                               | discrete    | numeric       |                 |
| V1112     | v762as      | Source for condoms: Shop -NA                                 | discrete    | numeric       |                 |
| V1113     | v762at      | Source for condoms: Church -NA                               | discrete    | numeric       |                 |
| V1114     | v762au      | Source for condoms: Friends-NA                               | discrete    | numeric       |                 |
| V1115     | v762av      | Source for condoms: CS -NA                                   | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                   | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--------------------------------|-------------|---------------|-----------------|
| V1116     | v762aw      | Source for condoms: CS -NA     | discrete    | numeric       |                 |
| V1117     | v762ax      | Source for condoms: Other -NA  | discrete    | numeric       |                 |
| V1118     | v762az      | Source for condoms: DK sour-NA | discrete    | numeric       |                 |
| V1119     | v762ba      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1120     | v762bb      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1121     | v762bc      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1122     | v762bd      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1123     | v762be      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1124     | v762bf      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1125     | v762bg      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1126     | v762bh      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1127     | v762bi      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1128     | v762bj      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1129     | v762bk      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1130     | v762bl      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1131     | v762bm      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1132     | v762bn      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1133     | v762bo      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1134     | v762bp      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1135     | v762bq      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1136     | v762br      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1137     | v762bs      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1138     | v762bt      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1139     | v762bu      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1140     | v762bv      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1141     | v762bw      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1142     | v762bx      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1143     | v762bz      | Source for female condoms: -NA | discrete    | numeric       |                 |
| V1144     | v763a       | Had any STD in last 12 mont-NA | discrete    | numeric       |                 |
| V1145     | v763b       | Had genital sore/ulcer in I-NA | discrete    | numeric       |                 |
| V1146     | v763c       | Had genital discharge in Ia-NA | discrete    | numeric       |                 |
| V1147     | v763d       | Last 12 months had CS STD -NA  | discrete    | numeric       |                 |
| V1148     | v763e       | Last 12 months had CS STD -NA  | discrete    | numeric       |                 |
| V1149     | v763f       | Last 12 months had CS STD -NA  | discrete    | numeric       |                 |
| V1150     | v763g       | Last 12 months had CS STD -NA  | discrete    | numeric       |                 |
| V1151     | v765a       | Last sex reason used a cond-NA | discrete    | numeric       |                 |
| V1152     | v765b       | Sex with other man (1) reas-NA | discrete    | numeric       |                 |
| V1153     | v765c       | Sex with other man (2) reas-NA | discrete    | numeric       |                 |
| V1154     | v766a       | No. other than husband had -NA | discrete    | numeric       |                 |
| V1155     | v766b       | No. had sex including husba-NA | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                           | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V1156     | v767a       | Relationship with last sex -NA         | discrete    | numeric       |                 |
| V1157     | v767b       | Relationship with other sex-NA         | discrete    | numeric       |                 |
| V1158     | v767c       | Relationship with other sex-NA         | discrete    | numeric       |                 |
| V1159     | v768a       | Length of time knows last p-NA         | discrete    | numeric       |                 |
| V1160     | v768b       | Length of time knows other -NA         | discrete    | numeric       |                 |
| V1161     | v768c       | Length of time knows other -NA         | discrete    | numeric       |                 |
| V1162     | v769        | Could get a condom -NA                 | discrete    | numeric       |                 |
| V1163     | v769a       | Could get a female condom -NA          | discrete    | numeric       |                 |
| V1164     | v770        | Seek advice for last diseas-NA         | discrete    | numeric       |                 |
| V1165     | v770a       | Seek advise: clinic/hospita-NA         | discrete    | numeric       |                 |
| V1166     | v770b       | Seek advise: traditional he-NA         | discrete    | numeric       |                 |
| V1167     | v770c       | Seek advise: Shop/pharmacy -NA         | discrete    | numeric       |                 |
| V1168     | v770d       | Seek advise: Friends/relati-NA         | discrete    | numeric       |                 |
| V1169     | v770e       | Seek advise: CS -NA                    | discrete    | numeric       |                 |
| V1170     | v770f       | Seek advise: CS -NA                    | discrete    | numeric       |                 |
| V1171     | v770g       | Seek advise: CS -NA                    | discrete    | numeric       |                 |
| V1172     | v770h       | Seek advise: CS -NA                    | discrete    | numeric       |                 |
| V1173     | v770i       | Seek advise: CS -NA                    | discrete    | numeric       |                 |
| V1174     | v771        | Advise partner when had dis-NA         | discrete    | numeric       |                 |
| V1175     | v772        | Tried to avoid infecting pa-NA         | discrete    | numeric       |                 |
| V1176     | v773a       | What done: no sexual interc-NA         | discrete    | numeric       |                 |
| V1177     | v773b       | What done: used condoms -NA            | discrete    | numeric       |                 |
| V1178     | v773c       | What done: took medicines -NA          | discrete    | numeric       |                 |
| V1179     | v773d       | What done: country specific-NA         | discrete    | numeric       |                 |
| V1180     | v773e       | What done: country specific-NA         | discrete    | numeric       |                 |
| V1181     | v773f       | What done: country specific-NA         | discrete    | numeric       |                 |
| V1182     | v773x       | What done: other -NA                   | discrete    | numeric       |                 |
| V1183     | v774        | AIDS transmitted from mother to child  | discrete    | numeric       |                 |
| V1184     | v774a       | AIDS transmit. during pregnancy        | discrete    | numeric       |                 |
| V1185     | v774b       | AIDS transmit. during delivery         | discrete    | numeric       |                 |
| V1186     | v774c       | AIDS transmit. by breastfeeding        | discrete    | numeric       |                 |
| V1187     | v775        | Knows someone who has or died of AIDS  | discrete    | numeric       |                 |
| V1188     | v776        | Spoken with spouse about avoiding AIDS | discrete    | numeric       |                 |
| V1189     | v777        | Allowed to keep AIDS infection secret  | discrete    | numeric       |                 |
| V1190     | v778        | Willing to care for relative with AIDS | discrete    | numeric       |                 |
| V1191     | v779        | Person with AIDS allowed to-NA         | discrete    | numeric       |                 |
| V1192     | v780        | Should children be taught a-NA         | discrete    | numeric       |                 |
| V1193     | v781        | Ever been tested for AIDS -NA          | discrete    | numeric       |                 |
| V1194     | v782        | Want to be tested for AIDS -NA         | discrete    | numeric       |                 |
| V1195     | v783        | Know a place to get AIDS te-NA         | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                  | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|-------------------------------|-------------|---------------|-----------------|
| V1196     | v784        | Where to get an AIDS test -NA | discrete    | numeric       |                 |
| V1197     | v785        | Heard about other STDs        | discrete    | numeric       |                 |
| V1198     | v785a       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1199     | v785b       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1200     | v785c       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1201     | v785d       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1202     | v785e       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1203     | v785f       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1204     | v785g       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1205     | v785h       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1206     | v785i       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1207     | v785j       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1208     | v785k       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1209     | v785l       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1210     | v785m       | Man's symptoms of STI -NA     | discrete    | numeric       |                 |
| V1211     | v785n       | Man's symptoms of STI -NA     | discrete    | numeric       |                 |
| V1212     | v785o       | Man's symptoms of STI -NA     | discrete    | numeric       |                 |
| V1213     | v785p       | Man's symptoms of STI -NA     | discrete    | numeric       |                 |
| V1214     | v785q       | Man's symptoms of STI -NA     | discrete    | numeric       |                 |
| V1215     | v785x       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1216     | v785y       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1217     | v785z       | Man's symptoms of STI         | discrete    | numeric       |                 |
| V1218     | v786a       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1219     | v786b       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1220     | v786c       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1221     | v786d       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1222     | v786e       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1223     | v786f       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1224     | v786g       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1225     | v786h       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1226     | v786i       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1227     | v786j       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1228     | v786k       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1229     | v786l       | Woman's symptoms of STI       | discrete    | numeric       |                 |
| V1230     | v786m       | Woman's symptoms of STI -NA   | discrete    | numeric       |                 |
| V1231     | v786n       | Woman's symptoms of STI -NA   | discrete    | numeric       |                 |
| V1232     | v786o       | Woman's symptoms of STI -NA   | discrete    | numeric       |                 |
| V1233     | v786p       | Woman's symptoms of STI -NA   | discrete    | numeric       |                 |
| V1234     | v786q       | Woman's symptoms of STI -NA   | discrete    | numeric       |                 |
| V1235     | v786x       | Woman's symptoms of STI       | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                   | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--------------------------------|-------------|---------------|-----------------|
| V1236     | v786y       | Woman's symptoms of STI        | discrete    | numeric       |                 |
| V1237     | v786z       | Woman's symptoms of STI        | discrete    | numeric       |                 |
| V1238     | v787        | Number of days drank alcoho-NA | discrete    | numeric       |                 |
| V1239     | v788        | Number of days gotten drunk-NA | discrete    | numeric       |                 |
| V1240     | v789        | Number of injections in las-NA | discrete    | numeric       |                 |
| V1241     | v790        | Person who gave last inject-NA | discrete    | numeric       |                 |

**REC81**

|              |                                      |
|--------------|--------------------------------------|
| Content      | WOMAN - Characteristics of Interview |
| Cases        | 16798                                |
| Variable(s)  | 12                                   |
| Structure    | Type:<br>Keys: ()                    |
| Version      |                                      |
| Producer     |                                      |
| Missing Data |                                      |

**Variables**

| ID    | Name   | Label                          | Type     | Format    | Question |
|-------|--------|--------------------------------|----------|-----------|----------|
| V1242 | hhid   | Case Identification            | discrete | character |          |
| V1243 | caseid | Case Identification            | discrete | character |          |
| V1244 | v801   | Time interview started         | contin   | numeric   |          |
| V1245 | v802   | Time interview ended           | contin   | numeric   |          |
| V1246 | v803   | Length of interview in minutes | discrete | numeric   |          |
| V1247 | v804   | Number of visits               | discrete | numeric   |          |
| V1248 | v805   | Interviewer identification     | contin   | numeric   |          |
| V1249 | v806   | Keyer identification           | discrete | numeric   |          |
| V1250 | v811   | Pres. children < 10 (sec 7)    | discrete | numeric   |          |
| V1251 | v812   | Pres. husband (sec 7)          | discrete | numeric   |          |
| V1252 | v813   | Pres. other males (sec 7)      | discrete | numeric   |          |
| V1253 | v814   | Pres. other females (sec 7)    | discrete | numeric   |          |

**REC82**

Content WOMAN - Calendar

Cases 33596

Variable(s) 4

Structure Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

| ID    | Name   | Label                  | Type     | Format    | Question |
|-------|--------|------------------------|----------|-----------|----------|
| V1254 | hhid   | Case Identification    | discrete | character |          |
| V1255 | caseid | Case Identification    | discrete | character |          |
| V1256 | vcol   | Calendar column number | discrete | numeric   |          |
| V1257 | vcal   | Calendar               | discrete | character |          |

**REC83**

|              |                            |
|--------------|----------------------------|
| Content      | WOMAN - Maternal Mortality |
| Cases        | 109247                     |
| Variable(s)  | 18                         |
| Structure    | Type:<br>Keys: ()          |
| Version      |                            |
| Producer     |                            |
| Missing Data |                            |

**Variables**

| ID    | Name   | Label                          | Type     | Format    | Question |
|-------|--------|--------------------------------|----------|-----------|----------|
| V1258 | hhid   | Case Identification            | discrete | character |          |
| V1259 | caseid | Case Identification            | discrete | character |          |
| V1260 | mmidx  | Maternal mortality index       | discrete | numeric   |          |
| V1261 | mm1    | Sex of sibling                 | discrete | numeric   |          |
| V1262 | mm2    | Sibling's survival status      | discrete | numeric   |          |
| V1263 | mm3    | Sibling's current age          | discrete | numeric   |          |
| V1264 | mm4    | CMC date of birth of sibling   | contin   | numeric   |          |
| V1265 | mm5    | Sibling's marital status -NA   | discrete | numeric   |          |
| V1266 | mm6    | Years ago sibling died         | discrete | numeric   |          |
| V1267 | mm7    | Sibling's age at death         | discrete | numeric   |          |
| V1268 | mm8    | CMC date of death of sibling   | contin   | numeric   |          |
| V1269 | mm9    | Sibling's death & pregnancy    | discrete | numeric   |          |
| V1270 | mm10   | Death & pregnancy are relat-NA | discrete | numeric   |          |
| V1271 | mm11   | Sibling's cause of death -NA   | discrete | numeric   |          |
| V1272 | mm12   | Time between delivery & dea-NA | discrete | numeric   |          |
| V1273 | mm13   | Place of death                 | discrete | numeric   |          |
| V1274 | mm14   | Number of sibling's children   | contin   | numeric   |          |
| V1275 | mm15   | Sibling's year of death -NA    | discrete | numeric   |          |

**REC84**

|              |                                    |
|--------------|------------------------------------|
| Content      | WOMAN - Maternal mortality (suite) |
| Cases        | 16606                              |
| Variable(s)  | 6                                  |
| Structure    | Type:<br>Keys: ()                  |
| Version      |                                    |
| Producer     |                                    |
| Missing Data |                                    |

**Variables**

| ID    | Name   | Label                          | Type     | Format    | Question |
|-------|--------|--------------------------------|----------|-----------|----------|
| V1276 | hhid   | Case Identification            | discrete | character |          |
| V1277 | caseid | Case Identification            | discrete | character |          |
| V1278 | mmc1   | Number of siblings of resp.    | discrete | numeric   |          |
| V1279 | mmc2   | Preceeding births before resp. | contin   | numeric   |          |
| V1280 | mmc3   | Sister's reporting -NA         | discrete | numeric   |          |
| V1281 | mmc5   | Cut off age                    | discrete | numeric   |          |

**REC91**

|              |   |
|--------------|---|
| Content      | WOMAN - Country specific - Single Variables |
| Cases        | 16798                                       |
| Variable(s)  | 293   |
| Structure    | Type:<br>Keys: ()                           |
| Version      |   |
| Producer     |   |
| Missing Data |   |

**Variables**

| ID    | Name      | Label                                  | Type     | Format    | Question |
|-------|-----------|--|----------|-----------|----------|
| V1282 | hhid      | Case Identification                    | discrete | character |          |
| V1283 | caseid    | Case Identification                    | discrete | character |          |
| V1284 | v190      | Wealth index                           | discrete | numeric   |          |
| V1285 | v191      | Wealth index factor score (5 decimals) | contin   | numeric   |          |
| V1286 | v823      | Can get AIDS by witchcraft -NA         | discrete | numeric   |          |
| V1287 | v824      | Drugs to avoid AIDS transmi-NA         | discrete | numeric   |          |
| V1288 | v825      | Would buy vegetables from v-NA         | discrete | numeric   |          |
| V1289 | spref     | Province or prfecture                  | contin   | numeric   |          |
| V1290 | scercle   | Cercle                                 | contin   | numeric   |          |
| V1291 | smunicip  | Municipalit/Commune rurale             | contin   | numeric   |          |
| V1292 | scentre   | Other centre                           | discrete | numeric   |          |
| V1293 | sdistrict | Census district                        | contin   | numeric   |          |
| V1294 | s108      | Highest level                          | discrete | numeric   |          |
| V1295 | s109      | Highest grade at this level            | contin   | numeric   |          |
| V1296 | s124      | Number of marriages                    | discrete | numeric   |          |
| V1297 | s129      | Relationship with the last husband     | discrete | numeric   |          |
| V1298 | s237a     | Age at first period                    | discrete | numeric   |          |
| V1299 | s320      | Last source for current users          | discrete | numeric   |          |
| V1300 | s333ba    | Pill Brand: Kinat al hialal            | discrete | numeric   |          |
| V1301 | s333bb    | Pill Brand: Adepal                     | discrete | numeric   |          |
| V1302 | s333bc    | Pill Brand: Microdial                  | discrete | numeric   |          |
| V1303 | s333bd    | Pill Brand: Stdirl                     | discrete | numeric   |          |
| V1304 | s333be    | Pill Brand: Gynovlar                   | discrete | numeric   |          |
| V1305 | s333bf    | Pill Brand: Lo-fmnl                    | discrete | numeric   |          |
| V1306 | s333bg    | Pill Brand: Ovanon                     | discrete | numeric   |          |
| V1307 | s333bh    | Pill Brand: Nogynon                    | discrete | numeric   |          |
| V1308 | s333bi    | Pill Brand: Minidril                   | discrete | numeric   |          |
| V1309 | s333bj    | Pill Brand: Microgynon                 | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                               | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V1310     | s333bk      | Pill Brand: Diane 35                       | discrete    | numeric       |                 |
| V1311     | s333bl      | Pill Brand: Microval                       | discrete    | numeric       |                 |
| V1312     | s333bm      | Pill Brand: Milligynon                     | discrete    | numeric       |                 |
| V1313     | s333bn      | Pill Brand: Excluton                       | discrete    | numeric       |                 |
| V1314     | s333bo      | Pill Brand: Ovrette                        | discrete    | numeric       |                 |
| V1315     | s333bx      | Pill Brand: Other                          | discrete    | numeric       |                 |
| V1316     | s333by      | Pill Brand: DK                             | discrete    | numeric       |                 |
| V1317     | s333c       | Quality/ price of Kinat Al Hilal           | discrete    | numeric       |                 |
| V1318     | s333ea      | Source of Kinat: Public hospital           | discrete    | numeric       |                 |
| V1319     | s333eb      | Source of Kinat: Maternity                 | discrete    | numeric       |                 |
| V1320     | s333ec      | Source of Kinat: Health centre             | discrete    | numeric       |                 |
| V1321     | s333ed      | Source of Kinat: Dispensary                | discrete    | numeric       |                 |
| V1322     | s333ee      | Source of Kinat: Household visit           | discrete    | numeric       |                 |
| V1323     | s333ef      | Source of Kinat: Mobile team               | discrete    | numeric       |                 |
| V1324     | s333eg      | Source of Kinat: Other public              | discrete    | numeric       |                 |
| V1325     | s333eh      | Source of Kinat: Private clinic            | discrete    | numeric       |                 |
| V1326     | s333ei      | Source of Kinat: Pharmacy                  | discrete    | numeric       |                 |
| V1327     | s333ej      | Source of Kinat: Doctor, midwife           | discrete    | numeric       |                 |
| V1328     | s333ek      | Source of Kinat: A.M.P.F.                  | discrete    | numeric       |                 |
| V1329     | s333el      | Source of Kinat: Other private             | discrete    | numeric       |                 |
| V1330     | s333em      | Source of Kinat: Relative, friend          | discrete    | numeric       |                 |
| V1331     | s333en      | Source of Kinat: Qabla                     | discrete    | numeric       |                 |
| V1332     | s333ex      | Source of Kinat: Other                     | discrete    | numeric       |                 |
| V1333     | s333ey      | Source of Kinat: DK                        | discrete    | numeric       |                 |
| V1334     | s333f       | Time to get to source of Kinat             | discrete    | numeric       |                 |
| V1335     | s333ha      | Injection brand: Hoqnat al hilal           | discrete    | numeric       |                 |
| V1336     | s333hb      | Injection brand: Depo provera              | discrete    | numeric       |                 |
| V1337     | s333hc      | Injection brand: Noristerat                | discrete    | numeric       |                 |
| V1338     | s333hx      | Injection brand: Other                     | discrete    | numeric       |                 |
| V1339     | s333hy      | Injection brand: DK                        | discrete    | numeric       |                 |
| V1340     | s333i       | Quality price injection Kinat              | discrete    | numeric       |                 |
| V1341     | s333ka      | Source of injection Kinat: Public hospital | discrete    | numeric       |                 |
| V1342     | s333kb      | Source of injection Kinat: Maternity       | discrete    | numeric       |                 |
| V1343     | s333kc      | Source of injection Kinat: Health centre   | discrete    | numeric       |                 |
| V1344     | s333kd      | Source of injection Kinat: Dispensary      | discrete    | numeric       |                 |
| V1345     | s333ke      | Source of injection Kinat: Household visit | discrete    | numeric       |                 |
| V1346     | s333kf      | Source of injection Kinat: Mobile team     | discrete    | numeric       |                 |
| V1347     | s333kg      | Source of injection Kinat: Other public    | discrete    | numeric       |                 |
| V1348     | s333kh      | Source of injection Kinat: Private clinic  | discrete    | numeric       |                 |
| V1349     | s333ki      | Source of injection Kinat: Pharmacy        | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|---|-------------|---------------|-----------------|
| V1350     | s333kj      | Source of injection Kinat: Doctor, midwife  | discrete    | numeric       |                 |
| V1351     | s333kk      | Source of injection Kinat: A.M.P.F.         | discrete    | numeric       |                 |
| V1352     | s333kl      | Source of injection Kinat: Other private    | discrete    | numeric       |                 |
| V1353     | s333km      | Source of injection Kinat: Relative, friend | discrete    | numeric       |                 |
| V1354     | s333kn      | Source of injection Kinat: Qabla            | discrete    | numeric       |                 |
| V1355     | s333kx      | Source of injection Kinat: Other            | discrete    | numeric       |                 |
| V1356     | s333ky      | Source of injection Kinat: DK               | discrete    | numeric       |                 |
| V1357     | s333l       | Time to get to source of injection Kinat    | discrete    | numeric       |                 |
| V1358     | s333na      | IUD Brand: Kinat al hialal                  | discrete    | numeric       |                 |
| V1359     | s333nb      | IUD Brand: COPPER T 380A                    | discrete    | numeric       |                 |
| V1360     | s333nc      | IUD Brand: NOVA T                           | discrete    | numeric       |                 |
| V1361     | s333nd      | IUD Brand: GYNE T                           | discrete    | numeric       |                 |
| V1362     | s333ne      | IUD Brand: MULTILOAD 250                    | discrete    | numeric       |                 |
| V1363     | s333nf      | IUD Brand: MULTILOAD 375                    | discrete    | numeric       |                 |
| V1364     | s333nx      | IUD Brand: Other                            | discrete    | numeric       |                 |
| V1365     | s333ny      | IUD Brand: DK                               | discrete    | numeric       |                 |
| V1366     | s333o       | Quality price IUD Kinat                     | discrete    | numeric       |                 |
| V1367     | s333qa      | Source of IUD Kinat: Public hospital        | discrete    | numeric       |                 |
| V1368     | s333qb      | Source of IUD Kinat: Maternity              | discrete    | numeric       |                 |
| V1369     | s333qc      | Source of IUD Kinat: Health centre          | discrete    | numeric       |                 |
| V1370     | s333qd      | Source of IUD Kinat: Dispensary             | discrete    | numeric       |                 |
| V1371     | s333qe      | Source of IUD Kinat: Household visit        | discrete    | numeric       |                 |
| V1372     | s333qf      | Source of IUD Kinat: Mobile team            | discrete    | numeric       |                 |
| V1373     | s333qg      | Source of IUD Kinat: Other public           | discrete    | numeric       |                 |
| V1374     | s333qh      | Source of IUD Kinat: Private clinic         | discrete    | numeric       |                 |
| V1375     | s333qi      | Source of IUD Kinat: Pharmacy               | discrete    | numeric       |                 |
| V1376     | s333qj      | Source of IUD Kinat: Doctor, midwife        | discrete    | numeric       |                 |
| V1377     | s333qk      | Source of IUD Kinat: A.M.P.F.               | discrete    | numeric       |                 |
| V1378     | s333ql      | Source of IUD Kinat: Other private          | discrete    | numeric       |                 |
| V1379     | s333qm      | Source of IUD Kinat: Relative, friend       | discrete    | numeric       |                 |
| V1380     | s333qn      | Source of IUD Kinat: Qabla                  | discrete    | numeric       |                 |
| V1381     | s333qx      | Source of IUD Kinat: Other                  | discrete    | numeric       |                 |
| V1382     | s333qy      | Source of IUD Kinat: DK                     | discrete    | numeric       |                 |
| V1383     | s333r       | Time to get to source of IUD Kinat          | discrete    | numeric       |                 |
| V1384     | s501        | Health status                               | discrete    | numeric       |                 |
| V1385     | s502        | Health status with regards to last year     | discrete    | numeric       |                 |
| V1386     | s507        | Cancer ill                                  | discrete    | numeric       |                 |
| V1387     | s508        | Type of cancer                              | discrete    | character     |                 |
| V1388     | s509        | Age at first diagnosis                      | discrete    | numeric       |                 |
| V1389     | s510        | Treating cancer                             | discrete    | numeric       |                 |

| ID    | Name  | Label  | Type     | Format  | Question |
|-------|-------|--|----------|---------|----------|
| V1390 | s511  | Sensation of heaviness or uterus out           | discrete | numeric |          |
| V1391 | s512  | Duration of first sensation                    | discrete | numeric |          |
| V1392 | s513  | Effect of laugh, sneezing or lifting weight    | discrete | numeric |          |
| V1393 | s514a | Treatment or counseling: Hospital              | discrete | numeric |          |
| V1394 | s514b | Treatment or counseling: Health centre         | discrete | numeric |          |
| V1395 | s514c | Treatment or counseling: Dispensary            | discrete | numeric |          |
| V1396 | s514d | Treatment or counseling: Mobile clinic         | discrete | numeric |          |
| V1397 | s514e | Treatment or counseling: Fieldworker           | discrete | numeric |          |
| V1398 | s514f | Treatment or counseling: Other public          | discrete | numeric |          |
| V1399 | s514g | Treatment or counseling: Private hospital      | discrete | numeric |          |
| V1400 | s514h | Treatment or counseling: Pharmacy              | discrete | numeric |          |
| V1401 | s514i | Treatment or counseling: Doctor                | discrete | numeric |          |
| V1402 | s514j | Treatment or counseling: Other private         | discrete | numeric |          |
| V1403 | s514k | Treatment or counseling: Shop                  | discrete | numeric |          |
| V1404 | s514l | Treatment or counseling: TBA                   | discrete | numeric |          |
| V1405 | s514m | Treatment or counseling: Fquih                 | discrete | numeric |          |
| V1406 | s514n | Treatment or counseling: Traditional herborist | discrete | numeric |          |
| V1407 | s514o | Treatment or counseling: Relatives, parents    | discrete | numeric |          |
| V1408 | s514x | Treatment or counseling: Other                 | discrete | numeric |          |
| V1409 | s514y | Treatment or counseling                        | discrete | numeric |          |
| V1410 | s515a | Reason of not treating: Does not help          | discrete | numeric |          |
| V1411 | s515b | Reason of not treating: Cost too much          | discrete | numeric |          |
| V1412 | s515c | Reason of not treating: Service not available  | discrete | numeric |          |
| V1413 | s515d | Reason of not treating: Too occupied           | discrete | numeric |          |
| V1414 | s515e | Reason of not treating: Husband too occupied   | discrete | numeric |          |
| V1415 | s515f | Reason of not treating: Not serious            | discrete | numeric |          |
| V1416 | s515g | Reason of not treating: Embarrassed            | discrete | numeric |          |
| V1417 | s515h | Reason of not treating: Afraid                 | discrete | numeric |          |
| V1418 | s515x | Reason of not treating: Other                  | discrete | numeric |          |
| V1419 | s516  | Urinary disorder                               | discrete | numeric |          |
| V1420 | s517a | Treatment or counseling: Hospital              | discrete | numeric |          |
| V1421 | s517b | Treatment or counseling: Health centre         | discrete | numeric |          |
| V1422 | s517c | Treatment or counseling: Dispensary            | discrete | numeric |          |
| V1423 | s517d | Treatment or counseling: Mobile clinic         | discrete | numeric |          |
| V1424 | s517e | Treatment or counseling: Fieldworker           | discrete | numeric |          |
| V1425 | s517f | Treatment or counseling: Other public          | discrete | numeric |          |
| V1426 | s517g | Treatment or counseling: Private hospital      | discrete | numeric |          |
| V1427 | s517h | Treatment or counseling: Pharmacy              | discrete | numeric |          |
| V1428 | s517i | Treatment or counseling: Doctor                | discrete | numeric |          |
| V1429 | s517j | Treatment or counseling: Other private         | discrete | numeric |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                    | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|---|-------------|---------------|-----------------|
| V1430     | s517k       | Treatment or counseling: Shop                   | discrete    | numeric       |                 |
| V1431     | s517l       | Treatment or counseling: TBA                    | discrete    | numeric       |                 |
| V1432     | s517m       | Treatment or counseling: Fquih                  | discrete    | numeric       |                 |
| V1433     | s517n       | Treatment or counseling: Traditional herborist  | discrete    | numeric       |                 |
| V1434     | s517o       | Treatment or counseling: Relatives, parents     | discrete    | numeric       |                 |
| V1435     | s517x       | Treatment or counseling: Other                  | discrete    | numeric       |                 |
| V1436     | s517y       | Treatment or counseling: No                     | discrete    | numeric       |                 |
| V1437     | s518a       | Reason of not treating: Does not help           | discrete    | numeric       |                 |
| V1438     | s518b       | Reason of not treating: Cost too much           | discrete    | numeric       |                 |
| V1439     | s518c       | Reason of not treating: Service not available   | discrete    | numeric       |                 |
| V1440     | s518d       | Reason of not treating: Too occupied            | discrete    | numeric       |                 |
| V1441     | s518e       | Reason of not treating: Husband too occupied    | discrete    | numeric       |                 |
| V1442     | s518f       | Reason of not treating: Not serious             | discrete    | numeric       |                 |
| V1443     | s518g       | Reason of not treating: Embarrassed             | discrete    | numeric       |                 |
| V1444     | s518h       | Reason of not treating: Afraid                  | discrete    | numeric       |                 |
| V1445     | s518x       | Reason of not treating: Other                   | discrete    | numeric       |                 |
| V1446     | s519a       | Urinary burns last 3 months                     | discrete    | numeric       |                 |
| V1447     | s519b       | Abnormal discharge last 3 months                | discrete    | numeric       |                 |
| V1448     | s520a       | Irritation of the genital area last 3 months    | discrete    | numeric       |                 |
| V1449     | s520b       | Foul smelling in the genital area last 3 months | discrete    | numeric       |                 |
| V1450     | s520c       | Abdominal pain last 3 months                    | discrete    | numeric       |                 |
| V1451     | s522a       | Treatment or counseling: Hospital               | discrete    | numeric       |                 |
| V1452     | s522b       | Treatment or counseling: Health centre          | discrete    | numeric       |                 |
| V1453     | s522c       | Treatment or counseling: Dispensary             | discrete    | numeric       |                 |
| V1454     | s522d       | Treatment or counseling: Mobile clinic          | discrete    | numeric       |                 |
| V1455     | s522e       | Treatment or counseling: Fieldworker            | discrete    | numeric       |                 |
| V1456     | s522f       | Treatment or counseling: Other public           | discrete    | numeric       |                 |
| V1457     | s522g       | Treatment or counseling: Private hospital       | discrete    | numeric       |                 |
| V1458     | s522h       | Treatment or counseling: Pharmacy               | discrete    | numeric       |                 |
| V1459     | s522i       | Treatment or counseling: Doctor                 | discrete    | numeric       |                 |
| V1460     | s522j       | Treatment or counseling: Other private          | discrete    | numeric       |                 |
| V1461     | s522k       | Treatment or counseling: Shop                   | discrete    | numeric       |                 |
| V1462     | s522l       | Treatment or counseling: TBA                    | discrete    | numeric       |                 |
| V1463     | s522m       | Treatment or counseling: Fquih                  | discrete    | numeric       |                 |
| V1464     | s522n       | Treatment or counseling: Traditional herborist  | discrete    | numeric       |                 |
| V1465     | s522o       | Treatment or counseling: Relatives, parents     | discrete    | numeric       |                 |
| V1466     | s522x       | Treatment or counseling: Other                  | discrete    | numeric       |                 |
| V1467     | s522y       | Treatment or counseling: No                     | discrete    | numeric       |                 |
| V1468     | s523a       | Reason of not treating: Does not help           | discrete    | numeric       |                 |
| V1469     | s523b       | Reason of not treating: Cost too much           | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                   | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V1470     | s523c       | Reason of not treating: Service not available  | discrete    | numeric       |                 |
| V1471     | s523d       | Reason of not treating: Too occupied           | discrete    | numeric       |                 |
| V1472     | s523e       | Reason of not treating: Husband too occupied   | discrete    | numeric       |                 |
| V1473     | s523f       | Reason of not treating: Not serious            | discrete    | numeric       |                 |
| V1474     | s523g       | Reason of not treating: Embarrassed            | discrete    | numeric       |                 |
| V1475     | s523h       | Reason of not treating: Afraid                 | discrete    | numeric       |                 |
| V1476     | s523x       | Reason of not treating: Other                  | discrete    | numeric       |                 |
| V1477     | s527        | Tried to fall pregnant without success         | discrete    | numeric       |                 |
| V1478     | s528        | Duration tried to fall pregnant                | contin      | numeric       |                 |
| V1479     | s529        | Reason did not fall pregnant                   | discrete    | numeric       |                 |
| V1480     | s530a       | Treatment or counseling: Hospital              | discrete    | numeric       |                 |
| V1481     | s530b       | Treatment or counseling: Health centre         | discrete    | numeric       |                 |
| V1482     | s530c       | Treatment or counseling: Dispensary            | discrete    | numeric       |                 |
| V1483     | s530d       | Treatment or counseling: Mobile clinic         | discrete    | numeric       |                 |
| V1484     | s530e       | Treatment or counseling: Fieldworker           | discrete    | numeric       |                 |
| V1485     | s530f       | Treatment or counseling: Other public          | discrete    | numeric       |                 |
| V1486     | s530g       | Treatment or counseling: Private hospital      | discrete    | numeric       |                 |
| V1487     | s530h       | Treatment or counseling: Pharmacy              | discrete    | numeric       |                 |
| V1488     | s530i       | Treatment or counseling: Doctor                | discrete    | numeric       |                 |
| V1489     | s530j       | Treatment or counseling: Other private         | discrete    | numeric       |                 |
| V1490     | s530k       | Treatment or counseling: Shop                  | discrete    | numeric       |                 |
| V1491     | s530l       | Treatment or counseling: TBA                   | discrete    | numeric       |                 |
| V1492     | s530m       | Treatment or counseling: Fquih                 | discrete    | numeric       |                 |
| V1493     | s530n       | Treatment or counseling: Traditional herborist | discrete    | numeric       |                 |
| V1494     | s530o       | Treatment or counseling: Relatives, parents    | discrete    | numeric       |                 |
| V1495     | s530x       | Treatment or counseling: Other                 | discrete    | numeric       |                 |
| V1496     | s530y       | Treatment or counseling: No                    | discrete    | numeric       |                 |
| V1497     | s531a       | Reason of not treating: Does not help          | discrete    | numeric       |                 |
| V1498     | s531b       | Reason of not treating: Cost too much          | discrete    | numeric       |                 |
| V1499     | s531c       | Reason of not treating: Service not available  | discrete    | numeric       |                 |
| V1500     | s531d       | Reason of not treating: Too occupied           | discrete    | numeric       |                 |
| V1501     | s531e       | Reason of not treating: Husband too occupied   | discrete    | numeric       |                 |
| V1502     | s531f       | Reason of not treating: Not serious            | discrete    | numeric       |                 |
| V1503     | s531g       | Reason of not treating: Embarrassed            | discrete    | numeric       |                 |
| V1504     | s531h       | Reason of not treating: Afraid                 | discrete    | numeric       |                 |
| V1505     | s531x       | Reason of not treating: Other                  | discrete    | numeric       |                 |
| V1506     | s532a       | Treatment or counseling: Hospital              | discrete    | numeric       |                 |
| V1507     | s532b       | Treatment or counseling: Health centre         | discrete    | numeric       |                 |
| V1508     | s532c       | Treatment or counseling: Dispensary            | discrete    | numeric       |                 |
| V1509     | s532d       | Treatment or counseling: Mobile clinic         | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                   | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V1510     | s532e       | Treatment or counseling: Fieldworker           | discrete    | numeric       |                 |
| V1511     | s532f       | Treatment or counseling: Other public          | discrete    | numeric       |                 |
| V1512     | s532g       | Treatment or counseling: Private hospital      | discrete    | numeric       |                 |
| V1513     | s532h       | Treatment or counseling: Pharmacy              | discrete    | numeric       |                 |
| V1514     | s532i       | Treatment or counseling: Doctor                | discrete    | numeric       |                 |
| V1515     | s532j       | Treatment or counseling: Other private         | discrete    | numeric       |                 |
| V1516     | s532k       | Treatment or counseling: Shop                  | discrete    | numeric       |                 |
| V1517     | s532l       | Treatment or counseling: TBA                   | discrete    | numeric       |                 |
| V1518     | s532m       | Treatment or counseling: Fquih                 | discrete    | numeric       |                 |
| V1519     | s532n       | Treatment or counseling: Traditional herborist | discrete    | numeric       |                 |
| V1520     | s532o       | Treatment or counseling: Relatives, parents    | discrete    | numeric       |                 |
| V1521     | s532x       | Treatment or counseling: Other                 | discrete    | numeric       |                 |
| V1522     | s532y       | Treatment or counseling: No                    | discrete    | numeric       |                 |
| V1523     | s532z       | Treatment of counseling: DK                    | discrete    | numeric       |                 |
| V1524     | s533a       | Period last 3 months: more than 7 days         | discrete    | numeric       |                 |
| V1525     | s533b       | Period last 3 months: bleeding                 | discrete    | numeric       |                 |
| V1526     | s533c       | Period last 3 months: pain                     | discrete    | numeric       |                 |
| V1527     | s533d       | Period last 3 months: not cyclic               | discrete    | numeric       |                 |
| V1528     | s535a       | Treatment or counseling: Hospital              | discrete    | numeric       |                 |
| V1529     | s535b       | Treatment or counseling: Health centre         | discrete    | numeric       |                 |
| V1530     | s535c       | Treatment or counseling: Dispensary            | discrete    | numeric       |                 |
| V1531     | s535d       | Treatment or counseling: Mobile clinic         | discrete    | numeric       |                 |
| V1532     | s535e       | Treatment or counseling: Fieldworker           | discrete    | numeric       |                 |
| V1533     | s535f       | Treatment or counseling: Other public          | discrete    | numeric       |                 |
| V1534     | s535g       | Treatment or counseling: Private hospital      | discrete    | numeric       |                 |
| V1535     | s535h       | Treatment or counseling: Pharmacy              | discrete    | numeric       |                 |
| V1536     | s535i       | Treatment or counseling: Doctor                | discrete    | numeric       |                 |
| V1537     | s535j       | Treatment or counseling: Other private         | discrete    | numeric       |                 |
| V1538     | s535k       | Treatment or counseling: Shop                  | discrete    | numeric       |                 |
| V1539     | s535l       | Treatment or counseling: TBA                   | discrete    | numeric       |                 |
| V1540     | s535m       | Treatment or counseling: Fquih                 | discrete    | numeric       |                 |
| V1541     | s535n       | Treatment or counseling: Traditional herborist | discrete    | numeric       |                 |
| V1542     | s535o       | Treatment or counseling: Relatives, parents    | discrete    | numeric       |                 |
| V1543     | s535x       | Treatment or counseling: Other                 | discrete    | numeric       |                 |
| V1544     | s535y       | Treatment or counseling: No                    | discrete    | numeric       |                 |
| V1545     | s536a       | Reason of not treating: Does not help          | discrete    | numeric       |                 |
| V1546     | s536b       | Reason of not treating: Cost too much          | discrete    | numeric       |                 |
| V1547     | s536c       | Reason of not treating: Service not available  | discrete    | numeric       |                 |
| V1548     | s536d       | Reason of not treating: Too occupied           | discrete    | numeric       |                 |
| V1549     | s536e       | Reason of not treating: Husband too occupied   | discrete    | numeric       |                 |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                            | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|---|-------------|---------------|-----------------|
| V1550     | s536f       | Reason of not treating: Not serious     | discrete    | numeric       |                 |
| V1551     | s536g       | Reason of not treating: Embarrassed     | discrete    | numeric       |                 |
| V1552     | s536h       | Reason of not treating: Afraid          | discrete    | numeric       |                 |
| V1553     | s536i       | Reason of not treating: Menopausal      | discrete    | numeric       |                 |
| V1554     | s536j       | Reason of not treating: Always this way | discrete    | numeric       |                 |
| V1555     | s536x       | Reason of not treating: Other           | discrete    | numeric       |                 |
| V1556     | s537a       | Source of care: Hospital                | discrete    | numeric       |                 |
| V1557     | s537b       | Source of care: Health centre           | discrete    | numeric       |                 |
| V1558     | s537c       | Source of care: Dispensary              | discrete    | numeric       |                 |
| V1559     | s537d       | Source of care: Mobile clinic           | discrete    | numeric       |                 |
| V1560     | s537e       | Source of care: Fieldworker             | discrete    | numeric       |                 |
| V1561     | s537f       | Source of care: Other public            | discrete    | numeric       |                 |
| V1562     | s537g       | Source of care: Private hospital        | discrete    | numeric       |                 |
| V1563     | s537h       | Source of care: Pharmacy                | discrete    | numeric       |                 |
| V1564     | s537i       | Source of care: Doctor                  | discrete    | numeric       |                 |
| V1565     | s537j       | Source of care: Other private           | discrete    | numeric       |                 |
| V1566     | s537k       | Source of care: Shop                    | discrete    | numeric       |                 |
| V1567     | s537l       | Source of care: TBA                     | discrete    | numeric       |                 |
| V1568     | s537m       | Source of care: Equih                   | discrete    | numeric       |                 |
| V1569     | s537n       | Source of care: Traditional herborist   | discrete    | numeric       |                 |
| V1570     | s537o       | Source of care: Relatives, parents      | discrete    | numeric       |                 |
| V1571     | s537x       | Source of care: Other                   | discrete    | numeric       |                 |
| V1572     | s537z       | Source of care: DK, Not sure            | discrete    | numeric       |                 |
| V1573     | s704        | Partner's level of education            | discrete    | numeric       |                 |
| V1574     | s705        | Partner's highest grade                 | discrete    | numeric       |                 |

**REC94**

|              |                                      |
|--------------|--------------------------------------|
| Content      | WOMAN - Country specific - Maternity |
| Cases        | 6180                                 |
| Variable(s)  | 130                                  |
| Structure    | Type:<br>Keys: ()                    |
| Version      |                                      |
| Producer     |                                      |
| Missing Data |                                      |

**Variables**

| ID    | Name   | Label                          | Type     | Format    | Question |
|-------|--------|--------------------------------|----------|-----------|----------|
| V1575 | hhid   | Case Identification            | discrete | character |          |
| V1576 | caseid | Case Identification            | discrete | character |          |
| V1577 | idx94  | Index to birth history         | discrete | numeric   |          |
| V1578 | m57a   | Antenatal care: your home -NA  | discrete | numeric   |          |
| V1579 | m57b   | Antenatal care: other home -NA | discrete | numeric   |          |
| V1580 | m57c   | Antenatal care: CS home -NA    | discrete | numeric   |          |
| V1581 | m57d   | Antenatal care: CS home -NA    | discrete | numeric   |          |
| V1582 | m57e   | Antenatal care: govt. hospi-NA | discrete | numeric   |          |
| V1583 | m57f   | Antenatal care: govt. healt-NA | discrete | numeric   |          |
| V1584 | m57g   | Antenatal care: govt. healt-NA | discrete | numeric   |          |
| V1585 | m57h   | Antenatal care: public mobi-NA | discrete | numeric   |          |
| V1586 | m57i   | Antenatal care: CS public -NA  | discrete | numeric   |          |
| V1587 | m57j   | Antenatal care: CS public -NA  | discrete | numeric   |          |
| V1588 | m57k   | Antenatal care: CS public -NA  | discrete | numeric   |          |
| V1589 | m57l   | Antenatal care: other publi-NA | discrete | numeric   |          |
| V1590 | m57m   | Antenatal care: pvt. hospit-NA | discrete | numeric   |          |
| V1591 | m57n   | Antenatal care: pvt. mobile-NA | discrete | numeric   |          |
| V1592 | m57o   | Antenatal care: CS pvt. -NA    | discrete | numeric   |          |
| V1593 | m57p   | Antenatal care: CS pvt. -NA    | discrete | numeric   |          |
| V1594 | m57q   | Antenatal care: CS pvt. -NA    | discrete | numeric   |          |
| V1595 | m57r   | Antenatal care: other priva-NA | discrete | numeric   |          |
| V1596 | m57s   | Antenatal care: CS other -NA   | discrete | numeric   |          |
| V1597 | m57t   | Antenatal care: CS other -NA   | discrete | numeric   |          |
| V1598 | m57u   | Antenatal care: CS other -NA   | discrete | numeric   |          |
| V1599 | m57v   | Antenatal care: CS other -NA   | discrete | numeric   |          |
| V1600 | m57x   | Antenatal care: other -NA      | discrete | numeric   |          |
| V1601 | m58    | Information about AIDS give-NA | discrete | numeric   |          |
| V1602 | m59    | Child registered at birth -NA  | discrete | numeric   |          |

| ID    | Name   | Label                                   | Type     | Format  | Question |
|-------|--------|---|----------|---------|----------|
| V1603 | s408a  | Main reason for the prenatal visit      | discrete | numeric |          |
| V1604 | s409a  | Prenatal visit last month of pregnancy  | discrete | numeric |          |
| V1605 | s409b  | Place of the visit                      | discrete | numeric |          |
| V1606 | s409c  | Time to the place of the visit          | discrete | numeric |          |
| V1607 | s409d  | Mean of transportation                  | discrete | numeric |          |
| V1608 | s409e  | Waiting time                            | discrete | numeric |          |
| V1609 | s412f  | Prenatal care: Abdomen                  | discrete | numeric |          |
| V1610 | s412g  | Prenatal care: Hearing the baby         | discrete | numeric |          |
| V1611 | s412h  | Prenatal care: Ultra sound              | discrete | numeric |          |
| V1612 | s412i  | Prenatal care: Internal check           | discrete | numeric |          |
| V1613 | s412j  | Prenatal care: Position of the baby     | discrete | numeric |          |
| V1614 | s414aa | Information: Diet                       | discrete | numeric |          |
| V1615 | s414ab | Information: Breastfeeding              | discrete | numeric |          |
| V1616 | s414ac | Information: FP                         | discrete | numeric |          |
| V1617 | s414ad | Information: Postnatal care             | discrete | numeric |          |
| V1618 | s414b  | Ever had a tetanus injection            | discrete | numeric |          |
| V1619 | s414c  | Number of injections                    | discrete | numeric |          |
| V1620 | s420a  | Bleeding                                | discrete | numeric |          |
| V1621 | s420b  | Acuteness of bleeding                   | discrete | numeric |          |
| V1622 | s420c  | Timing of the bleeding                  | discrete | numeric |          |
| V1623 | s420ea | Source of treatment: Doctor             | discrete | numeric |          |
| V1624 | s420eb | Source of treatment: Nurse, midwife     | discrete | numeric |          |
| V1625 | s420ec | Source of treatment: Pharmacist         | discrete | numeric |          |
| V1626 | s420ed | Source of treatment: TBA                | discrete | numeric |          |
| V1627 | s420ee | Source of treatment: Mother             | discrete | numeric |          |
| V1628 | s420ef | Source of treatment: Husband            | discrete | numeric |          |
| V1629 | s420eg | Source of treatment: Other parent       | discrete | numeric |          |
| V1630 | s420eh | Source of treatment: Traditional healer | discrete | numeric |          |
| V1631 | s420ex | Source of treatment: Other              | discrete | numeric |          |
| V1632 | s421aa | Sickness: Hypertension                  | discrete | numeric |          |
| V1633 | s421ab | Sickness: Oedema                        | discrete | numeric |          |
| V1634 | s421ac | Sickness: Headache                      | discrete | numeric |          |
| V1635 | s421ad | Sickness: Pain in the abdomen           | discrete | numeric |          |
| V1636 | s421ae | Sickness: Hyperthermia                  | discrete | numeric |          |
| V1637 | s421af | Sickness: Convulsions                   | discrete | numeric |          |
| V1638 | s421ag | Sickness: Urinary burns                 | discrete | numeric |          |
| V1639 | s421ah | Sickness: Jaundice                      | discrete | numeric |          |
| V1640 | s422ba | Treating staff: Doctor                  | discrete | numeric |          |
| V1641 | s422bb | Treating staff: Nurse, midwife          | discrete | numeric |          |
| V1642 | s422bc | Treating staff: Pharmacist              | discrete | numeric |          |

| ID    | Name   | Label  | Type     | Format  | Question |
|-------|--------|--|----------|---------|----------|
| V1643 | s422bd | Treating staff: TBA                            | discrete | numeric |          |
| V1644 | s422be | Treating staff: Mother                         | discrete | numeric |          |
| V1645 | s422bf | Treating staff: Husband                        | discrete | numeric |          |
| V1646 | s422bg | Treating staff: Other parent                   | discrete | numeric |          |
| V1647 | s422bh | Treating staff: Traditional healer             | discrete | numeric |          |
| V1648 | s422bx | Treating staff: Other                          | discrete | numeric |          |
| V1649 | s422d  | Age at convulsion                              | discrete | numeric |          |
| V1650 | s422e  | Convulsion during pregnancy                    | discrete | numeric |          |
| V1651 | s422f  | Delivery duration                              | discrete | numeric |          |
| V1652 | s422g  | Taken to a delivery place                      | discrete | numeric |          |
| V1653 | s422h  | Thought delivery complicated                   | discrete | numeric |          |
| V1654 | s422i  | Called someone                                 | discrete | numeric |          |
| V1655 | s422j  | Staff called                                   | discrete | numeric |          |
| V1656 | s422k  | Fever during pain                              | discrete | numeric |          |
| V1657 | s422l  | Convulsion or fainting during pain or delivery | discrete | numeric |          |
| V1658 | s422m  | Consulsion a problem                           | discrete | numeric |          |
| V1659 | s422n  | Called for convulsion or fainting              | discrete | numeric |          |
| V1660 | s422o  | Satff called                                   | discrete | numeric |          |
| V1661 | s422p  | Taken for treatment                            | discrete | numeric |          |
| V1662 | s422q  | Bleeding during pain or delivery               | discrete | numeric |          |
| V1663 | s422r  | Bleeding a problem                             | discrete | numeric |          |
| V1664 | s422s  | Called for bleeding                            | discrete | numeric |          |
| V1665 | s422t  | Staff called                                   | discrete | numeric |          |
| V1666 | s422u  | Taken somewhere for bleeding                   | discrete | numeric |          |
| V1667 | s422v  | Bleeding treated                               | discrete | numeric |          |
| V1668 | s428   | C-Section                                      | discrete | numeric |          |
| V1669 | s428a  | Informed why caesarean                         | discrete | numeric |          |
| V1670 | s428b  | Reason of delivery                             | discrete | numeric |          |
| V1671 | s428c  | Reason did not deliver at a hospital or clinic | discrete | numeric |          |
| V1672 | s428d  | Mean of cutting the umbilical cord             | discrete | numeric |          |
| V1673 | s428e  | Mean of treatment of the umbilical cord        | discrete | numeric |          |
| V1674 | s428f  | Delivery complicated                           | discrete | numeric |          |
| V1675 | s428g  | Delivery on time                               | discrete | numeric |          |
| V1676 | s432aa | Exam: Abdomen                                  | discrete | numeric |          |
| V1677 | s432ab | Exam: Breasts                                  | discrete | numeric |          |
| V1678 | s432ac | Exam: Gyneco.                                  | discrete | numeric |          |
| V1679 | s432ad | Given: Iron prescription                       | discrete | numeric |          |
| V1680 | s432ae | Given: Breastfeeding counseling                | discrete | numeric |          |
| V1681 | s432af | Given: Baby counseling                         | discrete | numeric |          |
| V1682 | s432ag | Given: FP counseling                           | discrete | numeric |          |

| ID    | Name   | Label                                    | Type     | Format  | Question |
|-------|--------|--|----------|---------|----------|
| V1683 | s432b  | Reason did not have postnatal exam       | discrete | numeric |          |
| V1684 | s433a  | Vaginal bleeding 6 weeks after delivery  | discrete | numeric |          |
| V1685 | s433b  | Timing of bleeding                       | discrete | numeric |          |
| V1686 | s433c  | Medication/counseling for bleeding       | discrete | numeric |          |
| V1687 | s433d  | Swelling of legs 6 weeks after delivery  | discrete | numeric |          |
| V1688 | s433e  | Medication/counseling for the swelling   | discrete | numeric |          |
| V1689 | s433f  | Fever 6 weks after delivery              | discrete | numeric |          |
| V1690 | s433ga | Foul smelling                            | discrete | numeric |          |
| V1691 | s433gb | Pelvic pain                              | discrete | numeric |          |
| V1692 | s433gc | Lumbagos                                 | discrete | numeric |          |
| V1693 | s433gd | Dorsalgies                               | discrete | numeric |          |
| V1694 | s433ge | Urinary burns                            | discrete | numeric |          |
| V1695 | s433gf | Breasts pain                             | discrete | numeric |          |
| V1696 | s433h  | Medication/conseling                     | discrete | numeric |          |
| V1697 | s433j  | Reason did not have treatment/counseling | discrete | numeric |          |
| V1698 | s443a  | Reason did not breastfed                 | discrete | numeric |          |
| V1699 | s446a  | Reason stopped breastfeeding             | discrete | numeric |          |
| V1700 | s446b  | Type of weaning                          | discrete | numeric |          |
| V1701 | s446c  | Something sour or hot for weaning        | discrete | numeric |          |
| V1702 | s449a  | Breastfeed at will                       | discrete | numeric |          |
| V1703 | s452a  | Food preparer                            | discrete | numeric |          |
| V1704 | s452b  | Feeder                                   | discrete | numeric |          |

**REC95**

|              |                                   |
|--------------|-----------------------------------|
| Content      | WOMAN - Country specific - Health |
| Cases        | 6180                              |
| Variable(s)  | 34                                |
| Structure    | Type:<br>Keys: ()                 |
| Version      |                                   |
| Producer     |                                   |
| Missing Data |                                   |

**Variables**

| ID    | Name   | Label                                    | Type     | Format    | Question |
|-------|--------|--|----------|-----------|----------|
| V1705 | hhid   | Case Identification                      | discrete | character |          |
| V1706 | caseid | Case Identification                      | discrete | character |          |
| V1707 | idx95  | Index to birth history                   | discrete | numeric   |          |
| V1708 | s46sb  | Secteur BCG                              | discrete | numeric   |          |
| V1709 | s46sp1 | Secteur Polio 1                          | discrete | numeric   |          |
| V1710 | s46sp2 | Secteur Polio 2                          | discrete | numeric   |          |
| V1711 | s46sp3 | Secteur Polio 3                          | discrete | numeric   |          |
| V1712 | s46sd1 | Secteur DTC 1                            | discrete | numeric   |          |
| V1713 | s46sd2 | Secteur DTC 2                            | discrete | numeric   |          |
| V1714 | s46sd3 | Secteur DTC 3                            | discrete | numeric   |          |
| V1715 | s46sm  | Secteur Rougeole                         | discrete | numeric   |          |
| V1716 | s46sva | Secteur Vitamine A                       | discrete | numeric   |          |
| V1717 | s46sh  | Secteur Hpatite B                        | discrete | numeric   |          |
| V1718 | s460h  | Received Hepatitis B                     | discrete | numeric   |          |
| V1719 | s460hd | Hepatitis B day                          | discrete | numeric   |          |
| V1720 | s460hm | Hepatitis B month                        | discrete | numeric   |          |
| V1721 | s460hy | Hepatitis B year                         | discrete | numeric   |          |
| V1722 | s465aa | Whooping cough                           | discrete | numeric   |          |
| V1723 | s465ab | Measle                                   | discrete | numeric   |          |
| V1724 | s465ac | Polio                                    | discrete | numeric   |          |
| V1725 | s465ad | Diphtheria                               | discrete | numeric   |          |
| V1726 | s467a  | Cough last 24 hours                      | discrete | numeric   |          |
| V1727 | s467b  | Duration of the cough                    | discrete | numeric   |          |
| V1728 | s471ba | Medication for fever: Injection          | discrete | numeric   |          |
| V1729 | s471bb | Medication for fever: Antibiotic         | discrete | numeric   |          |
| V1730 | s471bc | Medication for fever: Sirop for cough    | discrete | numeric   |          |
| V1731 | s471bd | Medication for fever: Other pills, sirop | discrete | numeric   |          |
| V1732 | s471be | Medication for fever: DK pills, sirop    | discrete | numeric   |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b>                                 | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--|-------------|---------------|-----------------|
| V1733     | s471bf      | Medication for fever: Home remedy, herbalist | discrete    | numeric       |                 |
| V1734     | s471bx      | Medication for fever: Other                  | discrete    | numeric       |                 |
| V1735     | s471c       | Reason did not look for treatment/counseling | discrete    | numeric       |                 |
| V1736     | s475b       | Duration of diarrhea                         | discrete    | numeric       |                 |
| V1737     | s475c       | Blood in the stools                          | discrete    | numeric       |                 |
| V1738     | s475e       | Diarrhea: Breastfeeding changes              | discrete    | numeric       |                 |

**REC97**

|              |  |
|--------------|--|
| Content      | WOMAN - Country specific - Chronic Morbidity and Reproductive Health |
| Cases        | 117180   |
| Variable(s)  | 7  |
| Structure    | Type:<br>Keys: ()  |
| Version      |  |
| Producer     |  |
| Missing Data |  |

**Variables**

| ID    | Name   | Label                    | Type     | Format    | Question |
|-------|--------|--------------------------|----------|-----------|----------|
| V1739 | hhid   | Case Identification      | discrete | character |          |
| V1740 | caseid | Case Identification      | discrete | character |          |
| V1741 | s503n  | Disease                  | discrete | numeric   |          |
| V1742 | s503   | Caught a disease         | discrete | numeric   |          |
| V1743 | s504   | Informant of the disease | discrete | numeric   |          |
| V1744 | s505   | Age at sickness          | discrete | numeric   |          |
| V1745 | s506   | Treating the disease     | discrete | numeric   |          |

**REC98**

|              |                                  |
|--------------|----------------------------------|
| Content      | WOMAN - Country specific - Death |
| Cases        | 109247                           |
| Variable(s)  | 4                                |
| Structure    | Type:<br>Keys: ()                |
| Version      |                                  |
| Producer     |                                  |
| Missing Data |                                  |

**Variables**

| ID    | Name   | Label               | Type     | Format    | Question |
|-------|--------|---------------------|----------|-----------|----------|
| V1746 | hhid   | Case Identification | discrete | character |          |
| V1747 | caseid | Case Identification | discrete | character |          |
| V1748 | idx98  | Index               | discrete | numeric   |          |
| V1749 | s813a  | Cause of death      | discrete | character |          |

## HWREC

|              |   |
|--------------|---|
| Content      | Height and Weight Scores - WHO Child Growth Standards |
| Cases        | 6310  |
| Variable(s)  | 7   |
| Structure    | Type:<br>Keys: ()                                     |
| Version      |   |
| Producer     |   |
| Missing Data |   |

## Variables

| ID    | Name    | Label  | Type     | Format    | Question |
|-------|---------|--|----------|-----------|----------|
| V1750 | hwhhid  | Case Identification                          | discrete | character |          |
| V1751 | hwline  | Line   | contin   | numeric   |          |
| V1752 | hwlevel | Data from HH or individual                   | discrete | numeric   |          |
| V1753 | hc70    | Ht/A Standard deviations (according to WHO)  | discrete | numeric   |          |
| V1754 | hc71    | Wt/A Standard deviations (according to WHO)  | discrete | numeric   |          |
| V1755 | hc72    | Wt/Ht Standard deviations (according to WHO) | discrete | numeric   |          |
| V1756 | hc73    | BMI Standard deviations (according to WHO)   | discrete | numeric   |          |



## Case Identification (hhid)

File: RECH0

### Overview

Type: Discrete  
Format: character  
Width: 5

## Country code and phase (hv000)

File: RECH0

### Overview

Type: Discrete  
Format: character  
Width: 3

## Cluster number (hv001)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-480

## Household number (hv002)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-25

## Respondent's line number (hv003)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-30

## Ultimate area unit (hv004)

File: RECH0

### Overview

## Ultimate area unit (hv004)

File: RECH0

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-480

## Sample weight (hv005)

File: RECH0

### Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-3269893

## Month of interview (hv006)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of interview (hv007)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2003-2004

## Date of interview (CMC) (hv008)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 1246-1250

## Number of household members (hv009)

File: RECH0

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-35

## Number of eligible women in HH (hv010)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

## Number of eligible men in H-NA (hv011)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Number of de jure members (hv012)

File: RECH0

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-35

## Number of de facto members (hv013)

File: RECH0

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-35

## Number of children 5 and under (hv014)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Result of household interview (hv015)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Day of interview (hv016)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-31

## Number of visits (hv017)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Interviewer identification (hv018)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-65

## Keyer identification (hv019)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Ever-married sample (hv020)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Primary sampling unit (hv021)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-480

## Sample stratum number (hv022)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-232

## Sample domain (hv023)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 2-16

## Region (hv024)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 2-16

## Type of place of residence (hv025)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Place of residence (hv026)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Selection for male/husb. in-NA (hv027)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Sample weight for male subsamp (hv028)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-0

## Field supervisor (hv030)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-62

## Field editor (hv031)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-62

## Office editor (hv032)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Ultimate area selection prob. (hv033)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 940-15230

## Number of eligible children for height & weight (hv035)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Cluster altitude in meters (hv040)

File: RECH0

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

## Total adults measured (hv041)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

## Selection for hemoglobin -NA (hv042)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Selection for women's statu-NA (hv043)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Selection for domestic viol-NA (hv044)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Case Identification (hhid)

File: RECH1

### Overview

Type: Discrete  
Format: character  
Width: 5

## Line number (hvidx)

File: RECH1

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-35

## Relationship to head (hv101)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Usual resident (hv102)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Slept last night (hv103)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sex of household member (hv104)

File: RECH1

## Sex of household member (hv104)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Age of household members (hv105)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Highest educational level (hv106)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Highest year of education (hv107)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Education in single years (hv108)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Educational attainment (hv109)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Member still in school (hv110)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Mother alive -NA (hv111)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Mother's line number -NA (hv112)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Father alive -NA (hv113)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Father's line number -NA (hv114)

File: RECH1

Father's line number -NA (hv114)

File: RECH1

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Current marital status -NA (hv115)

File: RECH1

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Currently, formerly, never m. (hv116)

File: RECH1

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Eligibility for female interview (hv117)

File: RECH1

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Eligibility for male interv-NA (hv118)

File: RECH1

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Children eligibility for height/weight and hemoglobin (hv120)

File: RECH1

## Children eligibility for height/weight and hemoglobin (hv120)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Member attended school during current school year (hv121)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Educational level during cu-NA (hv122)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Grade of education during c-NA (hv123)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Education in single years --NA (hv124)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Member attended school duri-NA (hv125)

File: RECH1

## Member attended school duri-NA (hv125)

File: RECH1

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Educational level during pr-NA (hv126)

File: RECH1

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Grade of education during p-NA (hv127)

File: RECH1

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Education in single years --NA (hv128)

File: RECH1

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## School attendance status -NA (hv129)

File: RECH1

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Case Identification (hhid)

File: RECH2

### Overview

Type: Discrete  
Format: character  
Width: 5

## Source of drinking water (hv201)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Time to get to water source-NA (hv204)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Type of toilet facility (hv205)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Has electricity (hv206)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has radio (hv207)

File: RECH2

## Has radio (hv207)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has television (hv208)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Has refrigerator (hv209)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Has bicycle (hv210)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has motorcycle/scooter (hv211)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has car/truck (hv212)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Main floor material (hv213)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Main wall material -NA (hv214)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Main roof material -NA (hv215)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Relationship structure (hv217)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Line number of head of househ. (hv218)

File: RECH2

## Line number of head of househ. (hv218)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Sex of head of household (hv219)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Age of head of household (hv220)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 15-99

## Has telephone (hv221)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Share toilet with other households (hv225)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Type of cooking fuel (hv226)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Have bednet for sleeping -NA (hv227)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Children under 5 slept unde-NA (hv228)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Place for hand washing -NA (hv230)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Items present: Water, tap -NA (hv231)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Items present: Soap/other cleansing agent (hv232)

File: RECH2

### Overview

Items present: Soap/other cleansing agent (hv232)

File: RECH2

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Items present: Basin -NA (hv233)

File: RECH2

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Test salt for Iodine -NA (hv234)

File: RECH2

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Case Identification (hhid)

File: RECH3

### Overview

Type: Discrete  
Format: character  
Width: 5

## Wealth index (hv270)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Wealth index factor score (5 decimals) (hv271)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 7  
Decimals: 0  
Range: -216035-207764

## Province or prfecture (shpref)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-591

## Cercle (shcercle)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-81

## Municipalit/Commune rurale (shmunici)

File: RECH3

## Municipalit/Commune rurale (shmunici)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-69

## Other centre (shcentre)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Census district (shdistri)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 2-7401

## Time household interview started (sh00)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 702-9999

## Type of dwelling (sh51)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## Possession of dwelling (sh52)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Number of rooms (sh54)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Sleeping rooms (sh55)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Type of windows (sh56)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Animals inside (sh57)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Animal kept at night (sh58)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Paid water (sh60)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Water preservation (sh61)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Water treatment (sh62)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Toilet piping (sh66)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Lighting (sh68)

### File: RECH3

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Kitchen (sh69)

### File: RECH3

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Kitchen sharing (sh70)

### File: RECH3

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Garbage collecting (sh72)

### File: RECH3

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Trash emplacement (sh73)

### File: RECH3

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Trash removal (sh74)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Removal frequency (sh75)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Household Goods: Large color TV (sh76b)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household Goods: Small color TV (sh76c)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household Goods: Video (sh76d)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household Goods: Dish (sh76e)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household Goods: Butagaz (sh76g)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household Goods: Water heater (sh76h)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household Goods: Dish washer (sh76i)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household Goods: Vacum cleaner (sh76j)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household Goods: Microwave (sh76k)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household Goods: Washing machine (sh76m)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Household Goods: Air conditioner (sh76n)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other Goods: Live stock (sh77d)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other Goods: Poultry (sh77e)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other Goods: Farming land (sh77f)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other Goods: Non farming land (sh77g)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other Goods: Tractor (sh77h)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other Goods: Housing construction (sh77i)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other Goods: Commercial construction (sh77j)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other Goods: Manufactory (sh77k)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other Goods: Machinery and industrial equip. (sh77l)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other Goods: Mean of transportation of goods (sh77m)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Dwelling surrounding (sh78)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Time household interview ended (sh79)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 715-9999

## Case Identification (hhid)

File: RECH4

### Overview

Type: Discrete  
Format: character  
Width: 5

## Index to household schedule (idxh4)

File: RECH4

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-35

## Enregistrement l'état civil (sh04)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Matrimonial status (sh09)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Highest level of education (sh15a)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Higest grade completed (sh15b)

File: RECH4

## Higest grade completed (sh15b)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Reason dropped out of school (sh17)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Currently working (sh18)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Occupation (sh19)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Chronic disease (sh22)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Nature of the disease (sh23)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Informed by a health worker of the disease (sh24)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age informed of the disease (sh25)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Medication for the disease (sh26)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other illness (sh27)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Nature the disease (sh28)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Informed by a health worker of the disease (sh29)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age informed of the disease (sh30)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Medication for the disease (sh31)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Insured (sh32)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Smokes tobacco (sh33)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Smoked and stopped (sh34)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Handicapped (sh42)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Handicap (sh43a)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Handicap (sh43b)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Handicap (sh43c)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Handicap (sh43d)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Handicap (sh43e)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Handicap (sh43f)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Handicap (sh43x)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Handicap (sh43z)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of the handicap (sh44)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Age at handicap (sh45)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Taken care (sh46)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hhid)

File: RECH5

### Overview

|                   |                    |
|-------------------|--------------------|
| Type: Discrete    | Valid cases: 18128 |
| Format: character | Invalid: 0         |
| Width: 5          |                    |

## Index to household schedule (ha0)

File: RECH5

### Overview

|                  |                         |
|------------------|-------------------------|
| Type: Continuous | Valid cases: 18128      |
| Format: numeric  | Invalid: 0              |
| Width: 8         | Minimum: 1              |
| Decimals: 0      | Maximum: 35             |
| Range: 1-35      | Mean: 3.6               |
|                  | Standard deviation: 2.4 |

## Women's age in years (ha1)

File: RECH5

### Overview

|                  |                         |
|------------------|-------------------------|
| Type: Continuous | Valid cases: 18128      |
| Format: numeric  | Invalid: 0              |
| Width: 8         | Minimum: 15             |
| Decimals: 0      | Maximum: 49             |
| Range: 15-49     | Mean: 29.4              |
|                  | Standard deviation: 9.9 |

## Respondent's weight (kilos-1d) (ha2)

File: RECH5

### Overview

|                  |                            |
|------------------|----------------------------|
| Type: Continuous | Valid cases: 18128         |
| Format: numeric  | Invalid: 0                 |
| Width: 8         | Minimum: 220               |
| Decimals: 0      | Maximum: 9999              |
| Range: 220-9999  | Mean: 1220.1               |
|                  | Standard deviation: 2321.6 |

## Respondent's height (cms-1d) (ha3)

File: RECH5

### Overview

|                  |                            |
|------------------|----------------------------|
| Type: Continuous | Valid cases: 18128         |
| Format: numeric  | Invalid: 0                 |
| Width: 8         | Minimum: 1200              |
| Decimals: 0      | Maximum: 9999              |
| Range: 1200-9999 | Mean: 2144.2               |
|                  | Standard deviation: 2097.8 |

**Ht/A Percentile (resp.) (ha4)****File:** RECH5**Overview**

|                 |                    |
|-----------------|--------------------|
| Type: Discrete  | Valid cases: 18128 |
| Format: numeric | Invalid: 0         |
| Width: 13       |                    |
| Decimals: 0     |                    |
| Range: 0-9999   |                    |

**Ht/A Standard deviations (resp (ha5)****File:** RECH5**Overview**

|                  |                    |
|------------------|--------------------|
| Type: Discrete   | Valid cases: 18128 |
| Format: numeric  | Invalid: 0         |
| Width: 13        |                    |
| Decimals: 0      |                    |
| Range: -599-9999 |                    |

**Ht/A Percent ref. median (resp (ha6)****File:** RECH5**Overview**

|                   |                    |
|-------------------|--------------------|
| Type: Discrete    | Valid cases: 18128 |
| Format: numeric   | Invalid: 0         |
| Width: 13         |                    |
| Decimals: 0       |                    |
| Range: 7819-99999 |                    |

**Wt/Ht Std deviations(resp) DHS (ha11)****File:** RECH5**Overview**

|                  |                    |
|------------------|--------------------|
| Type: Discrete   | Valid cases: 18128 |
| Format: numeric  | Invalid: 0         |
| Width: 13        |                    |
| Decimals: 0      |                    |
| Range: -396-9999 |                    |

**Wt/Ht Percent ref. median (DHS (ha12)****File:** RECH5**Overview**

|                   |                    |
|-------------------|--------------------|
| Type: Discrete    | Valid cases: 18128 |
| Format: numeric   | Invalid: 0         |
| Width: 13         |                    |
| Decimals: 0       |                    |
| Range: 5606-99999 |                    |

## Wt/Ht Percent ref. median (Fog (ha12a))

File: RECH5

### Overview

|                   |                    |
|-------------------|--------------------|
| Type: Discrete    | Valid cases: 18128 |
| Format: numeric   | Invalid: 0         |
| Width: 13         |                    |
| Decimals: 0       |                    |
| Range: 5851-99999 |                    |

## Wt/Ht Percent ref. median (WHO (ha12b))

File: RECH5

### Overview

|                   |                    |
|-------------------|--------------------|
| Type: Discrete    | Valid cases: 18128 |
| Format: numeric   | Invalid: 0         |
| Width: 13         |                    |
| Decimals: 0       |                    |
| Range: 5191-99999 |                    |

## Result of measurement of resp. (ha13)

File: RECH5

### Overview

|                 |                    |
|-----------------|--------------------|
| Type: Discrete  | Valid cases: 18128 |
| Format: numeric | Invalid: 0         |
| Width: 11       |                    |
| Decimals: 0     |                    |
| Range: 0-9      |                    |

## Date of birth (cmc) (ha32)

File: RECH5

### Overview

|                  |                           |
|------------------|---------------------------|
| Type: Continuous | Valid cases: 18128        |
| Format: numeric  | Invalid: 0                |
| Width: 8         | Minimum: 647              |
| Decimals: 0      | Maximum: 1070             |
| Range: 647-1070  | Mean: 887.6               |
|                  | Standard deviation: 119.4 |

## Completeness of information (ha33)

File: RECH5

### Overview

|                 |                    |
|-----------------|--------------------|
| Type: Discrete  | Valid cases: 18128 |
| Format: numeric | Invalid: 0         |
| Width: 14       |                    |
| Decimals: 0     |                    |
| Range: 1-8      |                    |

**Smoking (ha35)****File:** RECH5**Overview**

|                 |                    |
|-----------------|--------------------|
| Type: Discrete  | Valid cases: 18128 |
| Format: numeric | Invalid: 0         |
| Width: 8        |                    |
| Decimals: 0     |                    |
| Range: 0-9      |                    |

**Body mass index for respondent (ha40)****File:** RECH5**Overview**

|                  |                    |
|------------------|--------------------|
| Type: Discrete   | Valid cases: 18128 |
| Format: numeric  | Invalid: 0         |
| Width: 13        |                    |
| Decimals: 0      |                    |
| Range: 1207-9999 |                    |

**Rohrer's index for respondent (ha41)****File:** RECH5**Overview**

|                 |                    |
|-----------------|--------------------|
| Type: Discrete  | Valid cases: 18128 |
| Format: numeric | Invalid: 0         |
| Width: 13       |                    |
| Decimals: 0     |                    |
| Range: 680-9999 |                    |

**Under age 18 -NA (ha50)****File:** RECH5**Overview**

|                 |                |
|-----------------|----------------|
| Type: Discrete  | Valid cases: 0 |
| Format: numeric | Invalid: 18128 |
| Width: 8        |                |
| Decimals: 0     |                |

**Line no. of parent/caretake-NA (ha51)****File:** RECH5**Overview**

|                 |                |
|-----------------|----------------|
| Type: Discrete  | Valid cases: 0 |
| Format: numeric | Invalid: 18128 |
| Width: 8        |                |
| Decimals: 0     |                |

**Read consent statement -NA (ha52)****File:** RECH5

**Read consent statement -NA (ha52)****File:** RECH5**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 18128

**Hemoglobin level (g/dl - 1 -NA (ha53)****File:** RECH5**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 18128

**Currently pregnant -NA (ha54)****File:** RECH5**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 18128

**Result of measuring (Hemogl-NA (ha55)****File:** RECH5**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 18128

**Hemoglobin level adjusted b-NA (ha56)****File:** RECH5**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 18128

**Anemia level -NA (ha57)****File:** RECH5**Overview**

## Anemia level -NA (ha57)

File: RECH5

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Valid cases: 0

Invalid: 18128

## Agrees to referral -NA (ha58)

File: RECH5

### Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Valid cases: 0

Invalid: 18128

## Case Identification (hhid)

File: RECH6

### Overview

|                   |                   |
|-------------------|-------------------|
| Type: Discrete    | Valid cases: 6310 |
| Format: character | Invalid: 0        |
| Width: 5          |                   |

## Index to household schedule (hc0)

File: RECH6

### Overview

|                  |                         |
|------------------|-------------------------|
| Type: Continuous | Valid cases: 6310       |
| Format: numeric  | Invalid: 0              |
| Width: 8         | Minimum: 2              |
| Decimals: 0      | Maximum: 29             |
| Range: 2-29      | Mean: 6                 |
|                  | Standard deviation: 2.9 |

## Age in months (hc1)

File: RECH6

### Overview

|                  |                          |
|------------------|--------------------------|
| Type: Continuous | Valid cases: 6310        |
| Format: numeric  | Invalid: 0               |
| Width: 8         | Minimum: 0               |
| Decimals: 0      | Maximum: 59              |
| Range: 0-59      | Mean: 29.8               |
|                  | Standard deviation: 17.2 |

## Weight in kilograms (1 dec.) (hc2)

File: RECH6

### Overview

|                  |                            |
|------------------|----------------------------|
| Type: Continuous | Valid cases: 6310          |
| Format: numeric  | Invalid: 0                 |
| Width: 8         | Minimum: 10                |
| Decimals: 0      | Maximum: 9999              |
| Range: 10-9999   | Mean: 786                  |
|                  | Standard deviation: 2476.3 |

## Height in centimeters (1 dec.) (hc3)

File: RECH6

### Overview

|                  |                            |
|------------------|----------------------------|
| Type: Continuous | Valid cases: 6310          |
| Format: numeric  | Invalid: 0                 |
| Width: 8         | Minimum: 350               |
| Decimals: 0      | Maximum: 9999              |
| Range: 350-9999  | Mean: 1477.7               |
|                  | Standard deviation: 2311.9 |

**Ht/A Percentile (hc4)****File:** RECH6**Overview**

|                 |                   |
|-----------------|-------------------|
| Type: Discrete  | Valid cases: 6310 |
| Format: numeric | Invalid: 0        |
| Width: 13       |                   |
| Decimals: 0     |                   |
| Range: 0-9999   |                   |

**Ht/A Standard deviations (hc5)****File:** RECH6**Overview**

|                  |                   |
|------------------|-------------------|
| Type: Discrete   | Valid cases: 6310 |
| Format: numeric  | Invalid: 0        |
| Width: 13        |                   |
| Decimals: 0      |                   |
| Range: -597-9999 |                   |

**Ht/A Percent of ref. median (hc6)****File:** RECH6**Overview**

|                   |                   |
|-------------------|-------------------|
| Type: Discrete    | Valid cases: 6310 |
| Format: numeric   | Invalid: 0        |
| Width: 13         |                   |
| Decimals: 0       |                   |
| Range: 7528-99999 |                   |

**Wt/A Percentile (hc7)****File:** RECH6**Overview**

|                 |                   |
|-----------------|-------------------|
| Type: Discrete  | Valid cases: 6310 |
| Format: numeric | Invalid: 0        |
| Width: 13       |                   |
| Decimals: 0     |                   |
| Range: 0-9999   |                   |

**Wt/A Standard deviations (hc8)****File:** RECH6**Overview**

|                  |                   |
|------------------|-------------------|
| Type: Discrete   | Valid cases: 6310 |
| Format: numeric  | Invalid: 0        |
| Width: 13        |                   |
| Decimals: 0      |                   |
| Range: -523-9999 |                   |

**Wt/A Percent of ref. median (hc9)****File:** RECH6**Overview**

Type: Discrete  
 Format: numeric  
 Width: 13  
 Decimals: 0  
 Range: 4525-99999

Valid cases: 6310  
 Invalid: 0

**Wt/Ht Percentile (hc10)****File:** RECH6**Overview**

Type: Discrete  
 Format: numeric  
 Width: 13  
 Decimals: 0  
 Range: 0-9999

Valid cases: 6310  
 Invalid: 0

**Wt/Ht Standard deviations (hc11)****File:** RECH6**Overview**

Type: Discrete  
 Format: numeric  
 Width: 13  
 Decimals: 0  
 Range: -400-9999

Valid cases: 6310  
 Invalid: 0

**Wt/Ht Percent of ref. median (hc12)****File:** RECH6**Overview**

Type: Discrete  
 Format: numeric  
 Width: 13  
 Decimals: 0  
 Range: 6167-99999

Valid cases: 6310  
 Invalid: 0

**Reason not measured (hc13)****File:** RECH6**Overview**

Type: Discrete  
 Format: numeric  
 Width: 11  
 Decimals: 0  
 Range: 0-9

Valid cases: 6310  
 Invalid: 0

## Height: lying or standing (hc15)

File: RECH6

### Overview

|                 |                   |
|-----------------|-------------------|
| Type: Discrete  | Valid cases: 6310 |
| Format: numeric | Invalid: 0        |
| Width: 8        |                   |
| Decimals: 0     |                   |
| Range: 1-9      |                   |

## Day of birth of child (hc16)

File: RECH6

### Overview

|                  |                          |
|------------------|--------------------------|
| Type: Continuous | Valid cases: 6310        |
| Format: numeric  | Invalid: 0               |
| Width: 8         | Minimum: 1               |
| Decimals: 0      | Maximum: 99              |
| Range: 1-99      | Mean: 21.3               |
|                  | Standard deviation: 23.7 |

## Date measured (day) (hc17)

File: RECH6

### Overview

|                  |                         |
|------------------|-------------------------|
| Type: Continuous | Valid cases: 6310       |
| Format: numeric  | Invalid: 0              |
| Width: 8         | Minimum: 1              |
| Decimals: 0      | Maximum: 31             |
| Range: 1-31      | Mean: 15.3              |
|                  | Standard deviation: 8.4 |

## Date measured (month) (hc18)

File: RECH6

### Overview

|                 |                   |
|-----------------|-------------------|
| Type: Discrete  | Valid cases: 6310 |
| Format: numeric | Invalid: 0        |
| Width: 8        |                   |
| Decimals: 0     |                   |
| Range: 1-12     |                   |

## Date measured (year) (hc19)

File: RECH6

### Overview

|                  |                   |
|------------------|-------------------|
| Type: Discrete   | Valid cases: 6310 |
| Format: numeric  | Invalid: 0        |
| Width: 8         |                   |
| Decimals: 0      |                   |
| Range: 2003-2004 |                   |

**Sex (hc27)****File:** RECH6**Overview**

|                 |                   |
|-----------------|-------------------|
| Type: Discrete  | Valid cases: 6310 |
| Format: numeric | Invalid: 0        |
| Width: 8        |                   |
| Decimals: 0     |                   |
| Range: 1-2      |                   |

**Month of birth of child (hc30)****File:** RECH6**Overview**

|                 |                   |
|-----------------|-------------------|
| Type: Discrete  | Valid cases: 6310 |
| Format: numeric | Invalid: 0        |
| Width: 12       |                   |
| Decimals: 0     |                   |
| Range: 1-98     |                   |

**Year of birth of child (hc31)****File:** RECH6**Overview**

|                  |                   |
|------------------|-------------------|
| Type: Discrete   | Valid cases: 6310 |
| Format: numeric  | Invalid: 0        |
| Width: 12        |                   |
| Decimals: 0      |                   |
| Range: 1998-9998 |                   |

**Date of birth (cmc) (hc32)****File:** RECH6**Overview**

|                  |                          |
|------------------|--------------------------|
| Type: Continuous | Valid cases: 6310        |
| Format: numeric  | Invalid: 0               |
| Width: 8         | Minimum: 1187            |
| Decimals: 0      | Maximum: 1249            |
| Range: 1187-1249 | Mean: 1218.2             |
|                  | Standard deviation: 17.2 |

**Completeness of information (hc33)****File:** RECH6**Overview**

|                 |                   |
|-----------------|-------------------|
| Type: Discrete  | Valid cases: 6310 |
| Format: numeric | Invalid: 0        |
| Width: 14       |                   |
| Decimals: 0     |                   |
| Range: 1-8      |                   |

## Line no. of parent/caretake-NA (hc51)

File: RECH6

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 6310

## Read consent statement -NA (hc52)

File: RECH6

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 6310

## Hemoglobin level (g/dl - 1 -NA (hc53)

File: RECH6

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 6310

## Result of measuring (Hemogl-NA (hc55)

File: RECH6

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 6310

## Hemoglobin level adjusted b-NA (hc56)

File: RECH6

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 6310

## Anemia level -NA (hc57)

File: RECH6

**Overview**

**Anemia level -NA (hc57)****File:** RECH6

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 6310

**Agrees to referral -NA (hc58)****File:** RECH6**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 6310

**Mother's line number from woman's questionnaire (hc60)****File:** RECH6**Overview**

Type: Discrete  
 Format: numeric  
 Width: 28  
 Decimals: 0  
 Range: 1-995

Valid cases: 6310  
 Invalid: 0

**Mother's highest educational level (hc61)****File:** RECH6**Overview**

Type: Discrete  
 Format: numeric  
 Width: 27  
 Decimals: 0  
 Range: 0-9

Valid cases: 6310  
 Invalid: 0

**Mother's highest year of education (hc62)****File:** RECH6**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-99

Valid cases: 2064  
 Invalid: 4246  
 Minimum: 0  
 Maximum: 99  
 Mean: 2.9  
 Standard deviation: 4

**Preceding birth interval (hc63)****File:** RECH6

## Preceding birth interval (hc63)

File: RECH6

### Overview

|                  |                           |
|------------------|---------------------------|
| Type: Continuous | Valid cases: 4736         |
| Format: numeric  | Invalid: 1574             |
| Width: 8         | Minimum: 9                |
| Decimals: 0      | Maximum: 999              |
| Range: 9-999     | Mean: 136                 |
|                  | Standard deviation: 276.9 |

## Birth order number (hc64)

File: RECH6

### Overview

|                  |                          |
|------------------|--------------------------|
| Type: Continuous | Valid cases: 6310        |
| Format: numeric  | Invalid: 0               |
| Width: 8         | Minimum: 1               |
| Decimals: 0      | Maximum: 99              |
| Range: 1-99      | Mean: 9.8                |
|                  | Standard deviation: 24.5 |

## Case Identification (hhid)

File: REC01

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC01

### Overview

Type: Discrete  
Format: character  
Width: 8

## Country code and phase (v000)

File: REC01

### Overview

Type: Discrete  
Format: character  
Width: 3

## Cluster number (v001)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-480

## Household number (v002)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-25

## Respondent's line number (v003)

File: REC01

### Overview

## Respondent's line number (v003)

File: REC01

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-35

## Ultimate area unit (v004)

File: REC01

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-480

## Sample weight (v005)

File: REC01

### Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-3347974

## Month of interview (v006)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of interview (v007)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2003-2004

## Date of interview (CMC) (v008)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1246-1250

## Respondent's month of birth (v009)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Respondent's year of birth (v010)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1953-1988

## Date of birth (CMC) (v011)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 647-1068

## Current age - respondent (v012)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 15-49

## Age 5-year groups (v013)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Completeness of information (v014)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Result of individual interview (v015)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Day of interview (v016)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-31

## CMC start of calendar (v017)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1177-1177

## Row of month of interview (v018)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-11

## Length of calendar (v019)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-74

## Number of calendar columns (v019a)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Ever-married sample (v020)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Primary sampling unit (v021)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-480

## Sample stratum number (v022)

File: REC01

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-232

## Sample domain (v023)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 2-16

## Region (v024)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 2-16

## Type of place of residence (v025)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

## De facto place of residence (v026)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

## Number of visits (v027)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Interviewer identification (v028)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-65

## Keyer identification (v029)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Field supervisor (v030)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-62

## Field editor (v031)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-62

## Office editor (v032)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Ultimate area selection prob. (v033)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 940-15230

## Line number of husband -NA (v034)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Cluster altitude in meters (v040)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Household selection for hem-NA (v042)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Selection for women's statu-NA (v043)

File: REC01

## Selection for women's statu-NA (v043)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Selection for domestic viol-NA (v044)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Case Identification (hhid)

File: REC11

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC11

### Overview

Type: Discrete  
Format: character  
Width: 8

## Region (v101)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 2-16

## Type of place of residence (v102)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Childhood place of residence (v103)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Years lived in place of res. (v104)

File: REC11

### Overview

## Years lived in place of res. (v104)

File: REC11

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Type of place of previous res. (v105)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Highest educational level (v106)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

## Highest year of education (v107)

File: REC11

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Source of drinking water (v113)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-99

## Time to get to water source-NA (v115)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Type of toilet facility (v116)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-99

## Has electricity (v119)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Has radio (v120)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Has television (v121)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

## Has refrigerator (v122)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Has bicycle (v123)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has motorcycle/scooter (v124)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has car/truck (v125)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Main floor material (v127)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Main wall material -NA (v128)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Main roof material -NA (v129)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Religion -NA (v130)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Ethnicity -NA (v131)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Education in single years (v133)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## De facto place of residence (v134)

File: REC11

### Overview

## De facto place of residence (v134)

File: REC11

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

## Usual resident or visitor (v135)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Number of household members (v136)

File: REC11

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-35

## Number of children 5 and under (v137)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

## Number of eligible women in HH (v138)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

## De jure region of residence (v139)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-97

## De jure type of place of res. (v140)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## De jure place of residence (v141)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Educational attainment (v149)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Relationship to household head (v150)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Sex of household head (v151)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Age of household head (v152)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 17-99

## Has telephone (v153)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## All woman factor - total (awfactt)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-100

## All woman factor - urban/rural (awfactu)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-100

## All woman factor - regional (awfactr)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-100

## All woman factor - educational (awfacte)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-100

## Literacy (v155)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever participated in a literacy program outside of primary (v156)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Frequency of reading newspaper or magazine (v157)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Frequency of listening to radio (v158)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Frequency of watching television (v159)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Toilet facilities shared (v160)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Type of cooking fuel (v161)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Place for hand washing -NA (v162)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Presence of water/tap in ho-NA (v163)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Presence of soap/ash/other cleansing agent in household (v164)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

## Presence of basin in househ-NA (v165)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Results of salt iodine test-NA (v166)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Case Identification (hhid)

File: REC21

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC21

### Overview

Type: Discrete  
Format: character  
Width: 8

## Birth column number (bidx)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-16

## Birth order number (bord)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-16

## Child is twin (b0)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Month of birth (b1)

File: REC21

### Overview

## Month of birth (b1)

File: REC21

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of birth (b2)

File: REC21

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1966-2004

## Date of birth (CMC) (b3)

File: REC21

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 803-1249

## Sex of child (b4)

File: REC21

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

## Child is alive (b5)

File: REC21

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Age at death (b6)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Age at death (months-imputed) (b7)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-360

## Current age of child (b8)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-37

## Child lives with whom (b9)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Completeness of information (b10)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Preceding birth interval (b11)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 8-266

## Succeeding birth interval (b12)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 8-266

## Flag for age at death (b13)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Live birth between births -NA (b15)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Child's line number in household (b16)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-33

## Case Identification (hhid)

File: REC22

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC22

### Overview

Type: Discrete  
Format: character  
Width: 8

## Total children ever born (v201)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-16

## Sons at home (v202)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Daughters at home (v203)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sons elsewhere (v204)

File: REC22

### Overview

## Sons elsewhere (v204)

File: REC22

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-5

## Daughters elsewhere (v205)

File: REC22

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

## Sons who have died (v206)

File: REC22

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Daughters who have died (v207)

File: REC22

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-5

## Births in last five years (v208)

File: REC22

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-5

## Births in past year (v209)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Births in month of interview (v210)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Date of first birth (CMC) (v211)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 803-1249

## Age of respondent at 1st birth (v212)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 9-43

## Currently pregnant (v213)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Duration of current pregnancy (v214)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-10

## Time since last menstrual period (v215)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Menstruated in last six weeks (v216)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Knowledge of ovulatory cycle (v217)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Number of living children (v218)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-13

## Living children + current preg (v219)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-13

## Living children + curr preg 6+ (v220)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Marriage to first birth int. (v221)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-996

## Last birth to interview (v222)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-408

## Completeness of curr preg. inf (v223)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 7-8

## Entries in birth history (v224)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-16

## Current pregnancy wanted (v225)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Time since last period (comp) (v226)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Flag for last period (v227)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever had a terminated preg. (v228)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Month pregnancy ended (v229)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year pregnancy ended (v230)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1965-9999

## CMC pregnancy ended (v231)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 819-9999

## Completeness of last term. inf (v232)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Months when pregnancy ended (v233)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Other such pregnancies (v234)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Index last child prior to cal. (v235)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Birth between last & interview (v237)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Births in last three years (v238)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Pregnancies terminated before calendar beginning (v239)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Month of last termination prior to calendar (v240)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year of last termination prior to calendar (v241)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1965-9999

## CMC termination ended prior to calendar (v242)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 819-9999

## Completeness of last termination date prior to calendar (v243)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Case Identification (hhid)

File: REC31

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC31

### Overview

Type: Discrete  
Format: character  
Width: 8

## Knowledge of any method (v301)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Ever use of any method (v302)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Contraceptive Table (contr\_tbl)

File: REC31

### Overview

Type: Discrete  
Format: character  
Width: 4

## Type of method (v304a)

File: REC31

### Overview

## Type of method (v304a)

File: REC31

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

## Knows method (v304)

File: REC31

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Ever used method -NA (v305)

File: REC31

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Method currently used -NA (v307)

File: REC31

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Case Identification (hhid)

File: REC32

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC32

### Overview

Type: Discrete  
Format: character  
Width: 8

## Living children at first use (v310)

File: REC32

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Children at first use (grpd) (v311)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Current contraceptive method (v312)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-20

## Current use by method type (v313)

File: REC32

### Overview

## Current use by method type (v313)

File: REC32

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

## Month of start of use of method (v315)

File: REC32

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of start of use of method (v316)

File: REC32

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1979-2004

## Date of start of use of method (CMC) (v317)

File: REC32

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 951-1250

## Completeness of information (v318)

File: REC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Years since sterilization (v319)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Age at sterilization (v320)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Marital duration at sterilization (v321)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Parity at sterilization (v322)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Last source for current users (v326)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Last source for users by type (v327)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Months of use of current method (v337)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-998

## Last method disc. last 5 years (v359)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-20

## Reason of last discontinuation (v360)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Pattern of use (v361)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Intention to use (v362)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Preferred future method (v363)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Contraceptive use & intention (v364)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Wanted last child (v367)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Main reason not using a met-NA (v375a)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Main reason not to use a meth. (v376)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 11-99

## Would ever use method if marr. (v376a)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source known for any method (v379)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Source known for any method (v380)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Heard FP on radio last months (v384a)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard FP on TV last months (v384b)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard FP newspaper last months (v384c)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Visited by FP worker last 12m (v393)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Visited health facil. last 12m (v394)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## At health facility, told of FP (v395)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: government hosp. (v3a00a)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: govt health cntr (v3a00b)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users:-NA (v3a00c)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source of FP for non-users: mobile clinic (v3a00d)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: fieldworker (v3a00e)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: CS public sector (v3a00f)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: CS public sector (v3a00g)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users:-NA (v3a00h)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source of FP for non-users: oth public sector (v3a00i)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: private hosp/clin (v3a00j)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: private pharmacy (v3a00k)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users:-NA (v3a00l)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source of FP for non-users:-NA (v3a00m)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source of FP for non-users:-NA (v3a00n)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source of FP for non-users: CS med.priv sect (v3a00o)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: CS med.priv sect (v3a00p)

File: REC32

## Source of FP for non-users: CS med.priv sect (v3a00p)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users:-NA (v3a00q)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source of FP for non-users: oth med.priv sect (v3a00r)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users:-NA (v3a00s)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source of FP for non-users: traditional pract (v3a00t)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: friend, relative (v3a00u)

File: REC32

## Source of FP for non-users: friend, relative (v3a00u)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users:-NA (v3a00v)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source of FP for non-users:-NA (v3a00w)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source of FP for non-users: Other (v3a00x)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: no source (v3a00y)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: any source (v3a00z)

File: REC32

Source of FP for non-users: any source (v3a00z)

File: REC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Told sterilization would mean no more children (v3a01)

File: REC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Told about side effects (v3a02)

File: REC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Told about side effects by health or FP worker (v3a03)

File: REC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Told how to deal with side effects (v3a04)

File: REC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Told about other FP methods (v3a05)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Told about other FP methods by health or FP worker (v3a06)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## First source for current method (v3a07)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Reason not using: Not married (v3a08a)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Not having sex (v3a08b)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Infrequent sex (v3a08c)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Menopausal/hysterectomy (v3a08d)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Subfecund/infecund (v3a08e)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Postpartum amenorrheic (v3a08f)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Breastfeeding (v3a08g)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Fatalistic (v3a08h)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Respondent opposed (v3a08i)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Husband/partner opposed (v3a08j)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Others opposed (v3a08k)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Religious prohibition (v3a08l)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Knows no method (v3a08m)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Knows no source (v3a08n)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Health concerns (v3a08o)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Fear of side effects (v3a08p)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Lack of access/too far (v3a08q)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Costs too much (v3a08r)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Inconvenient to use (v3a08s)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Interferes with bodys processes (v3a08t)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Country s-NA (v3a08u)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Reason not using: Country s-NA (v3a08v)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Reason not using: Country s-NA (v3a08w)

File: REC32

## Reason not using: Country s-NA (v3a08w)

File: REC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Reason not using: Other (v3a08x)

File: REC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Reason not using: Don't know (v3a08z)

File: REC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Case Identification (hhid)

File: REC41

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC41

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index to birth history (midx)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Tetanus injections bef. birth (m1)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal: doctor (m2a)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal: nurse/midwife (m2b)

File: REC41

### Overview

## Prenatal: nurse/midwife (m2b)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Prenatal: auxiliary midwife-NA (m2c)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Prenatal: CS health profession (m2d)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Prenatal: CS health profess-NA (m2e)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Prenatal: trained birth att-NA (m2f)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Prenatal: trad.birth attendant (m2g)

File: REC41

### Overview

## Prenatal: trad.birth attendant (m2g)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Prenatal: relative -NA (m2h)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Prenatal: CS other person -NA (m2i)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Prenatal: CS other person -NA (m2j)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Prenatal: other resp (uncoded) (m2k)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Prenatal: CS other -NA (m2l)

File: REC41

### Overview

## Prenatal: CS other -NA (m2l)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Prenatal: CS other -NA (m2m)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Prenatal: no one (m2n)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Assistance: doctor (m3a)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Assistance: nurse/midwife (m3b)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Assistance: auxiliary midwi-NA (m3c)

File: REC41

### Overview

## Assistance: auxiliary midwi-NA (m3c)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Assistance: CS health profe-NA (m3d)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Assistance: CS health profe-NA (m3e)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Assistance: trained birth a-NA (m3f)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Assistance: trad.birth attend. (m3g)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Assistance: relative, friend (m3h)

File: REC41

### Overview

## Assistance: relative, friend (m3h)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Assistance: CS other person-NA (m3i)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Assistance: CS other person-NA (m3j)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Assistance: other resp (uncod) (m3k)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Assistance: CS other -NA (m3l)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Assistance: CS other -NA (m3m)

File: REC41

### Overview

## Assistance: CS other -NA (m3m)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Assistance: no one (m3n)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Duration of breastfeeding (m4)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Months of breastfeeding (m5)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Duration of amenorrhea (m6)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Months of amenorrhea (m7)

File: REC41

## Months of amenorrhea (m7)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Duration of abstinence (m8)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Months of abstinence (m9)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Time wanted pregnancy (m10)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Time would have waited (m11)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-999

## Timing of 1st antenatal check (m13)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Antenatal visits for pregnancy (m14)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Place of delivery (m15)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Delivery by caesarian section (m17)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Size of child at birth (m18)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Birth weight (kilos - 3 dec.) (m19)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 500-9999

## Weight at birth recall (m19a)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Flag for breastfeeding (m27)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Flag for amenorrhea (m28)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Flag for abstinence (m29)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## When child put to breast (m34)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Times breastfed during night (m35)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Times breastfed during day (m36)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Times gave child plain water (m37a)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child sugar wate-NA (m37b)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Times gave child fruit juice (m37c)

File: REC41

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child herbal tea-NA (m37d)

File: REC41

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Times gave child powdered/t-NA (m37e)

File: REC41

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Times gave child commercially produced baby formula (m37f)

File: REC41

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child fresh milk-NA (m37g)

File: REC41

**Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Times given tinned, powdered or fresh animal milk (m37h)

File: REC41

Times given tinned, powdered or fresh animal milk (m37h)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times given country specifi-NA (m37i)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Times given country specifi-NA (m37j)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Times given country specifi-NA (m37k)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Times gave child other liquid (m37l)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times given pumpkin, carrots, red/yel yams, red sweet pot. (m37m)

File: REC41

Times given pumpkin, carrots, red/yel yams, red sweet pot. (m37m)  
 File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times given any green leafy vegetables (m37n)  
 File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times given mango, papaya or other Vit A rich fruits (m37o)  
 File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times given other solid, semi-solid foods (m37p)  
 File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times given food made from local grain (m37q)  
 File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times given food made from local roots/tuber (m37r)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child eggs, fish-NA (m37s)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Times gave child meat -NA (m37t)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Times gave child other fruits/vegetables (m37u)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child meat, poultry, fish, shellfish, eggs (m37v)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child legumes (lentils, beans, peanuts) (m37w)

File: REC41

Times gave child legumes (lentils, beans, peanuts) (m37w)

File: REC41

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Times gave child cheese/yogurt (m37x)

File: REC41

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Times gave child foods made-NA (m37y)

File: REC41

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times gave child country sp-NA (m37z)

File: REC41

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times gave child country sp-NA (m37xx)

File: REC41

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times gave child country sp-NA (m37xy)

File: REC41

Times gave child country sp-NA (m37xy)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times gave child country sp-NA (m37xz)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Drank from bottle with nipple (m38)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Times ate solid, semi-solid or soft food yesterday (m39)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Last 7 days - plain water -NA (m40a)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - sugar water -NA (m40b)

File: REC41

Last 7 days - sugar water -NA (m40b)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - fruit juice -NA (m40c)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - herbal tea -NA (m40d)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - powdered/tinn-NA (m40e)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - commercially -NA (m40f)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - fresh milk -NA (m40g)

File: REC41

#### Overview

Last 7 days - fresh milk -NA (m40g)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - tinned, powde-NA (m40h)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - country speci-NA (m40i)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - country speci-NA (m40j)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - country speci-NA (m40k)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - other liquid -NA (m40l)

File: REC41

#### Overview

## Last 7 days - other liquid -NA (m40l)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - pumpkin, carr-NA (m40m)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - any green lea-NA (m40n)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - mango, papaya-NA (m40o)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - other solid, -NA (m40p)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - food made fro-NA (m40q)

File: REC41

### Overview

## Last 7 days - food made fro-NA (m40q)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - food made fro-NA (m40r)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - eggs, fish, p-NA (m40s)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - meat -NA (m40t)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - other fruits/-NA (m40u)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - meat, poultry-NA (m40v)

File: REC41

### Overview

## Last 7 days - meat, poultry-NA (m40v)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - legumes (lent-NA (m40w)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - cheese/yogurt-NA (m40x)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - foods made wi-NA (m40y)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - country speci-NA (m40z)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - country speci-NA (m40xx)

File: REC41

### Overview

## Last 7 days - country speci-NA (m40xx)

File: REC41

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - country speci-NA (m40xy)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - country speci-NA (m40xz)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Months pregnant for last antenatal visit (m41)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## During pregnancy - weighed (m42a)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## During pregnancy - height measured (m42b)

File: REC41

### Overview

## During pregnancy - height measured (m42b)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## During pregnancy - blood pressure taken (m42c)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## During pregnancy - urine sample taken (m42d)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## During pregnancy - blood sample taken (m42e)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Told about pregnancy complications (m43)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Told where to go for pregnancy complications (m44)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

During pregnancy, given or bought iron tablets/syrup (m45)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Days tablets or syrup taken (m46)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-999

During pregnancy, had difficulty with daylight vision (m47)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

During pregnancy, had difficulty with night blindness (m48)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

During pregnancy - took Fan-NA (m49a)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

During pregnancy - took Chl-NA (m49b)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

During pregnancy - took Unk-NA (m49c)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

During pregnancy - took cou-NA (m49d)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

During pregnancy - took cou-NA (m49e)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

During pregnancy - took cou-NA (m49f)

File: REC41

#### Overview

During pregnancy - took cou-NA (m49f)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

During pregnancy - took cou-NA (m49g)

File: REC41

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

During pregnancy - took oth-NA (m49x)

File: REC41

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

During pregnancy - took no -NA (m49z)

File: REC41

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

After birth, health professional checked health (m50)

File: REC41

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Checkup after deliver timing (m51)

File: REC41

#### **Overview**

## Checkup after deliver timing (m51)

File: REC41

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-999

## After birth, health professional checked health (m52)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-99

## Place for checkup (m53)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-99

## Received Vitamin A dose in first 2 months after delivery (m54)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## First 3 days, given milk other than breast milk (m55a)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

First 3 days, given plain water (m55b)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given sugar/glucose water (m55c)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given gripe water (m55d)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given sugar/salt/water solution (m55e)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given fruit juice (m55f)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given infant formula (m55g)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given tea/infusions (m55h)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given honey (m55i)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given country-NA (m55j)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

First 3 days, given country-NA (m55k)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

First 3 days, given country-NA (m55l)

File: REC41

First 3 days, given country-NA (m55l)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

First 3 days, given country-NA (m55m)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

First 3 days, given country-NA (m55n)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

First 3 days, given other (m55x)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

First 3 days, given nothing (m55z)

File: REC41

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Sugar added to any of foods or liquids consumed yesterday (m56)

File: REC41

# Sugar added to any of foods or liquids consumed yesterday (m56)

## File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Case Identification (hhid)

File: REC42

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC42

### Overview

Type: Discrete  
Format: character  
Width: 8

## Last birth cesarean section (v401)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Currently breastfeeding (v404)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Currently amenorrheic (v405)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Currently abstaining (v406)

File: REC42

### Overview

## Currently abstaining (v406)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Times breastfed during night (v407)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Times breastfed during day (v408)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Drank from bottle with nipple (v415)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Heard of oral rehydration (v416)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Entries in maternity table (v417)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Entries in health table (v418)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Entries in height/weight table (v419)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Measurer's code -NA (v420)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Assistant measurer's code -NA (v421)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## When child put to breast (v426)

File: REC42

## When child put to breast (v426)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-221

## Respondent's weight (kilos-1d) (v437)

File: REC42

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 220-9999

## Respondent's height (cms-1d) (v438)

File: REC42

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1200-9999

## Ht/A Percentile (resp.) (v439)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Ht/A Standard deviations (resp (v440)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -599-9999

## Ht/A Percent ref. median (resp (v441)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 7819-99999

## Wt/Ht Percent ref. median (DHS (v442)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5606-99999

## Wt/Ht Percent ref. median (Fog (v443)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5851-99999

## Wt/Ht Percent ref. median (WHO (v444)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5191-99999

## Wt/Ht Std deviations(resp) DHS (v444a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -396-9999

## Body mass index for respondent (v445)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1207-9999

## Rohrer's index for respondent (v446)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 680-9999

## Result of measurement of resp. (v447)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Women's age in years from household report (v447a)

File: REC42

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 15-49

## Under age 18 (HH report) -NA (v452a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Line no. of parent/caretake-NA (v452b)

File: REC42

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Read consent statement -NA (v452c)

File: REC42

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Hemoglobin level (g/dl - 1 -NA (v453)

File: REC42

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Currently pregnant (househo-NA (v454)

File: REC42

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Result of measuring (Hemogl-NA (v455)

File: REC42

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Hemoglobin level adjusted b-NA (v456)

File: REC42

#### Overview

## Hemoglobin level adjusted b-NA (v456)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Anemia level -NA (v457)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Agrees to referral -NA (v458)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Have bednet for sleeping (h-NA (v459)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Children under 5 slept unde-NA (v460)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Respondent slept under bedn-NA (v461)

File: REC42

### Overview

## Respondent slept under bedn-NA (v461)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Washed hands before prepari-NA (v462)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Smokes cigarettes -NA (v463a)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Smokes pipe -NA (v463b)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Smokes other tobacco -NA (v463c)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Smokes country specific -NA (v463d)

File: REC42

### Overview

## Smokes country specific -NA (v463d)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Smokes country specific -NA (v463e)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Smokes country specific -NA (v463f)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Smokes country specific -NA (v463g)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Smokes nothing -NA (v463z)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Number of cigarettes in las-NA (v464)

File: REC42

### Overview

## Number of cigarettes in las-NA (v464)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Disposal of youngest child's stools when not using toilet (v465)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## When child is seriously ill, can decide whether med tx sough (v466)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: know where to go (v467a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: getting permission to go (v467b)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: getting money needed for tx (v467c)

File: REC42

## Getting medical help for self: getting money needed for tx (v467c)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: distance to health facility (v467d)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: having to take transport (v467e)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: not wanting to go alone (v467f)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: concern no female health prov (v467g)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Columns used for Last Birth Only variables (v468)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Times gave child plain water (v469a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child sugar wate-NA (v469b)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Times gave child fruit juice (v469c)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child herbal tea-NA (v469d)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Times gave child powdered/t-NA (v469e)

File: REC42

Times gave child powdered/t-NA (v469e)

File: REC42

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times gave child commercially produced baby formula (v469f)

File: REC42

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Times gave child fresh milk-NA (v469g)

File: REC42

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times given tinned, powdered or fresh animal milk (v469h)

File: REC42

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Times given country specifi-NA (v469i)

File: REC42

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times given country specifi-NA (v469j)

File: REC42

## Times given country specifi-NA (v469j)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Times given country specifi-NA (v469k)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Times gave child other liquid (v469l)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times given pumpkin, carrots, red/yel yams, red sweet pot. (v469m)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times given any green leafy vegetables (v469n)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times given mango, papaya or other Vit A rich fruits (v469o)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times given other solid, semi-solid foods (v469p)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times given food made from local grain (v469q)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times given food made from local roots/tuber (v469r)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child eggs, fish-NA (v469s)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Times gave child meat -NA (v469t)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Times gave child other fruits/vegetables (v469u)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child meat, poultry, fish, shellfish, eggs (v469v)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child legumes (lentils, beans, peanuts) (v469w)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child cheese/yogurt (v469x)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child foods made-NA (v469y)

File: REC42

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times gave child country sp-NA (v469z)

File: REC42

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times gave child country sp-NA (v469xx)

File: REC42

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times gave child country sp-NA (v469xy)

File: REC42

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Times gave child country sp-NA (v469xz)

File: REC42

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - plain water -NA (v470a)

File: REC42

#### Overview

## Last 7 days - plain water -NA (v470a)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - sugar water -NA (v470b)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - fruit juice -NA (v470c)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - herbal tea -NA (v470d)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - powdered/tinn-NA (v470e)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - commercially -NA (v470f)

File: REC42

### Overview

## Last 7 days - commercially -NA (v470f)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - fresh milk -NA (v470g)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - tinned, powde-NA (v470h)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - country speci-NA (v470i)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - country speci-NA (v470j)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - country speci-NA (v470k)

File: REC42

### Overview

## Last 7 days - country speci-NA (v470k)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - other liquid -NA (v470l)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - pumpkin, carr-NA (v470m)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - any green lea-NA (v470n)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - mango, papaya-NA (v470o)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - other solid, -NA (v470p)

File: REC42

### Overview

## Last 7 days - other solid, -NA (v470p)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - food made fro-NA (v470q)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - food made fro-NA (v470r)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - eggs, fish, p-NA (v470s)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - meat -NA (v470t)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - other fruits/-NA (v470u)

File: REC42

### Overview

## Last 7 days - other fruits/-NA (v470u)

File: REC42

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - meat, poultry-NA (v470v)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - legumes (lent-NA (v470w))

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - cheese/yogurt-NA (v470x)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - foods made wi-NA (v470y)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 7 days - country speci-NA (v470z)

File: REC42

### Overview

## Last 7 days - country speci-NA (v470z)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - country speci-NA (v470xx)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - country speci-NA (v470xy)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last 7 days - country speci-NA (v470xz)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Case Identification (hhid)

File: REC43

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC43

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index to birth history (hidx)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Has health card (h1)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Received BCG (h2)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## BCG day (h2d)

File: REC43

### Overview

## BCG day (h2d)

File: REC43

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

## BCG month (h2m)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

## BCG year (h2y)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 1998-9998

## Received DPT 1 (h3)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## DPT 1 day (h3d)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

## DPT 1 month (h3m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## DPT 1 year (h3y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1998-9998

## Received POLIO 1 (h4)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## POLIO 1 day (h4d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## POLIO 1 month (h4m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## POLIO 1 year (h4y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1998-9998

## Received DPT 2 (h5)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## DPT 2 day (h5d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## DPT 2 month (h5m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## DPT 2 year (h5y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1999-9998

## Received POLIO 2 (h6)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## POLIO 2 day (h6d)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## POLIO 2 month (h6m)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## POLIO 2 year (h6y)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1999-9998

## Received DPT 3 (h7)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## DPT 3 day (h7d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## DPT 3 month (h7m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## DPT 3 year (h7y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1999-9998

## Received POLIO 3 (h8)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## POLIO 3 day (h8d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## POLIO 3 month (h8m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## POLIO 3 year (h8y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1999-9998

## Received MEASLES (h9)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## MEASLES day (h9d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## MEASLES month (h9m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## MEASLES year (h9y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1999-9998

## Received POLIO 0 -NA (h0)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## POLIO 0 day -NA (h0d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## POLIO 0 month -NA (h0m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## POLIO 0 year -NA (h0y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Ever had vaccination (h10)

File: REC43

### Overview

## **Ever had vaccination (h10)**

**File:** REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## **Had diarrhea recently (h11)**

**File:** REC43

### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

## **Diarrhea: government hosp. (h12a)**

**File:** REC43

### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## **Diarrhea: govt health center (h12b)**

**File:** REC43

### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## **Diarrhea: govt health post -NA (h12c)**

**File:** REC43

### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## **Diarrhea: mobile clinic (h12d)**

**File:** REC43

## Diarrhea: mobile clinic (h12d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: comm.health worker (h12e)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: CS public sector (h12f)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: CS public sector -NA (h12g)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: CS public sector -NA (h12h)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Diarrhea: other public sector (h12i)

File: REC43

## Diarrhea: other public sector (h12i)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: private hosp/clin. (h12j)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: private pharmacy (h12k)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: private doctor (h12l)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: private mobile cl-NA (h12m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Diarrhea: comm.health worke-NA (h12n)

File: REC43

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Diarrhea: CS med.priv secto-NA (h12o)

File: REC43

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Diarrhea: CS med.priv secto-NA (h12p)

File: REC43

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Diarrhea: CS med.priv secto-NA (h12q)

File: REC43

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Diarrhea: other med.priv sect. (h12r)

File: REC43

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Diarrhea: shop (h12s)

File: REC43

#### Overview

## Diarrhea: shop (h12s)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Diarrhea: traditional pract-NA (h12t)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Diarrhea: CS oth.priv sector (h12u)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Diarrhea: CS oth.priv sector (h12v)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Diarrhea: CS oth.priv secto-NA (h12w)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Diarrhea: Other (h12x)

File: REC43

### Overview

## Diarrhea: Other (h12x)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Diarrhea: no treatment (h12y)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Diarrhea: medical treatment (h12z)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Given oral rehydration (h13)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Given recommend. home solution (h14)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Given other pills or syrups (h15)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Given antibiotics (CS) -NA (h15a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Given an injection (h15b)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Given an intravenous (IV) (h15c)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Given home remedy, herbal med. (h15d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Given CS other treatment -NA (h15e)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Given CS other treatment -NA (h15f)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Given CS other treatment -NA (h15g)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Given CS other treatment -NA (h15h)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Given other treatment (h20)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Given no treatment (h21a)

File: REC43

### Overview

## Given no treatment (h21a)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

## Received any treatment (h21)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Had fever in last two weeks (h22)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Had cough in last two weeks (h31)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Short, rapid breaths (h31b)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Fever/cough: government hosp. (h32a)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: govt health cntr (h32b)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: govt health po-NA (h32c)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: mobile clinic (h32d)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: comm.health wrkr (h32e)

File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: CS public sector (h32f)

File: REC43

#### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: CS public sect-NA (h32g)

File: REC43

#### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: CS public sect-NA (h32h)

File: REC43

#### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

Fever/cough: oth public sector (h32i)

File: REC43

#### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: private hosp/clin (h32j)

File: REC43

#### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Fever/cough: private pharmacy (h32k)

File: REC43

## Fever/cough: private pharmacy (h32k)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: private doctor (h32l)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: private mobile-NA (h32m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Fever/cough: comm.health wr-NA (h32n)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Fever/cough: CS med.priv se-NA (h32o)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Fever/cough: CS med.priv se-NA (h32p)

File: REC43

Fever/cough: CS med.priv se-NA (h32p)

File: REC43

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Fever/cough: CS med.priv se-NA (h32q)

File: REC43

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Fever/cough: oth med.priv sect (h32r)

File: REC43

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Fever/cough: Shop (h32s)

File: REC43

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Fever/cough: Traditional practitioner (h32t)

File: REC43

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Fever/cough: CS oth.priv sect (h32u)

File: REC43

## Fever/cough: CS oth.priv sect (h32u)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: CS oth.priv sect (h32v)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: CS oth.priv sect (h32w)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: Other (h32x)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: no treatment (h32y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: medical treatment (h32z)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Received Vitamin A (h33)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Vitamin A Day (h33d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Vitamin A month (h33m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Vitamin A year (h33y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1999-9998

## Vitamin A in last 6 months (h34)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Any vaccinations in last 2 -NA (h35)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Vaccinated during Campaign -NA (h36a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Vaccinated during Campaign -NA (h36b)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Vaccinated during Campaign -NA (h36c)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Vaccinated during Campaign -NA (h36d)

File: REC43

### Overview

## Vaccinated during Campaign -NA (h36d)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Vaccinated during Campaign -NA (h36e)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Vaccinated during Campaign -NA (h36f)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Fansidar taken for fever -NA (h37a)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Chloroquine taken for fever-NA (h37b)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Aspirin taken for fever -NA (h37c)

File: REC43

### Overview

## Aspirin taken for fever -NA (h37c)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Ibuprofen/acetaminophen tak-NA (h37d)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Country specific taken for -NA (h37e)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Country specific taken for -NA (h37f)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Country specific taken for -NA (h37g)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Country specific taken for -NA (h37h)

File: REC43

### Overview

Country specific taken for -NA (h37h)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Other taken for fever -NA (h37x)

File: REC43

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Nothing taken for fever -NA (h37y)

File: REC43

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Don't know if or what was t-NA (h37z)

File: REC43

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Had diarrhea in last 2 weeks: Amount offered to drink (h38)

File: REC43

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Had diarrhea in last 2 weeks: Amount offered to eat (h39)

File: REC43

#### **Overview**

Had diarrhea in last 2 weeks: Amount offered to eat (h39)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Case Identification (hhid)

File: REC44

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC44

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index to birth history (hwidx)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Age in months (hw1)

File: REC44

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-59

## Weight in kilograms (1 dec.) (hw2)

File: REC44

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 10-999

## Height in centimeters (1 dec.) (hw3)

File: REC44

### Overview

## Height in centimeters (1 dec.) (hw3)

File: REC44

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 350-9999

## Ht/A Percentile (hw4)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

## Ht/A Standard deviations (hw5)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: -597-9999

## Ht/A Percent of ref. median (hw6)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 5

Decimals: 0

Range: 7528-99999

## Wt/A Percentile (hw7)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

## Wt/A Standard deviations (hw8)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -523-9999

## Wt/A Percent of ref. median (hw9)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 4525-99999

## Wt/Ht Percentile (hw10)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Wt/Ht Standard deviations (hw11)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -400-9999

## Wt/Ht Percent of ref. median (hw12)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 6167-99999

## Reason not measured (hw13)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Height: lying or standing (hw15)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Day of birth of child (hw16)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Date measured (day) (hw17)

File: REC44

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-31

## Date measured (month) (hw18)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Date measured (year) (hw19)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 2003-2004

## Line no. of parent/caretake-NA (hw51)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Read consent statement -NA (hw52)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Hemoglobin level (g/dl - 1 -NA (hw53)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Result of measuring (Hemogl-NA (hw55)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Hemoglobin level adjusted b-NA (hw56)

File: REC44

### Overview

## Hemoglobin level adjusted b-NA (hw56)

File: REC44

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Anemia level -NA (hw57)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Agrees to referral -NA (hw58)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Case Identification (hhid)

File: REC51

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC51

### Overview

Type: Discrete  
Format: character  
Width: 8

## Current marital status (v501)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Currently/formerly/never marr. (v502)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Number of unions (v503)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Husband lives in house -NA (v504)

File: REC51

### Overview

## Husband lives in house -NA (v504)

File: REC51

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Number of other wives (v505)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Wife rank number -NA (v506)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Month of first marriage (v507)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of first marriage (v508)

File: REC51

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1964-2003

## Date of first marriage (CMC) (v509)

File: REC51

### Overview

## Date of first marriage (CMC) (v509)

File: REC51

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 775-1248

## Completeness of date inform. (v510)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

## Age at first marriage (v511)

File: REC51

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 10-45

## Years since first marriage (v512)

File: REC51

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-39

## Marital duration (grouped) (v513)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

## Age at first intercourse -NA (v525)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Time since last intercourse-NA (v527)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Time since last intercourse-NA (v528)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Time since last intercourse-NA (v529)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Flag for V529 -NA (v530)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Age at first intercourse (i-NA (v531)

File: REC51

### Overview

## Age at first intercourse (i-NA (v531)

File: REC51

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Flag for V531 -NA (v532)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Have ever been married -NA (v535)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Recent sexual activity -NA (v536)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Months of abstinence -NA (v537)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Case Identification (hhid)

File: REC61

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC61

### Overview

Type: Discrete  
Format: character  
Width: 8

## Fertility preference (v602)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Preferred waiting time (v603)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Preferred waiting time (grpd) (v604)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Desire for more children (v605)

File: REC61

### Overview

## Desire for more children (v605)

File: REC61

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Husband approves FP (v610)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Discussed FP with partner (v611)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Respondent approves FP (v612)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Ideal number of children (v613)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Ideal number of children (grp) (v614)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Time for future birth (v616)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Husbands desire for children (v621)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Exposure (v623)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Unmet need (v624)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Exposure (definition 2) (v625)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Unmet need (definition 2) (v626)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ideal number of boys (v627)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ideal number of girls (v628)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ideal number of either sex (v629)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Discussed FP with partner (v630a)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with mother (v630b)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with father (v630c)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with sister(s) (v630d)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with brother(s) (v630e)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with daughter(s) (v630f)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with mother-in-law (v630g)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with friends/nbrs (v630h)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with son(s) (v630i)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP -country speci-NA (v630j)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Discussed FP -country speci-NA (v630k)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Discussed FP -country speci-NA (v630l)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Discussed FP -country speci-NA (v630m)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Discussed FP -country speci-NA (v630n)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Discussed FP -country speci-NA (v630o)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Discussed FP with others (v630x)

File: REC61

### Overview

## Discussed FP with others (v630x)

File: REC61

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Problem if became pregnant (v631)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Decision maker for using contraception (v632)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Reason for not having sex: Husband has STD (v633a)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Reason for not having sex: Husband has other women (v633b)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Reason for not having sex: Recent birth (v633c)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason for not having sex: Tired, mood (v633d)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason for not having sex: -NA (v633e)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Reason for not having sex: -NA (v633f)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Reason for not having sex: -NA (v633g)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Case Identification (hhid)

File: REC71

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC71

### Overview

Type: Discrete  
Format: character  
Width: 8

## Partner's education level (v701)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Highest year of education (v702)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Partner's occupation (v704)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-999

## Partner's occupation (v705)

File: REC71

### Overview

## Partner's occupation (v705)

File: REC71

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Respondent currently working (v714)

File: REC71

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Husbands education-single yrs (v715)

File: REC71

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Respondent's occupation (v716)

File: REC71

### Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-999

## Respondent's occupation (v717)

File: REC71

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Work for family, others, self (v719)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Works at home or away (v721)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Partner's educational attainm. (v729)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Partners age (v730)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 15-99

## Worked in last 12 months (v731)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Employment all year/seasonal (v732)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Who decides how to spend money (v739)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Type of land where resp. works (v740)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Type of earnings for work (v741)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Portion of household expenditures respondents earnings pay (v742)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Final say on own health care (v743a)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Final say on making large household purchases (v743b)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Final say on making household purchases for daily needs (v743c)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Final say on visits to family or relatives (v743d)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Final say on food to be cooked each day (v743e)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

Wife beating justified if she goes out without telling him (v744a)

File: REC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Wife beating justified if she neglects the children (v744b)

File: REC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Wife beating justified if she argues with him (v744c)

File: REC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Wife beating justified if she refuses to have sex with him (v744d)

File: REC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Wife beating justified if she burns the food (v744e)

File: REC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hhid)

File: REC75

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC75

### Overview

Type: Discrete  
Format: character  
Width: 8

## Heard sexual transmit. disease (v750)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever heard of AIDS (v751)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ways to avoid AIDS (v753)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: Safe sex -NA (v754a)

File: REC75

### Overview

## AIDS: Safe sex -NA (v754a)

File: REC75

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## AIDS: abstain from sex (v754b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: use condoms during sex (v754c)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: only one sex partner (v754d)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid sex prostitutes (v754e)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid sex homosexuals (v754f)

File: REC75

## AIDS: avoid sex homosexuals (v754f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid blood transfusions (v754g)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid injections (v754h)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid kissing (v754i)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid mosquito bites (v754j)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: protection trad. healer (v754k)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: Limit number of sex partners (v754l)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: Avoid partners who have many partners (v754m)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: Avoid sex with intravenous drug users (v754n)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid sharing razor blades with AIDS patient (v754o)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: country specific -NA (v754p)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## AIDS: country specific -NA (v754q)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## AIDS: country specific -NA (v754r)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## AIDS: country specific -NA (v754s)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## AIDS: country specific -NA (v754t)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## AIDS: country specific -NA (v754u)

File: REC75

### Overview

## AIDS: country specific -NA (v754u)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## AIDS: country specific -NA (v754v)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## AIDS: other responses (v754x)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## AIDS: DK ways to avoid AIDS (v754z)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Reduce chances of AIDS by always using condoms during sex (v754cp)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Reduce chance of AIDS: have 1 sex partner with no oth partnr  
(v754dp)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Get AIDS from mosquito bites (v754jp)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Get AIDS by sharing food with person who has AIDS (v754wp)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Can a healthy person have AIDS (v756)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Acceptable to discuss AIDS -NA (v759a)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Acceptable to discuss AIDS -NA (v759b)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Acceptable to discuss AIDS -NA (v759c)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Acceptable to discuss AIDS:-NA (v759d)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Acceptable to discuss AIDS:-NA (v759e)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Acceptable to discuss AIDS:-NA (v759f)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Acceptable to discuss AIDS:-NA (v759g)

File: REC75

### Overview

## Acceptable to discuss AIDS:-NA (v759g)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Acceptable to discuss AIDS:-NA (v759h)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Acceptable to discuss AIDS:-NA (v759i)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Last intercourse used condo-NA (v761)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Intercourse with other man -NA (v761b)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Intercourse with other man -NA (v761c)

File: REC75

### Overview

## Intercourse with other man -NA (v761c)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Governm-NA (v762aa)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Governm-NA (v762ab)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Family -NA (v762ac)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Mobile -NA (v762ad)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Public -NA (v762ae)

File: REC75

### Overview

## Source for condoms: Public -NA (v762ae)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Other p-NA (v762af)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Public -NA (v762ag)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Public -NA (v762ah)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Public -NA (v762ai)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Private-NA (v762aj)

File: REC75

### Overview

## Source for condoms: Private-NA (v762aj)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Pharmac-NA (v762ak)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Private-NA (v762al)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Private-NA (v762am)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Private-NA (v762an)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Other p-NA (v762ao)

File: REC75

### Overview

## Source for condoms: Other p-NA (v762ao)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Private-NA (v762ap)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Private-NA (v762aq)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Private-NA (v762ar)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Shop -NA (v762as)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Church -NA (v762at)

File: REC75

### Overview

## Source for condoms: Church -NA (v762at)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Friends-NA (v762au)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: CS -NA (v762av)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: CS -NA (v762aw)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: Other -NA (v762ax)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for condoms: DK sour-NA (v762az)

File: REC75

### Overview

## Source for condoms: DK sour-NA (v762az)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762ba)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bb)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bc)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bd)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762be)

File: REC75

### Overview

## Source for female condoms: -NA (v762be)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bf)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bg)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bh)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bi)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bj)

File: REC75

### Overview

## Source for female condoms: -NA (v762bj)

File: REC75

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source for female condoms: -NA (v762bk)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source for female condoms: -NA (v762bl)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source for female condoms: -NA (v762bm)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source for female condoms: -NA (v762bn)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Source for female condoms: -NA (v762bo)

File: REC75

### Overview

Source for female condoms: -NA (v762bo)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Source for female condoms: -NA (v762bp)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Source for female condoms: -NA (v762bq)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Source for female condoms: -NA (v762br)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Source for female condoms: -NA (v762bs)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Source for female condoms: -NA (v762bt)

File: REC75

#### **Overview**

## Source for female condoms: -NA (v762bt)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bu)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bv)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bw)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bx)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Source for female condoms: -NA (v762bz)

File: REC75

### Overview

Source for female condoms: -NA (v762bz)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Had any STD in last 12 mont-NA (v763a)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Had genital sore/ulcer in l-NA (v763b)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Had genital discharge in la-NA (v763c)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 12 months had CS STD -NA (v763d)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 12 months had CS STD -NA (v763e)

File: REC75

#### **Overview**

## Last 12 months had CS STD -NA (v763e)

File: REC75

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 12 months had CS STD -NA (v763f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last 12 months had CS STD -NA (v763g)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Last sex reason used a cond-NA (v765a)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Sex with other man (1) reas-NA (v765b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Sex with other man (2) reas-NA (v765c)

File: REC75

### Overview

## Sex with other man (2) reas-NA (v765c)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## No. other than husband had -NA (v766a)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## No. had sex including husba-NA (v766b)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Relationship with last sex -NA (v767a)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Relationship with other sex-NA (v767b)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Relationship with other sex-NA (v767c)

File: REC75

### Overview

## Relationship with other sex-NA (v767c)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Length of time knows last p-NA (v768a)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Length of time knows other -NA (v768b)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Length of time knows other -NA (v768c)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Could get a condom -NA (v769)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Could get a female condom -NA (v769a)

File: REC75

### Overview

## Could get a female condom -NA (v769a)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Seek advice for last diseas-NA (v770)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Seek advise: clinic/hospita-NA (v770a)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Seek advise: traditional he-NA (v770b)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Seek advise: Shop/pharmacy -NA (v770c)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Seek advise: Friends/relati-NA (v770d)

File: REC75

### Overview

Seek advise: Friends/relati-NA (v770d)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Seek advise: CS -NA (v770e)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Seek advise: CS -NA (v770f)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Seek advise: CS -NA (v770g)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Seek advise: CS -NA (v770h)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Seek advise: CS -NA (v770i)

File: REC75

#### **Overview**

Seek advise: CS -NA (v770i)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Advise partner when had dis-NA (v771)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Tried to avoid infecting pa-NA (v772)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

What done: no sexual interc-NA (v773a)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

What done: used condoms -NA (v773b)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

What done: took medicines -NA (v773c)

File: REC75

#### **Overview**

What done: took medicines -NA (v773c)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

What done: country specific-NA (v773d)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

What done: country specific-NA (v773e)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

What done: country specific-NA (v773f)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

What done: other -NA (v773x)

File: REC75

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS transmitted from mother to child (v774)

File: REC75

#### **Overview**

## AIDS transmitted from mother to child (v774)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## AIDS transmit. during pregnancy (v774a)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## AIDS transmit. during delivery (v774b)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## AIDS transmit. by breastfeeding (v774c)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Knows someone who has or died of AIDS (v775)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Spoken with spouse about avoiding AIDS (v776)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Allowed to keep AIDS infection secret (v777)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Willing to care for relative with AIDS (v778)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Person with AIDS allowed to-NA (v779)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Should children be taught a-NA (v780)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Ever been tested for AIDS -NA (v781)

File: REC75

## **Ever been tested for AIDS -NA (v781)**

**File:** REC75

### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## **Want to be tested for AIDS -NA (v782)**

**File:** REC75

### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## **Know a place to get AIDS te-NA (v783)**

**File:** REC75

### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## **Where to get an AIDS test -NA (v784)**

**File:** REC75

### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## **Heard about other STDs (v785)**

**File:** REC75

### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## **Man's symptoms of STI (v785a)**

**File:** REC75

### **Overview**

## Man's symptoms of STI (v785a)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Man's symptoms of STI (v785b)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Man's symptoms of STI (v785c)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Man's symptoms of STI (v785d)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Man's symptoms of STI (v785e)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Man's symptoms of STI (v785f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785g)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785h)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785i)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785j)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785k)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785l)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI -NA (v785m)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Man's symptoms of STI -NA (v785n)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Man's symptoms of STI -NA (v785o)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Man's symptoms of STI -NA (v785p)

File: REC75

## Man's symptoms of STI -NA (v785p)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Man's symptoms of STI -NA (v785q)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Man's symptoms of STI (v785x)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Man's symptoms of STI (v785y)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Man's symptoms of STI (v785z)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Woman's symptoms of STI (v786a)

File: REC75

## Woman's symptoms of STI (v786a)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786c)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786d)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786e)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786g)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786h)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786i)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786j)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786k)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786l)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI -NA (v786m)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Woman's symptoms of STI -NA (v786n)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Woman's symptoms of STI -NA (v786o)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Woman's symptoms of STI -NA (v786p)

File: REC75

## Woman's symptoms of STI -NA (v786p)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Woman's symptoms of STI -NA (v786q)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Woman's symptoms of STI (v786x)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Woman's symptoms of STI (v786y)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Woman's symptoms of STI (v786z)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Number of days drank alcohol-NA (v787)

File: REC75

## Number of days drank alcoho-NA (v787)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Number of days gotten drunk-NA (v788)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Number of injections in las-NA (v789)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Person who gave last inject-NA (v790)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Case Identification (hhid)

File: REC81

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC81

### Overview

Type: Discrete  
Format: character  
Width: 8

## Time interview started (v801)

File: REC81

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 25-9999

## Time interview ended (v802)

File: REC81

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 130-9999

## Length of interview in minutes (v803)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Number of visits (v804)

File: REC81

### Overview

## Number of visits (v804)

File: REC81

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

## Interviewer identification (v805)

File: REC81

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-65

## Keyer identification (v806)

File: REC81

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Pres. children < 10 (sec 7) (v811)

File: REC81

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Pres. husband (sec 7) (v812)

File: REC81

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Pres. other males (sec 7) (v813)

File: REC81

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Pres. other females (sec 7) (v814)

File: REC81

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Case Identification (hhid)

File: REC82

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC82

### Overview

Type: Discrete  
Format: character  
Width: 8

## Calendar column number (vcol)

File: REC82

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Calendar (vcal)

File: REC82

### Overview

Type: Discrete  
Format: character  
Width: 74

## Case Identification (hhid)

File: REC83

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC83

### Overview

Type: Discrete  
Format: character  
Width: 8

## Maternal mortality index (mmidx)

File: REC83

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-20

## Sex of sibling (mm1)

File: REC83

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Sibling's survival status (mm2)

File: REC83

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sibling's current age (mm3)

File: REC83

### Overview

## Sibling's current age (mm3)

File: REC83

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## CMC date of birth of sibling (mm4)

File: REC83

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 223-1244

## Sibling's marital status -NA (mm5)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Years ago sibling died (mm6)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Sibling's age at death (mm7)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## CMC date of death of sibling (mm8)

File: REC83

## CMC date of death of sibling (mm8)

File: REC83

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 228-1246

## Sibling's death & pregnancy (mm9)

File: REC83

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Death & pregnancy are relat-NA (mm10)

File: REC83

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Sibling's cause of death -NA (mm11)

File: REC83

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Time between delivery & dea-NA (mm12)

File: REC83

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Place of death (mm13)

File: REC83

## Place of death (mm13)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

## Number of sibling's children (mm14)

File: REC83

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Sibling's year of death -NA (mm15)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Case Identification (hhid)

File: REC84

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC84

### Overview

Type: Discrete  
Format: character  
Width: 8

## Number of siblings of resp. (mmc1)

File: REC84

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-20

## Preceeding births before resp. (mmc2)

File: REC84

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Sister's reporting -NA (mmc3)

File: REC84

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Cut off age (mmc5)

File: REC84

### Overview

## Cut off age (mmc5)

File: REC84

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-15

## Case Identification (hhid)

File: REC91

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC91

### Overview

Type: Discrete  
Format: character  
Width: 8

## Wealth index (v190)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Wealth index factor score (5 decimals) (v191)

File: REC91

### Overview

Type: Continuous  
Format: numeric  
Width: 7  
Decimals: 0  
Range: -216035-207764

## Can get AIDS by witchcraft -NA (v823)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Drugs to avoid AIDS transmi-NA (v824)

File: REC91

### Overview

## Drugs to avoid AIDS transmi-NA (v824)

File: REC91

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Would buy vegetables from v-NA (v825)

File: REC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Province or prfecture (spref)

File: REC91

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-591

## Cercle (scercle)

File: REC91

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-81

## Municipalit/Commune rurale (smunicip)

File: REC91

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-69

## Other centre (scentre)

File: REC91

### Overview

## Other centre (scentre)

File: REC91

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

## Census district (sdistrict)

File: REC91

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 2-7401

## Highest level (s108)

File: REC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-4

## Highest grade at this level (s109)

File: REC91

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Number of marriages (s124)

File: REC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Relationship with the last husband (s129)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Age at first period (s237a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Last source for current users (s320)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Pill Brand: Kinat al hialal (s333ba)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Adepal (s333bb)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Microdial (s333bc)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Stdirl (s333bd)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Gynovlar (s333be)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Lo-fmnal (s333bf)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Ovanon (s333bg)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Nogynon (s333bh)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Minidril (s333bi)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Microgynon (s333bj)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Diane 35 (s333bk)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Microval (s333bl)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Milligynon (s333bm)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Excluton (s333bn)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Ovrette (s333bo)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: Other (s333bx)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pill Brand: DK (s333by)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Quality/ price of Kinat Al Hilal (s333c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Public hospital (s333ea)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Maternity (s333eb)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Health centre (s333ec)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Dispensary (s333ed)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Household visit (s333ee)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Mobile team (s333ef)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Other public (s333eg)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Private clinic (s333eh)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Pharmacy (s333ei)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Doctor, midwife (s333ej)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: A.M.P.F. (s333ek)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Other private (s333el)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Relative, friend (s333em)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Qabla (s333en)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: Other (s333ex)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of Kinat: DK (s333ey)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Time to get to source of Kinat (s333f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Injection brand: Hoqnat al hilal (s333ha)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Injection brand: Depo provera (s333hb)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Injection brand: Noristerat (s333hc)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Injection brand: Other (s333hx)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Injection brand: DK (s333hy)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Quality price injection Kinat (s333i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Public hospital (s333ka)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Maternity (s333kb)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Health centre (s333kc)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Dispensary (s333kd)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Household visit (s333ke)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Mobile team (s333kf)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Other public (s333kg)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Private clinic (s333kh)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Pharmacy (s333ki)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Doctor, midwife (s333kj)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: A.M.P.F. (s333kk)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Other private (s333kl)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Relative, friend (s333km)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Qabla (s333kn)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: Other (s333kx)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of injection Kinat: DK (s333ky)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Time to get to source of injection Kinat (s333l)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-998

IUD Brand: Kinat al hialal (s333na)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

IUD Brand: COPPER T 380A (s333nb)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

IUD Brand: NOVA T (s333nc)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

IUD Brand: GYNE T (s333nd)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## IUD Brand: MULTILOAD 250 (s333ne)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## IUD Brand: MULTILOAD 375 (s333nf)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## IUD Brand: Other (s333nx)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## IUD Brand: DK (s333ny)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Quality price IUD Kinat (s333o)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Public hospital (s333qa)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Maternity (s333qb)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Health centre (s333qc)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Dispensary (s333qd)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Household visit (s333qe)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Mobile team (s333qf)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Other public (s333qg)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Private clinic (s333qh)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Pharmacy (s333qi)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Doctor, midwife (s333qj)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: A.M.P.F. (s333qk)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Other private (s333ql)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Relative, friend (s333qm)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Qabla (s333qn)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: Other (s333qx)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of IUD Kinat: DK (s333qy)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Time to get to source of IUD Kinat (s333r)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-998

## Health status (s501)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Health status with regards to last year (s502)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Cancer ill (s507)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Type of cancer (s508)

File: REC91

### Overview

Type: Discrete  
Format: character  
Width: 5

## Age at first diagnosis (s509)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 28-99

## Treating cancer (s510)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sensation of heaviness or uterus out (s511)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Duration of first sensation (s512)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Effect of laugh, sneezing or lifting weight (s513)

File: REC91

## Effect of laugh, sneezing or lifting weight (s513)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Hospital (s514a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Health centre (s514b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Dispensary (s514c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Mobile clinic (s514d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Fieldworker (s514e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other public (s514f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Private hospital (s514g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Pharmacy (s514h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Doctor (s514i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other private (s514j)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Shop (s514k)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: TBA (s514l)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Fquiuh (s514m)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Traditional herborist (s514n)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Relatives, parents (s514o)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other (s514x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling (s514y)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Does not help (s515a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Cost too much (s515b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Service not available (s515c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Too occupied (s515d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Husband too occupied (s515e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Not serious (s515f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Embarrassed (s515g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Afraid (s515h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Other (s515x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Urinary disorder (s516)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Hospital (s517a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Health centre (s517b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Dispensary (s517c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Mobile clinic (s517d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Fieldworker (s517e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other public (s517f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Private hospital (s517g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Pharmacy (s517h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Doctor (s517i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other private (s517j)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Shop (s517k)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: TBA (s517l)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Fqui (s517m)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Traditional herborist (s517n)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Relatives, parents (s517o)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other (s517x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: No (s517y)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Does not help (s518a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Cost too much (s518b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Service not available (s518c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Too occupied (s518d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Husband too occupied (s518e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Not serious (s518f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Embarrassed (s518g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Afraid (s518h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Other (s518x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Urinary burns last 3 months (s519a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Abnormal discharge last 3 months (s519b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Irritation of the genital area last 3 months (s520a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Foul smelling in the genital area last 3 months (s520b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Abdominal pain last 3 months (s520c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Hospital (s522a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Health centre (s522b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Dispensary (s522c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Mobile clinic (s522d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Fieldworker (s522e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other public (s522f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Private hospital (s522g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Pharmacy (s522h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Doctor (s522i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other private (s522j)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Shop (s522k)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: TBA (s522l)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Fquih (s522m)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Traditional herborist (s522n)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Relatives, parents (s522o)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other (s522x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Treatment or counseling: No (s522y)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Reason of not treating: Does not help (s523a)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Reason of not treating: Cost too much (s523b)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Reason of not treating: Service not available (s523c)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Reason of not treating: Too occupied (s523d)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Husband too occupied (s523e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Not serious (s523f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Embarrassed (s523g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Afraid (s523h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Other (s523x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Tried to fall pregnant without success (s527)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Duration tried to fall pregnant (s528)

File: REC91

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-268

## Reason did not fall pregnant (s529)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Treatment or counseling: Hospital (s530a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Health centre (s530b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Dispensary (s530c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Mobile clinic (s530d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Fieldworker (s530e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Other public (s530f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Private hospital (s530g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Pharmacy (s530h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Doctor (s530i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Other private (s530j)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Shop (s530k)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: TBA (s530l)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Fqui (s530m)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Traditional herborist (s530n)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Relatives, parents (s530o)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: Other (s530x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Treatment or counseling: No (s530y)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason of not treating: Does not help (s531a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Cost too much (s531b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Service not available (s531c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Too occupied (s531d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Husband too occupied (s531e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Not serious (s531f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Embarrassed (s531g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Afraid (s531h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Other (s531x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Hospital (s532a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Health centre (s532b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Dispensary (s532c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Mobile clinic (s532d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Fieldworker (s532e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other public (s532f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Private hospital (s532g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Pharmacy (s532h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Doctor (s532i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other private (s532j)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Shop (s532k)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: TBA (s532l)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Fquih (s532m)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Traditional herborist (s532n)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Relatives, parents (s532o)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other (s532x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Treatment or counseling: No (s532y)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Treatment of counseling: DK (s532z)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Period last 3 months: more than 7 days (s533a)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Period last 3 months: bleeding (s533b)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Period last 3 months: pain (s533c)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Period last 3 months: not cyclic (s533d)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Treatment or counseling: Hospital (s535a)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Treatment or counseling: Health centre (s535b)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Treatment or counseling: Dispensary (s535c)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Treatment or counseling: Mobile clinic (s535d)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Fieldworker (s535e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other public (s535f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Private hospital (s535g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Pharmacy (s535h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Doctor (s535i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other private (s535j)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Shop (s535k)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: TBA (s535l)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Fquiuh (s535m)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Traditional herborist (s535n)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Relatives, parents (s535o)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: Other (s535x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treatment or counseling: No (s535y)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Does not help (s536a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Cost too much (s536b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Service not available (s536c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Too occupied (s536d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Husband too occupied (s536e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Not serious (s536f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Embarrassed (s536g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Afraid (s536h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Menopausal (s536i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Always this way (s536j)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of not treating: Other (s536x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Hospital (s537a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Health centre (s537b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Dispensary (s537c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Mobile clinic (s537d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Fieldworker (s537e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Other public (s537f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Private hospital (s537g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Pharmacy (s537h)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Doctor (s537i)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Other private (s537j)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Shop (s537k)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: TBA (s537l)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Fquiuh (s537m)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Traditional herborist (s537n)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Relatives, parents (s537o)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of care: Other (s537x)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source of care: DK, Not sure (s537z)

File: REC91

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Partner's level of education (s704)

File: REC91

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Partner's highest grade (s705)

File: REC91

#### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Case Identification (hhid)

File: REC94

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC94

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index to birth history (idx94)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Antenatal care: your home -NA (m57a)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Antenatal care: other home -NA (m57b)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Antenatal care: CS home -NA (m57c)

File: REC94

### Overview

## Antenatal care: CS home -NA (m57c)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS home -NA (m57d)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: govt. hospi-NA (m57e)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: govt. healt-NA (m57f)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: govt. healt-NA (m57g)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: public mobi-NA (m57h)

File: REC94

### Overview

## Antenatal care: public mobi-NA (m57h)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS public -NA (m57i)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS public -NA (m57j)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS public -NA (m57k)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: other publi-NA (m57l)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: pvt. hospit-NA (m57m)

File: REC94

### Overview

## Antenatal care: pvt. hospit-NA (m57m)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: pvt. mobile-NA (m57n)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS pvt. -NA (m57o)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS pvt. -NA (m57p)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS pvt. -NA (m57q)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: other priva-NA (m57r)

File: REC94

### Overview

## Antenatal care: other priva-NA (m57r)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS other -NA (m57s)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS other -NA (m57t)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS other -NA (m57u)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: CS other -NA (m57v)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Antenatal care: other -NA (m57x)

File: REC94

### Overview

## Antenatal care: other -NA (m57x)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Information about AIDS give-NA (m58)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Child registered at birth -NA (m59)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Main reason for the prenatal visit (s408a)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

## Prenatal visit last month of pregnancy (s409a)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Place of the visit (s409b)

File: REC94

### Overview

## Place of the visit (s409b)

File: REC94

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

## Time to the place of the visit (s409c)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-999

## Mean of transportation (s409d)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Waiting time (s409e)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-999

## Prenatal care: Abdomen (s412f)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Prenatal care: Hearing the baby (s412g)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal care: Ultra sound (s412h)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal care: Internal check (s412i)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal care: Position of the baby (s412j)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Information: Diet (s414aa)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Information: Breastfeeding (s414ab)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Information: FP (s414ac)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Information: Postnatal care (s414ad)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever had a tetanus injection (s414b)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Number of injections (s414c)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Bleeding (s420a)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Acuteness of bleeding (s420b)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Timing of the bleeding (s420c)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Source of treatment: Doctor (s420ea)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of treatment: Nurse, midwife (s420eb)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of treatment: Pharmacist (s420ec)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of treatment: TBA (s420ed)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of treatment: Mother (s420ee)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of treatment: Husband (s420ef)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of treatment: Other parent (s420eg)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of treatment: Traditional healer (s420eh)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of treatment: Other (s420ex)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sickness: Hypertension (s421aa)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sickness: Oedema (s421ab)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sickness: Headache (s421ac)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sickness: Pain in the abdomen (s421ad)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sickness: Hyperthermia (s421ae)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sickness: Convulsions (s421af)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sickness: Urinary burns (s421ag)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sickness: Jaundice (s421ah)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treating staff: Doctor (s422ba)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treating staff: Nurse, midwife (s422bb)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treating staff: Pharmacist (s422bc)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treating staff: TBA (s422bd)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treating staff: Mother (s422be)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treating staff: Husband (s422bf)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treating staff: Other parent (s422bg)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treating staff: Traditional healer (s422bh)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Treating staff: Other (s422bx)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age at convulsion (s422d)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Convulsion during pregnancy (s422e)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Delivery duration (s422f)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Taken to a delivery place (s422g)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Thought delivery complicated (s422h)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Called someone (s422i)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Staff called (s422j)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Fever during pain (s422k)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Convulsion or fainting during pain or delivery (s422l)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Consulsion a problem (s422m)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Called for convulsion or fainting (s422n)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Satff called (s422o)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Taken for treatment (s422p)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Bleeding during pain or delivery (s422q)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Bleeding a problem (s422r)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Called for bleeding (s422s)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Staff called (s422t)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Taken somewhere for bleeding (s422u)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Bleeding treated (s422v)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## C-Section (s428)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Informed why caesarean (s428a)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason of delivery (s428b)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## Reason did not deliver at a hospital or clinic (s428c)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Mean of cutting the umbilical cord (s428d)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Mean of treatment of the umbilical cord (s428e)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Delivery complicated (s428f)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Delivery on time (s428g)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Exam: Abdomen (s432aa)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Exam: Breasts (s432ab)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Exam: Gyneco. (s432ac)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given: Iron prescription (s432ad)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Given: Breastfeeding counseling (s432ae)

File: REC94

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Given: Baby counseling (s432af)

File: REC94

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Given: FP counseling (s432ag)

File: REC94

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Reason did not have postnatal exam (s432b)

File: REC94

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

Vaginal bleeding 6 weeks after delivery (s433a)

File: REC94

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Timing of bleeding (s433b)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Medication/counseling for bleeding (s433c)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Swelling of legs 6 weeks after delivery (s433d)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Medication/counseling for the swelling (s433e)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever 6 weeks after delivery (s433f)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Foul smelling (s433ga)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Pelvic pain (s433gb)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Lumbagos (s433gc)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Dorsalgies (s433gd)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Urinary burns (s433ge)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Breasts pain (s433gf)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Medication/conseling (s433h)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason did not have treatment/counseling (s433j)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Reason did not breastfed (s443a)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Reason stopped breastfeeding (s446a)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Type of weaning (s446b)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Something sour or hot for weaning (s446c)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Breastfeed at will (s449a)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Food preparer (s452a)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Feeder (s452b)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Case Identification (hhid)

File: REC95

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC95

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index to birth history (idx95)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Secteur BCG (s46sb)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Secteur Polio 1 (s46sp1)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Secteur Polio 2 (s46sp2)

File: REC95

### Overview

## Secteur Polio 2 (s46sp2)

File: REC95

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Secteur Polio 3 (s46sp3)

File: REC95

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Secteur DTC 1 (s46sd1)

File: REC95

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Secteur DTC 2 (s46sd2)

File: REC95

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Secteur DTC 3 (s46sd3)

File: REC95

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Secteur Rougeole (s46sm)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Secteur Vitamine A (s46sva)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Secteur Hpatite B (s46sh)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Received Hepatitis B (s460h)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Hepatitis B day (s460hd)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Hepatitis B month (s460hm)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Hepatitis B year (s460hy)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1998-9998

## Whooping cough (s465aa)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Measle (s465ab)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Polio (s465ac)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diphtheria (s465ad)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Cough last 24 hours (s467a)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Duration of the cough (s467b)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Medication for fever: Injection (s471ba)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Medication for fever: Antibiotic (s471bb)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Medication for fever: Sirop for cough (s471bc)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Medication for fever: Other pills, sirop (s471bd)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Medication for fever: DK pills, sirop (s471be)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Medication for fever: Home remedy, herbalist (s471bf)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Medication for fever: Other (s471bx)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason did not look for treatment/counseling (s471c)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Duration of diarrhea (s475b)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Blood in the stools (s475c)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Diarrhea: Breastfeeding changes (s475e)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Case Identification (hhid)

File: REC97

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC97

### Overview

Type: Discrete  
Format: character  
Width: 8

## Disease (s503n)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## Caught a disease (s503)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Informant of the disease (s504)

File: REC97

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age at sickness (s505)

File: REC97

### Overview

## Age at sickness (s505)

File: REC97

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Treating the disease (s506)

File: REC97

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Case Identification (hhid)

File: REC98

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC98

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index (idx98)

File: REC98

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-20

## Cause of death (s813a)

File: REC98

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (hwhhid)

File: HWREC

### Overview

Type: Discrete  
Format: character  
Width: 5

## Line (hwline)

File: HWREC

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 2-29

## Data from HH or individual (hwlevel)

File: HWREC

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Ht/A Standard deviations (according to WHO) (hc70)

File: HWREC

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -596-9999

## Wt/A Standard deviations (according to WHO) (hc71)

File: HWREC

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -521-9999

## Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

## Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -498-9999

## BMI Standard deviations (according to WHO) (hc73)

File: HWREC

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -500-9999

# Related Materials

## Questionnaires

### EPSF- Feuille Ménage

---

|                |  |
|----------------|--|
| Title          | EPSF- Feuille Ménage   |
| Author(s)      | Ministère de la Santé Publique   |
| Date           | 2003-01-01   |
| Country        | Morocco  |
| Language       | French   |
| Contributor(s) | ORC Macro Ligue des États Arabes<br><br>Questionnaire ménage<br>Le questionnaire ménage permet d'enregistrer tous les membres du ménage avec certaines de leurs caractéristiques : nom, lien de parenté avec le chef de ménage, sexe, âge situation de résidence, niveau d'instruction. Il contient également des informations sur les caractéristiques du logement et sur les caractéristiques relatives aux conditions de vie du ménage. En dehors de ces caractéristiques, ce questionnaire comporte une page de couverture pour l'identification du ménage, et le résultat de l'interview. Le but premier du questionnaire ménage est de fournir les informations permettant d'établir les dénominateurs pour le calcul des taux démographiques (mortalité, natalité, fécondité), et d'identifier les femmes et les hommes éligibles pour être interviewés individuellement. |
| Filename       | MAR_DHS_2003_Questionnaire_Household_Fr.pdf  |

### EPSF - Questionnaire Individuel pour les Femmes

---

|                |   |
|----------------|---|
| Title          | EPSF - Questionnaire Individuel pour les Femmes |
| Author(s)      | Ministère de la Santé Publique                  |
| Date           | 2003-01-01                                      |
| Country        | Morocco   |
| Language       | French  |
| Contributor(s) | ORC Macro Ligue des États Arabes                |

**Questionnaire individuel**

Le questionnaire individuel femme est utilisé pour enregistrer les informations concernant les femmes éligibles, c'est-à-dire les femmes âgées de 15-49 ans, ayant passé la nuit précédent l'interview dans le ménage sélectionné, quel que soit leur statut de résidence. En dehors de la page de couverture similaire à celle du questionnaire ménage, il comprend neuf sections qui traitent des sujets suivants :

- Caractéristiques socio-démographiques de l'enquêtée : Cette section comprend des questions qui portent sur le lieu de résidence, l'âge, la scolarisation et l'alphabétisation, l'accès aux média et les conditions d'habitat (limités aux femmes visiteuses).
- Nuptialité : La deuxième section comporte 12 questions portant sur l'état matrimonial de la femme, l'âge au mariage, le régime de mariage (monogamie ou polygamie) et le lien de parenté avec le mari.
- Reproduction : Elle comprend des informations portant sur l'historique des naissances (enfants vivants, mort-nés, fausse couche, décédés), l'état de grossesse au moment de l'enquête et le statut de cette grossesse (était-elle désirée ou pas?). Une question relative aux date et durée des menstruations et des questions se rapportant à la connaissance et à l'aptitude de la femme à déterminer sa période féconde ont également été posées.
- Contraception : Cette section comprend des questions concernant la connaissance des méthodes contraceptives, spontanée ou non, leur utilisation et leurs sources d'approvisionnement. La section comporte également des questions sur la non utilisation et la discontinuation des méthodes contraceptives et sur l'utilisation future de la contraception.
- Santé et Allaitement : Cette section permet d'obtenir des renseignements sur les visites et l'immunisation prénatales, sur le lieu d'accouchement et la qualification de la personne ayant assisté à l'accouchement, sur les conditions cliniques d'accouchement et les caractéristiques physiques des nouveau-nés. Des questions portant sur le retour des couches et la reprise des relations sexuelles après la naissance du nouveau-né ont également été posées. La section comporte également des questions sur l'allaitement (fréquence et durée, type d'allaitement et utilisation des différents compléments nutritionnels).
- Vaccination et santé : Cette section traite de la vaccination et de la santé des enfants de moins de 5 ans (fréquence et traitement de la fièvre, de la toux et de la diarrhée).
- Préférences en matière de fécondité : Dans cette section, des questions ont été posées pour saisir les intentions des femmes enquêtées en matière de fécondité, comme le désir d'avoir des enfants, le nombre d'enfants supplémentaires désirés et la taille idéale de la famille.
- Caractéristiques du conjoint, résidence et activité professionnelle de la femme : Cette section comporte 26 questions consacrées aux caractéristiques socioprofessionnelles du conjoint des femmes mariées, à l'activité professionnelle de la femme, aux changements de résidence de l'enquêtée et à la garde des enfants.
- Taille et poids : Cette section est consacrée aux mesures anthropométriques des enfants de 0-4 ans des femmes interviewées et aux mesures anthropométriques des mères enquêtées ayant des enfants de moins de cinq ans.

**Description**

Filename MAR\_DHS\_2003\_Questionnaire\_Individual\_Fr.pdf

**Reports****Enquête sur la Population et la Santé Familiale (EPSF) 2003-2004 - Rapport Final**

Title Enquête sur la Population et la Santé Familiale (EPSF) 2003-2004 - Rapport Final

Author(s) Ministère de la Santé

Date 1993-08-01

Country Morocco

Language French

Contributor(s) Macro International Inc.

Ce rapport présente les principaux résultats de l'Enquête sur la Population et la Santé Familiale (EPSF) réalisée au Maroc d'octobre 2003 à février 2004 par le Ministère de la Santé (Service des Etudes et de l'Information Sanitaire -SEIS, Division de la Planification et des Études, Direction de la Planification et des Ressources Financières).

**Description**

L'EPSF, initiée par le Gouvernement du Maroc fait partie du Programme mondial MEASURE DHS+ et du Projet PAPFAM (The Pan-Arab Project for Family Health - Le projet Pan-Arabe pour la Santé Familiale). Les deux projets ont pour objectifs la collecte, l'analyse et la diffusion des données relatives à la population et la santé de la famille, l'évaluation de l'impact des programmes mis en œuvre et la planification de nouvelles stratégies pour l'amélioration de la santé et le bien-être de la population. L'EPSF a été réalisée avec l'appui technique du programme mondial des Enquêtes Démographiques et de Santé (Demographic and Health Surveys - MEASURE DHS+) de ORC Macro, et du projet PAPFAM de la Ligue des États Arabes. Elle a bénéficié de l'appui financier du Gouvernement marocain, de l'Agence des États-Unis pour le Développement International (USAID), du Fonds des Nations Unies pour la Population (UNFPA) et du Projet PAPFAM. Ce rapport est l'œuvre des auteurs et ne représente nécessairement ni la politique de l'USAID ni des autres agences de coopération.

Filename <http://www.dhsprogram.com/pubs/pdf/FR155/FR155.pdf>

---