

# Malawi - Demographic and Health Survey 2004

**National Statistical Office (NSO)**

Report generated on: June 6, 2017

Visit our data catalog at: <http://microdata.worldbank.org>



# Sampling

## Sampling Procedure

---

The primary objective of the 2004 Malawi Demographic and Health Survey (MDHS) is to provide estimates with acceptable precision for important population characteristics such as fertility, contraceptive prevalence, selected health indicators, and infant mortality rates.

Administratively, Malawi is divided into twenty-seven districts. In turn, each district is subdivided into smaller administrative units. In 1998, the National Statistical Office (NSO) carried out a Housing and Population Census. In the census, each administrative unit was sub-divided into enumeration areas (EAs), which is totally classified as urban or rural. For each EA, a sketch map was drawn. The sketch shows the EA boundaries, location of buildings, and other landmarks. The list of EAs serves as the frame for the 2004 MDHS sample.

The 2004 MDHS is designed to present important characteristics for Malawi as a whole, urban and rural areas separately, and each of ten large districts. These districts are: Blantyre, Kasungu, Machinga, Mangochi, Mzimba, Salima, Tyolo, Zomba, Lilongwe, and Mulanje. In the interest of presenting estimates for the remaining 17 districts in Malawi in as much breakdown as possible, these districts are grouped as follows:

- Group 1: The rest of the Northern region (Chitipa, Karonga, Rumphi, Likoma, and Nkhata Bay)
- Group 2: Dowa, Dedza, and Nkhotakota
- Group 3: Mchinji and Ntchisi
- Group 4: Mwanza, Chikwawa, and Nsanje
- Group 5: Phalombe and Chiradzulu
- Group 6: Balaka and Ntcheu

### SAMPLE ALOCATION

The target sample for the 2004 MDHS sample is about 15,140 households. Based on the level of non-response found in the 2000 MDHS, approximately 13,000 women with completed interviews are expected to be obtained. A sample of households will be selected from each EA, and all women age 15 to 49 identified in these households were interviewed. One in every three sampled households was selected for the male survey and HIV testing. All men age 15-54 in these households are eligible for individual interview. The selected households will be distributed in 522 EAs, 64 in the urban and 458 in the rural areas.

### SAMPLE SELECTION

The 2004 MDHS sample will be selected using a stratified two-stage cluster design. In each domain, the clusters are selected with a probability proportional to household size (based on the 1998 census). An average of 29 households will be selected in each cluster.

## Response Rate

---

A total of 15,041 households were selected in the MDHS sample, of which 13,965 were occupied. Of the occupied households, 13,664 were interviewed, yielding a household response rate of 98 percent. The household response rate is higher in rural areas.

In the 13,664 interviewed households, 12,229 women age 15-49 were identified as eligible for the individual interview, and interviews were completed for 11,698, for a 96 percent response rate. Of the 3,797 men age 15-54 who were identified as eligible for individual interview, 3,261 were interviewed, resulting in an 86 percent response rate. For both women and men, the main reason for nonresponse in the MDHS was failure to find the respondents despite repeated visits to the household. Compared with the 2000 MDHS, the response rate for women declined from 98 to 96 percent and the response rate for men declined from 97 to 95 percent.

# Questionnaires

## Overview

---

Three types of questionnaires were used in the 2004 MDHS survey: a) the Household Questionnaire, b) the Women's Questionnaire, and c) the Men's Questionnaire. The contents of the questionnaires were based on the MEASURE DHS model questionnaires, which were adapted for use in Malawi in collaboration with a wide range of stakeholders. The MDHS survey instruments were translated into and printed in Chichewa and Tumbuka for pretesting.

a) The Household Questionnaire was used to list all of the usual members and visitors in the selected households. Basic information on each person listed was collected, including age, sex, education, and relationship to the head of the household. Height and weight measurements were taken for all women age 15-49 and all children under the age of five. Respondents to the Household Questionnaire were asked questions on child labour for each child ages 5-14 living in the household or who spent the preceding night in the household. In addition, information was collected about the dwelling itself such as the source of water, type of toilet facilities, materials used to construct the house, ownership of various consumer goods, and use of bed nets. The Household Questionnaire was also used to identify persons eligible for individual interview: women age 15-49 and men age 15-54. One woman in each household was selected for the interview on domestic violence.

b) The Women's Questionnaire was used to collect information from women age 15-49 and included questions on the following topics:

- Background characteristics (age, education, religion, etc.)
- Reproductive history (to arrive at fertility and childhood mortality rates)
- Knowledge and use of family planning methods
- Antenatal, delivery, and postnatal care
- Infant feeding practices, including patterns of breastfeeding
- Vaccinations
- Episodes of childhood illness and responses to illness, with a focus on treatment of fevers in the last two weeks
- Marriage and sexual activity
- Fertility preferences
- Husband's background and the woman's work status
- Woman's status and decisionmaking
- Mortality of adults, including maternal mortality
- AIDS-related knowledge, attitudes, and behaviour
- Domestic violence

c) The Men's Questionnaire was much shorter than the Women's Questionnaire, but covered many of the same topics, excluding the detailed reproductive history and sections dealing with maternal and child health and adult and maternal mortality.

# Data Collection

## Data Collection Dates

Start	End	Cycle
2004-10	2005-01	N/A

## Data Collection Mode

Face-to-face

### DATA COLLECTION NOTES

#### PRETEST

Twelve NSO permanent staff were recruited as interviewers for the DHS pretest of the questionnaires, which was conducted in June and July 2004. The 12 interviewers were trained in conducting interviews and taking blood samples for anaemia and HIV testing. The training took place at the NSO offices for a period of two weeks. The interviewers were split into three teams to conduct interviews in the Northern Region, Central Region, and Southern Region, respectively. During the pretest fieldwork, 206 Household Questionnaires, 160 Women's Questionnaires, and 154 Men's Questionnaires were completed. Based on the observations in the field and suggestions made by the pretest field teams, revisions were made in some skip patterns, wording, and translations of the questionnaires.

#### RECRUITMENT OF FIELD STAFF

NSO recruited the field staff through its regional offices in Mzuzu, Lilongwe, and Blantyre. The candidates were interviewed and selection of successful applicants was done at NSO Headquarters in Zomba by the Survey Director assisted by the human resource personnel. A total of 180 people were recruited for the survey; 30 were NSO permanent staff and the remaining 150 were temporary workers. Of the temporary workers, 40 have medical background.

#### TRAINING

A total of 180 people were recruited by NSO for the main training. Training was held for five weeks at Magomero College, south of Zomba town. The first week of training was devoted to the collection of blood samples. Sixty persons were trained to collect blood samples, 34 of whom had medical training and 26 with no medical training. These participants were joined in subsequent weeks by 120 persons who were trained as interviewers only.

The second phase of training focused on interviewing the respondents and taking height and weight measurements. Initially, training consisted of lectures on the underlying rationale of the questionnaires' content and how to complete the questionnaires. Guest lecturers were invited to give talks on specific subjects such as family planning and gender issues, in particular domestic violence. Mock interviews were conducted between participants to allow practice in proper interviewing techniques and the use of local language questionnaires. Throughout the training, participants were given tests to evaluate their understanding and skills in the survey procedures. Toward the end of training, participants spent several days practicing interviews near the training centre.

#### DATA COLLECTION

Prior to the visit of the interviewing teams to the selected EAs, NSO sent listing teams whose main task was to list all households residing in these EAs. The listing teams were also instructed to draw a sketch map which include the EA boundaries and all structures found in the EA.

In addition to listing households in the selected EAs, the listing teams were entrusted with two additional tasks; 1) informing local authorities about the implementation of MDHS, including the drawing blood samples for anemia and HIV testing and 2) to obtain information on the estimate the transportation cost from the EA to the nearest VCT facility. Data was collected by 22 mobile teams. Each team comprises one supervisor, one field editor, four female interviewers, one male interviewer, and a driver. Quality control was assured through supervision and monitoring of teams during fieldwork. The supervisor and field editor held work sessions frequently with their team, with the goal of reinforcing the training received and correcting all data collection errors.

Five senior NSO staff and one senior MOH staff coordinated and supervised the field activities. The three laboratory technicians supervised the blood sample collection to assure that collection of blood samples was done properly.

Specially designed tables were run once a week by NSO during fieldwork to check the data that were entered. Any problems that appear from review of these tables were discussed with the appropriate teams, and attempts will be made to ensure

that they do not persist. The field checks tables included data necessary to monitor the response rates for anemia and HIV testing.

#### SOCIAL MOBILIZATION

In order to ensure a successful survey, the public was informed about the survey, particularly because for the first time the survey includes taking blood samples from the respondents. Social mobilization started with the household listers who were instructed to meet with Districts Commissioners, Traditional Authorities and other local community leaders to inform them about the survey, particularly about the collection of blood samples for HIV testing.

Publicity of the survey during data collection included using the mass media: press releases in daily newspapers, radio slots, radio drama (Pamajiga). In addition, meetings were held with district assembly staff, chiefs of the areas, and representatives of the local governments of areas that had been selected in the survey.

#### Data Collectors

---

Name	Abbreviation	Affiliation
National Statistical Office (NSO)		

#### SUPERVISION

Four senior NSO staff and one from Ministry of Health and Population supervised and coordinated fieldwork activities. In addition, three health technicians were assigned to supervise the blood collection for anaemia and HIV testing. Fieldwork commenced on 4 October 2004 and was completed by 31 January 2005.

# Data Processing

## Data Editing

---

All questionnaires for the MDHS were returned to the NSO central office in Zomba for data processing. The processing operation consisted of office editing, coding of open-ended questions, data entry, double entry verification, and editing inconsistencies found by computer programs developed for the MDHS. The MDHS data entry and editing programs used CSPro, a computer software package specifically designed for processing survey data such as that produced by DHS surveys. About 39 people working in two shifts were involved in the data process activities that include registry, editing and data keying, and secondary editing. Data processing commenced one month after fieldwork and was completed in May 2005. Testing of blood samples started in May 2005 and was completed in June 2005.

# Data Appraisal

## Estimates of Sampling Error

Sampling errors, on the other hand, can be evaluated statistically. The sample of respondents selected in the 2004 MDHS is only one of many samples that could have been selected from the same population, using the same design and expected size. Each of these samples would yield results that differ somewhat from the results of the actual sample selected. Sampling errors are a measure of the variability between all possible samples. Although the degree of variability is not known exactly, it can be estimated from the survey results.

A sampling error is usually measured in terms of the standard error for a particular statistic (mean, percentage, etc.), which is the square root of the variance. The standard error can be used to calculate confidence intervals within which the true value for the population can reasonably be assumed to fall. For example, for any given statistic calculated from a sample survey, the value of that statistic will fall within a range of plus or minus two times the standard error of that statistic in 95 percent of all possible samples of identical size and design.

If the sample of respondents had been selected as a simple random sample, it would have been possible to use straightforward formulas for calculating sampling errors. However, the 2004 MDHS sample is the result of a multi-stage stratified design, and, consequently, it was necessary to use more complex formulae. The computer software used to calculate sampling errors for the 2004 MDHS is the ISSA Sampling Error Module. This module used the Taylor linearization method of variance estimation for survey estimates that are means or proportions. The Jackknife repeated replication method is used for variance estimation of more complex statistics such as fertility and mortality rates.

In addition to the standard error, ISSA computes the design effect (DEFT) for each estimate, which is defined as the ratio between the standard error using the given sample design and the standard error that would result if a simple random sample had been used. A DEFT value of 1.0 indicates that the sample design is as efficient as a simple random sample, while a value greater than 1.0 indicates the increase in the sampling error due to the use of a more complex and less statistically efficient design. ISSA also computes the relative error and confidence limits for the estimates.

Sampling errors for the 2004 MDHS are calculated for selected variables considered to be of primary interest for woman's survey and for man's surveys, respectively. The results are presented in an appendix of the Final Report for the country as a whole, for urban and rural areas, and for each of the 11 regions. For each variable, the type of statistic (mean, proportion, or rate) and the base population are given in Table B.1 of the Final Report. Tables B.2 to B.18 present the value of the statistic (R), its standard error (SE), the number of unweighted (N-UNWE) and weighted (N-WEIG) cases, the design effect (DEFT), the relative standard error (SE/R), and the 95 percent confidence limits (R 2SE), for each variable. The DEFT is considered undefined when the standard error considering simple random sample is zero (when the estimate is close to 0 or 1). In the case of the total fertility rate, the number of unweighted cases is not relevant, as there is no known unweighted value for woman-years of exposure to child-bearing. The confidence interval (e.g., as calculated for children ever born to women aged 40-49) can be interpreted as follows: the overall average from the national sample is 6.550 and its standard error is 0.080. Therefore, to obtain the 95 percent confidence limits, one adds and subtracts twice the standard error to the sample estimate, i.e., 6.550 ± 0.080. There is a high probability (95 percent) that the true average number of children ever born to all women aged 40 to 49 is between 6.391 and 6.709.

Sampling errors are analyzed for the national woman sample and for two separate groups of estimates: (1) means and proportions, and (2) complex demographic rates. The relative standard errors (SE/R) for the means and proportions range between 0.2 percent and 34.2 percent with an average of 3.47 percent; the highest relative standard errors are for estimates of very low values (e.g., currently using IUD). If estimates of very low values (less than 10 percent) were removed, then the average drops to 1.81 percent. So in general, the relative standard error for most estimates for the country as a whole is small, except for estimates of very small proportions. The relative standard error for the total fertility rate is small, 1.7 percent. However, for the mortality rates, the average relative standard error is much higher, 5.16 percent.

There are differentials in the relative standard error for the estimates of sub-populations. For example, for the variable want no more children, the relative standard errors as a percent of the estimated mean for the whole country and for the urban areas are 1.7 percent and 5.0 percent, respectively.

For the total sample, the value of the design effect (DEFT), averaged over all variables, is 1.351 which means that, due to multi-stage clustering of the sample, the average standard error is increased by a factor of 1.351 over that in an equivalent simple random sample.

## Other forms of Data Appraisal

Nonsampling errors are the results of mistakes made in implementing data collection and data processing, such as failure to locate and interview the correct household, misunderstanding of the questions on the part of either the interviewer or the respondent, and data entry errors. Although numerous efforts were made during the implementation of the 2004 Malawi Demographic and Health Survey (MDHS) to minimize this type of error, nonsampling errors are impossible to avoid and difficult to evaluate statistically.

## File Description

## Variable List

# RECHO

Content	HOUSEHOLD - Household Basic data
Cases	15041
Variable(s)	40
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V1	hhid	Case Identification	discrete	character	
V2	hv000	Country code and phase	discrete	character	
V3	hv001	Cluster number	contin	numeric	
V4	hv002	Household number	contin	numeric	
V5	hv003	Respondent's line number	discrete	numeric	
V6	hv004	Ultimate area unit	contin	numeric	
V7	hv005	Sample weight	contin	numeric	
V8	hv006	Month of interview	discrete	numeric	
V9	hv007	Year of interview	discrete	numeric	
V10	hv008	Date of interview (CMC)	discrete	numeric	
V11	hv009	Number of household members	discrete	numeric	
V12	hv010	Number of eligible women in HH	discrete	numeric	
V13	hv011	Number of eligible men in HH	discrete	numeric	
V14	hv012	Number of de jure members	discrete	numeric	
V15	hv013	Number of de facto members	discrete	numeric	
V16	hv014	Number of children 5 and under	discrete	numeric	
V17	hv015	Result of household interview	discrete	numeric	
V18	hv016	Day of interview	contin	numeric	
V19	hv017	Number of visits	discrete	numeric	
V20	hv018	Interviewer identification	contin	numeric	
V21	hv019	Keyer identification	contin	numeric	
V22	hv020	Ever-married sample	discrete	numeric	
V23	hv021	Primary sampling unit	contin	numeric	
V24	hv022	Sample stratum number	contin	numeric	
V25	hv023	Sample domain	discrete	numeric	
V26	hv024	Region	discrete	numeric	
V27	hv025	Type of place of residence	discrete	numeric	
V28	hv026	Place of residence	discrete	numeric	

ID	Name	Label	Type	Format	Question
V29	hv027	Selection for male/husb. int.	discrete	numeric	
V30	hv028	Sample weight for male subsamp	contin	numeric	
V31	hv030	Field supervisor	contin	numeric	
V32	hv031	Field editor	contin	numeric	
V33	hv032	Office editor	contin	numeric	
V34	hv033	Ultimate area selection prob.	contin	numeric	
V35	hv035	Number of eligible children for height & weight	discrete	numeric	
V36	hv040	Cluster altitude in meters	contin	numeric	
V37	hv041	Total adults measured	discrete	numeric	
V38	hv042	Selection for hemoglobin	discrete	numeric	
V39	hv043	Selection for women's status module	discrete	numeric	
V40	hv044	Selection for domestic violence module	discrete	numeric	

# RECH1

Content	HOUSEHOLD - Household Schedule
Cases	60747
Variable(s)	30
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V41	hhid	Case Identification	discrete	character	
V42	hvidx	Line number	discrete	numeric	
V43	hv101	Relationship to head	discrete	numeric	
V44	hv102	Usual resident	discrete	numeric	
V45	hv103	Slept last night	discrete	numeric	
V46	hv104	Sex of household member	discrete	numeric	
V47	hv105	Age of household members	discrete	numeric	
V48	hv106	Highest educational level	discrete	numeric	
V49	hv107	Highest year of education	discrete	numeric	
V50	hv108	Education in single years	discrete	numeric	
V51	hv109	Educational attainment	discrete	numeric	
V52	hv110	Member still in school	discrete	numeric	
V53	hv111	Mother alive	discrete	numeric	
V54	hv112	Mother's line number	discrete	numeric	
V55	hv113	Father alive	discrete	numeric	
V56	hv114	Father's line number	discrete	numeric	
V57	hv115	Current marital status	discrete	numeric	
V58	hv116	Currently, formerly, never m.	discrete	numeric	
V59	hv117	Eligibility for female interview	discrete	numeric	
V60	hv118	Eligibility for male interview	discrete	numeric	
V61	hv120	Children eligibility for height/weight and hemoglobin	discrete	numeric	
V62	hv121	Member attended school during current school year	discrete	numeric	
V63	hv122	Educational level during current school year	discrete	numeric	
V64	hv123	Grade of education during current school year	discrete	numeric	
V65	hv124	Education in single years - current school year	discrete	numeric	
V66	hv125	Member attended school during previous school year	discrete	numeric	
V67	hv126	Educational level during previous school year	discrete	numeric	
V68	hv127	Grade of education during previous school year	discrete	numeric	

ID	Name	Label	Type	Format	Question
V69	hv128	Education in single years - previous school year	discrete	numeric	
V70	hv129	School attendance status	discrete	numeric	

## RECH2

Content	HOUSEHOLD - Household Characteristics
Cases	13664
Variable(s)	28
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V71	hhid	Case Identification	discrete	character	
V72	hv201	Source of drinking water	discrete	numeric	
V73	hv204	Time to get to water source	discrete	numeric	
V74	hv205	Type of toilet facility	discrete	numeric	
V75	hv206	Has electricity	discrete	numeric	
V76	hv207	Has radio	discrete	numeric	
V77	hv208	Has television	discrete	numeric	
V78	hv209	Has refrigerator	discrete	numeric	
V79	hv210	Has bicycle	discrete	numeric	
V80	hv211	Has motorcycle/scooter	discrete	numeric	
V81	hv212	Has car/truck	discrete	numeric	
V82	hv213	Main floor material	discrete	numeric	
V83	hv214	Main wall material	discrete	numeric	
V84	hv215	Main roof material	discrete	numeric	
V85	hv217	Relationship structure	discrete	numeric	
V86	hv218	Line number of head of househ.	discrete	numeric	
V87	hv219	Sex of head of household	discrete	numeric	
V88	hv220	Age of head of household	discrete	numeric	
V89	hv221	Has telephone	discrete	numeric	
V90	hv225	Share toilet with other households	discrete	numeric	
V91	hv226	Type of cooking fuel	discrete	numeric	
V92	hv227	Have bednet for sleeping	discrete	numeric	
V93	hv228	Children under 5 slept under bednet last night	discrete	numeric	
V94	hv230	Place for hand washing	discrete	numeric	
V95	hv231	Items present: Water, tap	discrete	numeric	
V96	hv232	Items present: Soap/other cleansing agent	discrete	numeric	
V97	hv233	Items present: Basin	discrete	numeric	
V98	hv234	Test salt for Iodine	discrete	numeric	

## RECH3

Content	HOUSEHOLD - Country-specific Household Variables
Cases	15041
Variable(s)	29
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V99	hhid	Case Identification	discrete	character	
V100	shdist	Program Districts	discrete	numeric	
V101	shdist2	Original district number	contin	numeric	
V102	slquest	Language of Questionnaire	discrete	numeric	
V103	slinterv	Language of Interview	discrete	numeric	
V104	slrespond	Native language of respondent	discrete	numeric	
V105	sltrans	Translator used	discrete	numeric	
V106	hv270	Wealth index	discrete	numeric	
V107	hv271	Wealth index factor score (5 decimals)	contin	numeric	
V108	hml1	Number of mosquito nets	discrete	numeric	
V109	hml1a	Number of mosquito nets with specific information	discrete	numeric	
V110	hml2	Number of children under bednet previous night	discrete	numeric	
V111	sh27b	Own parafin lamp	discrete	numeric	
V112	sh27e	Own cellular phone	discrete	numeric	
V113	sh27f	Own standard (land line) telephone	discrete	numeric	
V114	sh27g	Own a bed with a mattress	discrete	numeric	
V115	sh27h	Own a sofa set	discrete	numeric	
V116	sh27i	Own a table and chairs	discrete	numeric	
V117	sh36	Preferred color of net	discrete	numeric	
V118	sh37	Preferred shape of net	discrete	numeric	
V119	sh29a	Number of rooms for sleeping	contin	numeric	
V120	sh29b	Own any agricultural land	discrete	numeric	
V121	sh29c	Quantity of agricultural land	discrete	numeric	
V122	sh29d	Own any livestock	discrete	numeric	
V123	sh29ea	Number of goats owned	contin	numeric	
V124	sh29eb	Number of pigs owned	contin	numeric	
V125	sh29ec	Number of cattle owned	contin	numeric	
V126	sh29ed	Number of sheep owned	contin	numeric	

ID	Name	Label	Type	Format	Question
V127	sh29ee	Number of chickens owned	contin	numeric	

## RECH4

Content	HOUSEHOLD - Country-specific Household Schedule
Cases	60747
Variable(s)	12
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V128	hhid	Case Identification	discrete	character	
V129	idxh4	Index to household schedule	discrete	numeric	
V130	hml12	Type of bednet(s) person slept under last night	discrete	numeric	
V131	hml13	1st net number for net person slept under last night	discrete	numeric	
V132	hml14	2nd net number for net person slept under last night	discrete	numeric	
V133	hml15	3rd net number for net person slept under last night	discrete	numeric	
V134	hml16	Corrected age from individual questionnaire	discrete	numeric	
V135	hml17	Flag for AH07 age from individual file	discrete	numeric	
V136	hml18	Pregnancy from individual questionnaire	discrete	numeric	
V137	hml19	Person sleep under an ever treated bednet	discrete	numeric	
V138	sh11	Very sick for 3 of last 12 months	discrete	numeric	
V139	swmos	Months of pregnancy	discrete	numeric	

## RECH5

Content	HOUSEHOLD - Women Height/Weight/Hemoglobin
Cases	12229
Variable(s)	27
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V140	hhid	Case Identification	discrete	character	
V141	ha0	Index to household schedule	discrete	numeric	
V142	ha1	Women's age in years	contin	numeric	
V143	ha2	Respondent's weight (kilos-1d)	contin	numeric	
V144	ha3	Respondent's height (cms-1d)	contin	numeric	
V145	ha4	Ht/A Percentile (resp.)	discrete	numeric	
V146	ha5	Ht/A Standard deviations (resp)	discrete	numeric	
V147	ha6	Ht/A Percent ref. median (resp)	discrete	numeric	
V148	ha11	Wt/Ht Std deviations(resp) DHS	discrete	numeric	
V149	ha12	Wt/Ht Percent ref. median (DHS)	discrete	numeric	
V150	ha12a	Wt/Ht Percent ref. median (Fog)	discrete	numeric	
V151	ha12b	Wt/Ht Percent ref. median (WHO)	discrete	numeric	
V152	ha13	Result of measurement of resp.	discrete	numeric	
V153	ha32	Date of birth (cmc)	contin	numeric	
V154	ha33	Completeness of information	discrete	numeric	
V155	ha35	Smoking	discrete	numeric	
V156	ha40	Body mass index for respondent	discrete	numeric	
V157	ha41	Rohrer's index for respondent	discrete	numeric	
V158	ha50	Under age 18	discrete	numeric	
V159	ha51	Line no. of parent/caretaker	discrete	numeric	
V160	ha52	Read consent statement	discrete	numeric	
V161	ha53	Hemoglobin level (g/dl - 1 decimal)	contin	numeric	
V162	ha54	Currently pregnant	discrete	numeric	
V163	ha55	Result of measuring (Hemoglobin)	discrete	numeric	
V164	ha56	Hemoglobin level adjusted by altitud (g/dl - 1 decimal)	contin	numeric	
V165	ha57	Anemia level	discrete	numeric	
V166	ha58	Agrees to referral	discrete	numeric	

## RECH6

Content	HOUSEHOLD - Children Height/Weight/Hemoglobin
Cases	10919
Variable(s)	37
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V167	hhid	Case Identification	discrete	character	
V168	hc0	Index to household schedule	discrete	numeric	
V169	hc1	Age in months	contin	numeric	
V170	hc2	Weight in kilograms (1 dec.)	contin	numeric	
V171	hc3	Height in centimeters (1 dec.)	contin	numeric	
V172	hc4	Ht/A Percentile	discrete	numeric	
V173	hc5	Ht/A Standard deviations	discrete	numeric	
V174	hc6	Ht/A Percent of ref. median	discrete	numeric	
V175	hc7	Wt/A Percentile	discrete	numeric	
V176	hc8	Wt/A Standard deviations	discrete	numeric	
V177	hc9	Wt/A Percent of ref. median	discrete	numeric	
V178	hc10	Wt/Ht Percentile	discrete	numeric	
V179	hc11	Wt/Ht Standard deviations	discrete	numeric	
V180	hc12	Wt/Ht Percent of ref. median	discrete	numeric	
V181	hc13	Reason not measured	discrete	numeric	
V182	hc15	Height: lying or standing	discrete	numeric	
V183	hc16	Day of birth of child	discrete	numeric	
V184	hc17	Date measured (day)	contin	numeric	
V185	hc18	Date measured (month)	discrete	numeric	
V186	hc19	Date measured (year)	discrete	numeric	
V187	hc27	Sex	discrete	numeric	
V188	hc30	Month of birth of child	discrete	numeric	
V189	hc31	Year of birth of child	discrete	numeric	
V190	hc32	Date of birth (cmc)	contin	numeric	
V191	hc33	Completeness of information	discrete	numeric	
V192	hc51	Line no. of parent/caretaker	discrete	numeric	
V193	hc52	Read consent statement	discrete	numeric	
V194	hc53	Hemoglobin level (g/dl - 1 decimal)	contin	numeric	

ID	Name	Label	Type	Format	Question
V195	hc55	Result of measuring (Hemoglobin)	discrete	numeric	
V196	hc56	Hemoglobin level adjusted by altitud (g/dl - 1 decimal)	contin	numeric	
V197	hc57	Anemia level	discrete	numeric	
V198	hc58	Agrees to referral	discrete	numeric	
V199	hc60	Mother's line number from woman's questionnaire	discrete	numeric	
V200	hc61	Mother's highest educational level	discrete	numeric	
V201	hc62	Mother's highest year of education	contin	numeric	
V202	hc63	Preceding birth interval	contin	numeric	
V203	hc64	Birth order number	contin	numeric	

## RECH7

Content	HOUSEHOLD - Country specific Malaria module
Cases	9850
Variable(s)	23
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V204	hhid	Case Identification	discrete	character	
V205	hmlidx	Net number	discrete	numeric	
V206	hml3	Net observed	discrete	numeric	
V207	hml4	Months ago obtained mosquito net	discrete	numeric	
V208	hml5	How bednet obtained	discrete	numeric	
V209	hml6	Mosquito net treated with insecticide	discrete	numeric	
V210	hml7	Brand of bednet	discrete	numeric	
V211	hml8	Bednet treated since receiving	discrete	numeric	
V212	hml9	Months ago re-treated	discrete	numeric	
V213	hml10	ITN net	discrete	numeric	
V214	hml11	Number of persons who slept under this net	discrete	numeric	
V215	hmla	Person who slept in mosquito net	discrete	numeric	
V216	hmlb	Person who slept in mosquito net	discrete	numeric	
V217	hmclc	Person who slept in mosquito net	discrete	numeric	
V218	hmld	Person who slept in mosquito net	discrete	numeric	
V219	hmle	Person who slept in mosquito net	discrete	numeric	
V220	sml33b	Net has holes	discrete	numeric	
V221	sml33c	Color of net	discrete	numeric	
V222	sml33d	Shape of net	discrete	numeric	
V223	sml35	Where net obtained	discrete	numeric	
V224	sml35a	Came with insecticide treatment kit	discrete	numeric	
V225	sml35b	Net soaked or dipped in insecticide	discrete	numeric	
V226	sml35c	How long ago was net last soaked	discrete	numeric	

## RECH8

Content	HOUSEHOLD - Country specific Child Labour
Cases	18353
Variable(s)	6
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V227	hhid	Case Identification	discrete	character	
V228	idxh8	Record in household schedule	discrete	numeric	
V229	sl41	Paid/Unpaid/Did not work	discrete	numeric	
V230	sl42	Hours worked	discrete	numeric	
V231	sl44	Hours spent housekeeping	discrete	numeric	
V232	sl46	Hours spent on family farm or business	discrete	numeric	

**REC01**

Content	WOMAN - Respondent's basic data
Cases	12229
Variable(s)	42
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V233	hhid	Case Identification	discrete	character	
V234	caseid	Case Identification	discrete	character	
V235	v000	Country code and phase	discrete	character	
V236	v001	Cluster number	contin	numeric	
V237	v002	Household number	contin	numeric	
V238	v003	Respondent's line number	discrete	numeric	
V239	v004	Ultimate area unit	contin	numeric	
V240	v005	Sample weight	contin	numeric	
V241	v006	Month of interview	discrete	numeric	
V242	v007	Year of interview	discrete	numeric	
V243	v008	Date of interview (CMC)	discrete	numeric	
V244	v009	Respondent's month of birth	discrete	numeric	
V245	v010	Respondent's year of birth	contin	numeric	
V246	v011	Date of birth (CMC)	contin	numeric	
V247	v012	Current age - respondent	contin	numeric	
V248	v013	Age 5-year groups	discrete	numeric	
V249	v014	Completeness of information	discrete	numeric	
V250	v015	Result of individual interview	discrete	numeric	
V251	v016	Day of interview	contin	numeric	
V252	v017	CMC start of calendar	discrete	numeric	
V253	v018	Row of month of interview	discrete	numeric	
V254	v019	Length of calendar	discrete	numeric	
V255	v019a	Number of calendar columns	discrete	numeric	
V256	v020	Ever-married sample	discrete	numeric	
V257	v021	Primary sampling unit	contin	numeric	
V258	v022	Sample stratum number	contin	numeric	
V259	v023	Sample domain	discrete	numeric	
V260	v024	Region	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V261	v025	Type of place of residence	discrete	numeric	
V262	v026	De facto place of residence	discrete	numeric	
V263	v027	Number of visits	discrete	numeric	
V264	v028	Interviewer identification	contin	numeric	
V265	v029	Keyer identification	contin	numeric	
V266	v030	Field supervisor	contin	numeric	
V267	v031	Field editor	contin	numeric	
V268	v032	Office editor	contin	numeric	
V269	v033	Ultimate area selection prob.	contin	numeric	
V270	v034	Line number of husband	discrete	numeric	
V271	v040	Cluster altitude in meters	contin	numeric	
V272	v042	Household selection for hemoglobin	discrete	numeric	
V273	v043	Selection for women's status module	discrete	numeric	
V274	v044	Selection for domestic violence module	discrete	numeric	

**REC11**

Content	WOMAN - Respondent's basic data (continued)
Cases	11698
Variable(s)	54
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V275	hhid	Case Identification	discrete	character	
V276	caseid	Case Identification	discrete	character	
V277	v101	Region	discrete	numeric	
V278	v102	Type of place of residence	discrete	numeric	
V279	v103	Childhood place of residence	discrete	numeric	
V280	v104	Years lived in place of res.	discrete	numeric	
V281	v105	Type of place of previous res.	discrete	numeric	
V282	v106	Highest educational level	discrete	numeric	
V283	v107	Highest year of education	contin	numeric	
V284	v113	Source of drinking water	discrete	numeric	
V285	v115	Time to get to water source	discrete	numeric	
V286	v116	Type of toilet facility	discrete	numeric	
V287	v119	Has electricity	discrete	numeric	
V288	v120	Has radio	discrete	numeric	
V289	v121	Has television	discrete	numeric	
V290	v122	Has refrigerator	discrete	numeric	
V291	v123	Has bicycle	discrete	numeric	
V292	v124	Has motorcycle/scooter	discrete	numeric	
V293	v125	Has car/truck	discrete	numeric	
V294	v127	Main floor material	discrete	numeric	
V295	v128	Main wall material	discrete	numeric	
V296	v129	Main roof material	discrete	numeric	
V297	v130	Religion	discrete	numeric	
V298	v131	Ethnicity	discrete	numeric	
V299	v133	Education in single years	discrete	numeric	
V300	v134	De facto place of residence	discrete	numeric	
V301	v135	Usual resident or visitor	discrete	numeric	
V302	v136	Number of household members	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V303	v137	Number of children 5 and under	discrete	numeric	
V304	v138	Number of eligible women in HH	discrete	numeric	
V305	v139	De jure region of residence	discrete	numeric	
V306	v140	De jure type of place of res.	discrete	numeric	
V307	v141	De jure place of residence	discrete	numeric	
V308	v149	Educational attainment	discrete	numeric	
V309	v150	Relationship to household head	discrete	numeric	
V310	v151	Sex of household head	discrete	numeric	
V311	v152	Age of household head	discrete	numeric	
V312	v153	Has telephone	discrete	numeric	
V313	awfactt	All woman factor - total	discrete	numeric	
V314	awfactu	All woman factor - urban/rural	discrete	numeric	
V315	awfactr	All woman factor - regional	discrete	numeric	
V316	awfacte	All woman factor - educational	discrete	numeric	
V317	v155	Literacy	discrete	numeric	
V318	v156	Ever participated in a literacy program outside of primary	discrete	numeric	
V319	v157	Frequency of reading newpaper or magazine	discrete	numeric	
V320	v158	Frequency of listening to radio	discrete	numeric	
V321	v159	Frequency of watching television	discrete	numeric	
V322	v160	Toilet facilities shared	discrete	numeric	
V323	v161	Type of cooking fuel	discrete	numeric	
V324	v162	Place for hand washing	discrete	numeric	
V325	v163	Presence of water/tap in household	discrete	numeric	
V326	v164	Presence of soap/ash/other cleansing agent in household	discrete	numeric	
V327	v165	Presence of basin in household	discrete	numeric	
V328	v166	Results of salt iodine test	discrete	numeric	

**REC21**

Content	WOMAN - Reproduction(Birth history)
Cases	35883
Variable(s)	20
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V329	hhid	Case Identification	discrete	character	
V330	caseid	Case Identification	discrete	character	
V331	bidx	Birth column number	discrete	numeric	
V332	bord	Birth order number	discrete	numeric	
V333	b0	Child is twin	discrete	numeric	
V334	b1	Month of birth	discrete	numeric	
V335	b2	Year of birth	contin	numeric	
V336	b3	Date of birth (CMC)	contin	numeric	
V337	b4	Sex of child	discrete	numeric	
V338	b5	Child is alive	discrete	numeric	
V339	b6	Age at death	discrete	numeric	
V340	b7	Age at death (months-imputed)	contin	numeric	
V341	b8	Current age of child	contin	numeric	
V342	b9	Child lives with whom	discrete	numeric	
V343	b10	Completeness of information	discrete	numeric	
V344	b11	Preceding birth interval	contin	numeric	
V345	b12	Succeeding birth interval	contin	numeric	
V346	b13	Flag for age at death	discrete	numeric	
V347	b15	Live birth between births	discrete	numeric	
V348	b16	Child's line number in household	discrete	numeric	

**REC22**

Content	WOMAN - Reproduction (continued)
Cases	11698
Variable(s)	44
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V349	hhid	Case Identification	discrete	character	
V350	caseid	Case Identification	discrete	character	
V351	v201	Total children ever born	discrete	numeric	
V352	v202	Sons at home	discrete	numeric	
V353	v203	Daughters at home	discrete	numeric	
V354	v204	Sons elsewhere	discrete	numeric	
V355	v205	Daughters elsewhere	discrete	numeric	
V356	v206	Sons who have died	discrete	numeric	
V357	v207	Daughters who have died	discrete	numeric	
V358	v208	Births in last five years	discrete	numeric	
V359	v209	Births in past year	discrete	numeric	
V360	v210	Births in month of interview	discrete	numeric	
V361	v211	Date of first birth (CMC)	contin	numeric	
V362	v212	Age of respondent at 1st birth	contin	numeric	
V363	v213	Currently pregnant	discrete	numeric	
V364	v214	Duration of current pregnancy	discrete	numeric	
V365	v215	Time since last menstrual perd	discrete	numeric	
V366	v216	Menstruated in last six weeks	discrete	numeric	
V367	v217	Knowledge of ovulatory cycle	discrete	numeric	
V368	v218	Number of living children	discrete	numeric	
V369	v219	Living children + current preg	discrete	numeric	
V370	v220	Living children + curr preg 6+	discrete	numeric	
V371	v221	Marriage to first birth int.	discrete	numeric	
V372	v222	Last birth to interview	contin	numeric	
V373	v223	Completeness of curr preg. inf	discrete	numeric	
V374	v224	Entries in birth history	discrete	numeric	
V375	v225	Current pregnancy wanted	discrete	numeric	
V376	v226	Time since last period (comp)	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V377	v227	Flag for last period	discrete	numeric	
V378	v228	Ever had a terminated preg.	discrete	numeric	
V379	v229	Month pregnancy ended	discrete	numeric	
V380	v230	Year pregnancy ended	discrete	numeric	
V381	v231	CMC pregnancy ended	discrete	numeric	
V382	v232	Completeness of last term. inf	discrete	numeric	
V383	v233	Months when pregnancy ended	discrete	numeric	
V384	v234	Other such pregnancies	discrete	numeric	
V385	v235	Index last child prior to cal.	discrete	numeric	
V386	v237	Birth between last & interview	discrete	numeric	
V387	v238	Births in last three years	discrete	numeric	
V388	v239	Pregnancies terminated before calendar beginning	discrete	numeric	
V389	v240	Month of last termination prior to calendar	discrete	numeric	
V390	v241	Year of last termination prior to calendar	discrete	numeric	
V391	v242	CMC termination ended prior to calendar	discrete	numeric	
V392	v243	Completeness of last termination date prior to calendar	discrete	numeric	

**REC31**

Content	WOMAN - Contraception Table
Cases	122829
Variable(s)	9
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V393	hhid	Case Identification	discrete	character	
V394	caseid	Case Identification	discrete	character	
V395	v301	Knowledge of any method	discrete	numeric	
V396	v302	Ever use of any method	discrete	numeric	
V397	rec31_group	Item created from ISSA Group	discrete	character	
V398	v304a	Type of method	discrete	numeric	
V399	v304	Knows method	discrete	numeric	
V400	v305	Ever used method	discrete	numeric	
V401	v307	Method currently used	discrete	numeric	

## REC32

Content	WOMAN - Contraception Knowledge and Use
Cases	11698
Variable(s)	93
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V402	hhid	Case Identification	discrete	character	
V403	caseid	Case Identification	discrete	character	
V404	v310	Living children at first use	contin	numeric	
V405	v311	Children at first use (grpds)	discrete	numeric	
V406	v312	Current contraceptive method	discrete	numeric	
V407	v313	Current use by method type	discrete	numeric	
V408	v315	Month of start of use of method	discrete	numeric	
V409	v316	Year of start of use of method	contin	numeric	
V410	v317	Date of start of use of method (CMC)	contin	numeric	
V411	v318	Completeness of information	discrete	numeric	
V412	v319	Years since sterilization	discrete	numeric	
V413	v320	Age at sterilization	discrete	numeric	
V414	v321	Marital duration at sterilization	discrete	numeric	
V415	v322	Parity at sterilization	discrete	numeric	
V416	v326	Last source for current users	discrete	numeric	
V417	v327	Last source for users by type	discrete	numeric	
V418	v337	Months of use of current method	discrete	numeric	
V419	v359	Last method disc. last 5 years	discrete	numeric	
V420	v360	Reason of last discontinuation	discrete	numeric	
V421	v361	Pattern of use	discrete	numeric	
V422	v362	Intention to use	discrete	numeric	
V423	v363	Preferred future method	discrete	numeric	
V424	v364	Contraceptive use & intention	discrete	numeric	
V425	v367	Wanted last child	discrete	numeric	
V426	v375a	Main reason not using a method	discrete	numeric	
V427	v376	Main reason not to use a method	discrete	numeric	
V428	v376a	Would ever use method if marr.	discrete	numeric	
V429	v379	Source known for any method	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V430	v380	Source known for any method	discrete	numeric	
V431	v384a	Heard FP on radio last months	discrete	numeric	
V432	v384b	Heard FP on TV last months	discrete	numeric	
V433	v384c	Heard FP newspaper last months	discrete	numeric	
V434	v393	Visited by FP worker last 12m	discrete	numeric	
V435	v394	Visited health facil. last 12m	discrete	numeric	
V436	v395	At health facility, told of FP	discrete	numeric	
V437	v3a00a	Source of FP for non-users: government hosp.	discrete	numeric	
V438	v3a00b	Source of FP for non-users: govt health cntr	discrete	numeric	
V439	v3a00c	Source of FP for non-users: FP clinic	discrete	numeric	
V440	v3a00d	Source of FP for non-users: mobile clinic	discrete	numeric	
V441	v3a00e	Source of FP for non-users: fieldworker	discrete	numeric	
V442	v3a00f	Source of FP for non-users: CS public sector	discrete	numeric	
V443	v3a00g	Source of FP for non-users: CS public sector	discrete	numeric	
V444	v3a00h	Source of FP for non-users: CS public sector	discrete	numeric	
V445	v3a00i	Source of FP for non-users: oth public sector	discrete	numeric	
V446	v3a00j	Source of FP for non-users: private hosp/clin	discrete	numeric	
V447	v3a00k	Source of FP for non-users: private pharmacy	discrete	numeric	
V448	v3a00l	Source of FP for non-users: private doctor	discrete	numeric	
V449	v3a00m	Source of FP for non-users: private mobile cl	discrete	numeric	
V450	v3a00n	Source of FP for non-users: fieldworker	discrete	numeric	
V451	v3a00o	Source of FP for non-users: CS med.priv sect	discrete	numeric	
V452	v3a00p	Source of FP for non-users: CS med.priv sect	discrete	numeric	
V453	v3a00q	Source of FP for non-users: CS med.priv sect	discrete	numeric	
V454	v3a00r	Source of FP for non-users: oth med.priv sect	discrete	numeric	
V455	v3a00s	Source of FP for non-users: shop	discrete	numeric	
V456	v3a00t	Source of FP for non-users: traditional pract	discrete	numeric	
V457	v3a00u	Source of FP for non-users: friend, relative	discrete	numeric	
V458	v3a00v	Source of FP for non-users: CS oth.priv sect	discrete	numeric	
V459	v3a00w	Source of FP for non-users: CS oth.priv sect	discrete	numeric	
V460	v3a00x	Source of FP for non-users: Other	discrete	numeric	
V461	v3a00y	Source of FP for non-users: no source	discrete	numeric	
V462	v3a00z	Source of FP for non-users: any source	discrete	numeric	
V463	v3a01	Told sterilization would mean no more children	discrete	numeric	
V464	v3a02	Told about side effects	discrete	numeric	
V465	v3a03	Told about side effects by health or FP worker	discrete	numeric	
V466	v3a04	Told how to deal with side effects	discrete	numeric	
V467	v3a05	Told about other FP methods	discrete	numeric	
V468	v3a06	Told about other FP methods by health or FP worker	discrete	numeric	
V469	v3a07	First source for current method	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V470	v3a08a	Reason not using: Not married	discrete	numeric	
V471	v3a08b	Reason not using: Not having sex	discrete	numeric	
V472	v3a08c	Reason not using: Infrequent sex	discrete	numeric	
V473	v3a08d	Reason not using: Menopausal/hysterectomy	discrete	numeric	
V474	v3a08e	Reason not using: Subfecund/infecund	discrete	numeric	
V475	v3a08f	Reason not using: Postpartum amenorrheic	discrete	numeric	
V476	v3a08g	Reason not using: Breastfeeding	discrete	numeric	
V477	v3a08h	Reason not using: Fatalistic	discrete	numeric	
V478	v3a08i	Reason not using: Respondent opposed	discrete	numeric	
V479	v3a08j	Reason not using: Husband/partner opposed	discrete	numeric	
V480	v3a08k	Reason not using: Others opposed	discrete	numeric	
V481	v3a08l	Reason not using: Religious prohibition	discrete	numeric	
V482	v3a08m	Reason not using: Knows no method	discrete	numeric	
V483	v3a08n	Reason not using: Knows no source	discrete	numeric	
V484	v3a08o	Reason not using: Health concerns	discrete	numeric	
V485	v3a08p	Reason not using: Fear of side effects	discrete	numeric	
V486	v3a08q	Reason not using: Lack of access/too far	discrete	numeric	
V487	v3a08r	Reason not using: Costs too much	discrete	numeric	
V488	v3a08s	Reason not using: Inconvenient to use	discrete	numeric	
V489	v3a08t	Reason not using: Interferes with body's processes	discrete	numeric	
V490	v3a08u	Reason not using: Country specific	discrete	numeric	
V491	v3a08v	Reason not using: Country specific	discrete	numeric	
V492	v3a08w	Reason not using: Country specific	discrete	numeric	
V493	v3a08x	Reason not using: Other	discrete	numeric	
V494	v3a08z	Reason not using: Don't know	discrete	numeric	

**REC41**

Content	WOMAN - Maternity
Cases	10914
Variable(s)	156
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V495	hhid	Case Identification	discrete	character	
V496	caseid	Case Identification	discrete	character	
V497	midx	Index to birth history	discrete	numeric	
V498	m1	Tetanus injections bef. birth	discrete	numeric	
V499	m2a	Prenatal: doctor	discrete	numeric	
V500	m2b	Prenatal: nurse/midwife	discrete	numeric	
V501	m2c	Prenatal: auxiliary midwife	discrete	numeric	
V502	m2d	Prenatal: patient attendant	discrete	numeric	
V503	m2e	Prenatal: CS health profession	discrete	numeric	
V504	m2f	Prenatal: trained birth att.	discrete	numeric	
V505	m2g	Prenatal: trad.birth attendant	discrete	numeric	
V506	m2h	Prenatal: relative	discrete	numeric	
V507	m2i	Prenatal: CS other person	discrete	numeric	
V508	m2j	Prenatal: CS other person	discrete	numeric	
V509	m2k	Prenatal: other resp (uncoded)	discrete	numeric	
V510	m2l	Prenatal: CS other	discrete	numeric	
V511	m2m	Prenatal: CS other	discrete	numeric	
V512	m2n	Prenatal: no one	discrete	numeric	
V513	m3a	Assistance: doctor	discrete	numeric	
V514	m3b	Assistance: nurse/midwife	discrete	numeric	
V515	m3c	Assistance: auxiliary midwife	discrete	numeric	
V516	m3d	Assistance: patient attendant	discrete	numeric	
V517	m3e	Assistance: CS health profess.	discrete	numeric	
V518	m3f	Assistance: trained birth att.	discrete	numeric	
V519	m3g	Assistance: trad.birth attend.	discrete	numeric	
V520	m3h	Assistance: relative, friend	discrete	numeric	
V521	m3i	Assistance: CS other person	discrete	numeric	
V522	m3j	Assistance: CS other person	discrete	numeric	

ID	Name	Label	Type	Format	Question
V523	m3k	Assistance: other resp (uncod)	discrete	numeric	
V524	m3l	Assistance: CS other	discrete	numeric	
V525	m3m	Assistance: CS other	discrete	numeric	
V526	m3n	Assistance: no one	discrete	numeric	
V527	m4	Duration of breastfeeding	discrete	numeric	
V528	m5	Months of breastfeeding	discrete	numeric	
V529	m6	Duration of amenorrhea	discrete	numeric	
V530	m7	Months of amenorrhea	discrete	numeric	
V531	m8	Duration of abstinence	discrete	numeric	
V532	m9	Months of abstinence	discrete	numeric	
V533	m10	Time wanted pregnancy	discrete	numeric	
V534	m11	Time would have waited	discrete	numeric	
V535	m13	Timing of 1st antenatal check	discrete	numeric	
V536	m14	Antenatal visits for pregnancy	discrete	numeric	
V537	m15	Place of delivery	discrete	numeric	
V538	m17	Delivery by caesarian section	discrete	numeric	
V539	m18	Size of child at birth	discrete	numeric	
V540	m19	Birth weight (kilos - 3 dec.)	discrete	numeric	
V541	m19a	Weight at birth recall	discrete	numeric	
V542	m27	Flag for breastfeeding	discrete	numeric	
V543	m28	Flag for amenorrhea	discrete	numeric	
V544	m29	Flag for abstinence	discrete	numeric	
V545	m34	When child put to breast	discrete	numeric	
V546	m35	Times breastfed during night	discrete	numeric	
V547	m36	Times breastfed during day	discrete	numeric	
V548	m37a	Times gave child plain water	discrete	numeric	
V549	m37b	Times gave child sugar water	discrete	numeric	
V550	m37c	Times gave child fruit juice	discrete	numeric	
V551	m37d	Times gave child herbal tea	discrete	numeric	
V552	m37e	Times gave child powdered/tinned milk	discrete	numeric	
V553	m37f	Times gave child commercially produced baby formula	discrete	numeric	
V554	m37g	Times gave child fresh milk	discrete	numeric	
V555	m37h	Times given tinned, powdered or fresh animal milk	discrete	numeric	
V556	m37i	Times given country specific other liquid	discrete	numeric	
V557	m37j	Times given country specific other liquid	discrete	numeric	
V558	m37k	Times given country specific other liquid	discrete	numeric	
V559	m37l	Times gave child other liquid	discrete	numeric	
V560	m37m	Times given pumpkin, carrots, red/yel yams, red sweet pot.	discrete	numeric	
V561	m37n	Times given any green leafy vegetables	discrete	numeric	
V562	m37o	Times given mango, papaya or other Vit A rich fruits	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V563	m37p	Times given other solid, semi-solid foods	discrete	numeric	
V564	m37q	Times given food made from local grain	discrete	numeric	
V565	m37r	Times given food made from local roots/tuber	discrete	numeric	
V566	m37s	Times gave child eggs, fish, poultry	discrete	numeric	
V567	m37t	Times gave child meat	discrete	numeric	
V568	m37u	Times gave child other fruits/vegetables	discrete	numeric	
V569	m37v	Times gave child meat, poultry, fish, shellfish, eggs	discrete	numeric	
V570	m37w	Times gave child legumes (lentils, beans, peanuts)	discrete	numeric	
V571	m37x	Times gave child cheese/yogurt	discrete	numeric	
V572	m37y	Times gave child foods made with oil, fat, butter	discrete	numeric	
V573	m37z	Times gave child country specific food	discrete	numeric	
V574	m37xx	Times gave child country specific food	discrete	numeric	
V575	m37xy	Times gave child country specific food	discrete	numeric	
V576	m37xz	Times gave child country specific food	discrete	numeric	
V577	m38	Drank from bottle with nipple	discrete	numeric	
V578	m39	Times ate solid, semi-solid or soft food yesterday	discrete	numeric	
V579	m40a	Last 7 days - plain water	discrete	numeric	
V580	m40b	Last 7 days - sugar water	discrete	numeric	
V581	m40c	Last 7 days - fruit juice	discrete	numeric	
V582	m40d	Last 7 days - herbal tea	discrete	numeric	
V583	m40e	Last 7 days - powdered/tinned milk	discrete	numeric	
V584	m40f	Last 7 days - commercially produced baby formula	discrete	numeric	
V585	m40g	Last 7 days - fresh milk	discrete	numeric	
V586	m40h	Last 7 days - tinned, powdered or fresh animal milk	discrete	numeric	
V587	m40i	Last 7 days - country specific other liquid	discrete	numeric	
V588	m40j	Last 7 days - country specific other liquid	discrete	numeric	
V589	m40k	Last 7 days - country specific other liquid	discrete	numeric	
V590	m40l	Last 7 days - other liquid	discrete	numeric	
V591	m40m	Last 7 days - pumpkin, carrots, red/yel yams, red sweet pot.	discrete	numeric	
V592	m40n	Last 7 days - any green leafy vegetables	discrete	numeric	
V593	m40o	Last 7 days - mango, papaya or other Vit A rich fruits	discrete	numeric	
V594	m40p	Last 7 days - other solid, semi-solid foods	discrete	numeric	
V595	m40q	Last 7 days - food made from local grain	discrete	numeric	
V596	m40r	Last 7 days - food made from local roots/tuber	discrete	numeric	
V597	m40s	Last 7 days - eggs, fish, poultry	discrete	numeric	
V598	m40t	Last 7 days - meat	discrete	numeric	
V599	m40u	Last 7 days - other fruits/vegetables	discrete	numeric	
V600	m40v	Last 7 days - meat, poultry, fish, shellfish, eggs	discrete	numeric	
V601	m40w	Last 7 days - legumes (lentils, beans, peanuts)	discrete	numeric	
V602	m40x	Last 7 days - cheese/yogurt	discrete	numeric	

ID	Name	Label	Type	Format	Question
V603	m40y	Last 7 days - foods made with oil, fat, butter	discrete	numeric	
V604	m40z	Last 7 days - country specific food	discrete	numeric	
V605	m40xx	Last 7 days - country specific food	discrete	numeric	
V606	m40xy	Last 7 days - country specific food	discrete	numeric	
V607	m40xz	Last 7 days - country specific food	discrete	numeric	
V608	m41	Months pregnant for last antenatal visit	discrete	numeric	
V609	m42a	During pregnancy - weighed	discrete	numeric	
V610	m42b	During pregnancy - height measured	discrete	numeric	
V611	m42c	During pregnancy - blood pressure taken	discrete	numeric	
V612	m42d	During pregnancy - urine sample taken	discrete	numeric	
V613	m42e	During pregnancy - blood sample taken	discrete	numeric	
V614	m43	Told about pregnancy complications	discrete	numeric	
V615	m44	Told where to go for pregnancy complications	discrete	numeric	
V616	m45	During pregnancy, given or bought iron tablets/syrup	discrete	numeric	
V617	m46	Days tablets or syrup taken	discrete	numeric	
V618	m47	During pregnancy, had difficulty with daylight vision	discrete	numeric	
V619	m48	During pregnancy, had difficulty with night blindness	discrete	numeric	
V620	m49a	During pregnancy - took Fansidar for Malaria	discrete	numeric	
V621	m49b	During pregnancy - took Chloroquine for Malaria	discrete	numeric	
V622	m49c	During pregnancy - took Unknown Drug for Malaria	discrete	numeric	
V623	m49d	During pregnancy - took country specific drug for Malaria	discrete	numeric	
V624	m49e	During pregnancy - took country specific drug for Malaria	discrete	numeric	
V625	m49f	During pregnancy - took country specific drug for Malaria	discrete	numeric	
V626	m49g	During pregnancy - took country specific drug for Malaria	discrete	numeric	
V627	m49x	During pregnancy - took other drug for Malaria	discrete	numeric	
V628	m49z	During pregnancy - took no drug for Malaria	discrete	numeric	
V629	m50	After birth, health professional checked health	discrete	numeric	
V630	m51	Checkup after deliver timing	discrete	numeric	
V631	m52	After birth, health professional checked health	discrete	numeric	
V632	m53	Place for checkup	discrete	numeric	
V633	m54	Received Vitamin A dose in first 2 months after delivery	discrete	numeric	
V634	m55a	First 3 days, given milk other than breast milk	discrete	numeric	
V635	m55b	First 3 days, given plain water	discrete	numeric	
V636	m55c	First 3 days, given sugar/glucose water	discrete	numeric	
V637	m55d	First 3 days, given gripe water	discrete	numeric	
V638	m55e	First 3 days, given sugar/salt/water solution	discrete	numeric	
V639	m55f	First 3 days, given fruit juice	discrete	numeric	
V640	m55g	First 3 days, given infant formula	discrete	numeric	
V641	m55h	First 3 days, given tea/infusions	discrete	numeric	
V642	m55i	First 3 days, given honey	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V643	m55j	First 3 days, given country specific	discrete	numeric	
V644	m55k	First 3 days, given country specific	discrete	numeric	
V645	m55l	First 3 days, given country specific	discrete	numeric	
V646	m55m	First 3 days, given country specific	discrete	numeric	
V647	m55n	First 3 days, given country specific	discrete	numeric	
V648	m55x	First 3 days, given other	discrete	numeric	
V649	m55z	First 3 days, given nothing	discrete	numeric	
V650	m56	Sugar added to any of foods or liquids consumed yesterday	discrete	numeric	

**REC42**

Content	WOMAN - Health and Breastfeeding
Cases	11698
Variable(s)	119
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V651	hhid	Case Identification	discrete	character	
V652	caseid	Case Identification	discrete	character	
V653	v401	Last birth cesarean section	discrete	numeric	
V654	v404	Currently breastfeeding	discrete	numeric	
V655	v405	Currently amenorrheic	discrete	numeric	
V656	v406	Currently abstaining	discrete	numeric	
V657	v407	Times breastfed during night	discrete	numeric	
V658	v408	Times breastfed during day	discrete	numeric	
V659	v415	Drank from bottle with nipple	discrete	numeric	
V660	v416	Heard of oral rehydration	discrete	numeric	
V661	v417	Entries in maternity table	discrete	numeric	
V662	v418	Entries in health table	discrete	numeric	
V663	v419	Entries in height/weight table	discrete	numeric	
V664	v420	Measurer's code	discrete	numeric	
V665	v421	Assistant measurer's code	discrete	numeric	
V666	v426	When child put to breast	discrete	numeric	
V667	v437	Respondent's weight (kilos-1d)	contin	numeric	
V668	v438	Respondent's height (cms-1d)	contin	numeric	
V669	v439	Ht/A Percentile (resp.)	discrete	numeric	
V670	v440	Ht/A Standard deviations (resp	discrete	numeric	
V671	v441	Ht/A Percent ref. median (resp	discrete	numeric	
V672	v442	Wt/Ht Percent ref. median (DHS	discrete	numeric	
V673	v443	Wt/Ht Percent ref. median (Fog	discrete	numeric	
V674	v444	Wt/Ht Percent ref. median (WHO	discrete	numeric	
V675	v444a	Wt/Ht Std deviations(resp) DHS	discrete	numeric	
V676	v445	Body mass index for respondent	discrete	numeric	
V677	v446	Rohrer's index for respondent	discrete	numeric	
V678	v447	Result of measurement of resp.	discrete	numeric	

ID	Name	Label	Type	Format	Question
V679	v447a	Women's age in years from household report	contin	numeric	
V680	v452a	Under age 18 (HH report)	discrete	numeric	
V681	v452b	Line no. of parent/caretaker	discrete	numeric	
V682	v452c	Read consent statement	discrete	numeric	
V683	v453	Hemoglobin level (g/dl - 1 decimal)	contin	numeric	
V684	v454	Currently pregnant (household report)	discrete	numeric	
V685	v455	Result of measuring (Hemoglobin)	discrete	numeric	
V686	v456	Hemoglobin level adjusted by altitude (g/dl - 1 decimal)	contin	numeric	
V687	v457	Anemia level	discrete	numeric	
V688	v458	Agrees to referral	discrete	numeric	
V689	v459	Have bednet for sleeping (household report)	discrete	numeric	
V690	v460	Children under 5 slept under bednet last night (HH report)	discrete	numeric	
V691	v461	Respondent slept under bednet	discrete	numeric	
V692	v462	Washed hands before preparing last meal	discrete	numeric	
V693	v463a	Smokes cigarettes	discrete	numeric	
V694	v463b	Smokes pipe	discrete	numeric	
V695	v463c	Smokes other tobacco	discrete	numeric	
V696	v463d	Uses chewing tobacco	discrete	numeric	
V697	v463e	Uses snuff	discrete	numeric	
V698	v463f	Smokes country specific	discrete	numeric	
V699	v463g	Smokes country specific	discrete	numeric	
V700	v463z	Smokes nothing	discrete	numeric	
V701	v464	Number of cigarettes in last 24 hours	discrete	numeric	
V702	v465	Disposal of youngest child's stools when not using toilet	discrete	numeric	
V703	v466	When child is seriously ill, can decide whether med tx sough	discrete	numeric	
V704	v467a	Getting medical help for self: know where to go	discrete	numeric	
V705	v467b	Getting medical help for self: getting permission to go	discrete	numeric	
V706	v467c	Getting medical help for self: getting money needed for tx	discrete	numeric	
V707	v467d	Getting medical help for self: distance to health facility	discrete	numeric	
V708	v467e	Getting medical help for self: having to take transport	discrete	numeric	
V709	v467f	Getting medical help for self: not wanting to go alone	discrete	numeric	
V710	v467g	Getting medical help for self: concern no female health prov	discrete	numeric	
V711	v468	Columns used for Last Birth Only variables	discrete	numeric	
V712	v469a	Times gave child plain water	discrete	numeric	
V713	v469b	Times gave child sugar water	discrete	numeric	
V714	v469c	Times gave child fruit juice	discrete	numeric	
V715	v469d	Times gave child herbal tea	discrete	numeric	
V716	v469e	Times gave child powdered/tinned milk	discrete	numeric	
V717	v469f	Times gave child commercially produced baby formula	discrete	numeric	
V718	v469g	Times gave child fresh milk	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V719	v469h	Times given tinned, powdered or fresh animal milk	discrete	numeric	
V720	v469i	Times given country specific other liquid	discrete	numeric	
V721	v469j	Times given country specific other liquid	discrete	numeric	
V722	v469k	Times given country specific other liquid	discrete	numeric	
V723	v469l	Times gave child other liquid	discrete	numeric	
V724	v469m	Times given pumpkin, carrots, red/yel yams, red sweet pot.	discrete	numeric	
V725	v469n	Times given any green leafy vegetables	discrete	numeric	
V726	v469o	Times given mango, papaya or other Vit A rich fruits	discrete	numeric	
V727	v469p	Times given other solid, semi-solid foods	discrete	numeric	
V728	v469q	Times given food made from local grain	discrete	numeric	
V729	v469r	Times given food made from local roots/tuber	discrete	numeric	
V730	v469s	Times gave child eggs, fish, poultry	discrete	numeric	
V731	v469t	Times gave child meat	discrete	numeric	
V732	v469u	Times gave child other fruits/vegetables	discrete	numeric	
V733	v469v	Times gave child meat, poultry, fish, shellfish, eggs	discrete	numeric	
V734	v469w	Times gave child legumes (lentils, beans, peanuts)	discrete	numeric	
V735	v469x	Times gave child cheese/yogurt	discrete	numeric	
V736	v469y	Times gave child foods made with oil, fat, butter	discrete	numeric	
V737	v469z	Times gave child country specific food	discrete	numeric	
V738	v469xx	Times gave child country specific food	discrete	numeric	
V739	v469xy	Times gave child country specific food	discrete	numeric	
V740	v469xz	Times gave child country specific food	discrete	numeric	
V741	v470a	Last 7 days - plain water	discrete	numeric	
V742	v470b	Last 7 days - sugar water	discrete	numeric	
V743	v470c	Last 7 days - fruit juice	discrete	numeric	
V744	v470d	Last 7 days - herbal tea	discrete	numeric	
V745	v470e	Last 7 days - powdered/tinned milk	discrete	numeric	
V746	v470f	Last 7 days - commercially produced baby formula	discrete	numeric	
V747	v470g	Last 7 days - fresh milk	discrete	numeric	
V748	v470h	Last 7 days - tinned, powdered or fresh animal milk	discrete	numeric	
V749	v470i	Last 7 days - country specific other liquid	discrete	numeric	
V750	v470j	Last 7 days - country specific other liquid	discrete	numeric	
V751	v470k	Last 7 days - country specific other liquid	discrete	numeric	
V752	v470l	Last 7 days - other liquid	discrete	numeric	
V753	v470m	Last 7 days - pumpkin, carrots, red/yel yams, red sweet pot.	discrete	numeric	
V754	v470n	Last 7 days - any green leafy vegetables	discrete	numeric	
V755	v470o	Last 7 days - mango, papaya or other Vit A rich fruits	discrete	numeric	
V756	v470p	Last 7 days - other solid, semi-solid foods	discrete	numeric	
V757	v470q	Last 7 days - food made from local grain	discrete	numeric	
V758	v470r	Last 7 days - food made from local roots/tuber	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V759	v470s	Last 7 days - eggs, fish, poultry	discrete	numeric	
V760	v470t	Last 7 days - meat	discrete	numeric	
V761	v470u	Last 7 days - other fruits/vegetables	discrete	numeric	
V762	v470v	Last 7 days - meat, poultry, fish, shellfish, eggs	discrete	numeric	
V763	v470w	Last 7 days - legumes (lentils, beans, peanuts)	discrete	numeric	
V764	v470x	Last 7 days - cheese/yogurt	discrete	numeric	
V765	v470y	Last 7 days - foods made with oil, fat, butter	discrete	numeric	
V766	v470z	Last 7 days - country specific food	discrete	numeric	
V767	v470xx	Last 7 days - country specific food	discrete	numeric	
V768	v470xy	Last 7 days - country specific food	discrete	numeric	
V769	v470xz	Last 7 days - country specific food	discrete	numeric	

## REC43

Content	WOMAN - Health
Cases	10914
Variable(s)	136
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V770	hhid	Case Identification	discrete	character	
V771	caseid	Case Identification	discrete	character	
V772	hidx	Index to birth history	discrete	numeric	
V773	h1	Has health card	discrete	numeric	
V774	h2	Received BCG	discrete	numeric	
V775	h2d	BCG day	discrete	numeric	
V776	h2m	BCG month	discrete	numeric	
V777	h2y	BCG year	discrete	numeric	
V778	h3	Received DPT 1	discrete	numeric	
V779	h3d	DPT 1 day	discrete	numeric	
V780	h3m	DPT 1 month	discrete	numeric	
V781	h3y	DPT 1 year	discrete	numeric	
V782	h4	Received POLIO 1	discrete	numeric	
V783	h4d	POLIO 1 day	discrete	numeric	
V784	h4m	POLIO 1 month	discrete	numeric	
V785	h4y	POLIO 1 year	discrete	numeric	
V786	h5	Received DPT 2	discrete	numeric	
V787	h5d	DPT 2 day	discrete	numeric	
V788	h5m	DPT 2 month	discrete	numeric	
V789	h5y	DPT 2 year	discrete	numeric	
V790	h6	Received POLIO 2	discrete	numeric	
V791	h6d	POLIO 2 day	discrete	numeric	
V792	h6m	POLIO 2 month	discrete	numeric	
V793	h6y	POLIO 2 year	discrete	numeric	
V794	h7	Received DPT 3	discrete	numeric	
V795	h7d	DPT 3 day	discrete	numeric	
V796	h7m	DPT 3 month	discrete	numeric	
V797	h7y	DPT 3 year	discrete	numeric	

ID	Name	Label	Type	Format	Question
V798	h8	Received POLIO 3	discrete	numeric	
V799	h8d	POLIO 3 day	discrete	numeric	
V800	h8m	POLIO 3 month	discrete	numeric	
V801	h8y	POLIO 3 year	discrete	numeric	
V802	h9	Received MEASLES	discrete	numeric	
V803	h9d	MEASLES day	discrete	numeric	
V804	h9m	MEASLES month	discrete	numeric	
V805	h9y	MEASLES year	discrete	numeric	
V806	h0	Received POLIO 0	discrete	numeric	
V807	h0d	POLIO 0 day	discrete	numeric	
V808	h0m	POLIO 0 month	discrete	numeric	
V809	h0y	POLIO 0 year	discrete	numeric	
V810	h10	Ever had vaccination	discrete	numeric	
V811	h11	Had diarrhea recently	discrete	numeric	
V812	h12a	Diarrhea: government hosp.	discrete	numeric	
V813	h12b	Diarrhea: govt health center	discrete	numeric	
V814	h12c	Diarrhea: govt health post	discrete	numeric	
V815	h12d	Diarrhea: mobile clinic	discrete	numeric	
V816	h12e	Diarrhea: comm.health worker	discrete	numeric	
V817	h12f	Diarrhea: CS public sector	discrete	numeric	
V818	h12g	Diarrhea: CS public sector	discrete	numeric	
V819	h12h	Diarrhea: CS public sector	discrete	numeric	
V820	h12i	Diarrhea: other public sector	discrete	numeric	
V821	h12j	Diarrhea: private hosp/clin.	discrete	numeric	
V822	h12k	Diarrhea: private pharmacy	discrete	numeric	
V823	h12l	Diarrhea: private doctor	discrete	numeric	
V824	h12m	Diarrhea: private mobile cln	discrete	numeric	
V825	h12n	Diarrhea: comm.health worker	discrete	numeric	
V826	h12o	Diarrhea: Mission hospital	discrete	numeric	
V827	h12p	Diarrhea: Mission health center	discrete	numeric	
V828	h12q	Diarrhea: Mission mobile clinic	discrete	numeric	
V829	h12r	Diarrhea: other med.priv sect.	discrete	numeric	
V830	h12s	Diarrhea: shop	discrete	numeric	
V831	h12t	Diarrhea: traditional pract.	discrete	numeric	
V832	h12u	Diarrhea: CS oth.priv sector	discrete	numeric	
V833	h12v	Diarrhea: CS oth.priv sector	discrete	numeric	
V834	h12w	Diarrhea: CS oth.priv sector	discrete	numeric	
V835	h12x	Diarrhea: Other	discrete	numeric	
V836	h12y	Diarrhea: no treatment	discrete	numeric	
V837	h12z	Diarrhea: medical treatment	discrete	numeric	

ID	Name	Label	Type	Format	Question
V838	h13	Given oral rehydration	discrete	numeric	
V839	h14	Given recommend. home solution	discrete	numeric	
V840	h15	Given other pills or syrups	discrete	numeric	
V841	h15a	Given antibiotics (CS)	discrete	numeric	
V842	h15b	Given an injection	discrete	numeric	
V843	h15c	Given an intravenous (IV)	discrete	numeric	
V844	h15d	Given home remedy, herbal med.	discrete	numeric	
V845	h15e	Given CS other treatment	discrete	numeric	
V846	h15f	Given CS other treatment	discrete	numeric	
V847	h15g	Given CS other treatment	discrete	numeric	
V848	h15h	Given CS other treatment	discrete	numeric	
V849	h20	Given other treatment	discrete	numeric	
V850	h21a	Given no treatment	discrete	numeric	
V851	h21	Received any treatment	discrete	numeric	
V852	h22	Had fever in last two weeks	discrete	numeric	
V853	h31	Had cough in last two weeks	discrete	numeric	
V854	h31b	Short, rapid breaths	discrete	numeric	
V855	h32a	Fever/cough: government hosp.	discrete	numeric	
V856	h32b	Fever/cough: govt health cntr	discrete	numeric	
V857	h32c	Fever/cough: govt health post	discrete	numeric	
V858	h32d	Fever/cough: mobile clinic	discrete	numeric	
V859	h32e	Fever/cough: comm.health wrkr	discrete	numeric	
V860	h32f	Fever/cough: CS public sector	discrete	numeric	
V861	h32g	Fever/cough: CS public sector	discrete	numeric	
V862	h32h	Fever/cough: CS public sector	discrete	numeric	
V863	h32i	Fever/cough: oth public sector	discrete	numeric	
V864	h32j	Fever/cough: private hosp/clin	discrete	numeric	
V865	h32k	Fever/cough: private pharmacy	discrete	numeric	
V866	h32l	Fever/cough: private doctor	discrete	numeric	
V867	h32m	Fever/cough: private mobile cl	discrete	numeric	
V868	h32n	Fever/cough: comm.health wrkr	discrete	numeric	
V869	h32o	Fever/cough: mission hospital/clinic	discrete	numeric	
V870	h32p	Fever/cough: mission health center	discrete	numeric	
V871	h32q	Fever/cough: mission mobile clinic	discrete	numeric	
V872	h32r	Fever/cough: oth med.priv sect	discrete	numeric	
V873	h32s	Fever/cough: shop	discrete	numeric	
V874	h32t	Fever/cough: traditional pract	discrete	numeric	
V875	h32u	Fever/cough: CS oth.priv sect	discrete	numeric	
V876	h32v	Fever/cough: CS oth.priv sect	discrete	numeric	
V877	h32w	Fever/cough: CS oth.priv sect	discrete	numeric	

ID	Name	Label	Type	Format	Question
V878	h32x	Fever/cough: Other	discrete	numeric	
V879	h32y	Fever/cough: no treatment	discrete	numeric	
V880	h32z	Fever/cough: medical treatment	discrete	numeric	
V881	h33	Received Vitamin A	discrete	numeric	
V882	h33d	Vitamin A Day	discrete	numeric	
V883	h33m	Vitamin A month	discrete	numeric	
V884	h33y	Vitamin A year	discrete	numeric	
V885	h34	Vitamin A in last 6 months	discrete	numeric	
V886	h35	Any vaccinations in last 2 years part of campaign	discrete	numeric	
V887	h36a	Vaccinated during Campaign A	discrete	numeric	
V888	h36b	Vaccinated during Campaign B	discrete	numeric	
V889	h36c	Vaccinated during Campaign C	discrete	numeric	
V890	h36d	Vaccinated during Campaign D	discrete	numeric	
V891	h36e	Vaccinated during Campaign E	discrete	numeric	
V892	h36f	Vaccinated during Campaign F	discrete	numeric	
V893	h37a	Fansidar taken for fever	discrete	numeric	
V894	h37b	Chloroquine taken for fever	discrete	numeric	
V895	h37c	Aspirin taken for fever	discrete	numeric	
V896	h37d	Ibuprofen/acetaminophen taken for fever	discrete	numeric	
V897	h37e	Amodiaquine taken for fever	discrete	numeric	
V898	h37f	Quinine taken for fever	discrete	numeric	
V899	h37g	Artesunate taken for fever	discrete	numeric	
V900	h37h	Country specific taken for fever	discrete	numeric	
V901	h37x	Other taken for fever	discrete	numeric	
V902	h37y	Nothing taken for fever	discrete	numeric	
V903	h37z	Don't know if or what was taken	discrete	numeric	
V904	h38	Had diarrhea in last 2 weeks: Amount offered to drink	discrete	numeric	
V905	h39	Had diarrhea in last 2 weeks: Amount offered to eat	discrete	numeric	

**REC44**

Content	WOMAN - Height and Weight
Cases	10914
Variable(s)	28
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V906	hhid	Case Identification	discrete	character	
V907	caseid	Case Identification	discrete	character	
V908	hwidx	Index to birth history	discrete	numeric	
V909	hw1	Age in months	contin	numeric	
V910	hw2	Weight in kilograms (1 dec.)	contin	numeric	
V911	hw3	Height in centimeters (1 dec.)	contin	numeric	
V912	hw4	Ht/A Percentile	discrete	numeric	
V913	hw5	Ht/A Standard deviations	discrete	numeric	
V914	hw6	Ht/A Percent of ref. median	discrete	numeric	
V915	hw7	Wt/A Percentile	discrete	numeric	
V916	hw8	Wt/A Standard deviations	discrete	numeric	
V917	hw9	Wt/A Percent of ref. median	discrete	numeric	
V918	hw10	Wt/Ht Percentile	discrete	numeric	
V919	hw11	Wt/Ht Standard deviations	discrete	numeric	
V920	hw12	Wt/Ht Percent of ref. median	discrete	numeric	
V921	hw13	Reason not measured	discrete	numeric	
V922	hw15	Height: lying or standing	discrete	numeric	
V923	hw16	Day of birth of child	discrete	numeric	
V924	hw17	Date measured (day)	contin	numeric	
V925	hw18	Date measured (month)	discrete	numeric	
V926	hw19	Date measured (year)	discrete	numeric	
V927	hw51	Line no. of parent/caretaker	discrete	numeric	
V928	hw52	Read consent statement	discrete	numeric	
V929	hw53	Hemoglobin level (g/dl - 1 decimal)	contin	numeric	
V930	hw55	Result of measuring (Hemoglobin)	discrete	numeric	
V931	hw56	Hemoglobin level adjusted by altitude (g/dl - 1 decimal)	contin	numeric	
V932	hw57	Anemia level	discrete	numeric	
V933	hw58	Agrees to referral	discrete	numeric	

**REC51**

Content	WOMAN - Marriage/ Exposure
Cases	11698
Variable(s)	25
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V934	hhid	Case Identification	discrete	character	
V935	caseid	Case Identification	discrete	character	
V936	v501	Current marital status	discrete	numeric	
V937	v502	Currently/formerly/never marr.	discrete	numeric	
V938	v503	Number of unions	discrete	numeric	
V939	v504	Husband lives in house	discrete	numeric	
V940	v505	Number of other wives	discrete	numeric	
V941	v506	Wife rank number	discrete	numeric	
V942	v507	Month of first marriage	discrete	numeric	
V943	v508	Year of first marriage	contin	numeric	
V944	v509	Date of first marriage (CMC)	contin	numeric	
V945	v510	Completeness of date inform.	discrete	numeric	
V946	v511	Age at first marriage	contin	numeric	
V947	v512	Years since first marriage	contin	numeric	
V948	v513	Marital duration (grouped)	discrete	numeric	
V949	v525	Age at first intercourse	discrete	numeric	
V950	v527	Time since last intercourse	discrete	numeric	
V951	v528	Time since last intercourse(g)	discrete	numeric	
V952	v529	Time since last intercourse(imputed)	discrete	numeric	
V953	v530	Flag for V529	discrete	numeric	
V954	v531	Age at first intercourse (imp)	discrete	numeric	
V955	v532	Flag for V531	discrete	numeric	
V956	v535	Have ever been married	discrete	numeric	
V957	v536	Recent sexual activity	discrete	numeric	
V958	v537	Months of abstinence	discrete	numeric	

**REC61**

Content	WOMAN - Fertility Preferences
Cases	11698
Variable(s)	45
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V959	hhid	Case Identification	discrete	character	
V960	caseid	Case Identification	discrete	character	
V961	v602	Fertility preference	discrete	numeric	
V962	v603	Preferred waiting time	discrete	numeric	
V963	v604	Preferred waiting time (grpd)	discrete	numeric	
V964	v605	Desire for more children	discrete	numeric	
V965	v610	Husband approves FP	discrete	numeric	
V966	v611	Discussed FP with partner	discrete	numeric	
V967	v612	Respondent approves FP	discrete	numeric	
V968	v613	Ideal number of children	discrete	numeric	
V969	v614	Ideal number of children (grp)	discrete	numeric	
V970	v616	Time for future birth	discrete	numeric	
V971	v621	Husbands desire for children	discrete	numeric	
V972	v623	Exposure	discrete	numeric	
V973	v624	Unmet need	discrete	numeric	
V974	v625	Exposure (definition 2)	discrete	numeric	
V975	v626	Unmet need (definition 2)	discrete	numeric	
V976	v627	Ideal number of boys	discrete	numeric	
V977	v628	Ideal number of girls	discrete	numeric	
V978	v629	Ideal number of either sex	discrete	numeric	
V979	v630a	Discussed FP with partner	discrete	numeric	
V980	v630b	Discussed FP with mother	discrete	numeric	
V981	v630c	Discussed FP with father	discrete	numeric	
V982	v630d	Discussed FP with sister(s)	discrete	numeric	
V983	v630e	Discussed FP with brother(s)	discrete	numeric	
V984	v630f	Discussed FP with daughter(s)	discrete	numeric	
V985	v630g	Discussed FP with mother-in-law	discrete	numeric	
V986	v630h	Discussed FP with friends/nbrs	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V987	v630i	Discussed FP with son(s)	discrete	numeric	
V988	v630j	Discussed FP -country specific	discrete	numeric	
V989	v630k	Discussed FP -country specific	discrete	numeric	
V990	v630l	Discussed FP -country specific	discrete	numeric	
V991	v630m	Discussed FP -country specific	discrete	numeric	
V992	v630n	Discussed FP -country specific	discrete	numeric	
V993	v630o	Discussed FP -country specific	discrete	numeric	
V994	v630x	Discussed FP with others	discrete	numeric	
V995	v631	Problem if became pregnant	discrete	numeric	
V996	v632	Decision maker for using contraception	discrete	numeric	
V997	v633a	Reason for not having sex: Husband has STD	discrete	numeric	
V998	v633b	Reason for not having sex: Husband has other women	discrete	numeric	
V999	v633c	Reason for not having sex: Recent birth	discrete	numeric	
V1000	v633d	Reason for not having sex: Tired, mood	discrete	numeric	
V1001	v633e	Reason for not having sex: CS	discrete	numeric	
V1002	v633f	Reason for not having sex: CS	discrete	numeric	
V1003	v633g	Reason for not having sex: CS	discrete	numeric	

**REC71**

Content	WOMAN - Partner's Characteristics
Cases	11698
Variable(s)	30
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V1004	hhid	Case Identification	discrete	character	
V1005	caseid	Case Identification	discrete	character	
V1006	v701	Partner's education level	discrete	numeric	
V1007	v702	Highest year of education	discrete	numeric	
V1008	v704	Partner's occupation	discrete	numeric	
V1009	v705	Partner's occupation	discrete	numeric	
V1010	v714	Respondent currently working	discrete	numeric	
V1011	v715	Husbands education-single yrs	discrete	numeric	
V1012	v716	Respondent's occupation	discrete	numeric	
V1013	v717	Respondent's occupation	discrete	numeric	
V1014	v719	Work for family, others, self	discrete	numeric	
V1015	v721	Works at home or away	discrete	numeric	
V1016	v729	Partner's educational attainm.	discrete	numeric	
V1017	v730	Partners age	discrete	numeric	
V1018	v731	Worked in last 12 months	discrete	numeric	
V1019	v732	Employment all year/seasonal	discrete	numeric	
V1020	v739	Who decides how to spend money	discrete	numeric	
V1021	v740	Type of land where resp. works	discrete	numeric	
V1022	v741	Type of earnings for work	discrete	numeric	
V1023	v742	Portion of household expenditures respondents earnings pay	discrete	numeric	
V1024	v743a	Final say on own health care	discrete	numeric	
V1025	v743b	Final say on making large household purchases	discrete	numeric	
V1026	v743c	Final say on making household purchases for daily needs	discrete	numeric	
V1027	v743d	Final say on visits to family or relatives	discrete	numeric	
V1028	v743e	Final say on food to be cooked each day	discrete	numeric	
V1029	v744a	Wife beating justified if she goes out without telling him	discrete	numeric	
V1030	v744b	Wife beating justified if she neglects the children	discrete	numeric	
V1031	v744c	Wife beating justified if she argues with him	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1032	v744d	Wife beating justified if she refuses to have sex with him	discrete	numeric	
V1033	v744e	Wife beating justified if she burns the food	discrete	numeric	

**REC75**

Content	WOMAN - AIDS, STIs and Condom Use
Cases	11698
Variable(s)	194
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V1034	hhid	Case Identification	discrete	character	
V1035	caseid	Case Identification	discrete	character	
V1036	v750	Heard sexual transmit. disease	discrete	numeric	
V1037	v751	Ever heard of AIDS	discrete	numeric	
V1038	v753	Ways to avoid AIDS	discrete	numeric	
V1039	v754a	AIDS: Safe sex	discrete	numeric	
V1040	v754b	AIDS: abstain from sex	discrete	numeric	
V1041	v754c	AIDS: use condoms during sex	discrete	numeric	
V1042	v754d	AIDS: only one sex partner	discrete	numeric	
V1043	v754e	AIDS: avoid sex prostitutes	discrete	numeric	
V1044	v754f	AIDS: avoid sex homosexuals	discrete	numeric	
V1045	v754g	AIDS: avoid blood transfusions	discrete	numeric	
V1046	v754h	AIDS: avoid injections	discrete	numeric	
V1047	v754i	AIDS: avoid kissing	discrete	numeric	
V1048	v754j	AIDS: avoid mosquito bites	discrete	numeric	
V1049	v754k	AIDS: protection trad. healer	discrete	numeric	
V1050	v754l	AIDS: Limit number of sex partners	discrete	numeric	
V1051	v754m	AIDS: Avoid partners who have many partners	discrete	numeric	
V1052	v754n	AIDS: Avoid sex with intravenous drug users	discrete	numeric	
V1053	v754o	AIDS: avoid sharing razor blades with AIDS patient	discrete	numeric	
V1054	v754p	AIDS: country specific	discrete	numeric	
V1055	v754q	AIDS: country specific	discrete	numeric	
V1056	v754r	AIDS: country specific	discrete	numeric	
V1057	v754s	AIDS: country specific	discrete	numeric	
V1058	v754t	AIDS: country specific	discrete	numeric	
V1059	v754u	AIDS: country specific	discrete	numeric	
V1060	v754v	AIDS: country specific	discrete	numeric	
V1061	v754x	AIDS: other responses	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1062	v754z	AIDS: DK ways to avoid AIDS	discrete	numeric	
V1063	v754cp	Reduce chances of AIDS by always using condoms during sex	discrete	numeric	
V1064	v754dp	Reduce chance of AIDS: have 1 sex partner with no oth partnr	discrete	numeric	
V1065	v754jp	Get AIDS from mosquito bites	discrete	numeric	
V1066	v754wp	Get AIDS by sharing food with person who has AIDS	discrete	numeric	
V1067	v756	Can a healthy person have AIDS	discrete	numeric	
V1068	v759a	Acceptable to discuss AIDS on radio	discrete	numeric	
V1069	v759b	Acceptable to discuss AIDS on TV	discrete	numeric	
V1070	v759c	Acceptable to discuss AIDS in newspapers	discrete	numeric	
V1071	v759d	Acceptable to discuss AIDS: CS	discrete	numeric	
V1072	v759e	Acceptable to discuss AIDS: CS	discrete	numeric	
V1073	v759f	Acceptable to discuss AIDS: CS	discrete	numeric	
V1074	v759g	Acceptable to discuss AIDS: CS	discrete	numeric	
V1075	v759h	Acceptable to discuss AIDS: CS	discrete	numeric	
V1076	v759i	Acceptable to discuss AIDS: CS	discrete	numeric	
V1077	v761	Last intercourse used condom	discrete	numeric	
V1078	v761b	Intercourse with other man (1) used condom	discrete	numeric	
V1079	v761c	Intercourse with other man (2) used condom	discrete	numeric	
V1080	v762aa	Source for condoms: Government hospital	discrete	numeric	
V1081	v762ab	Source for condoms: Government health center/post	discrete	numeric	
V1082	v762ac	Source for condoms: Family planning clinic	discrete	numeric	
V1083	v762ad	Source for condoms: Mobile clinic	discrete	numeric	
V1084	v762ae	Source for condoms: Public field worker	discrete	numeric	
V1085	v762af	Source for condoms: Other public	discrete	numeric	
V1086	v762ag	Source for condoms: Public CS	discrete	numeric	
V1087	v762ah	Source for condoms: Public CS	discrete	numeric	
V1088	v762ai	Source for condoms: Public CS	discrete	numeric	
V1089	v762aj	Source for condoms: Private hosp, clinic	discrete	numeric	
V1090	v762ak	Source for condoms: Pharmacy	discrete	numeric	
V1091	v762al	Source for condoms: Private doctor	discrete	numeric	
V1092	v762am	Source for condoms: Private mobile clinic	discrete	numeric	
V1093	v762an	Source for condoms: Private field worker	discrete	numeric	
V1094	v762ao	Source for condoms: Other private	discrete	numeric	
V1095	v762ap	Source for condoms: Mission hospital/clinic	discrete	numeric	
V1096	v762aq	Source for condoms: Mission health center	discrete	numeric	
V1097	v762ar	Source for condoms: Mission mobile clinic	discrete	numeric	
V1098	v762as	Source for condoms: Shop	discrete	numeric	
V1099	v762at	Source for condoms: Church	discrete	numeric	
V1100	v762au	Source for condoms: Friends, relatives	discrete	numeric	
V1101	v762av	Source for condoms: BLM	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1102	v762aw	Source for condoms: CS	discrete	numeric	
V1103	v762ax	Source for condoms: Other	discrete	numeric	
V1104	v762az	Source for condoms: DK source for condom	discrete	numeric	
V1105	v762ba	Source for female condoms: Government hospital	discrete	numeric	
V1106	v762bb	Source for female condoms: Government health center/post	discrete	numeric	
V1107	v762bc	Source for female condoms: Family planning clinic	discrete	numeric	
V1108	v762bd	Source for female condoms: Mobile clinic	discrete	numeric	
V1109	v762be	Source for female condoms: Public field worker	discrete	numeric	
V1110	v762bf	Source for female condoms: Other public	discrete	numeric	
V1111	v762bg	Source for female condoms: Public CS	discrete	numeric	
V1112	v762bh	Source for female condoms: Public CS	discrete	numeric	
V1113	v762bi	Source for female condoms: Public CS	discrete	numeric	
V1114	v762bj	Source for female condoms: Private hosp, clinic	discrete	numeric	
V1115	v762bk	Source for female condoms: Pharmacy	discrete	numeric	
V1116	v762bl	Source for female condoms: Private doctor	discrete	numeric	
V1117	v762bm	Source for female condoms: Private mobile clinic	discrete	numeric	
V1118	v762bn	Source for female condoms: Private field worker	discrete	numeric	
V1119	v762bo	Source for female condoms: Other private	discrete	numeric	
V1120	v762bp	Source for female condoms: Private CS	discrete	numeric	
V1121	v762bq	Source for female condoms: Private CS	discrete	numeric	
V1122	v762br	Source for female condoms: Private CS	discrete	numeric	
V1123	v762bs	Source for female condoms: Shop	discrete	numeric	
V1124	v762bt	Source for female condoms: Church	discrete	numeric	
V1125	v762bu	Source for female condoms: Friends, relatives	discrete	numeric	
V1126	v762bv	Source for female condoms: CS	discrete	numeric	
V1127	v762bw	Source for female condoms: CS	discrete	numeric	
V1128	v762bx	Source for female condoms: Other	discrete	numeric	
V1129	v762bz	Source for female condoms: DK source for condom	discrete	numeric	
V1130	v763a	Had any STD in last 12 months	discrete	numeric	
V1131	v763b	Had genital sore/ulcer in last 12 months	discrete	numeric	
V1132	v763c	Had genital discharge in last 12 months	discrete	numeric	
V1133	v763d	Last 12 months had CS STD	discrete	numeric	
V1134	v763e	Last 12 months had CS STD	discrete	numeric	
V1135	v763f	Last 12 months had CS STD	discrete	numeric	
V1136	v763g	Last 12 months had CS STD	discrete	numeric	
V1137	v765a	Last sex reason used a condom	discrete	numeric	
V1138	v765b	Sex with other man (1) reason used a condom	discrete	numeric	
V1139	v765c	Sex with other man (2) reason used a condom	discrete	numeric	
V1140	v766a	No. other than husband had sex in last 12 months	discrete	numeric	
V1141	v766b	No. had sex including husband in last 12 months	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1142	v767a	Relationship with last sex partner	discrete	numeric	
V1143	v767b	Relationship with other sex partner (1)	discrete	numeric	
V1144	v767c	Relationship with other sex partner (2)	discrete	numeric	
V1145	v768a	Length of time knows last partner	discrete	numeric	
V1146	v768b	Length of time knows other partner (1)	discrete	numeric	
V1147	v768c	Length of time knows other partner (2)	discrete	numeric	
V1148	v769	Could get a condom	discrete	numeric	
V1149	v769a	Could get a female condom	discrete	numeric	
V1150	v770	Seek advice for last disease	discrete	numeric	
V1151	v770a	Seek advise: clinic/hospital/private doctor	discrete	numeric	
V1152	v770b	Seek advise: traditional healer	discrete	numeric	
V1153	v770c	Seek advise: Shop/pharmacy	discrete	numeric	
V1154	v770d	Seek advise: Friends/relatives	discrete	numeric	
V1155	v770e	Seek advise: CS	discrete	numeric	
V1156	v770f	Seek advise: CS	discrete	numeric	
V1157	v770g	Seek advise: CS	discrete	numeric	
V1158	v770h	Seek advise: CS	discrete	numeric	
V1159	v770i	Seek advise: CS	discrete	numeric	
V1160	v771	Advise partner when had disease	discrete	numeric	
V1161	v772	Tried to avoid infecting partner	discrete	numeric	
V1162	v773a	What done: no sexual intercourse	discrete	numeric	
V1163	v773b	What done: used condoms	discrete	numeric	
V1164	v773c	What done: took medicines	discrete	numeric	
V1165	v773d	What done: country specific	discrete	numeric	
V1166	v773e	What done: country specific	discrete	numeric	
V1167	v773f	What done: country specific	discrete	numeric	
V1168	v773x	What done: other	discrete	numeric	
V1169	v774	AIDS transmitted from mother to child	discrete	numeric	
V1170	v774a	AIDS transmit. during pregnancy	discrete	numeric	
V1171	v774b	AIDS transmit. during delivery	discrete	numeric	
V1172	v774c	AIDS transmit. by breastfeeding	discrete	numeric	
V1173	v775	Knows someone who has or died of AIDS	discrete	numeric	
V1174	v776	Spoken with spouse about avoiding AIDS	discrete	numeric	
V1175	v777	Allowed to keep AIDS infection secret	discrete	numeric	
V1176	v778	Willing to care for relative with AIDS	discrete	numeric	
V1177	v779	Person with AIDS allowed to continue teaching	discrete	numeric	
V1178	v780	Should children be taught about condoms	discrete	numeric	
V1179	v781	Ever been tested for AIDS	discrete	numeric	
V1180	v782	Want to be tested for AIDS	discrete	numeric	
V1181	v783	Know a place to get AIDS test	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1182	v784	Where to get an AIDS test	discrete	numeric	
V1183	v785	Heard about other STDs	discrete	numeric	
V1184	v785a	Man's symptoms of STI	discrete	numeric	
V1185	v785b	Man's symptoms of STI	discrete	numeric	
V1186	v785c	Man's symptoms of STI	discrete	numeric	
V1187	v785d	Man's symptoms of STI	discrete	numeric	
V1188	v785e	Man's symptoms of STI	discrete	numeric	
V1189	v785f	Man's symptoms of STI	discrete	numeric	
V1190	v785g	Man's symptoms of STI	discrete	numeric	
V1191	v785h	Man's symptoms of STI	discrete	numeric	
V1192	v785i	Man's symptoms of STI	discrete	numeric	
V1193	v785j	Man's symptoms of STI	discrete	numeric	
V1194	v785k	Man's symptoms of STI	discrete	numeric	
V1195	v785l	Man's symptoms of STI	discrete	numeric	
V1196	v785m	Man's symptoms of STI	discrete	numeric	
V1197	v785n	Man's symptoms of STI	discrete	numeric	
V1198	v785o	Man's symptoms of STI	discrete	numeric	
V1199	v785p	Man's symptoms of STI	discrete	numeric	
V1200	v785q	Man's symptoms of STI	discrete	numeric	
V1201	v785x	Man's symptoms of STI	discrete	numeric	
V1202	v785y	Man's symptoms of STI	discrete	numeric	
V1203	v785z	Man's symptoms of STI	discrete	numeric	
V1204	v786a	Woman's symptoms of STI	discrete	numeric	
V1205	v786b	Woman's symptoms of STI	discrete	numeric	
V1206	v786c	Woman's symptoms of STI	discrete	numeric	
V1207	v786d	Woman's symptoms of STI	discrete	numeric	
V1208	v786e	Woman's symptoms of STI	discrete	numeric	
V1209	v786f	Woman's symptoms of STI	discrete	numeric	
V1210	v786g	Woman's symptoms of STI	discrete	numeric	
V1211	v786h	Woman's symptoms of STI	discrete	numeric	
V1212	v786i	Woman's symptoms of STI	discrete	numeric	
V1213	v786j	Woman's symptoms of STI	discrete	numeric	
V1214	v786k	Woman's symptoms of STI	discrete	numeric	
V1215	v786l	Woman's symptoms of STI	discrete	numeric	
V1216	v786m	Woman's symptoms of STI	discrete	numeric	
V1217	v786n	Woman's symptoms of STI	discrete	numeric	
V1218	v786o	Woman's symptoms of STI	discrete	numeric	
V1219	v786p	Woman's symptoms of STI	discrete	numeric	
V1220	v786q	Woman's symptoms of STI	discrete	numeric	
V1221	v786x	Woman's symptoms of STI	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1222	v786y	Woman's symptoms of STI	discrete	numeric	
V1223	v786z	Woman's symptoms of STI	discrete	numeric	
V1224	v787	Number of days drank alcohol last 3 months	discrete	numeric	
V1225	v788	Number of days gotten drunk last 3 months	discrete	numeric	
V1226	v789	Number of injections in last 3 months	discrete	numeric	
V1227	v790	Person who gave last injection	discrete	numeric	

## REC81

Content	WOMAN - Characteristics of Interview
Cases	11698
Variable(s)	12
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V1228	hhid	Case Identification	discrete	character	
V1229	caseid	Case Identification	discrete	character	
V1230	v801	Time interview started	contin	numeric	
V1231	v802	Time interview ended	contin	numeric	
V1232	v803	Length of interview in minutes	discrete	numeric	
V1233	v804	Number of visits	discrete	numeric	
V1234	v805	Interviewer identification	contin	numeric	
V1235	v806	Keyer identification	contin	numeric	
V1236	v811	Pres. children < 10 (sec 7)	discrete	numeric	
V1237	v812	Pres. husband (sec 7)	discrete	numeric	
V1238	v813	Pres. other males (sec 7)	discrete	numeric	
V1239	v814	Pres. other females (sec 7)	discrete	numeric	

**REC82**

Content WOMAN - Calendar

Cases 58490

Variable(s) 4

Structure Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

ID	Name	Label	Type	Format	Question
V1240	hhid	Case Identification	discrete	character	
V1241	caseid	Case Identification	discrete	character	
V1242	vcol	Calendar column number	discrete	numeric	
V1243	vcal	Calendar	discrete	character	

## REC83

Content	WOMAN - Maternal mortality
Cases	63462
Variable(s)	18
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V1244	hhid	Case Identification	discrete	character	
V1245	caseid	Case Identification	discrete	character	
V1246	mmidx	Maternal mortality index	discrete	numeric	
V1247	mm1	Sex of sibling	discrete	numeric	
V1248	mm2	Sibling's survival status	discrete	numeric	
V1249	mm3	Sibling's current age	discrete	numeric	
V1250	mm4	CMC date of birth of sibling	contin	numeric	
V1251	mm5	Sibling's marital status	discrete	numeric	
V1252	mm6	Years ago sibling died	discrete	numeric	
V1253	mm7	Sibling's age at death	discrete	numeric	
V1254	mm8	CMC date of death of sibling	contin	numeric	
V1255	mm9	Sibling's death & pregnancy	discrete	numeric	
V1256	mm10	Death & pregnancy are related	discrete	numeric	
V1257	mm11	Sibling's cause of death	discrete	numeric	
V1258	mm12	Time between delivery & death	discrete	numeric	
V1259	mm13	Place of death	discrete	numeric	
V1260	mm14	Number of sibling's children	contin	numeric	
V1261	mm15	Sibling's year of death	discrete	numeric	

**REC84**

Content	WOMAN - Maternal mortality (suite)
Cases	11356
Variable(s)	6
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V1262	hhid	Case Identification	discrete	character	
V1263	caseid	Case Identification	discrete	character	
V1264	mmc1	Number of siblings of resp.	discrete	numeric	
V1265	mmc2	Preceeding births before resp.	discrete	numeric	
V1266	mmc3	Sister's reporting	discrete	numeric	
V1267	mmc5	Cut off age	discrete	numeric	

**REC91**

Content	WOMAN - Country specific - single vars
Cases	12229
Variable(s)	93
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V1268	hhid	Case Identification	discrete	character	
V1269	caseid	Case Identification	discrete	character	
V1270	sdist2	Original district code	contin	numeric	
V1271	sdist	Program District	discrete	numeric	
V1272	v190	Wealth index	discrete	numeric	
V1273	v191	Wealth index factor score (5 decimals)	contin	numeric	
V1274	awfactw	All woman factor - wealth index	discrete	numeric	
V1275	ml101	Type of bednet(s) slept under last night	discrete	numeric	
V1276	v820	Condom used at first sexual intercourse	discrete	numeric	
V1277	v821a	Last sexual partner younger, the same age or older	discrete	numeric	
V1278	v821b	Next to last sexual partner younger, the same age or older	discrete	numeric	
V1279	v821c	Second to last sexual partner younger, the same age or older	discrete	numeric	
V1280	v822	Wife justified to ask husband to use condom if he has STD	discrete	numeric	
V1281	v754bp	Reduce risk of getting AIDS by not having sex at all	discrete	numeric	
V1282	v823	Can get AIDS by witchcraft or supernatural means	discrete	numeric	
V1283	v824	Drugs to avoid AIDS transmission to baby during pregnancy	discrete	numeric	
V1284	v825	Would buy vegetables from vendor with AIDS	discrete	numeric	
V1285	v826	When was last time you were tested	discrete	numeric	
V1286	v827	Last test was on your own, offered or required	discrete	numeric	
V1287	v828	Did get the test results	discrete	numeric	
V1288	sv21b	First sex wanted or forced	discrete	numeric	
V1289	sv21c	Forced to have sex	discrete	numeric	
V1290	s495	Received injections	discrete	numeric	
V1291	s495a	Number of injections	contin	numeric	
V1292	s495b	Injections administered by health professional	discrete	numeric	
V1293	s495c	Person who gave injections	discrete	numeric	
V1294	s495d	Used a new syringe	discrete	numeric	
V1295	s816e	Heard radio spot about AIDS	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1296	s816f	Heard or seen TV spot about AIDS	discrete	numeric	
V1297	s816g	Read articles about AIDS	discrete	numeric	
V1298	shiv01	Line number of parent/responsible adult	discrete	numeric	
V1299	shiv02	Parental or adult consent	discrete	numeric	
V1300	shiv03	Respondent consent	discrete	numeric	
V1301	shiv04	Result of measuring	discrete	numeric	
V1302	shiv05	Relative age of first sex partner	discrete	numeric	
V1303	shiv06	Blood sample ID number	discrete	character	
V1304	shiv_weight	HIV weight	contin	numeric	
V1305	sdv_weight	DV weight	contin	numeric	
V1306	s414aa	During pregnancy: high blood pressure	discrete	numeric	
V1307	s414ab	During pregnancy: swelling of feet	discrete	numeric	
V1308	s414ac	During pregnancy: anemia	discrete	numeric	
V1309	s414ad	During pregnancy: bleeding	discrete	numeric	
V1310	s432aa	After birth: heavy bleeding	discrete	numeric	
V1311	s432ab	After birth: high blood pressure	discrete	numeric	
V1312	s432ac	After birth: stroke, convulsions	discrete	numeric	
V1313	s432ad	After birth: infection, fever	discrete	numeric	
V1314	s432ae	After birth: leakage	discrete	numeric	
V1315	s432af	After birth: depression	discrete	numeric	
V1316	s4946	Getting medical help for self: cost of transport	discrete	numeric	
V1317	s514c	Age of first partner	discrete	numeric	
V1318	s514d	Older, younger, or same age	discrete	numeric	
V1319	s514e	How much older than respondent	discrete	numeric	
V1320	sqqlang	Language of questionnaire	discrete	numeric	
V1321	sqlang	Language of interview	discrete	numeric	
V1322	sqnlang	Respondent native language	discrete	numeric	
V1323	s324a	Advised that method does not protect against AIDS	discrete	numeric	
V1324	sqtrans	Translator used	discrete	numeric	
V1325	s494b	Problems after childbirth	discrete	numeric	
V1326	s504a	Who inherited most property	discrete	numeric	
V1327	s504b	Respondent inherited property	discrete	numeric	
V1328	s617d	Heard FP poster last months	discrete	numeric	
V1329	s617e	Heard FP on clothing	discrete	numeric	
V1330	s617f	Heard FP in a drama	discrete	numeric	
V1331	s617g	Heard FP, other	discrete	numeric	
V1332	s618a	On radio, heard: Uchembere Wabwino	discrete	numeric	
V1333	s618b	On radio, heard: Phukusi la Moyo	discrete	numeric	
V1334	s618c	On radio, heard: Pa Mtundo	discrete	numeric	
V1335	s618d	On radio, heard: Women's Talking Point	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1336	s618e	On radio, heard: Window Through Health	discrete	numeric	
V1337	s618f	On radio, heard: Umoyo M'Malawi	discrete	numeric	
V1338	s618g	On radio, heard: Tikuferanji	discrete	numeric	
V1339	s618h	On radio, heard: Radio Doctor	discrete	numeric	
V1340	s618i	On radio, heard: Chitukuku M'Malawi	discrete	numeric	
V1341	s618j	On radio, heard: Women's Forum	discrete	numeric	
V1342	s618k	On radio, heard: Tichitenji	discrete	numeric	
V1343	s618l	On radio, heard: Kulera	discrete	numeric	
V1344	s618x	On radio, heard: other	discrete	numeric	
V1345	s721f	Justifies domestic violence: Has extramarital affair	discrete	numeric	
V1346	s722a	Justifies beating husband: Neglects support	discrete	numeric	
V1347	s722b	Justifies beating husband: Gets drunk	discrete	numeric	
V1348	s722c	Justifies beating husband: Argues	discrete	numeric	
V1349	s722d	Justifies beating husband: Refuses sex	discrete	numeric	
V1350	s722e	Justifies beating husband: Has sex with another woman	discrete	numeric	
V1351	s812cc	Drugs from doctor for AIDS patients	discrete	numeric	
V1352	s816	Should a person with AIDS be allowed to continue to work	discrete	numeric	
V1353	s816a	People with AIDS are immoral	discrete	numeric	
V1354	s816c	Condoms are safe to use	discrete	numeric	
V1355	s816d	Couples should be tested for AIDS	discrete	numeric	
V1356	s816i1	When was last time you were tested	discrete	numeric	
V1357	s814c	AIDS in family kept secret	discrete	numeric	
V1358	s498	Drinks alcohol	discrete	numeric	
V1359	s527	Heard of a condom called 'Chishango'	discrete	numeric	
V1360	s817	Know AIDS status of partner	discrete	numeric	

**REC94**

Content	WOMAN - Country specific - Maternity
Cases	10914
Variable(s)	48
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V1361	hhid	Case Identification	discrete	character	
V1362	caseid	Case Identification	discrete	character	
V1363	idx94	Index to birth history	discrete	numeric	
V1364	m57a	Antenatal care: your home	discrete	numeric	
V1365	m57b	Antenatal care: other home	discrete	numeric	
V1366	m57c	Antenatal care: CS home	discrete	numeric	
V1367	m57d	Antenatal care: CS home	discrete	numeric	
V1368	m57e	Antenatal care: govt. hospital	discrete	numeric	
V1369	m57f	Antenatal care: govt. health center	discrete	numeric	
V1370	m57g	Antenatal care: govt. health post	discrete	numeric	
V1371	m57h	Antenatal care: public mobile clinic	discrete	numeric	
V1372	m57i	Antenatal care: CS public	discrete	numeric	
V1373	m57j	Antenatal care: CS public	discrete	numeric	
V1374	m57k	Antenatal care: CS public	discrete	numeric	
V1375	m57l	Antenatal care: other public	discrete	numeric	
V1376	m57m	Antenatal care: pvt. hospital/clinic	discrete	numeric	
V1377	m57n	Antenatal care: pvt. mobile clinic	discrete	numeric	
V1378	m57o	Antenatal care: Mission hospital	discrete	numeric	
V1379	m57p	Antenatal care: Mission health center	discrete	numeric	
V1380	m57q	Antenatal care: CS pvt.	discrete	numeric	
V1381	m57r	Antenatal care: other private	discrete	numeric	
V1382	m57s	Antenatal care: TBA	discrete	numeric	
V1383	m57t	Antenatal care: CS other	discrete	numeric	
V1384	m57u	Antenatal care: CS other	discrete	numeric	
V1385	m57v	Antenatal care: CS other	discrete	numeric	
V1386	m57x	Antenatal care: other	discrete	numeric	
V1387	m58	Information about AIDS given at antenatal visit	discrete	numeric	
V1388	m59	Child registered at birth	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1389	s412ab	Antenatal care: Tested for AIDS	discrete	numeric	
V1390	s412ac	Antenatal care: Given results of AIDS test	discrete	numeric	
V1391	s412f	Antenatal care: Fetal heartbeat checked	discrete	numeric	
V1392	s412g	Antenatal care: Eye exam	discrete	numeric	
V1393	s414da	Advice/treatment for pregnancy complications: respondent's home	discrete	numeric	
V1394	s414db	Advice/treatment for pregnancy complications: other home	discrete	numeric	
V1395	s414dc	Advice/treatment for pregnancy complications: gov't hospital	discrete	numeric	
V1396	s414dd	Advice/treatment for pregnancy complications: gov't health center	discrete	numeric	
V1397	s414de	Advice/treatment for pregnancy complications: gov't health post	discrete	numeric	
V1398	s414df	Advice/treatment for pregnancy complications: gov't mobile clinic	discrete	numeric	
V1399	s414dg	Advice/treatment for pregnancy complications: other public	discrete	numeric	
V1400	s414dh	Advice/treatment for pregnancy complications: mission hospital	discrete	numeric	
V1401	s414di	Advice/treatment for pregnancy complications: mission health center	discrete	numeric	
V1402	s414dj	Advice/treatment for pregnancy complications: private hospital/clinic	discrete	numeric	
V1403	s414dk	Advice/treatment for pregnancy complications: private mobile clinic	discrete	numeric	
V1404	s414dl	Advice/treatment for pregnancy complications: other private medical	discrete	numeric	
V1405	s414dm	Advice/treatment for pregnancy complications: TBA	discrete	numeric	
V1406	s414dx	Advice/treatment for pregnancy complications: other	discrete	numeric	
V1407	s416a	Injection to prevent tetanus	discrete	numeric	
V1408	s422e	How took fansidar	discrete	numeric	

**REC95**

Content	WOMAN - Country specific - Health
Cases	10914
Variable(s)	141
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V1409	hhid	Case Identification	discrete	character	
V1410	caseid	Case Identification	discrete	character	
V1411	idx95	Index to birth history	discrete	numeric	
V1412	ml0	Type of bednet(s) child slept under last night	discrete	numeric	
V1413	ml1	Times took Fansidar during pregnancy	discrete	numeric	
V1414	ml2	Type of visit at source for antimalarial during pregnancy	discrete	numeric	
V1415	ml11	Child has fever now	discrete	numeric	
V1416	ml12	Child has had convulsions in last 2 weeks	discrete	numeric	
V1417	ml13a	Fansidar taken for fever/convulsion	discrete	numeric	
V1418	ml13b	Chloroquine taken for fever/convulsion	discrete	numeric	
V1419	ml13c	Amodiaquine taken for fever	discrete	numeric	
V1420	ml13d	Quinine taken for fever/convulsion	discrete	numeric	
V1421	ml13e	Aspirin taken for fever/convulsions	discrete	numeric	
V1422	ml13f	Panadol taken for fever/convulsion	discrete	numeric	
V1423	ml13g	Ibuprofen/Acetaminophen taken	discrete	numeric	
V1424	ml13h	Panadol, paracetamol, aspiril, calpol	discrete	numeric	
V1425	ml13i	CS ARTESUNATE	discrete	numeric	
V1426	ml13j	CS taken for fever/convulsion	discrete	numeric	
V1427	ml13k	CS taken for fever/convulsion	discrete	numeric	
V1428	ml13l	CS taken for fever/convulsion	discrete	numeric	
V1429	ml13m	CS taken for fever/convulsion	discrete	numeric	
V1430	ml13x	Other taken for fever/convulsion	discrete	numeric	
V1431	ml13y	Nothing taken for fever/convulsion	discrete	numeric	
V1432	ml13z	Don't know if or what was taken for fever/convulsion	discrete	numeric	
V1433	ml14a	Injection for fever/convulsion	discrete	numeric	
V1434	ml14b	Suppository for fever/convulsion	discrete	numeric	
V1435	ml14y	No suppository or injection for fever/convulsion	discrete	numeric	
V1436	ml14z	Don't know if suppository or injection for fever/convulsion	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1437	ml15a	When started Fansidar	discrete	numeric	
V1438	ml15b	Days child took Fansidar	discrete	numeric	
V1439	ml15c	First source for Fansidar	discrete	numeric	
V1440	ml16a	When started Chloroquine	discrete	numeric	
V1441	ml16b	Days child took Chloroquine	discrete	numeric	
V1442	ml16c	First source for Chloroquine	discrete	numeric	
V1443	ml17a	When started Amodiaquine	discrete	numeric	
V1444	ml17b	Days child took Amodiaquine	discrete	numeric	
V1445	ml17c	First source for Amodiaquine	discrete	numeric	
V1446	ml18a	When started Quinine	discrete	numeric	
V1447	ml18b	Days child took Quinine	discrete	numeric	
V1448	ml18c	First source for Quinine	discrete	numeric	
V1449	ml19a	For fever/conv: Consulted traditional healer	discrete	numeric	
V1450	ml19b	For fever/conv: Gave tepid sponging	discrete	numeric	
V1451	ml19c	For fever/conv: Gave herbs	discrete	numeric	
V1452	ml19d	For fever/conv: CS	discrete	numeric	
V1453	ml19e	For fever/conv: CS	discrete	numeric	
V1454	ml19f	For fever/conv: CS	discrete	numeric	
V1455	ml19x	For fever/conv: Other	discrete	numeric	
V1456	ml19y	For fever/conv: Gave nothing	discrete	numeric	
V1457	ml19z	For fever/conv: Don't know if something else was done	discrete	numeric	
V1458	ml20a	Took first line medicaton	discrete	numeric	
V1459	ml20b	When started 1st line medication	discrete	numeric	
V1460	ml20c	Duration of 1st line medication	discrete	numeric	
V1461	ml21a	Took second line medicaton	discrete	numeric	
V1462	ml21b	When started 2nd line medication	discrete	numeric	
V1463	ml21c	Duration of 2nd line medication	discrete	numeric	
V1464	ml22a	Took other anti-malarial medicaton	discrete	numeric	
V1465	ml22b	When started other anti-malarial medication	discrete	numeric	
V1466	ml22c	Duration of other anti-malarial medication	discrete	numeric	
V1467	s466a1	Response to fever - 1	discrete	numeric	
V1468	s466a2	Response to fever - 2	discrete	numeric	
V1469	s466a3	Response to fever - 3	discrete	numeric	
V1470	s466a4	Response to fever - 4	discrete	numeric	
V1471	s466d	When started taking medicine	discrete	numeric	
V1472	s466i	When started taking medicine	discrete	numeric	
V1473	s466n	When started taking medicine	discrete	numeric	
V1474	s466s	When started taking medicine	discrete	numeric	
V1475	s466x	When started taking medicine	discrete	numeric	
V1476	s466ca	Fansidar taken for fever	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1477	s466cb	Chloroquine taken for fever	discrete	numeric	
V1478	s466cc	Aspirin taken for fever	discrete	numeric	
V1479	s466cd	Ibuprofen/acetaminophen taken for fever	discrete	numeric	
V1480	s466ce	Amodiaquine taken for fever	discrete	numeric	
V1481	s466cf	Quinine taken for fever	discrete	numeric	
V1482	s466cg	Artesunate taken for fever	discrete	numeric	
V1483	s466cx	Other taken for fever	discrete	numeric	
V1484	s466cy	Nothing taken for fever	discrete	numeric	
V1485	s466cz	Don't know if or what was taken	discrete	numeric	
V1486	s466ha	Fansidar taken for fever	discrete	numeric	
V1487	s466hb	Chloroquine taken for fever	discrete	numeric	
V1488	s466hc	Aspirin taken for fever	discrete	numeric	
V1489	s466hd	Ibuprofen/acetaminophen taken for fever	discrete	numeric	
V1490	s466he	Amodiaquine taken for fever	discrete	numeric	
V1491	s466hf	Quinine taken for fever	discrete	numeric	
V1492	s466hg	Artesunate taken for fever	discrete	numeric	
V1493	s466hx	Other taken for fever	discrete	numeric	
V1494	s466hy	Nothing taken for fever	discrete	numeric	
V1495	s466hz	Don't know if or what was taken	discrete	numeric	
V1496	s466ma	Fansidar taken for fever	discrete	numeric	
V1497	s466mb	Chloroquine taken for fever	discrete	numeric	
V1498	s466mc	Aspirin taken for fever	discrete	numeric	
V1499	s466md	Ibuprofen/acetaminophen taken for fever	discrete	numeric	
V1500	s466me	Amodiaquine taken for fever	discrete	numeric	
V1501	s466mf	Quinine taken for fever	discrete	numeric	
V1502	s466mg	Artesunate taken for fever	discrete	numeric	
V1503	s466mx	Other taken for fever	discrete	numeric	
V1504	s466my	Nothing taken for fever	discrete	numeric	
V1505	s466mz	Don't know if or what was taken	discrete	numeric	
V1506	s466ra	Fansidar taken for fever	discrete	numeric	
V1507	s466rb	Chloroquine taken for fever	discrete	numeric	
V1508	s466rc	Aspirin taken for fever	discrete	numeric	
V1509	s466rd	Ibuprofen/acetaminophen taken for fever	discrete	numeric	
V1510	s466re	Amodiaquine taken for fever	discrete	numeric	
V1511	s466rf	Quinine taken for fever	discrete	numeric	
V1512	s466rg	Artesunate taken for fever	discrete	numeric	
V1513	s466rx	Other taken for fever	discrete	numeric	
V1514	s466ry	Nothing taken for fever	discrete	numeric	
V1515	s466rz	Don't know if or what was taken	discrete	numeric	
V1516	s466wa	Fansidar taken for fever	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1517	s466wb	Chloroquine taken for fever	discrete	numeric	
V1518	s466wc	Aspirin taken for fever	discrete	numeric	
V1519	s466wd	Ibuprofen/acetaminophen taken for fever	discrete	numeric	
V1520	s466we	Amodiaquine taken for fever	discrete	numeric	
V1521	s466wf	Quinine taken for fever	discrete	numeric	
V1522	s466wg	Artesunate taken for fever	discrete	numeric	
V1523	s466wx	Other taken for fever	discrete	numeric	
V1524	s466wy	Nothing taken for fever	discrete	numeric	
V1525	s466wz	Don't know if or what was taken	discrete	numeric	
V1526	s466f	When taken to health center	discrete	numeric	
V1527	s466k	When taken to health center	discrete	numeric	
V1528	s466p	When taken to health center	discrete	numeric	
V1529	s466u	When saw community health worker	discrete	numeric	
V1530	s472	Been ill with convulsions in last 2 weeks	discrete	numeric	
V1531	s472ba	Sought advice or treatment for convulsions: gov't hospital	discrete	numeric	
V1532	s472bb	Sought advice or treatment for convulsions: gov't health center	discrete	numeric	
V1533	s472bc	Sought advice or treatment for convulsions: gov't health post	discrete	numeric	
V1534	s472bd	Sought advice or treatment for convulsions: gov't mobile clinic	discrete	numeric	
V1535	s472be	Sought advice or treatment for convulsions: gov't field worker	discrete	numeric	
V1536	s472bf	Sought advice or treatment for convulsions: gov't other	discrete	numeric	
V1537	s472bg	Sought advice or treatment for convulsions: mission hospital	discrete	numeric	
V1538	s472bh	Sought advice or treatment for convulsions: mission health center	discrete	numeric	
V1539	s472bi	Sought advice or treatment for convulsions: mission mobile clinic	discrete	numeric	
V1540	s472bj	Sought advice or treatment for convulsions: private hospital/clinic	discrete	numeric	
V1541	s472bk	Sought advice or treatment for convulsions: pharmacy	discrete	numeric	
V1542	s472bl	Sought advice or treatment for convulsions: private doctor	discrete	numeric	
V1543	s472bm	Sought advice or treatment for convulsions: private mobile clinic	discrete	numeric	
V1544	s472bn	Sought advice or treatment for convulsions: private field worker	discrete	numeric	
V1545	s472bo	Sought advice or treatment for convulsions: other private medical	discrete	numeric	
V1546	s472bp	Sought advice or treatment for convulsions: shop	discrete	numeric	
V1547	s472bq	Sought advice or treatment for convulsions: traditional practitioner	discrete	numeric	
V1548	s472bx	Sought advice or treatment for convulsions: other	discrete	numeric	
V1549	s472c	When taken for treatment	discrete	numeric	

## RECDV

Content	WOMAN - Domestic violence
Cases	9707
Variable(s)	203
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V1550	hhid	Case Identification	discrete	character	
V1551	caseid	Case Identification	discrete	character	
V1552	d005	Weight for domestic violence respondents (6 decimals)	contin	numeric	
V1553	d100a	Free time	discrete	numeric	
V1554	d100b	Consults	discrete	numeric	
V1555	d100c	Affectionate	discrete	numeric	
V1556	d100d	Respects	discrete	numeric	
V1557	d100e	CS positive husband actions	discrete	numeric	
V1558	d100f	CS positive husband actions	discrete	numeric	
V1559	d100g	CS positive husband actions	discrete	numeric	
V1560	d100h	CS positive husband actions	discrete	numeric	
V1561	d101a	Husband jealous if talking with other men	discrete	numeric	
V1562	d101b	Husband accuses her of unfaithfulness	discrete	numeric	
V1563	d101c	Does not permit her to meet her girl friends	discrete	numeric	
V1564	d101d	Husband tries to limit her contact with family	discrete	numeric	
V1565	d101e	Husband insists on knowing where she is	discrete	numeric	
V1566	d101f	Husband doesn't trust her with money	discrete	numeric	
V1567	d101g	CS control issue	discrete	numeric	
V1568	d101h	CS control issue	discrete	numeric	
V1569	d101i	CS control issue	discrete	numeric	
V1570	d101j	CS control issue	discrete	numeric	
V1571	d102	Number of control issues	discrete	numeric	
V1572	d103a	Spouse ever humiliated her	discrete	numeric	
V1573	d103an	Humiliation: number of times last 12 months	discrete	numeric	
V1574	d103b	Spouse ever threatened her with harm	discrete	numeric	
V1575	d103bn	Threatened: number of times last 12 months	discrete	numeric	
V1576	d103c	CS emotional abuse: ever	discrete	numeric	
V1577	d103cn	CS emotional abuse: number of times last 12 months	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1578	d103d	CS emotional abuse: ever	discrete	numeric	
V1579	d103dn	CS emotional abuse: number of times last 12 months	discrete	numeric	
V1580	d103e	CS emotional abuse: ever	discrete	numeric	
V1581	d103en	CS emotional abuse: number of times last 12 months	discrete	numeric	
V1582	d103f	CS emotional abuse: ever	discrete	numeric	
V1583	d103fn	CS emotional abuse: number of times last 12 months	discrete	numeric	
V1584	d104	Ever any emotional violence	discrete	numeric	
V1585	d104n	Emotional violence (maximum number of times in last year)	discrete	numeric	
V1586	d105a	Spouse ever pushed, shook or threw something	discrete	numeric	
V1587	d105an	Pushed: number of times last 12 months	discrete	numeric	
V1588	d105b	Spouse ever slapped or twisted her arm	discrete	numeric	
V1589	d105bn	Slapped: number of times last 12m	discrete	numeric	
V1590	d105c	Spouse ever punched with fist or something harmful	discrete	numeric	
V1591	d105cn	Punched: number of times last 12m	discrete	numeric	
V1592	d105d	Spouse ever kicked or dragged	discrete	numeric	
V1593	d105dn	Kicked: number of times last 12m	discrete	numeric	
V1594	d105e	Spouse ever tried to strangle or burn	discrete	numeric	
V1595	d105en	Strangled: number of times last 12m	discrete	numeric	
V1596	d105f	Spouse ever threatened with knife/gun or other weapon	discrete	numeric	
V1597	d105fn	Threatened: number of times last 12m	discrete	numeric	
V1598	d105g	Spouse ever attacked with knife/gun or other weapon	discrete	numeric	
V1599	d105gn	Attacked: number of times last 12m	discrete	numeric	
V1600	d105h	Spouse ever physically forced sex when not wanted	discrete	numeric	
V1601	d105hn	Forced sexually: number of times last 12m	discrete	numeric	
V1602	d105i	Spouse ever forced other sexual acts when not wanted	discrete	numeric	
V1603	d105in	Forced for other sexual acts: number of times last 12m	discrete	numeric	
V1604	d105j	CS: physical violence	discrete	numeric	
V1605	d105jn	CS physical violence: number of times last 12 m.	discrete	numeric	
V1606	d105k	CS: physical violence	discrete	numeric	
V1607	d105kn	CS physical violence: number of times last 12 m.	discrete	numeric	
V1608	d105l	CS: physical violence	discrete	numeric	
V1609	d105ln	CS physical violence: number of times last 12 m.	discrete	numeric	
V1610	d105m	CS: physical violence	discrete	numeric	
V1611	d105mn	CS physical violence: number of times last 12 m.	discrete	numeric	
V1612	d106	Experienced any less severe violence	discrete	numeric	
V1613	d106n	Less severe violence (maximum number of times in last year)	discrete	numeric	
V1614	d107	Experienced any severe violence	discrete	numeric	
V1615	d107n	Severe violence (maximum number of times in last year)	discrete	numeric	
V1616	d108	Experienced any sexual violence	discrete	numeric	
V1617	d108n	Sexual violence (maximum number of times in last year)	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1618	d109	First time it happened	discrete	numeric	
V1619	d110a	Ever had bruises because of husband's act	discrete	numeric	
V1620	d110an	Bruises: number of times last 12m	discrete	numeric	
V1621	d110b	Ever had injury or broken bone because of husband's act	discrete	numeric	
V1622	d110bn	Injury: number of times last 12m	discrete	numeric	
V1623	d110c	Ever went to health facility because of husband's act	discrete	numeric	
V1624	d110cn	Went to health facility: number of times last 12m	discrete	numeric	
V1625	d110d	CS action: because of husband's act	discrete	numeric	
V1626	d110dn	CS results of violence: number of times last 12m	discrete	numeric	
V1627	d110e	CS action: because of husband's act	discrete	numeric	
V1628	d110en	CS results of violence: number of times last 12m	discrete	numeric	
V1629	d110f	CS action: because of husband's act	discrete	numeric	
V1630	d110fn	CS results of violence: number of times last 12m	discrete	numeric	
V1631	d110g	CS action: because of husband's act	discrete	numeric	
V1632	d110gn	CS results of violence: number of times last 12m	discrete	numeric	
V1633	d111	Any results of husbands's actions	discrete	numeric	
V1634	d111n	Results husband's acts (maximum number of times last year)	discrete	numeric	
V1635	d112	Ever phys hurt husband when he was not hurting you	discrete	numeric	
V1636	d112n	Ever physic hurt husb when he was not hurting you: times 12m	discrete	numeric	
V1637	d113	Partner drinks alcohol	discrete	numeric	
V1638	d114	Times partner gets drunk	discrete	numeric	
V1639	d115b	Ever physically hurt by: mother	discrete	numeric	
V1640	d115c	Ever physically hurt by: father	discrete	numeric	
V1641	d115d	Ever physically hurt by: daughter	discrete	numeric	
V1642	d115e	Ever physically hurt by: son	discrete	numeric	
V1643	d115f	Ever physically hurt by: sister	discrete	numeric	
V1644	d115g	Ever physically hurt by: brother	discrete	numeric	
V1645	d115h	Ever physically hurt by: other female family	discrete	numeric	
V1646	d115i	Ever physically hurt by: other male family	discrete	numeric	
V1647	d115j	Ever physically hurt by: former partner	discrete	numeric	
V1648	d115k	Ever physically hurt by: current boyfriend	discrete	numeric	
V1649	d115l	Ever physically hurt by: former boyfriend	discrete	numeric	
V1650	d115m	Ever physically hurt by: step-mother	discrete	numeric	
V1651	d115n	Ever physically hurt by: step-father	discrete	numeric	
V1652	d115o	Ever physically hurt by: mother-in-law	discrete	numeric	
V1653	d115p	Ever physically hurt by: father-in-law	discrete	numeric	
V1654	d115q	Ever physically hurt by: other female in-law	discrete	numeric	
V1655	d115r	Ever physically hurt by: other male in-law	discrete	numeric	
V1656	d115s	Ever physically hurt by: female friend	discrete	numeric	
V1657	d115t	Ever physically hurt by: male friend	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1658	d115u	Ever physically hurt by: neighbor	discrete	numeric	
V1659	d115v	Ever physically hurt by: teacher	discrete	numeric	
V1660	d115w	Ever physically hurt by: employer	discrete	numeric	
V1661	d115x	Ever physically hurt by: other	discrete	numeric	
V1662	d115y	Ever physically hurt by: no one other than spouse	discrete	numeric	
V1663	d115xa	Ever physically hurt by: stranger	discrete	numeric	
V1664	d115xb	Ever physically hurt by: other female in-law/family	discrete	numeric	
V1665	d115xc	Ever physically hurt by: other male in-law/family	discrete	numeric	
V1666	d115xd	Ever physically hurt by: friend	discrete	numeric	
V1667	d115xe	Ever physically hurt by: police	discrete	numeric	
V1668	d115xf	Ever physically hurt by: religious leader	discrete	numeric	
V1669	d115xg	Ever physically hurt by: lawyer	discrete	numeric	
V1670	d115xh	Ever physically hurt by: doctor	discrete	numeric	
V1671	d115xi	Ever physically hurt by: CS	discrete	numeric	
V1672	d115xj	Ever physically hurt by: CS	discrete	numeric	
V1673	d115xk	Ever physically hurt by: CS	discrete	numeric	
V1674	d116	Person who hurt her most often	discrete	numeric	
V1675	d117	Times hit by other than partner last 12m	discrete	numeric	
V1676	d118a	Hurt during pregnancy by: husband	discrete	numeric	
V1677	d118b	Hurt during pregnancy by: mother	discrete	numeric	
V1678	d118c	Hurt during pregnancy by: father	discrete	numeric	
V1679	d118d	Hurt during pregnancy by: daughter	discrete	numeric	
V1680	d118e	Hurt during pregnancy by: son	discrete	numeric	
V1681	d118f	Hurt during pregnancy by:sister	discrete	numeric	
V1682	d118g	Hurt during pregnancy by:brother	discrete	numeric	
V1683	d118h	Hurt during pregnancy by: other female family	discrete	numeric	
V1684	d118i	Hurt during pregnancy by: other male family	discrete	numeric	
V1685	d118j	Hurt during pregnancy by: former partner	discrete	numeric	
V1686	d118k	Hurt during pregnancy by: current boyfriend	discrete	numeric	
V1687	d118l	Hurt during pregnancy by: former boyfriend	discrete	numeric	
V1688	d118m	Hurt during pregnancy by: step-mother	discrete	numeric	
V1689	d118n	Hurt during pregnancy by: step-father	discrete	numeric	
V1690	d118o	Hurt during pregnancy by: mother-in-law	discrete	numeric	
V1691	d118p	Hurt during pregnancy by: father-in-law	discrete	numeric	
V1692	d118q	Hurt during pregnancy by: other female in-law	discrete	numeric	
V1693	d118r	Hurt during pregnancy by: other male in-law	discrete	numeric	
V1694	d118s	Hurt during pregnancy by: female friend	discrete	numeric	
V1695	d118t	Hurt during pregnancy by: male friend	discrete	numeric	
V1696	d118u	Hurt during pregnancy by: neighbor	discrete	numeric	
V1697	d118v	Hurt during pregnancy by: teacher	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1698	d118w	Hurt during pregnancy by: employer	discrete	numeric	
V1699	d118x	Hurt during pregnancy by: other person	discrete	numeric	
V1700	d118y	Hurt during pregnancy by: no one	discrete	numeric	
V1701	d118xa	Hurt during pregnancy by: stranger	discrete	numeric	
V1702	d118xb	Hurt during pregnancy by: other female in-law/family	discrete	numeric	
V1703	d118xc	Hurt during pregnancy by: other male in-law family	discrete	numeric	
V1704	d118xd	Hurt during pregnancy by: friend	discrete	numeric	
V1705	d118xe	Hurt during pregnancy by: police	discrete	numeric	
V1706	d118xf	Hurt during pregnancy by: religious leader	discrete	numeric	
V1707	d118xg	Hurt during pregnancy by: lawyer	discrete	numeric	
V1708	d118xh	Hurt during pregnancy by: doctor	discrete	numeric	
V1709	d118xi	Hurt during pregnancy by: CS	discrete	numeric	
V1710	d118xj	Hurt during pregnancy by: CS	discrete	numeric	
V1711	d118xk	Ever physically hurt by: CS	discrete	numeric	
V1712	d119a	Sought help from: husband	discrete	numeric	
V1713	d119b	Sought help from: mother	discrete	numeric	
V1714	d119c	Sought help from: father	discrete	numeric	
V1715	d119d	Sought help from: daughter	discrete	numeric	
V1716	d119e	Sought help from: son	discrete	numeric	
V1717	d119f	Sought help from: sister	discrete	numeric	
V1718	d119g	Sought help from: brother	discrete	numeric	
V1719	d119h	Sought help from: other female family	discrete	numeric	
V1720	d119i	Sought help from: other male family	discrete	numeric	
V1721	d119j	Sought help from: former partner	discrete	numeric	
V1722	d119k	Sought help from: current boyfriend	discrete	numeric	
V1723	d119l	Sought help from: former boyfriend	discrete	numeric	
V1724	d119m	Sought help from: step-mother	discrete	numeric	
V1725	d119n	Sought help from: step-father	discrete	numeric	
V1726	d119o	Sought help from: mother-in-law	discrete	numeric	
V1727	d119p	Sought help from: father-in-law	discrete	numeric	
V1728	d119q	Sought help from: other female in-law	discrete	numeric	
V1729	d119r	Sought help from: other male in-law	discrete	numeric	
V1730	d119s	Sought help from: female friend	discrete	numeric	
V1731	d119t	Sought help from: male friend	discrete	numeric	
V1732	d119u	Sought help from: neighbor	discrete	numeric	
V1733	d119v	Sought help from: teacher	discrete	numeric	
V1734	d119w	Sought help from: employer	discrete	numeric	
V1735	d119x	Sought help from: other person	discrete	numeric	
V1736	d119y	Sought help from: no one	discrete	numeric	
V1737	d119xa	Sought help from: stranger	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1738	d119xb	Sought help from: other female in-law/family	discrete	numeric	
V1739	d119xc	Sought help from: other male in-law/family	discrete	numeric	
V1740	d119xd	Sought help from: friend	discrete	numeric	
V1741	d119xe	Sought help from: police	discrete	numeric	
V1742	d119xf	Sought help from: religious leader	discrete	numeric	
V1743	d119xg	Sought help from: lawyer	discrete	numeric	
V1744	d119xh	Sought help from: doctor	discrete	numeric	
V1745	d119xi	Sought help from: CS	discrete	numeric	
V1746	d119xj	Hurt during pregnancy by: CS	discrete	numeric	
V1747	d119xk	Hurt during pregnancy by: CS	discrete	numeric	
V1748	d120	Main reason never sought help	discrete	numeric	
V1749	d121	Did her father ever beat her mother	discrete	numeric	
V1750	d122a	Interrupted interview because of husband's presence	discrete	numeric	
V1751	d122b	Interrupted interview because of other adult male's presence	discrete	numeric	
V1752	d122c	Interrupted interview because of adult female's presence	discrete	numeric	

## RECWS

Content WOMAN - Women status

Cases 0

Variable(s) 151

Structure Type:  
Keys: ()

Version

Producer

Missing Data

## Variables

ID	Name	Label	Type	Format	Question
V1753	hhid	Case Identification	discrete	character	
V1754	caseid	Case Identification	discrete	character	
V1755	w100	Time knew husband	discrete	numeric	
V1756	w101	Who chose husband	discrete	numeric	
V1757	w102	Consent sought from respondent for marriage	discrete	numeric	
V1758	w103a	Marriage ceremony	discrete	numeric	
V1759	w103b	Marriage ceremony	discrete	numeric	
V1760	w103c	Marriage ceremony	discrete	numeric	
V1761	w103d	Marriage ceremony	discrete	numeric	
V1762	w103e	Marriage ceremony: CS	discrete	numeric	
V1763	w103f	Marriage ceremony: CS	discrete	numeric	
V1764	w103g	Marriage ceremony: CS	discrete	numeric	
V1765	w103x	Marriage ceremony	discrete	numeric	
V1766	w103y	Marriage ceremony	discrete	numeric	
V1767	w104a	Final say on: work	discrete	numeric	
V1768	w104b	Final say on: contraception	discrete	numeric	
V1769	w104c	Final say on: CS	discrete	numeric	
V1770	w104d	Final say on: CS	discrete	numeric	
V1771	w104e	Final say on: CS	discrete	numeric	
V1772	w104f	Final say on: CS	discrete	numeric	
V1773	w104g	Final say on: CS	discrete	numeric	
V1774	w104h	Final say on: CS	discrete	numeric	
V1775	w105a	Final say on: schooling (has living children)	discrete	numeric	
V1776	w105b	Final say on: medical care for sick child (has living child)	discrete	numeric	
V1777	w105c	Final say on: discipline (has living children)	discrete	numeric	
V1778	w105d	Final say on: another child (has living children)	discrete	numeric	
V1779	w105e	Final say on: CS	discrete	numeric	
V1780	w105f	Final say on: CS	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1781	w105g	Final say on: CS	discrete	numeric	
V1782	w105h	Final say on: CS	discrete	numeric	
V1783	w106a	Talks with husband about: events at work	discrete	numeric	
V1784	w106b	Talks with husband about: events at home	discrete	numeric	
V1785	w106c	Talks with husband about: money matters	discrete	numeric	
V1786	w106d	Talks with husband about: community happenings	discrete	numeric	
V1787	w106e	Talks with husband about: CS	discrete	numeric	
V1788	w106f	Talks with husband about: CS	discrete	numeric	
V1789	w106g	Talks with husband about: CS	discrete	numeric	
V1790	w106h	Talks with husband about: CS	discrete	numeric	
V1791	w106i	Talks with husband about: CS	discrete	numeric	
V1792	w107a	Partner's relatives living with the respondent: father-i-l	discrete	numeric	
V1793	w107b	Partner's relatives living with the respondent: mother-i-l	discrete	numeric	
V1794	w107c	Partner's relatives living with the respondent: brother-i-l	discrete	numeric	
V1795	w107d	Partner's relatives living with the respondent:sister-i-l	discrete	numeric	
V1796	w107e	Partner's relatives living with the respondent:wife of b-i-l	discrete	numeric	
V1797	w107f	Partner's relatives living with the respondent:husband of s-	discrete	numeric	
V1798	w107g	Partner's relatives living with the respondent:CS	discrete	numeric	
V1799	w107h	Partner's relatives living with the respondent:CS	discrete	numeric	
V1800	w107i	Partner's relatives living with the respondent:CS	discrete	numeric	
V1801	w107j	Partner's relatives living with the respondent:CS	discrete	numeric	
V1802	w107x	Partner's relatives living with the respondent:other in-laws	discrete	numeric	
V1803	w107y	Partner's relatives living with the respondent: no in-laws	discrete	numeric	
V1804	w108	Father alive	discrete	numeric	
V1805	w109	Mother alive	discrete	numeric	
V1806	w110	Father's highest education	discrete	numeric	
V1807	w111	Father can read a newspaper	discrete	numeric	
V1808	w112	Mother's education	discrete	numeric	
V1809	w113	Mother can read a newspaper	discrete	numeric	
V1810	w114	Any family member living with her	discrete	numeric	
V1811	w115	Times talked to a family member	discrete	numeric	
V1812	w116	Family close enough to visit easily (go & return in 1 day)	discrete	numeric	
V1813	w117a	Family support: Shelter	discrete	numeric	
V1814	w117b	Family support: Economic support	discrete	numeric	
V1815	w118a	Control over money for: perishable foods (fruits/vegetables)	discrete	numeric	
V1816	w118b	Control over money for: Clothes	discrete	numeric	
V1817	w118c	Control over money for: Medicine	discrete	numeric	
V1818	w118d	Control over money for: Toiletries	discrete	numeric	
V1819	w118e	Control over money for: CS	discrete	numeric	
V1820	w118f	Control over money for: CS	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1821	w118g	Control over money for: CS	discrete	numeric	
V1822	w118h	Control over money for: CS	discrete	numeric	
V1823	w118i	Control over money for: CS	discrete	numeric	
V1824	w120	In last 7 days: number of days HH member went to bed hungry	discrete	numeric	
V1825	w121a	Person who went hungry: respondent only	discrete	numeric	
V1826	w121b	Person who went hungry: partner	discrete	numeric	
V1827	w121c	Person who went hungry: son(s)	discrete	numeric	
V1828	w121d	Person who went hungry: daughter(s)	discrete	numeric	
V1829	w121e	Person who went hungry: other female relative(s)	discrete	numeric	
V1830	w121f	Person who went hungry: other male relative(s)	discrete	numeric	
V1831	w121g	Person who went hungry: non-relative(s)	discrete	numeric	
V1832	w121y	Person who went hungry: no one	discrete	numeric	
V1833	w122a	Asset owned: Land	discrete	numeric	
V1834	w122b	Asset owned: The dwelling	discrete	numeric	
V1835	w122c	Asset owned: Other dwelling	discrete	numeric	
V1836	w122d	Asset owned: Jewelry	discrete	numeric	
V1837	w122e	Asset owned: Livestock	discrete	numeric	
V1838	w122f	Asset owned: CS	discrete	numeric	
V1839	w122g	Asset owned: CS	discrete	numeric	
V1840	w122h	Asset owned: CS	discrete	numeric	
V1841	w122i	Asset owned: CS	discrete	numeric	
V1842	w122j	Asset owned: CS	discrete	numeric	
V1843	w123a	Can sell without permission: Land	discrete	numeric	
V1844	w123b	Can sell without permission: The dwelling	discrete	numeric	
V1845	w123c	Can sell without permission: Other dwelling	discrete	numeric	
V1846	w123d	Can sell without permission: Jewelry	discrete	numeric	
V1847	w123e	Can sell without permission: Livestock	discrete	numeric	
V1848	w123f	Can sell without permission: CS	discrete	numeric	
V1849	w123g	Can sell without permission: CS	discrete	numeric	
V1850	w123h	Can sell without permission: CS	discrete	numeric	
V1851	w123i	Can sell without permission: CS	discrete	numeric	
V1852	w123j	Can sell without permission: CS	discrete	numeric	
V1853	w124	Has money for her own use	discrete	numeric	
V1854	w125a	Owns a bank account	discrete	numeric	
V1855	w125b	Owns a bank account	discrete	numeric	
V1856	w125y	Owns a bank account	discrete	numeric	
V1857	w126	Operate her account	discrete	numeric	
V1858	w127	Knowledge of loan programs	discrete	numeric	
V1859	w128	Given a loan	discrete	numeric	
V1860	w129a	Opinion on: family decisions should be made by men	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1861	w129b	Opinion on: husband should not help with household chores	discrete	numeric	
V1862	w129c	Opinion on: married women should not be allowed to work	discrete	numeric	
V1863	w129d	Opinion on: wife does not have the right to express opinion	discrete	numeric	
V1864	w129e	Opinion on: wife should tolerate being beaten to keep family	discrete	numeric	
V1865	w129f	Opinion on: better to educate son rather than daughter	discrete	numeric	
V1866	w129g	Opinion on: CS	discrete	numeric	
V1867	w129h	Opinion on: CS	discrete	numeric	
V1868	w129i	Opinion on: CS	discrete	numeric	
V1869	w129j	Opinion on: CS	discrete	numeric	
V1870	w130a	Permitted to go to: market	discrete	numeric	
V1871	w130b	Permitted to go to: health center	discrete	numeric	
V1872	w130c	Permitted to go to: community center	discrete	numeric	
V1873	w130d	Permitted to go to: friends	discrete	numeric	
V1874	w130e	Permitted to go to: religious places	discrete	numeric	
V1875	w130f	Permitted to go: outside the house	discrete	numeric	
V1876	w130g	Permitted to go: CS	discrete	numeric	
V1877	w130h	Permitted to go: CS	discrete	numeric	
V1878	w130i	Permitted to go: CS	discrete	numeric	
V1879	w130j	Permitted to go: CS	discrete	numeric	
V1880	w130k	Permitted to go: CS	discrete	numeric	
V1881	w131a	Kind of association:religious	discrete	numeric	
V1882	w131b	Kind of association:social	discrete	numeric	
V1883	w131c	Kind of association:women's organization	discrete	numeric	
V1884	w131d	Kind of association:labor union	discrete	numeric	
V1885	w131e	Kind of association:political	discrete	numeric	
V1886	w131f	Kind of association:CS	discrete	numeric	
V1887	w131g	Kind of association:CS	discrete	numeric	
V1888	w131h	Kind of association:CS	discrete	numeric	
V1889	w131x	Kind of association: other organization	discrete	numeric	
V1890	w131y	Kind of association: no organization	discrete	numeric	
V1891	w132	Votes	discrete	numeric	
V1892	w133	Worked before first marriage	discrete	numeric	
V1893	w134	Occupation before marriage	discrete	numeric	
V1894	w135	Place of work before marriage	discrete	numeric	
V1895	w136	Payment for work before marriage	discrete	numeric	
V1896	w137	Who decided on spending of earnings before marriage	discrete	numeric	
V1897	w138	Worked after marriage	discrete	numeric	
V1898	w139	Last occupation after marriage	discrete	numeric	
V1899	w140	Place of work after marriage	discrete	numeric	
V1900	w141	Type of earnings after marriage	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1901	w142	Who decided on spending the earnings after marriage	discrete	numeric	
V1902	w143	Years ago stopped working	discrete	numeric	
V1903	w144	Years worked in her life	discrete	numeric	

## MREC01

Content	MAN - Respondent's Basic Data
Cases	3072
Variable(s)	38
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V1904	mcaseid	Case Identification	discrete	character	
V1905	mv000	Country code and phase	discrete	character	
V1906	mv001	Cluster number	contin	numeric	
V1907	mv002	Household number	contin	numeric	
V1908	mv003	Respondent's line number	discrete	numeric	
V1909	mv004	Ultimate area unit	contin	numeric	
V1910	mv005	Sample weight	contin	numeric	
V1911	mv006	Month of interview	discrete	numeric	
V1912	mv007	Year of interview	discrete	numeric	
V1913	mv008	Date of interview (CMC)	discrete	numeric	
V1914	mv009	Respondent's month of birth	discrete	numeric	
V1915	mv010	Respondent's year of birth	contin	numeric	
V1916	mv011	Date of birth (CMC)	contin	numeric	
V1917	mv012	Current age - respondent	contin	numeric	
V1918	mv013	Age 5-year groups	discrete	numeric	
V1919	mv014	Completeness of information	discrete	numeric	
V1920	mv015	Result of individual interview	discrete	numeric	
V1921	mv016	Day of interview	contin	numeric	
V1922	mv021	Primary sampling unit	contin	numeric	
V1923	mv022	Sample stratum number	contin	numeric	
V1924	mv023	Sample domain	discrete	numeric	
V1925	mv024	Region	discrete	numeric	
V1926	mv025	Type of place of residence	discrete	numeric	
V1927	mv026	De facto place of residence	discrete	numeric	
V1928	mv027	Number of visits	discrete	numeric	
V1929	mv028	Interviewer identification	contin	numeric	
V1930	mv029	Keyer identification	contin	numeric	
V1931	mv030	Field supervisor	contin	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1932	mv031	Field editor	contin	numeric	
V1933	mv032	Office editor	contin	numeric	
V1934	mv033	Ultimate area selection prob.	contin	numeric	
V1935	mv035	Number of wives, partners	discrete	numeric	
V1936	mv801	Time interview started	contin	numeric	
V1937	mv802	Time interview ended	contin	numeric	
V1938	mv803	Length of interview in minutes	discrete	numeric	
V1939	mrec01_group	Number of wives	discrete	character	
V1940	mv034	Line numbers of wives, partners	discrete	numeric	
V1941	mv034a	Wife or partner	discrete	numeric	

**MREC11**

Content	MAN - Respondent's Basic Data (continued)
Cases	3261
Variable(s)	35
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V1942	mcaseid	Case Identification	discrete	character	
V1943	mv101	Region	discrete	numeric	
V1944	mv102	Type of place of residence	discrete	numeric	
V1945	mv103	Childhood place of residence	discrete	numeric	
V1946	mv104	Years lived in place of res.	discrete	numeric	
V1947	mv105	Type of place of previous res.	discrete	numeric	
V1948	mv106	Highest educational level	discrete	numeric	
V1949	mv107	Highest year of education	contin	numeric	
V1950	mv130	Religion	discrete	numeric	
V1951	mv131	Ethnicity	discrete	numeric	
V1952	mv133	Education in single years	discrete	numeric	
V1953	mv134	De facto place of residence	discrete	numeric	
V1954	mv135	Usual resident or visitor	discrete	numeric	
V1955	mv136	Number of household members	discrete	numeric	
V1956	mv138	Number of eligible men in HH	discrete	numeric	
V1957	mv149	Educational attainment	discrete	numeric	
V1958	mv150	Relationship to household head	discrete	numeric	
V1959	mv151	Sex of household head	discrete	numeric	
V1960	mv152	Age of household head	discrete	numeric	
V1961	mv155	Literacy	discrete	numeric	
V1962	mv156	Ever participated in a literacy program outside of primary	discrete	numeric	
V1963	mv157	Frequency of reading newspaper or magazine	discrete	numeric	
V1964	mv158	Frequency of listening to radio	discrete	numeric	
V1965	mv159	Frequency of watching television	discrete	numeric	
V1966	mv167	Times away from home in last 12 months	discrete	numeric	
V1967	mv168	Away for more than one month	discrete	numeric	
V1968	mv463a	Smokes cigarettes	discrete	numeric	
V1969	mv463b	Smokes pipe	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V1970	mv463c	Smokes other tobacco	discrete	numeric	
V1971	mv463d	Uses chewing tobacco	discrete	numeric	
V1972	mv463e	Uses snuff	discrete	numeric	
V1973	mv463f	Smokes country specific	discrete	numeric	
V1974	mv463g	Smokes country specific	discrete	numeric	
V1975	mv463z	Smokes nothing	discrete	numeric	
V1976	mv464	Number of cigarettes in last 24 hours	discrete	numeric	

**MREC22**

Content MAN - Reproduction

Cases 3261

Variable(s) 15

Structure Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

ID	Name	Label	Type	Format	Question
V1977	mcaseid	Case Identification	discrete	character	
V1978	mv201	Total children ever born	contin	numeric	
V1979	mv202	Sons at home	discrete	numeric	
V1980	mv203	Daughters at home	discrete	numeric	
V1981	mv204	Sons elsewhere	discrete	numeric	
V1982	mv205	Daughters elsewhere	discrete	numeric	
V1983	mv206	Sons who have died	discrete	numeric	
V1984	mv207	Daughters who have died	discrete	numeric	
V1985	mv212	Age of respondent at 1st birth	contin	numeric	
V1986	mv213	Partner currently pregnant	discrete	numeric	
V1987	mv217	Knowledge of ovulatory cycle	discrete	numeric	
V1988	mv218	Number of living children	discrete	numeric	
V1989	mv225	Current pregnancy wanted	discrete	numeric	
V1990	mv245	Women fathered children with	contin	numeric	
V1991	mv246	Married to mother when first child was born	discrete	numeric	

**MREC31**

Content MAN - Contraceptive Table

Cases 34241

Variable(s) 8

Structure Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

ID	Name	Label	Type	Format	Question
V1992	mcaseid	Case Identification	discrete	character	
V1993	mv301	Knowledge of any method	discrete	numeric	
V1994	mv302	Ever use of any method	discrete	numeric	
V1995	mrec31_group	Contraception table	discrete	character	
V1996	m304a	Type of method	discrete	numeric	
V1997	mv304	Knows method	discrete	numeric	
V1998	mv305	Ever used method	discrete	numeric	
V1999	mv307	Method currently used	discrete	numeric	

**MREC32**

Content MAN - Contraceptive Use

Cases 6522

Variable(s) 133

Structure Type:  
Keys: ()

Version

Producer

Missing Data

**Variables**

ID	Name	Label	Type	Format	Question
V2000	mcaseid	Case Identification	discrete	character	
V2001	mv312	Current contraceptive method	discrete	numeric	
V2002	mv312a	Most recent contraceptive method	discrete	numeric	
V2003	mv312b	Contraceptive method with other woman	discrete	numeric	
V2004	mv312c	Contraceptive method with other woman (2)	discrete	numeric	
V2005	mv313	Current use by method type	discrete	numeric	
V2006	mv313a	Most recent use by method type	discrete	numeric	
V2007	mv313b	Method use by method type with other woman	discrete	numeric	
V2008	mv313c	Method use by method type with other woman (2)	discrete	numeric	
V2009	mv361	Pattern of use	discrete	numeric	
V2010	mv362	Intention to use	discrete	numeric	
V2011	mv363	Preferred future method	discrete	numeric	
V2012	mv364	Contraceptive use & intention	discrete	numeric	
V2013	mv367	Wanted last child	discrete	numeric	
V2014	mv375a	Main reason not using a method	discrete	numeric	
V2015	mv375b	Main reason not using a method with other woman	discrete	numeric	
V2016	mv375c	Main reason not using a method with other woman (2)	discrete	numeric	
V2017	mv376	Main reason not to use a meth.	discrete	numeric	
V2018	mv376a	Would ever use method if marr.	discrete	numeric	
V2019	mv384a	Heard FP on radio last months	discrete	numeric	
V2020	mv384b	Heard FP on TV last months	discrete	numeric	
V2021	mv384c	Heard FP newspaper last months	discrete	numeric	
V2022	mv396	Can a woman who is breastfeeding get pregnant	discrete	numeric	
V2023	mv3b11	Age at first use of condom	discrete	numeric	
V2024	mv3b12a	Reason of first condom use: Avoid pregnancy	discrete	numeric	
V2025	mv3b12b	Reason of first condom use: Avoid getting AIDS/HIV	discrete	numeric	
V2026	mv3b12c	Reason of first condom use: Avoid getting an STD	discrete	numeric	
V2027	mv3b12d	Reason of first condom use: Avoid infecting partner	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V2028	mv3b12e	Reason of first condom use: To experiment/try a condom	discrete	numeric	
V2029	mv3b12f	Reason of first condom use: Country specific	discrete	numeric	
V2030	mv3b12g	Reason of first condom use: Country specific	discrete	numeric	
V2031	mv3b12h	Reason of first condom use: Country specific	discrete	numeric	
V2032	mv3b12x	Reason of first condom use: Other	discrete	numeric	
V2033	mv3b13	Frequency of use of condom	discrete	numeric	
V2034	mv3b14a	Timing of use: On partner's fertile days	discrete	numeric	
V2035	mv3b14b	Timing of use: During partner's menstruation	discrete	numeric	
V2036	mv3b14c	Timing of use: When not using some other method	discrete	numeric	
V2037	mv3b14d	Timing of use: With a stranger	discrete	numeric	
V2038	mv3b14e	Timing of use: With a commercial sex worker	discrete	numeric	
V2039	mv3b14f	Timing of use: With anyone other than partner	discrete	numeric	
V2040	mv3b14g	Timing of use: With wife/regular partner	discrete	numeric	
V2041	mv3b14h	Timing of use: Country specific	discrete	numeric	
V2042	mv3b14i	Timing of use: Country specific	discrete	numeric	
V2043	mv3b14j	Timing of use: Country specific	discrete	numeric	
V2044	mv3b14x	Timing of use: Other	discrete	numeric	
V2045	mv3b15a	Problems with condom: Too expensive	discrete	numeric	
V2046	mv3b15b	Problems with condom: Embarrassing to obtain	discrete	numeric	
V2047	mv3b15c	Problems with condom: Difficult to dispose of	discrete	numeric	
V2048	mv3b15d	Problems with condom: Difficult to put on/take off	discrete	numeric	
V2049	mv3b15e	Problems with condom: Spoils the mood	discrete	numeric	
V2050	mv3b15f	Problems with condom: Diminishes pleasure	discrete	numeric	
V2051	mv3b15g	Problems with condom: Wife/partner objects, does not like	discrete	numeric	
V2052	mv3b15h	Problems with condom: Wife/partner got pregnant	discrete	numeric	
V2053	mv3b15i	Problems with condom: Inconvenient to use/messy	discrete	numeric	
V2054	mv3b15j	Problems with condom: Condom broke	discrete	numeric	
V2055	mv3b15k	Problems with condom: Country specific	discrete	numeric	
V2056	mv3b15l	Problems with condom: Country specific	discrete	numeric	
V2057	mv3b15m	Problems with condom: Country specific	discrete	numeric	
V2058	mv3b15x	Problems with condom: Other	discrete	numeric	
V2059	mv3b15y	Problems with condom: No problem	discrete	numeric	
V2060	mv3b16	Brand of condom	discrete	numeric	
V2061	mv3b17	Source of condoms	discrete	numeric	
V2062	mv3b18	Cost of condom's packet	discrete	numeric	
V2063	mv3b19	Number of condom in each packet	discrete	numeric	
V2064	mv3b20	Affordability of condoms	discrete	numeric	
V2065	mv3b21a	Diminish a man's sexual pleasure	discrete	numeric	
V2066	mv3b21b	Inconvenient to use	discrete	numeric	
V2067	mv3b21c	Can be reused	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2068	mv3b21d	Protects against disease	discrete	numeric	
V2069	mv3b21e	Women has no right to tell a man whether he should use it	discrete	numeric	
V2070	mv3b22	Consider getting sterilized	discrete	numeric	
V2071	mv3b23a	Benefits of male sterilization: Puts man in control	discrete	numeric	
V2072	mv3b23b	Benefits of male sterilization: Effective method	discrete	numeric	
V2073	mv3b23c	Benefits of male sterilization: operation is safe	discrete	numeric	
V2074	mv3b23d	Benefits of male sterilization: Safer than female sterilizat	discrete	numeric	
V2075	mv3b23e	Benefits of male sterilization: Operation is inexpensive	discrete	numeric	
V2076	mv3b23f	Benefits of male sterilization: less expensive than fem.ster	discrete	numeric	
V2077	mv3b23g	Benefits of male sterilization: Operation is simple	discrete	numeric	
V2078	mv3b23h	Benefits of male sterilization: Gives man freedom	discrete	numeric	
V2079	mv3b23i	Benefits of male sterilization: Country specific	discrete	numeric	
V2080	mv3b23j	Benefits of male sterilization: Country specific	discrete	numeric	
V2081	mv3b23k	Benefits of male sterilization: Country specific	discrete	numeric	
V2082	mv3b23x	Benefits of male sterilization: Other	discrete	numeric	
V2083	mv3b24a	Reason never consider sterilization: Against religion	discrete	numeric	
V2084	mv3b24b	Reason never consider sterilization: Bad for man's health	discrete	numeric	
V2085	mv3b24c	Reason never consider sterilization: Operation not safe	discrete	numeric	
V2086	mv3b24d	Reason never consider sterilization: Less intrusive ways av.	discrete	numeric	
V2087	mv3b24e	Reason never consider sterilization: May want more children	discrete	numeric	
V2088	mv3b24f	Reason never consider sterilization: May remarry some day	discrete	numeric	
V2089	mv3b24g	Reason never consider sterilization: Loss of wages	discrete	numeric	
V2090	mv3b24h	Reason never consider sterilization: Loss of sexual function	discrete	numeric	
V2091	mv3b24i	Reason never consider sterilization: Loss of manliness	discrete	numeric	
V2092	mv3b24j	Reason never consider sterilization: Country specific	discrete	numeric	
V2093	mv3b24k	Reason never consider sterilization: Country specific	discrete	numeric	
V2094	mv3b24l	Reason never consider sterilization: Country specific	discrete	numeric	
V2095	mv3b24x	Reason never consider sterilization: Other	discrete	numeric	
V2096	mv3b25a	Contraception is woman's business, man should not worry	discrete	numeric	
V2097	mv3b25b	Sterilized women become promiscuous	discrete	numeric	
V2098	mv3b25c	To a man equivalent to being castrated	discrete	numeric	
V2099	mv3b25d	Woman can get pregnant, so she should be sterilized	discrete	numeric	
V2100	mrec32_group	Item created from ISSA Group	discrete	character	
V2101	mv3b0	Method	discrete	numeric	
V2102	mv3b1	Method is suitable for couples planning a family	discrete	numeric	
V2103	mv3b2a	Advantages: Simple to use	discrete	numeric	
V2104	mv3b2b	Advantages: Effective	discrete	numeric	
V2105	mv3b2c	Advantages: Affordable	discrete	numeric	
V2106	mv3b2d	Advantages: No/few side effects	discrete	numeric	
V2107	mv3b2e	Advantages: Can stop children when desired	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V2108	mv3b2f	Advantages: no need for medical personnel	discrete	numeric	
V2109	mv3b2g	Advantages: No risk of getting pregnant again	discrete	numeric	
V2110	mv3b2h	Advantages: Once inserted, no daily worry	discrete	numeric	
V2111	mv3b2i	Advantages: Country specific	discrete	numeric	
V2112	mv3b2j	Advantages: Country specific	discrete	numeric	
V2113	mv3b2k	Advantages: Country specific	discrete	numeric	
V2114	mv3b2l	Advantages: Country specific	discrete	numeric	
V2115	mv3b2x	Advantages: Other	discrete	numeric	
V2116	mv3b2z	Advantages: Don't know	discrete	numeric	
V2117	mv3b3a	Disadvantages: Too expensive	discrete	numeric	
V2118	mv3b3b	Disadvantages: Against religion	discrete	numeric	
V2119	mv3b3c	Disadvantages: May harm women's health	discrete	numeric	
V2120	mv3b3d	Disadvantages: Has side effects	discrete	numeric	
V2121	mv3b3e	Disadvantages: Increases promiscuity	discrete	numeric	
V2122	mv3b3f	Disadvantages: Can cause sterility/cannot have children	discrete	numeric	
V2123	mv3b3g	Disadvantages: Method can fail	discrete	numeric	
V2124	mv3b3h	Disadvantages: Baby in danger if pregnancy occurs	discrete	numeric	
V2125	mv3b3i	Disadvantages: Involves doctor/medical personnel	discrete	numeric	
V2126	mv3b3j	Disadvantages: Can lead to complications	discrete	numeric	
V2127	mv3b3k	Disadvantages: Country specific	discrete	numeric	
V2128	mv3b3l	Disadvantages: Country specific	discrete	numeric	
V2129	mv3b3m	Disadvantages: Country specific	discrete	numeric	
V2130	mv3b3n	Disadvantages: Country specific	discrete	numeric	
V2131	mv3b3x	Disadvantages: Other	discrete	numeric	
V2132	mv3b3z	Disadvantages: Don't know	discrete	numeric	

## MREC51

Content MAN - Marriage/Exposure

Cases 3261

Variable(s) 24

Structure Type:  
Keys: ()

Version

Producer

Missing Data

## Variables

ID	Name	Label	Type	Format	Question
V2133	mcaseid	Case Identification	discrete	character	
V2134	mv501	Current marital status	discrete	numeric	
V2135	mv502	Currently/formerly/never marr.	discrete	numeric	
V2136	mv503	Number of unions	discrete	numeric	
V2137	mv505	Number of wives, partners	discrete	numeric	
V2138	mv505a	Number of wives	discrete	numeric	
V2139	mv505b	Number of live-in partners	discrete	numeric	
V2140	mv507	Month of first marriage	discrete	numeric	
V2141	mv508	Year of first marriage	contin	numeric	
V2142	mv509	Date of first marriage (CMC)	contin	numeric	
V2143	mv510	Completeness of date inform.	discrete	numeric	
V2144	mv511	Age at first marriage	contin	numeric	
V2145	mv512	Years since first marriage	contin	numeric	
V2146	mv513	Marital duration (grouped)	discrete	numeric	
V2147	mv525	Age at first intercourse	discrete	numeric	
V2148	mv527	Time since last intercourse	discrete	numeric	
V2149	mv531	Age at first intercourse (imp)	discrete	numeric	
V2150	mv532	Flag for MV531	discrete	numeric	
V2151	mv534	Have a regular sex partner	discrete	numeric	
V2152	mv534a	One or more regular partner	discrete	numeric	
V2153	mv535	Have ever been married	discrete	numeric	
V2154	mv536	Recent sexual activity	discrete	numeric	
V2155	mv538	Total wives, partners ever (including former)	contin	numeric	
V2156	mv539	Other regular sexual partners	discrete	numeric	

**MREC61**

Content	MAN - Fertility Preferences
Cases	2804
Variable(s)	60
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V2157	mcaseid	Case Identification	discrete	character	
V2158	mv602	Fertility preference	discrete	numeric	
V2159	mv603	Preferred waiting time	discrete	numeric	
V2160	mv604	Preferred waiting time (grpd)	discrete	numeric	
V2161	mv605	Desire for more children	discrete	numeric	
V2162	mv610	Wife approves FP	discrete	numeric	
V2163	mv611	Discussed FP with partner	discrete	numeric	
V2164	mv612	Respondent approves FP	discrete	numeric	
V2165	mv613	Ideal number of children	discrete	numeric	
V2166	mv614	Ideal number of children (grp)	discrete	numeric	
V2167	mv616	Time for future birth	discrete	numeric	
V2168	mv621	Wifes desire for children	discrete	numeric	
V2169	mv627	Ideal number of boys	discrete	numeric	
V2170	mv628	Ideal number of girls	discrete	numeric	
V2171	mv629	Ideal number of either sex	discrete	numeric	
V2172	mv630a	Discussed FP with partner	discrete	numeric	
V2173	mv630b	Discussed FP with mother	discrete	numeric	
V2174	mv630c	Discussed FP with father	discrete	numeric	
V2175	mv630d	Discussed FP with sister(s)	discrete	numeric	
V2176	mv630e	Discussed FP with brother(s)	discrete	numeric	
V2177	mv630f	Discussed FP with daughter(s)	discrete	numeric	
V2178	mv630g	Discussed FP with mother-in-law	discrete	numeric	
V2179	mv630h	Discussed FP with friends/nbrs	discrete	numeric	
V2180	mv630i	Discussed FP with son(s)	discrete	numeric	
V2181	mv630j	Discussed FP with father-in-law	discrete	numeric	
V2182	mv630k	Discussed FP -country specific	discrete	numeric	
V2183	mv630l	Discussed FP -country specific	discrete	numeric	
V2184	mv630m	Discussed FP -country specific	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2185	mv630n	Discussed FP -country specific	discrete	numeric	
V2186	mv630o	Discussed FP -country specific	discrete	numeric	
V2187	mv630x	Discussed FP with others	discrete	numeric	
V2188	mv631	Problem if became pregnant	discrete	numeric	
V2189	mv633a	Reason for not having sex: Husband has STD	discrete	numeric	
V2190	mv633b	Reason for not having sex: Husband has other women	discrete	numeric	
V2191	mv633c	Reason for not having sex: Recent birth	discrete	numeric	
V2192	mv633d	Reason for not having sex: Tired, mood	discrete	numeric	
V2193	mv633e	Reason for not having sex: CS	discrete	numeric	
V2194	mv633f	Reason for not having sex: CS	discrete	numeric	
V2195	mv633g	Reason for not having sex: CS	discrete	numeric	
V2196	mv634a	Husband has right to: get angry	discrete	numeric	
V2197	mv634b	Husband has right to: refuse financial support	discrete	numeric	
V2198	mv634c	Husband has right to: use force for unwanted sex	discrete	numeric	
V2199	mv634d	Husband has right to: have sex with another women	discrete	numeric	
V2200	mv635	Wife number would prefer next child with	discrete	numeric	
V2201	mv636	Planning to have children with any other partner	discrete	numeric	
V2202	mv637	Plan to take another wife	discrete	numeric	
V2203	mv638	Main reason may take another wife	discrete	numeric	
V2204	mv648	Discussed FP with health worker	discrete	numeric	
V2205	mv649a	Interest in avoiding unwanted pregnancies	discrete	numeric	
V2206	mv649b	Interest in helping partner having safe preg.	discrete	numeric	
V2207	mv649c	Interest in helping to care for new born infants	discrete	numeric	
V2208	mrec61_group	Item created from ISSA Group	discrete	character	
V2209	mv640	Sequence number of partners	discrete	numeric	
V2210	mv641	Line number of wife/partners	discrete	numeric	
V2211	mv642	Partner currently pregnant	discrete	numeric	
V2212	mv643	Current pregnancy wanted	discrete	numeric	
V2213	mv644	Problem if became pregnant	discrete	numeric	
V2214	mv645	Wifes desire for children	discrete	numeric	
V2215	mv646	Discussed FP with partner	discrete	numeric	
V2216	mv647	Wife approves FP	discrete	numeric	

**MREC71**

Content	MAN - Occupation and Work Status
Cases	3261
Variable(s)	25
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V2217	mcaseid	Case Identification	discrete	character	
V2218	mv714	Respondent currently working	discrete	numeric	
V2219	mv716	Respondent's occupation	discrete	numeric	
V2220	mv717	Respondent's occupation	discrete	numeric	
V2221	mv719	Work for family, others, self	discrete	numeric	
V2222	mv721	Works at home or away	discrete	numeric	
V2223	mv731	Worked in last 12 months	discrete	numeric	
V2224	mv732	Employment all year/seasonal	discrete	numeric	
V2225	mv733	Months worked in last 12 months	contin	numeric	
V2226	mv740	Type of land where resp. works	discrete	numeric	
V2227	mv741	Type of earnings for work	discrete	numeric	
V2228	mv742	Portion of household expenditures respondents earnings pay	discrete	numeric	
V2229	mv743a	Final say on own health care	discrete	numeric	
V2230	mv743b	Final say on making large household purchases	discrete	numeric	
V2231	mv743c	Final say on making household purchases for daily needs	discrete	numeric	
V2232	mv743d	Final say on visits to family or relatives	discrete	numeric	
V2233	mv743e	Final say on food to be cooked each day	discrete	numeric	
V2234	mv743f	Final say on deciding what to do with money wife earns	discrete	numeric	
V2235	mv743g	Final say on deciding how many children to have	discrete	numeric	
V2236	mv744a	Wife beating justified if she goes out without telling him	discrete	numeric	
V2237	mv744b	Wife beating justified if she neglects the children	discrete	numeric	
V2238	mv744c	Wife beating justified if she argues with him	discrete	numeric	
V2239	mv744d	Wife beating justified if she refuses to have sex with him	discrete	numeric	
V2240	mv744e	Wife beating justified if she burns the food	discrete	numeric	
V2241	mv745	Activity last 12 months	discrete	numeric	

**MREC75**

Content	MAN - AIDS and Condom Use
Cases	3261
Variable(s)	196
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V2242	mcaseid	Case Identification	discrete	character	
V2243	mv750	Heard sexual transmit. disease	discrete	numeric	
V2244	mv751	Ever heard of AIDS	discrete	numeric	
V2245	mv753	Ways to avoid AIDS	discrete	numeric	
V2246	mv754a	AIDS: Safe sex	discrete	numeric	
V2247	mv754b	AIDS: abstain from sex	discrete	numeric	
V2248	mv754c	AIDS: use condoms during sex	discrete	numeric	
V2249	mv754d	AIDS: only one sex partner	discrete	numeric	
V2250	mv754e	AIDS: avoid sex prostitutes	discrete	numeric	
V2251	mv754f	AIDS: avoid sex homosexuals	discrete	numeric	
V2252	mv754g	AIDS: avoid blood transfusions	discrete	numeric	
V2253	mv754h	AIDS: avoid injections	discrete	numeric	
V2254	mv754i	AIDS: avoid kissing	discrete	numeric	
V2255	mv754j	AIDS: avoid mosquito bites	discrete	numeric	
V2256	mv754k	AIDS: protection trad. healer	discrete	numeric	
V2257	mv754l	AIDS: Limit number of sex partners	discrete	numeric	
V2258	mv754m	AIDS: Avoid partners who have many partners	discrete	numeric	
V2259	mv754n	AIDS: Avoid sex with intravenous drug users	discrete	numeric	
V2260	mv754o	AIDS: avoid sharing razor blades with AIDS patient	discrete	numeric	
V2261	mv754p	AIDS: country specific	discrete	numeric	
V2262	mv754q	AIDS: country specific	discrete	numeric	
V2263	mv754r	AIDS: country specific	discrete	numeric	
V2264	mv754s	AIDS: country specific	discrete	numeric	
V2265	mv754t	AIDS: country specific	discrete	numeric	
V2266	mv754u	AIDS: country specific	discrete	numeric	
V2267	mv754v	AIDS: country specific	discrete	numeric	
V2268	mv754x	AIDS: other responses	discrete	numeric	
V2269	mv754z	AIDS: DK ways to avoid AIDS	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V2270	mv754cp	Reduce chances of AIDS by always using condoms during sex	discrete	numeric	
V2271	mv754dp	Reduce chance of AIDS: have 1 sex partner with no oth partnr	discrete	numeric	
V2272	mv754jp	Get AIDS from mosquito bites	discrete	numeric	
V2273	mv754wp	Get AIDS by sharing food with person who has AIDS	discrete	numeric	
V2274	mv756	Can a healthy person have AIDS	discrete	numeric	
V2275	mv759a	Acceptable to discuss AIDS on radio	discrete	numeric	
V2276	mv759b	Acceptable to discuss AIDS on TV	discrete	numeric	
V2277	mv759c	Acceptable to discuss AIDS in newspapers	discrete	numeric	
V2278	mv759d	Acceptable to discuss AIDS: CS	discrete	numeric	
V2279	mv759e	Acceptable to discuss AIDS: CS	discrete	numeric	
V2280	mv759f	Acceptable to discuss AIDS: CS	discrete	numeric	
V2281	mv759g	Acceptable to discuss AIDS: CS	discrete	numeric	
V2282	mv759h	Acceptable to discuss AIDS: CS	discrete	numeric	
V2283	mv759i	Acceptable to discuss AIDS: CS	discrete	numeric	
V2284	mv761	Last intercourse used condom	discrete	numeric	
V2285	mv761b	Intercourse with other woman (1) used condom	discrete	numeric	
V2286	mv761c	Intercourse with other woman (2) used condom	discrete	numeric	
V2287	mv761d	Intercourse for money used condom	discrete	numeric	
V2288	mv762aa	Source for condoms: Government hospital	discrete	numeric	
V2289	mv762ab	Source for condoms: Government health center/post	discrete	numeric	
V2290	mv762ac	Source for condoms: Family planning clinic	discrete	numeric	
V2291	mv762ad	Source for condoms: Mobile clinic	discrete	numeric	
V2292	mv762ae	Source for condoms: Public field worker	discrete	numeric	
V2293	mv762af	Source for condoms: Other public	discrete	numeric	
V2294	mv762ag	Source for condoms: Public CS	discrete	numeric	
V2295	mv762ah	Source for condoms: Public CS	discrete	numeric	
V2296	mv762ai	Source for condoms: Public CS	discrete	numeric	
V2297	mv762aj	Source for condoms: Private hosp, clinic	discrete	numeric	
V2298	mv762ak	Source for condoms: Pharmacy	discrete	numeric	
V2299	mv762al	Source for condoms: Private doctor	discrete	numeric	
V2300	mv762am	Source for condoms: Private mobile clinic	discrete	numeric	
V2301	mv762an	Source for condoms: Private field worker	discrete	numeric	
V2302	mv762ao	Source for condoms: Other private	discrete	numeric	
V2303	mv762ap	Source for condoms: Private CS	discrete	numeric	
V2304	mv762aq	Source for condoms: Private CS	discrete	numeric	
V2305	mv762ar	Source for condoms: Private CS	discrete	numeric	
V2306	mv762as	Source for condoms: Shop	discrete	numeric	
V2307	mv762at	Source for condoms: Church	discrete	numeric	
V2308	mv762au	Source for condoms: Friends, relatives	discrete	numeric	
V2309	mv762av	Source for condoms: CS	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V2310	mv762aw	Source for condoms: CS	discrete	numeric	
V2311	mv762ax	Source for condoms: Other	discrete	numeric	
V2312	mv762az	Source for condoms: DK source for condom	discrete	numeric	
V2313	mv762ba	Source for female condoms: Government hospital	discrete	numeric	
V2314	mv762bb	Source for female condoms: Government health center/post	discrete	numeric	
V2315	mv762bc	Source for female condoms: Family planning clinic	discrete	numeric	
V2316	mv762bd	Source for female condoms: Mobile clinic	discrete	numeric	
V2317	mv762be	Source for female condoms: Public field worker	discrete	numeric	
V2318	mv762bf	Source for female condoms: Other public	discrete	numeric	
V2319	mv762bg	Source for female condoms: Public CS	discrete	numeric	
V2320	mv762bh	Source for female condoms: Public CS	discrete	numeric	
V2321	mv762bi	Source for female condoms: Public CS	discrete	numeric	
V2322	mv762bj	Source for female condoms: Private hosp, clinic	discrete	numeric	
V2323	mv762bk	Source for female condoms: Pharmacy	discrete	numeric	
V2324	mv762bl	Source for female condoms: Private doctor	discrete	numeric	
V2325	mv762bm	Source for female condoms: Private mobile clinic	discrete	numeric	
V2326	mv762bn	Source for female condoms: Private field worker	discrete	numeric	
V2327	mv762bo	Source for female condoms: Other private	discrete	numeric	
V2328	mv762bp	Source for female condoms: Private CS	discrete	numeric	
V2329	mv762bq	Source for female condoms: Private CS	discrete	numeric	
V2330	mv762br	Source for female condoms: Private CS	discrete	numeric	
V2331	mv762bs	Source for female condoms: Shop	discrete	numeric	
V2332	mv762bt	Source for female condoms: Church	discrete	numeric	
V2333	mv762bu	Source for female condoms: Friends, relatives	discrete	numeric	
V2334	mv762bv	Source for female condoms: CS	discrete	numeric	
V2335	mv762bw	Source for female condoms: CS	discrete	numeric	
V2336	mv762bx	Source for female condoms: Other	discrete	numeric	
V2337	mv762bz	Source for female condoms: DK source for condom	discrete	numeric	
V2338	mv763a	Had any STD in last 12 months	discrete	numeric	
V2339	mv763b	Had genital sore/ulcer in last 12 months	discrete	numeric	
V2340	mv763c	Had genital discharge in last 12 months	discrete	numeric	
V2341	mv763d	Last 12 months had CS STD	discrete	numeric	
V2342	mv763e	Last 12 months had CS STD	discrete	numeric	
V2343	mv763f	Last 12 months had CS STD	discrete	numeric	
V2344	mv763g	Last 12 months had CS STD	discrete	numeric	
V2345	mv765a	Last sex reason used a condom	discrete	numeric	
V2346	mv765b	Sex with other woman (1) reason used a condom	discrete	numeric	
V2347	mv765c	Sex with other woman (2) reason used a condom	discrete	numeric	
V2348	mv766a	No. other than wife had sex in last 12 months	discrete	numeric	
V2349	mv766b	No. had sex including wife in last 12 months	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V2350	mv767a	Relationship with last sex partner	discrete	numeric	
V2351	mv767b	Relationship with other sex partner (1)	discrete	numeric	
V2352	mv767c	Relationship with other sex partner (2)	discrete	numeric	
V2353	mv768a	Length of time knows last partner	discrete	numeric	
V2354	mv768b	Length of time knows other partner (1)	discrete	numeric	
V2355	mv768c	Length of time knows other partner (2)	discrete	numeric	
V2356	mv769	Could get a condom	discrete	numeric	
V2357	mv769a	Could get a female condom	discrete	numeric	
V2358	mv770	Seek advice for last disease	discrete	numeric	
V2359	mv770a	Seek advise: clinic/hospital/private doctor	discrete	numeric	
V2360	mv770b	Seek advise: traditional healer	discrete	numeric	
V2361	mv770c	Seek advise: Shop/pharmacy	discrete	numeric	
V2362	mv770d	Seek advise: Friends/relatives	discrete	numeric	
V2363	mv770e	Seek advise: CS	discrete	numeric	
V2364	mv770f	Seek advise: CS	discrete	numeric	
V2365	mv770g	Seek advise: CS	discrete	numeric	
V2366	mv770h	Seek advise: CS	discrete	numeric	
V2367	mv770i	Seek advise: CS	discrete	numeric	
V2368	mv771	Advise partner when had disease	discrete	numeric	
V2369	mv772	Tried to avoid infecting partner	discrete	numeric	
V2370	mv773a	What done: no sexual intercourse	discrete	numeric	
V2371	mv773b	What done: used condoms	discrete	numeric	
V2372	mv773c	What done: took medicines	discrete	numeric	
V2373	mv773d	What done: country specific	discrete	numeric	
V2374	mv773e	What done: country specific	discrete	numeric	
V2375	mv773f	What done: country specific	discrete	numeric	
V2376	mv773x	What done: other	discrete	numeric	
V2377	mv774	AIDS transmitted from mother to child	discrete	numeric	
V2378	mv774a	AIDS transmit. during pregnancy	discrete	numeric	
V2379	mv774b	AIDS transmit. during delivery	discrete	numeric	
V2380	mv774c	AIDS transmit. by breastfeeding	discrete	numeric	
V2381	mv775	Knows someone who has or died of AIDS	discrete	numeric	
V2382	mv776	Spoken with spouse about avoiding AIDS	discrete	numeric	
V2383	mv777	Allowed to keep AIDS infection secret	discrete	numeric	
V2384	mv778	Willing to care for relative with AIDS	discrete	numeric	
V2385	mv779	Person with AIDS allowed to continue teaching	discrete	numeric	
V2386	mv780	Should children be taught about condoms	discrete	numeric	
V2387	mv781	Ever been tested for AIDS	discrete	numeric	
V2388	mv782	Want to be tested for AIDS	discrete	numeric	
V2389	mv783	Know a place to get AIDS test	discrete	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V2390	mv784	Where to get an AIDS test	discrete	numeric	
V2391	mv785	Heard about other STDs	discrete	numeric	
V2392	mv785a	Man's symptoms of STI	discrete	numeric	
V2393	mv785b	Man's symptoms of STI	discrete	numeric	
V2394	mv785c	Man's symptoms of STI	discrete	numeric	
V2395	mv785d	Man's symptoms of STI	discrete	numeric	
V2396	mv785e	Man's symptoms of STI	discrete	numeric	
V2397	mv785f	Man's symptoms of STI	discrete	numeric	
V2398	mv785g	Man's symptoms of STI	discrete	numeric	
V2399	mv785h	Man's symptoms of STI	discrete	numeric	
V2400	mv785i	Man's symptoms of STI	discrete	numeric	
V2401	mv785j	Man's symptoms of STI	discrete	numeric	
V2402	mv785k	Man's symptoms of STI	discrete	numeric	
V2403	mv785l	Man's symptoms of STI	discrete	numeric	
V2404	mv785m	Man's symptoms of STI	discrete	numeric	
V2405	mv785n	Man's symptoms of STI	discrete	numeric	
V2406	mv785o	Man's symptoms of STI	discrete	numeric	
V2407	mv785p	Man's symptoms of STI	discrete	numeric	
V2408	mv785q	Man's symptoms of STI	discrete	numeric	
V2409	mv785x	Man's symptoms of STI	discrete	numeric	
V2410	mv785y	Man's symptoms of STI	discrete	numeric	
V2411	mv785z	Man's symptoms of STI	discrete	numeric	
V2412	mv786a	Woman's symptoms of STI	discrete	numeric	
V2413	mv786b	Woman's symptoms of STI	discrete	numeric	
V2414	mv786c	Woman's symptoms of STI	discrete	numeric	
V2415	mv786d	Woman's symptoms of STI	discrete	numeric	
V2416	mv786e	Woman's symptoms of STI	discrete	numeric	
V2417	mv786f	Woman's symptoms of STI	discrete	numeric	
V2418	mv786g	Woman's symptoms of STI	discrete	numeric	
V2419	mv786h	Woman's symptoms of STI	discrete	numeric	
V2420	mv786i	Woman's symptoms of STI	discrete	numeric	
V2421	mv786j	Woman's symptoms of STI	discrete	numeric	
V2422	mv786k	Woman's symptoms of STI	discrete	numeric	
V2423	mv786l	Woman's symptoms of STI	discrete	numeric	
V2424	mv786m	Woman's symptoms of STI	discrete	numeric	
V2425	mv786n	Woman's symptoms of STI	discrete	numeric	
V2426	mv786o	Woman's symptoms of STI	discrete	numeric	
V2427	mv786p	Woman's symptoms of STI	discrete	numeric	
V2428	mv786q	Woman's symptoms of STI	discrete	numeric	
V2429	mv786x	Woman's symptoms of STI	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2430	mv786y	Woman's symptoms of STI	discrete	numeric	
V2431	mv786z	Woman's symptoms of STI	discrete	numeric	
V2432	mv787	Number of days drunk alcohol last 3 months	discrete	numeric	
V2433	mv788	Number of days gotten drunk last 3 months	discrete	numeric	
V2434	mv789	Number of injections in last 3 months	discrete	numeric	
V2435	mv790	Person who gave last injection	discrete	numeric	
V2436	mv791	Ever paid for sex	discrete	numeric	
V2437	mv792	Time since last paid for sex	discrete	numeric	

**MREC91**

Content	MAN - Country-specific - Single variables
Cases	3797
Variable(s)	109
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V2438	mcaseid	Case Identification	discrete	character	
V2439	smdist	District	discrete	numeric	
V2440	smdist2	Original district code	contin	numeric	
V2441	mv190	Wealth index	discrete	numeric	
V2442	mv191	Wealth index factor score (5 decimals)	contin	numeric	
V2443	mv820	Condom used at first sexual intercourse	discrete	numeric	
V2444	mv822	Wife justified to ask husband to use condom if he has STD	discrete	numeric	
V2445	mv754bp	Reduce risk of getting AIDS by not having sex at all	discrete	numeric	
V2446	mv823	Can get AIDS by witchcraft or supernatural means	discrete	numeric	
V2447	mv824	Drugs to avoid AIDS transmission to baby during pregnancy	discrete	numeric	
V2448	mv825	Would buy vegetables from vendor with AIDS	discrete	numeric	
V2449	mv826	When was last time you were tested	discrete	numeric	
V2450	mv827	Last test was on your own, offered or required	discrete	numeric	
V2451	mv828	Did get the test results	discrete	numeric	
V2452	mv3b21f	Buying condoms is embarrassing	discrete	numeric	
V2453	sm416c	Age of first partner	contin	numeric	
V2454	sm416d	First partner relative age	discrete	numeric	
V2455	sm416e	Ten or more years older	discrete	numeric	
V2456	sm719c	Heard radio spot on HIV/AIDS	discrete	numeric	
V2457	sm719d	Seen TV ads or spots on HIV/AIDS	discrete	numeric	
V2458	sm719e	Read articles about HIV/AIDS	discrete	numeric	
V2459	sm737	Circumcised	discrete	numeric	
V2460	sm620	Had an injection last 3 months	discrete	numeric	
V2461	sm620a	Times had an injection	discrete	numeric	
V2462	sm620b	Number of injections from health professional	discrete	numeric	
V2463	sm620c	Person giving the injection	discrete	numeric	
V2464	sm620d	Used new syringe	discrete	numeric	
V2465	mhiv01	Line number of parent/responsible adult	contin	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V2466	mhiv02	Parental or adult consent	discrete	numeric	
V2467	mhiv03	Respondent consent	discrete	numeric	
V2468	mhiv04	Field test result	discrete	numeric	
V2469	mhiv06	Blood sample ID number	discrete	character	
V2470	mhiv_weight	HIV weight	contin	numeric	
V2471	sm610a	Received antenatal care for last child	discrete	numeric	
V2472	sm610b	Received assistance during delivery	discrete	numeric	
V2473	sm610c	Received health care during 6 weeks after delivery	discrete	numeric	
V2474	sm611a	Provider for antenatal care	discrete	numeric	
V2475	sm611b	Provider for care during delivery	discrete	numeric	
V2476	sm611c	Provider for care during 6 weeks after delivery	discrete	numeric	
V2477	sm612a	Reason did not receive antenatal care	discrete	numeric	
V2478	sm612b	Reason did not receive care during delivery	discrete	numeric	
V2479	sm612c	Reason did not receive care during 6 weeks after delivery	discrete	numeric	
V2480	sm616a	III child decision maker - respondent	discrete	numeric	
V2481	sm616b	III child decision maker - child's mother	discrete	numeric	
V2482	sm616c	III child decision maker - wife/partner who is not child's mother	discrete	numeric	
V2483	sm616d	III child decision maker - female relative	discrete	numeric	
V2484	sm616e	III child decision maker - male relative	discrete	numeric	
V2485	sm616x	III child decision maker - other	discrete	numeric	
V2486	sm616y	III child decision maker - child never ill	discrete	numeric	
V2487	sm617a	Knowledge of pregnancy complications - vaginal bleeding	discrete	numeric	
V2488	sm617b	Knowledge of pregnancy complications - high fever	discrete	numeric	
V2489	sm617c	Knowledge of pregnancy complications - abdominal pain	discrete	numeric	
V2490	sm617d	Knowledge of pregnancy complications - swelling of hands and feet	discrete	numeric	
V2491	sm617e	Knowledge of pregnancy complications - difficult labor for 12 or more hours	discrete	numeric	
V2492	sm617f	Knowledge of pregnancy complications - convulsions	discrete	numeric	
V2493	sm617x	Knowledge of pregnancy complications - other	discrete	numeric	
V2494	sm617z	Knowledge of pregnancy complications - DK	discrete	numeric	
V2495	smqqlang	Language of questionnaire	discrete	numeric	
V2496	smqilang	Language of interview	discrete	numeric	
V2497	smqnlang	Respondent native language	discrete	numeric	
V2498	smqtrans	Translator used	discrete	numeric	
V2499	sm605u	Age at death (Unit)	discrete	numeric	
V2500	sm605n	Age at death (Number)	discrete	numeric	
V2501	sm605d	Age at death (days)	discrete	numeric	
V2502	sm605m	Age at death (months)	discrete	numeric	
V2503	sm603m	Time of last birth (month)	discrete	numeric	
V2504	sm603y	Time of last birth (year)	discrete	numeric	
V2505	sm603c	Time of last birth (CMC)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2506	sm127	Who decides how earnings spent	discrete	numeric	
V2507	sm455	Have you heard of a condom called 'Chishango'	discrete	numeric	
V2508	sm527f	Flag for MV527	discrete	numeric	
V2509	sm508d	Heard FP poster last months	discrete	numeric	
V2510	sm508e	Saw FP on clothing	discrete	numeric	
V2511	sm508f	Heard FP in drama	discrete	numeric	
V2512	sm508g	Heard FP somewhere else	discrete	numeric	
V2513	sm509a	Listened to Uchembere Wabwino	discrete	numeric	
V2514	sm509b	Listened to Phukusi la Moyo	discrete	numeric	
V2515	sm509c	Listened to Pa Mtondo	discrete	numeric	
V2516	sm509d	Listened to Women's Talking Point	discrete	numeric	
V2517	sm509e	Listened to Window Through Health	discrete	numeric	
V2518	sm509f	Listened to Umoyo M'Malawi	discrete	numeric	
V2519	sm509g	Listened to Tikuferanji	discrete	numeric	
V2520	sm509h	Listened to Radio Doctor	discrete	numeric	
V2521	sm509i	Listened to Chitukuku M'Malawi	discrete	numeric	
V2522	sm509j	Listened to Women's Forum	discrete	numeric	
V2523	sm509k	Listened to Tichitenji	discrete	numeric	
V2524	sm509l	Listened to Kulera	discrete	numeric	
V2525	sm509m	Listened to other	discrete	numeric	
V2526	sm602	Sex of last born child	discrete	numeric	
V2527	sm604	Child still alive	discrete	numeric	
V2528	sm609	Relationship with last born's mother	discrete	numeric	
V2529	sm613	Talked to health provider about mother's health during preg.	discrete	numeric	
V2530	sm616aa	Have taken child to health facility	discrete	numeric	
V2531	sm618	Amount given to drink during diarrhea	discrete	numeric	
V2532	sm619	Ever heard of Thanzi	discrete	numeric	
V2533	sm622a	Frequency of getting drunk	discrete	numeric	
V2534	sm712ac	Special drugs for AIDS victims	discrete	numeric	
V2535	sm718a	People with AIDS should be allowed to work	discrete	numeric	
V2536	sm718b	People with AIDS are immoral	discrete	numeric	
V2537	sm719a	Condoms are safe to use	discrete	numeric	
V2538	sm719b	Couples should be tested for AIDS virus	discrete	numeric	
V2539	sm802f	Beating justification: having an affair	discrete	numeric	
V2540	sm802aa	Beating of husband justification: neglects the family	discrete	numeric	
V2541	sm802ab	Beating of husband justification: drunk	discrete	numeric	
V2542	sm802ac	Beating of husband justification: argues	discrete	numeric	
V2543	sm802ad	Beating of husband justification: refuses sex	discrete	numeric	
V2544	sm802ae	Beating of husband justification: has sex with another	discrete	numeric	
V2545	sm806	Father hit mother	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2546	sm724	Knows HIV/AIDS status of partner	discrete	numeric	

## HWREC

Content	Height and Weight Scores - WHO Child Growth Standards
Cases	10919
Variable(s)	7
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V2547	hwhhid	Case Identification	discrete	character	
V2548	hwline	Line	discrete	numeric	
V2549	hwlevel	Data from HH or individual	discrete	numeric	
V2550	hc70	Ht/A Standard deviations (according to WHO)	discrete	numeric	
V2551	hc71	Wt/A Standard deviations (according to WHO)	discrete	numeric	
V2552	hc72	Wt/Ht Standard deviations (according to WHO)	discrete	numeric	
V2553	hc73	BMI Standard deviations (according to WHO)	discrete	numeric	



## Case Identification (hhid)

File: RECH0

### Overview

Type: Discrete  
Format: character  
Width: 5

## Country code and phase (hv000)

File: RECH0

### Overview

Type: Discrete  
Format: character  
Width: 3

## Cluster number (hv001)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-522

## Household number (hv002)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-45

## Respondent's line number (hv003)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-11

## Ultimate area unit (hv004)

File: RECH0

### Overview

## Ultimate area unit (hv004)

File: RECH0

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-522

## Sample weight (hv005)

File: RECH0

### Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-4236350

## Month of interview (hv006)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of interview (hv007)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2004-2005

## Date of interview (CMC) (hv008)

File: RECH0

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 1249-1262

## Number of household members (hv009)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-18

## Number of eligible women in HH (hv010)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Number of eligible men in HH (hv011)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Number of de jure members (hv012)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-18

## Number of de facto members (hv013)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-18

## Number of children 5 and under (hv014)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Result of household interview (hv015)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Day of interview (hv016)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-31

## Number of visits (hv017)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Interviewer identification (hv018)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 7-999

## Keyer identification (hv019)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-61

## Ever-married sample (hv020)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Primary sampling unit (hv021)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-522

## Sample stratum number (hv022)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-251

## Sample domain (hv023)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Region (hv024)

### File: RECH0

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Type of place of residence (hv025)

### File: RECH0

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Place of residence (hv026)

### File: RECH0

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Selection for male/husb. int. (hv027)

### File: RECH0

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Sample weight for male subsamp (hv028)

### File: RECH0

#### Overview

Type: Continuous  
Format: numeric  
Width: 7  
Decimals: 0  
Range: 0-4309228

## Field supervisor (hv030)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 11-221

## Field editor (hv031)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 9-412

## Office editor (hv032)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 3-99

## Ultimate area selection prob. (hv033)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 6  
Decimals: 0  
Range: 12508-313894

## Number of eligible children for height & weight (hv035)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Cluster altitude in meters (hv040)

File: RECH0

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 41-3573

## Total adults measured (hv041)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Selection for hemoglobin (hv042)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Selection for women's status module (hv043)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Selection for domestic violence module (hv044)

File: RECH0

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Case Identification (hhid)

File: RECH1

### Overview

Type: Discrete  
Format: character  
Width: 5

## Line number (hvidx)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-18

## Relationship to head (hv101)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Usual resident (hv102)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Slept last night (hv103)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sex of household member (hv104)

File: RECH1

## Sex of household member (hv104)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Age of household members (hv105)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Highest educational level (hv106)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Highest year of education (hv107)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Education in single years (hv108)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Educational attainment (hv109)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Member still in school (hv110)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Mother alive (hv111)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Mother's line number (hv112)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Father alive (hv113)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Father's line number (hv114)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Current marital status (hv115)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Currently, formerly, never m. (hv116)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Eligibility for female interview (hv117)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Eligibility for male interview (hv118)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Children eligibility for height/weight and hemoglobin (hv120)

File: RECH1

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Member attended school during current school year (hv121)

File: RECH1

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Educational level during current school year (hv122)

File: RECH1

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Grade of education during current school year (hv123)

File: RECH1

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-98

## Education in single years - current school year (hv124)

File: RECH1

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Member attended school during previous school year (hv125)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Educational level during previous school year (hv126)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Grade of education during previous school year (hv127)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Education in single years - previous school year (hv128)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## School attendance status (hv129)

File: RECH1

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hhid)

File: RECH2

### Overview

Type: Discrete  
Format: character  
Width: 5

## Source of drinking water (hv201)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Time to get to water source (hv204)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-999

## Type of toilet facility (hv205)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Has electricity (hv206)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has radio (hv207)

File: RECH2

## Has radio (hv207)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has television (hv208)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has refrigerator (hv209)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has bicycle (hv210)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has motorcycle/scooter (hv211)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has car/truck (hv212)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Main floor material (hv213)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Main wall material (hv214)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-96

## Main roof material (hv215)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-96

## Relationship structure (hv217)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Line number of head of househ. (hv218)

File: RECH2

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-5

## Sex of head of household (hv219)

File: RECH2

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Age of head of household (hv220)

File: RECH2

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 11-99

## Has telephone (hv221)

File: RECH2

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Share toilet with other households (hv225)

File: RECH2

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Type of cooking fuel (hv226)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Have bednet for sleeping (hv227)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Children under 5 slept under bednet last night (hv228)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Place for hand washing (hv230)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Items present: Water, tap (hv231)

File: RECH2

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Items present: Soap/other cleansing agent (hv232)

File: RECH2

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Items present: Basin (hv233)

File: RECH2

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Test salt for Iodine (hv234)

File: RECH2

#### Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-995

## Case Identification (hhid)

File: RECH3

### Overview

Type: Discrete  
Format: character  
Width: 5

## Program Districts (shdist)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-11

## Original district number (shdist2)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-312

## Language of Questionnaire (slquest)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Language of Interview (slinterv)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Native language of respondent (slrespond)

File: RECH3

## Native language of respondent (slrespond)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Translator used (sltrans)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Wealth index (hv270)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Wealth index factor score (5 decimals) (hv271)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 6  
Decimals: 0  
Range: -59978-724197

## Number of mosquito nets (hml1)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Number of mosquito nets with specific information (hml1a)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Number of children under bednet previous night (hml2)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Own parafin lamp (sh27b)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Own cellular phone (sh27e)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Own standard (land line) telephone (sh27f)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Owning a bed with a mattress (sh27g)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Owning a sofa set (sh27h)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Owning a table and chairs (sh27i)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Preferred color of net (sh36)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Preferred shape of net (sh37)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Number of rooms for sleeping (sh29a)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Own any agricultural land (sh29b)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Quantity of agricultural land (sh29c)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1-9999

## Own any livestock (sh29d)

File: RECH3

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Number of goats owned (sh29ea)

File: RECH3

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-100

## Number of pigs owned (sh29eb)

File: RECH3

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-80

## Number of cattle owned (sh29ec)

File: RECH3

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 0-100

## Number of sheep owned (sh29ed)

File: RECH3

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-28

## Number of chickens owned (sh29ee)

File: RECH3

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 0-600

## Case Identification (hhid)

File: RECH4

### Overview

Type: Discrete  
Format: character  
Width: 5

## Index to household schedule (idxh4)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-18

## Type of bednet(s) person slept under last night (hml12)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## 1st net number for net person slept under last night (hml13)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## 2nd net number for net person slept under last night (hml14)

File: RECH4

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 2-6

## 3rd net number for net person slept under last night (hml15)

File: RECH4

3rd net number for net person slept under last night (hml15)

File: RECH4

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Corrected age from individual questionnaire (hml16)

File: RECH4

#### **Overview**

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Flag for AH07 age from individual file (hml17)

File: RECH4

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-6

Pregnancy from individual questionnaire (hml18)

File: RECH4

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Person sleep under an ever treated bednet (hml19)

File: RECH4

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Very sick for 3 of last 12 months (sh11)

File: RECH4

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Months of pregnancy (swmos)

File: RECH4

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-10

## Case Identification (hhid)

File: RECH5

### Overview

Type: Discrete  
 Format: character  
 Width: 5

## Index to household schedule (ha0)

File: RECH5

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-18

## Women's age in years (ha1)

File: RECH5

### Overview

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 15-49

## Respondent's weight (kilos-1d) (ha2)

File: RECH5

### Overview

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 151-9999

## Respondent's height (cms-1d) (ha3)

File: RECH5

### Overview

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 875-9999

## Ht/A Percentile (resp.) (ha4)

File: RECH5

**Ht/A Percentile (resp.) (ha4)****File:** RECH5**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 0-9999

**Ht/A Standard deviations (resp (ha5)****File:** RECH5**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: -572-9999

**Ht/A Percent ref. median (resp (ha6)****File:** RECH5**Overview**

Type: Discrete  
 Format: numeric  
 Width: 5  
 Decimals: 0  
 Range: 7900-99999

**Wt/Ht Std deviations(resp) DHS (ha11)****File:** RECH5**Overview**

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: -396-9999

**Wt/Ht Percent ref. median (DHS (ha12)****File:** RECH5**Overview**

Type: Discrete  
 Format: numeric  
 Width: 5  
 Decimals: 0  
 Range: 5607-99999

## Wt/Ht Percent ref. median (Fog (ha12a)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5807-99999

## Wt/Ht Percent ref. median (WHO (ha12b)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5038-99999

## Result of measurement of resp. (ha13)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Date of birth (cmc) (ha32)

File: RECH5

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 659-1081

## Completeness of information (ha33)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Smoking (ha35)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Body mass index for respondent (ha40)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1210-9999

## Rohrer's index for respondent (ha41)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 653-9999

## Under age 18 (ha50)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Line no. of parent/caretaker (ha51)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-14

## Read consent statement (ha52)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Hemoglobin level (g/dl - 1 decimal) (ha53)

File: RECH5

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-169

## Currently pregnant (ha54)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Result of measuring (Hemoglobin) (ha55)

File: RECH5

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Hemoglobin level adjusted by altitude (g/dl - 1 decimal) (ha56)

File: RECH5

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-168

## Anemia level (ha57)

File: RECH5

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-4

## Agrees to referral (ha58)

File: RECH5

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Case Identification (hhid)

File: RECH6

### Overview

Type: Discrete  
Format: character  
Width: 5

## Index to household schedule (hc0)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 2-18

## Age in months (hc1)

File: RECH6

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-59

## Weight in kilograms (1 dec.) (hc2)

File: RECH6

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 6-9999

## Height in centimeters (1 dec.) (hc3)

File: RECH6

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 200-9999

## Ht/A Percentile (hc4)

File: RECH6

## Ht/A Percentile (hc4)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Ht/A Standard deviations (hc5)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -598-9999

## Ht/A Percent of ref. median (hc6)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 7536-99999

## Wt/A Percentile (hc7)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Wt/A Standard deviations (hc8)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -530-9999

## Wt/A Percent of ref. median (hc9)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 4065-99999

## Wt/Ht Percentile (hc10)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Wt/Ht Standard deviations (hc11)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -396-9999

## Wt/Ht Percent of ref. median (hc12)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5317-99999

## Reason not measured (hc13)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Height: lying or standing (hc15)

File: RECH6

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Day of birth of child (hc16)

File: RECH6

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Date measured (day) (hc17)

File: RECH6

### Overview

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-31

## Date measured (month) (hc18)

File: RECH6

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-12

## Date measured (year) (hc19)

File: RECH6

### Overview

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 2004-2005

## Sex (hc27)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Month of birth of child (hc30)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Year of birth of child (hc31)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1999-9998

## Date of birth (cmc) (hc32)

File: RECH6

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1191-1261

## Completeness of information (hc33)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

Line no. of parent/caretaker (hc51)

File: RECH6

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-13

Read consent statement (hc52)

File: RECH6

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

Hemoglobin level (g/dl - 1 decimal) (hc53)

File: RECH6

#### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

Result of measuring (Hemoglobin) (hc55)

File: RECH6

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Hemoglobin level adjusted by altitud (g/dl - 1 decimal) (hc56)

File: RECH6

#### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Anemia level (hc57)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Agrees to referral (hc58)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Mother's line number from woman's questionnaire (hc60)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-995

## Mother's highest educational level (hc61)

File: RECH6

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Mother's highest year of education (hc62)

File: RECH6

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Preceding birth interval (hc63)

File: RECH6

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 9-999

## Birth order number (hc64)

File: RECH6

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

## Case Identification (hhid)

File: RECH7

### Overview

Type: Discrete  
Format: character  
Width: 5

## Net number (hmlidx)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Net observed (hml3)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Months ago obtained mosquito net (hml4)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## How bednet obtained (hml5)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Mosquito net treated with insecticide (hml6)

File: RECH7

## Mosquito net treated with insecticide (hml6)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Brand of bednet (hml7)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Bednet treated since receiving (hml8)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Months ago re-treated (hml9)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## ITN net (hml10)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Number of persons who slept under this net (hml11)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Person who slept in mosquito net (hmla)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Person who slept in mosquito net (hmlb)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Person who slept in mosquito net (hmlc)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Person who slept in mosquito net (hmld)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Person who slept in mosquito net (hmle)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Net has holes (sml33b)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Color of net (sml33c)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Shape of net (sml33d)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Where net obtained (sml35)

File: RECH7

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

Came with insecticide treatment kit (sml35a)

File: RECH7

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Net soaked or dipped in insecticide (sml35b)

File: RECH7

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

How long ago was net last soaked (sml35c)

File: RECH7

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Case Identification (hhid)

File: RECH8

### Overview

Type: Discrete  
Format: character  
Width: 5

## Record in household schedule (idxh8)

File: RECH8

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-16

## Paid/Unpaid/Did not work (sl41)

File: RECH8

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Hours worked (sl42)

File: RECH8

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Hours spent housekeeping (sl44)

File: RECH8

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Hours spent on family farm or business (sl46)

File: RECH8

## Hours spent on family farm or business (sl46)

File: RECH8

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Case Identification (hhid)

File: REC01

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC01

### Overview

Type: Discrete  
Format: character  
Width: 8

## Country code and phase (v000)

File: REC01

### Overview

Type: Discrete  
Format: character  
Width: 3

## Cluster number (v001)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-522

## Household number (v002)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-45

## Respondent's line number (v003)

File: REC01

### Overview

## Respondent's line number (v003)

File: REC01

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-18

## Ultimate area unit (v004)

File: REC01

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-522

## Sample weight (v005)

File: REC01

### Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-4284619

## Month of interview (v006)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of interview (v007)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2004-2005

## Date of interview (CMC) (v008)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1249-1262

## Respondent's month of birth (v009)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Respondent's year of birth (v010)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1954-1990

## Date of birth (CMC) (v011)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 659-1081

## Current age - respondent (v012)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 15-49

## Age 5-year groups (v013)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Completeness of information (v014)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Result of individual interview (v015)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Day of interview (v016)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-31

## CMC start of calendar (v017)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1189-1189

## Row of month of interview (v018)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-20

## Length of calendar (v019)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-74

## Number of calendar columns (v019a)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Ever-married sample (v020)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Primary sampling unit (v021)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-522

## Sample stratum number (v022)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-251

## Sample domain (v023)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Region (v024)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Type of place of residence (v025)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## De facto place of residence (v026)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Number of visits (v027)

File: REC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Interviewer identification (v028)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 3-609

## Keyer identification (v029)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 2-44

## Field supervisor (v030)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-611

## Field editor (v031)

File: REC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 12-999

## Office editor (v032)

File: REC01

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 2-99

## Ultimate area selection prob. (v033)

File: REC01

### Overview

Type: Continuous

Format: numeric

Width: 6

Decimals: 0

Range: 12508-313894

## Line number of husband (v034)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-14

## Cluster altitude in meters (v040)

File: REC01

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 41-3573

## Household selection for hemoglobin (v042)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Selection for women's status module (v043)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Selection for domestic violence module (v044)

File: REC01

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

## Case Identification (hhid)

File: REC11

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC11

### Overview

Type: Discrete  
Format: character  
Width: 8

## Region (v101)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Type of place of residence (v102)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Childhood place of residence (v103)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Years lived in place of res. (v104)

File: REC11

### Overview

## Years lived in place of res. (v104)

File: REC11

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Type of place of previous res. (v105)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Highest educational level (v106)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

## Highest year of education (v107)

File: REC11

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Source of drinking water (v113)

File: REC11

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-99

## Time to get to water source (v115)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-999

## Type of toilet facility (v116)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Has electricity (v119)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has radio (v120)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has television (v121)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has refrigerator (v122)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has bicycle (v123)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has motorcycle/scooter (v124)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Has car/truck (v125)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Main floor material (v127)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Main wall material (v128)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-97

## Main roof material (v129)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-97

## Religion (v130)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Ethnicity (v131)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Education in single years (v133)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## De facto place of residence (v134)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Usual resident or visitor (v135)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Number of household members (v136)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-18

## Number of children 5 and under (v137)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Number of eligible women in HH (v138)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## De jure region of residence (v139)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-97

## De jure type of place of res. (v140)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## De jure place of residence (v141)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Educational attainment (v149)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Relationship to household head (v150)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Sex of household head (v151)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Age of household head (v152)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 14-99

## Has telephone (v153)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## All woman factor - total (awfactt)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-100

## All woman factor - urban/rural (awfactu)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-100

## All woman factor - regional (awfactr)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-100

## All woman factor - educational (awfacte)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-100

## Literacy (v155)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever participated in a literacy program outside of primary (v156)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Frequency of reading newspaper or magazine (v157)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Frequency of listening to radio (v158)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Frequency of watching television (v159)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Toilet facilities shared (v160)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Type of cooking fuel (v161)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Place for hand washing (v162)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Presence of water/tap in household (v163)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Presence of soap/ash/other cleansing agent in household (v164)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Presence of basin in household (v165)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Results of salt iodine test (v166)

File: REC11

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-997

## Case Identification (hhid)

File: REC21

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC21

### Overview

Type: Discrete  
Format: character  
Width: 8

## Birth column number (bidx)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-16

## Birth order number (bord)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-16

## Child is twin (b0)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Month of birth (b1)

File: REC21

### Overview

## Month of birth (b1)

File: REC21

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of birth (b2)

File: REC21

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1967-2005

## Date of birth (CMC) (b3)

File: REC21

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 814-1261

## Sex of child (b4)

File: REC21

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

## Child is alive (b5)

File: REC21

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Age at death (b6)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Age at death (months-imputed) (b7)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-408

## Current age of child (b8)

File: REC21

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-37

## Child lives with whom (b9)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Completeness of information (b10)

File: REC21

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Preceding birth interval (b11)

File: REC21

### Overview

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 4-232

## Succeeding birth interval (b12)

File: REC21

### Overview

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 4-232

## Flag for age at death (b13)

File: REC21

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Live birth between births (b15)

File: REC21

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Child's line number in household (b16)

File: REC21

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-18

## Case Identification (hhid)

File: REC22

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC22

### Overview

Type: Discrete  
Format: character  
Width: 8

## Total children ever born (v201)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-16

## Sons at home (v202)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Daughters at home (v203)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Sons elsewhere (v204)

File: REC22

### Overview

## Sons elsewhere (v204)

File: REC22

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

## Daughters elsewhere (v205)

File: REC22

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

## Sons who have died (v206)

File: REC22

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

## Daughters who have died (v207)

File: REC22

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

## Births in last five years (v208)

File: REC22

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-5

## Births in past year (v209)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Births in month of interview (v210)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Date of first birth (CMC) (v211)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 814-1261

## Age of respondent at 1st birth (v212)

File: REC22

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-42

## Currently pregnant (v213)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Duration of current pregnancy (v214)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-10

## Time since last menstrual period (v215)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Menstruated in last six weeks (v216)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Knowledge of ovulatory cycle (v217)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Number of living children (v218)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-12

## Living children + current preg (v219)

File: REC22

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-12

## Living children + curr preg 6+ (v220)

File: REC22

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-6

## Marriage to first birth int. (v221)

File: REC22

### Overview

Type: Discrete  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-996

## Last birth to interview (v222)

File: REC22

### Overview

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-401

## Completeness of curr preg. inf (v223)

File: REC22

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 7-8

## Entries in birth history (v224)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-16

## Current pregnancy wanted (v225)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Time since last period (comp) (v226)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Flag for last period (v227)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever had a terminated preg. (v228)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Month pregnancy ended (v229)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Year pregnancy ended (v230)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1970-9999

## CMC pregnancy ended (v231)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 846-9999

## Completeness of last term. inf (v232)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Months when pregnancy ended (v233)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Other such pregnancies (v234)

File: REC22

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Index last child prior to cal. (v235)

File: REC22

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-6

## Birth between last & interview (v237)

File: REC22

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Births in last three years (v238)

File: REC22

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-3

## Pregnancies terminated before calendar beginning (v239)

File: REC22

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Month of last termination prior to calendar (v240)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Year of last termination prior to calendar (v241)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1970-9998

## CMC termination ended prior to calendar (v242)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 846-9998

## Completeness of last termination date prior to calendar (v243)

File: REC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Case Identification (hhid)

File: REC31

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC31

### Overview

Type: Discrete  
Format: character  
Width: 8

## Knowledge of any method (v301)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Ever use of any method (v302)

File: REC31

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Item created from ISSA Group (rec31\_group)

File: REC31

### Overview

Type: Discrete  
Format: character  
Width: 4

## Type of method (v304a)

File: REC31

### Overview

## Type of method (v304a)

File: REC31

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

## Knows method (v304)

File: REC31

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Ever used method (v305)

File: REC31

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Method currently used (v307)

File: REC31

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Case Identification (hhid)

File: REC32

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC32

### Overview

Type: Discrete  
Format: character  
Width: 8

## Living children at first use (v310)

File: REC32

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Children at first use (grpd) (v311)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Current contraceptive method (v312)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-20

## Current use by method type (v313)

File: REC32

### Overview

## Current use by method type (v313)

File: REC32

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

## Month of start of use of method (v315)

File: REC32

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of start of use of method (v316)

File: REC32

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1976-2005

## Date of start of use of method (CMC) (v317)

File: REC32

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 924-1261

## Completeness of information (v318)

File: REC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Years since sterilization (v319)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Age at sterilization (v320)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Marital duration at sterilization (v321)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Parity at sterilization (v322)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Last source for current users (v326)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Last source for users by type (v327)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Months of use of current method (v337)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-998

## Last method disc. last 5 years (v359)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-20

## Reason of last discontinuation (v360)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Pattern of use (v361)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Intention to use (v362)

File: REC32

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Preferred future method (v363)

File: REC32

### **Overview**

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Contraceptive use & intention (v364)

File: REC32

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Wanted last child (v367)

File: REC32

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Main reason not using a method (v375a)

File: REC32

### **Overview**

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 11-98

## Main reason not to use a meth. (v376)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 11-99

## Would ever use method if marr. (v376a)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source known for any method (v379)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Source known for any method (v380)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Heard FP on radio last months (v384a)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard FP on TV last months (v384b)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard FP newspaper last months (v384c)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Visited by FP worker last 12m (v393)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Visited health facil. last 12m (v394)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## At health facility, told of FP (v395)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: government hosp. (v3a00a)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: govt health cntr (v3a00b)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: FP clinic (v3a00c)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: mobile clinic (v3a00d)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: fieldworker (v3a00e)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: CS public sector (v3a00f)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source of FP for non-users: CS public sector (v3a00g)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source of FP for non-users: CS public sector (v3a00h)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source of FP for non-users: oth public sector (v3a00i)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: private hosp/clin (v3a00j)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source of FP for non-users: private pharmacy (v3a00k)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: private doctor (v3a00l)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: private mobile cl (v3a00m)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: fieldworker (v3a00n)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: CS med.priv sect (v3a00o)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: CS med.priv sect (v3a00p)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: CS med.priv sect (v3a00q)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: oth med.priv sect (v3a00r)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: shop (v3a00s)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: traditional pract (v3a00t)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Source of FP for non-users: friend, relative (v3a00u)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: CS oth.priv sect (v3a00v)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: CS oth.priv sect (v3a00w)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: Other (v3a00x)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: no source (v3a00y)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Source of FP for non-users: any source (v3a00z)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Told sterilization would mean no more children (v3a01)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Told about side effects (v3a02)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Told about side effects by health or FP worker (v3a03)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Told how to deal with side effects (v3a04)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Told about other FP methods (v3a05)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Told about other FP methods by health or FP worker (v3a06)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## First source for current method (v3a07)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-99

## Reason not using: Not married (v3a08a)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Reason not using: Not having sex (v3a08b)

File: REC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Reason not using: Infrequent sex (v3a08c)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Menopausal/hysterectomy (v3a08d)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Subfecund/infecund (v3a08e)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Postpartum amenorrheic (v3a08f)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Breastfeeding (v3a08g)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Fatalistic (v3a08h)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Respondent opposed (v3a08i)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Husband/partner opposed (v3a08j)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Others opposed (v3a08k)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Religious prohibition (v3a08l)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Knows no method (v3a08m)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Knows no source (v3a08n)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Health concerns (v3a08o)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Fear of side effects (v3a08p)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Lack of access/too far (v3a08q)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Costs too much (v3a08r)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Inconvenient to use (v3a08s)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Interferes with bodys processes (v3a08t)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason not using: Country specific (v3a08u)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason not using: Country specific (v3a08v)

File: REC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason not using: Country specific (v3a08w)

File: REC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Reason not using: Other (v3a08x)

File: REC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Reason not using: Don't know (v3a08z)

File: REC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Case Identification (hhid)

File: REC41

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC41

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index to birth history (midx)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Tetanus injections bef. birth (m1)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal: doctor (m2a)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal: nurse/midwife (m2b)

File: REC41

### Overview

## Prenatal: nurse/midwife (m2b)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Prenatal: auxiliary midwife (m2c)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Prenatal: patient attendant (m2d)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Prenatal: CS health profession (m2e)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Prenatal: trained birth att. (m2f)

File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Prenatal: trad.birth attendant (m2g)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal: relative (m2h)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Prenatal: CS other person (m2i)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Prenatal: CS other person (m2j)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Prenatal: other resp (uncoded) (m2k)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Prenatal: CS other (m2l)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Prenatal: CS other (m2m)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Prenatal: no one (m2n)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Assistance: doctor (m3a)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Assistance: nurse/midwife (m3b)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Assistance: auxiliary midwife (m3c)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Assistance: patient attendant (m3d)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Assistance: CS health profess. (m3e)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Assistance: trained birth att. (m3f)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Assistance: trad.birth attend. (m3g)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Assistance: relative, friend (m3h)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Assistance: CS other person (m3i)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Assistance: CS other person (m3j)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Assistance: other resp (uncod) (m3k)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Assistance: CS other (m3l)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Assistance: CS other (m3m)

### File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Assistance: no one (m3n)

### File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Duration of breastfeeding (m4)

### File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Months of breastfeeding (m5)

### File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Duration of amenorrhea (m6)

### File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Months of amenorrhea (m7)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Duration of abstinence (m8)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Months of abstinence (m9)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Time wanted pregnancy (m10)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Time would have waited (m11)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-999

## Timing of 1st antenatal check (m13)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Antenatal visits for pregnancy (m14)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Place of delivery (m15)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Delivery by caesarian section (m17)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Size of child at birth (m18)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Birth weight (kilos - 3 dec.) (m19)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 800-9999

## Weight at birth recall (m19a)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Flag for breastfeeding (m27)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Flag for amenorrhea (m28)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Flag for abstinence (m29)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## When child put to breast (m34)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Times breastfed during night (m35)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Times breastfed during day (m36)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Times gave child plain water (m37a)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child sugar water (m37b)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child fruit juice (m37c)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child herbal tea (m37d)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child powdered/tinned milk (m37e)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child commercially produced baby formula (m37f)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child fresh milk (m37g)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times given tinned, powdered or fresh animal milk (m37h)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times given country specific other liquid (m37i)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times given country specific other liquid (m37j)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times given country specific other liquid (m37k)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child other liquid (m37l)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times given pumpkin, carrots, red/yel yams, red sweet pot. (m37m)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times given any green leafy vegetables (m37n)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times given mango, papaya or other Vit A rich fruits (m37o)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times given other solid, semi-solid foods (m37p)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times given food made from local grain (m37q)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times given food made from local roots/tuber (m37r)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child eggs, fish, poultry (m37s)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child meat (m37t)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child other fruits/vegetables (m37u)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child meat, poultry, fish, shellfish, eggs (m37v)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child legumes (lentils, beans, peanuts) (m37w)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child cheese/yogurt (m37x)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child foods made with oil, fat, butter (m37y)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child country specific food (m37z)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child country specific food (m37xx)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child country specific food (m37xy)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

Times gave child country specific food (m37xz)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

Drank from bottle with nipple (m38)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times ate solid, semi-solid or soft food yesterday (m39)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Last 7 days - plain water (m40a)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Last 7 days - sugar water (m40b)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - fruit juice (m40c)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - herbal tea (m40d)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - powdered/tinned milk (m40e)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - commercially produced baby formula (m40f)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - fresh milk (m40g)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - tinned, powdered or fresh animal milk (m40h)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific other liquid (m40i)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific other liquid (m40j)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific other liquid (m40k)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Last 7 days - other liquid (m40l)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

Last 7 days - pumpkin, carrots, red/yel yams, red sweet pot.

(m40m)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

Last 7 days - any green leafy vegetables (m40n)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

Last 7 days - mango, papaya or other Vit A rich fruits (m40o)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

Last 7 days - other solid, semi-solid foods (m40p)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Last 7 days - food made from local grain (m40q)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - food made from local roots/tuber (m40r)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - eggs, fish, poultry (m40s)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - meat (m40t)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - other fruits/vegetables (m40u)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - meat, poultry, fish, shellfish, eggs (m40v)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - legumes (lentils, beans, peanuts) (m40w)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - cheese/yogurt (m40x)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - foods made with oil, fat, butter (m40y)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific food (m40z)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific food (m40xx)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific food (m40xy)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific food (m40xz)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Months pregnant for last antenatal visit (m41)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## During pregnancy - weighed (m42a)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## During pregnancy - height measured (m42b)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## During pregnancy - blood pressure taken (m42c)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## During pregnancy - urine sample taken (m42d)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## During pregnancy - blood sample taken (m42e)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Told about pregnancy complications (m43)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Told where to go for pregnancy complications (m44)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## During pregnancy, given or bought iron tablets/syrup (m45)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Days tablets or syrup taken (m46)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-999

## During pregnancy, had difficulty with daylight vision (m47)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## During pregnancy, had difficulty with night blindness (m48)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

During pregnancy - took Fansidar for Malaria (m49a)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

During pregnancy - took Chloroquine for Malaria (m49b)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

During pregnancy - took Unknown Drug for Malaria (m49c)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

During pregnancy - took country specific drug for Malaria (m49d)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

During pregnancy - took country specific drug for Malaria (m49e)

File: REC41

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

During pregnancy - took country specific drug for Malaria (m49f)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

During pregnancy - took country specific drug for Malaria (m49g)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

During pregnancy - took other drug for Malaria (m49x)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

During pregnancy - took no drug for Malaria (m49z)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

After birth, health professional checked health (m50)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Checkup after deliver timing (m51)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## After birth, health professional checked health (m52)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Place for checkup (m53)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## Received Vitamin A dose in first 2 months after delivery (m54)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## First 3 days, given milk other than breast milk (m55a)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given plain water (m55b)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given sugar/glucose water (m55c)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given gripe water (m55d)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given sugar/salt/water solution (m55e)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given fruit juice (m55f)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## First 3 days, given infant formula (m55g)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## First 3 days, given tea/infusions (m55h)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## First 3 days, given honey (m55i)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## First 3 days, given country specific (m55j)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## First 3 days, given country specific (m55k)

File: REC41

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

First 3 days, given country specific (m55l)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

First 3 days, given country specific (m55m)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

First 3 days, given country specific (m55n)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

First 3 days, given other (m55x)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

First 3 days, given nothing (m55z)

File: REC41

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

# Sugar added to any of foods or liquids consumed yesterday (m56)

## File: REC41

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Case Identification (hhid)

File: REC42

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC42

### Overview

Type: Discrete  
Format: character  
Width: 8

## Last birth cesarean section (v401)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Currently breastfeeding (v404)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Currently amenorrheic (v405)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Currently abstaining (v406)

File: REC42

### Overview

## Currently abstaining (v406)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Times breastfed during night (v407)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Times breastfed during day (v408)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Drank from bottle with nipple (v415)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Heard of oral rehydration (v416)

File: REC42

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Entries in maternity table (v417)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Entries in health table (v418)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Entries in height/weight table (v419)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Measurer's code (v420)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Assistant measurer's code (v421)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## When child put to breast (v426)

File: REC42

## When child put to breast (v426)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Respondent's weight (kilos-1d) (v437)

File: REC42

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 151-9999

## Respondent's height (cms-1d) (v438)

File: REC42

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 875-9999

## Ht/A Percentile (resp.) (v439)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Ht/A Standard deviations (resp (v440)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -572-9999

## Ht/A Percent ref. median (resp (v441)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 7900-99999

## Wt/Ht Percent ref. median (DHS (v442)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5607-99999

## Wt/Ht Percent ref. median (Fog (v443)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5807-99999

## Wt/Ht Percent ref. median (WHO (v444)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5038-99999

## Wt/Ht Std deviations(resp) DHS (v444a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -396-9999

## Body mass index for respondent (v445)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1210-9999

## Rohrer's index for respondent (v446)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 653-9999

## Result of measurement of resp. (v447)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Women's age in years from household report (v447a)

File: REC42

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 15-49

## Under age 18 (HH report) (v452a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

Line no. of parent/caretaker (v452b)

File: REC42

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-14

Read consent statement (v452c)

File: REC42

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

Hemoglobin level (g/dl - 1 decimal) (v453)

File: REC42

#### **Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-169

Currently pregnant (household report) (v454)

File: REC42

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Result of measuring (Hemoglobin) (v455)

File: REC42

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-7

## Hemoglobin level adjusted by altitude (g/dl - 1 decimal) (v456)

File: REC42

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-168

## Anemia level (v457)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Agrees to referral (v458)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Have bednet for sleeping (household report) (v459)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Children under 5 slept under bednet last night (HH report) (v460)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Respondent slept under bednet (v461)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Washed hands before preparing last meal (v462)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Smokes cigarettes (v463a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Smokes pipe (v463b)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Smokes other tobacco (v463c)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Uses chewing tobacco (v463d)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Uses snuff (v463e)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Smokes country specific (v463f)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Smokes country specific (v463g)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Smokes nothing (v463z)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Number of cigarettes in last 24 hours (v464)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Disposal of youngest child's stools when not using toilet (v465)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## When child is seriously ill, can decide whether med tx sough (v466)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Getting medical help for self: know where to go (v467a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: getting permission to go (v467b)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: getting money needed for tx (v467c)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: distance to health facility (v467d)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: having to take transport (v467e)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: not wanting to go alone (v467f)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: concern no female health prov (v467g)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Columns used for Last Birth Only variables (v468)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Times gave child plain water (v469a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child sugar water (v469b)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Times gave child fruit juice (v469c)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child herbal tea (v469d)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Times gave child powdered/tinned milk (v469e)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Times gave child commercially produced baby formula (v469f)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times gave child fresh milk (v469g)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Times given tinned, powdered or fresh animal milk (v469h)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times given country specific other liquid (v469i)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Times given country specific other liquid (v469j)

File: REC42

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Times given country specific other liquid (v469k)

File: REC42

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Times gave child other liquid (v469l)

File: REC42

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Times given pumpkin, carrots, red/yel yams, red sweet pot.

(v469m)

File: REC42

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Times given any green leafy vegetables (v469n)

File: REC42

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times given mango, papaya or other Vit A rich fruits (v469o)

File: REC42

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times given other solid, semi-solid foods (v469p)

File: REC42

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times given food made from local grain (v469q)

File: REC42

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times given food made from local roots/tuber (v469r)

File: REC42

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Times gave child eggs, fish, poultry (v469s)

File: REC42

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

Times gave child meat (v469t)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child other fruits/vegetables (v469u)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child meat, poultry, fish, shellfish, eggs (v469v)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child legumes (lentils, beans, peanuts) (v469w)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child cheese/yogurt (v469x)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child foods made with oil, fat, butter (v469y)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Times gave child country specific food (v469z)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child country specific food (v469xx)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child country specific food (v469xy)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Times gave child country specific food (v469xz)

File: REC42

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - plain water (v470a)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - sugar water (v470b)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - fruit juice (v470c)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - herbal tea (v470d)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - powdered/tinned milk (v470e)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - commercially produced baby formula (v470f)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - fresh milk (v470g)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - tinned, powdered or fresh animal milk (v470h)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific other liquid (v470i)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific other liquid (v470j)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific other liquid (v470k)

File: REC42

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Last 7 days - other liquid (v470l)

File: REC42

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Last 7 days - pumpkin, carrots, red/yel yams, red sweet pot. (v470m)

File: REC42

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Last 7 days - any green leafy vegetables (v470n)

File: REC42

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Last 7 days - mango, papaya or other Vit A rich fruits (v470o)

File: REC42

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Last 7 days - other solid, semi-solid foods (v470p)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - food made from local grain (v470q)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - food made from local roots/tuber (v470r)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - eggs, fish, poultry (v470s)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - meat (v470t)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - other fruits/vegetables (v470u)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - meat, poultry, fish, shellfish, eggs (v470v)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - legumes (lentils, beans, peanuts) (v470w)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - cheese/yogurt (v470x)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - foods made with oil, fat, butter (v470y)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific food (v470z)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific food (v470xx)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific food (v470xy)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 7 days - country specific food (v470xz)

File: REC42

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Case Identification (hhid)

File: REC43

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC43

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index to birth history (hidx)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Has health card (h1)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Received BCG (h2)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## BCG day (h2d)

File: REC43

### Overview

## BCG day (h2d)

File: REC43

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

## BCG month (h2m)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

## BCG year (h2y)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 1999-9998

## Received DPT 1 (h3)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## DPT 1 day (h3d)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

## DPT 1 month (h3m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## DPT 1 year (h3y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1999-9998

## Received POLIO 1 (h4)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## POLIO 1 day (h4d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## POLIO 1 month (h4m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## POLIO 1 year (h4y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1999-9998

## Received DPT 2 (h5)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## DPT 2 day (h5d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## DPT 2 month (h5m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## DPT 2 year (h5y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 2000-9998

## Received POLIO 2 (h6)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## POLIO 2 day (h6d)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## POLIO 2 month (h6m)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## POLIO 2 year (h6y)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 2000-9998

## Received DPT 3 (h7)

### File: REC43

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## DPT 3 day (h7d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## DPT 3 month (h7m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## DPT 3 year (h7y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 2000-9998

## Received POLIO 3 (h8)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## POLIO 3 day (h8d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## POLIO 3 month (h8m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## POLIO 3 year (h8y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 2000-9998

## Received MEASLES (h9)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## MEASLES day (h9d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## MEASLES month (h9m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## MEASLES year (h9y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 2000-9998

## Received POLIO 0 (h0)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## POLIO 0 day (h0d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## POLIO 0 month (h0m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## POLIO 0 year (h0y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1999-9998

## **Ever had vaccination (h10)**

File: REC43

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## **Had diarrhea recently (h11)**

File: REC43

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## **Diarrhea: government hosp. (h12a)**

File: REC43

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## **Diarrhea: govt health center (h12b)**

File: REC43

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## **Diarrhea: govt health post (h12c)**

File: REC43

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: mobile clinic (h12d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: comm.health worker (h12e)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: CS public sector (h12f)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Diarrhea: CS public sector (h12g)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Diarrhea: CS public sector (h12h)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Diarrhea: other public sector (h12i)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: private hosp/clin. (h12j)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: private pharmacy (h12k)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: private doctor (h12l)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: private mobile cln (h12m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: comm.health worker (h12n)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: Mission hospital (h12o)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Diarrhea: Mission health center (h12p)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Diarrhea: Mission mobile clinic (h12q)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Diarrhea: other med.priv sect. (h12r)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: shop (h12s)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: traditional pract. (h12t)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: CS oth.priv sector (h12u)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Diarrhea: CS oth.priv sector (h12v)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Diarrhea: CS oth.priv sector (h12w)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Diarrhea: Other (h12x)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: no treatment (h12y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Diarrhea: medical treatment (h12z)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given oral rehydration (h13)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given recommend. home solution (h14)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Given other pills or syrups (h15)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given antibiotics (CS) (h15a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Given an injection (h15b)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given an intravenous (IV) (h15c)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given home remedy, herbal med. (h15d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given CS other treatment (h15e)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Given CS other treatment (h15f)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Given CS other treatment (h15g)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Given CS other treatment (h15h)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Given other treatment (h20)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Given no treatment (h21a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Received any treatment (h21)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Had fever in last two weeks (h22)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Had cough in last two weeks (h31)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Short, rapid breaths (h31b)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Fever/cough: government hosp. (h32a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: govt health cntr (h32b)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: govt health post (h32c)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: mobile clinic (h32d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: comm.health wrkr (h32e)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: CS public sector (h32f)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Fever/cough: CS public sector (h32g)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Fever/cough: CS public sector (h32h)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Fever/cough: oth public sector (h32i)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: private hosp/clin (h32j)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: private pharmacy (h32k)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: private doctor (h32l)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: private mobile cl (h32m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: comm.health wrkr (h32n)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: mission hospital/clinic (h32o)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: mission health center (h32p)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: mission mobile clinic (h32q)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: oth med.priv sect (h32r)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: shop (h32s)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: traditional pract (h32t)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fever/cough: CS oth.priv sect (h32u)

File: REC43

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Fever/cough: CS oth.priv sect (h32v)

File: REC43

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Fever/cough: CS oth.priv sect (h32w)

File: REC43

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Fever/cough: Other (h32x)

File: REC43

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Fever/cough: no treatment (h32y)

File: REC43

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Fever/cough: medical treatment (h32z)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Received Vitamin A (h33)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Vitamin A Day (h33d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Vitamin A month (h33m)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Vitamin A year (h33y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 2000-9998

## Vitamin A in last 6 months (h34)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Any vaccinations in last 2 years part of campaign (h35)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Vaccinated during Campaign A (h36a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Vaccinated during Campaign B (h36b)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Vaccinated during Campaign C (h36c)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Vaccinated during Campaign D (h36d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Vaccinated during Campaign E (h36e)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Vaccinated during Campaign F (h36f)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Fansidar taken for fever (h37a)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Chloroquine taken for fever (h37b)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Aspirin taken for fever (h37c)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Ibuprofen/acetaminophen taken for fever (h37d)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Amodiaquine taken for fever (h37e)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Quinine taken for fever (h37f)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Artesunate taken for fever (h37g)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Country specific taken for fever (h37h)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Other taken for fever (h37x)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Nothing taken for fever (h37y)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Don't know if or what was taken (h37z)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Had diarrhea in last 2 weeks: Amount offered to drink (h38)

File: REC43

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Had diarrhea in last 2 weeks: Amount offered to eat (h39)

File: REC43

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Case Identification (hhid)

File: REC44

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC44

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index to birth history (hwidx)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Age in months (hw1)

File: REC44

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-59

## Weight in kilograms (1 dec.) (hw2)

File: REC44

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 6-999

## Height in centimeters (1 dec.) (hw3)

File: REC44

### Overview

## Height in centimeters (1 dec.) (hw3)

File: REC44

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 200-9999

## Ht/A Percentile (hw4)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

## Ht/A Standard deviations (hw5)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: -598-9999

## Ht/A Percent of ref. median (hw6)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 5

Decimals: 0

Range: 7579-99999

## Wt/A Percentile (hw7)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

## Wt/A Standard deviations (hw8)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -530-9999

## Wt/A Percent of ref. median (hw9)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 4683-99999

## Wt/Ht Percentile (hw10)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Wt/Ht Standard deviations (hw11)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -396-9999

## Wt/Ht Percent of ref. median (hw12)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 5  
Decimals: 0  
Range: 5317-99999

## Reason not measured (hw13)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Height: lying or standing (hw15)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Day of birth of child (hw16)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Date measured (day) (hw17)

File: REC44

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-31

## Date measured (month) (hw18)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Date measured (year) (hw19)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 2004-2005

## Line no. of parent/caretaker (hw51)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-13

## Read consent statement (hw52)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Hemoglobin level (g/dl - 1 decimal) (hw53)

File: REC44

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Result of measuring (Hemoglobin) (hw55)

File: REC44

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Hemoglobin level adjusted by altitud (g/dl - 1 decimal) (hw56)

File: REC44

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

## Anemia level (hw57)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Agrees to referral (hw58)

File: REC44

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Case Identification (hhid)

File: REC51

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC51

### Overview

Type: Discrete  
Format: character  
Width: 8

## Current marital status (v501)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Currently/formerly/never marr. (v502)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Number of unions (v503)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Husband lives in house (v504)

File: REC51

### Overview

## Husband lives in house (v504)

File: REC51

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Number of other wives (v505)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Wife rank number (v506)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

## Month of first marriage (v507)

File: REC51

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of first marriage (v508)

File: REC51

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1966-2005

## Date of first marriage (CMC) (v509)

File: REC51

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 797-1261

## Completeness of date inform. (v510)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Age at first marriage (v511)

File: REC51

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 7-42

## Years since first marriage (v512)

File: REC51

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-38

## Marital duration (grouped) (v513)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Age at first intercourse (v525)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Time since last intercourse (v527)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Time since last intercourse(g) (v528)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Time since last intercourse(imputed) (v529)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Flag for V529 (v530)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age at first intercourse (imp) (v531)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Flag for V531 (v532)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Have ever been married (v535)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Recent sexual activity (v536)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Months of abstinence (v537)

File: REC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Case Identification (hhid)

File: REC61

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC61

### Overview

Type: Discrete  
Format: character  
Width: 8

## Fertility preference (v602)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Preferred waiting time (v603)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Preferred waiting time (grpd) (v604)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Desire for more children (v605)

File: REC61

### Overview

## Desire for more children (v605)

File: REC61

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Husband approves FP (v610)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Discussed FP with partner (v611)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Respondent approves FP (v612)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Ideal number of children (v613)

File: REC61

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Ideal number of children (grp) (v614)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Time for future birth (v616)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Husbands desire for children (v621)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Exposure (v623)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Unmet need (v624)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Exposure (definition 2) (v625)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Unmet need (definition 2) (v626)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ideal number of boys (v627)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ideal number of girls (v628)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Ideal number of either sex (v629)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Discussed FP with partner (v630a)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with mother (v630b)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with father (v630c)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with sister(s) (v630d)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with brother(s) (v630e)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with daughter(s) (v630f)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with mother-in-law (v630g)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with friends/nbrs (v630h)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP with son(s) (v630i)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Discussed FP -country specific (v630j)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP -country specific (v630k)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP -country specific (v630l)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP -country specific (v630m)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP -country specific (v630n)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP -country specific (v630o)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with others (v630x)

File: REC61

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Problem if became pregnant (v631)

File: REC61

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Decision maker for using contraception (v632)

File: REC61

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Reason for not having sex: Husband has STD (v633a)

File: REC61

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Reason for not having sex: Husband has other women (v633b)

File: REC61

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Reason for not having sex: Recent birth (v633c)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason for not having sex: Tired, mood (v633d)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason for not having sex: CS (v633e)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Reason for not having sex: CS (v633f)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Reason for not having sex: CS (v633g)

File: REC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Case Identification (hhid)

File: REC71

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC71

### Overview

Type: Discrete  
Format: character  
Width: 8

## Partner's education level (v701)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Highest year of education (v702)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Partner's occupation (v704)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-999

## Partner's occupation (v705)

File: REC71

### Overview

## Partner's occupation (v705)

File: REC71

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Respondent currently working (v714)

File: REC71

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Husbands education-single yrs (v715)

File: REC71

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Respondent's occupation (v716)

File: REC71

### Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-999

## Respondent's occupation (v717)

File: REC71

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Work for family, others, self (v719)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Works at home or away (v721)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Partner's educational attainm. (v729)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Partners age (v730)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 16-99

## Worked in last 12 months (v731)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Employment all year/seasonal (v732)

File: REC71

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Who decides how to spend money (v739)

File: REC71

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Type of land where resp. works (v740)

File: REC71

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Type of earnings for work (v741)

File: REC71

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Portion of household expenditures respondents earnings pay (v742)

File: REC71

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Final say on own health care (v743a)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Final say on making large household purchases (v743b)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Final say on making household purchases for daily needs (v743c)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Final say on visits to family or relatives (v743d)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Final say on food to be cooked each day (v743e)

File: REC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

Wife beating justified if she goes out without telling him (v744a)

File: REC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Wife beating justified if she neglects the children (v744b)

File: REC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Wife beating justified if she argues with him (v744c)

File: REC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Wife beating justified if she refuses to have sex with him (v744d)

File: REC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Wife beating justified if she burns the food (v744e)

File: REC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hhid)

File: REC75

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC75

### Overview

Type: Discrete  
Format: character  
Width: 8

## Heard sexual transmit. disease (v750)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever heard of AIDS (v751)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ways to avoid AIDS (v753)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: Safe sex (v754a)

File: REC75

### Overview

## AIDS: Safe sex (v754a)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

## AIDS: abstain from sex (v754b)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## AIDS: use condoms during sex (v754c)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## AIDS: only one sex partner (v754d)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## AIDS: avoid sex prostitutes (v754e)

File: REC75

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## AIDS: avoid sex homosexuals (v754f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid blood transfusions (v754g)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid injections (v754h)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid kissing (v754i)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid mosquito bites (v754j)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: protection trad. healer (v754k)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: Limit number of sex partners (v754l)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: Avoid partners who have many partners (v754m)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: Avoid sex with intravenous drug users (v754n)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid sharing razor blades with AIDS patient (v754o)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: country specific (v754p)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (v754q)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (v754r)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (v754s)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (v754t)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (v754u)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (v754v)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: other responses (v754x)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: DK ways to avoid AIDS (v754z)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reduce chances of AIDS by always using condoms during sex (v754cp)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Reduce chance of AIDS: have 1 sex partner with no oth partnr  
(v754dp)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Get AIDS from mosquito bites (v754jp)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Get AIDS by sharing food with person who has AIDS (v754wp)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Can a healthy person have AIDS (v756)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Acceptable to discuss AIDS on radio (v759a)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Acceptable to discuss AIDS on TV (v759b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Acceptable to discuss AIDS in newspapers (v759c)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Acceptable to discuss AIDS: CS (v759d)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Acceptable to discuss AIDS: CS (v759e)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Acceptable to discuss AIDS: CS (v759f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Acceptable to discuss AIDS: CS (v759g)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Acceptable to discuss AIDS: CS (v759h)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Acceptable to discuss AIDS: CS (v759i)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last intercourse used condom (v761)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Intercourse with other man (1) used condom (v761b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Intercourse with other man (2) used condom (v761c)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Source for condoms: Government hospital (v762aa)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Government health center/post (v762ab)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Family planning clinic (v762ac)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Mobile clinic (v762ad)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Public field worker (v762ae)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Other public (v762af)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Public CS (v762ag)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for condoms: Public CS (v762ah)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for condoms: Public CS (v762ai)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for condoms: Private hosp, clinic (v762aj)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Pharmacy (v762ak)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Private doctor (v762al)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Private mobile clinic (v762am)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Private field worker (v762an)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Other private (v762ao)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Mission hospital/clinic (v762ap)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Mission health center (v762aq)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Mission mobile clinic (v762ar)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Shop (v762as)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Church (v762at)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Friends, relatives (v762au)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: BLM (v762av)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: CS (v762aw)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for condoms: Other (v762ax)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: DK source for condom (v762az)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for female condoms: Government hospital (v762ba)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for female condoms: Government health center/post  
(v762bb)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for female condoms: Family planning clinic (v762bc)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for female condoms: Mobile clinic (v762bd)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Public field worker (v762be)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Other public (v762bf)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Public CS (v762bg)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Public CS (v762bh)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Public CS (v762bi)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private hosp, clinic (v762bj)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Pharmacy (v762bk)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private doctor (v762bl)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private mobile clinic (v762bm)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private field worker (v762bn)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Other private (v762bo)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private CS (v762bp)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private CS (v762bq)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private CS (v762br)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Shop (v762bs)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Church (v762bt)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Friends, relatives (v762bu)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: CS (v762bv)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: CS (v762bw)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Other (v762bx)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for female condoms: DK source for condom (v762bz)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Had any STD in last 12 months (v763a)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Had genital sore/ulcer in last 12 months (v763b)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Had genital discharge in last 12 months (v763c)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Last 12 months had CS STD (v763d)

File: REC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 12 months had CS STD (v763e)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 12 months had CS STD (v763f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 12 months had CS STD (v763g)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last sex reason used a condom (v765a)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sex with other man (1) reason used a condom (v765b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Sex with other man (2) reason used a condom (v765c)

File: REC75

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## No. other than husband had sex in last 12 months (v766a)

File: REC75

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## No. had sex including husband in last 12 months (v766b)

File: REC75

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## Relationship with last sex partner (v767a)

File: REC75

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

## Relationship with other sex partner (1) (v767b)

File: REC75

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-96

## Relationship with other sex partner (2) (v767c)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## Length of time knows last partner (v768a)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-999

## Length of time knows other partner (1) (v768b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-999

## Length of time knows other partner (2) (v768c)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-401

## Could get a condom (v769)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Could get a female condom (v769a)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Seek advice for last disease (v770)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Seek advise: clinic/hospital/private doctor (v770a)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Seek advise: traditional healer (v770b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Seek advise: Shop/pharmacy (v770c)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Seek advise: Friends/relatives (v770d)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Seek advise: CS (v770e)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Seek advise: CS (v770f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Seek advise: CS (v770g)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Seek advise: CS (v770h)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Seek advise: CS (v770i)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Advise partner when had disease (v771)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Tried to avoid infecting partner (v772)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## What done: no sexual intercourse (v773a)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## What done: used condoms (v773b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## What done: took medicines (v773c)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## What done: country specific (v773d)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## What done: country specific (v773e)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## What done: country specific (v773f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## What done: other (v773x)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## AIDS transmitted from mother to child (v774)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS transmit. during pregnancy (v774a)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS transmit. during delivery (v774b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS transmit. by breastfeeding (v774c)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knows someone who has or died of AIDS (v775)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Spoken with spouse about avoiding AIDS (v776)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Allowed to keep AIDS infection secret (v777)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Willing to care for relative with AIDS (v778)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Person with AIDS allowed to continue teaching (v779)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Should children be taught about condoms (v780)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## **Ever been tested for AIDS (v781)**

File: REC75

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## **Want to be tested for AIDS (v782)**

File: REC75

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## **Know a place to get AIDS test (v783)**

File: REC75

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## **Where to get an AIDS test (v784)**

File: REC75

### **Overview**

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## **Heard about other STDs (v785)**

File: REC75

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785a)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785c)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785d)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785e)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785g)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785h)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785i)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785j)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785k)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785l)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785m)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (v785n)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (v785o)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (v785p)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (v785q)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (v785x)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785y)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (v785z)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786a)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786b)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786c)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786d)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786e)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786f)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786g)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786h)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786i)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786j)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786k)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786l)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786m)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Woman's symptoms of STI (v786n)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Woman's symptoms of STI (v786o)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Woman's symptoms of STI (v786p)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Woman's symptoms of STI (v786q)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Woman's symptoms of STI (v786x)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786y)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (v786z)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Number of days drank alcohol last 3 months (v787)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-95

## Number of days gotten drunk last 3 months (v788)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-95

## Number of injections in last 3 months (v789)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 95-95

## Person who gave last injection (v790)

File: REC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Case Identification (hhid)

File: REC81

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC81

### Overview

Type: Discrete  
Format: character  
Width: 8

## Time interview started (v801)

File: REC81

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 600-9999

## Time interview ended (v802)

File: REC81

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 100-9999

## Length of interview in minutes (v803)

File: REC81

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Number of visits (v804)

File: REC81

### Overview

## Number of visits (v804)

File: REC81

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

## Interviewer identification (v805)

File: REC81

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 3-609

## Keyer identification (v806)

File: REC81

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 2-44

## Pres. children < 10 (sec 7) (v811)

File: REC81

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Pres. husband (sec 7) (v812)

File: REC81

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Pres. other males (sec 7) (v813)

File: REC81

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Pres. other females (sec 7) (v814)

File: REC81

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Case Identification (hhid)

File: REC82

### Overview

Type: Discrete

Format: character

Width: 5

## Case Identification (caseid)

File: REC82

### Overview

Type: Discrete

Format: character

Width: 8

## Calendar column number (vcol)

File: REC82

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Calendar (vcal)

File: REC82

### Overview

Type: Discrete

Format: character

Width: 74

## Case Identification (hhid)

File: REC83

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC83

### Overview

Type: Discrete  
Format: character  
Width: 8

## Maternal mortality index (mmidx)

File: REC83

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-18

## Sex of sibling (mm1)

File: REC83

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Sibling's survival status (mm2)

File: REC83

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sibling's current age (mm3)

File: REC83

### Overview

## Sibling's current age (mm3)

File: REC83

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## CMC date of birth of sibling (mm4)

File: REC83

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 216-1256

## Sibling's marital status (mm5)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

## Years ago sibling died (mm6)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Sibling's age at death (mm7)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## CMC date of death of sibling (mm8)

File: REC83

### Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 377-1259

## Sibling's death & pregnancy (mm9)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Death & pregnancy are related (mm10)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

## Sibling's cause of death (mm11)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-0

## Time between delivery & death (mm12)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 101-998

## Place of death (mm13)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-0

## Number of sibling's children (mm14)

File: REC83

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

## Sibling's year of death (mm15)

File: REC83

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 9998-9998

## Case Identification (hhid)

File: REC84

### Overview

Type: Discrete  
 Format: character  
 Width: 5

## Case Identification (caseid)

File: REC84

### Overview

Type: Discrete  
 Format: character  
 Width: 8

## Number of siblings of resp. (mmc1)

File: REC84

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-18

## Preceeding births before resp. (mmc2)

File: REC84

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-17

## Sister's reporting (mmc3)

File: REC84

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-0

## Cut off age (mmc5)

File: REC84

### Overview

## Cut off age (mmc5)

File: REC84

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-15

## Case Identification (hhid)

File: REC91

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC91

### Overview

Type: Discrete  
Format: character  
Width: 8

## Original district code (sdist2)

File: REC91

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-312

## Program District (sdist)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-11

## Wealth index (v190)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Wealth index factor score (5 decimals) (v191)

File: REC91

### Overview

## Wealth index factor score (5 decimals) (v191)

File: REC91

Type: Continuous

Format: numeric

Width: 6

Decimals: 0

Range: -57686-696620

## All woman factor - wealth index (awfactw)

File: REC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

## Type of bednet(s) slept under last night (ml101)

File: REC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

## Condom used at first sexual intercourse (v820)

File: REC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Last sexual partner younger, the same age or older (v821a)

File: REC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Next to last sexual partner younger, the same age or older (v821b)

File: REC91

Next to last sexual partner younger, the same age or older (v821b)

File: REC91

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

Second to last sexual partner younger, the same age or older

(v821c)

File: REC91

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

Wife justified to ask husband to use condom if he has STD (v822)

File: REC91

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Reduce risk of getting AIDS by not having sex at all (v754bp)

File: REC91

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Can get AIDS by witchcraft or supernatural means (v823)

File: REC91

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Drugs to avoid AIDS transmission to baby during pregnancy (v824)

### File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Would buy vegetables from vendor with AIDS (v825)

### File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When was last time you were tested (v826)

### File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Last test was on your own, offered or required (v827)

### File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Did get the test results (v828)

### File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## First sex wanted or forced (sv21b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Forced to have sex (sv21c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Received injections (s495)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Number of injections (s495a)

File: REC91

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Injections administered by health professional (s495b)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Person who gave injections (s495c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Used a new syringe (s495d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard radio spot about AIDS (s816e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard or seen TV spot about AIDS (s816f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Read articles about AIDS (s816g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Line number of parent/responsible adult (shiv01)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-14

## Parental or adult consent (shiv02)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Respondent consent (shiv03)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Result of measuring (shiv04)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Relative age of first sex partner (shiv05)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Blood sample ID number (shiv06)

File: REC91

#### Overview

Type: Discrete

Format: character

Width: 5

HIV weight (shiv\_weight)

File: REC91

#### Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-7234708

DV weight (sdv\_weight)

File: REC91

#### Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-10485051

During pregnancy: high blood pressure (s414aa)

File: REC91

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

During pregnancy: swelling of feet (s414ab)

File: REC91

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

During pregnancy: anemia (s414ac)

File: REC91

## During pregnancy: anemia (s414ac)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## During pregnancy: bleeding (s414ad)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## After birth: heavy bleeding (s432aa)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## After birth: high blood pressure (s432ab)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## After birth: stroke, convulsions (s432ac)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## After birth: infection, fever (s432ad)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## After birth: leakage (s432ae)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## After birth: depression (s432af)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Getting medical help for self: cost of transport (s4946)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age of first partner (s514c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 8-99

## Older, younger, or same age (s514d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## How much older than respondent (s514e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Language of questionnaire (sqqlang)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Language of interview (sqlang)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Respondent native language (sqnlang)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Advised that method does not protect against AIDS (s324a)

File: REC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Translator used (sqtrans)

File: REC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Problems after childbirth (s494b)

File: REC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Who inherited most property (s504a)

File: REC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Respondent inherited property (s504b)

File: REC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Heard FP poster last months (s617d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard FP on clothing (s617e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard FP in a drama (s617f)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard FP, other (s617g)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## On radio, heard: Uchembere Wabwino (s618a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Phukusi la Moyo (s618b)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Pa Mtondo (s618c)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Women's Talking Point (s618d)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Window Through Health (s618e)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Umoyo M'Malawi (s618f)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Tikuferanji (s618g)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Radio Doctor (s618h)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Chitukuku M'Malawi (s618i)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Women's Forum (s618j)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Tichitenji (s618k)

File: REC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

On radio, heard: Kulera (s618l)

File: REC91

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

On radio, heard: other (s618x)

File: REC91

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Justifies domestic violence: Has extramarital affair (s721f)

File: REC91

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Justifies beating husband: Neglects support (s722a)

File: REC91

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Justifies beating husband: Gets drunk (s722b)

File: REC91

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Justifies beating husband: Argues (s722c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Justifies beating husband: Refuses sex (s722d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Justifies beating husband: Has sex with another woman (s722e)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Drugs from doctor for AIDS patients (s812cc)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Should a person with AIDS be allowed to continue to work (s816)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## People with AIDS are immoral (s816a)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Condoms are safe to use (s816c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Couples should be tested for AIDS (s816d)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When was last time you were tested (s816i1)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## AIDS in family kept secret (s814c)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Drinks alcohol (s498)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Heard of a condom called 'Chishango' (s527)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Know AIDS status of partner (s817)

File: REC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hhid)

File: REC94

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC94

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index to birth history (idx94)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Antenatal care: your home (m57a)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: other home (m57b)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: CS home (m57c)

File: REC94

### Overview

## Antenatal care: CS home (m57c)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Antenatal care: CS home (m57d)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Antenatal care: govt. hospital (m57e)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Antenatal care: govt. health center (m57f)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Antenatal care: govt. health post (m57g)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Antenatal care: public mobile clinic (m57h)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: CS public (m57i)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Antenatal care: CS public (m57j)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Antenatal care: CS public (m57k)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Antenatal care: other public (m57l)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: pvt. hospital/clinic (m57m)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: pvt. mobile clinic (m57n)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: Mission hospital (m57o)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: Mission health center (m57p)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: CS pvt. (m57q)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Antenatal care: other private (m57r)

### File: REC94

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: TBA (m57s)

### File: REC94

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: CS other (m57t)

### File: REC94

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Antenatal care: CS other (m57u)

### File: REC94

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Antenatal care: CS other (m57v)

### File: REC94

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Antenatal care: other (m57x)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Information about AIDS given at antenatal visit (m58)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Child registered at birth (m59)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Antenatal care: Tested for AIDS (s412ab)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: Given results of AIDS test (s412ac)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: Fetal heartbeat checked (s412f)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Antenatal care: Eye exam (s412g)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Advice/treatment for pregnancy complications: respondent's home (s414da)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Advice/treatment for pregnancy complications: other home (s414db)

File: REC94

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Advice/treatment for pregnancy complications: gov't hospital (s414dc)

File: REC94

### Overview

Advice/treatment for pregnancy complications: gov't hospital  
(s414dc)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: gov't health center  
(s414dd)

File: REC94

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: gov't health post  
(s414de)

File: REC94

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: gov't mobile clinic  
(s414df)

File: REC94

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: other public  
(s414dg)

File: REC94

#### Overview

Advice/treatment for pregnancy complications: other public  
(s414dg)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: mission hospital

(s414dh)

File: REC94

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: mission health center (s414di)

File: REC94

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: private hospital/clinic (s414dj)

File: REC94

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: private mobile clinic (s414dk)

File: REC94

#### Overview

Advice/treatment for pregnancy complications: private mobile clinic (s414dk)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: other private medical (s414dl)

File: REC94

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: TBA (s414dm)

File: REC94

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Advice/treatment for pregnancy complications: other (s414dx)

File: REC94

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Injection to prevent tetanus (s416a)

File: REC94

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## How took fansidar (s422e)

File: REC94

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Case Identification (hhid)

File: REC95

### Overview

Type: Discrete  
Format: character  
Width: 5

## Case Identification (caseid)

File: REC95

### Overview

Type: Discrete  
Format: character  
Width: 8

## Index to birth history (idx95)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Type of bednet(s) child slept under last night (ml0)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Times took Fansidar during pregnancy (ml1)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Type of visit at source for antimalarial during pregnancy (ml2)

File: REC95

### Overview

## Type of visit at source for antimalarial during pregnancy (ml2)

File: REC95

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

## Child has fever now (ml11)

File: REC95

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

## Child has had convulsions in last 2 weeks (ml12)

File: REC95

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Fansidar taken for fever/convulsion (ml13a)

File: REC95

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Chloroquine taken for fever/convulsion (ml13b)

File: REC95

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Amodiaquine taken for fever (ml13c)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Quinine taken for fever/convulsion (ml13d)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Aspirin taken for fever/convulsions (ml13e)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Panadol taken for fever/convulsion (ml13f)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ibuprofen/Acetaminophen taken (ml13g)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Panadol, paracetamol, aspiril, calpol (ml13h)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## CS ARTESUNATE (ml13i)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## CS taken for fever/convulsion (ml13j)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## CS taken for fever/convulsion (ml13k)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## CS taken for fever/convulsion (ml13l)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## CS taken for fever/convulsion (ml13m)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Other taken for fever/convulsion (ml13x)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Nothing taken for fever/convulsion (ml13y)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Don't know if or what was taken for fever/convulsion (ml13z)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Injection for fever/convulsion (ml14a)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Suppository for fever/convulsion (ml14b)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## No suppository or injection for fever/convulsion (ml14y)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Don't know if suppository or injection for fever/convulsion (ml14z)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## When started Fansidar (ml15a)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Days child took Fansidar (ml15b)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 7-8

## First source for Fansidar (ml15c)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## When started Chloroquine (ml16a)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Days child took Chloroquine (ml16b)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 7-8

## First source for Chloroquine (ml16c)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## When started Amodiaquine (ml17a)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Days child took Amodiaquine (ml17b)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 7-8

## First source for Amodiaquine (ml17c)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## When started Quinine (ml18a)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Days child took Quinine (ml18b)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 7-8

## First source for Quinine (ml18c)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

For fever/conv: Consulted traditional healer (ml19a)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

For fever/conv: Gave tepid sponging (ml19b)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

For fever/conv: Gave herbs (ml19c)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

For fever/conv: CS (ml19d)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

For fever/conv: CS (ml19e)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## For fever/conv: CS (ml19f)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## For fever/conv: Other (ml19x)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## For fever/conv: Gave nothing (ml19y)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## For fever/conv: Don't know if something else was done (ml19z)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Took first line medicaton (ml20a)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When started 1st line medication (ml20b)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Duration of 1st line medication (ml20c)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 7-8

## Took second line medicaton (ml21a)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When started 2nd line medication (ml21b)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Duration of 2nd line medication (ml21c)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 7-8

## Took other anti-malarial medicaton (ml22a)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When started other anti-malarial medication (ml22b)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Duration of other anti-malarial medication (ml22c)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 7-8

## Response to fever - 1 (s466a1)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Response to fever - 2 (s466a2)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Response to fever - 3 (s466a3)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Response to fever - 4 (s466a4)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## When started taking medicine (s466d)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When started taking medicine (s466i)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When started taking medicine (s466n)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When started taking medicine (s466s)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## When started taking medicine (s466x)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fansidar taken for fever (s466ca)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Chloroquine taken for fever (s466cb)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Aspirin taken for fever (s466cc)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ibuprofen/acetaminophen taken for fever (s466cd)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Amodiaquine taken for fever (s466ce)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Quinine taken for fever (s466cf)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Artesunate taken for fever (s466cg)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other taken for fever (s466cx)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Nothing taken for fever (s466cy)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Don't know if or what was taken (s466cz)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fansidar taken for fever (s466ha)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Chloroquine taken for fever (s466hb)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Aspirin taken for fever (s466hc)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ibuprofen/acetaminophen taken for fever (s466hd)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Amodiaquine taken for fever (s466he)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Quinine taken for fever (s466hf)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Artesunate taken for fever (s466hg)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other taken for fever (s466hx)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Nothing taken for fever (s466hy)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Don't know if or what was taken (s466hz)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fansidar taken for fever (s466ma)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Chloroquine taken for fever (s466mb)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Aspirin taken for fever (s466mc)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ibuprofen/acetaminophen taken for fever (s466md)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Amodiaquine taken for fever (s466me)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Quinine taken for fever (s466mf)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Artesunate taken for fever (s466mg)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other taken for fever (s466mx)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Nothing taken for fever (s466my)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Don't know if or what was taken (s466mz)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Fansidar taken for fever (s466ra)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Chloroquine taken for fever (s466rb)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Aspirin taken for fever (s466rc)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Ibuprofen/acetaminophen taken for fever (s466rd)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Amodiaquine taken for fever (s466re)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Quinine taken for fever (s466rf)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Artesunate taken for fever (s466rg)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Other taken for fever (s466rx)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Nothing taken for fever (s466ry)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Don't know if or what was taken (s466rz)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Fansidar taken for fever (s466wa)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Chloroquine taken for fever (s466wb)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Aspirin taken for fever (s466wc)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ibuprofen/acetaminophen taken for fever (s466wd)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Amodiaquine taken for fever (s466we)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Quinine taken for fever (s466wf)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Artesunate taken for fever (s466wg)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Other taken for fever (s466wx)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Nothing taken for fever (s466wy)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Don't know if or what was taken (s466wz)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When taken to health center (s466f)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When taken to health center (s466k)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When taken to health center (s466p)

File: REC95

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## When saw community health worker (s466u)

File: REC95

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-3

## Been ill with convulsions in last 2 weeks (s472)

File: REC95

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Sought advice or treatment for convulsions: gov't hospital (s472ba)

File: REC95

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Sought advice or treatment for convulsions: gov't health center

(s472bb)

File: REC95

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Sought advice or treatment for convulsions: gov't health post

(s472bc)

File: REC95

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Sought advice or treatment for convulsions: gov't mobile clinic  
(s472bd)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Sought advice or treatment for convulsions: gov't field worker  
(s472be)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Sought advice or treatment for convulsions: gov't other (s472bf)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Sought advice or treatment for convulsions: mission hospital  
(s472bg)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Sought advice or treatment for convulsions: mission health center  
(s472bh)

File: REC95

#### Overview

Sought advice or treatment for convulsions: mission health center (s472bh)

File: REC95

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought advice or treatment for convulsions: mission mobile clinic (s472bi)

File: REC95

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought advice or treatment for convulsions: private hospital/clinic (s472bj)

File: REC95

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought advice or treatment for convulsions: pharmacy (s472bk)

File: REC95

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought advice or treatment for convulsions: private doctor (s472bl)

File: REC95

#### **Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought advice or treatment for convulsions: private mobile clinic  
(s472bm)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Sought advice or treatment for convulsions: private field worker  
(s472bn)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Sought advice or treatment for convulsions: other private medical  
(s472bo)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Sought advice or treatment for convulsions: shop (s472bp)

File: REC95

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Sought advice or treatment for convulsions: traditional  
practitioner (s472bq)

File: REC95

#### Overview

## Sought advice or treatment for convulsions: traditional practitioner (s472bq)

File: REC95

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Sought advice or treatment for convulsions: other (s472bx)

File: REC95

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## When taken for treatment (s472c)

File: REC95

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Case Identification (hhid)

File: RECDV

### Overview

Type: Discrete	Valid cases: 9707
Format: character	Invalid: 0
Width: 5	

## Case Identification (caseid)

File: RECDV

### Overview

Type: Discrete	Valid cases: 9707
Format: character	Invalid: 0
Width: 8	

## Weight for domestic violence respondents (6 decimals) (d005)

File: RECDV

### Overview

Type: Continuous	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 113030-10485051	

## Free time (d100a)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Consults (d100b)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Affectionate (d100c)

File: RECDV

### Overview

## Affectionate (d100c)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Valid cases: 8294

Invalid: 1413

## Respects (d100d)

File: RECDV

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Valid cases: 8294

Invalid: 1413

## CS positive husband actions (d100e)

File: RECDV

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-2

Valid cases: 0

Invalid: 9707

## CS positive husband actions (d100f)

File: RECDV

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-2

Valid cases: 0

Invalid: 9707

## CS positive husband actions (d100g)

File: RECDV

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-2

Valid cases: 0

Invalid: 9707

## CS positive husband actions (d100h)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-2	

## Husband jealous if talking with other men (d101a)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Husband accuses her of unfaithfulness (d101b)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Does not permit her to meet her girl friends (d101c)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Husband tries to limit her contact with family (d101d)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Husband insists on knowing where she is (d101e)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Husband doesn't trust her with money (d101f)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## CS control issue (d101g)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-8	

## CS control issue (d101h)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-8	

## CS control issue (d101i)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-8	

## CS control issue (d101j)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-8	

## Number of control issues (d102)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-6	

## Spouse ever humiliated her (d103a)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Humiliation: number of times last 12 months (d103an)

File: RECDV

### Overview

Type: Discrete	Valid cases: 923
Format: numeric	Invalid: 8784
Width: 2	
Decimals: 0	
Range: 0-99	

## Spouse ever threatened her with harm (d103b)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Threatened: number of times last 12 months (d103bn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 368
Format: numeric	Invalid: 9339
Width: 2	
Decimals: 0	
Range: 0-99	

## CS emotional abuse: ever (d103c)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## CS emotional abuse: number of times last 12 months (d103cn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

## CS emotional abuse: ever (d103d)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## CS emotional abuse: number of times last 12 months (d103dn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

**CS emotional abuse: ever (d103e)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

**CS emotional abuse: number of times last 12 months (d103en)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

**CS emotional abuse: ever (d103f)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

**CS emotional abuse: number of times last 12 months (d103fn)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

**Ever any emotional violence (d104)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Emotional violence (maximum number of times in last year) (d104n)

File: RECDV

### Overview

Type: Discrete	Valid cases: 1035
Format: numeric	Invalid: 8672
Width: 2	
Decimals: 0	
Range: 0-99	

## Spouse ever pushed, shook or threw something (d105a)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Pushed: number of times last 12 months (d105an)

File: RECDV

### Overview

Type: Discrete	Valid cases: 575
Format: numeric	Invalid: 9132
Width: 2	
Decimals: 0	
Range: 0-99	

## Spouse ever slapped or twisted her arm (d105b)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Slapped: number of times last 12m (d105bn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 1267
Format: numeric	Invalid: 8440
Width: 2	
Decimals: 0	
Range: 0-99	

## Spouse ever punched with fist or something harmful (d105c)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Punched: number of times last 12m (d105cn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 654
Format: numeric	Invalid: 9053
Width: 2	
Decimals: 0	
Range: 0-99	

## Spouse ever kicked or dragged (d105d)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Kicked: number of times last 12m (d105dn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 460
Format: numeric	Invalid: 9247
Width: 2	
Decimals: 0	
Range: 0-98	

## Spouse ever tried to strangle or burn (d105e)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Strangled: number of times last 12m (d105en)

File: RECDV

### Overview

Type: Discrete	Valid cases: 158
Format: numeric	Invalid: 9549
Width: 2	
Decimals: 0	
Range: 0-99	

## Spouse ever threatened with knife/gun or other weapon (d105f)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Threatened: number of times last 12m (d105fn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 84
Format: numeric	Invalid: 9623
Width: 2	
Decimals: 0	
Range: 0-99	

## Spouse ever attacked with knife/gun or other weapon (d105g)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Attacked: number of times last 12m (d105gn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 64
Format: numeric	Invalid: 9643
Width: 2	
Decimals: 0	
Range: 0-99	

## Spouse ever physically forced sex when not wanted (d105h)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Forced sexually: number of times last 12m (d105hn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 1069
Format: numeric	Invalid: 8638
Width: 2	
Decimals: 0	
Range: 0-99	

## Spouse ever forced other sexual acts when not wanted (d105i)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

## Forced for other sexual acts: number of times last 12m (d105in)

File: RECDV

### Overview

Type: Discrete	Valid cases: 331
Format: numeric	Invalid: 9376
Width: 2	
Decimals: 0	
Range: 0-99	

## CS: physical violence (d105j)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## CS physical violence: number of times last 12 m. (d105jn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

## CS: physical violence (d105k)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## CS physical violence: number of times last 12 m. (d105kn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

## CS: physical violence (d105l)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## CS physical violence: number of times last 12 m. (d105ln)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

**CS: physical violence (d105m)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

**CS physical violence: number of times last 12 m. (d105mn)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

**Experienced any less severe violence (d106)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

**Less severe violence (maximum number of times in last year)****(d106n)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 1652
Format: numeric	Invalid: 8055
Width: 2	
Decimals: 0	
Range: 0-99	

**Experienced any severe violence (d107)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

**Severe violence (maximum number of times in last year) (d107n)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 231
Format: numeric	Invalid: 9476
Width: 2	
Decimals: 0	
Range: 0-99	

**Experienced any sexual violence (d108)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

**Sexual violence (maximum number of times in last year) (d108n)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 1106
Format: numeric	Invalid: 8601
Width: 2	
Decimals: 0	
Range: 0-99	

**First time it happened (d109)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 2202
Format: numeric	Invalid: 7505
Width: 2	
Decimals: 0	
Range: 0-99	

**Ever had bruises because of husband's act (d110a)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

**Bruises: number of times last 12m (d110an)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 545
Format: numeric	Invalid: 9162
Width: 2	
Decimals: 0	
Range: 0-99	

**Ever had injury or broken bone because of husband's act (d110b)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

**Injury: number of times last 12m (d110bn)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 131
Format: numeric	Invalid: 9576
Width: 2	
Decimals: 0	
Range: 0-98	

**Ever went to health facility because of husband's act (d110c)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

**Went to health facility: number of times last 12m (d110cn)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 146
Format: numeric	Invalid: 9561
Width: 2	
Decimals: 0	
Range: 0-99	

## CS action: because of husband's act (d110d)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## CS results of violence: number of times last 12m (d110dn)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

## CS action: because of husband's act (d110e)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## CS results of violence: number of times last 12m (d110en)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

## CS action: because of husband's act (d110f)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## CS results of violence: number of times last 12m (d110fn)

File: RECDV

**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

## CS action: because of husband's act (d110g)

File: RECDV

**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## CS results of violence: number of times last 12m (d110gn)

File: RECDV

**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 2	
Decimals: 0	
Range: 0-98	

## Any results of husbands's actions (d111)

File: RECDV

**Overview**

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

Results husband's acts (maximum number of times last year)  
(d111n)

File: RECDV

**Overview**

Type: Discrete	Valid cases: 595
Format: numeric	Invalid: 9112
Width: 2	
Decimals: 0	
Range: 0-99	

**Ever phys hurt husband when he was not hurting you (d112)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

**Ever physic hurt husb when he was not hurting you: times 12m  
(d112n)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 206
Format: numeric	Invalid: 9501
Width: 2	
Decimals: 0	
Range: 0-98	

**Partner drinks alcohol (d113)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 8294
Format: numeric	Invalid: 1413
Width: 1	
Decimals: 0	
Range: 0-9	

**Times partner gets drunk (d114)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 2966
Format: numeric	Invalid: 6741
Width: 1	
Decimals: 0	
Range: 0-9	

**Ever physically hurt by: mother (d115b)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: father (d115c)**

File: RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: daughter (d115d)**

File: RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: son (d115e)**

File: RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: sister (d115f)**

File: RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: brother (d115g)**

File: RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: other female family (d115h)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## **Ever physically hurt by: other male family (d115i)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## **Ever physically hurt by: former partner (d115j)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: current boyfriend (d115k)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: former boyfriend (d115l)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: step-mother (d115m)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: step-father (d115n)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: mother-in-law (d115o)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: father-in-law (d115p)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: other female in-law (d115q)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Ever physically hurt by: other male in-law (d115r)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Ever physically hurt by: female friend (d115s)

File: RECDV

### Overview

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## Ever physically hurt by: male friend (d115t)

File: RECDV

### Overview

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## Ever physically hurt by: neighbor (d115u)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Ever physically hurt by: teacher (d115v)

File: RECDV

### Overview

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: employer (d115w)**

File: RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: other (d115x)**

File: RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: no one other than spouse (d115y)**

File: RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: stranger (d115xa)**

File: RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## **Ever physically hurt by: other female in-law/family (d115xb)**

File: RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## Ever physically hurt by: other male in-law/family (d115xc)

File: RECDV

### Overview

Type: Discrete	Valid cases: 9707
Format: numeric	
Width: 1	
Decimals: 0	
Range: 0-9	

## Ever physically hurt by: friend (d115xd)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Ever physically hurt by: police (d115xe)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Ever physically hurt by: religious leader (d115xf)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Ever physically hurt by: lawyer (d115xg)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## **Ever physically hurt by: doctor (d115xh)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## **Ever physically hurt by: CS (d115xi)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## **Ever physically hurt by: CS (d115xj)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## **Ever physically hurt by: CS (d115xk)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## **Person who hurt her most often (d116)**

**File:** RECDV

### **Overview**

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 2	
Decimals: 0	
Range: 0-99	

## Times hit by other than partner last 12m (d117)

File: RECDV

### Overview

Type: Discrete	Valid cases: 1080
Format: numeric	Invalid: 8627
Width: 2	
Decimals: 0	
Range: 0-99	

## Hurt during pregnancy by: husband (d118a)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: mother (d118b)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: father (d118c)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: daughter (d118d)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: son (d118e)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by:sister (d118f)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by:brother (d118g)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: other female family (d118h)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: other male family (d118i)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: former partner (d118j)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: current boyfriend (d118k)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: former boyfriend (d118l)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: step-mother (d118m)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: step-father (d118n)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: mother-in-law (d118o)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: father-in-law (d118p)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: other female in-law (d118q)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: other male in-law (d118r)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: female friend (d118s)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: male friend (d118t)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: neighbor (d118u)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: teacher (d118v)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: employer (d118w)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: other person (d118x)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: no one (d118y)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: stranger (d118xa)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: other female in-law/family (d118xb)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: other male in-law family (d118xc)

File: RECDV

### Overview

Type: Discrete	Valid cases: 8434
Format: numeric	Invalid: 1273
Width: 1	
Decimals: 0	
Range: 0-9	

## Hurt during pregnancy by: friend (d118xd)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: police (d118xe)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: religious leader (d118xf)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: lawyer (d118xg)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: doctor (d118xh)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: CS (d118xi)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: CS (d118xj)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Ever physically hurt by: CS (d118xk)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Sought help from: husband (d119a)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Sought help from: mother (d119b)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: father (d119c)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

**Sought help from: daughter (d119d)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

**Sought help from: son (d119e)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

**Sought help from: sister (d119f)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

**Sought help from: brother (d119g)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

**Sought help from: other female family (d119h)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: other male family (d119i)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: former partner (d119j)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: current boyfriend (d119k)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: former boyfriend (d119l)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Sought help from: step-mother (d119m)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

**Sought help from: step-father (d119n)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

**Sought help from: mother-in-law (d119o)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

**Sought help from: father-in-law (d119p)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

**Sought help from: other female in-law (d119q)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

**Sought help from: other male in-law (d119r)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Sought help from: female friend (d119s)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: male friend (d119t)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Sought help from: neighbor (d119u)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: teacher (d119v)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: employer (d119w)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

**Sought help from: other person (d119x)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

**Sought help from: no one (d119y)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

**Sought help from: stranger (d119xa)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

**Sought help from: other female in-law/family (d119xb)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

**Sought help from: other male in-law/family (d119xc)****File:** RECDV**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Sought help from: friend (d119xd)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Sought help from: police (d119xe)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: religious leader (d119xf)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: lawyer (d119xg)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: doctor (d119xh)

File: RECDV

### Overview

Type: Discrete	Valid cases: 3197
Format: numeric	Invalid: 6510
Width: 1	
Decimals: 0	
Range: 0-9	

## Sought help from: CS (d119xi)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: CS (d119xj)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Hurt during pregnancy by: CS (d119xk)

File: RECDV

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 9707
Width: 1	
Decimals: 0	
Range: 0-1	

## Main reason never sought help (d120)

File: RECDV

### Overview

Type: Discrete	Valid cases: 1853
Format: numeric	Invalid: 7854
Width: 2	
Decimals: 0	
Range: 1-99	

## Did her father ever beat her mother (d121)

File: RECDV

### Overview

Type: Discrete	Valid cases: 9707
Format: numeric	Invalid: 0
Width: 1	
Decimals: 0	
Range: 0-9	

## Interrupted interview because of husband's presence (d122a)

File: RECDV

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Valid cases: 9707  
Invalid: 0

## Interrupted interview because of other adult male's presence

(d122b)

File: RECDV

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Valid cases: 9707  
Invalid: 0

## Interrupted interview because of adult female's presence (d122c)

File: RECDV

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Valid cases: 9707  
Invalid: 0

## Case Identification (hhid)

File: RECWS

### Overview

Type: Discrete  
Format: character  
Width: 12

Valid cases: 0  
Invalid: 0

## Case Identification (caseid)

File: RECWS

### Overview

Type: Discrete  
Format: character  
Width: 15

Valid cases: 0  
Invalid: 0

## Time knew husband (w100)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 24  
Decimals: 0  
Range: 1-6

Valid cases: 0  
Invalid: 0

## Who chose husband (w101)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 38  
Decimals: 0  
Range: 1-7

Valid cases: 0  
Invalid: 0

## Consent sought from respondent for marriage (w102)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-1

Valid cases: 0  
Invalid: 0

## Marriage ceremony (w103a)

File: RECWS

### Overview

## Marriage ceremony (w103a)

File: RECWS

Type: Discrete  
 Format: numeric  
 Width: 24  
 Decimals: 0  
 Range: 0-1

Valid cases: 0  
 Invalid: 0

## Marriage ceremony (w103b)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 23  
 Decimals: 0  
 Range: 0-1

Valid cases: 0  
 Invalid: 0

## Marriage ceremony (w103c)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 19  
 Decimals: 0  
 Range: 0-1

Valid cases: 0  
 Invalid: 0

## Marriage ceremony (w103d)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 23  
 Decimals: 0  
 Range: 0-1

Valid cases: 0  
 Invalid: 0

## Marriage ceremony: CS (w103e)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 0  
 Invalid: 0

## Marriage ceremony: CS (w103f)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

## Marriage ceremony: CS (w103g)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

## Marriage ceremony (w103x)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 10	
Decimals: 0	
Range: 0-1	

## Marriage ceremony (w103y)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 30	
Decimals: 0	
Range: 0-1	

## Final say on: work (w104a)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 33	
Decimals: 0	
Range: 1-6	

## Final say on: contraception (w104b)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-6

Valid cases: 0  
 Invalid: 0

## Final say on: CS (w104c)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-6

Valid cases: 0  
 Invalid: 0

## Final say on: CS (w104d)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-6

Valid cases: 0  
 Invalid: 0

## Final say on: CS (w104e)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-6

Valid cases: 0  
 Invalid: 0

## Final say on: CS (w104f)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-6

Valid cases: 0  
 Invalid: 0

## Final say on: CS (w104g)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-6

Valid cases: 0  
 Invalid: 0

## Final say on: CS (w104h)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-6

Valid cases: 0  
 Invalid: 0

## Final say on: schooling (has living children) (w105a)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-6

Valid cases: 0  
 Invalid: 0

## Final say on: medical care for sick child (has living child) (w105b)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-6

Valid cases: 0  
 Invalid: 0

## Final say on: discipline (has living children) (w105c)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-6

Valid cases: 0  
 Invalid: 0

## Final say on: another child (has living children) (w105d)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 33	
Decimals: 0	
Range: 1-6	

## Final say on: CS (w105e)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 33	
Decimals: 0	
Range: 1-6	

## Final say on: CS (w105f)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 33	
Decimals: 0	
Range: 1-6	

## Final say on: CS (w105g)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 33	
Decimals: 0	
Range: 1-6	

## Final say on: CS (w105h)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 33	
Decimals: 0	
Range: 1-6	

## Talks with husband about: events at work (w106a)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 9	
Decimals: 0	
Range: 0-2	

## Talks with husband about: events at home (w106b)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 9	
Decimals: 0	
Range: 0-2	

## Talks with husband about: money matters (w106c)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 9	
Decimals: 0	
Range: 0-2	

## Talks with husband about: community happenings (w106d)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 9	
Decimals: 0	
Range: 0-2	

## Talks with husband about: CS (w106e)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 9	
Decimals: 0	
Range: 0-2	

## Talks with husband about: CS (w106f)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 9	
Decimals: 0	
Range: 0-2	

## Talks with husband about: CS (w106g)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 9	
Decimals: 0	
Range: 0-2	

## Talks with husband about: CS (w106h)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 9	
Decimals: 0	
Range: 0-2	

## Talks with husband about: CS (w106i)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 9	
Decimals: 0	
Range: 0-2	

## Partner's relatives living with the respondent: father-i-1 (w107a)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 11	
Decimals: 0	
Range: 0-1	

## Partner's relatives living with the respondent: mother-i-l (w107b)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 11	
Decimals: 0	
Range: 0-1	

## Partner's relatives living with the respondent: brother-i-l (w107c)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 15	
Decimals: 0	
Range: 0-1	

## Partner's relatives living with the respondent:sister-i-l (w107d)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 14	
Decimals: 0	
Range: 0-1	

## Partner's relatives living with the respondent:wife of b-i-l (w107e)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 20	
Decimals: 0	
Range: 0-1	

## Partner's relatives living with the respondent:husband of s- (w107f)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 22	
Decimals: 0	
Range: 0-1	

## Partner's relatives living with the respondent:CS (w107g)

### File: RECWS

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

	Valid cases: 0
	Invalid: 0

## Partner's relatives living with the respondent:CS (w107h)

### File: RECWS

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

	Valid cases: 0
	Invalid: 0

## Partner's relatives living with the respondent:CS (w107i)

### File: RECWS

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

	Valid cases: 0
	Invalid: 0

## Partner's relatives living with the respondent:CS (w107j)

### File: RECWS

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

	Valid cases: 0
	Invalid: 0

## Partner's relatives living with the respondent:other in-laws (w107x)

### File: RECWS

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 10  
 Decimals: 0  
 Range: 0-1

	Valid cases: 0
	Invalid: 0

## Partner's relatives living with the respondent: no in-laws (w107y)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 9	
Decimals: 0	
Range: 0-1	

## Father alive (w108)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Mother alive (w109)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Father's highest education (w110)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-8	

## Father can read a newspaper (w111)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

**Mother's education (w112)****File:** RECWS**Overview**

Type: Discrete  
 Format: numeric  
 Width: 21  
 Decimals: 0  
 Range: 0-8

Valid cases: 0  
 Invalid: 0

**Mother can read a newspaper (w113)****File:** RECWS**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8

Valid cases: 0  
 Invalid: 0

**Any family member living with her (w114)****File:** RECWS**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 0  
 Invalid: 0

**Times talked to a family member (w115)****File:** RECWS**Overview**

Type: Discrete  
 Format: numeric  
 Width: 48  
 Decimals: 0  
 Range: 0-4

Valid cases: 0  
 Invalid: 0

**Family close enough to visit easily (go & return in 1 day) (w116)****File:** RECWS**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 0  
 Invalid: 0

## Family support: Shelter (w117a)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Family support: Economic support (w117b)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Control over money for: perishable foods (fruits/vegetables) (w118a)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-8	

## Control over money for: Clothes (w118b)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-8	

## Control over money for: Medicine (w118c)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-8	

## Control over money for: Toiletries (w118d)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-8	

## Control over money for: CS (w118e)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-8	

## Control over money for: CS (w118f)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-8	

## Control over money for: CS (w118g)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-8	

## Control over money for: CS (w118h)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-8	

## Control over money for: CS (w118i)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-8	

In last 7 days: number of days HH member went to bed hungry (w120)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	

Person who went hungry: respondent only (w121a)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 20	
Decimals: 0	
Range: 0-1	

Person who went hungry: partner (w121b)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-1	

Person who went hungry: son(s) (w121c)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 11	
Decimals: 0	
Range: 0-1	

## Person who went hungry: daughter(s) (w121d)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 16	
Decimals: 0	
Range: 0-1	

## Person who went hungry: other female relative(s) (w121e)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 29	
Decimals: 0	
Range: 0-1	

## Person who went hungry: other male relative(s) (w121f)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 24	
Decimals: 0	
Range: 0-1	

## Person who went hungry: non-relative(s) (w121g)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 20	
Decimals: 0	
Range: 0-1	

## Person who went hungry: no one (w121y)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 11	
Decimals: 0	
Range: 0-1	

## Asset owned: Land (w122a)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 0-2

Valid cases: 0  
 Invalid: 0

## Asset owned: The dwelling (w122b)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 0-2

Valid cases: 0  
 Invalid: 0

## Asset owned: Other dwelling (w122c)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 0-2

Valid cases: 0  
 Invalid: 0

## Asset owned: Jewerly (w122d)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 0-2

Valid cases: 0  
 Invalid: 0

## Asset owned: Livestock (w122e)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 0-2

Valid cases: 0  
 Invalid: 0

**Asset owned: CS (w122f)****File:** RECWS**Overview**

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 0-2

Valid cases: 0  
 Invalid: 0

**Asset owned: CS (w122g)****File:** RECWS**Overview**

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 0-2

Valid cases: 0  
 Invalid: 0

**Asset owned: CS (w122h)****File:** RECWS**Overview**

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 0-2

Valid cases: 0  
 Invalid: 0

**Asset owned: CS (w122i)****File:** RECWS**Overview**

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 0-2

Valid cases: 0  
 Invalid: 0

**Asset owned: CS (w122j)****File:** RECWS**Overview**

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 0-2

Valid cases: 0  
 Invalid: 0

## Can sell without permission: Land (w123a)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Can sell without permission: The dwelling (w123b)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Can sell without permission: Other dwelling (w123c)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Can sell without permission: Jewelry (w123d)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Can sell without permission: Livestock (w123e)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Can sell without permission: CS (w123f)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Can sell without permission: CS (w123g)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Can sell without permission: CS (w123h)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Can sell without permission: CS (w123i)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Can sell without permission: CS (w123j)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

## Has money for her own use (w124)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

## Owns a bank account (w125a)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 16	
Decimals: 0	
Range: 0-1	

## Owns a bank account (w125b)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 18	
Decimals: 0	
Range: 0-1	

## Owns a bank account (w125y)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 32	
Decimals: 0	
Range: 0-1	

## Operate her account (w126)

File: RECWS

### Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

## Knowledge of loan programs (w127)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 0  
 Invalid: 0

## Given a loan (w128)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 0  
 Invalid: 0

## Opinion on: family decisions should be made by men (w129a)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8

Valid cases: 0  
 Invalid: 0

## Opinion on: husband should not help with household chores

(w129b)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8

## Opinion on: married women should not be allowed to work (w129c)

File: RECWS

### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8

Opinion on: wife does not have the right to express opinion  
(w129d)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8

Opinion on: wife should tolerate being beaten to keep family  
(w129e)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8

Opinion on: better to educate son rather than daughter (w129f)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8

Opinion on: CS (w129g)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8

Opinion on: CS (w129h)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8

## Opinion on: CS (w129i)

### File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8

## Opinion on: CS (w129j)

### File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8

## Permitted to go to: market (w130a)

### File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

## Permitted to go to: health center (w130b)

### File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

## Permitted to go to: community center (w130c)

### File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

Permitted to go to: friends (w130d)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

Permitted to go to: religious places (w130e)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

Permitted to go: outside the house (w130f)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

Permitted to go: CS (w130g)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

Permitted to go: CS (w130h)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

Permitted to go: CS (w130i)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

Permitted to go: CS (w130j)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

Permitted to go: CS (w130k)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 9  
Decimals: 0  
Range: 0-2

Kind of association:religious (w131a)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 14  
Decimals: 0  
Range: 0-1

Kind of association:social (w131b)

File: RECWS

#### Overview

Type: Discrete  
Format: numeric  
Width: 11  
Decimals: 0  
Range: 0-1

## Kind of association:women's organization (w131c)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 25  
Decimals: 0  
Range: 0-1

## Kind of association:labor union (w131d)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-1

## Kind of association:political (w131e)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 14  
Decimals: 0  
Range: 0-1

## Kind of association:CS (w131f)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-1

## Kind of association:CS (w131g)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-1

## Kind of association:CS (w131h)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-1

## Kind of association: other organization (w131x)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-1

## Kind of association: no organization (w131y)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 31  
Decimals: 0  
Range: 0-1

## Votes (w132)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 17  
Decimals: 0  
Range: 0-4

## Worked before first marriage (w133)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-1

## Occupation before marriage (w134)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 101  
Decimals: 0  
Range: 1-99

## Place of work before marriage (w135)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 1-2

## Payment for work before marriage (w136)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 18  
Decimals: 0  
Range: 0-3

## Who decided on spending of earnings before marriage (w137)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 17  
Decimals: 0  
Range: 1-6

## Worked after marriage (w138)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-1

## Last occupation after marriage (w139)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 101  
Decimals: 0  
Range: 1-99

## Place of work after marriage (w140)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 1-2

## Type of earnings after marriage (w141)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 18  
Decimals: 0  
Range: 0-3

## Who decided on spending the earnings after marriage (w142)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 17  
Decimals: 0  
Range: 1-6

## Years ago stopped working (w143)

File: RECWS

### Overview

Type: Discrete  
Format: numeric  
Width: 16  
Decimals: 0  
Range: 0-0

## Years worked in her life (w144)

File: RECWS

### Overview

Type: Discrete

Format: numeric

Width: 16

Decimals: 0

Range: 1-4

## Case Identification (mcaseid)

File: MREC01

### Overview

Type: Discrete

Format: character

Width: 8

## Country code and phase (mv000)

File: MREC01

### Overview

Type: Discrete

Format: character

Width: 3

## Cluster number (mv001)

File: MREC01

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-522

## Household number (mv002)

File: MREC01

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-45

## Respondent's line number (mv003)

File: MREC01

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-17

## Ultimate area unit (mv004)

File: MREC01

### Overview

## Ultimate area unit (mv004)

File: MREC01

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-522

## Sample weight (mv005)

File: MREC01

### Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-4135213

## Month of interview (mv006)

File: MREC01

### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

## Year of interview (mv007)

File: MREC01

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2004-2005

## Date of interview (CMC) (mv008)

File: MREC01

### Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 1258-1262

## Respondent's month of birth (mv009)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Respondent's year of birth (mv010)

File: MREC01

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1950-1990

## Date of birth (CMC) (mv011)

File: MREC01

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 601-1081

## Current age - respondent (mv012)

File: MREC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 15-54

## Age 5-year groups (mv013)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-10

## Completeness of information (mv014)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Result of individual interview (mv015)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-7

## Day of interview (mv016)

File: MREC01

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-31

## Primary sampling unit (mv021)

File: MREC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-522

## Sample stratum number (mv022)

File: MREC01

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 1-251

## Sample domain (mv023)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Region (mv024)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Type of place of residence (mv025)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## De facto place of residence (mv026)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Number of visits (mv027)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Interviewer identification (mv028)

File: MREC01

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 17-999

## Keyer identification (mv029)

File: MREC01

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 5-44

## Field supervisor (mv030)

File: MREC01

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 11-411

## Field editor (mv031)

File: MREC01

### Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 12-420

## Office editor (mv032)

File: MREC01

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 2-99

## Ultimate area selection prob. (mv033)

File: MREC01

### Overview

Type: Continuous  
Format: numeric  
Width: 6  
Decimals: 0  
Range: 17369-313894

## Number of wives, partners (mv035)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Time interview started (mv801)

File: MREC01

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 600-1900

## Time interview ended (mv802)

File: MREC01

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 610-2131

## Length of interview in minutes (mv803)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-97

## Number of wives (mrec01\_group)

File: MREC01

### Overview

Type: Discrete  
Format: character  
Width: 3

## Line numbers of wives, partners (mv034)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-15

## Wife or partner (mv034a)

File: MREC01

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Case Identification (mcaseid)

File: MREC11

### Overview

Type: Discrete  
Format: character  
Width: 8

## Region (mv101)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Type of place of residence (mv102)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Childhood place of residence (mv103)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Years lived in place of res. (mv104)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Type of place of previous res. (mv105)

File: MREC11

## Type of place of previous res. (mv105)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Highest educational level (mv106)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Highest year of education (mv107)

File: MREC11

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Religion (mv130)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Ethnicity (mv131)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## Education in single years (mv133)

File: MREC11

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 0-99

## De facto place of residence (mv134)

File: MREC11

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-3

## Usual resident or visitor (mv135)

File: MREC11

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Number of household members (mv136)

File: MREC11

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-18

## Number of eligible men in HH (mv138)

File: MREC11

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-8

## Educational attainment (mv149)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-5

## Relationship to household head (mv150)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Sex of household head (mv151)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Age of household head (mv152)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 15-98

## Literacy (mv155)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ever participated in a literacy program outside of primary (mv156)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Frequency of reading newspaper or magazine (mv157)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Frequency of listening to radio (mv158)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Frequency of watching television (mv159)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times away from home in last 12 months (mv167)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Away for more than one month (mv168)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Smokes cigarettes (mv463a)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Smokes pipe (mv463b)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Smokes other tobacco (mv463c)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Uses chewing tobacco (mv463d)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Uses snuff (mv463e)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Smokes country specific (mv463f)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Smokes country specific (mv463g)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Smokes nothing (mv463z)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Number of cigarettes in last 24 hours (mv464)

File: MREC11

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0

## Case Identification (mcaseid)

File: MREC22

### Overview

Type: Discrete  
Format: character  
Width: 8

## Total children ever born (mv201)

File: MREC22

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-21

## Sons at home (mv202)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Daughters at home (mv203)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Sons elsewhere (mv204)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Daughters elsewhere (mv205)

File: MREC22

## Daughters elsewhere (mv205)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-10

## Sons who have died (mv206)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Daughters who have died (mv207)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Age of respondent at 1st birth (mv212)

File: MREC22

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 15-99

## Partner currently pregnant (mv213)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knowledge of ovulatory cycle (mv217)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Number of living children (mv218)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-16

## Current pregnancy wanted (mv225)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Women fathered children with (mv245)

File: MREC22

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Married to mother when first child was born (mv246)

File: MREC22

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Case Identification (mcaseid)

File: MREC31

### Overview

Type: Discrete  
 Format: character  
 Width: 8

## Knowledge of any method (mv301)

File: MREC31

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-3

## Ever use of any method (mv302)

File: MREC31

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Contraception table (mrec31\_group)

File: MREC31

### Overview

Type: Discrete  
 Format: character  
 Width: 3

## Type of method (m304a)

File: MREC31

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-3

## Knows method (mv304)

File: MREC31

### Overview

## Knows method (mv304)

File: MREC31

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Ever used method (mv305)

File: MREC31

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Method currently used (mv307)

File: MREC31

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Case Identification (mcaseid)

File: MREC32

### Overview

Type: Discrete  
Format: character  
Width: 8

## Current contraceptive method (mv312)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Most recent contraceptive method (mv312a)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Contraceptive method with other woman (mv312b)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Contraceptive method with other woman (2) (mv312c)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Current use by method type (mv313)

File: MREC32

## Current use by method type (mv313)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Most recent use by method type (mv313a)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Method use by method type with other woman (mv313b)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Method use by method type with other woman (2) (mv313c)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Pattern of use (mv361)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Intention to use (mv362)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Preferred future method (mv363)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-98

## Contraceptive use & intention (mv364)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Wanted last child (mv367)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Main reason not using a method (mv375a)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 11-98

## Main reason not using a method with other woman (mv375b)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 11-98

## Main reason not using a method with other woman (2) (mv375c)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 11-98

## Main reason not to use a meth. (mv376)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 11-98

## Would ever use method if marr. (mv376a)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Heard FP on radio last months (mv384a)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Heard FP on TV last months (mv384b)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Heard FP newspaper last months (mv384c)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Can a woman who is breastfeeding get pregnant (mv396)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Age at first use of condom (mv3b11)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Reason of first condom use: Avoid pregnancy (mv3b12a)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Reason of first condom use: Avoid getting AIDS/HIV (mv3b12b)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Reason of first condom use: Avoid getting an STD (mv3b12c)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Reason of first condom use: Avoid infecting partner (mv3b12d)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Reason of first condom use: To experiment/try a condom

(mv3b12e)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Reason of first condom use: Country specific (mv3b12f)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Reason of first condom use: Country specific (mv3b12g)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Reason of first condom use: Country specific (mv3b12h)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Reason of first condom use: Other (mv3b12x)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Frequency of use of condom (mv3b13)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

## Timing of use: On partner's fertile days (mv3b14a)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Timing of use: During partner's menstruation (mv3b14b)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Timing of use: When not using some other method (mv3b14c)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Timing of use: With a stranger (mv3b14d)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Timing of use: With a commercial sex worker (mv3b14e)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Timing of use: With anyone other than partner (mv3b14f)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Timing of use: With wife/regular partner (mv3b14g)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Timing of use: Country specific (mv3b14h)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Timing of use: Country specific (mv3b14i)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Timing of use: Country specific (mv3b14j)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Timing of use: Other (mv3b14x)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Problems with condom: Too expensive (mv3b15a)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Problems with condom: Embarrassing to obtain (mv3b15b)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Problems with condom: Difficult to dispose of (mv3b15c)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Problems with condom: Difficult to put on/take off (mv3b15d)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Problems with condom: Spoils the mood (mv3b15e)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Problems with condom: Diminishes pleasure (mv3b15f)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Problems with condom: Wife/partner objects, does not like  
 (mv3b15g)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Problems with condom: Wife/partner got pregnant (mv3b15h)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Problems with condom: Inconvenient to use/messy (mv3b15i)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Problems with condom: Condom broke (mv3b15j)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Problems with condom: Country specific (mv3b15k)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Problems with condom: Country specific (mv3b15l)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Problems with condom: Country specific (mv3b15m)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Problems with condom: Other (mv3b15x)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Problems with condom: No problem (mv3b15y)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Brand of condom (mv3b16)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 96-98

## Source of condoms (mv3b17)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 10-96

## Cost of condom's packet (mv3b18)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Number of condom in each packet (mv3b19)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

## Affordability of condoms (mv3b20)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-3

## Diminish a man's sexual pleasure (mv3b21a)

File: MREC32

Diminish a man's sexual pleasure (mv3b21a)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Inconvenient to use (mv3b21b)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Can be reused (mv3b21c)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Protects against disease (mv3b21d)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Women has no right to tell a man whether he should use it  
(mv3b21e)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Consider getting sterilized (mv3b22)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-5

## Benefits of male sterilization: Puts man in control (mv3b23a)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Benefits of male sterilization: Effective method (mv3b23b)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Benefits of male sterilization: operation is safe (mv3b23c)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Benefits of male sterilization: Safer than female sterilizat (mv3b23d)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Benefits of male sterilization: Operation is inexpensive (mv3b23e)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Benefits of male sterilization: less expensive than fem. ster (mv3b23f)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Benefits of male sterilization: Operation is simple (mv3b23g)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Benefits of male sterilization: Gives man freedom (mv3b23h)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Benefits of male sterilization: Country specific (mv3b23i)

File: MREC32

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

## Benefits of male sterilization: Country specific (mv3b23j)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Benefits of male sterilization: Country specific (mv3b23k)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Benefits of male sterilization: Other (mv3b23x)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason never consider sterilization: Against religion (mv3b24a)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Reason never consider sterilization: Bad for man's health (mv3b24b)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Reason never consider sterilization: Operation not safe (mv3b24c)  
 File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Reason never consider sterilization: Less intrusive ways av.  
 (mv3b24d)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Reason never consider sterilization: May want more children  
 (mv3b24e)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Reason never consider sterilization: May remarry some day  
 (mv3b24f)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Reason never consider sterilization: Loss of wages (mv3b24g)  
 File: MREC32

#### **Overview**

## Reason never consider sterilization: Loss of wages (mv3b24g)

File: MREC32

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Reason never consider sterilization: Loss of sexual function

(mv3b24h)

File: MREC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Reason never consider sterilization: Loss of manliness (mv3b24i)

File: MREC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Reason never consider sterilization: Country specific (mv3b24j)

File: MREC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

## Reason never consider sterilization: Country specific (mv3b24k)

File: MREC32

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

**Reason never consider sterilization: Country specific (mv3b24l)****File:** MREC32**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

**Reason never consider sterilization: Other (mv3b24x)****File:** MREC32**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

**Contraception is woman's business, man should not worry (mv3b25a)****File:** MREC32**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

**Sterilized women become promiscuous (mv3b25b)****File:** MREC32**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

**To a man equivalent to being castrated (mv3b25c)****File:** MREC32**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

Woman can get pregnant, so she should be sterilized (mv3b25d)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Item created from ISSA Group (mrec32\_group)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: character  
 Width: 1

Method (mv3b0)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-6

Method is suitable for couples planning a family (mv3b1)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

Advantages: Simple to use (mv3b2a)

File: MREC32

#### **Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-1

Advantages: Effective (mv3b2b)

File: MREC32

## Advantages: Effective (mv3b2b)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Advantages: Affordable (mv3b2c)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Advantages: No/few side effects (mv3b2d)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Advantages: Can stop children when desired (mv3b2e)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Advantages: no need for medical personnel (mv3b2f)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Advantages: No risk of getting pregnant again (mv3b2g)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Advantages: Once inserted, no daily worry (mv3b2h)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Advantages: Country specific (mv3b2i)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Advantages: Country specific (mv3b2j)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Advantages: Country specific (mv3b2k)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Advantages: Country specific (mv3b2l)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Advantages: Other (mv3b2x)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Advantages: Don't know (mv3b2z)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Disadvantages: Too expensive (mv3b3a)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Disadvantages: Against religion (mv3b3b)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Disadvantages: May harm women's health (mv3b3c)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Disadvantages: Has side effects (mv3b3d)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Disadvantages: Increases promiscuity (mv3b3e)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Disadvantages: Can cause sterility/cannot have children (mv3b3f)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Disadvantages: Method can fail (mv3b3g)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Disadvantages: Baby in danger if pregnancy occurs (mv3b3h)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Disadvantages: Involves doctor/medical personnel (mv3b3i)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Disadvantages: Can lead to complications (mv3b3j)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Disadvantages: Country specific (mv3b3k)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Disadvantages: Country specific (mv3b3l)

File: MREC32

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Disadvantages: Country specific (mv3b3m)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Disadvantages: Country specific (mv3b3n)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Disadvantages: Other (mv3b3x)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Disadvantages: Don't know (mv3b3z)

File: MREC32

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Case Identification (mcaseid)

File: MREC51

### Overview

Type: Discrete  
 Format: character  
 Width: 8

## Current marital status (mv501)

File: MREC51

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-5

## Currently/formerly/never marr. (mv502)

File: MREC51

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-2

## Number of unions (mv503)

File: MREC51

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

## Number of wives, partners (mv505)

File: MREC51

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

## Number of wives (mv505a)

File: MREC51

## Number of wives (mv505a)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-4

## Number of live-in partners (mv505b)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Month of first marriage (mv507)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-12

## Year of first marriage (mv508)

File: MREC51

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1966-2005

## Date of first marriage (CMC) (mv509)

File: MREC51

### Overview

Type: Continuous  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 800-1261

## Completeness of date inform. (mv510)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Age at first marriage (mv511)

File: MREC51

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 13-50

## Years since first marriage (mv512)

File: MREC51

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-38

## Marital duration (grouped) (mv513)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

## Age at first intercourse (mv525)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Time since last intercourse (mv527)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 100-999

## Age at first intercourse (imp) (mv531)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Flag for MV531 (mv532)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-6

## Have a regular sex partner (mv534)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## One or more regular partner (mv534a)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Have ever been married (mv535)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-3

## Recent sexual activity (mv536)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Total wives, partners ever (including former) (mv538)

File: MREC51

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Other regular sexual partners (mv539)

File: MREC51

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Case Identification (mcaseid)

File: MREC61

### Overview

Type: Discrete  
Format: character  
Width: 8

## Fertility preference (mv602)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Preferred waiting time (mv603)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Preferred waiting time (grpd) (mv604)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Desire for more children (mv605)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Wife approves FP (mv610)

File: MREC61

## Wife approves FP (mv610)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Discussed FP with partner (mv611)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-2

## Respondent approves FP (mv612)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ideal number of children (mv613)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Ideal number of children (grp) (mv614)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Time for future birth (mv616)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-999

## Wifes desire for children (mv621)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Ideal number of boys (mv627)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Ideal number of girls (mv628)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Ideal number of either sex (mv629)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-98

## Discussed FP with partner (mv630a)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with mother (mv630b)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with father (mv630c)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with sister(s) (mv630d)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with brother(s) (mv630e)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with daughter(s) (mv630f)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with mother-in-law (mv630g)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with friends/nbrs (mv630h)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with son(s) (mv630i)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with father-in-law (mv630j)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP -country specific (mv630k)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP -country specific (mv630l)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP -country specific (mv630m)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP -country specific (mv630n)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP -country specific (mv630o)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Discussed FP with others (mv630x)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Problem if became pregnant (mv631)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Reason for not having sex: Husband has STD (mv633a)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason for not having sex: Husband has other women (mv633b)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason for not having sex: Recent birth (mv633c)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Reason for not having sex: Tired, mood (mv633d)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Reason for not having sex: CS (mv633e)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Reason for not having sex: CS (mv633f)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Reason for not having sex: CS (mv633g)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Husband has right to: get angry (mv634a)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Husband has right to: refuse financial support (mv634b)

File: MREC61

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Husband has right to: use force for unwanted sex (mv634c)

File: MREC61

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Husband has right to: have sex with another women (mv634d)

File: MREC61

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Wife number would prefer next child with (mv635)

File: MREC61

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-7

Planning to have children with any other partner (mv636)

File: MREC61

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Plan to take another wife (mv637)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Main reason may take another wife (mv638)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## Discussed FP with health worker (mv648)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Interest in avoiding unwanted pregnancies (mv649a)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Interest in helping partner having safe preg. (mv649b)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Interest in helping to care for new born infants (mv649c)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Item created from ISSA Group (mrec61\_group)

File: MREC61

### Overview

Type: Discrete  
Format: character  
Width: 9

## Sequence number of partners (mv640)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Line number of wife/partners (mv641)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-96

## Partner currently pregnant (mv642)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Current pregnancy wanted (mv643)

File: MREC61

## Current pregnancy wanted (mv643)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Problem if became pregnant (mv644)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Wifes desire for children (mv645)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Discussed FP with partner (mv646)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Wife approves FP (mv647)

File: MREC61

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Case Identification (mcaseid)

File: MREC71

### Overview

Type: Discrete  
Format: character  
Width: 8

## Respondent currently working (mv714)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Respondent's occupation (mv716)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 0-999

## Respondent's occupation (mv717)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Work for family, others, self (mv719)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Works at home or away (mv721)

File: MREC71

## Works at home or away (mv721)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-2

## Worked in last 12 months (mv731)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Employment all year/seasonal (mv732)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-3

## Months worked in last 12 months (mv733)

File: MREC71

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Type of land where resp. works (mv740)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Type of earnings for work (mv741)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Portion of household expenditures respondents earnings pay (mv742)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Final say on own health care (mv743a)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Final say on making large household purchases (mv743b)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Final say on making household purchases for daily needs (mv743c)

File: MREC71

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

Final say on visits to family or relatives (mv743d)

File: MREC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

Final say on food to be cooked each day (mv743e)

File: MREC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

Final say on deciding what to do with money wife earns (mv743f)

File: MREC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

Final say on deciding how many children to have (mv743g)

File: MREC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

Wife beating justified if she goes out without telling him (mv744a)

File: MREC71

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

Wife beating justified if she neglects the children (mv744b)

File: MREC71

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Wife beating justified if she argues with him (mv744c)

File: MREC71

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Wife beating justified if she refuses to have sex with him (mv744d)

File: MREC71

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Wife beating justified if she burns the food (mv744e)

File: MREC71

#### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Activity last 12 months (mv745)

File: MREC71

#### Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

## Case Identification (mcaseid)

File: MREC75

### Overview

Type: Discrete  
Format: character  
Width: 8

## Heard sexual transmit. disease (mv750)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Ever heard of AIDS (mv751)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Ways to avoid AIDS (mv753)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: Safe sex (mv754a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: abstain from sex (mv754b)

File: MREC75

AIDS: abstain from sex (mv754b)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

AIDS: use condoms during sex (mv754c)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

AIDS: only one sex partner (mv754d)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

AIDS: avoid sex prostitutes (mv754e)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

AIDS: avoid sex homosexuals (mv754f)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid blood transfusions (mv754g)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid injections (mv754h)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid kissing (mv754i)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: avoid mosquito bites (mv754j)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS: protection trad. healer (mv754k)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

AIDS: Limit number of sex partners (mv754l)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

AIDS: Avoid partners who have many partners (mv754m)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

AIDS: Avoid sex with intravenous drug users (mv754n)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

AIDS: avoid sharing razor blades with AIDS patient (mv754o)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

AIDS: country specific (mv754p)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (mv754q)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (mv754r)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (mv754s)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (mv754t)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS: country specific (mv754u)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

**AIDS: country specific (mv754v)****File:** MREC75**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

**AIDS: other responses (mv754x)****File:** MREC75**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

**AIDS: DK ways to avoid AIDS (mv754z)****File:** MREC75**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

**Reduce chances of AIDS by always using condoms during sex****(mv754cp)****File:** MREC75**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

**Reduce chance of AIDS: have 1 sex partner with no oth partnr****(mv754dp)****File:** MREC75**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Get AIDS from mosquito bites (mv754jp)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Get AIDS by sharing food with person who has AIDS (mv754wp)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Can a healthy person have AIDS (mv756)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Acceptable to discuss AIDS on radio (mv759a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Acceptable to discuss AIDS on TV (mv759b)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Acceptable to discuss AIDS in newspapers (mv759c)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Acceptable to discuss AIDS: CS (mv759d)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acceptable to discuss AIDS: CS (mv759e)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acceptable to discuss AIDS: CS (mv759f)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acceptable to discuss AIDS: CS (mv759g)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acceptable to discuss AIDS: CS (mv759h)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Acceptable to discuss AIDS: CS (mv759i)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Last intercourse used condom (mv761)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Intercourse with other woman (1) used condom (mv761b)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Intercourse with other woman (2) used condom (mv761c)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Intercourse for money used condom (mv761d)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Government hospital (mv762aa)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Government health center/post (mv762ab)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Family planning clinic (mv762ac)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Mobile clinic (mv762ad)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Public field worker (mv762ae)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Other public (mv762af)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Source for condoms: Public CS (mv762ag)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for condoms: Public CS (mv762ah)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for condoms: Public CS (mv762ai)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for condoms: Private hosp, clinic (mv762aj)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Pharmacy (mv762ak)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Private doctor (mv762al)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Private mobile clinic (mv762am)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Private field worker (mv762an)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Other private (mv762ao)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Private CS (mv762ap)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for condoms: Private CS (mv762aq)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for condoms: Private CS (mv762ar)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for condoms: Shop (mv762as)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Church (mv762at)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: Friends, relatives (mv762au)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: CS (mv762av)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for condoms: CS (mv762aw)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for condoms: Other (mv762ax)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for condoms: DK source for condom (mv762az)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Source for female condoms: Government hospital (mv762ba)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for female condoms: Government health center/post  
(mv762bb)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for female condoms: Family planning clinic (mv762bc)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for female condoms: Mobile clinic (mv762bd)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Public field worker (mv762be)

### File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Other public (mv762bf)

### File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Public CS (mv762bg)

### File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Public CS (mv762bh)

### File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Public CS (mv762bi)

### File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private hosp, clinic (mv762bj) File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Pharmacy (mv762bk) File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private doctor (mv762bl) File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private mobile clinic (mv762bm) File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private field worker (mv762bn) File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Other private (mv762bo)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private CS (mv762bp)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private CS (mv762bq)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Private CS (mv762br)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Shop (mv762bs)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Church (mv762bt)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Friends, relatives (mv762bu)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: CS (mv762bv)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: CS (mv762bw)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Source for female condoms: Other (mv762bx)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Source for female condoms: DK source for condom (mv762bz)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Had any STD in last 12 months (mv763a)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Had genital sore/ulcer in last 12 months (mv763b)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Had genital discharge in last 12 months (mv763c)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Last 12 months had CS STD (mv763d)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 12 months had CS STD (mv763e)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 12 months had CS STD (mv763f)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last 12 months had CS STD (mv763g)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Last sex reason used a condom (mv765a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sex with other woman (1) reason used a condom (mv765b)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Sex with other woman (2) reason used a condom (mv765c)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## No. other than wife had sex in last 12 months (mv766a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## No. had sex including wife in last 12 months (mv766b)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Relationship with last sex partner (mv767a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Relationship with other sex partner (1) (mv767b)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## Relationship with other sex partner (2) (mv767c)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## Length of time knows last partner (mv768a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-999

## Length of time knows other partner (1) (mv768b)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-414

## Length of time knows other partner (2) (mv768c)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-402

## Could get a condom (mv769)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Could get a female condom (mv769a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Seek advice for last disease (mv770)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Seek advise: clinic/hospital/private doctor (mv770a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Seek advise: traditional healer (mv770b)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Seek advise: Shop/pharmacy (mv770c)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Seek advise: Friends/relatives (mv770d)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Seek advise: CS (mv770e)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Seek advise: CS (mv770f)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Seek advise: CS (mv770g)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Seek advise: CS (mv770h)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Seek advise: CS (mv770i)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

Advise partner when had disease (mv771)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Tried to avoid infecting partner (mv772)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

What done: no sexual intercourse (mv773a)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

What done: used condoms (mv773b)

File: MREC75

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## What done: took medicines (mv773c)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## What done: country specific (mv773d)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## What done: country specific (mv773e)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## What done: country specific (mv773f)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## What done: other (mv773x)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## AIDS transmitted from mother to child (mv774)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## AIDS transmit. during pregnancy (mv774a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS transmit. during delivery (mv774b)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## AIDS transmit. by breastfeeding (mv774c)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knows someone who has or died of AIDS (mv775)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Spoken with spouse about avoiding AIDS (mv776)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Allowed to keep AIDS infection secret (mv777)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Willing to care for relative with AIDS (mv778)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Person with AIDS allowed to continue teaching (mv779)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Should children be taught about condoms (mv780)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## **Ever been tested for AIDS (mv781)**

**File:** MREC75

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## **Want to be tested for AIDS (mv782)**

**File:** MREC75

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## **Know a place to get AIDS test (mv783)**

**File:** MREC75

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## **Where to get an AIDS test (mv784)**

**File:** MREC75

### **Overview**

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 10-99

## **Heard about other STDs (mv785)**

**File:** MREC75

### **Overview**

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (mv785a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785b)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785c)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785d)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785e)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785f)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785g)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785h)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785i)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785j)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785k)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785l)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785m)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (mv785n)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (mv785o)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (mv785p)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (mv785q)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Man's symptoms of STI (mv785x)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785y)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Man's symptoms of STI (mv785z)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786a)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786b)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786c)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786d)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786e)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786f)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786g)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786h)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786i)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786j)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786k)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786l)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786m)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Woman's symptoms of STI (mv786n)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Woman's symptoms of STI (mv786o)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Woman's symptoms of STI (mv786p)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Woman's symptoms of STI (mv786q)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Woman's symptoms of STI (mv786x)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786y)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Woman's symptoms of STI (mv786z)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Number of days drunk alcohol last 3 months (mv787)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-95

## Number of days gotten drunk last 3 months (mv788)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-95

## Number of injections in last 3 months (mv789)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Person who gave last injection (mv790)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Ever paid for sex (mv791)

File: MREC75

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Time since last paid for sex (mv792)

File: MREC75

### Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-998

## Case Identification (mcaseid)

File: MREC91

### Overview

Type: Discrete  
Format: character  
Width: 8

## District (smdist)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-11

## Original district code (smdist2)

File: MREC91

### Overview

Type: Continuous  
Format: numeric  
Width: 3  
Decimals: 0  
Range: 101-312

## Wealth index (mv190)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-5

## Wealth index factor score (5 decimals) (mv191)

File: MREC91

### Overview

Type: Continuous  
Format: numeric  
Width: 6  
Decimals: 0  
Range: -59965-696620

## Condom used at first sexual intercourse (mv820)

File: MREC91

## Condom used at first sexual intercourse (mv820)

File: MREC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Wife justified to ask husband to use condom if he has STD (mv822)

File: MREC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Reduce risk of getting AIDS by not having sex at all (mv754bp)

File: MREC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Can get AIDS by witchcraft or supernatural means (mv823)

File: MREC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

## Drugs to avoid AIDS transmission to baby during pregnancy (mv824)

File: MREC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-8

Would buy vegetables from vendor with AIDS (mv825)

File: MREC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

When was last time you were tested (mv826)

File: MREC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

Last test was on your own, offered or required (mv827)

File: MREC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

Did get the test results (mv828)

File: MREC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

Buying condoms is embarrassing (mv3b21f)

File: MREC91

#### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age of first partner (sm416c)

File: MREC91

### Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 2-99

## First partner relative age (sm416d)

File: MREC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

## Ten or more years older (sm416e)

File: MREC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

## Heard radio spot on HIV/AIDS (sm719c)

File: MREC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Seen TV ads or spots on HIV/AIDS (sm719d)

File: MREC91

### Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

## Read articles about HIV/AIDS (sm719e)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Circumcised (sm737)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Had an injection last 3 months (sm620)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Times had an injection (sm620a)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Number of injections from health professional (sm620b)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-99

## Person giving the injection (sm620c)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Used new syringe (sm620d)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Line number of parent/responsible adult (mhiv01)

File: MREC91

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-50

## Parental or adult consent (mhiv02)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Respondent consent (mhiv03)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## Field test result (mhiv04)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-6

## Blood sample ID number (mhiv06)

File: MREC91

### Overview

Type: Discrete  
Format: character  
Width: 5

## HIV weight (mhiv\_weight)

File: MREC91

### Overview

Type: Continuous  
Format: numeric  
Width: 7  
Decimals: 0  
Range: 0-7414139

## Received antenatal care for last child (sm610a)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Received assistance during delivery (sm610b)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Received health care during 6 weeks after delivery (sm610c)

File: MREC91

## Received health care during 6 weeks after delivery (sm610c)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Provider for antenatal care (sm611a)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Provider for care during delivery (sm611b)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Provider for care during 6 weeks after delivery (sm611c)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Reason did not receive antenatal care (sm612a)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## Reason did not receive care during delivery (sm612b)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Reason did not receive care during 6 weeks after delivery (sm612c)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-96

## Ill child decision maker - respondent (sm616a)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ill child decision maker - child's mother (sm616b)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ill child decision maker - wife/partner who is not child's mother (sm616c)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ill child decision maker - female relative (sm616d)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ill child decision maker - male relative (sm616e)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ill child decision maker - other (sm616x)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Ill child decision maker - child never ill (sm616y)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knowledge of pregnancy complications - vaginal bleeding (sm617a)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knowledge of pregnancy complications - high fever (sm617b)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knowledge of pregnancy complications - abdominal pain (sm617c)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knowledge of pregnancy complications - swelling of hands and feet (sm617d)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knowledge of pregnancy complications - difficult labor for 12 or more hours (sm617e)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knowledge of pregnancy complications - convulsions (sm617f)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knowledge of pregnancy complications - other (sm617x)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knowledge of pregnancy complications - DK (sm617z)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Language of questionnaire (smqqlang)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-4

## Language of interview (smqilang)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Respondent native language (smqnlang)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Translator used (smqtrans)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Age at death (Unit) (sm605u)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Age at death (Number) (sm605n)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 97-98

## Age at death (days) (sm605d)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Age at death (months) (sm605m)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 0-9999

## Time of last birth (month) (sm603m)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 1-99

## Time of last birth (year) (sm603y)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 1979-9999

## Time of last birth (CMC) (sm603c)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: 952-9999

## Who decides how earnings spent (sm127)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Have you heard of a condom called 'Chishango' (sm455)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Flag for MV527 (sm527f)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Heard FP poster last months (sm508d)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Saw FP on clothing (sm508e)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Heard FP in drama (sm508f)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Heard FP somewhere else (sm508g)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Listened to Uchembere Wabwino (sm509a)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Listened to Phukusi la Moyo (sm509b)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Listened to Pa Mtundo (sm509c)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Listened to Women's Talking Point (sm509d)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Listened to Window Through Health (sm509e)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Listened to Umoyo M'Malawi (sm509f)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Listened to Tikuferanji (sm509g)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Listened to Radio Doctor (sm509h)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Listened to Chitukuku M'Malawi (sm509i)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Listened to Women's Forum (sm509j)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Listened to Tichitenji (sm509k)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Listened to Kulera (sm509l)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-1

## Listened to other (sm509m)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Sex of last born child (sm602)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-9

## Child still alive (sm604)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Relationship with last born's mother (sm609)

File: MREC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-99

Talked to health provider about mother's health during preg.

(sm613)

File: MREC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Have taken child to health facility (sm616aa)

File: MREC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

Amount given to drink during diarrhea (sm618)

File: MREC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-9

Ever heard of Thanzi (sm619)

File: MREC91

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 0-9

## Frequency of getting drunk (sm622a)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Special drugs for AIDS victims (sm712ac)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## People with AIDS should be allowed to work (sm718a)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 1-8

## People with AIDS are immoral (sm718b)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Condoms are safe to use (sm719a)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Couples should be tested for AIDS virus (sm719b)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Beating justification: having an affair (sm802f)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Beating of husband justification: neglects the family (sm802aa)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Beating of husband justification: drunk (sm802ab)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Beating of husband justification: argues (sm802ac)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Beating of husband justification: refuses sex (sm802ad)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-8

## Beating of husband justification: has sex with another (sm802ae)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Father hit mother (sm806)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Knows HIV/AIDS status of partner (sm724)

File: MREC91

### Overview

Type: Discrete  
Format: numeric  
Width: 1  
Decimals: 0  
Range: 0-9

## Case Identification (hwhhid)

File: HWREC

### Overview

Type: Discrete  
 Format: character  
 Width: 5

## Line (hwline)

File: HWREC

### Overview

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 2-18

## Data from HH or individual (hwlevel)

File: HWREC

### Overview

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

## Ht/A Standard deviations (according to WHO) (hc70)

File: HWREC

### Overview

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: -600-9999

## Wt/A Standard deviations (according to WHO) (hc71)

File: HWREC

### Overview

Type: Discrete  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: -547-9999

## Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

## Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -498-9999

## BMI Standard deviations (according to WHO) (hc73)

File: HWREC

### Overview

Type: Discrete  
Format: numeric  
Width: 4  
Decimals: 0  
Range: -500-9999

# Related Materials

## Questionnaires

### MDHS III - Household Questionnaire

---

Title	MDHS III - Household Questionnaire
Author(s)	National Statistical Office (NSO)
Date	2004-06-01
Country	Malawi
Language	English
Contributor(s)	ORC Macro
Description	The Household Questionnaire was used to list all of the usual members and visitors in the selected households. Basic information on each person listed was collected, including age, sex, education, and relationship to the head of the household. Height and weight measurements were taken for all women age 15-49 and all children under the age of five. Respondents to the Household Questionnaire were asked questions on child labour for each child ages 5-14 living in the household or who spent the preceding night in the household. In addition, information was collected about the dwelling itself such as the source of water, type of toilet facilities, materials used to construct the house, ownership of various consumer goods, and use of bed nets. The Household Questionnaire was also used to identify persons eligible for individual interview: women age 15-49 and men age 15-54. One woman in each household was selected for the interview on domestic violence.
Filename	MWI_DHS_2004_Questionnaire_Household_En.pdf

---

### MDHS III - Woman's Questionnaire

---

Title	MDHS III - Woman's Questionnaire
Author(s)	National Statistical Office (NSO)
Date	2004-06-01
Country	Malawi
Language	English
Contributor(s)	ORC Macro
Description	<p>The Women's Questionnaire was used to collect information from women age 15-49 and included questions on the following topics:</p> <ul style="list-style-type: none"> <li>- Background characteristics (age, education, religion, etc.)</li> <li>- Reproductive history (to arrive at fertility and childhood mortality rates)</li> <li>- Knowledge and use of family planning methods</li> <li>- Antenatal, delivery, and postnatal care</li> <li>- Infant feeding practices, including patterns of breastfeeding</li> <li>- Vaccinations</li> </ul> <p>- Episodes of childhood illness and responses to illness, with a focus on treatment of fevers in the last two weeks</p> <ul style="list-style-type: none"> <li>- Marriage and sexual activity</li> <li>- Fertility preferences</li> <li>- Husband's background and the woman's work status</li> <li>- Woman's status and decisionmaking</li> <li>- Mortality of adults, including maternal mortality</li> <li>- AIDS-related knowledge, attitudes, and behaviour</li> <li>- Domestic violence</li> </ul>
Filename	MWI_DHS_2004_Questionnaire_Woman_En.pdf

---

### MDHS III - Man's Questionnaire

---

Title	MDHS III - Man's Questionnaire
-------	--------------------------------

Author(s)	National Statistical Office (NSO)
Date	2004-06-01
Country	Malawi
Language	English
Contributor(s)	ORC Macro
Description	The Men's Questionnaire was much shorter than the Women's Questionnaire, but covered many of the same topics, excluding the detailed reproductive history and sections dealing with maternal and child health and adult and maternal mortality.
Filename	MWI_DHS_2004_Questionnaire_Man_Eng.pdf

## Reports

### Malawi Demographic and Health Survey 2004 - Final report

Title	Malawi Demographic and Health Survey 2004 - Final report
Author(s)	National Statistical Office (NSO)
Date	2005-12-01
Country	Malawi
Language	English
Contributor(s)	ORC Macro
Description	This report summarises the findings of the 2004 Malawi Demographic and Health Survey (MDHS), which was carried out by the Malawi National Statistical Office (NSO). Most of the funds for the local costs of the survey were provided by multiple donors through the National AIDS Commission. The Department for International Development (DfID) of the British Government, UNICEF, and UNFPA also provided funds for the survey. The United States Agency for International Development (USAID) provided technical assistance through ORC Macro. Technical assistance for the HIV testing was provided by the Centers for Disease Control and Prevention.
Filename	<a href="http://www.dhsprogram.com/pubs/pdf/FR175/FR-175-MW04.pdf">http://www.dhsprogram.com/pubs/pdf/FR175/FR-175-MW04.pdf</a>

### Malawi Demographic and Health Survey 2004 - Key Findings

Title	Malawi Demographic and Health Survey 2004 - Key Findings
Author(s)	National Statistical Office (NSO)
Date	2005-12-01
Country	Malawi
Language	English
Contributor(s)	ORC Macro
Description	This report summarises the findings of the 2004 Malawi Demographic and Health Survey (MDHS), which was carried out by the Malawi National Statistical Office (NSO). Most of the funds for the local costs of the survey were provided by multiple donors through the National AIDS Commission. The Department for International Development (DfID) of the British Government, UNICEF, and UNFPA also provided funds for the survey. The United States Agency for International Development (USAID) provided technical assistance through ORC Macro. Technical assistance for the HIV testing was provided by the Centers for Disease Control and Prevention.
Filename	<a href="http://www.dhsprogram.com/pubs/pdf/SR113/SR113.pdf">http://www.dhsprogram.com/pubs/pdf/SR113/SR113.pdf</a>

## DHS 2004 Preliminary Results - Special Stats Flash

---

Title DHS 2004 Preliminary Results - Special Stats Flash  
 Author(s) National Statistical Office (NSO)  
 Date 2005-08-16  
 Country Malawi  
 Language English  
 Filename [http://www.nso.malawi.net/images/stories/data\\_on\\_line/demography/dhs2004/DHS%202004%20Stats%20Flash.pdf](http://www.nso.malawi.net/images/stories/data_on_line/demography/dhs2004/DHS%202004%20Stats%20Flash.pdf)

---

## Other materials

### Malawi Demographic and Health Survey 2004 - HIV / AIDS Prevalence

---

Title Malawi Demographic and Health Survey 2004 - HIV / AIDS Prevalence  
 Author(s) National Statistical Office (NSO)  
 Date 2005-12-01  
 Country Malawi  
 Language English  
 Contributor(s) ORC Macro  
 Filename [http://www.dhsprogram.com/pubs/pdf/HF7/Malawi\\_HIV\\_factsheet.pdf](http://www.dhsprogram.com/pubs/pdf/HF7/Malawi_HIV_factsheet.pdf)

---

### Findings from the 2004 Malawi Demographic and Health Survey - Nutrition of young children and mothers in Malawi - African Nutrition Chartbooks

---

Title Findings from the 2004 Malawi Demographic and Health Survey - Nutrition of young children and mothers in Malawi - African Nutrition Chartbooks  
 Author(s) ORC Macro  
 Date 2006-06-01  
 Country Malawi  
 Language English  
 Description The Africa Nutrition Chartbooks provide a series of charts depicting the nutritional status of women and children and related health and demographic indicators and differentials in selected African countries  
 Filename <http://www.dhsprogram.com/pubs/pdf/ANC21/ANC21.pdf>

---