

Namibia - Demographic and Health Survey 1992

Ministry of Health and Social Services (MOHSS)

Report generated on: June 12, 2017

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

The sample for the Namibia Demographic and Health Survey (NDHS) was designed to yield a nationally representative probability sample of 5000 completed interviews with women between the ages of 15 and 49, regardless of their marital status, selected from 175 area units throughout the country. The design involved a two-stage stratified sample, which is self-weighting in each of the three main reporting domains: the Northwest region, the Northeast region, and the combined Central and South region.

AREA SAMPLING FRAME

The Republic of Namibia undertook a population and housing census in 1991 (the census dates were from 21 to 30 October). For this purpose, the country was divided into 27 census districts. Each district was in turn demarcated into enumeration areas (EAs). A list of 2177 EAs, together with their measure of size, which is the EA population as recorded manually from the Enumerator's Record Books, was compiled and used to select the area units for the NDHS.

SAMPLE DESIGN

Within each of the three domains (Northwest, Northeast, and Central/South), the sampling frame for the NDHS was stratified by urban and rural, and then by census district. The sample was then selected in two stages: at the first stage, 175 primary sampling units (PSU) were selected from the frame with probability proportional to size, the size being the population in the PSU. In general, a PSU corresponds to an EA as defined for the 1991 population and housing census. For each selected PSU, the Enumerator's Record Books obtained from the census was used as the frame for selecting the households to be included in the survey.

SAMPLING PARAMETERS

The objective of the sample design was to obtain 5000 completed individual interviews with women between the ages of 15 and 49 regardless of their marital status. To allow for nonresponse and other losses, an appropriate number of households was selected so as to obtain 5500 eligible women. A proportional allocation of the 5500 women to the three domains would have yielded approximately 2400, 800, and 2300 to the Northwest, Northeast and Central/South regions, respectively. While the samples for the Northwest and Central/South regions would have been sufficiently large for providing reliable estimates, it was not the case for the Northeast region. For this reason, it was necessary to double the sampling rate for the Northeast region relative to the other two regions. Table B.1 shows the allocation of the sample to the three regions as well as the implied number of households and PSUs to be selected in each region.

Response Rate

A total of 5,006 households Eligible women response rate were selected; of these, 4,101 were successfully interviewed. The shortfall is largely due to households being absent. This includes nine clusters not interviewed in Northeast region. One team in this region had experienced multiple problems and lagged considerably behind the other teams. In the interviewed households 5,847 eligible women were identified and 5,421 were successfully interviewed, for a response rate of 93 percent.

The household response rate for the NDHS was 90.9 percent, with not much difference between urban and rural areas. The high proportion of dwellings not found in the Northeast region is mainly due to the fact that fieldwork was terminated early in this region and nine dusters were not interviewed

Questionnaires

Overview

Two types of questionnaires were used in the NDHS: the Household Questionnaire and the Individual Questionnaire. The content of these questionnaires were based on the DHS model B questionnaire, which was designed for use in countries with low contraceptive prevalence. Additions and modifications to the model questionnaire were made in order to collect information particularly relevant to Namibia. Verbal autopsy and maternal mortality modules were added. The questionnaires were developed in English whereafter it was translated by experienced translators into six languages (Oshiwambo, Herere, Afrikaans, Lozi, Kwangali and Damara/Nama). The translation in the indigenous languages was necessary as it makes interviewing much less susceptible to interviewers interpretations. The prepared translation in the Damara/Nama language was not printed since the translated version would be required only in a small number of households, of which the majority speaks Afrikaans. All teams, however, carried a master copy of this questionnaire to serve as a reference should need arise.

a) The Household Questionnaire was used to enumerate all usual members of and visitors to the selected households and to obtain information on each individual's age, sex, relationship to the head of the household, and educational attainment. In addition, questions were asked about indicators of the socioeconomic position of the household, such as the source of water, sanitation facilities, and the availability of electricity and durable goods. Information recorded on the Household Questionnaire was used to identify respondents eligible for the individual interview.

b) The individual questionnaire was administered to women age 15-49 who spent the night preceding the household interview in the selected household. Information in the following areas was obtained during the individual interview:

1. Background characteristics of the respondent
2. Health services utilisation and availability
3. Reproductive behaviour and intentions
4. Knowledge and use of contraception
5. Breastfeeding, health, and vaccination status of children
6. Marriage
7. Fertility preferences
8. Husband's background and woman's work
9. Height and weight of children under five and their mothers
10. Causes of death in childhood
11. Maternal mortality

Data Collection

Data Collection Dates

| Start | End | Cycle |
|---------|---------|-------|
| 1992-07 | 1992-11 | N/A |

Data Collection Mode

Face-to-face

DATA COLLECTION NOTES

PRETEST

In March and April 1992, a pretest was conducted to ensure that the questions were in a logical sequence, that the translations were comprehensible, appropriate and meaningful, and that the preceded answers were adequate. Fieldwork was conducted in both urban and rural enumeration areas (EAs) in order to accommodate the different languages used in the NDHS. Training for the pretest started in March and lasted two weeks. Staff from Macro International conducted the training. Altogether 16 interviewers were trained (mostly secondary school leavers), and two officers from the Ministry of Health and Social Services. The two trained officers and the Macro International staff supervised the field work. The fieldwork for the pretest was completed in two weeks. After the fieldwork, some interviewers and supervisors as well the Macro International staff gathered in Windhoek for a debriefing and all their experiences during the fieldwork were discussed. All these experiences were used to improve the quality of the final version of the questionnaire.

RECRUITMENT OF FIELD STAFF

The four health regions, namely the Northwest, Northeast, Central and South region were requested to select and submit names of suitable candidates for the main survey. Candidates were selected on the following criteria: maturity, minimum educational qualification to be grade 10 or higher, ability to read and speak one of the major Namibian languages chosen for NDHS, and willingness to work in the field for several months.

In all, 56 female candidates were recruited as interviewers and 5 senior officials from the Ministry of Health and Social Services (MOHSS). Two of the interviewers excelled in the training session and as only 5 senior officials from the 8 could be recruited from the MOHSS, it was decided that these 2 interviewers would be selected as supervisors. At the end of four weeks intensive training, 35 female candidates (28 interviewers, 7 field editors) and 7 supervisors were selected for the fieldwork. Five trainees were selected to become dataentry and editing staff. Assessment tests were used in selecting candidates. Due to the shortage of staff in the MOHSS and the workload on the staff of the Epidemiology Section a technical assistant was recruited for the Epidemiology Section to assist in the day-to-day preparation and logistic exercises of the NDHS activities.

TRAINING OF FIELD STAFF

Staff from the Epidemiology Section (MOHSS) and from Macro International conducted the training of field staff which lasted for four weeks, beginning June 1992. The training lasted four weeks. The first two weeks were devoted to classroom lectures, demonstrations of interviewing techniques, and instruction on how to complete the questionnaires and assignment sheets, using the instruction manuals as guides. By the third week of training, interviewers were grouped by language, with their supervisors, for practice reading the questionnaires and role playing. The fourth week was devoted to practice fieldwork in EAs not selected in the NDHS sample and near the training center. The completed questionnaires for practice fieldwork were checked by the trainers and supervisors and errors were discussed during the evening sessions before proceeding to the next EA. During training, a series of assessment tests was given to the interviewers and supervisors. These tests were graded and the results were used in selecting interviewers and supervisors; those candidates who had a better grasp of the questionnaire, and were adept at detecting errors in completed questionnaires, were designated as field editors.

A Macro International consultant conducted the anthropometry training and was assisted by two staff from the Nutrition Unit (MOHSS). Arrangements were made with nurseries, day care centers, and hospitals for practice measuring of infants and children. All trainees received anthropometric training.

MAIN SURVEY FIELDWORK

The main survey fieldwork commenced immediately after training. For most of the teams the first week of fieldwork was conducted in Windhoek where the training took place, covering the selected urban EAs.

At the end of the first week, a debriefing session was held, during which field staff and trainers related their experiences and problems. There were question and answer sessions and solutions to problems were discussed. The procedures and fieldwork plan and itinerary were discussed before the teams were posted to their respective regions for the fieldwork.

Fieldwork for the main survey was conducted between July and November 1992. Although the exercise for the main survey was planned to last only for three months (July to September 1992), it was extended and the last team continued to work into early December. There were logistic problems, including shortage of transport, two teams have been involved in accidents, some interviewers had to leave prematurely to rewrite their standard 10 (O-level) examination, some quitted the NDHS for permanent jobs and three supervisors had to leave the NDHS for personal reasons in October. The fieldwork of one team in Northeast region (Kavango) stopped fieldwork in December, although they still had to complete nine more of the 30 selected EAs. Continued fieldwork would delay the survey considerably, and since Northeast region had been oversampled, it would not affect estimates of fertility and mortality too much.

Sixty-seven EAs were selected from the Northwest region, 45 for Northeast, and 63 for the combined Central/South region. Women eligible for the individual interview were identified during the household interview. Team supervisors located the housing units and assigned selected households to the interviewers. Completed household and individual questionnaires were handed over to the field editor, who checked to ensure that all relevant questions were correctly recorded, that the skip instructions were properly followed, and that responses were internally consistent. This field editing was done before the team left the EA so that the interviewer could return to the respondent to resolve any errors. Each questionnaire was field edited prior to being sent to the office in Windhoek for data entry.

Data Collectors

| Name | Abbreviation | Affiliation |
|--|--------------|-------------|
| Ministry of Health and Social Services | MOHSS | |
| Central Statistical Office | CSO | |

SUPERVISION

Supervisors made sure that all the selected households and eligible respondents for an EA were interviewed, and that assignment sheets for the interviewers and supervisors were duly completed. All completed records were then tied together and sent to the Epidemiology Section office for data entry.

Data Processing

Data Editing

Data processing staff for the NDHS consisted of five data entry clerks of which one was used to control all incoming completed EAs from the field, and one supervisor (the head of data processing) from the Epidemiology Section. Periodic assistance was given by the Macro International staff. Four microcomputers were installed in the project office, Epidemiology Section, MOHSS, and were used to process the data utilizing ISSA software for processing. All data entry occurred in the project office in Windhoek.

Before questionnaires were passed for data entry, office editing was conducted. This entailed checking for internal consistency of responses recorded in the questionnaire, that skip instructions were properly followed, that there were no omissions, and that all entries were legible. This secured completeness of the questionnaires and speeded up the work of data entry staff.

Data entry started in July and was completed in the second week of December 1992. As data entry continued, editing was carried out every second week by running the ISSA program to check for inconsistencies, and corrections were made (when possible) by referencing the original questionnaire. A standard set of data quality tables were run every second week. These tables provided data on the performance of each team and were taken into the field to discuss the results with the supervisors to improve data collection. The staff from the Epidemiology Section visited the teams in the field every second week.

The staff from the Epidemiology section with assistance from the Macro International staff completed the final editing in December 1992, and secondary editing was done by Macro International staff. Preparation and presentation of the Preliminary report was conducted in November and December 1992. The preliminary report was published in December 1992.

Data Appraisal

Estimates of Sampling Error

The sample of women selected in the NDHS is only one of many samples that could have been selected from the same population, using the same design and expected size. Each of these samples would yield results that differ somewhat from the results of the actual sample selected. The sampling error is a measure of the variability between all possible samples. Although the degree of variability is not known exactly, it can be estimated from the survey results.

Sampling error is usually measured in terms of the standard error for a particular statistic (mean, percentage, etc.), which is the square root of the variance. The standard error can be used to calculate confidence intervals within which the true value for the population can reasonably be assumed to fall. For example, for any given statistic calculated from a sample survey, the value of that statistic will fall within a range of plus or minus two times the standard error of that statistic in 95 percent of all possible samples of identical size and design.

If the sample of women had been selected as a simple random sample, it would have been possible to use straightforward formulas for calculating sampling errors. However, the NDHS sample is the result of a three-stage stratified design, and consequently, it was necessary to use more complex formulas. The computer package CLUSTERS, developed by the International Statistical Institute for the World Fertility Survey, was used to compute the sampling errors with the proper statistical methodology.

In addition to the standard errors, CLUSTERS computes the design effect (DEFT) for each estimate, which is defined as the ratio between the standard error using the given sample design and the standard error that would result if a simple random sample had been used. A DEFT value of 1.0 indicates that the sample design is as efficient as a simple random sample, while a value greater than 1.0 indicates the increase in the sampling error due to the use of a more complex and less statistically efficient design. CLUSTERS also computes the relative error and confidence limits for the estimates.

Sampling errors for the NDHS are calculated for selected variables considered to be of primary interest. The results are presented in an appendix of the Final Report for the country as a whole, for urban and rural areas, and for the three regions: Northwest, Northeast and Central/South. For each variable, the type of statistic (mean or proportion) and the base population are given in Table C. 1 of the Final Report. Tables C.2 to C.7 present the value of the statistic (R), its standard error (SE), the number of unweighted (N) and weighted (WN) cases, the design effect (DEFT), the relative standard error (SE/R), and the 95 percent confidence limits ($R \pm 2SE$), for each variable.

In general, the relative standard error for most estimates for the country as a whole is small, except for estimates of very small proportions. There are some differentials in the relative standard error for the estimates of sub-populations. For example, for the variable EVBORN (children ever born to women aged 15-49), the relative standard error as a percent of the estimated mean for the whole country is 1.7 percent; they are 3.3 and 2.0 percent for urban and for rural areas, respectively.

The confidence interval (e.g., as calculated for EVBORN) can be interpreted as follows: the overall average from the national sample is 2.436 and its standard error is .041. Therefore, to obtain the 95 percent confidence limits, one adds and subtracts twice the standard error to the sample estimate, ie. $2.436 \pm .082$. There is a high probability (95 percent) that the true average number of children ever born to all women aged 15 to 49 is between 2.354 and 2.518.

Other forms of Data Appraisal

Nonsampling error is the result of mistakes made in implementing data collection and data processing, such as failure to locate and interview the correct household, misunderstanding of the questions on the part of either the interviewer or the respondent, and data entry errors. Although numerous efforts were made during the implementation of the NDHS to minimize this type of error, nonsampling errors are impossible to avoid and difficult to evaluate statistically.

File Description

Variable List

RECH0

| | |
|--------------|------------------------------------|
| Content | HOUSEHOLD - Household's Basic Data |
| Cases | 5006 |
| Variable(s) | 30 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-----|-------|--------------------------------|----------|-----------|----------|
| V1 | hhid | Case Identification | discrete | character | |
| V2 | hv000 | Country code and phase | discrete | character | |
| V3 | hv001 | Cluster number | contin | numeric | |
| V4 | hv002 | Household number | contin | numeric | |
| V5 | hv003 | Respondent's line number -NA | discrete | numeric | |
| V6 | hv004 | Ultimate area unit | contin | numeric | |
| V7 | hv005 | Sample weight | contin | numeric | |
| V8 | hv006 | Month of interview | discrete | numeric | |
| V9 | hv007 | Year of interview | discrete | numeric | |
| V10 | hv008 | Date of interview (CMC) | discrete | numeric | |
| V11 | hv009 | Number of household members | contin | numeric | |
| V12 | hv010 | Number of eligible women in HH | discrete | numeric | |
| V13 | hv011 | Number of eligible men in HH | discrete | numeric | |
| V14 | hv012 | Number of de jure members | contin | numeric | |
| V15 | hv013 | Number of de facto members | contin | numeric | |
| V16 | hv014 | Number of children 5 and under | discrete | numeric | |
| V17 | hv015 | Result of household interview | discrete | numeric | |
| V18 | hv016 | Day of interview | contin | numeric | |
| V19 | hv017 | Number of visits | discrete | numeric | |
| V20 | hv018 | Interviewer identification | contin | numeric | |
| V21 | hv019 | Keyer identification | discrete | numeric | |
| V22 | hv020 | Ever-married sample | discrete | numeric | |
| V23 | hv021 | Primary sampling unit | contin | numeric | |
| V24 | hv022 | Sample stratum number | contin | numeric | |
| V25 | hv023 | Sample domain Country Specific | discrete | numeric | |
| V26 | hv024 | Region | discrete | numeric | |
| V27 | hv025 | Type of place of residence | discrete | numeric | |
| V28 | hv026 | Place of residence | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|-----|-------|--------------------------------|----------|---------|----------|
| V29 | hv027 | Selection for male/husb. int. | discrete | numeric | |
| V30 | hv028 | Sample weight for male subsamp | discrete | numeric | |

RECH1

| | |
|--------------|--------------------------------|
| Content | HOUSEHOLD - Household Schedule |
| Cases | 26624 |
| Variable(s) | 20 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-----|-------|--------------------------------|----------|-----------|----------|
| V31 | hhid | Case Identification | discrete | character | |
| V32 | hvidx | Line number | contin | numeric | |
| V33 | hv101 | Relationship to head | discrete | numeric | |
| V34 | hv102 | Usual resident | discrete | numeric | |
| V35 | hv103 | Slept last night | discrete | numeric | |
| V36 | hv104 | Sex of household member | discrete | numeric | |
| V37 | hv105 | Age of household members | discrete | numeric | |
| V38 | hv106 | Highest educational level | discrete | numeric | |
| V39 | hv107 | Highest year of education | discrete | numeric | |
| V40 | hv108 | Education in single years | discrete | numeric | |
| V41 | hv109 | Educational attainment | discrete | numeric | |
| V42 | hv110 | Member still in school | discrete | numeric | |
| V43 | hv111 | Mother alive | discrete | numeric | |
| V44 | hv112 | Mother's line number | discrete | numeric | |
| V45 | hv113 | Father alive | discrete | numeric | |
| V46 | hv114 | Father's line number | discrete | numeric | |
| V47 | hv115 | Current marital status - NA | discrete | numeric | |
| V48 | hv116 | Currently, formerly, neve - NA | discrete | numeric | |
| V49 | hv117 | Eligibility for female intview | discrete | numeric | |
| V50 | hv118 | Eligibility for male interview | discrete | numeric | |

RECH2

| | |
|--------------|---------------------------------------|
| Content | HOUSEHOLD - Household Characteristics |
| Cases | 4101 |
| Variable(s) | 21 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-----|-------|--------------------------------|----------|-----------|----------|
| V51 | hhid | Case Identification | discrete | character | |
| V52 | hv201 | Source of drinking water | discrete | numeric | |
| V53 | hv202 | Source of non-drinking water | discrete | numeric | |
| V54 | hv203 | Same source of water | discrete | numeric | |
| V55 | hv204 | Time to get to water source | discrete | numeric | |
| V56 | hv205 | Type of toilet facility | discrete | numeric | |
| V57 | hv206 | Has electricity | discrete | numeric | |
| V58 | hv207 | Has radio | discrete | numeric | |
| V59 | hv208 | Has television | discrete | numeric | |
| V60 | hv209 | Has refrigerator | discrete | numeric | |
| V61 | hv210 | Has bicycle | discrete | numeric | |
| V62 | hv211 | Has motorcycle | discrete | numeric | |
| V63 | hv212 | Has car | discrete | numeric | |
| V64 | hv213 | Main floor material | discrete | numeric | |
| V65 | hv214 | Main wall material - NA | discrete | numeric | |
| V66 | hv215 | Main roof material - NA | discrete | numeric | |
| V67 | hv216 | Rooms for sleeping | contin | numeric | |
| V68 | hv217 | Relationship structure | discrete | numeric | |
| V69 | hv218 | Line number of head of househ. | discrete | numeric | |
| V70 | hv219 | Sex of head of household | discrete | numeric | |
| V71 | hv220 | Age of head of household | discrete | numeric | |

RECH3

| | |
|--------------|---|
| Content | HOUSEHOLD - Country-specific Household Variable |
| Cases | 5006 |
| Variable(s) | 4 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-----|----------|-------------------------|----------|-----------|----------|
| V72 | hhid | Case Identification | discrete | character | |
| V73 | shcensd | Census District | contin | numeric | |
| V74 | shcensea | Census Enumeration Area | contin | numeric | |
| V75 | sh24a | Donkey Cart or Horse | discrete | numeric | |

REC01

| | |
|--------------|---------------------------------|
| Content | WOMAN - Respondent's Basic Data |
| Cases | 5847 |
| Variable(s) | 32 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V76 | hhid | Case Identification | discrete | character | |
| V77 | caseid | Case Identification | discrete | character | |
| V78 | v000 | Country code and phase | discrete | character | |
| V79 | v001 | Cluster number | contin | numeric | |
| V80 | v002 | Household number | contin | numeric | |
| V81 | v003 | Respondent's line number | contin | numeric | |
| V82 | v004 | Ultimate area unit | contin | numeric | |
| V83 | v005 | Sample weight | contin | numeric | |
| V84 | v006 | Month of interview | discrete | numeric | |
| V85 | v007 | Year of interview | discrete | numeric | |
| V86 | v008 | Date of interview (CMC) | discrete | numeric | |
| V87 | v009 | Respondent's month of birth | discrete | numeric | |
| V88 | v010 | Respondent's year of birth | contin | numeric | |
| V89 | v011 | Date of birth (CMC) | contin | numeric | |
| V90 | v012 | Current age - respondent | contin | numeric | |
| V91 | v013 | Age 5-year groups | discrete | numeric | |
| V92 | v014 | Completeness of information | discrete | numeric | |
| V93 | v015 | Result of individual interview | discrete | numeric | |
| V94 | v016 | Day of interview | contin | numeric | |
| V95 | v017 | CMC start of calendar/health | discrete | numeric | |
| V96 | v018 | Row of month of interview | discrete | numeric | |
| V97 | v019 | Length of calendar | discrete | numeric | |
| V98 | v020 | Ever-married sample | discrete | numeric | |
| V99 | v021 | Primary sampling unit | contin | numeric | |
| V100 | v022 | Sample stratum number | contin | numeric | |
| V101 | v023 | Sample domain | discrete | numeric | |
| V102 | v024 | Region | discrete | numeric | |
| V103 | v025 | Type of place of residence | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|-----------------------------|----------|---------|----------|
| V104 | v026 | De facto place of residence | discrete | numeric | |
| V105 | v027 | Number of visits | discrete | numeric | |
| V106 | v028 | Interviewer identification | contin | numeric | |
| V107 | v029 | Keyer identification | discrete | numeric | |

REC11

| | |
|--------------|---|
| Content | WOMAN - Respondent's Basic Data (continued) |
| Cases | 5421 |
| Variable(s) | 54 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V108 | hhid | Case Identification | discrete | character | |
| V109 | caseid | Case Identification | discrete | character | |
| V110 | v101 | Region | discrete | numeric | |
| V111 | v102 | Type of place of residence | discrete | numeric | |
| V112 | v103 | Childhood place of residence | discrete | numeric | |
| V113 | v104 | Years lived in place of res. | discrete | numeric | |
| V114 | v105 | Type of place of previous res. | discrete | numeric | |
| V115 | v106 | Highest educational level | discrete | numeric | |
| V116 | v107 | Highest year of education | discrete | numeric | |
| V117 | v108 | Literacy | discrete | numeric | |
| V118 | v109 | Reads newspaper once a week | discrete | numeric | |
| V119 | v110 | Watches TV every week | discrete | numeric | |
| V120 | v111 | Listens to radio every da - NA | discrete | numeric | |
| V121 | v112 | Listens to radio every week | discrete | numeric | |
| V122 | v113 | Source of drinking water | discrete | numeric | |
| V123 | v114 | Source of non-drinking water | discrete | numeric | |
| V124 | v115 | Time to get to water source | discrete | numeric | |
| V125 | v116 | Type of toilet facility | discrete | numeric | |
| V126 | v119 | Has electricity | discrete | numeric | |
| V127 | v120 | Has radio | discrete | numeric | |
| V128 | v121 | Has television | discrete | numeric | |
| V129 | v122 | Has refrigerator | discrete | numeric | |
| V130 | v123 | Has bicycle | discrete | numeric | |
| V131 | v124 | Has motorcycle | discrete | numeric | |
| V132 | v125 | Has car | discrete | numeric | |
| V133 | v127 | Main floor material | discrete | numeric | |
| V134 | v128 | Main wall material - NA | discrete | numeric | |
| V135 | v129 | Main roof material - NA | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|---------|--------------------------------|----------|---------|----------|
| V136 | v130 | Religion | discrete | numeric | |
| V137 | v131 | Ethnicity - language spoken hm | discrete | numeric | |
| V138 | v133 | Education in single years | discrete | numeric | |
| V139 | v134 | De facto place of residence | discrete | numeric | |
| V140 | v135 | Usual resident or visitor | discrete | numeric | |
| V141 | v136 | Number of household members | contin | numeric | |
| V142 | v137 | Number of children 5 and under | discrete | numeric | |
| V143 | v138 | Number of eligible women in HH | discrete | numeric | |
| V144 | v139 | De jure region of residence | discrete | numeric | |
| V145 | v140 | De jure type of place of res. | discrete | numeric | |
| V146 | v141 | De jure place of residence | discrete | numeric | |
| V147 | v142 | Same source of water | discrete | numeric | |
| V148 | v143 | Rooms for sleeping | contin | numeric | |
| V149 | v144 | Communities lived in - NA | discrete | numeric | |
| V150 | v145 | Month moved to res. - NA | discrete | numeric | |
| V151 | v146 | Year moved to res. - NA | discrete | numeric | |
| V152 | v147 | Residence before - NA | discrete | numeric | |
| V153 | v148 | Respondent still in school | discrete | numeric | |
| V154 | v149 | Educational attainment | discrete | numeric | |
| V155 | v150 | Relationship to household head | discrete | numeric | |
| V156 | v151 | Sex of household head | discrete | numeric | |
| V157 | v152 | Age of household head | discrete | numeric | |
| V158 | awfactt | All woman factor - total | discrete | numeric | |
| V159 | awfactu | All woman factor - urban/rural | discrete | numeric | |
| V160 | awfactr | All woman factor - regional | discrete | numeric | |
| V161 | awfacte | All woman factor - educational | discrete | numeric | |

REC21

| | |
|--------------|--------------------------------------|
| Content | WOMAN - Reproduction (Birth History) |
| Cases | 13372 |
| Variable(s) | 18 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|-------------------------------|----------|-----------|----------|
| V162 | hhid | Case Identification | discrete | character | |
| V163 | caseid | Case Identification | discrete | character | |
| V164 | bidx | Birth column number | discrete | numeric | |
| V165 | bord | Birth order number | discrete | numeric | |
| V166 | b0 | Child is twin | discrete | numeric | |
| V167 | b1 | Month of birth | discrete | numeric | |
| V168 | b2 | Year of birth | contin | numeric | |
| V169 | b3 | Date of birth (CMC) | contin | numeric | |
| V170 | b4 | Sex of child | discrete | numeric | |
| V171 | b5 | Child is alive | discrete | numeric | |
| V172 | b6 | Age at death | discrete | numeric | |
| V173 | b7 | Age at death (months-imputed) | contin | numeric | |
| V174 | b8 | Current age of child | contin | numeric | |
| V175 | b9 | Who child lives with | discrete | numeric | |
| V176 | b10 | Completeness of information | discrete | numeric | |
| V177 | b11 | Preceding birth interval | contin | numeric | |
| V178 | b12 | Succeeding birth interval | contin | numeric | |
| V179 | b13 | Flag for age at death | discrete | numeric | |

REC22

| | |
|--------------|----------------------|
| Content | WOMAN - Reproduction |
| Cases | 5421 |
| Variable(s) | 37 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V180 | hhid | Case Identification | discrete | character | |
| V181 | caseid | Case Identification | discrete | character | |
| V182 | v201 | Total children ever born | discrete | numeric | |
| V183 | v202 | Sons at home | discrete | numeric | |
| V184 | v203 | Daughters at home | discrete | numeric | |
| V185 | v204 | Sons elsewhere | discrete | numeric | |
| V186 | v205 | Daughters elsewhere | discrete | numeric | |
| V187 | v206 | Sons who have died | discrete | numeric | |
| V188 | v207 | Daughters who have died | discrete | numeric | |
| V189 | v208 | Births in last five years | discrete | numeric | |
| V190 | v209 | Births in past year | discrete | numeric | |
| V191 | v210 | Births in month of interview | discrete | numeric | |
| V192 | v211 | Date of first birth (CMC) | contin | numeric | |
| V193 | v212 | Age of respondent at 1st birth | contin | numeric | |
| V194 | v213 | Currently pregnant | discrete | numeric | |
| V195 | v214 | Duration of current pregnancy | discrete | numeric | |
| V196 | v215 | Time since last menstrual perd | discrete | numeric | |
| V197 | v216 | Menstruated in last six weeks | discrete | numeric | |
| V198 | v217 | Knowledge of ovulatory cycle | discrete | numeric | |
| V199 | v218 | Number of living children | discrete | numeric | |
| V200 | v219 | Living children + current preg | discrete | numeric | |
| V201 | v220 | Living children + curr preg 6+ | discrete | numeric | |
| V202 | v221 | Marriage to first birth int. | discrete | numeric | |
| V203 | v222 | Last birth to interview | contin | numeric | |
| V204 | v223 | Completeness of curr preg. inf | discrete | numeric | |
| V205 | v224 | Entries in birth history | discrete | numeric | |
| V206 | v225 | Current pregnancy wanted | discrete | numeric | |
| V207 | v226 | Time since last period (comp) | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V208 | v227 | Flag for last period | discrete | numeric | |
| V209 | v228 | Ever had a terminated pre - NA | discrete | numeric | |
| V210 | v229 | Month pregnancy ended - NA | discrete | numeric | |
| V211 | v230 | Year pregnancy ended - NA | discrete | numeric | |
| V212 | v231 | CMC pregnancy ended - NA | discrete | numeric | |
| V213 | v232 | Completeness of last term - NA | discrete | numeric | |
| V214 | v233 | Months when pregnancy end - NA | discrete | numeric | |
| V215 | v234 | Other such pregnancies - NA | discrete | numeric | |
| V216 | v235 | Index last child prior to - NA | discrete | numeric | |

REC31

| | |
|--------------|-----------------------------|
| Content | WOMAN - Contraceptive Table |
| Cases | 43368 |
| Variable(s) | 10 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|-------------|--------------------------------|----------|-----------|----------|
| V217 | hhid | Case Identification | discrete | character | |
| V218 | caseid | Case Identification | discrete | character | |
| V219 | v301 | Knowledge of any method | discrete | numeric | |
| V220 | v302 | Ever use of any method | discrete | numeric | |
| V221 | v303 | Knows source for modern method | discrete | numeric | |
| V222 | rec31_group | Contraceptive Table | discrete | character | |
| V223 | v304a | Type of method | discrete | numeric | |
| V224 | v304 | Knows method | discrete | numeric | |
| V225 | v305 | Ever used method | discrete | numeric | |
| V226 | v306 | Source known for method | discrete | numeric | |

REC32

| | |
|--------------|---------------------------|
| Content | WOMAN - Contraceptive Use |
| Cases | 5421 |
| Variable(s) | 54 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V227 | hhid | Case Identification | discrete | character | |
| V228 | caseid | Case Identification | discrete | character | |
| V229 | v310 | Living children at first use | contin | numeric | |
| V230 | v311 | Children at first use (grpd) | discrete | numeric | |
| V231 | v312 | Current contraceptive method | discrete | numeric | |
| V232 | v313 | Current use by method type | discrete | numeric | |
| V233 | v315 | Month of sterilization | discrete | numeric | |
| V234 | v316 | Year of sterilization | contin | numeric | |
| V235 | v317 | Date of sterilization (CMC) | contin | numeric | |
| V236 | v318 | Completeness of information | discrete | numeric | |
| V237 | v319 | Years since sterilization | discrete | numeric | |
| V238 | v320 | Age at sterilization | discrete | numeric | |
| V239 | v321 | Marital duration at steriliz. | discrete | numeric | |
| V240 | v322 | Parity at sterilization | discrete | numeric | |
| V241 | v323 | Brand of pill used | discrete | numeric | |
| V242 | v325 | Cost of pills | contin | numeric | |
| V243 | v326 | Last source for current users | discrete | numeric | |
| V244 | v327 | Last source for users by type | discrete | numeric | |
| V245 | v337 | Months of use of current meth | discrete | numeric | |
| V246 | v338 | Problem with current meth - NA | discrete | numeric | |
| V247 | v339 | Problem with current meth - NA | discrete | numeric | |
| V248 | v359 | Last method disc.last 5 y - NA | discrete | numeric | |
| V249 | v360 | Reason of last discontin. - NA | discrete | numeric | |
| V250 | v361 | Pattern of use | discrete | numeric | |
| V251 | v362 | Intention to use | discrete | numeric | |
| V252 | v363 | Preferred future method | discrete | numeric | |
| V253 | v364 | Contraceptive use & intention | discrete | numeric | |
| V254 | v365 | Heard FP message on radio - NA | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V255 | v366 | Acceptability of media message | discrete | numeric | |
| V256 | v367 | Wanted last child | discrete | numeric | |
| V257 | v369 | First method used - NA | discrete | numeric | |
| V258 | v370 | Source of first method - NA | discrete | numeric | |
| V259 | v371 | Source of first method - NA | discrete | numeric | |
| V260 | v372 | Shown pill package | discrete | numeric | |
| V261 | v373 | Doctor/nurse for first pills | discrete | numeric | |
| V262 | v374 | Doctor/nurse for last pills | discrete | numeric | |
| V263 | v375 | Reason for current method - NA | discrete | numeric | |
| V264 | v376 | Main reason not to use a meth. | discrete | numeric | |
| V265 | v377 | Source for future method | discrete | numeric | |
| V266 | v378 | Source for future method | discrete | numeric | |
| V267 | v379 | Source known for any method | discrete | numeric | |
| V268 | v380 | Source known for any method | discrete | numeric | |
| V269 | v381 | Time to get to source | discrete | numeric | |
| V270 | v382 | Time to get to source(grouped) | discrete | numeric | |
| V271 | v383 | Easy/difficult to get to place | discrete | numeric | |
| V272 | v384 | Heard about FP on TV - NA | discrete | numeric | |
| V273 | v385 | Contraceptive use bfor ca - NA | discrete | numeric | |
| V274 | v386 | Month started method pre - NA | discrete | numeric | |
| V275 | v387 | Year started method pre - NA | discrete | numeric | |
| V276 | v388 | Date started method pre - NA | discrete | numeric | |
| V277 | v389 | Months use prior to cal. - NA | discrete | numeric | |
| V278 | v390 | Month stopped method pre - NA | discrete | numeric | |
| V279 | v391 | Year stopped method pre - NA | discrete | numeric | |
| V280 | v392 | Date stopped method pre - NA | discrete | numeric | |

REC41

| | |
|--------------|-------------------|
| Content | WOMAN - Maternity |
| Cases | 3916 |
| Variable(s) | 58 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V281 | hhid | Case Identification | discrete | character | |
| V282 | caseid | Case Identification | discrete | character | |
| V283 | midx | Index to birth history | discrete | numeric | |
| V284 | m1 | Tetanus injections bef. birth | discrete | numeric | |
| V285 | m2a | Prenatal: doctor | discrete | numeric | |
| V286 | m2b | Prenatal: nurse/midwife | discrete | numeric | |
| V287 | m2c | Prenatal: auxiliary midwi - NA | discrete | numeric | |
| V288 | m2d | Prenatal:CS health profes - NA | discrete | numeric | |
| V289 | m2e | Prenatal:CS health profes - NA | discrete | numeric | |
| V290 | m2f | Prenatal: trained birth a - NA | discrete | numeric | |
| V291 | m2g | Prenatal: trad.birth attendant | discrete | numeric | |
| V292 | m2h | Prenatal: relative - NA | discrete | numeric | |
| V293 | m2i | Prenatal: CS other person - NA | discrete | numeric | |
| V294 | m2j | Prenatal: CS other person - NA | discrete | numeric | |
| V295 | m2k | Prenatal: other resp (uncoded) | discrete | numeric | |
| V296 | m2l | Prenatal: CS other - NA | discrete | numeric | |
| V297 | m2m | Prenatal: CS other - NA | discrete | numeric | |
| V298 | m2n | Prenatal: no one | discrete | numeric | |
| V299 | m3a | Assistance: doctor | discrete | numeric | |
| V300 | m3b | Assistance: nurse/midwife | discrete | numeric | |
| V301 | m3c | Assistance:auxiliary midw - NA | discrete | numeric | |
| V302 | m3d | Assistance:CS health prof - NA | discrete | numeric | |
| V303 | m3e | Assistance:CS health prof - NA | discrete | numeric | |
| V304 | m3f | Assistance:trained birth - NA | discrete | numeric | |
| V305 | m3g | Assistance: trad.birth attend. | discrete | numeric | |
| V306 | m3h | Assistance: relative | discrete | numeric | |
| V307 | m3i | Assistance: CS other pers - NA | discrete | numeric | |
| V308 | m3j | Assistance: CS other pers - NA | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V309 | m3k | Assistance: other resp (uncod) | discrete | numeric | |
| V310 | m3l | Assistance: CS other - NA | discrete | numeric | |
| V311 | m3m | Assistance: CS other - NA | discrete | numeric | |
| V312 | m3n | Assistance: no one | discrete | numeric | |
| V313 | m4 | Duration of breastfeeding | discrete | numeric | |
| V314 | m5 | Months of breastfeeding | discrete | numeric | |
| V315 | m6 | Duration of amenorrhea | discrete | numeric | |
| V316 | m7 | Months of amenorrhea | discrete | numeric | |
| V317 | m8 | Duration of abstinence | discrete | numeric | |
| V318 | m9 | Months of abstinence | discrete | numeric | |
| V319 | m10 | Time wanted pregnancy | discrete | numeric | |
| V320 | m11 | Time would have waited | discrete | numeric | |
| V321 | m12 | Antenatal card for pregnancy | discrete | numeric | |
| V322 | m13 | Timing of 1st antenatal check | discrete | numeric | |
| V323 | m14 | Antenatal visits for pregnancy | discrete | numeric | |
| V324 | m15 | Place of delivery | discrete | numeric | |
| V325 | m16 | Premature birth | discrete | numeric | |
| V326 | m17 | Delivery by caesarian section | discrete | numeric | |
| V327 | m18 | Size of child at birth | discrete | numeric | |
| V328 | m19 | Birth weight (kilos - 3 dec.) | discrete | numeric | |
| V329 | m20 | Reason did not breastfeed | discrete | numeric | |
| V330 | m21 | Reason stopped breastfeeding | discrete | numeric | |
| V331 | m22 | Child given other food | discrete | numeric | |
| V332 | m23 | Age for formula or other milk | discrete | numeric | |
| V333 | m24 | Age for plain water | discrete | numeric | |
| V334 | m25 | Age for other liquids | discrete | numeric | |
| V335 | m26 | Age for solid or mushy food | discrete | numeric | |
| V336 | m27 | Flag for breastfeeding | discrete | numeric | |
| V337 | m28 | Flag for amenorrhea | discrete | numeric | |
| V338 | m29 | Flag for abstinence | discrete | numeric | |

REC42

| | |
|--------------|----------------------------------|
| Content | WOMAN - Breastfeeding and Health |
| Cases | 5421 |
| Variable(s) | 82 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V339 | hhid | Case Identification | discrete | character | |
| V340 | caseid | Case Identification | discrete | character | |
| V341 | v401 | Last birth ceasarean section | discrete | numeric | |
| V342 | v404 | Currently breastfeeding | discrete | numeric | |
| V343 | v405 | Currently amenorrheic | discrete | numeric | |
| V344 | v406 | Currently abstaining | discrete | numeric | |
| V345 | v407 | Times breastfed during night | discrete | numeric | |
| V346 | v408 | Times breastfed during day | discrete | numeric | |
| V347 | v409 | Gave child plain water | discrete | numeric | |
| V348 | v409a | Gave child sugar water | discrete | numeric | |
| V349 | v410 | Gave child juice | discrete | numeric | |
| V350 | v410a | Gave child herbal tea | discrete | numeric | |
| V351 | v411 | Gave child powder/tinned milk | discrete | numeric | |
| V352 | v411a | Gave child baby formula | discrete | numeric | |
| V353 | v412 | Gave child fresh milk | discrete | numeric | |
| V354 | v413a | Country specific other li - NA | discrete | numeric | |
| V355 | v413b | Country specific other li - NA | discrete | numeric | |
| V356 | v413c | Country specific other li - NA | discrete | numeric | |
| V357 | v413d | Country specific other li - NA | discrete | numeric | |
| V358 | v413 | Gave child other liquid | discrete | numeric | |
| V359 | v414a | Country specific other fo - NA | discrete | numeric | |
| V360 | v414b | Country specific other fo - NA | discrete | numeric | |
| V361 | v414c | Country specific other fo - NA | discrete | numeric | |
| V362 | v414d | Country specific other fo - NA | discrete | numeric | |
| V363 | v414 | Gave child solid or mushy food | discrete | numeric | |
| V364 | v415 | Fed food in bottle with nipple | discrete | numeric | |
| V365 | v416 | Heard of oral rehydration | discrete | numeric | |
| V366 | v417 | Entries in maternity table | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|-------|--------------------------------|----------|---------|----------|
| V367 | v418 | Entries in health table | discrete | numeric | |
| V368 | v419 | Entries in height/weight table | discrete | numeric | |
| V369 | v420 | Measurer's code | contin | numeric | |
| V370 | v421 | Assistant measurer's code | contin | numeric | |
| V371 | v422 | Ever prepared ORS solution | discrete | numeric | |
| V372 | v423 | Quantity of water for ORS | discrete | numeric | |
| V373 | v424a | ORS source: government hosp. | discrete | numeric | |
| V374 | v424b | ORS source: govt health center | discrete | numeric | |
| V375 | v424c | ORS source: govt health post | discrete | numeric | |
| V376 | v424d | ORS source: mobile clinic | discrete | numeric | |
| V377 | v424e | ORS source: comm.health worker | discrete | numeric | |
| V378 | v424f | ORS source:CS public sect - NA | discrete | numeric | |
| V379 | v424g | ORS source:CS public sect - NA | discrete | numeric | |
| V380 | v424h | ORS source:CS public sect - NA | discrete | numeric | |
| V381 | v424i | ORS source:CS public sect - NA | discrete | numeric | |
| V382 | v424j | ORS source: private hosp/clin. | discrete | numeric | |
| V383 | v424k | ORS source: private pharmacy | discrete | numeric | |
| V384 | v424l | ORS source: private doctor | discrete | numeric | |
| V385 | v424m | ORS source:private mobile - NA | discrete | numeric | |
| V386 | v424n | ORS source:comm.health wo - NA | discrete | numeric | |
| V387 | v424o | ORS source: CS med.priv s - NA | discrete | numeric | |
| V388 | v424p | ORS source:CS med.priv se - NA | discrete | numeric | |
| V389 | v424q | ORS source:CS med.priv se - NA | discrete | numeric | |
| V390 | v424r | ORS source:CS med.priv se - NA | discrete | numeric | |
| V391 | v424s | ORS source: shop | discrete | numeric | |
| V392 | v424t | ORS source: traditional pract. | discrete | numeric | |
| V393 | v424u | ORS source:CS oth.priv se - NA | discrete | numeric | |
| V394 | v424v | ORS source:CS oth.priv se - NA | discrete | numeric | |
| V395 | v424w | ORS source:CS oth.priv se - NA | discrete | numeric | |
| V396 | v424x | ORS source: Other | discrete | numeric | |
| V397 | v424y | ORS source: Unknown | discrete | numeric | |
| V398 | v425 | Home fluid prep. teacher -NA | discrete | numeric | |
| V399 | v426 | When child put to breast | discrete | numeric | |
| V400 | v427 | Duration breastfeeding pr - NA | discrete | numeric | |
| V401 | v428 | Months breastfeeding pre - NA | discrete | numeric | |
| V402 | v429 | Flag for breastfeeding pr - NA | discrete | numeric | |
| V403 | v430 | Duration of amenorrhea pr - NA | discrete | numeric | |
| V404 | v431 | Months of amenorrhea pre - NA | discrete | numeric | |
| V405 | v432 | Flag for amenorrhea pre - NA | discrete | numeric | |
| V406 | v433 | Duration of abstinence pr - NA | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V407 | v434 | Months of abstinence pre - NA | discrete | numeric | |
| V408 | v435 | Flag for abstinence pre - NA | discrete | numeric | |
| V409 | v436 | Arm circumference (cms-1d) | contin | numeric | |
| V410 | v437 | Respondent's weight (kilos-1d) | contin | numeric | |
| V411 | v438 | Respondent's height (cms-1d) | contin | numeric | |
| V412 | v439 | Ht/A Percentile (resp.) | discrete | numeric | |
| V413 | v440 | Ht/A Standard deviations (resp | discrete | numeric | |
| V414 | v441 | Ht/A Percent ref. median (resp | discrete | numeric | |
| V415 | v442 | Wt/Ht Percent ref. median (DHS | discrete | numeric | |
| V416 | v443 | Wt/Ht Percent ref. median (Fog | discrete | numeric | |
| V417 | v444 | Wt/Ht Percent ref. median (WHO | discrete | numeric | |
| V418 | v445 | Body mass index for respondent | discrete | numeric | |
| V419 | v446 | Rohrer's index for respondent | discrete | numeric | |
| V420 | v447 | Result of measurement of resp. | discrete | numeric | |

REC43

| | |
|--------------|---------------------------------|
| Content | WOMAN - Immunization and Health |
| Cases | 3916 |
| Variable(s) | 129 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|------------------------|----------|-----------|----------|
| V421 | hhid | Case Identification | discrete | character | |
| V422 | caseid | Case Identification | discrete | character | |
| V423 | hidx | Index to birth history | discrete | numeric | |
| V424 | h1 | Has health card | discrete | numeric | |
| V425 | h2 | Received BCG | discrete | numeric | |
| V426 | h2d | BCG day | discrete | numeric | |
| V427 | h2m | BCG month | discrete | numeric | |
| V428 | h2y | BCG year | discrete | numeric | |
| V429 | h3 | Received DPT 1 | discrete | numeric | |
| V430 | h3d | DPT 1 day | discrete | numeric | |
| V431 | h3m | DPT 1 month | discrete | numeric | |
| V432 | h3y | DPT 1 year | discrete | numeric | |
| V433 | h4 | Received POLIO 1 | discrete | numeric | |
| V434 | h4d | POLIO 1 day | discrete | numeric | |
| V435 | h4m | POLIO 1 month | discrete | numeric | |
| V436 | h4y | POLIO 1 year | discrete | numeric | |
| V437 | h5 | Received DPT 2 | discrete | numeric | |
| V438 | h5d | DPT 2 day | discrete | numeric | |
| V439 | h5m | DPT 2 month | discrete | numeric | |
| V440 | h5y | DPT 2 year | discrete | numeric | |
| V441 | h6 | Received POLIO 2 | discrete | numeric | |
| V442 | h6d | POLIO 2 day | discrete | numeric | |
| V443 | h6m | POLIO 2 month | discrete | numeric | |
| V444 | h6y | POLIO 2 year | discrete | numeric | |
| V445 | h7 | Received DPT 3 | discrete | numeric | |
| V446 | h7d | DPT 3 day | discrete | numeric | |
| V447 | h7m | DPT 3 month | discrete | numeric | |
| V448 | h7y | DPT 3 year | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V449 | h8 | Received POLIO 3 | discrete | numeric | |
| V450 | h8d | POLIO 3 day | discrete | numeric | |
| V451 | h8m | POLIO 3 month | discrete | numeric | |
| V452 | h8y | POLIO 3 year | discrete | numeric | |
| V453 | h9 | Received MEASLES | discrete | numeric | |
| V454 | h9d | MEASLES day | discrete | numeric | |
| V455 | h9m | MEASLES month | discrete | numeric | |
| V456 | h9y | MEASLES year | discrete | numeric | |
| V457 | h10 | Ever had vaccination | discrete | numeric | |
| V458 | h11 | Had diarrhea recently | discrete | numeric | |
| V459 | h11a | How long diarrhea lasted | discrete | numeric | |
| V460 | h11b | Blood in the stools | discrete | numeric | |
| V461 | h12a | Diarrhea: government hosp. | discrete | numeric | |
| V462 | h12b | Diarrhea: govt health center | discrete | numeric | |
| V463 | h12c | Diarrhea: govt health clinic | discrete | numeric | |
| V464 | h12d | Diarrhea: mobile clinic | discrete | numeric | |
| V465 | h12e | Diarrhea: comm.health worker | discrete | numeric | |
| V466 | h12f | Diarrhea: CS public secto - NA | discrete | numeric | |
| V467 | h12g | Diarrhea: CS public secto - NA | discrete | numeric | |
| V468 | h12h | Diarrhea: CS public secto - NA | discrete | numeric | |
| V469 | h12i | Diarrhea: CS public secto - NA | discrete | numeric | |
| V470 | h12j | Diarrhea: private hosp/clin. | discrete | numeric | |
| V471 | h12k | Diarrhea: private pharmacy | discrete | numeric | |
| V472 | h12l | Diarrhea: private doctor | discrete | numeric | |
| V473 | h12m | Diarrhea:private mobile c - NA | discrete | numeric | |
| V474 | h12n | Diarrhea:comm.health work - NA | discrete | numeric | |
| V475 | h12o | Diarrhea:CS med.priv sect - NA | discrete | numeric | |
| V476 | h12p | Diarrhea:CS med.priv sect - NA | discrete | numeric | |
| V477 | h12q | Diarrhea:CS med.priv sect - NA | discrete | numeric | |
| V478 | h12r | Diarrhea:CS med.priv sect - NA | discrete | numeric | |
| V479 | h12s | Diarrhea: shop | discrete | numeric | |
| V480 | h12t | Diarrhea: traditional pract. | discrete | numeric | |
| V481 | h12u | Diarrhea:CS oth.priv sect - NA | discrete | numeric | |
| V482 | h12v | Diarrhea:CS oth.priv sector NA | discrete | numeric | |
| V483 | h12w | Diarrhea:CS oth.priv sect - NA | discrete | numeric | |
| V484 | h12x | Diarrhea: Other | discrete | numeric | |
| V485 | h12y | Diarrhea: no treatment | discrete | numeric | |
| V486 | h12z | Diarrhea: medical treatment | discrete | numeric | |
| V487 | h13 | Given oral rehydration | discrete | numeric | |
| V488 | h13a | Days given ORS | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V489 | h14 | Given recommend. home solution | discrete | numeric | |
| V490 | h14a | Days given fluid - NA | discrete | numeric | |
| V491 | h15 | Given other pills or syrups | discrete | numeric | |
| V492 | h15a | Given antibiotics | discrete | numeric | |
| V493 | h15b | Given an injection | discrete | numeric | |
| V494 | h15c | Given an intravenous (IV) | discrete | numeric | |
| V495 | h15d | Given home remedy, herbal med. | discrete | numeric | |
| V496 | h15e | Given CS: unknown pill/ syrup | discrete | numeric | |
| V497 | h15f | Given CS other treatment - NA | discrete | numeric | |
| V498 | h15g | Given CS other treatment - NA | discrete | numeric | |
| V499 | h15h | Given CS other treatment - NA | discrete | numeric | |
| V500 | h16 | Increase or decrease fluids | discrete | numeric | |
| V501 | h18 | Increase or decrease food - NA | discrete | numeric | |
| V502 | h18a | Breastfeeding change | discrete | numeric | |
| V503 | h20 | Given other treatment | discrete | numeric | |
| V504 | h21a | Given no treatment | discrete | numeric | |
| V505 | h21 | Received any treatment | discrete | numeric | |
| V506 | h22 | Had fever in last two weeks | discrete | numeric | |
| V507 | h31 | Had cough in last two weeks | discrete | numeric | |
| V508 | h31a | How long cough lasted | discrete | numeric | |
| V509 | h31b | Short, rapid breaths | discrete | numeric | |
| V510 | h32a | Fever/cough: government hosp. | discrete | numeric | |
| V511 | h32b | Fever/cough: govt health cntr | discrete | numeric | |
| V512 | h32c | Fever/cough:govt health clinic | discrete | numeric | |
| V513 | h32d | Fever/cough: mobile clinic | discrete | numeric | |
| V514 | h32e | Fever/cough: comm.health wrkr | discrete | numeric | |
| V515 | h32f | Fever/cough: CS public se - NA | discrete | numeric | |
| V516 | h32g | Fever/cough: CS public se - NA | discrete | numeric | |
| V517 | h32h | Fever/cough: CS public se - NA | discrete | numeric | |
| V518 | h32i | Fever/cough: CS public se - NA | discrete | numeric | |
| V519 | h32j | Fever/cough: private hosp/clin | discrete | numeric | |
| V520 | h32k | Fever/cough: private pharmacy | discrete | numeric | |
| V521 | h32l | Fever/cough: private doctor | discrete | numeric | |
| V522 | h32m | Fever/cough:private mobil - NA | discrete | numeric | |
| V523 | h32n | Fever/cough:comm.health w - NA | discrete | numeric | |
| V524 | h32o | Fever/cough:CS med.priv s - NA | discrete | numeric | |
| V525 | h32p | Fever/cough:CS med.priv s - NA | discrete | numeric | |
| V526 | h32q | Fever/cough:CS med.priv s - NA | discrete | numeric | |
| V527 | h32r | Fever/cough:CS med.priv s - NA | discrete | numeric | |
| V528 | h32s | Fever/cough: shop | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V529 | h32t | Fever/cough: traditional pract | discrete | numeric | |
| V530 | h32u | Fever/cough:CS oth.priv s - NA | discrete | numeric | |
| V531 | h32v | Fever/cough:CS oth.priv s - NA | discrete | numeric | |
| V532 | h32w | Fever/cough:CS oth.priv s - NA | discrete | numeric | |
| V533 | h32x | Fever/cough: Other | discrete | numeric | |
| V534 | h32y | Fever/cough: no treatment | discrete | numeric | |
| V535 | h32z | Fever/cough: medical treatment | discrete | numeric | |
| V536 | h33 | Given antibiotics | discrete | numeric | |
| V537 | h33a | Given antimalarials | discrete | numeric | |
| V538 | h34 | Given cough syrup | discrete | numeric | |
| V539 | h35 | Given other pills or syrups | discrete | numeric | |
| V540 | h35a | Given unknown pills or syrups | discrete | numeric | |
| V541 | h36 | Given injection | discrete | numeric | |
| V542 | h36a | Given home remedy, herbal med. | discrete | numeric | |
| V543 | h37a | Given CS other treatment - NA | discrete | numeric | |
| V544 | h37b | Given CS other treatment - NA | discrete | numeric | |
| V545 | h37c | Given CS other treatment - NA | discrete | numeric | |
| V546 | h37d | Given CS other treatment - NA | discrete | numeric | |
| V547 | h37 | Other treatment for cough | discrete | numeric | |
| V548 | h38a | Given no treatment | discrete | numeric | |
| V549 | h38 | Given any treatment for cough | discrete | numeric | |

REC44

| | |
|--------------|---------------------------|
| Content | WOMAN - Height and Weight |
| Cases | 3916 |
| Variable(s) | 29 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V550 | hhid | Case Identification | discrete | character | |
| V551 | caseid | Case Identification | discrete | character | |
| V552 | hwidx | Index to birth history | discrete | numeric | |
| V553 | hw1 | Age in months | contin | numeric | |
| V554 | hw2 | Weight in kilograms (1 dec.) | contin | numeric | |
| V555 | hw3 | Height in centimeters (1 dec.) | contin | numeric | |
| V556 | hw4 | Ht/A Percentile | discrete | numeric | |
| V557 | hw5 | Ht/A Standard deviations | discrete | numeric | |
| V558 | hw6 | Ht/A Percent of ref. median | discrete | numeric | |
| V559 | hw7 | Wt/A Percentile | discrete | numeric | |
| V560 | hw8 | Wt/A Standard deviations | discrete | numeric | |
| V561 | hw9 | Wt/A Percent of ref. median | discrete | numeric | |
| V562 | hw10 | Wt/Ht Percentile | discrete | numeric | |
| V563 | hw11 | Wt/Ht Standard deviations | discrete | numeric | |
| V564 | hw12 | Wt/Ht Percent of ref. median | discrete | numeric | |
| V565 | hw13 | Reason not measured | discrete | numeric | |
| V566 | hw14 | BCG scar on arm or shoulder | discrete | numeric | |
| V567 | hw15 | Height: lying or standing - NA | discrete | numeric | |
| V568 | hw16 | Day of birth of child | discrete | numeric | |
| V569 | hw17 | Date measured (day) | contin | numeric | |
| V570 | hw18 | Date measured (month) | discrete | numeric | |
| V571 | hw19 | Date measured (year) | discrete | numeric | |
| V572 | hw20 | Arm circumference (cms - 1d) | contin | numeric | |
| V573 | hw21 | Arm circ/A Percentile | discrete | numeric | |
| V574 | hw22 | Arm circ/A Standard deviations | discrete | numeric | |
| V575 | hw23 | Arm c/A Percent of ref. median | discrete | numeric | |
| V576 | hw24 | Arm circ/Ht Percentile | discrete | numeric | |
| V577 | hw25 | Arm cir/Ht Standard deviations | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|--------------------------------|----------|---------|----------|
| V578 | hw26 | Arm cir/Ht Percent ref. median | discrete | numeric | |

REC51

| | |
|--------------|---------------------------|
| Content | WOMAN - Marriage/Exposure |
| Cases | 5421 |
| Variable(s) | 24 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V579 | hhid | Case Identification | discrete | character | |
| V580 | caseid | Case Identification | discrete | character | |
| V581 | v501 | Current marital status | discrete | numeric | |
| V582 | v502 | Currently/formerly/never marr. | discrete | numeric | |
| V583 | v503 | Number of unions | discrete | numeric | |
| V584 | v504 | Husband lives in house | discrete | numeric | |
| V585 | v505 | Number of other wives | discrete | numeric | |
| V586 | v506 | Wife rank number | discrete | numeric | |
| V587 | v507 | Month of first marriage | discrete | numeric | |
| V588 | v508 | Year of first marriage | contin | numeric | |
| V589 | v509 | Date of first marriage (CMC) | contin | numeric | |
| V590 | v510 | Completeness of date inform. | discrete | numeric | |
| V591 | v511 | Age at first marriage | contin | numeric | |
| V592 | v512 | Years since first marriage | contin | numeric | |
| V593 | v513 | Marital duration (grouped) | discrete | numeric | |
| V594 | v525 | Age at first intercourse | discrete | numeric | |
| V595 | v526 | Frequency of intercourse | discrete | numeric | |
| V596 | v527 | Time since last intercourse | discrete | numeric | |
| V597 | v528 | Time since last intercourse(g) | discrete | numeric | |
| V598 | v529 | Time since last intercourse(im | discrete | numeric | |
| V599 | v530 | Flag for V529 | discrete | numeric | |
| V600 | v531 | Age at first intercourse (imp) | discrete | numeric | |
| V601 | v532 | Flag for V531 | discrete | numeric | |
| V602 | v533 | Usual frequency of intercourse | discrete | numeric | |

REC61

| | |
|--------------|-------------------------------|
| Content | WOMAN - Fertility Preferences |
| Cases | 5421 |
| Variable(s) | 24 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V603 | hhid | Case Identification | discrete | character | |
| V604 | caseid | Case Identification | discrete | character | |
| V605 | v602 | Fertility preference | discrete | numeric | |
| V606 | v603 | Preferred waiting time | discrete | numeric | |
| V607 | v604 | Preferred waiting time (grp) | discrete | numeric | |
| V608 | v605 | Desire for more children | discrete | numeric | |
| V609 | v608 | Ideal post-partum abst. period | discrete | numeric | |
| V610 | v609 | Sex while breastfeeding | discrete | numeric | |
| V611 | v610 | Husband approves FP | discrete | numeric | |
| V612 | v611 | Discussed FP with partner | discrete | numeric | |
| V613 | v612 | Respondent approves FP | discrete | numeric | |
| V614 | v613 | Ideal number of children | discrete | numeric | |
| V615 | v614 | Ideal number of children (grp) | discrete | numeric | |
| V616 | v615 | Best birth interval | discrete | numeric | |
| V617 | v616 | Time for future birth | discrete | numeric | |
| V618 | v617 | Age youngest at future birth | discrete | numeric | |
| V619 | v618 | Reason regrets sterilization | discrete | numeric | |
| V620 | v619 | Think would have sterilization | discrete | numeric | |
| V621 | v620 | Discussed number of children | discrete | numeric | |
| V622 | v621 | Husbands desire for children | discrete | numeric | |
| V623 | v623 | Exposure | discrete | numeric | |
| V624 | v624 | Unmet need | discrete | numeric | |
| V625 | v625 | Exposure (definition 2) | discrete | numeric | |
| V626 | v626 | Unmet need (definition 2) | discrete | numeric | |

REC71

| | |
|--------------|-----------------------------------|
| Content | WOMAN - Partner's Characteristics |
| Cases | 5421 |
| Variable(s) | 23 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V627 | hhid | Case Identification | discrete | character | |
| V628 | caseid | Case Identification | discrete | character | |
| V629 | v701 | Partner's education level | discrete | numeric | |
| V630 | v702 | Highest year of education | discrete | numeric | |
| V631 | v704 | Partner's occupation | contin | numeric | |
| V632 | v705 | Partner's occupation | discrete | numeric | |
| V633 | v707 | Type of land where works | discrete | numeric | |
| V634 | v714 | Respondent currently working | discrete | numeric | |
| V635 | v715 | Husbands education-single yrs | discrete | numeric | |
| V636 | v716 | Respondent's occupation | discrete | numeric | |
| V637 | v717 | Respondent's occupation | discrete | numeric | |
| V638 | v718 | Current type of employment | discrete | numeric | |
| V639 | v719 | Work for family, others, self | discrete | numeric | |
| V640 | v720 | Earns cash for work | discrete | numeric | |
| V641 | v721 | Works at home or away | discrete | numeric | |
| V642 | v722 | Child with resp. at work | discrete | numeric | |
| V643 | v723 | Child minder | discrete | numeric | |
| V644 | v724 | Ever worked since Jan. 19 - NA | discrete | numeric | |
| V645 | v725 | Month started work before - NA | discrete | numeric | |
| V646 | v726 | Year started work before - NA | discrete | numeric | |
| V647 | v727 | Month job prior to 8? end - NA | discrete | numeric | |
| V648 | v728 | Year job prior to 8? ende - NA | discrete | numeric | |
| V649 | v729 | Partner's educational attainm. | discrete | numeric | |

REC81

| | |
|--------------|--|
| Content | WOMAN - Characteristics of the Interview |
| Cases | 5421 |
| Variable(s) | 12 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V650 | hhid | Case Identification | discrete | character | |
| V651 | caseid | Case Identification | discrete | character | |
| V652 | v801 | Time interview started | contin | numeric | |
| V653 | v802 | Time interview ended | contin | numeric | |
| V654 | v803 | Length of interview in minutes | discrete | numeric | |
| V655 | v804 | Number of visits | discrete | numeric | |
| V656 | v805 | Interviewer identification | contin | numeric | |
| V657 | v806 | Keyer identification | discrete | numeric | |
| V658 | v811 | Pres. children < 10 (sec 5) | discrete | numeric | |
| V659 | v812 | Pres. husband (sec 5) | discrete | numeric | |
| V660 | v813 | Pres. other males (sec 5) | discrete | numeric | |
| V661 | v814 | Pres. other females (sec 5) | discrete | numeric | |

REC83

| | |
|--------------|---------------------------------------|
| Content | WOMAN - Maternal Mortality (optional) |
| Cases | 31427 |
| Variable(s) | 17 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V662 | hhid | Case Identification | discrete | character | |
| V663 | caseid | Case Identification | discrete | character | |
| V664 | mmidx | Maternal mortality index | contin | numeric | |
| V665 | mm1 | Sex of sibling | discrete | numeric | |
| V666 | mm2 | Sibling's survival status | discrete | numeric | |
| V667 | mm3 | Sibling's current age | discrete | numeric | |
| V668 | mm4 | CMC date of birth of sibling | contin | numeric | |
| V669 | mm5 | Sibling's marital status - NA | discrete | numeric | |
| V670 | mm6 | Years ago sibling died | discrete | numeric | |
| V671 | mm7 | Sibling's age at death | discrete | numeric | |
| V672 | mm8 | CMC date of death of sibling | contin | numeric | |
| V673 | mm9 | Sibling's death & pregnancy | discrete | numeric | |
| V674 | mm10 | Death & pregnancy related - NA | discrete | numeric | |
| V675 | mm11 | Sibling's cause of death - NA | discrete | numeric | |
| V676 | mm12 | Time between delivery&dea - NA | discrete | numeric | |
| V677 | mm13 | Place of death - NA | discrete | numeric | |
| V678 | mm14 | Number of sibling's children | contin | numeric | |

REC84

| | |
|--------------|---------------------------------------|
| Content | WOMAN - Maternal Mortality (optional) |
| Cases | 5421 |
| Variable(s) | 6 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|-------------------------------|----------|-----------|----------|
| V679 | hhid | Case Identification | discrete | character | |
| V680 | caseid | Case Identification | discrete | character | |
| V681 | mmc1 | Occurrences of REC83 | contin | numeric | |
| V682 | mmc2 | Preceding births before resp. | discrete | numeric | |
| V683 | mmc3 | Sister's reporting - NA | discrete | numeric | |
| V684 | mmc5 | Cut off age | discrete | numeric | |

REC91

| | |
|--------------|---|
| Content | WOMAN - Country-specific - Single variables |
| Cases | 5847 |
| Variable(s) | 40 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|----------|--------------------------------|----------|-----------|----------|
| V685 | hhid | Case Identification | discrete | character | |
| V686 | caseid | Case Identification | discrete | character | |
| V687 | scensus | Census District | contin | numeric | |
| V688 | scensuse | Census enumeration area | contin | numeric | |
| V689 | slang | Language of the questionnaire | discrete | numeric | |
| V690 | strans | Translator used | discrete | numeric | |
| V691 | s128a | Household owns donkeycart/hors | discrete | numeric | |
| V692 | s129 | Nearest health facility | contin | numeric | |
| V693 | s130 | Distance (KM) to facility | discrete | numeric | |
| V694 | s131 | Transport to facility | discrete | numeric | |
| V695 | s131a | Times/wk motor transport avail | discrete | numeric | |
| V696 | s132 | Time to health facility | discrete | numeric | |
| V697 | s133a | Health fac: has antenatal care | discrete | numeric | |
| V698 | s133b | Health fac: has delivery care | discrete | numeric | |
| V699 | s133c | Health fac: has child immuniz | discrete | numeric | |
| V700 | s133d | Health fac: has family plannin | discrete | numeric | |
| V701 | s135 | Nearest hospital | contin | numeric | |
| V702 | s136 | Distance (KM) to facility | discrete | numeric | |
| V703 | s137 | Transport to facility | discrete | numeric | |
| V704 | s137a | Times/wk motor transport avail | discrete | numeric | |
| V705 | s138 | Time to hospital | discrete | numeric | |
| V706 | s139a | Hospital: has antenatal care | discrete | numeric | |
| V707 | s139b | Hospital: has delivery care | discrete | numeric | |
| V708 | s139c | Hospital: has child immuniz | discrete | numeric | |
| V709 | s139d | Hospital: has family planning | discrete | numeric | |
| V710 | s140 | Name of the outreach clinic | discrete | numeric | |
| V711 | s141 | Distance (KM) to mobile clinic | discrete | numeric | |
| V712 | s142 | Transport to mobile clinic | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|----------|--------------------------------|----------|---------|----------|
| V713 | s142a | Times/wk motor transport avail | discrete | numeric | |
| V714 | s143 | Time to mobile clinic | discrete | numeric | |
| V715 | s144a | Mobile cln: has antenatal care | discrete | numeric | |
| V716 | s144b | Mobile cln: has child immuniz | discrete | numeric | |
| V717 | s144c | Mobile clinic: has FP | discrete | numeric | |
| V718 | stdldres | Mother with tdl dress | discrete | numeric | |
| V719 | sdist129 | Cluster med dist to Q129 (1dec | contin | numeric | |
| V720 | stime129 | Cluster med time to Q129 (1dec | contin | numeric | |
| V721 | sdist135 | Cluster med dist to Q135 (1dec | contin | numeric | |
| V722 | stime135 | Cluster med time to Q135 (1dec | contin | numeric | |
| V723 | sdist141 | Cluster med dist to Q141 (1dec | contin | numeric | |
| V724 | stime141 | Cluster med time to Q141 (1dec | contin | numeric | |

REC94

| | |
|--------------|--------------------------------------|
| Content | WOMAN - Country-specific - Maternity |
| Cases | 3916 |
| Variable(s) | 25 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V725 | hhid | Case Identification | discrete | character | |
| V726 | caseid | Case Identification | discrete | character | |
| V727 | idx94 | Index to birth history | discrete | numeric | |
| V728 | s412a | Complications: Labour > 24 Hrs | discrete | numeric | |
| V729 | s412b | Comp: Excessive Bleeding | discrete | numeric | |
| V730 | s412c | Complications : Convulsions | discrete | numeric | |
| V731 | s412d | Complications: malpresentation | discrete | numeric | |
| V732 | s412e | Complications: Multiple Pregs. | discrete | numeric | |
| V733 | s412f | Complications: High Fever | discrete | numeric | |
| V734 | s412g | Complications: Other | discrete | numeric | |
| V735 | s412h | No complications | discrete | numeric | |
| V736 | s412i | Placenta retained | discrete | numeric | |
| V737 | s412j | Child very large | discrete | numeric | |
| V738 | s412k | Caesarean birth | discrete | numeric | |
| V739 | s412l | Induced labor | discrete | numeric | |
| V740 | s412m | Hypertension | discrete | numeric | |
| V741 | s412n | Mother had malaria | discrete | numeric | |
| V742 | s444p | Polio 0 | discrete | numeric | |
| V743 | s444pd | Polio 0 day | discrete | numeric | |
| V744 | s444pm | POLIO 0 month | discrete | numeric | |
| V745 | s444py | POLIO 0 year | discrete | numeric | |
| V746 | s447a | Ever Have Measles | discrete | numeric | |
| V747 | s447b | Age had measles (months) | discrete | numeric | |
| V748 | s461a | Recent diarrhea: No. of Stools | contin | numeric | |
| V749 | s461b | Mild or Severe Diarrhoea | discrete | numeric | |

REC97

| | |
|--------------|--------------------------|
| Content | WOMAN - Country-specific |
| Cases | 3916 |
| Variable(s) | 45 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V750 | hhid | Case Identification | discrete | character | |
| V751 | caseid | Case Identification | discrete | character | |
| V752 | idx97 | Index to birth history | discrete | numeric | |
| V753 | s486a | Cause of child's death | discrete | numeric | |
| V754 | s486ba | Treatment: Govt. Hospital | discrete | numeric | |
| V755 | s486bb | Treatment: Govt. Health Centre | discrete | numeric | |
| V756 | s486bc | Treatment: Govt. Health Post | discrete | numeric | |
| V757 | s486bd | Treatment: PHC Clinic (Mobile) | discrete | numeric | |
| V758 | s486be | Treatment: Comm. Health Worker | discrete | numeric | |
| V759 | s486bf | Treatment: Private Doctor | discrete | numeric | |
| V760 | s486bg | Treatment:Pvt. Hospital/Clinic | discrete | numeric | |
| V761 | s486bh | Treatment: Pharmacy | discrete | numeric | |
| V762 | s486bi | Treatment: Shop | discrete | numeric | |
| V763 | s486bj | Treatment: Trad. Practitioner | discrete | numeric | |
| V764 | s486bk | Treatment: Other | discrete | numeric | |
| V765 | s486bl | Treatment: None | discrete | numeric | |
| V766 | s486c | Place child died | discrete | numeric | |
| V767 | s488a | Born after difficult delivery | discrete | numeric | |
| V768 | s488b | Child malformed? | discrete | numeric | |
| V769 | s488c | Normal suck 1st 2 days of life | discrete | numeric | |
| V770 | s488d | Decrease in sucking before dth | discrete | numeric | |
| V771 | s488e | Convulsions or spasms | discrete | numeric | |
| V772 | s489a | Have cough | discrete | numeric | |
| V773 | s489b | Days of cough | discrete | numeric | |
| V774 | s489c | Rapid breathing w/cough | discrete | numeric | |
| V775 | s489d | Days of rapid breathing | discrete | numeric | |
| V776 | s491a | Had diarrhea | discrete | numeric | |
| V777 | s491b | Diarrhea mild or severe | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|-------|--------------------------------|----------|---------|----------|
| V778 | s491c | Duration of diarrhea | discrete | numeric | |
| V779 | s491d | Blood in stools | discrete | numeric | |
| V780 | s492a | Have a cough | discrete | numeric | |
| V781 | s492b | Duration of cough | discrete | numeric | |
| V782 | s492c | Difficult rapid breathing | discrete | numeric | |
| V783 | s492d | Duration of rapid breathing | discrete | numeric | |
| V784 | s493a | Have a fever | discrete | numeric | |
| V785 | s493b | Fever severe or mild | discrete | numeric | |
| V786 | s493c | Duration of fever | discrete | numeric | |
| V787 | s493d | Child unconscious? | discrete | numeric | |
| V788 | s493e | Have convulsions | discrete | numeric | |
| V789 | s494a | Have a skin rash over body/fac | discrete | numeric | |
| V790 | s494b | Duration of rash | discrete | numeric | |
| V791 | s495a | Was child thin | discrete | numeric | |
| V792 | s495b | Duration of thinness | discrete | numeric | |
| V793 | s495c | Swelling of feet/legs | discrete | numeric | |
| V794 | s495d | Duration of swelling | discrete | numeric | |

REC98

| | |
|--------------|--------------------------|
| Content | WOMAN - Country-specific |
| Cases | 31427 |
| Variable(s) | 4 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------|--------------------------------|----------|-----------|----------|
| V795 | hhid | Case Identification | discrete | character | |
| V796 | caseid | Case Identification | discrete | character | |
| V797 | idx98 | Index in maternal mortality | contin | numeric | |
| V798 | sagef | Flag for quality of age report | discrete | numeric | |

HWREC

| | |
|--------------|---|
| Content | Height and Weight Scores - WHO Child Growth Standards |
| Cases | 3916 |
| Variable(s) | 7 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|----------|--|----------|-----------|----------|
| V799 | hwcaseid | Case Identification | discrete | character | |
| V800 | hwline | Line | discrete | numeric | |
| V801 | hwlevel | Data from HH or individual | discrete | numeric | |
| V802 | hc70 | Ht/A Standard deviations (according to WHO) | discrete | numeric | |
| V803 | hc71 | Wt/A Standard deviations (according to WHO) | discrete | numeric | |
| V804 | hc72 | Wt/Ht Standard deviations (according to WHO) | discrete | numeric | |
| V805 | hc73 | BMI Standard deviations (according to WHO) | discrete | numeric | |

SEC1

Content Wealth Index

Cases 4101

Variable(s) 3

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

| ID | Name | Label | Type | Format | Question |
|------|----------|---------------------------------|----------|-----------|----------|
| V806 | whhid | Household ID | discrete | character | |
| V807 | wlthindf | Wealth Index from factor scores | contin | numeric | |
| V808 | wlthind5 | Quintiles of wealth index | discrete | numeric | |

Case Identification (hhid)

File: RECH0

Overview

Type: Discrete
 Format: character
 Width: 5

Country code and phase (hv000)

File: RECH0

Overview

Type: Discrete
 Format: character
 Width: 3

Cluster number (hv001)

File: RECH0

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 101-440

Household number (hv002)

File: RECH0

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-74

Respondent's line number -NA (hv003)

File: RECH0

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-0

Ultimate area unit (hv004)

File: RECH0

Overview

Ultimate area unit (hv004)

File: RECH0

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 101-440

Sample weight (hv005)

File: RECH0

Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-1175031

Month of interview (hv006)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 7-11

Year of interview (hv007)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 92-92

Date of interview (CMC) (hv008)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 1111-1115

Number of household members (hv009)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-41

Number of eligible women in HH (hv010)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-11

Number of eligible men in HH (hv011)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Number of de jure members (hv012)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-41

Number of de facto members (hv013)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-39

Number of children 5 and under (hv014)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-11

Result of household interview (hv015)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Day of interview (hv016)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Number of visits (hv017)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Interviewer identification (hv018)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-87

Keyer identification (hv019)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 51-70

Ever-married sample (hv020)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Primary sampling unit (hv021)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 101-440

Sample stratum number (hv022)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-81

Sample domain Country Specific (hv023)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Region (hv024)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Type of place of residence (hv025)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Place of residence (hv026)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Selection for male/husb. int. (hv027)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Sample weight for male subsamp (hv028)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Case Identification (hhid)

File: RECH1

Overview

Type: Discrete
 Format: character
 Width: 5

Line number (hvidx)

File: RECH1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-41

Relationship to head (hv101)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Usual resident (hv102)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Slept last night (hv103)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Sex of household member (hv104)

File: RECH1

Sex of household member (hv104)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Age of household members (hv105)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Highest educational level (hv106)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Highest year of education (hv107)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Education in single years (hv108)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Educational attainment (hv109)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Member still in school (hv110)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Mother alive (hv111)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Mother's line number (hv112)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Father alive (hv113)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Father's line number (hv114)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Current marital status - NA (hv115)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Currently, formerly, neve - NA (hv116)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Eligibility for female intview (hv117)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Eligibility for male interview (hv118)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case Identification (hhid)

File: RECH2

Overview

Type: Discrete
 Format: character
 Width: 5

Source of drinking water (hv201)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-99

Source of non-drinking water (hv202)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-99

Same source of water (hv203)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Time to get to water source (hv204)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

Type of toilet facility (hv205)

File: RECH2

Type of toilet facility (hv205)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Has electricity (hv206)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has radio (hv207)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has television (hv208)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has refrigerator (hv209)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has bicycle (hv210)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Has motorcycle (hv211)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Has car (hv212)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Main floor material (hv213)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-99

Main wall material - NA (hv214)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Main roof material - NA (hv215)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Rooms for sleeping (hv216)

File: RECH2

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Relationship structure (hv217)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Line number of head of househ. (hv218)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

Sex of head of household (hv219)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Age of head of household (hv220)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 15-99

Case Identification (hhid)

File: RECH3

Overview

Type: Discrete
Format: character
Width: 5

Census District (shcensd)

File: RECH3

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 2-27

Census Enumeration Area (shcensea)

File: RECH3

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-533

Donkey Cart or Horse (sh24a)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC01

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC01

Overview

Type: Discrete
 Format: character
 Width: 8

Country code and phase (v000)

File: REC01

Overview

Type: Discrete
 Format: character
 Width: 3

Cluster number (v001)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 101-440

Household number (v002)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-71

Respondent's line number (v003)

File: REC01

Overview

Respondent's line number (v003)

File: REC01

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-39

Ultimate area unit (v004)

File: REC01

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 101-440

Sample weight (v005)

File: REC01

Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-1200779

Month of interview (v006)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 7-11

Year of interview (v007)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 92-92

Date of interview (CMC) (v008)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1111-1115

Respondent's month of birth (v009)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-12

Respondent's year of birth (v010)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 42-77

Date of birth (CMC) (v011)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 512-934

Current age - respondent (v012)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 15-49

Age 5-year groups (v013)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Completeness of information (v014)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Result of individual interview (v015)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Day of interview (v016)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-31

CMC start of calendar/health (v017)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1045-1045

Row of month of interview (v018)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Length of calendar (v019)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Ever-married sample (v020)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Primary sampling unit (v021)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 101-440

Sample stratum number (v022)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-81

Sample domain (v023)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Region (v024)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Type of place of residence (v025)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

De facto place of residence (v026)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Number of visits (v027)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Interviewer identification (v028)

File: REC01

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 11-87

Keyer identification (v029)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 51-70

Case Identification (hhid)

File: REC11

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC11

Overview

Type: Discrete
 Format: character
 Width: 8

Region (v101)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Type of place of residence (v102)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Childhood place of residence (v103)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Years lived in place of res. (v104)

File: REC11

Overview

Years lived in place of res. (v104)

File: REC11

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Type of place of previous res. (v105)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Highest educational level (v106)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Highest year of education (v107)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-12

Literacy (v108)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Reads newspaper once a week (v109)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Watches TV every week (v110)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Listens to radio every da - NA (v111)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Listens to radio every week (v112)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Source of drinking water (v113)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-99

Source of non-drinking water (v114)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Time to get to water source (v115)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-999

Type of toilet facility (v116)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Has electricity (v119)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has radio (v120)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has television (v121)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has refrigerator (v122)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has bicycle (v123)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has motorcycle (v124)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has car (v125)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Main floor material (v127)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Main wall material - NA (v128)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Main roof material - NA (v129)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Religion (v130)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ethnicity - language spoken hm (v131)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Education in single years (v133)

File: REC11

Education in single years (v133)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-97

De facto place of residence (v134)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Usual resident or visitor (v135)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of household members (v136)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-41

Number of children 5 and under (v137)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-11

Number of eligible women in HH (v138)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-11

De jure region of residence (v139)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

De jure type of place of res. (v140)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

De jure place of residence (v141)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Same source of water (v142)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Rooms for sleeping (v143)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Communities lived in - NA (v144)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Month moved to res. - NA (v145)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Year moved to res. - NA (v146)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Residence before - NA (v147)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Respondent still in school (v148)

File: REC11

Overview

Respondent still in school (v148)

File: REC11

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Educational attainment (v149)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Relationship to household head (v150)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Sex of household head (v151)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Age of household head (v152)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 15-99

All woman factor - total (awfactt)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

All woman factor - urban/rural (awfactu)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

All woman factor - regional (awfactr)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

All woman factor - educational (awfacte)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

Case Identification (hhid)

File: REC21

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC21

Overview

Type: Discrete
 Format: character
 Width: 8

Birth column number (bidx)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-15

Birth order number (bord)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-15

Child is twin (b0)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Month of birth (b1)

File: REC21

Overview

Month of birth (b1)

File: REC21

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of birth (b2)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 57-92

Date of birth (CMC) (b3)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 690-1115

Sex of child (b4)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Child is alive (b5)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Age at death (b6)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-999

Age at death (months-imputed) (b7)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-336

Current age of child (b8)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-35

Who child lives with (b9)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Completeness of information (b10)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Preceding birth interval (b11)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 9-278

Succeeding birth interval (b12)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 9-278

Flag for age at death (b13)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: REC22

Overview

Type: Discrete

Format: character

Width: 5

Case Identification (caseid)

File: REC22

Overview

Type: Discrete

Format: character

Width: 8

Total children ever born (v201)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-15

Sons at home (v202)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Daughters at home (v203)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Sons elsewhere (v204)

File: REC22

Overview

Sons elsewhere (v204)

File: REC22

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Daughters elsewhere (v205)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Sons who have died (v206)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Daughters who have died (v207)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Births in last five years (v208)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Births in past year (v209)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Births in month of interview (v210)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Date of first birth (CMC) (v211)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 690-1115

Age of respondent at 1st birth (v212)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 12-40

Currently pregnant (v213)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Duration of current pregnancy (v214)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Time since last menstrual perd (v215)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-999

Menstruated in last six weeks (v216)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Knowledge of ovulatory cycle (v217)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Number of living children (v218)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-15

Living children + current preg (v219)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

Living children + curr preg 6+ (v220)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Marriage to first birth int. (v221)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-996

Last birth to interview (v222)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-378

Completeness of curr preg. inf (v223)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

Entries in birth history (v224)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

Current pregnancy wanted (v225)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time since last period (comp) (v226)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Flag for last period (v227)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ever had a terminated pre - NA (v228)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Month pregnancy ended - NA (v229)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Year pregnancy ended - NA (v230)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

CMC pregnancy ended - NA (v231)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Completeness of last term - NA (v232)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Months when pregnancy end - NA (v233)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Other such pregnancies - NA (v234)

File: REC22

Overview

Other such pregnancies - NA (v234)

File: REC22

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Index last child prior to - NA (v235)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Case Identification (hhid)

File: REC31

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC31

Overview

Type: Discrete
 Format: character
 Width: 8

Knowledge of any method (v301)

File: REC31

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Ever use of any method (v302)

File: REC31

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Knows source for modern method (v303)

File: REC31

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Contraceptive Table (rec31_group)

File: REC31

Overview

Contraceptive Table (rec31_group)

File: REC31

Type: Discrete
Format: character
Width: 4

Type of method (v304a)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Knows method (v304)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ever used method (v305)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Source known for method (v306)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC32

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC32

Overview

Type: Discrete
 Format: character
 Width: 8

Living children at first use (v310)

File: REC32

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Children at first use (grpdc) (v311)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Current contraceptive method (v312)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-15

Current use by method type (v313)

File: REC32

Overview

Current use by method type (v313)

File: REC32

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Month of sterilization (v315)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of sterilization (v316)

File: REC32

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 70-92

Date of sterilization (CMC) (v317)

File: REC32

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 844-1114

Completeness of information (v318)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Years since sterilization (v319)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Age at sterilization (v320)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Marital duration at steriliz. (v321)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Parity at sterilization (v322)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Brand of pill used (v323)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Cost of pills (v325)

File: REC32

Overview

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 40-999999

Last source for current users (v326)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Last source for users by type (v327)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Months of use of current meth (v337)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Problem with current meth - NA (v338)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Problem with current meth - NA (v339)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Last method disc.last 5 y - NA (v359)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Reason of last discontin. - NA (v360)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Pattern of use (v361)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Intention to use (v362)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Preferred future method (v363)

File: REC32

Preferred future method (v363)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Contraceptive use & intention (v364)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Heard FP message on radio - NA (v365)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Acceptability of media message (v366)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Wanted last child (v367)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

First method used - NA (v369)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Source of first method - NA (v370)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Source of first method - NA (v371)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Shown pill package (v372)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Doctor/nurse for first pills (v373)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Doctor/nurse for last pills (v374)

File: REC32

Doctor/nurse for last pills (v374)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Reason for current method - NA (v375)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Main reason not to use a meth. (v376)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Source for future method (v377)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Source for future method (v378)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Source known for any method (v379)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-99

Source known for any method (v380)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Time to get to source (v381)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1001-9999

Time to get to source(grouped) (v382)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Easy/difficult to get to place (v383)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Heard about FP on TV - NA (v384)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Contraceptive use bfor ca - NA (v385)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Month started method pre - NA (v386)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Year started method pre - NA (v387)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Date started method pre - NA (v388)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Months use prior to cal. - NA (v389)

File: REC32

Overview

Months use prior to cal. - NA (v389)

File: REC32

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Month stopped method pre - NA (v390)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Year stopped method pre - NA (v391)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Date stopped method pre - NA (v392)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Case Identification (hhid)

File: REC41

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC41

Overview

Type: Discrete
 Format: character
 Width: 8

Index to birth history (midx)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Tetanus injections bef. birth (m1)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal: doctor (m2a)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal: nurse/midwife (m2b)

File: REC41

Overview

Prenatal: nurse/midwife (m2b)

File: REC41

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal: auxiliary midwi - NA (m2c)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Prenatal:CS health profes - NA (m2d)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Prenatal:CS health profes - NA (m2e)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Prenatal: trained birth a - NA (m2f)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Prenatal: trad.birth attendant (m2g)

File: REC41

Overview

Prenatal: trad.birth attendant (m2g)

File: REC41

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal: relative - NA (m2h)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Prenatal: CS other person - NA (m2i)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Prenatal: CS other person - NA (m2j)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Prenatal: other resp (uncoded) (m2k)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal: CS other - NA (m2l)

File: REC41

Overview

Prenatal: CS other - NA (m2l)

File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Prenatal: CS other - NA (m2m)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Prenatal: no one (m2n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Assistance: doctor (m3a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Assistance: nurse/midwife (m3b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Assistance:auxiliary midw - NA (m3c)

File: REC41

Overview

Assistance:auxiliary midw - NA (m3c)

File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistance:CS health prof - NA (m3d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistance:CS health prof - NA (m3e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistance:trained birth - NA (m3f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistance: trad.birth attend. (m3g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Assistance: relative (m3h)

File: REC41

Overview

Assistance: relative (m3h)

File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Assistance: CS other pers - NA (m3i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistance: CS other pers - NA (m3j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistance: other resp (uncod) (m3k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Assistance: CS other - NA (m3l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistance: CS other - NA (m3m)

File: REC41

Overview

Assistance: CS other - NA (m3m)

File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistance: no one (m3n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Duration of breastfeeding (m4)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of breastfeeding (m5)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration of amenorrhea (m6)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of amenorrhea (m7)

File: REC41

Months of amenorrhea (m7)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Duration of abstinence (m8)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Months of abstinence (m9)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Time wanted pregnancy (m10)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Time would have waited (m11)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 102-999

Antenatal card for pregnancy (m12)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Timing of 1st antenatal check (m13)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Antenatal visits for pregnancy (m14)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Place of delivery (m15)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Premature birth (m16)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Delivery by caesarian section (m17)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Size of child at birth (m18)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Birth weight (kilos - 3 dec.) (m19)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 7-9999

Reason did not breastfeed (m20)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Reason stopped breastfeeding (m21)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Child given other food (m22)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Age for formula or other milk (m23)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Age for plain water (m24)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Age for other liquids (m25)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Age for solid or mushy food (m26)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Flag for breastfeeding (m27)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Flag for amenorrhea (m28)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Flag for abstinence (m29)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Case Identification (hhid)

File: REC42

Overview

Type: Discrete

Format: character

Width: 5

Case Identification (caseid)

File: REC42

Overview

Type: Discrete

Format: character

Width: 8

Last birth cesarean section (v401)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Currently breastfeeding (v404)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Currently amenorrheic (v405)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Currently abstaining (v406)

File: REC42

Overview

Currently abstaining (v406)

File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Times breastfed during night (v407)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Times breastfed during day (v408)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Gave child plain water (v409)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child sugar water (v409a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child juice (v410)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child herbal tea (v410a)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child powder/tinned milk (v411)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child baby formula (v411a)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child fresh milk (v412)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Country specific other li - NA (v413a)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Country specific other li - NA (v413b)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Country specific other li - NA (v413c)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Country specific other li - NA (v413d)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Gave child other liquid (v413)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Country specific other fo - NA (v414a)

File: REC42

Overview

Country specific other fo - NA (v414a)

File: REC42

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Country specific other fo - NA (v414b)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Country specific other fo - NA (v414c)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Country specific other fo - NA (v414d)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Gave child solid or mushy food (v414)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fed food in bottle with nipple (v415)

File: REC42

Overview

Fed food in bottle with nipple (v415)

File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Heard of oral rehydration (v416)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Entries in maternity table (v417)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Entries in health table (v418)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Entries in height/weight table (v419)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Measurer's code (v420)

File: REC42

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Assistant measurer's code (v421)

File: REC42

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Ever prepared ORS solution (v422)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Quantity of water for ORS (v423)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 250-9999

ORS source: government hosp. (v424a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source: govt health center (v424b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source: govt health post (v424c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source: mobile clinic (v424d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source: comm.health worker (v424e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source:CS public sect - NA (v424f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source:CS public sect - NA (v424g)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source:CS public sect - NA (v424h)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source:CS public sect - NA (v424i)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source: private hosp/clin. (v424j)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source: private pharmacy (v424k)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source: private doctor (v424l)

File: REC42

ORS source: private doctor (v424l)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source:private mobile - NA (v424m)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source:comm.health wo - NA (v424n)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source: CS med.priv s - NA (v424o)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source:CS med.priv se - NA (v424p)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source:CS med.priv se - NA (v424q)

File: REC42

Overview

ORS source:CS med.priv se - NA (v424q)

File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source:CS med.priv se - NA (v424r)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source: shop (v424s)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source: traditional pract. (v424t)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source:CS oth.priv se - NA (v424u)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source:CS oth.priv se - NA (v424v)

File: REC42

Overview

ORS source:CS oth.priv se - NA (v424v)

File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source:CS oth.priv se - NA (v424w)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

ORS source: Other (v424x)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

ORS source: Unknown (v424y)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Home fluid prep. teacher -NA (v425)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

When child put to breast (v426)

File: REC42

Overview

When child put to breast (v426)

File: REC42

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Duration breastfeeding pr - NA (v427)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Months breastfeeding pre - NA (v428)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Flag for breastfeeding pr - NA (v429)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Duration of amenorrhea pr - NA (v430)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Months of amenorrhea pre - NA (v431)

File: REC42

Overview

Months of amenorrhea pre - NA (v431)

File: REC42

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Flag for amenorrhea pre - NA (v432)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Duration of abstinence pr - NA (v433)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Months of abstinence pre - NA (v434)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Flag for abstinence pre - NA (v435)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Arm circumference (cms-1d) (v436)

File: REC42

Overview

Arm circumference (cms-1d) (v436)

File: REC42

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 62-999

Respondent's weight (kilos-1d) (v437)

File: REC42

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 67-9999

Respondent's height (cms-1d) (v438)

File: REC42

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 166-9999

Ht/A Percentile (resp.) (v439)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Ht/A Standard deviations (resp (v440)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -579-9999

Ht/A Percent ref. median (resp (v441)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 7892-99999

Wt/Ht Percent ref. median (DHS (v442)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 5631-99999

Wt/Ht Percent ref. median (Fog (v443)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 6434-99999

Wt/Ht Percent ref. median (WHO (v444)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 6699-99999

Body mass index for respondent (v445)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1201-9999

Rohrer's index for respondent (v446)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 711-9999

Result of measurement of resp. (v447)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC43

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC43

Overview

Type: Discrete
 Format: character
 Width: 8

Index to birth history (hidx)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Has health card (h1)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Received BCG (h2)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

BCG day (h2d)

File: REC43

Overview

BCG day (h2d)

File: REC43

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

BCG month (h2m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

BCG year (h2y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 87-98

Received DPT 1 (h3)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

DPT 1 day (h3d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

DPT 1 month (h3m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 1 year (h3y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 88-98

Received POLIO 1 (h4)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

POLIO 1 day (h4d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

POLIO 1 month (h4m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 1 year (h4y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 88-98

Received DPT 2 (h5)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

DPT 2 day (h5d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

DPT 2 month (h5m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

DPT 2 year (h5y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 88-98

Received POLIO 2 (h6)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

POLIO 2 day (h6d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

POLIO 2 month (h6m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

POLIO 2 year (h6y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 88-98

Received DPT 3 (h7)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

DPT 3 day (h7d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

DPT 3 month (h7m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

DPT 3 year (h7y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 88-98

Received POLIO 3 (h8)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

POLIO 3 day (h8d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

POLIO 3 month (h8m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

POLIO 3 year (h8y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 88-98

Received MEASLES (h9)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

MEASLES day (h9d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

MEASLES month (h9m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

MEASLES year (h9y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 88-98

Ever had vaccination (h10)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Had diarrhea recently (h11)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

How long diarrhea lasted (h11a)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Blood in the stools (h11b)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Diarrhea: government hosp. (h12a)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: govt health center (h12b)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: govt health clinic (h12c)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: mobile clinic (h12d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: comm.health worker (h12e)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: CS public secto - NA (h12f)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Diarrhea: CS public secto - NA (h12g)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Diarrhea: CS public secto - NA (h12h)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Diarrhea: CS public secto - NA (h12i)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Diarrhea: private hosp/clin. (h12j)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: private pharmacy (h12k)

File: REC43

Overview

Diarrhea: private pharmacy (h12k)

File: REC43

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea: private doctor (h12l)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea:private mobile c - NA (h12m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea:comm.health work - NA (h12n)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea:CS med.priv sect - NA (h12o)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea:CS med.priv sect - NA (h12p)

File: REC43

Overview

Diarrhea:CS med.priv sect - NA (h12p)

File: REC43

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Diarrhea:CS med.priv sect - NA (h12q)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Diarrhea:CS med.priv sect - NA (h12r)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Diarrhea: shop (h12s)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: traditional pract. (h12t)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea:CS oth.priv sect - NA (h12u)

File: REC43

Overview

Diarrhea:CS oth.priv sect - NA (h12u)

File: REC43

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Diarrhea:CS oth.priv sector NA (h12v)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Diarrhea:CS oth.priv sect - NA (h12w)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Diarrhea: Other (h12x)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: no treatment (h12y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: medical treatment (h12z)

File: REC43

Overview

Diarrhea: medical treatment (h12z)

File: REC43

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given oral rehydration (h13)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Days given ORS (h13a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Given recommend. home solution (h14)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Days given fluid - NA (h14a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Given other pills or syrups (h15)

File: REC43

Given other pills or syrups (h15)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given antibiotics (h15a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given an injection (h15b)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given an intravenous (IV) (h15c)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given home remedy, herbal med. (h15d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given CS: unknown pill/ syrup (h15e)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given CS other treatment - NA (h15f)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Given CS other treatment - NA (h15g)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Given CS other treatment - NA (h15h)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Increase or decrease fluids (h16)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Increase or decrease food - NA (h18)

File: REC43

Increase or decrease food - NA (h18)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Breastfeeding change (h18a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given other treatment (h20)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given no treatment (h21a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Received any treatment (h21)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Had fever in last two weeks (h22)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Had cough in last two weeks (h31)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

How long cough lasted (h31a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Short, rapid breaths (h31b)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough: government hosp. (h32a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough: govt health cntr (h32b)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough:govt health clinic (h32c)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough: mobile clinic (h32d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough: comm.health wrkr (h32e)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough: CS public se - NA (h32f)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: CS public se - NA (h32g)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: CS public se - NA (h32h)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: CS public se - NA (h32i)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: private hosp/clin (h32j)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough: private pharmacy (h32k)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough: private doctor (h32l)

File: REC43

Fever/cough: private doctor (h32l)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough:private mobil - NA (h32m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough:comm.health w - NA (h32n)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough:CS med.priv s - NA (h32o)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough:CS med.priv s - NA (h32p)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough:CS med.priv s - NA (h32q)

File: REC43

Overview

Fever/cough:CS med.priv s - NA (h32q)

File: REC43

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough:CS med.priv s - NA (h32r)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: shop (h32s)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough: traditional pract (h32t)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough:CS oth.priv s - NA (h32u)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough:CS oth.priv s - NA (h32v)

File: REC43

Overview

Fever/cough:CS oth.priv s - NA (h32v)

File: REC43

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough:CS oth.priv s - NA (h32w)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: Other (h32x)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough: no treatment (h32y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever/cough: medical treatment (h32z)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given antibiotics (h33)

File: REC43

Overview

Given antibiotics (h33)

File: REC43

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given antimalarials (h33a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given cough syrup (h34)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given other pills or syrups (h35)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given unknown pills or syrups (h35a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given injection (h36)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given home remedy, herbal med. (h36a)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given CS other treatment - NA (h37a)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Given CS other treatment - NA (h37b)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Given CS other treatment - NA (h37c)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Given CS other treatment - NA (h37d)

File: REC43

Given CS other treatment - NA (h37d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Other treatment for cough (h37)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given no treatment (h38a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given any treatment for cough (h38)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC44

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC44

Overview

Type: Discrete
 Format: character
 Width: 8

Index to birth history (hwidx)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Age in months (hw1)

File: REC44

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-59

Weight in kilograms (1 dec.) (hw2)

File: REC44

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 15-999

Height in centimeters (1 dec.) (hw3)

File: REC44

Overview

Height in centimeters (1 dec.) (hw3)

File: REC44

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 36-9999

Ht/A Percentile (hw4)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

Ht/A Standard deviations (hw5)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: -590-9999

Ht/A Percent of ref. median (hw6)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 5

Decimals: 0

Range: 7541-99999

Wt/A Percentile (hw7)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

Wt/A Standard deviations (hw8)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -519-9999

Wt/A Percent of ref. median (hw9)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 4817-99999

Wt/Ht Percentile (hw10)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9999

Wt/Ht Standard deviations (hw11)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -397-9999

Wt/Ht Percent of ref. median (hw12)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 5372-99999

Reason not measured (hw13)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

BCG scar on arm or shoulder (hw14)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Height: lying or standing - NA (hw15)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Day of birth of child (hw16)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Date measured (day) (hw17)

File: REC44

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-31

Date measured (month) (hw18)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 7-11

Date measured (year) (hw19)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 92-92

Arm circumference (cms - 1d) (hw20)

File: REC44

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 14-999

Arm circ/A Percentile (hw21)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Arm circ/A Standard deviations (hw22)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -404-9999

Arm c/A Percent of ref. median (hw23)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 6367-99999

Arm circ/Ht Percentile (hw24)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9999

Arm cir/Ht Standard deviations (hw25)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -531-9999

Arm cir/Ht Percent ref. median (hw26)

File: REC44

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 5097-99999

Case Identification (hhid)

File: REC51

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC51

Overview

Type: Discrete
 Format: character
 Width: 8

Current marital status (v501)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Currently/formerly/never marr. (v502)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Number of unions (v503)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Husband lives in house (v504)

File: REC51

Overview

Husband lives in house (v504)

File: REC51

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of other wives (v505)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Wife rank number (v506)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Month of first marriage (v507)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of first marriage (v508)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 54-92

Date of first marriage (CMC) (v509)

File: REC51

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 653-1114

Completeness of date inform. (v510)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Age at first marriage (v511)

File: REC51

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-48

Years since first marriage (v512)

File: REC51

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-38

Marital duration (grouped) (v513)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Age at first intercourse (v525)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Frequency of intercourse (v526)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Time since last intercourse (v527)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-999

Time since last intercourse(g) (v528)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Time since last intercourse(im (v529)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-999

Flag for V529 (v530)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Age at first intercourse (imp) (v531)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Flag for V531 (v532)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-6

Usual frequency of intercourse (v533)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Case Identification (hhid)

File: REC61

Overview

Type: Discrete

Format: character

Width: 5

Case Identification (caseid)

File: REC61

Overview

Type: Discrete

Format: character

Width: 8

Fertility preference (v602)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Preferred waiting time (v603)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-999

Preferred waiting time (grpd) (v604)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Desire for more children (v605)

File: REC61

Overview

Desire for more children (v605)

File: REC61

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ideal post-partum abst. period (v608)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Sex while breastfeeding (v609)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Husband approves FP (v610)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed FP with partner (v611)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Respondent approves FP (v612)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ideal number of children (v613)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ideal number of children (grp) (v614)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Best birth interval (v615)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Time for future birth (v616)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Age youngest at future birth (v617)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Reason regrets sterilization (v618)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Think would have sterilization (v619)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Discussed number of children (v620)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Husbands desire for children (v621)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Exposure (v623)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Unmet need (v624)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Exposure (definition 2) (v625)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Unmet need (definition 2) (v626)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Case Identification (hhid)

File: REC71

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC71

Overview

Type: Discrete
 Format: character
 Width: 8

Partner's education level (v701)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Highest year of education (v702)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Partner's occupation (v704)

File: REC71

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

Partner's occupation (v705)

File: REC71

Overview

Partner's occupation (v705)

File: REC71

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Type of land where works (v707)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Respondent currently working (v714)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Husbands education-single yrs (v715)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Respondent's occupation (v716)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Respondent's occupation (v717)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Current type of employment (v718)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Work for family, others, self (v719)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Earns cash for work (v720)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Works at home or away (v721)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Child with resp. at work (v722)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Child minder (v723)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Ever worked since Jan. 19 - NA (v724)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Month started work before - NA (v725)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Year started work before - NA (v726)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Month job prior to 8? end - NA (v727)

File: REC71

Month job prior to 8? end - NA (v727)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Year job prior to 8? ende - NA (v728)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Partner's educational attainm. (v729)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC81

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC81

Overview

Type: Discrete
 Format: character
 Width: 8

Time interview started (v801)

File: REC81

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 628-9999

Time interview ended (v802)

File: REC81

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 640-9999

Length of interview in minutes (v803)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Number of visits (v804)

File: REC81

Overview

Number of visits (v804)

File: REC81

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Interviewer identification (v805)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-87

Keyer identification (v806)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 51-70

Pres. children < 10 (sec 5) (v811)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pres. husband (sec 5) (v812)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pres. other males (sec 5) (v813)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pres. other females (sec 5) (v814)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC83

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC83

Overview

Type: Discrete
 Format: character
 Width: 8

Maternal mortality index (mmidx)

File: REC83

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-23

Sex of sibling (mm1)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Sibling's survival status (mm2)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Sibling's current age (mm3)

File: REC83

Overview

Sibling's current age (mm3)

File: REC83

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

CMC date of birth of sibling (mm4)

File: REC83

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 117-1113

Sibling's marital status - NA (mm5)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Years ago sibling died (mm6)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Sibling's age at death (mm7)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

CMC date of death of sibling (mm8)

File: REC83

CMC date of death of sibling (mm8)

File: REC83

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 242-1112

Sibling's death & pregnancy (mm9)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Death & pregnancy related - NA (mm10)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Sibling's cause of death - NA (mm11)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Time between delivery&dea - NA (mm12)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Place of death - NA (mm13)

File: REC83

Place of death - NA (mm13)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Number of sibling's children (mm14)

File: REC83

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Case Identification (hhid)

File: REC84

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC84

Overview

Type: Discrete
 Format: character
 Width: 8

Occurrences of REC83 (mmc1)

File: REC84

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-23

Preceding births before resp. (mmc2)

File: REC84

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-13

Sister's reporting - NA (mmc3)

File: REC84

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Cut off age (mmc5)

File: REC84

Overview

Cut off age (mmc5)

File: REC84

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-15

Case Identification (hhid)

File: REC91

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC91

Overview

Type: Discrete
 Format: character
 Width: 8

Census District (scensus)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 2-27

Census enumeration area (scensuse)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-533

Language of the questionnaire (slang)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Translator used (strans)

File: REC91

Overview

Translator used (strans)

File: REC91

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Household owns donkeycart/hors (s128a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Nearest health facility (s129)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Distance (KM) to facility (s130)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Transport to facility (s131)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Times/wk motor transport avail (s131a)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Time to health facility (s132)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1001-9999

Health fac: has antenatal care (s133a)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Health fac: has delivery care (s133b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Health fac: has child immuniz (s133c)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Health fac: has family plannin (s133d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Nearest hospital (s135)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Distance (KM) to facility (s136)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Transport to facility (s137)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Times/wk motor transport avail (s137a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Time to hospital (s138)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1001-9999

Hospital: has antenatal care (s139a)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Hospital: has delivery care (s139b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Hospital: has child immuniz (s139c)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Hospital: has family planning (s139d)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Name of the outreach clinic (s140)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-999

Distance (KM) to mobile clinic (s141)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-999

Transport to mobile clinic (s142)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Times/wk motor transport avail (s142a)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Time to mobile clinic (s143)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1001-9999

Mobile cln: has antenatal care (s144a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mobile cln: has child immuniz (s144b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mobile clinic: has FP (s144c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mother with tdl dress (stdldres)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Cluster med dist to Q129 (1dec (sdist129)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 5-9999

Cluster med time to Q129 (1dec (stime129)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 77-1805

Cluster med dist to Q135 (1dec (sdist135)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 5-9999

Cluster med time to Q135 (1dec (stime135)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 25-9999

Cluster med dist to Q141 (1dec (sdist141)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 5-9999

Cluster med time to Q141 (1dec (stime141)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 25-9999

Case Identification (hhid)

File: REC94

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC94

Overview

Type: Discrete
 Format: character
 Width: 8

Index to birth history (idx94)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Complications: Labour > 24 Hrs (s412a)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Comp: Excessive Bleeding (s412b)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Complications : Convulsions (s412c)

File: REC94

Overview

Complications : Convulsions (s412c)

File: REC94

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Complications: malpresentation (s412d)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Complications: Multiple Pregs. (s412e)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Complications: High Fever (s412f)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Complications: Other (s412g)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

No complications (s412h)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Placenta retained (s412i)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Child very large (s412j)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Caesarean birth (s412k)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Induced labor (s412l)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Hypertension (s412m)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Mother had malaria (s412n)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Polio 0 (s444p)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Polio 0 day (s444pd)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

POLIO 0 month (s444pm)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

POLIO 0 year (s444py)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 87-98

Ever Have Measles (s447a)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Age had measles (months) (s447b)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Recent diarrhea: No. of Stools (s461a)

File: REC94

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Mild or Severe Diarrhoea (s461b)

File: REC94

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Case Identification (hhid)

File: REC97

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC97

Overview

Type: Discrete
 Format: character
 Width: 8

Index to birth history (idx97)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Cause of child's death (s486a)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Treatment: Govt. Hospital (s486ba)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Treatment: Govt. Health Centre (s486bb)

File: REC97

Overview

Treatment: Govt. Health Centre (s486bb)

File: REC97

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Treatment: Govt. Health Post (s486bc)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Treatment: PHC Clinic (Mobile) (s486bd)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Treatment: Comm. Health Worker (s486be)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Treatment: Private Doctor (s486bf)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Treatment:Pvt. Hospital/Clinic (s486bg)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Treatment: Pharmacy (s486bh)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Treatment: Shop (s486bi)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Treatment: Trad. Practitioner (s486bj)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Treatment: Other (s486bk)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Treatment: None (s486bl)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Place child died (s486c)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Born after difficult delivery (s488a)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Child malformed? (s488b)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Normal suck 1st 2 days of life (s488c)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Decrease in sucking before dth (s488d)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Convulsions or spasms (s488e)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Have cough (s489a)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Days of cough (s489b)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Rapid breathing w/cough (s489c)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Days of rapid breathing (s489d)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Had diarrhea (s491a)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea mild or severe (s491b)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Duration of diarrhea (s491c)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Blood in stools (s491d)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Have a cough (s492a)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Duration of cough (s492b)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Difficult rapid breathing (s492c)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Duration of rapid breathing (s492d)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Have a fever (s493a)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Fever severe or mild (s493b)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Duration of fever (s493c)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-998

Child unconscious? (s493d)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Have convulsions (s493e)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Have a skin rash over body/fac (s494a)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Duration of rash (s494b)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-998

Was child thin (s495a)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Duration of thinness (s495b)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-999

Swelling of feet/legs (s495c)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Duration of swelling (s495d)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-998

Case Identification (hhid)

File: REC98

Overview

Type: Discrete
 Format: character
 Width: 5

Case Identification (caseid)

File: REC98

Overview

Type: Discrete
 Format: character
 Width: 8

Index in maternal mortality (idx98)

File: REC98

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-23

Flag for quality of age report (sagef)

File: REC98

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Case Identification (hwcaseid)

File: HWREC

Overview

Type: Discrete
 Format: character
 Width: 8

Line (hwline)

File: HWREC

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Data from HH or individual (hwlevel)

File: HWREC

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Ht/A Standard deviations (according to WHO) (hc70)

File: HWREC

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -596-9999

Wt/A Standard deviations (according to WHO) (hc71)

File: HWREC

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -545-9999

Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: -499-9999

BMI Standard deviations (according to WHO) (hc73)

File: HWREC

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: -497-9999

Household ID (whhid)

File: SEC1

Overview

Type: Discrete
Format: character
Width: 5

Wealth Index from factor scores (wlthindf)

File: SEC1

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: -0.93864-2.34233

Quintiles of wealth index (wlthind5)

File: SEC1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Related Materials

Questionnaires

NDHS - Questionnaire Household Schedule

| | |
|----------------|--|
| Title | NDHS - Questionnaire Household Schedule |
| Author(s) | Ministry of Health and Social Services (MOHSS) |
| Date | 1992-06-01 |
| Country | Namibia |
| Language | English |
| Contributor(s) | Central Statistical Office and Macro International Inc. |
| Description | The Household Questionnaire was used to enumerate all usual members of and visitors to the selected households and to obtain information on each individual's age, sex, relationship to the head of the household, and educational attainment. In addition, questions were asked about indicators of the socioeconomic position of the household, such as the source of water, sanitation facilities, and the availability of electricity and durable goods. Information recorded on the Household Questionnaire was used to identify respondents eligible for the individual interview. |
| Filename | NAM_DHS_1992_Questionnaire_Household_En.pdf |

NDHS - Individual Questionnaire

| | |
|----------------|---|
| Title | NDHS - Individual Questionnaire |
| Author(s) | Ministry of Health and Social Services (MOHSS) |
| Date | 1992-06-01 |
| Country | Namibia |
| Language | English |
| Contributor(s) | Central Statistical Office and Macro International Inc. |
| Description | <p>The individual questionnaire was administered to women age 15-49 who spent the night preceding the household interview in the selected household. Information in the following areas was obtained during the individual interview:</p> <ol style="list-style-type: none"> 1. Background characteristics of the respondent 2. Health services utilisation and availability 3. Reproductive behaviour and intentions 4. Knowledge and use of contraception 5. Breastfeeding, health, and vaccination status of children 6. Marriage 7. Fertility preferences 8. Husband's background and woman's work 9. Height and weight of children under five and their mothers 10. Causes of death in childhood 11. Maternal mortality |
| Filename | NAM_DHS_1992_Questionnaire_Woman_En.pdf |

Reports

Namibia Demographic and Health Survey 1992 - Final report

| | |
|-----------|---|
| Title | Namibia Demographic and Health Survey 1992 - Final report |
| Author(s) | Ministry of Health and Social Services (MOHSS) |
| Date | 1993-05-01 |
| Country | Namibia |

| | |
|----------------|--|
| Language | English |
| Contributor(s) | Central Statistical Office and Macro International Inc. |
| Description | This report summarises the findings of the 1992 Namibia Demographic and Health Survey (NDHS) conducted by the Ministry of Health and Social Services, in collaboration with the Central Statistical Office. Macro International Inc. provided technical assistance. Funding was provided by the World Bank through a grant from the Government of Japan. |
| Filename | http://www.dhsprogram.com/pubs/pdf/FR44/FR44.pdf |

Namibia Demographic and Health Survey 1992 - Summary report

| | |
|----------------|--|
| Title | Namibia Demographic and Health Survey 1992 - Summary report |
| Author(s) | Ministry of Health and Social Services (MOHSS) |
| Date | 1993-05-01 |
| Country | Namibia |
| Language | English |
| Contributor(s) | Central Statistical Office and Macro International Inc. |
| Description | This report summarises the findings of the 1992 Namibia Demographic and Health Survey (NDHS) conducted by the Ministry of Health and Social Services, in collaboration with the Central Statistical Office. Macro International Inc. provided technical assistance. Funding was provided by the World Bank through a grant from the Government of Japan. |
| Filename | http://www.dhsprogram.com/pubs/pdf/SR30/SR30.pdf |