# Philippines - National Demographic and Health Survey 1998

**National Statistics Office (NSO), Department of Health (DOH)**

Report generated on: June 21, 2017

Visit our data catalog at:

# Sampling

## Sampling Procedure

The 1998 NDHS aims at providing estimates for each of the sixteen regions of the country with an acceptable precision for socio-demographic characteristics like fertility, family planning use, and health and mortality indicators. The NDHS sample design consisted of selecting some 12,500 households in 755 enumeration areas (EAs) which was expected to produce completed interviews with approximately 15,000 women age 15-49. The sample was first allocated to each of the regions. Within each region, a self-weighting sampling scheme was adopted; however, due to the non-proportional allocation of the sample to the regions, the NDHS sample is not self-weighting at the national level and weighting factors have been applied to the data.

The 1998 NDHS sample is a sub-sample of the new master sample of the Integrated Survey of Households (ISH) of the NSO. The expanded sample of ISH consists of 3,416 enumeration areas selected from the 1995 census frame with a sophisticated design that allows for regional estimates with periodic rotation of panels. The ISH expanded sample was drawn by first, selecting barangays systematically with probability proportional to size. In barangays that consist of more than one EA, a subsequent step consisted of selecting the sample Elk systematically with probability proportional to size. Because the primary sampling units in the ISH were selected with probability proportional to size, the EAs for the NDHS were sub-selected from the ISH with equal probability to make the NDHS selection equivalent to selection with probability proportional to size. A total of 755 primary sampling units were utilized for the NDHS. Fieldwork in three sample EA was not possible, so a total of 752 EAs Were covered.

The list of households based on the household listing operation conducted in all the NDHS sample points in November 1997 served as the frame for the selection of the NDHS sample households. A different scheme for selecting sample households was applied to urban and rural areas. A systematic sampling of households was carried out in urban areas in order to spread the NDHS sample throughout the sampled EA, while compact clustering was employed in rural areas in order to facilitate field operations. This was accomplished by taking a specified number of consecutive households starting with a household selected at random. Detailed discussion of the 1998 NDHS sampling design is presented in Appendix of the final report.

## Response Rate

A total of 13,708 households were selected for the sample, of which 12,567 were occupied. Of these households occupied, 99 percent or 12,407 were successfully interviewed. The shortfall is primarily due to dwellings that were vacant or in which the inhabitants had left for an extended period at the time they were visited by the interviewing teams.

In the households interviewed, 14,390 women were identified as eligible for the individual interview (i.e. age 15-49) and interviews were completed for 13,983 or 97 percent of them. The principal reason for non-response among eligible women was the failure to find them at home despite repeated visits to the household. The refusal rate was low.

# Questionnaires

## Overview

There were three types of questionnaires used for the 1998 NDHS: the Household Questionnaire (DHS Form 1), the Individual Questionnaire (NDHS Form 2), and the Health Module (NDHS Form 3). The contents of the first two questionnaires were based on the DHS Model A Questionnaire, which is designed for use in countries with relatively high levels of contraceptive use. These model questionnaires were adapted for use in the Philippines during a series of meetings with representatives from the DOH, UPPI, POPCOM, FNRI, USAID/Philippines, and Macro International Inc. Draft questionnaires were then circulated to other interested groups. These questionnaires were developed in English (see Appendix E) and were translated into six of the most common dialects, namely, Tagalog, Cebuano, Ilocano, Bicol, Hiligaynon, and Waray.

a) The Household (HH) Questionnaire was used to list all the usual members of the sample household, and visitors who slept in the sample household the night prior to the date of interview and some of their characteristics such as name, age, sex, education, relationship to household head, and usual residence. Information on age and sex from the HH Questionnaire was used to identify eligible women for interview using the Individual Questionnaire. Questions about the dwelling such as the source of drinking water, type of toilet facilities, ownership of various consumer goods and use of iodized were also included in the Household Questionnaire.

b) The Individual Questionnaire was used to collect information on the following topics:
- Background characteristics (age, education, religion, etc.)
- Reproductive history and fertility preferences
- Knowledge and use of contraception
- Availability of family planning supplies and services
- Breastfeeding and child health
- Maternal mortality

c) The Health Questionnaire was developed in close collaboration with the DOH in partial substitution for the cancelled National Health Survey, It included questions on health practices of the household, awareness about selected communicable find non-communicable diseases, utilization of and satisfaction with various types of health facilities, knowledge concerning traditional medicines, and health care financing.

# Data Collection

## Data Collection Dates

| Start | End | Cycle |
|---|---|---|
| 1998-02 | 1998-04 | N/A |

## Data Collection Mode

Face-to-face

**DATA COLLECTION NOTES**

The NDHS questionnaires were pretested in October 1997. Female interviewers were trained at the NSO central office in Manila, after which they conducted interviews in various locations in the field under the observation of staff from NSO central office. Altogether, approximately 160 Household, Woman's and Health Questionnaires were completed. Based on observations in the field and suggestions made by the pretest field teams, revisions were made in the wording and translations of the questionnaires.

Training for the main survey took place in two phases. In the first phase, approximately 35 trainers from NSO, DOH, UPPI, and POPCOM gathered for two weeks in late January at a training center near the NSO central office in Manila. They received thorough training in how to fill and edit the questionnaires, how to supervise fieldwork, and how to train field staff in their respective training sites. These trainers then dispersed to the six training sites (Agoo, Malolos, Lucena City, Cebu City, Iloilo City, and Davao City) where they trained some 261 interviewers, 44 supervisors, and 43 field editors for three weeks (February 9-27, 1998). Initially, training consisted of lectures on how to complete the questionnaires, with mock interviews between participants to gain practice in asking questions. Towards the end of the training course, the participants spent several days in practice interviewing in households near the training sites.

Fieldwork for the NDHS was carried out by 44 interviewing teams. Each team, except that which covered Palawan, Lanao del Sur and Maguindanao, consisted of 1 supervisor, 1 field editor, and 3-7 female interviewers, for a total of 348 field staff. Fieldwork commenced on 3 March 1998 and was completed in the first week of May 1998. Periodic field monitoring of the NDHS operations was done by the NSO regional and provincial officials, NDHS regional supervisors and selected NSO central office staff.

## Data Collectors

| Name | Abbreviation | Affiliation |
|---|---|---|
| Philippines National Statistics Office (NSO) | | |

# Data Processing

## Data Editing

Review and editing of NDHS questionnaires was done by the field editors while they were in the enumeration areas to facilitate the verification of the forms. The editors were expected to review questionnaires of at least 8 households per day. The supervisors of teams with more than four interviewers assisted the editors in reviewing the questionnaires.

Folioing of forms was done by the team supervisors before submission to the Provincial Office. The Provincial Statistics Officers were responsible for the transmittal of these forms to the Central Office.

On March 16, 1998, eighteen hired NDHS data processors started the data processing at the Central Office. Office editing, data entry, key verification (100%), and machine processing were done simultaneously. There were two stages involved in the machine processing. In the first stage, keyed-in data were checked for completeness and were matched with the verification data. In the second stage, inconsistencies in the data were noted and checked. All the data processing activities were completed on June 30, 1998.

# Data Appraisal

## Estimates of Sampling Error

Sampling errors, on the other hand, can be evaluated statistically. The sample of respondents selected in the NDHS is only one of many samples that could have been selected from the same population, using the same design and expected size. Each of these samples would yield results that differ somewhat from the results of the actual sample selected. Sampling errors are a measure of the variability between all possible samples. Although the degree of variability is not known exactly, it can be estimated from the survey results.

In addition to the standard error, ISSA computes the design effect (DEFT) for each estimate, which is defined as the ratio between the standard error using the given sample design and the standard error that would result ira simple random sample had been used. A DEFT value of 1.0 indicates that the sample design is as efficient as a simple random sample, while a value greater than 1.0 indicates the increase in the sampling error due to the use of a more complex and less statistically efficient design. ISSA also computes the relative error and confidence limits for the estimates.

Sampling errors for the NDHS are calculated for selected variables considered to be of primary interest. The results are presented in an appendix to the Final Report for the country as a whole, for urban and rural areas, and for each of the 16 regions. For eanh variable, the type of statistic (mean, proportion, or rate) and the base population are given in Table B. 1 of the Final Report. Tables B.I.1 to B.1.19 present the value of the statistic (R), its standard error (SE), the number of unweighted (N) and weighted (WN) cases, the design effect (DEFT), the relative standard error (SE/R), and the 95 percent confidence limits (Pd:2SE), for each variable. The DEFT is considered undefined when the standard error considering simple random sample is zero (when the estimate is close to 0 or 1). In the case of the total fertility rate, the number of unweighted cases is not relevant since there is no known unweighted value for woman-years of exposure to childbearing.

The confidence interval (e.g., as calculated for children ever born to women age 15-49) can be interpreted as follows: the overall average from the national sample is 2.156 and its standard error is .029. Therefore, to obtain the 95 percent confidence limits, one adds and subtracts twice the standard error to the sample estimate, i.e., 2.156:t:2 x.029. There is a high probability (95 percent) that the true average number of children ever born to all women aged 15 to 49 is between 2.098 and 2.214.

Sampling errors are analyzed for the national sample and for two separate groups of estimates: (1) means and proportions, and (2) complex demographic rates. The relative standard errors (SE/R) for the means and proportions range between 0 percent and 33 percent with an average of 3.6 percent; the highest relative standard errors are for estimates of very low values (e.g., currently using male sterilization among currently married women). If estimates of very low values (less than 10 percent) were removed, than the average drops to 1.8 percent. So in general, the relative standard error for most estimates for the country as a whole is small, except for estimates of very small proportions. The relative standard error for the total fertility rate is small, 2.3 percent. However, for the mortality rates, the average relative standard error is higher, 8.4 percent.

There are differentials in the relative standard error for the estimates of sub-populations. For example, for the variable with secondary education or higher, the relative standard errors as a percent of the estimated mean for the whole country, for the rural areas, and for Cagayan Valley Region are 0.9 percent, 1.8 percent, and 5.4 percent, respectively. For the total sample, the value of the design effect (DEFT) averaged over all variables is 1.27, which means that due to multi-stage clustering of the sample variance is increased by a factor of 1.56 over that in an equivalent simple random sample.

A sampling error is usually measured in terms of the standard error for a particular statistic (mean, percentage, etc.), which is the square root of the variance. The standard error can be used to calculate confidence intervals within which the lrue value for the population can reasonably be assumed to fall. For example, for any given statistic calculated from a sample survey, the value of that statistic will fall within a range of plus or minus two times the standard error of that statistic in 95 percent of all possible samples of identical size and design.

If the sample of respondents had been selected as a simple random sample, it would have been possible to use straightforward formulas for calculating sampling errors. However, the NDHS sample is the result of a two-stage stratified design, and consequently, it was necessary to use more complex formulae. The computer software used to calculate sampling errors for the NDHS is the ISSA Sampling Error Module. This module used the Taylor linearization method of variance estimation for survey estimates that are means or proportions. The Jackknife repeated replication method is used for variance estimation of more complex statistics such as fertility and mortality rates.

## Other forms of Data Appraisal

Nonsampling errors are the results of mistakes made in implementing data collection and data processing, such as failure to locate and interview the correct household, misunderstanding of the questions on the part of either the interviewer or the respondent, and data entry errors. Although numerous efforts were made during the implementation of the NDHS to minimize this type of error, nonsampling errors are impossible to avoid and difficult to evaluate statistically.

# File Description

# Variable List

# RECH0

| | |
|---|---|
| Content | HOUSEHOLD - Household's Basic Data |
| Cases | 13708 |
| Variable(s) | 34 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V1 | hhid | Case Identification | discrete | character | |
| V2 | hv000 | Country code and phase | discrete | character | |
| V3 | hv001 | Cluster number | contin | numeric | |
| V4 | hv002 | Household number | contin | numeric | |
| V5 | hv003 | Respondent's line number | discrete | numeric | |
| V6 | hv004 | Ultimate area unit | contin | numeric | |
| V7 | hv005 | Sample weight | contin | numeric | |
| V8 | hv006 | Month of interview | discrete | numeric | |
| V9 | hv007 | Year of interview | discrete | numeric | |
| V10 | hv008 | Date of interview (CMC) | discrete | numeric | |
| V11 | hv009 | Number of household members | contin | numeric | |
| V12 | hv010 | Number of eligible women in HH | discrete | numeric | |
| V13 | hv011 | Number of eligible men in H-NA | discrete | numeric | |
| V14 | hv012 | Number of de jure members | contin | numeric | |
| V15 | hv013 | Number of de facto members | contin | numeric | |
| V16 | hv014 | Number of children 5 and under | discrete | numeric | |
| V17 | hv015 | Result of household interview | discrete | numeric | |
| V18 | hv016 | Day of interview | contin | numeric | |
| V19 | hv017 | Number of visits | discrete | numeric | |
| V20 | hv018 | Interviewer identification | contin | numeric | |
| V21 | hv019 | Keyer identification | discrete | numeric | |
| V22 | hv020 | Ever-married sample | discrete | numeric | |
| V23 | hv021 | Primary sampling unit | contin | numeric | |
| V24 | hv022 | Sample stratum number | contin | numeric | |
| V25 | hv023 | Sample domain | discrete | numeric | |
| V26 | hv024 | Region | discrete | numeric | |
| V27 | hv025 | Type of place of residence | discrete | numeric | |
| V28 | hv026 | Place of residence | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|----|------|-------|------|--------|----------|
| V29 | hv027 | Selection for male/husb. int. | discrete | numeric | |
| V30 | hv028 | Sample weight for male subs | discrete | numeric | |
| V31 | hv030 | Field supervisor | contin | numeric | |
| V32 | hv031 | Field editor | contin | numeric | |
| V33 | hv032 | Office editor | discrete | numeric | |
| V34 | hv033 | Ultimate area selection prob. | contin | numeric | |

| ID | Name | Label | Type | Format | Question |
|----|------|-------|------|--------|----------|
| V29 | hv027 | Selection for male/husb. int. | discrete | numeric | |
| V30 | hv028 | Sample weight for male subs | discrete | numeric | |
| V31 | hv030 | Field supervisor | contin | numeric | |
| V32 | hv031 | Field editor | contin | numeric | |
| V33 | hv032 | Office editor | discrete | numeric | |

# RECH1

| | |
|---|---|
| Content | HOUSEHOLD - Household Schedule |
| Cases | 64846 |
| Variable(s) | 20 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V35 | hhid | Case Identification | discrete | character | |
| V36 | hvidx | Line number | contin | numeric | |
| V37 | hv101 | Relationship to head | discrete | numeric | |
| V38 | hv102 | Usual resident | discrete | numeric | |
| V39 | hv103 | Slept last night | discrete | numeric | |
| V40 | hv104 | Sex of household member | discrete | numeric | |
| V41 | hv105 | Age of household members | discrete | numeric | |
| V42 | hv106 | Highest educational level | discrete | numeric | |
| V43 | hv107 | Highest year of education | discrete | numeric | |
| V44 | hv108 | Education in single years | discrete | numeric | |
| V45 | hv109 | Educational attainment | discrete | numeric | |
| V46 | hv110 | Member still in school | discrete | numeric | |
| V47 | hv111 | Mother alive -NA | discrete | numeric | |
| V48 | hv112 | Mother's line number -NA | discrete | numeric | |
| V49 | hv113 | Father alive -NA | discrete | numeric | |
| V50 | hv114 | Father's line number -NA | discrete | numeric | |
| V51 | hv115 | Current marital status -NA | discrete | numeric | |
| V52 | hv116 | Currently, formerly, never -NA | discrete | numeric | |
| V53 | hv117 | Eligibility for female intview | discrete | numeric | |
| V54 | hv118 | Eligibility for male interv-NA | discrete | numeric | |

# RECH2

| | |
|---|---|
| Content | HOUSEHOLD - Household Characteristics |
| Cases | 12407 |
| Variable(s) | 23 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V55 | hhid | Case Identification | discrete | character | |
| V56 | hv201 | Source of drinking water | discrete | numeric | |
| V57 | hv202 | Source of non-drinking wate-NA | discrete | numeric | |
| V58 | hv203 | Same source of water -NA | discrete | numeric | |
| V59 | hv204 | Time to get to water source | discrete | numeric | |
| V60 | hv205 | Type of toilet facility | discrete | numeric | |
| V61 | hv206 | Has electricity | discrete | numeric | |
| V62 | hv207 | Has radio | discrete | numeric | |
| V63 | hv208 | Has television | discrete | numeric | |
| V64 | hv209 | Has refrigerator | discrete | numeric | |
| V65 | hv210 | Has bicycle | discrete | numeric | |
| V66 | hv211 | Has motorcycle | discrete | numeric | |
| V67 | hv212 | Has car | discrete | numeric | |
| V68 | hv213 | Main floor material | discrete | numeric | |
| V69 | hv214 | Main wall material -NA | discrete | numeric | |
| V70 | hv215 | Main roof material -NA | discrete | numeric | |
| V71 | hv216 | Rooms for sleeping | contin | numeric | |
| V72 | hv217 | Relationship structure | discrete | numeric | |
| V73 | hv218 | Line number of head of househ. | discrete | numeric | |
| V74 | hv219 | Sex of head of household | discrete | numeric | |
| V75 | hv220 | Age of head of household | discrete | numeric | |
| V76 | hv221 | Has telephone | discrete | numeric | |
| V77 | hv222 | Type of salt used for cooking | discrete | numeric | |

# RECH3

| | |
|---|---|
| Content | HOUSEHOLD - Country specific - Household Variable |
| Cases | 13708 |
| Variable(s) | 16 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V78 | hhid | Case Identification | discrete | character | |
| V79 | shprov | Province | discrete | numeric | |
| V80 | shctymun | City/municipality | contin | numeric | |
| V81 | shbarang | Barangay | contin | numeric | |
| V82 | shseqnum | NDHS household sequential number | contin | numeric | |
| V83 | shplocal | City/Town/Countryside : NSO definition | discrete | numeric | |
| V84 | shresult | Household result code | discrete | numeric | |
| V85 | shlquest | Language of household question | discrete | numeric | |
| V86 | sh16a | Treat drink. water: boiling | discrete | numeric | |
| V87 | sh16b | Treat drink. water: chlorinat. | discrete | numeric | |
| V88 | sh16c | Treat drink. water: filtering | discrete | numeric | |
| V89 | sh16x | Treat drink. water: other | discrete | numeric | |
| V90 | sh16y | Treat drink. water: no treatment | discrete | numeric | |
| V91 | sh21d | Household owns boat | discrete | numeric | |
| V92 | sh21e | Household owns tractor | discrete | numeric | |
| V93 | sh23 | Iodine reading (ppm) of salt | contin | numeric | |

# RECH4

| | |
|---|---|
| Content | HOUSEHOLD - Country specific - Household Schedule |
| Cases | 64846 |
| Variable(s) | 5 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

# Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V94 | hhid | Case Identification | discrete | character | |
| V95 | idxh4 | Index to household schedule | contin | numeric | |
| V96 | sh09 | Highest grade/year completed | discrete | numeric | |
| V97 | sh11 | At birth, mothers province of | discrete | numeric | |
| V98 | sh12 | Residence in January 1993 | discrete | numeric | |

# REC01

| | |
|---|---|
| Content | WOMAN - Respondent's Basic Data |
| Cases | 14390 |
| Variable(s) | 37 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V99 | hhid | Case Identification | discrete | character | |
| V100 | caseid | Case Identification | discrete | character | |
| V101 | v000 | Country code and phase | discrete | character | |
| V102 | v001 | Cluster number | contin | numeric | |
| V103 | v002 | Household number | contin | numeric | |
| V104 | v003 | Respondent's line number | contin | numeric | |
| V105 | v004 | Ultimate area unit | contin | numeric | |
| V106 | v005 | Sample weight | contin | numeric | |
| V107 | v006 | Month of interview | discrete | numeric | |
| V108 | v007 | Year of interview | discrete | numeric | |
| V109 | v008 | Date of interview (CMC) | discrete | numeric | |
| V110 | v009 | Respondent's month of birth | discrete | numeric | |
| V111 | v010 | Respondent's year of birth | contin | numeric | |
| V112 | v011 | Date of birth (CMC) | contin | numeric | |
| V113 | v012 | Current age - respondent | contin | numeric | |
| V114 | v013 | Age 5-year groups | discrete | numeric | |
| V115 | v014 | Completeness of information | discrete | numeric | |
| V116 | v015 | Result of individual interview | discrete | numeric | |
| V117 | v016 | Day of interview | contin | numeric | |
| V118 | v017 | CMC start of calendar | discrete | numeric | |
| V119 | v018 | Row of month of interview | discrete | numeric | |
| V120 | v019 | Length of calendar | discrete | numeric | |
| V121 | v020 | Ever-married sample | discrete | numeric | |
| V122 | v021 | Primary sampling unit | contin | numeric | |
| V123 | v022 | Sample stratum number | contin | numeric | |
| V124 | v023 | Sample domain | discrete | numeric | |
| V125 | v024 | Region | discrete | numeric | |
| V126 | v025 | Type of place of residence | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|----|------|-------|------|--------|----------|
| V127 | v026 | De facto place of residence | discrete | numeric | |
| V128 | v027 | Number of visits | discrete | numeric | |
| V129 | v028 | Interviewer identification | contin | numeric | |
| V130 | v029 | Keyer identification | discrete | numeric | |
| V131 | v030 | Field supervisor | contin | numeric | |
| V132 | v031 | Field editor | contin | numeric | |
| V133 | v032 | Office editor | discrete | numeric | |
| V134 | v033 | Ultimate area selection prob. | contin | numeric | |
| V135 | v034 | Line number of husband -NA | discrete | numeric | |

# REC11

| | |
|---|---|
| Content | WOMAN - Respondent's Basic Data (continued) |
| Cases | 13983 |
| Variable(s) | 52 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V136 | hhid | Case Identification | discrete | character | |
| V137 | caseid | Case Identification | discrete | character | |
| V138 | v101 | Region | discrete | numeric | |
| V139 | v102 | Type of place of residence | discrete | numeric | |
| V140 | v103 | Childhood place of residenc-NA | discrete | numeric | |
| V141 | v104 | Years lived in place of res. | discrete | numeric | |
| V142 | v105 | Type of place of previous res. | discrete | numeric | |
| V143 | v106 | Highest educational level | discrete | numeric | |
| V144 | v107 | Highest year of education | discrete | numeric | |
| V145 | v108 | Literacy | discrete | numeric | |
| V146 | v109 | Reads newspaper once a week | discrete | numeric | |
| V147 | v110 | Watches TV every week | discrete | numeric | |
| V148 | v111 | Listens to radio every day | discrete | numeric | |
| V149 | v112 | Listens to radio every week-NA | discrete | numeric | |
| V150 | v113 | Source of drinking water | discrete | numeric | |
| V151 | v114 | Source of non-drinking wate-NA | discrete | numeric | |
| V152 | v115 | Time to get to water source | discrete | numeric | |
| V153 | v116 | Type of toilet facility | discrete | numeric | |
| V154 | v119 | Has electricity | discrete | numeric | |
| V155 | v120 | Has radio | discrete | numeric | |
| V156 | v121 | Has television | discrete | numeric | |
| V157 | v122 | Has refrigerator | discrete | numeric | |
| V158 | v123 | Has bicycle | discrete | numeric | |
| V159 | v124 | Has motorcycle | discrete | numeric | |
| V160 | v125 | Has car | discrete | numeric | |
| V161 | v127 | Main floor material | discrete | numeric | |
| V162 | v128 | Main wall material -NA | discrete | numeric | |
| V163 | v129 | Main roof material -NA | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|----|------|-------|------|--------|----------|
| V164 | v130 | Religion | discrete | numeric | |
| V165 | v131 | Ethnicity | discrete | numeric | |
| V166 | v133 | Education in single years | discrete | numeric | |
| V167 | v134 | De facto place of residence | discrete | numeric | |
| V168 | v135 | Usual resident or visitor | discrete | numeric | |
| V169 | v136 | Number of household members | contin | numeric | |
| V170 | v137 | Number of children 5 and under | discrete | numeric | |
| V171 | v138 | Number of eligible women in HH | discrete | numeric | |
| V172 | v139 | De jure region of residence | discrete | numeric | |
| V173 | v140 | De jure type of place of res. | discrete | numeric | |
| V174 | v141 | De jure place of residence | discrete | numeric | |
| V175 | v142 | Same source of water -NA | discrete | numeric | |
| V176 | v144 | Communities lived in >Jan. 93? | discrete | numeric | |
| V177 | v148 | Respondent still in school | discrete | numeric | |
| V178 | v149 | Educational attainment | discrete | numeric | |
| V179 | v150 | Relationship to household head | discrete | numeric | |
| V180 | v151 | Sex of household head | discrete | numeric | |
| V181 | v152 | Age of household head | contin | numeric | |
| V182 | v153 | Has telephone | discrete | numeric | |
| V183 | v154 | Reason stop attending school | discrete | numeric | |
| V184 | awfactt | All woman factor - total | discrete | numeric | |
| V185 | awfactu | All woman factor - urban/rural | discrete | numeric | |
| V186 | awfactr | All woman factor - regional | discrete | numeric | |
| V187 | awfacte | All woman factor - educational | discrete | numeric | |

# REC21

| | |
|---|---|
| Content | WOMAN - Reproduction (Birth History) |
| Cases | 32626 |
| Variable(s) | 20 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V188 | hhid | Case Identification | discrete | character | |
| V189 | caseid | Case Identification | discrete | character | |
| V190 | bidx | Birth column number | discrete | numeric | |
| V191 | bord | Birth order number | discrete | numeric | |
| V192 | b0 | Child is twin | discrete | numeric | |
| V193 | b1 | Month of birth | discrete | numeric | |
| V194 | b2 | Year of birth | contin | numeric | |
| V195 | b3 | Date of birth (CMC) | contin | numeric | |
| V196 | b4 | Sex of child | discrete | numeric | |
| V197 | b5 | Child is alive | discrete | numeric | |
| V198 | b6 | Age at death | discrete | numeric | |
| V199 | b7 | Age at death (months-imputed) | contin | numeric | |
| V200 | b8 | Current age of child | contin | numeric | |
| V201 | b9 | Who child lives with | discrete | numeric | |
| V202 | b10 | Completeness of information | discrete | numeric | |
| V203 | b11 | Preceding birth interval | contin | numeric | |
| V204 | b12 | Succeeding birth interval | contin | numeric | |
| V205 | b13 | Flag for age at death | discrete | numeric | |
| V206 | b14 | Birth interval >= 4 years | discrete | numeric | |
| V207 | b15 | Live birth between births | discrete | numeric | |

# REC22

| | |
|---|---|
| Content | WOMAN - Reproduction |
| Cases | 13983 |
| Variable(s) | 40 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

# Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V208 | hhid | Case Identification | discrete | character | |
| V209 | caseid | Case Identification | discrete | character | |
| V210 | v201 | Total children ever born | discrete | numeric | |
| V211 | v202 | Sons at home | discrete | numeric | |
| V212 | v203 | Daughters at home | discrete | numeric | |
| V213 | v204 | Sons elsewhere | discrete | numeric | |
| V214 | v205 | Daughters elsewhere | discrete | numeric | |
| V215 | v206 | Sons who have died | discrete | numeric | |
| V216 | v207 | Daughters who have died | discrete | numeric | |
| V217 | v208 | Births in last five years | discrete | numeric | |
| V218 | v209 | Births in past year | discrete | numeric | |
| V219 | v210 | Births in month of interview | discrete | numeric | |
| V220 | v211 | Date of first birth (CMC) | contin | numeric | |
| V221 | v212 | Age of respondent at 1st birth | contin | numeric | |
| V222 | v213 | Currently pregnant | discrete | numeric | |
| V223 | v214 | Duration of current pregnancy | discrete | numeric | |
| V224 | v215 | Time since last menstrual perd | discrete | numeric | |
| V225 | v216 | Menstruated in last six weeks | discrete | numeric | |
| V226 | v217 | Knowledge of ovulatory cycle | discrete | numeric | |
| V227 | v218 | Number of living children | discrete | numeric | |
| V228 | v219 | Living children + current preg | discrete | numeric | |
| V229 | v220 | Living children + curr preg 6+ | discrete | numeric | |
| V230 | v221 | Marriage to first birth int. | discrete | numeric | |
| V231 | v222 | Last birth to interview | contin | numeric | |
| V232 | v223 | Completeness of curr preg. inf | discrete | numeric | |
| V233 | v224 | Entries in birth history | discrete | numeric | |
| V234 | v225 | Current pregnancy wanted | discrete | numeric | |
| V235 | v226 | Time since last period (comp) | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|------|-------|------|--------|----------|
| V236 | v227 | Flag for last period | discrete | numeric | |
| V237 | v228 | Ever had a terminated preg. | discrete | numeric | |
| V238 | v229 | Month pregnancy ended | discrete | numeric | |
| V239 | v230 | Year pregnancy ended | discrete | numeric | |
| V240 | v231 | CMC pregnancy ended | discrete | numeric | |
| V241 | v232 | Completeness of last term. inf | discrete | numeric | |
| V242 | v233 | Months when pregnancy ended | discrete | numeric | |
| V243 | v234 | Other such pregnancies | discrete | numeric | |
| V244 | v235 | Index last child prior to cal. | discrete | numeric | |
| V245 | v236 | Last birth interval >= 4 years | discrete | numeric | |
| V246 | v237 | Birth between last & interview | discrete | numeric | |
| V247 | v238 | Births in last three years | discrete | numeric | |

# REC31

| | |
|---|---|
| Content | WOMAN - Contraceptive Table |
| Cases | 111864 |
| Variable(s) | 8 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V248 | hhid | Case Identification | discrete | character | |
| V249 | caseid | Case Identification | discrete | character | |
| V250 | v301 | Knowledge of any method | discrete | numeric | |
| V251 | v302 | Ever use of any method | discrete | numeric | |
| V252 | rec31_group | Contraceptive Table | discrete | character | |
| V253 | v304a | Type of method | discrete | numeric | |
| V254 | v304 | Knows method | discrete | numeric | |
| V255 | v305 | Ever used method | discrete | numeric | |

## REC32

| Content | WOMAN - Contraceptive Use |
|---|---|
| Cases | 13983 |
| Variable(s) | 50 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V256 | hhid | Case Identification | discrete | character | |
| V257 | caseid | Case Identification | discrete | character | |
| V258 | v310 | Living children at first use | contin | numeric | |
| V259 | v311 | Children at first use (grpd) | discrete | numeric | |
| V260 | v312 | Current contraceptive method | discrete | numeric | |
| V261 | v313 | Current use by method type | discrete | numeric | |
| V262 | v314 | Method of periodic abstinence | discrete | numeric | |
| V263 | v315 | Month of sterilization | discrete | numeric | |
| V264 | v316 | Year of sterilization | contin | numeric | |
| V265 | v317 | Date of sterilization (CMC) | contin | numeric | |
| V266 | v318 | Completeness of information | discrete | numeric | |
| V267 | v319 | Years since sterilization | discrete | numeric | |
| V268 | v320 | Age at sterilization | discrete | numeric | |
| V269 | v321 | Marital duration at steriliz. | discrete | numeric | |
| V270 | v322 | Parity at sterilization | discrete | numeric | |
| V271 | v323 | Brand of pill used | discrete | numeric | |
| V272 | v325 | Cost of pills | contin | numeric | |
| V273 | v326 | Last source for current users | discrete | numeric | |
| V274 | v327 | Last source for users by type | discrete | numeric | |
| V275 | v328 | Main reason use current source | discrete | numeric | |
| V276 | v337 | Months of use of current meth | discrete | numeric | |
| V277 | v359 | Last method disc. last 5 years | discrete | numeric | |
| V278 | v360 | Reason of last discontinuation | discrete | numeric | |
| V279 | v361 | Pattern of use | discrete | numeric | |
| V280 | v362 | Intention to use | discrete | numeric | |
| V281 | v363 | Preferred future method | discrete | numeric | |
| V282 | v364 | Contraceptive use & intention | discrete | numeric | |
| V283 | v366a | Acceptability of radio message | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|----|------|-------|------|--------|----------|
| V284 | v366b | Acceptability of TV message | discrete | numeric | |
| V285 | v367 | Wanted last child | discrete | numeric | |
| V286 | v369 | First method used | discrete | numeric | |
| V287 | v369b | First use to space or limit-NA | discrete | numeric | |
| V288 | v372 | Shown pill package | discrete | numeric | |
| V289 | v375a | Main reason not using a method | discrete | numeric | |
| V290 | v376 | Main reason not to use a meth. | discrete | numeric | |
| V291 | v376a | Would ever use method if marr. | discrete | numeric | |
| V292 | v379 | Source known for any method | discrete | numeric | |
| V293 | v380 | Source known for any method | discrete | numeric | |
| V294 | v384a | Heard FP on radio last months | discrete | numeric | |
| V295 | v384b | Heard FP on TV last months | discrete | numeric | |
| V296 | v384c | Heard FP newspaper last months | discrete | numeric | |
| V297 | v384d | Heard FP on poster last months | discrete | numeric | |
| V298 | v384e | Heard FP brochures last months | discrete | numeric | |
| V299 | v393 | Visited by FP worker last 12m | discrete | numeric | |
| V300 | v394 | Visited health facil. last 12m | discrete | numeric | |
| V301 | v395 | At health facility, told of FP | discrete | numeric | |
| V302 | v396 | Breastfeeding affect pregna-NA | discrete | numeric | |
| V303 | v397 | Pregnancy risk of breastfee-NA | discrete | numeric | |
| V304 | v398 | Relied breastfeed. avoid pr-NA | discrete | numeric | |
| V305 | v399 | Currently rely on breastfee-NA | discrete | numeric | |

# REC41

| | |
|---|---|
| Content | WOMAN - Maternity |
| Cases | 8083 |
| Variable(s) | 95 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V306 | hhid | Case Identification | discrete | character | |
| V307 | caseid | Case Identification | discrete | character | |
| V308 | midx | Index to birth history | discrete | numeric | |
| V309 | m1 | Tetanus injections bef. birth | discrete | numeric | |
| V310 | m2a | Prenatal: doctor | discrete | numeric | |
| V311 | m2b | Prenatal: nurse/midwife -NA | discrete | numeric | |
| V312 | m2c | Prenatal: auxiliary midwife-NA | discrete | numeric | |
| V313 | m2d | Prenatal: CS health prof.: nurse | discrete | numeric | |
| V314 | m2e | Prenatal: CS health prof.:midwife | discrete | numeric | |
| V315 | m2f | Prenatal: trained birth att-NA | discrete | numeric | |
| V316 | m2g | Prenatal: trad.birth attendant | discrete | numeric | |
| V317 | m2h | Prenatal: relative -NA | discrete | numeric | |
| V318 | m2i | Prenatal: CS other person -NA | discrete | numeric | |
| V319 | m2j | Prenatal: CS other person -NA | discrete | numeric | |
| V320 | m2k | Prenatal: other resp (uncoded) | discrete | numeric | |
| V321 | m2l | Prenatal: CS other -NA | discrete | numeric | |
| V322 | m2m | Prenatal: CS other -NA | discrete | numeric | |
| V323 | m2n | Prenatal: no one | discrete | numeric | |
| V324 | m3a | Assistance: doctor | discrete | numeric | |
| V325 | m3b | Assistance: nurse/midwife -NA | discrete | numeric | |
| V326 | m3c | Assistance: auxiliary midwi-NA | discrete | numeric | |
| V327 | m3d | Assistance: CS health prof.:nurse | discrete | numeric | |
| V328 | m3e | Assistance: CS health prof.:midwife | discrete | numeric | |
| V329 | m3f | Assistance: trained birth a-NA | discrete | numeric | |
| V330 | m3g | Assistance: trad.birth attend | discrete | numeric | |
| V331 | m3h | Assistance: relative, friend | discrete | numeric | |
| V332 | m3i | Assistance: CS other person-NA | discrete | numeric | |
| V333 | m3j | Assistance: CS other person-NA | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V334 | m3k | Assistance: other resp (uncod) | discrete | numeric | |
| V335 | m3l | Assistance: CS other -NA | discrete | numeric | |
| V336 | m3m | Assistance: CS other -NA | discrete | numeric | |
| V337 | m3n | Assistance: no one | discrete | numeric | |
| V338 | m4 | Duration of breastfeeding | discrete | numeric | |
| V339 | m5 | Months of breastfeeding | discrete | numeric | |
| V340 | m6 | Duration of amenorrhea | discrete | numeric | |
| V341 | m7 | Months of amenorrhea | discrete | numeric | |
| V342 | m8 | Duration of abstinence | discrete | numeric | |
| V343 | m9 | Months of abstinence | discrete | numeric | |
| V344 | m10 | Time wanted pregnancy | discrete | numeric | |
| V345 | m11 | Time would have waited | discrete | numeric | |
| V346 | m13 | Timing of 1st antenatal check | discrete | numeric | |
| V347 | m14 | Antenatal visits for pregnancy | discrete | numeric | |
| V348 | m15 | Place of delivery | discrete | numeric | |
| V349 | m17 | Delivery by caesarian section | discrete | numeric | |
| V350 | m18 | Size of child at birth | discrete | numeric | |
| V351 | m19 | Birth weight (kilos - 3 dec.) | discrete | numeric | |
| V352 | m19a | Weight at birth recall | discrete | numeric | |
| V353 | m21 | Reason stopped breastfeeding | discrete | numeric | |
| V354 | m27 | Flag for breastfeeding | discrete | numeric | |
| V355 | m28 | Flag for amenorrhea | discrete | numeric | |
| V356 | m29 | Flag for abstinence | discrete | numeric | |
| V357 | m30 | At birth - prolonged labor | discrete | numeric | |
| V358 | m31 | At birth - excessive bleeding | discrete | numeric | |
| V359 | m32 | At birth - high fever/discharg | discrete | numeric | |
| V360 | m33 | At birth - convulsions | discrete | numeric | |
| V361 | m34 | When child put to breast | discrete | numeric | |
| V362 | m35 | Times breastfed during night | discrete | numeric | |
| V363 | m36 | Times breastfed during day | discrete | numeric | |
| V364 | m37a | Gave child plain water | discrete | numeric | |
| V365 | m37b | Gave child sugar water | discrete | numeric | |
| V366 | m37c | Gave child juice | discrete | numeric | |
| V367 | m37d | Gave child herbal tea -NA | discrete | numeric | |
| V368 | m37e | Gave child powder/tinned milk | discrete | numeric | |
| V369 | m37f | Gave child baby formula | discrete | numeric | |
| V370 | m37g | Gave child fresh milk -NA | discrete | numeric | |
| V371 | m37h | Country specific other liqu-NA | discrete | numeric | |
| V372 | m37i | Country specific other liqu-NA | discrete | numeric | |
| V373 | m37j | Country specific other liqu-NA | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|----|------|-------|------|--------|----------|
| V374 | m37k | Country specific other liqu-NA | discrete | numeric | |
| V375 | m37l | Gave child other liquid | discrete | numeric | |
| V376 | m37m | Country specific other food-NA | discrete | numeric | |
| V377 | m37n | Country specific other food-NA | discrete | numeric | |
| V378 | m37o | Country specific other food-NA | discrete | numeric | |
| V379 | m37p | Other solid, semi-solid foods | discrete | numeric | |
| V380 | m37q | Food made from local grain | discrete | numeric | |
| V381 | m37r | Food made from local tuber | discrete | numeric | |
| V382 | m37s | Gave child eggs, fish, poultry | discrete | numeric | |
| V383 | m37t | Gave child meat -NA | discrete | numeric | |
| V384 | m38 | Drank from bottle with nipple | discrete | numeric | |
| V385 | m39 | Times ate other food yesterday | discrete | numeric | |
| V386 | m40a | Last 7 days - plain water -NA | discrete | numeric | |
| V387 | m40b | Last 7 days - milk -NA | discrete | numeric | |
| V388 | m40c | Last 7 days - other liquids-NA | discrete | numeric | |
| V389 | m40d | Last 7 days - local grain f-NA | discrete | numeric | |
| V390 | m40e | Last 7 days - local tuber f-NA | discrete | numeric | |
| V391 | m40f | Last 7 days - egg/fish/poul-NA | discrete | numeric | |
| V392 | m40g | Last 7 days - meat -NA | discrete | numeric | |
| V393 | m40h | Last 7 days - other solid f-NA | discrete | numeric | |
| V394 | m40i | Last 7 days - country speci-NA | discrete | numeric | |
| V395 | m40j | Last 7 days - country speci-NA | discrete | numeric | |
| V396 | m40k | Last 7 days - country speci-NA | discrete | numeric | |
| V397 | m40l | Last 7 days - country speci-NA | discrete | numeric | |
| V398 | m40m | Last 7 days - country speci-NA | discrete | numeric | |
| V399 | m40n | Last 7 days - country speci-NA | discrete | numeric | |
| V400 | m40o | Last 7 days - country speci-NA | discrete | numeric | |

# REC42

| | |
|---|---|
| Content | WOMAN - Breastfeeding and Health |
| Cases | 13983 |
| Variable(s) | 79 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V401 | hhid | Case Identification | discrete | character | |
| V402 | caseid | Case Identification | discrete | character | |
| V403 | v401 | Last birth ceasarean section | discrete | numeric | |
| V404 | v404 | Currently breastfeeding | discrete | numeric | |
| V405 | v405 | Currently amenorrheic | discrete | numeric | |
| V406 | v406 | Currently abstaining | discrete | numeric | |
| V407 | v407 | Times breastfed during night | discrete | numeric | |
| V408 | v408 | Times breastfed during day | discrete | numeric | |
| V409 | v409 | Gave child plain water | discrete | numeric | |
| V410 | v409a | Gave child sugar water | discrete | numeric | |
| V411 | v410 | Gave child juice | discrete | numeric | |
| V412 | v410a | Gave child herbal tea -NA | discrete | numeric | |
| V413 | v411 | Gave child powder/tinned milk | discrete | numeric | |
| V414 | v411a | Gave child baby formula | discrete | numeric | |
| V415 | v412 | Gave child fresh milk -NA | discrete | numeric | |
| V416 | v413a | Country specific other liqu-NA | discrete | numeric | |
| V417 | v413b | Country specific other liqu-NA | discrete | numeric | |
| V418 | v413c | Country specific other liqu-NA | discrete | numeric | |
| V419 | v413d | Country specific other liqu-NA | discrete | numeric | |
| V420 | v413 | Gave child other liquid | discrete | numeric | |
| V421 | v414a | Country specific other food-NA | discrete | numeric | |
| V422 | v414b | Country specific other food-NA | discrete | numeric | |
| V423 | v414c | Country specific other food-NA | discrete | numeric | |
| V424 | v414d | Other solid, semi-solid foods | discrete | numeric | |
| V425 | v414e | Food made from local grain | discrete | numeric | |
| V426 | v414f | Food made from local tuber | discrete | numeric | |
| V427 | v414g | Gave child eggs, fish, poultry | discrete | numeric | |
| V428 | v414h | Gave child meat -NA | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|----|------|-------|------|--------|----------|
| V429 | v415 | Drank from bottle with nipple | discrete | numeric | |
| V430 | v416 | Heard of oral rehydration | discrete | numeric | |
| V431 | v417 | Entries in maternity table | discrete | numeric | |
| V432 | v418 | Entries in health table | discrete | numeric | |
| V433 | v419 | Entries in height/weight table | discrete | numeric | |
| V434 | v420 | Measurer's code -NA | discrete | numeric | |
| V435 | v421 | Assistant measurer's code -NA | discrete | numeric | |
| V436 | v426 | When child put to breast | discrete | numeric | |
| V437 | v436 | Arm circumference (cms-1d) -NA | discrete | numeric | |
| V438 | v437 | Respondent's weight (kilos--NA | discrete | numeric | |
| V439 | v438 | Respondent's height (cms-1d-NA | discrete | numeric | |
| V440 | v439 | Ht/A Percentile (resp.) -NA | discrete | numeric | |
| V441 | v440 | Ht/A Standard deviations (r-NA | discrete | numeric | |
| V442 | v441 | Ht/A Percent ref. median (r-NA | discrete | numeric | |
| V443 | v442 | Wt/Ht Percent ref. median (-NA | discrete | numeric | |
| V444 | v443 | Wt/Ht Percent ref. median (-NA | discrete | numeric | |
| V445 | v444 | Wt/Ht Percent ref. median (-NA | discrete | numeric | |
| V446 | v444a | Wt/Ht Std deviations(resp) -NA | discrete | numeric | |
| V447 | v445 | Body mass index for respond-NA | discrete | numeric | |
| V448 | v446 | Rohrer's index for responde-NA | discrete | numeric | |
| V449 | v447 | Result of measurement of re-NA | discrete | numeric | |
| V450 | v448 | Drinking pattern with diarrhea | discrete | numeric | |
| V451 | v449 | Eating pattern with diarrhea | discrete | numeric | |
| V452 | v450a | Diarrhea: repeat watery stools | discrete | numeric | |
| V453 | v450b | Diarrhea: Any watery stools | discrete | numeric | |
| V454 | v450c | Diarrhea: Repeated vomiting | discrete | numeric | |
| V455 | v450d | Diarrhea: Any vomiting | discrete | numeric | |
| V456 | v450e | Diarrhea: Blood in stools | discrete | numeric | |
| V457 | v450f | Diarrhea: Fever | discrete | numeric | |
| V458 | v450g | Diarrhea: Marked thirst | discrete | numeric | |
| V459 | v450h | Diarrhea: Not eating/drinking | discrete | numeric | |
| V460 | v450i | Diarrhea: Getting sicker | discrete | numeric | |
| V461 | v450j | Diarrhea: Not getting better | discrete | numeric | |
| V462 | v450k | Diarrhea: Abdominal pain | discrete | numeric | |
| V463 | v450l | Diarrhea: Country specific -NA | discrete | numeric | |
| V464 | v450m | Diarrhea: Country specific -NA | discrete | numeric | |
| V465 | v450x | Diarrhea: Other responses | discrete | numeric | |
| V466 | v450z | Diarrhea: Does not know | discrete | numeric | |
| V467 | v451a | Cough: Fast breathing | discrete | numeric | |
| V468 | v451b | Cough: Difficult breathing | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V469 | v451c | Cough: Noisy breathing | discrete | numeric | |
| V470 | v451d | Cough: Fever | discrete | numeric | |
| V471 | v451e | Cough: Unable to drink | discrete | numeric | |
| V472 | v451f | Cough: Not eating/drinking | discrete | numeric | |
| V473 | v451g | Cough: Getting sicker | discrete | numeric | |
| V474 | v451h | Cough: Not getting better | discrete | numeric | |
| V475 | v451i | Cough: Persistent cough | discrete | numeric | |
| V476 | v451j | Cough: Dry / hard cough | discrete | numeric | |
| V477 | v451k | Cough: Country specific -NA | discrete | numeric | |
| V478 | v451x | Cough: Other responses | discrete | numeric | |
| V479 | v451z | Knows no sign of illness | discrete | numeric | |

## REC43

| Content | WOMAN - Immunization and Health |
|---|---|
| Cases | 8083 |
| Variable(s) | 115 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V480 | hhid | Case Identification | discrete | character | |
| V481 | caseid | Case Identification | discrete | character | |
| V482 | hidx | Index to birth history | discrete | numeric | |
| V483 | h1 | Has health card | discrete | numeric | |
| V484 | h2 | Received BCG | discrete | numeric | |
| V485 | h2d | BCG day | discrete | numeric | |
| V486 | h2m | BCG month | discrete | numeric | |
| V487 | h2y | BCG year | discrete | numeric | |
| V488 | h3 | Received DPT 1 | discrete | numeric | |
| V489 | h3d | DPT 1 day | discrete | numeric | |
| V490 | h3m | DPT 1 month | discrete | numeric | |
| V491 | h3y | DPT 1 year | discrete | numeric | |
| V492 | h4 | Received POLIO 1 | discrete | numeric | |
| V493 | h4d | POLIO 1 day | discrete | numeric | |
| V494 | h4m | POLIO 1 month | discrete | numeric | |
| V495 | h4y | POLIO 1 year | discrete | numeric | |
| V496 | h5 | Received DPT 2 | discrete | numeric | |
| V497 | h5d | DPT 2 day | discrete | numeric | |
| V498 | h5m | DPT 2 month | discrete | numeric | |
| V499 | h5y | DPT 2 year | discrete | numeric | |
| V500 | h6 | Received POLIO 2 | discrete | numeric | |
| V501 | h6d | POLIO 2 day | discrete | numeric | |
| V502 | h6m | POLIO 2 month | discrete | numeric | |
| V503 | h6y | POLIO 2 year | discrete | numeric | |
| V504 | h7 | Received DPT 3 | discrete | numeric | |
| V505 | h7d | DPT 3 day | discrete | numeric | |
| V506 | h7m | DPT 3 month | discrete | numeric | |
| V507 | h7y | DPT 3 year | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|----|------|-------|------|--------|----------|
| V508 | h8 | Received POLIO 3 | discrete | numeric | |
| V509 | h8d | POLIO 3 day | discrete | numeric | |
| V510 | h8m | POLIO 3 month | discrete | numeric | |
| V511 | h8y | POLIO 3 year | discrete | numeric | |
| V512 | h9 | Received MEASLES | discrete | numeric | |
| V513 | h9d | MEASLES day | discrete | numeric | |
| V514 | h9m | MEASLES month | discrete | numeric | |
| V515 | h9y | MEASLES year | discrete | numeric | |
| V516 | h0 | Polio 0 -NA | discrete | numeric | |
| V517 | h0d | Polio 0 day -NA | discrete | numeric | |
| V518 | h0m | POLIO 0 month -NA | discrete | numeric | |
| V519 | h0y | POLIO 0 year -NA | discrete | numeric | |
| V520 | h10 | Ever had vaccination | discrete | numeric | |
| V521 | h11 | Had diarrhea recently | discrete | numeric | |
| V522 | h11b | Blood in the stools | discrete | numeric | |
| V523 | h11c | Bowel movements in worst day | discrete | numeric | |
| V524 | h12a | Diarrhea: government hosp. | discrete | numeric | |
| V525 | h12b | Diarrhea: govt health center | discrete | numeric | |
| V526 | h12c | Diarrhea: govt health post | discrete | numeric | |
| V527 | h12d | Diarrhea: mobile clinic -NA | discrete | numeric | |
| V528 | h12e | Diarrhea: comm.health worker | discrete | numeric | |
| V529 | h12f | Diarrhea: CS public sector -NA | discrete | numeric | |
| V530 | h12g | Diarrhea: CS public sector -NA | discrete | numeric | |
| V531 | h12h | Diarrhea: CS public sector -NA | discrete | numeric | |
| V532 | h12i | Diarrhea: other public sector | discrete | numeric | |
| V533 | h12j | Diarrhea: private hosp/clin. | discrete | numeric | |
| V534 | h12k | Diarrhea: private pharmacy | discrete | numeric | |
| V535 | h12l | Diarrhea: private doctor | discrete | numeric | |
| V536 | h12m | Diarrhea: private mobile cl-NA | discrete | numeric | |
| V537 | h12n | Diarrhea: comm.health worke-NA | discrete | numeric | |
| V538 | h12o | Diarrhea: Industry based clinic | discrete | numeric | |
| V539 | h12p | Diarrhea: CS med.priv secto-NA | discrete | numeric | |
| V540 | h12q | Diarrhea: CS med.priv secto-NA | discrete | numeric | |
| V541 | h12r | Diarrhea: other med.priv se-NA | discrete | numeric | |
| V542 | h12s | Diarrhea: shop | discrete | numeric | |
| V543 | h12t | Diarrhea: traditional pract-NA | discrete | numeric | |
| V544 | h12u | Diarrhea: CS boy/girl scouts | discrete | numeric | |
| V545 | h12v | Diarrhea: CS jaycees | discrete | numeric | |
| V546 | h12w | Diarrhea: CS oth.priv secto-NA | discrete | numeric | |
| V547 | h12x | Diarrhea: Other | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V548 | h12y | Diarrhea: no treatment | discrete | numeric | |
| V549 | h12z | Diarrhea: medical treatment | discrete | numeric | |
| V550 | h13 | Given oral rehydration | discrete | numeric | |
| V551 | h14 | Given recommend. home solution | discrete | numeric | |
| V552 | h15 | Given other pills or syrups | discrete | numeric | |
| V553 | h15a | Given antibiotics (CS) -NA | discrete | numeric | |
| V554 | h15b | Given an injection | discrete | numeric | |
| V555 | h15c | Given an intravenous (IV) | discrete | numeric | |
| V556 | h15d | Given home remedy, herbal med. | discrete | numeric | |
| V557 | h15e | Given CS : given rice water/ 'AM' treatment | discrete | numeric | |
| V558 | h15f | Given CS : given home-made sugar-salt-water solution | discrete | numeric | |
| V559 | h15g | Given CS: given tea/herbal drinks/softdrinks | discrete | numeric | |
| V560 | h15h | Given CS: given milk/infant formula | discrete | numeric | |
| V561 | h16 | Increase or decrease fluids | discrete | numeric | |
| V562 | h18 | Increase or decrease in foods | discrete | numeric | |
| V563 | h20 | Given other treatment | discrete | numeric | |
| V564 | h21a | Given no treatment | discrete | numeric | |
| V565 | h21 | Received any treatment | discrete | numeric | |
| V566 | h22 | Had fever in last two weeks | discrete | numeric | |
| V567 | h31 | Had cough in last two weeks | discrete | numeric | |
| V568 | h31b | Short, rapid breaths | discrete | numeric | |
| V569 | h32a | Fever/cough: government hosp. | discrete | numeric | |
| V570 | h32b | Fever/cough: govt health cntr | discrete | numeric | |
| V571 | h32c | Fever/cough: govt health post | discrete | numeric | |
| V572 | h32d | Fever/cough: mobile clinic -NA | discrete | numeric | |
| V573 | h32e | Fever/cough: comm.health wrkr | discrete | numeric | |
| V574 | h32f | Fever/cough: CS public sect-NA | discrete | numeric | |
| V575 | h32g | Fever/cough: CS public sect-NA | discrete | numeric | |
| V576 | h32h | Fever/cough: CS public sect-NA | discrete | numeric | |
| V577 | h32i | Fever/cough: oth public sector | discrete | numeric | |
| V578 | h32j | Fever/cough: private hosp/clin | discrete | numeric | |
| V579 | h32k | Fever/cough: private pharmacy | discrete | numeric | |
| V580 | h32l | Fever/cough: private doctor | discrete | numeric | |
| V581 | h32m | Fever/cough: private mobile-NA | discrete | numeric | |
| V582 | h32n | Fever/cough: comm.health wr-NA | discrete | numeric | |
| V583 | h32o | Fever/cough: CS industry based clinic | discrete | numeric | |
| V584 | h32p | Fever/cough: CS med.priv se-NA | discrete | numeric | |
| V585 | h32q | Fever/cough: CS med.priv se-NA | discrete | numeric | |
| V586 | h32r | Fever/cough: oth med.priv s-NA | discrete | numeric | |
| V587 | h32s | Fever/cough: shop | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|----|------|-------|------|--------|----------|
| V588 | h32t | Fever/cough: traditional pr-NA | discrete | numeric | |
| V589 | h32u | Fever/cough: CS boy/girl scouts | discrete | numeric | |
| V590 | h32v | Fever/cough: CS jaysees | discrete | numeric | |
| V591 | h32w | Fever/cough: CS oth.priv se-NA | discrete | numeric | |
| V592 | h32x | Fever/cough: Other | discrete | numeric | |
| V593 | h32y | Fever/cough: no treatment | discrete | numeric | |
| V594 | h32z | Fever/cough: medical treatment | discrete | numeric | |

# REC51

| | |
|---|---|
| Content | WOMAN - Marriage/Exposure |
| Cases | 13983 |
| Variable(s) | 24 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V595 | hhid | Case Identification | discrete | character | |
| V596 | caseid | Case Identification | discrete | character | |
| V597 | v501 | Current marital status | discrete | numeric | |
| V598 | v502 | Currently/formerly/never marr. | discrete | numeric | |
| V599 | v503 | Number of unions | discrete | numeric | |
| V600 | v504 | Husband lives in house | discrete | numeric | |
| V601 | v505 | Number of other wives -NA | discrete | numeric | |
| V602 | v506 | Wife rank number -NA | discrete | numeric | |
| V603 | v507 | Month of first marriage | discrete | numeric | |
| V604 | v508 | Year of first marriage | contin | numeric | |
| V605 | v509 | Date of first marriage (CMC) | contin | numeric | |
| V606 | v510 | Completeness of date inform. | discrete | numeric | |
| V607 | v511 | Age at first marriage | contin | numeric | |
| V608 | v512 | Years since first marriage | contin | numeric | |
| V609 | v513 | Marital duration (grouped) | discrete | numeric | |
| V610 | v525 | Age at first intercourse | discrete | numeric | |
| V611 | v527 | Time since last intercourse | discrete | numeric | |
| V612 | v528 | Time since last intercourse(g) | discrete | numeric | |
| V613 | v529 | Time since last intercourse(im | discrete | numeric | |
| V614 | v530 | Flag for V529 | discrete | numeric | |
| V615 | v531 | Age at first intercourse (imp) | discrete | numeric | |
| V616 | v532 | Flag for V531 | discrete | numeric | |
| V617 | v534 | Have a regular sex partner | discrete | numeric | |
| V618 | v535 | Have ever been married | discrete | numeric | |

# REC61

| | |
|---|---|
| Content | WOMAN - Fertility Preferences |
| Cases | 13983 |
| Variable(s) | 35 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V619 | hhid | Case Identification | discrete | character | |
| V620 | caseid | Case Identification | discrete | character | |
| V621 | v602 | Fertility preference | discrete | numeric | |
| V622 | v603 | Preferred waiting time | discrete | numeric | |
| V623 | v604 | Preferred waiting time (grpd) | discrete | numeric | |
| V624 | v605 | Desire for more children | discrete | numeric | |
| V625 | v606 | Attitude toward becoming preg. | discrete | numeric | |
| V626 | v610 | Husband approves FP | discrete | numeric | |
| V627 | v611 | Discussed FP with partner | discrete | numeric | |
| V628 | v612 | Respondent approves FP | discrete | numeric | |
| V629 | v613 | Ideal number of children | discrete | numeric | |
| V630 | v614 | Ideal number of children (grp) | discrete | numeric | |
| V631 | v616 | Time for future birth | discrete | numeric | |
| V632 | v618 | Reason regrets sterilization | discrete | numeric | |
| V633 | v621 | Husbands desire for children | discrete | numeric | |
| V634 | v623 | Exposure | discrete | numeric | |
| V635 | v624 | Unmet need | discrete | numeric | |
| V636 | v625 | Exposure (definition 2) | discrete | numeric | |
| V637 | v626 | Unmet need (definition 2) | discrete | numeric | |
| V638 | v627 | Ideal number of boys | discrete | numeric | |
| V639 | v628 | Ideal number of girls | discrete | numeric | |
| V640 | v629 | Ideal number of either sex | discrete | numeric | |
| V641 | v630a | Discussed FP with partner | discrete | numeric | |
| V642 | v630b | Discussed FP with mother | discrete | numeric | |
| V643 | v630c | Discussed FP with father | discrete | numeric | |
| V644 | v630d | Discussed FP with sister(s) | discrete | numeric | |
| V645 | v630e | Discussed FP with brother(s) | discrete | numeric | |
| V646 | v630f | Discussed FP with daughter(s) | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V647 | v630g | Discussed FP with mother-inlaw | discrete | numeric | |
| V648 | v630h | Discussed FP with friends/nbrs | discrete | numeric | |
| V649 | v630i | Discussed FP with other relatives | discrete | numeric | |
| V650 | v630j | Discussed FP with doctor/nurse/midwife | discrete | numeric | |
| V651 | v630k | Discussed FP -country speci-NA | discrete | numeric | |
| V652 | v630l | Discussed FP -country speci-NA | discrete | numeric | |
| V653 | v630x | Discussed FP with others | discrete | numeric | |

# REC71

| | |
|---|---|
| Content | WOMAN - Partner's Characteristics |
| Cases | 13983 |
| Variable(s) | 28 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V654 | hhid | Case Identification | discrete | character | |
| V655 | caseid | Case Identification | discrete | character | |
| V656 | v701 | Partner's education level | discrete | numeric | |
| V657 | v702 | Highest year of education | discrete | numeric | |
| V658 | v704 | Partner's occupation | contin | numeric | |
| V659 | v705 | Partner's occupation | discrete | numeric | |
| V660 | v707 | Type of land where works | discrete | numeric | |
| V661 | v714 | Respondent currently working | discrete | numeric | |
| V662 | v715 | Husbands education-single yrs | discrete | numeric | |
| V663 | v716 | Respondent's occupation | discrete | numeric | |
| V664 | v717 | Respondent's occupation | discrete | numeric | |
| V665 | v718 | Current type of employment | discrete | numeric | |
| V666 | v719 | Work for family, others, self | discrete | numeric | |
| V667 | v720 | Earns cash for work | discrete | numeric | |
| V668 | v721 | Works at home or away | discrete | numeric | |
| V669 | v723 | Child minder | discrete | numeric | |
| V670 | v729 | Partner's educational attainm. | discrete | numeric | |
| V671 | v730 | Partners age | discrete | numeric | |
| V672 | v731 | Worked in last 12 months | discrete | numeric | |
| V673 | v732 | Employment all year/seasonal | discrete | numeric | |
| V674 | v733 | Months worked in last 12 mnths | contin | numeric | |
| V675 | v734 | Days in a week normally work | discrete | numeric | |
| V676 | v735 | Days worked in last 12 months | contin | numeric | |
| V677 | v736 | Earnings for work | contin | numeric | |
| V678 | v737 | Daily earnings for work | contin | numeric | |
| V679 | v738 | Yearly earnings for work | contin | numeric | |
| V680 | v739 | Who decides how to spend money | discrete | numeric | |
| V681 | v740 | Type of land where resp. works | discrete | numeric | |

# REC81

| | |
|---|---|
| Content | WOMAN - Characteristics of the Interview |
| Cases | 13983 |
| Variable(s) | 12 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V755 | hhid | Case Identification | discrete | character | |
| V756 | caseid | Case Identification | discrete | character | |
| V757 | v801 | Time interview started | contin | numeric | |
| V758 | v802 | Time interview ended | contin | numeric | |
| V759 | v803 | Length of interview in minutes | discrete | numeric | |
| V760 | v804 | Number of visits | discrete | numeric | |
| V761 | v805 | Interviewer identification | contin | numeric | |
| V762 | v806 | Keyer identification | discrete | numeric | |
| V763 | v811 | Pres. children < 10 (sec 5) | discrete | numeric | |
| V764 | v812 | Pres. husband (sec 5) | discrete | numeric | |
| V765 | v813 | Pres. other males (sec 5) | discrete | numeric | |
| V766 | v814 | Pres. other females (sec 5) | discrete | numeric | |

# REC82

| | |
|---|---|
| Content | WOMAN - Calendar |
| Cases | 69915 |
| Variable(s) | 4 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V767 | hhid | Case Identification | discrete | character | |
| V768 | caseid | Case Identification | discrete | character | |
| V769 | vcol | Calendar column number | discrete | numeric | |
| V770 | vcal | Calendar | discrete | character | |

# REC83

| | |
|---|---|
| Content | WOMAN - Maternal Mortality (optional) |
| Cases | 81002 |
| Variable(s) | 18 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

# Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V771 | hhid | Case Identification | discrete | character | |
| V772 | caseid | Case Identification | discrete | character | |
| V773 | mmidx | Maternal mortality index | discrete | numeric | |
| V774 | mm1 | Sex of sibling | discrete | numeric | |
| V775 | mm2 | Sibling's survival status | discrete | numeric | |
| V776 | mm3 | Sibling's current age | discrete | numeric | |
| V777 | mm4 | CMC date of birth of sibling | contin | numeric | |
| V778 | mm5 | Sibling's marital status -NA | discrete | numeric | |
| V779 | mm6 | Years ago sibling died | discrete | numeric | |
| V780 | mm7 | Sibling's age at death | discrete | numeric | |
| V781 | mm8 | CMC date of death of sibling | contin | numeric | |
| V782 | mm9 | Sibling's death & pregnancy | discrete | numeric | |
| V783 | mm10 | Death & pregnancy are related | discrete | numeric | |
| V784 | mm11 | Sibling's cause of death -NA | discrete | numeric | |
| V785 | mm12 | Time between delivery & dea-NA | discrete | numeric | |
| V786 | mm13 | Place of death -NA | discrete | numeric | |
| V787 | mm14 | Number of sibling's children | contin | numeric | |
| V788 | mm15 | Sibling's year of death | discrete | numeric | |

# REC84

| | |
|---|---|
| Content | WOMAN - Maternal Mortality (optional) |
| Cases | 13983 |
| Variable(s) | 6 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

# Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V789 | hhid | Case Identification | discrete | character | |
| V790 | caseid | Case Identification | discrete | character | |
| V791 | mmc1 | Number of siblings of resp. | contin | numeric | |
| V792 | mmc2 | Preceeding births before resp. | discrete | numeric | |
| V793 | mmc3 | Sister's reporting -NA | discrete | numeric | |
| V794 | mmc5 | Cut off age | discrete | numeric | |

# REC91

| | |
|---|---|
| Content | WOMAN - Country specific - Single Variables |
| Cases | 119059 |
| Variable(s) | 129 |
| Structure | Type: <br> Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V795 | hhid | Case Identification | discrete | character | |
| V796 | caseid | Case Identification | discrete | character | |
| V797 | sprov | Province | discrete | numeric | |
| V798 | sctymun | City/Municipality | contin | numeric | |
| V799 | sbarang | Barangay | contin | numeric | |
| V800 | sseqnum | Household sequential number | contin | numeric | |
| V801 | splocal | City/Town/Countryside : NSO definition | discrete | numeric | |
| V802 | slquest | Language of questionnaire | discrete | numeric | |
| V803 | slinter | Language of interview | discrete | numeric | |
| V804 | slresp | Language of respondent | discrete | numeric | |
| V805 | stransl | Translator used | discrete | numeric | |
| V806 | s107 | Highest grade at that level | discrete | numeric | |
| V807 | s208 | Terminated pregnancies | discrete | numeric | |
| V808 | s209 | Number of terminated pregnancies | discrete | numeric | |
| V809 | s210 | Total children ever born + terminated pregnancies | discrete | numeric | |
| V810 | s309 | First method used | discrete | numeric | |
| V811 | s316 | Current contraceptive method | discrete | numeric | |
| V812 | s322a | Price pills: 10 pesos | discrete | numeric | |
| V813 | s322b | Price pills: 25 pesos | discrete | numeric | |
| V814 | s322c | Price pills: 50 pesos | discrete | numeric | |
| V815 | s322d | Price pills: 75 pesos | discrete | numeric | |
| V816 | s322e | Price pills: 100 pesos | discrete | numeric | |
| V817 | s322f | Price pills: 150 pesos | discrete | numeric | |
| V818 | s322g | Price pills: 200 pesos | discrete | numeric | |
| V819 | s322h | Price pills: 300 pesos | discrete | numeric | |
| V820 | s322i | Price pills: > 300 pesos | discrete | numeric | |
| V821 | s323 | Price paid for method | discrete | numeric | |
| V822 | s324a | Price method: 10 pesos | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|--------|-------------------------------------------------------|----------|---------|----------|
| V823 | s324b | Price method: 20 pesos | discrete | numeric | |
| V824 | s324c | Price method: 30 pesos | discrete | numeric | |
| V825 | s324d | Price method: 50 pesos | discrete | numeric | |
| V826 | s324e | Price method: 100 pesos | discrete | numeric | |
| V827 | s324f | Price method: 250 pesos | discrete | numeric | |
| V828 | s324g | Price method: 500 pesos | discrete | numeric | |
| V829 | s324h | Price method: 750 pesos | discrete | numeric | |
| V830 | s324i | Price method: 1000 pesos | discrete | numeric | |
| V831 | s324j | Price method: > 1000 pesos | discrete | numeric | |
| V832 | s328 | Cost of sterilization | discrete | numeric | |
| V833 | s334 | Travel time to source in minutes | discrete | numeric | |
| V834 | s335 | Easy/difficult to get to source | discrete | numeric | |
| V835 | s336 | Satisfied with service at source | discrete | numeric | |
| V836 | s337a | Not satisfied: cost too much | discrete | numeric | |
| V837 | s337b | Not satisfied: not easily accessible | discrete | numeric | |
| V838 | s337c | Not satisfied: time open not convenient | discrete | numeric | |
| V839 | s337d | Not satisfied: days open not convenient | discrete | numeric | |
| V840 | s337e | Not satisfied: staff not pleasant/friendly | discrete | numeric | |
| V841 | s337f | Not satisfied: method not available | discrete | numeric | |
| V842 | s337g | Not satisfied: service takes too much time | discrete | numeric | |
| V843 | s337x | Not satisfied: other | discrete | numeric | |
| V844 | s338 | Who referred to source | discrete | numeric | |
| V845 | s339 | Problems with method | discrete | numeric | |
| V846 | s340 | Main problem with method | discrete | numeric | |
| V847 | s342a | Another place at time of sterilization | discrete | numeric | |
| V848 | s347a | Source FP: government hospital | discrete | numeric | |
| V849 | s347b | Source FP: rural/urban health center | discrete | numeric | |
| V850 | s347c | Source FP: barangay health station | discrete | numeric | |
| V851 | s347d | Source FP: Barangay supply/service point officer/BHW | discrete | numeric | |
| V852 | s347e | Source FP: other public | discrete | numeric | |
| V853 | s347f | Source FP: private hospital/clinic | discrete | numeric | |
| V854 | s347g | Source FP: private doctor | discrete | numeric | |
| V855 | s347h | Source FP: private nurse/midwife | discrete | numeric | |
| V856 | s347i | Source FP: pharmacy | discrete | numeric | |
| V857 | s347j | Source FP: store | discrete | numeric | |
| V858 | s347k | Source FP: NGO | discrete | numeric | |
| V859 | s347l | Source FP: industry-based clinic | discrete | numeric | |
| V860 | s347m | Source FP: other private medical | discrete | numeric | |
| V861 | s347n | Source FP: puericulture center | discrete | numeric | |
| V862 | s347o | Source FP: church | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V863 | s347p | Source FP: friend/relative | discrete | numeric | |
| V864 | s347q | Source FP: other | discrete | numeric | |
| V865 | s347z | Source FP: don't know | discrete | numeric | |
| V866 | s351 | Pap smear in past 5 years | discrete | numeric | |
| V867 | s352 | Had breast examined within last month | discrete | numeric | |
| V868 | s480 | Ever seen ORESOL packet | discrete | numeric | |
| V869 | s481 | Ever prepared ORESOL | discrete | numeric | |
| V870 | s482 | Used whole ORESOL packet | discrete | numeric | |
| V871 | s483 | Water used with ORESOL | discrete | numeric | |
| V872 | s484a | Sought treatment: govt. hospital/clinic/CHHC | discrete | numeric | |
| V873 | s484b | Sought treatment: rural health unit/urban health center | discrete | numeric | |
| V874 | s484c | Sought treatment: barangay health station | discrete | numeric | |
| V875 | s484d | Sought treatment: comm. health worker | discrete | numeric | |
| V876 | s484e | Sought treatment: other public | discrete | numeric | |
| V877 | s484f | Sought treatment: private hospital/clinic/CHHC | discrete | numeric | |
| V878 | s484g | Sought treatment: pharmacy | discrete | numeric | |
| V879 | s484h | Sought treatment: priv. doctor/midwife/nurse | discrete | numeric | |
| V880 | s484i | Sought treatment: store | discrete | numeric | |
| V881 | s484j | Sought treatment: industry based clinic | discrete | numeric | |
| V882 | s484k | Sought treatment: boy/girl scouts | discrete | numeric | |
| V883 | s484l | Sought treatment: jaycees | discrete | numeric | |
| V884 | s484m | Sought treatment: other private | discrete | numeric | |
| V885 | s485 | Drinking pattern with diarrhea | discrete | numeric | |
| V886 | s486 | Eating pattern with diarrhea | discrete | numeric | |
| V887 | s508 | Days apart during last 4 weeks | contin | numeric | |
| V888 | s513m | Date of current union (month) | discrete | numeric | |
| V889 | s513y | Date of current union (year) | discrete | numeric | |
| V890 | s513c | Date of current union (CMC) | contin | numeric | |
| V891 | s513f | Date flag for S513C | discrete | numeric | |
| V892 | s514 | Age at current union | discrete | numeric | |
| V893 | s514c | Age at current union (calculated) | contin | numeric | |
| V894 | s516 | Times had sex in last 4 weeks | discrete | numeric | |
| V895 | s609 | Method intend to use | discrete | numeric | |
| V896 | s610 | Willing to pay for method | discrete | numeric | |
| V897 | s611a | Willing to pay: 10 pesos | discrete | numeric | |
| V898 | s611b | Willing to pay: 20 pesos | discrete | numeric | |
| V899 | s611c | Willing to pay: 25 pesos | discrete | numeric | |
| V900 | s611d | Willing to pay: 30 pesos | discrete | numeric | |
| V901 | s611e | Willing to pay: 50 pesos | discrete | numeric | |
| V902 | s611f | Willing to pay: 75 pesos | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V903 | s611g | Willing to pay: 100 pesos | discrete | numeric | |
| V904 | s611h | Willing to pay: 150 pesos | discrete | numeric | |
| V905 | s611i | Willing to pay: 200 pesos | discrete | numeric | |
| V906 | s611j | Willing to pay: 300 pesos | discrete | numeric | |
| V907 | s611k | Willing to pay: 500 pesos | discrete | numeric | |
| V908 | s611l | Willing to pay: 750 pesos | discrete | numeric | |
| V909 | s611m | Willing to pay: 1000 pesos | discrete | numeric | |
| V910 | s611n | Willing to pay: 1000 pesos | discrete | numeric | |
| V911 | s611o | Willing to pay: 2000 pesos | discrete | numeric | |
| V912 | s611p | Willing to pay: 3000 pesos | discrete | numeric | |
| V913 | s611q | Willing to pay: > 3000 pesos | discrete | numeric | |
| V914 | s619 | Seen 'Kung sila'y mahal n'ya, magplano? | discrete | numeric | |
| V915 | s620 | What does slogan mean | discrete | numeric | |
| V916 | s704 | Partners highest grade | discrete | numeric | |
| V917 | s707 | Partner works on his own land | discrete | numeric | |
| V918 | s520 | Age at first menstrual period | contin | numeric | |
| V919 | rec91_group | Item created from ISSA Group | discrete | character | |
| V920 | s301 | Contraceptive method | discrete | numeric | |
| V921 | s302 | Heard of method | discrete | numeric | |
| V922 | s303 | Ever used method | discrete | numeric | |
| V923 | s304 | Where to obtain or get advice | discrete | numeric | |

# REC92

| | |
|---|---|
| Content | WOMAN - Country specific - Births |
| Cases | 35599 |
| Variable(s) | 25 |
| Structure | Type: <br> Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V924 | hhid | Case Identification | discrete | character | |
| V925 | caseid | Case Identification | discrete | character | |
| V926 | idx92 | Index to birth history | discrete | numeric | |
| V927 | s215 | Single or Multiple Pregnancy | discrete | numeric | |
| V928 | s216 | Outcome of pregnancy | discrete | numeric | |
| V929 | s217 | Baby cried, moved or breathed | discrete | numeric | |
| V930 | s219 | Sex of child | discrete | numeric | |
| V931 | s220m | Month of birth | discrete | numeric | |
| V932 | s220y | Year of birth | discrete | numeric | |
| V933 | s221 | Child is still alive | discrete | numeric | |
| V934 | s222 | Current age of child | discrete | numeric | |
| V935 | s223 | Child living with respondent | discrete | numeric | |
| V936 | s224u | Age at death (units) | discrete | numeric | |
| V937 | s224n | Age at death (number) | contin | numeric | |
| V938 | s225m | Month of end of pregnancy | discrete | numeric | |
| V939 | s225y | Year of end of pregnancy | discrete | numeric | |
| V940 | s226 | Duration of pregnancy (complete months) | contin | numeric | |
| V941 | s227 | Pregnancy ended intentionally | discrete | numeric | |
| V942 | s228 | Birth interval >= 4 years | discrete | numeric | |
| V943 | s229 | Live birth between births | discrete | numeric | |
| V944 | s220c | Date of birth of child or end of pregnancy (CMC) | contin | numeric | |
| V945 | s220f | Date flag for Q220F | discrete | numeric | |
| V946 | s224c | Age at death in months (imputed) | contin | numeric | |
| V947 | s224f | Date flag for Q224F | discrete | numeric | |
| V948 | bidx92 | Index to birth history | discrete | numeric | |

# REC94

| | |
|---|---|
| Content | WOMAN - Country specific - Maternity |
| Cases | 8083 |
| Variable(s) | 75 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

## Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V949 | hhid | Case Identification | discrete | character | |
| V950 | caseid | Case Identification | discrete | character | |
| V951 | idx94 | Index to birth history | discrete | numeric | |
| V952 | s408 | First seen during pregnancy | discrete | numeric | |
| V953 | s411 | Informed about dangerous symptoms | discrete | numeric | |
| V954 | s412a | Symptoms during pregnancy: vaginal bleeding | discrete | numeric | |
| V955 | s412b | Symptoms during pregnancy: headache,dizziness,blurred vision | discrete | numeric | |
| V956 | s412c | Symptoms during pregnancy: swollen face and/or hands | discrete | numeric | |
| V957 | s412d | Symptoms during pregnancy: pale or anemic | discrete | numeric | |
| V958 | s412e | Symptoms during pregnancy: can't remember | discrete | numeric | |
| V959 | s412x | Symptoms during pregnancy: other | discrete | numeric | |
| V960 | s413a | Iron tab./caps. during pregnancy | discrete | numeric | |
| V961 | s413b | Iodine capsules during pregnancy | discrete | numeric | |
| V962 | s415a | Tetanus during prev. pregn. | discrete | numeric | |
| V963 | s415b | Previous tetanus injections | discrete | numeric | |
| V964 | s419a | Reason for ceasarian section | discrete | numeric | |
| V965 | s422a | Postnatal check-up: doctor | discrete | numeric | |
| V966 | s422b | Postnatal check-up: nurse | discrete | numeric | |
| V967 | s422c | Postnatal check-up: midwife | discrete | numeric | |
| V968 | s422d | Postnatal check-up: hilot | discrete | numeric | |
| V969 | s422e | Postnatal check-up: relative/friend | discrete | numeric | |
| V970 | s422x | Postnatal check-up: other | discrete | numeric | |
| V971 | s422y | Postnatal check-up: no one | discrete | numeric | |
| V972 | s423 | Timing postnatal care after birth | discrete | numeric | |
| V973 | s424a | Received: abdominal exam | discrete | numeric | |
| V974 | s424b | Received: breast exam | discrete | numeric | |
| V975 | s424c | Received: internal exam | discrete | numeric | |
| V976 | s424d | Received: family planning advice | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V977 | s424e | Received: breastfeeding advice | discrete | numeric | |
| V978 | s424f | Received: baby care advice | discrete | numeric | |
| V979 | s424g | Received: check-up of baby | discrete | numeric | |
| V980 | s424h | Received: other | discrete | numeric | |
| V981 | s432 | Why did you not breastfeed | discrete | numeric | |
| V982 | s441 | Given other food or liquids | discrete | numeric | |
| V983 | s442 | Age at introduction of other food /liquids | contin | numeric | |
| V984 | s457b | BCG before first birthday | discrete | numeric | |
| V985 | s457e | Third polio before first birthday | discrete | numeric | |
| V986 | s457h | Third DPT after first birthday | discrete | numeric | |
| V987 | s457k | Measles before first birthday | discrete | numeric | |
| V988 | s457n | Card: all vaccinations within first year | discrete | numeric | |
| V989 | s457ra | No/incomplete vacc: unaware of needs for immunization | discrete | numeric | |
| V990 | s457rb | No/incomplete vacc: unaware of need to return | discrete | numeric | |
| V991 | s457rc | No/incomplete vacc: fear of side reactions etc | discrete | numeric | |
| V992 | s457rd | No/incomplete vacc: postponed until another time | discrete | numeric | |
| V993 | s457re | No/incomplete vacc: no faith in immunization | discrete | numeric | |
| V994 | s457rf | No/incomplete vacc: rumors | discrete | numeric | |
| V995 | s457rg | No/incomplete vacc: place of immunization too far | discrete | numeric | |
| V996 | s457rh | No/incomplete vacc: time for immunization inconvenient | discrete | numeric | |
| V997 | s457ri | No/incomplete vacc: vaccinator absent | discrete | numeric | |
| V998 | s457rj | No/incomplete vacc: mother too busy | discrete | numeric | |
| V999 | s457rk | No/incomplete vacc: family problem/illness of mother | discrete | numeric | |
| V1000 | s457rl | No/incomplete vacc: child ill, not brought | discrete | numeric | |
| V1001 | s457rm | No/incomplete vacc: child ill, brought but not immunizated | discrete | numeric | |
| V1002 | s457rn | No/incomplete vacc: long waiting time | discrete | numeric | |
| V1003 | s457rx | No/incomplete vacc: other | discrete | numeric | |
| V1004 | s457t | Hepatitis B vaccination | discrete | numeric | |
| V1005 | s457u | Number of Hepatities B vaccinations | discrete | numeric | |
| V1006 | s458a | Last 6 months: vitamin A | discrete | numeric | |
| V1007 | s458b | Last 6 months: iodine | discrete | numeric | |
| V1008 | s458c | Last 6 months: iron | discrete | numeric | |
| V1009 | s464a | Treat cough: injection | discrete | numeric | |
| V1010 | s464b | Treat cough: antibiotic (pill or syrup) | discrete | numeric | |
| V1011 | s464c | Treat cough: cough syrup | discrete | numeric | |
| V1012 | s464d | Treat cough: other pill or syrup | discrete | numeric | |
| V1013 | s464e | Treat cough: unknown pill or syrup | discrete | numeric | |
| V1014 | s464f | Treat cough: home remedy/herbal medicine | discrete | numeric | |
| V1015 | s464x | Treat cough: other | discrete | numeric | |
| V1016 | s464y | Treat cough: nothing given | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V1017 | s468 | Number of breasfeeds during diarrhea | discrete | numeric | |
| V1018 | s470 | Drinking pattern with diarrhea | discrete | numeric | |
| V1019 | s471 | Eating pattern with diarrhea | discrete | numeric | |
| V1020 | s472f | Rice/corn coffee | discrete | numeric | |
| V1021 | s472g | Coconut water/broth/soups | discrete | numeric | |
| V1022 | s472h | Water | discrete | numeric | |
| V1023 | s472i | Other liquid | discrete | numeric | |

## SEC1

| | |
|---|---|
| Content | Wealth Index |
| Cases | 12407 |
| Variable(s) | 3 |
| Structure | Type:<br>Keys: () |
| Version | |
| Producer | |
| Missing Data | |

# Variables

| ID | Name | Label | Type | Format | Question |
|---|---|---|---|---|---|
| V1024 | whhid | Household ID | discrete | character | |
| V1025 | wlthindf | Wealth Index from factor scores | contin | numeric | |
| V1026 | wlthind5 | Quintiles of wealth index | discrete | numeric | |

# Case Identification (hhid)
## File: RECH0

**Overview**

Type: Discrete
Format: character
Width: 7

# Country code and phase (hv000)
## File: RECH0

**Overview**

Type: Discrete
Format: character
Width: 3

# Cluster number (hv001)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-755

# Household number (hv002)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1-1855

# Respondent's line number (hv003)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-13

# Ultimate area unit (hv004)
## File: RECH0

**Overview**

## Ultimate area unit (hv004)
## File: RECH0

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-755

## Sample weight (hv005)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 0-1919532

## Month of interview (hv006)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

## Year of interview (hv007)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 98-98

## Date of interview (CMC) (hv008)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1177-1181

# Number of household members (hv009)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-23

# Number of eligible women in HH (hv010)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

# Number of eligible men in H-NA (hv011)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Number of de jure members (hv012)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-23

# Number of de facto members (hv013)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-21

# Number of children 5 and under (hv014)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

# Result of household interview (hv015)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Day of interview (hv016)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

# Number of visits (hv017)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

# Interviewer identification (hv018)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

# Keyer identification (hv019)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-18

# Ever-married sample (hv020)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Primary sampling unit (hv021)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-755

# Sample stratum number (hv022)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-355

# Sample domain (hv023)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

# Region (hv024)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

# Type of place of residence (hv025)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

# Place of residence (hv026)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

# Selection for male/husb. int. (hv027)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

# Sample weight for male subs (hv028)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

# Field supervisor (hv030)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# Field editor (hv031)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Office editor (hv032)
## File: RECH0

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-18

# Ultimate area selection prob. (hv033)
## File: RECH0

**Overview**

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 251248-11448020

# Case Identification (hhid)
## File: RECH1

**Overview**

Type: Discrete
Format: character
Width: 7

# Line number (hvidx)
## File: RECH1

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-23

# Relationship to head (hv101)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# Usual resident (hv102)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Slept last night (hv103)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Sex of household member (hv104)
## File: RECH1

# Sex of household member (hv104)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Age of household members (hv105)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Highest educational level (hv106)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Highest year of education (hv107)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Education in single years (hv108)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Educational attainment (hv109)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Member still in school (hv110)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Mother alive -NA (hv111)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Mother's line number -NA (hv112)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Father alive -NA (hv113)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Father's line number -NA (hv114)
## File: RECH1

## Father's line number -NA (hv114)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Current marital status -NA (hv115)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Currently, formerly, never -NA (hv116)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Eligibility for female intview (hv117)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Eligibility for male interv-NA (hv118)
## File: RECH1

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Case Identification (hhid)
File: RECH2

**Overview**

Type: Discrete
Format: character
Width: 7

## Source of drinking water (hv201)
File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

## Source of non-drinking wate-NA (hv202)
File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Same source of water -NA (hv203)
File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Time to get to water source (hv204)
File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-999

## Type of toilet facility (hv205)
File: RECH2

**Overview**

## Type of toilet facility (hv205)
## File: RECH2

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

## Has electricity (hv206)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Has radio (hv207)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Has television (hv208)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Has refrigerator (hv209)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Has bicycle (hv210)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Has motorcycle (hv211)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Has car (hv212)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Main floor material (hv213)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

# Main wall material -NA (hv214)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Main roof material -NA (hv215)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Rooms for sleeping (hv216)
## File: RECH2

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Relationship structure (hv217)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

# Line number of head of househ. (hv218)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

# Sex of head of household (hv219)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

## Age of head of household (hv220)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

## Has telephone (hv221)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Type of salt used for cooking (hv222)
## File: RECH2

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Case Identification (hhid)
## File: RECH3

### Overview

Type: Discrete
Format: character
Width: 7

## Province (shprov)
## File: RECH3

### Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

## City/municipality (shctymun)
## File: RECH3

### Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-52

## Barangay (shbarang)
## File: RECH3

### Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 11-9504

## NDHS household sequential number (shseqnum)
## File: RECH3

### Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1-1293

## City/Town/Countryside : NSO definition (shplocal)
## File: RECH3

# City/Town/Countryside : NSO definition (shplocal)
## File: RECH3

### Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

# Household result code (shresult)
## File: RECH3

### Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-10

# Language of household question (shlquest)
## File: RECH3

### Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

# Treat drink. water: boiling (sh16a)
## File: RECH3

### Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Treat drink. water: chlorinat. (sh16b)
## File: RECH3

### Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Treat drink. water: filtering (sh16c)
## File: RECH3

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Treat drink. water: other (sh16x)
## File: RECH3

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Treat drink. water: no treatment (sh16y)
## File: RECH3

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Household owns boat (sh21d)
## File: RECH3

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Household owns tractor (sh21e)
## File: RECH3

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Iodine reading (ppm) of salt (sh23)
# File: RECH3

## Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Case Identification (hhid)
## File: RECH4

**Overview**

Type: Discrete
Format: character
Width: 7

# Index to household schedule (idxh4)
## File: RECH4

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-23

# Highest grade/year completed (sh09)
## File: RECH4

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# At birth, mothers province of (sh11)
## File: RECH4

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Residence in January 1993 (sh12)
## File: RECH4

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Case Identification (hhid)
## File: REC01

**Overview**

Type: Discrete
Format: character
Width: 7

## Case Identification (caseid)
## File: REC01

**Overview**

Type: Discrete
Format: character
Width: 10

## Country code and phase (v000)
## File: REC01

**Overview**

Type: Discrete
Format: character
Width: 3

## Cluster number (v001)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-755

## Household number (v002)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1-1845

## Respondent's line number (v003)
## File: REC01

**Overview**

# Respondent's line number (v003)
## File: REC01

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-22

# Ultimate area unit (v004)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-755

# Sample weight (v005)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 0-1891594

# Month of interview (v006)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 3-5

# Year of interview (v007)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 98-98

# Date of interview (CMC) (v008)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1179-1181

# Respondent's month of birth (v009)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

# Respondent's year of birth (v010)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 48-83

# Date of birth (CMC) (v011)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 580-1000

# Current age - respondent (v012)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 15-49

# Age 5-year groups (v013)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

# Completeness of information (v014)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

# Result of individual interview (v015)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

# Day of interview (v016)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

# CMC start of calendar (v017)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1117-1117

# Row of month of interview (v018)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-18

# Length of calendar (v019)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-65

# Ever-married sample (v020)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Primary sampling unit (v021)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-755

# Sample stratum number (v022)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-355

# Sample domain (v023)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

# Region (v024)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

# Type of place of residence (v025)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

# De facto place of residence (v026)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

# Number of visits (v027)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

## Interviewer identification (v028)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

## Keyer identification (v029)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-18

## Field supervisor (v030)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

## Field editor (v031)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

## Office editor (v032)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-18

# Ultimate area selection prob. (v033)
## File: REC01

**Overview**

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 251248-11448020

# Line number of husband -NA (v034)
## File: REC01

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Case Identification (hhid)
## File: REC11

**Overview**

Type: Discrete
Format: character
Width: 7

## Case Identification (caseid)
## File: REC11

**Overview**

Type: Discrete
Format: character
Width: 10

## Region (v101)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

## Type of place of residence (v102)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

## Childhood place of residenc-NA (v103)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Years lived in place of res. (v104)
## File: REC11

**Overview**

# Years lived in place of res. (v104)
## File: REC11

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Type of place of previous res. (v105)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Highest educational level (v106)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

# Highest year of education (v107)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

# Literacy (v108)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Reads newspaper once a week (v109)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Watches TV every week (v110)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Listens to radio every day (v111)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Listens to radio every week-NA (v112)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Source of drinking water (v113)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

# Source of non-drinking wate-NA (v114)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Time to get to water source (v115)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-999

# Type of toilet facility (v116)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

# Has electricity (v119)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Has radio (v120)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Has television (v121)
# File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Has refrigerator (v122)
# File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Has bicycle (v123)
# File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Has motorcycle (v124)
# File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Has car (v125)
# File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Main floor material (v127)
## File: REC11

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

# Main wall material -NA (v128)
## File: REC11

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Main roof material -NA (v129)
## File: REC11

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Religion (v130)
## File: REC11

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Ethnicity (v131)
## File: REC11

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# Education in single years (v133)
## File: REC11

# Education in single years (v133)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-97

# De facto place of residence (v134)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

# Usual resident or visitor (v135)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Number of household members (v136)
## File: REC11

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-23

# Number of children 5 and under (v137)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

# Number of eligible women in HH (v138)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

# De jure region of residence (v139)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

# De jure type of place of res. (v140)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

# De jure place of residence (v141)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

# Same source of water -NA (v142)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Communities lived in >Jan. 93? (v144)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Respondent still in school (v148)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Educational attainment (v149)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

# Relationship to household head (v150)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# Sex of household head (v151)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

## Age of household head (v152)
## File: REC11

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

## Has telephone (v153)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Reason stop attending school (v154)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

## All woman factor - total (awfactt)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

## All woman factor - urban/rural (awfactu)
## File: REC11

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

# All woman factor - regional (awfactr)
# File: REC11

## Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

# All woman factor - educational (awfacte)
# File: REC11

## Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

# Case Identification (hhid)
## File: REC21

**Overview**

Type: Discrete
Format: character
Width: 7

# Case Identification (caseid)
## File: REC21

**Overview**

Type: Discrete
Format: character
Width: 10

# Birth column number (bidx)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

# Birth order number (bord)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

# Child is twin (b0)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

# Month of birth (b1)
## File: REC21

**Overview**

# Month of birth (b1)
## File: REC21

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

# Year of birth (b2)
## File: REC21

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 60-98

# Date of birth (CMC) (b3)
## File: REC21

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 732-1180

# Sex of child (b4)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

# Child is alive (b5)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Age at death (b6)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

# Age at death (months-imputed) (b7)
## File: REC21

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-348

# Current age of child (b8)
## File: REC21

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-37

# Who child lives with (b9)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

# Completeness of information (b10)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

## Preceding birth interval (b11)
## File: REC21

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 6-256

## Succeeding birth interval (b12)
## File: REC21

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 6-256

## Flag for age at death (b13)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

## Birth interval >= 4 years (b14)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Live birth between births (b15)
## File: REC21

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Case Identification (hhid)
## File: REC22

**Overview**

Type: Discrete
Format: character
Width: 7

## Case Identification (caseid)
## File: REC22

**Overview**

Type: Discrete
Format: character
Width: 10

## Total children ever born (v201)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

## Sons at home (v202)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

## Daughters at home (v203)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

## Sons elsewhere (v204)
## File: REC22

**Overview**

# Sons elsewhere (v204)
## File: REC22

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

# Daughters elsewhere (v205)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

# Sons who have died (v206)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

# Daughters who have died (v207)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

# Births in last five years (v208)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

# Births in past year (v209)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

# Births in month of interview (v210)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Date of first birth (CMC) (v211)
## File: REC22

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 732-1180

# Age of respondent at 1st birth (v212)
## File: REC22

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 10-43

# Currently pregnant (v213)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Duration of current pregnancy (v214)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Time since last menstrual perd (v215)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

# Menstruated in last six weeks (v216)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Knowledge of ovulatory cycle (v217)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Number of living children (v218)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

# Living children + current preg (v219)
## File: REC22

### Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

# Living children + curr preg 6+ (v220)
## File: REC22

### Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

# Marriage to first birth int. (v221)
## File: REC22

### Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-996

# Last birth to interview (v222)
## File: REC22

### Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-335

# Completeness of curr preg. inf (v223)
## File: REC22

### Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

# Entries in birth history (v224)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

# Current pregnancy wanted (v225)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Time since last period (comp) (v226)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

# Flag for last period (v227)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Ever had a terminated preg. (v228)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Month pregnancy ended (v229)
## File: REC22

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# Year pregnancy ended (v230)
## File: REC22

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1966-9998

# CMC pregnancy ended (v231)
## File: REC22

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 796-9998

# Completeness of last term. inf (v232)
## File: REC22

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

# Months when pregnancy ended (v233)
## File: REC22

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

## Other such pregnancies (v234)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Index last child prior to cal. (v235)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

## Last birth interval >= 4 years (v236)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Birth between last & interview (v237)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Births in last three years (v238)
## File: REC22

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

# Case Identification (hhid)
## File: REC31

**Overview**

Type: Discrete
Format: character
Width: 7

# Case Identification (caseid)
## File: REC31

**Overview**

Type: Discrete
Format: character
Width: 10

# Knowledge of any method (v301)
## File: REC31

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

# Ever use of any method (v302)
## File: REC31

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Contraceptive Table (rec31_group)
## File: REC31

**Overview**

Type: Discrete
Format: character
Width: 3

# Type of method (v304a)
## File: REC31

**Overview**

# Type of method (v304a)
# File: REC31

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

# Knows method (v304)
# File: REC31

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Ever used method (v305)
# File: REC31

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Case Identification (hhid)
## File: REC32

**Overview**

Type: Discrete
Format: character
Width: 7

## Case Identification (caseid)
## File: REC32

**Overview**

Type: Discrete
Format: character
Width: 10

## Living children at first use (v310)
## File: REC32

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Children at first use (grpd) (v311)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Current contraceptive method (v312)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

## Current use by method type (v313)
## File: REC32

**Overview**

# Current use by method type (v313)
## File: REC32

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

# Method of periodic abstinence (v314)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

# Month of sterilization (v315)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

# Year of sterilization (v316)
## File: REC32

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 72-98

# Date of sterilization (CMC) (v317)
## File: REC32

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 875-1178

## Completeness of information (v318)
## File: REC32

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

## Years since sterilization (v319)
## File: REC32

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

## Age at sterilization (v320)
## File: REC32

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

## Marital duration at steriliz. (v321)
## File: REC32

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

## Parity at sterilization (v322)
## File: REC32

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

## Brand of pill used (v323)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

## Cost of pills (v325)
## File: REC32

**Overview**

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 0-999999

## Last source for current users (v326)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

## Last source for users by type (v327)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

## Main reason use current source (v328)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Months of use of current meth (v337)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

# Last method disc. last 5 years (v359)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-15

# Reason of last discontinuation (v360)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# Pattern of use (v361)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

# Intention to use (v362)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Preferred future method (v363)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# Contraceptive use & intention (v364)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

# Acceptability of radio message (v366a)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Acceptability of TV message (v366b)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Wanted last child (v367)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

## First method used (v369)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## First use to space or limit-NA (v369b)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Shown pill package (v372)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Main reason not using a method (v375a)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

## Main reason not to use a meth. (v376)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

# Would ever use method if marr. (v376a)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source known for any method (v379)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

# Source known for any method (v380)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Heard FP on radio last months (v384a)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Heard FP on TV last months (v384b)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Heard FP newspaper last months (v384c)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Heard FP on poster last months (v384d)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Heard FP brochures last months (v384e)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Visited by FP worker last 12m (v393)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Visited health facil. last 12m (v394)
## File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## At health facility, told of FP (v395)
File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Breastfeeding affect pregna-NA (v396)
File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Pregnancy risk of breastfee-NA (v397)
File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Relied breastfeed. avoid pr-NA (v398)
File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Currently rely on breastfee-NA (v399)
File: REC32

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Case Identification (hhid)
## File: REC41

**Overview**

Type: Discrete
Format: character
Width: 7

# Case Identification (caseid)
## File: REC41

**Overview**

Type: Discrete
Format: character
Width: 10

# Index to birth history (midx)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

# Tetanus injections bef. birth (m1)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Prenatal: doctor (m2a)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Prenatal: nurse/midwife -NA (m2b)
## File: REC41

**Overview**

# Prenatal: nurse/midwife -NA (m2b)
## File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Prenatal: auxiliary midwife-NA (m2c)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Prenatal: CS health prof.: nurse (m2d)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Prenatal: CS health prof.:midwife (m2e)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Prenatal: trained birth att-NA (m2f)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Prenatal: trad.birth attendant (m2g)
## File: REC41

**Overview**

# Prenatal: trad.birth attendant (m2g)
## File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Prenatal: relative -NA (m2h)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Prenatal: CS other person -NA (m2i)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Prenatal: CS other person -NA (m2j)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Prenatal: other resp (uncoded) (m2k)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Prenatal: CS other -NA (m2l)
## File: REC41

**Overview**

# Prenatal: CS other -NA (m2l)
## File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Prenatal: CS other -NA (m2m)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Prenatal: no one (m2n)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Assistance: doctor (m3a)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Assistance: nurse/midwife -NA (m3b)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Assistance: auxiliary midwi-NA (m3c)
## File: REC41

**Overview**

# Assistance: auxiliary midwi-NA (m3c)
## File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Assistance: CS health prof.:nurse (m3d)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Assistance: CS health prof.:midwife (m3e)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Assistance: trained birth a-NA (m3f)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Assistance: trad.birth attend (m3g)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Assistance: relative, friend (m3h)
## File: REC41

**Overview**

# Assistance: relative, friend (m3h)
## File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Assistance: CS other person-NA (m3i)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Assistance: CS other person-NA (m3j)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Assistance: other resp (uncod) (m3k)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Assistance: CS other -NA (m3l)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Assistance: CS other -NA (m3m)
## File: REC41

**Overview**

## Assistance: CS other -NA (m3m)
## File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Assistance: no one (m3n)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Duration of breastfeeding (m4)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Months of breastfeeding (m5)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Duration of amenorrhea (m6)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Months of amenorrhea (m7)
## File: REC41

# Months of amenorrhea (m7)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Duration of abstinence (m8)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Months of abstinence (m9)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Time wanted pregnancy (m10)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Time would have waited (m11)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-999

# Timing of 1st antenatal check (m13)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Antenatal visits for pregnancy (m14)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Place of delivery (m15)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

# Delivery by caesarian section (m17)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Size of child at birth (m18)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

## Birth weight (kilos - 3 dec.) (m19)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 595-9999

## Weight at birth recall (m19a)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Reason stopped breastfeeding (m21)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

## Flag for breastfeeding (m27)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

## Flag for amenorrhea (m28)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

## Flag for abstinence (m29)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

## At birth - prolonged labor (m30)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## At birth - excessive bleeding (m31)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## At birth - high fever/discharg (m32)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## At birth - convulsions (m33)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# When child put to breast (m34)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

# Times breastfed during night (m35)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Times breastfed during day (m36)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Gave child plain water (m37a)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child sugar water (m37b)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child juice (m37c)
## File: REC41

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child herbal tea -NA (m37d)
## File: REC41

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Gave child powder/tinned milk (m37e)
## File: REC41

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child baby formula (m37f)
## File: REC41

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child fresh milk -NA (m37g)
## File: REC41

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Country specific other liqu-NA (m37h)
## File: REC41

# Country specific other liqu-NA (m37h)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Country specific other liqu-NA (m37i)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Country specific other liqu-NA (m37j)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Country specific other liqu-NA (m37k)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Gave child other liquid (m37l)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Country specific other food-NA (m37m)
## File: REC41

**Overview**

## Country specific other food-NA (m37m)
## File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Country specific other food-NA (m37n)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Country specific other food-NA (m37o)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Other solid, semi-solid foods (m37p)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Food made from local grain (m37q)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Food made from local tuber (m37r)
## File: REC41

**Overview**

# Food made from local tuber (m37r)
## File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child eggs, fish, poultry (m37s)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child meat -NA (m37t)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Drank from bottle with nipple (m38)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Times ate other food yesterday (m39)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Last 7 days - plain water -NA (m40a)
## File: REC41

## Last 7 days - plain water -NA (m40a)
## File: REC41

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Last 7 days - milk -NA (m40b)
## File: REC41

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Last 7 days - other liquids-NA (m40c)
## File: REC41

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Last 7 days - local grain f-NA (m40d)
## File: REC41

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Last 7 days - local tuber f-NA (m40e)
## File: REC41

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Last 7 days - egg/fish/poul-NA (m40f)
## File: REC41

| Overview |
| --- |

# Last 7 days - egg/fish/poul-NA (m40f)
## File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Last 7 days - meat -NA (m40g)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Last 7 days - other solid f-NA (m40h)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Last 7 days - country speci-NA (m40i)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Last 7 days - country speci-NA (m40j)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Last 7 days - country speci-NA (m40k)
## File: REC41

**Overview**

# Last 7 days - country speci-NA (m40k)
## File: REC41

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Last 7 days - country speci-NA (m40l)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Last 7 days - country speci-NA (m40m)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Last 7 days - country speci-NA (m40n)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Last 7 days - country speci-NA (m40o)
## File: REC41

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Case Identification (hhid)
## File: REC42

**Overview**

Type: Discrete
Format: character
Width: 7

## Case Identification (caseid)
## File: REC42

**Overview**

Type: Discrete
Format: character
Width: 10

## Last birth ceasarean section (v401)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Currently breastfeeding (v404)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Currently amenorrheic (v405)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Currently abstaining (v406)
## File: REC42

**Overview**

# Currently abstaining (v406)
## File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Times breastfed during night (v407)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Times breastfed during day (v408)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Gave child plain water (v409)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child sugar water (v409a)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child juice (v410)
## File: REC42

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child herbal tea -NA (v410a)
## File: REC42

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Gave child powder/tinned milk (v411)
## File: REC42

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child baby formula (v411a)
## File: REC42

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child fresh milk -NA (v412)
## File: REC42

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Country specific other liqu-NA (v413a)
## File: REC42

# Country specific other liqu-NA (v413a)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Country specific other liqu-NA (v413b)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Country specific other liqu-NA (v413c)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Country specific other liqu-NA (v413d)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Gave child other liquid (v413)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Country specific other food-NA (v414a)
## File: REC42

**Overview**

# Country specific other food-NA (v414a)
## File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Country specific other food-NA (v414b)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Country specific other food-NA (v414c)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Other solid, semi-solid foods (v414d)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Food made from local grain (v414e)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Food made from local tuber (v414f)
## File: REC42

**Overview**

# Food made from local tuber (v414f)
## File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child eggs, fish, poultry (v414g)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Gave child meat -NA (v414h)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Drank from bottle with nipple (v415)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Heard of oral rehydration (v416)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Entries in maternity table (v417)
## File: REC42

# Entries in maternity table (v417)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

# Entries in health table (v418)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

# Entries in height/weight table (v419)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

# Measurer's code -NA (v420)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Assistant measurer's code -NA (v421)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# When child put to breast (v426)
## File: REC42

## When child put to breast (v426)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

## Arm circumference (cms-1d) -NA (v436)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Respondent's weight (kilos--NA (v437)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Respondent's height (cms-1d-NA (v438)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Ht/A Percentile (resp.) -NA (v439)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Ht/A Standard deviations (r-NA (v440)
## File: REC42

**Overview**

# Ht/A Standard deviations (r-NA (v440)
## File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Ht/A Percent ref. median (r-NA (v441)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Wt/Ht Percent ref. median (-NA (v442)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Wt/Ht Percent ref. median (-NA (v443)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Wt/Ht Percent ref. median (-NA (v444)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Wt/Ht Std deviations(resp) -NA (v444a)
## File: REC42

**Overview**

# Wt/Ht Std deviations(resp) -NA (v444a)
## File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Body mass index for respond-NA (v445)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Rohrer's index for responde-NA (v446)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Result of measurement of re-NA (v447)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Drinking pattern with diarrhea (v448)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Eating pattern with diarrhea (v449)
## File: REC42

**Overview**

# Eating pattern with diarrhea (v449)
## File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Diarrhea: repeat watery stools (v450a)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Any watery stools (v450b)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Repeated vomiting (v450c)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Any vomiting (v450d)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Blood in stools (v450e)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Fever (v450f)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Marked thirst (v450g)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Not eating/drinking (v450h)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Getting sicker (v450i)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Not getting better (v450j)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Abdominal pain (v450k)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Country specific -NA (v450l)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Diarrhea: Country specific -NA (v450m)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Diarrhea: Other responses (v450x)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: Does not know (v450z)
## File: REC42

# Diarrhea: Does not know (v450z)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Fast breathing (v451a)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Difficult breathing (v451b)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Noisy breathing (v451c)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Fever (v451d)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Unable to drink (v451e)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Not eating/drinking (v451f)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Getting sicker (v451g)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Not getting better (v451h)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Persistent cough (v451i)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Dry / hard cough (v451j)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Cough: Country specific -NA (v451k)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Cough: Other responses (v451x)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Knows no sign of illness (v451z)
## File: REC42

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Case Identification (hhid)
## File: REC43

**Overview**

Type: Discrete
Format: character
Width: 7

# Case Identification (caseid)
## File: REC43

**Overview**

Type: Discrete
Format: character
Width: 10

# Index to birth history (hidx)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

# Has health card (h1)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Received BCG (h2)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# BCG day (h2d)
## File: REC43

**Overview**

# BCG day (h2d)
# File: REC43

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# BCG month (h2m)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# BCG year (h2y)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

# Received DPT 1 (h3)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# DPT 1 day (h3d)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# DPT 1 month (h3m)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# DPT 1 year (h3y)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

# Received POLIO 1 (h4)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# POLIO 1 day (h4d)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# POLIO 1 month (h4m)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# POLIO 1 year (h4y)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

# Received DPT 2 (h5)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# DPT 2 day (h5d)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# DPT 2 month (h5m)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# DPT 2 year (h5y)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

# Received POLIO 2 (h6)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# POLIO 2 day (h6d)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# POLIO 2 month (h6m)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# POLIO 2 year (h6y)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

# Received DPT 3 (h7)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# DPT 3 day (h7d)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# DPT 3 month (h7m)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# DPT 3 year (h7y)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

# Received POLIO 3 (h8)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# POLIO 3 day (h8d)
# File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# POLIO 3 month (h8m)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# POLIO 3 year (h8y)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

# Received MEASLES (h9)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# MEASLES day (h9d)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# MEASLES month (h9m)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

## MEASLES year (h9y)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

## Polio 0 -NA (h0)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Polio 0 day -NA (h0d)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## POLIO 0 month -NA (h0m)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## POLIO 0 year -NA (h0y)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Ever had vaccination (h10)
## File: REC43

**Overview**

## Ever had vaccination (h10)
## File: REC43

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Had diarrhea recently (h11)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Blood in the stools (h11b)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Bowel movements in worst day (h11c)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Diarrhea: government hosp. (h12a)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: govt health center (h12b)
## File: REC43

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: govt health post (h12c)
## File: REC43

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: mobile clinic -NA (h12d)
## File: REC43

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Diarrhea: comm.health worker (h12e)
## File: REC43

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: CS public sector -NA (h12f)
## File: REC43

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Diarrhea: CS public sector -NA (h12g)
## File: REC43

## Diarrhea: CS public sector -NA (h12g)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Diarrhea: CS public sector -NA (h12h)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Diarrhea: other public sector (h12i)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: private hosp/clin. (h12j)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: private pharmacy (h12k)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: private doctor (h12l)
## File: REC43

## Diarrhea: private doctor (h12l)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: private mobile cl-NA (h12m)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Diarrhea: comm.health worke-NA (h12n)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Diarrhea: Industry based clinic (h12o)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: CS med.priv secto-NA (h12p)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Diarrhea: CS med.priv secto-NA (h12q)
## File: REC43

## Diarrhea: CS med.priv secto-NA (h12q)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Diarrhea: other med.priv se-NA (h12r)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Diarrhea: shop (h12s)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: traditional pract-NA (h12t)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Diarrhea: CS boy/girl scouts (h12u)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Diarrhea: CS jaycees (h12v)
## File: REC43

# Diarrhea: CS jaycees (h12v)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: CS oth.priv secto-NA (h12w)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Diarrhea: Other (h12x)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: no treatment (h12y)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Diarrhea: medical treatment (h12z)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Given oral rehydration (h13)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Given recommend. home solution (h14)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

# Given other pills or syrups (h15)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Given antibiotics (CS) -NA (h15a)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Given an injection (h15b)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Given an intravenous (IV) (h15c)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Given home remedy, herbal med. (h15d)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Given CS : given rice water/ 'AM' treatment (h15e)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Given CS : given home-made sugar-salt-water solution (h15f)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Given CS: given tea/herbal drinks/softdrinks (h15g)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Given CS: given milk/infant formula (h15h)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Increase or decrease fluids (h16)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

# Increase or decrease in foods (h18)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

# Given other treatment (h20)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Given no treatment (h21a)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Received any treatment (h21)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Had fever in last two weeks (h22)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Had cough in last two weeks (h31)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Short, rapid breaths (h31b)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Fever/cough: government hosp. (h32a)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Fever/cough: govt health cntr (h32b)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Fever/cough: govt health post (h32c)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Fever/cough: mobile clinic -NA (h32d)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Fever/cough: comm.health wrkr (h32e)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Fever/cough: CS public sect-NA (h32f)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Fever/cough: CS public sect-NA (h32g)
## File: REC43

## Fever/cough: CS public sect-NA (h32g)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Fever/cough: CS public sect-NA (h32h)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Fever/cough: oth public sector (h32i)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Fever/cough: private hosp/clin (h32j)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Fever/cough: private pharmacy (h32k)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Fever/cough: private doctor (h32l)
## File: REC43

## Fever/cough: private doctor (h32l)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Fever/cough: private mobile-NA (h32m)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Fever/cough: comm.health wr-NA (h32n)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Fever/cough: CS industry based clinic (h32o)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Fever/cough: CS med.priv se-NA (h32p)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Fever/cough: CS med.priv se-NA (h32q)
## File: REC43

# Fever/cough: CS med.priv se-NA (h32q)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Fever/cough: oth med.priv s-NA (h32r)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Fever/cough: shop (h32s)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Fever/cough: traditional pr-NA (h32t)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Fever/cough: CS boy/girl scouts (h32u)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Fever/cough: CS jaysees (h32v)
## File: REC43

# Fever/cough: CS jaysees (h32v)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Fever/cough: CS oth.priv se-NA (h32w)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Fever/cough: Other (h32x)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Fever/cough: no treatment (h32y)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Fever/cough: medical treatment (h32z)
## File: REC43

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Case Identification (hhid)
## File: REC51

**Overview**

Type: Discrete
Format: character
Width: 7

# Case Identification (caseid)
## File: REC51

**Overview**

Type: Discrete
Format: character
Width: 10

# Current marital status (v501)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

# Currently/formerly/never marr. (v502)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

# Number of unions (v503)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Husband lives in house (v504)
## File: REC51

**Overview**

## Husband lives in house (v504)
## File: REC51

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

## Number of other wives -NA (v505)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Wife rank number -NA (v506)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Month of first marriage (v507)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

## Year of first marriage (v508)
## File: REC51

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 60-98

## Date of first marriage (CMC) (v509)
## File: REC51

**Overview**

# Date of first marriage (CMC) (v509)
## File: REC51

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 724-1180

# Completeness of date inform. (v510)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

# Age at first marriage (v511)
## File: REC51

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 7-46

# Years since first marriage (v512)
## File: REC51

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-37

# Marital duration (grouped) (v513)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

# Age at first intercourse (v525)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Time since last intercourse (v527)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

# Time since last intercourse(g) (v528)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Time since last intercourse(im (v529)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

# Flag for V529 (v530)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Age at first intercourse (imp) (v531)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Flag for V531 (v532)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

# Have a regular sex partner (v534)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

# Have ever been married (v535)
## File: REC51

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

## Case Identification (hhid)
## File: REC61

**Overview**

Type: Discrete
Format: character
Width: 7

## Case Identification (caseid)
## File: REC61

**Overview**

Type: Discrete
Format: character
Width: 10

## Fertility preference (v602)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

## Preferred waiting time (v603)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

## Preferred waiting time (grpd) (v604)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Desire for more children (v605)
## File: REC61

**Overview**

# Desire for more children (v605)
## File: REC61

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Attitude toward becoming preg. (v606)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Husband approves FP (v610)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP with partner (v611)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Respondent approves FP (v612)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Ideal number of children (v613)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Ideal number of children (grp) (v614)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

# Time for future birth (v616)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

# Reason regrets sterilization (v618)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Husbands desire for children (v621)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Exposure (v623)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

# Unmet need (v624)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Exposure (definition 2) (v625)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

# Unmet need (definition 2) (v626)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Ideal number of boys (v627)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Ideal number of girls (v628)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Ideal number of either sex (v629)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Discussed FP with partner (v630a)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP with mother (v630b)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP with father (v630c)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP with sister(s) (v630d)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP with brother(s) (v630e)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP with daughter(s) (v630f)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP with mother-inlaw (v630g)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP with friends/nbrs (v630h)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP with other relatives (v630i)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP with doctor/nurse/midwife (v630j)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Discussed FP -country speci-NA (v630k)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Discussed FP -country speci-NA (v630l)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Discussed FP with others (v630x)
## File: REC61

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Case Identification (hhid)
## File: REC71

**Overview**

Type: Discrete
Format: character
Width: 7

# Case Identification (caseid)
## File: REC71

**Overview**

Type: Discrete
Format: character
Width: 10

# Partner's education level (v701)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Highest year of education (v702)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

# Partner's occupation (v704)
## File: REC71

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Partner's occupation (v705)
## File: REC71

**Overview**

# Partner's occupation (v705)
## File: REC71

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Type of land where works (v707)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Respondent currently working (v714)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Husbands education-single yrs (v715)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Respondent's occupation (v716)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Respondent's occupation (v717)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Current type of employment (v718)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Work for family, others, self (v719)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Earns cash for work (v720)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Works at home or away (v721)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Child minder (v723)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Partner's educational attainm. (v729)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Partners age (v730)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 16-99

# Worked in last 12 months (v731)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Employment all year/seasonal (v732)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Months worked in last 12 mnths (v733)
## File: REC71

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Days in a week normally work (v734)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Days worked in last 12 months (v735)
## File: REC71

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

# Earnings for work (v736)
## File: REC71

**Overview**

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 10000004-99999999

# Daily earnings for work (v737)
## File: REC71

**Overview**

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 1-9999999

# Yearly earnings for work (v738)
## File: REC71

**Overview**

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 0-9999999

# Who decides how to spend money (v739)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Type of land where resp. works (v740)
## File: REC71

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Case Identification (hhid)
## File: REC81

**Overview**

Type: Discrete
Format: character
Width: 7

## Case Identification (caseid)
## File: REC81

**Overview**

Type: Discrete
Format: character
Width: 10

## Time interview started (v801)
## File: REC81

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 600-9999

## Time interview ended (v802)
## File: REC81

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 620-9999

## Length of interview in minutes (v803)
## File: REC81

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Number of visits (v804)
## File: REC81

**Overview**

# Number of visits (v804)
## File: REC81

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

# Interviewer identification (v805)
## File: REC81

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

# Keyer identification (v806)
## File: REC81

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-18

# Pres. children < 10 (sec 5) (v811)
## File: REC81

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Pres. husband (sec 5) (v812)
## File: REC81

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Pres. other males (sec 5) (v813)
# File: REC81

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Pres. other females (sec 5) (v814)
# File: REC81

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Case Identification (hhid)
## File: REC82

**Overview**

Type: Discrete
Format: character
Width: 7

# Case Identification (caseid)
## File: REC82

**Overview**

Type: Discrete
Format: character
Width: 10

# Calendar column number (vcol)
## File: REC82

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

# Calendar (vcal)
## File: REC82

**Overview**

Type: Discrete
Format: character
Width: 65

# Case Identification (hhid)
## File: REC83

**Overview**

Type: Discrete
Format: character
Width: 7

# Case Identification (caseid)
## File: REC83

**Overview**

Type: Discrete
Format: character
Width: 10

# Maternal mortality index (mmidx)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-19

# Sex of sibling (mm1)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Sibling's survival status (mm2)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Sibling's current age (mm3)
## File: REC83

**Overview**

# Sibling's current age (mm3)
## File: REC83

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# CMC date of birth of sibling (mm4)
## File: REC83

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 97-1180

# Sibling's marital status -NA (mm5)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

# Years ago sibling died (mm6)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Sibling's age at death (mm7)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# CMC date of death of sibling (mm8)
## File: REC83

## CMC date of death of sibling (mm8)
## File: REC83

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 275-1180

## Sibling's death & pregnancy (mm9)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Death & pregnancy are related (mm10)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Sibling's cause of death -NA (mm11)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Time between delivery & dea-NA (mm12)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Place of death -NA (mm13)
## File: REC83

## Place of death -NA (mm13)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Number of sibling's children (mm14)
## File: REC83

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Sibling's year of death (mm15)
## File: REC83

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1926-9999

## Case Identification (hhid)
## File: REC84

**Overview**

Type: Discrete
Format: character
Width: 7

## Case Identification (caseid)
## File: REC84

**Overview**

Type: Discrete
Format: character
Width: 10

## Number of siblings of resp. (mmc1)
## File: REC84

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Preceeding births before resp. (mmc2)
## File: REC84

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-18

## Sister's reporting -NA (mmc3)
## File: REC84

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

## Cut off age (mmc5)
## File: REC84

**Overview**

# Cut off age (mmc5)
# File: REC84

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-15

# Case Identification (hhid)
## File: REC91

**Overview**

Type: Discrete
Format: character
Width: 7

# Case Identification (caseid)
## File: REC91

**Overview**

Type: Discrete
Format: character
Width: 10

# Province (sprov)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

# City/Municipality (sctymun)
## File: REC91

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-52

# Barangay (sbarang)
## File: REC91

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 10-9504

# Household sequential number (sseqnum)
## File: REC91

**Overview**

# Household sequential number (sseqnum)
## File: REC91

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 0-1284

# City/Town/Countryside : NSO definition (splocal)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

# Language of questionnaire (slquest)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

# Language of interview (slinter)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Language of respondent (slresp)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Translator used (stransl)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Highest grade at that level (s107)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

# Terminated pregnancies (s208)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Number of terminated pregnancies (s209)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

# Total children ever born + terminated pregnancies (s210)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-19

## First method used (s309)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

## Current contraceptive method (s316)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

## Price pills: 10 pesos (s322a)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Price pills: 25 pesos (s322b)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Price pills: 50 pesos (s322c)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price pills: 75 pesos (s322d)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price pills: 100 pesos (s322e)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price pills: 150 pesos (s322f)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price pills: 200 pesos (s322g)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price pills: 300 pesos (s322h)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price pills: > 300 pesos (s322i)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price paid for method (s323)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-999

# Price method: 10 pesos (s324a)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Price method: 20 pesos (s324b)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price method: 30 pesos (s324c)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price method: 50 pesos (s324d)
# File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price method: 100 pesos (s324e)
# File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price method: 250 pesos (s324f)
# File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price method: 500 pesos (s324g)
# File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Price method: 750 pesos (s324h)
# File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Price method: 1000 pesos (s324i)
## File: REC91

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Price method: > 1000 pesos (s324j)
## File: REC91

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Cost of sterilization (s328)
## File: REC91

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 10-99999

## Travel time to source in minutes (s334)
## File: REC91

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1000-9999

## Easy/difficult to get to source (s335)
## File: REC91

| Overview |
| --- |

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Satisfied with service at source (s336)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Not satisfied: cost too much (s337a)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Not satisfied: not easily accessible (s337b)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Not satisfied: time open not convenient (s337c)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Not satisfied: days open not convenient (s337d)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Not satisfied: staff not pleasant/friendly (s337e)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Not satisfied: method not available (s337f)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Not satisfied: service takes too much time (s337g)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Not satisfied: other (s337x)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Who referred to source (s338)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

# Problems with method (s339)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Main problem with method (s340)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

# Another place at time of sterilization (s342a)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: government hospital (s347a)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: rural/urban health center (s347b)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: barangay health station (s347c)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: Barangay supply/service point officer/BHW (s347d)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: other public (s347e)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: private hospital/clinic (s347f)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: private doctor (s347g)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: private nurse/midwife (s347h)
# File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: pharmacy (s347i)
# File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: store (s347j)
# File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: NGO (s347k)
# File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: industry-based clinic (s347l)
# File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: other private medical (s347m)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: puericulture center (s347n)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: church (s347o)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: friend/relative (s347p)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: other (s347q)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Source FP: don't know (s347z)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Pap smear in past 5 years (s351)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Had breast examined within last month (s352)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Ever seen ORESOL packet (s480)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Ever prepared ORESOL (s481)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Used whole ORESOL packet (s482)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

## Water used with ORESOL (s483)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

## Sought treatment: govt. hospital/clinic/CHHC (s484a)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Sought treatment: rural health unit/urban health center (s484b)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Sought treatment: barangay health station (s484c)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Sought treatment: comm. health worker (s484d)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Sought treatment: other public (s484e)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Sought treatment: private hospital/clinic/CHHC (s484f)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Sought treatment: pharmacy (s484g)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Sought treatment: priv. doctor/midwife/nurse (s484h)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Sought treatment: store (s484i)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Sought treatment: industry based clinic (s484j)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Sought treatment: boy/girl scouts (s484k)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Sought treatment: jaycees (s484l)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Sought treatment: other private (s484m)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Drinking pattern with diarrhea (s485)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Eating pattern with diarrhea (s486)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Days apart during last 4 weeks (s508)
## File: REC91

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Date of current union (month) (s513m)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# Date of current union (year) (s513y)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1965-9999

# Date of current union (CMC) (s513c)
## File: REC91

### Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 791-1179

# Date flag for S513C (s513f)
## File: REC91

### Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

# Age at current union (s514)
## File: REC91

### Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 16-99

# Age at current union (calculated) (s514c)
## File: REC91

### Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 15-48

# Times had sex in last 4 weeks (s516)
## File: REC91

### Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## Method intend to use (s609)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

## Willing to pay for method (s610)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Willing to pay: 10 pesos (s611a)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Willing to pay: 20 pesos (s611b)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Willing to pay: 25 pesos (s611c)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Willing to pay: 30 pesos (s611d)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Willing to pay: 50 pesos (s611e)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Willing to pay: 75 pesos (s611f)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Willing to pay: 100 pesos (s611g)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Willing to pay: 150 pesos (s611h)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Willing to pay: 200 pesos (s611i)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Willing to pay: 300 pesos (s611j)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Willing to pay: 500 pesos (s611k)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Willing to pay: 750 pesos (s611l)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Willing to pay: 1000 pesos (s611m)
## File: REC91

| Overview |
|---|

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Willing to pay: 1000 pesos (s611n)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Willing to pay: 2000 pesos (s611o)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Willing to pay: 3000 pesos (s611p)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Willing to pay: > 3000 pesos (s611q)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

## Seen 'Kung sila'y mahal n'ya, magplano? (s619)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# What does slogan mean (s620)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Partners highest grade (s704)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Partner works on his own land (s707)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Age at first menstrual period (s520)
## File: REC91

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 9-99

# Item created from ISSA Group (rec91_group)
## File: REC91

**Overview**

Type: Discrete
Format: character
Width: 5

# Contraceptive method (s301)
## File: REC91

# Contraceptive method (s301)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

# Heard of method (s302)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Ever used method (s303)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Where to obtain or get advice (s304)
## File: REC91

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Case Identification (hhid)
## File: REC92

**Overview**

Type: Discrete
Format: character
Width: 7

## Case Identification (caseid)
## File: REC92

**Overview**

Type: Discrete
Format: character
Width: 10

## Index to birth history (idx92)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-19

## Single or Multiple Pregnancy (s215)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

## Outcome of pregnancy (s216)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

## Baby cried, moved or breathed (s217)
## File: REC92

**Overview**

## Baby cried, moved or breathed (s217)
## File: REC92

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Sex of child (s219)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

## Month of birth (s220m)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

## Year of birth (s220y)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1960-9999

## Child is still alive (s221)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Current age of child (s222)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

# Child living with respondent (s223)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

# Age at death (units) (s224u)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Age at death (number) (s224n)
## File: REC92

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Month of end of pregnancy (s225m)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# Year of end of pregnancy (s225y)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1964-9999

# Duration of pregnancy (complete months) (s226)
## File: REC92

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

# Pregnancy ended intentionally (s227)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Birth interval >= 4 years (s228)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Live birth between births (s229)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Date of birth of child or end of pregnancy (CMC) (s220c)
## File: REC92

**Overview**

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 732-1180

# Date flag for Q220F (s220f)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

# Age at death in months (imputed) (s224c)
## File: REC92

**Overview**

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-348

# Date flag for Q224F (s224f)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

# Index to birth history (bidx92)
## File: REC92

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

## Case Identification (hhid)
## File: REC94

**Overview**

Type: Discrete
Format: character
Width: 7

## Case Identification (caseid)
## File: REC94

**Overview**

Type: Discrete
Format: character
Width: 10

## Index to birth history (idx94)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

## First seen during pregnancy (s408)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

## Informed about dangerous symptoms (s411)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Symptoms during pregnancy: vaginal bleeding (s412a)
## File: REC94

**Overview**

# Symptoms during pregnancy: vaginal bleeding (s412a)
## File: REC94

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Symptoms during pregnancy: headache,dizziness,blurred vision (s412b)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Symptoms during pregnancy: swollen face and/or hands (s412c)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Symptoms during pregnancy: pale or anemic (s412d)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Symptoms during pregnancy: can't remember (s412e)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Symptoms during pregnancy: other (s412x)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Iron tab./caps. during pregnancy (s413a)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Iodine capsules during pregnancy (s413b)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Tetanus during prev. pregn. (s415a)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Previous tetanus injections (s415b)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Reason for ceasarian section (s419a)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

# Postnatal check-up: doctor (s422a)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Postnatal check-up: nurse (s422b)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Postnatal check-up: midwife (s422c)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Postnatal check-up: hilot (s422d)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Postnatal check-up: relative/friend (s422e)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Postnatal check-up: other (s422x)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Postnatal check-up: no one (s422y)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Timing postnatal care after birth (s423)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

# Received: abdominal exam (s424a)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Received: breast exam (s424b)
# File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Received: internal exam (s424c)
# File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Received: family planning advice (s424d)
# File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Received: breastfeeding advice (s424e)
# File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Received: baby care advice (s424f)
# File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Received: check-up of baby (s424g)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Received: other (s424h)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Why did you not breastfeed (s432)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

## Given other food or liquids (s441)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Age at introduction of other food /liquids (s442)
## File: REC94

**Overview**

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

## BCG before first birthday (s457b)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Third polio before first birthday (s457e)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Third DPT after first birthday (s457h)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Measles before first birthday (s457k)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Card: all vaccinations within first year (s457n)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: unaware of needs for immunization (s457ra)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: unaware of need to return (s457rb)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: fear of side reactions etc (s457rc)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: postponed until another time (s457rd)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: no faith in immunization (s457re)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: rumors (s457rf)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: place of immunization too far (s457rg)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: time for immunization inconvenient (s457rh)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: vaccinator absent (s457ri)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: mother too busy (s457rj)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: family problem/illness of mother (s457rk)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: child ill, not brought (s457rl)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: child ill, brought but not immunizated (s457rm)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: long waiting time (s457rn)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# No/incomplete vacc: other (s457rx)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Hepatitis B vaccination (s457t)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Number of Hepatities B vaccinations (s457u)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

# Last 6 months: vitamin A (s458a)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Last 6 months: iodine (s458b)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Last 6 months: iron (s458c)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Treat cough: injection (s464a)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Treat cough: antibiotic (pill or syrup) (s464b)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Treat cough: cough syrup (s464c)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Treat cough: other pill or syrup (s464d)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Treat cough: unknown pill or syrup (s464e)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Treat cough: home remedy/herbal medicine (s464f)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Treat cough: other (s464x)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Treat cough: nothing given (s464y)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Number of breasfeeds during diarrhea (s468)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

## Drinking pattern with diarrhea (s470)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

## Eating pattern with diarrhea (s471)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

## Rice/corn coffee (s472f)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Coconut water/broth/soups (s472g)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Water (s472h)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

## Other liquid (s472i)
## File: REC94

**Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

# Household ID (whhid)
## File: SEC1

### Overview

Type: Discrete
Format: character
Width: 7

# Wealth Index from factor scores (wlthindf)
## File: SEC1

### Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: -2.03404-2.43382

# Quintiles of wealth index (wlthind5)
## File: SEC1

### Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

# Related Materials

## Questionnaires

## 1998 National Demographic Survey - Household questionnaire

| | |
|---|---|
| Title | 1998 National Demographic Survey - Household questionnaire |
| Author(s) | National Statistics Office |
| Date | 1997-10-01 |
| Country | Philippines |
| Language | English |
| Contributor(s) | Macro International, Inc. |
| Description | The Household (HH) Questionnaire was used to list all the usual members of the sample household, and visitors who slept in the sample household the night prior to the date of interview and some of their characteristics such as name, age, sex, education, relationship to household head, and usual residence. Information on age and sex from the HH Questionnaire was used to identify eligible women for interview using the Individual Questionnaire. Questions about the dwelling such as the source of drinking water, type of toilet facilities, ownership of various consumer goods and use of iodized were also included in the Household Questionnaire. |
| Filename | PHL_DHS_1998_Questionnaire_Household_En.pdf |

## 1998 National Demographic Survey - Individual Questionnaire

| | |
|---|---|
| Title | 1998 National Demographic Survey - Individual Questionnaire |
| Author(s) | National Statistics Office |
| Date | 1997-10-01 |
| Country | Philippines |
| Language | English |
| Contributor(s) | Macro International, Inc. |
| Description | The Individual Questionnaire was used to collect information on the following topics:<br>- Background characteristics (age, education, religion, etc.)<br>- Reproductive history and fertility preferences<br>- Knowledge and use of contraception<br>- Availability of family planning supplies and services<br>- Breastfeeding and child health<br>- Maternal mortality |
| Filename | PHL_DHS_1998_Questionnaire_individual_En.pdf |

## 1998 National Demographic Survey- Health Module

| | |
|---|---|
| Title | 1998 National Demographic Survey- Health Module |
| Author(s) | National Statistics Office |
| Date | 1997-10-01 |
| Country | Philippines |
| Language | English |
| Contributor(s) | Macro International, Inc. |
| Description | The Health Questionnaire was developed in close collaboration with the DOH in partial substitution for the cancelled National Health Survey, It included questions on health practices of the household, awareness about selected communicable find non-communicable diseases, utilization of and satisfaction with various types of health facilities, knowledge concerning traditional medicines, and health care financing. |
| Filename | PHL_DHS_1998_Questionnaire_Health_En.pdf |

## Reports

### 1998 National Demographic Survey - Final report

| | |
|---|---|
| Title | 1998 National Demographic Survey - Final report |
| Author(s) | National Statistics Office |
| Date | 1999-01-01 |
| Country | Philippines |
| Language | English |
| Contributor(s) | Macro International, Inc. |
| Description | This report summarizes the findings of the 1998 National Demographic and Health Survey (NDHS) undertaken by the National Statistics Office in collaboration with the Department of Health (DOH), the University of the Philippines Population Institute, and other concerned agencies in the Philippine government. Funding for the 1998 NDHS was provided by the U.S. Agency for International Development and the DOH. The 1998 NDHS is part of the worldwide Demographic and Health Surveys (DHS) program, which is designed to collect, analyze, and disseminate demographic data on fertility, family planning, and maternal and child health. |
| Filename | http://www.dhsprogram.com/pubs/pdf/FR103/FR103.pdf |

### 1998 National Demographic Survey - Summary report

| | |
|---|---|
| Title | 1998 National Demographic Survey - Summary report |
| Author(s) | National Statistics Office |
| Date | 1999-01-01 |
| Country | Philippines |
| Language | English |
| Contributor(s) | Macro International, Inc. |
| Description | This report summarizes the findings of the 1998 National Demographic and Health Survey (NDHS) undertaken by the National Statistics Office in collaboration with the Department of Health (DOH), the University of the Philippines Population Institute, and other concerned agencies in the Philippine government. Funding for the 1998 NDHS was provided by the U.S. Agency for International Development and the DOH. The 1998 NDHS is part of the worldwide Demographic and Health Surveys (DHS) program, which is designed to collect, analyze, and disseminate demographic data on fertility, family planning, and maternal and child health. |
| Filename | http://www.dhsprogram.com/pubs/pdf/SR70/SR70.pdf |

### Family planning Service Utilization and Market Segmentation in the Philippines

| | |
|---|---|
| Title | Family planning Service Utilization and Market Segmentation in the Philippines |
| Author(s) | Social Development Research Center De La Salle University-Manila |
| Date | 2000-10-01 |
| Country | Philippines |
| Language | English |
| Contributor(s) | Macro International, Inc. |
| Description | This report is part of the secondary analysis project for the 1998 Philippines National Demographic and Health Survey. Macro International Inc. coordinated the project and provided technical assistance. Funding was provided by the U.S. Agency for International Development (USAID). |
| Filename | http://www.dhsprogram.com/pubs/pdf/FA34/FA34.pdf |

### The Two-Child Norm in the Philippines

| | |
|---|---|
| Title | The Two-Child Norm in the Philippines |
| Author(s) | Population Institute University of the Philippines |

| | |
|---|---|
| Date | 1999-12-01 |
| Country | Philippines |
| Language | English |
| Contributor(s) | Macro International, Inc. |
| Description | This report presents findings from one of five further analysis projects undertaken as part of the follow-up to the 1998 Philippines National Demographic and Health Survey (NDHS). Macro International Inc. coordinated the project and provided technical assistance. Funding was provided by the U.S. Agency for International Development (USAID). |
| Filename | http://www.dhsprogram.com/pubs/pdf/FA29/FA29.PDF |

## Contraceptive Use Dynamics in the Philippines: Determinants of Contraceptive Method Choice and Discontiuation

| | |
|---|---|
| Title | Contraceptive Use Dynamics in the Philippines: Determinants of Contraceptive Method Choice and Discontiuation |
| Author(s) | Population Institute University of the Philippines |
| Date | 2000-10-01 |
| Country | Philippines |
| Language | English |
| Contributor(s) | Macro International, Inc. |
| Filename | http://www.dhsprogram.com/pubs/pdf/FA35/FA35.pdf |