

Uzbekistan - Demographic and Health Survey 1996

Institute of Obstetrics & Gynecology - Ministry of Health (MOH)

Report generated on: June 21, 2017

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

The UDHS employed a probability sample of women age 15 to 49, representative of 98.7 percent of the country. Seven raions were excluded from the survey because they were considered too remote and sparsely inhabited. These raions are: Kungradskiyi, Muynakskiyi, and Takhtakupyrskiyi in Karakalpakstan; Uchkudukskiyi, Tamdynskiyi, and Kanimekhskiyi in Navoiiskaya; and Romitanskiyi in Bukharskaya. The remainder of the country was divided into five survey regions. Tashkent City constituted a survey region by itself, while the remaining four survey regions consisted of groups of contiguous oblasts. The five survey regions were defined as follows:

Region 1: Karakalpakstan and Khoresmskaya.

Region 2: Navoiyiskaya, Bukharskaya, Kashkadarinskaya, and Surkhandarinskaya.

Region 3: Samarkandskaya, Dzhizakskaya, Syrdarinskaya, and Tashkentskaya.

Region 4: Namanganskaya, Ferganskaya, and Andizhanskaya.

Region 5: Tashkent City.

CHARACTERISTICS OF THE UDHS SAMPLE

The sample for the UDHS was selected in three stages. In the rural areas, the primary sampling units (PSUs) corresponded to the raions which were selected with probabilities proportional to size, the size being the 1994 population. At the second stage, one village was selected in each selected raion. A complete listing of the households residing in each selected village was carried out. The lists of households obtained were used as the frame for third-stage sampling, which is the selection of the households to be visited by the UDHS interviewing teams during the main survey fieldwork. In each selected household, women between the ages of 15 and 49 were identified and interviewed.

In the urban areas, the PSUs were the cities and towns themselves. In the second stage, one health block was selected from each town except in self-representing cities (large cities that were selected with certainty), where more than one health block was selected. The selected health blocks were segmented prior to the household listing operation which provided the household lists for the third-stage selection of households.

SAMPLE ALLOCATION

The regions, stratified by urban and rural areas, were the sampling strata. There were thus nine strata with Tashkent City constituting an entire stratum. A proportional allocation of the target number of 4,000 women to the 9 strata would yield the sample distribution.

The proportional allocation would result in a completely self-weighting sample but would not allow for reliable estimates for at least two of the five survey regions, namely Region 1 and Tashkent City. Results of other demographic and health surveys show that a minimum sample of 1,000 women is required in order to obtain estimates of fertility and childhood mortality rates at an acceptable level of sampling errors. Given that the total sample size for the UDHS could not be increased so as to achieve the required level of sampling errors, it was decided that the sample would be divided equally among the five regions, and within each region, it would be distributed proportionally to the urban and the rural areas. With this type of allocation, demographic rates (fertility and mortality) could not be produced for regions separately.

The number of sample points (or clusters) to be selected for each stratum was calculated by dividing the number of women in the stratum by the average "take" in the cluster. Analytical studies of surveys of the same nature suggest that the optimum number of women to be interviewed is around 20-25 in each urban cluster and 30-35 in each rural cluster. If, on average, 20 women in each urban cluster and 30 women in each rural cluster were to be interviewed, then the distribution of sample points would be shown as follows:

Table Number of sample points

Region Total

Region 1 32

Region 2 30

Region 3 31

Region 4 31

Tashkent City 40

Total 164

The number of clusters in Region 2 would yield a slightly smaller number of women than expected because of rounding errors. Consequently, the number of clusters was rearranged in each stratum to be an even number, but in such a way that

the expected regional sample size did not fall short of the required 800 minimum. The even number of clusters is recommended for the purpose of calculating sampling errors in which the first step is to form pairs of homogeneous clusters.

The number of households to be selected for each stratum was calculated as follows: Number of women Number of HHs = Number of women per HH x Overall response rate

According to the 1989 census, the proportion of women age 15-49 in Uzbekistan was 25.0 percent in the urban areas and 22.3 percent in the rural areas. By applying this figure to the average household size of 4.7 and 6.2 for the urban and rural areas, respectively, obtained from the census, the number of women age 15-49 was estimated to be 1.2 per urban household and 1.4 per rural household. The overall response rate was assumed to be 80 percent (95 percent for households and 85 percent for women), which was the average overall response rate found in other surveys implemented in Uzbekistan. Using these two parameters in the above equation, approximately 3,900 households had to be selected in order to yield the target sample of women. This resulted in selecting on average 21 households in each urban cluster and 27 households in each rural cluster.

Response Rate

A total of 3,945 households were selected in the sample, of which 3,763 were occupied at the time of conducting fieldwork. The main reason for the difference was that some dwelling units which were occupied at the time of the household listing operation were either vacant or members of the household were away for an extended period at the time of interviewing. Of the 3,763 occupied households, 3,703 were interviewed, yielding a household response rate of 98 percent.

In the interviewed households, 4,544 women were eligible for the individual interview (i.e., all women 15-49 years of age who were either usual residents or visitors who had spent the previous night in the household). Interviews were completed with 4,415 of these women, yielding a response rate of 97 percent. The principal reason for nonresponse was a failure to find an eligible woman at home after repeated visits to the household. The overall response rate for the survey, the product of the household and the individual response rates, was 96 percent.

1 - Household interviews

Households sampled: 3,945

Households found: 3,763

Households interviewed: 3,703

Household response rate: 98.4%

2 - Individual interviews

Number of eligible women: 4,544

Number of eligible women interviewed: 4,415

Eligiblewoman response rate: 97.2%

Questionnaires

Overview

Two questionnaires were used for the UDHS: a) the Household Questionnaire and b) the Individual Questionnaire. The questionnaires were based on the model survey instruments developed in the DHS program. The questionnaires were adapted to the data needs of Uzbekistan during consultations with specialists in the areas of reproductive health and child health in Uzbekistan. Both questionnaires were developed in English and then translated into Russian and Uzbek. A pretest was conducted in March-April 1996. Based on the pretest experience, the questionnaires were further modified.

a) The Household Questionnaire was used to enumerate all usual members and visitors in a sample household and to collect information relating to the characteristics of the dwelling unit. In the first part of the Household Questionnaire, information was collected on age, sex, educational attainment, and relationship to the head of household of each person listed as a household member or visitor. The primary objective of collecting this information was to identify women who were eligible for the individual interview. In the second part of the Household Questionnaire, questions were included on the dwelling unit, such as number of rooms, flooring material, source of water, type of toilet facilities, and on the availability of a variety of consumer goods.

b) The Individual Questionnaire was used to collect information from women age 15-49. These women were asked questions on the following major topics:

- Background characteristics
- Pregnancy history
- Pregnancy outcome and antenatal care
- Child health and nutrition practices
- Child immunization and episodes of diarrhea and respiratory illness
- Knowledge and use of contraception
- Marriage and fertility preferences
- Husband's background and woman's work experience
- Maternal and child anthropometry
- Hemoglobin measurement of women and children

One of the major efforts of the UDHS was testing women and children for anemia. Testing was done by measuring hemoglobin levels in the blood, using a portable machine called a Hemocue. Before collecting the blood sample, women were asked to sign a consent form, giving permission for the collection of a blood droplet from herself and her children. Results of anemia testing were kept confidential (as are all UDHS data); however, strictly with the consent of respondents, local health care facilities were informed of women who had severely low levels of hemoglobin (less than 7 g/dl).

Data Collection

Data Collection Dates

Start	End	Cycle
1996-06	1996-10	N/A

Data Collection Mode

Face-to-face

DATA COLLECTION NOTES

The UDHS questionnaires were pretested in March-April 1996. Eight interviewers were trained over a two-week period at the Institute of Obstetrics and Gynecology. The pretest included one week of interviewing in an urban area (Tashkent City) and one week in a rural area. A total of 120 women were interviewed. Pretest interviewers were retained to serve as supervisors and field editors for the main survey.

Staff members of the Institute of Obstetrics and Gynecology and female nursing students of the National Medical College were recruited as field supervisors, editors, interviewers and medical technicians for the main survey. A total of 50 people were trained for three weeks during June 1996. Training consisted of in-class lectures and practice, as well as conducting practice interviewing in the field. Interviewers were selected based on their performance during the training period.

The UDHS data collection was carried out by five teams. Each team consisted of eight members: the team supervisor, one editor, one household interviewer, four individual women interviewers, and one medical technician (responsible for height and weight measurement and anemia testing). All interviewers were female, while most of the supervisors and technicians were males.

All five interviewing teams began work in Region 5 (Tashkent City) on June 24. After three weeks of interviewing in Tashkent City, four survey teams were assigned to the remaining survey regions and fieldwork started in Regions I through 4 on July 14. One team continued data collection in Tashkent City. Data collection was completed on October 12, 1996.

Data Processing

Data Editing

Questionnaires were returned to the Institute of Obstetrics and Gynecology in Tashkent for data processing. The office editing staff checked that questionnaires for all selected households and eligible respondents were returned from the field. The few questions which had not been precoded (e.g., occupation, type of chronic disease) were coded at this time. Data were then entered and edited on microcomputers using the ISSA (Integrated System for Survey Analysis) package, with the data entry software translated into Russian. Office editing and data entry activities began on August 5, and were completed on October 31, 1996.

Data Appraisal

Estimates of Sampling Error

Sampling errors, on the other hand, can be evaluated statistically. The sample of respondents selected in the UDHS is only one of many samples that could have been selected from the same population, using the same design and expected size. Each of these samples would yield results that differ somewhat from the results of the actual sample selected. Sampling errors are a measure of the variability between all possible samples. Although the degree of variability is not known exactly, it can be estimated from the survey results.

A sampling error is usually measured in terms of the standard error for a particular statistic (mean, percentage, etc.), which is the square root of the variance. The standard error can be used to calculate confidence intervals within which the true value for the population can reasonably be assumed to fall. For example, for any given statistic calculated from a sample survey, the value of that statistic will fall within a range of plus or minus two times the standard error of that statistic in 95 percent of all possible samples of identical size and design. If the sample of respondents had been selected as a simple random sample, it would have been possible to use straightforward formulas for calculating sampling errors. However, the UDHS sample is the result of a multistage stratified design, and, consequently, it was necessary to use more complex formulae. The computer software used to calculate sampling errors for the UDHS is the ISSA Sampling Error Module. This module used the Taylor linearization method of variance estimation for survey estimates that are means or proportions. The Jackknife repeated replication method is used for variance estimation of more complex statistics such as fertility and mortality rates.

The Jackknife repeated replication method derives estimates of complex rates from each of several replications of the parent sample, and calculates standard errors for these estimates using simple formulae. Each replication considers all but one clusters in the calculation of the estimates. Pseudo-independent replications are thus created. In the UDHS, there were 168 non-empty clusters. Hence, 168 replications were created.

In addition to the standard error, ISSA computes the design effect (DEFT) for each estimate, which is defined as the ratio between the standard error using the given sample design and the standard error that would result if a simple random sample had been used. A DEFT value of 1.0 indicates that the sample design is as efficient as a simple random sample, while a value greater than 1.0 indicates the increase in the sampling error due to the use of a more complex and less statistically efficient design. ISSA also computes the relative error and confidence limits for the estimates.

Sampling errors for the UDHS are calculated for selected variables considered to be of primary interest. The results are presented in an appendix to the Final Report for the country as a whole, for urban and rural areas, and for five survey regions. For each variable, the type of statistic (mean, proportion, or rate) and the base population are given in Table B.1 of the Final Report. Tables B.2 to B.9 present the value of the statistic (R), its standard error (SE), the number of unweighted (N) and weighted (WN) cases, the design effect (DEFT), the relative standard error (SE/R), and the 95 percent confidence limits (R2SE) for each variable. The DEFT is considered undefined when the standard error considering simple random sample is zero (when the estimate is close to 0 or 1). Estimates and sampling errors of total fertility and childhood mortality rates only apply to the national sample and the urban and rural samples. In the case of the total fertility rate, the number of unweighted cases is not relevant, as there is no known unweighted value for woman-years of exposure to childbearing.

The confidence interval (e.g., as calculated for Children ever born to women age 15-49) can be interpreted as follows: the overall average from the national sample is 2.26 and its standard error is .045. Therefore, to obtain the 95 percent confidence limits, one adds and subtracts twice the standard error to the sample estimate, i.e., $2.26 \pm 2 \times .045$. There is a high probability (95 percent) that the true average number of children ever born to all women age 15 to 49 is between 2.17 and 2.35. Sampling errors are analyzed for the national sample and for two separate groups of estimates: (1) means and proportions, and (2) complex demographic rates. The relative standard errors (SE/R) for the means and proportions range between 0 percent and 33.3 percent with an average of 6.7 percent; the highest relative standard errors are for estimates of very low values (e.g., Severe anemia among children under three who were tested). If estimates of very low values (less than 10 percent) were removed, then the average drops to 4.1 percent. So in general, the relative standard errors for most estimates for the country as a whole are small, except for estimates of very small proportions. The relative standard error for the total fertility rate is small at 3.9 percent. However, for the mortality rates, the average relative standard error is much higher at 15.7 percent.

There are differentials in the relative standard error for the estimates of sub-populations. For example, for the variable secondary-special education, the relative standard errors as a percent of the estimated proportion for the whole country, for the rural areas, and for Region 2 are 4.3 percent, 7.8 percent, and 11.4 percent, respectively. For the total sample, the value of the design effect (DEFT), averaged over all variables, is 1.36 which means that, due to multistage clustering of the sample, variance is increased by a factor of 1.8 over that in an equivalent simple random sample.

Other forms of Data Appraisal

Nonsampling errors are the results of mistakes made in implementing data collection and data processing, such as failure to locate and interview the correct household, misunderstanding of the questions on the part of either the interviewer or the respondent, and data entry errors. Although numerous efforts were made during the implementation of the UDHS to minimize this type of error, nonsampling errors are impossible to avoid and difficult to evaluate statistically.

File Description

Variable List

RECHO

Content	HOUSEHOLD - Household's Basic Data
Cases	3945
Variable(s)	34
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1	hhid	Case Identification	discrete	character	
V2	hv000	Country code and phase	discrete	character	
V3	hv001	Cluster number	contin	numeric	
V4	hv002	Household number	contin	numeric	
V5	hv003	Respondent's line number	discrete	numeric	
V6	hv004	Ultimate area unit	contin	numeric	
V7	hv005	Sample weight	contin	numeric	
V8	hv006	Month of interview	discrete	numeric	
V9	hv007	Year of interview	discrete	numeric	
V10	hv008	Date of interview (CMC)	discrete	numeric	
V11	hv009	Number of household members	contin	numeric	
V12	hv010	Number of eligible women in HH	discrete	numeric	
V13	hv011	Number of eligible men in H-NA	discrete	numeric	
V14	hv012	Number of de jure members	contin	numeric	
V15	hv013	Number of de facto members	contin	numeric	
V16	hv014	Number of children 5 and under	discrete	numeric	
V17	hv015	Result of household interview	discrete	numeric	
V18	hv016	Day of interview	contin	numeric	
V19	hv017	Number of visits	discrete	numeric	
V20	hv018	Interviewer identification	contin	numeric	
V21	hv019	Keyer identification	discrete	numeric	
V22	hv020	Ever-married sample	discrete	numeric	
V23	hv021	Primary sampling unit	contin	numeric	
V24	hv022	Sample stratum number	contin	numeric	
V25	hv023	Sample domain	discrete	numeric	
V26	hv024	Region	discrete	numeric	
V27	hv025	Type of place of residence	discrete	numeric	
V28	hv026	Place of residence	discrete	numeric	

ID	Name	Label	Type	Format	Question
V29	hv027	Selection for male int. NA	discrete	numeric	
V30	hv028	Sample weight for male subs.NA	discrete	numeric	
V31	hv030	Field supervisor	contin	numeric	
V32	hv031	Field editor	contin	numeric	
V33	hv032	Office editor	discrete	numeric	
V34	hv033	Ultimate area selection prob.	contin	numeric	

RECH1

Content	HOUSEHOLD - Household Schedule
Cases	19275
Variable(s)	20
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V35	hhid	Case Identification	discrete	character	
V36	hvidx	Line number	contin	numeric	
V37	hv101	Relationship to head	discrete	numeric	
V38	hv102	Usual resident	discrete	numeric	
V39	hv103	Slept last night	discrete	numeric	
V40	hv104	Sex of household member	discrete	numeric	
V41	hv105	Age of household members	discrete	numeric	
V42	hv106	Highest educational level	discrete	numeric	
V43	hv107	Highest year of education	discrete	numeric	
V44	hv108	Education in single years	discrete	numeric	
V45	hv109	Educational attainment	discrete	numeric	
V46	hv110	Member still in school	discrete	numeric	
V47	hv111	Mother alive	discrete	numeric	
V48	hv112	Mother's line number	discrete	numeric	
V49	hv113	Father alive	discrete	numeric	
V50	hv114	Father's line number	discrete	numeric	
V51	hv115	Current marital status NA	discrete	numeric	
V52	hv116	Currently, formerly, never mNA	discrete	numeric	
V53	hv117	Eligibility for female interview	discrete	numeric	
V54	hv118	Eligibility for male interv.NA	discrete	numeric	

RECH2

Content	HOUSEHOLD - Household Characteristics
Cases	3703
Variable(s)	23
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V55	hhid	Case Identification	discrete	character	
V56	hv201	Source of drinking water	discrete	numeric	
V57	hv202	Source of non-drinking waterNA	discrete	numeric	
V58	hv203	Same source of water NA	discrete	numeric	
V59	hv204	Time to get to water source	discrete	numeric	
V60	hv205	Type of toilet facility	discrete	numeric	
V61	hv206	Has electricity	discrete	numeric	
V62	hv207	Has radio	discrete	numeric	
V63	hv208	Has television	discrete	numeric	
V64	hv209	Has refrigerator	discrete	numeric	
V65	hv210	Has bicycle	discrete	numeric	
V66	hv211	Has motorcycle	discrete	numeric	
V67	hv212	Has car	discrete	numeric	
V68	hv213	Main floor material	discrete	numeric	
V69	hv214	Main wall material NA	discrete	numeric	
V70	hv215	Main roof material NA	discrete	numeric	
V71	hv216	Rooms for sleeping	contin	numeric	
V72	hv217	Relationship structure	discrete	numeric	
V73	hv218	Line number of head of househ.	discrete	numeric	
V74	hv219	Sex of head of household	discrete	numeric	
V75	hv220	Age of head of household	discrete	numeric	
V76	hv221	Has telephone	discrete	numeric	
V77	hv222	Type of salt used for cooking	discrete	numeric	

RECH3

Content	HOUSEHOLD - Country specific - Household Variable
Cases	3945
Variable(s)	3
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V78	hhid	Case Identification	discrete	character	
V79	shoblast	Oblast	discrete	numeric	
V80	shraion	Raion	discrete	numeric	

RECH4

Content	HOUSEHOLD - Country specific - Household Schedule
Cases	19275
Variable(s)	5
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V81	hhid	Case Identification	discrete	character	
V82	idxh4	Index to household schedule	contin	numeric	
V83	sh09a	Level of Education	discrete	numeric	
V84	sh09b	Highest grade completed	discrete	numeric	
V85	sh11	Pensioner	discrete	numeric	

REC01

Content	WOMAN - Respondent's Basic Data
Cases	4544
Variable(s)	37
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V86	hhid	Case Identification	discrete	character	
V87	caseid	Case Identification	discrete	character	
V88	v000	Country code and phase	discrete	character	
V89	v001	Cluster number	contin	numeric	
V90	v002	Household number	contin	numeric	
V91	v003	Respondent's line number	discrete	numeric	
V92	v004	Ultimate area unit	contin	numeric	
V93	v005	Sample weight	contin	numeric	
V94	v006	Month of interview	discrete	numeric	
V95	v007	Year of interview	discrete	numeric	
V96	v008	Date of interview (CMC)	discrete	numeric	
V97	v009	Respondent's month of birth	discrete	numeric	
V98	v010	Respondent's year of birth	contin	numeric	
V99	v011	Date of birth (CMC)	contin	numeric	
V100	v012	Current age - respondent	contin	numeric	
V101	v013	Age 5-year groups	discrete	numeric	
V102	v014	Completeness of information	discrete	numeric	
V103	v015	Result of individual interview	discrete	numeric	
V104	v016	Day of interview	contin	numeric	
V105	v017	CMC start of calendar	discrete	numeric	
V106	v018	Row of month of interview	discrete	numeric	
V107	v019	Length of calendar	discrete	numeric	
V108	v020	Ever-married sample	discrete	numeric	
V109	v021	Primary sampling unit	contin	numeric	
V110	v022	Sample stratum number	contin	numeric	
V111	v023	Sample domain	discrete	numeric	
V112	v024	Region	discrete	numeric	
V113	v025	Type of place of residence	discrete	numeric	

ID	Name	Label	Type	Format	Question
V114	v026	De facto place of residence	discrete	numeric	
V115	v027	Number of visits	discrete	numeric	
V116	v028	Interviewer identification	contin	numeric	
V117	v029	Keyer identification	discrete	numeric	
V118	v030	Field supervisor	contin	numeric	
V119	v031	Field editor	contin	numeric	
V120	v032	Office editor	discrete	numeric	
V121	v033	Ultimate area selection prob.	contin	numeric	
V122	v034	Line number of husband NA	discrete	numeric	

REC9A

Content	WOMAN - Abortion care and assistance
Cases	275
Variable(s)	33
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V123	hhid	Case Identification	discrete	character	
V124	caseid	Case Identification	discrete	character	
V125	idx9a	Index to pregnancy history	discrete	numeric	
V126	s315a	How determined pregnant	discrete	numeric	
V127	s315b	Who suggested abortion	discrete	numeric	
V128	s316	Place abortion performed	discrete	numeric	
V129	s317	Method of terminated pregnancy	discrete	numeric	
V130	s318a	Procedure: Doctor	discrete	numeric	
V131	s318b	Procedure: Nurse/midwife	discrete	numeric	
V132	s318c	Procedure: Traditional midwife	discrete	numeric	
V133	s318x	Procedure: other person	discrete	numeric	
V134	s318y	Procedure: no one	discrete	numeric	
V135	s320a	Problems: pelvic pain	discrete	numeric	
V136	s320b	Problems: sterility	discrete	numeric	
V137	s320c	Problems: infection	discrete	numeric	
V138	s320d	Problems: lack of menstruation	discrete	numeric	
V139	s320e	Problems: bleeding	discrete	numeric	
V140	s320x	Problems: other	discrete	numeric	
V141	s320y	Problems: none	discrete	numeric	
V142	s320z	Problems: don't know	discrete	numeric	
V143	s322a	Care sought: hospital	discrete	numeric	
V144	s322b	Care sought: polyclinic	discrete	numeric	
V145	s322c	Care sought: ambulatory	discrete	numeric	
V146	s322d	Care sought: mobile clinic	discrete	numeric	
V147	s322e	Care sought: other public	discrete	numeric	
V148	s322f	Care sought: private clinic	discrete	numeric	
V149	s322g	Care sought: private doctor	discrete	numeric	
V150	s322h	Care sought: other private	discrete	numeric	

ID	Name	Label	Type	Format	Question
V151	s322i	Care sought: non-medical pers.	discrete	numeric	
V152	s322x	Care sought: other	discrete	numeric	
V153	s322y	Care sought: none	discrete	numeric	
V154	s323	Hospitalized due to problem	discrete	numeric	
V155	s324	Days hospitalized	discrete	numeric	

REC11

Content	WOMAN - Respondent's Basic Data (continued)
Cases	4415
Variable(s)	52
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V156	hhid	Case Identification	discrete	character	
V157	caseid	Case Identification	discrete	character	
V158	v101	Region	discrete	numeric	
V159	v102	Type of place of residence	discrete	numeric	
V160	v103	Childhood place of residence	discrete	numeric	
V161	v104	Years lived in place of res.	discrete	numeric	
V162	v105	Type of place of previous res.	discrete	numeric	
V163	v106	Highest educational level	discrete	numeric	
V164	v107	Highest year of education	discrete	numeric	
V165	v108	Literacy	discrete	numeric	
V166	v109	Reads newspaper once a week	discrete	numeric	
V167	v110	Watches TV every week	discrete	numeric	
V168	v111	Listens to radio every day	discrete	numeric	
V169	v112	Listens to radio every week NA	discrete	numeric	
V170	v113	Source of drinking water	discrete	numeric	
V171	v114	Source of non-drinking waterNA	discrete	numeric	
V172	v115	Time to get to water source	discrete	numeric	
V173	v116	Type of toilet facility	discrete	numeric	
V174	v119	Has electricity	discrete	numeric	
V175	v120	Has radio	discrete	numeric	
V176	v121	Has television	discrete	numeric	
V177	v122	Has refrigerator	discrete	numeric	
V178	v123	Has bicycle	discrete	numeric	
V179	v124	Has motorcycle	discrete	numeric	
V180	v125	Has car	discrete	numeric	
V181	v127	Main floor material	discrete	numeric	
V182	v128	Main wall material NA	discrete	numeric	
V183	v129	Main roof material NA	discrete	numeric	

ID	Name	Label	Type	Format	Question
V184	v130	Religion	discrete	numeric	
V185	v131	Ethnicity	discrete	numeric	
V186	v133	Education in single years	discrete	numeric	
V187	v134	De facto place of residence	discrete	numeric	
V188	v135	Usual resident or visitor	discrete	numeric	
V189	v136	Number of household members	contin	numeric	
V190	v137	Number of children 5 and under	discrete	numeric	
V191	v138	Number of eligible women in HH	discrete	numeric	
V192	v139	De jure region of residence	discrete	numeric	
V193	v140	De jure type of place of res.	discrete	numeric	
V194	v141	De jure place of residence	discrete	numeric	
V195	v142	Same source of water NA	discrete	numeric	
V196	v144	Communities lived in >Jan.8?NA	discrete	numeric	
V197	v148	Respondent still in school	discrete	numeric	
V198	v149	Educational attainment	discrete	numeric	
V199	v150	Relationship to household head	discrete	numeric	
V200	v151	Sex of household head	discrete	numeric	
V201	v152	Age of household head	discrete	numeric	
V202	v153	Has telephone	discrete	numeric	
V203	v154	Reason stop attending school	discrete	numeric	
V204	awfactt	All woman factor - total	discrete	numeric	
V205	awfactu	All woman factor - urban/rural	discrete	numeric	
V206	awfactr	All woman factor - regional	discrete	numeric	
V207	awfacte	All woman factor - educational	discrete	numeric	

REC21

Content	WOMAN - Reproduction (Birth History)
Cases	9650
Variable(s)	20
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V208	hhid	Case Identification	discrete	character	
V209	caseid	Case Identification	discrete	character	
V210	bidx	Birth column number	discrete	numeric	
V211	bord	Birth order number	discrete	numeric	
V212	b0	Child is twin	discrete	numeric	
V213	b1	Month of birth	discrete	numeric	
V214	b2	Year of birth	contin	numeric	
V215	b3	Date of birth (CMC)	contin	numeric	
V216	b4	Sex of child	discrete	numeric	
V217	b5	Child is alive	discrete	numeric	
V218	b6	Age at death	discrete	numeric	
V219	b7	Age at death (months-imputed)	contin	numeric	
V220	b8	Current age of child	contin	numeric	
V221	b9	Who child lives with NA	discrete	numeric	
V222	b10	Completeness of information	discrete	numeric	
V223	b11	Preceding birth interval	contin	numeric	
V224	b12	Succeeding birth interval	contin	numeric	
V225	b13	Flag for age at death	discrete	numeric	
V226	b14	Birth interval >= 4 years NA	discrete	numeric	
V227	b15	Live birth between births NA	discrete	numeric	

REC22

Content WOMAN - Reproduction

Cases 4415

Variable(s) 40

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V228	hhid	Case Identification	discrete	character	
V229	caseid	Case Identification	discrete	character	
V230	v201	Total children ever born	discrete	numeric	
V231	v202	Sons at home	discrete	numeric	
V232	v203	Daughters at home	discrete	numeric	
V233	v204	Sons elsewhere	discrete	numeric	
V234	v205	Daughters elsewhere	discrete	numeric	
V235	v206	Sons who have died	discrete	numeric	
V236	v207	Daughters who have died	discrete	numeric	
V237	v208	Births in last five years	discrete	numeric	
V238	v209	Births in past year	discrete	numeric	
V239	v210	Births in month of interview	discrete	numeric	
V240	v211	Date of first birth (CMC)	contin	numeric	
V241	v212	Age of respondent at 1st birth	contin	numeric	
V242	v213	Currently pregnant	discrete	numeric	
V243	v214	Duration of current pregnancy	discrete	numeric	
V244	v215	Time since last menstrual perd	discrete	numeric	
V245	v216	Menstruated in last six weeks	discrete	numeric	
V246	v217	Knowledge of ovulatory cycle	discrete	numeric	
V247	v218	Number of living children	discrete	numeric	
V248	v219	Living children + current preg	discrete	numeric	
V249	v220	Living children + curr preg 6+	discrete	numeric	
V250	v221	Marriage to first birth int.	discrete	numeric	
V251	v222	Last birth to interview	contin	numeric	
V252	v223	Completeness of curr preg. inf	discrete	numeric	
V253	v224	Entries in birth history	discrete	numeric	
V254	v225	Current pregnancy wanted	discrete	numeric	
V255	v226	Time since last period (comp)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V256	v227	Flag for last period	discrete	numeric	
V257	v228	Ever had a terminated preg.	discrete	numeric	
V258	v229	Month pregnancy ended	discrete	numeric	
V259	v230	Year pregnancy ended	discrete	numeric	
V260	v231	CMC pregnancy ended	discrete	numeric	
V261	v232	Completeness of last term. inf	discrete	numeric	
V262	v233	Months when pregnancy ended NA	discrete	numeric	
V263	v234	Other such pregnancies	discrete	numeric	
V264	v235	Index last child prior cal. NA	discrete	numeric	
V265	v236	Last birth interval >= 4 yr NA	discrete	numeric	
V266	v237	Birth between last & intvw NA	discrete	numeric	
V267	v238	Births in last three years	discrete	numeric	

REC31

Content	WOMAN - Contraceptive Table
Cases	35320
Variable(s)	8
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V268	hhid	Case Identification	discrete	character	
V269	caseid	Case Identification	discrete	character	
V270	v301	Knowledge of any method	discrete	numeric	
V271	v302	Ever use of any method	discrete	numeric	
V272	rec31_group	Contraceptive Table	discrete	character	
V273	v304a	Type of method	discrete	numeric	
V274	v304	Knows method	discrete	numeric	
V275	v305	Ever used method	discrete	numeric	

REC32

Content	WOMAN - Contraceptive Use
Cases	4415
Variable(s)	50
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V276	hhid	Case Identification	discrete	character	
V277	caseid	Case Identification	discrete	character	
V278	v310	Living children at first use	discrete	numeric	
V279	v311	Children at first use (grpd)	discrete	numeric	
V280	v312	Current contraceptive method	discrete	numeric	
V281	v313	Current use by method type	discrete	numeric	
V282	v314	Method of periodic abstinence	discrete	numeric	
V283	v315	Month of sterilization	discrete	numeric	
V284	v316	Year of sterilization	discrete	numeric	
V285	v317	Date of sterilization (CMC)	contin	numeric	
V286	v318	Completeness of information	discrete	numeric	
V287	v319	Years since sterilization	discrete	numeric	
V288	v320	Age at sterilization	discrete	numeric	
V289	v321	Marital duration at steriliz.	discrete	numeric	
V290	v322	Parity at sterilization	discrete	numeric	
V291	v323	Brand of pill used	discrete	numeric	
V292	v325	Cost of pills	contin	numeric	
V293	v326	Last source for current users	discrete	numeric	
V294	v327	Last source for users by type	discrete	numeric	
V295	v328	Main reason use current source	discrete	numeric	
V296	v337	Months of use of current meth	discrete	numeric	
V297	v359	Last method disc. last 5 yrsNA	discrete	numeric	
V298	v360	Reason of last discontinuat-NA	discrete	numeric	
V299	v361	Pattern of use	discrete	numeric	
V300	v362	Intention to use	discrete	numeric	
V301	v363	Preferred future method	discrete	numeric	
V302	v364	Contraceptive use & intention	discrete	numeric	
V303	v366a	Acceptability of radio message	discrete	numeric	

ID	Name	Label	Type	Format	Question
V304	v366b	Acceptability of TV message	discrete	numeric	
V305	v367	Wanted last child	discrete	numeric	
V306	v369	First method used NA	discrete	numeric	
V307	v369b	First use to space or limit	discrete	numeric	
V308	v372	Shown pill package	discrete	numeric	
V309	v375a	Main reason not using a method	discrete	numeric	
V310	v376	Main reason not to use a meth.	discrete	numeric	
V311	v376a	Would ever use method if marr.	discrete	numeric	
V312	v379	Source known for any method	discrete	numeric	
V313	v380	Source known for any method	discrete	numeric	
V314	v384a	Heard FP on radio last months	discrete	numeric	
V315	v384b	Heard FP on TV last months	discrete	numeric	
V316	v384c	Heard FP newspaper last months	discrete	numeric	
V317	v384d	Heard FP on poster last months	discrete	numeric	
V318	v384e	Heard FP brochures last months	discrete	numeric	
V319	v393	Visited by FP worker last 12m	discrete	numeric	
V320	v394	Visited health facil. last 12m	discrete	numeric	
V321	v395	At health facility, told of FP	discrete	numeric	
V322	v396	Breastfeeding affect pregnancy	discrete	numeric	
V323	v397	Pregnancy risk of breastfeed.	discrete	numeric	
V324	v398	Relied breastfeed. avoid preg.	discrete	numeric	
V325	v399	Currently rely on breastfeed.	discrete	numeric	

REC41

Content	WOMAN - Maternity
Cases	1324
Variable(s)	95
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V326	hhid	Case Identification	discrete	character	
V327	caseid	Case Identification	discrete	character	
V328	midx	Index to birth history	discrete	numeric	
V329	m1	Tetanus injections bef. birthNA	discrete	numeric	
V330	m2a	Prenatal: doctor	discrete	numeric	
V331	m2b	Prenatal: nurse/midwife	discrete	numeric	
V332	m2c	Prenatal: auxiliary midwife NA	discrete	numeric	
V333	m2d	Prenatal: CS health profess-NA	discrete	numeric	
V334	m2e	Prenatal: CS health profess-NA	discrete	numeric	
V335	m2f	Prenatal: trained birth att.NA	discrete	numeric	
V336	m2g	Prenatal: trad.birth attendant	discrete	numeric	
V337	m2h	Prenatal: relative	discrete	numeric	
V338	m2i	Prenatal: CS other person NA	discrete	numeric	
V339	m2j	Prenatal: CS other person NA	discrete	numeric	
V340	m2k	Prenatal: other resp (uncoded)	discrete	numeric	
V341	m2l	Prenatal: CS other NA	discrete	numeric	
V342	m2m	Prenatal: CS other NA	discrete	numeric	
V343	m2n	Prenatal: no one	discrete	numeric	
V344	m3a	Assistance: doctor	discrete	numeric	
V345	m3b	Assistance: nurse/midwife	discrete	numeric	
V346	m3c	Assistance: auxiliary midwf-NA	discrete	numeric	
V347	m3d	Assistance: CS health profesNA	discrete	numeric	
V348	m3e	Assistance: CS health profesNA	discrete	numeric	
V349	m3f	Assistance: trained birth atNA	discrete	numeric	
V350	m3g	Assistance: trad.birth attend.	discrete	numeric	
V351	m3h	Assistance: relative, friend	discrete	numeric	
V352	m3i	Assistance: CS other person NA	discrete	numeric	
V353	m3j	Assistance: CS other person NA	discrete	numeric	

ID	Name	Label	Type	Format	Question
V354	m3k	Assistance: other resp (uncod)	discrete	numeric	
V355	m3l	Assistance: CS other NA	discrete	numeric	
V356	m3m	Assistance: CS other NA	discrete	numeric	
V357	m3n	Assistance: no one	discrete	numeric	
V358	m4	Duration of breastfeeding	discrete	numeric	
V359	m5	Months of breastfeeding	discrete	numeric	
V360	m6	Duration of amenorrhea	discrete	numeric	
V361	m7	Months of amenorrhea	discrete	numeric	
V362	m8	Duration of abstinence	discrete	numeric	
V363	m9	Months of abstinence	discrete	numeric	
V364	m10	Time wanted pregnancy	discrete	numeric	
V365	m11	Time would have waited	discrete	numeric	
V366	m13	Timing of 1st antenatal check	discrete	numeric	
V367	m14	Antenatal visits for pregnancy	discrete	numeric	
V368	m15	Place of delivery	discrete	numeric	
V369	m17	Delivery by caesarian section	discrete	numeric	
V370	m18	Size of child at birth	discrete	numeric	
V371	m19	Birth weight (kilos - 3 dec.)	discrete	numeric	
V372	m19a	Weight at birth recall	discrete	numeric	
V373	m21	Reason stopped breastfeeding	discrete	numeric	
V374	m27	Flag for breastfeeding	discrete	numeric	
V375	m28	Flag for amenorrhea	discrete	numeric	
V376	m29	Flag for abstinence	discrete	numeric	
V377	m30	At birth - prolonged labor	discrete	numeric	
V378	m31	At birth - excessive bleeding	discrete	numeric	
V379	m32	At birth - high fever/discharg	discrete	numeric	
V380	m33	At birth - convulsions	discrete	numeric	
V381	m34	When child put to breast	discrete	numeric	
V382	m35	Times breastfed during night	discrete	numeric	
V383	m36	Times breastfed during day	discrete	numeric	
V384	m37a	Gave child plain water	discrete	numeric	
V385	m37b	Gave child sugar water	discrete	numeric	
V386	m37c	Gave child juice	discrete	numeric	
V387	m37d	Gave child herbal tea	discrete	numeric	
V388	m37e	Gave child powder/tinned milk	discrete	numeric	
V389	m37f	Gave child baby formula	discrete	numeric	
V390	m37g	Gave child fresh milk NA	discrete	numeric	
V391	m37h	Gave child fermented milk	discrete	numeric	
V392	m37i	Country specific other liqu.NA	discrete	numeric	
V393	m37j	Country specific other liqu.NA	discrete	numeric	

ID	Name	Label	Type	Format	Question
V394	m37k	Country specific other liqu.NA	discrete	numeric	
V395	m37l	Gave child other liquid	discrete	numeric	
V396	m37m	Gave child fruits & vegetables	discrete	numeric	
V397	m37n	Gave child sweets	discrete	numeric	
V398	m37o	Country specific other foodsNA	discrete	numeric	
V399	m37p	Other solid, semi-solid foods	discrete	numeric	
V400	m37q	Food made from local grain	discrete	numeric	
V401	m37r	Food made from local tuber	discrete	numeric	
V402	m37s	Gave child eggs, fish, poultry	discrete	numeric	
V403	m37t	Gave child meat	discrete	numeric	
V404	m38	Drank from bottle with nipple	discrete	numeric	
V405	m39	Times ate other food yesterday	discrete	numeric	
V406	m40a	Last 7 days - plain water	discrete	numeric	
V407	m40b	Last 7 days - milk	discrete	numeric	
V408	m40c	Last 7 days - other liquids	discrete	numeric	
V409	m40d	Last 7 days - local grain food	discrete	numeric	
V410	m40e	Last 7 days - local tuber food	discrete	numeric	
V411	m40f	Last 7 days - egg/fish/poultry	discrete	numeric	
V412	m40g	Last 7 days - meat	discrete	numeric	
V413	m40h	Last 7 days - other solid food	discrete	numeric	
V414	m40i	Last 7 days - fruit/vegetables	discrete	numeric	
V415	m40j	Last 7 days - country specifNA	discrete	numeric	
V416	m40k	Last 7 days - country specifNA	discrete	numeric	
V417	m40l	Last 7 days - country specifNA	discrete	numeric	
V418	m40m	Last 7 days - country specifNA	discrete	numeric	
V419	m40n	Last 7 days - country specifNA	discrete	numeric	
V420	m40o	Last 7 days - country specifNA	discrete	numeric	

REC42

Content	WOMAN - Breastfeeding and Health
Cases	4415
Variable(s)	79
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V421	hhid	Case Identification	discrete	character	
V422	caseid	Case Identification	discrete	character	
V423	v401	Last birth cesarean section	discrete	numeric	
V424	v404	Currently breastfeeding	discrete	numeric	
V425	v405	Currently amenorrheic	discrete	numeric	
V426	v406	Currently abstaining	discrete	numeric	
V427	v407	Times breastfed during night	discrete	numeric	
V428	v408	Times breastfed during day	discrete	numeric	
V429	v409	Gave child plain water	discrete	numeric	
V430	v409a	Gave child sugar water	discrete	numeric	
V431	v410	Gave child juice	discrete	numeric	
V432	v410a	Gave child herbal tea	discrete	numeric	
V433	v411	Gave child powder/tinned milk	discrete	numeric	
V434	v411a	Gave child baby formula	discrete	numeric	
V435	v412	Gave child fresh milk NA	discrete	numeric	
V436	v413a	Gave child fermented milk	discrete	numeric	
V437	v413b	Country specific other liqu.NA	discrete	numeric	
V438	v413c	Country specific other liqu.NA	discrete	numeric	
V439	v413d	Country specific other liqu.NA	discrete	numeric	
V440	v413	Gave child other liquid	discrete	numeric	
V441	v414a	Gave child fruits & vegetables	discrete	numeric	
V442	v414b	Gave child sweets	discrete	numeric	
V443	v414c	Country specific other foodsNA	discrete	numeric	
V444	v414d	Other solid, semi-solid foods	discrete	numeric	
V445	v414e	Food made from local grain	discrete	numeric	
V446	v414f	Food made from local tuber	discrete	numeric	
V447	v414g	Gave child eggs, fish, poultry	discrete	numeric	
V448	v414h	Gave child meat	discrete	numeric	

ID	Name	Label	Type	Format	Question
V449	v415	Drank from bottle with nipple	discrete	numeric	
V450	v416	Heard of oral rehydration	discrete	numeric	
V451	v417	Entries in maternity table	discrete	numeric	
V452	v418	Entries in health table	discrete	numeric	
V453	v419	Entries in height/weight table	discrete	numeric	
V454	v420	Measurer's code	contin	numeric	
V455	v421	Assistant measurer's code	contin	numeric	
V456	v426	When child put to breast	discrete	numeric	
V457	v436	Arm circumference (cms-1d) NA	discrete	numeric	
V458	v437	Respondent's weight (kilos-1d)	contin	numeric	
V459	v438	Respondent's height (cms-1d)	contin	numeric	
V460	v439	Ht/A Percentile (resp.)	discrete	numeric	
V461	v440	Ht/A Standard deviations (resp)	discrete	numeric	
V462	v441	Ht/A Percent ref. median (resp)	discrete	numeric	
V463	v442	Wt/Ht Percent ref. median (DHS)	discrete	numeric	
V464	v443	Wt/Ht Percent ref. median (Fog)	discrete	numeric	
V465	v444	Wt/Ht Percent ref. median (WHO)	discrete	numeric	
V466	v444a	Wt/Ht Std deviations(resp) DHS	discrete	numeric	
V467	v445	Body mass index for respondent	discrete	numeric	
V468	v446	Rohrer's index for respondent	discrete	numeric	
V469	v447	Result of measurement of resp.	discrete	numeric	
V470	v448	Drinking pattern with diarrhea	discrete	numeric	
V471	v449	Eating pattern with diarrhea	discrete	numeric	
V472	v450a	Diarrhea: repeat watery stools	discrete	numeric	
V473	v450b	Diarrhea: Any watery stools	discrete	numeric	
V474	v450c	Diarrhea: Repeated vomiting	discrete	numeric	
V475	v450d	Diarrhea: Any vomiting	discrete	numeric	
V476	v450e	Diarrhea: Blood in stools	discrete	numeric	
V477	v450f	Diarrhea: Fever	discrete	numeric	
V478	v450g	Diarrhea: Marked thirst	discrete	numeric	
V479	v450h	Diarrhea: Not eating/drinking	discrete	numeric	
V480	v450i	Diarrhea: Getting sicker	discrete	numeric	
V481	v450j	Diarrhea: Not getting better	discrete	numeric	
V482	v450k	Diarrhea: Abdominal pain	discrete	numeric	
V483	v450l	Diarrhea: Country specific NA	discrete	numeric	
V484	v450m	Diarrhea: Country specific NA	discrete	numeric	
V485	v450x	Diarrhea: Other responses	discrete	numeric	
V486	v450z	Diarrhea: Does not know	discrete	numeric	
V487	v451a	Cough: Fast breathing	discrete	numeric	
V488	v451b	Cough: Difficult breathing	discrete	numeric	

ID	Name	Label	Type	Format	Question
V489	v451c	Cough: Noisy breathing	discrete	numeric	
V490	v451d	Cough: Fever	discrete	numeric	
V491	v451e	Cough: Unable to drink	discrete	numeric	
V492	v451f	Cough: Not eating/drinking	discrete	numeric	
V493	v451g	Cough: Getting sicker	discrete	numeric	
V494	v451h	Cough: Not getting better	discrete	numeric	
V495	v451i	Cough: Chest pain, headache	discrete	numeric	
V496	v451j	Cough: Red throat	discrete	numeric	
V497	v451k	Cough: Country specific NA	discrete	numeric	
V498	v451x	Cough: Other responses	discrete	numeric	
V499	v451z	Knows no sign of illness	discrete	numeric	

REC43

Content	WOMAN - Immunization and Health
Cases	1324
Variable(s)	115
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V500	hhid	Case Identification	discrete	character	
V501	caseid	Case Identification	discrete	character	
V502	hidx	Index to birth history	discrete	numeric	
V503	h1	Has health card	discrete	numeric	
V504	h2	Received BCG	discrete	numeric	
V505	h2d	BCG day	discrete	numeric	
V506	h2m	BCG month	discrete	numeric	
V507	h2y	BCG year	discrete	numeric	
V508	h3	Received DPT 1	discrete	numeric	
V509	h3d	DPT 1 day	discrete	numeric	
V510	h3m	DPT 1 month	discrete	numeric	
V511	h3y	DPT 1 year	discrete	numeric	
V512	h4	Received POLIO 1	discrete	numeric	
V513	h4d	POLIO 1 day	discrete	numeric	
V514	h4m	POLIO 1 month	discrete	numeric	
V515	h4y	POLIO 1 year	discrete	numeric	
V516	h5	Received DPT 2	discrete	numeric	
V517	h5d	DPT 2 day	discrete	numeric	
V518	h5m	DPT 2 month	discrete	numeric	
V519	h5y	DPT 2 year	discrete	numeric	
V520	h6	Received POLIO 2	discrete	numeric	
V521	h6d	POLIO 2 day	discrete	numeric	
V522	h6m	POLIO 2 month	discrete	numeric	
V523	h6y	POLIO 2 year	discrete	numeric	
V524	h7	Received DPT 3	discrete	numeric	
V525	h7d	DPT 3 day	discrete	numeric	
V526	h7m	DPT 3 month	discrete	numeric	
V527	h7y	DPT 3 year	discrete	numeric	

ID	Name	Label	Type	Format	Question
V528	h8	Received POLIO 3	discrete	numeric	
V529	h8d	POLIO 3 day	discrete	numeric	
V530	h8m	POLIO 3 month	discrete	numeric	
V531	h8y	POLIO 3 year	discrete	numeric	
V532	h9	Received MEASLES	discrete	numeric	
V533	h9d	MEASLES day	discrete	numeric	
V534	h9m	MEASLES month	discrete	numeric	
V535	h9y	MEASLES year	discrete	numeric	
V536	h0	Polio 0	discrete	numeric	
V537	h0d	Polio 0 day	discrete	numeric	
V538	h0m	POLIO 0 month	discrete	numeric	
V539	h0y	POLIO 0 year	discrete	numeric	
V540	h10	Ever had vaccination	discrete	numeric	
V541	h11	Had diarrhea recently	discrete	numeric	
V542	h11b	Blood in the stools	discrete	numeric	
V543	h11c	Bowel movements in worst day	discrete	numeric	
V544	h12a	Diarrhea: government hosp.	discrete	numeric	
V545	h12b	Diarrhea: govt health center	discrete	numeric	
V546	h12c	Diarrhea: govt health post	discrete	numeric	
V547	h12d	Diarrhea: mobile clinic NA	discrete	numeric	
V548	h12e	Diarrhea: comm.health workerNA	discrete	numeric	
V549	h12f	Diarrhea: pharmacy	discrete	numeric	
V550	h12g	Diarrhea: FAP	discrete	numeric	
V551	h12h	Diarrhea: CS public sector NA	discrete	numeric	
V552	h12i	Diarrhea: other public sector	discrete	numeric	
V553	h12j	Diarrhea: private hosp/clin.	discrete	numeric	
V554	h12k	Diarrhea: private pharmacy	discrete	numeric	
V555	h12l	Diarrhea: private doctor	discrete	numeric	
V556	h12m	Diarrhea: private mobile clinNA	discrete	numeric	
V557	h12n	Diarrhea: comm.health workerNA	discrete	numeric	
V558	h12o	Diarrhea: CS med.priv sectorNA	discrete	numeric	
V559	h12p	Diarrhea: CS med.priv sectorNA	discrete	numeric	
V560	h12q	Diarrhea: CS med.priv sectorNA	discrete	numeric	
V561	h12r	Diarrhea: Other private sector	discrete	numeric	
V562	h12s	Diarrhea: shop	discrete	numeric	
V563	h12t	Diarrhea: traditional pract.NA	discrete	numeric	
V564	h12u	Diarrhea: private person	discrete	numeric	
V565	h12v	Diarrhea: CS oth.priv sectorNA	discrete	numeric	
V566	h12w	Diarrhea: CS oth.priv sectorNA	discrete	numeric	
V567	h12x	Diarrhea: Other	discrete	numeric	

ID	Name	Label	Type	Format	Question
V568	h12y	Diarrhea: no treatment	discrete	numeric	
V569	h12z	Diarrhea: medical treatment	discrete	numeric	
V570	h13	Given oral rehydration	discrete	numeric	
V571	h14	Given recommend. home solution	discrete	numeric	
V572	h15	Given other pills or syrups	discrete	numeric	
V573	h15a	Given antibiotics (CS) NA	discrete	numeric	
V574	h15b	Given an injection	discrete	numeric	
V575	h15c	Given an intravenous (IV)	discrete	numeric	
V576	h15d	Given home remedy, herbal med.	discrete	numeric	
V577	h15e	Given CS other treatment NA	discrete	numeric	
V578	h15f	Given CS other treatment NA	discrete	numeric	
V579	h15g	Given CS other treatment NA	discrete	numeric	
V580	h15h	Given CS other treatment NA	discrete	numeric	
V581	h16	Increase or decrease fluids	discrete	numeric	
V582	h18	Increase or decrease in foods	discrete	numeric	
V583	h20	Given other treatment	discrete	numeric	
V584	h21a	Given no treatment	discrete	numeric	
V585	h21	Received any treatment	discrete	numeric	
V586	h22	Had fever in last two weeks	discrete	numeric	
V587	h31	Had cough in last two weeks	discrete	numeric	
V588	h31b	Short, rapid breaths	discrete	numeric	
V589	h32a	Fever/cough: government hosp.	discrete	numeric	
V590	h32b	Fever/cough: govt health cntr	discrete	numeric	
V591	h32c	Fever/cough: govt health post	discrete	numeric	
V592	h32d	Fever/cough: mobile clinic NA	discrete	numeric	
V593	h32e	Fever/cough: comm.health wrkNA	discrete	numeric	
V594	h32f	Fever/cough: pharmacy	discrete	numeric	
V595	h32g	Fever/cough: FAP	discrete	numeric	
V596	h32h	Fever/cough: CS public sect.NA	discrete	numeric	
V597	h32i	Fever/cough: other public sect	discrete	numeric	
V598	h32j	Fever/cough: private hosp/clin	discrete	numeric	
V599	h32k	Fever/cough: private pharmacy	discrete	numeric	
V600	h32l	Fever/cough: private doctor	discrete	numeric	
V601	h32m	Fever/cough: private mob. clINA	discrete	numeric	
V602	h32n	Fever/cough: comm.health wrkNA	discrete	numeric	
V603	h32o	Fever/cough: CS med.priv secNA	discrete	numeric	
V604	h32p	Fever/cough: CS med.priv secNA	discrete	numeric	
V605	h32q	Fever/cough: CS med.priv secNA	discrete	numeric	
V606	h32r	Fever/cough: other priv sector	discrete	numeric	
V607	h32s	Fever/cough: shop	discrete	numeric	

ID	Name	Label	Type	Format	Question
V608	h32t	Fever/cough: traditional pr.NA	discrete	numeric	
V609	h32u	Fever/cough: private person	discrete	numeric	
V610	h32v	Fever/cough: CS oth.priv secNA	discrete	numeric	
V611	h32w	Fever/cough: CS oth.priv secNA	discrete	numeric	
V612	h32x	Fever/cough: Other	discrete	numeric	
V613	h32y	Fever/cough: no treatment	discrete	numeric	
V614	h32z	Fever/cough: medical treatment	discrete	numeric	

REC44

Content	WOMAN - Height and Weight
Cases	1324
Variable(s)	29
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V615	hhid	Case Identification	discrete	character	
V616	caseid	Case Identification	discrete	character	
V617	hwidx	Index to birth history	discrete	numeric	
V618	hw1	Age in months	contin	numeric	
V619	hw2	Weight in kilograms (1 dec.)	contin	numeric	
V620	hw3	Height in centimeters (1 dec.)	contin	numeric	
V621	hw4	Ht/A Percentile	discrete	numeric	
V622	hw5	Ht/A Standard deviations	discrete	numeric	
V623	hw6	Ht/A Percent of ref. median	discrete	numeric	
V624	hw7	Wt/A Percentile	discrete	numeric	
V625	hw8	Wt/A Standard deviations	discrete	numeric	
V626	hw9	Wt/A Percent of ref. median	discrete	numeric	
V627	hw10	Wt/Ht Percentile	discrete	numeric	
V628	hw11	Wt/Ht Standard deviations	discrete	numeric	
V629	hw12	Wt/Ht Percent of ref. median	discrete	numeric	
V630	hw13	Reason not measured	discrete	numeric	
V631	hw14	BCG scar on arm or shoulder	discrete	numeric	
V632	hw15	Height: lying or standing	discrete	numeric	
V633	hw16	Day of birth of child	discrete	numeric	
V634	hw17	Date measured (day)	contin	numeric	
V635	hw18	Date measured (month)	discrete	numeric	
V636	hw19	Date measured (year)	discrete	numeric	
V637	hw20	Arm circumference (cms - 1d)NA	discrete	numeric	
V638	hw21	Arm circ/A Percentile NA	discrete	numeric	
V639	hw22	Arm circ/A Standard deviatnsNA	discrete	numeric	
V640	hw23	Arm c/A Percent of ref. med.NA	discrete	numeric	
V641	hw24	Arm circ/Ht Percentile NA	discrete	numeric	
V642	hw25	Arm cir/Ht Standard deviatnsNA	discrete	numeric	

ID	Name	Label	Type	Format	Question
V643	hw26	Arm cir/Ht Percent ref. med.NA	discrete	numeric	

REC51

Content	WOMAN - Marriage/Exposure
Cases	4415
Variable(s)	24
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V644	hhid	Case Identification	discrete	character	
V645	caseid	Case Identification	discrete	character	
V646	v501	Current marital status	discrete	numeric	
V647	v502	Currently/formerly/never marr.	discrete	numeric	
V648	v503	Number of unions	discrete	numeric	
V649	v504	Husband lives in house	discrete	numeric	
V650	v505	Number of other wives NA	discrete	numeric	
V651	v506	Wife rank number NA	discrete	numeric	
V652	v507	Month of first marriage	discrete	numeric	
V653	v508	Year of first marriage	contin	numeric	
V654	v509	Date of first marriage (CMC)	contin	numeric	
V655	v510	Completeness of date inform.	discrete	numeric	
V656	v511	Age at first marriage	contin	numeric	
V657	v512	Years since first marriage	contin	numeric	
V658	v513	Marital duration (grouped)	discrete	numeric	
V659	v525	Age at first intercourse	discrete	numeric	
V660	v527	Time since last intercourse	discrete	numeric	
V661	v528	Time since last intercourse(g)	discrete	numeric	
V662	v529	Time since last intercourse(im)	discrete	numeric	
V663	v530	Flag for V529	discrete	numeric	
V664	v531	Age at first intercourse (imp)	discrete	numeric	
V665	v532	Flag for V531	discrete	numeric	
V666	v534	Have a regular sex partner	discrete	numeric	
V667	v535	Have ever been married	discrete	numeric	

REC61

Content	WOMAN - Fertility Preferences
Cases	4415
Variable(s)	35
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V668	hhid	Case Identification	discrete	character	
V669	caseid	Case Identification	discrete	character	
V670	v602	Fertility preference	discrete	numeric	
V671	v603	Preferred waiting time	discrete	numeric	
V672	v604	Preferred waiting time (grpd)	discrete	numeric	
V673	v605	Desire for more children	discrete	numeric	
V674	v606	Attitude toward becoming preg.	discrete	numeric	
V675	v610	Husband approves FP	discrete	numeric	
V676	v611	Discussed FP with partner	discrete	numeric	
V677	v612	Respondent approves FP	discrete	numeric	
V678	v613	Ideal number of children	discrete	numeric	
V679	v614	Ideal number of children (grp)	discrete	numeric	
V680	v616	Time for future birth	discrete	numeric	
V681	v618	Reason regrets sterilizationNA	discrete	numeric	
V682	v621	Husbands desire for children	discrete	numeric	
V683	v623	Exposure	discrete	numeric	
V684	v624	Unmet need	discrete	numeric	
V685	v625	Exposure (definition 2)	discrete	numeric	
V686	v626	Unmet need (definition 2)	discrete	numeric	
V687	v627	Ideal number of boys	discrete	numeric	
V688	v628	Ideal number of girls	discrete	numeric	
V689	v629	Ideal number of either sex	discrete	numeric	
V690	v630a	Discussed FP with partner	discrete	numeric	
V691	v630b	Discussed FP with mother	discrete	numeric	
V692	v630c	Discussed FP with father	discrete	numeric	
V693	v630d	Discussed FP with sister(s)	discrete	numeric	
V694	v630e	Discussed FP with brother(s)	discrete	numeric	
V695	v630f	Discussed FP with daughter(s)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V696	v630g	Discussed FP with mother-inlaw	discrete	numeric	
V697	v630h	Discussed FP with friends/nbrs	discrete	numeric	
V698	v630i	Discussed FP -other relatives	discrete	numeric	
V699	v630j	Discussed FP -country specifNA	discrete	numeric	
V700	v630k	Discussed FP -country specifNA	discrete	numeric	
V701	v630l	Discussed FP -country specifNA	discrete	numeric	
V702	v630x	Discussed FP with others	discrete	numeric	

REC71

Content	WOMAN - Partner's Characteristics
Cases	4415
Variable(s)	28
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V703	hhid	Case Identification	discrete	character	
V704	caseid	Case Identification	discrete	character	
V705	v701	Partner's education level	discrete	numeric	
V706	v702	Highest year of education	discrete	numeric	
V707	v704	Partner's occupation	contin	numeric	
V708	v705	Partner's occupation	discrete	numeric	
V709	v707	Type of land where works	discrete	numeric	
V710	v714	Respondent currently working	discrete	numeric	
V711	v715	Husbands education-single yrs	discrete	numeric	
V712	v716	Respondent's occupation	discrete	numeric	
V713	v717	Respondent's occupation	discrete	numeric	
V714	v718	Current type of employment	discrete	numeric	
V715	v719	Work for family, others, self	discrete	numeric	
V716	v720	Earns cash for work	discrete	numeric	
V717	v721	Works at home or away	discrete	numeric	
V718	v723	Child minder	discrete	numeric	
V719	v729	Partner's educational attainm.	discrete	numeric	
V720	v730	Partners age	discrete	numeric	
V721	v731	Worked in last 12 months	discrete	numeric	
V722	v732	Employment all year/seasonal	discrete	numeric	
V723	v733	Months worked in last 12 mnths	contin	numeric	
V724	v734	Days in a week normally work	discrete	numeric	
V725	v735	Days worked in last 12 months	contin	numeric	
V726	v736	Earnings for work NA	discrete	numeric	
V727	v737	Daily earnings for work NA	discrete	numeric	
V728	v738	Yearly earnings for work NA	discrete	numeric	
V729	v739	Who decides how to spend money	discrete	numeric	
V730	v740	Type of land where resp. works	discrete	numeric	

REC75

Content	WOMAN - AIDS and Condom Use
Cases	4415
Variable(s)	73
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V731	hhid	Case Identification	discrete	character	
V732	caseid	Case Identification	discrete	character	
V733	v751	Ever heard of AIDS NA	discrete	numeric	
V734	v752a	AIDS: radio - NA	discrete	numeric	
V735	v752b	AIDS: television - NA	discrete	numeric	
V736	v752c	AIDS: newspapers/magazine - NA	discrete	numeric	
V737	v752d	AIDS: pamphlets/posters - NA	discrete	numeric	
V738	v752e	AIDS: clinic/health worke - NA	discrete	numeric	
V739	v752f	AIDS: churches/mosques - NA	discrete	numeric	
V740	v752g	AIDS: schools/teachers - NA	discrete	numeric	
V741	v752h	AIDS: community meetings - NA	discrete	numeric	
V742	v752i	AIDS: friends/relatives - NA	discrete	numeric	
V743	v752j	AIDS: work place - NA	discrete	numeric	
V744	v752k	AIDS: country specific - NA	discrete	numeric	
V745	v752l	AIDS: country specific - NA	discrete	numeric	
V746	v752m	AIDS: country specific - NA	discrete	numeric	
V747	v752n	AIDS: country specific - NA	discrete	numeric	
V748	v752o	AIDS: country specific - NA	discrete	numeric	
V749	v752x	AIDS: other responses - NA	discrete	numeric	
V750	v753	Ways to avoid AIDS - NA	discrete	numeric	
V751	v754a	AIDS: Safe sex - NA	discrete	numeric	
V752	v754b	AIDS: abstain from sex - NA	discrete	numeric	
V753	v754c	AIDS: use condoms during - NA	discrete	numeric	
V754	v754d	AIDS: only one sex partne - NA	discrete	numeric	
V755	v754e	AIDS: avoid sex prostitut - NA	discrete	numeric	
V756	v754f	AIDS: avoid sex homosexua - NA	discrete	numeric	
V757	v754g	AIDS: avoid blood transfu - NA	discrete	numeric	
V758	v754h	AIDS: avoid injections - NA	discrete	numeric	

ID	Name	Label	Type	Format	Question
V759	v754i	AIDS: avoid kissing - NA	discrete	numeric	
V760	v754j	AIDS: avoid mosquito bite - NA	discrete	numeric	
V761	v754k	AIDS: protection trad. he - NA	discrete	numeric	
V762	v754l	AIDS: country specific - NA	discrete	numeric	
V763	v754m	AIDS: country specific - NA	discrete	numeric	
V764	v754n	AIDS: country specific - NA	discrete	numeric	
V765	v754o	AIDS: country specific - NA	discrete	numeric	
V766	v754x	AIDS: other responses - NA	discrete	numeric	
V767	v754z	AIDS: DK ways avoid AIDS - NA	discrete	numeric	
V768	v755b	Safe sex: abstain sex - NA	discrete	numeric	
V769	v755c	Safe sex: use condoms dur - NA	discrete	numeric	
V770	v755d	Safe sex: only one partnr - NA	discrete	numeric	
V771	v755e	Safe sex: avoid prostitut - NA	discrete	numeric	
V772	v755f	Safe sex: avoid homosexua - NA	discrete	numeric	
V773	v755l	Safe sex: country specifi - NA	discrete	numeric	
V774	v755m	Safe sex: country specifi - NA	discrete	numeric	
V775	v755n	Safe sex: country specifi - NA	discrete	numeric	
V776	v755o	Safe sex: country specifi - NA	discrete	numeric	
V777	v755x	Safe sex: other responses - NA	discrete	numeric	
V778	v755z	Safe sex: DK meaning - NA	discrete	numeric	
V779	v756	Can a healthy person have - NA	discrete	numeric	
V780	v757	Is AIDS a fatal disease - NA	discrete	numeric	
V781	v758	Chances of getting AIDS - NA	discrete	numeric	
V782	v760a	Behavior: Did not start s - NA	discrete	numeric	
V783	v760b	Behavior: Stopped all sex - NA	discrete	numeric	
V784	v760c	Behavior: Started using c - NA	discrete	numeric	
V785	v760d	Behavior: Only one sex pa - NA	discrete	numeric	
V786	v760e	Behavior: Reduced partner - NA	discrete	numeric	
V787	v760f	Behavior: Ask spouse fait - NA	discrete	numeric	
V788	v760g	Behavior: No homosexual c - NA	discrete	numeric	
V789	v760i	Behavior: Stopped injecti - NA	discrete	numeric	
V790	v760l	Behavior: Country specifi - NA	discrete	numeric	
V791	v760m	Behavior: Country specifi - NA	discrete	numeric	
V792	v760n	Behavior: Country specifi - NA	discrete	numeric	
V793	v760o	Behavior: Country specifi - NA	discrete	numeric	
V794	v760p	Behavior: Spouse avoid pr - NA	discrete	numeric	
V795	v760v	Behavior: No nonsexual ch - NA	discrete	numeric	
V796	v760w	Behavior: Other (non-sexu - NA	discrete	numeric	
V797	v760x	Behavior: Other (sexual) - NA	discrete	numeric	
V798	v760y	Behavior: No change - NA	discrete	numeric	

ID	Name	Label	Type	Format	Question
V799	v760z	Behavior: Don't know - NA	discrete	numeric	
V800	v761	Last intercourse used con - NA	discrete	numeric	
V801	v762	Source for condoms - NA	discrete	numeric	
V802	v764	Knowledge of condom - NA	discrete	numeric	
V803	v765	Ever use of condom - NA	discrete	numeric	

REC81

Content	WOMAN - Characteristics of the Interview
Cases	4415
Variable(s)	12
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V804	hhid	Case Identification	discrete	character	
V805	caseid	Case Identification	discrete	character	
V806	v801	Time interview started	contin	numeric	
V807	v802	Time interview ended	contin	numeric	
V808	v803	Length of interview in minutes	discrete	numeric	
V809	v804	Number of visits	discrete	numeric	
V810	v805	Interviewer identification	contin	numeric	
V811	v806	Keyer identification	discrete	numeric	
V812	v811	Pres. children < 10 (sec 5)	discrete	numeric	
V813	v812	Pres. husband (sec 5)	discrete	numeric	
V814	v813	Pres. other males (sec 5)	discrete	numeric	
V815	v814	Pres. other females (sec 5)	discrete	numeric	

REC91

Content	WOMAN - Country specific - Single Variables
Cases	4544
Variable(s)	46
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V816	hhid	Case Identification	discrete	character	
V817	caseid	Case Identification	discrete	character	
V818	soblast	Oblast	discrete	numeric	
V819	soblastu	Oblast of usual residence	discrete	numeric	
V820	sraion	Raion	discrete	numeric	
V821	slangint	Language of interview	discrete	numeric	
V822	sresplng	Respondents native language	discrete	numeric	
V823	stransus	Whether translator used	discrete	numeric	
V824	s108	Highest educational level	discrete	numeric	
V825	s108a	What did you study?	discrete	numeric	
V826	s109	Years at that level	discrete	numeric	
V827	s119a	Easiest language to read	discrete	numeric	
V828	s119b	Spoken language at home	discrete	numeric	
V829	s119c	Ownership of dacha or garden	discrete	numeric	
V830	s119e	What kind of chronic disease	discrete	numeric	
V831	s119f	Chronic disease treated by	discrete	numeric	
V832	s209	Induced abortions	discrete	numeric	
V833	s210	Miscarriages	discrete	numeric	
V834	s211	Stillbirths	discrete	numeric	
V835	s212	Total pregnancies	discrete	numeric	
V836	s226	Pregnancies in last three year	discrete	numeric	
V837	s229a	Age at first menstrual period	discrete	numeric	
V838	s230a	Dur. of menstrual cycle (days)	contin	numeric	
V839	s230b	Periods regular or not	discrete	numeric	
V840	s230c	Usual duration of period(days)	contin	numeric	
V841	s230d	Usual menstrual flow	discrete	numeric	
V842	s230e	Menstruation painful	discrete	numeric	
V843	s527a	Who recommended using method	discrete	numeric	

ID	Name	Label	Type	Format	Question
V844	s543	Ever seen logo 1 'Red apple'	discrete	numeric	
V845	s544	Where seen logo 1 'Red apple'	discrete	numeric	
V846	s545	What does logo 1 symbol mean	discrete	numeric	
V847	s546	Ever seen logo 2 'Green pear'	discrete	numeric	
V848	s547	Where seen logo 2 'Green pear'	discrete	numeric	
V849	s548	What does logo 2 symbol mean	discrete	numeric	
V850	s549a	Pills not harmful	discrete	numeric	
V851	s549b	Nausea - stop taking pills	discrete	numeric	
V852	s549c	Injectables permanent method	discrete	numeric	
V853	s549d	Injectables stop menstruation	discrete	numeric	
V854	s804	Partners level of education	discrete	numeric	
V855	s805	Partners highest grade	discrete	numeric	
V856	s809	On maternity leave	discrete	numeric	
V857	s1001	Hemoglobin level in resp.blood	contin	numeric	
V858	s1002	Result hemoglobin (respondent)	discrete	numeric	
V859	s1008	Name of measurer (Hemoglobin)	contin	numeric	
V860	s1008a	Name of assistant (Hemoglobin)	contin	numeric	
V861	s1001s	Respondent's anemia status	discrete	numeric	

REC94

Content	WOMAN - Country specific - Maternity
Cases	1324
Variable(s)	15
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V862	hhid	Case Identification	discrete	character	
V863	caseid	Case Identification	discrete	character	
V864	idx94	Index to birth history	discrete	numeric	
V865	s304as	When learned pregnant	discrete	numeric	
V866	s306s	Method in use at time of preg	discrete	numeric	
V867	s314es	Rupture of amniotic fluid sac	discrete	numeric	
V868	s404aa	Iron deficiency anemia	discrete	numeric	
V869	s404ab	Heart or circulatory diseases	discrete	numeric	
V870	s404ac	Kidney diseases	discrete	numeric	
V871	s404ad	Liver or gastrointestinal dis.	discrete	numeric	
V872	s404ae	Lung diseases	discrete	numeric	
V873	s404af	Hormonal diseases	discrete	numeric	
V874	s404d	Health facil. visited for care	discrete	numeric	
V875	s409	Length at birth	discrete	numeric	
V876	s409a	Length from card or recall	discrete	numeric	

REC95

Content	WOMAN - Country specific - Health
Cases	1324
Variable(s)	58
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V877	hhid	Case Identification	discrete	character	
V878	caseid	Case Identification	discrete	character	
V879	idx95	Index to birth history	discrete	numeric	
V880	shadata	Health center data	discrete	numeric	
V881	s4card	Has health card	discrete	numeric	
V882	s4b	Received BCG	discrete	numeric	
V883	s4bd	BCG day	discrete	numeric	
V884	s4bm	BCG month	discrete	numeric	
V885	s4by	BCG year	discrete	numeric	
V886	s4p0	Received Polio 0	discrete	numeric	
V887	s4p0d	Polio 0 day	discrete	numeric	
V888	s4p0m	Polio 0 month	discrete	numeric	
V889	s4p0y	Polio 0 year	discrete	numeric	
V890	s4d1	Received DPT 1	discrete	numeric	
V891	s4d1d	DPT 1 day	discrete	numeric	
V892	s4d1m	DPT 1 month	discrete	numeric	
V893	s4d1y	DPT 1 year	discrete	numeric	
V894	s4p1	Received Polio 1	discrete	numeric	
V895	s4p1d	Polio 1 day	discrete	numeric	
V896	s4p1m	Polio 1 month	discrete	numeric	
V897	s4p1y	Polio 1 year	discrete	numeric	
V898	s4d2	Received DPT 2	discrete	numeric	
V899	s4d2d	DPT 2 day	discrete	numeric	
V900	s4d2m	DPT 2 month	discrete	numeric	
V901	s4d2y	DPT 2 year	discrete	numeric	
V902	s4p2	Received Polio 2	discrete	numeric	
V903	s4p2d	Polio 2 day	discrete	numeric	
V904	s4p2m	Polio 2 month	discrete	numeric	

ID	Name	Label	Type	Format	Question
V905	s4p2y	Polio 2 year	discrete	numeric	
V906	s4d3	Received DPT 3	discrete	numeric	
V907	s4d3d	DPT 3 day	discrete	numeric	
V908	s4d3m	DPT 3 month	discrete	numeric	
V909	s4d3y	DPT 3 year	discrete	numeric	
V910	s4p3	Received Polio 3	discrete	numeric	
V911	s4p3d	Polio 3 day	discrete	numeric	
V912	s4p3m	Polio 3 month	discrete	numeric	
V913	s4p3y	Polio 3 year	discrete	numeric	
V914	s4d4	Received DPT 4	discrete	numeric	
V915	s4d4d	DPT 4 day	discrete	numeric	
V916	s4d4m	DPT 4 month	discrete	numeric	
V917	s4d4y	DPT 4 year	discrete	numeric	
V918	s4p4	Received POLIO 4	discrete	numeric	
V919	s4p4d	POLIO 4 day	discrete	numeric	
V920	s4p4m	POLIO 4 month	discrete	numeric	
V921	s4p4y	POLIO 4 year	discrete	numeric	
V922	s4p5	Received POLIO 5	discrete	numeric	
V923	s4p5d	POLIO 5 day	discrete	numeric	
V924	s4p5m	POLIO 5 month	discrete	numeric	
V925	s4p5y	POLIO 5 year	discrete	numeric	
V926	s4m	Received Measles	discrete	numeric	
V927	s4md	Measles day	discrete	numeric	
V928	s4mm	Measles month	discrete	numeric	
V929	s4my	Measles year	discrete	numeric	
V930	s4mp	Received Mantu probe	discrete	numeric	
V931	s4mpd	Mantu probe day	discrete	numeric	
V932	s4mpm	Mantu probe month	discrete	numeric	
V933	s4mpy	Mantu probe year	discrete	numeric	
V934	s440	Ever had vaccination	discrete	numeric	

REC96

Content	WOMAN - Country specific - Height and Weight
Cases	1324
Variable(s)	7
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V935	hhid	Case Identification	discrete	character	
V936	caseid	Case Identification	discrete	character	
V937	idx96	Index to birth history	discrete	numeric	
V938	s908	BCG scar on arm or shoulder	discrete	numeric	
V939	s1006	Hemoglobin level in children	contin	numeric	
V940	s1007	Result (Hb in child)	discrete	numeric	
V941	s1006s	Child's anemia status	discrete	numeric	

REC97

Content	WOMAN - Country specific - Pregnancy history
Cases	12017
Variable(s)	11
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V942	hhid	Case Identification	discrete	character	
V943	caseid	Case Identification	discrete	character	
V944	idx97	Index to pregnancy history	discrete	numeric	
V945	ord97	Pregnancy order number	discrete	numeric	
V946	s215m	Month pregnancy ended	discrete	numeric	
V947	s215y	Year pregnancy ended	discrete	numeric	
V948	s215c	Date of end of pregnancy (CMC)	contin	numeric	
V949	s215f	Date of end of pregnancy (CMC)	discrete	numeric	
V950	s216	Result of the pregnancy	discrete	numeric	
V951	s217	Birth interval >= 4 years	discrete	numeric	
V952	bidx97	Index to birth history	discrete	numeric	

REC98

Content	WOMAN - Country specific - Pregnancies in last 3 years
Cases	1726
Variable(s)	8
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V953	hhid	Case Identification	discrete	character	
V954	caseid	Case Identification	discrete	character	
V955	idx98	Index to pregnancy history	discrete	numeric	
V956	s304a	When learned pregnant	discrete	numeric	
V957	s305	Time wanted pregnancy	discrete	numeric	
V958	s305a	Time would have waited	discrete	numeric	
V959	s306	Method in use at time of preg	discrete	numeric	
V960	bidx98	Index to birth history	discrete	numeric	

REC99

Content	WOMAN - Country specific - Live and stillbirths last 3 years
Cases	1334
Variable(s)	25
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V961	hhid	Case Identification	discrete	character	
V962	caseid	Case Identification	discrete	character	
V963	idx99	Index to pregnancy history	discrete	numeric	
V964	s307a	Antenatal care: Doctor	discrete	numeric	
V965	s307b	Antenatal care: Nurse/midwife	discrete	numeric	
V966	s307c	Antenatal care: Trad. midwife	discrete	numeric	
V967	s307d	Antenatal care: Relative/frien	discrete	numeric	
V968	s307x	Antenatal care: Other	discrete	numeric	
V969	s307y	Antenatal care: No one	discrete	numeric	
V970	s308	Timing of 1st antenatal check	discrete	numeric	
V971	s309	Antenatal visits for pregnancy	discrete	numeric	
V972	s312	Place of delivery/prgncy termn	discrete	numeric	
V973	s313a	Assistance: doctor	discrete	numeric	
V974	s313b	Assistance: Nurse/midwife	discrete	numeric	
V975	s313c	Assistance: Trad. midwife	discrete	numeric	
V976	s313d	Assistance: Relative/friend	discrete	numeric	
V977	s313x	Assistance: Other	discrete	numeric	
V978	s313y	Assistance: No one	discrete	numeric	
V979	s314a	At birth - prolonged labor	discrete	numeric	
V980	s314b	Excessive bleeding	discrete	numeric	
V981	s314c	High fever, bad discharge	discrete	numeric	
V982	s314d	Convulsions	discrete	numeric	
V983	s314e	Rupture of amniotic fluid sac	discrete	numeric	
V984	s315	Delivery by caesarian section	discrete	numeric	
V985	bidx99	Index to birth history	discrete	numeric	

HWREC

Content	Height and Weight Scores - WHO Child Growth Standards
Cases	1324
Variable(s)	7
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V986	hwcaseid	Case Identification	discrete	character	
V987	hwline	Line	discrete	numeric	
V988	hwlevel	Data from HH or individual	discrete	numeric	
V989	hc70	Ht/A Standard deviations (according to WHO)	discrete	numeric	
V990	hc71	Wt/A Standard deviations (according to WHO)	discrete	numeric	
V991	hc72	Wt/Ht Standard deviations (according to WHO)	discrete	numeric	
V992	hc73	BMI Standard deviations (according to WHO)	discrete	numeric	

SEC1

Content	Wealth Index
Cases	3703
Variable(s)	3
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V993	whhid	Household ID	discrete	character	
V994	wlthindf	Wealth Index from factor scores	contin	numeric	
V995	wlthind5	Quintiles of wealth index	discrete	numeric	

Case Identification (hhid)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: character	Invalid: 0
Width: 6	

Country code and phase (hv000)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: character	Invalid: 0
Width: 3	

Cluster number (hv001)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 12	Minimum: 101
Decimals: 0	Maximum: 540
Range: 101-540	Mean: 323.9
	Standard deviation: 144.4

Household number (hv002)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 370
Range: 1-370	Mean: 103.1
	Standard deviation: 70.3

Respondent's line number (hv003)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-12	

Ultimate area unit (hv004)

File: RECH0

Ultimate area unit (hv004)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 101
Decimals: 0	Maximum: 540
Range: 101-540	Mean: 323.9
	Standard deviation: 144.4

Sample weight (hv005)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 12	Minimum: 0
Decimals: 0	Maximum: 1526096
Range: 0-1526096	Mean: 938656.5
	Standard deviation: 472651.5

Month of interview (hv006)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 6-10	

Year of interview (hv007)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 96-96	

Date of interview (CMC) (hv008)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1158-1162	

Number of household members (hv009)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 27
Range: 0-27	Mean: 4.9
	Standard deviation: 2.8

Number of eligible women in HH (hv010)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

Number of eligible men in H-NA (hv011)

File: RECH0

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 3945
Width: 8	
Decimals: 0	

Number of de jure members (hv012)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 27
Range: 0-27	Mean: 4.8
	Standard deviation: 2.9

Number of de facto members (hv013)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 27
Range: 0-27	Mean: 4.8
	Standard deviation: 2.8

Number of children 5 and under (hv014)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-6	

Result of household interview (hv015)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 19	
Decimals: 0	
Range: 1-9	

Day of interview (hv016)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 31
Range: 1-31	Mean: 15.3
	Standard deviation: 8.9

Number of visits (hv017)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

Interviewer identification (hv018)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 11
Decimals: 0	Maximum: 58
Range: 11-58	Mean: 33.9
	Standard deviation: 14.2

Keyer identification (hv019)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 2-6	

Ever-married sample (hv020)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 19	
Decimals: 0	
Range: 0-1	

Primary sampling unit (hv021)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 101
Decimals: 0	Maximum: 540
Range: 101-540	Mean: 323.9
	Standard deviation: 144.4

Sample stratum number (hv022)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 51
Decimals: 0	Maximum: 270
Range: 51-270	Mean: 162.2
	Standard deviation: 72.2

Sample domain (hv023)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 16	
Decimals: 0	
Range: 1-9	

Region (hv024)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-5	

Type of place of residence (hv025)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

Place of residence (hv026)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 19	
Decimals: 0	
Range: 0-3	

Selection for male int. NA (hv027)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-0	

Sample weight for male subs.NA (hv028)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-0	

Field supervisor (hv030)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 11
Decimals: 0	Maximum: 51
Range: 11-51	Mean: 30.8
	Standard deviation: 14

Field editor (hv031)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	Minimum: 12
Decimals: 0	Maximum: 52
Range: 12-52	Mean: 31.8
	Standard deviation: 14

Office editor (hv032)

File: RECH0

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 2-3	

Ultimate area selection prob. (hv033)

File: RECH0

Overview

Type: Continuous	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 12	Minimum: 2149
Decimals: 0	Maximum: 62602
Range: 2149-62602	Mean: 13735.8
	Standard deviation: 8690.6

Case Identification (hhid)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: character	Invalid: 0
Width: 6	

Line number (hvidx)

File: RECH1

Overview

Type: Continuous	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 27
Range: 1-27	Mean: 3.8
	Standard deviation: 2.5

Relationship to head (hv101)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 20	
Decimals: 0	
Range: 1-98	

Usual resident (hv102)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Slept last night (hv103)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Sex of household member (hv104)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

Age of household members (hv105)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-99	

Highest educational level (hv106)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-9	

Highest year of education (hv107)

File: RECH1

Overview

Type: Discrete	Valid cases: 15454
Format: numeric	Invalid: 3821
Width: 8	
Decimals: 0	
Range: 0-98	

Education in single years (hv108)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-99	

Educational attainment (hv109)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 20	
Decimals: 0	
Range: 0-9	

Member still in school (hv110)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-9	

Mother alive (hv111)

File: RECH1

Overview

Type: Discrete	Valid cases: 7114
Format: numeric	Invalid: 12161
Width: 8	
Decimals: 0	
Range: 0-9	

Mother's line number (hv112)

File: RECH1

Overview

Type: Discrete	Valid cases: 7114
Format: numeric	Invalid: 12161
Width: 16	
Decimals: 0	
Range: 0-16	

Father alive (hv113)

File: RECH1

Overview

Type: Discrete	Valid cases: 7114
Format: numeric	Invalid: 12161
Width: 8	
Decimals: 0	
Range: 0-9	

Father's line number (hv114)

File: RECH1

Overview

Type: Discrete	Valid cases: 7114
Format: numeric	Invalid: 12161
Width: 16	
Decimals: 0	
Range: 0-17	

Current marital status NA (hv115)

File: RECH1

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 19275
Width: 8	
Decimals: 0	

Currently, formerly, never mNA (hv116)

File: RECH1

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 19275
Width: 8	
Decimals: 0	

Eligibility for female interview (hv117)

File: RECH1

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 12	
Decimals: 0	
Range: 0-1	

Eligibility for male interv.NA (hv118)

File: RECH1

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 19275
Width: 8	
Decimals: 0	

Case Identification (hhid)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: character	Invalid: 0
Width: 6	

Source of drinking water (hv201)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 20	
Decimals: 0	
Range: 10-96	

Source of non-drinking water NA (hv202)

File: RECH2

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 3703
Width: 8	
Decimals: 0	

Same source of water NA (hv203)

File: RECH2

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 3703
Width: 8	
Decimals: 0	

Time to get to water source (hv204)

File: RECH2

Overview

Type: Discrete	Valid cases: 875
Format: numeric	Invalid: 2828
Width: 11	
Decimals: 0	
Range: 1-999	

Type of toilet facility (hv205)

File: RECH2

Overview

Type of toilet facility (hv205)

File: RECH2

Type: Discrete

Format: numeric

Width: 20

Decimals: 0

Range: 10-96

Valid cases: 3703

Invalid: 0

Has electricity (hv206)

File: RECH2

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 3703

Invalid: 0

Has radio (hv207)

File: RECH2

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 3703

Invalid: 0

Has television (hv208)

File: RECH2

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 3703

Invalid: 0

Has refrigerator (hv209)

File: RECH2

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 3703

Invalid: 0

Has bicycle (hv210)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Has motorcycle (hv211)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Has car (hv212)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Main floor material (hv213)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 20	
Decimals: 0	
Range: 10-96	

Main wall material NA (hv214)

File: RECH2

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 3703
Width: 8	
Decimals: 0	

Main roof material NA (hv215)

File: RECH2

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 3703
Width: 8	
Decimals: 0	

Rooms for sleeping (hv216)

File: RECH2

Overview

Type: Continuous	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 2.8
	Standard deviation: 6.4

Relationship structure (hv217)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 20	
Decimals: 0	
Range: 0-5	

Line number of head of househ. (hv218)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-1	

Sex of head of household (hv219)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

Age of head of household (hv220)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 17-98	

Has telephone (hv221)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Type of salt used for cooking (hv222)

File: RECH2

Overview

Type: Discrete	Valid cases: 3703
Format: numeric	Invalid: 0
Width: 20	
Decimals: 0	
Range: 1-96	

Case Identification (hhid)

File: RECH3

Overview

Type: Discrete	Valid cases: 3945
Format: character	Invalid: 0
Width: 6	

Oblast (shoblast)

File: RECH3

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 14	
Decimals: 0	
Range: 1-13	

Raion (shraion)

File: RECH3

Overview

Type: Discrete	Valid cases: 3945
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-21	

Case Identification (hhid)

File: RECH4

Overview

Type: Discrete	Valid cases: 19275
Format: character	Invalid: 0
Width: 6	

Index to household schedule (idxh4)

File: RECH4

Overview

Type: Continuous	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 27
Range: 1-27	Mean: 3.8
	Standard deviation: 2.5

Level of Education (sh09a)

File: RECH4

Overview

Type: Discrete	Valid cases: 19275
Format: numeric	Invalid: 0
Width: 18	
Decimals: 0	
Range: 0-9	

Highest grade completed (sh09b)

File: RECH4

Overview

Type: Discrete	Valid cases: 15454
Format: numeric	Invalid: 3821
Width: 18	
Decimals: 0	
Range: 0-98	

Pensioner (sh11)

File: RECH4

Overview

Type: Discrete	Valid cases: 2596
Format: numeric	Invalid: 16679
Width: 8	
Decimals: 0	
Range: 0-9	

Case Identification (hhid)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: character	Invalid: 0
Width: 6	

Case Identification (caseid)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: character	Invalid: 0
Width: 9	

Country code and phase (v000)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: character	Invalid: 0
Width: 3	

Cluster number (v001)

File: REC01

Overview

Type: Continuous	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 12	Minimum: 101
Decimals: 0	Maximum: 540
Range: 101-540	Mean: 311.1
	Standard deviation: 144.5

Household number (v002)

File: REC01

Overview

Type: Continuous	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 370
Range: 1-370	Mean: 102
	Standard deviation: 70.4

Respondent's line number (v003)

File: REC01

Overview

Respondent's line number (v003)

File: REC01

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-20

Valid cases: 4544

Invalid: 0

Ultimate area unit (v004)

File: REC01

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 101-540

Valid cases: 4544

Invalid: 0

Minimum: 101

Maximum: 540

Mean: 311.1

Standard deviation: 144.5

Sample weight (v005)

File: REC01

Overview

Type: Continuous

Format: numeric

Width: 12

Decimals: 0

Range: 0-1829543

Valid cases: 4544

Invalid: 0

Minimum: 0

Maximum: 1829543

Mean: 971610.7

Standard deviation: 520225.9

Month of interview (v006)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 6-10

Valid cases: 4544

Invalid: 0

Year of interview (v007)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 96-96

Valid cases: 4544

Invalid: 0

Date of interview (CMC) (v008)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1158-1162	

Respondent's month of birth (v009)

File: REC01

Overview

Type: Discrete	Valid cases: 4415
Format: numeric	Invalid: 129
Width: 8	
Decimals: 0	
Range: 1-12	

Respondent's year of birth (v010)

File: REC01

Overview

Type: Continuous	Valid cases: 4415
Format: numeric	Invalid: 129
Width: 8	Minimum: 46
Decimals: 0	Maximum: 81
Range: 46-81	Mean: 66.9
	Standard deviation: 9.6

Date of birth (CMC) (v011)

File: REC01

Overview

Type: Continuous	Valid cases: 4415
Format: numeric	Invalid: 129
Width: 8	Minimum: 560
Decimals: 0	Maximum: 981
Range: 560-981	Mean: 809.1
	Standard deviation: 115.4

Current age - respondent (v012)

File: REC01

Overview

Type: Continuous	Valid cases: 4415
Format: numeric	Invalid: 129
Width: 8	Minimum: 15
Decimals: 0	Maximum: 49
Range: 15-49	Mean: 28.8
	Standard deviation: 9.6

Age 5-year groups (v013)

File: REC01

Overview

Type: Discrete	Valid cases: 4415
Format: numeric	Invalid: 129
Width: 8	
Decimals: 0	
Range: 1-7	

Completeness of information (v014)

File: REC01

Overview

Type: Discrete	Valid cases: 4415
Format: numeric	Invalid: 129
Width: 20	
Decimals: 0	
Range: 1-8	

Result of individual interview (v015)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 16	
Decimals: 0	
Range: 1-7	

Day of interview (v016)

File: REC01

Overview

Type: Continuous	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 31
Range: 1-31	Mean: 15.5
	Standard deviation: 8.9

CMC start of calendar (v017)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1093-1093	

Row of month of interview (v018)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 11	
Decimals: 0	
Range: 0-0	

Length of calendar (v019)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 11	
Decimals: 0	
Range: 0-0	

Ever-married sample (v020)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 19	
Decimals: 0	
Range: 0-1	

Primary sampling unit (v021)

File: REC01

Overview

Type: Continuous	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	Minimum: 101
Decimals: 0	Maximum: 540
Range: 101-540	Mean: 311.1
	Standard deviation: 144.5

Sample stratum number (v022)

File: REC01

Overview

Type: Continuous	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	Minimum: 51
Decimals: 0	Maximum: 270
Range: 51-270	Mean: 155.8
	Standard deviation: 72.3

Sample domain (v023)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 16	
Decimals: 0	
Range: 1-9	

Region (v024)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-5	

Type of place of residence (v025)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

De facto place of residence (v026)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 19	
Decimals: 0	
Range: 0-3	

Number of visits (v027)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

Interviewer identification (v028)

File: REC01

Overview

Type: Continuous	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	Minimum: 11
Decimals: 0	Maximum: 58
Range: 11-58	Mean: 35.1
	Standard deviation: 14.1

Keyer identification (v029)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 2-6	

Field supervisor (v030)

File: REC01

Overview

Type: Continuous	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	Minimum: 11
Decimals: 0	Maximum: 51
Range: 11-51	Mean: 29.8
	Standard deviation: 14.2

Field editor (v031)

File: REC01

Overview

Type: Continuous	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	Minimum: 12
Decimals: 0	Maximum: 52
Range: 12-52	Mean: 30.8
	Standard deviation: 14.2

Office editor (v032)

File: REC01

Overview

Type: Discrete	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 2-3	

Ultimate area selection prob. (v033)

File: REC01

Overview

Type: Continuous	Valid cases: 4544
Format: numeric	Invalid: 0
Width: 12	Minimum: 2149
Decimals: 0	Maximum: 62602
Range: 2149-62602	Mean: 13573.3
	Standard deviation: 8874.5

Line number of husband NA (v034)

File: REC01

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 4544
Width: 8	
Decimals: 0	

Case Identification (hhid)

File: REC9A

Overview

Type: Discrete
Format: character
Width: 6

Valid cases: 275
Invalid: 0

Case Identification (caseid)

File: REC9A

Overview

Type: Discrete
Format: character
Width: 9

Valid cases: 275
Invalid: 0

Index to pregnancy history (idx9a)

File: REC9A

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-5

Valid cases: 275
Invalid: 0

How determined pregnant (s315a)

File: REC9A

Overview

Type: Discrete
Format: numeric
Width: 19
Decimals: 0
Range: 1-9

Valid cases: 275
Invalid: 0

Who suggested abortion (s315b)

File: REC9A

Overview

Type: Discrete
Format: numeric
Width: 20
Decimals: 0
Range: 1-9

Valid cases: 275
Invalid: 0

Place abortion performed (s316)

File: REC9A

Overview

Place abortion performed (s316)

File: REC9A

Type: Discrete
 Format: numeric
 Width: 20
 Decimals: 0
 Range: 10-99

Valid cases: 275
 Invalid: 0

Method of terminated pregnancy (s317)

File: REC9A

Overview

Type: Discrete
 Format: numeric
 Width: 18
 Decimals: 0
 Range: 1-9

Valid cases: 275
 Invalid: 0

Procedure: Doctor (s318a)

File: REC9A

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1

Valid cases: 275
 Invalid: 0

Procedure: Nurse/midwife (s318b)

File: REC9A

Overview

Type: Discrete
 Format: numeric
 Width: 18
 Decimals: 0
 Range: 0-1

Valid cases: 275
 Invalid: 0

Procedure: Traditional midwife (s318c)

File: REC9A

Overview

Type: Discrete
 Format: numeric
 Width: 20
 Decimals: 0
 Range: 0-1

Valid cases: 275
 Invalid: 0

Procedure: other person (s318x)**File: REC9A****Overview**

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 0
Width: 17	
Decimals: 0	
Range: 0-1	

Procedure: no one (s318y)**File: REC9A****Overview**

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 0
Width: 11	
Decimals: 0	
Range: 0-1	

Problems: pelvic pain (s320a)**File: REC9A****Overview**

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 0
Width: 16	
Decimals: 0	
Range: 0-9	

Problems: sterility (s320b)**File: REC9A****Overview**

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 0
Width: 14	
Decimals: 0	
Range: 0-9	

Problems: infection (s320c)**File: REC9A****Overview**

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 0
Width: 14	
Decimals: 0	
Range: 0-9	

Problems: lack of menstruation (s320d)

File: REC9A

Overview

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 0
Width: 20	
Decimals: 0	
Range: 0-9	

Problems: bleeding (s320e)

File: REC9A

Overview

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 0
Width: 13	
Decimals: 0	
Range: 0-9	

Problems: other (s320x)

File: REC9A

Overview

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 0
Width: 10	
Decimals: 0	
Range: 0-9	

Problems: none (s320y)

File: REC9A

Overview

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 0
Width: 17	
Decimals: 0	
Range: 0-9	

Problems: don't know (s320z)

File: REC9A

Overview

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 0
Width: 15	
Decimals: 0	
Range: 0-9	

Care sought: hospital (s322a)**File:** REC9A**Overview**

Type: Discrete
 Format: numeric
 Width: 13
 Decimals: 0
 Range: 0-1

Valid cases: 28
 Invalid: 247

Care sought: polyclinic (s322b)**File:** REC9A**Overview**

Type: Discrete
 Format: numeric
 Width: 15
 Decimals: 0
 Range: 0-1

Valid cases: 28
 Invalid: 247

Care sought: ambulatory (s322c)**File:** REC9A**Overview**

Type: Discrete
 Format: numeric
 Width: 15
 Decimals: 0
 Range: 0-1

Valid cases: 28
 Invalid: 247

Care sought: mobile clinic (s322d)**File:** REC9A**Overview**

Type: Discrete
 Format: numeric
 Width: 18
 Decimals: 0
 Range: 0-1

Valid cases: 28
 Invalid: 247

Care sought: other public (s322e)**File:** REC9A**Overview**

Type: Discrete
 Format: numeric
 Width: 17
 Decimals: 0
 Range: 0-1

Valid cases: 28
 Invalid: 247

Care sought: private clinic (s322f)**File:** REC9A**Overview**

Type: Discrete
 Format: numeric
 Width: 19
 Decimals: 0
 Range: 0-1

Valid cases: 28
 Invalid: 247

Care sought: private doctor (s322g)**File:** REC9A**Overview**

Type: Discrete
 Format: numeric
 Width: 19
 Decimals: 0
 Range: 0-1

Valid cases: 28
 Invalid: 247

Care sought: other private (s322h)**File:** REC9A**Overview**

Type: Discrete
 Format: numeric
 Width: 18
 Decimals: 0
 Range: 0-1

Valid cases: 28
 Invalid: 247

Care sought: non-medical pers. (s322i)**File:** REC9A**Overview**

Type: Discrete
 Format: numeric
 Width: 16
 Decimals: 0
 Range: 0-1

Valid cases: 28
 Invalid: 247

Care sought: other (s322x)**File:** REC9A**Overview**

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-1

Valid cases: 28
 Invalid: 247

Care sought: none (s322y)

File: REC9A

Overview

Type: Discrete
Format: numeric
Width: 19
Decimals: 0
Range: 0-1

Valid cases: 28
Invalid: 247

Hospitalized due to problem (s323)

File: REC9A

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 20
Invalid: 255

Days hospitalized (s324)

File: REC9A

Overview

Type: Discrete
Format: numeric
Width: 10
Decimals: 0
Range: 4-98

Valid cases: 9
Invalid: 266

Case Identification (hhid)

File: REC11

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC11

Overview

Type: Discrete
Format: character
Width: 9

Region (v101)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Type of place of residence (v102)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Childhood place of residence (v103)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Years lived in place of res. (v104)

File: REC11

Overview

Years lived in place of res. (v104)

File: REC11

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Type of place of previous res. (v105)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

Highest educational level (v106)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

Highest year of education (v107)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Literacy (v108)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Reads newspaper once a week (v109)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Watches TV every week (v110)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Listens to radio every day (v111)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Listens to radio every week NA (v112)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Source of drinking water (v113)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Source of non-drinking waterNA (v114)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Time to get to water source (v115)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 1-999

Type of toilet facility (v116)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-99

Has electricity (v119)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Has radio (v120)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Has television (v121)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has refrigerator (v122)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has bicycle (v123)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has motorcycle (v124)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has car (v125)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Main floor material (v127)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Main wall material NA (v128)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Main roof material NA (v129)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Religion (v130)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Ethnicity (v131)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Education in single years (v133)

File: REC11

Education in single years (v133)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-97

De facto place of residence (v134)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Usual resident or visitor (v135)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Number of household members (v136)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-27

Number of children 5 and under (v137)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Number of eligible women in HH (v138)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

De jure region of residence (v139)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

De jure type of place of res. (v140)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

De jure place of residence (v141)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Same source of water NA (v142)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Communities lived in >Jan.8?NA (v144)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Respondent still in school (v148)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Educational attainment (v149)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-5

Relationship to household head (v150)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

Sex of household head (v151)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Age of household head (v152)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 17-98

Has telephone (v153)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Reason stop attending school (v154)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

All woman factor - total (awfactt)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

All woman factor - urban/rural (awfactu)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

All woman factor - regional (awfactr)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-100

All woman factor - educational (awfacte)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-100

Case Identification (hhid)

File: REC21

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC21

Overview

Type: Discrete
Format: character
Width: 9

Birth column number (bidx)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-14

Birth order number (bord)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-14

Child is twin (b0)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Month of birth (b1)

File: REC21

Overview

Month of birth (b1)

File: REC21

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

Year of birth (b2)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 64-96

Date of birth (CMC) (b3)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 769-1161

Sex of child (b4)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Child is alive (b5)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Age at death (b6)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Age at death (months-imputed) (b7)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-348

Current age of child (b8)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-32

Who child lives with NA (b9)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Completeness of information (b10)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Preceding birth interval (b11)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 9-209

Succeeding birth interval (b12)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 9-209

Flag for age at death (b13)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Birth interval >= 4 years NA (b14)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Live birth between births NA (b15)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Case Identification (hhid)

File: REC22

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC22

Overview

Type: Discrete
Format: character
Width: 9

Total children ever born (v201)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-14

Sons at home (v202)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Daughters at home (v203)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Sons elsewhere (v204)

File: REC22

Overview

Sons elsewhere (v204)

File: REC22

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

Daughters elsewhere (v205)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-5

Sons who have died (v206)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-6

Daughters who have died (v207)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

Births in last five years (v208)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

Births in past year (v209)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Births in month of interview (v210)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Date of first birth (CMC) (v211)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 769-1161

Age of respondent at 1st birth (v212)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 12-38

Currently pregnant (v213)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Duration of current pregnancy (v214)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time since last menstrual period (v215)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Menstruated in last six weeks (v216)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Knowledge of ovulatory cycle (v217)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Number of living children (v218)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-14

Living children + current preg (v219)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-14

Living children + curr preg 6+ (v220)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Marriage to first birth int. (v221)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-996

Last birth to interview (v222)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-357

Completeness of curr preg. inf (v223)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

Entries in birth history (v224)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-14

Current pregnancy wanted (v225)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time since last period (comp) (v226)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Flag for last period (v227)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ever had a terminated preg. (v228)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Month pregnancy ended (v229)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Year pregnancy ended (v230)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 68-98

CMC pregnancy ended (v231)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 819-9998

Completeness of last term. inf (v232)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Months when pregnancy ended NA (v233)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Other such pregnancies (v234)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Index last child prior cal. NA (v235)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Last birth interval \geq 4 yr NA (v236)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Birth between last & intvw NA (v237)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Births in last three years (v238)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Case Identification (hhid)

File: REC31

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC31

Overview

Type: Discrete
Format: character
Width: 9

Knowledge of any method (v301)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Ever use of any method (v302)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Contraceptive Table (rec31_group)

File: REC31

Overview

Type: Discrete
Format: character
Width: 3

Type of method (v304a)

File: REC31

Overview

Type of method (v304a)

File: REC31

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Knows method (v304)

File: REC31

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Ever used method (v305)

File: REC31

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Case Identification (hhid)

File: REC32

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC32

Overview

Type: Discrete
Format: character
Width: 9

Living children at first use (v310)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-10

Children at first use (grpd) (v311)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Current contraceptive method (v312)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-13

Current use by method type (v313)

File: REC32

Overview

Current use by method type (v313)

File: REC32

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

Method of periodic abstinence (v314)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-6

Month of sterilization (v315)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-10

Year of sterilization (v316)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 82-96

Date of sterilization (CMC) (v317)

File: REC32

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 987-1157

Completeness of information (v318)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Years since sterilization (v319)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Age at sterilization (v320)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Marital duration at steriliz. (v321)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Parity at sterilization (v322)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 2-5

Brand of pill used (v323)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Cost of pills (v325)

File: REC32

Overview

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 24-999998

Last source for current users (v326)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Last source for users by type (v327)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Main reason use current source (v328)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Months of use of current meth (v337)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Last method disc. last 5 yrsNA (v359)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Reason of last discontinuati-NA (v360)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Pattern of use (v361)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Intention to use (v362)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Preferred future method (v363)

File: REC32

Preferred future method (v363)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Contraceptive use & intention (v364)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Acceptability of radio message (v366a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Acceptability of TV message (v366b)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Wanted last child (v367)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

First method used NA (v369)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

First use to space or limit (v369b)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-6

Shown pill package (v372)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Main reason not using a method (v375a)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 11-98

Main reason not to use a meth. (v376)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 11-98

Would ever use method if marr. (v376a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Source known for any method (v379)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Source known for any method (v380)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Heard FP on radio last months (v384a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Heard FP on TV last months (v384b)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Heard FP newspaper last months (v384c)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Heard FP on poster last months (v384d)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Heard FP brochures last months (v384e)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Visited by FP worker last 12m (v393)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Visited health facil. last 12m (v394)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

At health facility, told of FP (v395)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Breastfeeding affect pregnancy (v396)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Pregnancy risk of breastfeed. (v397)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Relied breastfeed. avoid preg. (v398)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Currently rely on breastfeed. (v399)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case Identification (hhid)

File: REC41

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC41

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (midx)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Tetanus injections bef. birtNA (m1)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Prenatal: doctor (m2a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: nurse/midwife (m2b)

File: REC41

Overview

Prenatal: nurse/midwife (m2b)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Prenatal: auxiliary midwife NA (m2c)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Prenatal: CS health profess-NA (m2d)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Prenatal: CS health profess-NA (m2e)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Prenatal: trained birth att.NA (m2f)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Prenatal: trad.birth attendant (m2g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: relative (m2h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: CS other person NA (m2i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: CS other person NA (m2j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: other resp (uncoded) (m2k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: CS other NA (m2l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: CS other NA (m2m)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: no one (m2n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: doctor (m3a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: nurse/midwife (m3b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: auxiliary midwf-NA (m3c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: CS health profesNA (m3d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: CS health profesNA (m3e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: trained birth atNA (m3f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: trad.birth attend. (m3g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: relative, friend (m3h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: CS other person NA (m3i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: CS other person NA (m3j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: other resp (uncod) (m3k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: CS other NA (m3l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: CS other NA (m3m)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: no one (m3n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Duration of breastfeeding (m4)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of breastfeeding (m5)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration of amenorrhea (m6)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of amenorrhea (m7)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration of abstinence (m8)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Months of abstinence (m9)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Time wanted pregnancy (m10)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Time would have waited (m11)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 201-998

Timing of 1st antenatal check (m13)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Antenatal visits for pregnancy (m14)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Place of delivery (m15)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Delivery by caesarian section (m17)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Size of child at birth (m18)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Birth weight (kilos - 3 dec.) (m19)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 932-9998

Weight at birth recall (m19a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Reason stopped breastfeeding (m21)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-97

Flag for breastfeeding (m27)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Flag for amenorrhea (m28)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Flag for abstinence (m29)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

At birth - prolonged labor (m30)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

At birth - excessive bleeding (m31)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

At birth - high fever/discharg (m32)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

At birth - convulsions (m33)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

When child put to breast (m34)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Times breastfed during night (m35)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Times breastfed during day (m36)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Gave child plain water (m37a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child sugar water (m37b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child juice (m37c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child herbal tea (m37d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child powder/tinned milk (m37e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child baby formula (m37f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child fresh milk NA (m37g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Gave child fermented milk (m37h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Country specific other liqu.NA (m37i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Country specific other liqu.NA (m37j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Country specific other liqu.NA (m37k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Gave child other liquid (m37l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child fruits & vegetables (m37m)

File: REC41

Gave child fruits & vegetables (m37m)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child sweets (m37n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Country specific other foodsNA (m37o)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Other solid, semi-solid foods (m37p)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Food made from local grain (m37q)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Food made from local tuber (m37r)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child eggs, fish, poultry (m37s)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child meat (m37t)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Drank from bottle with nipple (m38)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Times ate other food yesterday (m39)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Last 7 days - plain water (m40a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Last 7 days - milk (m40b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Last 7 days - other liquids (m40c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Last 7 days - local grain food (m40d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Last 7 days - local tuber food (m40e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Last 7 days - egg/fish/poultry (m40f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Last 7 days - meat (m40g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Last 7 days - other solid food (m40h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Last 7 days - fruit/vegetables (m40i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Last 7 days - country specifNA (m40j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Last 7 days - country specifNA (m40k)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - country specifNA (m40l)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - country specifNA (m40m)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - country specifNA (m40n)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Last 7 days - country specifNA (m40o)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Case Identification (hhid)

File: REC42

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC42

Overview

Type: Discrete
Format: character
Width: 9

Last birth cesarean section (v401)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Currently breastfeeding (v404)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Currently amenorrheic (v405)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Currently abstaining (v406)

File: REC42

Overview

Currently abstaining (v406)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Times breastfed during night (v407)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Times breastfed during day (v408)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Gave child plain water (v409)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Gave child sugar water (v409a)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Gave child juice (v410)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child herbal tea (v410a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child powder/tinned milk (v411)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child baby formula (v411a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child fresh milk NA (v412)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Gave child fermented milk (v413a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Country specific other liqu.NA (v413b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Country specific other liqu.NA (v413c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Country specific other liqu.NA (v413d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Gave child other liquid (v413)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child fruits & vegetables (v414a)

File: REC42

Gave child fruits & vegetables (v414a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child sweets (v414b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Country specific other foodsNA (v414c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Other solid, semi-solid foods (v414d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Food made from local grain (v414e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Food made from local tuber (v414f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child eggs, fish, poultry (v414g)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child meat (v414h)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Drank from bottle with nipple (v415)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Heard of oral rehydration (v416)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Entries in maternity table (v417)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Entries in health table (v418)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Entries in height/weight table (v419)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Measurer's code (v420)

File: REC42

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Assistant measurer's code (v421)

File: REC42

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 12-99

When child put to breast (v426)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Arm circumference (cms-1d) NA (v436)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Respondent's weight (kilos-1d) (v437)

File: REC42

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 334-9999

Respondent's height (cms-1d) (v438)

File: REC42

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1280-9999

Ht/A Percentile (resp.) (v439)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Ht/A Standard deviations (resp (v440)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -599-9999

Ht/A Percent ref. median (resp (v441)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 7819-99999

Wt/Ht Percent ref. median (DHS (v442)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 5893-99999

Wt/Ht Percent ref. median (Fog (v443)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 7095-99999

Wt/Ht Percent ref. median (WHO (v444)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 7090-99999

Wt/Ht Std deviations(resp) DHS (v444a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -362-9999

Body mass index for respondent (v445)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1471-9999

Rohrer's index for respondent (v446)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 847-9999

Result of measurement of resp. (v447)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Drinking pattern with diarrhea (v448)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Eating pattern with diarrhea (v449)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Diarrhea: repeat watery stools (v450a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Any watery stools (v450b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Repeated vomiting (v450c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Any vomiting (v450d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Blood in stools (v450e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Fever (v450f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Marked thirst (v450g)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Not eating/drinking (v450h)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Getting sicker (v450i)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Not getting better (v450j)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Abdominal pain (v450k)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Country specific NA (v450l)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea: Country specific NA (v450m)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea: Other responses (v450x)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Does not know (v450z)

File: REC42

Diarrhea: Does not know (v450z)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Fast breathing (v451a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Difficult breathing (v451b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Noisy breathing (v451c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Fever (v451d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Unable to drink (v451e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Not eating/drinking (v451f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Getting sicker (v451g)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Not getting better (v451h)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Chest pain, headache (v451i)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Red throat (v451j)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cough: Country specific NA (v451k)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Cough: Other responses (v451x)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Knows no sign of illness (v451z)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case Identification (hhid)

File: REC43

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC43

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (hidx)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Has health card (h1)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Received BCG (h2)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

BCG day (h2d)

File: REC43

Overview

BCG day (h2d)

File: REC43

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

BCG month (h2m)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

BCG year (h2y)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 93-99

Received DPT 1 (h3)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

DPT 1 day (h3d)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

DPT 1 month (h3m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 1 year (h3y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-99

Received POLIO 1 (h4)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

POLIO 1 day (h4d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 1 month (h4m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 1 year (h4y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-99

Received DPT 2 (h5)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

DPT 2 day (h5d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 2 month (h5m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 2 year (h5y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-99

Received POLIO 2 (h6)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

POLIO 2 day (h6d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 2 month (h6m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 2 year (h6y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-98

Received DPT 3 (h7)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

DPT 3 day (h7d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 3 month (h7m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

DPT 3 year (h7y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-99

Received POLIO 3 (h8)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

POLIO 3 day (h8d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 3 month (h8m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 3 year (h8y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 94-98

Received MEASLES (h9)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

MEASLES day (h9d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

MEASLES month (h9m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

MEASLES year (h9y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 94-99

Polio 0 (h0)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Polio 0 day (h0d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 0 month (h0m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 0 year (h0y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-99

Ever had vaccination (h10)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had diarrhea recently (h11)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Blood in the stools (h11b)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Bowel movements in worst day (h11c)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Diarrhea: government hosp. (h12a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: govt health center (h12b)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: govt health post (h12c)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: mobile clinic NA (h12d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea: comm.health workerNA (h12e)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea: pharmacy (h12f)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: FAP (h12g)

File: REC43

Diarrhea: FAP (h12g)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: CS public sector NA (h12h)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea: other public sector (h12i)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: private hosp/clin. (h12j)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: private pharmacy (h12k)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: private doctor (h12l)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: private mobile clnNA (h12m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea: comm.health workerNA (h12n)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea: CS med.priv sectorNA (h12o)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea: CS med.priv sectorNA (h12p)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Diarrhea: CS med.priv sectorNA (h12q)

File: REC43

Overview

Diarrhea: CS med.priv sectorNA (h12q)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Diarrhea: Other private sector (h12r)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Diarrhea: shop (h12s)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Diarrhea: traditional pract.NA (h12t)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Diarrhea: private person (h12u)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Diarrhea: CS oth.priv sectorNA (h12v)

File: REC43

Overview

Diarrhea: CS oth.priv sectorNA (h12v)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Diarrhea: CS oth.priv sectorNA (h12w)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Diarrhea: Other (h12x)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Diarrhea: no treatment (h12y)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Diarrhea: medical treatment (h12z)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Given oral rehydration (h13)

File: REC43

Overview

Given oral rehydration (h13)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Given recommend. home solution (h14)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Given other pills or syrups (h15)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Given antibiotics (CS) NA (h15a)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Given an injection (h15b)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Given an intravenous (IV) (h15c)

File: REC43

Given an intravenous (IV) (h15c)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given home remedy, herbal med. (h15d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given CS other treatment NA (h15e)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Given CS other treatment NA (h15f)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Given CS other treatment NA (h15g)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Given CS other treatment NA (h15h)

File: REC43

Given CS other treatment NA (h15h)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Increase or decrease fluids (h16)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Increase or decrease in foods (h18)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given other treatment (h20)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given no treatment (h21a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Received any treatment (h21)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had fever in last two weeks (h22)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had cough in last two weeks (h31)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Short, rapid breaths (h31b)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Fever/cough: government hosp. (h32a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: govt health cntr (h32b)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Fever/cough: govt health post (h32c)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Fever/cough: mobile clinic NA (h32d)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Fever/cough: comm.health wrkNA (h32e)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Fever/cough: pharmacy (h32f)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Fever/cough: FAP (h32g)

File: REC43

Fever/cough: FAP (h32g)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: CS public sect.NA (h32h)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: other public sect (h32i)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: private hosp/clin (h32j)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: private pharmacy (h32k)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: private doctor (h32l)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: private mob. clNA (h32m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: comm.health wrkNA (h32n)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: CS med.priv secNA (h32o)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: CS med.priv secNA (h32p)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Fever/cough: CS med.priv secNA (h32q)

File: REC43

Overview

Fever/cough: CS med.priv secNA (h32q)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Fever/cough: other priv sector (h32r)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Fever/cough: shop (h32s)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Fever/cough: traditional pr.NA (h32t)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Fever/cough: private person (h32u)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Fever/cough: CS oth.priv secNA (h32v)

File: REC43

Overview

Fever/cough: CS oth.priv secNA (h32v)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Fever/cough: CS oth.priv secNA (h32w)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Fever/cough: Other (h32x)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Fever/cough: no treatment (h32y)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Fever/cough: medical treatment (h32z)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Case Identification (hhid)

File: REC44

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC44

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (hwidx)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Age in months (hw1)

File: REC44

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-35

Weight in kilograms (1 dec.) (hw2)

File: REC44

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 28-999

Height in centimeters (1 dec.) (hw3)

File: REC44

Overview

Height in centimeters (1 dec.) (hw3)

File: REC44

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 454-9999

Ht/A Percentile (hw4)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

Ht/A Standard deviations (hw5)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: -593-9999

Ht/A Percent of ref. median (hw6)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 5

Decimals: 0

Range: 7710-99999

Wt/A Percentile (hw7)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

Wt/A Standard deviations (hw8)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -581-9999

Wt/A Percent of ref. median (hw9)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 4126-99999

Wt/Ht Percentile (hw10)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Wt/Ht Standard deviations (hw11)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -398-9999

Wt/Ht Percent of ref. median (hw12)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 6083-99999

Reason not measured (hw13)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

BCG scar on arm or shoulder (hw14)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Height: lying or standing (hw15)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Day of birth of child (hw16)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Date measured (day) (hw17)

File: REC44

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Date measured (month) (hw18)**File:** REC44**Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 6-10

Date measured (year) (hw19)**File:** REC44**Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 96-96

Arm circumference (cms - 1d)NA (hw20)**File:** REC44**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Arm circ/A Percentile NA (hw21)**File:** REC44**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Arm circ/A Standard deviatnsNA (hw22)**File:** REC44**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Arm c/A Percent of ref. med.NA (hw23)**File:** REC44

Arm c/A Percent of ref. med.NA (hw23)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Arm circ/Ht Percentile NA (hw24)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Arm cir/Ht Standard deviatnsNA (hw25)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Arm cir/Ht Percent ref. med.NA (hw26)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Case Identification (hhid)

File: REC51

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC51

Overview

Type: Discrete
Format: character
Width: 9

Current marital status (v501)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Currently/formerly/never marr. (v502)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Number of unions (v503)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Husband lives in house (v504)

File: REC51

Overview

Husband lives in house (v504)

File: REC51

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Number of other wives NA (v505)

File: REC51

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Wife rank number NA (v506)

File: REC51

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Month of first marriage (v507)

File: REC51

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

Year of first marriage (v508)

File: REC51

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 62-96

Date of first marriage (CMC) (v509)

File: REC51

Overview

Date of first marriage (CMC) (v509)

File: REC51

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 752-1160

Completeness of date inform. (v510)

File: REC51

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Age at first marriage (v511)

File: REC51

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 11-39

Years since first marriage (v512)

File: REC51

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-33

Marital duration (grouped) (v513)

File: REC51

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

Age at first intercourse (v525)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Time since last intercourse (v527)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Time since last intercourse(g) (v528)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Time since last intercourse(im (v529)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

Flag for V529 (v530)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Age at first intercourse (imp) (v531)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Flag for V531 (v532)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Have a regular sex partner (v534)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Have ever been married (v535)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Case Identification (hhid)

File: REC61

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC61

Overview

Type: Discrete
Format: character
Width: 9

Fertility preference (v602)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Preferred waiting time (v603)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-998

Preferred waiting time (grpd) (v604)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Desire for more children (v605)

File: REC61

Overview

Desire for more children (v605)

File: REC61

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Attitude toward becoming preg. (v606)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Husband approves FP (v610)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Discussed FP with partner (v611)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Respondent approves FP (v612)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Ideal number of children (v613)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Ideal number of children (grp) (v614)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Time for future birth (v616)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-998

Reason regrets sterilizationNA (v618)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Husbands desire for children (v621)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Exposure (v623)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Unmet need (v624)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Exposure (definition 2) (v625)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Unmet need (definition 2) (v626)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ideal number of boys (v627)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Ideal number of girls (v628)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Ideal number of either sex (v629)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Discussed FP with partner (v630a)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Discussed FP with mother (v630b)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Discussed FP with father (v630c)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Discussed FP with sister(s) (v630d)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Discussed FP with brother(s) (v630e)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Discussed FP with daughter(s) (v630f)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Discussed FP with mother-inlaw (v630g)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Discussed FP with friends/nbrs (v630h)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Discussed FP -other relatives (v630i)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Discussed FP -country specifNA (v630j)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Discussed FP -country specifNA (v630k)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Discussed FP -country specifNA (v630l)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Discussed FP with others (v630x)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case Identification (hhid)

File: REC71

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC71

Overview

Type: Discrete
Format: character
Width: 9

Partner's education level (v701)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Highest year of education (v702)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Partner's occupation (v704)

File: REC71

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-999

Partner's occupation (v705)

File: REC71

Overview

Partner's occupation (v705)

File: REC71

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Type of land where works (v707)

File: REC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Respondent currently working (v714)

File: REC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Husbands education-single yrs (v715)

File: REC71

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Respondent's occupation (v716)

File: REC71

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-71

Respondent's occupation (v717)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Current type of employment (v718)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Work for family, others, self (v719)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Earns cash for work (v720)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Works at home or away (v721)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Child minder (v723)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Partner's educational attainm. (v729)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Partners age (v730)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 18-99

Worked in last 12 months (v731)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Employment all year/seasonal (v732)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Months worked in last 12 mnths (v733)

File: REC71

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Days in a week normally work (v734)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Days worked in last 12 months (v735)

File: REC71

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Earnings for work NA (v736)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Daily earnings for work NA (v737)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Yearly earnings for work NA (v738)

File: REC71

Yearly earnings for work NA (v738)

File: REC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Who decides how to spend money (v739)

File: REC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Type of land where resp. works (v740)

File: REC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Case Identification (hhid)

File: REC75

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC75

Overview

Type: Discrete
Format: character
Width: 9

Ever heard of AIDS NA (v751)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

AIDS: radio - NA (v752a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

AIDS: television - NA (v752b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

AIDS: newspapers/magazine - NA (v752c)

File: REC75

Overview

AIDS: newspapers/magazine - NA (v752c)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: pamphlets/posters - NA (v752d)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: clinic/health worke - NA (v752e)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: churches/mosques - NA (v752f)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: schools/teachers - NA (v752g)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: community meetings - NA (v752h)

File: REC75

Overview

AIDS: community meetings - NA (v752h)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: friends/relatives - NA (v752i)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: work place - NA (v752j)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: country specific - NA (v752k)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: country specific - NA (v752l)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: country specific - NA (v752m)

File: REC75

Overview

AIDS: country specific - NA (v752m)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: country specific - NA (v752n)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: country specific - NA (v752o)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: other responses - NA (v752x)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Ways to avoid AIDS - NA (v753)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: Safe sex - NA (v754a)

File: REC75

Overview

AIDS: Safe sex - NA (v754a)

File: REC75

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

AIDS: abstain from sex - NA (v754b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

AIDS: use condoms during - NA (v754c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

AIDS: only one sex partne - NA (v754d)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

AIDS: avoid sex prostitut - NA (v754e)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

AIDS: avoid sex homosexua - NA (v754f)

File: REC75

Overview

AIDS: avoid sex homosexua - NA (v754f)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: avoid blood transfu - NA (v754g)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: avoid injections - NA (v754h)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: avoid kissing - NA (v754i)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: avoid mosquito bite - NA (v754j)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: protection trad. he - NA (v754k)

File: REC75

Overview

AIDS: protection trad. he - NA (v754k)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: country specific - NA (v754l)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: country specific - NA (v754m)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: country specific - NA (v754n)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: country specific - NA (v754o)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: other responses - NA (v754x)

File: REC75

Overview

AIDS: other responses - NA (v754x)**File:** REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

AIDS: DK ways avoid AIDS - NA (v754z)**File:** REC75**Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: abstain sex - NA (v755b)**File:** REC75**Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: use condoms dur - NA (v755c)**File:** REC75**Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: only one partnr - NA (v755d)**File:** REC75**Overview**

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: avoid prostitut - NA (v755e)**File:** REC75**Overview**

Safe sex: avoid prostitut - NA (v755e)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: avoid homosexua - NA (v755f)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: country specifi - NA (v755l)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: country specifi - NA (v755m)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: country specifi - NA (v755n)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: country specifi - NA (v755o)

File: REC75

Overview

Safe sex: country specifi - NA (v755o)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: other responses - NA (v755x)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Safe sex: DK meaning - NA (v755z)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Can a healthy person have - NA (v756)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Is AIDS a fatal disease - NA (v757)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Chances of getting AIDS - NA (v758)

File: REC75

Overview

Chances of getting AIDS - NA (v758)

File: REC75

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Behavior: Did not start s - NA (v760a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Behavior: Stopped all sex - NA (v760b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Behavior: Started using c - NA (v760c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Behavior: Only one sex pa - NA (v760d)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Behavior: Reduced partner - NA (v760e)

File: REC75

Overview

Behavior: Reduced partner - NA (v760e)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Behavior: Ask spouse fait - NA (v760f)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Behavior: No homosexual c - NA (v760g)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Behavior: Stopped injecti - NA (v760i)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Behavior: Country specifi - NA (v760l)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Behavior: Country specifi - NA (v760m)

File: REC75

Overview

Behavior: Country specifi - NA (v760m)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Behavior: Country specifi - NA (v760n)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Behavior: Country specifi - NA (v760o)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Behavior: Spouse avoid pr - NA (v760p)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Behavior: No nonsexual ch - NA (v760v)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Behavior: Other (non-sexu - NA (v760w)

File: REC75

Overview

Behavior: Other (non-sexu - NA (v760w)

File: REC75

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Behavior: Other (sexual) - NA (v760x)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Behavior: No change - NA (v760y)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Behavior: Don't know - NA (v760z)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Last intercourse used con - NA (v761)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Source for condoms - NA (v762)

File: REC75

Overview

Source for condoms - NA (v762)

File: REC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Knowledge of condom - NA (v764)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Ever use of condom - NA (v765)

File: REC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Case Identification (hhid)

File: REC81

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC81

Overview

Type: Discrete
Format: character
Width: 9

Time interview started (v801)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 630-9999

Time interview ended (v802)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 705-9999

Length of interview in minutes (v803)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Number of visits (v804)

File: REC81

Overview

Number of visits (v804)

File: REC81

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-3

Interviewer identification (v805)

File: REC81

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 12-58

Keyer identification (v806)

File: REC81

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 2-6

Pres. children < 10 (sec 5) (v811)

File: REC81

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Pres. husband (sec 5) (v812)

File: REC81

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Pres. other males (sec 5) (v813)

File: REC81

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Pres. other females (sec 5) (v814)

File: REC81

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Case Identification (hhid)

File: REC91

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC91

Overview

Type: Discrete
Format: character
Width: 9

Oblast (soblast)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-13

Oblast of usual residence (soblastu)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Raion (sraion)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-21

Language of interview (slangint)

File: REC91

Overview

Language of interview (slangint)

File: REC91

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Respondents native language (sresplng)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Whether translator used (stransus)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Highest educational level (s108)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

What did you study? (s108a)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-99

Years at that level (s109)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-11

Easiest language to read (s119a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Spoken language at home (s119b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Ownership of dacha or garden (s119c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

What kind of chronic disease (s119e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-96

Chronic disease treated by (s119f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Induced abortions (s209)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-12

Miscarriages (s210)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Stillbirths (s211)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Total pregnancies (s212)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

Pregnancies in last three year (s226)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Age at first menstrual period (s229a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 9-99

Dur. of menstrual cycle (days) (s230a)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 20-99

Periods regular or not (s230b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Usual duration of period(days) (s230c)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Usual menstrual flow (s230d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Menstruation painful (s230e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Who recommended using method (s527a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Ever seen logo 1 'Red apple' (s543)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Where seen logo 1 'Red apple' (s544)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

What does logo 1 symbol mean (s545)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Ever seen logo 2 'Green pear' (s546)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Where seen logo 2 'Green pear' (s547)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

What does logo 2 symbol mean (s548)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Pills not harmful (s549a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Nausea - stop taking pills (s549b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Injectables permanent method (s549c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Injectables stop menstruation (s549d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Partners level of education (s804)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Partners highest grade (s805)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

On maternity leave (s809)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Hemoglobin level in resp.blood (s1001)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 45-999

Result hemoglobin (respondent) (s1002)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Name of measurer (Hemoglobin) (s1008)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Name of assistant (Hemoglobin) (s1008a)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 12-99

Respondent's anemia status (s1001s)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-5

Case Identification (hhid)

File: REC94

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC94

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (idx94)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

When learned pregnant (s304as)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-998

Method in use at time of preg (s306s)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-13

Rupture of amniotic fluid sac (s314es)

File: REC94

Overview

Rupture of amniotic fluid sac (s314es)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Iron deficiency anemia (s404aa)

File: REC94

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Heart or circulatory diseases (s404ab)

File: REC94

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Kidney diseases (s404ac)

File: REC94

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Liver or gastrointestinal dis. (s404ad)

File: REC94

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Lung diseases (s404ae)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Hormonal diseases (s404af)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Health facil. visited for care (s404d)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Length at birth (s409)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 41-98

Length from card or recall (s409a)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC95

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC95

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (idx95)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Health center data (shcdata)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has health card (s4card)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Received BCG (s4b)

File: REC95

Overview

Received BCG (s4b)

File: REC95

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

BCG day (s4bd)

File: REC95

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 3-98

BCG month (s4bm)

File: REC95

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 2-98

BCG year (s4by)

File: REC95

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 93-98

Received Polio 0 (s4p0)

File: REC95

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Polio 0 day (s4p0d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 3-98

Polio 0 month (s4p0m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-98

Polio 0 year (s4p0y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-98

Received DPT 1 (s4d1)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

DPT 1 day (s4d1d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 3-98

DPT 1 month (s4d1m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 3-98

DPT 1 year (s4d1y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 94-98

Received Polio 1 (s4p1)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Polio 1 day (s4p1d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 4-98

Polio 1 month (s4p1m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-98

Polio 1 year (s4p1y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-98

Received DPT 2 (s4d2)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

DPT 2 day (s4d2d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 4-98

DPT 2 month (s4d2m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 4-98

DPT 2 year (s4d2y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 94-98

Received Polio 2 (s4p2)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Polio 2 day (s4p2d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 13-98

Polio 2 month (s4p2m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Polio 2 year (s4p2y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 94-98

Received DPT 3 (s4d3)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

DPT 3 day (s4d3d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-98

DPT 3 month (s4d3m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 5-98

DPT 3 year (s4d3y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 94-98

Received Polio 3 (s4p3)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Polio 3 day (s4p3d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 4-98

Polio 3 month (s4p3m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 5-98

Polio 3 year (s4p3y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 94-98

Received DPT 4 (s4d4)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

DPT 4 day (s4d4d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-98

DPT 4 month (s4d4m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-98

DPT 4 year (s4d4y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 95-98

Received POLIO 4 (s4p4)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

POLIO 4 day (s4p4d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 3-98

POLIO 4 month (s4p4m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 6-98

POLIO 4 year (s4p4y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 94-98

Received POLIO 5 (s4p5)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

POLIO 5 day (s4p5d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 12-98

POLIO 5 month (s4p5m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 4-98

POLIO 5 year (s4p5y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 95-98

Received Measles (s4m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Measles day (s4md)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-98

Measles month (s4mm)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-98

Measles year (s4my)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 95-98

Received Mantu probe (s4mp)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Mantu probe day (s4mpd)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 6-98

Mantu probe month (s4mpm)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Mantu probe year (s4mpy)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 95-98

Ever had vaccination (s440)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: REC96

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC96

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (idx96)

File: REC96

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

BCG scar on arm or shoulder (s908)

File: REC96

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Hemoglobin level in children (s1006)

File: REC96

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 40-999

Result (Hb in child) (s1007)

File: REC96

Overview

Result (Hb in child) (s1007)

File: REC96

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-6

Child's anemia status (s1006s)

File: REC96

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-5

Case Identification (hhid)

File: REC97

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC97

Overview

Type: Discrete
Format: character
Width: 9

Index to pregnancy history (idx97)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Pregnancy order number (ord97)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Month pregnancy ended (s215m)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Year pregnancy ended (s215y)

File: REC97

Overview

Year pregnancy ended (s215y)

File: REC97

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 64-98

Date of end of pregnancy (CMC) (s215c)

File: REC97

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 769-1161

Date of end of pregnancy (CMC) (s215f)

File: REC97

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Result of the pregnancy (s216)

File: REC97

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-4

Birth interval >= 4 years (s217)

File: REC97

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Index to birth history (bidx97)

File: REC97

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-14

Case Identification (hhid)

File: REC98

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC98

Overview

Type: Discrete
Format: character
Width: 9

Index to pregnancy history (idx98)

File: REC98

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

When learned pregnant (s304a)

File: REC98

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-999

Time wanted pregnancy (s305)

File: REC98

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time would have waited (s305a)

File: REC98

Overview

Time would have waited (s305a)

File: REC98

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 102-998

Method in use at time of preg (s306)

File: REC98

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-13

Index to birth history (bidx98)

File: REC98

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

Case Identification (hhid)

File: REC99

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC99

Overview

Type: Discrete
Format: character
Width: 9

Index to pregnancy history (idx99)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Antenatal care: Doctor (s307a)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: Nurse/midwife (s307b)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: Trad. midwife (s307c)

File: REC99

Overview

Antenatal care: Trad. midwife (s307c)

File: REC99

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Antenatal care: Relative/frien (s307d)

File: REC99

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Antenatal care: Other (s307x)

File: REC99

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Antenatal care: No one (s307y)

File: REC99

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Timing of 1st antenatal check (s308)

File: REC99

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

Antenatal visits for pregnancy (s309)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Place of delivery/prgncy termn (s312)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-96

Assistance: doctor (s313a)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: Nurse/midwife (s313b)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: Trad. midwife (s313c)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: Relative/friend (s313d)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: Other (s313x)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: No one (s313y)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

At birth - prolonged labor (s314a)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Excessive bleeding (s314b)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

High fever, bad discharge (s314c)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Convulsions (s314d)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Rupture of amniotic fluid sac (s314e)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Delivery by caesarian section (s315)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Index to birth history (bidx99)

File: REC99

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Case Identification (hwcaseid)

File: HWREC

Overview

Type: Discrete
Format: character
Width: 9

Line (hwline)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Data from HH or individual (hwlevel)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Ht/A Standard deviations (according to WHO) (hc70)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -587-9999

Wt/A Standard deviations (according to WHO) (hc71)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -586-9999

Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

Wt/Ht Standard deviations (according to WHO) (hc72)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -497-9999

BMI Standard deviations (according to WHO) (hc73)

File: HWREC

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -499-9999

Household ID (whhid)

File: SEC1

Overview

Type: Discrete
Format: character
Width: 6

Wealth Index from factor scores (wlthindf)

File: SEC1

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: -4.01228-1.95406

Quintiles of wealth index (wlthind5)

File: SEC1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Related Materials

Questionnaires

UDHS - Household Questionnaire

Title	UDHS - Household Questionnaire
Author(s)	Institute of Obstetrics & Gynecology
Date	1996-06-01
Country	Uzbekistan
Language	English
Contributor(s)	Macro International Inc.
Description	The Household Questionnaire was used to enumerate all usual members and visitors in a sample household and to collect information relating to the characteristics of the dwelling unit. In the first part of the Household Questionnaire, information was collected on age, sex, educational attainment, and relationship to the head of household of each person listed as a household member or visitor. The primary objective of collecting this information was to identify women who were eligible for the individual interview. In the second part of the Household Questionnaire, questions were included on the dwelling unit, such as number of rooms, flooring material, source of water, type of toilet facilities, and on the availability of a variety of consumer goods.
Filename	UZB_DHS_1996_Questionnaire_Household_En.pdf

UDHS - Woman's Questionnaire

Title	UDHS - Woman's Questionnaire
Author(s)	Institute of Obstetrics & Gynecology
Date	1996-06-01
Country	Uzbekistan
Language	English
Contributor(s)	Macro International Inc.
Description	<p>The Individual Questionnaire was used to collect information from women age 15-49. These women were asked questions on the following major topics:</p> <ul style="list-style-type: none"> - Background characteristics - Pregnancy history - Pregnancy outcome and antenatal care - Child health and nutrition practices - Child immunization and episodes of diarrhea and respiratory illness - Knowledge and use of contraception - Marriage and fertility preferences - Husband's background and woman's work experience - Maternal and child anthropometry - Hemoglobin measurement of women and children
Filename	UZB_DHS_1996_Questionnaire_Woman_En.pdf

Reports

Uzbekistan Demographic and Health Survey 1996 - Final Report

Title	Uzbekistan Demographic and Health Survey 1996 - Final Report
Author(s)	Institute of Obstetrics & Gynecology, Ministry of Health of the Republic of Uzbekistan
Date	1997-09-01
Country	Uzbekistan
Language	English

Contributor(s) Macro International Inc.

Description	This report summarizes the findings of the 1996 Uzbekistan Demographic and Health Survey (UDHS) conducted by the Institute of Obstetrics and Gynecology, Ministry of Health of the Republic of Uzbekistan. Macro International Inc. provided technical assistance. Funding was provided by the U.S. Agency for International Development.
Filename	http://www.dhsprogram.com/pubs/pdf/FR84/FR84.pdf

Uzbekistan Demographic and Health Survey 1996

Title Uzbekistan Demographic and Health Survey 1996

Author(s) Institute of Obstetrics & Gynecology, Ministry of Health of the Republic of Uzbekistan

Date 1997-09-01

Country Uzbekistan

Language English

Contributor(s) Macro International Inc.

Description	This report summarizes the findings of the 1996 Uzbekistan Demographic and Health Survey (UDHS) conducted by the Institute of Obstetrics and Gynecology, Ministry of Health of the Republic of Uzbekistan. Macro International Inc. provided technical assistance. Funding was provided by the U.S. Agency for International Development.
Filename	http://www.dhsprogram.com/pubs/pdf/SR136/SR136.pdf

Uzbekistan Demographic and Health Survey 1996 - Summary Report

Title Uzbekistan Demographic and Health Survey 1996 - Summary Report

Author(s) Institute of Obstetrics & Gynecology, Ministry of Health of the Republic of Uzbekistan

Date 1997-09-01

Country Uzbekistan

Language Russian

Contributor(s) Macro International Inc.

Description	This report summarizes the findings of the 1996 Uzbekistan Demographic and Health Survey (UDHS) conducted by the Institute of Obstetrics and Gynecology, Ministry of Health of the Republic of Uzbekistan. Macro International Inc. provided technical assistance. Funding was provided by the U.S. Agency for International Development.
Filename	http://www.dhsprogram.com/pubs/pdf/SR98/UZ96SummaryReport.pdf
