

South Africa - Demographic and Health Survey 1998

Department of Health, Medical Research Council

Report generated on: June 21, 2017

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

The 1998 South African Demographic and Health Survey (SADHS) covered the population living in private households in the country. The design for the SADHS called for a representative probability sample of approximately 12,000 completed individual interviews with women between the ages of 15 and 49. It was designed principally to produce reliable estimates of demographic rates (particularly fertility and childhood mortality rates), of maternal and child health indicators, and of contraceptive knowledge and use for the country as a whole, the urban and the non-urban areas separately, and for the nine provinces. As far as possible, estimates were to be produced for the four South African population groups. Also, in the Eastern Cape province, estimates of selected indicators were required for each of the five health regions.

In addition to the main survey of households and women 15-49 that followed the DHS model, an adult health module was administered to a sample of adults aged 15 and over in half of the households selected for the main survey. The adult health module collected information on oral health, occupational hazard and chronic diseases of lifestyle.

SAMPLING FRAME

The sampling frame for the SADHS was the list of approximately 86,000 enumeration areas (EAs) created by Central Statistics (now Statistics South Africa, SSA) for the Census conducted in October 1996. The EAs, ranged from about 100 to 250 households, and were stratified by province, urban and non-urban residence and by EA type. The number of households in the EA served as a measure of size of the EA.

CHARACTERISTICS OF THE SADHS SAMPLE

The sample for the SADHS was selected in two stages. Due to confidentiality of the census data, the sampling was carried out by experts at the CSS according to specifications developed by members of the SADHS team. Within each stratum a two stage sample was selected. The primary sampling units (PSUs), corresponded to the EAs and will be selected with probability proportional to size (PPS), the size being the number of households residing in the EA, or where this was not available, the number of census visiting points in the EA. This led to 972 PSUs being selected for the SADHS (690 in urban areas and 282 in non-urban areas). Where provided by SSA, the lists of visiting points together with the households found in these visiting points, or alternatively a map of the EA which showed the households, was used as the frame for second-stage sampling to select the households to be visited by the SADHS interviewing teams during the main survey fieldwork. This sampling was carried out by the MRC behalf of the SADHS working group. If a list of visiting points or a map was not available from SSA, then the survey team took a systematic sample of visiting points in the field. In an urban EA ten visiting points were sampled, while in a non-urban EA twenty visiting points were sampled. The survey team then interviewed the household in the selected visiting point. If there were two households in the selected visiting point, both households were interviewed. If there were three or more households, then the team randomly selected one household for interview. In each selected household, a household questionnaire was administered; all women between the ages of 15 and 49 were identified and interviewed with a woman questionnaire. In half of the selected households (identified by the SADHS working group), all adults over 15 years of age were also identified and interviewed with an adult health questionnaire.

SAMPLE ALLOCATION

Except for Eastern Cape, the provinces were stratified by urban and non-urban areas, for a total of 16 sampling strata. Eastern Cape was stratified by the five health regions and urban and non-urban within each region, for a total of 10 sampling strata. There were thus 26 strata in total.

Originally, it was decided that a sample of 9,000 women 15-49 with complete interviews allocated equally to the nine provinces would be adequate to provide estimates for each province separately; results of other demographic and health surveys have shown that a minimum sample of 1,000 women is required in order to obtain estimates of fertility and childhood mortality rates at an acceptable level of sampling errors. Since one of the objectives of the SADHS was to also provide separate estimates for each of the four population groups, this allocation of 1,000 women per province would not provide enough cases for the Asian population group since they represent only 2.6 percent of the population (according to the results of the 1994 October Household Survey conducted by SSA). The decision was taken to add an additional sample of 1,000 women to the urban areas of KwaZulu-Natal and Gauteng to try to capture as many Asian women as possible as Asians are found mostly in these areas. A more specific sampling scheme to obtain an exact number of Asian women was not possible for two reasons: the population distribution by population group was not yet available from the 1996 census and the sampling frame of EAs cannot be stratified by population group according to SSA as the old system of identifying EAs by population group has been abolished.

An additional sample of 2,000 women was added to Eastern Cape at the request of the Eastern Cape province who funded this additional sample. In Eastern Cape, results by urban and non-urban areas can be given. Results of selected indicators such as contraceptive knowledge and use can also be produced separately for each of the five health regions but not for urban/non-urban within health region.

Result shows the allocation of the target sample of 12,000 women by province and by urban/nonurban residence. Within each province, the sample is allocated proportionately to the urban/non-urban areas.

In the above allocation, the urban areas of KwaZulu-Natal have been oversampled by about 57 percent while those of Gauteng have been oversampled by less than 1 percent. For comparison purposes, it shows a proportional allocation of the 12,000 women to the nine provinces that would result in a completely self-weighting sample but does not allow for reliable estimates for at least four provinces (Northern Cape, Free State, Mpumalanga and North-West).

The number of households to be selected for each stratum was calculated as follows:

- According to the 1994 October Household Survey, the estimated number of women 15-49 per households is 1.2. The overall response rate was assumed to be 80 percent, i.e., of the households selected for the survey only 90 percent would be successfully interviewed, and of the women identified in the households with completed interviews, only 90 percent would have a complete woman questionnaire. Using these two parameters in the above equation, we would expect to select approximately 12,500 households in order to yield the target sample of women.

- The number of sample points (or clusters) to be selected for each stratum is calculated by dividing the number of households in the stratum by the average "take" in the cluster. In SADHS, each cluster will correspond to a census EA. Analytical studies of surveys of the same nature suggest that the optimum number of women to be interviewed is around 20-25 in each urban cluster and 30-35 in each non-urban cluster. However it was decided that these numbers would be lower for the SADHS, given the practice of small cluster "take" in surveys conducted in South Africa and that the field cost is generally reasonable. If we selected 10 households in each urban cluster and 20 households in each non-urban cluster, the distribution of sample points or EAs would be as follows:

- Some rearrangement was then necessary so that in each stratum there was an even number of EAs. This is recommended for the purpose of calculating sampling errors using Taylor linearization in which the first step is to form pairs of homogeneous clusters.

In the Eastern Cape, the sample was distributed equally among the five health regions since estimates are required at the level of health region. Within each health region the sample was distributed proportionally to urban/non-urban according to the distribution of population in 1993. Table A7 shows the proposed number of EAs to be selected.

- In allocating the number of EAs to the five health regions of the Eastern Cape, we tried to follow the rule of an even number of clusters per sampling stratum while aiming for a regional sample of approximately 600 households (resulting in about 600 women aged 15-49).

STRATIFICATION AND SYSTEMATIC SELECTION OF EAS

Stratification and selection of the EAs for the SADHS was done by CSS according to the following specifications. Explicit stratification of the EAs was by province and by urban/non-urban within province except in Eastern Cape where the strata were the urban and non-urban areas of each of the five health regions. EAs that contain only institutions such as prisons and mine hostels were excluded from the sampling frame. Within each EA type, the EAs were ordered according to geographic or administrative units as adopted by SSA for the census. The number of EAs were then selected independently within each explicit stratum and with probability proportional to size. The measure of size used for selection was the number of households enumerated in each EA by the census.

The selection procedure that SSA used in each explicit stratum was as follows:

1. calculating the selection interval for the EAs:
where M_i is the size of the stratum (total number of households or population in the stratum according to the census) and a is the number of EAs to be selected in the stratum;
2. calculating the cumulated size of each EA;
3. calculating the series of sampling numbers $R, R+I, R+2I, \dots, R+(a-1)I$, where R is a random number between 1 and I ;
4. comparing each sampling number with the cumulated sizes.

The first EA to be selected was the first EA on the list whose cumulated size was equal or greater than the first sampling number. The second EA to be selected was the next EA on the list (after the first selected one) whose cumulated size was equal or greater than the second sampling number, and so on.

Response Rate

Of the total 972 PSUs that were selected, fieldwork was not implemented in three PSUs due to concerns about the safety of the interviewers and the questionnaires for another three PSUs were lost in transit. The data file contains information for a total of 966 PSUs. A total of 12,860 households was selected for the sample and 12,247 were successfully interviewed. The shortfall is primarily due to refusals and to dwellings that were vacant or in which the inhabitants had left for an extended period at the time they were visited by interviewing teams.

Of the 12,638 households occupied 97 percent were successfully interviewed. In these households, 12,327 women were identified as eligible for the individual women's interview (15-49) and interviews were completed with 11,735 or 95 percent of them. In the one half of the households that were selected for inclusion in the adult health survey 14,928 eligible adults age 15 and over were identified of which 13,827 or 93 percent were interviewed. The principal reason for non-response among eligible women and men was the failure to find them at home despite repeated visits to the household. The refusal rate was about 2 percent.

Questionnaires

Overview

The survey utilised three questionnaires: a) a Household Questionnaire, b) a Woman's Questionnaire and c) an Adult Health Questionnaire. The contents of the first two were adapted from the DHS Model Questionnaires to meet the needs of the national and provincial Departments of Health. The Adult Health Questionnaire was developed to obtain information regarding the health of adults. Indicators listed in the preliminary Year 2000 Goals, Objectives and Indicators document were included where a household survey was the appropriate mechanism for collecting the information.

a) The Household Questionnaire was used to list all the usual members and visitors in the selected households. Basic information was collected on the characteristics of each person listed, including his/her age, sex, education and relationship to the head of the household. Information was collected about social grants, work status and injuries experienced in the last month. An important purpose of the Household Questionnaire was to identify women and adults who were eligible for interview. In addition, information was collected about the dwelling itself, such as the source of water, type of toilet facilities, material used to construct the house and ownership of various consumer goods.

b) The Woman's Questionnaire was used to collect information from all women age 15-49. These women were asked questions on the following topics:

- Background characteristics (age, education, race, etc.)
- Pregnancy history
- Knowledge and use of contraceptive methods
- Antenatal and delivery care
- Breastfeeding and weaning practices
- Child health and immunisation
- Marriage and recent sexual activity
- Fertility preferences
- Violence against women
- Knowledge of HIV/AIDS
- Maternal mortality
- Husband's background and respondent's work

c) In every second household, all men and women aged 15 and above were eligible to be interviewed with the Adult Health Questionnaire. The respondents were asked questions on:

- Recent utilisation of health services,
- Family medical history,
- Clinical conditions,
- Dental health,
- Occupational health,
- Medications taken,
- Habits and lifestyles, Anthropometric measurements, and, Blood pressure and lung function test.

Data Collection

Data Collection Dates

Start	End	Cycle
1998-01	1998-09	N/A

Data Collection Mode

Face-to-face

DATA COLLECTION NOTES

PILOT STUDY

Pilot studies were carried out in November 1996 in non-urban and urban areas. The questionnaires were adapted and finalised on the basis of the results of the pilot study. The instructions and questions in the questionnaires were translated and produced in all official languages in South Africa (English, Afrikaans, isiXhosa, isiZulu, Sesotho, Setswana, Sepedi, SiSwati, TshiVenda, Xitsonga and isiNdebele).

TRAINING

The training of field workers was conducted by personnel from the MRC, HSRC, Free State University (Centre for Health Systems Research and Development) and Macro International. Training consisted of plenary sessions on more general issues like contraceptive methods conducted for the whole group in one venue and more specific discussions by section for each of the nine provinces in separate venues. There was also intensive training in adult anthropometric measurements, taking blood pressure and measuring lung capacity.

Some 175 candidates were recruited for field work. Each province had 1 or 2 managers who were responsible, under the supervision of 2 part-time regional managers, for the fieldwork operation in that province. Each province had 3 teams of female interviewers who were selected on the basis of education, maturity, field experience and language spoken. The Eastern Cape had 7 teams and KwaZulu-Natal had 5 teams as they had larger sample sizes. Team leaders supervised the teams and ensured the work flow. Each province had 2 centrally based editors who screened all the questionnaires before they were submitted to the office for processing.

FIELDWORK

Fieldwork commenced in late January 1998 and was completed in September 1998. Immediately before the fieldwork, information about the survey was released through the national media including TV, radio and newspapers. A community liaison strategy was developed in each province using local media to precede work in the different areas.

Fieldwork for the SADHS was carried out by 33 interviewing teams. Each province had three teams, with the exception of the Eastern Cape, which had seven teams and KwaZulu-Natal which had five teams. Each team consisted of 2-5 female interviewers, a supervisor, and a field editor. In each province there was a provincial manager who was an overall supervisor of the fieldwork operations. In addition, two fieldwork co-ordinators, based at the University of the Free state, provided logistical and management support for the field operations. In many provinces, staff from the provincial Department of Health offices, who had attended the training course, formed fieldwork quality control teams to check on the field work teams and to conduct revisits. Finally staff from the MRC, the HSRC and Macro International conducted periodic quality control visits during fieldwork. Fieldwork commenced in late January 1998 and was completed in september 1998.

Data Collectors

Name	Abbreviation	Affiliation
University of the Orange Free State		
Centre for Health Systems Research and Development		

SUPERVISION

In the course of the fieldwork, quality control measures were instituted at three levels. First, field team leaders and editors were trained to identify the enumerator areas included in the sample and guide interviewers in the selection of dwellings for interviews. Secondly, approximately 10 percent of the sample were re-visited in the months of the interview to ensure that

the appropriate dwellings were selected and interviewed. Thirdly, a team consisting of staff from the HSRC carried out independent quality control visits to check questionnaires for errors, quality of identification and interviews at the enumerator area and dwelling levels.

Data Processing

Data Editing

All completed questionnaires for the SADHS were submitted to the provincial offices of King Finance (who were in partnership with the Centre for Health Systems Research at the University of the Free State), which then forwarded them to the MRC for data processing. The questionnaires were processed at the Medical Research Council offices in Cape Town.

The processing operation consisted of office editing, coding of open-ended questions, initial data entry and subsequent re-entry of all questionnaires to ensure correct data-capture, and finally editing inconsistencies found by the computer program. The SADHS data entry and editing programs were written using ISSA (Integrated System for Survey Analysis) by staff from Macro International. A small proportion of the questionnaires were returned to the field to complete missing information. Data processing commenced in mid-March 1998 and was completed in October 1998.

Data Appraisal

Estimates of Sampling Error

Sampling errors, on the other hand, can be evaluated statistically. The sample of respondents selected in the SADHS is only one of many samples that could have been selected from the same population, using the same design and expected size. Each of these samples would yield results that differ somewhat from the results of the actual sample selected. Sampling errors are a measure of the variability between all possible samples. Although the degree of variability is not known exactly, it can be estimated from the survey results.

A sampling error is usually measured in terms of the standard error for a particular statistic (mean, percentage, etc.), which is the square root of the variance. The standard error can be used to calculate confidence intervals within which the true value for the population can reasonably be assumed to fall. For example, for any given statistic calculated from a sample survey, the value of that statistic will fall within a range of plus or minus two times the standard error of that statistic in 95 percent of all possible samples of identical size and design.

If the sample of respondents had been selected as a simple random sample, it would have been possible to use straightforward formulas for calculating sampling errors. However, the SADHS sample is the result of a two-stage stratified design, and, consequently, it was necessary to use more complex formulae. The computer software used to calculate sampling errors for the SADHS is the ISSA Sampling Error Module. This module used the Taylor linearisation method of variance estimation for survey estimates that are means or proportions. The Jackknife repeated replication method is used for variance estimation of more complex statistics such as fertility and mortality rates.

The Jackknife repeated replication method derives estimates of complex rates from each of several replications of the parent sample, and calculates standard errors for these estimates using simple formulae. Each replication considers all but one clusters in the calculation of the estimates. Pseudo-independent replications are thus created. In the SADHS, there were 966 non-empty clusters. Hence, 965 replications were created.

Sampling errors for the SADHS are calculated for selected variables considered to be of primary interest. The results are presented in an appendix to the Final Report for the country as a whole, for urban and rural areas, for each of the 9 provinces, and for each of the four population groups. For each variable, the type of statistic (mean, proportion, or rate) and the base population are given in Table B.1 of the Final Report. Tables B.2 to B.17 present the value of the statistic (R), its standard error (SE), the number of unweighted (N) and weighted (WN) cases, the design effect (DEFT), the relative standard error (SE/R), and the 95 percent confidence limits (R2SE), for each variable. The DEFT is considered undefined when the standard error considering simple random sample is zero (when the estimate is close to 0 or 1). In the case of the total fertility rate, the number of unweighted cases is not relevant since there is no known unweighted value for woman-years of exposure to childbearing.

The confidence interval (e.g., as calculated for children ever born to women age 15-49) can be interpreted as follows: the overall average from the national sample is 1.939 and its standard error is .024. Therefore, to obtain the 95 percent confidence limits, one adds and subtracts twice the standard error to the sample estimate, i.e., 1.939±0.024. There is a high probability (95 percent) that the true average number of children ever born to all women aged 15 to 49 is between 1.891 and 1.987. Sampling errors are analysed for the national sample and for two separate groups of estimates: (1) means and proportions, and (2) complex demographic rates. The relative standard errors (SE/R) for the means and proportions range between 0 percent and 34 percent with an average of 4.6 percent; the highest relative standard errors are for estimates of very low values (e.g., currently using periodic abstinence among currently married women). If estimates of very low values (less than 10 percent) were removed, then the average drops to 2.1 percent. So in general, the relative standard error for most estimates for the country as a whole is small, except for estimates of very small proportions. The relative standard error for the total fertility rate is small, 2.7 percent. However, for the mortality rates, the average relative standard error is higher, 8.2 percent.

There are differentials in the relative standard error for the estimates of sub-populations. For example, for the variable with standard 6 or higher, the relative standard errors as a percent of the estimated mean for the whole country, for the rural areas, and for Northern Cape Province are 1.0 percent, 2.3 percent, and 4.9 percent, respectively.

For the total sample, the value of the design effect (DEFT) averaged over all variables is 1.33, which means that due to multi-stage clustering of the sampling error is increased by a factor of 1.33 over that in an equivalent simple random sample.

Other forms of Data Appraisal

Non-sampling errors are the results of mistakes made in implementing data collection and data processing, such as failure to locate and interview the correct household, misunderstanding of the questions on the part of either the interviewer or the respondent, and data entry errors. Although numerous efforts were made during the implementation of the SADHS to minimise this type of error, non-sampling errors are impossible to avoid and difficult to evaluate statistically.

File Description

Variable List

RECH0

Content	HOUSEHOLD - Household's Basic Data
Cases	12860
Variable(s)	34
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1	hhid	Case Identification	discrete	character	
V2	hv000	Country code and phase	discrete	character	
V3	hv001	Cluster number	contin	numeric	
V4	hv002	Household number	contin	numeric	
V5	hv003	Respondent's line number	discrete	numeric	
V6	hv004	Ultimate area unit	contin	numeric	
V7	hv005	Sample weight	contin	numeric	
V8	hv006	Month of interview	discrete	numeric	
V9	hv007	Year of interview	discrete	numeric	
V10	hv008	Date of interview (CMC)	discrete	numeric	
V11	hv009	Number of household members	contin	numeric	
V12	hv010	Number of eligible women in Household	discrete	numeric	
V13	hv011	Number of eligible men in Household	discrete	numeric	
V14	hv012	Number of de jure members	contin	numeric	
V15	hv013	Number of de facto members	contin	numeric	
V16	hv014	Number of children 5 and under	discrete	numeric	
V17	hv015	Result of household interview	discrete	numeric	
V18	hv016	Day of interview	contin	numeric	
V19	hv017	Number of visits	discrete	numeric	
V20	hv018	Interviewer identification	contin	numeric	
V21	hv019	Keyer identification	discrete	numeric	
V22	hv020	Ever-married sample	discrete	numeric	
V23	hv021	Primary sampling unit	contin	numeric	
V24	hv022	Sample stratum number	contin	numeric	
V25	hv023	Sample domain	discrete	numeric	
V26	hv024	Region	discrete	numeric	
V27	hv025	Type of place of residence	discrete	numeric	
V28	hv026	Place of residence	discrete	numeric	

ID	Name	Label	Type	Format	Question
V29	hv027	Selection for male/husband interview	discrete	numeric	
V30	hv028	Sample weight for male subsamp	discrete	numeric	
V31	hv030	Field supervisor	contin	numeric	
V32	hv031	Field editor	discrete	numeric	
V33	hv032	Office editor	discrete	numeric	
V34	hv033	Ultimate area selection prob.	contin	numeric	

RECH1

Content	HOUSEHOLD - Household Schedule
Cases	52906
Variable(s)	20
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V35	hhid	Case Identification	discrete	character	
V36	hvidx	Line number	contin	numeric	
V37	hv101	Relationship to head	discrete	numeric	
V38	hv102	Usual resident	discrete	numeric	
V39	hv103	Slept last night	discrete	numeric	
V40	hv104	Sex of household member	discrete	numeric	
V41	hv105	Age of household members	discrete	numeric	
V42	hv106	Highest educational level	discrete	numeric	
V43	hv107	Highest year of education	discrete	numeric	
V44	hv108	Education in single years	discrete	numeric	
V45	hv109	Educational attainment	discrete	numeric	
V46	hv110	Member still in school	discrete	numeric	
V47	hv111	Mother alive	discrete	numeric	
V48	hv112	Mother's line number	discrete	numeric	
V49	hv113	Father alive	discrete	numeric	
V50	hv114	Father's line number	discrete	numeric	
V51	hv115	Current marital status -NA	discrete	numeric	
V52	hv116	Currently, formerly, never -NA	discrete	numeric	
V53	hv117	Eligibility for female interview	discrete	numeric	
V54	hv118	Eligibility for male interv-NA	discrete	numeric	

RECH2

Content	HOUSEHOLD - Household Characteristics
Cases	12247
Variable(s)	23
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V55	hhid	Case Identification	discrete	character	
V56	hv201	Source of drinking water	discrete	numeric	
V57	hv202	Source of non-drinking wate-NA	discrete	numeric	
V58	hv203	Same source of water -NA	discrete	numeric	
V59	hv204	Time to get to water source	discrete	numeric	
V60	hv205	Type of toilet facility	discrete	numeric	
V61	hv206	Has electricity	discrete	numeric	
V62	hv207	Has radio	discrete	numeric	
V63	hv208	Has television	discrete	numeric	
V64	hv209	Has refrigerator	discrete	numeric	
V65	hv210	Has bicycle	discrete	numeric	
V66	hv211	Has motorcycle	discrete	numeric	
V67	hv212	Has car	discrete	numeric	
V68	hv213	Main floor material	discrete	numeric	
V69	hv214	Main wall material	discrete	numeric	
V70	hv215	Main roof material -NA	discrete	numeric	
V71	hv216	Rooms for sleeping	contin	numeric	
V72	hv217	Relationship structure	discrete	numeric	
V73	hv218	Line number of head of household	discrete	numeric	
V74	hv219	Sex of head of household	discrete	numeric	
V75	hv220	Age of head of household	discrete	numeric	
V76	hv221	Has telephone	discrete	numeric	
V77	hv222	Type of salt used for cooki-NA	discrete	numeric	

RECH3

Content	HOUSEHOLD - Country-specific Household Variable
Cases	12860
Variable(s)	28
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V78	hhid	Case Identification	discrete	character	
V79	shdist	District	contin	numeric	
V80	shhealth	Eastern cape - health regions	discrete	numeric	
V81	sheanum	EA number	contin	numeric	
V82	sheatype	EA type	contin	numeric	
V83	sheligah	Eligibility for adult health survey	discrete	numeric	
V84	shadult	Total adults 15 years and above	discrete	numeric	
V85	sh21	Death in household in the last 12 months	discrete	numeric	
V86	sh22	Number of persons who died in the last 12 months	contin	numeric	
V87	sh23	Number of persons who died because of violence	contin	numeric	
V88	sh24	Number of persons who died from an unintentional injury	contin	numeric	
V89	sh27a	Water fetched: female adult	discrete	numeric	
V90	sh27b	Water fetched: male adult	discrete	numeric	
V91	sh27c	Water fetched: female child	discrete	numeric	
V92	sh27d	Water fetched: male child	discrete	numeric	
V93	sh27z	Water fetched: DK	discrete	numeric	
V94	sh29f	Has personal computer	discrete	numeric	
V95	sh29g	Has washing machine	discrete	numeric	
V96	sh30a	Cooking fuel: electricity	discrete	numeric	
V97	sh30b	Cooking fuel: gas	discrete	numeric	
V98	sh30c	Cooking fuel: paraffin	discrete	numeric	
V99	sh30d	Cooking fuel: wood	discrete	numeric	
V100	sh30e	Cooking fuel: coal	discrete	numeric	
V101	sh30f	Cooking fuel: animal dung	discrete	numeric	
V102	sh30x	Cooking fuel: other	discrete	numeric	
V103	sh34	Afford ability of Household	discrete	numeric	
V104	sh35d	Has donkey/horse	discrete	numeric	
V105	sh35e	Has sheep/cattle	discrete	numeric	

RECH4

Content	HOUSEHOLD - Country-specific Household Schedule
Cases	52906
Variable(s)	10
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V106	hhid	Case Identification	discrete	character	
V107	idxh4	Index to household schedule	contin	numeric	
V108	sheduc	Highest educational level	discrete	numeric	
V109	sh08	Received child, disability or pension grant	discrete	numeric	
V110	sh09	Ever been to school	discrete	numeric	
V111	sh10	Level of Education	discrete	numeric	
V112	sh12	Did work in the last 7 days	discrete	numeric	
V113	sh13	Injury treated by nurse/doctor during the last 30 days	discrete	numeric	
V114	sh14	Type of Injury	discrete	numeric	
V115	sh19	Eligibility for adult health interview	discrete	numeric	

REC01

Content	WOMAN - Respondent's Basic Data
Cases	12327
Variable(s)	37
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V116	hhid	Case Identification	discrete	character	
V117	caseid	Case Identification	discrete	character	
V118	v000	Country code and phase	discrete	character	
V119	v001	Cluster number	contin	numeric	
V120	v002	Household number	contin	numeric	
V121	v003	Respondent's line number	contin	numeric	
V122	v004	Ultimate area unit	contin	numeric	
V123	v005	Sample weight	contin	numeric	
V124	v006	Month of interview	discrete	numeric	
V125	v007	Year of interview	discrete	numeric	
V126	v008	Date of interview (CMC)	discrete	numeric	
V127	v009	Respondent's month of birth	discrete	numeric	
V128	v010	Respondent's year of birth	contin	numeric	
V129	v011	Date of birth (CMC)	contin	numeric	
V130	v012	Current age - respondent	contin	numeric	
V131	v013	Age 5-year groups	discrete	numeric	
V132	v014	Completeness of information	discrete	numeric	
V133	v015	Result of individual interview	discrete	numeric	
V134	v016	Day of interview	contin	numeric	
V135	v017	CMC start of calen -NA	discrete	numeric	
V136	v018	Row of month of in -NA	discrete	numeric	
V137	v019	Length of calendar -NA	discrete	numeric	
V138	v020	Ever-married sample	discrete	numeric	
V139	v021	Primary sampling unit	contin	numeric	
V140	v022	Sample stratum number	contin	numeric	
V141	v023	Sample domain	discrete	numeric	
V142	v024	Region	discrete	numeric	
V143	v025	Type of place of residence	discrete	numeric	

ID	Name	Label	Type	Format	Question
V144	v026	De facto place of residence	discrete	numeric	
V145	v027	Number of visits	discrete	numeric	
V146	v028	Interviewer identification	contin	numeric	
V147	v029	Keyer identification	discrete	numeric	
V148	v030	Field supervisor	contin	numeric	
V149	v031	Field editor	discrete	numeric	
V150	v032	Office editor	discrete	numeric	
V151	v033	Ultimate area selection prob.	contin	numeric	
V152	v034	Line number of husband -NA	discrete	numeric	

REC11

Content	WOMAN - Respondent's Basic Data (continued)
Cases	11735
Variable(s)	52
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V153	hhid	Case Identification	discrete	character	
V154	caseid	Case Identification	discrete	character	
V155	v101	Region	discrete	numeric	
V156	v102	Type of place of residence	discrete	numeric	
V157	v103	Childhood place of residence	discrete	numeric	
V158	v104	Years lived in place of residence	discrete	numeric	
V159	v105	Type of place of previous residence	discrete	numeric	
V160	v106	Highest educational level	discrete	numeric	
V161	v107	Highest year of education	discrete	numeric	
V162	v108	Literacy	discrete	numeric	
V163	v109	Reads newspaper once a week	discrete	numeric	
V164	v110	Watches TV every week	discrete	numeric	
V165	v111	Listens to radio every day	discrete	numeric	
V166	v112	Listens to radio every week-NA	discrete	numeric	
V167	v113	Source of drinking water	discrete	numeric	
V168	v114	Source of non-drinking wate-NA	discrete	numeric	
V169	v115	Time to get to water source (minutes)	discrete	numeric	
V170	v116	Type of toilet facility	discrete	numeric	
V171	v119	Has electricity	discrete	numeric	
V172	v120	Has radio	discrete	numeric	
V173	v121	Has television	discrete	numeric	
V174	v122	Has refrigerator	discrete	numeric	
V175	v123	Has bicycle	discrete	numeric	
V176	v124	Has motorcycle	discrete	numeric	
V177	v125	Has car	discrete	numeric	
V178	v127	Main floor material	discrete	numeric	
V179	v128	Main wall material	discrete	numeric	
V180	v129	Main roof material -NA	discrete	numeric	

ID	Name	Label	Type	Format	Question
V181	v130	Religion -NA	discrete	numeric	
V182	v131	Ethnicity	discrete	numeric	
V183	v133	Education in single years	discrete	numeric	
V184	v134	De facto place of residence	discrete	numeric	
V185	v135	Usual resident or visitor	discrete	numeric	
V186	v136	Number of household members	contin	numeric	
V187	v137	Number of children 5 and under	discrete	numeric	
V188	v138	Number of eligible women in HH	discrete	numeric	
V189	v139	De jure region of residence	discrete	numeric	
V190	v140	De jure type of place of residence	discrete	numeric	
V191	v141	De jure place of residence	discrete	numeric	
V192	v142	Same source of water -NA	discrete	numeric	
V193	v144	Communities lived in >Jan.8-NA	discrete	numeric	
V194	v148	Respondent still in school	discrete	numeric	
V195	v149	Educational attainment	discrete	numeric	
V196	v150	Relationship to household head	discrete	numeric	
V197	v151	Sex of household head	discrete	numeric	
V198	v152	Age of household head	contin	numeric	
V199	v153	Has telephone	discrete	numeric	
V200	v154	Reason stop attending school	discrete	numeric	
V201	awfactt	All woman factor - total	discrete	numeric	
V202	awfactu	All woman factor - urban/rural	discrete	numeric	
V203	awfactr	All woman factor - regional	discrete	numeric	
V204	awfacte	All woman factor - educational	discrete	numeric	

REC21

Content	WOMAN - Reproduction (Birth History)
Cases	22934
Variable(s)	20
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V205	hhid	Case Identification	discrete	character	
V206	caseid	Case Identification	discrete	character	
V207	bidx	Birth column number	discrete	numeric	
V208	bord	Birth order number	discrete	numeric	
V209	b0	Child is twin	discrete	numeric	
V210	b1	Month of birth	discrete	numeric	
V211	b2	Year of birth	contin	numeric	
V212	b3	Date of birth (CMC)	contin	numeric	
V213	b4	Sex of child	discrete	numeric	
V214	b5	Child is alive	discrete	numeric	
V215	b6	Age at death	discrete	numeric	
V216	b7	Age at death (months-imputed)	contin	numeric	
V217	b8	Current age of child	contin	numeric	
V218	b9	Who child lives with	discrete	numeric	
V219	b10	Completeness of information	discrete	numeric	
V220	b11	Preceding birth interval	contin	numeric	
V221	b12	Succeeding birth interval	contin	numeric	
V222	b13	Flag for age at death	discrete	numeric	
V223	b14	Birth interval \geq 4 years	discrete	numeric	
V224	b15	Live birth between births	discrete	numeric	

REC22

Content	WOMAN - Reproduction
Cases	11735
Variable(s)	40
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V225	hhid	Case Identification	discrete	character	
V226	caseid	Case Identification	discrete	character	
V227	v201	Total children ever born	discrete	numeric	
V228	v202	Sons at home	discrete	numeric	
V229	v203	Daughters at home	discrete	numeric	
V230	v204	Sons elsewhere	discrete	numeric	
V231	v205	Daughters elsewhere	discrete	numeric	
V232	v206	Sons who have died	discrete	numeric	
V233	v207	Daughters who have died	discrete	numeric	
V234	v208	Births in last five years	discrete	numeric	
V235	v209	Births in past year	discrete	numeric	
V236	v210	Births in month of interview	discrete	numeric	
V237	v211	Date of first birth (CMC)	contin	numeric	
V238	v212	Age of respondent at 1st birth	contin	numeric	
V239	v213	Currently pregnant	discrete	numeric	
V240	v214	Duration of current pregnancy	discrete	numeric	
V241	v215	Time since last menstrual period	discrete	numeric	
V242	v216	Menstruated in last six weeks	discrete	numeric	
V243	v217	Knowledge of ovulatory cycle	discrete	numeric	
V244	v218	Number of living children	discrete	numeric	
V245	v219	Living children + current pregnancy	discrete	numeric	
V246	v220	Living children + current pregnancy 6+	discrete	numeric	
V247	v221	Marriage to first birth interval	discrete	numeric	
V248	v222	Last birth to interview	contin	numeric	
V249	v223	Completeness of current pregnancy inf	discrete	numeric	
V250	v224	Entries in birth history	discrete	numeric	
V251	v225	Current pregnancy wanted	discrete	numeric	
V252	v226	Time since last period (comp)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V253	v227	Flag for last period	discrete	numeric	
V254	v228	Ever had a terminated pregnancy	discrete	numeric	
V255	v229	Month pregnancy ended	discrete	numeric	
V256	v230	Year pregnancy ended	discrete	numeric	
V257	v231	CMC pregnancy ended	discrete	numeric	
V258	v232	Completeness of last term. inf	discrete	numeric	
V259	v233	Months when pregnancy ended	discrete	numeric	
V260	v234	Other such pregnancies	discrete	numeric	
V261	v235	Index last child prior to c-NA	discrete	numeric	
V262	v236	Last birth interval ≥ 4 years	discrete	numeric	
V263	v237	Birth between last & interview	discrete	numeric	
V264	v238	Births in last three years	discrete	numeric	

REC31

Content	WOMAN - Contraceptive Table
Cases	93880
Variable(s)	8
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V265	hhid	Case Identification	discrete	character	
V266	caseid	Case Identification	discrete	character	
V267	v301	Knowledge of any method	discrete	numeric	
V268	v302	Ever use of any method	discrete	numeric	
V269	rec31_group	Contraceptive Table	discrete	character	
V270	v304a	Type of method	discrete	numeric	
V271	v304	Knows method	discrete	numeric	
V272	v305	Ever used method	discrete	numeric	

REC32

Content	WOMAN - Contraceptive Use
Cases	11735
Variable(s)	50
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V273	hhid	Case Identification	discrete	character	
V274	caseid	Case Identification	discrete	character	
V275	v310	Living children at first use	contin	numeric	
V276	v311	Children at first use (grpd)	discrete	numeric	
V277	v312	Current contraceptive method	discrete	numeric	
V278	v313	Current use by method type	discrete	numeric	
V279	v314	Method of periodic abstinence	discrete	numeric	
V280	v315	Month of sterilization	discrete	numeric	
V281	v316	Year of sterilization	contin	numeric	
V282	v317	Date of sterilization (CMC)	contin	numeric	
V283	v318	Completeness of information	discrete	numeric	
V284	v319	Years since sterilization	discrete	numeric	
V285	v320	Age at sterilization	discrete	numeric	
V286	v321	Marital duration at sterilization	discrete	numeric	
V287	v322	Parity at sterilization	discrete	numeric	
V288	v323	Brand of pill used -NA	discrete	numeric	
V289	v325	Cost of pills -NA	discrete	numeric	
V290	v326	Last source for current users	discrete	numeric	
V291	v327	Last source for users by type	discrete	numeric	
V292	v328	Main reason use current source	discrete	numeric	
V293	v337	Months of use of current me-NA	discrete	numeric	
V294	v359	Last method disc. last 5 ye-NA	discrete	numeric	
V295	v360	Reason of last discontinuat-NA	discrete	numeric	
V296	v361	Pattern of use	discrete	numeric	
V297	v362	Intention to use	discrete	numeric	
V298	v363	Preferred future method	discrete	numeric	
V299	v364	Contraceptive use & intention	discrete	numeric	
V300	v366a	Acceptability of radio message	discrete	numeric	

ID	Name	Label	Type	Format	Question
V301	v366b	Acceptability of TV message	discrete	numeric	
V302	v367	Wanted last child	discrete	numeric	
V303	v369	First method used	discrete	numeric	
V304	v369b	First use to space or limit-NA	discrete	numeric	
V305	v372	Shown pill package -NA	discrete	numeric	
V306	v375a	Main reason not using a method	discrete	numeric	
V307	v376	Main reason not to use a method	discrete	numeric	
V308	v376a	Would ever use method if ma-NA	discrete	numeric	
V309	v379	Source known for any method	discrete	numeric	
V310	v380	Source known for any method	discrete	numeric	
V311	v384a	Heard about Family Planning on radio last months	discrete	numeric	
V312	v384b	Heard about Family Planning on TV last months	discrete	numeric	
V313	v384c	Heard about Family Planning on newspaper last months	discrete	numeric	
V314	v384d	Heard about Family Planning on poster last months	discrete	numeric	
V315	v384e	Heard about Family Planning on brochures last months	discrete	numeric	
V316	v393	Visited by FP worker last 1-NA	discrete	numeric	
V317	v394	Visited health facility last 12 months	discrete	numeric	
V318	v395	At health facility, told of Family Planning	discrete	numeric	
V319	v396	Breastfeeding affect pregna-NA	discrete	numeric	
V320	v397	Pregnancy risk of breastfee-NA	discrete	numeric	
V321	v398	Relied breastfeed. avoid pr-NA	discrete	numeric	
V322	v399	Currently rely on breastfee-NA	discrete	numeric	

REC41

Content	WOMAN - Maternity
Cases	5066
Variable(s)	95
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V323	hhid	Case Identification	discrete	character	
V324	caseid	Case Identification	discrete	character	
V325	midx	Index to birth history	discrete	numeric	
V326	m1	Tetanus injections before birth	discrete	numeric	
V327	m2a	Prenatal: doctor	discrete	numeric	
V328	m2b	Prenatal: nurse/midwife	discrete	numeric	
V329	m2c	Prenatal: auxiliary midwife-NA	discrete	numeric	
V330	m2d	Prenatal: CS health profess-NA	discrete	numeric	
V331	m2e	Prenatal: CS health profess-NA	discrete	numeric	
V332	m2f	Prenatal: trained birth att-NA	discrete	numeric	
V333	m2g	Prenatal: traditional birth attendant	discrete	numeric	
V334	m2h	Prenatal: relative -NA	discrete	numeric	
V335	m2i	Prenatal: CS other person -NA	discrete	numeric	
V336	m2j	Prenatal: CS other person -NA	discrete	numeric	
V337	m2k	Prenatal: other responses (uncoded)	discrete	numeric	
V338	m2l	Prenatal: CS other -NA	discrete	numeric	
V339	m2m	Prenatal: CS other -NA	discrete	numeric	
V340	m2n	Prenatal: no one	discrete	numeric	
V341	m3a	Assistance: doctor	discrete	numeric	
V342	m3b	Assistance: nurse/midwife	discrete	numeric	
V343	m3c	Assistance: auxiliary midwi-NA	discrete	numeric	
V344	m3d	Assistance: CS health profe-NA	discrete	numeric	
V345	m3e	Assistance: CS health profe-NA	discrete	numeric	
V346	m3f	Assistance: trained birth a-NA	discrete	numeric	
V347	m3g	Assistance: traditional birth attendant	discrete	numeric	
V348	m3h	Assistance: relative, friend	discrete	numeric	
V349	m3i	Assistance: CS other person-NA	discrete	numeric	
V350	m3j	Assistance: CS other person-NA	discrete	numeric	

ID	Name	Label	Type	Format	Question
V351	m3k	Assistance: other responses (uncod)	discrete	numeric	
V352	m3l	Assistance: CS other -NA	discrete	numeric	
V353	m3m	Assistance: CS other -NA	discrete	numeric	
V354	m3n	Assistance: no one	discrete	numeric	
V355	m4	Duration of breastfeeding	discrete	numeric	
V356	m5	Months of breastfeeding	discrete	numeric	
V357	m6	Duration of amenorrhea	discrete	numeric	
V358	m7	Months of amenorrhea	discrete	numeric	
V359	m8	Duration of abstinence	discrete	numeric	
V360	m9	Months of abstinence	discrete	numeric	
V361	m10	Time wanted pregnancy	discrete	numeric	
V362	m11	Time would have waited	discrete	numeric	
V363	m13	Timing of 1st antenatal check	discrete	numeric	
V364	m14	Antenatal visits for pregnancy	discrete	numeric	
V365	m15	Place of delivery	discrete	numeric	
V366	m17	Delivery by caesarian section	discrete	numeric	
V367	m18	Size of child at birth -NA	discrete	numeric	
V368	m19	Birth weight (kilos - 3 dec.)	discrete	numeric	
V369	m19a	Weight at birth recall	discrete	numeric	
V370	m21	Reason stopped breastfeeding	discrete	numeric	
V371	m27	Flag for breastfeeding	discrete	numeric	
V372	m28	Flag for amenorrhea	discrete	numeric	
V373	m29	Flag for abstinence	discrete	numeric	
V374	m30	At birth - prolonged labor -NA	discrete	numeric	
V375	m31	At birth - excessive bleedi-NA	discrete	numeric	
V376	m32	At birth - high fever/disch-NA	discrete	numeric	
V377	m33	At birth - convulsions -NA	discrete	numeric	
V378	m34	When child put to breast	discrete	numeric	
V379	m35	Times breastfed during night	discrete	numeric	
V380	m36	Times breastfed during day	discrete	numeric	
V381	m37a	Gave child plain water	discrete	numeric	
V382	m37b	Gave child sugar water	discrete	numeric	
V383	m37c	Gave child juice -NA	discrete	numeric	
V384	m37d	Gave child herbal tea	discrete	numeric	
V385	m37e	Gave child powder/tinned mi-NA	discrete	numeric	
V386	m37f	Gave child baby formula	discrete	numeric	
V387	m37g	Gave child fresh milk -NA	discrete	numeric	
V388	m37h	Gave child any kind of milk	discrete	numeric	
V389	m37i	Country specific other liqu-NA	discrete	numeric	
V390	m37j	Country specific other liqu-NA	discrete	numeric	

ID	Name	Label	Type	Format	Question
V391	m37k	Country specific other liqu-NA	discrete	numeric	
V392	m37l	Gave child other liquid	discrete	numeric	
V393	m37m	Gave child maize/rice/wheat	discrete	numeric	
V394	m37n	Gave child fruits, vegetables	discrete	numeric	
V395	m37o	Country specific other food-NA	discrete	numeric	
V396	m37p	Other solid, semi-solid foods	discrete	numeric	
V397	m37q	Food made from local grain -NA	discrete	numeric	
V398	m37r	Food made from local tuber -NA	discrete	numeric	
V399	m37s	Gave child eggs, fish, poultry	discrete	numeric	
V400	m37t	Gave child meat	discrete	numeric	
V401	m38	Drank from bottle with nipple	discrete	numeric	
V402	m39	Times ate other food yesterday	discrete	numeric	
V403	m40a	Last 7 days - plain water -NA	discrete	numeric	
V404	m40b	Last 7 days - milk -NA	discrete	numeric	
V405	m40c	Last 7 days - other liquids-NA	discrete	numeric	
V406	m40d	Last 7 days - local grain f-NA	discrete	numeric	
V407	m40e	Last 7 days - local tuber f-NA	discrete	numeric	
V408	m40f	Last 7 days - egg/fish/poul-NA	discrete	numeric	
V409	m40g	Last 7 days - meat -NA	discrete	numeric	
V410	m40h	Last 7 days - other solid f-NA	discrete	numeric	
V411	m40i	Last 7 days - country speci-NA	discrete	numeric	
V412	m40j	Last 7 days - country speci-NA	discrete	numeric	
V413	m40k	Last 7 days - country speci-NA	discrete	numeric	
V414	m40l	Last 7 days - country speci-NA	discrete	numeric	
V415	m40m	Last 7 days - country speci-NA	discrete	numeric	
V416	m40n	Last 7 days - country speci-NA	discrete	numeric	
V417	m40o	Last 7 days - country speci-NA	discrete	numeric	

REC42

Content	WOMAN - Breastfeeding and Health
Cases	11735
Variable(s)	79
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V418	hhid	Case Identification	discrete	character	
V419	caseid	Case Identification	discrete	character	
V420	v401	Last birth caesarean section	discrete	numeric	
V421	v404	Currently breast-feeding	discrete	numeric	
V422	v405	Currently amenorrheic	discrete	numeric	
V423	v406	Currently abstaining	discrete	numeric	
V424	v407	Times breastfed during night	discrete	numeric	
V425	v408	Times breastfed during day	discrete	numeric	
V426	v409	Gave child plain water	discrete	numeric	
V427	v409a	Gave child sugar water	discrete	numeric	
V428	v410	Gave child juice -NA	discrete	numeric	
V429	v410a	Gave child herbal tea	discrete	numeric	
V430	v411	Gave child powder/tinned mi-NA	discrete	numeric	
V431	v411a	Gave child baby formula	discrete	numeric	
V432	v412	Gave child fresh milk -NA	discrete	numeric	
V433	v413a	Gave child any kind of milk	discrete	numeric	
V434	v413b	Country specific other liqu-NA	discrete	numeric	
V435	v413c	Country specific other liqu-NA	discrete	numeric	
V436	v413d	Country specific other liqu-NA	discrete	numeric	
V437	v413	Gave child other liquid	discrete	numeric	
V438	v414a	Gave child maize/rice/wheat	discrete	numeric	
V439	v414b	Gave child fruits/vegetables	discrete	numeric	
V440	v414c	Country specific other food-NA	discrete	numeric	
V441	v414d	Other solid, semi-solid foods	discrete	numeric	
V442	v414e	Food made from local grain -NA	discrete	numeric	
V443	v414f	Food made from local tuber -NA	discrete	numeric	
V444	v414g	Gave child eggs, fish, poultry	discrete	numeric	
V445	v414h	Gave child meat	discrete	numeric	

ID	Name	Label	Type	Format	Question
V446	v415	Drank from bottle with nipple	discrete	numeric	
V447	v416	Heard of oral rehydration	discrete	numeric	
V448	v417	Entries in maternity table	discrete	numeric	
V449	v418	Entries in health table	discrete	numeric	
V450	v419	Entries in height/weight table	discrete	numeric	
V451	v420	Measurer's code -NA	discrete	numeric	
V452	v421	Assistant measurer's code -NA	discrete	numeric	
V453	v426	When child put to breast	discrete	numeric	
V454	v436	Arm circumference (cms-1d) -NA	discrete	numeric	
V455	v437	Respondent's weight (kilos--NA	discrete	numeric	
V456	v438	Respondent's height (cms-1d-NA	discrete	numeric	
V457	v439	Ht/A Percentile (resp.) -NA	discrete	numeric	
V458	v440	Ht/A Standard deviations (r-NA	discrete	numeric	
V459	v441	Ht/A Percent ref. median (r-NA	discrete	numeric	
V460	v442	Wt/Ht Percent ref. median (-NA	discrete	numeric	
V461	v443	Wt/Ht Percent ref. median (-NA	discrete	numeric	
V462	v444	Wt/Ht Percent ref. median (-NA	discrete	numeric	
V463	v444a	Wt/Ht Std deviations(resp) -NA	discrete	numeric	
V464	v445	Body mass index for respond-NA	discrete	numeric	
V465	v446	Rohrer's index for responde-NA	discrete	numeric	
V466	v447	Result of measurement of re-NA	discrete	numeric	
V467	v448	Drinking pattern with diarrhea	discrete	numeric	
V468	v449	Eating pattern with diarrhea	discrete	numeric	
V469	v450a	Diarrhea: repeat watery stools	discrete	numeric	
V470	v450b	Diarrhea: Any watery stools	discrete	numeric	
V471	v450c	Diarrhea: Repeated vomiting	discrete	numeric	
V472	v450d	Diarrhea: Any vomiting	discrete	numeric	
V473	v450e	Diarrhea: Blood in stools	discrete	numeric	
V474	v450f	Diarrhea: Fever	discrete	numeric	
V475	v450g	Diarrhea: Marked thirst	discrete	numeric	
V476	v450h	Diarrhea: Not eating/drinking	discrete	numeric	
V477	v450i	Diarrhea: Getting sicker	discrete	numeric	
V478	v450j	Diarrhea: Not getting better	discrete	numeric	
V479	v450k	Diarrhea: sunken fontanels	discrete	numeric	
V480	v450l	Diarrhea: Country specific -NA	discrete	numeric	
V481	v450m	Diarrhea: Country specific -NA	discrete	numeric	
V482	v450x	Diarrhea: Other responses	discrete	numeric	
V483	v450z	Diarrhea: Does not know	discrete	numeric	
V484	v451a	Cough: Fast breathing	discrete	numeric	
V485	v451b	Cough: Difficult breathing	discrete	numeric	

ID	Name	Label	Type	Format	Question
V486	v451c	Cough: Noisy breathing	discrete	numeric	
V487	v451d	Cough: Fever	discrete	numeric	
V488	v451e	Cough: Unable to drink	discrete	numeric	
V489	v451f	Cough: Not eating/drinking	discrete	numeric	
V490	v451g	Cough: Getting sicker	discrete	numeric	
V491	v451h	Cough: Not getting better	discrete	numeric	
V492	v451i	Cough: Coughing a lot	discrete	numeric	
V493	v451j	Cough: Country specific -NA	discrete	numeric	
V494	v451k	Cough: Country specific -NA	discrete	numeric	
V495	v451x	Cough: Other responses	discrete	numeric	
V496	v451z	Knows no sign of illness	discrete	numeric	

REC43

Content	WOMAN - Immunization and Health
Cases	5066
Variable(s)	115
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V497	hhid	Case Identification	discrete	character	
V498	caseid	Case Identification	discrete	character	
V499	hidx	Index to birth history	discrete	numeric	
V500	h1	Has health card	discrete	numeric	
V501	h2	Received BCG	discrete	numeric	
V502	h2d	BCG day	discrete	numeric	
V503	h2m	BCG month	discrete	numeric	
V504	h2y	BCG year	discrete	numeric	
V505	h3	Received DPT 1	discrete	numeric	
V506	h3d	DPT 1 day	discrete	numeric	
V507	h3m	DPT 1 month	discrete	numeric	
V508	h3y	DPT 1 year	discrete	numeric	
V509	h4	Received POLIO 1	discrete	numeric	
V510	h4d	POLIO 1 day	discrete	numeric	
V511	h4m	POLIO 1 month	discrete	numeric	
V512	h4y	POLIO 1 year	discrete	numeric	
V513	h5	Received DPT 2	discrete	numeric	
V514	h5d	DPT 2 day	discrete	numeric	
V515	h5m	DPT 2 month	discrete	numeric	
V516	h5y	DPT 2 year	discrete	numeric	
V517	h6	Received POLIO 2	discrete	numeric	
V518	h6d	POLIO 2 day	discrete	numeric	
V519	h6m	POLIO 2 month	discrete	numeric	
V520	h6y	POLIO 2 year	discrete	numeric	
V521	h7	Received DPT 3	discrete	numeric	
V522	h7d	DPT 3 day	discrete	numeric	
V523	h7m	DPT 3 month	discrete	numeric	
V524	h7y	DPT 3 year	discrete	numeric	

ID	Name	Label	Type	Format	Question
V525	h8	Received POLIO 3	discrete	numeric	
V526	h8d	POLIO 3 day	discrete	numeric	
V527	h8m	POLIO 3 month	discrete	numeric	
V528	h8y	POLIO 3 year	discrete	numeric	
V529	h9	Received MEASLES	discrete	numeric	
V530	h9d	MEASLES day	discrete	numeric	
V531	h9m	MEASLES month	discrete	numeric	
V532	h9y	MEASLES year	discrete	numeric	
V533	h0	Polio 0	discrete	numeric	
V534	h0d	Polio 0 day	discrete	numeric	
V535	h0m	POLIO 0 month	discrete	numeric	
V536	h0y	POLIO 0 year	discrete	numeric	
V537	h10	Ever had vaccination	discrete	numeric	
V538	h11	Had diarrhea recently	discrete	numeric	
V539	h11b	Blood in the stools	discrete	numeric	
V540	h11c	Bowel movements in worst day	discrete	numeric	
V541	h12a	Diarrhea: government hospital	discrete	numeric	
V542	h12b	Diarrhea: government health center	discrete	numeric	
V543	h12c	Diarrhea: govt health post -NA	discrete	numeric	
V544	h12d	Diarrhea: mobile clinic	discrete	numeric	
V545	h12e	Diarrhea: community health worker	discrete	numeric	
V546	h12f	Diarrhea: CS public sector -NA	discrete	numeric	
V547	h12g	Diarrhea: CS public sector -NA	discrete	numeric	
V548	h12h	Diarrhea: CS public sector -NA	discrete	numeric	
V549	h12i	Diarrhea: other public sector	discrete	numeric	
V550	h12j	Diarrhea: private hospital/clinic.	discrete	numeric	
V551	h12k	Diarrhea: private pharmacy	discrete	numeric	
V552	h12l	Diarrhea: private doctor	discrete	numeric	
V553	h12m	Diarrhea: private mobile cl-NA	discrete	numeric	
V554	h12n	Diarrhea: comm.health worke-NA	discrete	numeric	
V555	h12o	Diarrhea: CS med.priv secto-NA	discrete	numeric	
V556	h12p	Diarrhea: CS med.priv secto-NA	discrete	numeric	
V557	h12q	Diarrhea: CS med.priv secto-NA	discrete	numeric	
V558	h12r	Diarrhea: other medical private sector	discrete	numeric	
V559	h12s	Diarrhea: shop	discrete	numeric	
V560	h12t	Diarrhea: traditional practitioner	discrete	numeric	
V561	h12u	Diarrhea: CS oth secto -NA	discrete	numeric	
V562	h12v	Diarrhea: CS oth.priv secto-NA	discrete	numeric	
V563	h12w	Diarrhea: CS oth.priv secto-NA	discrete	numeric	
V564	h12x	Diarrhea: Other	discrete	numeric	

ID	Name	Label	Type	Format	Question
V565	h12y	Diarrhea: no treatment	discrete	numeric	
V566	h12z	Diarrhea: medical treatment	discrete	numeric	
V567	h13	Given oral rehydration	discrete	numeric	
V568	h14	Given recommended home solution	discrete	numeric	
V569	h15	Given other pills or syrups	discrete	numeric	
V570	h15a	Given antibiotics (CS) -NA	discrete	numeric	
V571	h15b	Given an injection	discrete	numeric	
V572	h15c	Given an intravenous (IV)	discrete	numeric	
V573	h15d	Given home remedy, herbal medicine	discrete	numeric	
V574	h15e	Given thin watery porridge	discrete	numeric	
V575	h15f	Given soup	discrete	numeric	
V576	h15g	Given milk/infant formula	discrete	numeric	
V577	h15h	Given yoghurt	discrete	numeric	
V578	h16	Increase or decrease fluids	discrete	numeric	
V579	h18	Increase or decrease in foods	discrete	numeric	
V580	h20	Given other treatment	discrete	numeric	
V581	h21a	Given no treatment	discrete	numeric	
V582	h21	Received any treatment	discrete	numeric	
V583	h22	Had fever in last two weeks-NA	discrete	numeric	
V584	h31	Had cough in last two weeks	discrete	numeric	
V585	h31b	Short, rapid breaths	discrete	numeric	
V586	h32a	Fever/cough: government hospital	discrete	numeric	
V587	h32b	Fever/cough: goverment health center	discrete	numeric	
V588	h32c	Fever/cough: govt health po-NA	discrete	numeric	
V589	h32d	Fever/cough: mobile clinic	discrete	numeric	
V590	h32e	Fever/cough: community health worker	discrete	numeric	
V591	h32f	Fever/cough: CS public sect-NA	discrete	numeric	
V592	h32g	Fever/cough: CS public sect-NA	discrete	numeric	
V593	h32h	Fever/cough: CS public sect-NA	discrete	numeric	
V594	h32i	Fever/cough: other public sector	discrete	numeric	
V595	h32j	Fever/cough: private hospital/clinic	discrete	numeric	
V596	h32k	Fever/cough: private pharmacy	discrete	numeric	
V597	h32l	Fever/cough: private doctor	discrete	numeric	
V598	h32m	Fever/cough: private mobile-NA	discrete	numeric	
V599	h32n	Fever/cough: comm.health wr-NA	discrete	numeric	
V600	h32o	Fever/cough: CS med.priv se-NA	discrete	numeric	
V601	h32p	Fever/cough: CS med.priv se-NA	discrete	numeric	
V602	h32q	Fever/cough: CS med.priv se-NA	discrete	numeric	
V603	h32r	Fever/cough: other medical private sector	discrete	numeric	
V604	h32s	Fever/cough: shop	discrete	numeric	

ID	Name	Label	Type	Format	Question
V605	h32t	Fever/cough: traditional practitioner	discrete	numeric	
V606	h32u	Fever/cough: CS oth.priv se-NA	discrete	numeric	
V607	h32v	Fever/cough: CS oth.priv se-NA	discrete	numeric	
V608	h32w	Fever/cough: CS oth.priv se-NA	discrete	numeric	
V609	h32x	Fever/cough: Other	discrete	numeric	
V610	h32y	Fever/cough: no treatment	discrete	numeric	
V611	h32z	Fever/cough: medical treatment	discrete	numeric	

REC51

Content	WOMAN - Marriage/Exposure
Cases	11735
Variable(s)	24
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V612	hhid	Case Identification	discrete	character	
V613	caseid	Case Identification	discrete	character	
V614	v501	Current marital status	discrete	numeric	
V615	v502	Currently/formerly/never married	discrete	numeric	
V616	v503	Number of unions	discrete	numeric	
V617	v504	Husband lives in house	discrete	numeric	
V618	v505	Number of other wives	discrete	numeric	
V619	v506	Wife rank number -NA	discrete	numeric	
V620	v507	Month of first marriage	discrete	numeric	
V621	v508	Year of first marriage	contin	numeric	
V622	v509	Date of first marriage (CMC)	contin	numeric	
V623	v510	Completeness of date information	discrete	numeric	
V624	v511	Age at first marriage	contin	numeric	
V625	v512	Years since first marriage	contin	numeric	
V626	v513	Marital duration (grouped)	discrete	numeric	
V627	v525	Age at first intercourse	discrete	numeric	
V628	v527	Time since last intercourse	discrete	numeric	
V629	v528	Time since last intercourse(g)	discrete	numeric	
V630	v529	Time since last intercourse(impute)	discrete	numeric	
V631	v530	Flag for V529	discrete	numeric	
V632	v531	Age at first intercourse (impute)	discrete	numeric	
V633	v532	Flag for V531	discrete	numeric	
V634	v534	Have a regular sex partner	discrete	numeric	
V635	v535	Have ever been married	discrete	numeric	

REC61

Content	WOMAN - Fertility Preferences
Cases	11735
Variable(s)	35
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V636	hhid	Case Identification	discrete	character	
V637	caseid	Case Identification	discrete	character	
V638	v602	Fertility preference	discrete	numeric	
V639	v603	Preferred waiting time	discrete	numeric	
V640	v604	Preferred waiting time (grp)	discrete	numeric	
V641	v605	Desire for more children	discrete	numeric	
V642	v606	Attitude toward becoming pregnant	discrete	numeric	
V643	v610	Husband approves Family Planning	discrete	numeric	
V644	v611	Discussed Family Planning with partner	discrete	numeric	
V645	v612	Respondent approves Family Planning	discrete	numeric	
V646	v613	Ideal number of children	discrete	numeric	
V647	v614	Ideal number of children (grp)	discrete	numeric	
V648	v616	Time for future birth	discrete	numeric	
V649	v618	Reason regrets sterilization	discrete	numeric	
V650	v621	Husbands desire for children	discrete	numeric	
V651	v623	Exposure	discrete	numeric	
V652	v624	Unmet need	discrete	numeric	
V653	v625	Exposure (definition 2)	discrete	numeric	
V654	v626	Unmet need (definition 2)	discrete	numeric	
V655	v627	Ideal number of boys -NA	discrete	numeric	
V656	v628	Ideal number of girls -NA	discrete	numeric	
V657	v629	Ideal number of either sex -NA	discrete	numeric	
V658	v630a	Discussed Family Planning with partner	discrete	numeric	
V659	v630b	Discussed Family Planning with mother	discrete	numeric	
V660	v630c	Discussed Family Planning with father	discrete	numeric	
V661	v630d	Discussed Family Planning with sister(s)	discrete	numeric	
V662	v630e	Discussed Family Planning with brother(s)	discrete	numeric	
V663	v630f	Discussed Family Planning with daughter(s)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V664	v630g	Discussed Family Planning with mother-in-law	discrete	numeric	
V665	v630h	Discussed Family Planning with friends/neighbors	discrete	numeric	
V666	v630i	Discussed FP -country speci-NA	discrete	numeric	
V667	v630j	Discussed FP -country speci-NA	discrete	numeric	
V668	v630k	Discussed FP -country speci-NA	discrete	numeric	
V669	v630l	Discussed FP -country speci-NA	discrete	numeric	
V670	v630x	Discussed Family Planning with others	discrete	numeric	

REC71

Content	WOMAN - Partner's Characteristics
Cases	11735
Variable(s)	28
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V671	hhid	Case Identification	discrete	character	
V672	caseid	Case Identification	discrete	character	
V673	v701	Partner's education level	discrete	numeric	
V674	v702	Highest year of education	discrete	numeric	
V675	v704	Partner's occupation	discrete	numeric	
V676	v705	Partner's occupation	discrete	numeric	
V677	v707	Type of land where works -NA	discrete	numeric	
V678	v714	Respondent currently working	discrete	numeric	
V679	v715	Husbands education-single years	discrete	numeric	
V680	v716	Respondent's occupation	discrete	numeric	
V681	v717	Respondent's occupation	discrete	numeric	
V682	v718	Current type of employment	discrete	numeric	
V683	v719	Work for family, others, self	discrete	numeric	
V684	v720	Earns cash for work	discrete	numeric	
V685	v721	Works at home or away	discrete	numeric	
V686	v723	Child minder	discrete	numeric	
V687	v729	Partner's educational attainment	discrete	numeric	
V688	v730	Partners age	discrete	numeric	
V689	v731	Worked in last 12 months	discrete	numeric	
V690	v732	Employment all year/seasonal	discrete	numeric	
V691	v733	Months worked in last 12 months	contin	numeric	
V692	v734	Days in a week normally work	discrete	numeric	
V693	v735	Days worked in last 12 months	contin	numeric	
V694	v736	Earnings for work	contin	numeric	
V695	v737	Daily earnings for work	contin	numeric	
V696	v738	Yearly earnings for work	contin	numeric	
V697	v739	Who decides how to spend money	discrete	numeric	
V698	v740	Type of land where resp. wo-NA	discrete	numeric	

REC75

Content	WOMAN - AIDS and Condom Use
Cases	11735
Variable(s)	73
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V699	hhid	Case Identification	discrete	character	
V700	caseid	Case Identification	discrete	character	
V701	v751	Ever heard of AIDS	discrete	numeric	
V702	v752a	AIDS: radio	discrete	numeric	
V703	v752b	AIDS: television	discrete	numeric	
V704	v752c	AIDS: newspapers/magazines	discrete	numeric	
V705	v752d	AIDS: pamphlets/posters	discrete	numeric	
V706	v752e	AIDS: clinic/health workers	discrete	numeric	
V707	v752f	AIDS: churches/mosques -NA	discrete	numeric	
V708	v752g	AIDS: schools/teachers -NA	discrete	numeric	
V709	v752h	AIDS: community meetings -NA	discrete	numeric	
V710	v752i	AIDS: friends/relatives -NA	discrete	numeric	
V711	v752j	AIDS: work place -NA	discrete	numeric	
V712	v752k	AIDS: friends	discrete	numeric	
V713	v752l	AIDS: partner	discrete	numeric	
V714	v752m	AIDS: relatives	discrete	numeric	
V715	v752n	AIDS: country specific -NA	discrete	numeric	
V716	v752o	AIDS: country specific -NA	discrete	numeric	
V717	v752x	AIDS: other responses -NA	discrete	numeric	
V718	v753	Ways to avoid AIDS	discrete	numeric	
V719	v754a	AIDS: Safe sex	discrete	numeric	
V720	v754b	AIDS: abstain from sex -NA	discrete	numeric	
V721	v754c	AIDS: use condoms during sex	discrete	numeric	
V722	v754d	AIDS: only one sex partner -NA	discrete	numeric	
V723	v754e	AIDS: avoid sex prostitutes-NA	discrete	numeric	
V724	v754f	AIDS: avoid sex homosexuals-NA	discrete	numeric	
V725	v754g	AIDS: avoid blood transfusi-NA	discrete	numeric	
V726	v754h	AIDS: injections with clean needle	discrete	numeric	

ID	Name	Label	Type	Format	Question
V727	v754i	AIDS: touching person with AIDS	discrete	numeric	
V728	v754j	AIDS: avoid mosquito bites	discrete	numeric	
V729	v754k	AIDS: protection trad. heal-NA	discrete	numeric	
V730	v754l	AIDS: having a good diet	discrete	numeric	
V731	v754m	AIDS: avoid public toilets	discrete	numeric	
V732	v754n	AIDS: avoid share food person w/AIDS	discrete	numeric	
V733	v754o	AIDS: avoid sharing razor blades	discrete	numeric	
V734	v754x	AIDS: other responses -NA	discrete	numeric	
V735	v754z	AIDS: DK ways to avoid AIDS	discrete	numeric	
V736	v755b	Safe sex: abstain from sex -NA	discrete	numeric	
V737	v755c	Safe sex: use condoms durin-NA	discrete	numeric	
V738	v755d	Safe sex: only one partner -NA	discrete	numeric	
V739	v755e	Safe sex: avoid prostitutes-NA	discrete	numeric	
V740	v755f	Safe sex: avoid homosexuals-NA	discrete	numeric	
V741	v755l	Safe sex: country specific -NA	discrete	numeric	
V742	v755m	Safe sex: country specific -NA	discrete	numeric	
V743	v755n	Safe sex: country specific -NA	discrete	numeric	
V744	v755o	Safe sex: country specific -NA	discrete	numeric	
V745	v755x	Safe sex: other responses -NA	discrete	numeric	
V746	v755z	Safe sex: DK meaning -NA	discrete	numeric	
V747	v756	Can a healthy person have AIDS	discrete	numeric	
V748	v757	Is AIDS a fatal disease -NA	discrete	numeric	
V749	v758	Chances of getting AIDS -NA	discrete	numeric	
V750	v760a	Behavior: Did not start sex-NA	discrete	numeric	
V751	v760b	Behavior: Stopped all sex -NA	discrete	numeric	
V752	v760c	Behavior: Started using con-NA	discrete	numeric	
V753	v760d	Behavior: Only one sex part-NA	discrete	numeric	
V754	v760e	Behavior: Reduced partners -NA	discrete	numeric	
V755	v760f	Behavior: Ask spouse faithf-NA	discrete	numeric	
V756	v760g	Behavior: No homosexual con-NA	discrete	numeric	
V757	v760i	Behavior: Stopped injection-NA	discrete	numeric	
V758	v760l	Behavior: Country specific -NA	discrete	numeric	
V759	v760m	Behavior: Country specific -NA	discrete	numeric	
V760	v760n	Behavior: Country specific -NA	discrete	numeric	
V761	v760o	Behavior: Country specific -NA	discrete	numeric	
V762	v760p	Behavior: Spouse avoid pros-NA	discrete	numeric	
V763	v760v	Behavior: No nonsexual chan-NA	discrete	numeric	
V764	v760w	Behavior: Other (non-sexual-NA	discrete	numeric	
V765	v760x	Behavior: Other (sexual) -NA	discrete	numeric	
V766	v760y	Behavior: No change -NA	discrete	numeric	

ID	Name	Label	Type	Format	Question
V767	v760z	Behavior: Don't know -NA	discrete	numeric	
V768	v761	Last intercourse used condom	discrete	numeric	
V769	v762	Source for condoms	discrete	numeric	
V770	v764	Knowledge of condom	discrete	numeric	
V771	v765	Ever use of condom	discrete	numeric	

REC81

Content	WOMAN - Characteristics of the Interview
Cases	11735
Variable(s)	12
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V772	hhid	Case Identification	discrete	character	
V773	caseid	Case Identification	discrete	character	
V774	v801	Time interview started	contin	numeric	
V775	v802	Time interview ended	contin	numeric	
V776	v803	Length of interview in minutes	discrete	numeric	
V777	v804	Number of visits	discrete	numeric	
V778	v805	Interviewer identification	contin	numeric	
V779	v806	Keyer identification	discrete	numeric	
V780	v811	Pres. children < 10 (sec 5)	discrete	numeric	
V781	v812	Pres. husband (sec 5)	discrete	numeric	
V782	v813	Pres. other males (sec 5)	discrete	numeric	
V783	v814	Pres. other females (sec 5)	discrete	numeric	

REC83

Content	WOMAN - Maternal Mortality (optional)
Cases	51765
Variable(s)	18
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V784	hhid	Case Identification	discrete	character	
V785	caseid	Case Identification	discrete	character	
V786	mmidx	Maternal mortality index	discrete	numeric	
V787	mm1	Sex of sibling	discrete	numeric	
V788	mm2	Sibling's survival status	discrete	numeric	
V789	mm3	Sibling's current age	discrete	numeric	
V790	mm4	CMC date of birth of sibling	contin	numeric	
V791	mm5	Sibling's marital status -NA	discrete	numeric	
V792	mm6	Years ago sibling died	discrete	numeric	
V793	mm7	Sibling's age at death	discrete	numeric	
V794	mm8	CMC date of death of sibling	contin	numeric	
V795	mm9	Sibling's death & pregnancy	discrete	numeric	
V796	mm10	Death & pregnancy are related	discrete	numeric	
V797	mm11	Sibling's cause of death -NA	discrete	numeric	
V798	mm12	Time between delivery & dea-NA	discrete	numeric	
V799	mm13	Place of death -NA	discrete	numeric	
V800	mm14	Number of sibling's children	contin	numeric	
V801	mm15	Sibling's year of death	discrete	numeric	

REC84

Content	WOMAN - Maternal Mortality (optional)
Cases	11735
Variable(s)	6
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V802	hhid	Case Identification	discrete	character	
V803	caseid	Case Identification	discrete	character	
V804	mmc1	Number of siblings of resp.	contin	numeric	
V805	mmc2	Preceding births before respondent	discrete	numeric	
V806	mmc3	Sister's reporting	discrete	numeric	
V807	mmc5	Cut off age	discrete	numeric	

REC91

Content	WOMAN - Country specific - Single Variables
Cases	12327
Variable(s)	128
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V808	hhid	Case Identification	discrete	character	
V809	caseid	Case Identification	discrete	character	
V810	sdist	District	contin	numeric	
V811	shealth	Eastern cape - health regions	discrete	numeric	
V812	seanum	Enumerator Area Number	contin	numeric	
V813	seatype	Enumerator Area Type	contin	numeric	
V814	slquest	Language of Questionnaire	discrete	numeric	
V815	slint	Language of Interview	discrete	numeric	
V816	slresp	Home language of respondent	discrete	numeric	
V817	stransl	Translator used	discrete	numeric	
V818	seduc	Highest educational level	discrete	numeric	
V819	seduch	Husband highest educational level	discrete	numeric	
V820	s109	Highest grade at that level	discrete	numeric	
V821	s126f	Has personal computer	discrete	numeric	
V822	s126g	Has washing machine	discrete	numeric	
V823	s209	Pregnancy Losses	discrete	numeric	
V824	s238a	Wet yourself when cough	discrete	numeric	
V825	s238b	Constantly wet	discrete	numeric	
V826	s238c	Constantly soiled	discrete	numeric	
V827	s309a	Age when first used something	contin	numeric	
V828	s309ba	Methods' information: mother	discrete	numeric	
V829	s309bb	Methods' information: sister	discrete	numeric	
V830	s309bc	Methods' information: father	discrete	numeric	
V831	s309bd	Methods' information: other relative	discrete	numeric	
V832	s309be	Methods' information: friend	discrete	numeric	
V833	s309bf	Methods' information: teacher	discrete	numeric	
V834	s309bg	Methods' information: nurse	discrete	numeric	
V835	s309bh	Methods' information: doctor	discrete	numeric	

ID	Name	Label	Type	Format	Question
V836	s309bi	Methods' information: poster/magazine	discrete	numeric	
V837	s309bj	Methods' information: radio/T.V.	discrete	numeric	
V838	s309bx	Methods' information: other	discrete	numeric	
V839	s309e	Contraceptive advice from parent	discrete	numeric	
V840	s3301	Agree: staff shout and scold	discrete	numeric	
V841	s3302	Agree: staff don't explain	discrete	numeric	
V842	s3303	Agree: staff ignore problems	discrete	numeric	
V843	s3304	Agree: staff are unfriendly	discrete	numeric	
V844	s330aa	Select place: close home	discrete	numeric	
V845	s330ab	Select place: close market/work	discrete	numeric	
V846	s330ac	Select place: transport available	discrete	numeric	
V847	s330ad	Select place: staff competent	discrete	numeric	
V848	s330ae	Select place: clean facility	discrete	numeric	
V849	s330af	Select place: privacy	discrete	numeric	
V850	s330ag	Select place: short wait time	discrete	numeric	
V851	s330ah	Select place: long hrs service	discrete	numeric	
V852	s330ai	Select place: use other services	discrete	numeric	
V853	s330aj	Select place: cheaper	discrete	numeric	
V854	s330ak	Select place: wanted anonymity	discrete	numeric	
V855	s330ax	Select place: other	discrete	numeric	
V856	s330az	Select place: don't know	discrete	numeric	
V857	s330b	Break contraceptive use last 12 months	discrete	numeric	
V858	s330c	Reason breaking contraceptive	discrete	numeric	
V859	s331a	Not using: never had sex	discrete	numeric	
V860	s331b	Not using: not having sex	discrete	numeric	
V861	s331c	Not using: infrequent sex	discrete	numeric	
V862	s331d	Not using: menopausal/hist.	discrete	numeric	
V863	s331e	Not using: infertile	discrete	numeric	
V864	s331f	Not using: postpartum/breast-feeding	discrete	numeric	
V865	s331g	Not using: wants more children	discrete	numeric	
V866	s331h	Not using: pregnant	discrete	numeric	
V867	s331i	Not using: respondent opposed	discrete	numeric	
V868	s331j	Not using: husband opposed	discrete	numeric	
V869	s331k	Not using: others opposed	discrete	numeric	
V870	s331l	Not using: religious prohibit	discrete	numeric	
V871	s331m	Not using: knows no method	discrete	numeric	
V872	s331n	Not using: knows no source	discrete	numeric	
V873	s331o	Not using: health concerns	discrete	numeric	
V874	s331p	Not using: side effects	discrete	numeric	
V875	s331q	Not using: lack of access	discrete	numeric	

ID	Name	Label	Type	Format	Question
V876	s331r	Not using: cost too much	discrete	numeric	
V877	s331s	Not using: inconvenient to use	discrete	numeric	
V878	s331t	Not using: interfere natural process	discrete	numeric	
V879	s331u	Not using: out of stock	discrete	numeric	
V880	s331x	Not using: other	discrete	numeric	
V881	s331z	Not using: don't know	discrete	numeric	
V882	s338	Law on abortion	discrete	numeric	
V883	s503	Have a regular sex partner	discrete	numeric	
V884	s514	Age at first period	discrete	numeric	
V885	s515a	Relationship to last sex partner	discrete	numeric	
V886	s516aa	Not use condom: wants children	discrete	numeric	
V887	s516ab	Not use condom: low risk of STD	discrete	numeric	
V888	s516ac	Not use condom: respondent dislike	discrete	numeric	
V889	s516ad	Not use condom: partner dislike	discrete	numeric	
V890	s516ae	Not use condom: religious prohibit	discrete	numeric	
V891	s516af	Not use condom: don't know condom	discrete	numeric	
V892	s516ag	Not use condom: don't know how to use	discrete	numeric	
V893	s516ah	Not use condom: bad experience	discrete	numeric	
V894	s516ai	Not use condom: inconvenient	discrete	numeric	
V895	s516aj	Not use condom: lack spontaneity	discrete	numeric	
V896	s516ak	Not use condom: don't know source	discrete	numeric	
V897	s516al	Not use condom: embarrass to get	discrete	numeric	
V898	s516am	Not use condom: inconvenient to get	discrete	numeric	
V899	s516an	Not use condom: didn't have one	discrete	numeric	
V900	s516ao	Not use condom: cost too much	discrete	numeric	
V901	s516ap	Not use condom: less sensation	discrete	numeric	
V902	s516aq	Not use condom: lack trust partner	discrete	numeric	
V903	s516ar	Not use condom: lack love partner	discrete	numeric	
V904	s516as	Not use condom: fear losing inside	discrete	numeric	
V905	s516at	Not use condom: wastes sperm	discrete	numeric	
V906	s516au	Not use condom: rubber smell	discrete	numeric	
V907	s516av	Not use condom: burning/discomfort	discrete	numeric	
V908	s516aw	Not use condom: sex flesh to flesh	discrete	numeric	
V909	s516ay	Not use condom: not cool/trendy	discrete	numeric	
V910	s516ax	Not use condom: other	discrete	numeric	
V911	s516az	Not use condom: don't know	discrete	numeric	
V912	s516a2	Main reason condom was not used	discrete	numeric	
V913	s516b	Men have had sex last 12 months	discrete	numeric	
V914	s624	Decision about using methods	discrete	numeric	
V915	s802a	AIDS information obtained from TV	discrete	numeric	

ID	Name	Label	Type	Format	Question
V916	s802b	AIDS information obtained for radio	discrete	numeric	
V917	s802c	AIDS information obtained from Newspaper	discrete	numeric	
V918	s802d	AIDS information obtained from pamphlets	discrete	numeric	
V919	s802e	AIDS information obtained from health workers	discrete	numeric	
V920	s802f	AIDS information obtained from friends	discrete	numeric	
V921	s802g	AIDS information obtained from partner(s)	discrete	numeric	
V922	s802h	AIDS information obtained from relatives	discrete	numeric	
V923	s804aa	People with AIDS be told status	discrete	numeric	
V924	s804ab	People with HIV be told status	discrete	numeric	
V925	s804ac	HIV/AIDS patients tell partners	discrete	numeric	
V926	s804ad	AIDS be reported health authorities	discrete	numeric	
V927	s804ae	HIV be reported health authorities	discrete	numeric	
V928	s805	Knows some with HIV/AIDS	discrete	numeric	
V929	s805aa	AIDS assistance from: employers	discrete	numeric	
V930	s805ab	AIDS assistance from: co-workers	discrete	numeric	
V931	s805ac	AIDS assistance from: insurance companies	discrete	numeric	
V932	s805ad	AIDS assistance from: health workers	discrete	numeric	
V933	s805ae	AIDS assistance from: friends	discrete	numeric	
V934	s805af	AIDS assistance from: partners	discrete	numeric	
V935	s805ag	AIDS assistance from: relatives	discrete	numeric	

REC92

Content	WOMAN - Country specific - Births
Cases	24801
Variable(s)	23
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V936	hhid	Case Identification	discrete	character	
V937	caseid	Case Identification	discrete	character	
V938	idx92	Index to birth history	discrete	numeric	
V939	s215	Single or Multiple Birth	discrete	numeric	
V940	s216	Baby born alive, born dead or lost before full term	discrete	numeric	
V941	s217	Baby cry, move or breathe when born	discrete	numeric	
V942	s219	Sex of child	discrete	numeric	
V943	s220m	Month of birth	discrete	numeric	
V944	s220y	Year of birth	discrete	numeric	
V945	s221	Child is still alive	discrete	numeric	
V946	s222	Current age of child	discrete	numeric	
V947	s223	Child living with respondent	discrete	numeric	
V948	s224	Age at death	discrete	numeric	
V949	s224a	Died from diarrhoea	discrete	numeric	
V950	s225m	Month of pregnancy loss	discrete	numeric	
V951	s225y	Year of pregnancy loss	discrete	numeric	
V952	s226	Months that the pregnancy last	contin	numeric	
V953	s228	Birth interval ≥ 4 years	discrete	numeric	
V954	s229	Live birth between births	discrete	numeric	
V955	s220c	Date of birth of child (CMC)	contin	numeric	
V956	s220f	Date flag for S220C	discrete	numeric	
V957	s224c	Age at death months (imputed)	contin	numeric	
V958	s224f	Date flag for S224C	discrete	numeric	

REC95

Content	WOMAN - Country specific - Health
Cases	5066
Variable(s)	20
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V959	hhid	Case Identification	discrete	character	
V960	caseid	Case Identification	discrete	character	
V961	idx95	Index to birth history	discrete	numeric	
V962	s407a	Place visited most often	discrete	numeric	
V963	shp1	Received hepatitis B1	discrete	numeric	
V964	shp1d	Hepatitis B1 day	discrete	numeric	
V965	shp1m	Hepatitis B1 month	discrete	numeric	
V966	shp1y	Hepatitis B1 year	discrete	numeric	
V967	shp2	Received hepatitis B2	discrete	numeric	
V968	shp2d	Hepatitis B2 day	discrete	numeric	
V969	shp2m	Hepatitis B2 month	discrete	numeric	
V970	shp2y	Hepatitis B2 year	discrete	numeric	
V971	shp3	Received hepatitis B3	discrete	numeric	
V972	shp3d	Hepatitis B3 day	discrete	numeric	
V973	shp3m	Hepatitis B3 month	discrete	numeric	
V974	shp3y	Hepatitis B3 year	discrete	numeric	
V975	s459g	Given black Tea	discrete	numeric	
V976	s459h	Given water	discrete	numeric	
V977	s459i	Given coke	discrete	numeric	
V978	s459j	Given other Liquid	discrete	numeric	

REC97

Content	WOMAN - Women treatment in household
Cases	11735
Variable(s)	54
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V979	hhid	Case Identification	discrete	character	
V980	caseid	Case Identification	discrete	character	
V981	s702	Husband provided money	discrete	numeric	
V982	s703	Ever been mistreated	discrete	numeric	
V983	s704	Ever been mistreat husband/boyfriend	discrete	numeric	
V984	s705a	Mistreat by: current husband	discrete	numeric	
V985	s705b	Mistreat by: former husband	discrete	numeric	
V986	s705c	Mistreat by: boyfriend	discrete	numeric	
V987	s705d	Mistreat by: father	discrete	numeric	
V988	s705e	Mistreat by: brother	discrete	numeric	
V989	s705f	Mistreat by: son	discrete	numeric	
V990	s705g	Mistreat by: daughter	discrete	numeric	
V991	s705h	Mistreat by: mother	discrete	numeric	
V992	s705i	Mistreat by: father-in-law	discrete	numeric	
V993	s705j	Mistreat by: mother-in-law	discrete	numeric	
V994	s705k	Mistreat by: other male relative	discrete	numeric	
V995	s705l	Mistreat by: other female relative	discrete	numeric	
V996	s705m	Mistreat by: employer	discrete	numeric	
V997	s705n	Mistreat by: assailant	discrete	numeric	
V998	s705x	Mistreat by: other	discrete	numeric	
V999	s705y	Mistreat by: no answer	discrete	numeric	
V1000	s706	Person who beat most often	discrete	numeric	
V1001	s707	Person on drugs/alcohol	discrete	numeric	
V1002	s708	Number of times it happened	discrete	numeric	
V1003	s709	Left husband/partner	discrete	numeric	
V1004	s710	Beaten during pregnancy	discrete	numeric	
V1005	s711	Medical attention at beating	discrete	numeric	
V1006	s712	Forced to have sexual intercourse	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1007	s713	Persuaded to have sex against will	discrete	numeric	
V1008	s715	Persuasion for sex before 15	discrete	numeric	
V1009	s716	Age when persuaded for sex	contin	numeric	
V1010	s717	Who persuaded for sex	discrete	numeric	
V1011	s718	Touch against will in sexual way	discrete	numeric	
V1012	s719	Age when touched sexually	contin	numeric	
V1013	s720	Person who touch in sexual way	discrete	numeric	
V1014	s721	Forced to touch man's private parts	discrete	numeric	
V1015	s722	Age forced touch man private parts	contin	numeric	
V1016	s723	Person forced touch man private parts	discrete	numeric	
V1017	s724	Searched for help for mistreat	discrete	numeric	
V1018	s725a	Help from: shelter	discrete	numeric	
V1019	s725b	Help from: counseling	discrete	numeric	
V1020	s725c	Help from: women center	discrete	numeric	
V1021	s725d	Help from: social worker	discrete	numeric	
V1022	s725e	Help from: police	discrete	numeric	
V1023	s725f	Help from: clinic/hospital	discrete	numeric	
V1024	s725x	Help from: other	discrete	numeric	
V1025	s726	Help from service not available	discrete	numeric	
V1026	s727a	Service helpful: shelter	discrete	numeric	
V1027	s727b	Service helpful: counseling	discrete	numeric	
V1028	s727c	Service helpful: women center	discrete	numeric	
V1029	s727d	Service helpful: social worker	discrete	numeric	
V1030	s727e	Service helpful: police	discrete	numeric	
V1031	s727f	Service helpful: clinic/hospital	discrete	numeric	
V1032	s727x	Service helpful: other	discrete	numeric	

SEC1

Content Wealth Index

Cases 12247

Variable(s) 3

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V1033	whhid	Household ID	discrete	character	
V1034	wlthindf	Wealth Index from factor scores	contin	numeric	
V1035	wlthind5	Quintiles of wealth index	discrete	numeric	

Case Identification (hhid)

File: RECH0

Overview

Type: Discrete
 Format: character
 Width: 6

Country code and phase (hv000)

File: RECH0

Overview

Type: Discrete
 Format: character
 Width: 3

Cluster number (hv001)

File: RECH0

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-973

Household number (hv002)

File: RECH0

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-910

Respondent's line number (hv003)

File: RECH0

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-11

Ultimate area unit (hv004)

File: RECH0

Overview

Ultimate area unit (hv004)

File: RECH0

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-973

Sample weight (hv005)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 0-2898477

Month of interview (hv006)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Year of interview (hv007)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 98-98

Date of interview (CMC) (hv008)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1177-1185

Number of household members (hv009)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-27

Number of eligible women in Household (hv010)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Number of eligible men in Household (hv011)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Number of de jure members (hv012)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-27

Number of de facto members (hv013)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-27

Number of children 5 and under (hv014)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Result of household interview (hv015)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Day of interview (hv016)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Number of visits (hv017)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Interviewer identification (hv018)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 102-917

Keyer identification (hv019)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-30

Ever-married sample (hv020)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Primary sampling unit (hv021)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-973

Sample stratum number (hv022)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-528

Sample domain (hv023)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Region (hv024)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Type of place of residence (hv025)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Place of residence (hv026)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Selection for male/husband interview (hv027)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Sample weight for male subsamp (hv028)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Field supervisor (hv030)

File: RECH0

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-31

Field editor (hv031)

File: RECH0

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Office editor (hv032)

File: RECH0

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Ultimate area selection prob. (hv033)

File: RECH0

Overview

Type: Continuous
 Format: numeric
 Width: 6
 Decimals: 0
 Range: 1044-150425

Case Identification (hhid)

File: RECH1

Overview

Type: Discrete
 Format: character
 Width: 6

Line number (hvidx)

File: RECH1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-27

Relationship to head (hv101)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Usual resident (hv102)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Slept last night (hv103)

File: RECH1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Sex of household member (hv104)

File: RECH1

Sex of household member (hv104)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Age of household members (hv105)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Highest educational level (hv106)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Highest year of education (hv107)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Education in single years (hv108)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Educational attainment (hv109)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Member still in school (hv110)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mother alive (hv111)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mother's line number (hv112)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Father alive (hv113)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Father's line number (hv114)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Current marital status -NA (hv115)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Currently, formerly, never -NA (hv116)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Eligibility for female interview (hv117)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Eligibility for male interv-NA (hv118)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case Identification (hhid)

File: RECH2

Overview

Type: Discrete
 Format: character
 Width: 6

Source of drinking water (hv201)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 11-99

Source of non-drinking water-NA (hv202)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-96

Same source of water -NA (hv203)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Time to get to water source (hv204)

File: RECH2

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

Type of toilet facility (hv205)

File: RECH2

Type of toilet facility (hv205)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Has electricity (hv206)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has radio (hv207)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has television (hv208)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has refrigerator (hv209)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has bicycle (hv210)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has motorcycle (hv211)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has car (hv212)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Main floor material (hv213)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Main wall material (hv214)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 21-99

Main roof material -NA (hv215)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Rooms for sleeping (hv216)

File: RECH2

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Relationship structure (hv217)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Line number of head of household (hv218)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

Sex of head of household (hv219)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Age of head of household (hv220)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 12-99

Has telephone (hv221)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Type of salt used for cooki-NA (hv222)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-96

Case Identification (hhid)

File: RECH3

Overview

Type: Discrete
 Format: character
 Width: 6

District (shdist)

File: RECH3

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 101-931

Eastern cape - health regions (shhealth)

File: RECH3

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

EA number (sheanum)

File: RECH3

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7886

EA type (sheatype)

File: RECH3

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 11-38

Eligibility for adult health survey (sheligah)

File: RECH3

Eligibility for adult health survey (sheligah)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Total adults 15 years and above (shadult)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-13

Death in household in the last 12 months (sh21)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of persons who died in the last 12 months (sh22)

File: RECH3

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Number of persons who died because of violence (sh23)

File: RECH3

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Number of persons who died from an unintentional injury (sh24)

File: RECH3

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Water fetched: female adult (sh27a)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Water fetched: male adult (sh27b)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Water fetched: female child (sh27c)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Water fetched: male child (sh27d)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Water fetched: DK (sh27z)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has personal computer (sh29f)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has washing machine (sh29g)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cooking fuel: electricity (sh30a)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cooking fuel: gas (sh30b)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cooking fuel: paraffin (sh30c)

File: RECH3

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Cooking fuel: wood (sh30d)

File: RECH3

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Cooking fuel: coal (sh30e)

File: RECH3

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Cooking fuel: animal dung (sh30f)

File: RECH3

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Cooking fuel: other (sh30x)

File: RECH3

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Afford ability of Household (sh34)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Has donkey/horse (sh35d)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has sheep/cattle (sh35e)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: RECH4

Overview

Type: Discrete
 Format: character
 Width: 6

Index to household schedule (idxh4)

File: RECH4

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-27

Highest educational level (sheduc)

File: RECH4

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Received child, disability or pension grant (sh08)

File: RECH4

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Ever been to school (sh09)

File: RECH4

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Level of Education (sh10)

File: RECH4

Level of Education (sh10)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Did work in the last 7 days (sh12)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Injury treated by nurse/doctor during the last 30 days (sh13)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Type of Injury (sh14)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Eligibility for adult health interview (sh19)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-24

Case Identification (hhid)

File: REC01

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC01

Overview

Type: Discrete
 Format: character
 Width: 9

Country code and phase (v000)

File: REC01

Overview

Type: Discrete
 Format: character
 Width: 3

Cluster number (v001)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-973

Household number (v002)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-900

Respondent's line number (v003)

File: REC01

Overview

Respondent's line number (v003)

File: REC01

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-24

Ultimate area unit (v004)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-973

Sample weight (v005)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 7
 Decimals: 0
 Range: 0-3533272

Month of interview (v006)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Year of interview (v007)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 98-98

Date of interview (CMC) (v008)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1177-1185

Respondent's month of birth (v009)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-12

Respondent's year of birth (v010)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 48-83

Date of birth (CMC) (v011)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 579-1004

Current age - respondent (v012)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 15-49

Age 5-year groups (v013)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Completeness of information (v014)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Result of individual interview (v015)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Day of interview (v016)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

CMC start of calen -NA (v017)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Row of month of in -NA (v018)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-0

Length of calendar -NA (v019)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-0

Ever-married sample (v020)

File: REC01

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Primary sampling unit (v021)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-973

Sample stratum number (v022)

File: REC01

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-528

Sample domain (v023)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Region (v024)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Type of place of residence (v025)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

De facto place of residence (v026)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Number of visits (v027)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Interviewer identification (v028)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 7-917

Keyer identification (v029)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-30

Field supervisor (v030)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Field editor (v031)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-10

Office editor (v032)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Ultimate area selection prob. (v033)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 1044-150425

Line number of husband -NA (v034)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Case Identification (hhid)

File: REC11

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC11

Overview

Type: Discrete
 Format: character
 Width: 9

Region (v101)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Type of place of residence (v102)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Childhood place of residence (v103)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Years lived in place of residence (v104)

File: REC11

Overview

Years lived in place of residence (v104)

File: REC11

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Type of place of previous residence (v105)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Highest educational level (v106)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Highest year of education (v107)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Literacy (v108)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Reads newspaper once a week (v109)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Watches TV every week (v110)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Listens to radio every day (v111)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Listens to radio every week-NA (v112)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of drinking water (v113)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Source of non-drinking water-NA (v114)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Time to get to water source (minutes) (v115)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-999

Type of toilet facility (v116)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Has electricity (v119)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has radio (v120)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has television (v121)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has refrigerator (v122)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has bicycle (v123)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has motorcycle (v124)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has car (v125)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Main floor material (v127)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Main wall material (v128)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 21-99

Main roof material -NA (v129)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Religion -NA (v130)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Ethnicity (v131)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Education in single years (v133)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-97

De facto place of residence (v134)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Usual resident or visitor (v135)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of household members (v136)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-27

Number of children 5 and under (v137)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Number of eligible women in HH (v138)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

De jure region of residence (v139)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

De jure type of place of residence (v140)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

De jure place of residence (v141)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Same source of water -NA (v142)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Communities lived in >Jan.8-NA (v144)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Respondent still in school (v148)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Educational attainment (v149)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Relationship to household head (v150)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

Sex of household head (v151)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Age of household head (v152)

File: REC11

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 14-99

Has telephone (v153)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Reason stop attending school (v154)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

All woman factor - total (awfactt)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-100

All woman factor - urban/rural (awfactu)

File: REC11

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-100

All woman factor - regional (awfactr)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

All woman factor - educational (awfacte)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

Case Identification (hhid)

File: REC21

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC21

Overview

Type: Discrete
 Format: character
 Width: 9

Birth column number (bidx)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-14

Birth order number (bord)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-14

Child is twin (b0)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Month of birth (b1)

File: REC21

Overview

Month of birth (b1)

File: REC21

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of birth (b2)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 61-98

Date of birth (CMC) (b3)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 733-1183

Sex of child (b4)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Child is alive (b5)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Age at death (b6)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-999

Age at death (months-imputed) (b7)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-372

Current age of child (b8)

File: REC21

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-35

Who child lives with (b9)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Completeness of information (b10)

File: REC21

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Preceding birth interval (b11)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 9-278

Succeeding birth interval (b12)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 9-278

Flag for age at death (b13)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Birth interval \geq 4 years (b14)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Live birth between births (b15)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC22

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC22

Overview

Type: Discrete
 Format: character
 Width: 9

Total children ever born (v201)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-14

Sons at home (v202)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Daughters at home (v203)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Sons elsewhere (v204)

File: REC22

Overview

Sons elsewhere (v204)

File: REC22

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Daughters elsewhere (v205)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Sons who have died (v206)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Daughters who have died (v207)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Births in last five years (v208)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Births in past year (v209)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Births in month of interview (v210)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Date of first birth (CMC) (v211)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 733-1183

Age of respondent at 1st birth (v212)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 12-47

Currently pregnant (v213)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Duration of current pregnancy (v214)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time since last menstrual period (v215)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Menstruated in last six weeks (v216)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Knowledge of ovulatory cycle (v217)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of living children (v218)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-13

Living children + current pregnancy (v219)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-13

Living children + current pregnancy 6+ (v220)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Marriage to first birth interval (v221)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-996

Last birth to interview (v222)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-419

Completeness of current pregnancy inf (v223)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

Entries in birth history (v224)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-14

Current pregnancy wanted (v225)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time since last period (comp) (v226)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Flag for last period (v227)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ever had a terminated pregnancy (v228)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Month pregnancy ended (v229)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Year pregnancy ended (v230)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1964-9998

CMC pregnancy ended (v231)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 771-9998

Completeness of last term. inf (v232)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Months when pregnancy ended (v233)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Other such pregnancies (v234)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Index last child prior to c-NA (v235)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-0

Last birth interval \geq 4 years (v236)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Birth between last & interview (v237)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Births in last three years (v238)

File: REC22

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Case Identification (hhid)

File: REC31

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC31

Overview

Type: Discrete
 Format: character
 Width: 9

Knowledge of any method (v301)

File: REC31

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Ever use of any method (v302)

File: REC31

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Contraceptive Table (rec31_group)

File: REC31

Overview

Type: Discrete
 Format: character
 Width: 3

Type of method (v304a)

File: REC31

Overview

Type of method (v304a)

File: REC31

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Knows method (v304)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ever used method (v305)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC32

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC32

Overview

Type: Discrete
 Format: character
 Width: 9

Living children at first use (v310)

File: REC32

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Children at first use (grp1) (v311)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Current contraceptive method (v312)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-15

Current use by method type (v313)

File: REC32

Overview

Current use by method type (v313)

File: REC32

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Method of periodic abstinence (v314)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Month of sterilization (v315)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of sterilization (v316)

File: REC32

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 72-98

Date of sterilization (CMC) (v317)

File: REC32

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 876-1183

Completeness of information (v318)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Years since sterilization (v319)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Age at sterilization (v320)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Marital duration at sterilization (v321)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Parity at sterilization (v322)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Brand of pill used -NA (v323)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-98

Cost of pills -NA (v325)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Last source for current users (v326)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Last source for users by type (v327)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Main reason use current source (v328)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of use of current me-NA (v337)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 95-998

Last method disc. last 5 ye-NA (v359)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-15

Reason of last discontinuat-NA (v360)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pattern of use (v361)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Intention to use (v362)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Preferred future method (v363)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Contraceptive use & intention (v364)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Acceptability of radio message (v366a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Acceptability of TV message (v366b)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Wanted last child (v367)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

First method used (v369)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

First use to space or limit-NA (v369b)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Shown pill package -NA (v372)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Main reason not using a method (v375a)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 11-99

Main reason not to use a method (v376)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 11-99

Would ever use method if ma-NA (v376a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source known for any method (v379)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Source known for any method (v380)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Heard about Family Planning on radio last months (v384a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Heard about Family Planning on TV last months (v384b)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Heard about Family Planning on newspaper last months (v384c) File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Heard about Family Planning on poster last months (v384d) File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Heard about Family Planning on brochures last months (v384e) File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Visited by FP worker last 1-NA (v393) File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Visited health facility last 12 months (v394) File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

At health facility, told of Family Planning (v395)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Breastfeeding affect pregna-NA (v396)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Pregnancy risk of breastfee-NA (v397)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Relied breastfeed. avoid pr-NA (v398)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Currently rely on breastfee-NA (v399)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case Identification (hhid)

File: REC41

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC41

Overview

Type: Discrete
 Format: character
 Width: 9

Index to birth history (midx)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Tetanus injections before birth (m1)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal: doctor (m2a)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal: nurse/midwife (m2b)

File: REC41

Overview

Prenatal: nurse/midwife (m2b)

File: REC41

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Prenatal: auxiliary midwife-NA (m2c)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Prenatal: CS health profess-NA (m2d)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Prenatal: CS health profess-NA (m2e)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Prenatal: trained birth att-NA (m2f)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Prenatal: traditional birth attendant (m2g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Prenatal: relative -NA (m2h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: CS other person -NA (m2i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: CS other person -NA (m2j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: other responses (uncoded) (m2k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Prenatal: CS other -NA (m2l)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Prenatal: CS other -NA (m2m)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Prenatal: no one (m2n)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Assistance: doctor (m3a)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Assistance: nurse/midwife (m3b)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Assistance: auxiliary midwi-NA (m3c)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Assistance: CS health profe-NA (m3d)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Assistance: CS health profe-NA (m3e)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Assistance: trained birth a-NA (m3f)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Assistance: traditional birth attendant (m3g)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Assistance: relative, friend (m3h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Assistance: CS other person-NA (m3i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: CS other person-NA (m3j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: other responses (uncod) (m3k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Assistance: CS other -NA (m3l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: CS other -NA (m3m)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: no one (m3n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Duration of breastfeeding (m4)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of breastfeeding (m5)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Duration of amenorrhea (m6)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Months of amenorrhea (m7)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Duration of abstinence (m8)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Months of abstinence (m9)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Time wanted pregnancy (m10)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Time would have waited (m11)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 101-999

Timing of 1st antenatal check (m13)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Antenatal visits for pregnancy (m14)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Place of delivery (m15)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Delivery by caesarian section (m17)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Size of child at birth -NA (m18)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Birth weight (kilos - 3 dec.) (m19)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 520-9999

Weight at birth recall (m19a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Reason stopped breastfeeding (m21)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Flag for breastfeeding (m27)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Flag for amenorrhea (m28)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Flag for abstinence (m29)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

At birth - prolonged labor -NA (m30)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

At birth - excessive bleedi-NA (m31)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

At birth - high fever/disch-NA (m32)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

At birth - convulsions -NA (m33)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

When child put to breast (m34)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-999

Times breastfed during night (m35)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Times breastfed during day (m36)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Gave child plain water (m37a)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child sugar water (m37b)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child juice -NA (m37c)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Gave child herbal tea (m37d)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child powder/tinned mi-NA (m37e)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Gave child baby formula (m37f)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child fresh milk -NA (m37g)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Gave child any kind of milk (m37h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Country specific other liqu-NA (m37i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Country specific other liqu-NA (m37j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Country specific other liqu-NA (m37k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child other liquid (m37l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child maize/rice/wheat (m37m)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child fruits, vegetables (m37n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Country specific other food-NA (m37o)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Other solid, semi-solid foods (m37p)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Food made from local grain -NA (m37q)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Food made from local tuber -NA (m37r)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Gave child eggs, fish, poultry (m37s)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child meat (m37t)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Drank from bottle with nipple (m38)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Times ate other food yesterday (m39)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Last 7 days - plain water -NA (m40a)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

Last 7 days - milk -NA (m40b)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

Last 7 days - other liquids-NA (m40c)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

Last 7 days - local grain f-NA (m40d)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

Last 7 days - local tuber f-NA (m40e)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

Last 7 days - egg/fish/poul-NA (m40f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

Last 7 days - meat -NA (m40g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

Last 7 days - other solid f-NA (m40h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

Last 7 days - country speci-NA (m40i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

Last 7 days - country speci-NA (m40j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

Last 7 days - country speci-NA (m40k)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

Last 7 days - country speci-NA (m40l)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

Last 7 days - country speci-NA (m40m)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

Last 7 days - country speci-NA (m40n)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

Last 7 days - country speci-NA (m40o)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

Case Identification (hhid)

File: REC42

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC42

Overview

Type: Discrete
 Format: character
 Width: 9

Last birth caesarean section (v401)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Currently breast-feeding (v404)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Currently amenorrheic (v405)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Currently abstaining (v406)

File: REC42

Overview

Currently abstaining (v406)

File: REC42

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Times breastfed during night (v407)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Times breastfed during day (v408)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Gave child plain water (v409)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child sugar water (v409a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child juice -NA (v410)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Gave child herbal tea (v410a)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child powder/tinned mi-NA (v411)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Gave child baby formula (v411a)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child fresh milk -NA (v412)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Gave child any kind of milk (v413a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Country specific other liqu-NA (v413b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Country specific other liqu-NA (v413c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Country specific other liqu-NA (v413d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child other liquid (v413)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Gave child maize/rice/wheat (v414a)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child fruits/vegetables (v414b)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Country specific other food-NA (v414c)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Other solid, semi-solid foods (v414d)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Food made from local grain -NA (v414e)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Food made from local tuber -NA (v414f)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Gave child eggs, fish, poultry (v414g)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Gave child meat (v414h)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Drank from bottle with nipple (v415)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Heard of oral rehydration (v416)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Entries in maternity table (v417)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Entries in health table (v418)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Entries in height/weight table (v419)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Measurer's code -NA (v420)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Assistant measurer's code -NA (v421)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

When child put to breast (v426)

File: REC42

When child put to breast (v426)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-999

Arm circumference (cms-1d) -NA (v436)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Respondent's weight (kilos--NA (v437)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Respondent's height (cms-1d-NA (v438)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Ht/A Percentile (resp.) -NA (v439)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9998-9998

Ht/A Standard deviations (r-NA (v440)

File: REC42

Ht/A Standard deviations (r-NA (v440))

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9998-9998

Ht/A Percent ref. median (r-NA (v441))

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 99998-99998

Wt/Ht Percent ref. median (-NA (v442))

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 99998-99998

Wt/Ht Percent ref. median (-NA (v443))

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 99998-99998

Wt/Ht Percent ref. median (-NA (v444))

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 99998-99998

Wt/Ht Std deviations(resp) -NA (v444a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Body mass index for respond-NA (v445)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Rohrer's index for responde-NA (v446)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Result of measurement of re-NA (v447)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Drinking pattern with diarrhea (v448)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Eating pattern with diarrhea (v449)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Diarrhea: repeat watery stools (v450a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea: Any watery stools (v450b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea: Repeated vomiting (v450c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea: Any vomiting (v450d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea: Blood in stools (v450e)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: Fever (v450f)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: Marked thirst (v450g)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: Not eating/drinking (v450h)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: Getting sicker (v450i)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: Not getting better (v450j)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea: sunken fontanel (v450k)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea: Country specific -NA (v450l)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Country specific -NA (v450m)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Other responses (v450x)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea: Does not know (v450z)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cough: Fast breathing (v451a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cough: Difficult breathing (v451b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cough: Noisy breathing (v451c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cough: Fever (v451d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Cough: Unable to drink (v451e)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Cough: Not eating/drinking (v451f)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Cough: Getting sicker (v451g)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Cough: Not getting better (v451h)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Cough: Coughing a lot (v451i)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Cough: Country specific -NA (v451j)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Cough: Country specific -NA (v451k)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Cough: Other responses (v451x)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Knows no sign of illness (v451z)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Case Identification (hhid)

File: REC43

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC43

Overview

Type: Discrete
 Format: character
 Width: 9

Index to birth history (hidx)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Has health card (h1)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Received BCG (h2)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

BCG day (h2d)

File: REC43

Overview

BCG day (h2d)

File: REC43

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

BCG month (h2m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

BCG year (h2y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1993-9998

Received DPT 1 (h3)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

DPT 1 day (h3d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 1 month (h3m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

DPT 1 year (h3y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1993-9998

Received POLIO 1 (h4)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

POLIO 1 day (h4d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 1 month (h4m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

POLIO 1 year (h4y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1993-9998

Received DPT 2 (h5)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

DPT 2 day (h5d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 2 month (h5m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

DPT 2 year (h5y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1993-9998

Received POLIO 2 (h6)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

POLIO 2 day (h6d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 2 month (h6m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

POLIO 2 year (h6y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1993-9998

Received DPT 3 (h7)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

DPT 3 day (h7d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

DPT 3 month (h7m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

DPT 3 year (h7y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1993-9998

Received POLIO 3 (h8)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

POLIO 3 day (h8d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

POLIO 3 month (h8m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

POLIO 3 year (h8y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1993-9998

Received MEASLES (h9)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

MEASLES day (h9d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

MEASLES month (h9m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

MEASLES year (h9y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

Polio 0 (h0)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Polio 0 day (h0d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

POLIO 0 month (h0m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 0 year (h0y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

Ever had vaccination (h10)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Had diarrhea recently (h11)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Blood in the stools (h11b)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Bowel movements in worst day (h11c)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Diarrhea: government hospital (h12a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Diarrhea: government health center (h12b)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: govt health post -NA (h12c)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: mobile clinic (h12d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: community health worker (h12e)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: CS public sector -NA (h12f)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: CS public sector -NA (h12g)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: CS public sector -NA (h12h)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: other public sector (h12i)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: private hospital/clinic. (h12j)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: private pharmacy (h12k)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: private doctor (h12l)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: private mobile cl-NA (h12m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: comm.health worke-NA (h12n)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: CS med.priv secto-NA (h12o)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: CS med.priv secto-NA (h12p)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: CS med.priv secto-NA (h12q)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: other medical private sector (h12r)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: shop (h12s)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: traditional practitioner (h12t)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: CS oth secto -NA (h12u)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: CS oth.priv secto-NA (h12v)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: CS oth.priv secto-NA (h12w)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Diarrhea: Other (h12x)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: no treatment (h12y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Diarrhea: medical treatment (h12z)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given oral rehydration (h13)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given recommended home solution (h14)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given other pills or syrups (h15)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given antibiotics (CS) -NA (h15a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given an injection (h15b)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given an intravenous (IV) (h15c)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given home remedy, herbal medicine (h15d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given thin watery porridge (h15e)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given soup (h15f)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given milk/infant formula (h15g)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given yoghurt (h15h)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Increase or decrease fluids (h16)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Increase or decrease in foods (h18)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given other treatment (h20)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given no treatment (h21a)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Received any treatment (h21)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Had fever in last two weeks-NA (h22)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Had cough in last two weeks (h31)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Short, rapid breaths (h31b)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: government hospital (h32a)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: government health center (h32b)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: govt health po-NA (h32c)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: mobile clinic (h32d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: community health worker (h32e)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: CS public sect-NA (h32f)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: CS public sect-NA (h32g)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: CS public sect-NA (h32h)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: other public sector (h32i)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: private hospital/clinic (h32j)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: private pharmacy (h32k)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: private doctor (h32l)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: private mobile-NA (h32m)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: comm.health wr-NA (h32n)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: CS med.priv se-NA (h32o)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: CS med.priv se-NA (h32p)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: CS med.priv se-NA (h32q)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: other medical private sector (h32r)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: shop (h32s)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: traditional practitioner (h32t)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: CS oth.priv se-NA (h32u)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: CS oth.priv se-NA (h32v)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: CS oth.priv se-NA (h32w)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Fever/cough: Other (h32x)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: no treatment (h32y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Fever/cough: medical treatment (h32z)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Case Identification (hhid)

File: REC51

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC51

Overview

Type: Discrete
 Format: character
 Width: 9

Current marital status (v501)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Currently/formerly/never married (v502)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Number of unions (v503)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Husband lives in house (v504)

File: REC51

Overview

Husband lives in house (v504)

File: REC51

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of other wives (v505)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Wife rank number -NA (v506)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 98-98

Month of first marriage (v507)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of first marriage (v508)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 60-98

Date of first marriage (CMC) (v509)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 722-1183

Completeness of date information (v510)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Age at first marriage (v511)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 10-46

Years since first marriage (v512)

File: REC51

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-38

Marital duration (grouped) (v513)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Age at first intercourse (v525)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Time since last intercourse (v527)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 100-999

Time since last intercourse(g) (v528)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Time since last intercourse(impute) (v529)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-999

Flag for V529 (v530)

File: REC51

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Age at first intercourse (impute) (v531)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Flag for V531 (v532)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Have a regular sex partner (v534)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Have ever been married (v535)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Case Identification (hhid)

File: REC61

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC61

Overview

Type: Discrete
 Format: character
 Width: 9

Fertility preference (v602)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Preferred waiting time (v603)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 101-999

Preferred waiting time (grpd) (v604)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Desire for more children (v605)

File: REC61

Overview

Desire for more children (v605)

File: REC61

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Attitude toward becoming pregnant (v606)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Husband approves Family Planning (v610)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed Family Planning with partner (v611)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Respondent approves Family Planning (v612)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ideal number of children (v613)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ideal number of children (grp) (v614)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Time for future birth (v616)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-999

Reason regrets sterilization (v618)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Husbands desire for children (v621)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Exposure (v623)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Unmet need (v624)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Exposure (definition 2) (v625)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Unmet need (definition 2) (v626)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ideal number of boys -NA (v627)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-98

Ideal number of girls -NA (v628)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-98

Ideal number of either sex -NA (v629)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 96-98

Discussed Family Planning with partner (v630a)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed Family Planning with mother (v630b)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed Family Planning with father (v630c)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed Family Planning with sister(s) (v630d)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed Family Planning with brother(s) (v630e)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed Family Planning with daughter(s) (v630f)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed Family Planning with mother-in-law (v630g)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed Family Planning with friends/neighbors (v630h)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Discussed FP -country speci-NA (v630i)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Discussed FP -country speci-NA (v630j)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Discussed FP -country speci-NA (v630k)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Discussed FP -country speci-NA (v630l)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Discussed Family Planning with others (v630x)

File: REC61

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Case Identification (hhid)

File: REC71

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC71

Overview

Type: Discrete
 Format: character
 Width: 9

Partner's education level (v701)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Highest year of education (v702)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

Partner's occupation (v704)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-999

Partner's occupation (v705)

File: REC71

Overview

Partner's occupation (v705)

File: REC71

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Type of land where works -NA (v707)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Respondent currently working (v714)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Husbands education-single years (v715)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Respondent's occupation (v716)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Respondent's occupation (v717)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Current type of employment (v718)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Work for family, others, self (v719)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Earns cash for work (v720)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Works at home or away (v721)

File: REC71

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Child minder (v723)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Partner's educational attainment (v729)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Partners age (v730)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 18-99

Worked in last 12 months (v731)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Employment all year/seasonal (v732)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Months worked in last 12 months (v733)

File: REC71

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Days in a week normally work (v734)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Days worked in last 12 months (v735)

File: REC71

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Earnings for work (v736)

File: REC71

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 10000003-99999999

Daily earnings for work (v737)

File: REC71

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 1-9999999

Yearly earnings for work (v738)

File: REC71

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 0-9999999

Who decides how to spend money (v739)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Type of land where resp. wo-NA (v740)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: REC75

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC75

Overview

Type: Discrete
 Format: character
 Width: 9

Ever heard of AIDS (v751)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: radio (v752a)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: television (v752b)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: newspapers/magazines (v752c)

File: REC75

Overview

AIDS: newspapers/magazines (v752c)

File: REC75

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS: pamphlets/posters (v752d)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS: clinic/health workers (v752e)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS: churches/mosques -NA (v752f)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

AIDS: schools/teachers -NA (v752g)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

AIDS: community meetings -NA (v752h)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

AIDS: friends/relatives -NA (v752i)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

AIDS: work place -NA (v752j)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

AIDS: friends (v752k)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: partner (v752l)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: relatives (v752m)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS: country specific -NA (v752n)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

AIDS: country specific -NA (v752o)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

AIDS: other responses -NA (v752x)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Ways to avoid AIDS (v753)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

AIDS: Safe sex (v754a)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: abstain from sex -NA (v754b)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

AIDS: use condoms during sex (v754c)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: only one sex partner -NA (v754d)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

AIDS: avoid sex prostitutes-NA (v754e)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

AIDS: avoid sex homosexuals-NA (v754f)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

AIDS: avoid blood transfusi-NA (v754g)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

AIDS: injections with clean needle (v754h)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: touching person with AIDS (v754i)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: avoid mosquito bites (v754j)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: protection trad. heal-NA (v754k)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

AIDS: having a good diet (v754l)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: avoid public toilets (v754m)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: avoid share food person w/AIDS (v754n)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: avoid sharing razor blades (v754o)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS: other responses -NA (v754x)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

AIDS: DK ways to avoid AIDS (v754z)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Safe sex: abstain from sex -NA (v755b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Safe sex: use condoms durin-NA (v755c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Safe sex: only one partner -NA (v755d)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Safe sex: avoid prostitutes-NA (v755e)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Safe sex: avoid homosexuals-NA (v755f)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Safe sex: country specific -NA (v755l)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Safe sex: country specific -NA (v755m)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Safe sex: country specific -NA (v755n)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Safe sex: country specific -NA (v755o)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Safe sex: other responses -NA (v755x)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Safe sex: DK meaning -NA (v755z)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Can a healthy person have AIDS (v756)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Is AIDS a fatal disease -NA (v757)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Chances of getting AIDS -NA (v758)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Behavior: Did not start sex-NA (v760a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Behavior: Stopped all sex -NA (v760b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Behavior: Started using con-NA (v760c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Behavior: Only one sex part-NA (v760d)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Behavior: Reduced partners -NA (v760e)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Behavior: Ask spouse faithf-NA (v760f)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Behavior: No homosexual con-NA (v760g)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Behavior: Stopped injection-NA (v760i)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Behavior: Country specific -NA (v760l)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Behavior: Country specific -NA (v760m)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Behavior: Country specific -NA (v760n)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Behavior: Country specific -NA (v760o)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Behavior: Spouse avoid pros-NA (v760p)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Behavior: No nonsexual chan-NA (v760v)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Behavior: Other (non-sexual-NA (v760w)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Behavior: Other (sexual) -NA (v760x)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Behavior: No change -NA (v760y)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Behavior: Don't know -NA (v760z)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Last intercourse used condom (v761)

File: REC75

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Source for condoms (v762)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Knowledge of condom (v764)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever use of condom (v765)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Case Identification (hhid)

File: REC81

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC81

Overview

Type: Discrete
 Format: character
 Width: 9

Time interview started (v801)

File: REC81

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 602-9999

Time interview ended (v802)

File: REC81

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 620-9999

Length of interview in minutes (v803)

File: REC81

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Number of visits (v804)

File: REC81

Overview

Number of visits (v804)

File: REC81

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Interviewer identification (v805)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 7-917

Keyer identification (v806)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-30

Pres. children < 10 (sec 5) (v811)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pres. husband (sec 5) (v812)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pres. other males (sec 5) (v813)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pres. other females (sec 5) (v814)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC83

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC83

Overview

Type: Discrete
 Format: character
 Width: 9

Maternal mortality index (mmidx)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-17

Sex of sibling (mm1)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Sibling's survival status (mm2)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Sibling's current age (mm3)

File: REC83

Overview

Sibling's current age (mm3)

File: REC83

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

CMC date of birth of sibling (mm4)

File: REC83

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 2-1180

Sibling's marital status -NA (mm5)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Years ago sibling died (mm6)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Sibling's age at death (mm7)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

CMC date of death of sibling (mm8)

File: REC83

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 222-1181

Sibling's death & pregnancy (mm9)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Death & pregnancy are related (mm10)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Sibling's cause of death -NA (mm11)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-0

Time between delivery & dea-NA (mm12)

File: REC83

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 101-998

Place of death -NA (mm13)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Number of sibling's children (mm14)

File: REC83

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Sibling's year of death (mm15)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1934-9999

Case Identification (hhid)

File: REC84

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC84

Overview

Type: Discrete
 Format: character
 Width: 9

Number of siblings of resp. (mmc1)

File: REC84

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Preceding births before respondent (mmc2)

File: REC84

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-15

Sister's reporting (mmc3)

File: REC84

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-0

Cut off age (mmc5)

File: REC84

Overview

Cut off age (mmc5)

File: REC84

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 12-15

Case Identification (hhid)

File: REC91

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC91

Overview

Type: Discrete
 Format: character
 Width: 9

District (sdist)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 101-931

Eastern cape - health regions (shealth)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Enumerator Area Number (seanum)

File: REC91

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7886

Enumerator Area Type (seatype)

File: REC91

Overview

Enumerator Area Type (seatype)

File: REC91

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-38

Language of Questionnaire (slquest)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-11

Language of Interview (slint)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-11

Home language of respondent (slresp)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Translator used (stransl)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Highest educational level (seduc)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Husband highest educational level (seduch)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Highest grade at that level (s109)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-72

Has personal computer (s126f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has washing machine (s126g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Pregnancy Losses (s209)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-10

Wet yourself when cough (s238a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Constantly wet (s238b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Constantly soiled (s238c)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Age when first used something (s309a)

File: REC91

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 12-99

Methods' information: mother (s309ba)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Methods' information: sister (s309bb)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Methods' information: father (s309bc)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Methods' information: other relative (s309bd)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Methods' information: friend (s309be)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Methods' information: teacher (s309bf)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Methods' information: nurse (s309bg)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Methods' information: doctor (s309bh)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Methods' information: poster/magazine (s309bi)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Methods' information: radio/T.V. (s309bj)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Methods' information: other (s309bx)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Contraceptive advice from parent (s309e)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Agree: staff shout and scold (s3301)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Agree: staff don't explain (s3302)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Agree: staff ignore problems (s3303)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Agree: staff are unfriendly (s3304)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: close home (s330aa)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: close market/work (s330ab)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: transport available (s330ac)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: staff competent (s330ad)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: clean facility (s330ae)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: privacy (s330af)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: short wait time (s330ag)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: long hrs service (s330ah)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: use other services (s330ai)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: cheaper (s330aj)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: wanted anonymity (s330ak)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: other (s330ax)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Select place: don't know (s330az)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Break contraceptive use last 12 months (s330b)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Reason breaking contraceptive (s330c)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Not using: never had sex (s331a)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Not using: not having sex (s331b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Not using: infrequent sex (s331c)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Not using: menopausal/hist. (s331d)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Not using: infertile (s331e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: postpartum/breast-feeding (s331f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: wants more children (s331g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: pregnant (s331h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: respondent opposed (s331i)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: husband opposed (s331j)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: others opposed (s331k)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: religious prohibit (s331l)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: knows no method (s331m)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: knows no source (s331n)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: health concerns (s331o)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: side effects (s331p)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: lack of access (s331q)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: cost too much (s331r)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: inconvenient to use (s331s)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: interfere natural process (s331t)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: out of stock (s331u)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: other (s331x)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not using: don't know (s331z)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Law on abortion (s338)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Have a regular sex partner (s503)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Age at first period (s514)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 7-99

Relationship to last sex partner (s515a)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Not use condom: wants children (s516aa)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: low risk of STD (s516ab)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: respondent dislike (s516ac)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Not use condom: partner dislike (s516ad)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Not use condom: religious prohibit (s516ae)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Not use condom: don't know condom (s516af)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Not use condom: don't know how to use (s516ag)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Not use condom: bad experience (s516ah)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: inconvenient (s516ai)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: lack spontaneity (s516aj)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: don't know source (s516ak)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: embarrass to get (s516al)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: inconvenient to get (s516am)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: didn't have one (s516an)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: cost too much (s516ao)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: less sensation (s516ap)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: lack trust partner (s516aq)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: lack love partner (s516ar)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: fear losing inside (s516as)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: wastes sperm (s516at)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: rubber smell (s516au)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: burning/discomfort (s516av)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: sex flesh to flesh (s516aw)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: not cool/trendy (s516ay)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: other (s516ax)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Not use condom: don't know (s516az)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Main reason condom was not used (s516a2)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Men have had sex last 12 months (s516b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Decision about using methods (s624)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

AIDS information obtained from TV (s802a)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS information obtained for radio (s802b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS information obtained from Newspaper (s802c)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

AIDS information obtained from pamphlets (s802d)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS information obtained from health workers (s802e)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS information obtained from friends (s802f)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS information obtained from partner(s) (s802g)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS information obtained from relatives (s802h)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

People with AIDS be told status (s804aa)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

People with HIV be told status (s804ab)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

HIV/AIDS patients tell partners (s804ac)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS be reported health authorities (s804ad)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

HIV be reported health authorities (s804ae)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Knows some with HIV/AIDS (s805)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS assistance from: employers (s805aa)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS assistance from: co-workers (s805ab)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS assistance from: insurance companies (s805ac)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS assistance from: health workers (s805ad)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS assistance from: friends (s805ae)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS assistance from: partners (s805af)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

AIDS assistance from: relatives (s805ag)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC92

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC92

Overview

Type: Discrete
 Format: character
 Width: 9

Index to birth history (idx92)

File: REC92

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-14

Single or Multiple Birth (s215)

File: REC92

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Baby born alive, born dead or lost before full term (s216)

File: REC92

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Baby cry, move or breathe when born (s217)

File: REC92

Overview

Baby cry, move or breathe when born (s217)

File: REC92

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Sex of child (s219)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Month of birth (s220m)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Year of birth (s220y)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1961-9999

Child is still alive (s221)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Current age of child (s222)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Child living with respondent (s223)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Age at death (s224)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Died from diarrhoea (s224a)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Month of pregnancy loss (s225m)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Year of pregnancy loss (s225y)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1964-9999

Months that the pregnancy last (s226)

File: REC92

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Birth interval \geq 4 years (s228)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Live birth between births (s229)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Date of birth of child (CMC) (s220c)

File: REC92

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 733-1183

Date flag for S220C (s220f)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Age at death months (imputed) (s224c)

File: REC92

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-372

Date flag for S224C (s224f)

File: REC92

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: REC95

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC95

Overview

Type: Discrete
 Format: character
 Width: 9

Index to birth history (idx95)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Place visited most often (s407a)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Received hepatitis B1 (shp1)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Hepatitis B1 day (shp1d)

File: REC95

Overview

Hepatitis B1 day (shp1d)

File: REC95

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Hepatitis B1 month (shp1m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B1 year (shp1y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

Received hepatitis B2 (shp2)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Hepatitis B2 day (shp2d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Hepatitis B2 month (shp2m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B2 year (shp2y)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1993-9998

Received hepatitis B3 (shp3)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Hepatitis B3 day (shp3d)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B3 month (shp3m)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B3 year (shp3y)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1993-9998

Given black Tea (s459g)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given water (s459h)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given coke (s459i)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Given other Liquid (s459j)

File: REC95

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Case Identification (hhid)

File: REC97

Overview

Type: Discrete
 Format: character
 Width: 6

Case Identification (caseid)

File: REC97

Overview

Type: Discrete
 Format: character
 Width: 9

Husband provided money (s702)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Ever been mistreated (s703)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Ever been mistreat husband/boyfriend (s704)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Mistreat by: current husband (s705a)

File: REC97

Overview

Mistreat by: current husband (s705a)

File: REC97

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mistreat by: former husband (s705b)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mistreat by: boyfriend (s705c)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mistreat by: father (s705d)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mistreat by: brother (s705e)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mistreat by: son (s705f)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Mistreat by: daughter (s705g)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Mistreat by: mother (s705h)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Mistreat by: father-in-law (s705i)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Mistreat by: mother-in-law (s705j)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Mistreat by: other male relative (s705k)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mistreat by: other female relative (s705l)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mistreat by: employer (s705m)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mistreat by: assailant (s705n)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mistreat by: other (s705x)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mistreat by: no answer (s705y)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Person who beat most often (s706)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Person on drugs/alcohol (s707)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of times it happened (s708)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Left husband/partner (s709)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Beaten during pregnancy (s710)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Medical attention at beating (s711)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Forced to have sexual intercourse (s712)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Persuaded to have sex against will (s713)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Persuasion for sex before 15 (s715)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Age when persuaded for sex (s716)

File: REC97

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 5-99

Who persuaded for sex (s717)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Touch against will in sexual way (s718)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Age when touched sexually (s719)

File: REC97

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 4-99

Person who touch in sexual way (s720)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Forced to touch man's private parts (s721)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Age forced touch man private parts (s722)

File: REC97

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 5-99

Person forced touch man private parts (s723)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Searched for help for mistreat (s724)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Help from: shelter (s725a)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Help from: counseling (s725b)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Help from: women center (s725c)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Help from: social worker (s725d)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Help from: police (s725e)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Help from: clinic/hospital (s725f)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Help from: other (s725x)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Help from service not available (s726)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Service helpful: shelter (s727a)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Service helpful: counseling (s727b)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Service helpful: women center (s727c)

File: REC97

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Service helpful: social worker (s727d)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Service helpful: police (s727e)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Service helpful: clinic/hospital (s727f)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Service helpful: other (s727x)

File: REC97

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Household ID (whhid)

File: SEC1

Overview

Type: Discrete
Format: character
Width: 6

Wealth Index from factor scores (wlthindf)

File: SEC1

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: -1.87617-2.0451

Quintiles of wealth index (wlthind5)

File: SEC1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Related Materials

Questionnaires

SADHS - Household Schedule Questionnaire

Title	SADHS - Household Schedule Questionnaire
Author(s)	Department of Health and Medical Research Council
Date	1998-01-01
Country	South Africa
Language	English
Contributor(s)	Macro International inc.
Description	The Household Questionnaire was used to list all the usual members and visitors in the selected households. Basic information was collected on the characteristics of each person listed, including his/her age, sex, education and relationship to the head of the household. Information was collected about social grants, work status and injuries experienced in the last month. An important purpose of the Household Questionnaire was to identify women and adults who were eligible for interview. In addition, information was collected about the dwelling itself, such as the source of water, type of toilet facilities, material used to construct the house and ownership of various consumer goods.
Filename	ZAF_DHS_1998_Questionnaire_Household_En.pdf

SADHS - Woman's Questionnaire

Title	SADHS - Woman's Questionnaire
Author(s)	Department of Health and Medical Research Council
Date	1998-01-01
Country	South Africa
Language	English
Contributor(s)	Macro International inc.
Description	<p>The Woman's Questionnaire was used to collect information from all women age 15-49. These women were asked questions on the following topics:</p> <ul style="list-style-type: none"> - Background characteristics (age, education, race, etc.) - Pregnancy history - Knowledge and use of contraceptive methods - Antenatal and delivery care - Breastfeeding and weaning practices - Child health and immunisation - Marriage and recent sexual activity - Fertility preferences - Violence against women - Knowledge of HIV/AIDS - Maternal mortality - Husband's background and respondent's work
Filename	ZAF_DHS_1998_Questionnaire_Woman_En.pdf

SADHS - Adult Health Questionnaire

Title	SADHS - Adult Health Questionnaire
Author(s)	Department of Health and Medical Research Council
Date	1998-01-01
Country	South Africa
Language	English
Contributor(s)	Macro International inc.

Description	In every second household, all men and women aged 15 and above were eligible to be interviewed with the Adult Health Questionnaire. The respondents were asked questions on:
	<ul style="list-style-type: none"> - Recent utilisation of health services, - Family medical history, - Clinical conditions, - Dental health, - Occupational health, - Medications taken,
Filename	ZAF_DHS_1998_Questionnaire_Adult_Health_En.pdf

Reports

South Africa Demographic and Health Survey 1998 - Final Report

Title	South Africa Demographic and Health Survey 1998 - Final Report
Author(s)	Department of Health and Medical Research Council
Date	2002-04-01
Country	South Africa
Language	English
Contributor(s)	Macro International inc.
Description	The 1998 South Africa Demographic and Health Survey (SADHS) is the first study of its kind to be conducted in South Africa and heralds a new era of reliable and relevant information in South Africa. The SADHS, a nation-wide survey has collected information on key maternal and child health indicators, and in a first for international demographic and health surveys, the South African survey contains data on the health and disease patterns in adults.
Filename	http://www.dhsprogram.com/pubs/pdf/FR131/FR131.pdf