

South Africa - Omnibus September Survey 1995

Human Sciences Research Council

Report generated on: May 1, 2014

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

The South African population of persons 18 years and older was stratified according to:

Province (Western Cape, Eastern Cape, Northern Cape, Orange Free State, Natal/KwaZulu, Eastern Transvaal, PWV, North Western Province, Northern Transvaal)

Socio-economic classification:

Rural areas in former self-governing and TBVC states

Squatter areas in former non-white urban (metro and non- metro areas)

Hostels and hotels

Former urban areas for coloureds

Former urban areas for a Asians

Former urban areas for blacks

Former urban (non- metro) areas for whites

Former urban (metro) areas for whites

Rural areas, excluding the former self-governing and TBVC states

The sample allocation to these strata was done roughly proportional to the adjusted 1991 population census figures with a few exceptions, among which was to ensure a minimal provincial total of 120. Multistage stratified cluster (probability) sampling was used to draw the respondents with the adjusted 1991 population census figures as measure of size. Census enumerator areas and similar areas were used as the clusters in the pen-ultimate sampling stage, from which an equal number, viz. one or two by four households were drawn. All clusters were drawn with probability proportional to size, whilst households were drawn from the final clusters with equal probability (systematically). Respondents were drawn at random from qualifying household members. In addition, population of live-in domestic workers was sampled in relation to their residence in already drawn households.

Weighting

The sample design allocation per population group was not proportional to the population figures as given in the adjusted 1991 census figures as well as updated figures for certain areas such as the former TBVC states. The population total for each region and socioeconomic category was divided by the actual realisation in the particular cell. The figure derived is the pre-weight that was used. The data was weighted for the age group 18 years and older, in other words, the population that qualified as respondents.

The aim of the factor weighting was to correct the disproportions which were incorporated in the sample design (minimum number of 120 respondents per province, over-sampled population of Asians) and the only weighting targets were stratification variables: 'province' and 'socio-economic category'.

Questionnaires

No content available

Data Collection

Data Collection Dates

Start	End	Cycle
1995-09-04	1995-10-06	N/A

Data Collection Mode

Face-to-face [f2f]

DATA COLLECTION NOTES

MarkData of the Human Sciences Research Council conducted the fieldwork for the survey

Data Collectors

Name	Abbreviation	Affiliation
MarkData		Human Sciences Research Council

Data Processing

No content available

Data Appraisal

No content available

File Description

Variable List

Omnibus Survey 1995_2p1

Content

Cases 0

Variable(s) 189

Structure
Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V1	cardno		discrete	numeric	
V2	recordno		contin	numeric	
V3	perlcont		discrete	numeric	
V4	telcontr		discrete	numeric	
V5	nobody		discrete	numeric	
V6	empty		discrete	numeric	
V7	refusal		contin	numeric	
V8	nonquali		discrete	numeric	
V9	other		discrete	numeric	
V10	nosubsti		contin	numeric	
V11	intervno		contin	numeric	
V12	fieldorg		contin	numeric	
V13	checkby		contin	numeric	
V14	team		contin	numeric	
V15	socecono		contin	numeric	
V16	province		discrete	numeric	
V17	magsdis		contin	numeric	
V18	eanumber		contin	numeric	
V19	mainsamp		discrete	numeric	
V20	projno		discrete	character	
V21	visit1		contin	numeric	
V22	visit2		contin	numeric	
V23	visit3		contin	numeric	
V24	subsaddr		contin	numeric	
V25	v1		discrete	numeric	
V26	v2		discrete	numeric	
V27	crdno		discrete	numeric	
V28	recordnu		contin	numeric	

ID	Name	Label	Type	Format	Question
V29	v3a		contin	numeric	
V30	v3b		contin	numeric	
V31	v3c		contin	numeric	
V32	v3d		contin	numeric	
V33	v3e		contin	numeric	
V34	v3f		contin	numeric	
V35	v3g		contin	numeric	
V36	v3h		contin	numeric	
V37	v3i		contin	numeric	
V38	v3j		discrete	numeric	
V39	v3k		discrete	numeric	
V40	v3l		discrete	numeric	
V41	v3m		discrete	numeric	
V42	v3n		discrete	numeric	
V43	v3o		discrete	numeric	
V44	v3p		contin	numeric	
V45	v3q		contin	numeric	
V46	v3r		contin	numeric	
V47	v3s		contin	numeric	
V48	v3t		contin	numeric	
V49	v3u		contin	numeric	
V50	v3v		contin	numeric	
V51	v3w		contin	numeric	
V52	v3x		contin	numeric	
V53	v3y		contin	numeric	
V54	crdnum		discrete	numeric	
V55	recnumb		contin	numeric	
V56	v4		discrete	numeric	
V57	v5a		contin	numeric	
V58	v5b		contin	numeric	
V59	v5c		contin	numeric	
V60	v5d		contin	numeric	
V61	v5e		contin	numeric	
V62	v5f		contin	numeric	
V63	v5g		discrete	numeric	
V64	v5h		discrete	numeric	
V65	v5i		discrete	numeric	
V66	v6a		discrete	numeric	
V67	v6b		discrete	numeric	
V68	v7		discrete	numeric	

ID	Name	Label	Type	Format	Question
V69	race		discrete	numeric	
V70	vr1		discrete	numeric	
V71	vr2		contin	numeric	
V72	vr3		discrete	numeric	
V73	vr4		discrete	numeric	
V74	vr5		discrete	numeric	
V75	vr6a		discrete	numeric	
V76	vr6b		contin	numeric	
V77	vr7		discrete	numeric	
V78	vr8a		contin	numeric	
V79	vr8b		discrete	numeric	
V80	vr9		discrete	numeric	
V81	vr10		discrete	numeric	
V82	vr11		discrete	numeric	
V83	vr12		contin	numeric	
V84	cdno		discrete	numeric	
V85	rcdno		contin	numeric	
V86	vr13a		discrete	numeric	
V87	vr13b		discrete	numeric	
V88	vr13c		discrete	numeric	
V89	vr13d		discrete	numeric	
V90	vr13e		discrete	numeric	
V91	vr13f		discrete	numeric	
V92	vr13g		discrete	numeric	
V93	vr13h		discrete	numeric	
V94	vr13i		discrete	numeric	
V95	vr13j		discrete	numeric	
V96	vr13k		discrete	numeric	
V97	vr13l		discrete	numeric	
V98	vr13m		discrete	numeric	
V99	vr13n		discrete	numeric	
V100	vr13o		discrete	numeric	
V101	resptlsm		discrete	numeric	
V102	ns1		discrete	numeric	
V103	ns2		discrete	numeric	
V104	ns3		discrete	numeric	
V105	ns4		discrete	numeric	
V106	ns5		discrete	numeric	
V107	ns6		discrete	numeric	
V108	ns7		discrete	numeric	

ID	Name	Label	Type	Format	Question
V109	ns8		discrete	numeric	
V110	ns9		discrete	numeric	
V111	ns10		discrete	numeric	
V112	ns11		discrete	numeric	
V113	ns12		discrete	numeric	
V114	st1		discrete	numeric	
V115	st2		discrete	numeric	
V116	st3		discrete	numeric	
V117	st4		discrete	numeric	
V118	st5		discrete	numeric	
V119	hs1		discrete	numeric	
V120	hs2		discrete	numeric	
V121	hs3		discrete	numeric	
V122	hs4		discrete	numeric	
V123	hs5		discrete	numeric	
V124	hs6		discrete	numeric	
V125	hs7		discrete	numeric	
V126	hs8		discrete	numeric	
V127	hs9		discrete	numeric	
V128	hs10		discrete	numeric	
V129	hs11		discrete	numeric	
V130	hs12		discrete	numeric	
V131	hs13		discrete	numeric	
V132	ql1		discrete	numeric	
V133	ql2a		discrete	numeric	
V134	ql2b		discrete	numeric	
V135	ql2c		discrete	numeric	
V136	ql2d		discrete	numeric	
V137	ql2e		discrete	numeric	
V138	ql2f		discrete	numeric	
V139	ql2g		discrete	numeric	
V140	ql2h		discrete	numeric	
V141	ql2i		discrete	numeric	
V142	ql2j		discrete	numeric	
V143	ql2k		discrete	numeric	
V144	ql2l		discrete	numeric	
V145	ql2m		discrete	numeric	
V146	ql2n		discrete	numeric	
V147	ql2o		discrete	numeric	
V148	ql2p		discrete	numeric	

ID	Name	Label	Type	Format	Question
V149	ql2q		discrete	numeric	
V150	ql2r		discrete	numeric	
V151	ql2s		discrete	numeric	
V152	ql2t		discrete	numeric	
V153	ql2u		discrete	numeric	
V154	ql2v		discrete	numeric	
V155	ql2w		discrete	numeric	
V156	ql2x		discrete	numeric	
V157	ql2y		discrete	numeric	
V158	cdnumber		discrete	numeric	
V159	rcdnumbr		contin	numeric	
V160	ql2z		discrete	numeric	
V161	ql2aa		discrete	numeric	
V162	ql2ab		discrete	numeric	
V163	ql2ac		discrete	numeric	
V164	ql2ad		discrete	numeric	
V165	ql3		discrete	numeric	
V166	ql4		discrete	numeric	
V167	ql5		discrete	numeric	
V168	ql5a		contin	numeric	
V169	ql6		discrete	numeric	
V170	ql7		discrete	numeric	
V171	gl1		discrete	numeric	
V172	gl2		discrete	numeric	
V173	gl3		discrete	numeric	
V174	gl4		discrete	numeric	
V175	gl5		discrete	numeric	
V176	gl6		discrete	numeric	
V177	gl7		discrete	numeric	
V178	gl8		discrete	numeric	
V179	gl9		discrete	numeric	
V180	gl10		discrete	numeric	
V181	gl11		discrete	numeric	
V182	gl12		discrete	numeric	
V183	gl13		discrete	numeric	
V184	hv14		discrete	numeric	
V185	hv15		discrete	numeric	
V186	hv16		discrete	numeric	
V187	hv17		discrete	numeric	
V188	hv18		discrete	numeric	

ID	Name	Label	Type	Format	Question
V189	questno		discrete	numeric	

Omnibus Survey 1995_2p2

Content

Cases 0

Variable(s) 322

Structure
Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V190	cardno		discrete	numeric	
V191	recordno		contin	numeric	
V192	perscont		discrete	numeric	
V193	telcontr		discrete	numeric	
V194	nobody		discrete	numeric	
V195	emptypre		discrete	numeric	
V196	refusal		contin	numeric	
V197	nonquali		discrete	numeric	
V198	other		discrete	numeric	
V199	substino		discrete	numeric	
V200	interwno		contin	numeric	
V201	fieldorg		contin	numeric	
V202	checkby		contin	numeric	
V203	team		contin	numeric	
V204	socioeco		contin	numeric	
V205	province		discrete	numeric	
V206	magisdis		contin	numeric	
V207	eano		contin	numeric	
V208	sample		discrete	numeric	
V209	projno		discrete	character	
V210	visit1		contin	numeric	
V211	visit2		contin	numeric	
V212	visit3		contin	numeric	
V213	substno		contin	numeric	
V214	v1		discrete	numeric	
V215	v2		discrete	numeric	
V216	cardnumb		discrete	numeric	
V217	recordnr		contin	numeric	

ID	Name	Label	Type	Format	Question
V218	v3a		contin	numeric	
V219	v3b		contin	numeric	
V220	v3c		contin	numeric	
V221	v3d		contin	numeric	
V222	v3e		contin	numeric	
V223	v3f		contin	numeric	
V224	v3g		contin	numeric	
V225	v3h		contin	numeric	
V226	v3i		contin	numeric	
V227	v3j		contin	numeric	
V228	v3k		discrete	numeric	
V229	v3l		discrete	numeric	
V230	v3m		discrete	numeric	
V231	v3n		discrete	numeric	
V232	v3o		discrete	numeric	
V233	v3p		contin	numeric	
V234	v3q		contin	numeric	
V235	v3r		contin	numeric	
V236	v3s		contin	numeric	
V237	v3t		contin	numeric	
V238	v3u		contin	numeric	
V239	v3v		contin	numeric	
V240	v3w		contin	numeric	
V241	v3x		contin	numeric	
V242	v3y		contin	numeric	
V243	crdno		discrete	numeric	
V244	rcdno		contin	numeric	
V245	v4		discrete	numeric	
V246	v5a		contin	numeric	
V247	v5b		contin	numeric	
V248	v5c		contin	numeric	
V249	v5d		contin	numeric	
V250	v5e		discrete	numeric	
V251	v5f		discrete	numeric	
V252	v5g		discrete	numeric	
V253	v5h		discrete	numeric	
V254	v5i		discrete	numeric	
V255	v6a		discrete	numeric	
V256	v6b		discrete	numeric	
V257	v7		discrete	numeric	

ID	Name	Label	Type	Format	Question
V258	race		discrete	numeric	
V259	vr1		discrete	numeric	
V260	vr2		contin	numeric	
V261	vr3		discrete	numeric	
V262	vr4		discrete	numeric	
V263	vr5		discrete	numeric	
V264	vr6a		discrete	numeric	
V265	vr6b		contin	numeric	
V266	vr7		discrete	numeric	
V267	vr8a		contin	numeric	
V268	vr8b		discrete	numeric	
V269	vr9		discrete	numeric	
V270	vr10		discrete	numeric	
V271	vr11		discrete	numeric	
V272	vr12		contin	numeric	
V273	cardnr		discrete	numeric	
V274	recdno		contin	numeric	
V275	vr13a		discrete	numeric	
V276	vr13b		discrete	numeric	
V277	vr13c		discrete	numeric	
V278	vr13d		discrete	numeric	
V279	vr13e		discrete	numeric	
V280	vr13f		discrete	numeric	
V281	vr13g		discrete	numeric	
V282	vr13h		discrete	numeric	
V283	vr13i		discrete	numeric	
V284	vr13j		discrete	numeric	
V285	vr13k		discrete	numeric	
V286	vr13l		discrete	numeric	
V287	vr13m		discrete	numeric	
V288	vr13n		discrete	numeric	
V289	vr13o		discrete	numeric	
V290	resplsm		discrete	numeric	
V291	p1a		discrete	numeric	
V292	p1b		discrete	numeric	
V293	p1c		discrete	numeric	
V294	p1d		discrete	numeric	
V295	p1e		discrete	numeric	
V296	p1f		discrete	numeric	
V297	p1g		discrete	numeric	

ID	Name	Label	Type	Format	Question
V298	p1h		discrete	numeric	
V299	p1i		discrete	numeric	
V300	p1j		discrete	numeric	
V301	e1		discrete	numeric	
V302	e2		discrete	numeric	
V303	e3		discrete	numeric	
V304	e4		discrete	numeric	
V305	ql1		discrete	numeric	
V306	ql2a		discrete	numeric	
V307	ql2b		discrete	numeric	
V308	ql2c		discrete	numeric	
V309	ql2d		discrete	numeric	
V310	ql2e		discrete	numeric	
V311	ql2f		discrete	numeric	
V312	le1a		discrete	numeric	
V313	le1b		discrete	numeric	
V314	le1c		discrete	numeric	
V315	le2a		discrete	numeric	
V316	le2b		discrete	numeric	
V317	le2c		discrete	numeric	
V318	le2d		discrete	numeric	
V319	le2e		discrete	numeric	
V320	le2f		discrete	numeric	
V321	le2g		discrete	numeric	
V322	le2h		discrete	numeric	
V323	le2i		discrete	numeric	
V324	le2j		discrete	numeric	
V325	le3		discrete	numeric	
V326	le4		discrete	numeric	
V327	le5		discrete	numeric	
V328	le6		discrete	numeric	
V329	le7a		discrete	numeric	
V330	le7b		discrete	numeric	
V331	le7c		discrete	numeric	
V332	le8a		discrete	numeric	
V333	le8b		discrete	numeric	
V334	le8c		discrete	numeric	
V335	le8d		discrete	numeric	
V336	le8e		discrete	numeric	
V337	le8f		discrete	numeric	

ID	Name	Label	Type	Format	Question
V338	le9		discrete	numeric	
V339	le10		discrete	numeric	
V340	le11		discrete	numeric	
V341	le12		discrete	numeric	
V342	cdnumber		discrete	numeric	
V343	rdnumber		contin	numeric	
V344	le13a		discrete	numeric	
V345	le13b		discrete	numeric	
V346	le13c		discrete	numeric	
V347	le13d		discrete	numeric	
V348	le13e		discrete	numeric	
V349	le13f		discrete	numeric	
V350	le13g		discrete	numeric	
V351	le13h		discrete	numeric	
V352	le13i		discrete	numeric	
V353	le13j		discrete	numeric	
V354	le14		discrete	numeric	
V355	pi1		discrete	numeric	
V356	pi2		discrete	numeric	
V357	pi3		discrete	numeric	
V358	pi4a		discrete	numeric	
V359	pi4b		discrete	numeric	
V360	pi5a		discrete	numeric	
V361	pi5b		discrete	numeric	
V362	pi5c		discrete	numeric	
V363	pi5d		discrete	numeric	
V364	pi5e		discrete	numeric	
V365	pi6		discrete	numeric	
V366	pi7		discrete	numeric	
V367	pi8		discrete	numeric	
V368	pi9a		discrete	numeric	
V369	pi9b		discrete	numeric	
V370	pi10		discrete	numeric	
V371	pi11		discrete	numeric	
V372	pi11a1		discrete	numeric	
V373	pi11a2		discrete	numeric	
V374	pi11b		discrete	numeric	
V375	pi11c		discrete	numeric	
V376	pi11d		discrete	numeric	
V377	pi11e		discrete	numeric	

ID	Name	Label	Type	Format	Question
V378	pi12		discrete	numeric	
V379	ps1a		discrete	numeric	
V380	ps1b		discrete	numeric	
V381	ps1c		discrete	numeric	
V382	ps1d		discrete	numeric	
V383	ps1e		discrete	numeric	
V384	ps1f		discrete	numeric	
V385	ps2		discrete	numeric	
V386	f1		discrete	numeric	
V387	f2a		discrete	numeric	
V388	f2b		contin	numeric	
V389	f2c		discrete	numeric	
V390	f2d		contin	numeric	
V391	f3		discrete	numeric	
V392	f4		contin	numeric	
V393	f5		discrete	numeric	
V394	f6		discrete	numeric	
V395	f7a		discrete	numeric	
V396	f7b		discrete	numeric	
V397	c1a		contin	numeric	
V398	c1b		contin	numeric	
V399	c2		contin	numeric	
V400	c3a		contin	numeric	
V401	c3b		contin	numeric	
V402	c4		discrete	numeric	
V403	c5		discrete	numeric	
V404	cdnr		discrete	numeric	
V405	rcdnr		contin	numeric	
V406	c6		discrete	numeric	
V407	c7		discrete	numeric	
V408	c8		discrete	numeric	
V409	v9a		contin	numeric	
V410	v9b		contin	numeric	
V411	c10		contin	numeric	
V412	c11		discrete	numeric	
V413	c12		discrete	numeric	
V414	c13		contin	numeric	
V415	c14		discrete	numeric	
V416	c15		discrete	numeric	
V417	c16		discrete	numeric	

ID	Name	Label	Type	Format	Question
V418	c17		discrete	numeric	
V419	c18		discrete	numeric	
V420	c19		discrete	numeric	
V421	c20		discrete	numeric	
V422	c21		contin	numeric	
V423	c22		contin	numeric	
V424	c23		contin	numeric	
V425	c24a		discrete	numeric	
V426	c24b		discrete	numeric	
V427	c24c		discrete	numeric	
V428	c24d		discrete	numeric	
V429	c25		discrete	numeric	
V430	c26		discrete	numeric	
V431	c27		discrete	numeric	
V432	c28		discrete	numeric	
V433	c29		discrete	numeric	
V434	v30		discrete	numeric	
V435	c31		discrete	numeric	
V436	v32		discrete	numeric	
V437	v33		discrete	numeric	
V438	v34		discrete	numeric	
V439	v35		discrete	numeric	
V440	v36		discrete	numeric	
V441	v37		discrete	numeric	
V442	v38		discrete	numeric	
V443	v39		discrete	numeric	
V444	v40		discrete	numeric	
V445	v41		discrete	numeric	
V446	v42		discrete	numeric	
V447	v43		discrete	numeric	
V448	v44		discrete	numeric	
V449	v45		discrete	numeric	
V450	v46		discrete	numeric	
V451	v47		discrete	numeric	
V452	v48		discrete	numeric	
V453	v49		discrete	numeric	
V454	v50		discrete	numeric	
V455	v51		discrete	numeric	
V456	v52		discrete	numeric	
V457	v53		discrete	numeric	

ID	Name	Label	Type	Format	Question
V458	v54		discrete	numeric	
V459	v55		discrete	numeric	
V460	v56		discrete	numeric	
V461	v57		discrete	numeric	
V462	v58		discrete	numeric	
V463	v59		discrete	numeric	
V464	v60		discrete	numeric	
V465	crdnr		discrete	numeric	
V466	rcordnr		contin	numeric	
V467	v61		discrete	numeric	
V468	v62		discrete	numeric	
V469	v63		discrete	numeric	
V470	v64		discrete	numeric	
V471	v65		discrete	numeric	
V472	v66		discrete	numeric	
V473	v67		discrete	numeric	
V474	g1		discrete	numeric	
V475	g2		discrete	numeric	
V476	g3		discrete	numeric	
V477	g4		discrete	numeric	
V478	g5		discrete	numeric	
V479	g6a		discrete	numeric	
V480	g6b		discrete	numeric	
V481	g6c		discrete	numeric	
V482	g6d		discrete	numeric	
V483	g7		discrete	numeric	
V484	g8a		discrete	numeric	
V485	g8b		discrete	numeric	
V486	g8c		discrete	numeric	
V487	g8d		discrete	numeric	
V488	g8e		discrete	numeric	
V489	g8f		discrete	numeric	
V490	g8g		discrete	numeric	
V491	g8h		discrete	numeric	
V492	g9a		discrete	numeric	
V493	g9b		discrete	numeric	
V494	g9c		discrete	numeric	
V495	g9d		discrete	numeric	
V496	g9e		discrete	numeric	
V497	g9f		discrete	numeric	

ID	Name	Label	Type	Format	Question
V498	g9g		discrete	numeric	
V499	g9h		discrete	numeric	
V500	g9i		discrete	numeric	
V501	g9j		discrete	numeric	
V502	g9k		discrete	numeric	
V503	g9l		discrete	numeric	
V504	g9m		discrete	numeric	
V505	g9n		discrete	numeric	
V506	g9o		discrete	numeric	
V507	g9p		discrete	numeric	
V508	g9q		discrete	numeric	
V509	g9r		discrete	numeric	
V510	g9s		discrete	numeric	
V511	questino		discrete	numeric	

(cardno)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-1

Valid cases: 0
 Invalid: 0

(recordno)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2501-4980

Valid cases: 0
 Invalid: 0

(perlcont)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(telcontr)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(nobody)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-11

Valid cases: 0
 Invalid: 0

(empty)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(refusal)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-43

Valid cases: 0
 Invalid: 0

(nonquali)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-1

Valid cases: 0
 Invalid: 0

(other)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-1

Valid cases: 0
 Invalid: 0

(nosubsti)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-71

Valid cases: 0
 Invalid: 0

(intervno)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-858

Valid cases: 0
 Invalid: 0

(fieldorg)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-935

Valid cases: 0
 Invalid: 0

(checkby)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 32-122

Valid cases: 0
 Invalid: 0

(team)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-95

Valid cases: 0
 Invalid: 0

(socecono)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-44

Valid cases: 0
 Invalid: 0

(province)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 0
 Invalid: 0

(magsdis)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-952

Valid cases: 0
 Invalid: 0

(eanumber)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9018

Valid cases: 0
 Invalid: 0

(mainsamp)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(projno)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: character
 Width: 6

Valid cases: 0
 Invalid: 0

(visit1)

File: Omnibus Survey 1995_2p1

(visit1)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 7
 Decimals: 0
 Range: 804601-1007501

Valid cases: 0
 Invalid: 0

(visit2)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 7
 Decimals: 0
 Range: 905501-1003601

Valid cases: 0
 Invalid: 0

(visit3)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 7
 Decimals: 0
 Range: 907409-1003601

Valid cases: 0
 Invalid: 0

(subsaddr)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 7
 Decimals: 0
 Range: 907601-928601

Valid cases: 0
 Invalid: 0

(v1)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Valid cases: 0
 Invalid: 0

(v2)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 0
 Invalid: 0

(crdno)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 2-2

Valid cases: 0
 Invalid: 0

(recordnu)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2501-4980

Valid cases: 0
 Invalid: 0

(v3a)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-931

Valid cases: 0
 Invalid: 0

(v3b)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 24-902

Valid cases: 0
 Invalid: 0

(v3c)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 19-702

Valid cases: 0
 Invalid: 0

(v3d)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-602

Valid cases: 0
 Invalid: 0

(v3e)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-641

Valid cases: 0
 Invalid: 0

(v3f)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-362

Valid cases: 0
 Invalid: 0

(v3g)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-331

Valid cases: 0
 Invalid: 0

(v3h)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-302

Valid cases: 0
 Invalid: 0

(v3i)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-241

Valid cases: 0
 Invalid: 0

(v3j)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-181

Valid cases: 0
 Invalid: 0

(v3k)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v3l)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v3m)

File: Omnibus Survey 1995_2p1

(v3m)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v3n)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v3o)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v3p)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-991

Valid cases: 0
 Invalid: 0

(v3q)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-822

Valid cases: 0
 Invalid: 0

(v3r)

File: Omnibus Survey 1995_2p1

(v3r)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-991

Valid cases: 0
 Invalid: 0

(v3s)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-332

Valid cases: 0
 Invalid: 0

(v3t)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-301

Valid cases: 0
 Invalid: 0

(v3u)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-222

Valid cases: 0
 Invalid: 0

(v3v)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-191

Valid cases: 0
 Invalid: 0

(v3w)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-111

Valid cases: 0
 Invalid: 0

(v3x)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-92

Valid cases: 0
 Invalid: 0

(v3y)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 11-32

Valid cases: 0
 Invalid: 0

(crdnum)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 3-3

Valid cases: 0
 Invalid: 0

(recnumb)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2501-4980

Valid cases: 0
 Invalid: 0

(v4)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-10

Valid cases: 0
 Invalid: 0

(v5a)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1010-9031

Valid cases: 0
 Invalid: 0

(v5b)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 7-2098

Valid cases: 0
 Invalid: 0

(v5c)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1047-3057

Valid cases: 0
 Invalid: 0

(v5d)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3011-4077

Valid cases: 0
 Invalid: 0

(v5e)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4011-5023

Valid cases: 0
 Invalid: 0

(v5f)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 5011-6013

Valid cases: 0
 Invalid: 0

(v5g)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 6011-6011

Valid cases: 0
 Invalid: 0

(v5h)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 7011-7011

Valid cases: 0
 Invalid: 0

(v5i)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 8043-8043

Valid cases: 0
 Invalid: 0

(v6a)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(v6b)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-6

Valid cases: 0
 Invalid: 0

(v7)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(race)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(vr1)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr2)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 18-93

Valid cases: 0
 Invalid: 0

(vr3)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-16

Valid cases: 0
 Invalid: 0

(vr4)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-20

Valid cases: 0
 Invalid: 0

(vr5)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-15

Valid cases: 0
 Invalid: 0

(vr6a)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-21

Valid cases: 0
 Invalid: 0

(vr6b)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-22

Valid cases: 0
 Invalid: 0

(vr7)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-12

Valid cases: 0
 Invalid: 0

(vr8a)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 11-95

Valid cases: 0
 Invalid: 0

(vr8b)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-15

Valid cases: 0
 Invalid: 0

(vr9)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr10)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 0
 Invalid: 0

(vr11)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr12)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 2-42

Valid cases: 0
 Invalid: 0

(cdno)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 4-4

Valid cases: 0
 Invalid: 0

(rcdno)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2501-4980

Valid cases: 0
 Invalid: 0

(vr13a)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13b)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13c)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13d)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13e)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13f)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13g)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13h)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13i)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13j)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13k)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13l)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13m)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13n)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13o)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(resptlsm)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 0

(ns1)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns2)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns3)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns4)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns5)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns6)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns7)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns8)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns9)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns10)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns11)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(ns12)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(st1)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(st2)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(st3)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(st4)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(st5)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs1)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs2)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs3)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs4)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs5)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs6)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs7)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs8)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs9)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs10)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs11)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs12)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(hs13)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 0

(ql1)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(ql2a)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2b)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2c)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2d)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2e)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2f)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2g)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2h)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2i)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2j)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2k)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2l)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2m)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2n)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2o)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2p)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2q)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2r)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2s)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2t)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2u)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2v)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2w)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2x)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2y)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(cdnumber)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 5-5

Valid cases: 0
 Invalid: 0

(rcdnumbr)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2501-4980

Valid cases: 0
 Invalid: 0

(ql2z)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2aa)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2ab)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2ac)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql2ad)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(ql3)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 0
 Invalid: 0

(ql4)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(ql5)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(ql5a)

File: Omnibus Survey 1995_2p1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-52

Valid cases: 0
 Invalid: 0

(ql6)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(ql7)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-12

Valid cases: 0
 Invalid: 0

(gl1)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(gl2)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(gl3)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(gl4)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(gl5)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(gl6)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(gl7)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(gl8)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(gl9)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(gl10)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(gl11)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(gl12)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(gl13)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(hv14)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(hv15)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(hv16)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(hv17)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(hv18)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(questno)

File: Omnibus Survey 1995_2p1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 2-2

Valid cases: 0
 Invalid: 0

(cardno)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-1

Valid cases: 0
 Invalid: 0

(recordno)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2248

Valid cases: 0
 Invalid: 0

(perscont)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(telcontr)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(nobody)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-11

Valid cases: 0
 Invalid: 0

(emptypre)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(refusal)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-55

Valid cases: 0
 Invalid: 0

(nonquali)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-1

Valid cases: 0
 Invalid: 0

(other)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-11

Valid cases: 0
 Invalid: 0

(substino)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-10

Valid cases: 0
 Invalid: 0

(interwno)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9580

Valid cases: 0
 Invalid: 0

(fieldorg)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 7-938

Valid cases: 0
 Invalid: 0

(checkby)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 47-123

Valid cases: 0
 Invalid: 0

(team)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-95

Valid cases: 0
 Invalid: 0

(socioeco)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-44

Valid cases: 0
 Invalid: 0

(province)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 0
 Invalid: 0

(magisdis)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-952

Valid cases: 0
 Invalid: 0

(eano)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9018

Valid cases: 0
 Invalid: 0

(sample)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(projno)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: character
 Width: 6

Valid cases: 0
 Invalid: 0

(visit1)

File: Omnibus Survey 1995_2p2

(visit1)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 7
 Decimals: 0
 Range: 805601-1025403

Valid cases: 0
 Invalid: 0

(visit2)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 7
 Decimals: 0
 Range: 904701-1025701

Valid cases: 0
 Invalid: 0

(visit3)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 7
 Decimals: 0
 Range: 908604-1003701

Valid cases: 0
 Invalid: 0

(substno)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 7
 Decimals: 0
 Range: 11-927701

Valid cases: 0
 Invalid: 0

(v1)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(v2)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 0
 Invalid: 0

(cardnumb)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 2-2

Valid cases: 0
 Invalid: 0

(recordnr)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2248

Valid cases: 0
 Invalid: 0

(v3a)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-992

Valid cases: 0
 Invalid: 0

(v3b)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 19-952

Valid cases: 0
 Invalid: 0

(v3c)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 18-681

Valid cases: 0
 Invalid: 0

(v3d)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 21-562

Valid cases: 0
 Invalid: 0

(v3e)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-392

Valid cases: 0
 Invalid: 0

(v3f)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-322

Valid cases: 0
 Invalid: 0

(v3g)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-302

Valid cases: 0
 Invalid: 0

(v3h)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-281

Valid cases: 0
 Invalid: 0

(v3i)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-241

Valid cases: 0
 Invalid: 0

(v3j)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-212

Valid cases: 0
 Invalid: 0

(v3k)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 181-181

Valid cases: 0
 Invalid: 0

(v3l)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 182-182

Valid cases: 0
 Invalid: 0

(v3m)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v3n)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v3o)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v3p)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-991

Valid cases: 0
 Invalid: 0

(v3q)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-852

Valid cases: 0
 Invalid: 0

(v3r)

File: Omnibus Survey 1995_2p2

(v3r)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-971

Valid cases: 0
 Invalid: 0

(v3s)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-751

Valid cases: 0
 Invalid: 0

(v3t)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-271

Valid cases: 0
 Invalid: 0

(v3u)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-211

Valid cases: 0
 Invalid: 0

(v3v)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-541

Valid cases: 0
 Invalid: 0

(v3w)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 1-131

Valid cases: 0
 Invalid: 0

(v3x)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 2-92

Valid cases: 0
 Invalid: 0

(v3y)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 11-71

Valid cases: 0
 Invalid: 0

(crdno)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 3-3

Valid cases: 0
 Invalid: 0

(rcdno)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2248

Valid cases: 0
 Invalid: 0

(v4)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 0

(v5a)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1010-5061

Valid cases: 0
 Invalid: 0

(v5b)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1011-2077

Valid cases: 0
 Invalid: 0

(v5c)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1029-3107

Valid cases: 0
 Invalid: 0

(v5d)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4011-4041

Valid cases: 0
 Invalid: 0

(v5e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 5051-5051

Valid cases: 0
 Invalid: 0

(v5f)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v5g)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v5h)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v5i)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v6a)

File: Omnibus Survey 1995_2p2

Overview

(v6a)

File: Omnibus Survey 1995_2p2

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v6b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0

Valid cases: 0
 Invalid: 0

(v7)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(race)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(vr1)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr2)

File: Omnibus Survey 1995_2p2

Overview

(vr2)

File: Omnibus Survey 1995_2p2

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 18-99

Valid cases: 0
 Invalid: 0

(vr3)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-16

Valid cases: 0
 Invalid: 0

(vr4)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-20

Valid cases: 0
 Invalid: 0

(vr5)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-15

Valid cases: 0
 Invalid: 0

(vr6a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-21

Valid cases: 0
 Invalid: 0

(vr6b)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-22

Valid cases: 0
 Invalid: 0

(vr7)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-13

Valid cases: 0
 Invalid: 0

(vr8a)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 11-95

Valid cases: 0
 Invalid: 0

(vr8b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-15

Valid cases: 0
 Invalid: 0

(vr9)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr10)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 0
 Invalid: 0

(vr11)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr12)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-77

Valid cases: 0
 Invalid: 0

(cardnr)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 4-4

Valid cases: 0
 Invalid: 0

(recdno)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2248

Valid cases: 0
 Invalid: 0

(vr13a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13f)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13g)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13h)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13i)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13j)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13k)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13l)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13m)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13n)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(vr13o)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(resplsm)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 0

(p1a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(p1b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(p1c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(p1d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(p1e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(p1f)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(p1g)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(p1h)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(p1i)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(p1j)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(e1)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(e2)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(e3)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(e4)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(ql1)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(ql2a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(ql2b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(ql2c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(ql2d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(ql2e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(ql2f)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le1a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(le1b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(le1c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(le2a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le2b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le2c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le2d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le2e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le2f)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le2g)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le2h)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le2i)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le2j)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le3)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le4)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(le5)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le6)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(le7a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Valid cases: 0
 Invalid: 0

(le7b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Valid cases: 0
 Invalid: 0

(le7c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Valid cases: 0
 Invalid: 0

(le8a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le8b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le8c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le8d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le8e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le8f)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(le9)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 0
 Invalid: 0

(le10)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le11)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le12)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(cdnumber)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 5-5

Valid cases: 0
 Invalid: 0

(rdnumber)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2248

Valid cases: 0
 Invalid: 0

(le13a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le13b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le13c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le13d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le13e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le13f)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le13g)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le13h)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le13i)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le13j)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 0

(le14)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-14

Valid cases: 0
 Invalid: 0

(pi1)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi2)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi3)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi4a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(pi4b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-6

Valid cases: 0
 Invalid: 0

(pi5a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi5b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi5c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi5d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi5e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi6)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi7)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(pi8)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi9a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi9b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi10)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi11)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(pi11a1)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(pi11a2)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(pi11b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(pi11c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(pi11d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(pi11e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(pi12)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-12

Valid cases: 0
 Invalid: 0

(ps1a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(ps1b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(ps1c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(ps1d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(ps1e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(ps1f)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(ps2)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(f1)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(f2a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(f2b)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Valid cases: 0
 Invalid: 0

(f2c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(f2d)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 0
 Invalid: 0

(f3)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(f4)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-32

Valid cases: 0
 Invalid: 0

(f5)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-20

Valid cases: 0
 Invalid: 0

(f6)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Valid cases: 0
 Invalid: 0

(f7a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-7

Valid cases: 0
 Invalid: 0

(f7b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-12

Valid cases: 0
 Invalid: 0

(c1a)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-58

Valid cases: 0
 Invalid: 0

(c1b)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-59

Valid cases: 0
 Invalid: 0

(c2)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-53

Valid cases: 0
 Invalid: 0

(c3a)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-51

Valid cases: 0
 Invalid: 0

(c3b)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-52

Valid cases: 0
 Invalid: 0

(c4)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c5)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(cdnr)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 6-6

Valid cases: 0
 Invalid: 0

(rcdnr)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2248

Valid cases: 0
 Invalid: 0

(c6)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c7)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c8)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(v9a)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-962

Valid cases: 0
 Invalid: 0

(v9b)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-930

Valid cases: 0
 Invalid: 0

(c10)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-25

Valid cases: 0
 Invalid: 0

(c11)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 0
 Invalid: 0

(c12)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Valid cases: 0
 Invalid: 0

(c13)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-30

Valid cases: 0
 Invalid: 0

(c14)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(c15)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Valid cases: 0
 Invalid: 0

(c16)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 0
 Invalid: 0

(c17)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(c18)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 0
 Invalid: 0

(c19)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(c20)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-14

Valid cases: 0
 Invalid: 0

(c21)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-25

Valid cases: 0
 Invalid: 0

(c22)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-809

Valid cases: 0
 Invalid: 0

(c23)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-38

Valid cases: 0
 Invalid: 0

(c24a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c24b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c24c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c24d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c25)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c26)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c27)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c28)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c29)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v30)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(c31)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v32)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v33)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v34)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v35)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v36)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v37)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v38)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v39)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v40)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v41)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v42)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v43)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v44)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v45)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v46)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v47)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v48)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v49)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v50)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v51)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v52)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v53)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v54)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v55)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v56)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v57)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v58)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v59)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v60)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(crdnr)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-7

Valid cases: 0
 Invalid: 0

(rcordnr)

File: Omnibus Survey 1995_2p2

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2248

Valid cases: 0
 Invalid: 0

(v61)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v62)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v63)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v64)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v65)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v66)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(v67)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-4

Valid cases: 0
 Invalid: 0

(g1)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Valid cases: 0
 Invalid: 0

(g2)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Valid cases: 0
 Invalid: 0

(g3)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(g4)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-6

Valid cases: 0
 Invalid: 0

(g5)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g6a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(g6b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(g6c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(g6d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(g7)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 0
 Invalid: 0

(g8a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(g8b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(g8c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(g8d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(g8e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 0
 Invalid: 0

(g8f)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g8g)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g8h)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9a)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9b)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9c)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9d)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9e)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9f)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9g)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9h)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9i)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9j)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9k)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9l)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9m)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9n)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9o)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9p)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9q)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9r)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Valid cases: 0
 Invalid: 0

(g9s)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Valid cases: 0
Invalid: 0

(questino)

File: Omnibus Survey 1995_2p2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 0

Related Materials

Questionnaires

Omnibus September 1995, Green Questionnaire

Title Omnibus September 1995, Green Questionnaire
Author(s) Human Sciences Research Council
Date 1995-09-01
Country South Africa
Language English
Filename South_Africa_1995_OS-Sep_green_questionnaire.pdf

Technical documents

Omnibus September Survey 1995, Study Description

Title Omnibus September Survey 1995, Study Description
Author(s) Human Sciences Research Council
Country South Africa
Language English
Filename Omnibus Survey 1995_2 Codebook.pdf
