

Vietnam - Multiple Indicator Cluster Survey 2013-2014

United Nations Children's Fund, Vietnam General Statistics Office

Report generated on: November 10, 2015

Visit our data catalog at: <http://ddghhsn01/index.php>

Sampling

Sampling Procedure

The primary objective of the sample design for the Vietnam MICS 2013-14 (MICS5) was to produce statistically reliable estimates of most indicators, at the national level, for urban and rural areas, and for six regions: Red River Delta, Northern Midlands and Mountainous areas, North Central and Central coastal areas, Central Highlands, South East and Mekong River Delta of the country. Urban and rural areas in each of the six regions were defined as the sampling strata.

A multi-stage, stratified cluster sampling approach was used for the selection of the survey sample.

The sample size for Vietnam MICS 2013-14 was calculated as 10,200 households. In the case of Vietnam MICS 2011 (MICS4), the indicator used for the calculation of the sample size was the underweight prevalence among children under 5 years old. Since this indicator was not included in Vietnam MICS 2013-14, the following seven different indicators were chosen instead for calculating the sample size:

1. Use of improved sanitation facilities
2. Contraceptive prevalence
3. Comprehensive knowledge about HIV prevention
4. Complete antenatal care
5. Age-appropriate breastfeeding
6. Vitamin A supplementation
7. Early childhood education attendance.

The sampling frame used for the selection of sample clusters for Vietnam MICS 2013-14 was based on a 15 percent sample of enumeration areas used for the long form questionnaires of the Population and Housing Census 2009 (PHC2009). Census enumeration areas were defined as primary sampling units (PSUs), and were selected from each of the sampling strata using systematic pps (probability proportional to size) sampling procedures, based on the number of households in each enumeration area from the PHC2009. The first stage of sampling was thus completed by selecting the required number of enumeration areas from each of the six regions, separately for the urban and rural strata.

Since the sampling frame (the PHC2009) was not up-to-date, a new listing of households was conducted in all the sample enumeration areas prior to the selection of households. For this purpose, listing teams were formed with members from the district statistical offices (DSOs), who visited each enumeration area and listed all the households. Following the selection of sample enumeration areas, the listing activities were completed at the beginning of December 2013 by 369 teams, formed from 369 DSOs. Each team was responsible for listing about six enumeration areas on average. The listing teams closely collaborated with local authorities and were supervised by provincial statistical offices (PSOs) and the GSO.

Lists of households were prepared for all sampled enumeration areas and sent to the GSO. The GSO then directly selected the sample households from these lists. In each sampled enumeration area, the households were then sequentially numbered from 1 to n (the total number of households in each enumeration area). The selection of 20 households in each enumeration area was carried out using random systematic selection procedures.

The sampling procedures are more fully described in "Multiple Indicator Cluster Survey 2013 - Final Report" pp.271-275.

Response Rate

Of the 10,200 households selected for the sample, 10,018 were found to be occupied. Of these, 9,979 were successfully interviewed for a household response rate of 99.6 percent.

In the interviewed households, 10,190 women (aged 15-49 years) were identified. Of these, 9,827 were successfully interviewed, yielding a response rate of 96.4 percent within interviewed households.

There were 3,346 children under-5 listed in the household questionnaires. Questionnaires were completed for 3,316 of these children, which corresponds to a response rate of 99.1 percent within interviewed households.

Overall response rates of 96.1 and 98.7 percent were calculated for the individual interviews of women and children under-5, respectively.

Weighting

The Vietnam MICS 2013-14 sample is not self-weighting. Essentially, by allocating equal numbers of households to each of

the regions (1,700 households), while the different sampling fractions were used in each region since the population size of the regions are different. For this reason, sample weights have to be calculated and these were used in the subsequent analyses of the survey data.

The weight is the reciprocal value of the sampling fraction employed in selecting the number of sample households in a particular sampling stratum, from certain Primary Sampling Unit (PSU) within certain category. The sampling fraction is the product of the probabilities of selection at every stage in each sampling stratum.

A final component in the calculation of sample weights took into account the level of non-responses for the household and individual interviews. The adjustment for household non-responses in each stratum is equal to: $1/RR_h$. Where RR_h is the response rate for the sample households in stratum h , defined as the proportion of the number of interviewed households in stratum h out of the number of selected households found to be occupied during the fieldwork in stratum h . Similarly, adjustments for non-responses at an individual level (women and under-5 children) for each stratum is equal to: $1/RR_h$.

Where RR_h is the response rate for the individual questionnaires in stratum h , defined as the proportion of eligible individuals (women and under-5 children) in the sample households in stratum h who were successfully interviewed. After the completion of fieldwork, response rates were calculated for each sampling stratum. These were used to adjust the sample weights calculated for each cluster.

The non-response adjustment factors for the individual women and under-5 questionnaires are applied to the adjusted household weights. Numbers of eligible women and under-5 children were obtained from the roster of household members in the household questionnaire for households where interviews were completed.

The design weights for the households were calculated by multiplying the inverse of the probabilities of selection by the non-response adjustment factor for each enumeration area. These weights were then standardized (or normalized), one purpose of which is to make the weighted sum of the interviewed sample units equal to the total sample size at the national level. Normalization was achieved by dividing the full sample weights (adjusted for non-responses) by the average of these weights across all households at the national level. This is performed by multiplying the sample weights by a constant factor equal to the unweighted number of households at the national level divided by the weighted total number of households (using the full sample weights adjusted for non-response). A similar standardization procedure was followed to obtain standardized weights for the individual women and under-5 questionnaires. The normalized household weights varied between 0.177 and 2.473 in the 510 sample enumeration areas (clusters).

Sample weights were appended to all data sets and analyses were performed by weighting each household, woman or under-5 with these sample weights.

Questionnaires

Overview

The questionnaires for the Generic MICS were structured questionnaires based on the MICS5 model questionnaire with some modifications and additions. Household questionnaires were administered in each household, which collected various information on household members including sex, age and relationship. The household questionnaire includes List of Household Members, Education, Child Labour, Child Discipline, Household Characteristics, Water and Sanitation, and Handwashing.

In addition to a household questionnaire, questionnaires were administered in each household for women age 15-49 and children under age five. The questionnaire was administered to the mother or primary caretaker of the child.

The women's questionnaire includes Woman's Background, Access to Mass Media and Use of Information/Communication Technology, Fertility/Birth History, Desire for Last Birth, Maternal and Newborn Health, Postnatal Health Checks, Illness Symptoms, Contraception, Unmet Need, Attitudes Toward Domestic Violence, Marriage/Union, and HIV/AIDS.

The children's questionnaire includes Child's Age, Birth Registration, Early Childhood Development, Breastfeeding and Dietary Intake, Immunization, and Care of Illness.

The questionnaire form for vaccination records at commune health centres included the immunization module.

The questionnaires are based on the MICS5 model questionnaire. From the MICS5 model English version, the questionnaires were customized and translated into Vietnamese and cross-checked by translating back into English and compared with the original version. After a five-day Training of Trainers (TOT), the questionnaires were pre-tested in a commune and ward of Hoa Binh province during October 2013. Hoa Binh belongs to the Northern Midlands and Mountainous area and it is also home to the majority Kinh/Hoa people as well as the Muong ethnic minority people. Specifically, the rural commune of Dan Chu is home to concentrations of the Muong ethnic minority people, while Phuong Lam ward of Hoa Binh City is typically-sized urban ward. Based on the pre-test results, modifications were made to the wording and translations of the questionnaires.

Data Collection

Data Collection Dates

| Start | End | Cycle |
|------------|------------|-------|
| 2013-12-16 | 2014-01-25 | N/A |

Data Collection Mode

Face-to-face [f2f]

DATA COLLECTION NOTES

Training for the fieldwork was conducted for 13 days in December 2013 with 180 trainees, the majority of whom were female, mobilized from the GSO, Province Statistical Offices (PSOs), District Statistics Offices (DSOs) and relevant stakeholders. Training included lectures on interviewing techniques and the contents of the questionnaires, and mock interviews between trainees to gain practice in asking questions. Towards the end of the training period, the 180 trainees spent two days practice interviewing in a rural commune and an urban ward of Da Nang city, in central Viet Nam. All participants were examined at the end of the training and their results were used to select interviewers, data editors and team leaders for field work.

Data were collected by 32 teams from 16 December, 2013 to 25 January, 2014 (before the Lunar New Year "Tet holidays"). The number of teams was reduced to 16 from 28 February to 5 April, 2014. The reduction in the number of post-Tet survey teams was due to the smaller number of households left to be surveyed. Each survey team comprised of three interviewers, one field editor and one supervisor. Interpreters accompanied survey interviewers in areas with concentrations of ethnic minority households to assist in translating questions and responses to respondents and interviewers, respectively.

Data Collectors

| Name | Abbreviation | Affiliation |
|-----------------------------------|--------------|-------------|
| Vietnam General Statistics Office | GSO | |

SUPERVISION

There is one supervisor for each of the 32 data collection teams in the field.

Data Processing

Data Editing

Data were entered, using CPro software Version 5.0, on 13 desktop computers by 12 data entry operators and two data entry supervisors. For quality assurance purposes, all questionnaires were double-entered and internal consistency checks performed. Procedures and standard programmes developed under the global MICS programme and adapted to the Viet Nam MICS 2014 questionnaires were used throughout. Data processing began simultaneously with data collection on 25 December 2013 and was completed on 18 April 2014.

Data were analysed using the Statistical Package for Social Sciences (SPSS) software, Version 21.0. Model syntax and tabulation plans developed by UNICEF were customized and used for this purpose.

Data Appraisal

Estimates of Sampling Error

Sampling errors are a measure of the variability between the estimates from all possible samples. The extent of variability is not known exactly, but can be estimated statistically from the survey data.

The following sampling error measures are presented in this appendix for each of the selected indicators:

- Standard error (se): Standard error is the square root of the variance of the estimate. For survey indicators that are means, proportions or ratios, the Taylor series linearization method is used for the estimation of standard errors. For more complex statistics, such as fertility and mortality rates, the Jackknife repeated replication method is used for standard error estimation.
- Coefficient of variation (se/r) is the ratio of the standard error to the value (r) of the indicator, and is a measure of the relative sampling error.
- Design effect (deff) is the ratio of the actual variance of an indicator, under the sampling method used in the survey, to the variance calculated under the assumption of simple random sampling based on the same sample size. The square root of the design effect (deff) is used to show the efficiency of the sample design in relation to the precision. A deff value of 1.0 indicates that the sample design of the survey is as efficient as a simple random sample for a particular indicator, while a deff value above 1.0 indicates an increase in the standard error due to the use of a more complex sample design.
- Confidence limits are calculated to show the interval within which the true value for the population can be reasonably assumed to fall, with a specified level of confidence. For any given statistic calculated from the survey, the value of that statistic will fall within a range of plus or minus two times the standard error ($r + 2.se$ or $r - 2.se$) of the statistic in 95 per cent of all possible samples of identical size and design.

For the calculation of sampling errors from Vietnam MICS 2013-14 data, programmes developed in CSPro Version 5.0, SPSS Version 21 Complex Samples module and CMRJack1 have been used. The results are shown in the tables that follow. In addition to the sampling error measures described above, the tables also include weighted and unweighted counts of denominators for each indicator. Given the use of normalized weights, by comparing the weighted and unweighted counts it is possible to determine whether a particular domain has been under-sampled or over-sampled compared to the average sampling rate. If the weighted count is smaller than the unweighted count, this means that the particular domain had been over-sampled. As explained later in the footnote of Table SE.1, there is an exception in the case of indicators 4.1, 4.2 and 4.3 and 3.15, for which the unweighted count represents the number of sample households, and the weighted counts reflect the total population. Sampling errors are calculated for indicators of primary interest, for the national level, for urban and rural areas, and for all six regions. The selected indicators are based on household members, seven are based on women.

Other forms of Data Appraisal

A series of data quality tables are available to review the quality of the data and include the following:

- Age distribution of the household population
- Age distribution of eligible and interviewed women
- Age distribution of children under 5 in household and children under 5 questionnaires
- Birth date reporting: Household population
- Birth date and age reporting: Women
- Birth date and age reporting: Under-5s
- Birth date reporting: Children, adolescents and young people
- Completeness of reporting
- Observation of birth certificates
- Observation of vaccination cards
- Observation of women's health cards
- Presence of mother in the household and the person interviewed for the under-5 questionnaire
- Selection of children age 1-17 years for the child labour and child discipline modules
- School attendance by single age
- Sex ratio at birth among children ever born and living
- Births by periods preceding the survey
- Reporting of age at death in days
- Reporting of age at death in months

The results of each of these data quality tables are shown in appendix D in document "Multiple Indicator Cluster Survey 2013 - Final Report" pp.336-354.

File Description

Variable List

bh

| | |
|--------------|--|
| Content | Data collected at the women's level (MICS Women's questionnaire modules: Birth history.) |
| Cases | 15479 |
| Variable(s) | 36 |
| Structure | Type: Keys: () |
| Version | |
| Producer | Dataset produced by UNICEF and Vietnam General Statistics Office |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|-----------|-------------------------------|----------|---------|--|
| V727 | HH1 | Cluster number | contin | numeric | |
| V728 | HH2 | Household number | discrete | numeric | |
| V729 | LN | Line number | discrete | numeric | |
| V730 | BHLN | Line Number | discrete | numeric | |
| V731 | BH2 | Twins | discrete | numeric | Were any of these births twins? |
| V732 | BH3 | Sex of child | discrete | numeric | Is (name) a boy or a girl? |
| V733 | BH4M | Month of birth | discrete | numeric | In what month and year was (name) born? Probe:what is his/her birthday? |
| V734 | BH4Y | Year of birth | discrete | numeric | In what month and year was (name) born? Probe:what is his/her birthday? |
| V735 | BH5 | Still alive | discrete | numeric | Is (name) still alive? |
| V736 | BH6 | Age of child | discrete | numeric | How old was (name) at his/her last birthday? |
| V737 | BH7 | Living with respondent | discrete | numeric | Is (name) living with you? |
| V738 | BH8 | Line number of child in HH | discrete | numeric | |
| V739 | BH9U | Age at death (units) | discrete | numeric | If dead: How old was (name) when he/she died? If "1 year", probe: How many months old was (name)? |
| V740 | BH9N | Age at death (number) | discrete | numeric | If dead: How old was (name) when he/she died? If "1 year", probe: How many months old was (name)? |
| V741 | BH10 | Any other between births | discrete | numeric | Were there any other live births between (name of previous birth) and (name), including any children who died after birth? |
| V742 | BH4C | Date of birth of child (CMC) | contin | numeric | |
| V743 | BH4F | Date flag for BH4C | discrete | numeric | |
| V744 | BH9C | Age at death months (imputed) | contin | numeric | |
| V745 | BH9F | Date flag for BH9C | discrete | numeric | |
| V746 | HH6 | Area | discrete | numeric | |
| V747 | HH7 | Region | discrete | numeric | |
| V748 | WDOI | Date of interview women (CMC) | discrete | numeric | |
| V749 | WDOB | Date of birth of woman (CMC) | contin | numeric | |
| V750 | ethnicity | Ethnicity of household head | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|----------|---|----------|---------|----------|
| V751 | welevel | Education | discrete | numeric | |
| V752 | brthord | Birth order | discrete | numeric | |
| V753 | magebrt | Mother's age at birth | discrete | numeric | |
| V754 | birthint | Previous birth interval | discrete | numeric | |
| V755 | wmweight | Women's sample weight | contin | numeric | |
| V756 | wscore | Combined wealth score | contin | numeric | |
| V757 | windex5 | Wealth index quintile | discrete | numeric | |
| V758 | wscoreu | Urban wealth score | contin | numeric | |
| V759 | windex5u | Urban wealth index quintile | discrete | numeric | |
| V760 | wscorer | Rural wealth score | contin | numeric | |
| V761 | windex5r | Rural wealth index quintile | discrete | numeric | |
| V762 | windex2 | 1'40% Under middle' 2'60% Middle and above' | discrete | numeric | |

ch

| | |
|--------------|--|
| Content | Data collected at the children's level (MICS Under Five Children's questionnaire modules: Child's information panel, Child's age, Birth registration, Early childhood development, Breastfeeding and dietary intake, Immunisation, Care of illness.) |
| Cases | 3346 |
| Variable(s) | 344 |
| Structure | Type: Keys: () |
| Version | |
| Producer | Dataset produced by UNICEF and Vietnam General Statistics Office |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|-------|--|----------|---------|---|
| V763 | HH1 | Cluster number | contin | numeric | |
| V764 | HH2 | Household number | discrete | numeric | |
| V765 | LN | Line number | discrete | numeric | |
| V766 | UF1 | Cluster number | contin | numeric | |
| V767 | UF2 | Household number | discrete | numeric | |
| V768 | UF4 | Child's line number | discrete | numeric | |
| V769 | UF6 | Mother / Caretaker's line number | discrete | numeric | |
| V770 | UF7 | Interviewer number | contin | numeric | |
| V771 | UF8D | Day of interview | contin | numeric | |
| V772 | UF8M | Month of interview | discrete | numeric | |
| V773 | UF8Y | Year of interview | discrete | numeric | |
| V774 | UF9 | Result of interview for children under 5 | discrete | numeric | |
| V775 | UF10 | Field editor | contin | numeric | |
| V776 | UF11 | Main data entry clerk | discrete | numeric | |
| V777 | UF12H | Start of interview - Hour | discrete | numeric | |
| V778 | UF12M | Start of interview - Minutes | discrete | numeric | |
| V779 | UF13H | End of interview - Hour | discrete | numeric | |
| V780 | UF13M | End of interview - Minutes | discrete | numeric | |
| V781 | AG1D | Day of birth of child | discrete | numeric | Now I would like to ask you some questions about the development and health of (name). On what day, month and year according to western calendar was (name) born? |
| V782 | AG1M | Month of birth of child | discrete | numeric | Now I would like to ask you some questions about the development and health of (name). On what day, month and year according to western calendar was (name) born? |
| V783 | AG1Y | Year of birth of child | discrete | numeric | Now I would like to ask you some questions about the development and health of (name). On what day, month and year according to western calendar was (name) born? |
| V784 | AG2 | Age of child | discrete | numeric | How old is (name)? |

| ID | Name | Label | Type | Format | Question |
|------|-------|---|----------|-----------|--|
| V785 | BR1 | Birth certificate | discrete | numeric | Does (name) have a birth certificate? |
| V786 | BR2 | Birth registered | discrete | numeric | Has (name)'s birth been registered with the people community? |
| V787 | BR3 | Know how to register birth | discrete | numeric | Do you know how to register (name)'s birth? |
| V788 | EC1 | Number of children's books or picture books for child | discrete | numeric | How many children's books or picture books do you have for (name)? |
| V789 | EC2A | Homemade toys | discrete | numeric | I am interested in learning about the things that (name) plays with when he/she is at home. Does he/she play with: homemade toys (such as dolls, cars or some other toys made at home)? |
| V790 | EC2B | Toys from shops | discrete | numeric | I am interested in learning about the things that (name) plays with when he/she is at home. Does he/she play with: toys from a shop or manufactured toys? |
| V791 | EC2C | Household objects or outside objects | discrete | numeric | I am interested in learning about the things that (name) plays with when he/she is at home. Does he/she play with: household objects (such as bowls or pots) or objects found outside (such as sticks, rocks, animal shells or leaves etc.)? |
| V792 | EC3A | In past week, days left alone for more than 1 hour | discrete | numeric | Sometimes adults taking care of children have to leave the house to go shopping, wash clothes, or for other reasons and have to leave young children. On how many days in the past week was (name): left alone longer than an hour? |
| V793 | EC3B | In past week, days left with other child for more than 1 hour | discrete | numeric | Sometimes adults taking care of children have to leave the house to go shopping, wash clothes, or for other reasons and have to leave young children. On how many days in the past week was (name): left in the care of another child, that is, someone less than 10 years old, for more than an hour? |
| V794 | EC5 | Attends early childhood education programme | discrete | numeric | Does (name) attend any organised learning or early childhood education programme, such as a private or government facility, including kindergarten or community child care? |
| V795 | EC7AA | Read books - Mother | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Read books to or looked at picture books with (name)? |
| V796 | EC7AB | Read books - Father | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Read books to or looked at picture books with (name)? |
| V797 | EC7AX | Read books - Other | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Read books to or looked at picture books with (name)? |
| V798 | EC7AY | Read books - No one | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Read books to or looked at picture books with (name)? |
| V799 | EC7BA | Tell stories - Mother | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Told stories to (name)? |
| V800 | EC7BB | Tell stories - Father | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Told stories to (name)? |

| ID | Name | Label | Type | Format | Question |
|------|-------|------------------------|----------|-----------|--|
| V801 | EC7BX | Tell stories - Other | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Told stories to (name)? |
| V802 | EC7BY | Tell stories - No one | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Told stories to (name)? |
| V803 | EC7CA | Sang songs - Mother | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Sang songs to (name) or with (name), including lullabies? |
| V804 | EC7CB | Sang songs - Father | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Sang songs to (name) or with (name), including lullabies? |
| V805 | EC7CX | Sang songs - Other | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Sang songs to (name) or with (name), including lullabies? |
| V806 | EC7CY | Sang songs - No one | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Sang songs to (name) or with (name), including lullabies? |
| V807 | EC7DA | Took outside - Mother | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Took (name) outside the home, compound, yard or enclosure? |
| V808 | EC7DB | Took outside - Father | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Took (name) outside the home, compound, yard or enclosure? |
| V809 | EC7DX | Took outside - Other | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Took (name) outside the home, compound, yard or enclosure? |
| V810 | EC7DY | Took outside - No one | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Took (name) outside the home, compound, yard or enclosure? |
| V811 | EC7EA | Played with - Mother | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Played with (name)? |
| V812 | EC7EB | Played with - Father | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Played with (name)? |
| V813 | EC7EX | Played with - Other | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Played with (name)? |
| V814 | EC7EY | Played with - No one | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Played with (name)? |
| V815 | EC7FA | Named/counted - Mother | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Named, counted, or drew things to or with (name)? |

| ID | Name | Label | Type | Format | Question |
|------|-------|---|----------|-----------|---|
| V816 | EC7FB | Named/counted - Father | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Named, counted, or drew things to or with (name)? |
| V817 | EC7FX | Named/counted - Other | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Named, counted, or drew things to or with (name)? |
| V818 | EC7FY | Named/counted - No one | discrete | character | In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Named, counted, or drew things to or with (name)? |
| V819 | EC8 | Child identifies at least ten letters of the alphabet | discrete | numeric | I would like to ask you some questions about the health and development of (name). Children do not all develop and learn at the same rate. For example, some walk earlier than others. These questions are related to several aspects of your child's development. Can (name) identify or name at least ten letters of the alphabet? |
| V820 | EC9 | Child reads at least four simple, popular words | discrete | numeric | Can (name) read at least four simple, popular words? |
| V821 | EC10 | Child knows name and recognizes symbol of all numbers from 1-10 | discrete | numeric | Does (name) know the name and recognize the symbol of all numbers from 1 to 10? |
| V822 | EC11 | Child able to pick up small object with 2 fingers | discrete | numeric | Can (name) pick up a small object with two fingers, like a stick or a rock from the ground? |
| V823 | EC12 | Child sometimes too sick to play | discrete | numeric | Is (name) sometimes too sick to play? |
| V824 | EC13 | Child follows simple directions | discrete | numeric | Does (name) follow simple directions on how to do something correctly? |
| V825 | EC14 | Child able to do something independently | discrete | numeric | When given something to do, is (name) able to do it independently? |
| V826 | EC15 | Child gets along well with other children | discrete | numeric | Does (name) get along well with other children? |
| V827 | EC16 | Child kicks, bites or hits other children or adults | discrete | numeric | Does (name) kick, bite or hit other children or adults? |
| V828 | EC17 | Child gets distracted easily | discrete | numeric | Does (name) gets distracted easily? |
| V829 | BD2 | Child ever been breastfed | discrete | numeric | Has (name) ever been breastfed? |
| V830 | BD3 | Child still being breastfed | discrete | numeric | Is he/she still being breastfed? |
| V831 | BD4 | Child drank anything else from the bottle with a nipple yesterday | discrete | numeric | Yesterday, during the day or night, did (name) drink anything from a bottle with a nipple? |
| V832 | BD5 | Child drank ORS yesterday | discrete | numeric | Did (name) drink ORS (oral rehydration solution) yesterday, during the day or night? |
| V833 | BD6 | Child drank or ate vitamin or mineral supplements yesterday | discrete | numeric | Did (name) drink or eat vitamin or mineral supplements or any medicines yesterday, during the day or night? |
| V834 | BD7A | Child drank plain water yesterday | discrete | numeric | Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods. Please include liquids consumed outside of your home. Did (name) drink (name of item) yesterday during the day or the night: Plain water |

| ID | Name | Label | Type | Format | Question |
|------|-------|---|----------|---------|---|
| V835 | BD7B1 | Child drank juice from ripening fruits with yellow or orange inside yesterday | discrete | numeric | Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods. Please include liquids consumed outside of your home. Did (name) drink (name of item) yesterday during the day or the night: Juice from ripening fruits with yellow/orange inside, such as: mango, papaya, strawberry, water mellon? |
| V836 | BD7B2 | Child drank other fruit juice yesterday | discrete | numeric | Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods. Please include liquids consumed outside of your home. Did (name) drink (name of item) yesterday during the day or the night: Other fruit juice? |
| V837 | BD7C | Child drank rice soup or clear broth without pieces and fibers yesterday | discrete | numeric | Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods. Please include liquids consumed outside of your home. Did (name) drink (name of item) yesterday during the day or the night: Rice soup/boiled water or clear broth from vegetable or meat without pieces and grains fibers? |
| V838 | BD7D | Child drank milk yesterday | discrete | numeric | Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods. Please include liquids consumed outside of your home. Did (name) drink (name of item) yesterday during the day or the night: Milk such as tinned, powdered, or fresh animal milk? |
| V839 | BD7DN | Times child drank milk yesterday | discrete | numeric | Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods. Please include liquids consumed outside of your home. Did (name) drink (name of item) yesterday during the day or the night: Milk such as tinned, powdered, or fresh animal milk? If yes, ask: How many times did (name) drink milk? |
| V840 | BD7E | Child drank infant formula yesterday | discrete | numeric | Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods. Please include liquids consumed outside of your home. Did (name) drink (name of item) yesterday during the day or the night: Infant formula? |
| V841 | BD7EN | Times child drank infant formula | discrete | numeric | Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods. Please include liquids consumed outside of your home. Did (name) drink (name of item) yesterday during the day or the night: Infant formula? If yes, ask: How many times did (name) drink infant formula? |

| ID | Name | Label | Type | Format | Question |
|------|-------|---|----------|---------|--|
| V842 | BD7F | Child drank any other liquids yesterday | discrete | numeric | Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods. Please include liquids consumed outside of your home. Did (name) drink (name of item) yesterday during the day or the night: Any other liquids? |
| V843 | BD8A | Child drank or ate yogurt yesterday | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Yogurt |
| V844 | BD8AN | Times drank or ate yogurt | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Yogurt If yes, ask: How many times did (name) drink or eat yoghurt? |
| V845 | BD8B | Child ate fortified baby food (xo,hipp,gain etc.) | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Any kind of powder, cake, supplementation food such as cerelac, dielac, hipp, nin, alpha, nesle? |
| V846 | BD8C | Child ate foods made from grains | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Bread, rice, noodles, porridge, or other foods made from grains, including rice soup or mixed soup? |
| V847 | BD8D | Child ate pumpkin, carrots, squash etc. | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Pumpkin, carrots, squash or sweet potatoes that are yellow or orange inside? |
| V848 | BD8E | Child ate white potatoes, white yams, manioc etc. | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: White potatoes, white yams, manioc, cassava, or any other foods made from roots? |

| ID | Name | Label | Type | Format | Question |
|------|------|---|----------|---------|--|
| V849 | BD8F | Child ate green leafy vegetables | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Any dark green, leafy vegetables? |
| V850 | BD8G | Child ate ripe mangoes, papayas | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Ripe mangoes or papayas? |
| V851 | BD8H | Child ate other fruits or vegetables | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Any other fruits or vegetables? |
| V852 | BD8I | Child ate liver, kidney, heart or other organ meat | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Liver, kidney, heart or other organ meats? |
| V853 | BD8J | Child ate meat, such as beef, pork, lamb, goat, chicken, duck | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Any meat, such as beef, pork, lamb, goat, chicken, or duck? |
| V854 | BD8K | Child ate eggs | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Eggs? |
| V855 | BD8L | Child ate fresh or dried fish or shellfish | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Fresh or dried fish or shellfish? |
| V856 | BD8M | Child ate beans, lentils or nuts | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Any foods made from beans, peas, lentils or nuts? |

| ID | Name | Label | Type | Format | Question |
|------|----------|--|----------|---------|---|
| V857 | BD8N | Child ate cheese or other food made from milk | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Cheese or other food made from milk? |
| V858 | BD8O | Child ate other solid, semi-solid or soft food yesterday | discrete | numeric | Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home. Did (name) eat (name of food) yesterday during the day or the night: Any other solid, semi-solid, or soft food that I have not mentioned? |
| V859 | BD11 | Times child ate solid or semi-solid food | discrete | numeric | How many times did (name) eat any solid, semi-solid or soft foods yesterday, during the day or night? |
| V860 | IM1 | Vaccination card for child | discrete | numeric | Do you have a card where (name)'s vaccinations are written down? If yes: May I see it please? |
| V861 | IM2 | Ever had vaccination card | discrete | numeric | Did you ever have a vaccination (child health) card for (name)? |
| V862 | IM3BD | Day of BCG immunization | discrete | numeric | |
| V863 | IM3BM | Month of BCG immunization | discrete | numeric | |
| V864 | IM3BY | Year of BCG immunization | discrete | numeric | |
| V865 | IM3P1D | Day of Polio1 immunization | discrete | numeric | |
| V866 | IM3P1M | Month of Polio1 immunization | discrete | numeric | |
| V867 | IM3P1Y | Year of Polio1 immunization | discrete | numeric | |
| V868 | IM3P2D | Day of Polio2 immunization | discrete | numeric | |
| V869 | IM3P2M | Month of Polio2 immunization | discrete | numeric | |
| V870 | IM3P2Y | Year of Polio2 immunization | discrete | numeric | |
| V871 | IM3P3D | Day of Polio3 immunization | discrete | numeric | |
| V872 | IM3P3M | Month of Polio3 immunization | discrete | numeric | |
| V873 | IM3P3Y | Year of Polio3 immunization | discrete | numeric | |
| V874 | IM3PEN1D | Day of Pentavalent1 immunization | discrete | numeric | |
| V875 | IM3PEN1M | Month of Pentavalent1 immunization | discrete | numeric | |
| V876 | IM3PEN1Y | Year of Pentavalent1 immunization | discrete | numeric | |
| V877 | IM3PEN2D | Day of Pentavalent2 immunization | discrete | numeric | |
| V878 | IM3PEN2M | Month of Pentavalent2 immunization | discrete | numeric | |
| V879 | IM3PEN2Y | Year of Pentavalent2 immunization | discrete | numeric | |
| V880 | IM3PEN3D | Day of Pentavalent3 immunization | discrete | numeric | |
| V881 | IM3PEN3M | Month of Pentavalent3 immunization | discrete | numeric | |
| V882 | IM3PEN3Y | Year of Pentavalent3 immunization | discrete | numeric | |
| V883 | IM3D1D | Day of DPT1 immunization | discrete | numeric | |
| V884 | IM3D1M | Month of DPT1 immunization | discrete | numeric | |
| V885 | IM3D1Y | Year of DPT1 immunization | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|--------|---------------------------------------|----------|---------|--|
| V886 | IM3D2D | Day of DPT2 immunization | discrete | numeric | |
| V887 | IM3D2M | Month of DPT2 immunization | discrete | numeric | |
| V888 | IM3D2Y | Year of DPT2 immunization | discrete | numeric | |
| V889 | IM3D3D | Day of DPT3 immunization | discrete | numeric | |
| V890 | IM3D3M | Month of DPT3 immunization | discrete | numeric | |
| V891 | IM3D3Y | Year of DPT3 immunization | discrete | numeric | |
| V892 | IM3H0D | Day of HepB at birth immunization | discrete | numeric | |
| V893 | IM3H0M | Month of HepB at birth immunization | discrete | numeric | |
| V894 | IM3H0Y | Year of HepB at birth immunization | discrete | numeric | |
| V895 | IM3H1D | Day of HepB1 immunization | discrete | numeric | |
| V896 | IM3H1M | Month of HepB1 immunization | discrete | numeric | |
| V897 | IM3H1Y | Year of HepB1 immunization | discrete | numeric | |
| V898 | IM3H2D | Day of HepB2 immunization | discrete | numeric | |
| V899 | IM3H2M | Month of HepB2 immunization | discrete | numeric | |
| V900 | IM3H2Y | Year of HepB2 immunization | discrete | numeric | |
| V901 | IM3H3D | Day of HepB3 immunization | discrete | numeric | |
| V902 | IM3H3M | Month of HepB3 immunization | discrete | numeric | |
| V903 | IM3H3Y | Year of HepB3 immunization | discrete | numeric | |
| V904 | IM3I1D | Day of Hib1 immunization | discrete | numeric | |
| V905 | IM3I1M | Month of Hib1 immunization | discrete | numeric | |
| V906 | IM3I1Y | Year of Hib1 immunization | discrete | numeric | |
| V907 | IM3I2D | Day of Hib2 immunization | discrete | numeric | |
| V908 | IM3I2M | Month of Hib2 immunization | discrete | numeric | |
| V909 | IM3I2Y | Year of Hib2 immunization | discrete | numeric | |
| V910 | IM3I3D | Day of Hib3 immunization | discrete | numeric | |
| V911 | IM3I3M | Month of Hib3 immunization | discrete | numeric | |
| V912 | IM3I3Y | Year of Hib3 immunization | discrete | numeric | |
| V913 | IM3MD | Day measles or MMR immunization | discrete | numeric | |
| V914 | IM3MM | Month Measles or MMR immunization | discrete | numeric | |
| V915 | IM3MY | Year of Measles or MMR immunization | discrete | numeric | |
| V916 | IM3V1D | Day of Vitamin A (first dose) | discrete | numeric | |
| V917 | IM3V1M | Month of Vitamin A (first dose) | discrete | numeric | |
| V918 | IM3V1Y | Year of Vitamin A (first dose) | discrete | numeric | |
| V919 | IM3V2D | Day of Vitamin A (second dose) | discrete | numeric | |
| V920 | IM3V2M | Month of Vitamin A (second dose) | discrete | numeric | |
| V921 | IM3V2Y | Year of Vitamin A (second dose) | discrete | numeric | |
| V922 | IM5 | Child received any other vaccinations | discrete | numeric | In addition to what is recorded on this card, did (name) receive any other vaccinations - including vaccinations received in campaigns or immunisation days or child health day? |

| ID | Name | Label | Type | Format | Question |
|------|-------|--|----------|---------|--|
| V923 | IM6 | Child ever received any vaccinations | discrete | numeric | Has (name) ever received any vaccinations to prevent him/her from getting diseases, including vaccinations received in a campaign or immunization day or child health day? |
| V924 | IM7 | Child ever given BCG vaccination | discrete | numeric | Has (name) ever received a BCG vaccination against tuberculosis. That is, an injection in the left arm or shoulder that usually causes a scar? |
| V925 | IM8 | Child ever given Polio vaccination | discrete | numeric | Has (name) ever received any "vaccination drops in the mouth" to protect him/her from polio? |
| V926 | IM10 | Times child given Polio vaccination | discrete | numeric | How many times was the polio vaccine received? |
| V927 | IM10A | Child ever given Pentavalent vaccination | discrete | numeric | Has (name) ever received a pentavalent vaccination -that is, an injection in the thigh- to prevent him/her from getting DPT, Hep B and Hib B? |
| V928 | IM10B | Times child given Pentavalent vaccination | discrete | numeric | How many times was the pentavalent vaccine received? |
| V929 | IM11 | Child ever given DPT vaccination | discrete | numeric | Has (name) ever received a DPT vaccination - that is, an injection in the thigh to prevent him/her from getting tetanus, whooping cough, or diphtheria? |
| V930 | IM12 | Times child given DPT vaccination | discrete | numeric | How many times was the DPT vaccine received? |
| V931 | IM13 | Child ever given Hepatitis B vaccination | discrete | numeric | Has (name) ever received a Hepatitis B vaccination - that is, an injection in the thigh to prevent him/her from getting Hepatitis B? |
| V932 | IM14 | Hepatitis B first given within 24 h after birth or later | discrete | numeric | Was the first Hepatitis B vaccine received within 24 hours after birth? |
| V933 | IM15 | Times child given Hepatitis B vaccination | discrete | numeric | How many times was the Hepatitis B received? |
| V934 | IM15A | Child ever given Hib vaccination | discrete | numeric | Has (name) ever received a HIB vaccination - that is, an injection in the thigh to prevent him/her from getting haemophilus influenzae type B? |
| V935 | IM15B | Times child given Hib vaccination | discrete | numeric | How many times was the HiB vaccine received? |
| V936 | IM16 | Child ever given Measles or MMR vaccination | discrete | numeric | Has (name) ever received a measles injection (or an MMR or MR) - that is, a shot in the arm at the age of 9 months or older - to prevent him/her from getting measles? |
| V937 | IM19A | Vitamin A campaign in June 2013 | discrete | numeric | Please tell me if (name) has participated in any of the following campaigns, national immunization days and/or vitamin A or child health days: June 2013 Vitamin A campaign |
| V938 | IM19B | Vitamin A campaign in December 2012/2013 | discrete | numeric | Please tell me if (name) has participated in any of the following campaigns, national immunization days and/or vitamin A or child health days: December 2012/2013 Vitamin A campaign |
| V939 | HF1 | Cluster number | contin | numeric | |
| V940 | HF2 | Household number | discrete | numeric | |
| V941 | HF4 | Child's line number | discrete | numeric | |
| V942 | HF6 | Mother / Caretaker's line number | discrete | numeric | |
| V943 | HF7 | Interviewer number | contin | numeric | |
| V944 | HF8D | Day of interview | contin | numeric | |
| V945 | HF8M | Month of interview | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|-----------|---|----------|---------|----------|
| V946 | HF8Y | Year of interview | discrete | numeric | |
| V947 | HF9D | Day of birth | discrete | numeric | |
| V948 | HF9M | Month of birth | discrete | numeric | |
| V949 | HF9Y | Year of birth | discrete | numeric | |
| V950 | HF11 | Result of health facility visit | discrete | numeric | |
| V951 | HF11A | Field editor | contin | numeric | |
| V952 | HF11B | Main data entry clerk number | discrete | numeric | |
| V953 | HF12D | Day of birth as written on vaccination record | discrete | numeric | |
| V954 | HF12M | Month of birth as written on vaccination record | discrete | numeric | |
| V955 | HF12Y | Year of birth as written on vaccination record | discrete | numeric | |
| V956 | HF13BD | Day of BCG immunization | discrete | numeric | |
| V957 | HF13BM | Month of BCG immunization | discrete | numeric | |
| V958 | HF13BY | Year of BCG immunization | discrete | numeric | |
| V959 | HF13P1D | Day of Polio1 immunization | discrete | numeric | |
| V960 | HF13P1M | Month of Polio1 immunization | discrete | numeric | |
| V961 | HF13P1Y | Year of Polio1 immunization | discrete | numeric | |
| V962 | HF13P2D | Day of Polio2 immunization | discrete | numeric | |
| V963 | HF13P2M | Month of Polio2 immunization | discrete | numeric | |
| V964 | HF13P2Y | Year of Polio2 immunization | discrete | numeric | |
| V965 | HF13P3D | Day of Polio3 immunization | discrete | numeric | |
| V966 | HF13P3M | Month of Polio3 immunization | discrete | numeric | |
| V967 | HF13P3Y | Year of Polio3 immunization | discrete | numeric | |
| V968 | HF13PEN1D | Day of Pentavalent1 immunization | discrete | numeric | |
| V969 | HF13PEN1M | Month of Pentavalent1 immunization | discrete | numeric | |
| V970 | HF13PEN1Y | Year of Pentavalent1 immunization | discrete | numeric | |
| V971 | HF13PEN2D | Day of Pentavalent2 immunization | discrete | numeric | |
| V972 | HF13PEN2M | Month of Pentavalent2 immunization | discrete | numeric | |
| V973 | HF13PEN2Y | Year of Pentavalent2 immunization | discrete | numeric | |
| V974 | HF13PEN3D | Day of Pentavalent3 immunization | discrete | numeric | |
| V975 | HF13PEN3M | Month of Pentavalent3 immunization | discrete | numeric | |
| V976 | HF13PEN3Y | Year of Pentavalent3 immunization | discrete | numeric | |
| V977 | HF13D1D | Day of DPT1 immunization | discrete | numeric | |
| V978 | HF13D1M | Month of DPT1 immunization | discrete | numeric | |
| V979 | HF13D1Y | Year of DPT1 immunization | discrete | numeric | |
| V980 | HF13D2D | Day of DPT2 immunization | discrete | numeric | |
| V981 | HF13D2M | Month of DPT2 immunization | discrete | numeric | |
| V982 | HF13D2Y | Year of DPT2 immunization | discrete | numeric | |
| V983 | HF13D3D | Day of DPT3 immunization | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|-------|---------|---|----------|---------|--|
| V984 | HF13D3M | Month of DPT3 immunization | discrete | numeric | |
| V985 | HF13D3Y | Year of DPT3 immunization | discrete | numeric | |
| V986 | HF13H0D | Day of HepB at birth immunization | discrete | numeric | |
| V987 | HF13H0M | Month of HepB at birth immunization | discrete | numeric | |
| V988 | HF13H0Y | Year of HepB at birth immunization | discrete | numeric | |
| V989 | HF13H1D | Day of HepB1 immunization | discrete | numeric | |
| V990 | HF13H1M | Month of HepB1 immunization | discrete | numeric | |
| V991 | HF13H1Y | Year of HepB1 immunization | discrete | numeric | |
| V992 | HF13H2D | Day of HepB2 immunization | discrete | numeric | |
| V993 | HF13H2M | Month of HepB2 immunization | discrete | numeric | |
| V994 | HF13H2Y | Year of HepB2 immunization | discrete | numeric | |
| V995 | HF13H3D | Day of HepB3 immunization | discrete | numeric | |
| V996 | HF13H3M | Month of HepB3 immunization | discrete | numeric | |
| V997 | HF13H3Y | Year of HepB3 immunization | discrete | numeric | |
| V998 | HF13I1D | Day of Hib1 immunization | discrete | numeric | |
| V999 | HF13I1M | Month of Hib1 immunization | discrete | numeric | |
| V1000 | HF13I1Y | Year of Hib1 immunization | discrete | numeric | |
| V1001 | HF13I2D | Day of Hib2 immunization | discrete | numeric | |
| V1002 | HF13I2M | Month of Hib2 immunization | discrete | numeric | |
| V1003 | HF13I2Y | Year of Hib2 immunization | discrete | numeric | |
| V1004 | HF13I3D | Day of Hib3 immunization | discrete | numeric | |
| V1005 | HF13I3M | Month of Hib3 immunization | discrete | numeric | |
| V1006 | HF13I3Y | Year of Hib3 immunization | discrete | numeric | |
| V1007 | HF13MD | Day measles or MMR immunization | discrete | numeric | |
| V1008 | HF13MM | Month Measles or MMR immunization | discrete | numeric | |
| V1009 | HF13MY | Year of Measles or MMR immunization | discrete | numeric | |
| V1010 | HF13V1D | Day of Vitamin A (first dose) | discrete | numeric | |
| V1011 | HF13V1M | Month of Vitamin A (first dose) | discrete | numeric | |
| V1012 | HF13V1Y | Year of Vitamin A (first dose) | discrete | numeric | |
| V1013 | HF13V2D | Day of Vitamin A (second dose) | discrete | numeric | |
| V1014 | HF13V2M | Month of Vitamin A (second dose) | discrete | numeric | |
| V1015 | HF13V2Y | Year of Vitamin A (second dose) | discrete | numeric | |
| V1016 | CA1 | Child had diarrhoea in last 2 weeks | discrete | numeric | In the last two weeks, has (name) had diarrhoea? |
| V1017 | CA2 | Child drank less or more during illness | discrete | numeric | I would like to know how much (name) was given to drink during the diarrhoea (including breastmilk). During the time (name) had diarrhoea, was he/she given less than usual to drink, about the same amount, or more than usual? If 'less', probe: Was he/she given much less than usual to drink, or somewhat less? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|---|----------|-----------|--|
| V1018 | CA3 | Child ate less or more during illness | discrete | numeric | During the time (name) had diarrhoea, was he/she given less than usual to eat, about the same amount, more than usual, or nothing to eat? If 'less', probe: Was he/she given much less than usual to eat or somewhat less? |
| V1019 | CA3A | Sought advice or treatment for the illness from any source | discrete | numeric | Did you seek any advice or treatment for the diarrhoea from any source? |
| V1020 | CA3BA | Place sought care: (public sector) Government hospital | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1021 | CA3BB | Place sought care: (public sector) Government health center | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1022 | CA3BC | Place sought care: (public sector) Government health post | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1023 | CA3BD | Place sought care: (public sector) Village health worker | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1024 | CA3BE | Place sought care: (public sector) Mobile / Outreach clinic | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1025 | CA3BF | Place sought care: (public sector) Sectoral hospital (army, police) | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1026 | CA3BG | Place sought care: (public sector) Govt. pharmacy | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1027 | CA3BH | Place sought care: Other public | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1028 | CA3BI | Place sought care: Private hospital / clinic | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1029 | CA3BJ | Place sought care: Private physician | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1030 | CA3BK | Place sought care: Private pharmacy | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1031 | CA3BO | Place sought care: Other private medical | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1032 | CA3BP | Place sought care: Relative / Friend | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1033 | CA3BQ | Place sought care: Shop | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1034 | CA3BR | Place sought care: Traditional practitioner | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1035 | CA3BX | Place sought care: Other | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1036 | CA4A | Drank fluid made from special packet (ORS) | discrete | numeric | During the time (name) had diarrhoea, was (name) given to drink: [a] a fluid made from a special packet called oral rehydration solution (ORS) |
| V1037 | CA4B | Pre-packaged ORS fluid for diarrhoea | discrete | numeric | During the time (name) had diarrhoea, was (name) given to drink: [b] a pre-packaged ORS fluid for diarrhoea? |
| V1038 | CA4BB | Place where ORS was obtained | discrete | numeric | Where did you get the ors? |
| V1039 | CA4CA | Child given zinc tablets | discrete | numeric | During the time (name) had diarrhoea, was (name) given: zinc tablets |
| V1040 | CA4CB | Child given zinc syrup | discrete | numeric | During the time (name) had diarrhoea, was (name) given: zinc syrup |
| V1041 | CA4E | Place where zinc was obtained | discrete | numeric | Where did you get the zinc? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|---|----------|-----------|--|
| V1042 | CA4FA | Child given water from rice porridge/rice soup | discrete | numeric | During the time (name) had diarrhoea, was (name) given to drink any of the following: Water from rice porridge/ rice soup (with salt)? |
| V1043 | CA4FB | Child given lemon-orange/coconut drink | discrete | numeric | During the time (name) had diarrhoea, was (name) given to drink any of the following: Lemon orange/ coconut drink? |
| V1044 | CA4FC | Child given soup from boiled vegetables/meat | discrete | numeric | During the time (name) had diarrhoea, was (name) given to drink any of the following: Soup water from boiled vegetables/ meat? |
| V1045 | CA4FD | Child given water from fried and boiled rice | discrete | numeric | During the time (name) had diarrhoea, was (name) given to drink any of the following: Water from fried and boiled rice? |
| V1046 | CA5 | Anything else given to treat the diarrhoea | discrete | numeric | Was anything (else) given to treat the diarrhoea? |
| V1047 | CA6A | Other treatment (pill or syrup): Antibiotic | discrete | character | What (else) was given to treat the diarrhoea? Probe: Anything else? |
| V1048 | CA6B | Other treatment (pill or syrup): Antimotility | discrete | character | What (else) was given to treat the diarrhoea? Probe: Anything else? |
| V1049 | CA6G | Other treatment (pill or syrup): Other (not antibiotic, antimotility or zinc) | discrete | character | What (else) was given to treat the diarrhoea? Probe: Anything else? |
| V1050 | CA6H | Other treatment (pill or syrup): Unknown | discrete | character | What (else) was given to treat the diarrhoea? Probe: Anything else? |
| V1051 | CA6L | Other treatment (injection): Antibiotic | discrete | character | What (else) was given to treat the diarrhoea? Probe: Anything else? |
| V1052 | CA6M | Other treatment (injection): Non-antibiotic | discrete | character | What (else) was given to treat the diarrhoea? Probe: Anything else? |
| V1053 | CA6N | Other treatment (injection): Unknown | discrete | character | What (else) was given to treat the diarrhoea? Probe: Anything else? |
| V1054 | CA6O | Other treatment: Intravenous | discrete | character | What (else) was given to treat the diarrhoea? Probe: Anything else? |
| V1055 | CA6Q | Other treatment: Home remedy/Herbal medicine | discrete | character | What (else) was given to treat the diarrhoea? Probe: Anything else? |
| V1056 | CA6X | Other treatment: Other | discrete | character | What (else) was given to treat the diarrhoea? Probe: Anything else? |
| V1057 | CA7 | Child ill with cough in last 2 weeks | discrete | numeric | At any time in the last two weeks, has (name) had an illness with a cough? |
| V1058 | CA8 | Difficulty breathing during illness with cough | discrete | numeric | When (name) had an illness with a cough, did he/she breathe faster than usual with short, rapid breaths or have difficulty breathing? |
| V1059 | CA9 | Symptoms due to problem in chest or blocked nose | discrete | numeric | Was the fast or difficult breathing due to a problem in the chest or a blocked or runny nose? |
| V1060 | CA10 | Sought advice or treatment for illness | discrete | numeric | Did you seek any advice or treatment for the illness from any source? |
| V1061 | CA11A | Place sought care: (public sector) Government hospital | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1062 | CA11B | Place sought care: (public sector) Government health center | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1063 | CA11C | Place sought care: (public sector) Government health post | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1064 | CA11D | Place sought care: (public sector) Village health worker | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1065 | CA11E | Place sought care: (public sector) Mobile / Outreach clinic | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |

| ID | Name | Label | Type | Format | Question |
|-------|--------|---|----------|-----------|--|
| V1066 | CA11F | Place sought care: (public sector) Sectoral hospital (army, police) | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1067 | CA11G | Place sought care: (public sector) Govt. pharmacy | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1068 | CA11H | Place sought care: Other public | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1069 | CA11I | Place sought care: Private hospital / clinic | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1070 | CA11J | Place sought care: Private physician | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1071 | CA11K | Place sought care: Private pharmacy | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1072 | CA11O | Place sought care: Other private medical | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1073 | CA11P | Place sought care: Relative / Friend | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1074 | CA11Q | Place sought care: Shop | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1075 | CA11R | Place sought care: Traditional practitioner | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1076 | CA11X | Place sought care: Other | discrete | character | From where did you seek advice or treatment? Probe: Anywhere else? |
| V1077 | CA12 | Given medicine to treat this illness | discrete | numeric | At any time during the illness, was (name) given any medicine for the illness? |
| V1078 | CA13I | Medicine: Antibiotic pill / syrup | discrete | character | What medicine was (name) given? Probe: Any other medicine? |
| V1079 | CA13J | Medicine: Antibiotic injection | discrete | character | What medicine was (name) given? Probe: Any other medicine? |
| V1080 | CA13P | Medicine: Paracetamol / Panadol / Acetaminophen | discrete | character | What medicine was (name) given? Probe: Any other medicine? |
| V1081 | CA13Q | Medicine: Aspirin | discrete | character | What medicine was (name) given? Probe: Any other medicine? |
| V1082 | CA13R | Medicine: Ibuprofen | discrete | character | What medicine was (name) given? Probe: Any other medicine? |
| V1083 | CA13X | Medicine: Other | discrete | character | What medicine was (name) given? Probe: Any other medicine? |
| V1084 | CA13Z | Medicine: DK | discrete | character | What medicine was (name) given? Probe: Any other medicine? |
| V1085 | CA13BB | Place where antibiotics were obtained | discrete | numeric | Where did you get the antibiotics? |
| V1086 | CA15 | What was done to dispose of the stools | discrete | numeric | The last time (name) passed stools, what was done to dispose of the stools? |
| V1087 | HH6 | Area | discrete | numeric | |
| V1088 | HH7 | Region | discrete | numeric | |
| V1089 | HL4 | Sex | discrete | numeric | Is (name) male or female? |
| V1090 | ED4A | Highest level of education attended | discrete | numeric | What is the highest level of school (name) attended? |
| V1091 | ED4B | Highest grade completed at that level | discrete | numeric | What is the highest grade (name) completed at this level? |
| V1092 | CD0I | Date of interview child (CMC) | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|-------|-----------|------------------------------|----------|---------|----------|
| V1093 | CDOB | Date of birth of child (CMC) | contin | numeric | |
| V1094 | CAGE | Age (months) | contin | numeric | |
| V1095 | CAGE_6 | Age | discrete | numeric | |
| V1096 | CAGE_11 | Age | discrete | numeric | |
| V1097 | CAGED | Age in days | contin | numeric | |
| V1098 | melevel | Mother's education | discrete | numeric | |
| V1099 | ethnicity | Ethnicity of household head | discrete | numeric | |
| V1100 | chweight | Children's sample weight | contin | numeric | |
| V1101 | wscore | Combined wealth score | contin | numeric | |
| V1102 | windex5 | Wealth index quintile | discrete | numeric | |
| V1103 | wscoreu | Urban wealth score | contin | numeric | |
| V1104 | windex5u | Urban wealth index quintile | discrete | numeric | |
| V1105 | wscorer | Rural wealth score | contin | numeric | |
| V1106 | windex5r | Rural wealth index quintile | discrete | numeric | |

hh

| | |
|--------------|---|
| Content | Data collected at the household level (MICS Household questionnaire modules: Household information panel, Selection of one child for child labour/child discipline, Child labour, Household characteristics, Water and sanitation, Handwashing and Child discipline.) |
| Cases | 10200 |
| Variable(s) | 147 |
| Structure | Type: Keys: () |
| Version | |
| Producer | Dataset produced by UNICEF and Vietnam General Statistics Office |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-------|-------|--|----------|---------|----------|
| V1107 | HH1 | Cluster number | contin | numeric | |
| V1108 | HH2 | Household number | discrete | numeric | |
| V1109 | HH3 | Interviewer number | contin | numeric | |
| V1110 | HH4 | Supervisor number | contin | numeric | |
| V1111 | HH5D | Day of interview | contin | numeric | |
| V1112 | HH5M | Month of interview | discrete | numeric | |
| V1113 | HH5Y | Year of interview | discrete | numeric | |
| V1114 | HH6 | Area | discrete | numeric | |
| V1115 | HH7 | Region | discrete | numeric | |
| V1116 | HH9 | Result of HH interview | discrete | numeric | |
| V1117 | HH10 | Respondent to HH questionnaire | discrete | numeric | |
| V1118 | HH11 | Number of HH members | discrete | numeric | |
| V1119 | HH12 | Number of women 15 - 49 years | discrete | numeric | |
| V1120 | HH13 | Number of woman' questionnaires completed | discrete | numeric | |
| V1121 | HH14 | Number of children under age 5 | discrete | numeric | |
| V1122 | HH15 | Number of under - 5 questionnaires completed | discrete | numeric | |
| V1123 | HH16 | Field editor | contin | numeric | |
| V1124 | HH17 | Data entry clerk | discrete | numeric | |
| V1125 | HH18H | Start of interview - Hour | discrete | numeric | |
| V1126 | HH18M | Start of interview - Minutes | discrete | numeric | |
| V1127 | HH19H | End of interview - Hour | discrete | numeric | |
| V1128 | HH19M | End of interview - Minutes | discrete | numeric | |
| V1129 | SL1 | Total children aged 1-17 years | discrete | numeric | |
| V1130 | SL9A | Rank number of the selected child | discrete | numeric | |
| V1131 | SL9B | Child line number | discrete | numeric | |
| V1132 | SL9C | Child's age | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|-------|---------|---|----------|---------|---|
| V1133 | CD_FLAG | Flag for correct child line number | discrete | numeric | |
| V1134 | CL2A | Worked or helped on garden | discrete | numeric | Now I would like to ask about any work children in this household may do. Since last (day of the week), did (name) do any of the following activities. Even for only one hour? [a] Did (name) do any work or help on his/her own or the household's plot/farm/food garden or looked after animals? For example, growing farm produce, harvesting, or feeding, grazing, milking animals? |
| V1135 | CL2B | Helped in family business | discrete | numeric | Now I would like to ask about any work children in this household may do. Since last (day of the week), did (name) do any of the following activities. Even for only one hour? [b] Did (name) help in family business or relative's business with or without pay or run his/her own business? |
| V1136 | CL2C | Produced or sold articles | discrete | numeric | Now I would like to ask about any work children in this household may do. Since last (day of the week), did (name) do any of the following activities. Even for only one hour? [c] Did (name) produce or sell articles, handicrafts, clothes, food or agricultural products? |
| V1137 | CL2D | Engaged in any other activity for income | discrete | numeric | Now I would like to ask about any work children in this household may do. Since last (day of the week), did (name) do any of the following activities. Even for only one hour? [d] Since last (day of week), did (name) engage in any other activity in return for income in cash or in kind, even for only one hour? If no, probe: Please include any activity (name) performed as a regular or casual employee, self-employed or employer; or as an unpaid family worker helping out in household business or farm. |
| V1138 | CL4 | Hours worked in past week | discrete | numeric | Since last (day of the week), about how many hours did (name) engage in this activity/these activities, in total? |
| V1139 | CL5 | Activities required carrying heavy loads | discrete | numeric | Does the activity/do these activities require carrying heavy loads? |
| V1140 | CL6 | Activities required working with dangerous tools or heavy machinery | discrete | numeric | Does the activity/do these activities require working with dangerous tools (knives etc.) or operating heavy machinery? |
| V1141 | CL7A | Description of work: exposed to dust, fumes, or gas | discrete | numeric | How would you describe the work environment of (name)? [a] Is (name) exposed to dust, fumes or gas? |
| V1142 | CL7B | Description of work: exposed to extreme temperatures or humidity | discrete | numeric | How would you describe the work environment of (name)? [b] Is (name) exposed to extreme cold heat or humidity? |
| V1143 | CL7C | Description of work: exposed to loud noise or vibration | discrete | numeric | How would you describe the work environment of (name)? [c] Is (name) exposed to loud noise or vibration? |
| V1144 | CL7D | Description of work: required to work at heights | discrete | numeric | How would you describe the work environment of (name)? [d] Is (name) required to work at heights? |
| V1145 | CL7E | Description of work: required to work with chemicals | discrete | numeric | How would you describe the work environment of (name)? [e] Is (name) required to work with chemicals (pesticides, glues, etc.) or explosives? |
| V1146 | CL7F | Description of work: exposed to other | discrete | numeric | How would you describe the work environment of (name)? [f] Is (name) exposed to other things, processes or conditions bad for (name)'s health or safety? |
| V1147 | CL8 | Fetches water or collected firewood | discrete | numeric | Since last (day of the week), did (name) fetch water or collect firewood for household use? |
| V1148 | CL9 | Hours spent fetching water or collecting firewood | discrete | numeric | In total, how many hours did (name) spend on fetching water or collecting firewood for household use, since last (day of the week)? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|--|----------|---------|--|
| V1149 | CL10A | Household chores: shopping | discrete | numeric | Since last (day of the week), did (name) do any of the following for this household: Shopping for household? |
| V1150 | CL10B | Household chores: repairing equipment | discrete | numeric | Since last (day of the week), did (name) do any of the following for this household: Repair any household equipment? |
| V1151 | CL10C | Household chores: cooking or cleaning | discrete | numeric | Since last (day of the week), did (name) do any of the following for this household: Cooking or cleaning utensils or the house? |
| V1152 | CL10D | Household chores: washing clothes | discrete | numeric | Since last (day of the week), did (name) do any of the following for this household: Washing clothes |
| V1153 | CL10E | Household chores: caring for children | discrete | numeric | Since last (day of the week), did (name) do any of the following for this household: Caring for children |
| V1154 | CL10F | Household chores: caring for old or sick | discrete | numeric | Since last (day of the week), did (name) do any of the following for this household: Caring for the old or sick |
| V1155 | CL10G | Household chores: other | discrete | numeric | Since last (day of the week), did (name) do any of the following for this household: Other household tasks? |
| V1156 | CL12 | Number of hours | discrete | numeric | Since last (day of the week), about how many hours did (name) engage in this activity/these activities, in total? |
| V1157 | CD2 | Child line number | discrete | numeric | |
| V1158 | CD3A | Took away privileges | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Took away privileges, forbade something (name) liked or did not allow him/her to leave the house? |
| V1159 | CD3B | Explained why behaviour was wrong | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Explained why (name)'s behaviour was wrong? |
| V1160 | CD3C | Shook child | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Shook him/her? |
| V1161 | CD3D | Shouted, yelled or screamed at child | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Shouted, yelled at or screamed at him/her? |
| V1162 | CD3E | Gave child something else to do | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Gave him/her something else to do? |
| V1163 | CD3F | Spanked, hit or slapped child on bottom with bare hand | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Spanked, hit or slapped him/her on the bottom with bare hand? |

| ID | Name | Label | Type | Format | Question |
|-------|------|--|----------|---------|--|
| V1164 | CD3G | Hit child on the bottom or elsewhere with belt, brush, stick, etc. | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Hit him/her on the bottom or elsewhere on the body with something like a belt, hairbrush, stick or other head object? |
| V1165 | CD3H | Called child dumb, lazy or another name | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Called him/her dumb, lazy, or another name like that? |
| V1166 | CD3I | Hit or slapped child on the face, head or ears | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Hit or slapped him/her on the face, head or ears? |
| V1167 | CD3J | Hit or slapped child on the hand, arm or leg | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Hit or slapped him/her on the hand, arm, or leg? |
| V1168 | CD3K | Beat child up as hard as one could | discrete | numeric | Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month. Beat him/her up, that is hit him/her over and over as hard as one could? |
| V1169 | CD4 | Child needs to be physically punished to be brought up properly | discrete | numeric | Do you believe that in order to bring up, raise, or educate a child properly, the child needs to be physically punished? |
| V1170 | HC1A | Religion of household head | discrete | numeric | What is the religion of the head of this household? |
| V1171 | HC1C | Ethnic group of household head | discrete | numeric | To what ethnic group does the head of this household belong? |
| V1172 | HC2 | Number of rooms used for sleeping | discrete | numeric | How many rooms in this household are used for sleeping? |
| V1173 | HC3 | Main material of floor | discrete | numeric | |
| V1174 | HC4 | Main material of roof | discrete | numeric | |
| V1175 | HC5 | Main material of exterior wall | discrete | numeric | |
| V1176 | HC6 | Type of fuel using for cooking | discrete | numeric | What type of fuel does your household mainly use for cooking? |
| V1177 | HC7 | Cooking location | discrete | numeric | Is the cooking usually done in the house, in a separate building or outdoors? If "In the house", probe: Is it done in a separate room used as a kitchen? |
| V1178 | HC8A | Electricity | discrete | numeric | Does your household have: Electricity? |
| V1179 | HC8B | Radio | discrete | numeric | Does your household have: A radio? |
| V1180 | HC8C | Television | discrete | numeric | Does your household have: A television? |
| V1181 | HC8D | Fixed phone | discrete | numeric | Does your household have: A fixed telephone? |
| V1182 | HC8E | Refrigerator | discrete | numeric | Does your household have: A refrigerator? |
| V1183 | HC8F | Bed | discrete | numeric | Does your household have: A bed? |
| V1184 | HC8G | Table and chair set | discrete | numeric | Does your household have: A table and chair set? |
| V1185 | HC8H | Sofa | discrete | numeric | Does your household have: Sofa? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|---|----------|---------|--|
| V1186 | HC8I | Fan | discrete | numeric | Does your household have: A fan? |
| V1187 | HC8J | Computer | discrete | numeric | Does your household have: A computer? |
| V1188 | HC8K | Air conditioner | discrete | numeric | Does your household have: An air conditioner? |
| V1189 | HC8L | Gas cooker | discrete | numeric | Does your household have: A gas cooker? |
| V1190 | HC8M | Electric cooker | discrete | numeric | Does your household have: An electric cooker? |
| V1191 | HC8N | Washing machine | discrete | numeric | Does your household have: A washing machine? |
| V1192 | HC8O | Tractor | discrete | numeric | Does your household have: A tractor? |
| V1193 | HC8P | Car | discrete | numeric | Does your household have: An car or truck? |
| V1194 | HC8Q | Ship and boat with a motor | discrete | numeric | Does your household have: A ship and boat with a motor? |
| V1195 | HC9B | Mobile telephone | discrete | numeric | Does any member of your household own:A mobile telephone? |
| V1196 | HC9C | Bicycle | discrete | numeric | Does any member of your household own:A bicycle? |
| V1197 | HC9D | Motorcycle or scooter | discrete | numeric | Does any member of your household own:A motorcycle or scooter? |
| V1198 | HC10 | Household owns the dwelling | discrete | numeric | Do you or someone living in this household own this dwelling? |
| V1199 | HC11 | Any household member own or have user rights for land that can be used for agriculture | discrete | numeric | Does any member of this household own or have user rights for any land that can be used for agriculture? |
| V1200 | HC12 | Square meters of agricultural land members of household own | discrete | numeric | How many meters square (m) of agricultural land do members of this household own or have user rights for? |
| V1201 | HC12A | Any household member own or have rights for water surface area that can be used for agriculture | discrete | numeric | Does any member of this household own or have user rights for any water surface area that can be used for aquaculture? |
| V1202 | HC12B | Square meters of water surface area members of household own or have user rights | discrete | numeric | How many square meters (m) of water surface area do members of this household own or have user rights for? |
| V1203 | HC12C | Any household member own or have rights for any forestry land | discrete | numeric | Does any member of this household own or have rights for any forestry land? |
| V1204 | HC12D | Square meters of forestry land members of household own or have rights | discrete | numeric | How many meters square (m) of forestry land do members of this household own or have rights for? |
| V1205 | HC13 | Household own any animals | discrete | numeric | Does this household own any livestock, herds, other farm animals, or poultry? |
| V1206 | HC14A | Cattle, milk cows, or bulls | discrete | numeric | How many of the following animals does this household have? Cattle, milk cows, or bulls? |
| V1207 | HC14B | Horses, donkeys, or mules | discrete | numeric | How many of the following animals does this household have? Horses, donkeys or mules? |
| V1208 | HC14C | Goats | discrete | numeric | How many of the following animals does this household have? Goats? |
| V1209 | HC14E | Chickens | discrete | numeric | How many of the following animals does this household have? Chickens? |
| V1210 | HC14F | Pigs | discrete | numeric | How many of the following animals does this household have? Pigs? |
| V1211 | HC14G | Ducks, geese, swans | discrete | numeric | How many of the following animals does this household have? Ducks, geese or swans? |
| V1212 | HC15 | Any household member own bank account | discrete | numeric | Does any member of this household have a bank account? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|---|----------|-----------|--|
| V1213 | WS1 | Main source of drinking water | discrete | numeric | What is the main source of drinking water for members of your household? |
| V1214 | WS2 | Main source of water used for other purposes (if bottled water used for drinking) | discrete | numeric | What is the main source of water used by your household for other purposes such as cooking and handwashing? |
| V1215 | WS3 | Location of the water source | discrete | numeric | Where is that water source located? |
| V1216 | WS4 | Time (in minutes) to get water and come back | discrete | numeric | How long does it take to go there, get water, and come back? |
| V1217 | WS5 | Person collecting water | discrete | numeric | Who usually goes to this source to collect the water for your household? |
| V1218 | WS6 | Treat water to make safer for drinking | discrete | numeric | Do you do anything to the water to make it safer to drink? |
| V1219 | WS7A | Water treatment: Boil | discrete | character | What do you usually do to make the water safer to drink? |
| V1220 | WS7B | Water treatment: Add bleach/chlorine | discrete | character | What do you usually do to make the water safer to drink? |
| V1221 | WS7C | Water treatment: Strain it through a cloth | discrete | character | What do you usually do to make the water safer to drink? |
| V1222 | WS7D | Water treatment: Use water filter | discrete | character | What do you usually do to make the water safer to drink? |
| V1223 | WS7E | Water treatment: Solar disinfection | discrete | character | What do you usually do to make the water safer to drink? |
| V1224 | WS7F | Water treatment: Let it stand and settle | discrete | character | What do you usually do to make the water safer to drink? |
| V1225 | WS7X | Water treatment: Other | discrete | character | What do you usually do to make the water safer to drink? |
| V1226 | WS7Z | Water treatment: DK | discrete | character | What do you usually do to make the water safer to drink? |
| V1227 | WS8 | Type of toilet facility | discrete | numeric | What kind of toilet facility do members of your household usually use? |
| V1228 | WS9 | Toilet facility shared | discrete | numeric | Do you share this facility with others who are not members of your household? |
| V1229 | WS10 | Toilet shared with other household or with general public | discrete | numeric | Do you share this facility only with members of other households that you know, or is the facility open to the use of the general public? |
| V1230 | WS11 | Households using this toilet facility | discrete | numeric | How many households in total use this toilet facility, including your own household? |
| V1231 | HW1 | Place where household members most often wash their hands | discrete | numeric | We would like to learn about the places that households use to wash their hands. Can you please show me where members of your household most often wash their hands? |
| V1232 | HW2 | Water available at the place for handwashing | discrete | numeric | |
| V1233 | HW3A | Soap or detergent present at place of handwashing | discrete | numeric | Is soap, detergent or ash/mud/sand present at the place for handwashing? |
| V1234 | HW3BA | Bar soap | discrete | character | |
| V1235 | HW3BB | Detergent (Powder / Liquid / Paste) | discrete | character | |
| V1236 | HW3BC | Liquid soap | discrete | character | |
| V1237 | HW4 | Soap/other material available for washing hands | discrete | numeric | Do you have any soap or detergent in your house for washing hands? |
| V1238 | HW5A | Soap/other material available for washing hands | discrete | numeric | Can you please show it to me? |
| V1239 | HW5BA | Bar soap | discrete | character | |

| ID | Name | Label | Type | Format | Question |
|-------|-----------|-------------------------------------|----------|-----------|----------|
| V1240 | HW5BB | Detergent (Powder / Liquid / Paste) | discrete | character | |
| V1241 | HW5BC | Liquid soap | discrete | character | |
| V1242 | HHSEX | Sex of household head | discrete | numeric | |
| V1243 | ethnicity | Ethnicity of household head | discrete | numeric | |
| V1244 | helevel | Education of household head | discrete | numeric | |
| V1245 | hhweight | Household sample weight | contin | numeric | |
| V1246 | wscore | Combined wealth score | contin | numeric | |
| V1247 | windex5 | Wealth index quintile | discrete | numeric | |
| V1248 | wscoreu | Urban wealth score | contin | numeric | |
| V1249 | windex5u | Urban wealth index quintile | discrete | numeric | |
| V1250 | wscorer | Rural wealth score | contin | numeric | |
| V1251 | windex5r | Rural wealth index quintile | discrete | numeric | |
| V1252 | PSU | Primary sampling unit (PSU) | contin | numeric | |
| V1253 | stratum | Stratum | discrete | numeric | |

hl

| | |
|--------------|--|
| Content | Data collected at the household members' level (MICS Household members questionnaire modules: Household listing form, Education and MDCP.) |
| Cases | 39380 |
| Variable(s) | 50 |
| Structure | Type: Keys: () |
| Version | |
| Producer | Dataset produced by UNICEF and Vietnam General Statistics Office |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-------|-------|---|----------|---------|---|
| V1254 | HH1 | Cluster number | contin | numeric | |
| V1255 | HH2 | Household number | discrete | numeric | |
| V1256 | HL1 | Line number | discrete | numeric | |
| V1257 | HL3 | Relationship to the head | discrete | numeric | What is the relationship of (name) to the head of the household? |
| V1258 | HL4 | Sex | discrete | numeric | Is (name) male or female? |
| V1259 | HL5M | Month of birth | discrete | numeric | What is (name)'s date of birth according to western calendar? |
| V1260 | HL5Y | Year of birth | discrete | numeric | What is (name)'s date of birth according to western calendar? |
| V1261 | HL6 | Age | discrete | numeric | How old is (name)? |
| V1262 | HL7 | Line number of woman age 15 - 49 | discrete | numeric | |
| V1263 | HL7B | Line number for children age 0-4 | discrete | numeric | |
| V1264 | HL11 | Is natural mother alive | discrete | numeric | Is (name)'s natural mother alive? |
| V1265 | HL12 | Natural mother's line number in HH | discrete | numeric | Does (name's) natural mother live in this household? |
| V1266 | HL12A | Where does natural mother live | discrete | numeric | Where does (name)'s natural mother live? |
| V1267 | HL13 | Is natural father alive | discrete | numeric | Is (name)'s natural father alive? |
| V1268 | HL14 | Natural father's line number in HH | discrete | numeric | Does (name)'s natural father live in this household? |
| V1269 | HL14A | Where does natural father live | discrete | numeric | Where does (name)'s natural father live? |
| V1270 | HL15 | Line number of mother or primary caretaker for children 0-14 years of age | contin | numeric | Who is the primary caretaker of (name)? |
| V1271 | ED1 | Line number | discrete | numeric | |
| V1272 | ED3 | Ever attended school or pre-school | discrete | numeric | Has (name) ever attended school or preschool? |
| V1273 | ED4A | Highest level of education attended | discrete | numeric | What is the highest level of school (name) has attended? |
| V1274 | ED4B | Highest grade completed at that level | discrete | numeric | What is the highest grade (name) completed at this level? |
| V1275 | ED5 | Attended school during current school year (2013-2014) | discrete | numeric | During the (2013-2014), school year, did (name) attend school or preschool at any time? |
| V1276 | ED6A | Level of education attended current school year | discrete | numeric | During this/that school year, which level and grade is/was (name) attending? Level: |

| ID | Name | Label | Type | Format | Question |
|-------|-----------|--|----------|---------|---|
| V1277 | ED6B | Grade of education attended current school year | discrete | numeric | During this/that school year, which level and grade is/was (name) attending? Grade: |
| V1278 | ED7 | Attended school previous school year (2012-2013) | discrete | numeric | During the previous school year, that is (2012-2013), did (name) attend school or preschool at any time? |
| V1279 | ED8A | Level of education attended previous school year | discrete | numeric | During that previous school year, which level and grade did (name) attend? Level: |
| V1280 | ED8B | Grade of education attended previous school year | discrete | numeric | During that previous school year, which level and grade did (name) attend? Grade: |
| V1281 | MP3 | Line number | discrete | numeric | |
| V1282 | MP5 | Province registered for residency | discrete | numeric | In which province has (name) registered for residency? |
| V1283 | MP6 | Worked for income in last 12 months | discrete | numeric | In the last 12 months has (name) worked for income probe: Worked for wage/salary, household production or service in planting, breeding, forestry, or aquaculture, or trading/business for household? |
| V1284 | MP7 | Main reason for not working | discrete | numeric | What is the main reason (name) has not worked in the last 12 months? |
| V1285 | HH5D | Day of interview | contin | numeric | Day/month/year of interview: |
| V1286 | HH5M | Month of interview | discrete | numeric | Day/month/year of interview: |
| V1287 | HH5Y | Year of interview | discrete | numeric | Day/month/year of interview: |
| V1288 | HH6 | Area | discrete | numeric | |
| V1289 | HH7 | Region | discrete | numeric | |
| V1290 | MLINE | Mother's line number | discrete | numeric | |
| V1291 | FLINE | Father's line number | discrete | numeric | |
| V1292 | ethnicity | Ethnicity of household head | discrete | numeric | |
| V1293 | helevel | Education of household head | discrete | numeric | |
| V1294 | melevel | Mother's education | discrete | numeric | |
| V1295 | felevel | Father's education | discrete | numeric | |
| V1296 | schage | Age in calendar year 2013 | discrete | numeric | |
| V1297 | hhweight | Household sample weight | contin | numeric | |
| V1298 | wscore | Combined wealth score | contin | numeric | |
| V1299 | windex5 | Wealth index quintile | discrete | numeric | |
| V1300 | wscoreu | Urban wealth score | contin | numeric | |
| V1301 | windex5u | Urban wealth index quintile | discrete | numeric | |
| V1302 | wscorer | Rural wealth score | discrete | numeric | |
| V1303 | windex5r | Rural wealth index quintile | discrete | numeric | |

wm

| | |
|--------------|---|
| Content | Data collected at the women's level (MICS Women's questionnaire modules: Woman's information panel, Woman's background, Access to mass media and use of information/communication technology, Child mortality, Desire for last birth, Maternal and newborn health, Post-natal health checks, Illness symptoms, Contraception, Unmet need, Attitudes toward domestic violence, Marriage/union and HIV/AIDS.) |
| Cases | 10190 |
| Variable(s) | 258 |
| Structure | Type: Keys: () |
| Version | |
| Producer | Dataset produced by UNICEF and Vietnam General Statistics Office |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-------|-------|---------------------------------------|----------|---------|--|
| V1304 | HH1 | Cluster number | contin | numeric | |
| V1305 | HH2 | Household number | discrete | numeric | |
| V1306 | LN | Line number | discrete | numeric | |
| V1307 | WM1 | Cluster number | contin | numeric | |
| V1308 | WM2 | Household number | discrete | numeric | |
| V1309 | WM4 | Woman's line number | discrete | numeric | |
| V1310 | WM5 | Interviewer number | contin | numeric | |
| V1311 | WM6D | Day of interview | contin | numeric | |
| V1312 | WM6M | Month of interview | discrete | numeric | |
| V1313 | WM6Y | Year of interview | contin | numeric | |
| V1314 | WM7 | Result of woman's interview | discrete | numeric | |
| V1315 | WM8 | Field editor | contin | numeric | |
| V1316 | WM9 | Data entry clerk | discrete | numeric | |
| V1317 | WM10H | Start of interview - Hour | discrete | numeric | |
| V1318 | WM10M | Start of interview - Minutes | contin | numeric | |
| V1319 | WM11H | End of interview - Hour | discrete | numeric | |
| V1320 | WM11M | End of interview - Minutes | contin | numeric | |
| V1321 | WB1M | Month of birth of woman | discrete | numeric | In what month and year were you born? |
| V1322 | WB1Y | Year of birth of woman | contin | numeric | In what month and year were you born? |
| V1323 | WB2 | Age of woman | contin | numeric | How old are you? |
| V1324 | WB3 | Ever attended school | discrete | numeric | Have you ever attended school or preschool? |
| V1325 | WB4 | Highest level of school attended | discrete | numeric | What is the highest level of school you attended? |
| V1326 | WB5 | Highest grade completed at that level | discrete | numeric | What is the highest grade you completed at that level? |
| V1327 | WB7 | Can read part of the sentence | discrete | numeric | Now I would like you to read this sentence to me. Show sentence on the card to the respondent. If respondent cannot read whole sentence, probe: Can you read part of the sentence to me? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|--|----------|---------|---|
| V1328 | WDOI | Date of interview women (CMC) | contin | numeric | |
| V1329 | WB2C | Age of respondent (calculated) | contin | numeric | |
| V1330 | WAGE | Age | discrete | numeric | |
| V1331 | MT0 | Own a mobile phone or use one as your own | discrete | numeric | Do you own a mobile phone or use one as if it yours? |
| V1332 | MT1B | Ever used mobile phone to read or write SMS messages | discrete | numeric | Have you ever used your mobile phone to read or write SMS messages? |
| V1333 | MT1C | Frequency of reading/writing SMS messages | discrete | numeric | During the last one month, how often did you read or write SMS messages: almost every day, at least once a week, less than once a week or not at all? |
| V1334 | MT2 | Frequency of reading newspaper or magazine | discrete | numeric | How often do you read a newspaper or magazine: almost every day, at least once a week, less than once a week or not at all? |
| V1335 | MT3 | Frequency of listening to the radio | discrete | numeric | Do you listen to the radio almost every day, at least once a week, less than once a week or not at all? |
| V1336 | MT4 | Frequency of watching TV | discrete | numeric | How often do you watch television: would you say that you watch almost every day, at least once a week, less than once a week or not at all? |
| V1337 | MT6 | Ever used a computer | discrete | numeric | Have you ever used a computer? |
| V1338 | MT7 | Computer usage in the last 12 months | discrete | numeric | Have you used a computer from any location in the last 12 months? |
| V1339 | MT8 | Frequency of computer usage in the last month | discrete | numeric | During the last one month, how often did you use a computer: almost every day, at least once a week, less than once a week or not at all? |
| V1340 | MT9 | Ever used internet | discrete | numeric | Have you ever used the internet? |
| V1341 | MT10 | Internet usage in the last 12 months | discrete | numeric | In the last 12 months, have you used the internet? |
| V1342 | MT11 | Frequency of Internet usage in the past month | discrete | numeric | During the last one month, how often did you use the internet: almost every day, at least once a week, less than once a week or not at all? |
| V1343 | CM1 | Ever given birth | discrete | numeric | Now I would like to ask you about births you have had during your life. Have you ever given birth? |
| V1344 | CM4 | Any sons or daughters living with you | discrete | numeric | Do you have any sons or daughters to whom you have given birth who are now living with you? |
| V1345 | CM5A | Sons living with you | discrete | numeric | How many sons live with you? |
| V1346 | CM5B | Daughters living with you | discrete | numeric | How many daughters live with you? |
| V1347 | CM6 | Any sons or daughters not living with you | discrete | numeric | Do you have any sons or daughters to whom you have given birth who are alive but do not live with you? |
| V1348 | CM7A | Sons living elsewhere | discrete | numeric | How many sons are alive but do not live with you? |
| V1349 | CM7B | Daughters living elsewhere | discrete | numeric | How many daughters are alive but do not live with you? |
| V1350 | CM8 | Ever had child who later died | discrete | numeric | Have you ever given birth to boy or girl who was born alive but later died? |
| V1351 | CM9A | Boys dead | discrete | numeric | How many boys have died? |
| V1352 | CM9B | Girls dead | discrete | numeric | How many girls have died? |
| V1353 | CM10 | Children ever born | discrete | numeric | |
| V1354 | CTOT | Check total number of children ever born | discrete | numeric | |
| V1355 | CM12M | Month of last birth | discrete | numeric | Of these (total number in CM10) births you have had, when did you deliver the last one (even if the baby died)? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|--|----------|-----------|--|
| V1356 | CM12Y | Year of last birth | contin | numeric | Of these (total number in CM10) births you have had, when did you deliver the last one (even if the baby died)? |
| V1357 | CM13 | Last birth in last two years | discrete | character | |
| V1358 | DB1 | Wanted last child then | discrete | numeric | When you got pregnant with (name), did you want to get pregnant at that time? |
| V1359 | DB2 | Wanted child later or did not want more children | discrete | numeric | Did you want to have a baby later on, or did you not want any (more) children? |
| V1360 | DB3U | Desired waiting time (units) | discrete | numeric | How much longer did you want to wait? |
| V1361 | DB3N | Desired waiting time (number) | discrete | numeric | How much longer did you want to wait? |
| V1362 | MN1 | Received antenatal care | discrete | numeric | Did you see anyone for antenatal care during your pregnancy with (name)? |
| V1363 | MN2A | Antenatal care: Doctor | discrete | character | Whom did you see? |
| V1364 | MN2B | Antenatal care: Nurse / Midwife | discrete | character | Whom did you see? |
| V1365 | MN2F | Antenatal care: Traditional birth attendant | discrete | character | Whom did you see? |
| V1366 | MN2G | Antenatal care: Village health worker | discrete | character | Whom did you see? |
| V1367 | MN2X | Antenatal care: Other | discrete | character | Whom did you see? |
| V1368 | MN2AU | Weeks or months pregnant at first ANC - unit | discrete | numeric | How many weeks or months pregnant were you when you first received antenatal care for this pregnancy? |
| V1369 | MN2AN | Weeks or months pregnant at first ANC - number | discrete | numeric | How many weeks or months pregnant were you when you first received antenatal care for this pregnancy? |
| V1370 | MN3 | Times received antenatal care | contin | numeric | How many times did you receive antenatal care during this pregnancy? |
| V1371 | MN4A | Blood pressure | discrete | numeric | As part of your antenatal care during this pregnancy, was any of the following done at least once: Was your blood pressure measured? |
| V1372 | MN4B | Urine sample | discrete | numeric | As part of your antenatal care during this pregnancy, was any of the following done at least once: Did you give a urine sample? |
| V1373 | MN4C | Blood sample | discrete | numeric | As part of your antenatal care during this pregnancy, was any of the following done at least once: Did you give a blood sample? |
| V1374 | MN4D | Iron Folic Supplements | discrete | numeric | As part of your antenatal care during this pregnancy, was any of the following done at least once: Were you advised to take iron folic supplements (or iron tablets or multiple micro-nutrient (MMN) supplements)? |
| V1375 | MN4E | Any iron folic supplements during last pregnancy | discrete | numeric | During this pregnancy, did you take any iron folic supplements or iron tablets or multiple micro-nutrient (MMN) supplements such as these? |
| V1376 | MN4F | Number of months took iron folic supplements during last pregnancy | discrete | numeric | During this whole pregnancy, for how many months did you take the tablets (supplements)? |
| V1377 | MN5 | Has own immunization card | discrete | numeric | Do you have a card or other document with your own immunizations listed? May I see it please? |
| V1378 | MN6 | Any tetanus toxoid injection during last pregnancy | discrete | numeric | When you were pregnant with (name), did you receive any injection in the arm or shoulder to prevent the baby from getting tetanus, that is convulsions after birth? |
| V1379 | MN7 | Doses of tetanus toxoid during last pregnancy | discrete | numeric | How many times did you receive this tetanus injection during your pregnancy with (name)? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|--|----------|-----------|--|
| V1380 | MN9 | Any tetanus toxoid injection before last pregnancy | discrete | numeric | Did you receive any tetanus injection at any time before your pregnancy with (name), either to protect yourself or another baby? |
| V1381 | MN10 | Doses of tetanus toxoid before last pregnancy | discrete | numeric | How many times did you receive a tetanus injection before your pregnancy with (name)? |
| V1382 | MN11 | Years ago last tetanus toxoid received | discrete | numeric | How many years ago did you receive the last tetanus injection before your pregnancy with (name)? |
| V1383 | MN17A | Assistance at delivery: Doctor | discrete | character | Who assisted with the delivery of (name)? |
| V1384 | MN17B | Assistance at delivery: Nurse / Midwife | discrete | character | Who assisted with the delivery of (name)? |
| V1385 | MN17F | Assistance at delivery: Traditional birth attendant | discrete | character | Who assisted with the delivery of (name)? |
| V1386 | MN17G | Assistance at delivery: Village health worker | discrete | character | Who assisted with the delivery of (name)? |
| V1387 | MN17H | Assistance at delivery: Relative / Friend | discrete | character | Who assisted with the delivery of (name)? |
| V1388 | MN17X | Assistance at delivery: Other | discrete | character | Who assisted with the delivery of (name)? |
| V1389 | MN17Y | Assistance at delivery: No one | discrete | character | Who assisted with the delivery of (name)? |
| V1390 | MN18 | Place of delivery | contin | numeric | Where did you give birth to (name)? |
| V1391 | MN19 | Delivery by caesarean section | discrete | numeric | Was (name) delivered by caesarean section? That is, did they cut your belly open to take the baby out? |
| V1392 | MN19A | Decision for caesarean made before the onset of labour or after | discrete | numeric | When was the decision made to have the caesarean section? Was it before or after your labour pains started? |
| V1393 | MN20 | Size of child at birth | discrete | numeric | When (name) was born, was he/she very large, larger than average, average, smaller than average or very small? |
| V1394 | MN21 | Child weighed at birth | discrete | numeric | Was (name) weighed at birth? |
| V1395 | MN22A | Weight from card or recall | discrete | numeric | How much did (name) weigh? |
| V1396 | MN22 | Weight at birth (Kilograms) | contin | numeric | How much did (name) weigh? |
| V1397 | MN23 | Menstrual period returned since the birth of child | discrete | numeric | Has your menstrual period returned since the birth of (name)? |
| V1398 | MN24 | Ever breastfeed | discrete | numeric | Did you ever breastfeed (name)? |
| V1399 | MN25U | Time baby put to breast (unit) | discrete | numeric | How long after birth did you first put (name) to the breast? |
| V1400 | MN25N | Time baby put to breast (number) | discrete | numeric | How long after birth did you first put (name) to the breast? |
| V1401 | MN26 | Within first 3 days after delivery, child given anything to drink other than breast milk | discrete | numeric | In the first three days after delivery, was (name) given anything to drink other than breast milk? |
| V1402 | MN27A | Child given to drink - Milk (other than breast milk) | discrete | character | What was (name) given to drink? |
| V1403 | MN27B | Child given to drink - Plain water | discrete | character | What was (name) given to drink? |
| V1404 | MN27C | Child given to drink - Sugar or glucose water | discrete | character | What was (name) given to drink? |
| V1405 | MN27D | Child given to drink - Gripe water | discrete | character | What was (name) given to drink? |
| V1406 | MN27E | Child given to drink - Sugar - salt - water solution | discrete | character | What was (name) given to drink? |
| V1407 | MN27F | Child given to drink - Fruit juice | discrete | character | What was (name) given to drink? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|---|----------|-----------|---|
| V1408 | MN27G | Child given to drink - Infant formula | discrete | character | What was (name) given to drink? |
| V1409 | MN27H | Child given to drink - Tea / Infusions | discrete | character | What was (name) given to drink? |
| V1410 | MN27I | Child given to drink - Honey | discrete | character | What was (name) given to drink? |
| V1411 | MN27J | Child given to drink - Rice soup | discrete | character | What was (name) given to drink? |
| V1412 | MN27X | Child given to drink - Other | discrete | character | What was (name) given to drink? |
| V1413 | PN2U | Duration of staying in the health facility (unit) | discrete | numeric | Now I would like to ask you some questions about what happened in the hours and days after the birth of (name). You have said that you gave birth in (name or type of facility in MN18). How long did you stay there after the delivery? |
| V1414 | PN2N | Duration of staying in the health facility (number) | discrete | numeric | Now I would like to ask you some questions about what happened in the hours and days after the birth of (name). You have said that you gave birth in (name or type of facility in MN18). How long did you stay there after the delivery? |
| V1415 | PN3 | Baby's health checked before leaving health facility | discrete | numeric | I would like to talk to you about checks on (name)'s health after delivery - for example, someone examining (name), checking the cord, or seeing if (name) is ok. Before you left the (name or type of facility in MN18), did anyone check on (name)'s health? |
| V1416 | PN4 | Mother's health checked before leaving health facility | discrete | numeric | And what about checks on your health - I mean, someone assessing your health, for example asking questions about your health or examining you. Did anyone check on your health before you left (name or type of facility in MN18)? |
| V1417 | PN5 | Baby's health checked after leaving health facility | discrete | numeric | Now I would like to talk to you about what happened after you left (name or type of facility in MN18). Did anyone check on (name)'s health after you left (name or type of facility in MN18)? |
| V1418 | PN7 | Baby checked after the delivery was over | discrete | numeric | You have already said that (person or persons in MN17) assisted with the birth. Now I would like to talk to you about checks on (name)'s health after delivery, for example examining (name), checking the cord, or seeing if (name) is ok. After the delivery was over and before (person or persons in MN7) left you, did (person or persons in MN17) check on (name)'s health? |
| V1419 | PN8 | Mother checked after the delivery was over | discrete | numeric | And did (person or persons in MN17) check on your health before leaving? By check on your health, I mean assessing your health, for example asking questions about your health or examining you. |
| V1420 | PN9 | Additional baby check after the delivery | discrete | numeric | After the (person or persons in MN17) left you, did anyone check on the health of (name)? |
| V1421 | PN10 | Baby checked after the delivery | discrete | numeric | I would like to talk to you about checks on (name)'s health after delivery - for example, someone examining (name), checking the cord, or seeing if the baby is ok. After (name) was delivered, did anyone check on his/her health? |
| V1422 | PN11 | Number of times baby was checked | discrete | numeric | Did such a check happen only once, or more than once? |
| V1423 | PN12U | How long after delivery did the first check of baby happen (unit) | discrete | numeric | How long after delivery did the first of these checks happen? |
| V1424 | PN12N | How long after delivery did the first check of baby happen (number) | discrete | numeric | How long after delivery did the first of these checks happen? |
| V1425 | PN13A | Person checking on baby's health: Doctor | discrete | character | Who checked on (name)'s health at that time? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|---|----------|-----------|---|
| V1426 | PN13B | Person checking on baby's health: Nurse / Midwife | discrete | character | Who checked on (name)'s health at that time? |
| V1427 | PN13F | Person checking on baby's health: Traditional birth attendant | discrete | character | Who checked on (name)'s health at that time? |
| V1428 | PN13G | Person checking on baby's health: Village health worker | discrete | character | Who checked on (name)'s health at that time? |
| V1429 | PN13H | Person checking on baby's health: Relative / Friend | discrete | character | Who checked on (name)'s health at that time? |
| V1430 | PN13X | Person checking on baby's health: Other | discrete | character | Who checked on (name)'s health at that time? |
| V1431 | PN14 | Place where baby's health was checked | contin | numeric | Where did this check take place? |
| V1432 | PN16 | Mother's health checked after leaving health facility | discrete | numeric | After you left (name or type of facility in MN18), did anyone check on your health? |
| V1433 | PN18 | Mother's health checked after the delivery was over | discrete | numeric | After the delivery was over and (person or persons in MN17) left, did anyone check on your health? |
| V1434 | PN19 | Mother's health checked after the birth of the baby | discrete | numeric | After the birth of (name), did anyone check on your health? I mean someone assessing your health, for example asking questions about your health or examining you. |
| V1435 | PN20 | Number of times mother's health was checked after the birth | discrete | numeric | Did such a check happen only once, or more than once? |
| V1436 | PN21U | How long after delivery did the first check of mother happen (unit) | discrete | numeric | How long after delivery did the first of these checks happen? |
| V1437 | PN21N | How long after delivery did the first check of mother happen (number) | discrete | numeric | How long after delivery did the first of these checks happen? |
| V1438 | PN22A | Person checking on mother's health: Doctor | discrete | character | Who checked on your health at that time? |
| V1439 | PN22B | Person checking on mother's health: Nurse / Midwife | discrete | character | Who checked on your health at that time? |
| V1440 | PN22F | Person checking on mother's health: Traditional birth attendant | discrete | character | Who checked on your health at that time? |
| V1441 | PN22G | Person checking on mother's health: Village health worker | discrete | character | Who checked on your health at that time? |
| V1442 | PN22H | Person checking on mother's health: Relative / Friend | discrete | character | Who checked on your health at that time? |
| V1443 | PN22X | Person checking on mother's health: Other | discrete | character | Who checked on your health at that time? |
| V1444 | PN23 | Place where mother's health was checked | contin | numeric | Where did this check take place? |
| V1445 | IS2A | Symptoms: Child not able to drink or breastfeed | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1446 | IS2B | Symptoms: Child becomes sicker | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |

| ID | Name | Label | Type | Format | Question |
|-------|------|---|----------|-----------|---|
| V1447 | IS2C | Symptoms: Child develops a fever | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1448 | IS2D | Symptoms: Child has fast breathing | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1449 | IS2E | Symptoms: Child has difficulty breathing | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1450 | IS2F | Symptoms: Child has blood in stool | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1451 | IS2G | Symptoms: Child is drinking poorly | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1452 | IS2H | Symptoms: Child is vomiting | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1453 | IS2I | Symptoms: Child choked | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1454 | IS2X | Symptoms: Other | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1455 | IS2Y | Symptoms: Other | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1456 | IS2Z | Symptoms: Other | discrete | character | Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away? |
| V1457 | CP1 | Currently pregnant | discrete | numeric | I would like to talk with you about another subject - family planning. Are you pregnant now? |
| V1458 | CP2 | Currently using a method to avoid pregnancy | discrete | numeric | Couples use various ways or methods to delay or avoid a pregnancy. Are you currently doing something or using any method to delay or avoid getting pregnant? |
| V1459 | CP2A | Ever used a method to avoid pregnancy | discrete | numeric | Have you ever done something or used any method to delay or avoid getting pregnant? |
| V1460 | CP3A | Current method: Female sterilization | discrete | character | What are you doing to delay or avoid a pregnancy? Female Sterilization: Women can have an operation to avoid having any more children. |
| V1461 | CP3B | Current method: Male sterilization | discrete | character | What are you doing to delay or avoid a pregnancy? Male Sterilization: Men can have an operation to avoid having any more children. |
| V1462 | CP3C | Current method: IUD | discrete | character | What are you doing to delay or avoid a pregnancy? IUD: Women can have a loop or coil placed inside them by a doctor or a nurse. |

| ID | Name | Label | Type | Format | Question |
|-------|-------|---|----------|-----------|--|
| V1463 | CP3D | Current method: Injectables | discrete | character | What are you doing to delay or avoid a pregnancy? Injectables: Women can have an injection by a health provider, that stops her from becoming pregnant for one or more months. |
| V1464 | CP3E | Current method: Implants | discrete | character | What are you doing to delay or avoid a pregnancy? Implants: Women can have one or more small implants placed in their upper arm by a doctor or nurse which can prevent pregnancy for one or more years. |
| V1465 | CP3F | Current method: Pill | discrete | character | What are you doing to delay or avoid a pregnancy? Pill: Women have to take a pill every day to avoid becoming pregnant. |
| V1466 | CP3G | Current method: Male condom | discrete | character | What are you doing to delay or avoid a pregnancy? Male Condom: Men can put a rubber condom on their penis before or during the sexual intercourse. |
| V1467 | CP3H | Current method: Female condom | discrete | character | What are you doing to delay or avoid a pregnancy? Female Condom: Women can place a sheath in their vagina before sexual intercourse. |
| V1468 | CP3I | Current method: Diaphragm | discrete | character | What are you doing to delay or avoid a pregnancy? Diaphragm: Women can place a soft rubber cup in their vagina to block sperm from entering uterus or tubes. |
| V1469 | CP3J | Current method: Foam / Jelly | discrete | character | What are you doing to delay or avoid a pregnancy? Foam, Jelly: Women may be using spermicides such as foam, jelly, cream that are used to kill sperm or make sperm unable to move to the egg. |
| V1470 | CP3L | Current method: Periodic abstinence / Rhythm | discrete | character | What are you doing to delay or avoid a pregnancy? Rhythm Method: Woman can avoid pregnancy by not having sexual intercourse on the days of the month she is most likely to get pregnant. |
| V1471 | CP3M | Current method: Withdrawal | discrete | character | What are you doing to delay or avoid a pregnancy? Withdrawal: Men can be careful and pull out before climax. |
| V1472 | CP3X | Current method: Other | discrete | character | What are you doing to delay or avoid a pregnancy? Other |
| V1473 | UN2 | Wanted to get pregnant at the time | discrete | numeric | Now, I would like to talk to you about your current pregnancy. When you got pregnant, did you want to get pregnant at that time? |
| V1474 | UN3 | Wanted baby later or did not want more children | discrete | numeric | Did you want to have a baby later on or did you not want any (more) children? |
| V1475 | UN4 | Would like to have another child (currently pregnant) | discrete | numeric | Now I would like to ask some questions about the future. After the child you are now expecting, would you like to have another child, or would you prefer not to have any more children? |
| V1476 | UN6 | Would like to have another child (not currently pregnant) | discrete | numeric | Now I would like to ask you some questions about the future. Would you like to have (a/another) child, or would you prefer not to have any (more) children? |
| V1477 | UN7U | Desired waiting time (unit) | discrete | numeric | How long would you like to wait before the birth of (a/another) child? |
| V1478 | UN7N | Desired waiting time (number) | discrete | numeric | How long would you like to wait before the birth of (a/another) child? |
| V1479 | UN10 | Able to get pregnant | discrete | numeric | Do you think you are physically able to get pregnant at this time? |
| V1480 | UN11A | Reason: Infrequent sex / No sex | discrete | character | Why do you think you are not physically able to get pregnant? |
| V1481 | UN11B | Reason: Menopausal | discrete | character | Why do you think you are not physically able to get pregnant? |
| V1482 | UN11C | Reason: Never menstruated | discrete | character | Why do you think you are not physically able to get pregnant? |

| ID | Name | Label | Type | Format | Question |
|-------|-------|---|----------|-----------|--|
| V1483 | UN11D | Reason: Hysterectomy (surgical removal of uterus) | discrete | character | Why do you think you are not physically able to get pregnant? |
| V1484 | UN11E | Reason: Has been trying to get pregnant for 2 years or more without result | discrete | character | Why do you think you are not physically able to get pregnant? |
| V1485 | UN11F | Reason: Postpartum amenorrheic | discrete | character | Why do you think you are not physically able to get pregnant? |
| V1486 | UN11G | Reason: Breastfeeding | discrete | character | Why do you think you are not physically able to get pregnant? |
| V1487 | UN11H | Reason: Too old | discrete | character | Why do you think you are not physically able to get pregnant? |
| V1488 | UN11I | Reason: Fatalistic | discrete | character | Why do you think you are not physically able to get pregnant? |
| V1489 | UN11X | Reason: Other | discrete | character | Why do you think you are not physically able to get pregnant? |
| V1490 | UN11Z | Reason: Don't know | discrete | character | Why do you think you are not physically able to get pregnant? |
| V1491 | UN13U | Start of last menstrual period (unit) | discrete | numeric | When did your last menstrual period start? |
| V1492 | UN13N | Start of last menstrual period (number) | contin | numeric | When did your last menstrual period start? |
| V1493 | DV1A | If she goes out without telling husband: wife beating justified | discrete | numeric | Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she goes out without telling him? |
| V1494 | DV1B | If she neglects the children: wife beating justified | discrete | numeric | Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she neglects the children? |
| V1495 | DV1C | If she argues with husband: wife beating justified | discrete | numeric | Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she argues with him? |
| V1496 | DV1D | If she refuses to have sex with husband: wife beating justified | discrete | numeric | Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she refuses to have sex with him? |
| V1497 | DV1E | If she burns the food: wife beating justified | discrete | numeric | Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she burns the food? |
| V1498 | DV1F | If she does not complete house work to his satisfaction: wife beating justified | discrete | numeric | Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she does not complete her house work to his satisfaction? |
| V1499 | DV1G | If she is doubted about her being faithful: wife beating justified | discrete | numeric | Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she is doubted about her being faithful? |
| V1500 | DV1H | If she disclosed that she was unfaithful: wife beating justified | discrete | numeric | Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she is disclosed that she was unfaithful? |
| V1501 | MA1 | Currently married or living with a man | discrete | numeric | Are you currently married or living together with a man as if married? |
| V1502 | MA2 | Age of husband/partner | contin | numeric | How old is your husband/partner? |

| ID | Name | Label | Type | Format | Question |
|-------|------|---|----------|---------|--|
| V1503 | MA3 | Husband/partner has other wives | discrete | numeric | Besides yourself, does your husband/partner have any other wives or partners or does he live with other women as if married? |
| V1504 | MA4 | Number of other wives | discrete | numeric | How many other wives or partners does he have? |
| V1505 | MA5 | Ever married or lived with a man | discrete | numeric | Have you ever been married or lived together with a man as if married? |
| V1506 | MA6 | Marital status | discrete | numeric | What is your marital status now: are you widowed, divorced or separated? |
| V1507 | MA7 | Married or lived with a man once or more than once | discrete | numeric | Have you been married or lived with a man only once or more than once? |
| V1508 | MA8M | Month of first union | discrete | numeric | In what month and year did you first marry or start living with a man as if married? |
| V1509 | MA8Y | Year of first union | contin | numeric | In what month and year did you first marry or start living with a man as if married? |
| V1510 | MA9 | Age at first union | contin | numeric | How old were you when you started living with your first husband/partner? |
| V1511 | HA1 | Ever heard of AIDS | discrete | numeric | Now I would like to talk with you about something else. Have you ever heard of an illness called AIDS? |
| V1512 | HA2 | Can avoid AIDS virus by having one uninfected partner | discrete | numeric | Can people reduce their chance of getting the HIV virus by having just one uninfected sex partner who has no other sex partners? |
| V1513 | HA3 | Can get AIDS virus through supernatural means | discrete | numeric | Can people get the HIV virus because of witchcraft or other supernatural means? |
| V1514 | HA4 | Can avoid AIDS virus by using a condom correctly every time | discrete | numeric | Can people reduce their chance of getting the HIV virus by using a condom every time they have sex? |
| V1515 | HA5 | Can get AIDS virus from mosquito bites | discrete | numeric | Can people get the HIV virus from mosquito bites? |
| V1516 | HA6 | Can get AIDS virus by sharing food with a person who has AIDS | discrete | numeric | Can people get the aids virus by sharing food with a person who has the AIDS virus? |
| V1517 | HA7 | Healthy-looking person may have AIDS virus | discrete | numeric | Is it possible for a healthy-looking person to have the HIV virus? |
| V1518 | HA8A | AIDS virus from mother to child during pregnancy | discrete | numeric | Can the virus that causes HIV be transmitted from a mother to her baby: [a] during pregnancy? |
| V1519 | HA8B | AIDS virus from mother to child during delivery | discrete | numeric | Can the virus that causes HIV be transmitted from a mother to her baby: [b] during delivery? |
| V1520 | HA8C | AIDS virus from mother to child through breastfeeding | discrete | numeric | Can the virus that causes HIV be transmitted from a mother to her baby: [c] by breastfeeding? |
| V1521 | HA9 | Should female teacher with AIDS virus be allowed to teach in school | discrete | numeric | In your opinion, if a female teacher has the HIV virus but is not sick, should she be allowed to continue teaching in school? |
| V1522 | HA9A | Should a child with AIDS virus be allowed to go to school | discrete | numeric | In your opinion, should a child that has the HIV virus, but is not sick be allowed to continue going to his/her school? |
| V1523 | HA9B | Should a child whose mother or father has AIDS virus be allowed to go to school | discrete | numeric | In your opinion, should a child whose mother or father has the HIV virus, be allowed to continue going to his/her school? |
| V1524 | HA10 | Would buy fresh vegetables from shopkeeper with AIDS virus | discrete | numeric | Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had the HIV virus? |
| V1525 | HA11 | If HH member became infected with AIDS virus, would want it to remain a secret | discrete | numeric | If a member of your family got infected with the HIV virus, would you want it to remain a secret? |

| ID | Name | Label | Type | Format | Question |
|-------|---------|--|----------|---------|---|
| V1526 | HA12 | Willing to care for person with AIDS in household | discrete | numeric | If a member of your family became sick with HIV, would you be willing to care for her or him in your own household? |
| V1527 | HA15A | Given information about AIDS virus during antenatal care visit: AIDS from mother | discrete | numeric | During any of the antenatal visits for your pregnancy with (name), were you given any information about: [a] babies getting the HIV virus from their mother? |
| V1528 | HA15B | Given information about AIDS virus during antenatal care visit: Things to do | discrete | numeric | During any of the antenatal visits for your pregnancy with (name), were you given any information about: [b] things that you can do to prevent getting the HIV virus? |
| V1529 | HA15C | Given information about AIDS virus during antenatal care visit: Tested for AIDS | discrete | numeric | During any of the antenatal visits for your pregnancy with (name), were you given any information about: [c] getting tested for the HIV virus? |
| V1530 | HA15D | Given information about AIDS virus during antenatal care visit: Offered a test | discrete | numeric | During any of the antenatal visits for your pregnancy with (name), were you: [d] offered a test for the HIV virus? |
| V1531 | HA16 | Tested for AIDS virus as part of antenatal care | discrete | numeric | I don't want to know the results, but were you tested for the HIV virus as part of your antenatal care? |
| V1532 | HA17 | Received results from test during antenatal care | discrete | numeric | I don't want to know the results, but did you get the results of the test? |
| V1533 | HA18 | Received consultation after testing during antenatal care | discrete | numeric | Regardless of the result, all women who are tested are supposed to receive counselling after getting the result. After you were tested, did you receive counselling? |
| V1534 | HA20 | Tested for AIDS virus during delivery | discrete | numeric | I don't want to know the results, but were you tested for the HIV virus between the time you went for delivery but before the baby was born? |
| V1535 | HA21 | Received results from test during delivery | discrete | numeric | I don't want to know the results, but did you get the results of the test? |
| V1536 | HA22 | Tested for AIDS virus since test during pregnancy | discrete | numeric | Have you been tested for the HIV virus since that time you were tested during your pregnancy? |
| V1537 | HA23 | Most recent time of testing for AIDS virus | discrete | numeric | When was the most recent time you were tested for the HIV virus? |
| V1538 | HA24 | Ever been tested for AIDS virus | discrete | numeric | I don't want to know the results, but have you ever been tested to see if you have the HIV virus? |
| V1539 | HA25 | Most recent time of testing for AIDS virus | discrete | numeric | When was the most recent time you were tested? |
| V1540 | HA26 | Received results of AIDS virus test | discrete | numeric | I don't want to know the results, but did you get the results of the test? |
| V1541 | HA27 | Know a place to get AIDS virus test | discrete | numeric | Do you know of a place where people can go to get tested for the HIV virus? |
| V1542 | HH6 | Area | discrete | numeric | |
| V1543 | HH7 | Region | discrete | numeric | |
| V1544 | WDOB | Date of birth of woman (CMC) | contin | numeric | |
| V1545 | WDOM | Date of marriage (CMC) | contin | numeric | |
| V1546 | WAGEM | Age at first marriage/union | contin | numeric | |
| V1547 | WDOBFC | Date of birth of first child (CMC) | contin | numeric | |
| V1548 | WDOBLC | Date of birth of last child (CMC) | contin | numeric | |
| V1549 | MSTATUS | Marital/Union status | discrete | numeric | |
| V1550 | CEB | Children ever born | discrete | numeric | |
| V1551 | CSURV | Children surviving | discrete | numeric | |
| V1552 | CDEAD | Children dead | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|-------|-----------|-----------------------------|----------|---------|----------|
| V1553 | wmweight | Women's sample weight | contin | numeric | |
| V1554 | wscore | Combined wealth score | contin | numeric | |
| V1555 | windex5 | Wealth index quintile | discrete | numeric | |
| V1556 | wscoreu | Urban wealth score | contin | numeric | |
| V1557 | windex5u | Urban wealth index quintile | discrete | numeric | |
| V1558 | wscorer | Rural wealth score | contin | numeric | |
| V1559 | windex5r | Rural wealth index quintile | discrete | numeric | |
| V1560 | welevel | Education | discrete | numeric | |
| V1561 | ethnicity | Ethnicity of household head | discrete | numeric | |

Cluster number (HH1)

File: bh

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 15479 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 1 |
| Decimals: 0 | Maximum: 510 |
| Range: 1-510 | |

Interviewer instructions

Enter the cluster number as instructed by your supervisor.

Household number (HH2)

File: bh

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 15479 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-20 | |

Interviewer instructions

Enter the household number as instructed by your supervisor.

Line number (LN)

File: bh

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 15479 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-15 | |

Line Number (BHLN)

File: bh

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 15479 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-12 | |

Twins (BH2)

File: bh

Overview

Twins (BH2)

File: bh

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 15479
Invalid: 0

Literal question

Were any of these births twins?

Sex of child (BH3)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 15479
Invalid: 0

Literal question

Is (name) a boy or a girl?

Month of birth (BH4M)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 15479
Invalid: 0

Literal question

In what month and year was (name) born?
Probe: what is his/her birthday?

Year of birth (BH4Y)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1978-9999

Valid cases: 15479
Invalid: 0
Minimum: 1978
Maximum: 9999

Literal question

In what month and year was (name) born?
Probe: what is his/her birthday?

Still alive (BH5)

File: bh

Still alive (BH5)

File: bh

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 15479
 Invalid: 0

Literal question

Is (name) still alive?

Age of child (BH6)

File: bh

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Valid cases: 14948
 Invalid: 531
 Minimum: 0
 Maximum: 99

Literal question

How old was (name) at his/her last birthday?

Living with respondent (BH7)

File: bh

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Valid cases: 14948
 Invalid: 531

Literal question

Is (name) living with you?

Line number of child in HH (BH8)

File: bh

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-16

Valid cases: 14948
 Invalid: 531

Interviewer instructions

Record household line number of child (from HL1)
 Record "00" if child is not listed.

Age at death (units) (BH9U)

File: bh

Age at death (units) (BH9U)

File: bh

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 531 |
| Format: numeric | Invalid: 14948 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

If dead:
How old was (name) when he/she died?
If "1 year", probe:
How many months old was (name)?

Interviewer instructions

Record days if less than 1 month; record months if less than 2 years; or years.

Age at death (number) (BH9N)

File: bh

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 531 |
| Format: numeric | Invalid: 14948 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 30 |
| Range: 0-99 | |

Literal question

If dead:
How old was (name) when he/she died?
If "1 year", probe:
How many months old was (name)?

Interviewer instructions

Record days if less than 1 month; record months if less than 2 years; or years

Any other between births (BH10)

File: bh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 8378 |
| Format: numeric | Invalid: 7101 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Were there any other live births between (name of previous birth) and (name), including any children who died after birth?

Date of birth of child (CMC) (BH4C)

File: bh

Overview

Date of birth of child (CMC) (BH4C)

File: bh

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 940-1371

Valid cases: 15479
Invalid: 0
Minimum: 940
Maximum: 1371

Date flag for BH4C (BH4F)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Valid cases: 15479
Invalid: 0

Age at death months (imputed) (BH9C)

File: bh

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-312

Valid cases: 531
Invalid: 14948
Minimum: 0
Maximum: 312

Date flag for BH9C (BH9F)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Valid cases: 531
Invalid: 14948

Area (HH6)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 15479
Invalid: 0

Interviewer instructions

Circle the code for area of residence as instructed/provided by your supervisor. This will have been pre-determined; you will not be required to assess whether the household is in an urban or rural area.

Region (HH7)

File: bh

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 15479 |
| Format: numeric | Invalid: 0 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-6 | |

Interviewer instructions

Circle the code for region as instructed/provided by your supervisor.

After the HH1-HH7 has been filled out, begin by saying the following to the respondent:

We are from (country-specific affiliation). We are working on a project concerned with family health and education. I would like to talk to you about these subjects. The interview will take about (number) minutes. All the information we obtain will remain strictly confidential and your answers will never be shared with anyone other than our project team. May I start now?

You may change the wording of these introductory sentences as appropriate. However, you must make sure to include the following when you are introducing yourself: the name of the implementing agency; the topic of the survey; approximate duration of the interview; the issue of confidentiality; and with whom you would like to speak. If permission is given, begin the interview. If the respondent does not agree to continue, thank him/her and leave the household to go the next household. Later, discuss the refusal with your supervisor; you or another person from the team may attempt to interview the household for a second time. This will depend on your description of the refusal. However, remember that a household's participation in the survey must be on a voluntary basis, and potential respondents must never be forced to participate.

Date of interview women (CMC) (WDOI)

File: bh

Overview

| | |
|------------------|--------------------|
| Type: Discrete | Valid cases: 15479 |
| Format: numeric | Invalid: 0 |
| Width: 4 | Minimum: 1368 |
| Decimals: 0 | Maximum: 1372 |
| Range: 1368-1372 | |

Date of birth of woman (CMC) (WDOB)

File: bh

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 15479 |
| Format: numeric | Invalid: 0 |
| Width: 4 | Minimum: 769 |
| Decimals: 0 | Maximum: 1185 |
| Range: 769-1185 | |

Ethnicity of household head (ethnicity)

File: bh

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 15479 |
| Format: numeric | Invalid: 0 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Education (welevel)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Valid cases: 15479
Invalid: 0

Birth order (brthord)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 2
Range: 1-4

Valid cases: 15479
Invalid: 0

Mother's age at birth (magebrt)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 2
Range: 1-3

Valid cases: 15479
Invalid: 0

Previous birth interval (birthint)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 2
Range: 0-4

Valid cases: 15479
Invalid: 0

Women's sample weight (wmweight)

File: bh

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 6
Range: 0.181199761965001-2.51808997263368

Valid cases: 15479
Invalid: 0
Minimum: 0.2
Maximum: 2.5

Combined wealth score (wscore)

File: bh

Overview

| | |
|---|--------------------|
| Type: Continuous | Valid cases: 15479 |
| Format: numeric | Invalid: 0 |
| Width: 8 | Minimum: -3.4 |
| Decimals: 5 | Maximum: 1.8 |
| Range: -3.36364253957776-1.84732965018821 | |

Wealth index quintile (windex5)

File: bh

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 15479 |
| Format: numeric | Invalid: 0 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-5 | |

Urban wealth score (wscoreu)

File: bh

Overview

| | |
|---|-------------------|
| Type: Continuous | Valid cases: 5704 |
| Format: numeric | Invalid: 9775 |
| Width: 8 | Minimum: -4.6 |
| Decimals: 5 | Maximum: 1.6 |
| Range: -4.59439766774955-1.59523958468633 | |

Urban wealth index quintile (windex5u)

File: bh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 5704 |
| Format: numeric | Invalid: 9775 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-5 | |

Rural wealth score (wscorer)

File: bh

Overview

| | |
|--|-------------------|
| Type: Continuous | Valid cases: 9775 |
| Format: numeric | Invalid: 5704 |
| Width: 8 | Minimum: -3.2 |
| Decimals: 5 | Maximum: 2.3 |
| Range: -3.20903020005985-2.3247130600569 | |

Rural wealth index quintile (windex5r)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Valid cases: 9775
Invalid: 5704

1'40% Under middle' 2'60% Middle and above' (windex2)

File: bh

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 2
Range: 1-2

Valid cases: 15479
Invalid: 0

Cluster number (HH1)

File: ch

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 3346 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 1 |
| Decimals: 0 | Maximum: 510 |
| Range: 1-510 | |

Interviewer instructions

Enter the cluster number as instructed by your supervisor.

Household number (HH2)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 3346 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-20 | |

Interviewer instructions

Enter the household number as instructed by your supervisor.

Line number (LN)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 3346 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 2-16 | |

Cluster number (UF1)

File: ch

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 3346 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 1 |
| Decimals: 0 | Maximum: 510 |
| Range: 1-510 | |

Interviewer instructions

UF1-UF8 should be filled in before you start the interview.
Enter the cluster number from the Household Questionnaire, question HH1.

Household number (UF2)

File: ch

Overview

Household number (UF2)

File: ch

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-20

Valid cases: 3346
Invalid: 0

Interviewer instructions

UF1-UF8 should be filled in before you start the interview.
Enter the household number from the Household Questionnaire, question HH2.

Child's line number (UF4)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-16

Valid cases: 3346
Invalid: 0

Interviewer instructions

UF1-UF8 should be filled in before you start the interview.
Enter the child's line number from the Household Questionnaire, column HL1 of the Household Listing.

Mother / Caretaker's line number (UF6)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-15

Valid cases: 3346
Invalid: 0

Interviewer instructions

UF1-UF8 should be filled in before you start the interview.
Enter the mother's/primary caretaker's line number from the Household Questionnaire, column HL1 of the Household Listing.

Interviewer number (UF7)

File: ch

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 15-667

Valid cases: 3346
Invalid: 0
Minimum: 15
Maximum: 667

Interviewer instructions

UF1-UF8 should be filled in before you start the interview.
Enter your own name and identifying number. You will be provided with these identification numbers during training.

Day of interview (UF8D)

File: ch

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 3346 |
| Format: numeric | Invalid: 0 |
| Width: 2 | Minimum: 1 |
| Decimals: 0 | Maximum: 31 |
| Range: 1-31 | |

Interviewer instructions

UF1-UF8 should be filled in before you start the interview.

Enter the date of the interview: day/month/year. If the interview is not completed on your first visit and you visit the household to interview the mother/caretaker again, revise and enter the final date of the interview. In other words, the date here should be the date when you have either completed the Questionnaire for Children Under Five, or when the interview was not conducted but when it was decided that there will be no more attempts to interview the mother or primary caretaker of the under-five child.

Month of interview (UF8M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 3346 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-12 | |

Interviewer instructions

UF1-UF8 should be filled in before you start the interview.

Enter the date of the interview: day/month/year. If the interview is not completed on your first visit and you visit the household to interview the mother/caretaker again, revise and enter the final date of the interview. In other words, the date here should be the date when you have either completed the Questionnaire for Children Under Five, or when the interview was not conducted but when it was decided that there will be no more attempts to interview the mother or primary caretaker of the under-five child.

Year of interview (UF8Y)

File: ch

Overview

| | |
|------------------|-------------------|
| Type: Discrete | Valid cases: 3346 |
| Format: numeric | Invalid: 0 |
| Width: 4 | Minimum: 2013 |
| Decimals: 0 | Maximum: 2014 |
| Range: 2013-2014 | |

Interviewer instructions

UF1-UF8 should be filled in before you start the interview.

Enter the date of the interview: day/month/year. If the interview is not completed on your first visit and you visit the household to interview the mother/caretaker again, revise and enter the final date of the interview. In other words, the date here should be the date when you have either completed the Questionnaire for Children Under Five, or when the interview was not conducted but when it was decided that there will be no more attempts to interview the mother or primary caretaker of the under-five child.

Result of interview for children under 5 (UF9)

File: ch

Overview

Result of interview for children under 5 (UF9)

File: ch

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Valid cases: 3346
Invalid: 0

Interviewer instructions

Complete this question once you have concluded the interview. Remember that the code refers to the mother or primary caretaker of the under-five child. Circle the code corresponding to the results of the interview. If the questionnaire is completed, circle '01' for 'Completed'. If you have not been able to contact the mother/primary caretaker after repeated visits, circle '02' for 'Not at home'. If the mother/primary caretaker refuses to be interviewed, circle '03' for 'Refused'. If you were able to only partly complete the questionnaire, circle '04' for 'Partly completed'. If the mother/primary caretaker is incapacitated, circle '05'. If you have not been able to complete this questionnaire for another reason, you should circle '96' for 'Other' and specify the reason in the space provided.

Field editor (UF10)

File: ch

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 12-662

Valid cases: 3346
Invalid: 0
Minimum: 12
Maximum: 662

Pre question

Field edited by:

Interviewer instructions

Leave this space blank. The field editor will later enter his/her name and number in the space provided when checking the completed questionnaires.

Main data entry clerk (UF11)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 3346
Invalid: 0

Interviewer instructions

Leave this space blank. The data clerk will enter his/her name and number in the space provided.

Start of interview - Hour (UF12H)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 6-99

Valid cases: 3316
Invalid: 30

Interviewer instructions

Start of interview - Hour (UF12H)

File: ch

Record the time of the day you start the under-five interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute.

Start of interview - Minutes (UF12M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 3316 |
| Format: numeric | Invalid: 30 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 59 |
| Range: 0-99 | |

Interviewer instructions

Record the time of the day you start the under-five interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute.

End of interview - Hour (UF13H)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 3316 |
| Format: numeric | Invalid: 30 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 6-99 | |

Interviewer instructions

Record the time of the day you finish the under-five interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute. If the interview is not completed on your first visit and you visit the household again to continue the questionnaire for children under five, revise and enter starting (UF12) and ending times (UF13) of interview to reflect the actual amount of time spent for the whole duration of this interview in both/all visits. Also provide a note at the end of the questionnaire regarding this.

End of interview - Minutes (UF13M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 3316 |
| Format: numeric | Invalid: 30 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 59 |
| Range: 0-99 | |

Interviewer instructions

Record the time of the day you finish the under-five interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute. If the interview is not completed on your first visit and you visit the household again to continue the questionnaire for children under five, revise and enter starting (UF12) and ending times (UF13) of interview to reflect the actual amount of time spent for the whole duration of this interview in both/all visits. Also provide a note at the end of the questionnaire regarding this.

Day of birth of child (AG1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 3316 |
| Format: numeric | Invalid: 30 |
| Width: 2 | Minimum: 1 |
| Decimals: 0 | Maximum: 98 |
| Range: 1-99 | |

Literal question

Now I would like to ask you some questions about the development and health of (name).
On what day, month and year according to western calendar was (name) born?

Interviewer instructions

Ask the mother or primary caretaker for the child's date of birth. Probe: "What is his/her birthday?" It is important to record the child's month and year of birth accurately.

If the mother/primary caretaker knows the exact birth date, including the day, enter the day of birth. Otherwise, circle '98' for 'DK day'. You do not need to probe further for day of birth.

Convert the month to a number as you have done before. Enter the number in the space provided. If the month or day contains only one digit, use a leading zero. For example, the month of March is coded as '03'. Note that you are not allowed to enter 'DK' for month or year of birth. You have to obtain month and year of birth of the child.

If the survey is conducted in 2012, the year of birth of the child cannot be earlier than 2007 and if the survey is conducted in 2013, the year of birth of the child cannot be earlier than 2008.

If the mother/primary caretaker is unable to provide the date of birth information, ask whether she/he has any documentation such as an identification card, health card, horoscope, or a birth or baptismal certificate that might give the date of birth of the child. However, confirm with the respondent that the date of birth recorded on such documents is indeed correct.

Ask AG1 and AG2 independently. Then, check for consistency between the date of birth and completed age.

Month of birth of child (AG1M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 3316 |
| Format: numeric | Invalid: 30 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-99 | |

Literal question

Now I would like to ask you some questions about the development and health of (name).
On what day, month and year according to western calendar was (name) born?

Interviewer instructions

Month of birth of child (AG1M)

File: ch

Ask the mother or primary caretaker for the child's date of birth. Probe: "What is his/her birthday?" It is important to record the child's month and year of birth accurately.

If the mother/primary caretaker knows the exact birth date, including the day, enter the day of birth. Otherwise, circle '98' for 'DK day'. You do not need to probe further for day of birth.

Convert the month to a number as you have done before. Enter the number in the space provided. If the month or day contains only one digit, use a leading zero. For example, the month of March is coded as '03'. Note that you are not allowed to enter 'DK' for month or year of birth. You have to obtain month and year of birth of the child.

If the survey is conducted in 2012, the year of birth of the child cannot be earlier than 2007 and if the survey is conducted in 2013, the year of birth of the child cannot be earlier than 2008.

If the mother/primary caretaker is unable to provide the date of birth information, ask whether she/he has any documentation such as an identification card, health card, horoscope, or a birth or baptismal certificate that might give the date of birth of the child. However, confirm with the respondent that the date of birth recorded on such documents is indeed correct.

Ask AG1 and AG2 independently. Then, check for consistency between the date of birth and completed age.

Year of birth of child (AG1Y)

File: ch

Overview

| | |
|------------------|-------------------|
| Type: Discrete | Valid cases: 3316 |
| Format: numeric | Invalid: 30 |
| Width: 4 | Minimum: 2008 |
| Decimals: 0 | Maximum: 2014 |
| Range: 2008-9999 | |

Literal question

Now I would like to ask you some questions about the development and health of (name).
On what day, month and year according to western calendar was (name) born?

Interviewer instructions

Ask the mother or primary caretaker for the child's date of birth. Probe: "What is his/her birthday?" It is important to record the child's month and year of birth accurately.

If the mother/primary caretaker knows the exact birth date, including the day, enter the day of birth. Otherwise, circle '98' for 'DK day'. You do not need to probe further for day of birth.

Convert the month to a number as you have done before. Enter the number in the space provided. If the month or day contains only one digit, use a leading zero. For example, the month of March is coded as '03'. Note that you are not allowed to enter 'DK' for month or year of birth. You have to obtain month and year of birth of the child.

If the survey is conducted in 2012, the year of birth of the child cannot be earlier than 2007 and if the survey is conducted in 2013, the year of birth of the child cannot be earlier than 2008.

If the mother/primary caretaker is unable to provide the date of birth information, ask whether she/he has any documentation such as an identification card, health card, horoscope, or a birth or baptismal certificate that might give the date of birth of the child. However, confirm with the respondent that the date of birth recorded on such documents is indeed correct.

Ask AG1 and AG2 independently. Then, check for consistency between the date of birth and completed age.

Age of child (AG2)

File: ch

Overview

Age of child (AG2)

File: ch

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Valid cases: 3316
Invalid: 30

Literal question

How old is (name)?

Interviewer instructions

After having obtained the child's date of birth, ask the child's age in completed years, and record in the space provided. Remember, ages must refer to the last birthday. Probe if necessary by asking "How old was (name) at his/her last birthday?"

If the mother/primary caretaker does not know the current age of the child, try asking "How many years ago was (name) born?" You may help the respondent by relating the child's age to that of other children or to some important event or to the season of birth, by asking, for example, "How many wet seasons ago was (name) born?"

Record age in completed years. Record '0' if the child is less than 1 year old.

Ask AG1 and AG2 independently. Then, check for consistency between the date of birth and completed age.

Birth certificate (BR1)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 3316
Invalid: 30

Literal question

Does (name) have a birth certificate?

Interviewer instructions

This question aims to provide an estimate of the extent of birth registration in your country. Respondents must be assured that the information about individual families will never be given to authorities, and that they cannot be identified in any way.

If the answer is yes, ask "May I see it?" and circle the appropriate corresponding code, noting whether or not the certificate was seen. If the child has a birth certificate and it was seen, circle '1' and go to next module. If the child has a birth certificate but the mother/primary caretaker is unable to show you the certificate, circle '2' and go to next module. If the child does not have a birth certificate '3' or the respondent does not know '8' continue to the next question.

Birth registered (BR2)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 185
Invalid: 3161

Literal question

Has (name)'s birth been registered with the people community?

Interviewer instructions

Circle the code corresponding to the response. If the answer is 'Yes', go to next module. If the child's birth has not been registered with civil authorities or the respondent does not know, continue to the next question.

Know how to register birth (BR3)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 159
Invalid: 3187

Literal question

Do you know how to register (name)'s birth?

Interviewer instructions

The purpose of this question is to assess how important lack of knowledge (of the process of registering or, if applicable, the place to go to register) may be among the reasons for non-registration. This information can inform advocacy efforts and help in the formulation of education campaigns.

Circle the code corresponding to the response.

Number of children's books or picture books for child (EC1)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 3316
Invalid: 30

Literal question

How many children's books or picture books do you have for (name)?

Interviewer instructions

This question asks specifically about children's books or picture books for the child. This excludes schoolbooks (appropriate for or belonging to older children), as well as other books for adults that are present in the household.

Record the number of books in the space provided. There is no need to make an actual count of books yourself. Rely on the respondent's answer, and avoid asking to see and count the books yourself, since this is likely to require extra time. If the respondent is unsure about the number of children's books or picture books and is not able to provide an answer the first time you ask the question, ask her/him if there are more than 10 such books. If yes, circle '10'. If she/he says that there are less than 10 such books, probe further to get an exact number. If there are no such books in the household, record '00'.

Homemade toys (EC2A)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 3316
Invalid: 30

Literal question

I am interested in learning about the things that (name) plays with when he/she is at home.

Does he/she play with: homemade toys (such as dolls, cars or some other toys made at home)?

Interviewer instructions

Homemade toys (EC2A)

File: ch

This question is used to learn about different types of playthings used by the child. We want to know if the child has objects to play with, and what these are, even if they do not include store-bought toys. We are interested in learning about other objects that are used as playthings, such as ordinary household objects and natural materials.

Extra care should be taken to ask this question and record the responses. Experience has shown that respondents find it very easy to give the same answer to a list of different playthings. Often they will answer 'Yes' to all items, whether or not it is true, perhaps because they think this is the 'correct' response or one that will please the interviewer.

Do not pause after reading the first sentence and continue by saying "Does he/she play with" and start asking whether the child plays with playthings from each of the categories listed. For example, ask: "Does he/she play with homemade toys (such as dolls, cars, or other toys made at home)?" and so on.

If the respondent answers 'Yes' to any of these prompted categories, then probe to learn specifically what the child plays with to ascertain the response. For example, probe by saying "What does he/she specifically play with?" or "Can you please give an example?" If you ascertain that the child uses playthings that would fall into each of the prompted categories, circle '1'. If the child doesn't play with items mentioned in a specific category, or the respondent doesn't know circle '2' or '8', for that specific category. Read each category aloud and circle the code corresponding to the response before proceeding to the next category.

Toys from shops (EC2B)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 3316
Invalid: 30

Literal question

I am interested in learning about the things that (name) plays with when he/she is at home.
Does he/she play with: toys from a shop or manufactured toys?

Interviewer instructions

This question is used to learn about different types of playthings used by the child. We want to know if the child has objects to play with, and what these are, even if they do not include store-bought toys. We are interested in learning about other objects that are used as playthings, such as ordinary household objects and natural materials.

Extra care should be taken to ask this question and record the responses. Experience has shown that respondents find it very easy to give the same answer to a list of different playthings. Often they will answer 'Yes' to all items, whether or not it is true, perhaps because they think this is the 'correct' response or one that will please the interviewer.

Do not pause after reading the first sentence and continue by saying "Does he/she play with" and start asking whether the child plays with playthings from each of the categories listed. For example, ask: "Does he/she play with homemade toys (such as dolls, cars, or other toys made at home)?" and so on.

If the respondent answers 'Yes' to any of these prompted categories, then probe to learn specifically what the child plays with to ascertain the response. For example, probe by saying "What does he/she specifically play with?" or "Can you please give an example?" If you ascertain that the child uses playthings that would fall into each of the prompted categories, circle '1'. If the child doesn't play with items mentioned in a specific category, or the respondent doesn't know circle '2' or '8', for that specific category. Read each category aloud and circle the code corresponding to the response before proceeding to the next category.

Household objects or outside objects (EC2C)

File: ch

Overview

Household objects or outside objects (EC2C)

File: ch

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 3316
Invalid: 30

Literal question

I am interested in learning about the things that (name) plays with when he/she is at home.

Does he/she play with: household objects (such as bowls or pots) or objects found outside (such as sticks, rocks, animal shells or leaves etc.)?

Interviewer instructions

This question is used to learn about different types of playthings used by the child. We want to know if the child has objects to play with, and what these are, even if they do not include store-bought toys. We are interested in learning about other objects that are used as playthings, such as ordinary household objects and natural materials.

Extra care should be taken to ask this question and record the responses. Experience has shown that respondents find it very easy to give the same answer to a list of different playthings. Often they will answer 'Yes' to all items, whether or not it is true, perhaps because they think this is the 'correct' response or one that will please the interviewer.

Do not pause after reading the first sentence and continue by saying "Does he/she play with" and start asking whether the child plays with playthings from each of the categories listed. For example, ask: "Does he/she play with homemade toys (such as dolls, cars, or other toys made at home)?" and so on.

If the respondent answers 'Yes' to any of these prompted categories, then probe to learn specifically what the child plays with to ascertain the response. For example, probe by saying "What does he/she specifically play with?" or "Can you please give an example?" If you ascertain that the child uses playthings that would fall into each of the prompted categories, circle '1'. If the child doesn't play with items mentioned in a specific category, or the respondent doesn't know circle '2' or '8', for that specific category. Read each category aloud and circle the code corresponding to the response before proceeding to the next category.

In past week, days left alone for more than 1 hour (EC3A)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Valid cases: 3316
Invalid: 30

Literal question

Sometimes adults taking care of children have to leave the house to go shopping, wash clothes, or for other reasons and have to leave young children.

On how many days in the past week was (name): left alone longer than an hour?

Interviewer instructions

This question is used to assess whether children are at increased risk, either because they are left alone or are left with a child as caregiver. These situations have been shown to be associated with higher risk for children.

The question sets up a hypothetical situation, one in which the mother/primary caretaker would be gone for more than just a moment - situations in which the child could be left alone for an hour or more. The question specifies that we want to know about situations in which the respondent actually leaves the premises, not simply going out of sight of the child, such as to another part or another room of the house.

Enter the response in the spaces provided. If the child was not left in the care of another child during this period, enter '0' for 'None'. If the answer is "don't know", enter "8". Note that 'another child' is defined as a child less than 10 years old.

In past week, days left with other child for more than 1 hour (EC3B)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Valid cases: 3316
Invalid: 30

Literal question

Sometimes adults taking care of children have to leave the house to go shopping, wash clothes, or for other reasons and have to leave young children.
On how many days in the past week was (name): left in the care of another child, that is, someone less than 10 years old, for more than an hour?

Interviewer instructions

This question is used to assess whether children are at increased risk, either because they are left alone or are left with a child as caregiver. These situations have been shown to be associated with higher risk for children.

The question sets up a hypothetical situation, one in which the mother/primary caretaker would be gone for more than just a moment - situations in which the child could be left alone for an hour or more. The question specifies that we want to know about situations in which the respondent actually leaves the premises, not simply going out of sight of the child, such as to another part or another room of the house.

Enter the response in the spaces provided. If the child was not left in the care of another child during this period, enter '0' for 'None'. If the answer is "don't know", enter "8". Note that 'another child' is defined as a child less than 10 years old.

Attends early childhood education programme (EC5)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

Does (name) attend any organised learning or early childhood education programme, such as a private or government facility, including kindergarten or community child care?

Interviewer instructions

This question aims to find out if the child is participating in early learning activities. Baby-sitting or child-minding, even if done in a special place such as a day-care centre, does not qualify as such a programme unless it includes organized learning activities. You must ensure that the mother or primary caretaker understands the meaning of 'Early Childhood Education Programme', explaining it as instructed.

Circle the appropriate code. Skip to EC7 if the answer to this question is 'No' or 'DK'.

Read books - Mother (EC7AA)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 379
Invalid: 0

Literal question

Read books - Mother (EC7AA)

File: ch

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Read books to or looked at picture books with (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Read books - Father (EC7AB)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 172
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Read books to or looked at picture books with (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Read books - Other (EC7AX)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 204
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Read books to or looked at picture books with (name)?

Interviewer instructions

Read books - Other (EC7AX)

File: ch

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Read books - No one (EC7AY)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 648
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Read books to or looked at picture books with (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Tell stories - Mother (EC7BA)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 508
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Told stories to (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Tell stories - Father (EC7BB)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 175
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Told stories to (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Tell stories - Other (EC7BX)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 287
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Told stories to (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Tell stories - No one (EC7BY)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 436
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Told stories to (name)?

Interviewer instructions

Tell stories - No one (EC7BY)

File: ch

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Sang songs - Mother (EC7CA)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 710
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Sang songs to (name) or with (name), including lullabies?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Sang songs - Father (EC7CB)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 220
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Sang songs to (name) or with (name), including lullabies?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Sang songs - Other (EC7CX)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 356
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Sang songs to (name) or with (name), including lullabies?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Sang songs - No one (EC7CY)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 241
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Sang songs to (name) or with (name), including lullabies?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Took outside - Mother (EC7DA)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 634
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Took (name) outside the home, compound, yard or enclosure?

Interviewer instructions

Took outside - Mother (EC7DA)

File: ch

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Took outside - Father (EC7DB)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 515
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Took (name) outside the home, compound, yard or enclosure?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Took outside - Other (EC7DX)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 440
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Took (name) outside the home, compound, yard or enclosure?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Took outside - No one (EC7DY)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 184
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Took (name) outside the home, compound, yard or enclosure?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Played with - Mother (EC7EA)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 728
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Played with (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Played with - Father (EC7EB)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 504
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Played with (name)?

Interviewer instructions

Played with - Father (EC7EB)

File: ch

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Played with - Other (EC7EX)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 636
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Played with (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Played with - No one (EC7EY)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 103
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Played with (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Named/counted - Mother (EC7FA)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 694
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Named, counted, or drew things to or with (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Named/counted - Father (EC7FB)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 332
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Named, counted, or drew things to or with (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Named/counted - Other (EC7FX)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 399
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Named, counted, or drew things to or with (name)?

Interviewer instructions

Named/counted - Other (EC7FX)

File: ch

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Named/counted - No one (EC7FY)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 233
Invalid: 0

Literal question

In the past 3 days, did you or any household member over 15 years of age engage in any of the following activities with (name): Named, counted, or drew things to or with (name)?

Interviewer instructions

Read each items shown below aloud. If 'No', circle 'Y' and move to the next item on the list. If 'Yes', ask: "Who engaged in this activity with (name)?"

For each activity, circle the code for every person who engaged in the activity with the child before proceeding to the next item. If someone other than the mother or father engaged in the activity with the child, circle 'X'. If the respondent is the primary caretaker of the child and has engaged in any of these activities, code 'X' should be circled.

Note that in a household where there are no adults other than the child's mother and father, 'X' should not be circled. Adults who are not members of the household but who may have engaged in the listed activities with the child should not be coded here.

Child identifies at least ten letters of the alphabet (EC8)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

I would like to ask you some questions about the health and development of (name). Children do not all develop and learn at the same rate. For example, some walk earlier than others. These questions are related to several aspects of your child's development.

Can (name) identify or name at least ten letters of the alphabet?

Interviewer instructions

Circle the code corresponding to the response. A 'Yes' answer means that the child can name ten or more letters of the alphabet while a 'No' answer means that the child can name less than ten or none at all.

Child reads at least four simple, popular words (EC9)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

Can (name) read at least four simple, popular words?

Interviewer instructions

Circle the code corresponding to the response. A 'Yes' response means that the child can read at least four simple, popular words while a 'No' response means that the child can only read one or two, or none at all.

Child knows name and recognizes symbol of all numbers from 1-10 (EC10)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

Does (name) know the name and recognize the symbol of all numbers from 1 to 10?

Interviewer instructions

Circle the code corresponding to the response. If parent seems hesitant, prompt with "does the child know '1'? Does the child know 2?" etc. A 'Yes' answer means that the child can recognize the symbol of all numbers from 1 to 10 while a 'No' answer means that the child can recognize less than ten or none at all.

Child able to pick up small object with 2 fingers (EC11)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

Can (name) pick up a small object with two fingers, like a stick or a rock from the ground?

Interviewer instructions

Circle the code corresponding to the response. If necessary, use the pen you are holding to demonstrate the grip. Consider the small objects mentioned before when asking about the items children play with (sticks, rocks, animal shells or leaves). A 'Yes' answer means that the child is able to pick up small objects without difficulty while a 'No' answer means that the child seems to have difficulty with small items.

Child sometimes too sick to play (EC12)

File: ch

Child sometimes too sick to play (EC12)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

Is (name) sometimes too sick to play?

Interviewer instructions

Circle the code corresponding to the response. A 'Yes' answer means that the child often gets sick and cannot play or do many physical activities, while a 'No' answer is in cases when the child is consistently ready to be active and play and only appears tired when it is appropriate for him/her to be so (e.g., in the evening; at the usual nap time).

Child follows simple directions (EC13)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

Does (name) follow simple directions on how to do something correctly?

Interviewer instructions

Circle the code corresponding to the response. A 'Yes' answer means that the child can do things easily and correctly when asked to do so while a 'No' answer means that the child usually does not accomplish the simple tasks she/he is given successfully. Do not concern yourself with the reasons why not.

Child able to do something independently (EC14)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

When given something to do, is (name) able to do it independently?

Interviewer instructions

Circle the code corresponding to the response. A 'Yes' answer means that the child is able to occupy herself/himself independently for an appropriate length of time, without constant asking for assistance or giving up quickly (e.g., colouring, building structures, etc.) while a 'No' answer means that the child cannot occupy herself/himself independently, asks for help or assistance, or gives up the work/play easily if not provided with help.

Child gets along well with other children (EC15)

File: ch

Overview

Child gets along well with other children (EC15)

File: ch

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

Does (name) get along well with other children?

Interviewer instructions

Circle the code corresponding to the response. A 'Yes' answer means that the child does well playing and interacting with other children while a 'No' answer means that the child is uncomfortable around other children, prefers to be alone, or gets into conflicts.

Child kicks, bites or hits other children or adults (EC16)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

Does (name) kick, bite or hit other children or adults?

Interviewer instructions

Circle the code corresponding to the response. A 'Yes' answer means that the parent has noticed that the child can physically hurt (kick, bite, hit) other children while a 'No' answer means that the child does not do it. Do not concern yourself with what may be the reason of such behaviour (e.g., if parent tries to explain the reasons, or excuse the child).

Child gets distracted easily (EC17)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1185
Invalid: 2161

Literal question

Does (name) gets distracted easily?

Interviewer instructions

Circle the code corresponding to the response. A 'Yes' answer means that the child has difficulty sticking with/continuing any activity for the necessary length of time, gets easily distracted by anything happening around her/him, or finds other activities before completing the one started while a 'No' answer means that the child doesn't get easily distracted.

Child ever been breastfed (BD2)

File: ch

Overview

Child ever been breastfed (BD2)

File: ch

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Has (name) ever been breastfed?

Child still being breastfed (BD3)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2075
Invalid: 1271

Literal question

Is he/she still being breastfed?

Child drank anything else from the bottle with a nipple yesterday (BD4)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Yesterday, during the day or night, did (name) drink anything from a bottle with a nipple?

Child drank ORS yesterday (BD5)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Did (name) drink ORS (oral rehydration solution) yesterday, during the day or night?

Child drank or ate vitamin or mineral supplements yesterday (BD6)

File: ch

Child drank or ate vitamin or mineral supplements yesterday (BD6)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Did (name) drink or eat vitamin or mineral supplements or any medicines yesterday, during the day or night?

Child drank plain water yesterday (BD7A)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods.

Please include liquids consumed outside of your home.

Did (name) drink (name of item) yesterday during the day or the night:

Plain water

Child drank juice from ripening fruits with yellow or orange inside yesterday (BD7B1)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods.

Please include liquids consumed outside of your home.

Did (name) drink (name of item) yesterday during the day or the night:

Juice from ripening fruits with yellow/ orange inside , such as: mango, papaya, strawberry, water mellon?

Child drank other fruit juice yesterday (BD7B2)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Child drank other fruit juice yesterday (BD7B2)

File: ch

Literal question

Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods.

Please include liquids consumed outside of your home.

Did (name) drink (name of item) yesterday during the day or the night:

Other fruit juice?

Child drank rice soup or clear broth without pieces and fibers yesterday (BD7C)

File: ch

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 2131

Invalid: 1215

Literal question

Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods.

Please include liquids consumed outside of your home.

Did (name) drink (name of item) yesterday during the day or the night:

Rice soup/boiled water or clear broth from vegetable or meat without pieces and grains fibers?

Child drank milk yesterday (BD7D)

File: ch

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 2131

Invalid: 1215

Literal question

Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods.

Please include liquids consumed outside of your home.

Did (name) drink (name of item) yesterday during the day or the night:

Milk such as tinned, powdered, or fresh animal milk?

Times child drank milk yesterday (BD7DN)

File: ch

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Invalid: 9

Valid cases: 1161

Invalid: 2185

Literal question

Times child drank milk yesterday (BD7DN)

File: ch

Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods.

Please include liquids consumed outside of your home.

Did (name) drink (name of item) yesterday during the day or the night:

Milk such as tinned, powdered, or fresh animal milk?

If yes, ask: How many times did (name) drink milk?

Interviewer instructions

If 7 or more times, record '7'.

If unknown, record '8'.

Child drank infant formula yesterday (BD7E)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods.

Please include liquids consumed outside of your home.

Did (name) drink (name of item) yesterday during the day or the night:

Infant formula?

Times child drank infant formula (BD7EN)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8
Invalid: 9

Valid cases: 748
Invalid: 2598

Literal question

Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods.

Please include liquids consumed outside of your home.

Did (name) drink (name of item) yesterday during the day or the night:

Infant formula?

If yes, ask: How many times did (name) drink infant formula?

Interviewer instructions

If 7 or more times, record '7'.

If unknown, record '8'.

Child drank any other liquids yesterday (BD7F)

File: ch

Overview

Child drank any other liquids yesterday (BD7F)

File: ch

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) liquids that (name) may have had yesterday during the day or the night. I am interested to know whether (name) had the item even if combined with other foods.

Please include liquids consumed outside of your home.

Did (name) drink (name of item) yesterday during the day or the night:

Any other liquids?

Child drank or ate yogurt yesterday (BD8A)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

Yogurt

Times drank or ate yogurt (BD8AN)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8
Invalid: 9

Valid cases: 481
Invalid: 2865

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

Yogurt

If yes, ask: How many times did (name) drink or eat yoghurt?

Interviewer instructions

If 7 or more times, record '7'.

If unknown, record '8'.

Child ate fortified baby food (xo,hipp,gain etc.) (BD8B)

File: ch

Child ate fortified baby food (xo,hipp,gain etc.) (BD8B)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

Any kind of powder, cake, supplementation food such as cerelac, dielac, hipp, nin, alpha, nesle?

Child ate foods made from grains (BD8C)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

Bread, rice, noodles, porridge, or other foods made from grains, including rice soup or mixed soup?

Child ate pumpkin, carrots, squash etc. (BD8D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

Pumpkin, carrots, squash or sweet potatoes that are yellow or orange inside?

Child ate white potatoes, white yams, manioc etc. (BD8E)

File: ch

Overview

Child ate white potatoes, white yams, manioc etc. (BD8E)

File: ch

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

White potatoes, white yams, manioc, cassava, or any other foods made from roots?

Child ate green leafy vegetables (BD8F)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

Any dark green, leafy vegetables?

Child ate ripe mangoes, papayas (BD8G)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

Ripe mangoes or papayas?

Child ate other fruits or vegetables (BD8H)

File: ch

Overview

Child ate other fruits or vegetables (BD8H)

File: ch

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

Any other fruits or vegetables?

Child ate liver, kidney, heart or other organ meat (BD8I)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

Liver, kidney, heart or other organ meats?

Child ate meat, such as beef, pork, lamb, goat, chicken, duck (BD8J)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:

Any meat, such as beef, pork, lamb, goat, chicken, or duck?

Child ate eggs (BD8K)

File: ch

Overview

Child ate eggs (BD8K)

File: ch

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:
Eggs?

Child ate fresh or dried fish or shellfish (BD8L)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:
Fresh or dried fish or shellfish?

Child ate beans, lentils or nuts (BD8M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:
Any foods made from beans, peas, lentils or nuts?

Child ate cheese or other food made from milk (BD8N)

File: ch

Overview

Child ate cheese or other food made from milk (BD8N)

File: ch

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:
Cheese or other food made from milk?

Child ate other solid, semi-solid or soft food yesterday (BD8O)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Now I would like to ask you about (other) foods that (name) may have had yesterday during the day or the night. Again, I am interested to know whether (name) had the item even if combined with other foods. Please include foods consumed outside of your home.

Did (name) eat (name of food) yesterday during the day or the night:
Any other solid, semi-solid, or soft food that I have not mentioned?

Times child ate solid or semi-solid food (BD11)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8
Invalid: 9

Valid cases: 1826
Invalid: 1520

Literal question

How many times did (name) eat any solid, semi-solid or soft foods yesterday, during the day or night?

Interviewer instructions

If 7 or more times, record '7'.

Vaccination card for child (IM1)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Vaccination card for child (IM1)

File: ch

Literal question

Do you have a card where (name)'s vaccinations are written down?
If yes: May I see it please?

Ever had vaccination card (IM2)

File: ch

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 237 |
| Format: numeric | Invalid: 3109 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Did you ever have a vaccination (child health) card for (name)?

Day of BCG immunization (IM3BD)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 66 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of BCG immunization (IM3BM)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of BCG immunization (IM3BY)

File: ch

Overview

Year of BCG immunization (IM3BY)

File: ch

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Polio1 immunization (IM3P1D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861
Minimum: 0
Maximum: 98

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Polio1 immunization (IM3P1M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Polio1 immunization (IM3P1Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Polio2 immunization (IM3P2D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 98 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Polio2 immunization (IM3P2M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Polio2 immunization (IM3P2Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Polio3 immunization (IM3P3D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 98 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Polio3 immunization (IM3P3M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Polio3 immunization (IM3P3Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Pentavalent1 immunization (IM3PEN1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 98 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Pentavalent1 immunization (IM3PEN1M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Pentavalent1 immunization (IM3PEN1Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Pentavalent2 immunization (IM3PEN2D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861
Minimum: 0
Maximum: 98

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Pentavalent2 immunization (IM3PEN2M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Pentavalent2 immunization (IM3PEN2Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Pentavalent3 immunization (IM3PEN3D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 98 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Pentavalent3 immunization (IM3PEN3M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Pentavalent3 immunization (IM3PEN3Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of DPT1 immunization (IM3D1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 66 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of DPT1 immunization (IM3D1M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of DPT1 immunization (IM3D1Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of DPT2 immunization (IM3D2D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 66 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of DPT2 immunization (IM3D2M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of DPT2 immunization (IM3D2Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of DPT3 immunization (IM3D3D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 66 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of DPT3 immunization (IM3D3M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of DPT3 immunization (IM3D3Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of HepB at birth immunization (IM3H0D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 66 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of HepB at birth immunization (IM3H0M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of HepB at birth immunization (IM3H0Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of HepB1 immunization (IM3H1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 66 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of HepB1 immunization (IM3H1M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of HepB1 immunization (IM3H1Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of HepB2 immunization (IM3H2D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of HepB2 immunization (IM3H2M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of HepB2 immunization (IM3H2Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of HepB3 immunization (IM3H3D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of HepB3 immunization (IM3H3M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of HepB3 immunization (IM3H3Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Hib1 immunization (IM3I1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 66 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Hib1 immunization (IM3I1M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Hib1 immunization (IM3I1Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Hib2 immunization (IM3I2D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 66 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Hib2 immunization (IM3I2M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Hib2 immunization (IM3I2Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Hib3 immunization (IM3I3D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Hib3 immunization (IM3I3M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Hib3 immunization (IM3I3Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day measles or MMR immunization (IM3MD)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 98 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month Measles or MMR immunization (IM3MM)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Measles or MMR immunization (IM3MY)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1485 |
| Format: numeric | Invalid: 1861 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Vitamin A (first dose) (IM3V1D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Vitamin A (first dose) (IM3V1M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Vitamin A (first dose) (IM3V1Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Vitamin A (second dose) (IM3V2D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Vitamin A (second dose) (IM3V2M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Vitamin A (second dose) (IM3V2Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1485
Invalid: 1861

Interviewer instructions

- (a) Copy name and dates for each vaccination from the card/health book.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Child received any other vaccinations (IM5)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 395
Invalid: 2951

Literal question

In addition to what is recorded on this card, did (name) receive any other vaccinations – including vaccinations received in campaigns or immunisation days or child health day?

Child ever received any vaccinations (IM6)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 646
Invalid: 2700

Literal question

Has (name) ever received any vaccinations to prevent him/her from getting diseases, including vaccinations received in a campaign or immunization day or child health day?

Child ever given BCG vaccination (IM7)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 546
Invalid: 2800

Literal question

Has (name) ever received a BCG vaccination against tuberculosis. That is, an injection in the left arm or shoulder that usually causes a scar?

Child ever given Polio vaccination (IM8)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 546
Invalid: 2800

Literal question

Has (name) ever received any "vaccination drops in the mouth" to protect him/her from polio?

Times child given Polio vaccination (IM10)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 429
Invalid: 2917

Literal question

How many times was the polio vaccine received?

Child ever given Pentavalent vaccination (IM10A)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 546
Invalid: 2800

Literal question

Has (name) ever received a pentavalent vaccination -that is, an injection in the thigh- to prevent him/her from getting DPT, Hep B and Hib B?

Interviewer instructions

Probe by indicating that this vaccination is sometimes called as 5 in 1

Times child given Pentavalent vaccination (IM10B)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 354
Invalid: 2992

Literal question

How many times was the pentavalent vaccine received?

Child ever given DPT vaccination (IM11)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 546
Invalid: 2800

Literal question

Has (name) ever received a DPT vaccination - that is, an injection in the thigh to prevent him/her from getting tetanus, whooping cough, or diphtheria?

Interviewer instructions

Probe by indicating that DPT vaccination is sometimes called as 3 in 1 and given at the same time as Polio

Times child given DPT vaccination (IM12)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 74
Invalid: 3272

Literal question

How many times was the DPT vaccine received?

Child ever given Hepatitis B vaccination (IM13)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 546
Invalid: 2800

Literal question

Has (name) ever received a Hepatitis B vaccination - that is, an injection in the thigh to prevent him/her from getting Hepatitis B?

Interviewer instructions

Probe by indicating that the Hepatitis B vaccine is sometimes given at the same time as Polio and DPT vaccines

Hepatitis B first given within 24 h after birth or later (IM14)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 388
Invalid: 2958

Literal question

Was the first Hepatitis B vaccine received within 24 hours after birth?

Times child given Hepatitis B vaccination (IM15)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 388
Invalid: 2958

Literal question

How many times was the Hepatitis B received?

Child ever given Hib vaccination (IM15A)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 546
Invalid: 2800

Literal question

Has (name) ever received a Hib vaccination - that is, an injection in the thigh to prevent him/her from getting haemophilus influenzae type B?

Interviewer instructions

Probe by indicating that the Hib vaccine is sometimes given at the same time as Polio and DPT vaccines

Times child given Hib vaccination (IM15B)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 72
Invalid: 3274

Literal question

How many times was the Hib vaccine received?

Child ever given Measles or MMR vaccination (IM16)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 546
Invalid: 2800

Literal question

Has (name) ever received a measles injection (or an MMR or MR) – that is, a shot in the arm at the age of 9 months or older – to prevent him/her from getting measles?

Vitamin A campaign in June 2013 (IM19A)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Please tell me if (name) has participated in any of the following campaigns, national immunization days and/or vitamin A or child health days:
June 2013 Vitamin A campaign

Vitamin A campaign in December 2012/2013 (IM19B)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2131
Invalid: 1215

Literal question

Please tell me if (name) has participated in any of the following campaigns, national immunization days and/or vitamin A or child health days:
December 2012/2013 Vitamin A campaign

Cluster number (HF1)

File: ch

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 6025-32239010

Valid cases: 2131
Invalid: 1215
Minimum: 6025
Maximum: 32239010

Household number (HF2)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 2131 |
| Format: numeric | Invalid: 1215 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-20 | |

Child's line number (HF4)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 2131 |
| Format: numeric | Invalid: 1215 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 2-16 | |

Mother / Caretaker's line number (HF6)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 2131 |
| Format: numeric | Invalid: 1215 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-15 | |

Interviewer number (HF7)

File: ch

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 2131 |
| Format: numeric | Invalid: 1215 |
| Width: 3 | Minimum: 15 |
| Decimals: 0 | Maximum: 667 |
| Range: 15-667 | |

Day of interview (HF8D)

File: ch

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 2131 |
| Format: numeric | Invalid: 1215 |
| Width: 2 | Minimum: 1 |
| Decimals: 0 | Maximum: 31 |
| Range: 1-31 | |

Month of interview (HF8M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 2131
Invalid: 1215

Year of interview (HF8Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2013-2014

Valid cases: 2131
Invalid: 1215
Minimum: 2013
Maximum: 2014

Day of birth (HF9D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 2131
Invalid: 1215
Minimum: 1
Maximum: 98

Month of birth (HF9M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 2131
Invalid: 1215

Year of birth (HF9Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2010-9999

Valid cases: 2131
Invalid: 1215
Minimum: 2010
Maximum: 2014

Result of health facility visit (HF11)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 2131 |
| Format: numeric | Invalid: 1215 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-6 | |

Field editor (HF11A)

File: ch

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 2131 |
| Format: numeric | Invalid: 1215 |
| Width: 3 | Minimum: 12 |
| Decimals: 0 | Maximum: 662 |
| Range: 12-662 | |

Main data entry clerk number (HF11B)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 2131 |
| Format: numeric | Invalid: 1215 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-12 | |

Day of birth as written on vaccination record (HF12D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | Minimum: 1 |
| Decimals: 0 | Maximum: 31 |
| Range: 1-99 | |

Interviewer instructions

Record day, month and year of birth as written on vaccination record

Month of birth as written on vaccination record (HF12M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-99 | |

Interviewer instructions

Month of birth as written on vaccination record (HF12M)

File: ch

Record day, month and year of birth as written on vaccination record

Year of birth as written on vaccination record (HF12Y)

File: ch

Overview

| | |
|------------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 4 | Minimum: 2011 |
| Decimals: 0 | Maximum: 2014 |
| Range: 2011-9999 | |

Interviewer instructions

Record day, month and year of birth as written on vaccination record

Day of BCG immunization (HF13BD)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 44 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of BCG immunization (HF13BM)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of BCG immunization (HF13BY)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Year of BCG immunization (HF13BY)

File: ch

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Polio1 immunization (HF13P1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 99 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Polio1 immunization (HF13P1M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Polio1 immunization (HF13P1Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Polio2 immunization (HF13P2D)

File: ch

Overview

Day of Polio2 immunization (HF13P2D)

File: ch

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687
Minimum: 0
Maximum: 99

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Polio2 immunization (HF13P2M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Polio2 immunization (HF13P2Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Polio3 immunization (HF13P3D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687
Minimum: 0
Maximum: 99

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Polio3 immunization (HF13P3M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Polio3 immunization (HF13P3Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Pentavalent1 immunization (HF13PEN1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 99 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Pentavalent1 immunization (HF13PEN1M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Pentavalent1 immunization (HF13PEN1Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Pentavalent2 immunization (HF13PEN2D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687
Minimum: 0
Maximum: 99

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Pentavalent2 immunization (HF13PEN2M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Pentavalent2 immunization (HF13PEN2Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Pentavalent3 immunization (HF13PEN3D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 99 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Pentavalent3 immunization (HF13PEN3M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Pentavalent3 immunization (HF13PEN3Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of DPT1 immunization (HF13D1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of DPT1 immunization (HF13D1M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of DPT1 immunization (HF13D1Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of DPT2 immunization (HF13D2D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of DPT2 immunization (HF13D2M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of DPT2 immunization (HF13D2Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of DPT3 immunization (HF13D3D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of DPT3 immunization (HF13D3M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of DPT3 immunization (HF13D3Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of HepB at birth immunization (HF13H0D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 44 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of HepB at birth immunization (HF13H0M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of HepB at birth immunization (HF13H0Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of HepB1 immunization (HF13H1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of HepB1 immunization (HF13H1M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of HepB1 immunization (HF13H1Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of HepB2 immunization (HF13H2D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of HepB2 immunization (HF13H2M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of HepB2 immunization (HF13H2Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of HepB3 immunization (HF13H3D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of HepB3 immunization (HF13H3M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of HepB3 immunization (HF13H3Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Hib1 immunization (HF13I1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Hib1 immunization (HF13I1M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Hib1 immunization (HF13I1Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Hib2 immunization (HF13I2D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Hib2 immunization (HF13I2M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Hib2 immunization (HF13I2Y)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Hib3 immunization (HF13I3D)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Hib3 immunization (HF13I3M)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1659
Invalid: 1687

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Hib3 immunization (HF13I3Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day measles or MMR immunization (HF13MD)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 99 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month Measles or MMR immunization (HF13MM)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Measles or MMR immunization (HF13MY)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Vitamin A (first dose) (HF13V1D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 99 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Vitamin A (first dose) (HF13V1M)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Vitamin A (first dose) (HF13V1Y)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 4 | |
| Decimals: 0 | |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Day of Vitamin A (second dose) (HF13V2D)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1659 |
| Format: numeric | Invalid: 1687 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 99 |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Month of Vitamin A (second dose) (HF13V2M)

File: ch

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 483 |
| Format: numeric | Invalid: 2863 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Year of Vitamin A (second dose) (HF13V2Y)

File: ch

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 483 |
| Format: numeric | Invalid: 2863 |
| Width: 4 | Minimum: 2011 |
| Decimals: 0 | Maximum: 2013 |
| Range: 0-9999 | |

Interviewer instructions

- (a) Copy dates for each vaccination from the card.
- (b) Write '44' in day column if card shows that vaccination was given but no date recorded.

Child had diarrhoea in last 2 weeks (CA1)

File: ch

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 3316 |
| Format: numeric | Invalid: 30 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

In the last two weeks, has (name) had diarrhoea?

Child drank less or more during illness (CA2)

File: ch

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 310 |
| Format: numeric | Invalid: 3036 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

I would like to know how much (name) was given to drink during the diarrhoea (including breastmilk).

During the time (name) had diarrhoea, was he/she given less than usual to drink, about the same amount, or more than usual?

If 'less', probe:

Was he/she given much less than usual to drink, or somewhat less?

Child ate less or more during illness (CA3)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 310
Invalid: 3036

Literal question

During the time (name) had diarrhoea, was he/she given less than usual to eat, about the same amount, more than usual, or nothing to eat?

If 'less', probe:

Was he/she given much less than usual to eat or somewhat less?

Sought advice or treatment for the illness from any source (CA3A)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 310
Invalid: 3036

Literal question

Did you seek any advice or treatment for the diarrhoea from any source?

Place sought care: (public sector) Government hospital (CA3BA)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 49
Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Government health center (CA3BB)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 62
Invalid: 0

Literal question

Place sought care: (public sector) Government health center (CA3BB)

File: ch

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Government health post (CA3BC)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 4

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Village health worker (CA3BD)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Mobile / Outreach clinic (CA3BE)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

Place sought care: (public sector) Mobile / Outreach clinic (CA3BE)

File: ch

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Sectoral hospital (army, police) (CA3BF)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Govt. pharmacy (CA3BG)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Other public (CA3BH)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 1

Invalid: 0

Literal question

Place sought care: Other public (CA3BH)

File: ch

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Private hospital / clinic (CA3BI)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 33

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Private physician (CA3BJ)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 37

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Private pharmacy (CA3BK)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 76

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Place sought care: Private pharmacy (CA3BK)

File: ch

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Other private medical (CA3BO)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Relative / Friend (CA3BP)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 32

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Shop (CA3BQ)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Place sought care: Shop (CA3BQ)

File: ch

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Traditional practitioner (CA3BR)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 3

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Other (CA3BX)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 14

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Drank fluid made from special packet (ORS) (CA4A)

File: ch

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 310

Invalid: 3036

Literal question

During the time (name) had diarrhoea, was (name) given to drink:

[a] a fluid made from a special packet called oral rehydration solution (ORS)

Interviewer instructions

Read each item aloud and record response before proceeding to the next item.

Pre-packaged ORS fluid for diarrhoea (CA4B)

File: ch

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 310 |
| Format: numeric | Invalid: 3036 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

During the time (name) had diarrhoea, was (name) given to drink:
[b] a pre-packaged ORS fluid for diarrhoea?

Interviewer instructions

Read each item aloud and record response before proceeding to the next item.

Place where ORS was obtained (CA4BB)

File: ch

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 162 |
| Format: numeric | Invalid: 3184 |
| Width: 2 | Minimum: 11 |
| Decimals: 0 | Maximum: 23 |
| Range: 11-99 | |

Literal question

Where did you get the ors?

Interviewer instructions

Probe to identify the type of source.
If unable to determine whether public or private, write the name of the place.

Child given zinc tablets (CA4CA)

File: ch

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 310 |
| Format: numeric | Invalid: 3036 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

During the time (name) had diarrhoea, was (name) given: zinc tablets

Child given zinc syrup (CA4CB)

File: ch

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 310 |
| Format: numeric | Invalid: 3036 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

During the time (name) had diarrhoea, was (name) given: zinc syrup

Place where zinc was obtained (CA4E)

File: ch

Overview

| | |
|-----------------|-----------------|
| Type: Discrete | Valid cases: 49 |
| Format: numeric | Invalid: 3297 |
| Width: 2 | Minimum: 11 |
| Decimals: 0 | Maximum: 23 |
| Range: 11-96 | |
| Invalid: 99 | |

Literal question

Where did you get the zinc?

Interviewer instructions

Probe to identify the type of source.

If unable to determine whether public or private, write the name of the place.

Child given water from rice porridge/rice soup (CA4FA)

File: ch

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 310 |
| Format: numeric | Invalid: 3036 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

During the time (name) had diarrhoea, was (name) given to drink any of the following:

Water from rice porridge/ rice soup (with salt)?

Interviewer instructions

Read each item aloud and record response before proceeding to the next item.

Child given lemon-orange/coconut drink (CA4FB)

File: ch

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 310 |
| Format: numeric | Invalid: 3036 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

During the time (name) had diarrhoea, was (name) given to drink any of the following:

Lemon orange/ coconut drink?

Interviewer instructions

Read each item aloud and record response before proceeding to the next item.

Child given soup from boiled vegetables/meat (CA4FC)

File: ch

Overview

Child given soup from boiled vegetables/meat (CA4FC)

File: ch

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 310
Invalid: 3036

Literal question

During the time (name) had diarrhoea, was (name) given to drink any of the following:
Soup water from boiled vegetables/ meat?

Interviewer instructions

Read each item aloud and record response before proceeding to the next item.

Child given water from fried and boiled rice (CA4FD)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 310
Invalid: 3036

Literal question

During the time (name) had diarrhoea, was (name) given to drink any of the following:
Water from fried and boiled rice?

Interviewer instructions

Read each item aloud and record response before proceeding to the next item.

Anything else given to treat the diarrhoea (CA5)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 310
Invalid: 3036

Literal question

Was anything (else) given to treat the diarrhoea?

Other treatment (pill or syrup): Antibiotic (CA6A)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 45
Invalid: 0

Literal question

What (else) was given to treat the diarrhoea?
Probe:
Anything else?

Interviewer instructions

Other treatment (pill or syrup): Antibiotic (CA6A)

File: ch

Record all treatments given. Write brand name(s) of all medicines mentioned.

Other treatment (pill or syrup): Antimotility (CA6B)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 3
Invalid: 0

Literal question

What (else) was given to treat the diarrhoea?

Probe:

Anything else?

Interviewer instructions

Record all treatments given. Write brand name(s) of all medicines mentioned.

Other treatment (pill or syrup): Other (not antibiotic, antimotility or zinc) (CA6G)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 18
Invalid: 0

Literal question

What (else) was given to treat the diarrhoea?

Probe:

Anything else?

Interviewer instructions

Record all treatments given. Write brand name(s) of all medicines mentioned.

Other treatment (pill or syrup): Unknown (CA6H)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 26
Invalid: 0

Literal question

What (else) was given to treat the diarrhoea?

Probe:

Anything else?

Interviewer instructions

Record all treatments given. Write brand name(s) of all medicines mentioned.

Other treatment (injection): Antibiotic (CA6L)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

What (else) was given to treat the diarrhoea?

Probe:
Anything else?

Interviewer instructions

Record all treatments given. Write brand name(s) of all medicines mentioned.

Other treatment (injection): Non-antibiotic (CA6M)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

What (else) was given to treat the diarrhoea?

Probe:
Anything else?

Interviewer instructions

Record all treatments given. Write brand name(s) of all medicines mentioned.

Other treatment (injection): Unknown (CA6N)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 2
Invalid: 0

Literal question

What (else) was given to treat the diarrhoea?

Probe:
Anything else?

Interviewer instructions

Record all treatments given. Write brand name(s) of all medicines mentioned.

Other treatment: Intravenous (CA6O)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 3
Invalid: 0

Literal question

Other treatment: Intravenous (CA6O)

File: ch

What (else) was given to treat the diarrhoea?

Probe:

Anything else?

Interviewer instructions

Record all treatments given. Write brand name(s) of all medicines mentioned.

Other treatment: Home remedy/Herbal medicine (CA6Q)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 31

Invalid: 0

Literal question

What (else) was given to treat the diarrhoea?

Probe:

Anything else?

Interviewer instructions

Record all treatments given. Write brand name(s) of all medicines mentioned.

Other treatment: Other (CA6X)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 54

Invalid: 0

Literal question

What (else) was given to treat the diarrhoea?

Probe:

Anything else?

Interviewer instructions

Record all treatments given. Write brand name(s) of all medicines mentioned.

Child ill with cough in last 2 weeks (CA7)

File: ch

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 3316

Invalid: 30

Literal question

At any time in the last two weeks, has (name) had an illness with a cough?

Difficulty breathing during illness with cough (CA8)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1555
Invalid: 1791

Literal question

When (name) had an illness with a cough, did he/she breathe faster than usual with short, rapid breaths or have difficulty breathing?

Symptoms due to problem in chest or blocked nose (CA9)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 868
Invalid: 2478

Literal question

Was the fast or difficult breathing due to a problem in the chest or a blocked or runny nose?

Sought advice or treatment for illness (CA10)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1555
Invalid: 1791

Literal question

Did you seek any advice or treatment for the illness from any source?

Place sought care: (public sector) Government hospital (CA11A)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 225
Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Government health center (CA11B)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 242
Invalid: 0

Literal question

From where did you seek advice or treatment?
Probe:
Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.
Probe to identify each type of source.
If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Government health post (CA11C)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 10
Invalid: 0

Literal question

From where did you seek advice or treatment?
Probe:
Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.
Probe to identify each type of source.
If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Village health worker (CA11D)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 8
Invalid: 0

Literal question

From where did you seek advice or treatment?
Probe:
Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.
Probe to identify each type of source.
If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Mobile / Outreach clinic (CA11E)

File: ch

Place sought care: (public sector) Mobile / Outreach clinic (CA11E)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

From where did you seek advice or treatment?
Probe:
Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.
Probe to identify each type of source.
If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Sectoral hospital (army, police) (CA11F)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

From where did you seek advice or treatment?
Probe:
Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.
Probe to identify each type of source.
If unable to determine if public or private sector, write the name of the place.

Place sought care: (public sector) Govt. pharmacy (CA11G)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 6
Invalid: 0

Literal question

From where did you seek advice or treatment?
Probe:
Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.
Probe to identify each type of source.
If unable to determine if public or private sector, write the name of the place.

Place sought care: Other public (CA11H)

File: ch

Place sought care: Other public (CA11H)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 7

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Private hospital / clinic (CA11I)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 289

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Private physician (CA11J)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 234

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Private pharmacy (CA11K)

File: ch

Overview

Place sought care: Private pharmacy (CA11K)

File: ch

Type: Discrete
Format: character
Width: 1

Valid cases: 360
Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:
Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.
Probe to identify each type of source.
If unable to determine if public or private sector, write the name of the place.

Place sought care: Other private medical (CA11O)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:
Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.
Probe to identify each type of source.
If unable to determine if public or private sector, write the name of the place.

Place sought care: Relative / Friend (CA11P)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 59
Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:
Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.
Probe to identify each type of source.
If unable to determine if public or private sector, write the name of the place.

Place sought care: Shop (CA11Q)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 2
Invalid: 0

Place sought care: Shop (CA11Q)

File: ch

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Traditional practitioner (CA11R)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 1

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Place sought care: Other (CA11X)

File: ch

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 11

Invalid: 0

Literal question

From where did you seek advice or treatment?

Probe:

Anywhere else?

Interviewer instructions

Circle all providers mentioned, but do NOT prompt with any suggestions.

Probe to identify each type of source.

If unable to determine if public or private sector, write the name of the place.

Given medicine to treat this illness (CA12)

File: ch

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 1555

Invalid: 1791

Literal question

Given medicine to treat this illness (CA12)

File: ch

At any time during the illness, was (name) given any medicine for the illness?

Medicine: Antibiotic pill / syrup (CA13I)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1242
Invalid: 0

Literal question

What medicine was (name) given?

Probe:

Any other medicine?

Interviewer instructions

Circle all medicines given. Write brand name(s) of all medicines mentioned.

Medicine: Antibiotic injection (CA13J)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 56
Invalid: 0

Literal question

What medicine was (name) given?

Probe:

Any other medicine?

Interviewer instructions

Circle all medicines given. Write brand name(s) of all medicines mentioned.

Medicine: Paracetamol / Panadol / Acetaminophen (CA13P)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 185
Invalid: 0

Literal question

What medicine was (name) given?

Probe:

Any other medicine?

Interviewer instructions

Circle all medicines given. Write brand name(s) of all medicines mentioned.

Medicine: Aspirin (CA13Q)

File: ch

Medicine: Aspirin (CA13Q)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 15
Invalid: 0

Literal question

What medicine was (name) given?

Probe:

Any other medicine?

Interviewer instructions

Circle all medicines given. Write brand name(s) of all medicines mentioned.

Medicine: Ibuprofen (CA13R)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 6
Invalid: 0

Literal question

What medicine was (name) given?

Probe:

Any other medicine?

Interviewer instructions

Circle all medicines given. Write brand name(s) of all medicines mentioned.

Medicine: Other (CA13X)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 280
Invalid: 0

Literal question

What medicine was (name) given?

Probe:

Any other medicine?

Interviewer instructions

Circle all medicines given. Write brand name(s) of all medicines mentioned.

Medicine: DK (CA13Z)

File: ch

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 58
Invalid: 0

Literal question

Medicine: DK (CA13Z)

File: ch

What medicine was (name) given?

Probe:

Any other medicine?

Interviewer instructions

Circle all medicines given. Write brand name(s) of all medicines mentioned.

Place where antibiotics were obtained (CA13BB)

File: ch

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 11-99

Valid cases: 1262

Invalid: 2084

Minimum: 11

Maximum: 99

Literal question

Where did you get the antibiotics?

Interviewer instructions

Probe to identify the type of source.

If unable to determine whether public or private, write the name of the place.

What was done to dispose of the stools (CA15)

File: ch

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-99

Valid cases: 2131

Invalid: 1215

Literal question

The last time (name) passed stools, what was done to dispose of the stools?

Area (HH6)

File: ch

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Valid cases: 3346

Invalid: 0

Pre question

Type of settlement:

Interviewer instructions

Circle the code for area of residence as instructed/provided by your supervisor. This will have been pre-determined; you will not be required to assess whether the household is in an urban or rural area.

Region (HH7)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 3346
Invalid: 0

Interviewer instructions

Circle the code for region as instructed/provided by your supervisor.

Sex (HL4)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 3346
Invalid: 0

Literal question

Is (name) male or female?

Interviewer instructions

Circle '1' for 'Male' and '2' for 'Female'. Do not guess the sex of the household member from the name provided to you. When the respondent is listing everyone in the household, he/she may indicate the sex of the person at the same time, by saying "My sister Mary," for instance. In this case, you do not need to ask the sex of the household member again, since it is already obvious that the person is a female. However, when a name is mentioned that can be used for both males and females, never use your judgement. Even in cases when you think that the name would most likely be a male's (or a female's) name, have the respondent confirm the sex. This column should never be left blank.

Highest level of education attended (ED4A)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Valid cases: 3098
Invalid: 248

Literal question

What is the highest level of school (name) attended?

Interviewer instructions

For household members age 5 and above, ask ED1-ED8:

If the person has been to school, record the highest level of schooling attended by circling the code for the response. You may need to probe for the type of school attended. Circle '8' if the respondent 'Doesn't know'. If the highest level of school the child has attended is preschool (Level=0), skip to ED5.

Highest grade completed at that level (ED4B)

File: ch

Overview

Highest grade completed at that level (ED4B)

File: ch

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 2403
Invalid: 943

Literal question

What is the highest grade (name) completed at this level?

Interviewer instructions

For household members age 5 and above, ask ED1-ED8:

Enter the highest grade completed or '98' for 'DK' ('Doesn't know'). If less than one grade, enter '00'. For instance, if a person has attended primary school but did not complete the first grade, then the level for this person will be circled as '1' in ED4A, and the grade will be entered as '00' in ED4B.

Similarly, for a child who is attending grade 5 in primary school at the time of the interview, the level will be coded as '1' and the grade as '04', since this person has not yet completed grade 5.

Note that if the level of schooling is given as preschool in ED4A, the grade should be left blank.

For someone not at school anymore, the highest level attended is the one he/she went to before leaving the education system, even if it was for a few weeks. For someone still at school, the highest level is the one he/she is currently attending (or was attending if we are conducting the interview during a long school break period).

Date of interview child (CMC) (CDOI)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1368-1372

Valid cases: 3346
Invalid: 0
Minimum: 1368
Maximum: 1372

Date of birth of child (CMC) (CDOB)

File: ch

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1309-1371

Valid cases: 3316
Invalid: 30
Minimum: 1309
Maximum: 1371

Age (months) (CAGE)

File: ch

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-59

Valid cases: 3316
Invalid: 30
Minimum: 0
Maximum: 59

Age (CAGE_6)

File: ch

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-6

Valid cases: 3316
 Invalid: 30

Age (CAGE_11)

File: ch

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-5

Valid cases: 3316
 Invalid: 30

Age in days (CAGED)

File: ch

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9999

Valid cases: 3316
 Invalid: 30
 Minimum: 0
 Maximum: 9999

Mother's education (melevel)

File: ch

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Valid cases: 3346
 Invalid: 0

Ethnicity of household head (ethnicity)

File: ch

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 3346
 Invalid: 0

Children's sample weight (chweight)

File: ch

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 6
Range: 0-2.56692812906191

Valid cases: 3346
Invalid: 0
Minimum: 0
Maximum: 2.6

Combined wealth score (wscore)

File: ch

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 5
Range: -3.36364253957776-1.75320833504455

Valid cases: 3346
Invalid: 0
Minimum: -3.4
Maximum: 1.8

Wealth index quintile (windex5)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Valid cases: 3346
Invalid: 0

Urban wealth score (wscoreu)

File: ch

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 5
Range: -4.59439766774955-1.47782764110636

Valid cases: 1295
Invalid: 2051
Minimum: -4.6
Maximum: 1.5

Urban wealth index quintile (windex5u)

File: ch

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Valid cases: 1295
Invalid: 2051

Rural wealth score (wscorer)

File: ch

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 5
 Range: -3.20903020005985-2.18569435195755

Valid cases: 2081
 Invalid: 1265
 Minimum: -3.2
 Maximum: 2.2

Rural wealth index quintile (windex5r)

File: ch

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-5

Valid cases: 2081
 Invalid: 1265

Cluster number (HH1)

File: hh

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 10200 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 1 |
| Decimals: 0 | Maximum: 510 |
| Range: 1-510 | |

Interviewer instructions

Enter the cluster number as instructed by your supervisor.

Household number (HH2)

File: hh

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 10200 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-20 | |

Interviewer instructions

Enter the household number as instructed by your supervisor.

Interviewer number (HH3)

File: hh

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 10200 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 12 |
| Decimals: 0 | Maximum: 667 |
| Range: 12-667 | |

Supervisor number (HH4)

File: hh

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 10200 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 11 |
| Decimals: 0 | Maximum: 661 |
| Range: 11-661 | |

Interviewer instructions

Leave this space blank. The supervisor will later enter his/her name and number in the space provided.

Day of interview (HH5D)

File: hh

Overview

Day of interview (HH5D)

File: hh

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Valid cases: 10200
Invalid: 0
Minimum: 1
Maximum: 31

Interviewer instructions

Enter the date of the interview as day, month and year. If the interview is not completed on your first visit and you visit the household again, revise and enter final date of interview. In other words, the date here should be either when you have completed the Household Questionnaire or when the interview has not been conducted but there will be no more attempts to interview the household.

Month of interview (HH5M)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 10200
Invalid: 0

Interviewer instructions

Enter the date of the interview as day, month and year. If the interview is not completed on your first visit and you visit the household again, revise and enter final date of interview. In other words, the date here should be either when you have completed the Household Questionnaire or when the interview has not been conducted but there will be no more attempts to interview the household.

Year of interview (HH5Y)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2013-2014

Valid cases: 10200
Invalid: 0
Minimum: 2013
Maximum: 2014

Interviewer instructions

Enter the date of the interview as day, month and year. If the interview is not completed on your first visit and you visit the household again, revise and enter final date of interview. In other words, the date here should be either when you have completed the Household Questionnaire or when the interview has not been conducted but there will be no more attempts to interview the household.

Area (HH6)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 10200
Invalid: 0

Interviewer instructions

Area (HH6)

File: hh

Circle the code for area of residence as instructed/provided by your supervisor. This will have been pre-determined; you will not be required to assess whether the household is in an urban or rural area.

Region (HH7)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 10200
Invalid: 0

Interviewer instructions

Circle the code for region as instructed/provided by your supervisor.

After the HH1-HH7 has been filled out, begin by saying the following to the respondent:

We are from (country-specific affiliation). We are working on a project concerned with family health and education. I would like to talk to you about these subjects. The interview will take about (number) minutes. All the information we obtain will remain strictly confidential and your answers will never be shared with anyone other than our project team. May I start now?

You may change the wording of these introductory sentences as appropriate. However, you must make sure to include the following when you are introducing yourself: the name of the implementing agency; the topic of the survey; approximate duration of the interview; the issue of confidentiality; and with whom you would like to speak. If permission is given, begin the interview. If the respondent does not agree to continue, thank him/her and leave the household to go the next household. Later, discuss the refusal with your supervisor; you or another person from the team may attempt to interview the household for a second time. This will depend on your description of the refusal. However, remember that a household's participation in the survey must be on a voluntary basis, and potential respondents must never be forced to participate.

Result of HH interview (HH9)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Valid cases: 10200
Invalid: 0

Post question

You will complete question HH9 (Result of household interview) as soon as the Household Questionnaire has been completed, or after all attempts have been made to interview the household. Questions HH13, HH13B and HH15 should be filled in once you have concluded all individual interviews for women and men in the household and all interviews for each child under age five have been completed. Assuming that all interviews for the household have been successfully completed, the numbers in HH13, HH13B and HH15 should equal the total number of eligible women (HH12), eligible men (HH13A) and children under five (HH14), respectively. Since the maximum number of women interviewed for the Questionnaire for Individual Women cannot be higher than the number of eligible women in the household, the number in HH13 should never be greater than that in HH12. The same applies in the case of HH13B and HH13A as well as HH15 and HH14.

Interviewer instructions

Result of HH interview (HH9)

File: hh

'Completed': If the Household Questionnaire is completed, circle '01'.

'No household member or no competent respondent at home at time of visit': If the dwelling is occupied, but no one is at home or if there is only a child at home or an adult member who is ill, deaf, or mentally incompetent and you have not been able to contact a more qualified member of the household after repeated visits, circle '02'.

'Entire household absent for extended period of time': If no one is at home and the neighbours say that no one will return for several days or weeks, circle '03'.

'Refused': If the household refuses to be interviewed, circle '04'.

'Dwelling vacant / Address not a dwelling': If a dwelling assigned to you is unoccupied, that is, it is empty with no furniture and is not being lived in, this is what we call "vacant," and you should circle '05'. Other times, you may find that a dwelling is not a residential unit. It is a shop, church, school, workshop, or some other type of facility that is not used as a living area. After making sure there are no residential units in back of or above the premises, circle '05' as the result for the visit.

'Dwelling destroyed': If the dwelling was burned down or was demolished in some other manner, circle '06'.

'Dwelling not found': If you are unable to find the dwelling even after asking people in the area whether they are familiar with the address or the name of the household head on listing forms, circle '07'.

'Other': If you have not been able to complete the Household Questionnaire for another reason, you should circle '96' and specify the reason in the space provided. Some examples of 'Other' codes might be: the household respondent is incapacitated; the questionnaire is partly completed.

Respondent to HH questionnaire (HH10)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 9979
Invalid: 221

Post question

You will complete question HH9 (Result of household interview) as soon as the Household Questionnaire has been completed, or after all attempts have been made to interview the household. Questions HH13, HH13B and HH15 should be filled in once you have concluded all individual interviews for women and men in the household and all interviews for each child under age five have been completed. Assuming that all interviews for the household have been successfully completed, the numbers in HH13, HH13B and HH15 should equal the total number of eligible women (HH12), eligible men (HH13A) and children under five (HH14), respectively. Since the maximum number of women interviewed for the Questionnaire for Individual Women cannot be higher than the number of eligible women in the household, the number in HH13 should never be greater than that in HH12. The same applies in the case of HH13B and HH13A as well as HH15 and HH14.

Interviewer instructions

Enter the name and line number (from the Household Listing, columns HL1 and HL2) of the respondent to the Household Questionnaire.

Number of HH members (HH11)

File: hh

Overview

Number of HH members (HH11)

File: hh

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Valid cases: 9979
Invalid: 221

Post question

You will complete question HH9 (Result of household interview) as soon as the Household Questionnaire has been completed, or after all attempts have been made to interview the household. Questions HH13, HH13B and HH15 should be filled in once you have concluded all individual interviews for women and men in the household and all interviews for each child under age five have been completed. Assuming that all interviews for the household have been successfully completed, the numbers in HH13, HH13B and HH15 should equal the total number of eligible women (HH12), eligible men (HH13A) and children under five (HH14), respectively. Since the maximum number of women interviewed for the Questionnaire for Individual Women cannot be higher than the number of eligible women in the household, the number in HH13 should never be greater than that in HH12. The same applies in the case of HH13B and HH13A as well as HH15 and HH14.

Interviewer instructions

Count the number of household members recorded in column HL1 of the Household Listing Form and enter the total here. Normally, this is the line number of the last member listed in the Household Listing Form.

Number of women 15 - 49 years (HH12)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Valid cases: 9979
Invalid: 221

Post question

You will complete question HH9 (Result of household interview) as soon as the Household Questionnaire has been completed, or after all attempts have been made to interview the household. Questions HH13, HH13B and HH15 should be filled in once you have concluded all individual interviews for women and men in the household and all interviews for each child under age five have been completed. Assuming that all interviews for the household have been successfully completed, the numbers in HH13, HH13B and HH15 should equal the total number of eligible women (HH12), eligible men (HH13A) and children under five (HH14), respectively. Since the maximum number of women interviewed for the Questionnaire for Individual Women cannot be higher than the number of eligible women in the household, the number in HH13 should never be greater than that in HH12. The same applies in the case of HH13B and HH13A as well as HH15 and HH14.

Interviewer instructions

Enter the total number of women age 15-49; these are women eligible for interview with the Questionnaire for Individual Women.

Number of woman' questionnaires completed (HH13)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Valid cases: 9979
Invalid: 221

Post question

Number of woman' questionnaires completed (HH13)

File: hh

You will complete question HH9 (Result of household interview) as soon as the Household Questionnaire has been completed, or after all attempts have been made to interview the household. Questions HH13, HH13B and HH15 should be filled in once you have concluded all individual interviews for women and men in the household and all interviews for each child under age five have been completed. Assuming that all interviews for the household have been successfully completed, the numbers in HH13, HH13B and HH15 should equal the total number of eligible women (HH12), eligible men (HH13A) and children under five (HH14), respectively. Since the maximum number of women interviewed for the Questionnaire for Individual Women cannot be higher than the number of eligible women in the household, the number in HH13 should never be greater than that in HH12. The same applies in the case of HH13B and HH13A as well as HH15 and HH14.

Interviewer instructions

Once all of the Questionnaires for Individual Women have been completed for a particular household, enter the number completed here.

Number of children under age 5 (HH14)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Valid cases: 9979
Invalid: 221

Post question

You will complete question HH9 (Result of household interview) as soon as the Household Questionnaire has been completed, or after all attempts have been made to interview the household. Questions HH13, HH13B and HH15 should be filled in once you have concluded all individual interviews for women and men in the household and all interviews for each child under age five have been completed. Assuming that all interviews for the household have been successfully completed, the numbers in HH13, HH13B and HH15 should equal the total number of eligible women (HH12), eligible men (HH13A) and children under five (HH14), respectively. Since the maximum number of women interviewed for the Questionnaire for Individual Women cannot be higher than the number of eligible women in the household, the number in HH13 should never be greater than that in HH12. The same applies in the case of HH13B and HH13A as well as HH15 and HH14.

Interviewer instructions

Enter the total number of children under five eligible for interview with the Questionnaire for Children Under Five. This should be calculated as the total number of children for whom a mother or caretaker line number is entered in column HL9. You will be using the Questionnaire for Children Under Five to interview the mothers or primary caretakers of these children.

Number of under - 5 questionnaires completed (HH15)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Valid cases: 9979
Invalid: 221

Post question

Number of under - 5 questionnaires completed (HH15)

File: hh

You will complete question HH9 (Result of household interview) as soon as the Household Questionnaire has been completed, or after all attempts have been made to interview the household. Questions HH13, HH13B and HH15 should be filled in once you have concluded all individual interviews for women and men in the household and all interviews for each child under age five have been completed. Assuming that all interviews for the household have been successfully completed, the numbers in HH13, HH13B and HH15 should equal the total number of eligible women (HH12), eligible men (HH13A) and children under five (HH14), respectively. Since the maximum number of women interviewed for the Questionnaire for Individual Women cannot be higher than the number of eligible women in the household, the number in HH13 should never be greater than that in HH12. The same applies in the case of HH13B and HH13A as well as HH15 and HH14.

Interviewer instructions

Once all of the Questionnaires for Children Under Five have been completed for a particular household, enter the number completed here.

Field editor (HH16)

File: hh

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 10200 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 12 |
| Decimals: 0 | Maximum: 662 |
| Range: 12-662 | |

Interviewer instructions

Leave this space blank. The field editor of your team will later enter his/her name and number in the space provided when checking the completed household questionnaires.

Data entry clerk (HH17)

File: hh

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 10200 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-12 | |

Interviewer instructions

Leave this space blank. The data entry clerk will enter his/her name and number in the space provided.

Start of interview - Hour (HH18H)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 9979 |
| Format: numeric | Invalid: 221 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 5-99 | |

Interviewer instructions

Start of interview - Hour (HH18H)

File: hh

Record the time of the day you start the household interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute. Avoid rounding the minutes and write the exact minutes as you see on your watch.

List the head of the household in line 01. List all household members (HL2), their relationship to the household head (HL3), and their sex (HL4).

If the answer to the second question is yes, complete listing for questions HL2-HL4. Then, ask questions starting with HL5 for each person at a time.

Use an additional questionnaire if all rows in the household listing form have been used.

Start of interview - Minutes (HH18M)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 9979
Invalid: 221
Minimum: 0
Maximum: 99

Interviewer instructions

Record the time of the day you start the household interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute. Avoid rounding the minutes and write the exact minutes as you see on your watch.

List the head of the household in line 01. List all household members (HL2), their relationship to the household head (HL3), and their sex (HL4).

If the answer to the second question is yes, complete listing for questions HL2-HL4. Then, ask questions starting with HL5 for each person at a time.

Use an additional questionnaire if all rows in the household listing form have been used.

End of interview - Hour (HH19H)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 6-99

Valid cases: 9979
Invalid: 221

Interviewer instructions

Record the time of the day you finish the household interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute. If the interview is not completed on your first visit and you visit the household again to continue the interview, revise and enter starting (HH18) and ending times (HH19) of interview to reflect the actual amount of time spent for the whole duration of this interview in both/all visits. Also provide a note at the end of the household questionnaire regarding this.

End of interview - Minutes (HH19M)

File: hh

Overview

End of interview - Minutes (HH19M)

File: hh

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 9979
Invalid: 221
Minimum: 0
Maximum: 99

Interviewer instructions

Record the time of the day you finish the household interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute. If the interview is not completed on your first visit and you visit the household again to continue the interview, revise and enter starting (HH18) and ending times (HH19) of interview to reflect the actual amount of time spent for the whole duration of this interview in both/all visits. Also provide a note at the end of the household questionnaire regarding this.

Total children aged 1-17 years (SL1)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Valid cases: 9979
Invalid: 221

Interviewer instructions

Check HL6 in the List of Household Members and write the total number of children age 1-17 years.

Rank number of the selected child (SL9A)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Valid cases: 6427
Invalid: 3773

Child line number (SL9B)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-97

Valid cases: 6427
Invalid: 3773

Child's age (SL9C)

File: hh

Overview

Child's age (SL9C)

File: hh

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-17

Valid cases: 6427
Invalid: 3773

Interviewer instructions

Record the rank number (SL1), line number (SL2), name (SL3) and age (SL5) of the selected child

Flag for correct child line number (CD_FLAG)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 6427
Invalid: 3773

Worked or helped on garden (CL2A)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Now I would like to ask about any work children in this household may do. Since last (day of the week). did (name) do any of the following activities. Even for only one hour?

[a] Did (name) do any work or help on his/her own or the household's plot/farm/food garden or looked after animals? For example, growing farm produce, harvesting, or feeding, grazing, milking animals?

Helped in family business (CL2B)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Now I would like to ask about any work children in this household may do. Since last (day of the week). did (name) do any of the following activities. Even for only one hour?

[b] Did (name) help in family business or relative's business with or without pay or run his/her own business?

Produced or sold articles (CL2C)

File: hh

Produced or sold articles (CL2C)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Now I would like to ask about any work children in this household may do. Since last (day of the week), did (name) do any of the following activities. Even for only one hour?

[c] Did (name) produce or sell articles, handicrafts, clothes, food or agricultural products?

Engaged in any other activity for income (CL2D)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Now I would like to ask about any work children in this household may do. Since last (day of the week), did (name) do any of the following activities. Even for only one hour?

[d] Since last (day of week), did (name) engage in any other activity in return for income in cash or in kind, even for only one hour?

If no, probe:

Please include any activity (name) performed as a regular or casual employee, self-employed or employer; or as an unpaid family worker helping out in household business or farm.

Hours worked in past week (CL4)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1441
Invalid: 8759
Minimum: 0
Maximum: 80

Literal question

Since last (day of the week), about how many hours did (name) engage in this activity/these activities, in total?

Interviewer instructions

If less than one hour, record "00"

Activities required carrying heavy loads (CL5)

File: hh

Overview

Activities required carrying heavy loads (CL5)

File: hh

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1441
Invalid: 8759

Literal question

Does the activity/do these activities require carrying heavy loads?

Activities required working with dangerous tools or heavy machinery (CL6)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1278
Invalid: 8922

Literal question

Does the activity/do these activities require working with dangerous tools (knives etc.) or operating heavy machinery?

Description of work: exposed to dust, fumes, or gas (CL7A)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1173
Invalid: 9027

Literal question

How would you describe the work environment of (name)?
[a] Is (name) exposed to dust, fumes or gas?

Description of work: exposed to extreme temperatures or humidity (CL7B)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1096
Invalid: 9104

Literal question

How would you describe the work environment of (name)?
[b] Is (name) exposed to extreme cold heat or humidity?

Description of work: exposed to loud noise or vibration (CL7C)

File: hh

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 1070
 Invalid: 9130

Literal question

How would you describe the work environment of (name)?
 [c] Is (name) exposed to loud noise or vibration?

Description of work: required to work at heights (CL7D)

File: hh

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 1062
 Invalid: 9138

Literal question

How would you describe the work environment of (name)?
 [d] Is (name) required to work at heights?

Description of work: required to work with chemicals (CL7E)

File: hh

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 1058
 Invalid: 9142

Literal question

How would you describe the work environment of (name)?
 [e] Is (name) required to work with chemicals (pesticides, glues, etc.) or explosives?

Description of work: exposed to other (CL7F)

File: hh

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 1050
 Invalid: 9150

Literal question

How would you describe the work environment of (name)?
 [f] Is (name) exposed to other things, processes or conditions bad for (name)'s health or safety?

Fetches water or collected firewood (CL8)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Since last (day of the week), did (name) fetch water or collect firewood for household use?

Hours spent fetching water or collecting firewood (CL9)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 510
Invalid: 9690

Literal question

In total, how many hours did (name) spend on fetching water or collecting firewood for household use, since last (day of the week)?

Interviewer instructions

If less than one hour, record "00"

Household chores: shopping (CL10A)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Since last (day of the week), did (name) do any of the following for this household:
Shopping for household?

Household chores: repairing equipment (CL10B)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Since last (day of the week), did (name) do any of the following for this household:
Repair any household equipment?

Household chores: cooking or cleaning (CL10C)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Since last (day of the week), did (name) do any of the following for this household:
Cooking or cleaning utensils or the house?

Household chores: washing clothes (CL10D)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Since last (day of the week), did (name) do any of the following for this household:
Washing clothes

Household chores: caring for children (CL10E)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Since last (day of the week), did (name) do any of the following for this household:
Caring for children

Household chores: caring for old or sick (CL10F)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Since last (day of the week), did (name) do any of the following for this household:
Caring for the old or sick

Household chores: other (CL10G)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4870
Invalid: 5330

Literal question

Since last (day of the week), did (name) do any of the following for this household:
Other household tasks?

Number of hours (CL12)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 3810
Invalid: 6390
Minimum: 0
Maximum: 99

Literal question

Since last (day of the week), about how many hours did (name) engage in this activity/these activities, in total?

Interviewer instructions

If less than one hour, record "00"

Child line number (CD2)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-97

Valid cases: 5232
Invalid: 4968

Interviewer instructions

Write the line number and name of the child from SL9.

Took away privileges (CD3A)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Took away privileges, forbade something (name) liked or did not allow him/her to leave the house?

Explained why behaviour was wrong (CD3B)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Explained why (name)'s behaviour was wrong?

Shook child (CD3C)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Shook him/her?

Shouted, yelled or screamed at child (CD3D)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Shouted, yelled at or screamed at him/her?

Gave child something else to do (CD3E)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Gave child something else to do (CD3E)

File: hh

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Gave him/her something else to do?

Spanked, hit or slapped child on bottom with bare hand (CD3F)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Spanked, hit or slapped him/her on the bottom with bare hand?

Hit child on the bottom or elsewhere with belt, brush, stick, etc. (CD3G)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Hit him/her on the bottom or elsewhere on the body with something like a belt, hairbrush, stick or other head object?

Called child dumb, lazy or another name (CD3H)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Called him/her dumb, lazy, or another name like that?

Hit or slapped child on the face, head or ears (CD3I)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Hit or slapped him/her on the face, head or ears?

Hit or slapped child on the hand, arm or leg (CD3J)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Hit or slapped him/her on the hand, arm, or leg?

Beat child up as hard as one could (CD3K)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Adults use certain ways to teach children the right behaviour or to address a behaviour problem. I will read various methods that are used. Please tell me if you or anyone else in your household has used this method with (name) in the past month.

Beat him/her up, that is hit him/her over and over as hard as one could?

Child needs to be physically punished to be brought up properly (CD4)

File: hh

Overview

Child needs to be physically punished to be brought up properly (CD4)

File: hh

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 5232
Invalid: 4968

Literal question

Do you believe that in order to bring up, raise, or educate a child properly, the child needs to be physically punished?

Religion of household head (HC1A)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 9979
Invalid: 221

Literal question

What is the religion of the head of this household?

Interviewer instructions

Circle the code corresponding to the answer given. Make sure to get the religion, ethnicity or mother tongue/native language of the household head.

Survey Coordinators: Questions on religion, language and ethnicity should be adapted to the country-specific setting. These questions are intended to identify the sociocultural background of the households. Some sociocultural groups tend to be more vulnerable or disadvantaged than others. Depending on the criteria used in your country to differentiate between these groups, you may want to delete one or two of these questions if only one of them is sufficient, or add a similar question which uses a criterion other than religion, ethnic group or mother tongue. For instance, in some countries, asking about the religious sect may be necessary to differentiate between various groups.

Ethnic group of household head (HC1C)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 9979
Invalid: 221

Literal question

To what ethnic group does the head of this household belong?

Interviewer instructions

Circle the code corresponding to the answer given. Make sure to get the religion, ethnicity or mother tongue/native language of the household head.

Survey Coordinators: Questions on religion, language and ethnicity should be adapted to the country-specific setting. These questions are intended to identify the sociocultural background of the households. Some sociocultural groups tend to be more vulnerable or disadvantaged than others. Depending on the criteria used in your country to differentiate between these groups, you may want to delete one or two of these questions if only one of them is sufficient, or add a similar question which uses a criterion other than religion, ethnic group or mother tongue. For instance, in some countries, asking about the religious sect may be necessary to differentiate between various groups.

Number of rooms used for sleeping (HC2)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 9979
Invalid: 221

Literal question

How many rooms in this household are used for sleeping?

Interviewer instructions

This information provides a measure of how crowded the house is, and reflects the socio-economic condition of the household. A room in this case refers to a special area with a permanent partition that is used for sleeping. It is not necessarily the number of rooms in the household that are called 'bedrooms', but rather how many rooms get used for sleeping on a regular basis. Exclude rooms that are used only for sleeping by visitors to the household, but include those rooms that may not be regular 'bedrooms' but may be regularly used by one or more of the household members for sleeping.

Enter the number of rooms in this household that are used for sleeping.

Main material of floor (HC3)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Valid cases: 9979
Invalid: 221
Minimum: 11
Maximum: 36

Interviewer instructions

Record observation.

Survey Coordinators: Adapt the response categories to include locally relevant floor materials.

Circle the correct code for the material of the dwelling floor based on your observation. You will be able to observe the correct answer in most cases, but if in doubt, ask. If there is more than one kind of material making up the floor at different parts of the household, record the main flooring material (the material that covers the largest amount of floor space).

Main material of roof (HC4)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Valid cases: 9979
Invalid: 221
Minimum: 12
Maximum: 38

Interviewer instructions

Record observation.

Survey Coordinators: Adapt the response categories to include locally relevant roof materials.

Circle the correct code for the material of the dwelling roof, based on your observation. You will be able to observe the correct answer in most cases, but if in doubt, ask. If there is more than one kind of material making up the roof, record the main roofing material (the material that covers the largest amount of roof space).

Main material of exterior wall (HC5)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 9979 |
| Format: numeric | Invalid: 221 |
| Width: 2 | Minimum: 11 |
| Decimals: 0 | Maximum: 96 |
| Range: 11-99 | |

Interviewer instructions

Record observation.

Survey Coordinators: Adapt the response categories to include locally relevant wall materials.

Circle the correct code for the material of the dwelling walls, based on your observation. You will be able to observe the correct answer in most cases, but if in doubt, ask. If there is more than one kind of material making up the walls at different parts of the household, record the main wall material (the material that covers the largest amount of wall space).

Type of fuel using for cooking (HC6)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 9979 |
| Format: numeric | Invalid: 221 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-99 | |

Literal question

What type of fuel does your household mainly use for cooking?

Interviewer instructions

Information on the type of fuel used for cooking is collected as another measure of the socio-economic status of the household. The use of some cooking fuels can also have adverse health consequences.

Circle the code corresponding to the answer given. Remember that this question asks about fuel for cooking, not fuel for heating or lighting. If the household uses more than one fuel for cooking, find out which type of fuel is used most often. If electricity, liquid propane gas (LPG), natural gas, biogas or kerosene is mainly used, circle '01', '02', '03', '04', or '05', respectively, and skip to HC8. There might be cases when no cooking is done in the household. In this case, circle '95' and skip to HC8. If any fuel other than the pre-coded ones is reported as being the main fuel used for cooking, circle '96' and specify the type of fuel on the line provided.

Definitions of some of the types of fuel are as follows: 'Biogas' includes gases produced by fermenting manure in an enclosed pit. 'Lignite' is a derivative of coal that produces more smoke when burned but produces less heat than coal.

Cooking location (HC7)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 4029 |
| Format: numeric | Invalid: 6171 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Is the cooking usually done in the house, in a separate building or outdoors?
If "In the house", probe: Is it done in a separate room used as a kitchen?

Interviewer instructions

Cooking location (HC7)

File: hh

Circle the code corresponding to the response given. Circle '1' if the cooking is done in a separate room designated as a kitchen. Circle '2' if the cooking is done in an area used for living, sitting, sleeping, and not in a separate kitchen or building. Circle '3' if the cooking is done in another building and '4' only if the cooking is usually done outdoors.

If a response is given other than the pre-coded ones, circle '6' and specify the cooking place on the line provided.

The answers to the following two questions on ownership of certain items will be used as an approximate measure of the socio-economic status of the household.

Electricity (HC8A)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: Electricity?

Interviewer instructions

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Radio (HC8B)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A radio?

Interviewer instructions

Radio (HC8B)

File: hh

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Television (HC8C)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A television?

Interviewer instructions

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Fixed phone (HC8D)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A fixed telephone?

Interviewer instructions

Fixed phone (HC8D)

File: hh

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Refrigerator (HC8E)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A refrigerator?

Interviewer instructions

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Bed (HC8F)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A bed?

Interviewer instructions

Bed (HC8F)

File: hh

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Table and chair set (HC8G)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A table and chair set?

Interviewer instructions

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Sofa (HC8H)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: Sofa?

Interviewer instructions

Sofa (HC8H)

File: hh

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Fan (HC8I)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A fan?

Interviewer instructions

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Computer (HC8J)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A computer?

Interviewer instructions

Computer (HC8J)

File: hh

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Air conditioner (HC8K)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: An air conditioner?

Interviewer instructions

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Gas cooker (HC8L)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A gas cooker?

Interviewer instructions

Gas cooker (HC8L)

File: hh

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Electric cooker (HC8M)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: An electric cooker?

Interviewer instructions

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Washing machine (HC8N)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A washing machine?

Interviewer instructions

Washing machine (HC8N)

File: hh

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Tractor (HC8O)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A tractor?

Interviewer instructions

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Car (HC8P)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: An car or truck?

Interviewer instructions

Car (HC8P)

File: hh

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Ship and boat with a motor (HC8Q)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does your household have: A ship and boat with a motor?

Interviewer instructions

Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank.

Ask the question for the following items: Electricity, Radio, Television, Non-mobile telephone, Refrigerator?

Survey Coordinators: Each country should add to the list at least five items of furniture (such as a table, a chair, a sofa, a bed, an armoire, or a cupboard or cabinet).

In addition, each country should add at least four additional household appliances so that the list includes at least three items that even a poor household may have, at least three items that a middle income household may have, and at least three items that a high income household may have. Some possible additions are clock, water pump, grain grinder, fan, blender, water heater, electric generator, washing machine, microwave oven, computer, VCR or DVD player, cassette or CD player, camera, air conditioner or cooler, colour TV, sewing machine.

Mobile telephone (HC9B)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does any member of your household own: A mobile telephone?

Interviewer instructions

Mobile telephone (HC9B)

File: hh

This question collects information on the ownership of various items owned by any of the household members. Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that an item such as a motorcycle is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank. Bicycle for children (used as a toy) should not be considered.

Ask the question for the following items: Watch, Mobile telephone, Bicycle, Motorcycle/Scooter, Animal-drawn cart, Car/truck, Boat with Motor.

Bicycle (HC9C)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does any member of your household own: A bicycle?

Interviewer instructions

This question collects information on the ownership of various items owned by any of the household members. Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that an item such as a motorcycle is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank. Bicycle for children (used as a toy) should not be considered.

Ask the question for the following items: Watch, Mobile telephone, Bicycle, Motorcycle/Scooter, Animal-drawn cart, Car/truck, Boat with Motor.

Motorcycle or scooter (HC9D)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does any member of your household own: A motorcycle or scooter?

Interviewer instructions

This question collects information on the ownership of various items owned by any of the household members. Read out each item and circle the code corresponding to the answer given after each item. If the respondent reports that an item such as a motorcycle is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for 'Yes'. Otherwise, circle '2' for 'No'. Be sure to circle either a '1' or a '2' for each item. Do not leave any blank. Bicycle for children (used as a toy) should not be considered.

Ask the question for the following items: Watch, Mobile telephone, Bicycle, Motorcycle/Scooter, Animal-drawn cart, Car/truck, Boat with Motor.

Household owns the dwelling (HC10)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Do you or someone living in this household own this dwelling?

Interviewer instructions

Note that the question pertains to the situation at the time of interview. If the respondent or anyone else living in the household owns the dwelling, circle '1' and continue with the next question. If the answer is 'No' then ask Do you rent this dwelling from someone not living in this household? If the dwelling is rented, circle '2'. If the household lives in the dwelling without paying rent, if the household is squatting (occupied illegally), or if there is another arrangement, circle '6'; probe if the dwelling is not owned or rented by a household member.

Any household member own or have user rights for land that can be used for agriculture (HC11)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does any member of this household own or have user rights for any land that can be used for agriculture?

Interviewer instructions

Agricultural land refers to land that is used for growing crops (the crops may be food for people, food for animals, or other non-food crops), raising animals, and grazing animals. In answering this question, common land used to graze animals but not owned by the household should not be included. Circle the code corresponding to the response given. If 'No', skip to HC13.

Note that the land in question may be far away, even in another country. Accept such answers as "Yes".

Square meters of agricultural land members of household own (HC12)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 0-99999

Valid cases: 5320
Invalid: 4880
Minimum: 15
Maximum: 99999

Literal question

How many meters square (m) of agricultural land do members of this household own or have user rights for?

Interviewer instructions

Square meters of agricultural land members of household own (HC12)

File: hh

Survey Coordinators: If a measurement unit other than hectares is commonly used, adapt the question to allow for the recording of commonly used units.

Record the total number of hectares of land owned by all members of the household that can be used for agriculture. If less than 1, record "00". If 95 or more hectares (or other units) are owned, record '95'. If unknown, record '98'.

Any household member own or have rights for water surface area that can be used for agriculture (HC12A)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does any member of this household own or have user rights for any water surface area that can be used for aquaculture?

Interviewer instructions

Circle the code corresponding to the response given. If 'No', skip to HC13.

Square meters of water surface area members of household own or have user rights (HC12B)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 0-99999

Valid cases: 896
Invalid: 9304
Minimum: 9
Maximum: 99998

Literal question

How many square meters (m) of water surface area do members of this household own or have user rights for?

Interviewer instructions

Record the total number of hectares of land owned by all members of the household that can be used for agriculture. If less than 1, record "00". If 95 or more hectares (or other units) are owned, record '95'. If unknown, record '99998'.

Any household member own or have rights for any forestry land (HC12C)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Any household member own or have rights for any forestry land (HC12C)

File: hh

Literal question

Does any member of this household own or have rights for any forestry land?

Square meters of forestry land members of household own or have rights (HC12D)

File: hh

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 852 |
| Format: numeric | Invalid: 9348 |
| Width: 5 | Minimum: 45 |
| Decimals: 0 | Maximum: 99999 |
| Range: 0-99999 | |

Literal question

How many meters square (m) of forestry land do members of this household own or have rights for?

Interviewer instructions

If 99995 or more, record '99995'. If unknown, record '99998'.

Household own any animals (HC13)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 9979 |
| Format: numeric | Invalid: 221 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Does this household own any livestock, herds, other farm animals, or poultry?

Interviewer instructions

Circle the code corresponding to the response given. If 'No', skip to HC15.

Cattle, milk cows, or bulls (HC14A)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 4804 |
| Format: numeric | Invalid: 5396 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 0-99 | |

Literal question

How many of the following animals does this household have?
Cattle, milk cows, or bulls?

Interviewer instructions

Cattle, milk cows, or bulls (HC14A)

File: hh

Survey Coordinators: Add country-specific animals to the list, as appropriate, such as oxen, water buffalo, camels, llamas, alpacas, ducks, geese, or elephants.

Read out each item and enter the number corresponding to the answer given. Add numbers of milk cows and bulls together, even if the respondent gives separate numbers for each. Similarly, count horses, donkeys and mules together. If the answer is 'none', record '00' for that animal/animal group. If the household has 95 or more of any one type of animal/animal group, record '95'. If the household owns a particular type of animal/animal group, but the respondent does not know how many, circle '98'. Do not leave any items blank.

Ask the question for the following animals: Cattle; Milk Cows or Bulls; Horses, Donkeys or mules; Goats; Sheep; Chickens; Pigs.

Horses, donkeys, or mules (HC14B)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 4804
Invalid: 5396

Literal question

How many of the following animals does this household have?
Horses, donkeys or mules?

Interviewer instructions

Survey Coordinators: Add country-specific animals to the list, as appropriate, such as oxen, water buffalo, camels, llamas, alpacas, ducks, geese, or elephants.

Read out each item and enter the number corresponding to the answer given. Add numbers of milk cows and bulls together, even if the respondent gives separate numbers for each. Similarly, count horses, donkeys and mules together. If the answer is 'none', record '00' for that animal/animal group. If the household has 95 or more of any one type of animal/animal group, record '95'. If the household owns a particular type of animal/animal group, but the respondent does not know how many, circle '98'. Do not leave any items blank.

Ask the question for the following animals: Cattle; Milk Cows or Bulls; Horses, Donkeys or mules; Goats; Sheep; Chickens; Pigs.

Goats (HC14C)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 4804
Invalid: 5396

Literal question

How many of the following animals does this household have?
Goats?

Interviewer instructions

Goats (HC14C)

File: hh

Survey Coordinators: Add country-specific animals to the list, as appropriate, such as oxen, water buffalo, camels, llamas, alpacas, ducks, geese, or elephants.

Read out each item and enter the number corresponding to the answer given. Add numbers of milk cows and bulls together, even if the respondent gives separate numbers for each. Similarly, count horses, donkeys and mules together. If the answer is 'none', record '00' for that animal/animal group. If the household has 95 or more of any one type of animal/animal group, record '95'. If the household owns a particular type of animal/animal group, but the respondent does not know how many, circle '98'. Do not leave any items blank.

Ask the question for the following animals: Cattle; Milk Cows or Bulls; Horses, Donkeys or mules; Goats; Sheep; Chickens; Pigs.

Chickens (HC14E)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 4804
Invalid: 5396
Minimum: 0
Maximum: 98

Literal question

How many of the following animals does this household have?
Chickens?

Interviewer instructions

Survey Coordinators: Add country-specific animals to the list, as appropriate, such as oxen, water buffalo, camels, llamas, alpacas, ducks, geese, or elephants.

Read out each item and enter the number corresponding to the answer given. Add numbers of milk cows and bulls together, even if the respondent gives separate numbers for each. Similarly, count horses, donkeys and mules together. If the answer is 'none', record '00' for that animal/animal group. If the household has 95 or more of any one type of animal/animal group, record '95'. If the household owns a particular type of animal/animal group, but the respondent does not know how many, circle '98'. Do not leave any items blank.

Ask the question for the following animals: Cattle; Milk Cows or Bulls; Horses, Donkeys or mules; Goats; Sheep; Chickens; Pigs.

Pigs (HC14F)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 4804
Invalid: 5396
Minimum: 0
Maximum: 95

Literal question

How many of the following animals does this household have?
Pigs?

Interviewer instructions

Pigs (HC14F)

File: hh

Survey Coordinators: Add country-specific animals to the list, as appropriate, such as oxen, water buffalo, camels, llamas, alpacas, ducks, geese, or elephants.

Read out each item and enter the number corresponding to the answer given. Add numbers of milk cows and bulls together, even if the respondent gives separate numbers for each. Similarly, count horses, donkeys and mules together. If the answer is 'none', record '00' for that animal/animal group. If the household has 95 or more of any one type of animal/animal group, record '95'. If the household owns a particular type of animal/animal group, but the respondent does not know how many, circle '98'. Do not leave any items blank.

Ask the question for the following animals: Cattle; Milk Cows or Bulls; Horses, Donkeys or mules; Goats; Sheep; Chickens; Pigs.

Ducks, geese, swans (HC14G)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 4804
Invalid: 5396
Minimum: 0
Maximum: 99

Literal question

How many of the following animals does this household have?
Ducks, geese or swans?

Interviewer instructions

Survey Coordinators: Add country-specific animals to the list, as appropriate, such as oxen, water buffalo, camels, llamas, alpacas, ducks, geese, or elephants.

Read out each item and enter the number corresponding to the answer given. Add numbers of milk cows and bulls together, even if the respondent gives separate numbers for each. Similarly, count horses, donkeys and mules together. If the answer is 'none', record '00' for that animal/animal group. If the household has 95 or more of any one type of animal/animal group, record '95'. If the household owns a particular type of animal/animal group, but the respondent does not know how many, circle '98'. Do not leave any items blank.

Ask the question for the following animals: Cattle; Milk Cows or Bulls; Horses, Donkeys or mules; Goats; Sheep; Chickens; Pigs.

Any household member own bank account (HC15)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Does any member of this household have a bank account?

Interviewer instructions

Ask if any member in the household has an account with a bank, credit association or other similar organization in which they can deposit and withdraw funds. Circle the code corresponding to the response given.

Main source of drinking water (WS1)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 9979 |
| Format: numeric | Invalid: 221 |
| Width: 2 | Minimum: 11 |
| Decimals: 0 | Maximum: 96 |
| Range: 11-99 | |

Literal question

What is the main source of drinking water for members of your household?

Interviewer instructions

Circle the code for the most usual source. If several sources are mentioned, probe to determine the most usual source. Note that you can only circle one response code. If the source varies by season, record the source for the season of the interview. If the response is 'Piped into dwelling', 'Piped into compound, yard or plot', or 'Piped to neighbour' circle '11', '12', or '13' respectively, and skip to WS6. If the response is 'Bottled water' circle '91' and continue to the next question. Note that the next question is only asked if the response to this question is 'Bottled water'. For all other responses, skip to WS3.

Main source of water used for other purposes (if bottled water used for drinking) (WS2)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1654 |
| Format: numeric | Invalid: 8546 |
| Width: 2 | Minimum: 11 |
| Decimals: 0 | Maximum: 96 |
| Range: 11-99 | |

Literal question

What is the main source of water used by your household for other purposes such as cooking and handwashing?

Interviewer instructions

This question should only be asked to households that use 'Bottled water' for drinking. Circle the code for the most usual source. If the source varies by season, record the source for the season of the interview. If the most usual source of non-drinking water is 'Piped into dwelling', 'Piped into compound, yard or plot', or 'Piped into neighbour', circle '11', '12', or '13' respectively, and skip to WS6. Otherwise circle appropriate code and continue to the next question.

Note that you cannot replace "cooking and handwashing" with other uses of non-drinking water.

Location of the water source (WS3)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 6425 |
| Format: numeric | Invalid: 3775 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Where is that water source located?

Interviewer instructions

This question should only be asked to households where the main source of water is not a piped system. Circle the code for the location of water source. If the location is in own dwelling or in own yard/plot then circle '1' or '2' and skip to WS6. Otherwise circle appropriate code and continue to the next question.

Time (in minutes) to get water and come back (WS4)

File: hh

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 699 |
| Format: numeric | Invalid: 9501 |
| Width: 3 | Minimum: 1 |
| Decimals: 0 | Maximum: 999 |
| Range: 1-999 | |

Literal question

How long does it take to go there, get water, and come back?

Interviewer instructions

This question is used to find out how convenient the location of the source of water is to the dwelling for households using a water source outside their dwelling. Record the time it takes to get water by whatever means of transportation the person generally uses, whether the person walks or rides a bicycle or motor vehicle.

Fill in the estimated time (in minutes, converting from hours, if necessary) it takes by the usual mode of transport to get to the water source, wait to get water, and get back to the dwelling. Use zero(s) preceding the number if less than 100 minutes (for example, '060' or '005'). Then continue to the next question.

If the respondent tells you that the water is delivered to their dwelling (a situation that could arise if the water comes from a tanker truck or a small cart with a tank), record '000'.

If the respondent does not know how long it takes, circle '998' and continue to the next question.

Person collecting water (WS5)

File: hh

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 699 |
| Format: numeric | Invalid: 9501 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Who usually goes to this source to collect the water for your household?

Interviewer instructions

The purpose of this question is to find out the age and gender of the person who usually performs the task of hauling water. This will provide an understanding of whether water hauling responsibilities are given to members of a particular sex or age group.

Probe: "Is this person under age 15? What sex?" Circle the code that corresponds with the response or '8' if the respondent does not know. Adult refers to anyone age 15 or over, regardless of whether he/she is a household member. Child refers to anyone under the age of 15, regardless of whether he/she is a household member.

The purpose of the following two questions, WS6 and WS7, is to determine whether the household drinking water is treated within the household and, if so, what type of treatment is used. This question is intended to gather information on water treatment at the household level and not water treatment at the municipal or vendor level.

Treat water to make safer for drinking (WS6)

File: hh

Overview

Treat water to make safer for drinking (WS6)

File: hh

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

Do you do anything to the water to make it safer to drink?

Interviewer instructions

Circle '1' if 'Yes', and continue to the next question. If 'No' or 'DK' (Doesn't know'), circle '2' or '8', respectively, and skip to WS8.

Water treatment: Boil (WS7A)

File: hh

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 8015
Invalid: 0

Literal question

What do you usually do to make the water safer to drink?

Interviewer instructions

Record all items mentioned.

Circle the code corresponding to the response. The household may be using a method that you know does not make water safer to drink. Do not use your own judgement, just record the response. Record all items mentioned (for example, the household may be filtering the water and adding chlorine at the same time).

Probe: "Anything else?" Circle 'X' for 'Other' and specify on the line provided what the household does to the water to make it safer to drink. Circle 'Z' if the respondent 'Doesn't know'. If 'Z' is circled then the other codes should not be circled.

Definitions of various methods of water treatment are as follows:

'A' - Boil refers to boiling or heating water with fuel.

'B' - Add bleach/chlorine refers to using liquid chlorine bleach or bleaching powder to treat drinking water.

'C' - Strain it through a cloth refers to pouring water through a cloth that acts as a filter for collecting particles from the water.

'D' - Use water filter involves water flowing through a filter made of ceramic, sand or a combination of materials to remove particles and at least some microbes from the water.

'E' - Solar disinfection consists of exposing water, stored in buckets, containers or clear vessels, to sunlight.

'F' - Let it stand and settle refers to storing water undisturbed and without mixing long enough for larger particles to settle to the bottom by gravity. The settled water is carefully removed by decanting, ladling or other gentle methods that do not disturb the settled particles.

Water treatment: Add bleach/chlorine (WS7B)

File: hh

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 182
Invalid: 0

Literal question

What do you usually do to make the water safer to drink?

Interviewer instructions

Water treatment: Add bleach/chlorine (WS7B)

File: hh

Record all items mentioned.

Circle the code corresponding to the response. The household may be using a method that you know does not make water safer to drink. Do not use your own judgement, just record the response. Record all items mentioned (for example, the household may be filtering the water and adding chlorine at the same time).

Probe: "Anything else?" Circle 'X' for 'Other' and specify on the line provided what the household does to the water to make it safer to drink. Circle 'Z' if the respondent 'Doesn't know'. If 'Z' is circled then the other codes should not be circled.

Definitions of various methods of water treatment are as follows:

'A' - Boil refers to boiling or heating water with fuel.

'B' - Add bleach/chlorine refers to using liquid chlorine bleach or bleaching powder to treat drinking water.

'C' - Strain it through a cloth refers to pouring water through a cloth that acts as a filter for collecting particles from the water.

'D' - Use water filter involves water flowing through a filter made of ceramic, sand or a combination of materials to remove particles and at least some microbes from the water.

'E' - Solar disinfection consists of exposing water, stored in buckets, containers or clear vessels, to sunlight.

'F' - Let it stand and settle refers to storing water undisturbed and without mixing long enough for larger particles to settle to the bottom by gravity. The settled water is carefully removed by decanting, ladling or other gentle methods that do not disturb the settled particles.

Water treatment: Strain it through a cloth (WS7C)

File: hh

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 125

Invalid: 0

Literal question

What do you usually do to make the water safer to drink?

Interviewer instructions

Record all items mentioned.

Circle the code corresponding to the response. The household may be using a method that you know does not make water safer to drink. Do not use your own judgement, just record the response. Record all items mentioned (for example, the household may be filtering the water and adding chlorine at the same time).

Probe: "Anything else?" Circle 'X' for 'Other' and specify on the line provided what the household does to the water to make it safer to drink. Circle 'Z' if the respondent 'Doesn't know'. If 'Z' is circled then the other codes should not be circled.

Definitions of various methods of water treatment are as follows:

'A' - Boil refers to boiling or heating water with fuel.

'B' - Add bleach/chlorine refers to using liquid chlorine bleach or bleaching powder to treat drinking water.

'C' - Strain it through a cloth refers to pouring water through a cloth that acts as a filter for collecting particles from the water.

'D' - Use water filter involves water flowing through a filter made of ceramic, sand or a combination of materials to remove particles and at least some microbes from the water.

'E' - Solar disinfection consists of exposing water, stored in buckets, containers or clear vessels, to sunlight.

'F' - Let it stand and settle refers to storing water undisturbed and without mixing long enough for larger particles to settle to the bottom by gravity. The settled water is carefully removed by decanting, ladling or other gentle methods that do not disturb the settled particles.

Water treatment: Use water filter (WS7D)

File: hh

Overview

Water treatment: Use water filter (WS7D)

File: hh

Type: Discrete
Format: character
Width: 1

Valid cases: 1637
Invalid: 0

Literal question

What do you usually do to make the water safer to drink?

Interviewer instructions

Record all items mentioned.

Circle the code corresponding to the response. The household may be using a method that you know does not make water safer to drink. Do not use your own judgement, just record the response. Record all items mentioned (for example, the household may be filtering the water and adding chlorine at the same time).

Probe: "Anything else?" Circle 'X' for 'Other' and specify on the line provided what the household does to the water to make it safer to drink. Circle 'Z' if the respondent 'Doesn't know'. If 'Z' is circled then the other codes should not be circled.

Definitions of various methods of water treatment are as follows:

'A' - Boil refers to boiling or heating water with fuel.

'B' - Add bleach/chlorine refers to using liquid chlorine bleach or bleaching powder to treat drinking water.

'C' - Strain it through a cloth refers to pouring water through a cloth that acts as a filter for collecting particles from the water.

'D' - Use water filter involves water flowing through a filter made of ceramic, sand or a combination of materials to remove particles and at least some microbes from the water.

'E' - Solar disinfection consists of exposing water, stored in buckets, containers or clear vessels, to sunlight.

'F' - Let it stand and settle refers to storing water undisturbed and without mixing long enough for larger particles to settle to the bottom by gravity. The settled water is carefully removed by decanting, ladling or other gentle methods that do not disturb the settled particles.

Water treatment: Solar disinfection (WS7E)

File: hh

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 6
Invalid: 0

Literal question

What do you usually do to make the water safer to drink?

Interviewer instructions

Record all items mentioned.

Circle the code corresponding to the response. The household may be using a method that you know does not make water safer to drink. Do not use your own judgement, just record the response. Record all items mentioned (for example, the household may be filtering the water and adding chlorine at the same time).

Probe: "Anything else?" Circle 'X' for 'Other' and specify on the line provided what the household does to the water to make it safer to drink. Circle 'Z' if the respondent 'Doesn't know'. If 'Z' is circled then the other codes should not be circled.

Definitions of various methods of water treatment are as follows:

'A' - Boil refers to boiling or heating water with fuel.

'B' - Add bleach/chlorine refers to using liquid chlorine bleach or bleaching powder to treat drinking water.

'C' - Strain it through a cloth refers to pouring water through a cloth that acts as a filter for collecting particles from the water.

'D' - Use water filter involves water flowing through a filter made of ceramic, sand or a combination of materials to remove particles and at least some microbes from the water.

'E' - Solar disinfection consists of exposing water, stored in buckets, containers or clear vessels, to sunlight.

'F' - Let it stand and settle refers to storing water undisturbed and without mixing long enough for larger particles to settle to the bottom by gravity. The settled water is carefully removed by decanting, ladling or other gentle methods that do not disturb the settled particles.

Water treatment: Let it stand and settle (WS7F)

File: hh

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 702
Invalid: 0

Literal question

What do you usually do to make the water safer to drink?

Interviewer instructions

Record all items mentioned.

Circle the code corresponding to the response. The household may be using a method that you know does not make water safer to drink. Do not use your own judgement, just record the response. Record all items mentioned (for example, the household may be filtering the water and adding chlorine at the same time).

Probe: "Anything else?" Circle 'X' for 'Other' and specify on the line provided what the household does to the water to make it safer to drink. Circle 'Z' if the respondent 'Doesn't know'. If 'Z' is circled then the other codes should not be circled.

Definitions of various methods of water treatment are as follows:

'A' - Boil refers to boiling or heating water with fuel.

'B' - Add bleach/chlorine refers to using liquid chlorine bleach or bleaching powder to treat drinking water.

'C' - Strain it through a cloth refers to pouring water through a cloth that acts as a filter for collecting particles from the water.

'D' - Use water filter involves water flowing through a filter made of ceramic, sand or a combination of materials to remove particles and at least some microbes from the water.

'E' - Solar disinfection consists of exposing water, stored in buckets, containers or clear vessels, to sunlight.

'F' - Let it stand and settle refers to storing water undisturbed and without mixing long enough for larger particles to settle to the bottom by gravity. The settled water is carefully removed by decanting, ladling or other gentle methods that do not disturb the settled particles.

Water treatment: Other (WS7X)

File: hh

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 367
Invalid: 0

Literal question

What do you usually do to make the water safer to drink?

Interviewer instructions

Record all items mentioned.

Circle the code corresponding to the response. The household may be using a method that you know does not make water safer to drink. Do not use your own judgement, just record the response. Record all items mentioned (for example, the household may be filtering the water and adding chlorine at the same time).

Probe: "Anything else?" Circle 'X' for 'Other' and specify on the line provided what the household does to the water to make it safer to drink. Circle 'Z' if the respondent 'Doesn't know'. If 'Z' is circled then the other codes should not be circled.

Definitions of various methods of water treatment are as follows:

'A' - Boil refers to boiling or heating water with fuel.

'B' - Add bleach/chlorine refers to using liquid chlorine bleach or bleaching powder to treat drinking water.

'C' - Strain it through a cloth refers to pouring water through a cloth that acts as a filter for collecting particles from the water.

'D' - Use water filter involves water flowing through a filter made of ceramic, sand or a combination of materials to remove particles and at least some microbes from the water.

'E' - Solar disinfection consists of exposing water, stored in buckets, containers or clear vessels, to sunlight.

'F' - Let it stand and settle refers to storing water undisturbed and without mixing long enough for larger particles to settle to the bottom by gravity. The settled water is carefully removed by decanting, ladling or other gentle methods that do not disturb the settled particles.

Water treatment: DK (WS7Z)

File: hh

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

What do you usually do to make the water safer to drink?

Interviewer instructions

Record all items mentioned.

Circle the code corresponding to the response. The household may be using a method that you know does not make water safer to drink. Do not use your own judgement, just record the response. Record all items mentioned (for example, the household may be filtering the water and adding chlorine at the same time).

Probe: "Anything else?" Circle 'X' for 'Other' and specify on the line provided what the household does to the water to make it safer to drink. Circle 'Z' if the respondent 'Doesn't know'. If 'Z' is circled then the other codes should not be circled.

Definitions of various methods of water treatment are as follows:

'A' - Boil refers to boiling or heating water with fuel.

'B' - Add bleach/chlorine refers to using liquid chlorine bleach or bleaching powder to treat drinking water.

'C' - Strain it through a cloth refers to pouring water through a cloth that acts as a filter for collecting particles from the water.

'D' - Use water filter involves water flowing through a filter made of ceramic, sand or a combination of materials to remove particles and at least some microbes from the water.

'E' - Solar disinfection consists of exposing water, stored in buckets, containers or clear vessels, to sunlight.

'F' - Let it stand and settle refers to storing water undisturbed and without mixing long enough for larger particles to settle to the bottom by gravity. The settled water is carefully removed by decanting, ladling or other gentle methods that do not disturb the settled particles.

Type of toilet facility (WS8)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Valid cases: 9979
Invalid: 221
Minimum: 11
Maximum: 96

Pre question

Questions WS8, WS9, WS10 and WS11 are about the toilet facility household members use.

Literal question

What kind of toilet facility do members of your household usually use?

Interviewer instructions

Type of toilet facility (WS8)

File: hh

If necessary ask permission to observe the facility.

The purpose of this question is to obtain a measure of the hygiene of the sanitary facility used by the household members.

It may be necessary to observe the facility. If so, ask permission to do so. If the respondent answers or it is observed that the household members have no facilities or use the bush or field, enter '95' for 'No facilities or bush or field' and skip to the next module.

If any of the flush or pour flush responses (11-15) are given, probe: "Where does it flush to?" Circle the code corresponding to the response given.

Definitions of various types of toilet facilities are as follows:

A flush toilet uses a cistern or holding tank for flushing water and has a water seal, which is a U-shaped pipe, below the seat or squatting pan that prevents the passage of flies and odours. A pour flush toilet uses a water seal, but unlike a flush toilet, a pour flush toilet uses water poured by hand for flushing (no cistern is used).

'11' - A piped sewer system is a system of sewer pipes, also called sewerage, that is designed to collect human excreta (faeces and urine) and wastewater and remove them from the household environment. Sewerage systems consist of facilities for collection, pumping, treating and disposing of human excreta and wastewater.

'12' - A septic tank is an excreta collection device and is a water-tight settling tank normally located underground, away from the house or toilet.

'13' - A flush/pour flush to pit latrine refers to a system that flushes excreta to a hole in the ground and has a water seal.

'14' - A flush/pour flush to somewhere else refers to excreta being deposited in or nearby the household environment (may have a water seal but deposited not into pit, septic tank or sewer); excreta may be flushed to the street, yard/plot, drainage way or other location.

'15' - Flush to unknown place/Not sure/DK where should be coded in cases when the respondent knows that the toilet facility is a flush toilet, but does not know where it flushes to.

'21' - A ventilated improved pit latrine or VIP is a type of pit latrine that is ventilated by a pipe extending above the latrine roof. The open end of the vent pipe is covered with gauze mesh or fly-proof netting and the inside of the superstructure is kept dark.

'22' - A pit latrine with slab uses a hole in the ground for excreta collection and has a squatting slab, platform or seat (made of concrete, steel, or wood to allow standing with ease) that is firmly supported on all sides, easy to clean and raised above the surrounding ground level to prevent surface water from entering the pit.

'23' - A pit latrine without slab/Open pit uses a hole in the ground for excreta collection and does not have a squatting slab, platform, or seat. An open pit is a rudimentary hole in the ground where excreta is collected.

'31' - A composting toilet is a toilet into which excreta and carbon-rich material are added (vegetable wastes, straw, grass, sawdust, ash) and special conditions maintained to produce inoffensive compost.

'41' - Bucket refers to the use of a bucket or other container for the retention of faeces (and sometimes urine and anal cleaning material), which is periodically removed for treatment or disposal.

'51' - A hanging toilet/hanging latrine is a toilet built over the sea, a river, or other body of water into which excreta drops directly.

'95' - No facilities/bush/field includes excreta wrapped and thrown with garbage, the 'cat' method of burying excreta in dirt, defecation in the bush or field or ditch, and defecation into surface water (drainage channel, beach, river, stream or sea).

Survey Coordinators: Adapt these instructions, adding explanations of any additional categories. Be sure to retain the categories shown on the questionnaire. These will determine the number of households to count in the numerator of the water and sanitation indicators. Any other usual types of facilities that do not fit into these categories should also be listed here.

The purpose of the following two questions is to determine whether the household shares their sanitation facility with other households. The shared status of a sanitation facility is important because shared facilities can be less hygienic than facilities used by only a single household. Unhygienic conditions (faeces on the floor, seat or wall and flies) may discourage use of the facility.

Toilet facility shared (WS9)

File: hh

Overview

Toilet facility shared (WS9)

File: hh

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9285
Invalid: 915

Pre question

Questions WS8, WS9, WS10 and WS11 are about the toilet facility household members use.

Literal question

Do you share this facility with others who are not members of your household?

Interviewer instructions

Circle the code corresponding to the response given. If 'No', go to the next module.

Toilet shared with other household or with general public (WS10)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 765
Invalid: 9435

Pre question

Questions WS8, WS9, WS10 and WS11 are about the toilet facility household members use.

Literal question

Do you share this facility only with members of other households that you know, or is the facility open to the use of the general public?

Interviewer instructions

The intention of this question is to understand whether the shared facility is only shared with other households (such as a neighbouring household) or whether the facility is open to the public. If it is a public facility, then circle '2' and skip to the next module. If '1' is circled, continue with WS11.

Households using this toilet facility (WS11)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-99

Valid cases: 677
Invalid: 9523

Pre question

Questions WS8, WS9, WS10 and WS11 are about the toilet facility household members use.

Literal question

How many households in total use this toilet facility, including your own household?

Interviewer instructions

The total number of households using this facility should include the household being interviewed. If less than ten households use this toilet facility, enter the number of households on the line provided. Circle '10' if ten or more households use this toilet facility. Note that '01' is not a valid response (since it means that this is the only household that uses the facility; if that is the case, you should go back to WS9 and correct the response there). Circle '98' for 'DK' ('Doesn't know').

Place where household members most often wash their hands (HW1)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Literal question

We would like to learn about the places that households use to wash their hands.
Can you please show me where members of your household most often wash their hands?

Water available at the place for handwashing (HW2)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9681
Invalid: 519

Interviewer instructions

Observe presence of water at the specific place for handwashing.
Verify by checking the tap/pump, or basin, bucket, water container or similar objects for presence of water.

Soap or detergent present at place of handwashing (HW3A)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9681
Invalid: 519

Literal question

Is soap, detergent or ash/mud/sand present at the place for handwashing?

Bar soap (HW3BA)

File: hh

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 4011
Invalid: 0

Interviewer instructions

Record your observation.
Circle all that apply.

Detergent (Powder / Liquid / Paste) (HW3BB)

File: hh

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 3556

Invalid: 0

Interviewer instructions

Record your observation.

Circle all that apply.

Liquid soap (HW3BC)

File: hh

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 1913

Invalid: 0

Interviewer instructions

Record your observation.

Circle all that apply.

Soap/other material available for washing hands (HW4)

File: hh

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 1578

Invalid: 8622

Literal question

Do you have any soap or detergent in your house for washing hands?

Soap/other material available for washing hands (HW5A)

File: hh

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Valid cases: 887

Invalid: 9313

Literal question

Can you please show it to me?

Bar soap (HW5BA)

File: hh

Overview

Bar soap (HW5BA)

File: hh

Type: Discrete
Format: character
Width: 1

Valid cases: 255
Invalid: 0

Interviewer instructions

Record your observation.
Circle all that apply.

Detergent (Powder / Liquid / Paste) (HW5BB)

File: hh

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 406
Invalid: 0

Interviewer instructions

Record your observation.
Circle all that apply.

Liquid soap (HW5BC)

File: hh

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 140
Invalid: 0

Interviewer instructions

Record your observation.
Circle all that apply.

Sex of household head (HHSEX)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Ethnicity of household head (ethnicity)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9979
Invalid: 221

Education of household head (helevel)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Valid cases: 9979
Invalid: 221

Household sample weight (hhweight)

File: hh

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 6
Range: 0-2.47285751889014

Valid cases: 10200
Invalid: 0
Minimum: 0
Maximum: 2.5

Combined wealth score (wscore)

File: hh

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 5
Range: -3.44967836980996-1.84732965018821

Valid cases: 10200
Invalid: 0
Minimum: -3.5
Maximum: 1.8

Wealth index quintile (windex5)

File: hh

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Valid cases: 10200
Invalid: 0

Urban wealth score (wscoreu)

File: hh

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 5
Range: -5.01253046014755-1.59523958468633

Valid cases: 4328
Invalid: 5872
Minimum: -5
Maximum: 1.6

Urban wealth index quintile (windex5u)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 4328 |
| Format: numeric | Invalid: 5872 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 0-5 | |

Rural wealth score (wscorer)

File: hh

Overview

| | |
|--|-------------------|
| Type: Continuous | Valid cases: 6093 |
| Format: numeric | Invalid: 4107 |
| Width: 8 | Minimum: -3.2 |
| Decimals: 5 | Maximum: 2.3 |
| Range: -3.20903020005985-2.3247130600569 | |

Rural wealth index quintile (windex5r)

File: hh

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 6093 |
| Format: numeric | Invalid: 4107 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 0-5 | |

Primary sampling unit (PSU) (PSU)

File: hh

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 10200 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 1 |
| Decimals: 0 | Maximum: 510 |
| Range: 1-510 | |

Stratum (stratum)

File: hh

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 10200 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-12 | |

Cluster number (HH1)

File: hl

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 39380 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 1 |
| Decimals: 0 | Maximum: 510 |
| Range: 1-510 | |

Interviewer instructions

Enter the cluster number as instructed by your supervisor.

Household number (HH2)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 39380 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-20 | |

Interviewer instructions

Enter the household number as instructed by your supervisor.

Line number (HL1)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 39380 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-16 | |

Interviewer instructions

This is the number used to identify each person listed. You must obtain a complete list of all persons who usually live in the household, but you do not need to fill in or do anything in this column since the numbers are already provided. This is a very important number since, once household members are assigned these line numbers after the Household Listing Form is completed, all members are identified with these line numbers throughout the questionnaires administered in this household.

Probe for additional household members.

Probe especially for any infants or small children not listed, and others who may not be members of the family (such as servants, friends) but who usually live in the household.

Insert names of additional members in the household list and complete form accordingly.

Relationship to the head (HL3)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 39380 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-99 | |

Relationship to the head (HL3)

File: hl

Literal question

What is the relationship of (name) to the head of the household?

Interviewer instructions

You should begin by saying:

First, please tell me the name of each person who usually lives here, starting with the head of the household.

List the head of the household in line 01. List all household members (HL2), their relationship to the household head (HL3), and their sex (HL4). Then ask:

Are there any others who live here, even if they are not at home now? If yes, complete the listing for questions HL2-HL4. Then, ask questions starting with HL5 for each person at a time.

Enter the code corresponding to how the person listed is related to the head of the household. Use the codes at the bottom of the Household Listing Form. Be particularly careful in doing this if the respondent is not the head of the household. Make sure that you record the relationship of each person to the household head, not the relationship to the respondent. For example, if the respondent is the wife of the head of the household and she says that Sola is her brother, then Sola should be coded as '09' ('Brother-in-law / Sister-in-law'), not as '08' ('Brother / Sister'), because Sola is a brother-in-law of the head of the household. Be very careful in obtaining this information correctly, since respondents tend to provide the relationship of the person to themselves, rather than to the head of the household.

If the head of the household is married to a woman who has a child from a previous marriage, that child's relationship to the head of the household should be coded as '13' ('Adopted/foster/stepchild'). If a household member is not related to the head of household, such as a friend who lives with the household, enter '14' ('Not related'). Enter '98' if the respondent doesn't know the relationship of a household member to the head of household.

Sex (HL4)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 39380
Invalid: 0

Literal question

Is (name) male or female?

Interviewer instructions

You should begin by saying:

First, please tell me the name of each person who usually lives here, starting with the head of the household.

List the head of the household in line 01. List all household members (HL2), their relationship to the household head (HL3), and their sex (HL4). Then ask:

Are there any others who live here, even if they are not at home now? If yes, complete the listing for questions HL2-HL4. Then, ask questions starting with HL5 for each person at a time.

Circle '1' for 'Male' and '2' for 'Female'. Do not guess the sex of the household member from the name provided to you. When the respondent is listing everyone in the household, he/she may indicate the sex of the person at the same time, by saying "My sister Mary," for instance. In this case, you do not need to ask the sex of the household member again, since it is already obvious that the person is a female. However, when a name is mentioned that can be used for both males and females, never use your judgement. Even in cases when you think that the name would most likely be a male's (or a female's) name, have the respondent confirm the sex. This column should never be left blank.

Once you have a complete list of names, relationship codes and sex, move across this page to ask and record answers to questions about individual persons starting from HL5. Start with the household head on line 01. When you have finished asking all questions HL5 to HL14 for the person on line 01, continue to the person listed on line 02, etc.

Month of birth (HL5M)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 39380
Invalid: 0

Literal question

What is (name)'s date of birth according to western calendar?

Interviewer instructions

You should begin by saying:

First, please tell me the name of each person who usually lives here, starting with the head of the household.

List the head of the household in line 01. List all household members (HL2), their relationship to the household head (HL3), and their sex (HL4). Then ask:

Are there any others who live here, even if they are not at home now? If yes, complete the listing for questions HL2-HL4. Then, ask questions starting with HL5 for each person at a time.

If the respondent knows the date of birth for the member of the household, record the answer in months and year. You will need to convert the month into numbers. For this, January is '01', February is '02', March is '03', and so on. If the respondent does not know the month of birth, enter the code '98' for 'Don't know month' and ask for the year of birth. Try to obtain at least the year of birth. If year is still unknown, enter '9998'.

Year of birth (HL5Y)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1907-9999

Valid cases: 39380
Invalid: 0
Minimum: 1907
Maximum: 9998

Literal question

What is (name)'s date of birth according to western calendar?

Interviewer instructions

You should begin by saying:

First, please tell me the name of each person who usually lives here, starting with the head of the household.

List the head of the household in line 01. List all household members (HL2), their relationship to the household head (HL3), and their sex (HL4). Then ask:

Are there any others who live here, even if they are not at home now? If yes, complete the listing for questions HL2-HL4. Then, ask questions starting with HL5 for each person at a time.

If the respondent knows the date of birth for the member of the household, record the answer in months and year. You will need to convert the month into numbers. For this, January is '01', February is '02', March is '03', and so on. If the respondent does not know the month of birth, enter the code '98' for 'Don't know month' and ask for the year of birth. Try to obtain at least the year of birth. If year is still unknown, enter '9998'.

Age (HL6)

File: hl

Overview

Age (HL6)

File: hl

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 39380
Invalid: 0
Minimum: 0
Maximum: 95

Literal question

How old is (name)?

Interviewer instructions

Enter each person's age in completed years, that is, his/her age at his/her last birthday. Completed age is also defined as 'the number of completed years since birth'. With this definition, since a 6-month-old baby has not completed a full year, his/her age will be entered as '00'. Note that you will be obtaining more accurate estimates of children's ages later.

This column should never be left blank.

Even after you have probed and asked all the necessary information from the respondent and you still have difficulty obtaining the ages of elderly members of the household, you may enter the code '98', meaning 'Doesn't know/over age 50'. For household members younger than 50, completed ages must be entered. However, you should still indicate, with a note, what age range the person in question might be, so that your editor or supervisor can have an idea of the eligibility of the person to administer the individual questionnaires.

If the age of the member of the household is 95 or higher enter the code '95' for all such cases.

Line number of woman age 15 - 49 (HL7)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

Valid cases: 39380
Invalid: 0

Pre question

Eligibility for individual modules: Questions HL7, HL7A and HL9 concern eligibility information.

Interviewer instructions

Circle the line number in this column if the household member is a woman 15-49 years of age (this includes those age 15 and age 49). You will not ask this question to the respondent.

Line number for children age 0-4 (HL7B)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

Valid cases: 39380
Invalid: 0

Interviewer instructions

Circle line no. if age 0-4

Is natural mother alive (HL11)

File: hl

Is natural mother alive (HL11)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 11878
Invalid: 27502

Literal question

Is (name)'s natural mother alive?

Interviewer instructions

For children age 0-17 years ask HL11-HL14:

For all children under age 18, we want to know whether their own (natural) parents are listed in the Household Listing Form, and their survival status. This information can be used to measure the prevalence of orphanhood and child fostering in the population. For everyone age 18 and older, HL11-HL14 will be left blank.

By 'natural' we mean the biological mother. In many cultures, people consider other people's children whom they are raising as their own, especially children of their husband or sisters, etc. You should be certain that the respondent understands that you are asking about the woman who gave birth to the child.

Record whether or not the child's natural mother is still alive by circling the code corresponding to the response given. If the child's natural mother is not alive or if the respondent does not know, skip to HL13. Otherwise, continue to the question in the next column.

Natural mother's line number in HH (HL12)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 11749
Invalid: 27631

Literal question

Does (name's) natural mother live in this household?

Interviewer instructions

For children age 0-17 years ask HL11-HL14:

For all children under age 18, we want to know whether their own (natural) parents are listed in the Household Listing Form, and their survival status. This information can be used to measure the prevalence of orphanhood and child fostering in the population. For everyone age 18 and older, HL11-HL14 will be left blank.

If the natural mother is still alive, we want to know whether she lives in the household. If the mother does live in the household, ask who she is (she should be listed in the Household Listing Form if she lives in the household) and record her line number in the space provided. If the mother is not a member of the household (not listed in the Household Listing Form), record '00'.

Where does natural mother live (HL12A)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Valid cases: 723
Invalid: 38657

Literal question

Where does (name)'s natural mother live?

Is natural father alive (HL13)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 11878
Invalid: 27502

Literal question

Is (name)'s natural father alive?

Interviewer instructions

For children age 0-17 years ask HL11-HL14:

For all children under age 18, we want to know whether their own (natural) parents are listed in the Household Listing Form, and their survival status. This information can be used to measure the prevalence of orphanhood and child fostering in the population. For everyone age 18 and older, HL11-HL14 will be left blank.

Fill in these questions in exactly the same way as HL11 and HL12. This time, make sure to record the survival status and the line number of the natural (biological) fathers. If the father of the household member is not alive or his survival status is not known by the respondent in HL13, move to the next person on the list.

Natural father's line number in HH (HL14)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 11464
Invalid: 27916

Literal question

Does (name)'s natural father live in this household?

Interviewer instructions

For children age 0-17 years ask HL11-HL14:

For all children under age 18, we want to know whether their own (natural) parents are listed in the Household Listing Form, and their survival status. This information can be used to measure the prevalence of orphanhood and child fostering in the population. For everyone age 18 and older, HL11-HL14 will be left blank.

Fill in these questions in exactly the same way as HL11 and HL12. This time, make sure to record the survival status and the line number of the natural (biological) fathers. If the father of the household member is not alive or his survival status is not known by the respondent in HL13, move to the next person on the list.

Where does natural father live (HL14A)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Valid cases: 1133
Invalid: 38247

Literal question

Where does (name)'s natural father live?

Line number of mother or primary caretaker for children 0-14 years of age (HL15)

File: hl

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 9968 |
| Format: numeric | Invalid: 29412 |
| Width: 2 | Minimum: 1 |
| Decimals: 0 | Maximum: 99 |
| Range: 1-99 | |

Pre question

For children AGE 0-14

Record line no. of mother from HL12 if indicated. If H12 is blank, or "00 ", ask:

Literal question

Who is the primary caretaker of (name)?

Line number (ED1)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 39380 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-16 | |

Interviewer instructions

For household members age 5 and above, ask ED1-ED8:

This is the number assigned to each person on the Household Listing Form. You do not need to fill in or do anything in this column since the numbers are already provided.

Ever attended school or pre-school (ED3)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 36034 |
| Format: numeric | Invalid: 3346 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Has (name) ever attended school or preschool?

Interviewer instructions

Ever attended school or pre-school (ED3)

File: hl

For household members age 5 and above, ask ED1-ED8:

Circle '1' if the answer is 'Yes' and continue with question ED4A. If the answer is 'No', circle '2' and go to the household member on the next line.

The term 'school' includes primary, secondary and post-secondary schooling, as well as any other intermediate levels of schooling in the formal school system. It also includes technical or vocational training beyond the primary-school level, such as long-term courses in mechanics or secretarial work.

Schools that carry out non-standard curriculum (non-formal education) are not included here. A non-standard curriculum includes religious schools, such as Koranic schools, that do not teach a full, standard school curriculum. If a school teaches religious courses but also includes the standard curriculum - such as many Catholic schools - it would be coded as a standard (formal) school.

'Preschool' is listed for children who do not attend grade 1, but do attend some form of organized learning or early childhood education programme, whether or not such a programme is considered part of the school system. The definition of organized early learning programme does not refer to programmes offering only babysitting or child-minding.

Highest level of education attended (ED4A)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Valid cases: 33833
Invalid: 5547

Literal question

What is the highest level of school (name) has attended?

Interviewer instructions

For household members age 5 and above, ask ED1-ED8:

If the person has been to school, record the highest level of schooling attended by circling the code for the response. You may need to probe for the type of school attended. Circle '8' if the respondent 'Doesn't know'. If the highest level of school the child has attended is preschool (Level=0), skip to ED5.

Highest grade completed at that level (ED4B)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 27869
Invalid: 11511

Literal question

What is the highest grade (name) completed at this level?

Interviewer instructions

Highest grade completed at that level (ED4B)

File: hl

For household members age 5 and above, ask ED1-ED8:

Enter the highest grade completed or '98' for 'DK' ('Doesn't know'). If less than one grade, enter '00'. For instance, if a person has attended primary school but did not complete the first grade, then the level for this person will be circled as '1' in ED4A, and the grade will be entered as '00' in ED4B.

Similarly, for a child who is attending grade 5 in primary school at the time of the interview, the level will be coded as '1' and the grade as '04', since this person has not yet completed grade 5.

Note that if the level of schooling is given as preschool in ED4A, the grade should be left blank.

For someone not at school anymore, the highest level attended is the one he/she went to before leaving the education system, even if it was for a few weeks. For someone still at school, the highest level is the one he/she is currently attending (or was attending if we are conducting the interview during a long school break period).

Attended school during current school year (2013-2014) (ED5)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 12368
Invalid: 27012

Literal question

During the (2013-2014), school year, did (name) attend school or preschool at any time?

Interviewer instructions

For household members age 5 and above, ask ED1-ED8:

Circle the code corresponding to the answer given. If 'Yes', continue to the next question. If 'No', skip to ED7.

If the interview is carried out during the school year, then the question should be worded to refer to the current school year. If the interview is carried out between school years, then the question should refer to the last school year that has ended.

Take the example of a country where the school year ends in June and the new school year begins in September: If the interview is carried out in July 2012 (between school years), then the question should refer to the 2011-2012 school year; if the interview is carried out in October 2012 (during the new school year), then the question should refer to the 2012-2013 school year.

Level of education attended current school year (ED6A)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Valid cases: 8778
Invalid: 30602

Literal question

During this/that school year, which level and grade is/was (name) attending? Level:

Interviewer instructions

Level of education attended current school year (ED6A)

File: hl

For household members age 5 and above, ask ED1-ED8:

Circle the code for the level of school, and enter the household member's current grade. If it applies, circle '8' for 'DK' ('Doesn't know'). Enter the highest grade number completed using '01', '02', etc. If a child is in preschool or kindergarten, and grades are not used, leave grade blank, and skip to ED7.

If the interview is conducted during the time between two school years, the question should refer to the school year that has ended, and you should use 'that' and 'was' in the question. If the interview is conducted during the school year, the question should refer to the current school year. Note that these questions should capture children who may have been attending at the beginning of the school year, but have dropped out since then. If necessary, past tense could be used to make sure that you obtain information on the level and grade of children who may have dropped out from school during the course of the school year.

Grade of education attended current school year (ED6B)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 7187
Invalid: 32193

Literal question

During this/that school year, which level and grade is/was (name) attending? Grade:

Interviewer instructions

For household members age 5 and above, ask ED1-ED8:

Circle the code for the level of school, and enter the household member's current grade. If it applies, circle '8' for 'DK' ('Doesn't know'). Enter the highest grade number completed using '01', '02', etc. If a child is in preschool or kindergarten, and grades are not used, leave grade blank, and skip to ED7.

If the interview is conducted during the time between two school years, the question should refer to the school year that has ended, and you should use 'that' and 'was' in the question. If the interview is conducted during the school year, the question should refer to the current school year. Note that these questions should capture children who may have been attending at the beginning of the school year, but have dropped out since then. If necessary, past tense could be used to make sure that you obtain information on the level and grade of children who may have dropped out from school during the course of the school year.

Attended school previous school year (2012-2013) (ED7)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 12368
Invalid: 27012

Literal question

During the previous school year, that is (2012-2013), did (name) attend school or preschool at any time?

Interviewer instructions

For household members age 5 and above, ask ED1-ED8:

If the child attended school at any time during the last school year, circle '1'. If the answer is 'No' or 'DK', circle the appropriate code and go to the household member on the next line.

Level of education attended previous school year (ED8A)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Valid cases: 9125
Invalid: 30255

Literal question

During that previous school year, which level and grade did (name) attend? Level:

Interviewer instructions

For household members age 5 and above, ask ED1-ED8:

Circle the code for the level of school attended and fill in the child's grade or circle '8' if the respondent doesn't know the level and/or '98' if the respondent doesn't know the grade. If the child was in preschool or kindergarten, and grades are not used, leave grade blank, and skip to the next person.

Grade of education attended previous school year (ED8B)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 6892
Invalid: 32488

Literal question

During that previous school year, which level and grade did (name) attend? Grade:

Interviewer instructions

For household members age 5 and above, ask ED1-ED8:

Circle the code for the level of school attended and fill in the child's grade or circle '8' if the respondent doesn't know the level and/or '98' if the respondent doesn't know the grade. If the child was in preschool or kindergarten, and grades are not used, leave grade blank, and skip to the next person.

Line number (MP3)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Valid cases: 39380
Invalid: 0

Province registered for residency (MP5)

File: hl

Overview

Province registered for residency (MP5)

File: hl

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 29412
Invalid: 9968
Minimum: 1
Maximum: 99

Literal question

In which province has (name) registered for residency?

Worked for income in last 12 months (MP6)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 29412
Invalid: 9968

Literal question

In the last 12 months has (name) worked for income probe:

Worked for wage/salary, household production or service in planting, breeding, forestry, or aquaculture, or trading/business for household?

Main reason for not working (MP7)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Valid cases: 6793
Invalid: 32587
Minimum: 11
Maximum: 99

Literal question

What is the main reason (name) has not worked in the last 12 months?

Day of interview (HH5D)

File: hl

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Valid cases: 39380
Invalid: 0
Minimum: 1
Maximum: 31

Literal question

Day/month/year of interview:

Interviewer instructions

Enter the date of the interview as day, month and year. If the interview is not completed on your first visit and you visit the household again, revise and enter final date of interview. In other words, the date here should be either when you have completed the Household Questionnaire or when the interview has not been conducted but there will be no more attempts to interview the household.

Month of interview (HH5M)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 39380
Invalid: 0

Literal question

Day/month/year of interview:

Interviewer instructions

Enter the date of the interview as day, month and year. If the interview is not completed on your first visit and you visit the household again, revise and enter final date of interview. In other words, the date here should be either when you have completed the Household Questionnaire or when the interview has not been conducted but there will be no more attempts to interview the household.

Year of interview (HH5Y)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2013-2014

Valid cases: 39380
Invalid: 0
Minimum: 2013
Maximum: 2014

Literal question

Day/month/year of interview:

Interviewer instructions

Enter the date of the interview as day, month and year. If the interview is not completed on your first visit and you visit the household again, revise and enter final date of interview. In other words, the date here should be either when you have completed the Household Questionnaire or when the interview has not been conducted but there will be no more attempts to interview the household.

Area (HH6)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 39380
Invalid: 0

Pre question

Type of settlement:

Interviewer instructions

Circle the code for area of residence as instructed/provided by your supervisor. This will have been pre-determined; you will not be required to assess whether the household is in an urban or rural area.

Region (HH7)

File: hl

Overview

Region (HH7)

File: hl

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 39380
Invalid: 0

Interviewer instructions

Circle the code for region as instructed/provided by your supervisor.

After the HH1-HH7 has been filled out, begin by saying the following to the respondent:

We are from (country-specific affiliation). We are working on a project concerned with family health and education. I would like to talk to you about these subjects. The interview will take about (number) minutes. All the information we obtain will remain strictly confidential and your answers will never be shared with anyone other than our project team. May I start now?

You may change the wording of these introductory sentences as appropriate. However, you must make sure to include the following when you are introducing yourself: the name of the implementing agency; the topic of the survey; approximate duration of the interview; the issue of confidentiality; and with whom you would like to speak. If permission is given, begin the interview. If the respondent does not agree to continue, thank him/her and leave the household to go the next household. Later, discuss the refusal with your supervisor; you or another person from the team may attempt to interview the household for a second time. This will depend on your description of the refusal. However, remember that a household's participation in the survey must be on a voluntary basis, and potential respondents must never be forced to participate.

Mother's line number (MLINE)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 11878
Invalid: 27502

Father's line number (FLINE)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

Valid cases: 11878
Invalid: 27502

Ethnicity of household head (ethnicity)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 39380
Invalid: 0

Education of household head (helevel)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 39380 |
| Format: numeric | Invalid: 0 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 0-9 | |

Mother's education (melevel)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 11876 |
| Format: numeric | Invalid: 27504 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 0-9 | |

Father's education (felevel)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 11878 |
| Format: numeric | Invalid: 27502 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 0-9 | |

Age in calendar year 2013 (schage)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 39380 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 0 |
| Decimals: 0 | Maximum: 995 |
| Range: 0-998 | |

Household sample weight (hhweight)

File: hl

Overview

| | |
|---|--------------------|
| Type: Continuous | Valid cases: 39380 |
| Format: numeric | Invalid: 0 |
| Width: 8 | Minimum: 0.2 |
| Decimals: 6 | Maximum: 2.5 |
| Range: 0.177009908770117-2.47285751889014 | |

Combined wealth score (wscore)

File: hl

Overview

| | |
|---|--------------------|
| Type: Continuous | Valid cases: 39380 |
| Format: numeric | Invalid: 0 |
| Width: 8 | Minimum: -3.5 |
| Decimals: 5 | Maximum: 1.8 |
| Range: -3.44967836980996-1.84732965018821 | |

Wealth index quintile (windex5)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 39380 |
| Format: numeric | Invalid: 0 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-5 | |

Urban wealth score (wscoreu)

File: hl

Overview

| | |
|---|--------------------|
| Type: Continuous | Valid cases: 16210 |
| Format: numeric | Invalid: 23170 |
| Width: 8 | Minimum: -5 |
| Decimals: 5 | Maximum: 1.6 |
| Range: -5.01253046014755-1.59523958468633 | |

Urban wealth index quintile (windex5u)

File: hl

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 16210 |
| Format: numeric | Invalid: 23170 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-5 | |

Rural wealth score (wscorer)

File: hl

Overview

| | |
|--|--------------------|
| Type: Discrete | Valid cases: 23170 |
| Format: numeric | Invalid: 16210 |
| Width: 8 | Minimum: -3.2 |
| Decimals: 5 | Maximum: 2.3 |
| Range: -3.20903020005985-2.3247130600569 | |

Rural wealth index quintile (windex5r)

File: hl

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Valid cases: 23170
Invalid: 16210

Cluster number (HH1)

File: wm

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 10190 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 1 |
| Decimals: 0 | Maximum: 510 |
| Range: 1-510 | |

Interviewer instructions

Enter the cluster number as instructed by your supervisor.

Household number (HH2)

File: wm

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 10190 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-20 | |

Interviewer instructions

Enter the household number as instructed by your supervisor.

Line number (LN)

File: wm

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 10190 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-15 | |

Cluster number (WM1)

File: wm

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 10190 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 1 |
| Decimals: 0 | Maximum: 510 |
| Range: 1-510 | |

Interviewer instructions

WM1-WM6 should be filled in before you start the interview.
Enter the cluster number from the Household Questionnaire, question HH1.

Household number (WM2)

File: wm

Overview

Household number (WM2)

File: wm

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-20

Valid cases: 10190
Invalid: 0

Interviewer instructions

WM1-WM6 should be filled in before you start the interview.
Enter the household number from the Household Questionnaire, question HH2.

Woman's line number (WM4)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-15

Valid cases: 10190
Invalid: 0

Interviewer instructions

WM1-WM6 should be filled in before you start the interview.
Enter the woman's line number from the Household Questionnaire, column HL1 of the Household Listing.

Interviewer number (WM5)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 15-667

Valid cases: 10190
Invalid: 0
Minimum: 15
Maximum: 667

Pre question

Interviewer's name and number:

Interviewer instructions

WM1-WM6 should be filled in before you start the interview.
Enter your own name and identifying number. You will be provided with these identification numbers at the time of training.

Day of interview (WM6D)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Valid cases: 10190
Invalid: 0
Minimum: 1
Maximum: 31

Interviewer instructions

Day of interview (WM6D)

File: wm

WM1-WM6 should be filled in before you start the interview.

Enter the date of the interview as day, month and year. If the interview is not completed on your first visit and you visit the household to interview the woman again, revise and enter the final date of interview. In other words, the date here should be the date when you have either completed the woman's questionnaire, or when the interview has not been conducted but it has been decided that there will be no more attempts to interview the eligible woman.

Month of interview (WM6M)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Valid cases: 10190
Invalid: 0

Interviewer instructions

WM1-WM6 should be filled in before you start the interview.

Enter the date of the interview as day, month and year. If the interview is not completed on your first visit and you visit the household to interview the woman again, revise and enter the final date of interview. In other words, the date here should be the date when you have either completed the woman's questionnaire, or when the interview has not been conducted but it has been decided that there will be no more attempts to interview the eligible woman.

Year of interview (WM6Y)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 2013-2014

Valid cases: 10190
Invalid: 0
Minimum: 2013
Maximum: 2014

Interviewer instructions

WM1-WM6 should be filled in before you start the interview.

Enter the date of the interview as day, month and year. If the interview is not completed on your first visit and you visit the household to interview the woman again, revise and enter the final date of interview. In other words, the date here should be the date when you have either completed the woman's questionnaire, or when the interview has not been conducted but it has been decided that there will be no more attempts to interview the eligible woman.

Result of woman's interview (WM7)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Valid cases: 10190
Invalid: 0

Interviewer instructions

Result of woman's interview (WM7)

File: wm

Complete this question once you have concluded the interview with the woman. Circle the code corresponding to the result of the interview. If the questionnaire is completed, circle '01' for 'Completed'. If you have not been able to contact the woman after repeated visits, circle '02' for 'Not at home'. If the woman refuses to be interviewed, circle '03' for 'Refused'. If you were able to only partly complete the questionnaire, circle '04' for 'Partly completed'. If the woman is incapacitated (mentally or physically incapacitated), circle '05'. If you have not been able to complete this interview for another reason, you should circle '96' for 'Other' and specify the reason in the space provided.

Field editor (WM8)

File: wm

Overview

| | |
|------------------|--------------------|
| Type: Continuous | Valid cases: 10190 |
| Format: numeric | Invalid: 0 |
| Width: 3 | Minimum: 12 |
| Decimals: 0 | Maximum: 662 |
| Range: 12-662 | |

Pre question

Field edited by:

Interviewer instructions

Leave this space blank. The field editor will later enter his/her name and number in the space provided when checking the completed questionnaires.

Data entry clerk (WM9)

File: wm

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 10190 |
| Format: numeric | Invalid: 0 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-12 | |

Interviewer instructions

Leave this space blank. The data clerk will enter his/her name and number in the space provided.

Start of interview - Hour (WM10H)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 9827 |
| Format: numeric | Invalid: 363 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 5-22 | |
| Invalid: 99 | |

Interviewer instructions

Record the time of the day you start the interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute.

Start of interview - Minutes (WM10M)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 9827 |
| Format: numeric | Invalid: 363 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 59 |
| Range: 0-59 | |
| Invalid: 99 | |

Interviewer instructions

Record the time of the day you start the interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute.

End of interview - Hour (WM11H)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 9827 |
| Format: numeric | Invalid: 363 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 5-23 | |

Interviewer instructions

Record the time of the day you finish the woman's interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute. If the interview is not completed on your first visit and you visit the household again to continue the individual interview, revise and enter starting (WM10) and ending times (WM11) of interview to reflect the actual amount of time spent for the whole duration of this interview in both/all visits. Also provide a note at the end of the individual questionnaire regarding this.

End of interview - Minutes (WM11M)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 9827 |
| Format: numeric | Invalid: 363 |
| Width: 2 | Minimum: 0 |
| Decimals: 0 | Maximum: 59 |
| Range: 0-59 | |

Interviewer instructions

Record the time of the day you finish the woman's interview using the 24-hour system. If the hour or minutes are less than 10, put a zero in front of the hour or minute. If the interview is not completed on your first visit and you visit the household again to continue the individual interview, revise and enter starting (WM10) and ending times (WM11) of interview to reflect the actual amount of time spent for the whole duration of this interview in both/all visits. Also provide a note at the end of the individual questionnaire regarding this.

Month of birth of woman (WB1M)

File: wm

Overview

Month of birth of woman (WB1M)

File: wm

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98
Invalid: 99

Valid cases: 9827
Invalid: 363

Literal question

In what month and year were you born?

Interviewer instructions

If the respondent knows her date of birth, write it in the appropriate spaces for 'Month' and 'Year'. You will need to convert the month into numbers. For this, January is '01', February is '02', March is '03', etc. If the month or day contains only one digit, use a leading zero to fill in the first space. For example, the month of March is coded as '03'. If she does not know her month of birth, circle '98' for 'DK month' and ask her for the year of her birth. If she knows the year, write it in the spaces for 'Year'. Try under all circumstances to obtain at least the year of birth. If the respondent is unable to provide this information, ask whether she has any documentation such as an identification card, horoscope, or a birth or baptismal certificate that might give her date of birth. If such documentation is available, ask the woman if the information on the document(s) is correct. Only when it is absolutely impossible to even estimate the year of birth should you circle '9998' for 'DK year'.

Year of birth of woman (WB1Y)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1964-9998
Invalid: 9999

Valid cases: 9827
Invalid: 363
Minimum: 1964
Maximum: 1999

Literal question

In what month and year were you born?

Interviewer instructions

If the respondent knows her date of birth, write it in the appropriate spaces for 'Month' and 'Year'. You will need to convert the month into numbers. For this, January is '01', February is '02', March is '03', etc. If the month or day contains only one digit, use a leading zero to fill in the first space. For example, the month of March is coded as '03'. If she does not know her month of birth, circle '98' for 'DK month' and ask her for the year of her birth. If she knows the year, write it in the spaces for 'Year'. Try under all circumstances to obtain at least the year of birth. If the respondent is unable to provide this information, ask whether she has any documentation such as an identification card, horoscope, or a birth or baptismal certificate that might give her date of birth. If such documentation is available, ask the woman if the information on the document(s) is correct. Only when it is absolutely impossible to even estimate the year of birth should you circle '9998' for 'DK year'.

Age of woman (WB2)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 15-49

Valid cases: 9827
Invalid: 363
Minimum: 15
Maximum: 49

Literal question

How old are you?

Interviewer instructions

Age of woman (WB2)

File: wm

Enter her age in completed years, that is, her age at her last birthday. If she knows her age, write it in the space provided.

Probe: "How old were you at your last birthday?"

Compare and correct WB1 and/or WB2 if inconsistent.

If she does not know the answer to either of these two questions, probe for clues that might indicate her age. Ask how old she was when she was first married or first gave birth. Try to find out how long ago she got married or had her first child. (You may be able to find out the age of her oldest child if the child is still living. You may be able to relate her age to someone else in the household whose age is known. You may be able to determine her age based on how old she was when an important event occurred, and the number of years that have elapsed since.) You MUST fill in this information. Do not leave this blank. Compare and correct WB1 and WB2 if inconsistent.

Finally, before moving on to the next question, verify that the respondent is indeed eligible. If the woman is younger than 15 or older than 49, you have to terminate the interview. Do this tactfully by asking two or three more questions and then thank the respondent for her cooperation; write 'INELIGIBLE' on the cover page of the questionnaire, and correct the age and eligibility information for this woman on the cover page and in Columns HL6 and HL7 of the Household Questionnaire.

Ever attended school (WB3)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 9827
Invalid: 363

Literal question

Have you ever attended school or preschool?

Interviewer instructions

Questions WB3-WB7 are about the educational attainment and literacy of the woman. Note that you will have collected some of this information on the woman in the Education module of the Household Questionnaire, either from another household member or from the woman herself. You should still ask these questions. You will be collecting slightly different information with these questions.

Circle the code corresponding to the response given. If 'No', skip to WB7. Otherwise, continue on to the next question.

The term 'school' includes primary, secondary and post-secondary schooling, as well as any other intermediate levels of schooling in the formal school system. It also includes technical or vocational training beyond the primary-school level, such as long-term courses in mechanics or secretarial work.

Schools that carry out non-standard curriculum (non-formal education) are not included here. A non-standard curriculum includes religious schools, such as Koranic schools, that do not teach a full, standard school curriculum. If a school teaches religious courses but also includes the standard curriculum - such as many Catholic schools - it would be coded as a standard (formal) school.

Highest level of school attended (WB4)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Valid cases: 9254
Invalid: 936

Literal question

What is the highest level of school you attended?

Highest level of school attended (WB4)

File: wm

Interviewer instructions

Questions WB3-WB7 are about the educational attainment and literacy of the woman. Note that you will have collected some of this information on the woman in the Education module of the Household Questionnaire, either from another household member or from the woman herself. You should still ask these questions. You will be collecting slightly different information with these questions.

Circle the code corresponding to the highest level ever attended, regardless of whether or not the year was completed. For example, if she attended Form/Year 1 of secondary school for only 2 weeks, record 'Secondary'.

Highest grade completed at that level (WB5)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 7241
Invalid: 2949

Literal question

What is the highest grade you completed at that level?

Interviewer instructions

Questions WB3-WB7 are about the educational attainment and literacy of the woman. Note that you will have collected some of this information on the woman in the Education module of the Household Questionnaire, either from another household member or from the woman herself. You should still ask these questions. You will be collecting slightly different information with these questions.

For this question, record the number of years that the respondent successfully completed at that level recorded in WB4. For example, if a woman was attending grade 3 of secondary school and left school before completing that year, record '02'. Although grade 3 was the highest year she attended, she completed 2 years of secondary school. If less than 1 year, record '00' for completed years. For example, if she attended only 2 weeks of grade 1 of secondary school, record '00' for completed years.

Can read part of the sentence (WB7)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2040
Invalid: 8150

Literal question

Now I would like you to read this sentence to me.
Show sentence on the card to the respondent.
If respondent cannot read whole sentence, probe:
Can you read part of the sentence to me?

Interviewer instructions

Can read part of the sentence (WB7)

File: wm

Questions WB3-WB7 are about the educational attainment and literacy of the woman. Note that you will have collected some of this information on the woman in the Education module of the Household Questionnaire, either from another household member or from the woman herself. You should still ask these questions. You will be collecting slightly different information with these questions.

To ascertain whether women are literate or not, you will be showing women you interview cards with pre-printed sentences on them, and asking women to read them. Note that this question will be asked only to women who have not attended school, or did not attend school beyond the primary level. We assume that women who have attended secondary school or higher are literate. However, it is also known that some women who have attended or even completed primary school may be functionally illiterate. Therefore, we need to ask this question to such women.

Based on your knowledge of the respondent, choose the card with the language in which the respondent is likely to be able to read if she is literate. Show the first sentence on the card to the respondent. Give the respondent enough time to read the sentence; do not rush her. If the respondent cannot read the whole sentence, probe: "Can you read part of the sentence to me?"

Record whether the respondent was not able to read the sentence at all, was able to read only parts of the sentence, or was able to read the whole sentence. If the respondent asks for the sentences in another language and you were provided a card with sentences in that language, show the respondent the appropriate card. If there is no card with sentences in the language required, circle '4', and specify the language. If the respondent is blind or visually impaired, circle '5'.

It is important to avoid the problem of having other respondents in the household overhear the sentence being read. Subsequent respondents in the household might be able to repeat the sentence when they are interviewed, even if they are unable to read. If there is a second eligible woman in the household, show her the second sentence on the card. Show the third respondent the third sentence on the card, and the fourth respondent the fourth sentence. If there are more than five respondents, start again with the first sentence on the card.

Date of interview women (CMC) (WDOI)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 9827 |
| Format: numeric | Invalid: 363 |
| Width: 4 | Minimum: 1368 |
| Decimals: 0 | Maximum: 1372 |
| Range: 1368-1372 | |

Age of respondent (calculated) (WB2C)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 9827 |
| Format: numeric | Invalid: 363 |
| Width: 2 | Minimum: 15 |
| Decimals: 0 | Maximum: 49 |
| Range: 15-49 | |

Age (WAGE)

File: wm

Overview

Age (WAGE)

File: wm

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-7

Valid cases: 9827
 Invalid: 363

Own a mobile phone or use one as your own (MT0)

File: wm

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 9827
 Invalid: 363

Literal question

Do you own a mobile phone or use one as if it yours?

Ever used mobile phone to read or write SMS messages (MT1B)

File: wm

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 7666
 Invalid: 2524

Literal question

Have you ever used your mobile phone to read or write SMS messages?

Frequency of reading/writing SMS messages (MT1C)

File: wm

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 6227
 Invalid: 3963

Literal question

During the last one month, how often did you read or write SMS messages: almost every day, at least once a week, less than once a week or not at all?

Frequency of reading newspaper or magazine (MT2)

File: wm

Overview

Frequency of reading newspaper or magazine (MT2)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9119
Invalid: 1071

Literal question

How often do you read a newspaper or magazine: almost every day, at least once a week, less than once a week or not at all?

Frequency of listening to the radio (MT3)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

Do you listen to the radio almost every day, at least once a week, less than once a week or not at all?

Frequency of watching TV (MT4)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

How often do you watch television: would you say that you watch almost every day, at least once a week, less than once a week or not at all?

Ever used a computer (MT6)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2736
Invalid: 7454

Literal question

Have you ever used a computer?

Computer usage in the last 12 months (MT7)

File: wm

Computer usage in the last 12 months (MT7)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1984 |
| Format: numeric | Invalid: 8206 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Have you used a computer from any location in the last 12 months?

Frequency of computer usage in the last month (MT8)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1689 |
| Format: numeric | Invalid: 8501 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

During the last one month, how often did you use a computer: almost every day, at least once a week, less than once a week or not at all?

Ever used internet (MT9)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 2736 |
| Format: numeric | Invalid: 7454 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Have you ever used the internet?

Internet usage in the last 12 months (MT10)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1929 |
| Format: numeric | Invalid: 8261 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

In the last 12 months, have you used the internet?

Interviewer instructions

If necessary, probe for use from any location, with any device.

Frequency of Internet usage in the past month (MT11)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1772
Invalid: 8418

Literal question

During the last one month, how often did you use the internet: almost every day, at least once a week, less than once a week or not at all?

Ever given birth (CM1)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 9827
Invalid: 363

Literal question

Now I would like to ask you about births you have had during your life. Have you ever given birth?

Interviewer instructions

The first question of the module is used to determine if the rest of the module and several subsequent modules should be administered to this woman. If the answer is 'Yes', circle '1', and continue with the next question. If the woman says she has never given birth, circle '2' and skip to CM8.

Any sons or daughters living with you (CM4)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 7101
Invalid: 3089

Literal question

Do you have any sons or daughters to whom you have given birth who are now living with you?

Interviewer instructions

Read the question slowly. The sons and daughters being considered are those who live with her in her household (these children should have been listed in the Household Listing). Circle the code corresponding to the response. If she answers 'No', skip to CM6.

Sons living with you (CM5A)

File: wm

Overview

Sons living with you (CM5A)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Valid cases: 6774
Invalid: 3416

Literal question

How many sons live with you?

Interviewer instructions

If the answer to CM4 is 'Yes', record the number of sons and daughters living with the woman in the space provided. If the answer is 'None' for sons (or if she does not have any sons), record '00' in the space provided for sons. Similarly, if she has no daughters now living with her (or if she does not have any daughters), record '00' in the space for daughters. Do not leave either of the spaces blank. Since the question is asked only to women who have children living with them in the same household, at least one of the spaces should have a value higher than 00.

Remember, we are interested only in the respondent's OWN children - not foster children, children of her husband by another woman, children of another relative, or children for whom she is the caretaker.

Daughters living with you (CM5B)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Valid cases: 6774
Invalid: 3416

Literal question

How many daughters live with you?

Interviewer instructions

If the answer to CM4 is 'Yes', record the number of sons and daughters living with the woman in the space provided. If the answer is 'None' for sons (or if she does not have any sons), record '00' in the space provided for sons. Similarly, if she has no daughters now living with her (or if she does not have any daughters), record '00' in the space for daughters. Do not leave either of the spaces blank. Since the question is asked only to women who have children living with them in the same household, at least one of the spaces should have a value higher than 00.

Remember, we are interested only in the respondent's OWN children - not foster children, children of her husband by another woman, children of another relative, or children for whom she is the caretaker.

Any sons or daughters not living with you (CM6)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 7101
Invalid: 3089

Literal question

Do you have any sons or daughters to whom you have given birth who are alive but do not live with you?

Interviewer instructions

Any sons or daughters not living with you (CM6)

File: wm

This refers to sons and daughters who are alive but not living with the woman. For example, one or more of her children may be living with a relative, staying in a boarding school, been given up for adoption, or may be grown-up children who have left home.

Make sure the respondent is not reporting dead children in this question. Circle the code corresponding to the response. If she answers 'No', skip to CM8.

Sons living elsewhere (CM7A)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Valid cases: 1547
Invalid: 8643

Literal question

How many sons are alive but do not live with you?

Interviewer instructions

If the answer to CM6 is 'Yes', record the number of sons and daughters who are alive but not living with the respondent in the space provided. If the answer is 'None' for sons (or if she does not have any sons who are alive), record '00' in the space provided for sons. If the answer is 'None' for daughters (or if she does not have any daughters who are alive), record '00' in the space provided for daughters.

Since this question is asked only to women who have children alive who are not living with them, at least one of the spaces should have a value higher than 00. For women who have been asked this question, the spaces should not be left blank.

Daughters living elsewhere (CM7B)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Valid cases: 1547
Invalid: 8643

Literal question

How many daughters are alive but do not live with you?

Interviewer instructions

If the answer to CM6 is 'Yes', record the number of sons and daughters who are alive but not living with the respondent in the space provided. If the answer is 'None' for sons (or if she does not have any sons who are alive), record '00' in the space provided for sons. If the answer is 'None' for daughters (or if she does not have any daughters who are alive), record '00' in the space provided for daughters.

Since this question is asked only to women who have children alive who are not living with them, at least one of the spaces should have a value higher than 00. For women who have been asked this question, the spaces should not be left blank.

Ever had child who later died (CM8)

File: wm

Overview

Ever had child who later died (CM8)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 9827
Invalid: 363

Literal question

Have you ever given birth to boy or girl who was born alive but later died?

Interviewer instructions

This question is extremely important.

Circle the code corresponding to the response. Some respondents may fail to mention children who died very young, so if she answers 'No', it is important to probe by asking "I mean, to a child who ever breathed, cried or showed signs of life - even if he or she lived only a few minutes or hours?" If the answer is still 'No', skip to CM10.

Some respondents may be reluctant to talk about this subject and may become sad or upset that you are asking such questions. Be sympathetic and tactful in such situations. Say that you know the subject is painful, but the information is important.

Boys dead (CM9A)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Valid cases: 454
Invalid: 9736

Literal question

How many boys have died?

Interviewer instructions

If the answer to CM8 is 'Yes', record the number of sons and daughters who were born alive but later died in the spaces provided. Do not leave either of the spaces blank. For women who have been asked this question, at least one of the spaces should have a value higher than 00.

Girls dead (CM9B)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Valid cases: 454
Invalid: 9736

Literal question

How many girls have died?

Interviewer instructions

If the answer to CM8 is 'Yes', record the number of sons and daughters who were born alive but later died in the spaces provided. Do not leave either of the spaces blank. For women who have been asked this question, at least one of the spaces should have a value higher than 00.

Children ever born (CM10)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-12

Valid cases: 9827
Invalid: 363

Interviewer instructions

Add the numbers of births reported in CM5, CM7 and CM9 and write the sum here, then continue with CM11.

Check total number of children ever born (CTOT)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 0
Invalid: 10190

Month of last birth (CM12M)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 7101
Invalid: 3089

Literal question

Of these (total number in CM10) births you have had, when did you deliver the last one (even if the baby died)?

Interviewer instructions

This question is used to ascertain the woman's eligibility for the subsequent two modules.

Enter the date of the woman's most recent birth, even if the child is no longer alive, in the space provided. If the child has died, take special care when referring to this child by name in the following modules.

If the woman does not remember the day of birth, you may enter '98' to the space provided for 'Day'. Note that you MUST obtain exact information on the month and year of the last birth; '98' is not allowed for month and year.

Year of last birth (CM12Y)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1984-9999

Valid cases: 7101
Invalid: 3089
Minimum: 1984
Maximum: 2014

Literal question

Of these (total number in CM10) births you have had, when did you deliver the last one (even if the baby died)?

Interviewer instructions

Year of last birth (CM12Y)

File: wm

This question is used to ascertain the woman's eligibility for the subsequent two modules.

Enter the date of the woman's most recent birth, even if the child is no longer alive, in the space provided. If the child has died, take special care when referring to this child by name in the following modules.

If the woman does not remember the day of birth, you may enter '98' to the space provided for 'Day'. Note that you MUST obtain exact information on the month and year of the last birth; '98' is not allowed for month and year.

Last birth in last two years (CM13)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 7101
Invalid: 0

Interviewer instructions

If the respondent's last birth occurred in the last 2 years, check the relevant box and enter the name of the child on the line provided. Then continue with DESIRE FOR LAST BIRTH, MATERNAL AND NEWBORN HEALTH, and then POST-NATAL HEALTH CHECKS Modules. If the respondent's last birth did not occur in the last 2 years, check the relevant box and go to the ILLNESS SYMPTOMS Module.

Wanted last child then (DB1)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1484
Invalid: 8706

Literal question

When you got pregnant with (name), did you want to get pregnant at that time?

Interviewer instructions

This module is to be administered to all women with a live birth in the 2 years preceding the date of interview. Check CM13 in Child Mortality module and record name of last born child on the space provided at the top of this module. Use this child's name while asking the questions, where indicated.

Circle the code corresponding to the response given. If the response is 'Yes' (wanted to get pregnant), circle '1' and go to next module.

Wanted child later or did not want more children (DB2)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 272
Invalid: 9918

Literal question

Did you want to have a baby later on, or did you not want any (more) children?

Wanted child later or did not want more children (DB2)

File: wm

Interviewer instructions

This module is to be administered to all women with a live birth in the 2 years preceding the date of interview. Check CM13 in Child Mortality module and record name of last born child on the space provided at the top of this module. Use this child's name while asking the questions, where indicated.

Circle the code corresponding to the response given. If the respondent says she wanted no more, circle '2' and go to next module.

Desired waiting time (units) (DB3U)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 172
Invalid: 10018

Literal question

How much longer did you want to wait?

Interviewer instructions

This module is to be administered to all women with a live birth in the 2 years preceding the date of interview. Check CM13 in Child Mortality module and record name of last born child on the space provided at the top of this module. Use this child's name while asking the questions, where indicated.

If the response is given in months, circle '1' and record the number of months. If the response is given in years, circle '2' and record the number of years.

Desired waiting time (number) (DB3N)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 172
Invalid: 10018

Literal question

How much longer did you want to wait?

Interviewer instructions

This module is to be administered to all women with a live birth in the 2 years preceding the date of interview. Check CM13 in Child Mortality module and record name of last born child on the space provided at the top of this module. Use this child's name while asking the questions, where indicated.

If the response is given in months, circle '1' and record the number of months. If the response is given in years, circle '2' and record the number of years.

Received antenatal care (MN1)

File: wm

Overview

Received antenatal care (MN1)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1484
Invalid: 8706

Literal question

Did you see anyone for antenatal care during your pregnancy with (name)?

Interviewer instructions

Circle the code for the person seen for antenatal care. Probe: "Anyone else?" and circle the codes for any other persons seen for antenatal care during this pregnancy.

Antenatal care check-ups help to detect problems associated with pregnancy and delivery. All pregnant women should have routine check-ups. These questions refer to any antenatal care received during the pregnancy - a check specifically for the pregnancy and not for other reasons.

In MN1, ask if she saw anyone for antenatal care for this pregnancy. If she saw no one for antenatal checks, circle '2' and skip to MN5. If the woman answers 'Yes' to MN1, ask whom she saw for the check-up. Probe to learn if she saw more than one person and record all persons seen. Also probe for the type of person seen and circle all answers given. If you are unsure how to code a person mentioned, write the words used to describe the person in the space provided 'Other' and circle 'X'.

Doctors, nurses, midwives and auxiliary nurse midwives are skilled health personnel who have midwifery skills to manage normal deliveries and diagnose or refer obstetric complications. 'Traditional birth attendants' may be trained or untrained.

If the woman gives the name of a health facility, ask her to tell you who she saw there.

Antenatal care: Doctor (MN2A)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1309
Invalid: 0

Literal question

Whom did you see?

Interviewer instructions

Circle the code for the person seen for antenatal care. Probe: "Anyone else?" and circle the codes for any other persons seen for antenatal care during this pregnancy.

Antenatal care check-ups help to detect problems associated with pregnancy and delivery. All pregnant women should have routine check-ups. These questions refer to any antenatal care received during the pregnancy - a check specifically for the pregnancy and not for other reasons.

In MN1, ask if she saw anyone for antenatal care for this pregnancy. If she saw no one for antenatal checks, circle '2' and skip to MN5. If the woman answers 'Yes' to MN1, ask whom she saw for the check-up. Probe to learn if she saw more than one person and record all persons seen. Also probe for the type of person seen and circle all answers given. If you are unsure how to code a person mentioned, write the words used to describe the person in the space provided 'Other' and circle 'X'.

Doctors, nurses, midwives and auxiliary nurse midwives are skilled health personnel who have midwifery skills to manage normal deliveries and diagnose or refer obstetric complications. 'Traditional birth attendants' may be trained or untrained.

If the woman gives the name of a health facility, ask her to tell you who she saw there.

Antenatal care: Nurse / Midwife (MN2B)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 409
Invalid: 0

Literal question

Whom did you see?

Interviewer instructions

Circle the code for the person seen for antenatal care. Probe: "Anyone else?" and circle the codes for any other persons seen for antenatal care during this pregnancy.

Antenatal care check-ups help to detect problems associated with pregnancy and delivery. All pregnant women should have routine check-ups. These questions refer to any antenatal care received during the pregnancy - a check specifically for the pregnancy and not for other reasons.

In MN1, ask if she saw anyone for antenatal care for this pregnancy. If she saw no one for antenatal checks, circle '2' and skip to MN5. If the woman answers 'Yes' to MN1, ask whom she saw for the check-up. Probe to learn if she saw more than one person and record all persons seen. Also probe for the type of person seen and circle all answers given. If you are unsure how to code a person mentioned, write the words used to describe the person in the space provided 'Other' and circle 'X'.

Doctors, nurses, midwives and auxiliary nurse midwives are skilled health personnel who have midwifery skills to manage normal deliveries and diagnose or refer obstetric complications. 'Traditional birth attendants' may be trained or untrained.

If the woman gives the name of a health facility, ask her to tell you who she saw there.

Antenatal care: Traditional birth attendant (MN2F)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

Whom did you see?

Interviewer instructions

Circle the code for the person seen for antenatal care. Probe: "Anyone else?" and circle the codes for any other persons seen for antenatal care during this pregnancy.

Antenatal care check-ups help to detect problems associated with pregnancy and delivery. All pregnant women should have routine check-ups. These questions refer to any antenatal care received during the pregnancy - a check specifically for the pregnancy and not for other reasons.

In MN1, ask if she saw anyone for antenatal care for this pregnancy. If she saw no one for antenatal checks, circle '2' and skip to MN5. If the woman answers 'Yes' to MN1, ask whom she saw for the check-up. Probe to learn if she saw more than one person and record all persons seen. Also probe for the type of person seen and circle all answers given. If you are unsure how to code a person mentioned, write the words used to describe the person in the space provided 'Other' and circle 'X'.

Doctors, nurses, midwives and auxiliary nurse midwives are skilled health personnel who have midwifery skills to manage normal deliveries and diagnose or refer obstetric complications. 'Traditional birth attendants' may be trained or untrained.

If the woman gives the name of a health facility, ask her to tell you who she saw there.

Antenatal care: Village health worker (MN2G)

File: wm

Antenatal care: Village health worker (MN2G)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 8
Invalid: 0

Literal question

Whom did you see?

Interviewer instructions

Circle the code for the person seen for antenatal care. Probe: "Anyone else?" and circle the codes for any other persons seen for antenatal care during this pregnancy.

Antenatal care check-ups help to detect problems associated with pregnancy and delivery. All pregnant women should have routine check-ups. These questions refer to any antenatal care received during the pregnancy - a check specifically for the pregnancy and not for other reasons.

In MN1, ask if she saw anyone for antenatal care for this pregnancy. If she saw no one for antenatal checks, circle '2' and skip to MN5. If the woman answers 'Yes' to MN1, ask whom she saw for the check-up. Probe to learn if she saw more than one person and record all persons seen. Also probe for the type of person seen and circle all answers given. If you are unsure how to code a person mentioned, write the words used to describe the person in the space provided 'Other' and circle 'X'.

Doctors, nurses, midwives and auxiliary nurse midwives are skilled health personnel who have midwifery skills to manage normal deliveries and diagnose or refer obstetric complications. 'Traditional birth attendants' may be trained or untrained.

If the woman gives the name of a health facility, ask her to tell you who she saw there.

Antenatal care: Other (MN2X)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 2
Invalid: 0

Literal question

Whom did you see?

Interviewer instructions

Circle the code for the person seen for antenatal care. Probe: "Anyone else?" and circle the codes for any other persons seen for antenatal care during this pregnancy.

Antenatal care check-ups help to detect problems associated with pregnancy and delivery. All pregnant women should have routine check-ups. These questions refer to any antenatal care received during the pregnancy - a check specifically for the pregnancy and not for other reasons.

In MN1, ask if she saw anyone for antenatal care for this pregnancy. If she saw no one for antenatal checks, circle '2' and skip to MN5. If the woman answers 'Yes' to MN1, ask whom she saw for the check-up. Probe to learn if she saw more than one person and record all persons seen. Also probe for the type of person seen and circle all answers given. If you are unsure how to code a person mentioned, write the words used to describe the person in the space provided 'Other' and circle 'X'.

Doctors, nurses, midwives and auxiliary nurse midwives are skilled health personnel who have midwifery skills to manage normal deliveries and diagnose or refer obstetric complications. 'Traditional birth attendants' may be trained or untrained.

If the woman gives the name of a health facility, ask her to tell you who she saw there.

Weeks or months pregnant at first ANC - unit (MN2AU)

File: wm

Weeks or months pregnant at first ANC - unit (MN2AU)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1403
Invalid: 8787

Literal question

How many weeks or months pregnant were you when you first received antenatal care for this pregnancy?

Interviewer instructions

Record the answer as stated by respondent.

Weeks or months pregnant at first ANC - number (MN2AN)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98
Invalid: 99

Valid cases: 1403
Invalid: 8787

Literal question

How many weeks or months pregnant were you when you first received antenatal care for this pregnancy?

Interviewer instructions

Record the answer as stated by respondent.

Times received antenatal care (MN3)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 1403
Invalid: 8787
Minimum: 1
Maximum: 98

Literal question

How many times did you receive antenatal care during this pregnancy?

Interviewer instructions

Probe to identify the number of times antenatal care was received. If a range is given, record the minimum number of times antenatal care received.

Blood pressure (MN4A)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1403
Invalid: 8787

Blood pressure (MN4A)

File: wm

Literal question

As part of your antenatal care during this pregnancy, was any of the following done at least once:
Was your blood pressure measured?

Interviewer instructions

Ask about each procedure and record the response before asking about the next one. Circle '1' for 'Yes', or '2' for 'No' in each case. It may be necessary to explain some of the procedures. We want to know whether each of the procedures listed was performed during any of the antenatal check-ups during her last pregnancy. It does not matter if they were performed only once or more than once, or performed in the same visit or spread over several visits.

Blood pressure is measured with a medical instrument. A rubber cuff is wrapped around a person's upper arm and is inflated. While slowly releasing air from the cuff, the person measuring the blood pressure listens to the pulsing of the blood vessels with a stethoscope to determine the pressure.

Urine sample (MN4B)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1403
Invalid: 8787

Literal question

As part of your antenatal care during this pregnancy, was any of the following done at least once:
Did you give a urine sample?

Interviewer instructions

Ask about each procedure and record the response before asking about the next one. Circle '1' for 'Yes', or '2' for 'No' in each case. It may be necessary to explain some of the procedures. We want to know whether each of the procedures listed was performed during any of the antenatal check-ups during her last pregnancy. It does not matter if they were performed only once or more than once, or performed in the same visit or spread over several visits.

Blood sample (MN4C)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1403
Invalid: 8787

Literal question

As part of your antenatal care during this pregnancy, was any of the following done at least once:
Did you give a blood sample?

Interviewer instructions

Ask about each procedure and record the response before asking about the next one. Circle '1' for 'Yes', or '2' for 'No' in each case. It may be necessary to explain some of the procedures. We want to know whether each of the procedures listed was performed during any of the antenatal check-ups during her last pregnancy. It does not matter if they were performed only once or more than once, or performed in the same visit or spread over several visits.

A blood sample may be taken from the woman's fingertip or from a vein (usually from a vein near the elbow or on the wrist). The blood sample is used to test for various diseases, such as anaemia, parasite infestations or infectious diseases.

Iron Folic Supplements (MN4D)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1403
Invalid: 8787

Literal question

As part of your antenatal care during this pregnancy, was any of the following done at least once:
Were you advised to take iron folic supplements (or iron tablets or multiple micro-nutrient (MMN) supplements)?

Interviewer instructions

Ask about each procedure and record the response before asking about the next one. Circle '1' for 'Yes', or '2' for 'No' in each case. It may be necessary to explain some of the procedures. We want to know whether each of the procedures listed was performed during any of the antenatal check-ups during her last pregnancy. It does not matter if they were performed only once or more than once, or performed in the same visit or spread over several visits.

Any iron folic supplements during last pregnancy (MN4E)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1484
Invalid: 8706

Literal question

During this pregnancy, did you take any iron folic supplements or iron tablets or multiple micro-nutrient (MMN) supplements) such as these?

Interviewer instructions

Show sample pictures

Number of months took iron folic supplements during last pregnancy (MN4F)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Valid cases: 1272
Invalid: 8918

Literal question

During this whole pregnancy, for how many months did you take the tablets (supplements)?

Interviewer instructions

If a range is given, record the minimum number of months mentioned. If less than 1 month record '0'.

Has own immunization card (MN5)

File: wm

Overview

Has own immunization card (MN5)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1484
Invalid: 8706

Literal question

Do you have a card or other document with your own immunizations listed?
May I see it please?

Interviewer instructions

First, ask whether she has a vaccination card or other documentary evidence of vaccination. Ask to see this evidence and record that you have seen it by circling '1'. If a card is presented, use it to assist with answers to the following 2 questions. If the woman says she has a card but does not/cannot show it to you, circle '2'.

If the card is not available ('2' or '3' circled in MN5), you must try to find out how long ago the last Tetanus toxoid (TT) dose was received in MN6, and the total number of TT doses the mother has received in her lifetime in MN7. Use the probing questions, and record her answers in the spaces provided.

Women who do not have immunization cards may have difficulty identifying whether injections they received were tetanus toxoid injections.

Any tetanus toxoid injection during last pregnancy (MN6)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1484
Invalid: 8706

Literal question

When you were pregnant with (name), did you receive any injection in the arm or shoulder to prevent the baby from getting tetanus, that is convulsions after birth?

Interviewer instructions

Tetanus is an infection of the wound and women may be infected with tetanus after delivery. It can be prevented through a vaccination during pregnancy. The vaccine is known as tetanus toxoid.

Ask if she received any tetanus toxoid injection during her last pregnancy. Circle '1' for a 'Yes' response. If the answer is 'No' or 'DK', circle the code corresponding to the response and skip to MN9.

Doses of tetanus toxoid during last pregnancy (MN7)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1311
Invalid: 8879

Literal question

How many times did you receive this tetanus injection during your pregnancy with (name)?

Interviewer instructions

Enter the number of doses she reports in the space provided and continue to MN8. If the number of doses is 7 or more times, record '7'. If she does not know, circle '8' and skip to MN9.

Any tetanus toxoid injection before last pregnancy (MN9)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 617
Invalid: 9573

Literal question

Did you receive any tetanus injection at any time before your pregnancy with (name), either to protect yourself or another baby?

Interviewer instructions

Circle the code corresponding to her response. If she reports never having received any tetanus injection prior to her last pregnancy, or does not know, circle the code corresponding to the answer given and skip to MN12. If 'Yes', continue with MN10.

Doses of tetanus toxoid before last pregnancy (MN10)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 336
Invalid: 9854

Literal question

How many times did you receive a tetanus injection before your pregnancy with (name)?

Interviewer instructions

Ask about doses of tetanus injections received during or before the next-to-last pregnancy or between pregnancies (at any time before the last pregnancy). Enter her response in the space provided, as in MN7. If the number of doses is 7 or more times, record '7'.

Years ago last tetanus toxoid received (MN11)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 329
Invalid: 9861

Literal question

How many years ago did you receive the last tetanus injection before your pregnancy with (name)?

Interviewer instructions

Ask her to estimate how long ago she received the last dose of tetanus injections (the dose before her last pregnancy), and enter her response in years. If less than 1 year, record 00.

Assistance at delivery: Doctor (MN17A)

File: wm

Overview

Assistance at delivery: Doctor (MN17A)

File: wm

Type: Discrete
Format: character
Width: 1

Valid cases: 1272
Invalid: 0

Literal question

Who assisted with the delivery of (name)?

Interviewer instructions

Circle the code for the person assisted with the delivery. Probe: "Anyone else?" and circle the codes for any other persons assisting with the delivery of this child.

When asking this question, be sure to use the name of the child you are referring to, so that there is no confusion.

Probe for the type of person who assisted with the delivery. If the woman is not sure of the status of the person who attended the delivery, for example, if she doesn't know whether the attendant was a midwife or a traditional birth attendant, probe further. Circle the codes corresponding to all persons assisting at the delivery. If the respondent says that no one assisted, probe to determine whether any adults were present at the delivery. If you are unsure where to code a person mentioned, write it in the space provided 'Other' and circle 'X'. If no one attended the delivery, circle 'Y'.

Assistance at delivery: Nurse / Midwife (MN17B)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1125
Invalid: 0

Literal question

Who assisted with the delivery of (name)?

Interviewer instructions

Circle the code for the person assisted with the delivery. Probe: "Anyone else?" and circle the codes for any other persons assisting with the delivery of this child.

When asking this question, be sure to use the name of the child you are referring to, so that there is no confusion.

Probe for the type of person who assisted with the delivery. If the woman is not sure of the status of the person who attended the delivery, for example, if she doesn't know whether the attendant was a midwife or a traditional birth attendant, probe further. Circle the codes corresponding to all persons assisting at the delivery. If the respondent says that no one assisted, probe to determine whether any adults were present at the delivery. If you are unsure where to code a person mentioned, write it in the space provided 'Other' and circle 'X'. If no one attended the delivery, circle 'Y'.

Assistance at delivery: Traditional birth attendant (MN17F)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 35
Invalid: 0

Literal question

Who assisted with the delivery of (name)?

Interviewer instructions

Assistance at delivery: Traditional birth attendant (MN17F)

File: wm

Circle the code for the person assisted with the delivery. Probe: "Anyone else?" and circle the codes for any other persons assisting with the delivery of this child.

When asking this question, be sure to use the name of the child you are referring to, so that there is no confusion.

Probe for the type of person who assisted with the delivery. If the woman is not sure of the status of the person who attended the delivery, for example, if she doesn't know whether the attendant was a midwife or a traditional birth attendant, probe further. Circle the codes corresponding to all persons assisting at the delivery. If the respondent says that no one assisted, probe to determine whether any adults were present at the delivery. If you are unsure where to code a person mentioned, write it in the space provided 'Other' and circle 'X'. If no one attended the delivery, circle 'Y'.

Assistance at delivery: Village health worker (MN17G)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 22
Invalid: 0

Literal question

Who assisted with the delivery of (name)?

Interviewer instructions

Circle the code for the person assisted with the delivery. Probe: "Anyone else?" and circle the codes for any other persons assisting with the delivery of this child.

When asking this question, be sure to use the name of the child you are referring to, so that there is no confusion.

Probe for the type of person who assisted with the delivery. If the woman is not sure of the status of the person who attended the delivery, for example, if she doesn't know whether the attendant was a midwife or a traditional birth attendant, probe further. Circle the codes corresponding to all persons assisting at the delivery. If the respondent says that no one assisted, probe to determine whether any adults were present at the delivery. If you are unsure where to code a person mentioned, write it in the space provided 'Other' and circle 'X'. If no one attended the delivery, circle 'Y'.

Assistance at delivery: Relative / Friend (MN17H)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 92
Invalid: 0

Literal question

Who assisted with the delivery of (name)?

Interviewer instructions

Circle the code for the person assisted with the delivery. Probe: "Anyone else?" and circle the codes for any other persons assisting with the delivery of this child.

When asking this question, be sure to use the name of the child you are referring to, so that there is no confusion.

Probe for the type of person who assisted with the delivery. If the woman is not sure of the status of the person who attended the delivery, for example, if she doesn't know whether the attendant was a midwife or a traditional birth attendant, probe further. Circle the codes corresponding to all persons assisting at the delivery. If the respondent says that no one assisted, probe to determine whether any adults were present at the delivery. If you are unsure where to code a person mentioned, write it in the space provided 'Other' and circle 'X'. If no one attended the delivery, circle 'Y'.

Assistance at delivery: Other (MN17X)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 13
Invalid: 0

Literal question

Who assisted with the delivery of (name)?

Interviewer instructions

Circle the code for the person assisted with the delivery. Probe: "Anyone else?" and circle the codes for any other persons assisting with the delivery of this child.

When asking this question, be sure to use the name of the child you are referring to, so that there is no confusion.

Probe for the type of person who assisted with the delivery. If the woman is not sure of the status of the person who attended the delivery, for example, if she doesn't know whether the attendant was a midwife or a traditional birth attendant, probe further. Circle the codes corresponding to all persons assisting at the delivery. If the respondent says that no one assisted, probe to determine whether any adults were present at the delivery. If you are unsure where to code a person mentioned, write it in the space provided 'Other' and circle 'X'. If no one attended the delivery, circle 'Y'.

Assistance at delivery: No one (MN17Y)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 15
Invalid: 0

Literal question

Who assisted with the delivery of (name)?

Interviewer instructions

Circle the code for the person assisted with the delivery. Probe: "Anyone else?" and circle the codes for any other persons assisting with the delivery of this child.

When asking this question, be sure to use the name of the child you are referring to, so that there is no confusion.

Probe for the type of person who assisted with the delivery. If the woman is not sure of the status of the person who attended the delivery, for example, if she doesn't know whether the attendant was a midwife or a traditional birth attendant, probe further. Circle the codes corresponding to all persons assisting at the delivery. If the respondent says that no one assisted, probe to determine whether any adults were present at the delivery. If you are unsure where to code a person mentioned, write it in the space provided 'Other' and circle 'X'. If no one attended the delivery, circle 'Y'.

Place of delivery (MN18)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Valid cases: 1484
Invalid: 8706
Minimum: 11
Maximum: 99

Literal question

Where did you give birth to (name)?

Interviewer instructions

Place of delivery (MN18)

File: wm

The intent of this question is to identify births delivered in a health facility. If the woman gave birth in a hospital, health centre or clinic, ask whether the place is in the public (run by the government) or private sector. If the place is in the public sector, but is not one of the pre-coded choices, write the description in the space provided for 'Other public' and circle '26'. Similarly, if the place is in the private medical sector, but is not one of the pre-coded choices, write the description in the space provided for 'Other private medical' and circle '36'. If you are unable to determine whether public or private, write the name of the place in the space provided on the questionnaire 'Name of place' and tell your supervisor. Your supervisor will learn from other people in the community whether the place is public or private and then circle the code corresponding to the response.

If the respondent answers that she delivered in another place not listed, write the description of the place in the space provided for 'Other' and circle '96'. Places that are not health facilities, other than home, should also be coded as 'Other' and described.

Delivery by caesarean section (MN19)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1361 |
| Format: numeric | Invalid: 8829 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Was (name) delivered by caesarean section? That is, did they cut your belly open to take the baby out?

Interviewer instructions

A caesarean section is a delivery of a baby through an incision in the woman's abdomen and womb, rather than through the birth canal. Such a delivery is necessary for some women due to pregnancy complications. Find out whether the baby was delivered by an operation and not through the birth canal.

Decision for caesarean made before the onset of labour or after (MN19A)

File: wm

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 407 |
| Format: numeric | Invalid: 9783 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

When was the decision made to have the caesarean section?
Was it before or after your labour pains started?

Size of child at birth (MN20)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1484 |
| Format: numeric | Invalid: 8706 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Size of child at birth (MN20)

File: wm

Literal question

When (name) was born, was he/she very large, larger than average, average, smaller than average or very small?

Interviewer instructions

Low-birthweight babies are at higher risk of serious illness or death than other babies. Mothers are asked to give the baby's birthweight, but since some babies are not weighed at birth, a mother's subjective assessment of the baby's size at birth is important. When the information from women who answer these questions is analysed, we can obtain an indication of what women mean by these subjective categories. This information can provide an estimate of the average birthweight.

Read the entire question exactly as written before accepting an answer. This is the woman's own opinion about the size of her baby. Even if she knows the child's birthweight, tell her that you want to know her own idea of whether the baby was very large, larger than average, average, smaller than average or very small. If the respondent is unable to tell you, do not try to guess the answer based on the birthweight information or the appearance of the baby; circle '8' for 'DK'. In cases when the woman knows the birthweight of the baby and tells you the exact weight, do not use your judgement to influence her response in MN20. In other words, even if the woman tells you that her baby was smaller than average while the birthweight she is stating is quite large in your opinion, do not probe further to 'correct' the woman's perception of the size of the baby.

Child weighed at birth (MN21)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1484
Invalid: 8706

Literal question

Was (name) weighed at birth?

Interviewer instructions

Circle the code corresponding to the response given. If the baby was not weighed at birth or the mother doesn't know, skip to MN23.

Weight from card or recall (MN22A)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1370
Invalid: 8820

Literal question

How much did (name) weigh?

Interviewer instructions

Ask the woman to show you her (or the child's) health card, if available. Record the birthweight in kilograms. If the weight is 'From card' or is recorded on another written document (such as a vaccination card, antenatal card or birth certificate), circle '1' and record the weight in the corresponding space. If the birthweight is reported by the mother, but no card or document is available, circle '2' for 'From recall' and record the weight in the corresponding space. Fill in the weight only once. Use zeros to fill in all digits if necessary. For example, if the woman tells you that the baby was 3.5 kilograms at birth; enter the information as '3.500'. Always record the birthweight from the card when possible.

If there is no card, and the mother cannot remember the exact weight, record her best estimate. Only circle '99998' for 'DK' if she absolutely cannot remember even the approximate weight.

Weight at birth (Kilograms) (MN22)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 1370 |
| Format: numeric | Invalid: 8820 |
| Width: 5 | Minimum: 0.8 |
| Decimals: 3 | Maximum: 4.8 |
| Range: 0.8-9.999 | |

Literal question

How much did (name) weigh?

Interviewer instructions

Ask the woman to show you her (or the child's) health card, if available. Record the birthweight in kilograms. If the weight is 'From card' or is recorded on another written document (such as a vaccination card, antenatal card or birth certificate), circle '1' and record the weight in the corresponding space. If the birthweight is reported by the mother, but no card or document is available, circle '2' for 'From recall' and record the weight in the corresponding space. Fill in the weight only once. Use zeros to fill in all digits if necessary. For example, if the woman tells you that the baby was 3.5 kilograms at birth; enter the information as '3.500'. Always record the birthweight from the card when possible.

If there is no card, and the mother cannot remember the exact weight, record her best estimate. Only circle '99998' for 'DK' if she absolutely cannot remember even the approximate weight.

Menstrual period returned since the birth of child (MN23)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1484 |
| Format: numeric | Invalid: 8706 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Has your menstrual period returned since the birth of (name)?

Interviewer instructions

After a woman has given birth, there is a length of time when she will not have her monthly menstrual periods. This question asks about whether her period has resumed following the last birth. Circle the code corresponding to the response given.

Ever breastfeed (MN24)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1484 |
| Format: numeric | Invalid: 8706 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Did you ever breastfeed (name)?

Interviewer instructions

Breastfeeding is important for a child's health and it prevents pregnancy during the period when the mother is breastfeeding. For this question, it does not matter how long the respondent breastfed the child, only whether or not she ever gave the child the breast, even if the baby died very young.

Circle the code corresponding to the response given. If the response is 'No' (she never breastfed the child), go to next module.

Time baby put to breast (unit) (MN25U)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Valid cases: 1439
Invalid: 8751

Literal question

How long after birth did you first put (name) to the breast?

Interviewer instructions

If the mother reports that the baby was put to the breast immediately after birth, circle '000'. Otherwise, record the time in completed hours or days.

If less than 1 hour, circle '1' for 'Hours' and record '00' in the space provided. For example, if the woman said she began breastfeeding within 10 minutes of the birth, circle '1' and record '00' hours.

If the mother began breastfeeding within 24 hours of the birth, circle '1' and record the number of hours that passed before the baby was put to the breast.

If she began breastfeeding 24 hours or more after the birth, circle '2' and record the number of days. Record in completed number of days. For example, if the baby was first breastfed 30 hours after delivery, circle '2' and record '01' days.

If the woman does not know or does not remember how long after birth she put the baby to the breast, circle '998'.

Time baby put to breast (number) (MN25N)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 1439
Invalid: 8751

Literal question

How long after birth did you first put (name) to the breast?

Interviewer instructions

If the mother reports that the baby was put to the breast immediately after birth, circle '000'. Otherwise, record the time in completed hours or days.

If less than 1 hour, circle '1' for 'Hours' and record '00' in the space provided. For example, if the woman said she began breastfeeding within 10 minutes of the birth, circle '1' and record '00' hours.

If the mother began breastfeeding within 24 hours of the birth, circle '1' and record the number of hours that passed before the baby was put to the breast.

If she began breastfeeding 24 hours or more after the birth, circle '2' and record the number of days. Record in completed number of days. For example, if the baby was first breastfed 30 hours after delivery, circle '2' and record '01' days.

If the woman does not know or does not remember how long after birth she put the baby to the breast, circle '998'.

Within first 3 days after delivery, child given anything to drink other than breast milk (MN26)

File: wm

Overview

Within first 3 days after delivery, child given anything to drink other than breast milk (MN26)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1439
Invalid: 8751

Literal question

In the first three days after delivery, was (name) given anything to drink other than breast milk?

Interviewer instructions

If the child was given anything to drink other than breast milk, then circle code '1' for 'Yes' and otherwise '2' for 'No' and go to next module.

Child given to drink - Milk (other than breast milk) (MN27A)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 70
Invalid: 0

Literal question

What was (name) given to drink?

Interviewer instructions

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Child given to drink - Plain water (MN27B)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 471
Invalid: 0

Literal question

What was (name) given to drink?

Interviewer instructions

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Child given to drink - Sugar or glucose water (MN27C)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 17
Invalid: 0

Literal question

What was (name) given to drink?

Child given to drink - Sugar or glucose water (MN27C)

File: wm

Interviewer instructions

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Child given to drink - Gripe water (MN27D)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

What was (name) given to drink?

Interviewer instructions

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Child given to drink - Sugar - salt - water solution (MN27E)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

What was (name) given to drink?

Interviewer instructions

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Child given to drink - Fruit juice (MN27F)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

What was (name) given to drink?

Interviewer instructions

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Child given to drink - Infant formula (MN27G)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 876
Invalid: 0

Literal question

What was (name) given to drink?

Interviewer instructions

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Child given to drink - Tea / Infusions (MN27H)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 7
Invalid: 0

Literal question

What was (name) given to drink?

Interviewer instructions

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Child given to drink - Honey (MN27I)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 62
Invalid: 0

Literal question

What was (name) given to drink?

Interviewer instructions

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Child given to drink - Rice soup (MN27J)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 7
Invalid: 0

Literal question

What was (name) given to drink?

Interviewer instructions

Child given to drink - Rice soup (MN27J)

File: wm

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Child given to drink - Other (MN27X)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

What was (name) given to drink?

Interviewer instructions

Circle the code corresponding to the response. Probe by asking "anything else?" to find out if the child was given anything else to drink. If the respondent answers that the child was given a drink other than those listed here, write the description of the drink in the space provided for 'Other' and circle 'X'.

Duration of staying in the health facility (unit) (PN2U)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1352
Invalid: 8838

Literal question

Now I would like to ask you some questions about what happened in the hours and days after the birth of (name). You have said that you gave birth in (name or type of facility in MN18). How long did you stay there after the delivery?

Interviewer instructions

If less than one day, record hours.
If less than one week, record days.
Otherwise, record weeks.

Duration of staying in the health facility (number) (PN2N)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 1352
Invalid: 8838

Literal question

Now I would like to ask you some questions about what happened in the hours and days after the birth of (name). You have said that you gave birth in (name or type of facility in MN18). How long did you stay there after the delivery?

Interviewer instructions

If less than one day, record hours.
If less than one week, record days.
Otherwise, record weeks.

Baby's health checked before leaving health facility (PN3)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1352
Invalid: 8838

Literal question

I would like to talk to you about checks on (name)'s health after delivery – for example, someone examining (name), checking the cord, or seeing if (name) is ok.
Before you left the (name or type of facility in MN18), did anyone check on (name)'s health?

Mother's health checked before leaving health facility (PN4)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1352
Invalid: 8838

Literal question

And what about checks on your health – I mean, someone assessing your health, for example asking questions about your health or examining you.
Did anyone check on your health before you left (name or type of facility in MN18)?

Baby's health checked after leaving health facility (PN5)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1352
Invalid: 8838

Literal question

Now I would like to talk to you about what happened after you left (name or type of facility in MN18).
Did anyone check on (name)'s health after you left (name or type of facility in MN18)?

Baby checked after the delivery was over (PN7)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 41
Invalid: 10149

Literal question

Baby checked after the delivery was over (PN7)

File: wm

You have already said that (person or persons in MN17) assisted with the birth. Now I would like to talk to you about checks on (name)'s health after delivery, for example examining (name), checking the cord, or seeing if (name) is ok.

After the delivery was over and before (person or persons in MN7) left you, did (person or persons in MN17) check on (name)'s health?

Mother checked after the delivery was over (PN8)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 41
Invalid: 10149

Literal question

And did (person or persons in MN17) check on your health before leaving?

By check on your health, I mean assessing your health, for example asking questions about your health or examining you.

Additional baby check after the delivery (PN9)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 41
Invalid: 10149

Literal question

After the (person or persons in MN17) left you, did anyone check on the health of (name)?

Baby checked after the delivery (PN10)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 91
Invalid: 10099

Literal question

I would like to talk to you about checks on (name)'s health after delivery – for example, someone examining (name), checking the cord, or seeing if the baby is ok.

After (name) was delivered, did anyone check on his/her health?

Number of times baby was checked (PN11)

File: wm

Overview

Number of times baby was checked (PN11)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 360
Invalid: 9830

Literal question

Did such a check happen only once, or more than once?

How long after delivery did the first check of baby happen (unit) (PN12U)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 360
Invalid: 9830

Literal question

How long after delivery did the first of these checks happen?

Interviewer instructions

If less than one day, record hours.
If less than one week, record days.
Otherwise, record weeks.

How long after delivery did the first check of baby happen (number) (PN12N)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 360
Invalid: 9830

Literal question

How long after delivery did the first of these checks happen?

Interviewer instructions

If less than one day, record hours.
If less than one week, record days.
Otherwise, record weeks.

Person checking on baby's health: Doctor (PN13A)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 156
Invalid: 0

Person checking on baby's health: Doctor (PN13A)

File: wm

Literal question

Who checked on (name)'s health at that time?

Person checking on baby's health: Nurse / Midwife (PN13B)

File: wm

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 213

Invalid: 0

Literal question

Who checked on (name)'s health at that time?

Person checking on baby's health: Traditional birth attendant (PN13F)

File: wm

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 2

Invalid: 0

Literal question

Who checked on (name)'s health at that time?

Person checking on baby's health: Village health worker (PN13G)

File: wm

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 18

Invalid: 0

Literal question

Who checked on (name)'s health at that time?

Person checking on baby's health: Relative / Friend (PN13H)

File: wm

Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 9

Invalid: 0

Literal question

Who checked on (name)'s health at that time?

Person checking on baby's health: Other (PN13X)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 3
Invalid: 0

Literal question

Who checked on (name)'s health at that time?

Place where baby's health was checked (PN14)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Valid cases: 360
Invalid: 9830
Minimum: 11
Maximum: 32

Literal question

Where did this check take place?

Interviewer instructions

Probe to identify the type of source.
If unable to determine whether public or private, write the name of the place.

Mother's health checked after leaving health facility (PN16)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1352
Invalid: 8838

Literal question

After you left (name or type of facility in MN18), did anyone check on your health?

Mother's health checked after the delivery was over (PN18)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 41
Invalid: 10149

Literal question

After the delivery was over and (person or persons in MN17) left, did anyone check on your health?

Mother's health checked after the birth of the baby (PN19)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 91
Invalid: 10099

Literal question

After the birth of (name), did anyone check on your health?

I mean someone assessing your health, for example asking questions about your health or examining you.

Number of times mother's health was checked after the birth (PN20)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 297
Invalid: 9893

Literal question

Did such a check happen only once, or more than once?

How long after delivery did the first check of mother happen (unit) (PN21U)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 297
Invalid: 9893

Literal question

How long after delivery did the first of these checks happen?

Interviewer instructions

If less than one day, record hours.
If less than one week, record days.
Otherwise, record weeks.

How long after delivery did the first check of mother happen (number) (PN21N)

File: wm

Overview

How long after delivery did the first check of mother happen (number) (PN21N)

File: wm

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 297
Invalid: 9893

Literal question

How long after delivery did the first of these checks happen?

Interviewer instructions

If less than one day, record hours.
If less than one week, record days.
Otherwise, record weeks.

Person checking on mother's health: Doctor (PN22A)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 118
Invalid: 0

Literal question

Who checked on your health at that time?

Person checking on mother's health: Nurse / Midwife (PN22B)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 179
Invalid: 0

Literal question

Who checked on your health at that time?

Person checking on mother's health: Traditional birth attendant (PN22F)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

Who checked on your health at that time?

Person checking on mother's health: Village health worker (PN22G)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 14
Invalid: 0

Literal question

Who checked on your health at that time?

Person checking on mother's health: Relative / Friend (PN22H)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 5
Invalid: 0

Literal question

Who checked on your health at that time?

Person checking on mother's health: Other (PN22X)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

Who checked on your health at that time?

Place where mother's health was checked (PN23)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Valid cases: 297
Invalid: 9893
Minimum: 11
Maximum: 32

Literal question

Where did this check take place?

Interviewer instructions

Probe to identify the type of source.
If unable to determine whether public or private, write the name of the place.

Symptoms: Child not able to drink or breastfeed (IS2A)

File: wm

Symptoms: Child not able to drink or breastfeed (IS2A)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 266
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Child becomes sicker (IS2B)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 813
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Child develops a fever (IS2C)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 2557
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

Symptoms: Child develops a fever (IS2C)

File: wm

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Child has fast breathing (IS2D)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 185
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility.
What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Child has difficulty breathing (IS2E)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 754
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility.
What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Child has blood in stool (IS2F)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 136
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Child is drinking poorly (IS2G)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 173
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Child is vomiting (IS2H)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 575
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility. What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

Symptoms: Child is vomiting (IS2H)

File: wm

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Child choked (IS2I)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 96
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility.
What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Other (IS2X)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1600
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility.
What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Other (IS2Y)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 353
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility.
What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Symptoms: Other (IS2Z)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 83
Invalid: 0

Literal question

Sometimes children have severe illnesses and should be taken immediately to a health facility.
What types of symptoms would cause you to take your child to a health facility right away?

Interviewer instructions

This question asks for symptoms that would cause the respondent to take a child to a health facility right away. Probe by saying 'any other symptoms' and keep asking for more signs or symptoms until the mother/caretaker cannot recall any additional symptoms.

Circle all symptoms mentioned, but do not prompt with any suggestions. If you are not sure whether a certain sign as reported by the respondent fits in one of the above categories, write it down in full and check with your supervisor later.

If the respondent mentions a symptom not listed here, write the description of the symptom in the space provided for 'Other' and circle 'X' 'Y', and 'Z', for additional symptoms not listed).

Currently pregnant (CP1)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

I would like to talk with you about another subject – family planning.
Are you pregnant now?

Interviewer instructions

Currently pregnant (CP1)

File: wm

This question is important because later questions in this module will not need to be asked of pregnant women. A woman who is pregnant does not need to use contraception!

Circle the code corresponding to the response given. If she is pregnant, circle '1' and go to the next module. If the woman is unsure or does not know for certain if she is pregnant, circle '8' for 'Unsure or DK'.

Currently using a method to avoid pregnancy (CP2)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9470
Invalid: 720

Literal question

Couples use various ways or methods to delay or avoid a pregnancy.

Are you currently doing something or using any method to delay or avoid getting pregnant?

Ever used a method to avoid pregnancy (CP2A)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 4566
Invalid: 5624

Literal question

Have you ever done something or used any method to delay or avoid getting pregnant?

Current method: Female sterilization (CP3A)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 212
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?

Female Sterilization: Women can have an operation to avoid having any more children.

Interviewer instructions

Current method: Female sterilization (CP3A)

File: wm

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Male sterilization (CP3B)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 6
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?

Male Sterilization: Men can have an operation to avoid having any more children.

Interviewer instructions

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: IUD (CP3C)

File: wm

Current method: IUD (CP3C)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1876
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?

IUD: Women can have a loop or coil placed inside them by a doctor or a nurse.

Interviewer instructions

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Injectables (CP3D)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 163
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?

Injectables: Women can have an injection by a health provider, that stops her from becoming pregnant for one or more months.

Interviewer instructions

Current method: Injectables (CP3D)

File: wm

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Implants (CP3E)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 12
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?

Implants: Women can have one or more small implants placed in their upper arm by a doctor or nurse which can prevent pregnancy for one or more years.

Interviewer instructions

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Pill (CP3F)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 854
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?
Pill: Women have to take a pill every day to avoid becoming pregnant.

Interviewer instructions

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Male condom (CP3G)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 911
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?
Male Condom: Men can put a rubber condom on their penis before or during the sexual intercourse.

Interviewer instructions

Current method: Male condom (CP3G)

File: wm

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Female condom (CP3H)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 13
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?

Female Condom: Women can place a sheath in their vagina before sexual intercourse.

Interviewer instructions

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Diaphragm (CP3I)

File: wm

Current method: Diaphragm (CP3I)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?

Diaphragm: Women can place a soft rubber cup in their vagina to block sperm from entering uterus or tubes.

Interviewer instructions

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Foam / Jelly (CP3J)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?

Foam, Jelly: Women may be using spermicides such as foam, jelly, cream that are used to kill sperm or make sperm unable to move to the egg.

Interviewer instructions

Current method: Foam / Jelly (CP3J)

File: wm

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Periodic abstinence / Rhythm (CP3L)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1117
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?

Rhythm Method: Woman can avoid pregnancy by not having sexual intercourse on the days of the month she is most likely to get pregnant.

Interviewer instructions

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Withdrawal (CP3M)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1137
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?
Withdrawal: Men can be careful and pull out before climax.

Interviewer instructions

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Current method: Other (CP3X)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

Literal question

What are you doing to delay or avoid a pregnancy?
Other

Interviewer instructions

Current method: Other (CP3X)

File: wm

Circle the code corresponding to the response given. Do not prompt the woman. If she mentions more than one method, circle the code for each method that is currently being used. If she mentions a method you do not know of, write her description in the space provided in 'Other' and circle 'X'.

Since methods are effective for different lengths of time, you may have difficulty determining if a particular respondent is currently using a method. Current users of the pill should be taking pills daily. Methods such as condom use, vaginal methods and withdrawal are used with each act of intercourse, so current users of these methods will have used them during the most recent acts of intercourse.

Other methods provide ongoing protection without daily or regular action by the woman. Contraceptive injections may be administered 2 to 6 months earlier and still provide protection. Implants provide protection for up to 5 years or until removed. An IUD protects against pregnancy until it is removed or expelled.

If needed, consider the last 1 month as 'current use'.

If the woman has been sterilized, you will circle 'A' for 'Female sterilization' as the current method. If the woman's current partner has been sterilized, you will circle 'B' for 'Male sterilization' as the current method. However, if she is no longer married to (or living with) a former partner who had a vasectomy, this should not be noted as the current method. Lactational amenorrhoea method (LAM) should be circled only if the woman explicitly states that she is breastfeeding for contraceptive purposes or that she believes that she is being protected from the risk of pregnancy because she is breastfeeding.

Wanted to get pregnant at the time (UN2)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 357
Invalid: 9833

Literal question

Now, I would like to talk to you about your current pregnancy. When you got pregnant, did you want to get pregnant at that time?

Interviewer instructions

Circle the code corresponding to the answer given. Skip to UN4 if 'Yes'. Otherwise, continue to the next question.

Wanted baby later or did not want more children (UN3)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 63
Invalid: 10127

Literal question

Did you want to have a baby later on or did you not want any (more) children?

Interviewer instructions

Circle the code corresponding to the answer given.

Would like to have another child (currently pregnant) (UN4)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 357
Invalid: 9833

Literal question

Now I would like to ask some questions about the future.

After the child you are now expecting, would you like to have another child, or would you prefer not to have any more children?

Interviewer instructions

Note that we want to make sure that pregnant women do not think that we are asking them if they want the child they are pregnant with now. Circle the code corresponding to the response given. If the woman wants to have another child, you should circle '1' and continue with UN7. If she wants no more children or does not want to have children at all, you should circle '2' and skip to UN13. If she is undecided or does not know, circle '8' and skip to UN13.

Would like to have another child (not currently pregnant) (UN6)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9258
Invalid: 932

Literal question

Now I would like to ask you some questions about the future. Would you like to have (a/another) child, or would you prefer not to have any (more) children?

Interviewer instructions

Circle the code corresponding to the response given. If the woman wants to have a/another child, you should circle '1'. If she wants no more children or does not want to have children at all, you should circle '2' and skip to UN9. If she says she cannot get pregnant, circle '3' and skip to UN11. If she is undecided or does not know, circle '8' and skip to UN9.

Desired waiting time (unit) (UN7U)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 3069
Invalid: 7121

Literal question

How long would you like to wait before the birth of (a/another) child?

Interviewer instructions

Desired waiting time (unit) (UN7U)

File: wm

Here, you will also need to choose the appropriate phrasing for the question, based on what you already know about the respondent. This question should be asked of all women (pregnant or not pregnant) who say that they want to have another child.

Note that the answer can be given in months or years. Circle '1' if the response is in months or '2' if in years, and record the answer in the appropriate spaces. If she says she does not want to wait and would like to have a baby right away, record 993 for 'Soon/Now'. If the woman says she cannot get pregnant, circle '994'. If the woman tells you she would like to wait until after she is married to have a child, record '995' for 'After marriage'. If she gives a different answer, circle '996' for 'Other'. If she says she does not know, circle '998'. For women who say that they cannot get pregnant, you should skip to UN11.

Desired waiting time (number) (UN7N)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 3069
Invalid: 7121

Literal question

How long would you like to wait before the birth of (a/another) child?

Interviewer instructions

Here, you will also need to choose the appropriate phrasing for the question, based on what you already know about the respondent. This question should be asked of all women (pregnant or not pregnant) who say that they want to have another child.

Note that the answer can be given in months or years. Circle '1' if the response is in months or '2' if in years, and record the answer in the appropriate spaces. If she says she does not want to wait and would like to have a baby right away, record 993 for 'Soon/Now'. If the woman says she cannot get pregnant, circle '994'. If the woman tells you she would like to wait until after she is married to have a child, record '995' for 'After marriage'. If she gives a different answer, circle '996' for 'Other'. If she says she does not know, circle '998'. For women who say that they cannot get pregnant, you should skip to UN11.

Able to get pregnant (UN10)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 3753
Invalid: 6437

Literal question

Do you think you are physically able to get pregnant at this time?

Interviewer instructions

A woman who believes that she is incapable of becoming pregnant cannot be considered to have 'unmet need' for contraception. This question aims to learn whether the woman thinks she can conceive a child. Circle the code corresponding to the response given.

Make sure that the woman does not relate her current physical ability to get pregnant with her current marital status. It is important to emphasize to the woman, if necessary, that we are interested in her current physical ability - she may be physically able to get pregnant, but may think that this is not possible because she currently does not have a partner. In such cases, the woman should obviously be coded as 'Yes'.

Reason: Infrequent sex / No sex (UN11A)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 990
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Reason: Menopausal (UN11B)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 319
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Reason: Never menstruated (UN11C)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 19
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Reason: Hysterectomy (surgical removal of uterus) (UN11D)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 48
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Reason: Has been trying to get pregnant for 2 years or more without result (UN11E)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 71
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Reason: Postpartum amenorrheic (UN11F)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 134
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Reason: Breastfeeding (UN11G)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 241
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Reason: Too old (UN11H)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 152
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

Reason: Too old (UN11H)

File: wm

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Reason: Fatalistic (UN11I)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 26
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Reason: Other (UN11X)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 311
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Reason: Don't know (UN11Z)

File: wm

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 16
Invalid: 0

Literal question

Why do you think you are not physically able to get pregnant?

Interviewer instructions

If the woman does not believe that she is physically capable of becoming pregnant, we ask the reason(s) why. Circle the code corresponding to the answer. If more than one reason is given, circle all the codes for these responses.

Start of last menstrual period (unit) (UN13U)

File: wm

Overview

Start of last menstrual period (unit) (UN13U)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9809
Invalid: 381

Literal question

When did your last menstrual period start?

Interviewer instructions

The answers to this question will help to determine whether any of the respondents are actually menopausal or infecund because they have not had their periods in a long time. Record the respondent's answer in the units that she uses. Note that the answer can be given in months or years. Circle '1' if the response is in days, '2' if in weeks, '3' if in months, 4' if in years and record the answer in the appropriate spaces.

In some cases, the respondent may give you the date that her last menstrual period began. If that happens, write the date on the questionnaire, calculate the length of time since that date, and record it in the appropriate units. Note that it is not necessary to obtain a date.

If she says she is in menopause or has had hysterectomy, record 994. A woman who is too old to menstruate or become pregnant is described as being in menopause. A hysterectomy is an operation to remove the uterus. If the woman tells you she had her last menstrual period before her last birth, record '995'. If she says she has never menstruated, circle '996'.

Start of last menstrual period (number) (UN13N)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Valid cases: 9809
Invalid: 381
Minimum: 0
Maximum: 99

Literal question

When did your last menstrual period start?

Interviewer instructions

The answers to this question will help to determine whether any of the respondents are actually menopausal or infecund because they have not had their periods in a long time. Record the respondent's answer in the units that she uses. Note that the answer can be given in months or years. Circle '1' if the response is in days, '2' if in weeks, '3' if in months, 4' if in years and record the answer in the appropriate spaces.

In some cases, the respondent may give you the date that her last menstrual period began. If that happens, write the date on the questionnaire, calculate the length of time since that date, and record it in the appropriate units. Note that it is not necessary to obtain a date.

If she says she is in menopause or has had hysterectomy, record 994. A woman who is too old to menstruate or become pregnant is described as being in menopause. A hysterectomy is an operation to remove the uterus. If the woman tells you she had her last menstrual period before her last birth, record '995'. If she says she has never menstruated, circle '996'.

If she goes out without telling husband: wife beating justified (DV1A)

File: wm

Overview

If she goes out without telling husband: wife beating justified (DV1A)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she goes out without telling him?

Interviewer instructions

Read each item aloud. For each situation, circle the code corresponding to the answer given - '1' if 'Yes' (she thinks the husband is justified in hitting or beating his wife in that situation), '2' if 'No', and '8' if the respondent does not know or does not have an opinion.

If she neglects the children: wife beating justified (DV1B)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she neglects the children?

Interviewer instructions

Read each item aloud. For each situation, circle the code corresponding to the answer given - '1' if 'Yes' (she thinks the husband is justified in hitting or beating his wife in that situation), '2' if 'No', and '8' if the respondent does not know or does not have an opinion.

If she argues with husband: wife beating justified (DV1C)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she argues with him?

Interviewer instructions

Read each item aloud. For each situation, circle the code corresponding to the answer given - '1' if 'Yes' (she thinks the husband is justified in hitting or beating his wife in that situation), '2' if 'No', and '8' if the respondent does not know or does not have an opinion.

If she refuses to have sex with husband: wife beating justified (DV1D)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she refuses to have sex with him?

Interviewer instructions

Read each item aloud. For each situation, circle the code corresponding to the answer given - '1' if 'Yes' (she thinks the husband is justified in hitting or beating his wife in that situation), '2' if 'No', and '8' if the respondent does not know or does not have an opinion.

If she burns the food: wife beating justified (DV1E)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she burns the food?

Interviewer instructions

Read each item aloud. For each situation, circle the code corresponding to the answer given - '1' if 'Yes' (she thinks the husband is justified in hitting or beating his wife in that situation), '2' if 'No', and '8' if the respondent does not know or does not have an opinion.

If she does not complete house work to his satisfaction: wife beating justified (DV1F)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she does not complete her house work to his satisfaction?

Interviewer instructions

Read each item aloud. For each situation, circle the code corresponding to the answer given - '1' if 'Yes' (she thinks the husband is justified in hitting or beating his wife in that situation), '2' if 'No', and '8' if the respondent does not know or does not have an opinion.

If she is doubted about her being faithful: wife beating justified (DV1G)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she is doubted about her being faithful?

Interviewer instructions

Read each item aloud. For each situation, circle the code corresponding to the answer given - '1' if 'Yes' (she thinks the husband is justified in hitting or beating his wife in that situation), '2' if 'No', and '8' if the respondent does not know or does not have an opinion.

If she disclosed that she was unfaithful: wife beating justified (DV1H)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9827
Invalid: 363

Literal question

Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations: If she is disclosed that she was unfaithful?

Interviewer instructions

Read each item aloud. For each situation, circle the code corresponding to the answer given - '1' if 'Yes' (she thinks the husband is justified in hitting or beating his wife in that situation), '2' if 'No', and '8' if the respondent does not know or does not have an opinion.

Currently married or living with a man (MA1)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 9827
Invalid: 363

Literal question

Are you currently married or living together with a man as if married?

Interviewer instructions

The options here are currently married, living with a man, or not in union (the woman is neither married nor living with a man). Circle the code corresponding to the respondent's status at the time of the interview. If the woman is currently neither married or in a union, skip to MA5.

Age of husband/partner (MA2)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 6972 |
| Format: numeric | Invalid: 3218 |
| Width: 2 | Minimum: 16 |
| Decimals: 0 | Maximum: 99 |
| Range: 16-99 | |

Literal question

How old is your husband/partner?

Interviewer instructions

Probe: How old was your husband/partner on his last birthday? If she knows the age of her current partner on his last birthday, enter his age in the space provided. If she does not know his age, circle '98'.

Husband/partner has other wives (MA3)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 6972 |
| Format: numeric | Invalid: 3218 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Besides yourself, does your husband/partner have any other wives or partners or does he live with other women as if married?

Interviewer instructions

In this question, we are interested in the wives and/or live-in partners that the respondent's husband/partner has. Circle the code corresponding to the answer given. If 'No', skip to MA7.

Number of other wives (MA4)

File: wm

Overview

| | |
|-----------------|-----------------|
| Type: Discrete | Valid cases: 52 |
| Format: numeric | Invalid: 10138 |
| Width: 2 | |
| Decimals: 0 | |
| Range: 1-99 | |

Literal question

How many other wives or partners does he have?

Interviewer instructions

Similar to the previous question, we are interested here in the number of wives and/or live-in partners the respondent's husband has. Enter the number of other wives in the space provided. Use leading zeros if necessary. For all answers, skip to MA7.

Ever married or lived with a man (MA5)

File: wm

Overview

Ever married or lived with a man (MA5)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2855
Invalid: 7335

Literal question

Have you ever been married or lived together with a man as if married?

Interviewer instructions

For women who are not currently married or living with a man, ask whether they have ever been married or lived with a man. Remember that 'married' refers to both formal and informal unions.

Circle the code corresponding to the response given. Notice that there are two different response categories for a 'Yes' response: 'Yes, formerly married' and 'Yes, formerly lived with a man'. Be sure to make the distinction between the two categories. If the respondent just answers 'Yes', probe by asking, "Were you formerly married or did you live with a man?" If she was formerly married and also reports living with a man, circle the code for 'Yes, formerly married'.

If she was never married and never lived with a man circle '3' for 'No' and go to the next module. Otherwise, continue on to MA6.

Marital status (MA6)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 507
Invalid: 9683

Literal question

What is your marital status now: are you widowed, divorced or separated?

Interviewer instructions

Circle the code corresponding to the response given. For a woman who is not currently married and not currently living with someone but who was formerly in a union, record her current marital status at the time of the interview. Since she was in a union at one time, but is not on the day you are interviewing her, she will be either widowed, divorced or separated.

You should use 'widowed' (a) for women who were married and their husband died, and (b) for women who were in an informal union and their partner died. 'Divorced' should be used for women who were formally married and whose marriage formally ended. 'Separated' should be used (a) for women who were married, but are no longer continuing the marriage with their husband, and (b) for women who were in an informal union and are no longer continuing the union with their partner.

Married or lived with a man once or more than once (MA7)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 7479
Invalid: 2711

Literal question

Have you been married or lived with a man only once or more than once?

Interviewer instructions

Married or lived with a man once or more than once (MA7)

File: wm

As with MA1, we are interested in formal marriages as well as informal arrangements. If a woman was married or lived with a man and then was widowed, divorced, or separated from her husband or partner and is now either married to or living with someone else, record 'More than once'. If a woman is not currently married or in an informal union but was previously married or living with someone else two or more times, record 'More than once' by circling '2'. If she has married or lived with someone else only once, circle '1'.

Note that the question refers to periods of marriage or informal unions, and not to numbers of husbands or partners. If a woman was married to a man and divorced him, and then married the same person again, she should be considered as having married 'More than once'. The same applies to informal unions with the same person.

Month of first union (MA8M)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Valid cases: 7479
Invalid: 2711

Literal question

In what month and year did you first marry or start living with a man as if married?

Interviewer instructions

If the respondent knows the date that she first married or started living with a man as if married, write it in the appropriate spaces for 'Month' and 'Year'. You will need to convert the month into numbers, as instructed earlier. For example, January is '01,' February is '02,' March is '03,' etc.

If she does not recall the date that she first married or started living with a man as if married, ask whether she has any documentation that might give the date. If she does not know or have documentation of the month, circle '98' for 'DK month' and ask her the year that she first married or started living with a man as if married. Enter the year in the space provided and go to next module. If she does not know and does not have documentation of the year that she first married or started living with a man as if married, circle '9998' for 'DK year'.

Year of first union (MA8Y)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1975-9999

Valid cases: 7479
Invalid: 2711
Minimum: 1975
Maximum: 9998

Literal question

In what month and year did you first marry or start living with a man as if married?

Interviewer instructions

If the respondent knows the date that she first married or started living with a man as if married, write it in the appropriate spaces for 'Month' and 'Year'. You will need to convert the month into numbers, as instructed earlier. For example, January is '01,' February is '02,' March is '03,' etc.

If she does not recall the date that she first married or started living with a man as if married, ask whether she has any documentation that might give the date. If she does not know or have documentation of the month, circle '98' for 'DK month' and ask her the year that she first married or started living with a man as if married. Enter the year in the space provided and go to next module. If she does not know and does not have documentation of the year that she first married or started living with a man as if married, circle '9998' for 'DK year'.

Age at first union (MA9)

File: wm

Overview

| | |
|------------------|------------------|
| Type: Continuous | Valid cases: 163 |
| Format: numeric | Invalid: 10027 |
| Width: 2 | Minimum: 13 |
| Decimals: 0 | Maximum: 99 |
| Range: 13-99 | |

Literal question

How old were you when you started living with your first husband/partner?

Interviewer instructions

As with other age questions, if she does not know, probe. For instance, ask how old she was when her first child was born and then ask how long before or after giving birth she began living with her first husband or partner. Do not leave this question blank.

Ever heard of AIDS (HA1)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 9827 |
| Format: numeric | Invalid: 363 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Now I would like to talk with you about something else.
Have you ever heard of an illness called AIDS?

Can avoid AIDS virus by having one uninfected partner (HA2)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 9252 |
| Format: numeric | Invalid: 938 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Can people reduce their chance of getting the HIV virus by having just one uninfected sex partner who has no other sex partners?

Can get AIDS virus through supernatural means (HA3)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 9252 |
| Format: numeric | Invalid: 938 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

Can people get the HIV virus because of witchcraft or other supernatural means?

Can avoid AIDS virus by using a condom correctly every time (HA4)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

Can people reduce their chance of getting the HIV virus by using a condom every time they have sex?

Can get AIDS virus from mosquito bites (HA5)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

Can people get the HIV virus from mosquito bites?

Can get AIDS virus by sharing food with a person who has AIDS (HA6)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

Can people get the aids virus by sharing food with a person who has the AIDS virus?

Healthy-looking person may have AIDS virus (HA7)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

Is it possible for a healthy-looking person to have the HIV virus?

AIDS virus from mother to child during pregnancy (HA8A)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

Can the virus that causes HIV be transmitted from a mother to her baby:
[a] during pregnancy?

AIDS virus from mother to child during delivery (HA8B)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

Can the virus that causes HIV be transmitted from a mother to her baby:
[b] during delivery?

AIDS virus from mother to child through breastfeeding (HA8C)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

Can the virus that causes HIV be transmitted from a mother to her baby:
[c] by breastfeeding?

Should female teacher with AIDS virus be allowed to teach in school (HA9)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

In your opinion, if a female teacher has the HIV virus but is not sick, should she be allowed to continue teaching in school?

Should a child with AIDS virus be allowed to go to school (HA9A)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

In your opinion, should a child that has the HIV virus, but is not sick be allowed to continue going to his/her school?

Should a child whose mother or father has AIDS virus be allowed to go to school (HA9B)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

In your opinion, should a child whose mother or father has the HIV virus, be allowed to continue going to his/her school?

Would buy fresh vegetables from shopkeeper with AIDS virus (HA10)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had the HIV virus?

If HH member became infected with AIDS virus, would want it to remain a secret (HA11)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

If a member of your family got infected with the HIV virus, would you want it to remain a secret?

Willing to care for person with AIDS in household (HA12)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 9252
Invalid: 938

Literal question

If a member of your family became sick with HIV, would you be willing to care for her or him in your own household?

Given information about AIDS virus during antenatal care visit: AIDS from mother (HA15A)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1350
Invalid: 8840

Literal question

During any of the antenatal visits for your pregnancy with (name), were you given any information about:
[a] babies getting the HIV virus from their mother?

Given information about AIDS virus during antenatal care visit: Things to do (HA15B)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1350
Invalid: 8840

Literal question

During any of the antenatal visits for your pregnancy with (name), were you given any information about:
[b] things that you can do to prevent getting the HIV virus?

Given information about AIDS virus during antenatal care visit: Tested for AIDS (HA15C)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 1350
Invalid: 8840

Literal question

Given information about AIDS virus during antenatal care visit: Tested for AIDS (HA15C)

File: wm

During any of the antenatal visits for your pregnancy with (name), were you given any information about:
[c] getting tested for the HIV virus?

Given information about AIDS virus during antenatal care visit: Offered a test (HA15D)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1350 |
| Format: numeric | Invalid: 8840 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

During any of the antenatal visits for your pregnancy with (name), were you:
[d] offered a test for the HIV virus?

Tested for AIDS virus as part of antenatal care (HA16)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 1350 |
| Format: numeric | Invalid: 8840 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

I don't want to know the results, but were you tested for the HIV virus as part of your antenatal care?

Received results from test during antenatal care (HA17)

File: wm

Overview

| | |
|-----------------|------------------|
| Type: Discrete | Valid cases: 560 |
| Format: numeric | Invalid: 9630 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 1-9 | |

Literal question

I don't want to know the results, but did you get the results of the test?

Received consultation after testing during antenatal care (HA18)

File: wm

Overview

Received consultation after testing during antenatal care (HA18)

File: wm

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 501
Invalid: 9689

Literal question

Regardless of the result, all women who are tested are supposed to receive counselling after getting the result. After you were tested, did you receive counselling?

Tested for AIDS virus during delivery (HA20)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 749
Invalid: 9441

Literal question

I don't want to know the results, but were you tested for the HIV virus between the time you went for delivery but before the baby was born?

Received results from test during delivery (HA21)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 174
Invalid: 10016

Literal question

I don't want to know the results, but did you get the results of the test?

Tested for AIDS virus since test during pregnancy (HA22)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 734
Invalid: 9456

Literal question

Have you been tested for the HIV virus since that time you were tested during your pregnancy?

Most recent time of testing for AIDS virus (HA23)

File: wm

Most recent time of testing for AIDS virus (HA23)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 665
Invalid: 9525

Literal question

When was the most recent time you were tested for the HIV virus?

Ever been tested for AIDS virus (HA24)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 8518
Invalid: 1672

Literal question

I don't want to know the results, but have you ever been tested to see if you have the HIV virus?

Most recent time of testing for AIDS virus (HA25)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2171
Invalid: 8019

Literal question

When was the most recent time you were tested?

Received results of AIDS virus test (HA26)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 2171
Invalid: 8019

Literal question

I don't want to know the results, but did you get the results of the test?

Know a place to get AIDS virus test (HA27)

File: wm

Know a place to get AIDS virus test (HA27)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 6416
Invalid: 3774

Literal question

Do you know of a place where people can go to get tested for the HIV virus?

Area (HH6)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 10190
Invalid: 0

Pre question

Type of settlement:

Interviewer instructions

Circle the code for area of residence as instructed/provided by your supervisor. This will have been pre-determined; you will not be required to assess whether the household is in an urban or rural area.

Region (HH7)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Valid cases: 10190
Invalid: 0

Interviewer instructions

Circle the code for region as instructed/provided by your supervisor.

After the HH1-HH7 has been filled out, begin by saying the following to the respondent:

We are from (country-specific affiliation). We are working on a project concerned with family health and education. I would like to talk to you about these subjects. The interview will take about (number) minutes. All the information we obtain will remain strictly confidential and your answers will never be shared with anyone other than our project team. May I start now?

You may change the wording of these introductory sentences as appropriate. However, you must make sure to include the following when you are introducing yourself: the name of the implementing agency; the topic of the survey; approximate duration of the interview; the issue of confidentiality; and with whom you would like to speak. If permission is given, begin the interview. If the respondent does not agree to continue, thank him/her and leave the household to go the next household. Later, discuss the refusal with your supervisor; you or another person from the team may attempt to interview the household for a second time. This will depend on your description of the refusal. However, remember that a household's participation in the survey must be on a voluntary basis, and potential respondents must never be forced to participate.

Date of birth of woman (CMC) (WDOB)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 9827 |
| Format: numeric | Invalid: 363 |
| Width: 4 | Minimum: 769 |
| Decimals: 0 | Maximum: 1191 |
| Range: 769-1191 | |

Date of marriage (CMC) (WDOM)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 7479 |
| Format: numeric | Invalid: 2711 |
| Width: 4 | Minimum: 907 |
| Decimals: 0 | Maximum: 1376 |
| Range: 907-1376 | |

Age at first marriage/union (WAGEM)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 7479 |
| Format: numeric | Invalid: 2711 |
| Width: 2 | Minimum: 7 |
| Decimals: 0 | Maximum: 49 |
| Range: 7-49 | |

Date of birth of first child (CMC) (WDOBFC)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 7101 |
| Format: numeric | Invalid: 3089 |
| Width: 4 | Minimum: 940 |
| Decimals: 0 | Maximum: 1371 |
| Range: 940-1371 | |

Date of birth of last child (CMC) (WDOBLC)

File: wm

Overview

| | |
|------------------|-------------------|
| Type: Continuous | Valid cases: 7101 |
| Format: numeric | Invalid: 3089 |
| Width: 4 | Minimum: 1009 |
| Decimals: 0 | Maximum: 1371 |
| Range: 1009-1371 | |

Marital/Union status (MSTATUS)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Valid cases: 9827
Invalid: 363

Children ever born (CEB)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-12

Valid cases: 9827
Invalid: 363

Children surviving (CSURV)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-10

Valid cases: 9827
Invalid: 363

Children dead (CDEAD)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Valid cases: 9827
Invalid: 363

Women's sample weight (wmweight)

File: wm

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 6
Range: 0-2.51808997263368

Valid cases: 10190
Invalid: 0
Minimum: 0
Maximum: 2.5

Combined wealth score (wscore)

File: wm

Overview

| | |
|---|--------------------|
| Type: Continuous | Valid cases: 10190 |
| Format: numeric | Invalid: 0 |
| Width: 8 | Minimum: -3.4 |
| Decimals: 5 | Maximum: 1.8 |
| Range: -3.36364253957776-1.84732965018821 | |

Wealth index quintile (windex5)

File: wm

Overview

| | |
|-----------------|--------------------|
| Type: Discrete | Valid cases: 10190 |
| Format: numeric | Invalid: 0 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 0-5 | |

Urban wealth score (wscoreu)

File: wm

Overview

| | |
|---|-------------------|
| Type: Continuous | Valid cases: 4563 |
| Format: numeric | Invalid: 5627 |
| Width: 8 | Minimum: -4.6 |
| Decimals: 5 | Maximum: 1.6 |
| Range: -4.59439766774955-1.59523958468633 | |

Urban wealth index quintile (windex5u)

File: wm

Overview

| | |
|-----------------|-------------------|
| Type: Discrete | Valid cases: 4563 |
| Format: numeric | Invalid: 5627 |
| Width: 1 | |
| Decimals: 0 | |
| Range: 0-5 | |

Rural wealth score (wscorer)

File: wm

Overview

| | |
|--|-------------------|
| Type: Continuous | Valid cases: 5990 |
| Format: numeric | Invalid: 4200 |
| Width: 8 | Minimum: -3.2 |
| Decimals: 5 | Maximum: 2.3 |
| Range: -3.20903020005985-2.3247130600569 | |

Rural wealth index quintile (windex5r)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Valid cases: 5990
Invalid: 4200

Education (welevel)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Valid cases: 9827
Invalid: 363

Ethnicity of household head (ethnicity)

File: wm

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Valid cases: 10190
Invalid: 0

Related Materials

Questionnaires

Vietnam Multiple Indicator Cluster Survey 2013-14 - Questionnaire

| | |
|-------------------|--|
| Title | Vietnam Multiple Indicator Cluster Survey 2013-14 - Questionnaire |
| Country | Viet Nam |
| Language | English |
| Table of contents | Household questionnaire modules Household member questionnaire modules Women questionnaire modules Children questionnaire modules |
| Filename | Questionnaire Viet Nam 2013-14 MICS_English.pdf |

Reports

Vietnam Multiple Indicator Cluster Survey 2013-14 - Report (English)

| | |
|-----------|---|
| Title | Vietnam Multiple Indicator Cluster Survey 2013-14 - Report (English) |
| Author(s) | Vietnam General Statistics Office United Nations Children's Fund (UNICEF) |
| Country | Viet Nam |
| Language | English |
| Filename | https://mics-surveys-prod.s3.amazonaws.com/MICS5/East%20Asia%20and%20the%20Pacific/Viet%20Nam/2013-2014/Final/Viet%20Nam%202013-14%20MICS_English.pdf |

Vietnam Multiple Indicator Cluster Survey 2013-14 - Report (Vietnamese)

| | |
|-----------|---|
| Title | Vietnam Multiple Indicator Cluster Survey 2013-14 - Report (Vietnamese) |
| Author(s) | Vietnam General Statistics Office United Nations Children's Fund (UNICEF) |
| Country | Viet Nam |
| Language | Vietnamese |
| Filename | https://mics-surveys-prod.s3.amazonaws.com/MICS5/East%20Asia%20and%20the%20Pacific/Viet%20Nam/2013-2014/Final/Viet%20Nam%202013-14%20MICS_Vietnamese.pdf |

Vietnam Multiple Indicator Cluster Survey 2013-14 - Key Findings (English)

| | |
|-----------|---|
| Title | Vietnam Multiple Indicator Cluster Survey 2013-14 - Key Findings (English) |
| Author(s) | Vietnam General Statistics Office United Nations Children's Fund (UNICEF) |
| Country | Viet Nam |
| Language | English |
| Filename | https://mics-surveys-prod.s3.amazonaws.com/MICS5/East%20Asia%20and%20the%20Pacific/Viet%20Nam/2013-2014/Key%20findings/Viet%20Nam%202013-14%20MICS%20KFR_English.pdf |
