

Indonesia - Young Adult Reproductive Health Survey 2007

Statistics Indonesia - Government of Indonesia

Report generated on: October 4, 2017

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

The 2007 IYARHS was conducted in all provinces in Indonesia as part of the 2007 IDHS. The sampling frame developed for the 2007 IDHS and IYARHS is from the 2007 National Labor Force Survey (Sakernas) sample.

A total of 1,694 census blocks (CBs), 676 in urban areas and 1,018 in rural areas, were selected from the list of CBs covered in the 2007 Sakernas. The number of CBs selected in each district was proportional to the number of households in each district. In each selected CB, a complete household listing and mapping was conducted in July 2007 and formed the basis for the second-stage sampling. An average of 25 households were systematically selected from each CB.

The 2007 IYARHS sample aimed to provide reliable estimates of key characteristics for nevermarried women and men age 15-24 in Indonesia as a whole, in urban and rural areas, and in each of the 33 provinces included in the survey.

For further details on sample design and implementation, see Appendix B of the final report.

Response Rate

A total of 42,341 households were selected in the sample, of which 41,131 were occupied. Of the households found in the survey, 40,701 were successfully interviewed, yielding a very high response rate (99 percent).

In the interviewed households, 9,398 female and 12,541 male respondents were identified for an individual interview. Of these, completed interviews were conducted with 8,481 women and 10,830 men, yielding response rates of 90 and 86 percent, respectively. These response rates are higher than those of the 2002-2003 IYARHS (83 and 80 percent, respectively).

Questionnaires

Overview

The 2007 IYARHS used one questionnaire, the Individual Questionnaire. This questionnaire was updated from the 2002-2003 IYARHS. The list of young women and men who were eligible to be interviewed in the IYARHS was obtained from the Household Questionnaire that was administered as part of the 2007 IDHS.

Data Collection

Data Collection Dates

| Start | End | Cycle |
|---------|---------|-------|
| 2007-06 | 2007-12 | N/A |

Data Collection Mode

Face-to-face [f2f]

DATA COLLECTION NOTES

Training

A total of 312 persons, 158 women and 154 men, participated in the main survey training for interviewers in June and July, 2007. Training included class presentations, mock interviews in Bahasa Indonesia and the participant's local language, and classroom tests. The IYARHS field staff was trained at the same time and place as the IDHS field staff, but in separate classes. During training, interviewers were instructed to ensure that interviews were conducted in private, because the presence of other persons can bias respondents' responses.

Data Collection

Data collection for the 2007 IYARHS was carried out by 104 interviewing teams, each team consisting of 104 team supervisors, 158 female interviewers, and 154 male interviewers. Field operations took place from June 25 to December 31, 2007.

In each province, the Province Statistics Director was responsible for implementing the IDHS and IYARHS in that province, and the Chief of the Population and Social Statistics Division was assigned as the Field Coordinator. During the course of data collection, Province Statistics Office staff and BPS staff visited the field periodically to monitor the progress of the fieldwork.

Data Collectors

| Name | Abbreviation | Affiliation |
|----------------------|--------------|-------------------------|
| Statistics Indonesia | BPS | Government of Indonesia |

Data Processing

Data Editing

All completed questionnaires and their control forms were returned to the BPS central office in Jakarta for data processing. The process activities consisted of office editing, coding of open-ended questions, data entry, verification, and editing computer-identified errors. A team of data entry operators, data editors, and data entry supervisors processed the data. Census and Survey Processing System (CSPro) software was used to process the survey data.

Data Appraisal

Estimates of Sampling Error

Detailed description of estimates of sampling errors are presented in Appendix C of the survey report.

File Description

Variable List

RECORD1

Content Individual level data
 Cases 180523
 Variable(s) 324
 Structure Type:
 Keys: ()
 Version
 Producer
 Missing Data

Variables

| ID | Name | Label | Type | Format | Question |
|-----|----------|---|----------|---------|----------|
| V1 | qhprov | Province number | discrete | numeric | |
| V2 | qhregmun | Regency | contin | numeric | |
| V3 | qhclust | Cluster number | contin | numeric | |
| V4 | qhnumber | Household number | contin | numeric | |
| V5 | qline | Line number of respondent | discrete | numeric | |
| V6 | qhsubd | Sub District | contin | numeric | |
| V7 | qhvillag | Village | contin | numeric | |
| V8 | qhstype | Type of place of residence | discrete | numeric | |
| V9 | qhcensus | Census block | contin | numeric | |
| V10 | qhresp | Line no of respondent for household questionnaire | discrete | numeric | |
| V11 | qheligm | Eligibility for male interview | discrete | numeric | |
| V12 | qhintd | Day of household interview | contin | numeric | |
| V13 | qhintm | Month of household interview | discrete | numeric | |
| V14 | qhinty | Year of household interview | discrete | numeric | |
| V15 | qhintnum | Interviewer number | contin | numeric | |
| V16 | qhresult | Result of household interview | discrete | numeric | |
| V17 | qhvisits | Number of household visits | discrete | numeric | |
| V18 | qhmember | Total members in household | discrete | numeric | |
| V19 | qhwomen | Eligible women in household | discrete | numeric | |
| V20 | qhmen | Eligible men in household | discrete | numeric | |
| V21 | qhyoung | Eligible young in household | discrete | numeric | |
| V22 | qhsuperv | Supervisor number | contin | numeric | |
| V23 | qhfedit | Field editor number | contin | numeric | |
| V24 | qhoedit | Office editor number | discrete | numeric | |
| V25 | qhkeyer | Data entry clerk | discrete | numeric | |
| V26 | qhflag | Type IDHS | discrete | numeric | |
| V27 | qhintc | Date of HH interview (CMC) | discrete | numeric | |
| V28 | qhweight | Household weight (6 decimals) | contin | numeric | |

| ID | Name | Label | Type | Format | Question |
|-----|----------|--|----------|-----------|----------|
| V29 | qmweight | Household weight - male subsample (6 decimals) | contin | numeric | |
| V30 | qhauasel | Ultimate area selection prob. | contin | numeric | |
| V31 | qhstrata | Sampling errors stratum | contin | numeric | |
| V32 | qhwlfth | Wealth index factor (5 decimals) | contin | numeric | |
| V33 | qhwlfthi | Wealth index quintile | discrete | numeric | |
| V34 | qhaltit | Cluster altitude in meters | discrete | numeric | |
| V35 | qywweigh | Household weight - female youth subsample (6 decimals) | contin | numeric | |
| V36 | qymweigh | Household weight - male youth subsample (6 decimals) | contin | numeric | |
| V37 | qh20 | Source of drinking water | discrete | numeric | |
| V38 | qh21 | Source of non-drinking water | discrete | numeric | |
| V39 | qh22 | Time to water and back (mins) | discrete | numeric | |
| V40 | qh23 | Person fetching water | discrete | numeric | |
| V41 | qh24 | What do you usually do to make water safe to drink | discrete | character | |
| V42 | qh26 | Type of toilet facility | discrete | numeric | |
| V43 | qh27 | Number of households sharing toilet | discrete | numeric | |
| V44 | qh29 | Distance between the well and nearest septic tank | discrete | numeric | |
| V45 | qh30 | Ownership status of the dwelling unit | discrete | numeric | |
| V46 | qh31 | Main material of floor | discrete | numeric | |
| V47 | qh32 | Floor area of the house (meters squared) | discrete | numeric | |
| V48 | qh33 | Main wall material | discrete | numeric | |
| V49 | qh34 | Main roof material | discrete | numeric | |
| V50 | qh35a | Electricity | discrete | numeric | |
| V51 | qh35b | Radio | discrete | numeric | |
| V52 | qh35c | Television (color) | discrete | numeric | |
| V53 | qh35d | Telephone / mobile phone | discrete | numeric | |
| V54 | qh35e | Refrigerator | discrete | numeric | |
| V55 | qh36a | Bicycle/rowboat | discrete | numeric | |
| V56 | qh36b | Motorcycle/motorboat | discrete | numeric | |
| V57 | qh36c | Car/truck | discrete | numeric | |
| V58 | qh37 | Type of cooking fuel | discrete | numeric | |
| V59 | qh39 | Stove has chimney, hood, neither | discrete | numeric | |
| V60 | qh40 | Food cooked in the house / in separate building / outdoors | discrete | numeric | |
| V61 | qh41 | Household has separate room used as kitchen | discrete | numeric | |
| V62 | qh42a | Cattle / milk cows / bulls | discrete | numeric | |
| V63 | qh42b | Horses / donkeys / mules | discrete | numeric | |
| V64 | qh42c | Goats / sheep | discrete | numeric | |
| V65 | qh42d | Pig | discrete | numeric | |
| V66 | qh42e | Poultry | discrete | numeric | |
| V67 | qh42aa | Poultry roaming around the house | discrete | numeric | |
| V68 | qh43 | Mosquito nets used while sleeping | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|----------|--|----------|-----------|----------|
| V69 | qh44 | Number of mosquito nets | discrete | numeric | |
| V70 | qprov | Province | discrete | numeric | |
| V71 | qregmun | Regency/Municipality | contin | numeric | |
| V72 | qsubd | Sub District | contin | numeric | |
| V73 | qvillag | Village | contin | numeric | |
| V74 | qtype | Type of place of residence | discrete | numeric | |
| V75 | qcluster | Cluster number | contin | numeric | |
| V76 | qnumber | Household number | contin | numeric | |
| V77 | qqtype | Type of questionnaire | discrete | numeric | |
| V78 | qqsex | Sex for young adult questionnaire | discrete | numeric | |
| V79 | qintd | Day of interview | contin | numeric | |
| V80 | qintm | Month of interview | discrete | numeric | |
| V81 | qinty | Year of interview | discrete | numeric | |
| V82 | qintnum | Interviewer number | contin | numeric | |
| V83 | qresult | Result of individual interview | discrete | numeric | |
| V84 | qvisits | Total number of visits | discrete | numeric | |
| V85 | qsuperv | Supervisor number | contin | numeric | |
| V86 | qfedit | Field editor number | contin | numeric | |
| V87 | qoedit | Office editor number | discrete | numeric | |
| V88 | qkeyer | Data entry clerk | discrete | numeric | |
| V89 | qintc | Date of interview (CMC) | discrete | numeric | |
| V90 | qweight | Sample weight (6 decimals) | contin | numeric | |
| V91 | qcalcol | Column number | discrete | numeric | |
| V92 | qcalmin | Minimum row of calendar | discrete | numeric | |
| V93 | qcalmax | Maximum row of calendar | discrete | numeric | |
| V94 | qcalcode | Code for calendar | discrete | character | |
| V95 | qwftotal | All woman factor - total | discrete | numeric | |
| V96 | qwftype | All woman factor - urban/rural | discrete | numeric | |
| V97 | qwfprov | All woman factor - province | discrete | numeric | |
| V98 | qwfeduc1 | All woman factor - educational as used in the report | discrete | numeric | |
| V99 | qwfeduc2 | All woman factor - educational | discrete | numeric | |
| V100 | qfwlth | All woman factor - wealth index | discrete | numeric | |
| V101 | qmftotal | All man factor - total | discrete | numeric | |
| V102 | qmftype | All man factor - urban/rural | discrete | numeric | |
| V103 | qmfprov | All man factor - province | discrete | numeric | |
| V104 | qmfeduc1 | All man factor - educational as used in the report | discrete | numeric | |
| V105 | qmfeduc2 | All man factor - educational | discrete | numeric | |
| V106 | qmfwlth | All man factor - wealth index | discrete | numeric | |
| V107 | qy101h | Start of interview (hour) | discrete | numeric | |
| V108 | qy101m | Start of interview (minutes) | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|--------|--|----------|-----------|----------|
| V109 | qy102m | Month of birth | discrete | numeric | |
| V110 | qy102y | Year of birth | discrete | numeric | |
| V111 | qy103 | Current age of respondent | discrete | numeric | |
| V112 | qy104 | Ever attended school | discrete | numeric | |
| V113 | qy105 | Highest educational level | discrete | numeric | |
| V114 | qy106 | Highest grade at that level | discrete | numeric | |
| V115 | qy107 | Currently attending school | discrete | numeric | |
| V116 | qy108 | Reason not currently attending school | discrete | numeric | |
| V117 | qy109 | Religion | discrete | numeric | |
| V118 | qy110a | Work at last week | discrete | numeric | |
| V119 | qy110b | Work at last week probed | discrete | numeric | |
| V120 | qy110c | Has job from which was absent | discrete | numeric | |
| V121 | qy102c | Date of birth (CMC) | contin | numeric | |
| V122 | qy102f | Date flag for QY102C | discrete | numeric | |
| V123 | qy103c | Age of respondent calculated | discrete | numeric | |
| V124 | qy105a | Highest educational level | discrete | numeric | |
| V125 | qy201 | Physical changes of a boy at adolescence | discrete | character | |
| V126 | qy202 | Physical changes of a girl at adolescence | discrete | character | |
| V127 | qy203 | Source of information about the physical changes | discrete | character | |
| V128 | qy205 | Age at first menstruation | discrete | numeric | |
| V129 | qy206 | Anyone talk to before menstruation | discrete | numeric | |
| V130 | qy207 | Who talked to about menstruation | discrete | character | |
| V131 | qy208 | Anyone talked to at first menstruation | discrete | character | |
| V132 | qy208a | Age at first wet dream | discrete | numeric | |
| V133 | qy208b | Anyone talk to before wet dreams | discrete | numeric | |
| V134 | qy208c | Who talked to about wet dreams | discrete | character | |
| V135 | qy209 | Knowledge of fertile period | discrete | numeric | |
| V136 | qy210 | When is the fertile period | discrete | numeric | |
| V137 | qy211 | Can a woman become pregnant with only one sexual intercourse | discrete | numeric | |
| V138 | qy211a | Ways to avoid pregnancy | discrete | character | |
| V139 | qy213 | Family planning method in the future | discrete | numeric | |
| V140 | qy214 | Future method | discrete | numeric | |
| V141 | qy215 | Place to obtain method | discrete | character | |
| V142 | qy216 | Want partner use contraceptive method | discrete | numeric | |
| V143 | qy220a | FP Service - information about health and FP methods | discrete | numeric | |
| V144 | qy220b | FP Service - counseling about FP methods | discrete | numeric | |
| V145 | qy220c | FP Service - Access to FP methods | discrete | numeric | |
| V146 | qy221a | Condom - prevent pregnancy | discrete | numeric | |
| V147 | qy221b | Condom - protects against HIV/AIDS and other STI | discrete | numeric | |
| V148 | qy221c | Condom - can be reused | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|--------|---|----------|-----------|----------|
| V149 | qy222 | Heard anemia | discrete | numeric | |
| V150 | qy223 | What is anemia | discrete | character | |
| V151 | qy224 | Cause of anemia | discrete | character | |
| V152 | qy225 | Treatment of anemia | discrete | character | |
| V153 | qy301 | Age to be married | discrete | numeric | |
| V154 | qy302 | Best age to get married - woman | discrete | numeric | |
| V155 | qy303 | Best age to get married - man | discrete | numeric | |
| V156 | qy303a | Need medical test to get married | discrete | numeric | |
| V157 | qy303b | Medical test type | discrete | character | |
| V158 | qy304 | Decision maker for the person to marry | discrete | numeric | |
| V159 | qy305 | Ideal number of children | discrete | numeric | |
| V160 | qy306a | Ideal number of boys | discrete | numeric | |
| V161 | qy306b | Ideal number of girls | discrete | numeric | |
| V162 | qy306c | Ideal number of either | discrete | numeric | |
| V163 | qy307 | Decision maker for the number of children | discrete | numeric | |
| V164 | qy308 | Best age for woman to have her first child | discrete | numeric | |
| V165 | qy309 | Best age for man to have her first child | discrete | numeric | |
| V166 | qy310u | Time should be waited for the next birth (units) | discrete | numeric | |
| V167 | qy310n | Time should be waited for the next birth (number) | discrete | numeric | |
| V168 | qy311 | Decision for unwanted pregnancy | discrete | numeric | |
| V169 | qy312a | Abortion acceptable - health is in danger | discrete | numeric | |
| V170 | qy312b | Abortion acceptable - life is in danger | discrete | numeric | |
| V171 | qy312c | Abortion acceptable - fetus has physical deformity | discrete | numeric | |
| V172 | qy312d | Abortion acceptable - pregnancy has resulted from rape | discrete | numeric | |
| V173 | qy312e | Abortion acceptable - woman is unmarried | discrete | numeric | |
| V174 | qy312f | Abortion acceptable - couple can not afford to have child | discrete | numeric | |
| V175 | qy312g | Abortion acceptable - woman is attending school | discrete | numeric | |
| V176 | qy401a | Talked about sexual matters - Friend | discrete | numeric | |
| V177 | qy401b | Talked about sexual matters - Father | discrete | numeric | |
| V178 | qy401c | Talked about sexual matters - Mother | discrete | numeric | |
| V179 | qy401d | Talked about sexual matters - Siblings | discrete | numeric | |
| V180 | qy401e | Talked about sexual matters - Relatives | discrete | numeric | |
| V181 | qy401f | Talked about sexual matters - Teacher | discrete | numeric | |
| V182 | qy401g | Talked about sexual matters - Health service provider | discrete | numeric | |
| V183 | qy401h | Talked about sexual matters - Religious leader | discrete | numeric | |
| V184 | qy402 | Person to ask sexual matters | discrete | character | |
| V185 | qy404a | Human reproductive system - school | discrete | numeric | |
| V186 | qy405a | Human reproductive system - level | discrete | numeric | |
| V187 | qy404b | Methods of birth control - school | discrete | numeric | |
| V188 | qy405b | Methods of birth control - level | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|--------|--|----------|-----------|----------|
| V189 | qy404c | HIV/AIDS - school | discrete | numeric | |
| V190 | qy405c | HIV/AIDS - level | discrete | numeric | |
| V191 | qy404d | Other STI - school | discrete | numeric | |
| V192 | qy405d | Other STI - level | discrete | numeric | |
| V193 | qy404e | NAPZAC - school | discrete | numeric | |
| V194 | qy405e | NAPZAC - level | discrete | numeric | |
| V195 | qy406 | Attend community-sponsored meeting about reproductive health | discrete | numeric | |
| V196 | qy407 | Meeting type attended | discrete | character | |
| V197 | qy408 | Heard place for counselling on reproductive health | discrete | numeric | |
| V198 | qy408a | Place for counselling on reproductive health | discrete | character | |
| V199 | qy409 | Know the location of place for counselling | discrete | numeric | |
| V200 | qy410 | Visited the place for counselling | discrete | numeric | |
| V201 | qy411 | Services found at the place for counselling | discrete | character | |
| V202 | qy411a | Services wanted at the place for counselling | discrete | character | |
| V203 | qy412 | Read newspaper or magazine | discrete | numeric | |
| V204 | qy413a | Read - postponement of age of marriage | discrete | numeric | |
| V205 | qy413b | Read - HIV/AIDS | discrete | numeric | |
| V206 | qy413c | Read - STI | discrete | numeric | |
| V207 | qy413d | Read - condom/condom advertisement | discrete | numeric | |
| V208 | qy413e | Read - drugs | discrete | numeric | |
| V209 | qy413f | Read - alcoholic beverages | discrete | numeric | |
| V210 | qy413g | Read - how to prevent pregnancy or FP | discrete | numeric | |
| V211 | qy414 | Listen radio | discrete | numeric | |
| V212 | qy415a | Radio - postponement of age of marriage | discrete | numeric | |
| V213 | qy415b | Radio - HIV/AIDS | discrete | numeric | |
| V214 | qy415c | Radio - STI | discrete | numeric | |
| V215 | qy415d | Radio - condom/condom advertisement | discrete | numeric | |
| V216 | qy415e | Radio - drugs | discrete | numeric | |
| V217 | qy415f | Radio - alcoholic beverages | discrete | numeric | |
| V218 | qy415g | Radio - how to prevent pregnancy or FP | discrete | numeric | |
| V219 | qy416 | Watch TV | discrete | numeric | |
| V220 | qy417a | TV - postponement of age of marriage | discrete | numeric | |
| V221 | qy417b | TV - HIV/AIDS | discrete | numeric | |
| V222 | qy417c | TV - STI | discrete | numeric | |
| V223 | qy417d | TV - condom/condom advertisement | discrete | numeric | |
| V224 | qy417e | TV - drugs | discrete | numeric | |
| V225 | qy417f | TV - alcoholic beverages | discrete | numeric | |
| V226 | qy417g | TV - how to prevent pregnancy or FP | discrete | numeric | |
| V227 | qy501 | Ever tried cigarette smoking | discrete | numeric | |
| V228 | qy502 | Age at first smoking | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|--------|---|----------|-----------|----------|
| V229 | qy503 | Age at smoking fairly regularly | discrete | numeric | |
| V230 | qy504 | Currently smoking cigarette | discrete | numeric | |
| V231 | qy505 | Number of cigarettes in last 24 hours | discrete | numeric | |
| V232 | qy505a | Ever asked/influenced friend/someone to smoke | discrete | numeric | |
| V233 | qy505b | Ever asked/influenced friend/someone not to smoke | discrete | numeric | |
| V234 | qy506 | Ever drink alcohol | discrete | numeric | |
| V235 | qy507 | Age at first drinking alcohol | discrete | numeric | |
| V236 | qy508 | Number of days drink alcohol in last 3 months | discrete | numeric | |
| V237 | qy509 | Ever get drunk | discrete | numeric | |
| V238 | qy509a | Ever asked/influenced friend/someone to drink alcohol | discrete | numeric | |
| V239 | qy509b | Ever asked/influenced friend/someone not to drink alcohol | discrete | numeric | |
| V240 | qy510 | Know someone who takes drug | discrete | numeric | |
| V241 | qy511 | Ever tried to use drugs | discrete | numeric | |
| V242 | qy512 | Way to use drugs | discrete | character | |
| V243 | qy514 | Ever injected drugs | discrete | numeric | |
| V244 | qy515 | Age at first injected drugs | discrete | numeric | |
| V245 | qy516 | Injected drugs in last 12 months | discrete | numeric | |
| V246 | qy517 | Drug injection frequency | discrete | numeric | |
| V247 | qy518 | Ever shared drugs | discrete | numeric | |
| V248 | qy519 | Ever asked/influenced friend/someone to use drugs | discrete | numeric | |
| V249 | qy520 | Ever asked/influenced friend/someone not to use drugs | discrete | numeric | |
| V250 | qy601 | Ever heard of AIDS | discrete | numeric | |
| V251 | qy602 | Source of information for AIDS | discrete | character | |
| V252 | qy605a | Reduce chance getting AIDS by having just one uninfected sex partner who has no | discrete | numeric | |
| V253 | qy605b | Can get AIDS from mosquito bites | discrete | numeric | |
| V254 | qy605c | Reduce chance of AIDS by using condom every time they have sex | discrete | numeric | |
| V255 | qy605d | Can get AIDS by sharing food with someone infected with AIDS virus | discrete | numeric | |
| V256 | qy605e | Reduce risk of getting AIDS virus by not having sex at all | discrete | numeric | |
| V257 | qy605f | Can get AIDS by witchcraft or supernatural means | discrete | numeric | |
| V258 | qy605g | Possible for healthy-looking person to have AIDS virus | discrete | numeric | |
| V259 | qy607 | Can AIDS virus transmitted from mother to baby | discrete | numeric | |
| V260 | qy608a | AIDS virus from mother to baby: pregnancy | discrete | numeric | |
| V261 | qy608b | AIDS virus from mother to baby: delivery | discrete | numeric | |
| V262 | qy608c | AIDS virus from mother to baby: breastfeeding | discrete | numeric | |
| V263 | qy609 | How he knows that someone has HIV/AIDS | discrete | character | |
| V264 | qy610 | Know voluntary HIV test preceded with counselling | discrete | numeric | |
| V265 | qy611 | Place to get consultation service and HIV/AIDS or VCT test | discrete | character | |
| V266 | qy612 | Know personally someone got infected or died by HIV/AIDS | discrete | numeric | |
| V267 | qy612a | Would buy vegetables from vendor with HIV/AIDS | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|--------|--|----------|-----------|----------|
| V268 | qy613 | AIDS in family kept secret | discrete | numeric | |
| V269 | qy614 | Willing to care for relative with AIDS in household | discrete | numeric | |
| V270 | qy614a | Female teacher with AIDS can continue teaching | discrete | numeric | |
| V271 | qy615 | Heard about other STIs | discrete | numeric | |
| V272 | qy616 | Other STIs | discrete | character | |
| V273 | qy617 | Source of information for STDs | discrete | character | |
| V274 | qy618 | Sypmtoms of a STD - man | discrete | character | |
| V275 | qy618a | Sypmtoms of a STD - woman | discrete | character | |
| V276 | qy619a | Foul smelling discharge in last 12 months | discrete | numeric | |
| V277 | qy619b | Swelling in last 12 months | discrete | numeric | |
| V278 | qy620 | Place where got advice or treatment | discrete | character | |
| V279 | qy701 | Ever had boy/girl friend | discrete | numeric | |
| V280 | qy702 | Age at first boy/girl friend | discrete | numeric | |
| V281 | qy703 | Currently having boy/girl friend | discrete | numeric | |
| V282 | qy704a | Help hands with boy/girl friend | discrete | numeric | |
| V283 | qy704b | Kissed lips of boy/girl friend | discrete | numeric | |
| V284 | qy704c | Touched or aroused sensitive body parts of boy/girl friends | discrete | numeric | |
| V285 | qy705 | Ever had sexual intercourse | discrete | numeric | |
| V286 | qy706 | Reason for first sexual intercourse | discrete | numeric | |
| V287 | qy707 | Place for first sexual intercourse | discrete | numeric | |
| V288 | qy708 | Age at first sexual intercourse | discrete | numeric | |
| V289 | qy709 | Relationship to person had first sexual intercourse | discrete | numeric | |
| V290 | qy710 | Using something to prevent pregnancy at first sexual intercourse | discrete | numeric | |
| V291 | qy711 | Method used at first sexual intercourse | discrete | character | |
| V292 | qy712u | Last time had sexual intercourse (units) | discrete | numeric | |
| V293 | qy712n | Last time had sexual intercourse (numbers) | contin | numeric | |
| V294 | qy713 | Using something to prevent pregnancy at last sexual intercourse | discrete | numeric | |
| V295 | qy714 | Method used at last sexual intercourse | discrete | character | |
| V296 | qy715 | Have friends had sex before marriage | discrete | numeric | |
| V297 | qy716 | Motivated to have sexual intercourse | discrete | numeric | |
| V298 | qy717a | Approve - man has many partners at the same time | discrete | numeric | |
| V299 | qy717b | Approve - woman has many partners at the same time | discrete | numeric | |
| V300 | qy718 | Approve - woman has sexual intercourse before marriage | discrete | numeric | |
| V301 | qy719 | Approve - man has sexual intercourse before marriage | discrete | numeric | |
| V302 | qy720a | Approve - sex before marriage if they both like to have sex | discrete | numeric | |
| V303 | qy720b | Approve - sex before marriage if they love each other | discrete | numeric | |
| V304 | qy720c | Approve - sex before marriage if they plan to get married | discrete | numeric | |
| V305 | qy720d | Approve - sex before marriage if the woman is adult and knows consequences | discrete | numeric | |
| V306 | qy720e | Approve - sex before marriage if they want to show their love | discrete | numeric | |
| V307 | qy721 | Agree - woman should maintain virginity before marriage | discrete | numeric | |

| ID | Name | Label | Type | Format | Question |
|-----------|-------------|---|-------------|---------------|-----------------|
| V308 | qy722 | Man still value their partner's virginity generally | discrete | numeric | |
| V309 | qy724 | Intend to have sexual intercourse soon | discrete | numeric | |
| V310 | qy725 | Ever advised/influenced friend/someone to have sexual intercourse | discrete | numeric | |
| V311 | qy726 | Ever advised/influenced friend/someone not to have sexual intercourse | discrete | numeric | |
| V312 | qy728 | Ever lived unwanted pregnancy | discrete | numeric | |
| V313 | qy729 | Number of unwanted pregnancies | discrete | numeric | |
| V314 | qy730 | What did he/she do when unwanted pregnancy | discrete | numeric | |
| V315 | qy732 | What did he/she do with the baby | discrete | numeric | |
| V316 | qy733 | Person helped to stop pregnancy | discrete | character | |
| V317 | qy733a | Person helped when attempted to stop pregnancy | discrete | character | |
| V318 | qy734 | Know young unmarried adult aborted pregnancy | discrete | numeric | |
| V319 | qy735 | Ever advised/influenced friend/someone to abort pregnancy | discrete | numeric | |
| V320 | qy736 | Ever advised/influenced friend/someone not to abort a pregnancy | discrete | numeric | |
| V321 | qy737h | End of interview (hours) | discrete | numeric | |
| V322 | qy737m | End of interview (minutes) | discrete | numeric | |
| V323 | qy212a | Contraceptive method | discrete | numeric | |
| V324 | qy212b | Heard of method | discrete | numeric | |

Province number (qhprov)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-94

Regency (qhregmun)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-79

Cluster number (qhclust)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1-9857

Household number (qhnumber)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Line number of respondent (qline)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-19

Sub District (qhsubd)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-730

Village (qhvillag)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-97

Type of place of residence (qhtype)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Census block (qhccensus)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-299

Line no of respondent for household questionnaire (qhresp)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Eligibility for male interview (qheligm)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Day of household interview (qhintd)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Month of household interview (qhintm)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 6-12

Year of household interview (qhinty)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2007-2007

Interviewer number (qhintnum)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 131-851

Result of household interview (qhresult)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of household visits (qhvisits)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Total members in household (qhmember)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-19

Eligible women in household (qhwomen)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Eligible men in household (qhmen)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Eligible young in household (qhyoung)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Supervisor number (qhsuperv)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-81

Field editor number (qhfedit)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 12-82

Office editor number (qhoedit)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-52

Data entry clerk (qhkeyer)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-52

Type IDHS (qhflag)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Date of HH interview (CMC) (qhintc)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1290-1296

Household weight (6 decimals) (qhweight)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 21293-7930763

Household weight - male subsample (6 decimals) (qmweight)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 0-9172100

Ultimate area selection prob. (qhousel)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 145-113254

Sampling errors stratum (qhstrata)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-847

Wealth index factor (5 decimals) (qhwlfh)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: -227797-182643

Wealth index quintile (qhwlthi)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Cluster altitude in meters (qhaltit)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Household weight - female youth subsample (6 decimals) (qywweigh)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 23750-9065296

Household weight - male youth subsample (6 decimals) (qymweigh) File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 25672-9426601

Source of drinking water (qh20) File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Source of non-drinking water (qh21) File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Time to water and back (mins) (qh22) File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-999

Person fetching water (qh23) File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

What do you usually do to make water safe to drink (qh24)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 7

Type of toilet facility (qh26)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Number of households sharing toilet (qh27)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Distance between the well and nearest septic tank (qh29)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ownership status of the dwelling unit (qh30)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Main material of floor (qh31)

File: RECORD1

Main material of floor (qh31)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Floor area of the house (meters squared) (qh32)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 4-999

Main wall material (qh33)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Main roof material (qh34)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Electricity (qh35a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Radio (qh35b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Television (color) (qh35c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Telephone / mobile phone (qh35d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Refrigerator (qh35e)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Bicycle/rowboat (qh36a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Motorcycle/motorboat (qh36b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Car/truck (qh36c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Type of cooking fuel (qh37)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Stove has chimney, hood, neither (qh39)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Food cooked in the house / in separate building / outdoors (qh40)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Household has separate room used as kitchen (qh41)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Cattle / milk cows / bulls (qh42a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Horses / donkeys / mules (qh42b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Goats / sheep (qh42c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Pig (qh42d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Poultry (qh42e)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Poultry roaming around the house (qh42aa)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Mosquito nets used while sleeping (qh43)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of mosquito nets (qh44)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Province (qprov)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-94

Regency/Municipality (qregmun)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-79

Sub District (qsubd)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 10-730

Village (qvillag)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-97

Type of place of residence (qtype)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Cluster number (qcluster)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1-9857

Household number (qnumber)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Type of questionnaire (qqtype)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Sex for young adult questionnaire (qqsex)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Day of interview (qintd)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Month of interview (qintm)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 7-12

Year of interview (qinty)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2007-2007

Interviewer number (qintnum)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 131-852

Result of individual interview (qresult)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Total number of visits (qvisits)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Supervisor number (qsuperv)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-81

Field editor number (qfedit)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 12-84

Office editor number (qoedit)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-52

Data entry clerk (qkeyer)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-52

Date of interview (CMC) (qintc)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1291-1296

Sample weight (6 decimals) (qweight)

File: RECORD1

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 23706-9313328

Column number (qcalcol)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 9-9

Minimum row of calendar (qcalmin)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Maximum row of calendar (qcalmax)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Code for calendar (qcalcode)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 1

All woman factor - total (qwftotal)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-0

All woman factor - urban/rural (qwftype)

File: RECORD1

Overview

All woman factor - urban/rural (qwftype)

File: RECORD1

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

All woman factor - province (qwfprov)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

All woman factor - educational as used in the report (qwfeduc1)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

All woman factor - educational (qwfeduc2)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

All woman factor - wealth index (qfwfwlth)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

All man factor - total (qmftotal)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

All man factor - urban/rural (qmftype)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

All man factor - province (qmfprov)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

All man factor - educational as used in the report (qmfeduc1)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

All man factor - educational (qmfeduc2)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

All man factor - wealth index (qmfwlth)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Start of interview (hour) (qy101h)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 6-99

Start of interview (minutes) (qy101m)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Month of birth (qy102m)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Year of birth (qy102y)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1982-9999

Current age of respondent (qy103)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 15-98

Ever attended school (qy104)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Highest educational level (qy105)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Highest grade at that level (qy106)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Currently attending school (qy107)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Reason not currently attending school (qy108)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Religion (qy109)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Work at last week (qy110a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Work at last week probed (qy110b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Has job from which was absent (qy110c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Date of birth (CMC) (qy102c)

File: RECORD1

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 992-1116

Date flag for QY102C (qy102f)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Age of respondent calculated (qy103c)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 15-24

Highest educational level (qy105a)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Physical changes of a boy at adolescence (qy201)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 8

Physical changes of a girl at adolescence (qy202)

File: RECORD1

Physical changes of a girl at adolescence (qy202)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 6

Source of information about the physical changes (qy203)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 12

Age at first mensuration (qy205)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Anyone talk to before mensuration (qy206)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Who talked to about mensuration (qy207)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 9

Anyone talked to at first mensuration (qy208)

File: RECORD1

Overview

Anyone talked to at first mensuration (qy208)

File: RECORD1

Type: Discrete
Format: character
Width: 9

Age at first wet dream (qy208a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Anyone talk to before wet dreams (qy208b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Who talked to about wet dreams (qy208c)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 9

Knowledge of fertile period (qy209)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

When is the fertile period (qy210)

File: RECORD1

Overview

When is the fertile period (qy210)

File: RECORD1

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Can a woman become pregnant with only one sexual intercourse (qy211)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ways to avoid pregnancy (qy211a)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 6

Family planning method in the future (qy213)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Future method (qy214)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Place to obtain method (qy215)

File: RECORD1

Place to obtain method (qy215)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 19

Want partner use contraceptive method (qy216)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

FP Service - information about health and FP methods (qy220a)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

FP Service - counseling about FP methods (qy220b)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

FP Service - Access to FP methods (qy220c)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Condom - prevent pregnancy (qy221a)

File: RECORD1

Condom - prevent pregnancy (qy221a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Condom - protects against HIV/AIDS and other STI (qy221b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Condom - can be reused (qy221c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Heard anemia (qy222)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

What is anemia (qy223)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 7

Cause of anemia (qy224)

File: RECORD1

Cause of anemia (qy224)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 7

Treatment of anemia (qy225)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 5

Age to be married (qy301)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 15-99

Best age to get married - woman (qy302)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 13-99

Best age to get married - man (qy303)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 15-99

Need medical test to get married (qy303a)

File: RECORD1

Overview

Need medical test to get married (qy303a)

File: RECORD1

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Medical test type (qy303b)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 4

Decision maker for the person to marry (qy304)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Ideal number of children (qy305)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-99

Ideal number of boys (qy306a)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Ideal number of girls (qy306b)

File: RECORD1

Overview

Ideal number of girls (qy306b)

File: RECORD1

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Ideal number of either (qy306c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Decision maker for the number of children (qy307)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Best age for woman to have her first child (qy308)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 14-99

Best age for man to have her first child (qy309)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-99

Time should be waited for the next birth (units) (qy310u)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time should be waited for the next birth (number) (qy310n)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Decision for unwanted pregnancy (qy311)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Abortion acceptable - health is in danger (qy312a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Abortion acceptable - life is in danger (qy312b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Abortion acceptable - fetus has physical deformity (qy312c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Abortion acceptable - pregnancy has resulted from rape (qy312d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Abortion acceptable - woman is unmarried (qy312e)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Abortion acceptable - couple can not afford to have child (qy312f)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Abortion acceptable - woman is attending school (qy312g)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Talked about sexual matters - Friend (qy401a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Talked about sexual matters - Father (qy401b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Talked about sexual matters - Mother (qy401c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Talked about sexual matters - Siblings (qy401d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Talked about sexual matters - Relatives (qy401e)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Talked about sexual matters - Teacher (qy401f)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Talked about sexual matters - Health service provider (qy401g)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Talked about sexual matters - Religious leader (qy401h)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Person to ask sexual matters (qy402)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 9

Human reproductive system - school (qy404a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Human reproductive system - level (qy405a)

File: RECORD1

Human reproductive system - level (qy405a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Methods of birth control - school (qy404b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Methods of birth control - level (qy405b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

HIV/AIDS - school (qy404c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

HIV/AIDS - level (qy405c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Other STI - school (qy404d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Other STI - level (qy405d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

NAPZAC - school (qy404e)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

NAPZAC - level (qy405e)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Attend community-sponsored meeting about reproductive health (qy406)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Meeting type attended (qy407)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 6

Heard place for counselling on reproductive health (qy408)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Place for counselling on reproductive health (qy408a)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 5

Know the location of place for counselling (qy409)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Visited the place for counselling (qy410)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-2

Services found at the place for counselling (qy411)

File: RECORD1

Overview

Services found at the place for counselling (qy411)

File: RECORD1

Type: Discrete
Format: character
Width: 6

Services wanted at the place for counselling (qy411a)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 6

Read newspaper or magazine (qy412)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Read - postponement of age of marriage (qy413a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Read - HIV/AIDS (qy413b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Read - STI (qy413c)

File: RECORD1

Overview

Read - STI (qy413c)

File: RECORD1

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Read - condom/condom advertisement (qy413d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Read - drugs (qy413e)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Read - alcoholic beverages (qy413f)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Read - how to prevent pregnancy or FP (qy413g)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Listen radio (qy414)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Radio - postponement of age of marriage (qy415a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Radio - HIV/AIDS (qy415b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Radio - STI (qy415c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Radio - condom/condom advertisement (qy415d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Radio - drugs (qy415e)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Radio - alcoholic beverages (qy415f)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Radio - how to prevent pregnancy or FP (qy415g)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Watch TV (qy416)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

TV - postponement of age of marriage (qy417a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

TV - HIV/AIDS (qy417b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

TV - STI (qy417c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

TV - condom/condom advertisement (qy417d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

TV - drugs (qy417e)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

TV - alcoholic beverages (qy417f)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

TV - how to prevent pregnancy or FP (qy417g)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever tried cigarette smoking (qy501)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Age at first smoking (qy502)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 5-99

Age at smoking fairly regularly (qy503)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 7-99

Currently smoking cigarette (qy504)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of cigarettes in last 24 hours (qy505)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ever asked/influenced friend/someone to smoke (qy505a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever asked/influenced friend/someone not to smoke (qy505b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever drink alcohol (qy506)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Age at first drinking alcohol (qy507)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 5-99

Number of days drink alcohol in last 3 months (qy508)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ever get drunk (qy509)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever asked/influenced friend/someone to drink alcohol (qy509a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever asked/influenced friend/someone not to drink alcohol (qy509b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Know someone who takes drug (qy510)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever tried to use drugs (qy511)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Way to use drugs (qy512)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 5

Ever injected drugs (qy514)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Age at first injected drugs (qy515)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 15-98

Injected drugs in last 12 months (qy516)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Drug injection frequency (qy517)

File: RECORD1

Drug injection frequency (qy517)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Ever shared drugs (qy518)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Ever asked/influenced friend/someone to use drugs (qy519)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever asked/influenced friend/someone not to use drugs (qy520)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever heard of AIDS (qy601)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Source of information for AIDS (qy602)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 12

Reduce chance getting AIDS by having just one uninfected sex partner who has no (qy605a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Can get AIDS from mosquito bites (qy605b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Reduce chance of AIDS by using condom every time they have sex (qy605c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Can get AIDS by sharing food with someone infected with AIDS virus (qy605d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Reduce risk of getting AIDS virus by not having sex at all (qy605e)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Can get AIDS by witchcraft or supernatural means (qy605f)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Possible for healthy-looking person to have AIDS virus (qy605g)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Can AIDS virus transmitted from mother to baby (qy607)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

AIDS virus from mother to baby: pregnancy (qy608a)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

AIDS virus from mother to baby: delivery (qy608b)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

AIDS virus from mother to baby: breastfeeding (qy608c)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

How he knows that someone has HIV/AIDS (qy609)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 4

Know voluntary HIV test preceded with counselling (qy610)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Place to get consultation service and HIV/AIDS or VCT test (qy611)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 12

Know personally someone got infected or died by HIV/AIDS (qy612)

File: RECORD1

Know personally someone got infected or died by HIV/AIDS (qy612)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Would buy vegetables from vendor with HIV/AIDS (qy612a)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

AIDS in family kept secret (qy613)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Willing to care for relative with AIDS in household (qy614)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Female teacher with AIDS can continue teaching (qy614a)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Heard about other STIs (qy615)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Other STIs (qy616)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 8

Source of information for STDs (qy617)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 12

Sypmtoms of a STD - man (qy618)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 13

Sypmtoms of a STD - woman (qy618a)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 13

Foul smelling discharge in last 12 months (qy619a)

File: RECORD1

Overview

Foul smelling discharge in last 12 months (qy619a)

File: RECORD1

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Swelling in last 12 months (qy619b)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Place where got advice or treatment (qy620)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 8

Ever had boy/girl friend (qy701)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Age at first boy/girl friend (qy702)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 7-99

Currently having boy/girl friend (qy703)

File: RECORD1

Overview

Currently having boy/girl friend (qy703)

File: RECORD1

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Help hands with boy/girl friend (qy704a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Kissed lips of boy/girl friend (qy704b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Touched or aroused sensitive body parts of boy/girl friends (qy704c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever had sexual intercourse (qy705)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Reason for first sexual intercourse (qy706)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Place for first sexual intercourse (qy707)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Age at first sexual intercourse (qy708)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Relationship to person had first sexual intercourse (qy709)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Using something to prevent pregnancy at first sexual intercourse (qy710)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Method used at first sexual intercourse (qy711)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 6

Last time had sexual intercourse (units) (qy712u)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Last time had sexual intercourse (numbers) (qy712n)

File: RECORD1

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-99

Using something to prevent pregnancy at last sexual intercourse (qy713)

File: RECORD1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Method used at last sexual intercourse (qy714)

File: RECORD1

Overview

Type: Discrete
 Format: character
 Width: 6

Have friends had sex before marriage (qy715)

File: RECORD1

Have friends had sex before marriage (qy715)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Motivated to have sexual intercourse (qy716)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Approve - man has many partners at the same time (qy717a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Approve - woman has many partners at the same time (qy717b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Approve - woman has sexual intercourse before marriage (qy718)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Approve - man has sexual intercourse before marriage (qy719)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Approve - sex before marriage if they both like to have sex (qy720a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Approve - sex before marriage if they love each other (qy720b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Approve - sex before marriage if they plan to get married (qy720c)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Approve - sex before marriage if the woman is adult and knows consequences (qy720d)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Approve - sex before marriage if they want to show their love (qy720e)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Agree - woman should maintain virginity before marriage (qy721)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Man still value their partner's virginity generally (qy722)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Intend to have sexual intercourse soon (qy724)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever advised/influenced friend/someone to have sexual intercourse (qy725)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever advised/influenced friend/someone not to have sexual intercourse (qy726)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever lived unwanted pregnancy (qy728)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of unwanted pregnancies (qy729)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

What did he/she do when unwanted pregnancy (qy730)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

What did he/she do with the baby (qy732)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Person helped to stop pregnancy (qy733)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 7

Person helped when attempted to stop pregnancy (qy733a)

File: RECORD1

Overview

Type: Discrete
Format: character
Width: 7

Know young unmarried adult aborted pregnancy (qy734)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever advised/influenced friend/someone to abort pregnancy (qy735)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ever advised/influenced friend/someone not to abort a pregnancy (qy736)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

End of interview (hours) (qy737h)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 6-99

End of interview (minutes) (qy737m)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Contraceptive method (qy212a)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-73

Heard of method (qy212b)

File: RECORD1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Related Materials

Questionnaires

2007 Indonesia Demographic and Health Survey, Young Adult Questionnaire

Title 2007 Indonesia Demographic and Health Survey, Young Adult Questionnaire
Author(s) Statistics Indonesia
Country Indonesia
Language English
Filename IDN_2007_SDHS-YARHS_Questionnaire_EN.pdf

Reports

Indonesia Young Adult Reproductive Health Survey 2007, Report

Title Indonesia Young Adult Reproductive Health Survey 2007, Report
Author(s) Badan Pusat Statistik (BPS-Statistics Indonesia), Jakarta, Indonesia National Family Planning Coordinating Board, Jakarta, Indonesia Ministry of Health, Jakarta, Indonesia
Macro International, Calverton, Maryland USA
Date 2008-12-01
Country Indonesia
Language English

| | |
|---|------|
| TABLES AND FIGURES | vii |
| PREFACE | xiii |
| ACRONYMS | xv |
| SUMMARY OF FINDINGS | xvii |
| CHAPTER 1 INTRODUCTION | |
| 1.1 Background | 1 |
| 1.2 National Population and Health Programs for Adolescents | 2 |
| 1.3 Objectives of the Survey | 2 |
| 1.4 Organization of the Survey | 3 |
| 1.4.1 Sample Design and Implementation | 3 |
| 1.4.2 Pretest Activities | 3 |
| 1.4.3 Survey Questionnaires | 4 |
| 1.4.4 Training | 4 |
| 1.4.5 Data Collection | 5 |
| 1.4.6 Data Processing | 5 |
| 1.5 Response Rates | 5 |
| CHAPTER 2 PROFILE OF YOUNG ADULTS | |
| 2.1 Sociodemographic Dimension | 7 |
| 2.1.1 Respondent's Characteristics | 7 |
| 2.1.2 Living Arrangements | 8 |
| 2.1.3 Current Activity | 8 |
| 2.2 Education | 9 |
| 2.2.1 Educational Attainment | 9 |
| 2.2.2 Reason for Not Going to School | 10 |
| 2.3 Household Assets | 11 |
| CHAPTER 3 MEDIA EXPOSURE | |
| 3.1 Exposure to Mass Media | 13 |
| 3.2 Listening to the Radio | 14 |
| 3.3 Watching Television | 15 |
| CHAPTER 4 KNOWLEDGE ABOUT HUMAN REPRODUCTION AND EXPERIENCE OF PUBERTY | |
| 4.1 Knowledge and Experience of Puberty | 17 |
| 4.1.1 Knowledge of Physical Changes at Puberty | 17 |
| 4.1.2 Source of Knowledge of Physical Changes at Puberty | 18 |
| 4.1.3 Menstruation | 19 |
| 4.1.4 Wet Dreams | 21 |
| 4.2 Knowledge of the Fertile Period and Risk of Pregnancy | 22 |
| 4.3 Health Examination Before Marriage | 23 |
| 4.4 Knowledge about Anemia | 24 |
| 4.4.1 Knowledge of Causes of Anemia | 25 |
| 4.4.2 Knowledge of Anemia Treatment | 25 |
| 4.5 Discussion of Reproductive Health | 26 |
| 4.5.1 Place of Information on Reproductive Health | 28 |
| 4.6 Instruction on Reproductive Health | 29 |
| 4.6.1 Instruction in Family Planning | 30 |
| 4.6.2 Instruction in HIV/AIDS | 31 |
| 4.6.3 Instruction in STIs | 33 |
| CHAPTER 5 FAMILY PLANNING | |
| 5.1 Knowledge of Family Planning Methods | 35 |
| 5.2 Intention to Use Family Planning | 37 |
| 5.3 Source of Contraception | 38 |
| 5.4 Need for Family Planning Services for Adolescents | 39 |
| 5.5 Attitudes toward Condom Use | 40 |
| CHAPTER 6 MARRIAGE AND PREFERENCE FOR CHILDREN | |
| 6.1 Attitudes toward Marriage | 43 |
| 6.2 Decision about Marriage | 45 |
| 6.3 Preference for Children | 47 |
| 6.3.1 Ideal Age at First Birth | 47 |
| 6.3.2 Ideal Number of Children | 48 |
| 6.3.3 Decision on Number of Children | 49 |
| CHAPTER 7 SMOKING, DRINKING, AND USE OF DRUGS | |
| 7.1 Smoking | 51 |
| 7.1.1 Initiation of Cigarette Smoking | 53 |
| 7.1.2 Current Cigarette Smoking | 55 |
| 7.2 Alcohol Drinking | 56 |
| 7.2.1 Initiation of Drinking | 58 |
| 7.2.2 Drinking Behavior | 60 |
| 7.3 Drug Use | 60 |
| CHAPTER 8 HIV AND AIDS-RELATED KNOWLEDGE, ATTITUDES, AND BEHAVIOR | |
| 8.1 Knowledge of AIDS and Source of Information | 63 |
| 8.2 Knowledge of HIV/AIDS-Related Issues | 66 |
| 8.3 Knowledge of Voluntary HIV Counseling and Testing (VCT) | 67 |
| 8.4 Social Aspect of HIV/AIDS | 67 |
| 8.5 Knowledge of HIV Prevention Methods | 68 |
| 8.6 Rejection of Misconceptions about HIV/AIDS | 69 |
| 8.7 Knowledge of Other STIs and Source of Information | 70 |
| 8.8 Knowledge of Symptoms of STIs | 73 |
| 8.9 Self-Reporting of STIs | 73 |
| CHAPTER 9 DATING AND SEXUAL EXPERIENCE | |
| 9.1 Dating | 77 |
| 9.2 Sexual Experience | 79 |
| 9.2.1 Attitudes about Premarital Sex | 79 |
| 9.2.2 Attitudes toward Virginity | 81 |
| 9.2.3 Sexual Experience | 82 |
| 9.3 Use of Condoms | 84 |
| 9.4 Unwanted Pregnancy | 85 |
| 9.4.1 Abortion Experience among Friends | 85 |
| REFERENCES | 87 |
| APPENDIX A APPENDIX TABLES | 89 |
| APPENDIX B SURVEY DESIGN | |
| B.1 Introduction | 115 |
| B.2 Sample Design and Implementation | 115 |
| B.3 Training | 122 |
| B.4 Fieldwork | 122 |
| B.5 Data Processing | 122 |
| APPENDIX C ESTIMATES OF SAMPLING ERRORS | 123 |
| APPENDIX D SURVEY STAFF | 163 |
| APPENDIX E YOUNG ADULT QUESTIONNAIRE | 173 |

