

Kenya - Demographic and Health Survey 2014 - IPUMS Subset

**Kenya National Bureau of Statistics and ICF International., Minnesota Population
Center**

Report generated on: May 1, 2020

Visit our data catalog at: <https://microdata.worldbank.org/index.php>

Overview

Identification

ID NUMBER

KEN_2014_DHS_v01_M_v01_A_IPUMS

Version

VERSION DESCRIPTION

Version 7. The datasets contain selected variables from the original microdata plus harmonized variables from the IPUMS-DHS database.

PRODUCTION DATE

September 2019

Overview

KIND OF DATA

Demographic and Household Survey [hh/dhs]

UNITS OF ANALYSIS

Woman, Birth, Child, Birth,

Man, Household Member

Scope

NOTES

16,338 women received short form questionnaire

TOPICS

| Topic | Vocabulary | URI |
|--|------------|-----|
| Access to care Variables -- TOPICS | IPUMS | |
| Agricultural possessions Variables -- TOPICS | IPUMS | |
| Agricultural Variables -- TOPICS | IPUMS | |
| Alcohol Variables -- TOPICS | IPUMS | |
| Antenatal iron supplements Variables -- TOPICS | IPUMS | |
| Antimalaria protection Variables -- TOPICS | IPUMS | |
| Beliefs about FC Variables -- TOPICS | IPUMS | |
| Blood pressure Variables -- TOPICS | IPUMS | |
| Breastfeeding and infant feeding Variables -- TOPICS | IPUMS | |
| Cancer Variables -- TOPICS | IPUMS | |
| Cause and spread of TB Variables -- TOPICS | IPUMS | |
| Child antenatal care, general Variables -- TOPICS | IPUMS | |
| Child anthropometry Variables -- TOPICS | IPUMS | |
| Child biometrics, general Variables -- TOPICS | IPUMS | |
| Child delivery care, CS Variables -- TOPICS | IPUMS | |

| | | |
|---|-------|--|
| Child delivery care, general Variables -- TOPICS | IPUMS | |
| Child demography core Variables -- TOPICS | IPUMS | |
| Child feeding, general Variables -- TOPICS | IPUMS | |
| Child health postpartum Variables -- TOPICS | IPUMS | |
| Child pregnancy complications Variables -- TOPICS | IPUMS | |
| Childrearing attitudes Variables -- TOPICS | IPUMS | |
| Child respiratory illness or fever Variables -- TOPICS | IPUMS | |
| Child respiratory illness, treatment Variables -- TOPICS | IPUMS | |
| Child's breastfeeding Variables -- TOPICS | IPUMS | |
| Child vaccination, general Variables -- TOPICS | IPUMS | |
| Condom knowledge and attitudes Variables -- TOPICS | IPUMS | |
| Condom use Variables -- TOPICS | IPUMS | |
| Core demographic Variables -- TOPICS | IPUMS | |
| Country-specific sources, female condom Variables -- TOPICS | IPUMS | |
| Country-specific sources, male condom Variables -- TOPICS | IPUMS | |
| Daughter's circumcision Variables -- TOPICS | IPUMS | |
| Decision-making Variables -- TOPICS | IPUMS | |
| Diabetes Variables -- TOPICS | IPUMS | |
| Diarrhea, general Variables -- TOPICS | IPUMS | |
| Diarrhea, treatment Variables -- TOPICS | IPUMS | |
| Domestic violence attitudes Variables -- TOPICS | IPUMS | |
| Domestic violence from partner/husband Variables -- TOPICS | IPUMS | |
| DPT-HB-Hib vaccinations Variables -- TOPICS | IPUMS | |
| Education Variables -- TOPICS | IPUMS | |
| Environmental Variables -- TOPICS | IPUMS | |
| Ethnicity and religion Variables -- TOPICS | IPUMS | |
| Ever use of family planning Variables -- TOPICS | IPUMS | |
| Female anthropometry Variables -- TOPICS | IPUMS | |
| Female biometrics, general Variables -- TOPICS | IPUMS | |
| Female circumcision general Variables -- TOPICS | IPUMS | |
| Fertility Variables -- TOPICS | IPUMS | |
| First or ever sexual experience Variables -- TOPICS | IPUMS | |
| Fistula, general Variables -- TOPICS | IPUMS | |
| Fistula treatment Variables -- TOPICS | IPUMS | |
| Food insufficiency Variables -- TOPICS | IPUMS | |
| Foods fed child in past 24 hours Variables -- TOPICS | IPUMS | |
| Foods given to newborns Variables -- TOPICS | IPUMS | |
| Future use of family planning Variables -- TOPICS | IPUMS | |
| General family planning Variables -- TOPICS | IPUMS | |

| | | |
|--|-------|--|
| General healthcare Variables -- TOPICS | IPUMS | |
| General HIV/AIDS knowledge Variables -- TOPICS | IPUMS | |
| General malaria Variables -- TOPICS | IPUMS | |
| General maternal and infant health Variables -- TOPICS | IPUMS | |
| General sources Variables -- TOPICS | IPUMS | |
| General technical Variables -- TOPICS | IPUMS | |
| Geography, general Variables -- TOPICS | IPUMS | |
| Help sought for abuse Variables -- TOPICS | IPUMS | |
| HIV/AIDS opinions and attitudes Variables -- TOPICS | IPUMS | |
| HIV/AIDS testing, CS Variables -- TOPICS | IPUMS | |
| HIV/AIDS testing, general Variables -- TOPICS | IPUMS | |
| HIV/AIDS transmission and prevention Variables -- TOPICS | IPUMS | |
| Household demographic Variables -- TOPICS | IPUMS | |
| Housing Variables -- TOPICS | IPUMS | |
| Identifiers Variables -- TOPICS | IPUMS | |
| Information on family planning Variables -- TOPICS | IPUMS | |
| Injury Variables -- TOPICS | IPUMS | |
| Insurance, general Variables -- TOPICS | IPUMS | |
| Integrated geography Variables -- TOPICS | IPUMS | |
| IPUMS International geography Variables -- TOPICS | IPUMS | |
| Knowledge of family planning Variables -- TOPICS | IPUMS | |
| Knowledge of TB Variables -- TOPICS | IPUMS | |
| Known source for non-users, CS Variables -- TOPICS | IPUMS | |
| Known source for non-users, general Variables -- TOPICS | IPUMS | |
| Male circumcision, general Variables -- TOPICS | IPUMS | |
| Marriage and cohabitation Variables -- TOPICS | IPUMS | |
| Material hardship Variables -- TOPICS | IPUMS | |
| Maternal antenatal care, general Variables -- TOPICS | IPUMS | |
| Maternal delivery care, CS Variables -- TOPICS | IPUMS | |
| Maternal delivery care, general Variables -- TOPICS | IPUMS | |
| Maternal pregnancy complications Variables -- TOPICS | IPUMS | |
| Measles vaccinations Variables -- TOPICS | IPUMS | |
| Media exposure Variables -- TOPICS | IPUMS | |
| Migration Variables -- TOPICS | IPUMS | |
| Misc childhood illnesses Variables -- TOPICS | IPUMS | |
| Misc health behaviors Variables -- TOPICS | IPUMS | |
| Mosquito nets Variables -- TOPICS | IPUMS | |
| Nutrition Variables -- TOPICS | IPUMS | |
| ORS treatment Variables -- TOPICS | IPUMS | |

| | | |
|---|-------|--|
| Other vaccinations Variables -- TOPICS | IPUMS | |
| Own circumcision Variables -- TOPICS | IPUMS | |
| Physical abuse from others Variables -- TOPICS | IPUMS | |
| Physical abuse while pregnant Variables -- TOPICS | IPUMS | |
| Place for diarrhea treatment, general Variables -- TOPICS | IPUMS | |
| Pneumococcal vaccinations Variables -- TOPICS | IPUMS | |
| Polio vaccinations Variables -- TOPICS | IPUMS | |
| Possessions Variables -- TOPICS | IPUMS | |
| Postpartum care Variables -- TOPICS | IPUMS | |
| Privacy Variables -- TOPICS | IPUMS | |
| Recent sexual experience Variables -- TOPICS | IPUMS | |
| Recent sexual partners Variables -- TOPICS | IPUMS | |
| Recent use of family planning Variables -- TOPICS | IPUMS | |
| Rotavirus vaccinations Variables -- TOPICS | IPUMS | |
| SES general Variables -- TOPICS | IPUMS | |
| Sexual abuse from others Variables -- TOPICS | IPUMS | |
| Sexual attitudes Variables -- TOPICS | IPUMS | |
| Single sample geography Variables -- TOPICS | IPUMS | |
| Social Variables -- TOPICS | IPUMS | |
| Source for child antenatal care, general Variables -- TOPICS | IPUMS | |
| Source for maternal antenatal care, general Variables -- TOPICS | IPUMS | |
| Source for respiratory treatment, general Variables -- TOPICS | IPUMS | |
| Source for STI advice, CS Variables -- TOPICS | IPUMS | |
| Source for STI advice, general Variables -- TOPICS | IPUMS | |
| Sterilization Variables -- TOPICS | IPUMS | |
| STI experience Variables -- TOPICS | IPUMS | |
| STI knowledge Variables -- TOPICS | IPUMS | |
| Survey dates Variables -- TOPICS | IPUMS | |
| Times child fed foods in past 24 hours Variables -- TOPICS | IPUMS | |
| Tobacco Variables -- TOPICS | IPUMS | |
| Toilet and water Variables -- TOPICS | IPUMS | |
| Type of family planning method Variables -- TOPICS | IPUMS | |
| Vitamin A vaccinations Variables -- TOPICS | IPUMS | |
| Wealth index Variables -- TOPICS | IPUMS | |
| Weights and subsample selection Variables -- TOPICS | IPUMS | |
| Why not use family planning Variables -- TOPICS | IPUMS | |
| Work Variables -- TOPICS | IPUMS | |

Coverage

UNIVERSE

Women age 15-49, Births, Children age 0-4, Men age 15-54, All persons

Producers and Sponsors

PRIMARY INVESTIGATOR(S)

| Name | Affiliation |
|--|-------------------------|
| Kenya National Bureau of Statistics and ICF International. | |
| Minnesota Population Center | University of Minnesota |

Metadata Production

METADATA PRODUCED BY

| Name | Abbreviation | Affiliation | Role |
|-----------------------------|--------------|-------------------------|---|
| Minnesota Population Center | MPC | University of Minnesota | Integration Harmonization Documentation |

DATE OF METADATA PRODUCTION

September 25, 2019

DDI DOCUMENT VERSION

f'DDI Document version - Version 0{vno} (March 2020)

This version is identical

to IPUMS Version 7 except for the following fields that were edited by World Bank:

DDI ID and

Study ID - adaptation version number changed to v0{vno} as this is the subsequent DHS-IPUMS adaptation in World Bank catalog.

Version 7 . Documentation of Demographic Household Survey

data and harmonized variables as found in IPUMS-DHS. IPUMS has distribution rights to the metadata and data. The XML documents generated by this process are viewed as a distribution of the metadata.

Fields edited for the World Bank are: DDI ID and study ID to match World Bank

study naming convention, as well as DDI Document Version and Version Description to reflect

changed included in version 7. Variable ID's and names were changed to add the

prefix W_, C_, B_, M_, or H_ to indicate file source as Woman, Child, Birth, Man, or

Household Member respectively. This was done to create unique variable IDs and names within

the file. These prefixes are not found in the IPUMS-DHS system.

Original extract version

date 2019-9-25. DDI metadata revised to add DOI number to stdyDscr/notes and correct assignment

of variables to record types. All non-ANSI_Latin characters have been replaced.'

DDI DOCUMENT ID

DDI_KEN_2014_DHS_v01_M_v02_A_IPUMS

Sampling

Sampling Procedure

MICRODATA SOURCE: Kenya National Bureau of Statistics and ICF International.

SAMPLE UNIT: Woman
SAMPLE SIZE: 31079

SAMPLE UNIT: Birth
SAMPLE SIZE: 83591

SAMPLE UNIT: Child
SAMPLE SIZE: 20964

SAMPLE UNIT: Man
SAMPLE SIZE: 12819

SAMPLE UNIT: Member
SAMPLE SIZE: 153840

Deviations from Sample Design

Questionnaires

No content available

Data Collection

Data Collection Dates

| Start | End | Cycle |
|-------|------|-------|
| 2014 | 2014 | N/A |

Time Periods

| Start | End | Cycle |
|-------|------|-------|
| 2014 | 2014 | N/A |

Data Collection Mode

Face-to-face [f2f]

Data Processing

No content available

Data Appraisal

No content available

