

Senegal - Enquête Démographique et de Santé Continue 2017

**Agence Nationale de la Statistique et de la Démographie (ANSD) - Gouvernement
du Sénégal**

Report generated on: October 2, 2018

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

L'EDS Continue de 2017 vise produire des résultats représentatifs au niveau national, des milieux urbain et rural, et des 14 régions administratives du Sénégal. Le tirage de l'échantillon a été fait strate par strate. Ainsi, l'échantillon est basé sur un sondage aéroaire stratifié et tiré deux degrés. Au premier degré, 400 grappes (Units Primaires de Sondage UPS) ont été tirées à partir de la liste des Zones de Recensement (ZD) établies au cours du Recensement Général de la Population et de l'Habitat de l'Agriculture et de l'Elevage (RGPHAE) réalisés en 2013, en procédant à un tirage systématique avec probabilité proportionnelle à la taille, la taille de l'UPS étant le nombre de ménages. Un recensement des ménages dans chacune de ces grappes a fourni une liste des ménages à partir de laquelle a été tiré, au second degré, un échantillon de 22 ménages par grappe, aussi bien en milieu urbain qu'en milieu rural avec un tirage systématique probabiliste. Un total de 8 800 ménages (4 092 en milieu urbain et 4 708 en milieu rural) a été sélectionné.

Toutes les femmes âgées de 15-49 ans vivant habituellement dans les ménages sélectionnés ou présentes la nuit précédant l'enquête, étaient éligibles pour être enquêtées. De plus, dans un sous-échantillon d'un ménage sur deux, tous les hommes de 15-59 ans étaient éligibles pour être enquêtés. Aussi, toutes les femmes (15-49 ans) et les enfants de moins de cinq ans étaient éligibles pour les différents tests et mesures biologiques.

Remarque: voir l'annexe A dans le rapport final: plan de sondage

Response Rate

Au total, 8 800 ménages avaient été sélectionnés pour l'enquête. Parmi ces ménages, 8 522 étaient occupés au moment de l'enquête et, parmi eux, 8 380 ont été interviewés avec succès, donnant ainsi un taux de réponse de 98 %). Dans les ménages interviewés, 17 586 femmes éligibles ont été identifiées pour des interviews individuelles. Parmi elles, 16 787 ont répondu à l'interview, ce qui donne un taux de réponse de 96 %. Au total, 7 709 hommes éligibles étaient identifiés dans les ménages échantillon parmi lesquels 6 977 ont été interviewés avec succès, ce qui a donné un taux de réponse de 91 %.

Weighting

Les poids de ménages étaient calculés basés sur les poids de sondage avec la correction de non-réponse des ménages. Les poids pour les femmes enquêtées étaient calculés à partir des poids de ménages pour l'enquête féminine et avec la correction de non-réponse de l'enquête individuelle féminine. Les poids pour les hommes enquêtés étaient calculés à partir des poids de ménages pour l'enquête masculine et avec la correction de non-réponse de l'enquête individuelle d'hommes. Les poids pour le test de VIH étaient calculés à partir des poids de ménages pour l'enquête masculine et avec la correction de non-réponse de l'enquête individuelle et au test de VIH pour les femmes et pour les hommes séparément. Les poids pour la violence domestique étaient calculés à partir des poids de ménages pour l'enquête masculine selon le nombre de femmes éligibles dans les ménages avec la correction de non-réponse pour le module sur la violence domestique. Les poids pour le travail et la discipline des enfants étaient calculés à partir des poids de ménages avec la correction de non-réponse. Toutes les corrections de non-réponse étaient faites au niveau de strate d'échantillonnage.

Les poids finaux étaient normalisés au niveau national pour que le nombre de cas pondérés soit égal au nombre de cas non pondérés, pour les ménages enquêtés, pour les femmes enquêtées et pour les hommes enquêtés, pour les enfants enquêtés, respectivement. La normalisation des poids de VIH est obligatoire pour les hommes et les femmes ensemble au niveau national pour que la prévalence de VIH pour les hommes et les femmes ensemble soit estimable sans biais. Les poids normalisés sont des poids relatifs et donc ne sont valides que pour calculer des indicateurs comme la moyenne, le ratio et la proportion, mais ils ne sont pas valides pour calculer des indicateurs comme total. Les poids normalisés ne sont pas valides pour des données combinées issues d'enquêtes différentes.

Questionnaires

Overview

Quatre questionnaires ont été utilisés dans l'EDS Continue de 2017 : le questionnaire ménage, le questionnaire femme, le questionnaire homme, et le questionnaire des biomarqueurs. Les questionnaires, basés sur les questionnaires modèles de DHS Program, ont été adaptés pour tenir compte des problèmes démographiques et de santé appropriés au Sénégal.

Data Collection

Data Collection Dates

Start	End	Cycle
2017-01-04	2017-12-31	N/A

Data Collection Mode

Face-to-Face[f2f]

DATA COLLECTION NOTES

La collecte de données a été réalisée du 1er avril au 31 décembre 2017 avec une pause de 30 jours, soit une période de huit mois de collecte, par 32 agents répartis en huit équipes de travail, chacune composée de six personnes dont un chef d'équipe, trois enquêtrices, un technicien de santé et un chauffeur. Les huit équipes ont été placées sous la responsabilité de quatre superviseurs de terrain.

Comme toutes les autres EDS réalisées depuis 2011, la collecte de données de l'EDS Continue de 2017 s'est faite à l'aide des tablettes PC. Les membres de l'équipe changeaient des données à l'aide de Bluetooth alors que le transfert des données vers les serveurs, par les chefs d'équipes, se faisait par internet. À la fin de chaque journée, les chefs d'équipe devaient transférer les données au serveur central. Le suivi de la collecte était régulier au niveau du bureau et du terrain.

Data Collectors

Name	Abbreviation	Affiliation
Agence Nationale de la Statistique et de la Démographie	ANSD	Gouvernement du Sénégal

Data Processing

Data Editing

Parallèlement aux travaux de collecte des données sur le terrain auprès des ménages, une équipe travaillait sur les éditions secondaires pour un meilleur suivi de la qualité des données recueillies par les agents de terrain. L'utilisation des tablettes comme outils de collecte a permis une saisie automatique au moyen du logiciel CSPro incorporé dans les tablettes. Un programme de contrôle de qualité a permis de détecter, pour chaque équipe, les principales erreurs de collecte. Ces informations étaient communiquées aux équipes lors des missions de supervision afin d'améliorer la qualité des données.

La vérification de la cohérence interne des données saisies et l'appui final de l'ensemble des données ont été réalisés durant les mois de janvier et février 2018. Les tableaux n'ont pas été produits et sortis qu'après l'appui final des données.

Data Appraisal

Estimates of Sampling Error

Les estimations de paramtres partir d'une enqute par sondage sont sujettes deux types d'erreurs : les erreurs de mesure et l'erreur d'chantillonnage. Les erreurs de mesure sont celles associes la mise en oeuvre de la collecte et de l'exploitation des donnes, telles que l'omission des mnages slectionns, la mauvaise interprtation des questions de la part soit de l'enquteur, soit de l'enqut et les erreurs de saisie des donnes. Bien que tout le possible ait t fait durant la ralisation de l'EDS-Continue 2017 pour minimiser ce type d'erreur, il est difficile d'viter et d'valuer statistiquement les erreurs de mesure.

Par contre, l'erreur d'chantillonnage peut tre value statistiquement. L'chantillon slectionn pour EDS Continue 2017 n'est qu'un parmi un grand nombre d'chantillons qui peuvent tre slectionns, partir de la mme population, en utilisant le mme plan de sondage. Chacun de ces chantillons peut produire des rsultats peu diffrents de ceux obtenus avec l'chantillon actuellement slectionn. L'erreur d'chantillonnage est une mesure de la variabilit parmi tous les chantillons possibles. Bien que le niveau de variabilit ne puisse pas tre connu exactement, il peut tre estim partir des donnes collectes.

L'erreur-type (ET) est un indice particulirement utile pour mesurer l'erreur d'chantillonnage d'un paramtre estim (moyenne, proportion, etc.) ; elle est la racine carre de la variance du paramtre estim. L'erreur-type peut tre utilise pour calculer des intervalles de confiance dans lesquels on considre que se trouve la vraie valeur du paramtre avec un certain niveau de confiance. Par exemple, pour un paramtre donn calcul partir d'un chantillon, la vraie valeur du paramtre se trouvera dans les limites de sa valeur estime plus ou moins deux fois son erreur-type, avec un niveau de confiance de 95 %.

Si l'chantillon avait t tir d'aprs un plan de sondage alatoire simple, il aurait t possible d'utiliser des formules simples pour calculer l'erreur d'chantillonnage. Cependant, l'chantillon de l'EDS-Continue 2017 tant un chantillon stratifi et tir deux degrs, il s'est avr ncessaire d'utiliser des formules plus complexes. Un programme SAS, dvelopp par ICF International, a t utilis pour calculer les erreurs d'chantillonnage. Ce programme utilise la mthode de linarisation de Taylor pour les estimations comme des moyennes, proportions ou ratios. La mthode de rplication de Jackknife est utilis pour les estimations des indicateurs plus complexes comme l'indice synthtique de fcondit et les quotients de mortalit.

Remarque: Voir les informations dtailles de calcul d'erreurs de sondage dans l'Annexe B du rapport final.

Other forms of Data Appraisal

Tableau pour l'valuation de la qualit des donnes

- Rpartition par ge de la population des mnages
- Rpartition par ge des femmes lligibles et interviewees
- Rpartition par ge des hommes lligibles et interviewees
- Complteude de l'enregistrement
- Naissances par anne de naissance
- Enregistrement de l'ge au dcs en jours
- Enregistrement de l'ge au dcs en mois
- Taille de la fratrie et rapport de masculinit des frres et soeurs
- Mortalit lie la grossesse
- Tendances de la mortalit lie la grossesse

Remarque: Voir les tableau pour l'valuation de la qualit dans l'Annexe C du rapport final.

File Description

Variable List

RECHO

Content	HOUSEHOLD - Household's basic data
Cases	8800
Variable(s)	52
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1	hhid	Case Identification	discrete	character	
V2	hv000	Country code and phase	discrete	character	
V3	hv001	Cluster number	contin	numeric	
V4	hv002	Household number	contin	numeric	
V5	hv003	Respondent's line number (answering Household questionnaire)	discrete	numeric	
V6	hv004	Ultimate area unit	contin	numeric	
V7	hv005	Household sample weight (6 decimals)	contin	numeric	
V8	hv006	Month of interview	discrete	numeric	
V9	hv007	Year of interview	discrete	numeric	
V10	hv008	Date of interview (CMC)	contin	numeric	
V11	hv008a	Date of interview Century Day Code (CDC)	contin	numeric	
V12	hv009	Number of household members	contin	numeric	
V13	hv010	Number of eligible women in household	discrete	numeric	
V14	hv011	Number of eligible men in household	discrete	numeric	
V15	hv012	Number of de jure members	contin	numeric	
V16	hv013	Number of de facto members	contin	numeric	
V17	hv014	Number of children 5 and under (de jure)	contin	numeric	
V18	hv015	Result of household interview	discrete	numeric	
V19	hv016	Day of interview	contin	numeric	
V20	hv017	Number of visits	discrete	numeric	
V21	hv018	Interviewer identification	contin	numeric	
V22	hv019	NA- Keyer identification	discrete	numeric	
V23	hv020	Ever-married sample	discrete	numeric	
V24	hv021	Primary sampling unit	contin	numeric	
V25	hv022	Sample strata for sampling errors	discrete	numeric	
V26	hv023	Stratification used in sample design	discrete	numeric	
V27	hv024	Region	discrete	numeric	
V28	hv025	Type of place of residence	discrete	numeric	

ID	Name	Label	Type	Format	Question
V29	hv026	NA- Place of residence	discrete	numeric	
V30	hv027	Household selected for male interview	discrete	numeric	
V31	hv028	Household weight for male subsample (6 decimals)	contin	numeric	
V32	hv030	Field supervisor	contin	numeric	
V33	hv031	NA- Field editor	discrete	numeric	
V34	hv032	NA- Office editor	discrete	numeric	
V35	hv035	Number of eligible children for height and weight	discrete	numeric	
V36	hv040	NA- Cluster altitude in meters	discrete	numeric	
V37	hv041	Total adults measured	contin	numeric	
V38	hv042	Household selected for hemoglobin	discrete	numeric	
V39	hv044	Household selected for Domestic Violence module	discrete	numeric	
V40	hv045a	Language of questionnaire	discrete	numeric	
V41	hv045b	Language of interview	discrete	numeric	
V42	hv045c	NA- Native language of respondent	discrete	numeric	
V43	hv046	Translator used	discrete	numeric	
V44	hv801	Time interview started (hhmm - 24 hour clock)	contin	numeric	
V45	hv802	Time interview ended (hhmm - 24 hour clock)	contin	numeric	
V46	hv803	Length of interview in minutes	discrete	numeric	
V47	hv804	Number of visits for biomarker	discrete	numeric	
V48	hv807d	Day of biomarker visit	contin	numeric	
V49	hv807m	Month of biomarker visit	discrete	numeric	
V50	hv807y	Year of biomarker visit	discrete	numeric	
V51	hv807c	Date of biomarker (CMC)	discrete	numeric	
V52	hv807a	Date of biomarker Century Day Code (CDC)	contin	numeric	

RECH1

Content	HOUSEHOLD - Household Schedule
Cases	78950
Variable(s)	31
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V53	hhid	Case Identification	discrete	character	
V54	hvidx	Line number	contin	numeric	
V55	hv101	Relationship to head	discrete	numeric	
V56	hv102	Usual resident	discrete	numeric	
V57	hv103	Slept last night	discrete	numeric	
V58	hv104	Sex of household member	discrete	numeric	
V59	hv105	Age of household members	discrete	numeric	
V60	hv106	Highest educational level attained	discrete	numeric	
V61	hv107	Highest year of education completed	discrete	numeric	
V62	hv108	Education completed in single years	discrete	numeric	
V63	hv109	Educational attainment	discrete	numeric	
V64	hv110	NA- Member still in school	discrete	numeric	
V65	hv111	Mother alive	discrete	numeric	
V66	hv112	Mother's line number	discrete	numeric	
V67	hv113	Father alive	discrete	numeric	
V68	hv114	Father's line number	discrete	numeric	
V69	hv115	Current marital status	discrete	numeric	
V70	hv116	Currently, formerly, never married	discrete	numeric	
V71	hv117	Eligibility for female interview	discrete	numeric	
V72	hv118	Eligibility for male interview	discrete	numeric	
V73	hv120	Children eligibility for height/weight and hemoglobin	discrete	numeric	
V74	hv121	Member attended school during current school year	discrete	numeric	
V75	hv122	Educational level during current school year	discrete	numeric	
V76	hv123	Grade of education during current school year	discrete	numeric	
V77	hv124	Education in single years - current school year	discrete	numeric	
V78	hv125	Member attended school during previous school year	discrete	numeric	
V79	hv126	Educational level during previous school year	discrete	numeric	
V80	hv127	Grade of education during previous school year	discrete	numeric	

ID	Name	Label	Type	Format	Question
V81	hv128	Education in single years - previous school year	discrete	numeric	
V82	hv129	School attendance status	discrete	numeric	
V83	hv140	Member has a birth certificate	discrete	numeric	

RECH2

Content	HOUSEHOLD - Household Characteristics
Cases	8380
Variable(s)	97
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V84	hhid	Case Identification	discrete	character	
V85	hv201	Source of drinking water	discrete	numeric	
V86	hv202	Source of non-drinking water	discrete	numeric	
V87	hv201a	Water not available for at least a day last two weeks	discrete	numeric	
V88	hv204	Time to get to water source (minutes)	discrete	numeric	
V89	hv205	Type of toilet facility	discrete	numeric	
V90	hv206	Has electricity	discrete	numeric	
V91	hv207	Has radio	discrete	numeric	
V92	hv208	Has television	discrete	numeric	
V93	hv209	Has refrigerator	discrete	numeric	
V94	hv210	Has bicycle	discrete	numeric	
V95	hv211	Has motorcycle/scooter	discrete	numeric	
V96	hv212	Has car/truck	discrete	numeric	
V97	hv213	Main floor material	discrete	numeric	
V98	hv214	Main wall material	discrete	numeric	
V99	hv215	Main roof material	discrete	numeric	
V100	hv216	Number of rooms used for sleeping	contin	numeric	
V101	hv217	Relationship structure	discrete	numeric	
V102	hv218	Line number of head of household	discrete	numeric	
V103	hv219	Sex of head of household	discrete	numeric	
V104	hv220	Age of head of household	discrete	numeric	
V105	hv221	Has telephone (land-line)	discrete	numeric	
V106	hv225	Share toilet with other households	discrete	numeric	
V107	hv226	Type of cooking fuel	discrete	numeric	
V108	hv227	Has mosquito bed net for sleeping	discrete	numeric	
V109	hv228	Children under 5 slept under mosquito bed net last night	discrete	numeric	
V110	hv230a	Place where household members wash their hands	discrete	numeric	
V111	hv230b	Presence of water at hand washing place	discrete	numeric	

ID	Name	Label	Type	Format	Question
V112	hv232	Items present: Soap or detergent	discrete	numeric	
V113	hv232b	Items present: Ash, mud, sand	discrete	numeric	
V114	hv232c	NA- Items present: CS	discrete	numeric	
V115	hv232d	NA- Items present: CS	discrete	numeric	
V116	hv232e	NA- Items present: CS	discrete	numeric	
V117	hv232y	Items present: None	discrete	numeric	
V118	hv234	NA- Result of salt test for iodine (PPM)	discrete	numeric	
V119	hv234a	Result of salt test for iodine	discrete	numeric	
V120	hv235	Location of source for water	discrete	numeric	
V121	hv236	Person fetching water	discrete	numeric	
V122	hv237	Anything done to water to make safe to drink	discrete	numeric	
V123	hv237a	Water usually treated by: boil	discrete	numeric	
V124	hv237b	Water usually treated by: add bleach/chlorine	discrete	numeric	
V125	hv237c	Water usually treated by: strain through a cloth	discrete	numeric	
V126	hv237d	Water usually treated by: use water filter	discrete	numeric	
V127	hv237e	Water usually treated by: solar disinfection	discrete	numeric	
V128	hv237f	Water usually treated by: let it stand and settle	discrete	numeric	
V129	hv237g	NA- Water usually treated by: CS	discrete	numeric	
V130	hv237h	NA- Water usually treated by: CS	discrete	numeric	
V131	hv237i	NA- Water usually treated by: CS	discrete	numeric	
V132	hv237j	NA-Water usually treated by: CS	discrete	numeric	
V133	hv237k	NA-Water usually treated by: CS	discrete	numeric	
V134	hv237x	Water usually treated by: other	discrete	numeric	
V135	hv237z	Water usually treated by: don't know	discrete	numeric	
V136	hv238	Number of households sharing toilet	discrete	numeric	
V137	hv238a	Location of toilet facility	discrete	numeric	
V138	hv239	NA- Food cooked on stove or open fire	discrete	numeric	
V139	hv240	NA- Household has a chimney, hood or neither	discrete	numeric	
V140	hv241	Food cooked in the house/ separate building/ outdoors	discrete	numeric	
V141	hv242	Household has separate room used as kitchen	discrete	numeric	
V142	hv243a	Has mobile telephone	discrete	numeric	
V143	hv243b	NA- Has watch	discrete	numeric	
V144	hv243c	Has animal-drawn cart	discrete	numeric	
V145	hv243d	Has boat with a motor	discrete	numeric	
V146	hv243e	Has a computer	discrete	numeric	
V147	hv244	Owns land usable for agriculture	discrete	numeric	
V148	hv245	Hectares of agricultural land (1 decimal)	discrete	numeric	
V149	hv246	Owns livestock, herds or farm animals	discrete	numeric	
V150	hv246a	Owns cattle	discrete	numeric	
V151	hv246b	Owns cows/ bulls	discrete	numeric	

ID	Name	Label	Type	Format	Question
V152	hv246c	Owns horses/ donkeys/ mules	discrete	numeric	
V153	hv246d	Owns goats	discrete	numeric	
V154	hv246e	Owns sheep	discrete	numeric	
V155	hv246f	Owns chickens/poultry	discrete	numeric	
V156	hv246g	Owns CS	discrete	numeric	
V157	hv246h	NA-Owns CS	discrete	numeric	
V158	hv246i	NA-Owns CS	discrete	numeric	
V159	hv246j	NA- Owns CS	discrete	numeric	
V160	hv246k	NA- Owns CS	discrete	numeric	
V161	hv247	Has bank account	discrete	numeric	
V162	hv252	Frequency household members smoke inside the house	discrete	numeric	
V163	hv253	Has dwelling been sprayed against mosquitoes in last 12 months	discrete	numeric	
V164	hv253a	Dwelling sprayed by: Government worker/program	discrete	numeric	
V165	hv253b	Dwelling sprayed by: private company	discrete	numeric	
V166	hv253c	Dwelling sprayed by: NGO	discrete	numeric	
V167	hv253d	NA-Dwelling sprayed by: CS	discrete	numeric	
V168	hv253e	NA-Dwelling sprayed by: CS	discrete	numeric	
V169	hv253f	NA- Dwelling sprayed by: CS	discrete	numeric	
V170	hv253g	NA- Dwelling sprayed by: CS	discrete	numeric	
V171	hv253h	NA- Dwelling sprayed by: CS	discrete	numeric	
V172	hv253x	Dwelling sprayed by: other	discrete	numeric	
V173	hv253z	Dwelling sprayed by: don't know	discrete	numeric	
V174	hv270	Wealth index combined	discrete	numeric	
V175	hv271	Wealth index factor score combined (5 decimals)	contin	numeric	
V176	hv270a	Wealth index for urban/rural	discrete	numeric	
V177	hv271a	Wealth index factor score for urban/rural (5 decimals)	contin	numeric	
V178	hml1	Number of mosquito bed nets	discrete	numeric	
V179	hml1a	Number of mosquito bed nets with specific information	discrete	numeric	
V180	hml2	Number of children under mosquito bed net previous night	discrete	numeric	

RECH3

Content	HOUSEHOLD - Survey specific Household variables
Cases	8380
Variable(s)	61
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V181	hhid	Case Identification	discrete	character	
V182	ch10	NA- Number of de-jure children 5-14 for child labor module	discrete	numeric	
V183	shphase	Phase of continuous survey	discrete	numeric	
V184	shzone	Ecological Zone	discrete	numeric	
V185	shmzone	Malaria Zone	discrete	numeric	
V186	shseason	Season of interview	discrete	numeric	
V187	shml1a	Number of mosquito bed nets with specific information	contin	numeric	
V188	sh101a	House ownership status	discrete	numeric	
V189	sh112a	Principal sources of lighting	discrete	numeric	
V190	sh121d	TV5	discrete	numeric	
V191	sh121e	Canal Plus subscription	discrete	numeric	
V192	sh121h	Washing machine	discrete	numeric	
V193	sh121j	Stove	discrete	numeric	
V194	sh121k	Improved kitchen (foyer amelior)	discrete	numeric	
V195	sh121l	Video/CD/DVD	discrete	numeric	
V196	sh121m	Air conditionner	discrete	numeric	
V197	sh121n	Computer	discrete	numeric	
V198	sh121o	Internet at home	discrete	numeric	
V199	sh121i	Refrigerator	discrete	numeric	
V200	sh122c	Personal car	discrete	numeric	
V201	sh122d	Car or truck (CS not personal car)	discrete	numeric	
V202	sh122f	Plow	discrete	numeric	
V203	sh122g	Small boat	discrete	numeric	
V204	sh123a	A household member is a member of a savings club	discrete	numeric	
V205	sh123b	Member of household has transferred money	discrete	numeric	
V206	sh123c	Member of household has received a money transfer	discrete	numeric	
V207	sh126a	Windows with grids to prevent mosquitoes	discrete	numeric	
V208	sh126b	Doors with curtains & grids to prevent mosquitoes	discrete	numeric	

ID	Name	Label	Type	Format	Question
V209	sh128a	Use mosquito nets out of sleeping rooms	discrete	numeric	
V210	sh128b	Household members use mosquito net all year long	discrete	numeric	
V211	sh128c	Reasons household members don't use mosquito net all year long	discrete	numeric	
V212	sh128da	Reasons no mosquito nets: lack of means	discrete	numeric	
V213	sh128db	Reasons no mosquito nets: not necessary	discrete	numeric	
V214	sh128dc	Reasons no mosquito nets: use other thing	discrete	numeric	
V215	sh128dd	Reasons no mosquito nets: no mosquitoes	discrete	numeric	
V216	sh128de	Reasons no mosquito nets: don't like	discrete	numeric	
V217	sh128dz	Reasons no mosquito nets: don't know	discrete	numeric	
V218	sh128dx	Reasons no mosquito nets: other	discrete	numeric	
V219	sh138b	Number of bednets previously owned by household in last 12 months and no longer	contin	numeric	
V220	sh139aa	When household members usually wash their hands: After using toilet	discrete	numeric	
V221	sh139ab	When household members usually wash their hands: Before eating	discrete	numeric	
V222	sh139ac	When household members usually wash their hands: Before preparing food	discrete	numeric	
V223	sh139ad	When household members usually wash their hands: Before looking after children	discrete	numeric	
V224	sh139ae	When household members usually wash their hands: Before washing /cleaning childr	discrete	numeric	
V225	sh145a	Any crisis in the household in last 3 years	discrete	numeric	
V226	sh145b	Main crisis in the household in the last 3 years	discrete	numeric	
V227	sh151a	Has heard about: Family Security Grant (Bourse de securit familiale)	discrete	numeric	
V228	sh152a	Family member has received: Family Security Grant (Bourse de securit familiale)	discrete	numeric	
V229	sh153a	How long since received support: Family Security Grant	discrete	numeric	
V230	sh151b	Has heard about: Study Grant (Bourse d'tude)	discrete	numeric	
V231	sh152b	Family member has received: Study Grant (Bourse d'tude)	discrete	numeric	
V232	sh153b	How long since received support: Study Grant (Bourse d'tude)	discrete	numeric	
V233	sh151c	Has heard about: Other state transfers or grants	discrete	numeric	
V234	sh152c	Family member has received: Other state transfers or grants	discrete	numeric	
V235	sh153c	How long since received support: Other state transfers or grants	discrete	numeric	
V236	sh151d	Has heard about: any support program by an NGO or private organisation	discrete	numeric	
V237	sh152d	Family member has received: any support from NGO or private organisation	discrete	numeric	
V238	sh153d	How long since received support: any support from NGO or private organisation	discrete	numeric	
V239	sh151x	Has heard about: any other external support program	discrete	numeric	
V240	sh152x	Family member has received support from: any other external support program	discrete	numeric	
V241	sh153x	How long since received support from: any other external support program	discrete	numeric	

RECH4

Content	HOUSEHOLD - Survey specific Household Schedule variables
Cases	78950
Variable(s)	29
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V242	hhid	Case Identification	discrete	character	
V243	idxh4	Index to Household Schedule	contin	numeric	
V244	sh17a	Highest educational level(CS)	discrete	numeric	
V245	sh17b	Highest year of education	contin	numeric	
V246	sh19a	Educational level during current school year (CS)	discrete	numeric	
V247	sh19b	Grade of education during current school year (CS)	discrete	numeric	
V248	sh19ba	Educational level during previous school year (CS)	discrete	numeric	
V249	sh19bb	Grade of education during previous school year (CS)	discrete	numeric	
V250	sh20d	Child attends pre-school or child care (lieu d'encadrement)	discrete	numeric	
V251	sh20e	Place attended by child	discrete	numeric	
V252	sh20f	When child attended this location	discrete	numeric	
V253	sh20faa	Member is covered by health insurance: Mutual health insurance scheme COM	discrete	numeric	
V254	sh20fab	Member is covered by health insurance: Mutual health insurance scheme PROF	discrete	numeric	
V255	sh20fac	Member is covered by health insurance: Mutual health insurance scheme COMPL	discrete	numeric	
V256	sh20fad	Member is covered by health insurance: IPM Employer health insurance (Institutio	discrete	numeric	
V257	sh20fae	Member is covered by health insurance: Budgetary allocation (Imputation Budgtai	discrete	numeric	
V258	sh20faf	Member is covered by health insurance: Private health insurance	discrete	numeric	
V259	sh20fag	Member is covered by health insurance: IPRES Pension (Institution de Prvoyance	discrete	numeric	
V260	sh20fah	Member is covered by health insurance: FNR health assistance for retirees (Fond	discrete	numeric	
V261	sh20fai	Member is covered by health insurance: program of free healthcare for children a	discrete	numeric	
V262	sh20faj	Member is covered by health insurance: Plan Ssame for those aged 60+	discrete	numeric	
V263	sh20fay	Member is covered by health insurance: None	discrete	numeric	
V264	sh20fb	Who paid contributions to mutual health insurance	discrete	numeric	
V265	sh20fc	Used health care service in last 12 months	discrete	numeric	
V266	sh20fd	Paid for last health visit or consultation	discrete	numeric	
V267	sh20fe	Paid completely or partially for consultation	discrete	numeric	
V268	shml13	Net Designation Number (HMLIDX) for 1st net person slept under last night (CS 2	discrete	numeric	
V269	shml14	Net Designation Number (HMLIDX) for 2nd net person slept under last night (CS 2	discrete	numeric	

ID	Name	Label	Type	Format	Question
V270	shml15	Net Designation Number (HMLIDX) for 3rd net person slept under last night (CS 2	discrete	numeric	

RECH5

Content	HOUSEHOLD - Women Height/Weight/Hemoglobin
Cases	9109
Variable(s)	39
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V271	hhid	Case Identification	discrete	character	
V272	ha0	Index to Household Schedule	contin	numeric	
V273	ha1	Woman's age in years	contin	numeric	
V274	ha2	NA- Woman's weight in kilograms (1 decimal)	discrete	numeric	
V275	ha3	NA- Woman's height in centimeters (1 decimal)	discrete	numeric	
V276	ha4	NA- Height/Age percentile	discrete	numeric	
V277	ha5	NA- Height/Age standard deviation	discrete	numeric	
V278	ha6	NA- Height/Age percent ref. median	discrete	numeric	
V279	ha11	NA - Weight/Height standard deviation (DHS)	discrete	numeric	
V280	ha12	NA- Weight/Height percent ref. median (DHS)	discrete	numeric	
V281	ha12a	NA- Weight/Height percent ref. median (Fog)	discrete	numeric	
V282	ha12b	NA- Weight/Height percent ref. median (WHO)	discrete	numeric	
V283	ha13	NA- Result of measurement - height/weight	discrete	numeric	
V284	ha21	NA- Fieldworker measurer code	discrete	numeric	
V285	ha32	Date of birth (CMC)	contin	numeric	
V286	ha33	Completeness of HA32 information	discrete	numeric	
V287	ha35	Smoking (cigarettes in last 24 hours)	discrete	numeric	
V288	ha40	Body Mass Index	discrete	numeric	
V289	ha41	Rohrer's index	discrete	numeric	
V290	ha50	Under age 18	discrete	numeric	
V291	ha51	Line number of parent/caretaker	discrete	numeric	
V292	ha52	Read consent statement - hemoglobin	discrete	numeric	
V293	ha53	Hemoglobin level (g/dl - 1 decimal)	discrete	numeric	
V294	ha54	Currently pregnant	discrete	numeric	
V295	ha55	Result of measurement - hemoglobin	discrete	numeric	
V296	ha56	Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)	discrete	numeric	
V297	ha57	Anemia level	discrete	numeric	
V298	ha58	NA- Agrees to referral - anemia	discrete	numeric	

ID	Name	Label	Type	Format	Question
V299	ha60	Marital status	discrete	numeric	
V300	ha61	Read consent statement - HIV	discrete	numeric	
V301	ha62	Bar code for HIV blood sample	discrete	character	
V302	ha63	Result of measurement - HIV	discrete	numeric	
V303	ha64	Consent for additional tests	discrete	numeric	
V304	ha65	Result of woman's individual interview	discrete	numeric	
V305	ha66	Woman's highest educational level	discrete	numeric	
V306	ha67	Woman's highest year of education	discrete	numeric	
V307	ha68	Woman's highest educational level (for preliminary and final report)	discrete	numeric	
V308	ha69	HIV weight (6 decimals)	contin	numeric	
V309	ha70	Interviewer that took blood for HIV testing	contin	numeric	

RECH6

Content	HOUSEHOLD - Children Height/Weight/Hemoglobin
Cases	12862
Variable(s)	46
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V310	hhid	Case Identification	discrete	character	
V311	hc0	Index to Household Schedule	contin	numeric	
V312	hc1	Child's age in months	contin	numeric	
V313	hc1a	Child's age in days	contin	numeric	
V314	hc2	Child's weight in kilograms (1 decimal)	discrete	numeric	
V315	hc3	Child's height in centimeters (1 decimal)	discrete	numeric	
V316	hc4	Height/Age percentile	discrete	numeric	
V317	hc5	Height/Age standard deviation	discrete	numeric	
V318	hc6	Height/Age percent of ref. median	discrete	numeric	
V319	hc7	Weight/Age percentile	discrete	numeric	
V320	hc8	Weight/Age standard deviation	discrete	numeric	
V321	hc9	Weight/Age percent of ref. median	discrete	numeric	
V322	hc10	Weight/Height percentile	discrete	numeric	
V323	hc11	Weight/Height standard deviation	discrete	numeric	
V324	hc12	Weight/Height percent of ref. median	discrete	numeric	
V325	hc13	Result of measurement - height/weight	discrete	numeric	
V326	hc15	Height: lying or standing	discrete	numeric	
V327	hc16	Day of birth	discrete	numeric	
V328	hc17	Date measured (day)	contin	numeric	
V329	hc18	Date measured (month)	discrete	numeric	
V330	hc19	Date measured (year)	discrete	numeric	
V331	hc20	Century Day Code (CDC) of measurement	contin	numeric	
V332	hc21	Fieldworker measurer code	contin	numeric	
V333	hc27	Sex	discrete	numeric	
V334	hc30	Month of birth	discrete	numeric	
V335	hc31	Year of birth	discrete	numeric	
V336	hc32	Date of birth (CMC)	contin	numeric	
V337	hc32a	Century Day Code (CDC) of birth	contin	numeric	

ID	Name	Label	Type	Format	Question
V338	hc33	Completeness of HC32 information	discrete	numeric	
V339	hc51	Line number of parent/caretaker	discrete	numeric	
V340	hc52	Read consent statement - hemoglobin	discrete	numeric	
V341	hc53	Hemoglobin level (g/dl - 1 decimal)	discrete	numeric	
V342	hc55	Result of measurement - hemoglobin	discrete	numeric	
V343	hc56	Hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric	
V344	hc57	Anemia level	discrete	numeric	
V345	hc58	Agrees to referral - anemia	discrete	numeric	
V346	hc60	Mother's line number (woman's questionnaire)	discrete	numeric	
V347	hc61	Mother's highest educational level	discrete	numeric	
V348	hc62	Mother's highest year of education	discrete	numeric	
V349	hc63	Preceding birth interval (months)	contin	numeric	
V350	hc64	Birth order number	contin	numeric	
V351	hc68	Mother's highest educational level (for preliminary and final report)	discrete	numeric	
V352	hc70	Height/Age standard deviation (new WHO)	discrete	numeric	
V353	hc71	Weight/Age standard deviation (new WHO)	discrete	numeric	
V354	hc72	Weight/Height standard deviation (new WHO)	discrete	numeric	
V355	hc73	BMI standard deviation (new WHO)	discrete	numeric	

RECHMA

Content	HOUSEHOLD - Men Height/Weight/Hemoglobin
Cases	7863
Variable(s)	38
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V356	hhid	Case Identification	discrete	character	
V357	hb0	Index to Household Schedule	contin	numeric	
V358	hb1	Man's age in years	contin	numeric	
V359	hb2	NA-Man's weight in kilograms (1 decimal)	discrete	numeric	
V360	hb3	NA-Man's height in centimeters (1 decimal)	discrete	numeric	
V361	hb4	NA-Height/Age percentile	discrete	numeric	
V362	hb5	NA-Height/Age standard deviation	discrete	numeric	
V363	hb6	NA-Height/Age percent ref. median	discrete	numeric	
V364	hb11	NA-Weight/Height standard deviation (DHS)	discrete	numeric	
V365	hb12	NA-Weight/Height percent ref. median (DHS)	discrete	numeric	
V366	hb12a	NA-Weight/Height percent ref. median (Fog)	discrete	numeric	
V367	hb12b	NA-Weight/Height percent ref. median (WHO)	discrete	numeric	
V368	hb13	NA-Result of measurement - height/weight	discrete	numeric	
V369	hb21	Fieldworker measurer code	discrete	numeric	
V370	hb32	Date of birth (CMC)	contin	numeric	
V371	hb33	Completeness of HB32 information	discrete	numeric	
V372	hb35	Smoking (cigarettes in last 24 hours)	discrete	numeric	
V373	hb40	NA-Body Mass Index	discrete	numeric	
V374	hb41	NA-Rohrer's index	discrete	numeric	
V375	hb50	Under age 18	discrete	numeric	
V376	hb51	Line number of parent/caretaker	discrete	numeric	
V377	hb52	Read consent statement - hemoglobin	discrete	numeric	
V378	hb53	Hemoglobin level (g/dl - 1 decimal)	contin	numeric	
V379	hb55	Result of measurement - hemoglobin	discrete	numeric	
V380	hb56	Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)	discrete	numeric	
V381	hb57	Anemia level	discrete	numeric	
V382	hb58	Agrees to referral - anemia	discrete	numeric	
V383	hb60	Marital status	discrete	numeric	

ID	Name	Label	Type	Format	Question
V384	hb61	Read consent statement - HIV	discrete	numeric	
V385	hb62	Bar code for HIV blood sample	discrete	character	
V386	hb63	Result of measurement - HIV	discrete	numeric	
V387	hb64	NA-Consent for additional tests	discrete	numeric	
V388	hb65	Result of man's individual interview	discrete	numeric	
V389	hb66	Man's highest educational level	discrete	numeric	
V390	hb67	Man's highest year of education	discrete	numeric	
V391	hb68	Man's highest educational level (for preliminary and final report)	discrete	numeric	
V392	hb69	HIV weight (6 decimals)	contin	numeric	
V393	hb70	Interviewer that took blood for HIV testing	contin	numeric	

RECHML

Content	HOUSEHOLD - Malaria: by Mosquito Bed Net
Cases	36733
Variable(s)	30
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V431	hhid	Case Identification	discrete	character	
V432	hmlidx	Mosquito Bed Net Designation Number	contin	numeric	
V433	hml3	Net observed by interviewer	discrete	numeric	
V434	hml4	Months ago net obtained	discrete	numeric	
V435	hml5	Net treated with insecticide when bought	discrete	numeric	
V436	hml6	Net treatment status	discrete	numeric	
V437	hml7	Brand of net	discrete	numeric	
V438	hml8	Net treated since received	discrete	numeric	
V439	hml9	Time since last re-treatment (months)	discrete	numeric	
V440	hml10	Insecticide-Treated Net (ITN)	discrete	numeric	
V441	hml11	Number of persons who slept under this net	discrete	numeric	
V442	hml21	Someone slept under this net last night	discrete	numeric	
V443	hmla	Line number of person who slept in this net	discrete	numeric	
V444	hmlb	Line number of person who slept in this net	contin	numeric	
V445	hmfc	Line number of person who slept in this net	contin	numeric	
V446	hmld	Line number of person who slept in this net	contin	numeric	
V447	hmle	NA-Line number of person who slept in this net	discrete	numeric	
V448	hml22	Obtained net from campaign, antenatal or immunization visit	discrete	numeric	
V449	hml23	Place where net was obtained	discrete	numeric	
V450	sh137aa	Net was modified	discrete	numeric	
V451	sh137ac	Reason nobody slept in this net	discrete	numeric	
V452	sh137ad	Cost of this net	discrete	numeric	
V453	sh137ag	Times net was washed	discrete	numeric	
V454	sh137ah	Net used for other purposes	discrete	numeric	
V455	sh137aia	Other use for net : protect crops or plants	discrete	numeric	
V456	sh137aib	Other use for net : fishing	discrete	numeric	
V457	sh137aic	Other use for net : put on mattress to protect against bed bugs	discrete	numeric	
V458	sh137aid	Other use for net : use for clothing	discrete	numeric	

ID	Name	Label	Type	Format	Question
V459	sh137aix	Other use for net : other	discrete	numeric	
V460	sh137aj	Tried to repair hole in net	discrete	numeric	

RECHMH

Content	HOUSEHOLD - Malaria: by Household Member
Cases	78950
Variable(s)	37
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V394	hhid	Case Identification	discrete	character	
V395	hmhidx	Index to Household Schedule	contin	numeric	
V396	hml12	Type of Mosquito Bed Net(s) person slept under last night	discrete	numeric	
V397	hml13	Net Designation Number (HMLIDX) for 1st net person slept under last night	discrete	numeric	
V398	hml14	Net Designation Number (HMLIDX) for 2nd net person slept under last night	discrete	numeric	
V399	hml15	Net Designation Number (HMLIDX) for 3rd net person slept under last night	discrete	numeric	
V400	hml16	Corrected age from Individual file	discrete	numeric	
V401	hml16a	Age in months (for children)	contin	numeric	
V402	hml17	Flag for age from Individual file	discrete	numeric	
V403	hml18	Pregnancy status from Individual file	discrete	numeric	
V404	hml19	Person slept under an ever-treated net	discrete	numeric	
V405	hml20	Person slept under an LLIN net	discrete	numeric	
V406	hml30	Line number of parent/caretaker (for malaria testing)	discrete	numeric	
V407	hml31	Read consent statement for malaria	discrete	numeric	
V408	hml32	Final result of malaria from blood smear test	discrete	numeric	
V409	hml32a	Presence of species: falciparum (Pf)	discrete	numeric	
V410	hml32b	Presence of species: malariae (Pm)	discrete	numeric	
V411	hml32c	Presence of species: ovale (Po)	discrete	numeric	
V412	hml32d	Presence of species: vivax (Pv)	discrete	numeric	
V413	hml32e	NA-Presence of species: CS	discrete	numeric	
V414	hml32f	NA-Presence of species: CS	discrete	numeric	
V415	hml32g	NA-Presence of species: CS	discrete	numeric	
V416	hml33	Result of malaria measurement	discrete	numeric	
V417	hml34	Bar code for blood smear sample	discrete	character	
V418	hml35	Result of malaria rapid test	discrete	numeric	
V419	hml36	NA-Fieldworker measurer code for malaria	discrete	numeric	
V420	sb113ea	Symptoms of malaria: Extreme weakness	discrete	numeric	
V421	sb113eb	Symptoms of malaria: Heart problems	discrete	numeric	

ID	Name	Label	Type	Format	Question
V422	sb113ec	Symptoms of malaria: Loss of consciousness	discrete	numeric	
V423	sb113ed	Symptoms of malaria: Rapid breaths or difficulty in breathing	discrete	numeric	
V424	sb113ee	Symptoms of malaria: Convulsions	discrete	numeric	
V425	sb113ef	Symptoms of malaria: Abnormal bleeding	discrete	numeric	
V426	sb113eg	Symptoms of malaria: Yellow skin	discrete	numeric	
V427	sb113eh	Symptoms of malaria: Dark urine	discrete	numeric	
V428	sb113i	Child took ACT prescribed by a doctor or health facility in last two weeks	discrete	numeric	
V429	sb113l	Consent for treatment of child's malaria	discrete	numeric	
V430	sb113n	Treatment for malaria	discrete	numeric	

REC01

Content	WOMAN - Respondent's basic data
Cases	17586
Variable(s)	45
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V461	hhid	Case Identification	discrete	character	
V462	caseid	Case Identification	discrete	character	
V463	v000	Country code and phase	discrete	character	
V464	v001	Cluster number	contin	numeric	
V465	v002	Household number	contin	numeric	
V466	v003	Respondent's line number	contin	numeric	
V467	v004	Ultimate area unit	contin	numeric	
V468	v005	Women's individual sample weight (6 decimals)	contin	numeric	
V469	v006	Month of interview	discrete	numeric	
V470	v007	Year of interview	discrete	numeric	
V471	v008	Date of interview (CMC)	discrete	numeric	
V472	v008a	Date of interview Century Day Code (CDC)	contin	numeric	
V473	v009	Respondent's month of birth	discrete	numeric	
V474	v010	Respondent's year of birth	contin	numeric	
V475	v011	Date of birth (CMC)	contin	numeric	
V476	v012	Respondent's current age	contin	numeric	
V477	v013	Age in 5-year groups	discrete	numeric	
V478	v014	Completeness of age information	discrete	numeric	
V479	v015	Result of individual interview	discrete	numeric	
V480	v016	Day of interview	contin	numeric	
V481	v017	CMC start of calendar	discrete	numeric	
V482	v018	Row of month of interview	discrete	numeric	
V483	v019	Length of calendar	discrete	numeric	
V484	v019a	Number of calendar columns	discrete	numeric	
V485	v020	Ever-married sample	discrete	numeric	
V486	v021	Primary sampling unit	contin	numeric	
V487	v022	Sample strata for sampling errors	discrete	numeric	
V488	v023	Stratification used in sample design	discrete	numeric	

ID	Name	Label	Type	Format	Question
V489	v024	Region	discrete	numeric	
V490	v025	Type of place of residence	discrete	numeric	
V491	v026	NA-De facto place of residence	discrete	numeric	
V492	v027	Number of visits	discrete	numeric	
V493	v028	Interviewer identification	contin	numeric	
V494	v029	NA-Keyer identification	discrete	numeric	
V495	v030	Field supervisor	contin	numeric	
V496	v031	NA-Field editor	discrete	numeric	
V497	v032	NA-Office editor	discrete	numeric	
V498	v034	Line number of husband	discrete	numeric	
V499	v040	NA-Cluster altitude in meters	discrete	numeric	
V500	v042	Household selected for hemoglobin	discrete	numeric	
V501	v044	Selected for Domestic Violence module	discrete	numeric	
V502	v045a	NA-Language of questionnaire	discrete	numeric	
V503	v045b	NA-Language of interview	discrete	numeric	
V504	v045c	NA-Native language of respondent	discrete	numeric	
V505	v046	Translator used	discrete	numeric	

REC11

Content	WOMAN - Respondent's basic data (continued)
Cases	16787
Variable(s)	64
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V623	hhid	Case Identification	discrete	character	
V624	caseid	Case Identification	discrete	character	
V625	v101	Region	discrete	numeric	
V626	v102	Type of place of residence	discrete	numeric	
V627	v103	NA-Childhood place of residence	discrete	numeric	
V628	v104	NA-Years lived in place of residence	discrete	numeric	
V629	v105	NA-Type of place of previous residence	discrete	numeric	
V630	v105a	NA-Region of previous residence	discrete	numeric	
V631	v106	Highest educational level	discrete	numeric	
V632	v107	Highest year of education	discrete	numeric	
V633	v113	Source of drinking water	discrete	numeric	
V634	v115	Time to get to water source	discrete	numeric	
V635	v116	Type of toilet facility	discrete	numeric	
V636	v119	Household has: electricity	discrete	numeric	
V637	v120	Household has: radio	discrete	numeric	
V638	v121	Household has: television	discrete	numeric	
V639	v122	Household has: refrigerator	discrete	numeric	
V640	v123	Household has: bicycle	discrete	numeric	
V641	v124	Household has: motorcycle/scooter	discrete	numeric	
V642	v125	Household has: car/truck	discrete	numeric	
V643	v127	Main floor material	discrete	numeric	
V644	v128	Main wall material	discrete	numeric	
V645	v129	Main roof material	discrete	numeric	
V646	v130	Religion	discrete	numeric	
V647	v131	Ethnicity	discrete	numeric	
V648	v133	Education in single years	discrete	numeric	
V649	v134	NA-De facto place of residence	discrete	numeric	
V650	v135	Usual resident or visitor	discrete	numeric	

ID	Name	Label	Type	Format	Question
V651	v136	Number of household members (listed)	contin	numeric	
V652	v137	Number of children 5 and under in household (de jure)	contin	numeric	
V653	v138	Number of eligible women in household (de facto)	discrete	numeric	
V654	v139	De jure region of residence	discrete	numeric	
V655	v140	De jure type of place of residence	discrete	numeric	
V656	v141	NA-De jure place of residence	discrete	numeric	
V657	v149	Educational attainment	discrete	numeric	
V658	v150	Relationship to household head	discrete	numeric	
V659	v151	Sex of household head	discrete	numeric	
V660	v152	Age of household head	discrete	numeric	
V661	v153	Household has: telephone (land-line)	discrete	numeric	
V662	awfactt	All woman factor - total	discrete	numeric	
V663	awfactu	All woman factor - urban/rural	discrete	numeric	
V664	awfactr	All woman factor - regional	discrete	numeric	
V665	awfacte	All woman factor - educational	discrete	numeric	
V666	awfactw	All woman factor - wealth index	discrete	numeric	
V667	v155	Literacy	discrete	numeric	
V668	v156	Ever participated in a literacy program outside of primary	discrete	numeric	
V669	v157	Frequency of reading newspaper or magazine	discrete	numeric	
V670	v158	Frequency of listening to radio	discrete	numeric	
V671	v159	Frequency of watching television	discrete	numeric	
V672	v160	Toilet facilities shared with other households	discrete	numeric	
V673	v161	Type of cooking fuel	discrete	numeric	
V674	v166	Result of salt test for iodine	discrete	numeric	
V675	v167	NA-Number of trips in last 12 months	discrete	numeric	
V676	v168	NA-Away for more than one month in last 12 months	discrete	numeric	
V677	v169a	Owns a mobile telephone	discrete	numeric	
V678	v169b	Use mobile telephone for financial transactions	discrete	numeric	
V679	v170	Has an account in a bank or other financial institution	discrete	numeric	
V680	v171a	Use of internet	discrete	numeric	
V681	v171b	Frequency of using internet last month	discrete	numeric	
V682	v190	Wealth index combined	discrete	numeric	
V683	v191	Wealth index factor score combined (5 decimals)	contin	numeric	
V684	v190a	Wealth index for urban/rural	discrete	numeric	
V685	v191a	Wealth index factor score for urban/rural (5 decimals)	contin	numeric	
V686	ml101	Type of mosquito bed net(s) slept under last night	discrete	numeric	

REC21

Content	WOMAN - Reproduction and Birth History
Cases	42944
Variable(s)	24
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V687	hhid	Case Identification	discrete	character	
V688	caseid	Case Identification	discrete	character	
V689	bidx	Birth column number	discrete	numeric	
V690	bord	Birth order number	discrete	numeric	
V691	b0	Child is twin	discrete	numeric	
V692	b1	Month of birth	discrete	numeric	
V693	b2	Year of birth	contin	numeric	
V694	b3	Date of birth (CMC)	contin	numeric	
V695	b4	Sex of child	discrete	numeric	
V696	b5	Child is alive	discrete	numeric	
V697	b6	Age at death	discrete	numeric	
V698	b7	Age at death (months, imputed)	contin	numeric	
V699	b8	Current age of child	contin	numeric	
V700	b9	Child lives with whom	discrete	numeric	
V701	b10	Completeness of information	discrete	numeric	
V702	b11	Preceding birth interval (months)	contin	numeric	
V703	b12	Succeeding birth interval (months)	contin	numeric	
V704	b13	Flag for age at death	discrete	numeric	
V705	b15	Live birth between births	discrete	numeric	
V706	b16	Child's line number in household	discrete	numeric	
V707	b17	Day of birth	contin	numeric	
V708	b18	Century Day Code of birth (CDC)	contin	numeric	
V709	b19	Current age of child in months (months since birth for dead children)	contin	numeric	
V710	b20	Duration of pregnancy	discrete	numeric	

REC22

Content	WOMAN - Reproduction (continued)
Cases	16787
Variable(s)	45
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V711	hhid	Case Identification	discrete	character	
V712	caseid	Case Identification	discrete	character	
V713	v201	Total children ever born	discrete	numeric	
V714	v202	Sons at home	discrete	numeric	
V715	v203	Daughters at home	discrete	numeric	
V716	v204	Sons elsewhere	discrete	numeric	
V717	v205	Daughters elsewhere	discrete	numeric	
V718	v206	Sons who have died	discrete	numeric	
V719	v207	Daughters who have died	discrete	numeric	
V720	v208	Births in last five years	discrete	numeric	
V721	v209	Births in past year	discrete	numeric	
V722	v210	Births in month of interview	discrete	numeric	
V723	v211	Date of first birth (CMC)	contin	numeric	
V724	v212	Age of respondent at 1st birth	contin	numeric	
V725	v213	Currently pregnant	discrete	numeric	
V726	v214	Duration of current pregnancy	discrete	numeric	
V727	v215	Time since last menstrual period	discrete	numeric	
V728	v216	Menstruated in last six weeks	discrete	numeric	
V729	v217	Knowledge of ovulatory cycle	discrete	numeric	
V730	v218	Number of living children	discrete	numeric	
V731	v219	Living children + current pregnancy	discrete	numeric	
V732	v220	Living children + current pregnancy (grouped)	discrete	numeric	
V733	v221	Marriage to first birth interval (months)	discrete	numeric	
V734	v222	Last birth to interview (months)	contin	numeric	
V735	v223	Completeness of current pregnancy information	discrete	numeric	
V736	v224	Entries in birth history	discrete	numeric	
V737	v225	Current pregnancy wanted	discrete	numeric	
V738	v226	Time since last period (comp) (months)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V739	v227	Flag for last period	discrete	numeric	
V740	v228	Ever had a terminated pregnancy	discrete	numeric	
V741	v229	Month pregnancy ended	discrete	numeric	
V742	v230	Year pregnancy ended	discrete	numeric	
V743	v231	CMC pregnancy ended	discrete	numeric	
V744	v232	Completeness of last termination information	discrete	numeric	
V745	v233	Months when pregnancy ended	discrete	numeric	
V746	v234	Other such pregnancies	discrete	numeric	
V747	v235	Index last child prior to maternity-health (calendar)	discrete	numeric	
V748	v237	Birth between last and interview	discrete	numeric	
V749	v238	Births in last three years	discrete	numeric	
V750	v239	Pregnancies terminated before calendar beginning	discrete	numeric	
V751	v240	Month of last termination prior to calendar	discrete	numeric	
V752	v241	Year of last termination prior to calendar	discrete	numeric	
V753	v242	CMC termination ended prior to calendar	discrete	numeric	
V754	v243	Completeness of last termination date prior to calendar	discrete	numeric	
V755	v244	Can women get pregnant after birth and before period	discrete	numeric	

REC31

Content	WOMAN - Contraception Table
Cases	176264
Variable(s)	10
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V756	hhid	Case Identification	discrete	character	
V757	caseid	Case Identification	discrete	character	
V758	v301	Knowledge of any method	discrete	numeric	
V759	v302	NA-Ever use of any method	discrete	numeric	
V760	v302a	Ever used anything or tried to delay or avoid getting pregnant	discrete	numeric	
V761	rec31_group	Item created from ISSA Group	discrete	character	
V762	v304a	Type of method	discrete	numeric	
V763	v304	Knows method	discrete	numeric	
V764	v305	NA-Ever used method	discrete	numeric	
V765	v307	Method currently used	discrete	numeric	

REC32

Content	WOMAN - Contraception Knowledge and Use
Cases	16787
Variable(s)	106
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V766	hhid	Case Identification	discrete	character	
V767	caseid	Case Identification	discrete	character	
V768	v310	NA-Living children at first use	discrete	numeric	
V769	v311	NA-Children at first use (grouped)	discrete	numeric	
V770	v312	Current contraceptive method	discrete	numeric	
V771	v313	Current use by method type	discrete	numeric	
V772	v315	Month of start of use of method	discrete	numeric	
V773	v316	Year of start of use of method	contin	numeric	
V774	v317	Date of start of use of method (CMC)	contin	numeric	
V775	v318	Completeness of information	discrete	numeric	
V776	v319	Years since sterilization	discrete	numeric	
V777	v320	Age at sterilization	discrete	numeric	
V778	v321	Marital duration at sterilization	discrete	numeric	
V779	v322	Parity at sterilization	discrete	numeric	
V780	v323	Brand of pill used	discrete	numeric	
V781	v323a	Brand of condom used	discrete	numeric	
V782	v325a	NA-Cost of current method (in CURRENCY)	discrete	numeric	
V783	v326	Last source for current users	discrete	numeric	
V784	v327	Last source for users by type	discrete	numeric	
V785	v337	Months of use of current method	discrete	numeric	
V786	v359	Last method discontinued in last 5 years	discrete	numeric	
V787	v360	Reason of last discontinuation	discrete	numeric	
V788	v361	Pattern of use	discrete	numeric	
V789	v362	Intention to use	discrete	numeric	
V790	v363	NA-Preferred future method	discrete	numeric	
V791	v364	Contraceptive use and intention	discrete	numeric	
V792	v367	Wanted last child	discrete	numeric	
V793	v372	NA-Shown pill package	discrete	numeric	

ID	Name	Label	Type	Format	Question
V794	v372a	Shown condom package	discrete	numeric	
V795	v375a	NA-Main reason not using a method	discrete	numeric	
V796	v376	NA-Main reason not to use a method	discrete	numeric	
V797	v376a	NA-Would ever use method if married	discrete	numeric	
V798	v379	Source known for any method	discrete	numeric	
V799	v380	Source known for any method	discrete	numeric	
V800	v384a	Heard family planning on radio last few months	discrete	numeric	
V801	v384b	Heard family planning on TV last few months	discrete	numeric	
V802	v384c	Heard family planning in newspaper/magazine last few months	discrete	numeric	
V803	v384d	Heard family planning by text messages on mobile phone	discrete	numeric	
V804	v393	Visited by fieldworker in last 12 months	discrete	numeric	
V805	v393a	Did fieldworker talk about family planning	discrete	numeric	
V806	v394	Visited health facility last 12 months	discrete	numeric	
V807	v395	At health facility, told of family planning	discrete	numeric	
V808	v3a00a	Source of family planning for non-users: Government hospital	discrete	numeric	
V809	v3a00b	Source of family planning for non-users: Government Health Center	discrete	numeric	
V810	v3a00c	Source of family planning for non-users: Government Health Post	discrete	numeric	
V811	v3a00d	Source of family planning for non-users: Government Family Planning Center	discrete	numeric	
V812	v3a00e	Source of family planning for non-users: Government rural maternity clinic	discrete	numeric	
V813	v3a00f	Source of family planning for non-users: Government Health Hut (Case de sant)	discrete	numeric	
V814	v3a00g	Source of family planning for non-users: Community Pharmacy	discrete	numeric	
V815	v3a00h	Source of family planning for non-users: Mobile Clinic	discrete	numeric	
V816	v3a00i	Source of family planning for non-users: Other Public	discrete	numeric	
V817	v3a00j	Source of family planning for non-users: private hospital/clinic	discrete	numeric	
V818	v3a00k	Source of family planning for non-users: pharmacy	discrete	numeric	
V819	v3a00l	Source of family planning for non-users: private doctor	discrete	numeric	
V820	v3a00m	Source of family planning for non-users: Religious dispensary	discrete	numeric	
V821	v3a00n	Source of family planning for non-users: Other private medical	discrete	numeric	
V822	v3a00o	Source of family planning for non-users: CS private sector	discrete	numeric	
V823	v3a00p	Source of family planning for non-users: CS private sector	discrete	numeric	
V824	v3a00q	Source of family planning for non-users: CS private sector	discrete	numeric	
V825	v3a00r	Source of family planning for non-users: CS private sector	discrete	numeric	
V826	v3a00s	Source of family planning for non-users: Shop	discrete	numeric	
V827	v3a00t	Source of family planning for non-users: Church/mosque	discrete	numeric	
V828	v3a00u	Source of family planning for non-users: Friends/relatives	discrete	numeric	
V829	v3a00v	Source of family planning for non-users: Bar	discrete	numeric	
V830	v3a00w	Source of family planning for non-users: CS other	discrete	numeric	
V831	v3a00x	Source of family planning for non-users: other	discrete	numeric	
V832	v3a00y	Source of family planning for non-users: no source	discrete	numeric	
V833	v3a00z	Source of family planning for non-users: any source	discrete	numeric	

ID	Name	Label	Type	Format	Question
V834	v3a01	NA-Told sterilization would mean no more children	discrete	numeric	
V835	v3a02	Told about side effects	discrete	numeric	
V836	v3a03	Told about side effects by health or family planning worker	discrete	numeric	
V837	v3a04	Told how to deal with side effects	discrete	numeric	
V838	v3a05	Told about other family planning methods	discrete	numeric	
V839	v3a06	Told about other family planning methods by health or family planning worker	discrete	numeric	
V840	v3a07	First source for current method	discrete	numeric	
V841	v3a08a	Reason not using: not married	discrete	numeric	
V842	v3a08b	Reason not using: not having sex	discrete	numeric	
V843	v3a08c	Reason not using: infrequent sex	discrete	numeric	
V844	v3a08d	Reason not using: menopausal/hysterectomy	discrete	numeric	
V845	v3a08e	Reason not using: subfecund/infecund	discrete	numeric	
V846	v3a08f	Reason not using: postpartum amenorrheic	discrete	numeric	
V847	v3a08g	Reason not using: breastfeeding	discrete	numeric	
V848	v3a08h	Reason not using: fatalistic	discrete	numeric	
V849	v3a08i	Reason not using: respondent opposed	discrete	numeric	
V850	v3a08j	Reason not using: husband/partner opposed	discrete	numeric	
V851	v3a08k	Reason not using: others opposed	discrete	numeric	
V852	v3a08l	Reason not using: religious prohibition	discrete	numeric	
V853	v3a08m	Reason not using: knows no method	discrete	numeric	
V854	v3a08n	Reason not using: knows no source	discrete	numeric	
V855	v3a08o	NA-Reason not using: health concerns	discrete	numeric	
V856	v3a08p	Reason not using: fear of side effects/health concerns	discrete	numeric	
V857	v3a08q	Reason not using: lack of access/too far	discrete	numeric	
V858	v3a08r	Reason not using: costs too much	discrete	numeric	
V859	v3a08s	Reason not using: inconvenient to use	discrete	numeric	
V860	v3a08t	Reason not using: interferes with body's processes	discrete	numeric	
V861	v3a08u	Reason not using: preferred method not available	discrete	numeric	
V862	v3a08v	Reason not using: no method available	discrete	numeric	
V863	v3a08w	NA-Reason not using: CS	discrete	numeric	
V864	v3a08aa	NA-Reason not using: CS	discrete	numeric	
V865	v3a08ab	NA-Reason not using: CS	discrete	numeric	
V866	v3a08ac	NA-Reason not using: CS	discrete	numeric	
V867	v3a08ad	NA-Reason not using: CS	discrete	numeric	
V868	v3a08x	Reason not using: other	discrete	numeric	
V869	v3a08z	Reason not using: don't know	discrete	numeric	
V870	v3a09a	NA-How many pill cycles did get last time	discrete	numeric	
V871	v3a09b	NA-How many condoms did get last time	discrete	numeric	

REC41

Content	WOMAN - Maternity
Cases	12185
Variable(s)	165
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V872	hhid	Case Identification	discrete	character	
V873	caseid	Case Identification	discrete	character	
V874	midx	Index to Birth History	discrete	numeric	
V875	m1	Number of tetanus injections before birth	discrete	numeric	
V876	m1a	Number of tetanus injections before pregnancy	discrete	numeric	
V877	m1b	NA-Month of last tetanus injection before pregnancy	discrete	numeric	
V878	m1c	NA-Year of last tetanus injection before pregnancy	discrete	numeric	
V879	m1d	Years ago received last tetanus injection before pregnancy	contin	numeric	
V880	m1e	Last tetanus injection before pregnancy (CMC)	discrete	numeric	
V881	m2a	Prenatal: doctor	discrete	numeric	
V882	m2b	Prenatal: Midwife	discrete	numeric	
V883	m2c	Prenatal: Nurse	discrete	numeric	
V884	m2d	NA-Prenatal: CS health professional	discrete	numeric	
V885	m2e	NA-Prenatal: CS health professional	discrete	numeric	
V886	m2f	NA-Prenatal: CS health professional	discrete	numeric	
V887	m2g	Prenatal: traditional birth attendant	discrete	numeric	
V888	m2h	Prenatal: Auxiliary midwife (Matrone)	discrete	numeric	
V889	m2i	NA-Prenatal: CS other person	discrete	numeric	
V890	m2j	NA-Prenatal: CS other person	discrete	numeric	
V891	m2k	Prenatal: other	discrete	numeric	
V892	m2l	NA-Prenatal: CS other	discrete	numeric	
V893	m2m	NA-Prenatal: CS other	discrete	numeric	
V894	m2n	Prenatal: no one	discrete	numeric	
V895	m3a	Assistance: doctor	discrete	numeric	
V896	m3b	Prenatal: Midwife	discrete	numeric	
V897	m3c	Prenatal: Nurse	discrete	numeric	
V898	m3d	NA-Assistance: CS health professional	discrete	numeric	
V899	m3e	NA-Assistance: CS health professional	discrete	numeric	

ID	Name	Label	Type	Format	Question
V900	m3f	NA-Assistance: CS health professional	discrete	numeric	
V901	m3g	Assistance: traditional birth attendant	discrete	numeric	
V902	m3h	Assistance: Auxiliary midwife (Matrone)	discrete	numeric	
V903	m3i	NA-Assistance: CS other person	discrete	numeric	
V904	m3j	NA-Assistance: CS other person	discrete	numeric	
V905	m3k	Assistance: other	discrete	numeric	
V906	m3l	NA-Assistance: CS other	discrete	numeric	
V907	m3m	NA-Assistance: CS other	discrete	numeric	
V908	m3n	Assistance: no one	discrete	numeric	
V909	m4	Duration of breastfeeding	discrete	numeric	
V910	m5	Months of breastfeeding	discrete	numeric	
V911	m6	Duration of amenorrhea	discrete	numeric	
V912	m7	Months of amenorrhea	discrete	numeric	
V913	m8	Duration of abstinence	discrete	numeric	
V914	m9	Months of abstinence	discrete	numeric	
V915	m10	Wanted pregnancy when became pregnant	discrete	numeric	
V916	m11	Desired time would have waited	discrete	numeric	
V917	m13	Timing of 1st antenatal check (months)	discrete	numeric	
V918	m14	Number of antenatal visits during pregnancy	discrete	numeric	
V919	m15	Place of delivery	discrete	numeric	
V920	m17	Delivery by caesarean section	discrete	numeric	
V921	m17a	Timing on decision for caesarean section	discrete	numeric	
V922	m18	Size of child at birth	discrete	numeric	
V923	m19	Birth weight in kilograms (3 decimals)	discrete	numeric	
V924	m19a	Weight at birth/recall	discrete	numeric	
V925	m27	Flag for breastfeeding	discrete	numeric	
V926	m28	Flag for amenorrhea	discrete	numeric	
V927	m29	Flag for abstinence	discrete	numeric	
V928	m34	When child put to breast	discrete	numeric	
V929	m35	NA-Number of times breastfed during previous night	discrete	numeric	
V930	m36	NA-Number of times breastfed during previous day	discrete	numeric	
V931	m38	Drank from bottle with nipple yesterday/last night	discrete	numeric	
V932	m39a	Did eat any solid, semi-solid or soft foods yesterday	discrete	numeric	
V933	m39	Number of times ate solid, semi-solid or soft food yesterday	discrete	numeric	
V934	m42a	NA-During pregnancy: weighed	discrete	numeric	
V935	m42b	NA-During pregnancy: height measured	discrete	numeric	
V936	m42c	During pregnancy: blood pressure taken	discrete	numeric	
V937	m42d	During pregnancy: urine sample taken	discrete	numeric	
V938	m42e	During pregnancy: blood sample taken	discrete	numeric	
V939	m43	Told about pregnancy complications	discrete	numeric	

ID	Name	Label	Type	Format	Question
V940	m44	NA-Told where to go for pregnancy complications	discrete	numeric	
V941	m45	During pregnancy, given or bought iron tablets/syrup	discrete	numeric	
V942	m46	Days tablets or syrup taken	discrete	numeric	
V943	m47	NA-During pregnancy, had difficulty with daylight vision	discrete	numeric	
V944	m48	NA-During pregnancy, had difficulty with night blindness	discrete	numeric	
V945	m49a	During pregnancy took: SP/fansidar for malaria	discrete	numeric	
V946	m49b	NA-During pregnancy took: chloroquine for malaria	discrete	numeric	
V947	m49c	NA-During pregnancy took: CS drug for malaria	discrete	numeric	
V948	m49d	NA-During pregnancy took: CS drug for malaria	discrete	numeric	
V949	m49e	NA-During pregnancy took: CS drug for malaria	discrete	numeric	
V950	m49f	NA-During pregnancy took: CS drug for malaria	discrete	numeric	
V951	m49g	NA-During pregnancy took: CS drug for malaria	discrete	numeric	
V952	m49x	NA-During pregnancy took: other drug for malaria	discrete	numeric	
V953	m49z	NA-During pregnancy took: don't know	discrete	numeric	
V954	m49y	NA-During pregnancy took: no drug for malaria	discrete	numeric	
V955	m54	NA-Received Vitamin A dose in first 2 months after delivery	discrete	numeric	
V956	m55	Given child anything other than breast milk	discrete	numeric	
V957	m55a	NA-First 3 days, given milk (other than breast milk)	discrete	numeric	
V958	m55b	NA-First 3 days, given plain water	discrete	numeric	
V959	m55c	NA-First 3 days, given sugar/glucose water	discrete	numeric	
V960	m55d	NA-First 3 days, given gripe water	discrete	numeric	
V961	m55e	NA-First 3 days, given sugar/salt solution	discrete	numeric	
V962	m55f	NA-First 3 days, given fruit juice	discrete	numeric	
V963	m55g	NA-First 3 days, given infant formula	discrete	numeric	
V964	m55h	NA-First 3 days, given tea/infusions	discrete	numeric	
V965	m55i	NA-First 3 days, given honey	discrete	numeric	
V966	m55j	NA-First 3 days, given coffee	discrete	numeric	
V967	m55k	NA-First 3 days, given country specific	discrete	numeric	
V968	m55l	NA-First 3 days, given country specific	discrete	numeric	
V969	m55m	NA-First 3 days, given country specific	discrete	numeric	
V970	m55n	NA-First 3 days, given country specific	discrete	numeric	
V971	m55o	NA-First 3 days, given country specific	discrete	numeric	
V972	m55x	NA-First 3 days, given other	discrete	numeric	
V973	m55z	NA-First 3 days, given nothing	discrete	numeric	
V974	m57a	NA-Antenatal care: respondent's home	discrete	numeric	
V975	m57b	NA-Antenatal care: other home	discrete	numeric	
V976	m57c	NA-Antenatal care: CS home	discrete	numeric	
V977	m57d	NA-Antenatal care: CS home	discrete	numeric	
V978	m57e	Antenatal care: Government hospital	discrete	numeric	
V979	m57f	Antenatal care: Government health center	discrete	numeric	

ID	Name	Label	Type	Format	Question
V980	m57g	Antenatal care: Government health post	discrete	numeric	
V981	m57h	Antenatal care: Other public	discrete	numeric	
V982	m57i	Antenatal care: Government Health Hut (Case de Sant)	discrete	numeric	
V983	m57j	Antenatal care: Public health worker	discrete	numeric	
V984	m57k	NA-Antenatal care: CS public health	discrete	numeric	
V985	m57l	NA-Antenatal care: CS public health	discrete	numeric	
V986	m57m	Antenatal care: private hospital/clinic	discrete	numeric	
V987	m57n	Antenatal care: CS private Pharmacy	discrete	numeric	
V988	m57o	Antenatal care: CS private doctor	discrete	numeric	
V989	m57p	Antenatal care: CS private clinic	discrete	numeric	
V990	m57q	Antenatal care: CS private health worker	discrete	numeric	
V991	m57r	NA-Antenatal care: CS private medical	discrete	numeric	
V992	m57s	Antenatal care: CS Shop	discrete	numeric	
V993	m57t	Antenatal care: Traditional practitioner	discrete	numeric	
V994	m57u	Antenatal care: CS Market	discrete	numeric	
V995	m57v	Antenatal care: Public community health worker	discrete	numeric	
V996	m57x	Antenatal care: other	discrete	numeric	
V997	m60	Drugs for intestinal parasites during pregnancy	discrete	numeric	
V998	m61	Time spent at place of delivery	discrete	numeric	
V999	m62	Respondent's health checked before discharge	discrete	numeric	
V1000	m63	How long before discharging respondent health check took place	discrete	numeric	
V1001	m64	Who checked respondent health before discharge	discrete	numeric	
V1002	m65a	NA-Reason didn't deliver at health facility: cost too much	discrete	numeric	
V1003	m65b	NA-Reason didn't deliver at health facility: facility not open	discrete	numeric	
V1004	m65c	NA-Reason didn't deliver at health facility: too far/no transport	discrete	numeric	
V1005	m65d	NA-Reason didn't deliver at health facility: don't trust facility/poor service	discrete	numeric	
V1006	m65e	NA-Reason didn't deliver at health facility: no female provider	discrete	numeric	
V1007	m65f	NA-Reason didn't deliver at health facility: husband/family didn't allow	discrete	numeric	
V1008	m65g	NA-Reason didn't deliver at health facility: not necessary	discrete	numeric	
V1009	m65h	NA-Reason didn't deliver at health facility: not customary	discrete	numeric	
V1010	m65i	NA-Reason didn't deliver at health facility: CS	discrete	numeric	
V1011	m65j	NA-Reason didn't deliver at health facility: CS	discrete	numeric	
V1012	m65k	NA-Reason didn't deliver at health facility: CS	discrete	numeric	
V1013	m65l	NA-Reason didn't deliver at health facility: CS	discrete	numeric	
V1014	m65x	NA-Reason didn't deliver at health facility: other	discrete	numeric	
V1015	m66	Respondent's health checked after discharge/delivery at home	discrete	numeric	
V1016	m67	How long after discharge/delivery at home respondent health check took place	discrete	numeric	
V1017	m68	Who checked respondent health after discharge/delivery at home	discrete	numeric	
V1018	m69	Where respondent check after discharge/delivery at home took place	discrete	numeric	
V1019	m70	Baby postnatal check within 2 months	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1020	m71	Time after delivery postnatal check took place	discrete	numeric	
V1021	m72	Person who performed postnatal checkup	discrete	numeric	
V1022	m73	Place baby was first checked	discrete	numeric	
V1023	m74	Child's health checked before discharge	discrete	numeric	
V1024	m75	How long before discharging child health check took place	discrete	numeric	
V1025	m76	Who checked child health before discharge	discrete	numeric	
V1026	m77	Was child put on mother's chest and bare skin after birth	discrete	numeric	
V1027	m78a	During first 2 days health provider: examine cord	discrete	numeric	
V1028	m78b	During first 2 days health provider: measure temperature	discrete	numeric	
V1029	m78c	During first 2 days health provider: counsel on newborn dangers	discrete	numeric	
V1030	m78d	During first 2 days health provider: counsel on breastfeeding	discrete	numeric	
V1031	m78e	During first 2 days health provider: observe breastfeeding	discrete	numeric	
V1032	m78f	NA-During first 2 days health provider: CS	discrete	numeric	
V1033	m78g	NA-During first 2 days health provider: CS	discrete	numeric	
V1034	m78h	NA-During first 2 days health provider: CS	discrete	numeric	
V1035	m78i	NA-During first 2 days health provider: CS	discrete	numeric	
V1036	m78j	NA-During first 2 days health provider: CS	discrete	numeric	

REC42

Content WOMAN - Health and Breastfeeding

Cases 16787

Variable(s) 179

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V1037	hhid	Case Identification	discrete	character	
V1038	caseid	Case Identification	discrete	character	
V1039	v401	Last birth a caesarean section	discrete	numeric	
V1040	v404	Currently breastfeeding	discrete	numeric	
V1041	v405	Currently amenorrheic	discrete	numeric	
V1042	v406	Currently abstaining	discrete	numeric	
V1043	v407	NA-Number of times breastfed during night	discrete	numeric	
V1044	v408	NA-Number of times breastfed during day	discrete	numeric	
V1045	v409	Gave child plain water	discrete	numeric	
V1046	v409a	NA-Gave child sugar water	discrete	numeric	
V1047	v410	Gave child juice	discrete	numeric	
V1048	v410a	NA-Gave child tea or coffee	discrete	numeric	
V1049	v411	Gave child tinned, powdered or fresh milk	discrete	numeric	
V1050	v411a	Gave child baby formula	discrete	numeric	
V1051	v412	NA-Gave child fresh milk	discrete	numeric	
V1052	v412a	Gave child fortified baby food (cerelac, etc)	discrete	numeric	
V1053	v412b	NA-Gave child other porridge/gruel	discrete	numeric	
V1054	v412c	Gave child soup/clear broth	discrete	numeric	
V1055	v413	Gave child other liquid	discrete	numeric	
V1056	v413a	NA- Gave child CS liquid	discrete	numeric	
V1057	v413b	NA-Gave child CS liquid	discrete	numeric	
V1058	v413c	NA-Gave child CS liquid	discrete	numeric	
V1059	v413d	NA-Gave child CS liquid	discrete	numeric	
V1060	v414a	Gave child CS foods	discrete	numeric	
V1061	v414b	NA-Gave child CS foods	discrete	numeric	
V1062	v414c	NA-Gave child CS foods	discrete	numeric	
V1063	v414d	NA-Gave child CS foods	discrete	numeric	
V1064	v414e	Gave child bread, noodles, other made from grains	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1065	v414f	Gave child potatoes, cassava, or other tubers	discrete	numeric	
V1066	v414g	Gave child eggs	discrete	numeric	
V1067	v414h	Gave child meat (beef, pork, lamb, chicken, etc)	discrete	numeric	
V1068	v414i	Gave child pumpkin, carrots, squash (yellow or orange inside)	discrete	numeric	
V1069	v414j	Gave child any dark green leafy vegetables	discrete	numeric	
V1070	v414k	Gave child mangoes, papayas, other vitamin A fruits	discrete	numeric	
V1071	v414l	Gave child any other fruits	discrete	numeric	
V1072	v414m	Gave child liver, heart, other organs	discrete	numeric	
V1073	v414n	Gave child fish or shellfish	discrete	numeric	
V1074	v414o	Gave child food made from beans, peas, lentils, nuts	discrete	numeric	
V1075	v414p	Gave child cheese, yogurt, other milk products	discrete	numeric	
V1076	v414q	Gave child oil, fats, butter, products made of them	discrete	numeric	
V1077	v414r	NA-Gave child chocolates, sweets, candies, pastries, etc	discrete	numeric	
V1078	v414s	NA-Gave child other solid-semisolid food	discrete	numeric	
V1079	v414t	NA-Gave child CS foods	discrete	numeric	
V1080	v414u	NA-Gave child CS foods	discrete	numeric	
V1081	v414v	Gave child yogurt	discrete	numeric	
V1082	v414w	NA-Gave child CS foods	discrete	numeric	
V1083	v415	Drank from bottle with nipple yesterday/last night	discrete	numeric	
V1084	v416	Heard of oral rehydration	discrete	numeric	
V1085	v417	Entries in pregnancy and postnatal care roster	discrete	numeric	
V1086	v418	Entries in immunization roster	discrete	numeric	
V1087	v418a	Entries in child health roster	discrete	numeric	
V1088	v419	Entries in height/weight roster	discrete	numeric	
V1089	v420	NA-Measurer's code	discrete	numeric	
V1090	v421	NA-Assistant measurer's code	discrete	numeric	
V1091	v426	When child put to breast	discrete	numeric	
V1092	v437	NA-Respondent's weight in kilograms (1 decimal)	discrete	numeric	
V1093	v438	NA-Respondent's height in centimeters (1 decimal)	discrete	numeric	
V1094	v439	Height/Age percentile	discrete	numeric	
V1095	v440	Height/Age standard deviation	discrete	numeric	
V1096	v441	Height/Age percent ref. median	discrete	numeric	
V1097	v442	Weight/Height percent ref. median (DHS)	discrete	numeric	
V1098	v443	Weight/Height percent ref. median (Fog)	discrete	numeric	
V1099	v444	Weight/Height percent ref. median (WHO)	discrete	numeric	
V1100	v444a	Weight/Height standard deviation (DHS)	discrete	numeric	
V1101	v445	NA- Body Mass Index	discrete	numeric	
V1102	v446	Rohrer's index	discrete	numeric	
V1103	v447	Result of measurement - height/weight	discrete	numeric	
V1104	v447a	Women's age in years (from household questionnaire)	contin	numeric	

ID	Name	Label	Type	Format	Question
V1105	v452a	Under age 18 (from household questionnaire)	discrete	numeric	
V1106	v452b	Line number of parent/caretaker	discrete	numeric	
V1107	v452c	Read consent statement - hemoglobin	discrete	numeric	
V1108	v453	Hemoglobin level (g/dl - 1 decimal)	contin	numeric	
V1109	v454	Currently pregnant (from household questionnaire)	discrete	numeric	
V1110	v455	Result of measurement - hemoglobin	discrete	numeric	
V1111	v456	Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)	discrete	numeric	
V1112	v457	Anemia level	discrete	numeric	
V1113	v458	NA-Agrees to referral - anemia	discrete	numeric	
V1114	v459	Have mosquito bed net for sleeping (from household questionnaire)	discrete	numeric	
V1115	v460	Children under 5 slept under mosquito bed net last night (household questionnair	discrete	numeric	
V1116	v461	Respondent slept under mosquito bed net	discrete	numeric	
V1117	v462	NA-Washed hands before preparing last meal	discrete	numeric	
V1118	v463a	Smokes cigarettes	discrete	numeric	
V1119	v463b	Smokes pipe full of tobacco	discrete	numeric	
V1120	v463c	Chews tobacco	discrete	numeric	
V1121	v463d	Snuffs by nose	discrete	numeric	
V1122	v463e	Smokes kreteks	discrete	numeric	
V1123	v463f	Smokes cigars, cheroots or cigarillos	discrete	numeric	
V1124	v463g	Smokes water pipe	discrete	numeric	
V1125	v463h	Snuff by mouth	discrete	numeric	
V1126	v463i	NA-Chews betel quid with tobacco	discrete	numeric	
V1127	v463j	Smokes rolled cigarettes (CS)	discrete	numeric	
V1128	v463k	NA-Smokes country specific	discrete	numeric	
V1129	v463l	NA-Smokes country specific	discrete	numeric	
V1130	v463x	Smokes other	discrete	numeric	
V1131	v463z	Does not use cigarettes and tobacco	discrete	numeric	
V1132	v463aa	Frequency smokes cigarettes	discrete	numeric	
V1133	v463ab	Frequency currently uses other type of tobacco	discrete	numeric	
V1134	v464	Number of cigarettes in last 24 hours	discrete	numeric	
V1135	v465	Disposal of youngest child's stools when not using toilet	discrete	numeric	
V1136	v466	NA-When child is seriously ill, can decide whether medical treatment sought	discrete	numeric	
V1137	v467a	NA-Getting medical help for self: know where to go	discrete	numeric	
V1138	v467b	Getting medical help for self: getting permission to go	discrete	numeric	
V1139	v467c	Getting medical help for self: getting money needed for treatment	discrete	numeric	
V1140	v467d	Getting medical help for self: distance to health facility	discrete	numeric	
V1141	v467e	NA-Getting medical help for self: having to take transport	discrete	numeric	
V1142	v467f	Getting medical help for self: not wanting to go alone	discrete	numeric	
V1143	v467g	NA-Getting medical help for self: concern no female health provider	discrete	numeric	
V1144	v467h	NA-Getting medical help for self: concern no provider	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1145	v467i	NA-Getting medical help for self: concern no drugs available	discrete	numeric	
V1146	v467j	NA-Getting medical help for self: CS	discrete	numeric	
V1147	v467k	NA-Getting medical help for self: CS	discrete	numeric	
V1148	v467l	NA-Getting medical help for self: CS	discrete	numeric	
V1149	v467m	NA-Getting medical help for self: CS	discrete	numeric	
V1150	v468	Record for Last Birth	discrete	numeric	
V1151	v469e	Times gave child powdered/tinned/fresh milk	discrete	numeric	
V1152	v469f	Times gave child infant formula	discrete	numeric	
V1153	v469x	Times gave child yogurt	discrete	numeric	
V1154	v471a	NA-Mother had tinned, powdered or fresh milk	discrete	numeric	
V1155	v471b	NA-Mother had tea or coffee	discrete	numeric	
V1156	v471c	NA-Mother had any other liquid	discrete	numeric	
V1157	v471d	NA-Mother had CS liquid	discrete	numeric	
V1158	v471e	NA-Mother had CS liquid	discrete	numeric	
V1159	v471f	NA-Mother had CS liquid	discrete	numeric	
V1160	v471g	NA-Mother had CS liquid	discrete	numeric	
V1161	v472a	NA-Mother had CS foods	discrete	numeric	
V1162	v472b	NA-Mother had CS foods	discrete	numeric	
V1163	v472c	NA-Mother had CS foods	discrete	numeric	
V1164	v472d	NA-Mother had CS foods	discrete	numeric	
V1165	v472e	NA-Mother had bread, noodles, other made from grains	discrete	numeric	
V1166	v472f	NA-Mother had potatoes, cassava, or other tubers	discrete	numeric	
V1167	v472g	NA-Mother had eggs	discrete	numeric	
V1168	v472h	NA-Mother had meat (beef, pork, lamb, chicken, etc)	discrete	numeric	
V1169	v472i	NA-Mother had pumpkin, carrots, squash (yellow or orange inside)	discrete	numeric	
V1170	v472j	NA-Mother had any dark green leafy vegetables	discrete	numeric	
V1171	v472k	NA-Mother had mangoes, papayas, other vitamin A fruits	discrete	numeric	
V1172	v472l	NA-Mother had any other fruits	discrete	numeric	
V1173	v472m	NA-Mother had liver, heart, other organs	discrete	numeric	
V1174	v472n	NA-Mother had fish or shellfish	discrete	numeric	
V1175	v472o	NA-Mother had food made from beans, peas, lentils, nuts	discrete	numeric	
V1176	v472p	NA-Mother had cheese, yogurt, other milk products	discrete	numeric	
V1177	v472q	NA-Mother had oil, fats, butter, products made of them	discrete	numeric	
V1178	v472r	NA-Mother had chocolates, sweets, candies, pastries, etc	discrete	numeric	
V1179	v472s	NA-Mother had other solid-semisolid food	discrete	numeric	
V1180	v472t	NA-Mother had CS foods	discrete	numeric	
V1181	v472u	NA-Mother had CS foods	discrete	numeric	
V1182	v473a	Read consent statement - HIV	discrete	numeric	
V1183	v473b	Result of measurement - HIV	discrete	numeric	
V1184	v474	NA-Heard of tuberculosis or TB	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1185	v474a	NA-Tuberculosis spread by: air when coughing or sneezing	discrete	numeric	
V1186	v474b	NA-Tuberculosis spread by: sharing utensils	discrete	numeric	
V1187	v474c	NA-Tuberculosis spread by: touching a person with TB	discrete	numeric	
V1188	v474d	NA-Tuberculosis spread by: food	discrete	numeric	
V1189	v474e	NA-Tuberculosis spread by: sexual contact	discrete	numeric	
V1190	v474f	NA-Tuberculosis spread by: mosquito bites	discrete	numeric	
V1191	v474g	NA-Tuberculosis spread by: CS	discrete	numeric	
V1192	v474h	NA-Tuberculosis spread by: CS	discrete	numeric	
V1193	v474i	NA-Tuberculosis spread by: CS	discrete	numeric	
V1194	v474j	NA-Tuberculosis spread by: CS	discrete	numeric	
V1195	v474x	NA-Tuberculosis spread by: other	discrete	numeric	
V1196	v474z	NA-Tuberculosis spread by: don't know	discrete	numeric	
V1197	v475	NA-Tuberculosis can be cured	discrete	numeric	
V1198	v476	NA-Keep secret when family member gets TB	discrete	numeric	
V1199	v477	Number of injections in last 12 months	discrete	numeric	
V1200	v478	Number of injections administered by a health worker	discrete	numeric	
V1201	v479	NA-Place of injection by health worker	discrete	numeric	
V1202	v480	Syringe and needle from new, unopened package	discrete	numeric	
V1203	v481	Covered by health insurance	discrete	numeric	
V1204	v481a	NA-Health insurance type: mutual/community organization	discrete	numeric	
V1205	v481b	NA-Health insurance type: provided by employer	discrete	numeric	
V1206	v481c	NA-Health insurance type: social security	discrete	numeric	
V1207	v481d	NA-Health insurance type: private/commercially purchased	discrete	numeric	
V1208	v481e	NA-Health insurance type: CS	discrete	numeric	
V1209	v481f	NA-Health insurance type: CS	discrete	numeric	
V1210	v481g	NA-Health insurance type: CS	discrete	numeric	
V1211	v481h	NA-Health insurance type: CS	discrete	numeric	
V1212	v481x	NA-Health insurance type: other	discrete	numeric	
V1213	v482a	NA-Arrange care of biological children under age 18	discrete	numeric	
V1214	v482b	NA-Primary caregiver of children under age 18	discrete	numeric	
V1215	v482c	NA-Arrange care of non-biological children < 18	discrete	numeric	

REC43

Content	WOMAN - Child's vaccinations
Cases	7328
Variable(s)	138
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1216	hhid	Case Identification	discrete	character	
V1217	caseid	Case Identification	discrete	character	
V1218	hidx	Index to birth history	discrete	numeric	
V1219	h1	Has health card	discrete	numeric	
V1220	h1a	Has health card and or other vaccination document	discrete	numeric	
V1221	h2	Received BCG	discrete	numeric	
V1222	h2d	BCG day	discrete	numeric	
V1223	h2m	BCG month	discrete	numeric	
V1224	h2y	BCG year	discrete	numeric	
V1225	h3	Received DPT 1	discrete	numeric	
V1226	h3d	DPT 1 day	discrete	numeric	
V1227	h3m	DPT 1 month	discrete	numeric	
V1228	h3y	DPT 1 year	discrete	numeric	
V1229	h4	Received POLIO 1	discrete	numeric	
V1230	h4d	POLIO 1 day	discrete	numeric	
V1231	h4m	POLIO 1 month	discrete	numeric	
V1232	h4y	POLIO 1 year	discrete	numeric	
V1233	h5	Received DPT 2	discrete	numeric	
V1234	h5d	DPT 2 day	discrete	numeric	
V1235	h5m	DPT 2 month	discrete	numeric	
V1236	h5y	DPT 2 year	discrete	numeric	
V1237	h6	Received POLIO 2	discrete	numeric	
V1238	h6d	POLIO 2 day	discrete	numeric	
V1239	h6m	POLIO 2 month	discrete	numeric	
V1240	h6y	POLIO 2 year	discrete	numeric	
V1241	h7	Received DPT 3	discrete	numeric	
V1242	h7d	DPT 3 day	discrete	numeric	
V1243	h7m	DPT 3 month	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1244	h7y	DPT 3 year	discrete	numeric	
V1245	h8	Received POLIO 3	discrete	numeric	
V1246	h8d	POLIO 3 day	discrete	numeric	
V1247	h8m	POLIO 3 month	discrete	numeric	
V1248	h8y	POLIO 3 year	discrete	numeric	
V1249	h9	Received MEASLES 1	discrete	numeric	
V1250	h9d	MEASLES 1 day	discrete	numeric	
V1251	h9m	MEASLES 1 month	discrete	numeric	
V1252	h9y	MEASLES 1 year	discrete	numeric	
V1253	h9a	Received MEASLES 2	discrete	numeric	
V1254	h9ad	MEASLES 2 day	discrete	numeric	
V1255	h9am	MEASLES 2 month	discrete	numeric	
V1256	h9ay	MEASLES 2 year	discrete	numeric	
V1257	h0	Received POLIO 0	discrete	numeric	
V1258	h0d	POLIO 0 day	discrete	numeric	
V1259	h0m	POLIO 0 month	discrete	numeric	
V1260	h0y	POLIO 0 year	discrete	numeric	
V1261	h10	Ever had vaccination	discrete	numeric	
V1262	h33	Received Vitamin A1 (most recent)	discrete	numeric	
V1263	h33d	Vitamin A1 day	discrete	numeric	
V1264	h33m	Vitamin A1 month	discrete	numeric	
V1265	h33y	Vitamin A1 year	discrete	numeric	
V1266	h35	Any vaccinations in last 2 years part of campaign	discrete	numeric	
V1267	h36a	Vaccinated during Campaign A	discrete	numeric	
V1268	h36b	Vaccinated during Campaign B	discrete	numeric	
V1269	h36c	Vaccinated during Campaign C	discrete	numeric	
V1270	h36d	Vaccinated during Campaign D	discrete	numeric	
V1271	h36e	Vaccinated during Campaign E	discrete	numeric	
V1272	h36f	Vaccinated during Campaign F	discrete	numeric	
V1273	h40	Received Vitamin A2 (2nd most recent)	discrete	numeric	
V1274	h40d	Vitamin A2 day	discrete	numeric	
V1275	h40m	Vitamin A2 month	discrete	numeric	
V1276	h40y	Vitamin A2 year	discrete	numeric	
V1277	h41a	Received vitamin A after most recent in card	discrete	numeric	
V1278	h41b	Ever received Vitamin A dose	discrete	numeric	
V1279	h50	Received Hepatitis B at birth	discrete	numeric	
V1280	h50d	Hepatitis B at birth day	discrete	numeric	
V1281	h50m	Hepatitis B at birth month	discrete	numeric	
V1282	h50y	Hepatitis B at birth year	discrete	numeric	
V1283	h51	Received Pentavalent 1	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1284	h51d	Pentavalent 1 day	discrete	numeric	
V1285	h51m	Pentavalent 1 month	discrete	numeric	
V1286	h51y	Pentavalent 1 year	discrete	numeric	
V1287	h52	Received Pentavalent 2	discrete	numeric	
V1288	h52d	Pentavalent 2 day	discrete	numeric	
V1289	h52m	Pentavalent 2 month	discrete	numeric	
V1290	h52y	Pentavalent 2 year	discrete	numeric	
V1291	h53	Received Pentavalent 3	discrete	numeric	
V1292	h53d	Pentavalent 3 day	discrete	numeric	
V1293	h53m	Pentavalent 3 month	discrete	numeric	
V1294	h53y	Pentavalent 3 year	discrete	numeric	
V1295	h54	Received Pneumococcal 1	discrete	numeric	
V1296	h54d	Pneumococcal 1 day	discrete	numeric	
V1297	h54m	Pneumococcal 1 month	discrete	numeric	
V1298	h54y	Pneumococcal 1 year	discrete	numeric	
V1299	h55	Received Pneumococcal 2	discrete	numeric	
V1300	h55d	Pneumococcal 2 day	discrete	numeric	
V1301	h55m	Pneumococcal 2 month	discrete	numeric	
V1302	h55y	Pneumococcal 2 year	discrete	numeric	
V1303	h56	Received Pneumococcal 3	discrete	numeric	
V1304	h56d	Pneumococcal 3 day	discrete	numeric	
V1305	h56m	Pneumococcal 3 month	discrete	numeric	
V1306	h56y	Pneumococcal 3 year	discrete	numeric	
V1307	h57	Received Rotavirus 1	discrete	numeric	
V1308	h57d	Rotavirus 1 day	discrete	numeric	
V1309	h57m	Rotavirus 1 month	discrete	numeric	
V1310	h57y	Rotavirus 1 year	discrete	numeric	
V1311	h58	Received Rotavirus 2	discrete	numeric	
V1312	h58d	Rotavirus 2 day	discrete	numeric	
V1313	h58m	Rotavirus 2 month	discrete	numeric	
V1314	h58y	Rotavirus 2 year	discrete	numeric	
V1315	h59	Received Rotavirus 3	discrete	numeric	
V1316	h59d	Rotavirus 3 day	discrete	numeric	
V1317	h59m	Rotavirus 3 month	discrete	numeric	
V1318	h59y	Rotavirus 3 year	discrete	numeric	
V1319	h60	Received Polio inactive	discrete	numeric	
V1320	h60d	Polio inactive day	discrete	numeric	
V1321	h60m	Polio inactive month	discrete	numeric	
V1322	h60y	Polio inactive year	discrete	numeric	
V1323	h61	Received Hepatitis B 1	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1324	h61d	Hepatitis B 1 day	discrete	numeric	
V1325	h61m	Hepatitis B 1 month	discrete	numeric	
V1326	h61y	Hepatitis B 1 year	discrete	numeric	
V1327	h62	Received Hepatitis B 2	discrete	numeric	
V1328	h62d	Hepatitis B 2 day	discrete	numeric	
V1329	h62m	Hepatitis B 2 month	discrete	numeric	
V1330	h62y	Hepatitis B 2 year	discrete	numeric	
V1331	h63	Received Hepatitis B 3	discrete	numeric	
V1332	h63d	Hepatitis B 3 day	discrete	numeric	
V1333	h63m	Hepatitis B 3 month	discrete	numeric	
V1334	h63y	Hepatitis B 3 year	discrete	numeric	
V1335	h64	Received HiB 1	discrete	numeric	
V1336	h64d	HiB 1 day	discrete	numeric	
V1337	h64m	HiB 1 month	discrete	numeric	
V1338	h64y	HiB 1 year	discrete	numeric	
V1339	h65	Received HiB 2	discrete	numeric	
V1340	h65d	HiB 2 day	discrete	numeric	
V1341	h65m	HiB 2 month	discrete	numeric	
V1342	h65y	HiB 2 year	discrete	numeric	
V1343	h66	Received HiB 3	discrete	numeric	
V1344	h66d	HiB 3 day	discrete	numeric	
V1345	h66m	HiB 3 month	discrete	numeric	
V1346	h66y	HiB 3 year	discrete	numeric	
V1347	h80a	In the last 7 days given: micronutrient powder	discrete	numeric	
V1348	h80b	In the last 7 days given: plumpy'nut ready to use therapeutic food	discrete	numeric	
V1349	h80c	In the last 7 days given: plumpy'doz for ready to use supplemental food	discrete	numeric	
V1350	h80d	In the last 7 days given: CS	discrete	numeric	
V1351	h80e	In the last 7 days given: CS	discrete	numeric	
V1352	h80f	In the last 7 days given: CS	discrete	numeric	
V1353	h80g	In the last 7 days given: CS	discrete	numeric	

REC4A

Content	WOMAN - Child's health
Cases	12185
Variable(s)	117
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V506	hhid	Case Identification	discrete	character	
V507	caseid	Case Identification	discrete	character	
V508	hidxa	Index to birth history	discrete	numeric	
V509	h11	Had diarrhea recently	discrete	numeric	
V510	h11b	Blood in the stools	discrete	numeric	
V511	h12a	Diarrhea: Government hospital	discrete	numeric	
V512	h12b	Diarrhea: CS public health center	discrete	numeric	
V513	h12c	Diarrhea: CS public health post	discrete	numeric	
V514	h12d	Diarrhea: Mobile Clinic	discrete	numeric	
V515	h12e	Diarrhea: Public Health worker	discrete	numeric	
V516	h12f	Diarrhea: Other public	discrete	numeric	
V517	h12g	NA -Diarrhea: CS public sector	discrete	numeric	
V518	h12h	NA -Diarrhea: CS public sector	discrete	numeric	
V519	h12i	NA -Diarrhea: CS public sector	discrete	numeric	
V520	h12j	Diarrhea: private hospital/clinic	discrete	numeric	
V521	h12k	Diarrhea: private pharmacy	discrete	numeric	
V522	h12l	Diarrhea: private doctor	discrete	numeric	
V523	h12m	Diarrhea: Private mobile clinic	discrete	numeric	
V524	h12n	Diarrhea: CS private health worker	discrete	numeric	
V525	h12o	Diarrhea: CS private other sector	discrete	numeric	
V526	h12p	NA -Diarrhea: CS private	discrete	numeric	
V527	h12q	NA -Diarrhea: CS private medical	discrete	numeric	
V528	h12r	NA -Diarrhea: CS private medical	discrete	numeric	
V529	h12s	Diarrhea: CS Shop	discrete	numeric	
V530	h12t	Diarrhea: Traditional Practitioner	discrete	numeric	
V531	h12u	Diarrhea: CS Market	discrete	numeric	
V532	h12v	Diarrhea: CS Drugs Vendor	discrete	numeric	
V533	h12w	Diarrhea: CS other sector	discrete	numeric	

ID	Name	Label	Type	Format	Question
V534	h12x	Diarrhea: Other	discrete	numeric	
V535	h12y	Diarrhea: no treatment	discrete	numeric	
V536	h12z	Diarrhea: medical treatment	discrete	numeric	
V537	h13	Given oral rehydration	discrete	numeric	
V538	h13b	Given pre-packaged ORS liquid	discrete	numeric	
V539	h14	Given recommended home solution	discrete	numeric	
V540	h15	Given antibiotic pills or syrups	discrete	numeric	
V541	h15a	Given antimotility	discrete	numeric	
V542	h15b	Given antibiotic injection	discrete	numeric	
V543	h15c	Given intravenous (IV)	discrete	numeric	
V544	h15d	Given home remedy, herbal medicine	discrete	numeric	
V545	h15e	Given zinc	discrete	numeric	
V546	h15f	Given other (not antibiotic, antimotility, zinc)	discrete	numeric	
V547	h15g	Given unknown pill or syrup	discrete	numeric	
V548	h15h	Given non-antibiotic injection	discrete	numeric	
V549	h15i	Given unknown injection	discrete	numeric	
V550	h15j	Given CS	discrete	numeric	
V551	h15k	NA-Given CS	discrete	numeric	
V552	h15l	NA-Given CS	discrete	numeric	
V553	h15m	NA-Given CS	discrete	numeric	
V554	h20	Given other treatment	discrete	numeric	
V555	h21a	Given no treatment	discrete	numeric	
V556	h21	Received any treatment	discrete	numeric	
V557	h22	Had fever in last two weeks	discrete	numeric	
V558	h31	Had cough in last two weeks	discrete	numeric	
V559	h31b	Short, rapid breaths	discrete	numeric	
V560	h31c	Problem in the chest or blocked or running nose	discrete	numeric	
V561	h31d	NA-Had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric	
V562	h31e	NA-Had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric	
V563	h32a	Fever/cough: Government hospital	discrete	numeric	
V564	h32b	Fever/cough: Government Health Center	discrete	numeric	
V565	h32c	Fever/cough: Health Post	discrete	numeric	
V566	h32d	Fever/cough: Mobile clinic	discrete	numeric	
V567	h32e	Fever/cough: Public Health worker	discrete	numeric	
V568	h32f	Fever/cough: CS Other public sector	discrete	numeric	
V569	h32g	NA-Fever/cough: CS public sector	discrete	numeric	
V570	h32h	NA-Fever/cough: CS public sector	discrete	numeric	
V571	h32i	NA-Fever/cough: CS public sector	discrete	numeric	
V572	h32j	Fever/cough: private hospital/ clinic	discrete	numeric	
V573	h32k	Fever/cough: private pharmacy	discrete	numeric	

ID	Name	Label	Type	Format	Question
V574	h32l	Fever/cough: private doctor	discrete	numeric	
V575	h32m	Fever/cough: private mobile clinic	discrete	numeric	
V576	h32n	Fever/cough: Private Health worker	discrete	numeric	
V577	h32o	Fever/cough: other private sector	discrete	numeric	
V578	h32p	NA -Fever/cough: CS private medical	discrete	numeric	
V579	h32q	NA -Fever/cough: CS private medical	discrete	numeric	
V580	h32r	NA -Fever/cough: CS private medical	discrete	numeric	
V581	h32s	Fever/cough: Shop	discrete	numeric	
V582	h32t	Fever/cough: Traditional Practitioner	discrete	numeric	
V583	h32u	Fever/cough: Market	discrete	numeric	
V584	h32v	Fever/cough: Drugs vendor	discrete	numeric	
V585	h32w	NA-Fever/cough: CS other sector	discrete	numeric	
V586	h32x	Fever/cough: other	discrete	numeric	
V587	h32y	Fever/cough: no treatment	discrete	numeric	
V588	h32z	Fever/cough: medical treatment	discrete	numeric	
V589	h34	Vitamin A in last 6 months	discrete	numeric	
V590	h37a	SP/Fansidar taken for fever	discrete	numeric	
V591	h37b	Chloroquine taken for fever	discrete	numeric	
V592	h37c	Amodiaquine taken for fever	discrete	numeric	
V593	h37d	Quinine taken for fever	discrete	numeric	
V594	h37da	Quinine injection/IV taken for fever	discrete	numeric	
V595	h37e	Combination with artemisinin taken for fever	discrete	numeric	
V596	h37aa	Artesunate rectal taken for fever	discrete	numeric	
V597	h37ab	Artesunate injection/IV taken for fever	discrete	numeric	
V598	h37f	NA-CS antimalarial taken for fever	discrete	numeric	
V599	h37g	NA-CS antimalarial taken for fever	discrete	numeric	
V600	h37h	Other antimalarial taken for fever	discrete	numeric	
V601	h37i	Antibiotic pill/syrup taken for fever	discrete	numeric	
V602	h37j	Antibiotic injection taken for fever	discrete	numeric	
V603	h37k	Aspirin taken for fever	discrete	numeric	
V604	h37l	Acetaminophen	discrete	numeric	
V605	h37m	Ibuprofen taken for fever	discrete	numeric	
V606	h37n	Paracetamol/panadol taken for fever	discrete	numeric	
V607	h37o	NA-CS other for fever/cough	discrete	numeric	
V608	h37p	NA-CS other for fever/cough	discrete	numeric	
V609	h37x	Other taken for fever	discrete	numeric	
V610	h37y	Nothing taken and didn't seek treatment for fever/cough	discrete	numeric	
V611	h37z	Don't know if or what was taken for fever	discrete	numeric	
V612	h38	Diarrhea in last 2 weeks: amount offered to drink	discrete	numeric	
V613	h39	Diarrhea in last 2 weeks: amount offered to eat	discrete	numeric	

ID	Name	Label	Type	Format	Question
V614	h42	Taking iron pills, sprinkles or syrup	discrete	numeric	
V615	h43	Drugs for intestinal parasites in last 6 months	discrete	numeric	
V616	h44a	Place first sought treatment for diarrhea	discrete	numeric	
V617	h44b	NA-Days after diarrhea sought advice or treatment	discrete	numeric	
V618	h44c	NA-Still has diarrhea	discrete	numeric	
V619	h45	NA-Times zinc was given	discrete	numeric	
V620	h46a	Place first sought treatment for fever	discrete	numeric	
V621	h46b	Number of days after fever began sought advice or treatment	discrete	numeric	
V622	h47	Blood taken from child's finger/heel for testing	discrete	numeric	

REC44

Content	WOMAN - Child's Height and Weight
Cases	12185
Variable(s)	32
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1354	hhid	Case Identification	discrete	character	
V1355	caseid	Case Identification	discrete	character	
V1356	hwidx	Index to Birth History	discrete	numeric	
V1357	hw1	Child's age in months	contin	numeric	
V1358	hw2	Child's weight in kilograms (1 decimal)	discrete	numeric	
V1359	hw3	Child's height in centimeters (1 decimal)	discrete	numeric	
V1360	hw4	Height/Age percentile	discrete	numeric	
V1361	hw5	Height/Age standard deviation	discrete	numeric	
V1362	hw6	Height/Age percent of ref. median	discrete	numeric	
V1363	hw7	Weight/Age percentile	discrete	numeric	
V1364	hw8	Weight/Age standard deviation	discrete	numeric	
V1365	hw9	Weight/Age percent of ref. median	discrete	numeric	
V1366	hw10	Weight/Height percentile	discrete	numeric	
V1367	hw11	Weight/Height standard deviation	discrete	numeric	
V1368	hw12	Weight/Height percent of ref. median	discrete	numeric	
V1369	hw13	Result of measurement - height/weight	discrete	numeric	
V1370	hw15	Height: lying or standing	discrete	numeric	
V1371	hw16	Day of birth of child	discrete	numeric	
V1372	hw17	Date measured (day)	contin	numeric	
V1373	hw18	Date measured (month)	discrete	numeric	
V1374	hw19	Date measured (year)	discrete	numeric	
V1375	hw51	Line number of parent/caretaker	discrete	numeric	
V1376	hw52	Read consent statement - hemoglobin	discrete	numeric	
V1377	hw53	Hemoglobin level (g/dl - 1 decimal)	discrete	numeric	
V1378	hw55	Result of measurement - hemoglobin	discrete	numeric	
V1379	hw56	Hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric	
V1380	hw57	Anemia level	discrete	numeric	
V1381	hw58	Agrees to referral - anemia	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1382	hw70	Height/Age standard deviation (new WHO)	discrete	numeric	
V1383	hw71	Weight/Age standard deviation (new WHO)	discrete	numeric	
V1384	hw72	Weight/Height standard deviation (new WHO)	discrete	numeric	
V1385	hw73	BMI standard deviation (new WHO)	discrete	numeric	

REC51

Content	WOMAN - Marriage and Sexual Exposure
Cases	16787
Variable(s)	29
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1386	hhid	Case Identification	discrete	character	
V1387	caseid	Case Identification	discrete	character	
V1388	v501	Current marital status	discrete	numeric	
V1389	v502	Currently/formerly/never in union	discrete	numeric	
V1390	v503	Number of unions	discrete	numeric	
V1391	v504	Currently residing with husband/partner	discrete	numeric	
V1392	v505	Number of other wives	discrete	numeric	
V1393	v506	Respondent's rank among wives	discrete	numeric	
V1394	v507	Month of first cohabitation	discrete	numeric	
V1395	v508	Year of first cohabitation	contin	numeric	
V1396	v509	Date of first cohabitation (CMC)	contin	numeric	
V1397	v510	Completeness of date information in V509	discrete	numeric	
V1398	v511	Age at first cohabitation	contin	numeric	
V1399	v512	Years since first cohabitation	contin	numeric	
V1400	v513	Cohabitation duration (grouped)	discrete	numeric	
V1401	v525	Age at first sex	discrete	numeric	
V1402	v527	Time since last sex	discrete	numeric	
V1403	v528	Time since last sex (in days)	discrete	numeric	
V1404	v529	Time since last sex (in months)	discrete	numeric	
V1405	v530	Flag for V529	discrete	numeric	
V1406	v531	Age at first sex (imputed)	discrete	numeric	
V1407	v532	Flag for V531	discrete	numeric	
V1408	v535	Ever been married or in union	discrete	numeric	
V1409	v536	Recent sexual activity	discrete	numeric	
V1410	v537	Months of abstinence	discrete	numeric	
V1411	v538	NA-How previous marriage or union ended	discrete	numeric	
V1412	v539	NA-Person who received most of late husband's property	discrete	numeric	
V1413	v540	NA-Respondent received any of late husband's assets or valuables	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1414	v541	NA-Intends to wait until marriage to have sex	discrete	numeric	

REC61

Content	WOMAN - Fertility Preferences
Cases	16787
Variable(s)	30
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1415	hhid	Case Identification	discrete	character	
V1416	caseid	Case Identification	discrete	character	
V1417	v602	Fertility preference	discrete	numeric	
V1418	v603	Preferred waiting time for birth of a/another child	discrete	numeric	
V1419	v604	Preferred waiting time for birth of a/another child (grouped)	discrete	numeric	
V1420	v605	Desire for more children	discrete	numeric	
V1421	v613	Ideal number of children	discrete	numeric	
V1422	v614	Ideal number of children (grouped)	discrete	numeric	
V1423	v616	Time for future birth	discrete	numeric	
V1424	v621	Husband's desire for children	discrete	numeric	
V1425	v623	Exposure	discrete	numeric	
V1426	v624	Unmet need	discrete	numeric	
V1427	v625	Exposure (definition 2)	discrete	numeric	
V1428	v626	Unmet need (definition 2)	discrete	numeric	
V1429	v625a	Exposure to need for contraception (definition 3)	discrete	numeric	
V1430	v626a	Unmet need for contraception (definition 3)	discrete	numeric	
V1431	v627	Ideal number of boys	discrete	numeric	
V1432	v628	Ideal number of girls	discrete	numeric	
V1433	v629	Ideal number of either sex	discrete	numeric	
V1434	v631	NA-Problem if became pregnant	discrete	numeric	
V1435	v632	Decision maker for using contraception	discrete	numeric	
V1436	v632a	Decision maker for not using contraception	discrete	numeric	
V1437	v633a	NA-Reason for not having sex: husband has STI	discrete	numeric	
V1438	v633b	Reason for not having sex: husband has other women	discrete	numeric	
V1439	v633c	NA-Reason for not having sex: recent birth	discrete	numeric	
V1440	v633d	NA-Reason for not having sex: tired, not in mood	discrete	numeric	
V1441	v633e	NA-Reason for not having sex: CS	discrete	numeric	
V1442	v633f	NA-Reason for not having sex: CS	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1443	v633g	NA-Reason for not having sex: CS	discrete	numeric	
V1444	v634	NA-Husband knows that respondent is using contraception	discrete	numeric	

REC71

Content	WOMAN - Partner's Characteristics
Cases	16787
Variable(s)	37
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1445	hhid	Case Identification	discrete	character	
V1446	caseid	Case Identification	discrete	character	
V1447	v701	Husband/partner's education level	discrete	numeric	
V1448	v702	Husband/partner's highest year of education (at level in V701)	discrete	numeric	
V1449	v704	Husband/partner's occupation	discrete	numeric	
V1450	v704a	Husband/partner worked in last 7 days/12 months	discrete	numeric	
V1451	v705	Husband/partner's occupation (grouped)	discrete	numeric	
V1452	v714	Respondent currently working	discrete	numeric	
V1453	v714a	Respondent has a job, but currently absent	discrete	numeric	
V1454	v715	Husband/partner's total number of years of education	discrete	numeric	
V1455	v716	Respondent's occupation	discrete	numeric	
V1456	v717	Respondent's occupation (grouped)	discrete	numeric	
V1457	v719	Respondent works for family, others, self	discrete	numeric	
V1458	v721	NA-Respondent works at home or away	discrete	numeric	
V1459	v729	Husband/partner's educational attainment	discrete	numeric	
V1460	v730	Husband/partner's age	discrete	numeric	
V1461	v731	Respondent worked in last 12 months	discrete	numeric	
V1462	v732	Respondent employed all year/seasonal	discrete	numeric	
V1463	v739	Person who usually decides how to spend respondent's earnings	discrete	numeric	
V1464	v740	NA-Type of land where respondent works	discrete	numeric	
V1465	v741	Type of earnings from respondent's work	discrete	numeric	
V1466	v743a	Person who usually decides on respondent's health care	discrete	numeric	
V1467	v743b	Person who usually decides on large household purchases	discrete	numeric	
V1468	v743c	NA-Person who usually decides on household purchases for daily needs	discrete	numeric	
V1469	v743d	Person who usually decides on visits to family or relatives	discrete	numeric	
V1470	v743e	NA-Person who usually decides on food to be cooked each day	discrete	numeric	
V1471	v743f	Person who usually decides what to do with money husband earns	discrete	numeric	
V1472	v744a	Beating justified if wife goes out without telling husband	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1473	v744b	Beating justified if wife neglects the children	discrete	numeric	
V1474	v744c	Beating justified if wife argues with husband	discrete	numeric	
V1475	v744d	Beating justified if wife refuses to have sex with husband	discrete	numeric	
V1476	v744e	Beating justified if wife burns the food	discrete	numeric	
V1477	v745a	Owns a house alone or jointly	discrete	numeric	
V1478	v745b	Owns land alone or jointly	discrete	numeric	
V1479	v745c	Title deed on house own by respondent	discrete	numeric	
V1480	v745d	Title deed on land own by respondent	discrete	numeric	
V1481	v746	Respondent earns more than husband/partner	discrete	numeric	

REC75

Content	WOMAN - AIDS, STIs and Condom Use
Cases	16787
Variable(s)	143
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1482	hhid	Case Identification	discrete	character	
V1483	caseid	Case Identification	discrete	character	
V1484	v750	Ever heard of a Sexually Transmitted Infection (STI)	discrete	numeric	
V1485	v751	Ever heard of AIDS	discrete	numeric	
V1486	v754bp	NA-Reduce risk of getting HIV: do not have sex at all	discrete	numeric	
V1487	v754cp	Reduce risk of getting HIV: always use condoms during sex	discrete	numeric	
V1488	v754dp	Reduce risk of getting HIV: have 1 sex partner only, who has no other partners	discrete	numeric	
V1489	v754jp	Can get HIV from mosquito bites	discrete	numeric	
V1490	v754wp	Can get HIV by sharing food with person who has AIDS	discrete	numeric	
V1491	v756	A healthy looking person can have HIV	discrete	numeric	
V1492	v761	Condom used during last sex with most recent partner	discrete	numeric	
V1493	v761b	Condom used during last sex with 2nd to most recent partner	discrete	numeric	
V1494	v761c	Condom used during last sex with 3rd to most recent partner	discrete	numeric	
V1495	v762	Source of condoms used for last sex	discrete	numeric	
V1496	v762a	Brand of condom used for last sex	discrete	numeric	
V1497	v762aa	NA-Source for condoms: Government hospital	discrete	numeric	
V1498	v762ab	NA-Source for condoms: CS public	discrete	numeric	
V1499	v762ac	NA-Source for condoms: CS public	discrete	numeric	
V1500	v762ad	NA-Source for condoms: CS public	discrete	numeric	
V1501	v762ae	NA-Source for condoms: CS public	discrete	numeric	
V1502	v762af	NA-Source for condoms: CS public	discrete	numeric	
V1503	v762ag	NA-Source for condoms: CS public	discrete	numeric	
V1504	v762ah	NA-Source for condoms: CS public	discrete	numeric	
V1505	v762ai	NA-Source for condoms: CS public	discrete	numeric	
V1506	v762aj	NA-Source for condoms: private hospital/clinic	discrete	numeric	
V1507	v762ak	NA-Source for condoms: pharmacy	discrete	numeric	
V1508	v762al	NA-Source for condoms: private doctor	discrete	numeric	
V1509	v762am	NA-Source for condoms: CS private	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1510	v762an	NA-Source for condoms: CS private	discrete	numeric	
V1511	v762ao	NA-Source for condoms: CS private	discrete	numeric	
V1512	v762ap	NA-Source for condoms: CS private	discrete	numeric	
V1513	v762aq	NA-Source for condoms: CS private	discrete	numeric	
V1514	v762ar	NA-Source for condoms: CS private	discrete	numeric	
V1515	v762as	NA-Source for condoms: CS other	discrete	numeric	
V1516	v762at	NA-Source for condoms: CS other	discrete	numeric	
V1517	v762au	NA-Source for condoms: CS other	discrete	numeric	
V1518	v762av	NA-Source for condoms: CS other	discrete	numeric	
V1519	v762aw	NA-Source for condoms: CS other	discrete	numeric	
V1520	v762ax	NA-Source for condoms: other	discrete	numeric	
V1521	v762az	NA-Don't know any source for condoms	discrete	numeric	
V1522	v762ba	NA-Source for female condoms: Government hospital	discrete	numeric	
V1523	v762bb	NA-Source for female condoms: CS public	discrete	numeric	
V1524	v762bc	NA-Source for female condoms: CS public	discrete	numeric	
V1525	v762bd	NA-Source for female condoms: CS public	discrete	numeric	
V1526	v762be	NA-Source for female condoms: CS public	discrete	numeric	
V1527	v762bf	NA-Source for female condoms: CS public	discrete	numeric	
V1528	v762bg	NA-Source for female condoms: CS public	discrete	numeric	
V1529	v762bh	NA-Source for female condoms: CS public	discrete	numeric	
V1530	v762bi	NA-Source for female condoms: CS public	discrete	numeric	
V1531	v762bj	NA-Source for female condoms: private hospital/clinic	discrete	numeric	
V1532	v762bk	NA-Source for female condoms: pharmacy	discrete	numeric	
V1533	v762bl	NA-Source for female condoms: private doctor	discrete	numeric	
V1534	v762bm	NA-Source for female condoms: CS private	discrete	numeric	
V1535	v762bn	NA-Source for female condoms: CS private	discrete	numeric	
V1536	v762bo	NA-Source for female condoms: CS private	discrete	numeric	
V1537	v762bp	NA-Source for female condoms: CS private	discrete	numeric	
V1538	v762bq	NA-Source for female condoms: CS private	discrete	numeric	
V1539	v762br	NA-Source for female condoms: CS private	discrete	numeric	
V1540	v762bs	NA-Source for female condoms: CS other	discrete	numeric	
V1541	v762bt	NA-Source for female condoms: CS other	discrete	numeric	
V1542	v762bu	NA-Source for female condoms: CS other	discrete	numeric	
V1543	v762bv	NA-Source for female condoms: CS other	discrete	numeric	
V1544	v762bw	NA-Source for female condoms: CS other	discrete	numeric	
V1545	v762bx	NA-Source for female condoms: other	discrete	numeric	
V1546	v762bz	NA-Don't know any source for female condoms	discrete	numeric	
V1547	v763a	Had any STI in last 12 months	discrete	numeric	
V1548	v763b	Had genital sore/ulcer in last 12 months	discrete	numeric	
V1549	v763c	Had genital discharge in last 12 months	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1550	v763d	Had CS STI in last 12 months	discrete	numeric	
V1551	v763e	Had CS STI in last 12 months	discrete	numeric	
V1552	v763f	Had CS STI in last 12 months	discrete	numeric	
V1553	v763g	Had CS STI in last 12 months	discrete	numeric	
V1554	v766a	Number of sex partners, excluding spouse, in last 12 months	discrete	numeric	
V1555	v766b	Number of sex partners, including spouse, in last 12 months	discrete	numeric	
V1556	v767a	Relationship with most recent sex partner	discrete	numeric	
V1557	v767b	Relationship with 2nd to most recent sex partner	discrete	numeric	
V1558	v767c	Relationship with 3rd to most recent sex partner	discrete	numeric	
V1559	v768a	NA-Length of time knows last partner	discrete	numeric	
V1560	v768b	NA-Length of time knows other partner (1)	discrete	numeric	
V1561	v768c	NA-Length of time knows other partner (2)	discrete	numeric	
V1562	v769	NA-Can get a condom	discrete	numeric	
V1563	v769a	NA-Can get a female condom	discrete	numeric	
V1564	v770	Sought advice/treatment for last STI infection	discrete	numeric	
V1565	v770a	Sought STI advice/treatment from: Government hospital	discrete	numeric	
V1566	v770b	Sought STI advice/treatment from: Government health center	discrete	numeric	
V1567	v770c	Sought STI advice/treatment from: Government health post	discrete	numeric	
V1568	v770d	Sought STI advice/treatment from: public Family Planning center	discrete	numeric	
V1569	v770e	Sought STI advice/treatment from: Rural maternity clinic (CS)	discrete	numeric	
V1570	v770f	Sought STI advice/treatment from: Government Health Hut (Case de Sant)	discrete	numeric	
V1571	v770g	Sought STI advice/treatment from: community pharmacy	discrete	numeric	
V1572	v770h	Sought STI advice/treatment from: VCT center	discrete	numeric	
V1573	v770i	Sought STI advice/treatment from: Outreach strategy/mobile team	discrete	numeric	
V1574	v770j	Sought STI advice/treatment from: Other public	discrete	numeric	
V1575	v770k	Sought STI advice/treatment from: private hospital/clinic/doctor	discrete	numeric	
V1576	v770l	Sought STI advice/treatment from: private pharmacy	discrete	numeric	
V1577	v770m	Sought STI advice/treatment from: private doctor	discrete	numeric	
V1578	v770n	Sought STI advice/treatment from: private laboratory	discrete	numeric	
V1579	v770o	Sought STI advice/treatment from: religious dispensary	discrete	numeric	
V1580	v770p	Sought STI advice/treatment from: Other private	discrete	numeric	
V1581	v770q	NA- Sought STI advice/treatment from: CS private	discrete	numeric	
V1582	v770r	NA- Sought STI advice/treatment from: CS private	discrete	numeric	
V1583	v770s	NA- Sought STI advice/treatment from: CS private	discrete	numeric	
V1584	v770t	Sought STI advice/treatment from: CS Shop	discrete	numeric	
V1585	v770u	Sought STI advice/treatment from: CS church	discrete	numeric	
V1586	v770v	Sought STI advice/treatment from: Friends/relatives	discrete	numeric	
V1587	v770w	Sought STI advice/treatment from: CS other bar	discrete	numeric	
V1588	v770x	Sought STI advice/treatment from: other	discrete	numeric	
V1589	v774a	HIV transmitted during pregnancy	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1590	v774b	HIV transmitted during delivery	discrete	numeric	
V1591	v774c	HIV transmitted by breastfeeding	discrete	numeric	
V1592	v775	NA-Knows someone who has, or is suspected of having, HIV	discrete	numeric	
V1593	v777	Would want HIV infection in family to remain secret	discrete	numeric	
V1594	v777a	Would be ashamed if someone in the family had HIV	discrete	numeric	
V1595	v778	NA-Willing to care for relative with AIDS	discrete	numeric	
V1596	v779	NA-A female teacher infected with HIV, but is not sick, should be allowed to con	discrete	numeric	
V1597	v780	NA-Children should be taught about condoms to avoid AIDS	discrete	numeric	
V1598	v781	Ever been tested for HIV	discrete	numeric	
V1599	v783	Know a place to get HIV test	discrete	numeric	
V1600	v784a	Place for HIV test: Government hospital	discrete	numeric	
V1601	v784b	Place for HIV test: Government health center	discrete	numeric	
V1602	v784c	Place for HIV test: Government health post	discrete	numeric	
V1603	v784d	Place for HIV test: Family Planning center	discrete	numeric	
V1604	v784e	Place for HIV test: Rural maternity clinic	discrete	numeric	
V1605	v784f	Place for HIV test: Government Health Hut (Case de Sant)	discrete	numeric	
V1606	v784g	Place for HIV test: Community pharmacy	discrete	numeric	
V1607	v784h	Place for HIV test: VCT center	discrete	numeric	
V1608	v784i	Place for HIV test: Outreach strategy/mobile team	discrete	numeric	
V1609	v784j	Place for HIV test: Other public	discrete	numeric	
V1610	v784k	Place for HIV test: private hospital/clinic/doctor	discrete	numeric	
V1611	v784l	Place for HIV test: Pharmacy	discrete	numeric	
V1612	v784m	Place for HIV test: Private doctor	discrete	numeric	
V1613	v784n	Place for HIV test: Private laboratory	discrete	numeric	
V1614	v784o	Place for HIV test: Religious dispensary	discrete	numeric	
V1615	v784p	NA -Place for HIV test: CS private	discrete	numeric	
V1616	v784q	NA-Place for HIV test: CS private	discrete	numeric	
V1617	v784r	NA-Place for HIV test: CS private	discrete	numeric	
V1618	v784s	NA-Place for HIV test: Other private	discrete	numeric	
V1619	v784t	Place for HIV test: Shop	discrete	numeric	
V1620	v784u	Place for HIV test: Church	discrete	numeric	
V1621	v784v	Place for HIV test: Friend, relative	discrete	numeric	
V1622	v784x	Place for HIV test: other	discrete	numeric	
V1623	v785	Heard about other STIs	discrete	numeric	
V1624	v791a	Last 12 months had sex in return for gifts, cash or other	discrete	numeric	

REC80

Content	WOMAN - HIV, STIs and Condom Use (continued)
Cases	16787
Variable(s)	76
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1625	hhid	Case Identification	discrete	character	
V1626	caseid	Case Identification	discrete	character	
V1627	v820	NA- Condom used at first sex	discrete	numeric	
V1628	v821a	NA-Most recent sex partner younger, the same age or older	discrete	numeric	
V1629	v821b	NA-2nd to most recent sex partner younger, the same age or older	discrete	numeric	
V1630	v821c	NA-3rd to most recent sex partner younger, the same age or older	discrete	numeric	
V1631	v822	Wife justified asking husband to use condom if he has STI	discrete	numeric	
V1632	v823	Can get HIV by witchcraft or supernatural means	discrete	numeric	
V1633	v824	Drugs to avoid HIV transmission to baby during pregnancy	discrete	numeric	
V1634	v825	Would buy vegetables from vendor with HIV	discrete	numeric	
V1635	v826	NA-Last time tested for HIV	discrete	numeric	
V1636	v826a	Months ago most recent HIV test	discrete	numeric	
V1637	v827	NA-Last HIV test: on your own, offered or required	discrete	numeric	
V1638	v828	Received result from last HIV test	discrete	numeric	
V1639	v829	Place where last HIV test was taken	discrete	numeric	
V1640	v830	Age of first sex partner	discrete	numeric	
V1641	v831	NA-First sex partner younger, same age or older	discrete	numeric	
V1642	v832b	Time since last sex with 2nd to most recent partner	discrete	numeric	
V1643	v832c	Time since last sex with 3rd to most recent partner	discrete	numeric	
V1644	v833a	Used condom every time had sex with most recent partner in last 12 months	discrete	numeric	
V1645	v833b	Used condom every time had sex with 2nd to most recent partner in last 12 months	discrete	numeric	
V1646	v833c	Used condom every time had sex with 3rd to most recent partner in last 12 months	discrete	numeric	
V1647	v834a	Age of most recent partner	discrete	numeric	
V1648	v834b	Age of 2nd to most recent partner	discrete	numeric	
V1649	v834c	Age of 3rd to most recent partner	discrete	numeric	
V1650	v835a	NA-Alcohol consumption at last sex with most recent partner	discrete	numeric	
V1651	v835b	NA-Alcohol consumption at last sex with 2nd to most recent partner	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1652	v835c	NA-Alcohol consumption at last sex with 3rd to most recent partner	discrete	numeric	
V1653	v836	Total lifetime number of sex partners	discrete	numeric	
V1654	v837	NA-Heard of drugs to help HIV infected people live longer	discrete	numeric	
V1655	v838a	During antenatal visit talked about: HIV transmitted mother to child	discrete	numeric	
V1656	v838b	During antenatal visit talked about: things to do to prevent getting HIV	discrete	numeric	
V1657	v838c	During antenatal visit talked about: getting tested for HIV	discrete	numeric	
V1658	v839	Offered HIV test as part of antenatal visit	discrete	numeric	
V1659	v839a	Offered HIV test between the time went for delivery and before baby was born	discrete	numeric	
V1660	v840	Tested for HIV as part of antenatal visit	discrete	numeric	
V1661	v840a	Tested for HIV between the time went for delivery and before baby was born	discrete	numeric	
V1662	v841	Got results of HIV test as part of antenatal visit	discrete	numeric	
V1663	v841a	Got results of HIV test when tested before baby was born	discrete	numeric	
V1664	v842	Place were HIV test was taken as part of antenatal visit	contin	numeric	
V1665	v843	Tested for HIV since antenatal visit test	discrete	numeric	
V1666	v844	NA-Knows someone denied health services for having, or suspected of having, HIV;	discrete	numeric	
V1667	v845	NA-Knows someone denied social events for having, or suspected of having, HIV; i	discrete	numeric	
V1668	v846	NA-Knows someone verbally abused for having, or suspected of having, HIV; in las	discrete	numeric	
V1669	v847	NA-People with HIV should be ashamed of themselves	discrete	numeric	
V1670	v848	NA-People with HIV should be blamed for bringing disease to community	discrete	numeric	
V1671	v849	NA-Children 12-14 should be taught to wait for sex until marriage	discrete	numeric	
V1672	v850a	Respondent can refuse sex	discrete	numeric	
V1673	v850b	Respondent can ask partner to use a condom	discrete	numeric	
V1674	v851a	NA-Young men should wait for sex until marriage	discrete	numeric	
V1675	v851b	NA-Most young men wait for sex until marriage	discrete	numeric	
V1676	v851c	NA-Unmarried sexually active men should only having sex with one partner	discrete	numeric	
V1677	v851d	NA-Most unmarried sexually active men have only one partner	discrete	numeric	
V1678	v851e	NA-Married men should only have sex with their wives	discrete	numeric	
V1679	v851f	NA-Most married men only have sex with their wives	discrete	numeric	
V1680	v851g	NA-Young women should wait for sex until marriage	discrete	numeric	
V1681	v851h	NA-Most young women wait for sex until marriage	discrete	numeric	
V1682	v851i	NA-Unmarried sexually active women should have only one partner	discrete	numeric	
V1683	v851j	NA-Most unmarried sexually active women have only one partner	discrete	numeric	
V1684	v851k	NA-Married women should only have sex with their husbands	discrete	numeric	
V1685	v851l	NA-Most married women only have sex with their husbands	discrete	numeric	
V1686	v852a	How long ago first had sex with most recent partner	discrete	numeric	
V1687	v852b	How long ago first had sex with 2nd most recent partner	discrete	numeric	
V1688	v852c	How long ago first had sex with 3rd most recent partner	discrete	numeric	
V1689	v853a	Times in last 12 months had sex with most recent partner	discrete	numeric	
V1690	v853b	Times in last 12 months had sex with 2nd most recent partner	discrete	numeric	
V1691	v853c	Times in last 12 months had sex with 3rd most recent partner	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1692	v854a	Point concurrent sexual partners	discrete	numeric	
V1693	v854b	Cumulative concurrent sexual partners	discrete	numeric	
V1694	v855	Received counseling after tested for AIDS during antenatal care	discrete	numeric	
V1695	v856	Knowledge and use of HIV test kits	discrete	numeric	
V1696	v857a	Children with HIV should be allowed to attend school with children without HIV	discrete	numeric	
V1697	v857b	People hesitate to take HIV test because reaction of other people if positive	discrete	numeric	
V1698	v857c	People talk badly about people with or believed to have HIV	discrete	numeric	
V1699	v857d	People with or believed to have HIV lose respect from other people	discrete	numeric	
V1700	v858	Would be afraid to get HIV from contact with saliva from infected person	discrete	numeric	

REC81

Content	WOMAN - Characteristics of Interview
Cases	16787
Variable(s)	15
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1701	hhid	Case Identification	discrete	character	
V1702	caseid	Case Identification	discrete	character	
V1703	v801	Time interview started (hhmm - 24 hour clock)	contin	numeric	
V1704	v802	Time interview ended (hhmm - 24 hour clock)	contin	numeric	
V1705	v803	Length of interview in minutes	discrete	numeric	
V1706	v804	Number of visits	discrete	numeric	
V1707	v805	Interviewer identification	contin	numeric	
V1708	v806	Keyer identification	discrete	numeric	
V1709	v811	Presence of children < 10 for 'Wife beating justified' questions	discrete	numeric	
V1710	v812	Presence of husband for 'Wife beating justified' questions	discrete	numeric	
V1711	v813	Presence of other males for 'Wife beating justified' questions	discrete	numeric	
V1712	v814	Presence of other females for 'Wife beating justified' questions	discrete	numeric	
V1713	v815a	Presence of children < 10 during sexual activity section	discrete	numeric	
V1714	v815b	Presence of male adults during sexual activity section	discrete	numeric	
V1715	v815c	Presence of female adults during sexual activity section	discrete	numeric	

REC82

Content WOMAN - Calendar

Cases 50361

Variable(s) 4

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V1716	hhid	Case Identification	discrete	character	
V1717	caseid	Case Identification	discrete	character	
V1718	vcol	Calendar column number	discrete	numeric	
V1719	vcal	Calendar	discrete	character	

REC83

Content	WOMAN - Maternal Mortality
Cases	94155
Variable(s)	19
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1720	hhid	Case Identification	discrete	character	
V1721	caseid	Case Identification	discrete	character	
V1722	mmidx	Index to Maternal Mortality	discrete	numeric	
V1723	mm1	Sex of sibling	discrete	numeric	
V1724	mm2	Survival status of sibling	discrete	numeric	
V1725	mm3	Sibling's current age	discrete	numeric	
V1726	mm4	Sibling's date of birth (CMC)	contin	numeric	
V1727	mm5	Sibling's marital status	discrete	numeric	
V1728	mm6	Years since sibling died	discrete	numeric	
V1729	mm7	Sibling's age at death	discrete	numeric	
V1730	mm8	Date of death of sibling (CMC)	contin	numeric	
V1731	mm9	Sibling's death and pregnancy	discrete	numeric	
V1732	mm10	Death and a pregnancy are related	discrete	numeric	
V1733	mm11	Cause of death sibling	discrete	numeric	
V1734	mm12	Amount of time between sibling's delivery and death	discrete	numeric	
V1735	mm13	Place of sibling's death	discrete	numeric	
V1736	mm14	Number of sibling's children	discrete	numeric	
V1737	mm15	Sibling's year of death	discrete	numeric	
V1738	mm16	Sibling's death due to violence or accident	discrete	numeric	

REC84

Content	WOMAN - Maternal Mortality (suite)
Cases	16787
Variable(s)	6
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1739	hhid	Case Identification	discrete	character	
V1740	caseid	Case Identification	discrete	character	
V1741	mmc1	Number of siblings of respondent	discrete	numeric	
V1742	mmc2	Number of siblings born before respondent's birth	discrete	numeric	
V1743	mmc3	Sister's reporting***	discrete	numeric	
V1744	mmc5	Cut off age for Maternal Mortality collection (in questionnaire)	discrete	numeric	

RECM

Content WOMAN - Malaria

Cases 12185

Variable(s) 69

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V2087	hhid	Case Identification	discrete	character	
V2088	caseid	Case Identification	discrete	character	
V2089	idxml	Index to Birth History	discrete	numeric	
V2090	ml0	Type of mosquito bed net(s) child slept under last night	discrete	numeric	
V2091	ml1	Number of times took fansidar during pregnancy	discrete	numeric	
V2092	ml2	Source of antimalarial during pregnancy	discrete	numeric	
V2093	ml11	NA-Child has fever/cough now	discrete	numeric	
V2094	ml12	NA-Child has had convulsions in last 2 weeks	discrete	numeric	
V2095	ml13a	Fansidar taken for fever	discrete	numeric	
V2096	ml13b	Chloroquine taken for fever	discrete	numeric	
V2097	ml13c	Amodiaquine taken for fever	discrete	numeric	
V2098	ml13d	Quinine taken for fever	discrete	numeric	
V2099	ml13da	Quinine injection/IV taken for fever	discrete	numeric	
V2100	ml13e	Combination with artemisinin taken for fever	discrete	numeric	
V2101	ml13aa	Artesunate rectal taken for fever	discrete	numeric	
V2102	ml13ab	Artesunate injection/IV taken for fever	discrete	numeric	
V2103	ml13f	NA-CS antimalarial taken for fever	discrete	numeric	
V2104	ml13g	NA-CS antimalarial taken for fever	discrete	numeric	
V2105	ml13h	Other antimalarial taken for fever	discrete	numeric	
V2106	ml13i	Antibiotic pill/syrup taken for fever	discrete	numeric	
V2107	ml13j	Antibiotic injection taken for fever	discrete	numeric	
V2108	ml13k	Aspirin taken for fever	discrete	numeric	
V2109	ml13l	Acetaminophen taken for fever	discrete	numeric	
V2110	ml13m	Ibuprofen taken for fever	discrete	numeric	
V2111	ml13n	Paracetamol taken for fever	discrete	numeric	
V2112	ml13o	NA-CS other taken for fever	discrete	numeric	
V2113	ml13p	NA-CS other taken for fever	discrete	numeric	
V2114	ml13x	Other taken for fever	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2115	ml13y	Nothing taken and didn't seek treatment for fever/cough	discrete	numeric	
V2116	ml13z	Don't know if or what was taken for fever	discrete	numeric	
V2117	ml14a	NA-Injection given for fever/convulsion***	discrete	numeric	
V2118	ml14b	NA-Suppository given for fever/convulsion***	discrete	numeric	
V2119	ml14y	NA-No suppository or injection given for fever/convulsion***	discrete	numeric	
V2120	ml14z	NA-Don't know if suppository or injection given for fever/convulsion***	discrete	numeric	
V2121	ml15a	Timing of start of fansidar	discrete	numeric	
V2122	ml15b	NA-Number of days child took fansidar	discrete	numeric	
V2123	ml15c	NA-First source for fansidar	discrete	numeric	
V2124	ml16a	Timing of start of chloroquine	discrete	numeric	
V2125	ml16b	NA-Number of days child took chloroquine	discrete	numeric	
V2126	ml16c	NA-First source for chloroquine	discrete	numeric	
V2127	ml17a	Timing of start of amodiaquine	discrete	numeric	
V2128	ml17b	NA-Number of days child took amodiaquine	discrete	numeric	
V2129	ml17c	NA-First source for amodiaquine	discrete	numeric	
V2130	ml18a	Timing of start of quinine	discrete	numeric	
V2131	ml18b	NA-Number of days child took quinine	discrete	numeric	
V2132	ml18c	NA-First source for quinine	discrete	numeric	
V2133	ml19a	NA-For fever/convulsion: consulted traditional healer***	discrete	numeric	
V2134	ml19b	NA-For fever/convulsion: gave tepid sponging***	discrete	numeric	
V2135	ml19c	NA-For fever/convulsion: gave herbs***	discrete	numeric	
V2136	ml19d	NA-For fever/convulsion: CS***	discrete	numeric	
V2137	ml19e	NA-For fever/convulsion: CS***	discrete	numeric	
V2138	ml19f	NA-For fever/convulsion: CS***	discrete	numeric	
V2139	ml19x	NA-For fever/convulsion: other***	discrete	numeric	
V2140	ml19y	NA-For fever/convulsion: gave/did nothing***	discrete	numeric	
V2141	ml19z	NA-For fever/convulsion: don't know if something else was done***	discrete	numeric	
V2142	ml20a	NA-Timing of start of combination with artemisinin	discrete	numeric	
V2143	ml20b	NA-Number of days child took combination with artemisinin	discrete	numeric	
V2144	ml20c	NA-First source for combination with artemisinin	discrete	numeric	
V2145	ml21a	NA-Timing of start of CS antimalarial use	discrete	numeric	
V2146	ml21b	NA-Number of days child took CS antimalarial	discrete	numeric	
V2147	ml21c	NA-First source for CS antimalarial	discrete	numeric	
V2148	ml22a	NA-Timing of start of CS antimalarial use	discrete	numeric	
V2149	ml22b	NA-Number of days child took CS antimalarial	discrete	numeric	
V2150	ml22c	NA-First source for CS antimalarial	discrete	numeric	
V2151	ml23a	Timing of start of other anti-malarial use	discrete	numeric	
V2152	ml23b	NA-Number of days child took other anti-malarial	discrete	numeric	
V2153	ml23c	NA-First source for other anti-malarial	discrete	numeric	
V2154	ml24c	NA-First source for antibiotic pill/syrup	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2155	ml25a	Timing of start of artesunate	discrete	numeric	

RECDV

Content	WOMAN - Domestic Violence
Cases	3415
Variable(s)	176
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1871	hhid	Case Identification	discrete	character	
V1872	caseid	Case Identification	discrete	character	
V1873	d005	Weight for Domestic Violence (6 decimals)	contin	numeric	
V1874	d101a	Husband/partner jealous if respondent talks with other men	discrete	numeric	
V1875	d101b	Husband/partner accuses respondent of unfaithfulness	discrete	numeric	
V1876	d101c	Husband/partner does not permit respondent to meet female friends	discrete	numeric	
V1877	d101d	Husband/partner tries to limit respondent's contact with family	discrete	numeric	
V1878	d101e	Husband/partner insists on knowing where respondent is	discrete	numeric	
V1879	d101f	NA-Husband/partner doesn't trust respondent with money	discrete	numeric	
V1880	d101g	NA-CS control issue	discrete	numeric	
V1881	d101h	NA-CS control issue	discrete	numeric	
V1882	d101i	NA-CS control issue	discrete	numeric	
V1883	d101j	NA-CS control issue	discrete	numeric	
V1884	d102	Number of control issues answered 'Yes' (D101x = 1)	discrete	numeric	
V1885	d103a	Ever been humiliated by husband/partner	discrete	numeric	
V1886	d103b	Ever been threatened with harm by husband/partner	discrete	numeric	
V1887	d103c	Ever been insulted or made to feel bad by husband/partner	discrete	numeric	
V1888	d103d	NA-Ever CS emotional abuse by husband/partner	discrete	numeric	
V1889	d103e	NA-Ever CS emotional abuse by husband/partner	discrete	numeric	
V1890	d103f	NA-Ever CS emotional abuse by husband/partner	discrete	numeric	
V1891	d104	Experienced any emotional violence (D103x series)***	discrete	numeric	
V1892	d105a	Ever been pushed, shook or had something thrown by husband/partner	discrete	numeric	
V1893	d105b	Ever been slapped by husband/partner	discrete	numeric	
V1894	d105c	Ever been punched with fist or hit by something harmful by husband/partner	discrete	numeric	
V1895	d105d	Ever been kicked or dragged by husband/partner	discrete	numeric	
V1896	d105e	Ever been strangled or burnt by husband/partner	discrete	numeric	
V1897	d105f	Ever been threatened with knife/gun or other weapon by husband/partner	discrete	numeric	
V1898	d105g	NA-Ever CS physical violence by husband/partner	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1899	d105h	Ever been physically forced into unwanted sex by husband/partner	discrete	numeric	
V1900	d105i	Ever been forced into other unwanted sexual acts by husband/partner	discrete	numeric	
V1901	d105j	Ever had arm twisted or hair pulled by husband/partner	discrete	numeric	
V1902	d105k	Ever been physically forced to perform sexual acts respondent didn't want to	discrete	numeric	
V1903	d105l	NA-Ever CS physical violence by husband/partner	discrete	numeric	
V1904	d105m	NA-Ever CS physical violence by husband/partner	discrete	numeric	
V1905	d105n	NA-Ever CS physical violence by husband/partner	discrete	numeric	
V1906	d106	Experienced any less severe violence (D105A-C,J) by husband/partner	discrete	numeric	
V1907	d107	Experienced any severe violence (D105D-F) by husband/partner	discrete	numeric	
V1908	d108	Experienced any sexual violence (D105H-I,K) by husband/partner	discrete	numeric	
V1909	d109	Timing of first event (from D105 series) in years after marriage	discrete	numeric	
V1910	d110a	Ever had bruises because of husband/partner's actions	discrete	numeric	
V1911	d110b	Ever had eye injuries, sprains, dislocations or burns because of husband/partner	discrete	numeric	
V1912	d110c	NA-Ever went to health facility because of husband/partner's actions	discrete	numeric	
V1913	d110d	Ever had wounds, broken bones, broken teeth or other serious injury because of h	discrete	numeric	
V1914	d110e	NA-CS because of husband/partner's actions	discrete	numeric	
V1915	d110f	NA-CS because of husband/partner's actions	discrete	numeric	
V1916	d110g	NA-CS because of husband/partner's actions	discrete	numeric	
V1917	d110h	NA-CS because of husband/partner's actions	discrete	numeric	
V1918	d111	Experienced any of listed husband/partner's actions (D110x series)***	discrete	numeric	
V1919	d112	Respondent ever physically hurt husband/partner when he was not hurting her	discrete	numeric	
V1920	d112a	Frequency of physically hurting husband/partner in last 12 months	discrete	numeric	
V1921	d113	Husband/partner drinks alcohol	discrete	numeric	
V1922	d114	Frequency of husband/partner being drunk	discrete	numeric	
V1923	d115b	Mother: Person who has ever physically hurt respondent	discrete	numeric	
V1924	d115c	Father: Person who has ever physically hurt respondent	discrete	numeric	
V1925	d115d	Daughter: Person who has ever physically hurt respondent	discrete	numeric	
V1926	d115e	NA-Son: Person who has ever physically hurt respondent	discrete	numeric	
V1927	d115f	Sister/brother: Person who has ever physically hurt respondent	discrete	numeric	
V1928	d115g	Other relative: Person who has ever physically hurt respondent	discrete	numeric	
V1929	d115h	NA-Other female family: Person who has ever physically hurt respondent	discrete	numeric	
V1930	d115i	NA-Other male family: Person who has ever physically hurt respondent	discrete	numeric	
V1931	d115j	NA-Former partner: Person who has ever physically hurt respondent	discrete	numeric	
V1932	d115k	Current boyfriend: Person who has ever physically hurt respondent	discrete	numeric	
V1933	d115l	Former boyfriend: Person who has ever physically hurt respondent	discrete	numeric	
V1934	d115m	NA-Step-mother: Person who has ever physically hurt respondent	discrete	numeric	
V1935	d115n	NA-Step-father: Person who has ever physically hurt respondent	discrete	numeric	
V1936	d115o	Mother-in-law: Person who has ever physically hurt respondent	discrete	numeric	
V1937	d115p	Father-in-law: Person who has ever physically hurt respondent	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1938	d115q	Other in-law: Person who has ever physically hurt respondent	discrete	numeric	
V1939	d115r	NA-Other male in-law: Person who has ever physically hurt respondent	discrete	numeric	
V1940	d115s	NA-Female friend: Person who has ever physically hurt respondent	discrete	numeric	
V1941	d115t	NA-Male friend: Person who has ever physically hurt respondent	discrete	numeric	
V1942	d115u	NA-Neighbor: Person who has ever physically hurt respondent	discrete	numeric	
V1943	d115v	Teacher: Person who has ever physically hurt respondent	discrete	numeric	
V1944	d115w	Employer: Person who has ever physically hurt respondent	discrete	numeric	
V1945	d115x	Other: Person who has ever physically hurt respondent	discrete	numeric	
V1946	d115y	No person other than husband/partner ever physically hurt respondent	discrete	numeric	
V1947	d115xa	NA-Stranger: Person who has ever physically hurt respondent	discrete	numeric	
V1948	d115xb	NA-Other female in-law/family: Person who has ever physically hurt respondent	discrete	numeric	
V1949	d115xc	NA-Other male in-law/family: Person who has ever physically hurt respondent	discrete	numeric	
V1950	d115xd	NA-Friend: Person who has ever physically hurt respondent	discrete	numeric	
V1951	d115xe	Police: Person who has ever physically hurt respondent	discrete	numeric	
V1952	d115xf	Religious leader: Person who has ever physically hurt respondent	discrete	numeric	
V1953	d115xg	NA-Lawyer: Person who has ever physically hurt respondent	discrete	numeric	
V1954	d115xh	NA-Doctor: Person who has ever physically hurt respondent	discrete	numeric	
V1955	d115xi	NA-CS: Person who has ever physically hurt respondent	discrete	numeric	
V1956	d115xj	NA-CS: Person who has ever physically hurt respondent	discrete	numeric	
V1957	d115xk	NA-CS: Person who has ever physically hurt respondent	discrete	numeric	
V1958	d116	Person who hurt respondent most often	discrete	numeric	
V1959	d117a	Frequency of being hit in last 12 months by other than husband/partner	discrete	numeric	
V1960	d118a	Husband/partner: Person who hurt respondent during a pregnancy	discrete	numeric	
V1961	d118b	Mother: Person who hurt respondent during a pregnancy	discrete	numeric	
V1962	d118c	Father/step-father: Person who hurt respondent during a pregnancy	discrete	numeric	
V1963	d118d	Daughter/son: Person who hurt respondent during a pregnancy	discrete	numeric	
V1964	d118e	NA-Son alone: Person who hurt respondent during a pregnancy	discrete	numeric	
V1965	d118f	Sister/brother: Person who hurt respondent during a pregnancy	discrete	numeric	
V1966	d118g	Other relative: Person who hurt respondent during a pregnancy	discrete	numeric	
V1967	d118h	NA-Other female family: Person who hurt respondent during a pregnancy	discrete	numeric	
V1968	d118i	NA-Other male family: Person who hurt respondent during a pregnancy	discrete	numeric	
V1969	d118j	Former husband/partner: Person who hurt respondent during a pregnancy	discrete	numeric	
V1970	d118k	Current boyfriend: Person who hurt respondent during a pregnancy	discrete	numeric	
V1971	d118l	Former boyfriend: Person who hurt respondent during a pregnancy	discrete	numeric	
V1972	d118m	NA-Step-mother: Person who hurt respondent during a pregnancy	discrete	numeric	
V1973	d118n	NA-Step-father: Person who hurt respondent during a pregnancy	discrete	numeric	
V1974	d118o	Mother-in-law: Person who hurt respondent during a pregnancy	discrete	numeric	
V1975	d118p	Father-in-law: Person who hurt respondent during a pregnancy	discrete	numeric	
V1976	d118q	Other in-law: Person who hurt respondent during a pregnancy	discrete	numeric	
V1977	d118r	NA-Other female/male in-law: Person who hurt respondent during a pregnancy	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1978	d118s	NA-Female friend: Person who hurt respondent during a pregnancy	discrete	numeric	
V1979	d118t	NA-Male friend: Person who hurt respondent during a pregnancy	discrete	numeric	
V1980	d118u	NA-Neighbor: Person who hurt respondent during a pregnancy	discrete	numeric	
V1981	d118v	Teacher: Person who hurt respondent during a pregnancy	discrete	numeric	
V1982	d118w	Employer: Person who hurt respondent during a pregnancy	discrete	numeric	
V1983	d118x	Other: Person who hurt respondent during a pregnancy	discrete	numeric	
V1984	d118y	Respondent was not hurt by anyone during a pregnancy	discrete	numeric	
V1985	d118xa	NA-Stranger: Person who hurt respondent during a pregnancy	discrete	numeric	
V1986	d118xb	NA-Other female in-law/family: Person who hurt respondent during a pregnancy	discrete	numeric	
V1987	d118xc	NA-Other male in-law/family: Person who hurt respondent during a pregnancy	discrete	numeric	
V1988	d118xd	NA-Friend: Person who hurt respondent during a pregnancy	discrete	numeric	
V1989	d118xe	Police: Person who hurt respondent during a pregnancy	discrete	numeric	
V1990	d118xf	NA-Religious leader: Person who hurt respondent during a pregnancy	discrete	numeric	
V1991	d118xg	NA-Lawyer: Person who hurt respondent during a pregnancy	discrete	numeric	
V1992	d118xh	NA-Doctor: Person who hurt respondent during a pregnancy	discrete	numeric	
V1993	d118xi	NA-CS: Person who hurt respondent during a pregnancy	discrete	numeric	
V1994	d118xj	NA-CS: Person who hurt respondent during a pregnancy	discrete	numeric	
V1995	d118xk	NA-CS: Person who hurt respondent during a pregnancy	discrete	numeric	
V1996	d119a	NA-Husband/partner: Person respondent went to seek help	discrete	numeric	
V1997	d119b	NA-Mother: Person respondent went to seek help	discrete	numeric	
V1998	d119c	NA-Father: Person respondent went to seek help	discrete	numeric	
V1999	d119d	NA-Daughter: Person respondent went to seek help	discrete	numeric	
V2000	d119e	NA-Son: Person respondent went to seek help	discrete	numeric	
V2001	d119f	NA-Sister: Person respondent went to seek help	discrete	numeric	
V2002	d119g	NA-Brother: Person respondent went to seek help	discrete	numeric	
V2003	d119h	Own family: Person respondent went to seek help	discrete	numeric	
V2004	d119i	Husband/partner family: Person respondent went to seek help	discrete	numeric	
V2005	d119j	Current/former husband/partner: Person respondent went to seek help	discrete	numeric	
V2006	d119k	Current/former boyfriend: Person respondent went to seek help	discrete	numeric	
V2007	d119l	NA-Former boyfriend alone: Person respondent went to seek help	discrete	numeric	
V2008	d119m	NA-Step-mother: Person respondent went to seek help	discrete	numeric	
V2009	d119n	NA-Step-father: Person respondent went to seek help	discrete	numeric	
V2010	d119o	NA-Mother-in-law: Person respondent went to seek help	discrete	numeric	
V2011	d119p	NA-Father-in-law: Person respondent went to seek help	discrete	numeric	
V2012	d119q	NA-Other female in-law: Person respondent went to seek help	discrete	numeric	
V2013	d119r	NA-Other male in-law: Person respondent went to seek help	discrete	numeric	
V2014	d119s	NA-Female friend: Person respondent went to seek help	discrete	numeric	
V2015	d119t	NA-Male friend: Person respondent went to seek help	discrete	numeric	
V2016	d119u	Neighbor: Person respondent went to seek help	discrete	numeric	
V2017	d119v	NA-Teacher: Person respondent went to seek help	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2018	d119w	NA-Employer: Person respondent went to seek help	discrete	numeric	
V2019	d119x	Other: Person respondent went to seek help	discrete	numeric	
V2020	d119y	Respondent did not seek help from anyone	discrete	numeric	
V2021	d119xa	NA-Stranger: Person respondent went to seek help	discrete	numeric	
V2022	d119xb	Social service organization: Person respondent went to seek help	discrete	numeric	
V2023	d119xc	NA-CS: Person respondent went to seek help	discrete	numeric	
V2024	d119xd	Friend: Person respondent went to seek help	discrete	numeric	
V2025	d119xe	Police: Person respondent went to seek help	discrete	numeric	
V2026	d119xf	Religious leader: Person respondent went to seek help	discrete	numeric	
V2027	d119xg	Lawyer: Person respondent went to seek help	discrete	numeric	
V2028	d119xh	Doctor: Person respondent went to seek help	discrete	numeric	
V2029	d119xi	NA-CS: Person respondent went to seek help	discrete	numeric	
V2030	d119xj	NA-CS: Person respondent went to seek help	discrete	numeric	
V2031	d119xk	NA-CS: Person respondent went to seek help	discrete	numeric	
V2032	d120	NA-Main reason never sought help	discrete	numeric	
V2033	d121	Respondent's father ever beat her mother	discrete	numeric	
V2034	d122a	Interview interrupted: husband's presence	discrete	numeric	
V2035	d122b	Interview interrupted: other adult male's presence	discrete	numeric	
V2036	d122c	Interview interrupted: adult female's presence	discrete	numeric	
V2037	d123	NA-First sex was wanted or forced	discrete	numeric	
V2038	d124	Ever forced to have sex by anyone other than husband/partner in last 12 months	discrete	numeric	
V2039	d125	Ever forced to perform unwanted sexual acts	discrete	numeric	
V2040	d126	Age at first forced sexual act	discrete	numeric	
V2041	d127	Person who forced respondent into first sexual act	discrete	numeric	
V2042	d128	Ever told anyone else about violence	discrete	numeric	
V2043	d129	Respondent afraid of husband/partner most of the time, sometimes or never	discrete	numeric	
V2044	d130a	Previous husband: ever hit, slap, kick or physically hurt respondent	discrete	numeric	
V2045	d130b	Previous husband: physically forced to have sex or to perform sexual acts	discrete	numeric	
V2046	d130c	NA-Previous husband: humiliate, threaten to hurt, insult or make feel bad	discrete	numeric	

RECG1

Content	WOMAN - Female Genital Cutting
Cases	16787
Variable(s)	33
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2047	hhid	Case Identification	discrete	character	
V2048	caseid	Case Identification	discrete	character	
V2049	g100	Ever heard of female circumcision	discrete	numeric	
V2050	g101	Ever heard of genital cutting (probed)	discrete	numeric	
V2051	g102	Respondent circumcised	discrete	numeric	
V2052	g103	Flesh removed from genital area	discrete	numeric	
V2053	g104	Genital area just nicked without removing any flesh	discrete	numeric	
V2054	g105	Genital area sewn closed	discrete	numeric	
V2055	g106	Age at circumcision (in years)	discrete	numeric	
V2056	g107	Person who performed circumcision	discrete	numeric	
V2057	g108	Number of daughters circumcised	discrete	numeric	
V2058	g109	NA-Line number of daughter most recently circumcised (from Birth History)	discrete	numeric	
V2059	g110	NA-Flesh removed from genital area of daughter	discrete	numeric	
V2060	g111	NA-Genital area of daughter just nicked without removing flesh	discrete	numeric	
V2061	g112	NA-Genital area of daughter sewn closed	discrete	numeric	
V2062	g113	NA-Age of daughter at circumcision (in years)	discrete	numeric	
V2063	g114	NA-Person who performed circumcision of daughter	discrete	numeric	
V2064	g115	NA-Any daughter not circumcised	discrete	numeric	
V2065	g116	NA-Intends to have daughter(s) circumcised in future	discrete	numeric	
V2066	g117a	NA-Cleanliness/hygiene: Female circumcision benefit	discrete	numeric	
V2067	g117b	NA-Social acceptance: Female circumcision benefit	discrete	numeric	
V2068	g117c	NA-Better marriage prospects: Female circumcision benefit	discrete	numeric	
V2069	g117d	NA-Virginity/prevent premarital sex: Female circumcision benefit	discrete	numeric	
V2070	g117e	NA-Greater sexual pleasure for men: Female circumcision benefit	discrete	numeric	
V2071	g117f	NA-Religious approval: Female circumcision benefit	discrete	numeric	
V2072	g117g	NA-CS: Female circumcision benefit	discrete	numeric	
V2073	g117h	NA-CS: Female circumcision benefit	discrete	numeric	
V2074	g117i	NA-CS: Female circumcision benefit	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2075	g117j	NA-CS: Female circumcision benefit	discrete	numeric	
V2076	g117x	NA-Other: Female circumcision benefit	discrete	numeric	
V2077	g117y	NA-No benefit from female circumcision	discrete	numeric	
V2078	g118	Female circumcision required by religion	discrete	numeric	
V2079	g119	Female circumcision: continue or be stopped	discrete	numeric	

RECG2

Content	WOMAN - Female Genital Cutting - roster for daughters
Cases	14751
Variable(s)	7
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2080	hhid	Case Identification	discrete	character	
V2081	caseid	Case Identification	discrete	character	
V2082	gidx	Daughter's index to birth history	discrete	numeric	
V2083	g121	Is daughter circumcised	discrete	numeric	
V2084	g122	Daughter's age at circumcision	discrete	numeric	
V2085	g123	Was daughter genital area sewn closed	discrete	numeric	
V2086	g124	Who performed daughter's circumcision	discrete	numeric	

REC91

Content	WOMAN - Country specific variables
Cases	16787
Variable(s)	76
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1745	hhid	Case Identification	discrete	character	
V1746	caseid	Case Identification	discrete	character	
V1747	szone	Ecological Zone	discrete	numeric	
V1748	smzone	Malaria Zone	discrete	numeric	
V1749	sseason	Season of interview	discrete	numeric	
V1750	s108	Highest educational level	discrete	numeric	
V1751	s109	Highest grade at that level	discrete	numeric	
V1752	s111ba	Program language: Arabic	discrete	numeric	
V1753	s111bb	Program language: Wolof	discrete	numeric	
V1754	s111bc	Program language: Pouular	discrete	numeric	
V1755	s111bd	Program language: Serer	discrete	numeric	
V1756	s111be	Program language: Diola	discrete	numeric	
V1757	s111bf	Program language: Mandingue	discrete	numeric	
V1758	s111bg	Program language: Soninke	discrete	numeric	
V1759	s111bx	Program language: Other	discrete	numeric	
V1760	s122a	Respondent is Senegalese	discrete	numeric	
V1761	s224b	Who participates in education of child	discrete	numeric	
V1762	s239b	Unable to participate in any work or social activities during her periods	discrete	numeric	
V1763	s239c	Able to wash and change at home during last period	discrete	numeric	
V1764	s239d	Used sanitary pad, tampon or scraps of fabric during last period	discrete	numeric	
V1765	s239e	Used re-usable products during last period	discrete	numeric	
V1766	s303a	Main reason not using a method	discrete	numeric	
V1767	s713b	Age of partner	discrete	numeric	
V1768	s713c	Condom used for last sex (male or female)	discrete	numeric	
V1769	s729	Brand of the condom used last time	discrete	numeric	
V1770	s730a	Received condoms during last 12 months	discrete	numeric	
V1771	s815e	Saw family planning message on poster or billboard last few months	discrete	numeric	
V1772	s816	Heard about family planning during Moytou Neff campaigns	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1773	s1050a	Used a condom with partner at last sexual intercourse during period had STD	discrete	numeric	
V1774	s1108a	Woman has fistula	discrete	numeric	
V1775	s1108b	Age when had fistula	contin	numeric	
V1776	s1108c	know fistula	discrete	numeric	
V1777	sv829	Place where last HIV test was taken:CS Public Sector sources	discrete	numeric	
V1778	s1402l	Line number in birth history youngest child living with mother aged 0-4 years	discrete	numeric	
V1779	s1404	Number of books for child	discrete	numeric	
V1780	s1405a	Does child play with: homemade toys	discrete	numeric	
V1781	s1405b	Does child play with: toys from a shop	discrete	numeric	
V1782	s1405c	Does child play with: household objects or outside objects	discrete	numeric	
V1783	s1406a	Number of days in past week child was: left alone for more than one hour	discrete	numeric	
V1784	s1406b	Number of days in past week child was: left in care of another child < 10 years	discrete	numeric	
V1785	s1408al	Line number in birth history youngest child living with mother aged 3-4 years	discrete	numeric	
V1786	s1409	Child attends organized learning or early childhood education program	discrete	numeric	
V1787	s1410aa	In last 3 days, Person who read books to child: Mother	discrete	numeric	
V1788	s1410ab	In last 3 days, Person who read books to child: Father	discrete	numeric	
V1789	s1410ax	In last 3 days, Person who read books to child: Other	discrete	numeric	
V1790	s1410ay	In last 3 days, Person who read books to child: ;No-one	discrete	numeric	
V1791	s1410ba	In last 3 days, Person who told stories to child: Mother	discrete	numeric	
V1792	s1410bb	In last 3 days, Person who told stories to child: Father	discrete	numeric	
V1793	s1410bx	In last 3 days, Person who told stories to child: Other	discrete	numeric	
V1794	s1410by	In last 3 days, Person who told stories to child: ;No-one	discrete	numeric	
V1795	s1410ca	In last 3 days, Person who sang songs to child: Mother	discrete	numeric	
V1796	s1410cb	In last 3 days, Person who sang songs to child: Father	discrete	numeric	
V1797	s1410cx	In last 3 days, Person who sang songs to child: Other	discrete	numeric	
V1798	s1410cy	In last 3 days, Person who sang songs to child: ;No-one	discrete	numeric	
V1799	s1410da	In last 3 days, Person who took child outside: Mother	discrete	numeric	
V1800	s1410db	In last 3 days, Person who took child outside: Father	discrete	numeric	
V1801	s1410dx	In last 3 days, Person who took child outside: Other	discrete	numeric	
V1802	s1410dy	In last 3 days, Person who took child outside: ;No-one	discrete	numeric	
V1803	s1410ea	In last 3 days, Person who played with child: Mother	discrete	numeric	
V1804	s1410eb	In last 3 days, Person who played with child: Father	discrete	numeric	
V1805	s1410ex	In last 3 days, Person who played with child: Other	discrete	numeric	
V1806	s1410ey	In last 3 days, Person who played with child: ;No-one	discrete	numeric	
V1807	s1410fa	In last 3 days, Person who named or counted with child: Mother	discrete	numeric	
V1808	s1410fb	In last 3 days, Person who named or counted with child: Father	discrete	numeric	
V1809	s1410fx	In last 3 days, Person who named or counted with child: Other	discrete	numeric	
V1810	s1410fy	In last 3 days, Person who named or counted with child: ;No-one	discrete	numeric	
V1811	s1411	Child can identify or name at least 10 letters of alphabet	discrete	numeric	
V1812	s1412	Child can read at least four words	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1813	s1413	Child can identify or name at least 10 numbers	discrete	numeric	
V1814	s1414	Child can pick up small object with two fingers	discrete	numeric	
V1815	s1415	Child is sometimes too sick to play	discrete	numeric	
V1816	s1416	Child follows simple directions	discrete	numeric	
V1817	s1417	Child can perform task independently	discrete	numeric	
V1818	s1418	Child gets along well with other children or adults	discrete	numeric	
V1819	s1419	Child kicks, bites or hits other children or adults	discrete	numeric	
V1820	s1420	Child gets distracted easily	discrete	numeric	

REC94

Content	WOMAN - Country specific Maternity variables
Cases	12185
Variable(s)	39
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1821	hhid	Case Identification	discrete	character	
V1822	caseid	Case Identification	discrete	character	
V1823	idx94	Index to Birth History	discrete	numeric	
V1824	s420aa	Source for iron tablets: Government hospital	discrete	numeric	
V1825	s420ab	Source for iron tablets: Government health center	discrete	numeric	
V1826	s420ac	Source for iron tablets: Government health post	discrete	numeric	
V1827	s420ad	Source for iron tablets: Government Health Hut (Case de Sant)	discrete	numeric	
V1828	s420ae	Source for iron tablets: Mobile clinic	discrete	numeric	
V1829	s420af	Source for iron tablets: Health worker	discrete	numeric	
V1830	s420ag	Source for iron tablets: other public	discrete	numeric	
V1831	s420ah	Source for iron tablets: private hospital/clinic	discrete	numeric	
V1832	s420ai	Source for iron tablets: Private Pharmacy	discrete	numeric	
V1833	s420aj	Source for iron tablets: Private doctor	discrete	numeric	
V1834	s420ak	Source for iron tablets: Private mobile clinic	discrete	numeric	
V1835	s420al	Source for iron tablets: Private health worker	discrete	numeric	
V1836	s420am	Source for iron tablets: other private medical	discrete	numeric	
V1837	s420an	Source for iron tablets: Other source - Shop	discrete	numeric	
V1838	s420ao	Source for iron tablets: Other source - traditional practitioner	discrete	numeric	
V1839	s420ap	Source for iron tablets: Other source - market	discrete	numeric	
V1840	s420aq	Source for iron tablets: Other source - community worker	discrete	numeric	
V1841	s420ax	Source for iron tablets: other	discrete	numeric	
V1842	s421aa	Advantages for iron took-prevent anemia	discrete	numeric	
V1843	s421ab	Advantages for iron took-Protect child	discrete	numeric	
V1844	s421ac	Advantages for iron took- Protect pregnant	discrete	numeric	
V1845	s421ad	Advantages for iron took- Protect mother	discrete	numeric	
V1846	s421ae	Advantages for iron took- improve child at birth	discrete	numeric	
V1847	s421ax	Advantages for iron took- others	discrete	numeric	
V1848	s421ay	Advantages for iron took-Dont know	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1849	s421ba	Sources of information about iron advantages= ANC visit	discrete	numeric	
V1850	s421bb	Sources of information about iron advantages= Media	discrete	numeric	
V1851	s421bc	Sources of information about iron advantages= Family/neighbor	discrete	numeric	
V1852	s421bd	Sources of information about iron advantages= ANC visit	discrete	numeric	
V1853	s421bx	Sources of information about iron advantages= community Health worker	discrete	numeric	
V1854	s425a	Received free bednet during visit	discrete	numeric	
V1855	s425b	Period of pregnant whwn Received free bednet	discrete	numeric	
V1856	s428a	Birth was registered	discrete	numeric	
V1857	s428b	Birth was declared	discrete	numeric	
V1858	s428c	Know how to register Birth	discrete	numeric	
V1859	s434a	Was skin in contact with your skin	discrete	numeric	

REC95

Content	WOMAN - Country specific Health and Vaccination variables
Cases	7038
Variable(s)	11
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V1860	hhid	Case Identification	discrete	character	
V1861	caseid	Case Identification	discrete	character	
V1862	idx95	Index to Birth History	discrete	numeric	
V1863	svpi	Received Vaccin Polio Injectable	discrete	numeric	
V1864	svpid	VPI day	discrete	numeric	
V1865	svpim	VPI month	discrete	numeric	
V1866	svpiy	VPI year	discrete	numeric	
V1867	syf	received Yellow Fever	discrete	numeric	
V1868	syfd	Yellow fever day	discrete	numeric	
V1869	syfm	Yellow fever month	discrete	numeric	
V1870	syfy	Yellow fever year	discrete	numeric	

MREC01

Content	MAN - Respondent's basic data
Cases	5694
Variable(s)	43
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2156	mcaseid	Case Identification	discrete	character	
V2157	mv000	Country code and phase	discrete	character	
V2158	mv001	Cluster number	contin	numeric	
V2159	mv002	Household number	contin	numeric	
V2160	mv003	Respondent's line number	contin	numeric	
V2161	mv004	Ultimate area unit	contin	numeric	
V2162	mv005	Men's sample weight (6 decimals)	contin	numeric	
V2163	mv006	Month of interview	discrete	numeric	
V2164	mv007	Year of interview	discrete	numeric	
V2165	mv008	Date of interview (CMC)	discrete	numeric	
V2166	mv008a	Date of interview Century Day Code (CDC)	contin	numeric	
V2167	mv009	Month of birth	discrete	numeric	
V2168	mv010	Year of birth	contin	numeric	
V2169	mv011	Date of birth (CMC)	contin	numeric	
V2170	mv012	Current age	contin	numeric	
V2171	mv013	Age in 5-year groups	discrete	numeric	
V2172	mv014	Completeness of age information	discrete	numeric	
V2173	mv015	Result of interview	discrete	numeric	
V2174	mv016	Day of interview	contin	numeric	
V2175	mv021	Primary sampling unit	contin	numeric	
V2176	mv022	Sample stratum number	discrete	numeric	
V2177	mv023	Sample domain	discrete	numeric	
V2178	mv024	Region	discrete	numeric	
V2179	mv025	Type of place of residence	discrete	numeric	
V2180	mv026	NA- De facto place of residence	discrete	numeric	
V2181	mv027	Number of visits	discrete	numeric	
V2182	mv028	Interviewer identification	contin	numeric	
V2183	mv029	NA- Keyer identification	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2184	mv030	Field supervisor	contin	numeric	
V2185	mv031	NA- Field editor	discrete	numeric	
V2186	mv032	NA- Office editor	discrete	numeric	
V2187	mv035	Number of wives/partners	discrete	numeric	
V2188	mv045a	NA -Language of questionnaire	discrete	numeric	
V2189	mv045b	NA -Language of interview	discrete	numeric	
V2190	mv045c	NA -Native language of respondent	discrete	numeric	
V2191	mv046	NA -Translator used	discrete	numeric	
V2192	mv801	Time interview started (hhmm - 24 hour clock)	contin	numeric	
V2193	mv802	Time interview ended (hhmm - 24 hour clock)	contin	numeric	
V2194	mv803	Length of interview in minutes	discrete	numeric	
V2195	mrec01_group	Wives/partner list	discrete	character	
V2196	mv034	Line number of wife/partner	discrete	numeric	
V2197	mv034a	NA- Wife or partner***	discrete	numeric	
V2198	mv034b	Age of wife/partner	contin	numeric	

MREC11

Content	MAN - Respondent's basic data (continued)
Cases	6977
Variable(s)	36
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2199	mcaseid	Case Identification	discrete	character	
V2200	mv101	Region	discrete	numeric	
V2201	mv102	Type of place of residence	discrete	numeric	
V2202	mv103	NA- Childhood place of residence***	discrete	numeric	
V2203	mv104	NA- Years lived in place of residence	discrete	numeric	
V2204	mv105	NA- Type of place of previous residence	discrete	numeric	
V2205	mv105a	NA- Region of previous residence	discrete	numeric	
V2206	mv106	Educational level	discrete	numeric	
V2207	mv107	Highest year of education (at level in MV106)	discrete	numeric	
V2208	mv130	Religion	discrete	numeric	
V2209	mv131	Ethnicity	discrete	numeric	
V2210	mv133	Total number of years of education	discrete	numeric	
V2211	mv134	NA- De facto place of residence	discrete	numeric	
V2212	mv135	Usual resident or visitor	discrete	numeric	
V2213	mv136	Number of household members (total listed)	contin	numeric	
V2214	mv138	Number of eligible men in household (de facto)	discrete	numeric	
V2215	mv149	Educational attainment	discrete	numeric	
V2216	mv150	Relationship to household head	discrete	numeric	
V2217	mv151	Sex of household head	discrete	numeric	
V2218	mv152	Age of household head	discrete	numeric	
V2219	mv155	Literacy	discrete	numeric	
V2220	mv156	Ever participated in a literacy program (excluding primary school)	discrete	numeric	
V2221	mv157	Frequency of reading newspaper or magazine	discrete	numeric	
V2222	mv158	Frequency of listening to radio	discrete	numeric	
V2223	mv159	Frequency of watching television	discrete	numeric	
V2224	mv167	NA- Times away from home in last 12 months	discrete	numeric	
V2225	mv168	NA- Away for more than one month in last 12 months	discrete	numeric	
V2226	mv169a	Owns a mobile telephone	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2227	mv169b	Use mobile telephone for financial transactions	discrete	numeric	
V2228	mv170	Has an account in a bank or other financial institution	discrete	numeric	
V2229	mv171a	Use of internet	discrete	numeric	
V2230	mv171b	Frequency of using internet last month	discrete	numeric	
V2231	mv190	Wealth index combined	discrete	numeric	
V2232	mv191	Wealth index factor score combined (5 decimals)	contin	numeric	
V2233	mv190a	Wealth index for urban/rural	discrete	numeric	
V2234	mv191a	Wealth index factor score for urban/rural (5 decimals)	contin	numeric	

MREC22

Content MAN - Reproduction

Cases 6977

Variable(s) 21

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V2235	mcaseid	Case Identification	discrete	character	
V2236	mv201	Total children ever born	contin	numeric	
V2237	mv202	Sons at home	discrete	numeric	
V2238	mv203	Daughters at home	discrete	numeric	
V2239	mv204	Sons elsewhere	discrete	numeric	
V2240	mv205	Daughters elsewhere	discrete	numeric	
V2241	mv206	Sons who have died	discrete	numeric	
V2242	mv207	Daughters who have died	discrete	numeric	
V2243	mv212	Age of respondent at 1st birth	contin	numeric	
V2244	mv213	Partner currently pregnant	discrete	numeric	
V2245	mv217	Knowledge of ovulatory cycle	discrete	numeric	
V2246	mv218	Number of living children	contin	numeric	
V2247	mv225	NA- Most recent pregnancy wanted	discrete	numeric	
V2248	mv245	Number of women fathered children with	discrete	numeric	
V2249	mv246	Married to mother when first child was born	discrete	numeric	
V2250	mv247	Age of most recent child	contin	numeric	
V2251	mv248	Antenatal check-ups for the mother of most recent child	discrete	numeric	
V2252	mv249	Respondent present during check-ups for most recent child	discrete	numeric	
V2253	mv250	Place of birth of most recent child	discrete	numeric	
V2254	mv251	NA- Reason for not delivering most recent child in health facility	discrete	numeric	
V2255	mv252	Amount a child should drink, when that child has diarrhea	discrete	numeric	

MREC31

Content	MAN - Contraception Table
Cases	73259
Variable(s)	8
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2256	mcaseid	Case Identification	discrete	character	
V2257	mv301	Knowledge of any contraceptive method	discrete	numeric	
V2258	mv302	NA- Ever use of any contraceptive method	discrete	numeric	
V2259	mrec31_group	Contraceptive method variable group	discrete	character	
V2260	m304a	Type of contraceptive method	discrete	numeric	
V2261	mv304	Knows contraceptive method	discrete	numeric	
V2262	mv305	Ever used contraceptive method	discrete	numeric	
V2263	mv307	Contraceptive method currently used	discrete	numeric	

MREC32

Content	MAN - Contraception Knowledge and Use
Cases	6977
Variable(s)	19
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2264	mcaseid	Case Identification	discrete	character	
V2265	mv312	Current contraceptive method	discrete	numeric	
V2266	mv313	Current contraceptive by method type	discrete	numeric	
V2267	mv323a	Brand of condom used	discrete	numeric	
V2268	mv325b	NA- Cost of condoms (in CURRENCY) last time obtained	discrete	numeric	
V2269	mv372a	NA- terviewer shown condom package	discrete	numeric	
V2270	mv384a	On radio heard about Family Planning in the last few months	discrete	numeric	
V2271	mv384b	On TV saw about Family Planning in the last few months	discrete	numeric	
V2272	mv384c	In newspaper read about Family Planning in the last few months	discrete	numeric	
V2273	mv384d	Heard family planning by text messages on mobile phone	discrete	numeric	
V2274	mv395	Discussed Family Planning with health worker in last few months	discrete	numeric	
V2275	mv396	NA- Possible for a breastfeeding woman to get pregnant	discrete	numeric	
V2276	mv396a	Can women get pregnant after birth of a child before period return	discrete	numeric	
V2277	mv3a00y	Source of family planning for non-users: no source	discrete	numeric	
V2278	mv3a00z	Source of family planning for non-users: any source	discrete	numeric	
V2279	mv3a09b	NA- Number of condoms did get last time	discrete	numeric	
V2280	mv3b17	Source of condoms	discrete	numeric	
V2281	mv3b25a	Contraception is woman's business, man should not worry	discrete	numeric	
V2282	mv3b25b	Women who use contraception become promiscuous	discrete	numeric	

MREC41

Content	MAN - Tuberculosis and other Health Issues
Cases	6977
Variable(s)	75
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2283	mcaseid	Case Identification	discrete	character	
V2284	mv463a	NA -Smokes cigarettes	discrete	numeric	
V2285	mv463b	NA -Smokes pipe	discrete	numeric	
V2286	mv463c	NA -Uses chewing tobacco	discrete	numeric	
V2287	mv463d	NA -Uses snuff	discrete	numeric	
V2288	mv463e	NA -Smokes CS	discrete	numeric	
V2289	mv463f	NA -Smokes CS	discrete	numeric	
V2290	mv463g	NA -Smokes CS	discrete	numeric	
V2291	mv463x	NA -Smokes other	discrete	numeric	
V2292	mv463z	NA -Smokes nothing	discrete	numeric	
V2293	mv463aa	NA- Frequency currently smokes tobacco	discrete	numeric	
V2294	mv463ab	NA- Frequency currently uses smokeless tobacco	discrete	numeric	
V2295	mv463ac	NA- In the past smoked tobacco every day	discrete	numeric	
V2296	mv463ad	NA- Frequency in the past smoked tobacco	discrete	numeric	
V2297	mv464	NA- Number of cigarettes in last 24 hours	discrete	numeric	
V2298	mv464a	On average respondent smokes daily: manufactured cigarettes	discrete	numeric	
V2299	mv464b	On average respondent smokes daily: hand roll cigarettes	discrete	numeric	
V2300	mv464c	NA- On average respondent smokes daily: kreteks	discrete	numeric	
V2301	mv464d	On average respondent smokes daily: pipes full of tobacco	discrete	numeric	
V2302	mv464e	On average respondent smokes daily: cigars, cheroots, cigarillos	discrete	numeric	
V2303	mv464f	On average respondent smokes daily: water pipe sessions	discrete	numeric	
V2304	mv464g	On average respondent smokes daily: others	discrete	numeric	
V2305	mv464h	On average respondent uses daily: snuff by mouth	discrete	numeric	
V2306	mv464i	On average respondent uses daily: snuff by nose	discrete	numeric	
V2307	mv464j	On average respondent uses daily: chewing tobacco	discrete	numeric	
V2308	mv464k	On average respondent uses daily: betel quid with tobacco	discrete	numeric	
V2309	mv464l	On average respondent uses daily: any others	discrete	numeric	
V2310	mv474	NA- Heard of tuberculosis or TB	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2311	mv474a	NA- Tuberculosis spread by: air through coughing or sneezing	discrete	numeric	
V2312	mv474b	NA- Tuberculosis spread by: sharing utensils	discrete	numeric	
V2313	mv474c	NA- Tuberculosis spread by: touching a person with TB	discrete	numeric	
V2314	mv474d	NA- Tuberculosis spread by: food	discrete	numeric	
V2315	mv474e	NA- Tuberculosis spread by: sexual contact	discrete	numeric	
V2316	mv474f	NA- Tuberculosis spread by: mosquito bites	discrete	numeric	
V2317	mv474g	NA- Tuberculosis spread by: CS	discrete	numeric	
V2318	mv474h	NA- Tuberculosis spread by: CS	discrete	numeric	
V2319	mv474i	NA- Tuberculosis spread by: CS	discrete	numeric	
V2320	mv474j	NA- Tuberculosis spread by: CS	discrete	numeric	
V2321	mv474x	NA- Tuberculosis spread by: other	discrete	numeric	
V2322	mv474z	NA- Don't know how tuberculosis is spread	discrete	numeric	
V2323	mv475	NA- Tuberculosis can be cured	discrete	numeric	
V2324	mv476	NA- Would want tuberculosis infection in family to remain secret	discrete	numeric	
V2325	mv477	Number of injections in last 12 months	discrete	numeric	
V2326	mv478	Number of injections administered by a health worker	discrete	numeric	
V2327	mv479	NA- Place where given injection by health worker	discrete	numeric	
V2328	mv480	Syringe and needle from new, unopened package	discrete	numeric	
V2329	mv481	NA- Covered by health insurance	discrete	numeric	
V2330	mv481a	NA- Health insurance type: mutual/community organization	discrete	numeric	
V2331	mv481b	NA- Health insurance type: provided by employer	discrete	numeric	
V2332	mv481c	NA- Health insurance type: social security	discrete	numeric	
V2333	mv481d	NA- Health insurance type: private/commercially purchased	discrete	numeric	
V2334	mv481e	NA- Health insurance type: CS	discrete	numeric	
V2335	mv481f	NA- Health insurance type: CS	discrete	numeric	
V2336	mv481g	NA- Health insurance type: CS	discrete	numeric	
V2337	mv481h	NA- Health insurance type: CS	discrete	numeric	
V2338	mv481x	NA- Health insurance type: other	discrete	numeric	
V2339	mv482a	NA- Arrange care of biological children under age 18***	discrete	numeric	
V2340	mv482b	NA- Primary caregiver of children under age 18***	discrete	numeric	
V2341	mv482c	NA- Arrange care of non-biological children < 18***	discrete	numeric	
V2342	mv483	NA- Respondent circumcised	discrete	numeric	
V2343	mv483a	NA- Age at circumcision	discrete	numeric	
V2344	mv483b	NA- Who performed the circumcision	discrete	numeric	
V2345	mv483c	NA- Place where circumcision was done	discrete	numeric	
V2346	mv484a	On average respondent smokes weekly: manufactured cigarettes	discrete	numeric	
V2347	mv484b	On average respondent smokes weekly: hand roll cigarettes	discrete	numeric	
V2348	mv484c	NA- On average respondent smokes weekly: kreteks	discrete	numeric	
V2349	mv484d	On average respondent smokes weekly: pipes full of tobacco	discrete	numeric	
V2350	mv484e	On average respondent smokes weekly: cigars, cheroots, cigarillos	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2351	mv484f	On average respondent smokes weekly: water pipe sessions	discrete	numeric	
V2352	mv484g	On average respondent smokes weekly: others	discrete	numeric	
V2353	mv484h	On average respondent uses weekly: snuff by mouth	discrete	numeric	
V2354	mv484i	On average respondent uses weekly: snuff by nose	discrete	numeric	
V2355	mv484j	On average respondent uses weekly: chewing tobacco	discrete	numeric	
V2356	mv484k	On average respondent uses weekly: betel quid with tobacco	discrete	numeric	
V2357	mv484l	On average respondent uses weekly: any others	discrete	numeric	

MREC51

Content	MAN - Marriage and Sexual Exposure
Cases	6977
Variable(s)	22
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2358	mcaseid	Case Identification	discrete	character	
V2359	mv501	Current marital status	discrete	numeric	
V2360	mv502	Currently/formerly/never in union	discrete	numeric	
V2361	mv503	Number of unions	discrete	numeric	
V2362	mv504	Currently residing with wife/partner	discrete	numeric	
V2363	mv505	Number of wives/partners	discrete	numeric	
V2364	mv507	Month of first cohabitation	discrete	numeric	
V2365	mv508	Year of first cohabitation	contin	numeric	
V2366	mv509	Date of first cohabitation (CMC)	contin	numeric	
V2367	mv510	Completeness of date information in MV509	discrete	numeric	
V2368	mv511	Age at first cohabitation	contin	numeric	
V2369	mv512	Years since first cohabitation	contin	numeric	
V2370	mv513	Cohabitation duration (grouped)	discrete	numeric	
V2371	mv525	Age at first sex	discrete	numeric	
V2372	mv527	Time since last sex	discrete	numeric	
V2373	mv528	Time since last sex (in days)	discrete	numeric	
V2374	mv529	Time since last sex (in months)	discrete	numeric	
V2375	mv531	Age at first sex (imputed)	discrete	numeric	
V2376	mv532	Flag for MV531	discrete	numeric	
V2377	mv535	Ever been married or in union	discrete	numeric	
V2378	mv536	Recent sexual activity	discrete	numeric	
V2379	mv541	NA -Intends to wait until marriage to have sex	discrete	numeric	

MREC61

Content	MAN - Fertility Preferences
Cases	6977
Variable(s)	24
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2380	mcaseid	Case Identification	discrete	character	
V2381	mv602	Fertility preference	discrete	numeric	
V2382	mv603	Preferred waiting time for birth of a/another child	discrete	numeric	
V2383	mv604	Preferred waiting time for birth of a/another child (grouped)	discrete	numeric	
V2384	mv605	Desire for more children	discrete	numeric	
V2385	mv613	Ideal number of children	discrete	numeric	
V2386	mv614	Ideal number of children (grouped)	discrete	numeric	
V2387	mv616	Desired time for future birth	discrete	numeric	
V2388	mv621	NA - Wife's desire for children	discrete	numeric	
V2389	mv627	Ideal number of boys	discrete	numeric	
V2390	mv628	Ideal number of girls	discrete	numeric	
V2391	mv629	Ideal number of either sex	discrete	numeric	
V2392	mv631	NA- Problem if wife became pregnant	discrete	numeric	
V2393	mv633a	NA- Wife justified refusing sex: husband has STI	discrete	numeric	
V2394	mv633b	Wife justified refusing sex: husband has other women	discrete	numeric	
V2395	mv633c	NA- Wife justified refusing sex: recent birth	discrete	numeric	
V2396	mv633d	NA- Wife justified refusing sex: tired, not in mood	discrete	numeric	
V2397	mv633e	NA- Wife justified refusing sex: CS reason	discrete	numeric	
V2398	mv633f	NA- Wife justified refusing sex: CS reason	discrete	numeric	
V2399	mv633g	NA- Wife justified refusing sex: CS reason	discrete	numeric	
V2400	mv634a	NA- Wife refuses to have sex, husband has right to: get angry	discrete	numeric	
V2401	mv634b	NA- Wife refuses to have sex, husband has right to: refuse financial support	discrete	numeric	
V2402	mv634c	NA- Wife refuses to have sex, husband has right to: use force for sex	discrete	numeric	
V2403	mv634d	Wife refuses to have sex, husband has right to: have sex with another women	discrete	numeric	

MREC71

Content	MAN - Employment
Cases	6977
Variable(s)	30
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2404	mcaseid	Case Identification	discrete	character	
V2405	mv714	Currently working	discrete	numeric	
V2406	mv714a	Have a job, but currently absent	discrete	numeric	
V2407	mv716	Occupation	discrete	numeric	
V2408	mv717	Occupation (grouped)	discrete	numeric	
V2409	mv719	NA- Works for family, others, self	discrete	numeric	
V2410	mv721	NA- Works at home or away	discrete	numeric	
V2411	mv731	Worked in last 12 months	discrete	numeric	
V2412	mv732	Employment all year/seasonal	discrete	numeric	
V2413	mv739	Person who usually decides how to spend respondent's earnings	discrete	numeric	
V2414	mv740	NA- Type of land where respondent works	discrete	numeric	
V2415	mv741	Type of earnings from respondent's work	discrete	numeric	
V2416	mv743a	Person who should have greater say: respondent's health care	discrete	numeric	
V2417	mv743b	Person who should have greater say: large household purchases	discrete	numeric	
V2418	mv743c	NA- Person who should have greater say: daily household purchases	discrete	numeric	
V2419	mv743d	NA- Person who should have greater say: visits to family or relatives	discrete	numeric	
V2420	mv743e	NA- Person who should have greater say: food to be cooked each day	discrete	numeric	
V2421	mv743f	NA- Person who should have greater say: deciding what to do with money wife earn	discrete	numeric	
V2422	mv743g	NA- Person who should have greater say: deciding how many children to have	discrete	numeric	
V2423	mv744a	Beating justified: wife goes out without telling husband	discrete	numeric	
V2424	mv744b	Beating justified: wife neglects the children	discrete	numeric	
V2425	mv744c	Beating justified: wife argues with husband	discrete	numeric	
V2426	mv744d	Beating justified: wife refuses to have sex with husband	discrete	numeric	
V2427	mv744e	Beating justified: wife burns food	discrete	numeric	
V2428	mv745a	Owns a house alone or jointly	discrete	numeric	
V2429	mv745b	Owns land alone or jointly	discrete	numeric	
V2430	mv745c	Title deed on house own by respondent	discrete	numeric	
V2431	mv745d	Title deed on land own by respondent	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2432	mv747a	NA- Childbearing is a woman's concern	discrete	numeric	
V2433	mv747b	NA- Important for mother/child health to get assistance at delivery	discrete	numeric	

MREC75

Content	MAN - AIDS, STIs and Condom Use
Cases	6977
Variable(s)	147
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2434	mcaseid	Case Identification	discrete	character	
V2435	mv750	Ever heard of a Sexually Transmitted Infection (STI)	discrete	numeric	
V2436	mv751	Ever heard of AIDS	discrete	numeric	
V2437	mv754bp	NA- Reduce risk of getting HIV: do not have sex at all	discrete	numeric	
V2438	mv754cp	Reduce risk of getting HIV: always use condoms during sex	discrete	numeric	
V2439	mv754dp	Reduce risk of getting HIV: have 1 sex partner only, who has no other partners	discrete	numeric	
V2440	mv754jp	Can get HIV from mosquito bites	discrete	numeric	
V2441	mv754wp	Can get HIV by sharing food with person who has AIDS	discrete	numeric	
V2442	mv756	A healthy looking person can have HIV	discrete	numeric	
V2443	mv761	Condom used during last sex with most recent partner	discrete	numeric	
V2444	mv761b	Condom used during last sex with 2nd to most recent partner	discrete	numeric	
V2445	mv761c	Condom used during last sex with 3rd to most recent partner	discrete	numeric	
V2446	mv762	Source of condoms used for last sex	discrete	numeric	
V2447	mv762a	Brand of condom used for last sex	discrete	numeric	
V2448	mv762aa	Source for condoms: government hospital	discrete	numeric	
V2449	mv762ab	Source for condoms: Government health Center	discrete	numeric	
V2450	mv762ac	Source for condoms: Government Health Post	discrete	numeric	
V2451	mv762ad	Source for condoms: family planning clinic	discrete	numeric	
V2452	mv762ae	Source for condoms: rural maternity clinic	discrete	numeric	
V2453	mv762af	Source for condoms: Government Health Hut (Case de sant)	discrete	numeric	
V2454	mv762ag	Source for condoms: community pharmacy	discrete	numeric	
V2455	mv762ah	Source for condoms: Outreach strategy/mobile team	discrete	numeric	
V2456	mv762ai	Source for condoms: Other public	discrete	numeric	
V2457	mv762aj	Source for condoms: private hospital/clinic	discrete	numeric	
V2458	mv762ak	Source for condoms: pharmacy	discrete	numeric	
V2459	mv762al	Source for condoms: private doctor	discrete	numeric	
V2460	mv762am	Source for condoms: religious dispensary	discrete	numeric	
V2461	mv762an	Source for condoms: Other private	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2462	mv762ao	NA -Source for condoms: CS private	discrete	numeric	
V2463	mv762ap	NA -Source for condoms: CS private	discrete	numeric	
V2464	mv762aq	NA -Source for condoms: CS private	discrete	numeric	
V2465	mv762ar	NA -Source for condoms: CS private	discrete	numeric	
V2466	mv762as	Source for condoms: Shop	discrete	numeric	
V2467	mv762at	Source for condoms: Church	discrete	numeric	
V2468	mv762au	Source for condoms: Friends/relatives	discrete	numeric	
V2469	mv762av	Source for condoms: Bar	discrete	numeric	
V2470	mv762aw	NA -Source for condoms: CS other	discrete	numeric	
V2471	mv762ax	Source for condoms: other	discrete	numeric	
V2472	mv762az	Don't know any source for condoms	discrete	numeric	
V2473	mv762ba	Source for female condoms: government hospital	discrete	numeric	
V2474	mv762bb	Source for female condoms: Government health Center	discrete	numeric	
V2475	mv762bc	Source for female condoms: Government Health Post	discrete	numeric	
V2476	mv762bd	Source for female condoms: family planning clinic	discrete	numeric	
V2477	mv762be	Source for female condoms: rural maternity clinic	discrete	numeric	
V2478	mv762bf	Source for female condoms: Government Health Hut (Case de sant)	discrete	numeric	
V2479	mv762bg	Source for female condoms: community pharmacy	discrete	numeric	
V2480	mv762bh	Source for female condoms: Outreach strategy/mobile team	discrete	numeric	
V2481	mv762bi	Source for female condoms: Other public	discrete	numeric	
V2482	mv762bj	Source for female condoms: private hospital/clinic	discrete	numeric	
V2483	mv762bk	Source for female condoms: pharmacy	discrete	numeric	
V2484	mv762bl	Source for female condoms: private doctor	discrete	numeric	
V2485	mv762bm	Source for female condoms: religious dispensary	discrete	numeric	
V2486	mv762bn	Source for female condoms: Other private	discrete	numeric	
V2487	mv762bo	NA -Source for female condoms: CS private	discrete	numeric	
V2488	mv762bp	NA -Source for female condoms: CS private	discrete	numeric	
V2489	mv762bq	NA -Source for female condoms: CS private	discrete	numeric	
V2490	mv762br	NA -Source for female condoms: CS private	discrete	numeric	
V2491	mv762bs	Source for female condoms: Shop	discrete	numeric	
V2492	mv762bt	Source for female condoms: Church	discrete	numeric	
V2493	mv762bu	Source for female condoms: Friends/relatives	discrete	numeric	
V2494	mv762bv	Source for female condoms: Bar	discrete	numeric	
V2495	mv762bw	NA -Source for female condoms: CS other	discrete	numeric	
V2496	mv762bx	Source for female condoms: other	discrete	numeric	
V2497	mv762bz	Don't know any source for female condoms	discrete	numeric	
V2498	mv763a	Had any STI in last 12 months	discrete	numeric	
V2499	mv763b	Had genital sore/ulcer in last 12 months	discrete	numeric	
V2500	mv763c	Had genital discharge in last 12 months	discrete	numeric	
V2501	mv763d	NA- Had CS STI in last 12 months	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2502	mv763e	NA- Had CS STI in last 12 months	discrete	numeric	
V2503	mv763f	NA- Had CS STI in last 12 months	discrete	numeric	
V2504	mv763g	NA- Had CS STI in last 12 months	discrete	numeric	
V2505	mv766a	Number of sex partners, excluding spouse, in last 12 months	discrete	numeric	
V2506	mv766b	Number of sex partners, including spouse, in last 12 months	discrete	numeric	
V2507	mv767a	Relationship with most recent sex partner	discrete	numeric	
V2508	mv767b	Relationship with 2nd to most recent sex partner	discrete	numeric	
V2509	mv767c	Relationship with 3rd to most recent sex partner	discrete	numeric	
V2510	mv768a	NA- Length of time had sex relations with most recent partner	discrete	numeric	
V2511	mv768b	NA- Length of time had sex relations with 2nd to most recent partner	discrete	numeric	
V2512	mv768c	NA- Length of time had sex relations with 3rd to most recent partner	discrete	numeric	
V2513	mv769	Can get a condom	discrete	numeric	
V2514	mv769a	Can get a female condom	discrete	numeric	
V2515	mv770	Sought advice/treatment for last STI infection	discrete	numeric	
V2516	mv770a	Sought STI advice/treatment from: government hospital	discrete	numeric	
V2517	mv770b	Sought STI advice/treatment from: government health center	discrete	numeric	
V2518	mv770c	Sought STI advice/treatment from: government health post	discrete	numeric	
V2519	mv770d	Sought STI advice/treatment from: public FP center	discrete	numeric	
V2520	mv770e	Sought STI advice/treatment from: Maternite rurale (CS)	discrete	numeric	
V2521	mv770f	Sought STI advice/treatment from: Government Case de sant	discrete	numeric	
V2522	mv770g	Sought STI advice/treatment from: community pharmacy	discrete	numeric	
V2523	mv770h	Sought STI advice/treatment from: Outreach strategy/mobile team	discrete	numeric	
V2524	mv770i	Sought STI advice/treatment from: Other public	discrete	numeric	
V2525	mv770j	NA- Sought STI advice/treatment from: CS public	discrete	numeric	
V2526	mv770k	Sought STI advice/treatment from: private hospital/clinic/doctor	discrete	numeric	
V2527	mv770l	Sought STI advice/treatment from: private pharmacy	discrete	numeric	
V2528	mv770m	Sought STI advice/treatment from: private doctor	discrete	numeric	
V2529	mv770n	Sought STI advice/treatment from: religious dispensary	discrete	numeric	
V2530	mv770o	Sought STI advice/treatment from: Other private	discrete	numeric	
V2531	mv770p	NA- Sought STI advice/treatment from: CS private	discrete	numeric	
V2532	mv770q	NA- Sought STI advice/treatment from: CS private	discrete	numeric	
V2533	mv770r	NA- Sought STI advice/treatment from: CS private	discrete	numeric	
V2534	mv770s	NA- Sought STI advice/treatment from: CS private	discrete	numeric	
V2535	mv770t	Sought STI advice/treatment from: CS Shop	discrete	numeric	
V2536	mv770u	Sought STI advice/treatment from: CS church	discrete	numeric	
V2537	mv770v	Sought STI advice/treatment from: Friends/relatives	discrete	numeric	
V2538	mv770w	Sought STI advice/treatment from: CS other bar	discrete	numeric	
V2539	mv770x	Sought STI advice/treatment from: other	discrete	numeric	
V2540	mv774a	HIV transmitted during pregnancy	discrete	numeric	
V2541	mv774b	HIV transmitted during delivery	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2542	mv774c	HIV transmitted by breastfeeding	discrete	numeric	
V2543	mv775	NA- Knows someone who has, or is suspected of having, HIV	discrete	numeric	
V2544	mv777	Would want HIV infection in family to remain secret	discrete	numeric	
V2545	mv777a	Would be ashamed if someone in the family had HIV	discrete	numeric	
V2546	mv778	Willing to care for relative with AIDS	discrete	numeric	
V2547	mv779	NA-A female teacher infected with HIV, but is not sick, should be allowed to con	discrete	numeric	
V2548	mv780	NA-Children should be taught about condoms to avoid AIDS	discrete	numeric	
V2549	mv781	Ever been tested for HIV	discrete	numeric	
V2550	mv783	Know a place to get HIV test	discrete	numeric	
V2551	mv784a	Place for HIV test: government hospital	discrete	numeric	
V2552	mv784b	Place for HIV test: CS public Heath center	discrete	numeric	
V2553	mv784c	Place for HIV test: CS public health Post	discrete	numeric	
V2554	mv784d	Place for HIV test: CS public FP center	discrete	numeric	
V2555	mv784e	Place for HIV test: CS public rural maternity	discrete	numeric	
V2556	mv784f	Place for HIV test: CS public Government Health Hut (Case de sant)	discrete	numeric	
V2557	mv784g	Place for HIV test: community pharmacy	discrete	numeric	
V2558	mv784h	Place for HIV test: CS public Avanced mobil strategy	discrete	numeric	
V2559	mv784i	Place for HIV test: CS others public	discrete	numeric	
V2560	mv784j	NA-Place for HIV test: CS public	discrete	numeric	
V2561	mv784k	Place for HIV test: private hospital/clinic/doctor	discrete	numeric	
V2562	mv784l	Place for HIV test: CS private pharmacy	discrete	numeric	
V2563	mv784m	Place for HIV test: CS private doctor	discrete	numeric	
V2564	mv784n	Place for HIV test: Religious dispensary	discrete	numeric	
V2565	mv784o	Place for HIV test: other private	discrete	numeric	
V2566	mv784p	NA- Place for HIV test: CS private	discrete	numeric	
V2567	mv784q	NA- Place for HIV test: CS private	discrete	numeric	
V2568	mv784r	NA- Place for HIV test: CS private	discrete	numeric	
V2569	mv784s	NA- Place for HIV test: CS other	discrete	numeric	
V2570	mv784t	Place for HIV test: Shop	discrete	numeric	
V2571	mv784u	Place for HIV test: Church	discrete	numeric	
V2572	mv784v	Place for HIV test: Relative/Neighbor	discrete	numeric	
V2573	mv784x	Place for HIV test: other	discrete	numeric	
V2574	mv785	Heard about other STIs	discrete	numeric	
V2575	mv791	Have ever paid anyone in exchange for sex	discrete	numeric	
V2576	mv791a	Last 12 months have given gifts or other goods to have sex	discrete	numeric	
V2577	mv791b	Have ever given gifts or other goods to have sex	discrete	numeric	
V2578	mv793	Paid for sex in last 12 months	discrete	numeric	
V2579	mv793a	Condom used last time paid for sex in last 12 months	discrete	numeric	
V2580	mv793b	Condom used every time paid for sex in last 12 months	discrete	numeric	

MREC80

Content	MAN - AIDS, STIs and Condom Use (continued)
Cases	6977
Variable(s)	56
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2581	mcaseid	Case Identification	discrete	character	
V2582	mv820	NA -Condom used at first sex	discrete	numeric	
V2583	mv822	Wife justified asking husband to use condom if he has STI	discrete	numeric	
V2584	mv823	Can get HIV by witchcraft or supernatural means	discrete	numeric	
V2585	mv824	Drugs to avoid HIV transmission to baby during pregnancy	discrete	numeric	
V2586	mv825	Would buy vegetables from vendor with HIV	discrete	numeric	
V2587	mv826	NA- Last time tested for HIV	discrete	numeric	
V2588	mv826a	Months ago most recent HIV test	discrete	numeric	
V2589	mv827	NA- Last HIV test: on your own, offered or required	discrete	numeric	
V2590	mv828	Received result from last HIV test	discrete	numeric	
V2591	mv829	Place where last HIV test was taken	discrete	numeric	
V2592	mv832b	Time since last sex with 2nd to most recent partner	discrete	numeric	
V2593	mv832c	Time since last sex with 3rd to most recent partner	discrete	numeric	
V2594	mv833a	Used condom every time had sex with most recent partner in last 12 months	discrete	numeric	
V2595	mv833b	Used condom every time had sex with 2nd to most recent partner in last 12 months	discrete	numeric	
V2596	mv833c	Used condom every time had sex with 3rd to most recent partner in last 12 months	discrete	numeric	
V2597	mv834a	Age of most recent partner	discrete	numeric	
V2598	mv834b	Age of 2nd to most recent partner	discrete	numeric	
V2599	mv834c	Age of 3rd to most recent partner	discrete	numeric	
V2600	mv835a	NA- Alcohol consumption at last sex with most recent partner	discrete	numeric	
V2601	mv835b	NA- Alcohol consumption at last sex with 2nd to most recent partner	discrete	numeric	
V2602	mv835c	NA- Alcohol consumption at last sex with 3rd to most recent partner	discrete	numeric	
V2603	mv836	Total lifetime number of sex partners	discrete	numeric	
V2604	mv837	NA- Heard of drugs to help HIV infected people live longer	discrete	numeric	
V2605	mv844	NA- Knows someone denied health services for having, or suspected of having, HIV	discrete	numeric	
V2606	mv845	NA- Knows someone denied social event for having, or suspected of having, HIV;	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2607	mv846	NA- Knows someone verbally abused for having, or suspected of having, HIV; in la	discrete	numeric	
V2608	mv847	NA- People with HIV should be ashamed of themselves	discrete	numeric	
V2609	mv848	NA- People with HIV should be blamed for bringing disease to community	discrete	numeric	
V2610	mv849	NA- Children 12-14 should be taught to wait for sex until marriage	discrete	numeric	
V2611	mv851a	NA- Young men should wait for sex until marriage	discrete	numeric	
V2612	mv851b	NA- Most young men wait for sex until marriage	discrete	numeric	
V2613	mv851c	NA- Unmarried sexually active men should have only one partner	discrete	numeric	
V2614	mv851d	NA- Most unmarried sexually active men have only one partner	discrete	numeric	
V2615	mv851e	NA- Married men should only have sex with their wives	discrete	numeric	
V2616	mv851f	NA- Most married men only have sex with their wives	discrete	numeric	
V2617	mv851g	NA- Young women should wait for sex until marriage	discrete	numeric	
V2618	mv851h	NA- Most young women wait for sex until marriage	discrete	numeric	
V2619	mv851i	NA- Unmarried sexually active women should have only one partner	discrete	numeric	
V2620	mv851j	NA- Most unmarried sexually active women have only one partner	discrete	numeric	
V2621	mv851k	NA- Married women should only have sex with their husbands	discrete	numeric	
V2622	mv851l	NA- Most married women only have sex with their husbands	discrete	numeric	
V2623	mv852a	How long ago first had sex with most recent partner	discrete	numeric	
V2624	mv852b	How long ago first had sex with 2nd most recent partner	discrete	numeric	
V2625	mv852c	How long ago first had sex with 3rd most recent partner	discrete	numeric	
V2626	mv853a	Times in last 12 months had sex with most recent partner	discrete	numeric	
V2627	mv853b	Times in last 12 months had sex with 2nd most recent partner	discrete	numeric	
V2628	mv853c	Times in last 12 months had sex with 3rd most recent partner	discrete	numeric	
V2629	mv854a	Concurrent sexual partners	discrete	numeric	
V2630	mv854b	Cumulative concurrent sexual partners	discrete	numeric	
V2631	mv856	Knowledge and use of HIV test kits	discrete	numeric	
V2632	mv857a	Children with HIV should be allowed to attend school with children without HIV	discrete	numeric	
V2633	mv857b	People hesitate to take HIV test because reaction of other people if positive	discrete	numeric	
V2634	mv857c	People talk badly about people with or believed to have HIV	discrete	numeric	
V2635	mv857d	People with or believed to have HIV lose respect from other people	discrete	numeric	
V2636	mv858	Would be afraid to get HIV from contact with saliva from infected person	discrete	numeric	

MRECGC

Content MAN - Female Genital Cutting

Cases 6977

Variable(s) 17

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V2653	mcaseid	Case Identification	discrete	character	
V2654	mg100	Ever heard of female circumcision	discrete	numeric	
V2655	mg101	Ever heard of genital cutting (probed)	discrete	numeric	
V2656	mg117a	NA- Female circumcision benefit: cleanliness/hygiene	discrete	numeric	
V2657	mg117b	NA- Female circumcision benefit: social acceptance	discrete	numeric	
V2658	mg117c	NA- Female circumcision benefit: better marriage prospects	discrete	numeric	
V2659	mg117d	NA- Female circumcision benefit: virginity/prevent premarital sex	discrete	numeric	
V2660	mg117e	NA- Female circumcision benefit: greater sexual pleasure for men	discrete	numeric	
V2661	mg117f	NA- Female circumcision benefit: religious approval	discrete	numeric	
V2662	mg117g	NA- Female circumcision benefit: CS	discrete	numeric	
V2663	mg117h	NA- Female circumcision benefit: CS	discrete	numeric	
V2664	mg117i	NA- Female circumcision benefit: CS	discrete	numeric	
V2665	mg117j	NA- Female circumcision benefit: CS	discrete	numeric	
V2666	mg117x	NA- Female circumcision benefit: other	discrete	numeric	
V2667	mg117y	NA- No benefit from female circumcision	discrete	numeric	
V2668	mg118	Female circumcision required by religion	discrete	numeric	
V2669	mg119	Female circumcision: continue or be stopped	discrete	numeric	

MREC91

Content	MAN - Survey specific variables
Cases	6977
Variable(s)	16
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	Name	Label	Type	Format	Question
V2637	mcaseid	Case Identification	discrete	character	
V2638	smezone	Ecological Zone	discrete	numeric	
V2639	smzonem	Malaria Zone	discrete	numeric	
V2640	smseason	Season of interview	discrete	numeric	
V2641	sm108	Highest educational level	discrete	numeric	
V2642	sm109	Highest grade at that level	discrete	numeric	
V2643	sm111ba	Language of literacy program: Arabic	discrete	numeric	
V2644	sm111bb	Language of literacy program: Wolof	discrete	numeric	
V2645	sm111bc	Language of literacy program: Poular	discrete	numeric	
V2646	sm111bd	Language of literacy program: Serer	discrete	numeric	
V2647	sm111be	Language of literacy program: Diola	discrete	numeric	
V2648	sm111bf	Language of literacy program: Mandingue	discrete	numeric	
V2649	sm111bg	Language of literacy program: Soninke	discrete	numeric	
V2650	sm111bx	Language of literacy program: Other	discrete	numeric	
V2651	sm122a	Senegalese nationality	discrete	numeric	
V2652	sm302e	Saw or read FP informations from posters or panels	discrete	numeric	

Case Identification (hhid)

File: RECH0

Overview

Type: Discrete
Format: character
Width: 6

Country code and phase (hv000)

File: RECH0

Overview

Type: Discrete
Format: character
Width: 3

Cluster number (hv001)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-400

Household number (hv002)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-22

Respondent's line number (answering Household questionnaire) (hv003)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-45

Ultimate area unit (hv004)

File: RECH0

Ultimate area unit (hv004)

File: RECH0

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-400

Household sample weight (6 decimals) (hv005)

File: RECH0

Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-4259231

Month of interview (hv006)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 4-12

Year of interview (hv007)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2017-2017

Date of interview (CMC) (hv008)

File: RECH0

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1408-9999

Date of interview Century Day Code (CDC) (hv008a)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 42830-43098

Number of household members (hv009)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-50

Number of eligible women in household (hv010)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-17

Number of eligible men in household (hv011)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-15

Number of de jure members (hv012)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-50

Number of de facto members (hv013)

File: RECH0

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-50

Number of children 5 and under (de jure) (hv014)

File: RECH0

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-21

Result of household interview (hv015)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Day of interview (hv016)

File: RECH0

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-31

Number of visits (hv017)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-5

Interviewer identification (hv018)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 100-182

NA- Keyer identification (hv019)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Ever-married sample (hv020)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Primary sampling unit (hv021)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-400

Sample strata for sampling errors (hv022)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-28

Stratification used in sample design (hv023)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-28

Region (hv024)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-14

Type of place of residence (hv025)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

NA- Place of residence (hv026)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Household selected for male interview (hv027)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Household weight for male subsample (6 decimals) (hv028)

File: RECH0

Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-4292918

Field supervisor (hv030)

File: RECH0

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 31-180

NA- Field editor (hv031)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

NA- Office editor (hv032)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Number of eligible children for height and weight (hv035)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-20

NA- Cluster altitude in meters (hv040)

File: RECH0

NA- Cluster altitude in meters (hv040)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Total adults measured (hv041)

File: RECH0

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-28

Household selected for hemoglobin (hv042)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Household selected for Domestic Violence module (hv044)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Language of questionnaire (hv045a)

File: RECH0

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-6

Language of interview (hv045b)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

NA- Native language of respondent (hv045c)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Translator used (hv046)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Time interview started (hhmm - 24 hour clock) (hv801)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 10-2355

Time interview ended (hhmm - 24 hour clock) (hv802)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 603-2251

Length of interview in minutes (hv803)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 3-97

Number of visits for biomarker (hv804)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Day of biomarker visit (hv807d)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Month of biomarker visit (hv807m)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 4-12

Year of biomarker visit (hv807y)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2017-2017

Date of biomarker (CMC) (hv807c)

File: RECH0

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1408-1416

Date of biomarker Century Day Code (CDC) (hv807a)

File: RECH0

Overview

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 42831-43098

Case Identification (hhid)

File: RECH1

Overview

Type: Discrete
Format: character
Width: 6

Line number (hvidx)

File: RECH1

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-50

Relationship to head (hv101)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Usual resident (hv102)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Slept last night (hv103)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sex of household member (hv104)

File: RECH1

Sex of household member (hv104)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Age of household members (hv105)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Highest educational level attained (hv106)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Highest year of education completed (hv107)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Education completed in single years (hv108)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Educational attainment (hv109)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Member still in school (hv110)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Mother alive (hv111)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Mother's line number (hv112)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-49

Father alive (hv113)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Father's line number (hv114)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-45

Current marital status (hv115)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Currently, formerly, never married (hv116)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Eligibility for female interview (hv117)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Eligibility for male interview (hv118)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Children eligibility for height/weight and hemoglobin (hv120)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Member attended school during current school year (hv121)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Educational level during current school year (hv122)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Grade of education during current school year (hv123)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Education in single years - current school year (hv124)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Member attended school during previous school year (hv125)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Educational level during previous school year (hv126)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Grade of education during previous school year (hv127)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Education in single years - previous school year (hv128)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

School attendance status (hv129)

File: RECH1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Member has a birth certificate (hv140)

File: RECH1

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Case Identification (hhid)

File: RECH2

Overview

Type: Discrete
Format: character
Width: 6

Source of drinking water (hv201)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Source of non-drinking water (hv202)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-99

Water not available for at least a day last two weeks (hv201a)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Time to get to water source (minutes) (hv204)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

Type of toilet facility (hv205)

File: RECH2

Type of toilet facility (hv205)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Has electricity (hv206)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has radio (hv207)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has television (hv208)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has refrigerator (hv209)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has bicycle (hv210)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has motorcycle/scooter (hv211)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has car/truck (hv212)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Main floor material (hv213)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Main wall material (hv214)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Main roof material (hv215)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Number of rooms used for sleeping (hv216)

File: RECH2

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-24

Relationship structure (hv217)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Line number of head of household (hv218)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

Sex of head of household (hv219)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Age of head of household (hv220)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 15-98

Has telephone (land-line) (hv221)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Share toilet with other households (hv225)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Type of cooking fuel (hv226)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Has mosquito bed net for sleeping (hv227)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Children under 5 slept under mosquito bed net last night (hv228)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Place where household members wash their hands (hv230a)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Presence of water at hand washing place (hv230b)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Items present: Soap or detergent (hv232)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Items present: Ash, mud, sand (hv232b)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Items present: CS (hv232c)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Items present: CS (hv232d)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Items present: CS (hv232e)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Items present: None (hv232y)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Result of salt test for iodine (PPM) (hv234)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-995

Result of salt test for iodine (hv234a)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Location of source for water (hv235)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Person fetching water (hv236)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Anything done to water to make safe to drink (hv237)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Water usually treated by: boil (hv237a)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Water usually treated by: add bleach/chlorine (hv237b)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Water usually treated by: strain through a cloth (hv237c)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Water usually treated by: use water filter (hv237d)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Water usually treated by: solar disinfection (hv237e)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Water usually treated by: let it stand and settle (hv237f)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Water usually treated by: CS (hv237g)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Water usually treated by: CS (hv237h)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Water usually treated by: CS (hv237i)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Water usually treated by: CS (hv237j)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Water usually treated by: CS (hv237k)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Water usually treated by: other (hv237x)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Water usually treated by: don't know (hv237z)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Number of households sharing toilet (hv238)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-98

Location of toilet facility (hv238a)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

NA- Food cooked on stove or open fire (hv239)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

NA- Household has a chimney, hood or neither (hv240)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Food cooked in the house/ separate building/ outdoors (hv241)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Household has separate room used as kitchen (hv242)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Has mobile telephone (hv243a)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Has watch (hv243b)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has animal-drawn cart (hv243c)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has boat with a motor (hv243d)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has a computer (hv243e)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Owns land usable for agriculture (hv244)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Hectares of agricultural land (1 decimal) (hv245)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-998

Owes livestock, herds or farm animals (hv246)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Owes cattle (hv246a)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Owes cows/ bulls (hv246b)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Owes horses/ donkeys/ mules (hv246c)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Owes goats (hv246d)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Owes sheep (hv246e)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Owes chickens/poultry (hv246f)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Owes CS (hv246g)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA-Owes CS (hv246h)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA-Owes CS (hv246i)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA- Owns CS (hv246j)**File:** RECH2**Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

NA- Owns CS (hv246k)**File:** RECH2**Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Has bank account (hv247)**File:** RECH2**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Frequency household members smoke inside the house (hv252)**File:** RECH2**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Has dwelling been sprayed against mosquitoes in last 12 months (hv253)**File:** RECH2**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Dwelling sprayed by: Government worker/program (hv253a)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Dwelling sprayed by: private company (hv253b)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Dwelling sprayed by: NGO (hv253c)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Dwelling sprayed by: CS (hv253d)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Dwelling sprayed by: CS (hv253e)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Dwelling sprayed by: CS (hv253f)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Dwelling sprayed by: CS (hv253g)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Dwelling sprayed by: CS (hv253h)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Dwelling sprayed by: other (hv253x)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Dwelling sprayed by: don't know (hv253z)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Wealth index combined (hv270)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Wealth index factor score combined (5 decimals) (hv271)

File: RECH2

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: -170665-290739

Wealth index for urban/rural (hv270a)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Wealth index factor score for urban/rural (5 decimals) (hv271a)

File: RECH2

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: -300888-477384

Number of mosquito bed nets (hml1)

File: RECH2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Number of mosquito bed nets with specific information (hml1a)

File: RECH2

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Number of children under mosquito bed net previous night (hml2)

File: RECH2

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Case Identification (hhid)

File: RECH3

Overview

Type: Discrete
Format: character
Width: 6

NA- Number of de-jure children 5-14 for child labor module (chl0)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Phase of continuous survey (shphase)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Ecological Zone (shzone)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Malaria Zone (shmzone)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Season of interview (shseason)

File: RECH3

Season of interview (shseason)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Number of mosquito bed nets with specific information (shml1a)

File: RECH3

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-25

House ownership status (sh101a)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Principal sources of lighting (sh112a)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

TV5 (sh121d)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Canal Plus subscription (sh121e)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Washing machine (sh121h)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Stove (sh121j)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Improved kitchen (foyer amelior) (sh121k)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Video/CD/DVD (sh121l)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Air conditionner (sh121m)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Computer (sh121n)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Internet at home (sh121o)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Refrigerator (sh121i)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Personal car (sh122c)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Car or truck (CS not personal car) (sh122d)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Plow (sh122f)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Small boat (sh122g)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

A household member is a member of a savings club (sh123a)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Member of household has transferred money (sh123b)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Member of household has received a money transfer (sh123c)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Windows with grids to prevent mosquitoes (sh126a)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Doors with curtains & grids to prevent mosquitoes (sh126b)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Use mosquito nets out of sleeping rooms (sh128a)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Household members use mosquito net all year long (sh128b)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Reasons household members don't use mosquito net all year long (sh128c)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Reasons no mosquito nets: lack of means (sh128da)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Reasons no mosquito nets: not necessary (sh128db)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Reasons no mosquito nets: use other thing (sh128dc)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Reasons no mosquito nets: no mosquitoes (sh128dd)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Reasons no mosquito nets: don't like (sh128de)

File: RECH3

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Reasons no mosquito nets: don't know (sh128dz)

File: RECH3

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Reasons no mosquito nets: other (sh128dx)

File: RECH3

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Number of bednets previously owned by household in last 12 months and no longer (sh138b)

File: RECH3

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-25

When household members usually wash their hands: After using toilet (sh139aa)

File: RECH3

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

When household members usually wash their hands: Before eating (sh139ab)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

When household members usually wash their hands: Before preparing food (sh139ac)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

When household members usually wash their hands: Before looking after children (sh139ad)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

When household members usually wash their hands: Before washing /cleaning childr (sh139ae)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Any crisis in the household in last 3 years (sh145a)

File: RECH3

Overview

Any crisis in the household in last 3 years (sh145a)

File: RECH3

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Main crisis in the household in the last 3 years (sh145b)

File: RECH3

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-96

Has heard about: Family Security Grant (Bourse de securit familiale) (sh151a)

File: RECH3

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Family member has received: Family Security Grant (Bourse de securit familiale) (sh152a)

File: RECH3

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

How long since received support: Family Security Grant (sh153a)

File: RECH3

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-999

Has heard about: Study Grant (Bourse d'tude) (sh151b)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Family member has received: Study Grant (Bourse d'tude)

(sh152b)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

How long since received support: Study Grant (Bourse d'tude)

(sh153b)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Has heard about: Other state transfers or grants (sh151c)

File: RECH3

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Family member has received: Other state transfers or grants

(sh152c)

File: RECH3

Overview

Family member has received: Other state transfers or grants
(sh152c)

File: RECH3

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

How long since received support: Other state transfers or grants
(sh153c)

File: RECH3

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-999

Has heard about: any support program by an NGO or private organisation (sh151d)

File: RECH3

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Family member has received: any support from NGO or private organisation (sh152d)

File: RECH3

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

How long since received support: any support from NGO or private organisation (sh153d)

File: RECH3

Overview

How long since received support: any support from NGO or private organisation (sh153d)

File: RECH3

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-999

Has heard about: any other external support program (sh151x)

File: RECH3

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Family member has received support from: any other external support program (sh152x)

File: RECH3

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

How long since received support from: any other external support program (sh153x)

File: RECH3

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-998

Case Identification (hhid)

File: RECH4

Overview

Type: Discrete
Format: character
Width: 6

Index to Household Schedule (idxh4)

File: RECH4

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-50

Highest educational level(CS) (sh17a)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Highest year of education (sh17b)

File: RECH4

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Educational level during current school year (CS) (sh19a)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Grade of education during current school year (CS) (sh19b)

File: RECH4

Grade of education during current school year (CS) (sh19b)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Educational level during previous school year (CS) (sh19ba)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Grade of education during previous school year (CS) (sh19bb)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Child attends pre-school or child care (lieu d'encadrement) (sh20d)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Place attended by child (sh20e)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

When child attended this location (sh20f)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Member is covered by health insurance: Mutual health insurance scheme COM (sh20faa)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Member is covered by health insurance: Mutual health insurance scheme PROF (sh20fab)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Member is covered by health insurance: Mutual health insurance scheme COMPL (sh20fac)

File: RECH4

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Member is covered by health insurance: IPM Employer health insurance (Institutio (sh20fad)

File: RECH4

Overview

Member is covered by health insurance: IPM Employer health insurance (Institutio (sh20fad))

File: RECH4

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Member is covered by health insurance: Budgetary allocation (Imputation Budgtai (sh20fae))

File: RECH4

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Member is covered by health insurance: Private health insurance (sh20faf)

File: RECH4

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Member is covered by health insurance: IPRES Pension (Institution de Prvoyance (sh20fag))

File: RECH4

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Member is covered by health insurance: FNR health assistance for retirees (Fond (sh20fah))

File: RECH4

Overview

Member is covered by health insurance: FNR health assistance for retirees (Fond (sh20fah)

File: RECH4

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Member is covered by health insurance: program of free healthcare for children a (sh20fai)

File: RECH4

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Member is covered by health insurance: Plan Ssame for those aged 60+ (sh20faj)

File: RECH4

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Member is covered by health insurance: None (sh20fay)

File: RECH4

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Who paid contributions to mutual health insurance (sh20fb)

File: RECH4

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Used health care service in last 12 months (sh20fc)

File: RECH4

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Paid for last health visit or consultation (sh20fd)

File: RECH4

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Paid completely or partially for consultation (sh20fe)

File: RECH4

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Net Designation Number (HMLIDX) for 1st net person slept under last night (CS 2 (shml13))

File: RECH4

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-24

Net Designation Number (HMLIDX) for 2nd net person slept under last night (CS 2 (shml14))

File: RECH4

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-19

Net Designation Number (HMLIDX) for 3rd net person slept under last night (CS 2 (shml15))

File: RECH4

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-11

Case Identification (hhid)

File: RECH5

Overview

Type: Discrete
Format: character
Width: 6

Index to Household Schedule (ha0)

File: RECH5

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-49

Woman's age in years (ha1)

File: RECH5

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 15-49

NA- Woman's weight in kilograms (1 decimal) (ha2)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9994-9996

NA- Woman's height in centimeters (1 decimal) (ha3)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9994-9996

NA- Height/Age percentile (ha4)

File: RECH5

NA- Height/Age percentile (ha4)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

NA- Height/Age standard deviation (ha5)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

NA- Height/Age percent ref. median (ha6)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 99998-99998

NA - Weight/Height standard deviation (DHS) (ha11)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

NA- Weight/Height percent ref. median (DHS) (ha12)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 99998-99998

NA- Weight/Height percent ref. median (Fog) (ha12a)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 99998-99998

NA- Weight/Height percent ref. median (WHO) (ha12b)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 99998-99998

NA- Result of measurement - height/weight (ha13)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

NA- Fieldworker measurer code (ha21)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Date of birth (CMC) (ha32)

File: RECH5

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 810-1236

Completeness of HA32 information (ha33)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Smoking (cigarettes in last 24 hours) (ha35)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-94

Body Mass Index (ha40)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Rohrer's index (ha41)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Under age 18 (ha50)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Line number of parent/caretaker (ha51)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-42

Read consent statement - hemoglobin (ha52)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Hemoglobin level (g/dl - 1 decimal) (ha53)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 21-996

Currently pregnant (ha54)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Result of measurement - hemoglobin (ha55)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal) (ha56)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 21-999

Anemia level (ha57)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

NA- Agrees to referral - anemia (ha58)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Marital status (ha60)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Read consent statement - HIV (ha61)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Bar code for HIV blood sample (ha62)

File: RECH5

Overview

Type: Discrete
Format: character
Width: 5

Result of measurement - HIV (ha63)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Consent for additional tests (ha64)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Result of woman's individual interview (ha65)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Woman's highest educational level (ha66)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Woman's highest year of education (ha67)

File: RECH5

Woman's highest year of education (ha67)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Woman's highest educational level (for preliminary and final report) (ha68)

File: RECH5

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

HIV weight (6 decimals) (ha69)

File: RECH5

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 0-4191352

Interviewer that took blood for HIV testing (ha70)

File: RECH5

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 2-194

Case Identification (hhid)

File: RECH6

Overview

Type: Discrete
 Format: character
 Width: 6

Index to Household Schedule (hc0)

File: RECH6

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 2-50

Child's age in months (hc1)

File: RECH6

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-59

Child's age in days (hc1a)

File: RECH6

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-1826

Child's weight in kilograms (1 decimal) (hc2)

File: RECH6

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 5-9996

Child's height in centimeters (1 decimal) (hc3)

File: RECH6

Child's height in centimeters (1 decimal) (hc3)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 220-9996

Height/Age percentile (hc4)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Height/Age standard deviation (hc5)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -594-9999

Height/Age percent of ref. median (hc6)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 7561-99999

Weight/Age percentile (hc7)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Weight/Age standard deviation (hc8)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -507-9999

Weight/Age percent of ref. median (hc9)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 3619-99999

Weight/Height percentile (hc10)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Weight/Height standard deviation (hc11)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -395-9999

Weight/Height percent of ref. median (hc12)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 5670-99999

Result of measurement - height/weight (hc13)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Height: lying or standing (hc15)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Day of birth (hc16)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Date measured (day) (hc17)

File: RECH6

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Date measured (month) (hc18)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 4-12

Date measured (year) (hc19)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2017-2017

Century Day Code (CDC) of measurement (hc20)

File: RECH6

Overview

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 42831-43098

Fieldworker measurer code (hc21)

File: RECH6

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-842

Sex (hc27)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Month of birth (hc30)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Year of birth (hc31)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2012-9998

Date of birth (CMC) (hc32)

File: RECH6

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1348-1416

Century Day Code (CDC) of birth (hc32a)

File: RECH6

Overview

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 41028-43081

Completeness of HC32 information (hc33)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Line number of parent/caretaker (hc51)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Read consent statement - hemoglobin (hc52)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Hemoglobin level (g/dl - 1 decimal) (hc53)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 20-999

Result of measurement - hemoglobin (hc55)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Hemoglobin level adjusted for altitude (g/dl - 1 decimal) (hc56)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 20-999

Anemia level (hc57)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Agrees to referral - anemia (hc58)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Mother's line number (woman's questionnaire) (hc60)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-995

Mother's highest educational level (hc61)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Mother's highest year of education (hc62)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Preceding birth interval (months) (hc63)

File: RECH6

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 8-999

Birth order number (hc64)

File: RECH6

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Mother's highest educational level (for preliminary and final report) (hc68)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Height/Age standard deviation (new WHO) (hc70)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -593-9999

Weight/Age standard deviation (new WHO) (hc71)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -596-9999

Weight/Height standard deviation (new WHO) (hc72)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -495-9999

BMI standard deviation (new WHO) (hc73)

File: RECH6

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -497-9999

Case Identification (hhid)

File: RECHMA

Overview

Type: Discrete
 Format: character
 Width: 6

Index to Household Schedule (hb0)

File: RECHMA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-49

Man's age in years (hb1)

File: RECHMA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 15-59

NA-Man's weight in kilograms (1 decimal) (hb2)

File: RECHMA

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9994-9996

NA-Man's height in centimeters (1 decimal) (hb3)

File: RECHMA

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9994-9996

NA-Height/Age percentile (hb4)

File: RECHMA

NA-Height/Age percentile (hb4)**File:** RECHMA**Overview**

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9998-9998

NA-Height/Age standard deviation (hb5)**File:** RECHMA**Overview**

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9998-9998

NA-Height/Age percent ref. median (hb6)**File:** RECHMA**Overview**

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 99998-99998

NA-Weight/Height standard deviation (DHS) (hb11)**File:** RECHMA**Overview**

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9998-9998

NA-Weight/Height percent ref. median (DHS) (hb12)**File:** RECHMA**Overview**

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 99998-99998

NA-Weight/Height percent ref. median (Fog) (hb12a)**File:** RECHMA**Overview**

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 99998-99998

NA-Weight/Height percent ref. median (WHO) (hb12b)**File:** RECHMA**Overview**

Type: Discrete
 Format: numeric
 Width: 5
 Decimals: 0
 Range: 99998-99998

NA-Result of measurement - height/weight (hb13)**File:** RECHMA**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-6

Fieldworker measurer code (hb21)**File:** RECHMA**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

Date of birth (CMC) (hb32)**File:** RECHMA**Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 692-1236

Completeness of HB32 information (hb33)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Smoking (cigarettes in last 24 hours) (hb35)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-94

NA-Body Mass Index (hb40)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

NA-Rohrer's index (hb41)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Under age 18 (hb50)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Line number of parent/caretaker (hb51)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-37

Read consent statement - hemoglobin (hb52)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Hemoglobin level (g/dl - 1 decimal) (hb53)

File: RECHMA

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 25-996

Result of measurement - hemoglobin (hb55)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal) (hb56)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 25-999

Anemia level (hb57)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Agrees to referral - anemia (hb58)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Marital status (hb60)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Read consent statement - HIV (hb61)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Bar code for HIV blood sample (hb62)

File: RECHMA

Overview

Type: Discrete
Format: character
Width: 5

Result of measurement - HIV (hb63)

File: RECHMA

Result of measurement - HIV (hb63)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

NA-Consent for additional tests (hb64)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Result of man's individual interview (hb65)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Man's highest educational level (hb66)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Man's highest year of education (hb67)

File: RECHMA

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Man's highest educational level (for preliminary and final report)
(hb68)

File: RECHMA

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

HIV weight (6 decimals) (hb69)

File: RECHMA

Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-4725481

Interviewer that took blood for HIV testing (hb70)

File: RECHMA

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 4-184

Case Identification (hhid)

File: RECHML

Overview

Type: Discrete
Format: character
Width: 6

Mosquito Bed Net Designation Number (hmlidx)

File: RECHML

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-25

Net observed by interviewer (hml3)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Months ago net obtained (hml4)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Net treated with insecticide when bought (hml5)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Net treatment status (hml6)

File: RECHML

Net treatment status (hml6)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Brand of net (hml7)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-98

Net treated since received (hml8)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Time since last re-treatment (months) (hml9)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Insecticide-Treated Net (ITN) (hml10)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Number of persons who slept under this net (hml11)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Someone slept under this net last night (hml21)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Line number of person who slept in this net (hmla)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-31

Line number of person who slept in this net (hmlb)

File: RECHML

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Line number of person who slept in this net (hmlc)

File: RECHML

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-32

Line number of person who slept in this net (hmld)

File: RECHML

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-32

NA-Line number of person who slept in this net (hmle)

File: RECHML

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Obtained net from campaign, antenatal or immunization visit
(hml22)

File: RECHML

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

Place where net was obtained (hml23)

File: RECHML

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 8-98

Net was modified (sh137aa)

File: RECHML

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Reason nobody slept in this net (sh137ac)

File: RECHML

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Cost of this net (sh137ad)

File: RECHML

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9998

Times net was washed (sh137ag)

File: RECHML

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-98

Net used for other purposes (sh137ah)

File: RECHML

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Other use for net : protect crops or plants (sh137aia)

File: RECHML

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Other use for net : fishing (sh137aib)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Other use for net : put on mattress to protect against bed bugs

(sh137aic)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Other use for net : use for clothing (sh137aid)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Other use for net : other (sh137aix)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Tried to repair hole in net (sh137aj)

File: RECHML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: RECHMH

Overview

Type: Discrete
 Format: character
 Width: 6

Index to Household Schedule (hmhidx)

File: RECHMH

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-50

Type of Mosquito Bed Net(s) person slept under last night (hml12)

File: RECHMH

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-3

Net Designation Number (HMLIDX) for 1st net person slept under last night (hml13)

File: RECHMH

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-9

Net Designation Number (HMLIDX) for 2nd net person slept under last night (hml14)

File: RECHMH

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 2-9

Net Designation Number (HMLIDX) for 3rd net person slept under last night (hml15)

File: RECHMH

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 3-9

Corrected age from Individual file (hml16)

File: RECHMH

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Age in months (for children) (hml16a)

File: RECHMH

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 6-59

Flag for age from Individual file (hml17)

File: RECHMH

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Pregnancy status from Individual file (hml18)

File: RECHMH

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Person slept under an ever-treated net (hml19)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Person slept under an LLIN net (hml20)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Line number of parent/caretaker (for malaria testing) (hml30)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-44

Read consent statement for malaria (hml31)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Final result of malaria from blood smear test (hml32)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Presence of species: falciparum (Pf) (hml32a)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Presence of species: malariae (Pm) (hml32b)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Presence of species: ovale (Po) (hml32c)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Presence of species: vivax (Pv) (hml32d)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Presence of species: CS (hml32e)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Presence of species: CS (hml32f)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Presence of species: CS (hml32g)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Result of malaria measurement (hml33)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Bar code for blood smear sample (hml34)

File: RECHMH

Overview

Type: Discrete
Format: character
Width: 5

Result of malaria rapid test (hml35)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Fieldworker measurer code for malaria (hml36)

File: RECHMH

NA-Fieldworker measurer code for malaria (hml36)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Symptoms of malaria: Extreme weakness (sb113ea)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Symptoms of malaria: Heart problems (sb113eb)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Symptoms of malaria: Loss of consciousness (sb113ec)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Symptoms of malaria: Rapid breaths or difficulty in breathing (sb113ed)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Symptoms of malaria: Convulsions (sb113ee)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Symptoms of malaria: Abnormal bleeding (sb113ef)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Symptoms of malaria: Yellow skin (sb113eg)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Symptoms of malaria: Dark urine (sb113eh)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Child took ACT prescribed by a doctor or health facility in last two weeks (sb113i)

File: RECHMH

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Consent for treatment of child's malaria (sb113l)

File: RECHMH

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-6

Treatment for malaria (sb113n)

File: RECHMH

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-6

Case Identification (hhid)

File: REC01

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC01

Overview

Type: Discrete
Format: character
Width: 9

Country code and phase (v000)

File: REC01

Overview

Type: Discrete
Format: character
Width: 3

Cluster number (v001)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-400

Household number (v002)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-22

Respondent's line number (v003)

File: REC01

Overview

Respondent's line number (v003)

File: REC01

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-50

Ultimate area unit (v004)

File: REC01

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-400

Women's individual sample weight (6 decimals) (v005)

File: REC01

Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-4351277

Month of interview (v006)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 3-12

Year of interview (v007)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2017-2017

Date of interview (CMC) (v008)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1407-1417

Date of interview Century Day Code (CDC) (v008a)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 42825-43098

Respondent's month of birth (v009)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Respondent's year of birth (v010)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1967-2002

Date of birth (CMC) (v011)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 810-1236

Respondent's current age (v012)

File: REC01

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 15-49

Age in 5-year groups (v013)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-7

Completeness of age information (v014)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Result of individual interview (v015)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-7

Day of interview (v016)

File: REC01

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-31

CMC start of calendar (v017)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1345-1345

Row of month of interview (v018)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-18

Length of calendar (v019)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-72

Number of calendar columns (v019a)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Ever-married sample (v020)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Primary sampling unit (v021)

File: REC01

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-400

Sample strata for sampling errors (v022)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-28

Stratification used in sample design (v023)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-28

Region (v024)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-14

Type of place of residence (v025)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

NA-De facto place of residence (v026)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Number of visits (v027)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Interviewer identification (v028)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 101-182

NA-Keyer identification (v029)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Field supervisor (v030)

File: REC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 100-180

NA-Field editor (v031)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

NA-Office editor (v032)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Line number of husband (v034)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-45

NA-Cluster altitude in meters (v040)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Household selected for hemoglobin (v042)

File: REC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Selected for Domestic Violence module (v044)

File: REC01

Selected for Domestic Violence module (v044)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

NA-Language of questionnaire (v045a)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

NA-Language of interview (v045b)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

NA-Native language of respondent (v045c)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Translator used (v046)

File: REC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case Identification (hhid)

File: REC11

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC11

Overview

Type: Discrete
Format: character
Width: 9

Region (v101)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-14

Type of place of residence (v102)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

NA-Childhood place of residence (v103)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

NA-Years lived in place of residence (v104)

File: REC11

Overview

NA-Years lived in place of residence (v104)

File: REC11

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 95-98

NA-Type of place of previous residence (v105)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

NA-Region of previous residence (v105a)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-96

Highest educational level (v106)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Highest year of education (v107)

File: REC11

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Source of drinking water (v113)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-97

Time to get to water source (v115)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

Type of toilet facility (v116)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-97

Household has: electricity (v119)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Household has: radio (v120)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Household has: television (v121)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Household has: refrigerator (v122)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Household has: bicycle (v123)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Household has: motorcycle/scooter (v124)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Household has: car/truck (v125)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Main floor material (v127)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-97

Main wall material (v128)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-97

Main roof material (v129)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-97

Religion (v130)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Ethnicity (v131)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-996

Education in single years (v133)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

NA-De facto place of residence (v134)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Usual resident or visitor (v135)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Number of household members (listed) (v136)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-50

Number of children 5 and under in household (de jure) (v137)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-21

Number of eligible women in household (de facto) (v138)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-17

De jure region of residence (v139)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-97

De jure type of place of residence (v140)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

NA-De jure place of residence (v141)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Educational attainment (v149)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Relationship to household head (v150)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Sex of household head (v151)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Age of household head (v152)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 16-98

Household has: telephone (land-line) (v153)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

All woman factor - total (awfactt)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

All woman factor - urban/rural (awfactu)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

All woman factor - regional (awfactr)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

All woman factor - educational (awfacte)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

All woman factor - wealth index (awfactw)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-100

Literacy (v155)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever participated in a literacy program outside of primary (v156)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Frequency of reading newspaper or magazine (v157)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Frequency of listening to radio (v158)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Frequency of watching television (v159)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Toilet facilities shared with other households (v160)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Type of cooking fuel (v161)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-97

Result of salt test for iodine (v166)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-997

NA-Number of trips in last 12 months (v167)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-90

NA-Away for more than one month in last 12 months (v168)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Owns a mobile telephone (v169a)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Use mobile telephone for financial transactions (v169b)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has an account in a bank or other financial institution (v170)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Use of internet (v171a)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Frequency of using internet last month (v171b)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Wealth index combined (v190)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Wealth index factor score combined (5 decimals) (v191)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: -154734-290739

Wealth index for urban/rural (v190a)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Wealth index factor score for urban/rural (5 decimals) (v191a)

File: REC11

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: -278173-477384

Type of mosquito bed net(s) slept under last night (ml101)

File: REC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Case Identification (hhid)

File: REC21

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC21

Overview

Type: Discrete
Format: character
Width: 9

Birth column number (bidx)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-14

Birth order number (bord)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-14

Child is twin (b0)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Month of birth (b1)

File: REC21

Overview

Month of birth (b1)

File: REC21

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

Year of birth (b2)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1982-2017

Date of birth (CMC) (b3)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 985-1416

Sex of child (b4)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Child is alive (b5)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Age at death (b6)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Age at death (months, imputed) (b7)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-324

Current age of child (b8)

File: REC21

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-35

Child lives with whom (b9)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Completeness of information (b10)

File: REC21

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Preceding birth interval (months) (b11)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 8-268

Succeeding birth interval (months) (b12)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 8-268

Flag for age at death (b13)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Live birth between births (b15)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Child's line number in household (b16)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-50

Day of birth (b17)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-31

Century Day Code of birth (CDC) (b18)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 5

Decimals: 0

Range: 29966-43081

Current age of child in months (months since birth for dead children) (b19)

File: REC21

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 0-429

Duration of pregnancy (b20)

File: REC21

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 6-10

Case Identification (hhid)

File: REC22

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC22

Overview

Type: Discrete
Format: character
Width: 9

Total children ever born (v201)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-14

Sons at home (v202)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Daughters at home (v203)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Sons elsewhere (v204)

File: REC22

Overview

Sons elsewhere (v204)

File: REC22

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

Daughters elsewhere (v205)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-6

Sons who have died (v206)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-6

Daughters who have died (v207)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

Births in last five years (v208)

File: REC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-6

Births in past year (v209)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Births in month of interview (v210)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Date of first birth (CMC) (v211)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 985-1416

Age of respondent at 1st birth (v212)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 11-41

Currently pregnant (v213)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Duration of current pregnancy (v214)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Time since last menstrual period (v215)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Menstruated in last six weeks (v216)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Knowledge of ovulatory cycle (v217)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Number of living children (v218)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-12

Living children + current pregnancy (v219)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-12

Living children + current pregnancy (grouped) (v220)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Marriage to first birth interval (months) (v221)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-996

Last birth to interview (months) (v222)

File: REC22

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 0-397

Completeness of current pregnancy information (v223)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

Entries in birth history (v224)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-14

Current pregnancy wanted (v225)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Time since last period (comp) (months) (v226)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

Flag for last period (v227)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Ever had a terminated pregnancy (v228)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Month pregnancy ended (v229)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Year pregnancy ended (v230)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1983-9998

CMC pregnancy ended (v231)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1027-9998

Completeness of last termination information (v232)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Months when pregnancy ended (v233)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Other such pregnancies (v234)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Index last child prior to maternity-health (calendar) (v235)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Birth between last and interview (v237)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Births in last three years (v238)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Pregnancies terminated before calendar beginning (v239)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Month of last termination prior to calendar (v240)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Year of last termination prior to calendar (v241)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1983-9998

CMC termination ended prior to calendar (v242)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1027-9998

Completeness of last termination date prior to calendar (v243)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Can women get pregnant after birth and before period (v244)

File: REC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: REC31

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC31

Overview

Type: Discrete
Format: character
Width: 9

Knowledge of any method (v301)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

NA-Ever use of any method (v302)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Ever used anything or tried to delay or avoid getting pregnant (v302a)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Item created from ISSA Group (rec31_group)

File: REC31

Item created from ISSA Group (rec31_group)

File: REC31

Overview

Type: Discrete
Format: character
Width: 4

Type of method (v304a)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Knows method (v304)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Ever used method (v305)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Method currently used (v307)

File: REC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case Identification (hhid)

File: REC32

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC32

Overview

Type: Discrete
Format: character
Width: 9

NA-Living children at first use (v310)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

NA-Children at first use (grouped) (v311)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 4-5

Current contraceptive method (v312)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-20

Current use by method type (v313)

File: REC32

Overview

Current use by method type (v313)

File: REC32

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

Month of start of use of method (v315)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

Year of start of use of method (v316)

File: REC32

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1994-2017

Date of start of use of method (CMC) (v317)

File: REC32

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1137-1416

Completeness of information (v318)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-9

Years since sterilization (v319)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Age at sterilization (v320)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Marital duration at sterilization (v321)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Parity at sterilization (v322)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Brand of pill used (v323)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Brand of condom used (v323a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

NA-Cost of current method (in CURRENCY) (v325a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 7
Decimals: 0
Range: 9999995-9999998

Last source for current users (v326)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-98

Last source for users by type (v327)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Months of use of current method (v337)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

Last method discontinued in last 5 years (v359)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-20

Reason of last discontinuation (v360)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Pattern of use (v361)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Intention to use (v362)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

NA-Preferred future method (v363)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Contraceptive use and intention (v364)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Wanted last child (v367)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

NA-Shown pill package (v372)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Shown condom package (v372a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Main reason not using a method (v375a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-98

NA-Main reason not to use a method (v376)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 11-98

NA-Would ever use method if married (v376a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source known for any method (v379)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-98

Source known for any method (v380)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Heard family planning on radio last few months (v384a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Heard family planning on TV last few months (v384b)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Heard family planning in newspaper/magazine last few months

(v384c)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Heard family planning by text messages on mobile phone (v384d)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Visited by fieldworker in last 12 months (v393)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Did fieldworker talk about family planning (v393a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Visited health facility last 12 months (v394)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

At health facility, told of family planning (v395)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: Government hospital (v3a00a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: Government Health Center (v3a00b)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: Government Health Post (v3a00c)

File: REC32

Overview

Source of family planning for non-users: Government Health Post (v3a00c)

File: REC32

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Source of family planning for non-users: Government Family Planning Center (v3a00d)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Source of family planning for non-users: Government rural maternity clinic (v3a00e)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Source of family planning for non-users: Government Health Hut (Case de sant) (v3a00f)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Source of family planning for non-users: Community Pharmacy (v3a00g)

File: REC32

Overview

Source of family planning for non-users: Community Pharmacy (v3a00g)

File: REC32

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Source of family planning for non-users: Mobile Clinic (v3a00h)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Source of family planning for non-users: Other Public (v3a00i)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Source of family planning for non-users: private hospital/clinic (v3a00j)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Source of family planning for non-users: pharmacy (v3a00k)

File: REC32

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Source of family planning for non-users: private doctor (v3a00l)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: Religious dispensary (v3a00m)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: Other private medical (v3a00n)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: CS private sector (v3a00o)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: CS private sector (v3a00p)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: CS private sector (v3a00q)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: CS private sector (v3a00r)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: Shop (v3a00s)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: Church/mosque (v3a00t)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: Friends/relatives (v3a00u)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: Bar (v3a00v)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: CS other (v3a00w)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: other (v3a00x)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: no source (v3a00y)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: any source (v3a00z)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Told sterilization would mean no more children (v3a01)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Told about side effects (v3a02)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Told about side effects by health or family planning worker (v3a03)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Told how to deal with side effects (v3a04)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Told about other family planning methods (v3a05)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Told about other family planning methods by health or family planning worker (v3a06)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

First source for current method (v3a07)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-98

Reason not using: not married (v3a08a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: not having sex (v3a08b)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: infrequent sex (v3a08c)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: menopausal/hysterectomy (v3a08d)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: subfecund/infecund (v3a08e)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: postpartum amenorrheic (v3a08f)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: breastfeeding (v3a08g)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: fatalistic (v3a08h)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: respondent opposed (v3a08i)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: husband/partner opposed (v3a08j)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: others opposed (v3a08k)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: religious prohibition (v3a08l)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: knows no method (v3a08m)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: knows no source (v3a08n)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason not using: health concerns (v3a08o)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: fear of side effects/health concerns (v3a08p)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: lack of access/too far (v3a08q)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: costs too much (v3a08r)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: inconvenient to use (v3a08s)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Reason not using: interferes with body's processes (v3a08t)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Reason not using: preferred method not available (v3a08u)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Reason not using: no method available (v3a08v)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

NA-Reason not using: CS (v3a08w)

File: REC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

NA-Reason not using: CS (v3a08aa)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason not using: CS (v3a08ab)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason not using: CS (v3a08ac)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason not using: CS (v3a08ad)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: other (v3a08x)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Reason not using: don't know (v3a08z)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-How many pill cycles did get last time (v3a09a)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 998-998

NA-How many condoms did get last time (v3a09b)

File: REC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 998-998

Case Identification (hhid)

File: REC41

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC41

Overview

Type: Discrete
Format: character
Width: 9

Index to Birth History (midx)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Number of tetanus injections before birth (m1)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Number of tetanus injections before pregnancy (m1a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Month of last tetanus injection before pregnancy (m1b)

File: REC41

Overview

NA-Month of last tetanus injection before pregnancy (m1b)

File: REC41

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 97-98

NA-Year of last tetanus injection before pregnancy (m1c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9997-9998

Years ago received last tetanus injection before pregnancy (m1d)

File: REC41

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-34

Last tetanus injection before pregnancy (CMC) (m1e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1007-9996

Prenatal: doctor (m2a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: Midwife (m2b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: Nurse (m2c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Prenatal: CS health professional (m2d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Prenatal: CS health professional (m2e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Prenatal: CS health professional (m2f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: traditional birth attendant (m2g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: Auxiliary midwife (Matrone) (m2h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Prenatal: CS other person (m2i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Prenatal: CS other person (m2j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: other (m2k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Prenatal: CS other (m2l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Prenatal: CS other (m2m)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: no one (m2n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: doctor (m3a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: Midwife (m3b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Prenatal: Nurse (m3c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Assistance: CS health professional (m3d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Assistance: CS health professional (m3e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Assistance: CS health professional (m3f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: traditional birth attendant (m3g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: Auxiliary midwife (Matrone) (m3h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Assistance: CS other person (m3i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Assistance: CS other person (m3j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: other (m3k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Assistance: CS other (m3l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Assistance: CS other (m3m)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Assistance: no one (m3n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Duration of breastfeeding (m4)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 93-98

Months of breastfeeding (m5)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Duration of amenorrhea (m6)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Months of amenorrhea (m7)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Duration of abstinence (m8)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Months of abstinence (m9)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Wanted pregnancy when became pregnant (m10)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Desired time would have waited (m11)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-998

Timing of 1st antenatal check (months) (m13)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Number of antenatal visits during pregnancy (m14)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Place of delivery (m15)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Delivery by caesarean section (m17)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Timing on decision for caesarean section (m17a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Size of child at birth (m18)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Birth weight in kilograms (3 decimals) (m19)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 500-9998

Weight at birth/recall (m19a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Flag for breastfeeding (m27)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Flag for amenorrhea (m28)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Flag for abstinence (m29)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

When child put to breast (m34)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 3
 Decimals: 0
 Range: 0-299

NA-Number of times breastfed during previous night (m35)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 96-96

NA-Number of times breastfed during previous day (m36)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 96-96

Drank from bottle with nipple yesterday/last night (m38)

File: REC41

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Did eat any solid, semi-solid or soft foods yesterday (m39a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Number of times ate solid, semi-solid or soft food yesterday (m39)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy: weighed (m42a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-During pregnancy: height measured (m42b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

During pregnancy: blood pressure taken (m42c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

During pregnancy: urine sample taken (m42d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

During pregnancy: blood sample taken (m42e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Told about pregnancy complications (m43)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Told where to go for pregnancy complications (m44)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

During pregnancy, given or bought iron tablets/syrup (m45)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Days tablets or syrup taken (m46)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

NA-During pregnancy, had difficulty with daylight vision (m47)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy, had difficulty with night blindness (m48)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

During pregnancy took: SP/fansidar for malaria (m49a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy took: chloroquine for malaria (m49b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy took: CS drug for malaria (m49c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy took: CS drug for malaria (m49d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy took: CS drug for malaria (m49e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy took: CS drug for malaria (m49f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy took: CS drug for malaria (m49g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy took: other drug for malaria (m49x)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy took: don't know (m49z)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During pregnancy took: no drug for malaria (m49y)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Received Vitamin A dose in first 2 months after delivery (m54)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given child anything other than breast milk (m55)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given milk (other than breast milk) (m55a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given plain water (m55b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given sugar/glucose water (m55c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given gripe water (m55d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given sugar/salt solution (m55e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given fruit juice (m55f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given infant formula (m55g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given tea/infusions (m55h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given honey (m55i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given coffee (m55j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given country specific (m55k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given country specific (m55l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given country specific (m55m)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given country specific (m55n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given country specific (m55o)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given other (m55x)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-First 3 days, given nothing (m55z)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Antenatal care: respondent's home (m57a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Antenatal care: other home (m57b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Antenatal care: CS home (m57c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Antenatal care: CS home (m57d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: Government hospital (m57e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: Government health center (m57f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: Government health post (m57g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: Other public (m57h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: Government Health Hut (Case de Sant) (m57i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: Public health worker (m57j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Antenatal care: CS public health (m57k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Antenatal care: CS public health (m57l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: private hospital/clinic (m57m)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: CS private Pharmacy (m57n)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: CS private doctor (m57o)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: CS private clinic (m57p)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: CS private health worker (m57q)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Antenatal care: CS private medical (m57r)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: CS Shop (m57s)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: Traditional practitioner (m57t)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: CS Market (m57u)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: Public community health worker (m57v)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antenatal care: other (m57x)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Drugs for intestinal parasites during pregnancy (m60)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Time spent at place of delivery (m61)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Respondent's health checked before discharge (m62)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

How long before discharging respondent health check took place (m63)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Who checked respondent health before discharge (m64)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

NA-Reason didn't deliver at health facility: cost too much (m65a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason didn't deliver at health facility: facility not open (m65b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason didn't deliver at health facility: too far/no transport (m65c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason didn't deliver at health facility: don't trust facility/poor service (m65d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason didn't deliver at health facility: no female provider (m65e)

File: REC41

Overview

NA-Reason didn't deliver at health facility: no female provider (m65e)

File: REC41

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Reason didn't deliver at health facility: husband/family didn't allow (m65f)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Reason didn't deliver at health facility: not necessary (m65g)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Reason didn't deliver at health facility: not customary (m65h)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Reason didn't deliver at health facility: CS (m65i)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Reason didn't deliver at health facility: CS (m65j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason didn't deliver at health facility: CS (m65k)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason didn't deliver at health facility: CS (m65l)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reason didn't deliver at health facility: other (m65x)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Respondent's health checked after discharge/delivery at home (m66)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

How long after discharge/delivery at home respondent health check took place (m67)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-998

Who checked respondent health after discharge/delivery at home (m68)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-96

Where respondent check after discharge/delivery at home took place (m69)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-96

Baby postnatal check within 2 months (m70)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Time after delivery postnatal check took place (m71)

File: REC41

Overview

Time after delivery postnatal check took place (m71)

File: REC41

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-998

Person who performed postnatal checkup (m72)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-96

Place baby was first checked (m73)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-96

Child's health checked before discharge (m74)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

How long before discharging child health check took place (m75)

File: REC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-998

Who checked child health before discharge (m76)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Was child put on mother's chest and bare skin after birth (m77)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

During first 2 days health provider: examine cord (m78a)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

During first 2 days health provider: measure temperature (m78b)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

During first 2 days health provider: counsel on newborn dangers (m78c)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

During first 2 days health provider: counsel on breastfeeding (m78d)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

During first 2 days health provider: observe breastfeeding (m78e)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During first 2 days health provider: CS (m78f)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During first 2 days health provider: CS (m78g)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During first 2 days health provider: CS (m78h)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During first 2 days health provider: CS (m78i)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-During first 2 days health provider: CS (m78j)

File: REC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: REC42

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC42

Overview

Type: Discrete
Format: character
Width: 9

Last birth a caesarean section (v401)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Currently breastfeeding (v404)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Currently amenorrheic (v405)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Currently abstaining (v406)

File: REC42

Overview

Currently abstaining (v406)

File: REC42

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Number of times breastfed during night (v407)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 96-96

NA-Number of times breastfed during day (v408)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 96-96

Gave child plain water (v409)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA-Gave child sugar water (v409a)

File: REC42

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Gave child juice (v410)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child tea or coffee (v410a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child tinned, powdered or fresh milk (v411)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child baby formula (v411a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child fresh milk (v412)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child fortified baby food (cerelac, etc) (v412a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child other porridge/gruel (v412b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child soup/clear broth (v412c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child other liquid (v413)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Gave child CS liquid (v413a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child CS liquid (v413b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child CS liquid (v413c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child CS liquid (v413d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child CS foods (v414a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child CS foods (v414b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child CS foods (v414c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child CS foods (v414d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child bread, noodles, other made from grains (v414e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child potatoes, cassava, or other tubers (v414f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child eggs (v414g)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child meat (beef, pork, lamb, chicken, etc) (v414h)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child pumpkin, carrots, squash (yellow or orange inside)

(v414i)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child any dark green leafy vegetables (v414j)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child mangoes, papayas, other vitamin A fruits (v414k)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child any other fruits (v414l)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child liver, heart, other organs (v414m)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child fish or shellfish (v414n)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child food made from beans, peas, lentils, nuts (v414o)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child cheese, yogurt, other milk products (v414p)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child oil, fats, butter, products made of them (v414q)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child chocolates, sweets, candies, pastries, etc (v414r)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child other solid-semisolid food (v414s)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child CS foods (v414t)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child CS foods (v414u)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Gave child yogurt (v414v)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Gave child CS foods (v414w)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Drank from bottle with nipple yesterday/last night (v415)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Heard of oral rehydration (v416)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Entries in pregnancy and postnatal care roster (v417)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Entries in immunization roster (v418)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Entries in child health roster (v418a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Entries in height/weight roster (v419)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

NA-Measurer's code (v420)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

NA-Assistant measurer's code (v421)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

When child put to breast (v426)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-299

NA-Respondent's weight in kilograms (1 decimal) (v437)

File: REC42

NA-Respondent's weight in kilograms (1 decimal) (v437)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9994-9996

NA-Respondent's height in centimeters (1 decimal) (v438)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9994-9996

Height/Age percentile (v439)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Height/Age standard deviation (v440)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Height/Age percent ref. median (v441)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 99998-99998

Weight/Height percent ref. median (DHS) (v442)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 99998-99998

Weight/Height percent ref. median (Fog) (v443)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 99998-99998

Weight/Height percent ref. median (WHO) (v444)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 99998-99998

Weight/Height standard deviation (DHS) (v444a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

NA- Body Mass Index (v445)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Rohrer's index (v446)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Result of measurement - height/weight (v447)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Women's age in years (from household questionnaire) (v447a)

File: REC42

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 15-49

Under age 18 (from household questionnaire) (v452a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Line number of parent/caretaker (v452b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-42

Read consent statement - hemoglobin (v452c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Hemoglobin level (g/dl - 1 decimal) (v453)

File: REC42

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 38-996

Currently pregnant (from household questionnaire) (v454)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Result of measurement - hemoglobin (v455)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal) (v456)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 38-999

Anemia level (v457)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

NA-Agrees to referral - anemia (v458)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Have mosquito bed net for sleeping (from household questionnaire) (v459)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Children under 5 slept under mosquito bed net last night (household questionnair (v460))

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Respondent slept under mosquito bed net (v461)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Washed hands before preparing last meal (v462)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Smokes cigarettes (v463a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Smokes pipe full of tobacco (v463b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Chews tobacco (v463c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Snuffs by nose (v463d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Smokes kreteks (v463e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Smokes cigars, cheroots or cigarillos (v463f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Smokes water pipe (v463g)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Snuff by mouth (v463h)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Chews betel quid with tobacco (v463i)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Smokes rolled cigarettes (CS) (v463j)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Smokes country specific (v463k)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Smokes country specific (v463l)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Smokes other (v463x)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Does not use cigarettes and tobacco (v463z)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Frequency smokes cigarettes (v463aa)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Frequency currently uses other type of tobacco (v463ab)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Number of cigarettes in last 24 hours (v464)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 2-98

Disposal of youngest child's stools when not using toilet (v465)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

NA-When child is seriously ill, can decide whether medical treatment sought (v466)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

NA-Getting medical help for self: know where to go (v467a)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Getting medical help for self: getting permission to go (v467b)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Getting medical help for self: getting money needed for treatment (v467c)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Getting medical help for self: distance to health facility (v467d)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

NA-Getting medical help for self: having to take transport (v467e)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Getting medical help for self: not wanting to go alone (v467f)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

NA-Getting medical help for self: concern no female health provider (v467g)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

NA-Getting medical help for self: concern no provider (v467h)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

NA-Getting medical help for self: concern no drugs available (v467i)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

NA-Getting medical help for self: CS (v467j)

File: REC42

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

NA-Getting medical help for self: CS (v467k)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

NA-Getting medical help for self: CS (v467l)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

NA-Getting medical help for self: CS (v467m)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Record for Last Birth (v468)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Times gave child powdered/tinned/fresh milk (v469e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Times gave child infant formula (v469f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Times gave child yogurt (v469x)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had tinned, powdered or fresh milk (v471a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had tea or coffee (v471b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had any other liquid (v471c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had CS liquid (v471d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had CS liquid (v471e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had CS liquid (v471f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had CS liquid (v471g)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had CS foods (v472a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had CS foods (v472b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had CS foods (v472c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had CS foods (v472d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had bread, noodles, other made from grains (v472e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had potatoes, cassava, or other tubers (v472f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had eggs (v472g)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had meat (beef, pork, lamb, chicken, etc) (v472h)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had pumpkin, carrots, squash (yellow or orange inside)
(v472i)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had any dark green leafy vegetables (v472j)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had mangoes, papayas, other vitamin A fruits (v472k)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had any other fruits (v472l)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had liver, heart, other organs (v472m)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had fish or shellfish (v472n)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had food made from beans, peas, lentils, nuts (v472o)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had cheese, yogurt, other milk products (v472p)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had oil, fats, butter, products made of them (v472q)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had chocolates, sweets, candies, pastries, etc (v472r)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had other solid-semisolid food (v472s)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had CS foods (v472t)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Mother had CS foods (v472u)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Read consent statement - HIV (v473a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Result of measurement - HIV (v473b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

NA-Heard of tuberculosis or TB (v474)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: air when coughing or sneezing (v474a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: sharing utensils (v474b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: touching a person with TB (v474c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: food (v474d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: sexual contact (v474e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: mosquito bites (v474f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: CS (v474g)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: CS (v474h)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: CS (v474i)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: CS (v474j)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: other (v474x)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis spread by: don't know (v474z)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Tuberculosis can be cured (v475)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Keep secret when family member gets TB (v476)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Number of injections in last 12 months (v477)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Number of injections administered by a health worker (v478)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA-Place of injection by health worker (v479)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Syringe and needle from new, unopened package (v480)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Covered by health insurance (v481)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Health insurance type: mutual/community organization (v481a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Health insurance type: provided by employer (v481b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Health insurance type: social security (v481c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Health insurance type: private/commercially purchased (v481d)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Health insurance type: CS (v481e)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Health insurance type: CS (v481f)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Health insurance type: CS (v481g)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Health insurance type: CS (v481h)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Health insurance type: other (v481x)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Arrange care of biological children under age 18 (v482a)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Primary caregiver of children under age 18 (v482b)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Arrange care of non-biological children < 18 (v482c)

File: REC42

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: REC43

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC43

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (hidx)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Has health card (h1)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Has health card and or other vaccination document (h1a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Received BCG (h2)

File: REC43

Overview

Received BCG (h2)

File: REC43

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

BCG day (h2d)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

BCG month (h2m)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

BCG year (h2y)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2014-9998

Received DPT 1 (h3)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

DPT 1 day (h3d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

DPT 1 month (h3m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

DPT 1 year (h3y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received POLIO 1 (h4)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

POLIO 1 day (h4d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 1 month (h4m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 1 year (h4y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received DPT 2 (h5)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

DPT 2 day (h5d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

DPT 2 month (h5m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

DPT 2 year (h5y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received POLIO 2 (h6)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

POLIO 2 day (h6d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 2 month (h6m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 2 year (h6y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received DPT 3 (h7)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

DPT 3 day (h7d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

DPT 3 month (h7m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

DPT 3 year (h7y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received POLIO 3 (h8)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

POLIO 3 day (h8d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 3 month (h8m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 3 year (h8y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received MEASLES 1 (h9)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

MEASLES 1 day (h9d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

MEASLES 1 month (h9m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

MEASLES 1 year (h9y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2015-9998

Received MEASLES 2 (h9a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

MEASLES 2 day (h9ad)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

MEASLES 2 month (h9am)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

MEASLES 2 year (h9ay)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2015-9998

Received POLIO 0 (h0)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

POLIO 0 day (h0d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 0 month (h0m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

POLIO 0 year (h0y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Ever had vaccination (h10)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Received Vitamin A1 (most recent) (h33)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Vitamin A1 day (h33d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Vitamin A1 month (h33m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Vitamin A1 year (h33y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Any vaccinations in last 2 years part of campaign (h35)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Vaccinated during Campaign A (h36a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Vaccinated during Campaign B (h36b)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Vaccinated during Campaign C (h36c)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Vaccinated during Campaign D (h36d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Vaccinated during Campaign E (h36e)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Vaccinated during Campaign F (h36f)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Received Vitamin A2 (2nd most recent) (h40)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Vitamin A2 day (h40d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 97-98

Vitamin A2 month (h40m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 97-98

Vitamin A2 year (h40y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9997-9998

Received vitamin A after most recent in card (h41a)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Ever received Vitamin A dose (h41b)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Received Hepatitis B at birth (h50)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Hepatitis B at birth day (h50d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B at birth month (h50m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B at birth year (h50y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Pentavalent 1 (h51)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Pentavalent 1 day (h51d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pentavalent 1 month (h51m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pentavalent 1 year (h51y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Pentavalent 2 (h52)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Pentavalent 2 day (h52d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pentavalent 2 month (h52m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pentavalent 2 year (h52y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Pentavalent 3 (h53)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Pentavalent 3 day (h53d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pentavalent 3 month (h53m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pentavalent 3 year (h53y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Pneumococcal 1 (h54)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Pneumococcal 1 day (h54d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pneumococcal 1 month (h54m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pneumococcal 1 year (h54y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Pneumococcal 2 (h55)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Pneumococcal 2 day (h55d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pneumococcal 2 month (h55m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pneumococcal 2 year (h55y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Pneumococcal 3 (h56)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Pneumococcal 3 day (h56d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pneumococcal 3 month (h56m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Pneumococcal 3 year (h56y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Rotavirus 1 (h57)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Rotavirus 1 day (h57d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Rotavirus 1 month (h57m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Rotavirus 1 year (h57y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Rotavirus 2 (h58)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Rotavirus 2 day (h58d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Rotavirus 2 month (h58m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Rotavirus 2 year (h58y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Rotavirus 3 (h59)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Rotavirus 3 day (h59d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Rotavirus 3 month (h59m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Rotavirus 3 year (h59y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Polio inactive (h60)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Polio inactive day (h60d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 97-98

Polio inactive month (h60m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 97-98

Polio inactive year (h60y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9997-9998

Received Hepatitis B 1 (h61)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Hepatitis B 1 day (h61d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B 1 month (h61m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B 1 year (h61y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Hepatitis B 2 (h62)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Hepatitis B 2 day (h62d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B 2 month (h62m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B 2 year (h62y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received Hepatitis B 3 (h63)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Hepatitis B 3 day (h63d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B 3 month (h63m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Hepatitis B 3 year (h63y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received HiB 1 (h64)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

HiB 1 day (h64d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

HiB 1 month (h64m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

HiB 1 year (h64y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received HiB 2 (h65)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

HiB 2 day (h65d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

HiB 2 month (h65m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

HiB 2 year (h65y)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2014-9998

Received HiB 3 (h66)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

HiB 3 day (h66d)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

HiB 3 month (h66m)

File: REC43

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

HiB 3 year (h66y)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2014-9998

In the last 7 days given: micronutrient powder (h80a)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

In the last 7 days given: plumpy'nut ready to use therapeutic food (h80b)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

In the last 7 days given: plumpy'doz for ready to use supplemental food (h80c)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

In the last 7 days given: CS (h80d)

File: REC43

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

In the last 7 days given: CS (h80e)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

In the last 7 days given: CS (h80f)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

In the last 7 days given: CS (h80g)

File: REC43

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Case Identification (hhid)

File: REC4A

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC4A

Overview

Type: Discrete
Format: character
Width: 9

Index to birth history (hidxa)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Had diarrhea recently (h11)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Blood in the stools (h11b)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Diarrhea: Government hospital (h12a)

File: REC4A

Overview

Diarrhea: Government hospital (h12a)

File: REC4A

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Diarrhea: CS public health center (h12b)

File: REC4A

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Diarrhea: CS public health post (h12c)

File: REC4A

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Diarrhea: Mobile Clinic (h12d)

File: REC4A

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Diarrhea: Public Health worker (h12e)

File: REC4A

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Diarrhea: Other public (h12f)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Diarrhea: CS public sector (h12g)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Diarrhea: CS public sector (h12h)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Diarrhea: CS public sector (h12i)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: private hospital/clinic (h12j)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: private pharmacy (h12k)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: private doctor (h12l)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Private mobile clinic (h12m)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: CS private health worker (h12n)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: CS private other sector (h12o)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Diarrhea: CS private (h12p)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Diarrhea: CS private medical (h12q)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Diarrhea: CS private medical (h12r)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: CS Shop (h12s)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Traditional Practitioner (h12t)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: CS Market (h12u)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: CS Drugs Vendor (h12v)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: CS other sector (h12w)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: Other (h12x)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: no treatment (h12y)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea: medical treatment (h12z)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Given oral rehydration (h13)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Given pre-packaged ORS liquid (h13b)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given recommended home solution (h14)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given antibiotic pills or syrups (h15)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given antimotility (h15a)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given antibiotic injection (h15b)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given intravenous (IV) (h15c)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given home remedy, herbal medicine (h15d)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given zinc (h15e)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given other (not antibiotic, antimotility, zinc) (h15f)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given unknown pill or syrup (h15g)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given non-antibiotic injection (h15h)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given unknown injection (h15i)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given CS (h15j)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Given CS (h15k)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Given CS (h15l)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Given CS (h15m)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given other treatment (h20)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Given no treatment (h21a)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Received any treatment (h21)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had fever in last two weeks (h22)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had cough in last two weeks (h31)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Short, rapid breaths (h31b)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Problem in the chest or blocked or running nose (h31c)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

NA-Had fever/cough in last 2 weeks: amount offered to drink (h31d)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Had fever/cough in last 2 weeks: amount offered to eat (h31e)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Fever/cough: Government hospital (h32a)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: Government Health Center (h32b)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: Health Post (h32c)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: Mobile clinic (h32d)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: Public Health worker (h32e)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: CS Other public sector (h32f)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Fever/cough: CS public sector (h32g)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Fever/cough: CS public sector (h32h)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Fever/cough: CS public sector (h32i)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: private hospital/ clinic (h32j)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: private pharmacy (h32k)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: private doctor (h32l)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: private mobile clinic (h32m)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: Private Health worker (h32n)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: other private sector (h32o)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Fever/cough: CS private medical (h32p)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Fever/cough: CS private medical (h32q)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Fever/cough: CS private medical (h32r)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: Shop (h32s)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: Traditional Practitioner (h32t)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: Market (h32u)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: Drugs vendor (h32v)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Fever/cough: CS other sector (h32w)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: other (h32x)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: no treatment (h32y)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Fever/cough: medical treatment (h32z)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Vitamin A in last 6 months (h34)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

SP/Fansidar taken for fever (h37a)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Chloroquine taken for fever (h37b)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Amodiaquine taken for fever (h37c)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Quinine taken for fever (h37d)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Quinine injection/IV taken for fever (h37da)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Combination with artemisinin taken for fever (h37e)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Artesunate rectal taken for fever (h37aa)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Artesunate injection/IV taken for fever (h37ab)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS antimalarial taken for fever (h37f)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS antimalarial taken for fever (h37g)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other antimalarial taken for fever (h37h)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antibiotic pill/syrup taken for fever (h37i)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antibiotic injection taken for fever (h37j)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Aspirin taken for fever (h37k)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Acetaminophen (h37l)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Ibuprofen taken for fever (h37m)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Paracetamol/panadol taken for fever (h37n)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS other for fever/cough (h37o)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS other for fever/cough (h37p)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other taken for fever (h37x)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Nothing taken and didn't seek treatment for fever/cough (h37y)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Don't know if or what was taken for fever (h37z)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Diarrhea in last 2 weeks: amount offered to drink (h38)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Diarrhea in last 2 weeks: amount offered to eat (h39)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Taking iron pills, sprinkles or syrup (h42)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Drugs for intestinal parasites in last 6 months (h43)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Place first sought treatment for diarrhea (h44a)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

NA-Days after diarrhea sought advice or treatment (h44b)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA-Still has diarrhea (h44c)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Times zinc was given (h45)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 98-98

Place first sought treatment for fever (h46a)

File: REC4A

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Number of days after fever began sought advice or treatment (h46b)

File: REC4A

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Blood taken from child's finger/heel for testing (h47)

File: REC4A

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Case Identification (hhid)

File: REC44

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC44

Overview

Type: Discrete
Format: character
Width: 9

Index to Birth History (hwidx)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Child's age in months (hw1)

File: REC44

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-59

Child's weight in kilograms (1 decimal) (hw2)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 5-9996

Child's height in centimeters (1 decimal) (hw3)

File: REC44

Overview

Child's height in centimeters (1 decimal) (hw3)

File: REC44

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 397-9996

Height/Age percentile (hw4)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

Height/Age standard deviation (hw5)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: -594-9999

Height/Age percent of ref. median (hw6)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 5

Decimals: 0

Range: 7566-99999

Weight/Age percentile (hw7)

File: REC44

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 0-9999

Weight/Age standard deviation (hw8)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -507-9999

Weight/Age percent of ref. median (hw9)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 3619-99999

Weight/Height percentile (hw10)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9999

Weight/Height standard deviation (hw11)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -395-9999

Weight/Height percent of ref. median (hw12)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 5670-99999

Result of measurement - height/weight (hw13)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Height: lying or standing (hw15)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Day of birth of child (hw16)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Date measured (day) (hw17)

File: REC44

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Date measured (month) (hw18)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 4-12

Date measured (year) (hw19)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 2017-2017

Line number of parent/caretaker (hw51)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Read consent statement - hemoglobin (hw52)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Hemoglobin level (g/dl - 1 decimal) (hw53)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 20-999

Result of measurement - hemoglobin (hw55)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Hemoglobin level adjusted for altitude (g/dl - 1 decimal) (hw56)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 20-999

Anemia level (hw57)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Agrees to referral - anemia (hw58)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Height/Age standard deviation (new WHO) (hw70)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -589-9999

Weight/Age standard deviation (new WHO) (hw71)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -596-9999

Weight/Height standard deviation (new WHO) (hw72)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -495-9999

BMI standard deviation (new WHO) (hw73)

File: REC44

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: -497-9999

Case Identification (hhid)

File: REC51

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC51

Overview

Type: Discrete
Format: character
Width: 9

Current marital status (v501)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Currently/formerly/never in union (v502)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Number of unions (v503)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Currently residing with husband/partner (v504)

File: REC51

Overview

Currently residing with husband/partner (v504)

File: REC51

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-2

Number of other wives (v505)

File: REC51

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Respondent's rank among wives (v506)

File: REC51

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

Month of first cohabitation (v507)

File: REC51

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-12

Year of first cohabitation (v508)

File: REC51

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 1979-2017

Date of first cohabitation (CMC) (v509)

File: REC51

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 955-1416

Completeness of date information in V509 (v510)

File: REC51

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Age at first cohabitation (v511)

File: REC51

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 10-43

Years since first cohabitation (v512)

File: REC51

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-38

Cohabitation duration (grouped) (v513)

File: REC51

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

Age at first sex (v525)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Time since last sex (v527)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Time since last sex (in days) (v528)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Time since last sex (in months) (v529)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

Flag for V529 (v530)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Age at first sex (imputed) (v531)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Flag for V531 (v532)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Ever been married or in union (v535)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Recent sexual activity (v536)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Months of abstinence (v537)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA-How previous marriage or union ended (v538)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

NA-Person who received most of late husband's property (v539)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

NA-Respondent received any of late husband's assets or valuables (v540)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Intends to wait until marriage to have sex (v541)

File: REC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: REC61

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC61

Overview

Type: Discrete
Format: character
Width: 9

Fertility preference (v602)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Preferred waiting time for birth of a/another child (v603)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Preferred waiting time for birth of a/another child (grouped) (v604)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Desire for more children (v605)

File: REC61

Overview

Desire for more children (v605)

File: REC61

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Ideal number of children (v613)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Ideal number of children (grouped) (v614)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

Time for future birth (v616)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-999

Husband's desire for children (v621)

File: REC61

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Exposure (v623)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Unmet need (v624)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Exposure (definition 2) (v625)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Unmet need (definition 2) (v626)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Exposure to need for contraception (definition 3) (v625a)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Unmet need for contraception (definition 3) (v626a)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ideal number of boys (v627)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ideal number of girls (v628)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

Ideal number of either sex (v629)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-99

NA-Problem if became pregnant (v631)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Decision maker for using contraception (v632)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Decision maker for not using contraception (v632a)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

NA-Reason for not having sex: husband has STI (v633a)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Reason for not having sex: husband has other women (v633b)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Reason for not having sex: recent birth (v633c)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Reason for not having sex: tired, not in mood (v633d)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Reason for not having sex: CS (v633e)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Reason for not having sex: CS (v633f)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Reason for not having sex: CS (v633g)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Husband knows that respondent is using contraception (v634)

File: REC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: REC71

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC71

Overview

Type: Discrete
Format: character
Width: 9

Husband/partner's education level (v701)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband/partner's highest year of education (at level in V701) (v702)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Husband/partner's occupation (v704)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 0-99998

Husband/partner worked in last 7 days/12 months (v704a)

File: REC71

Husband/partner worked in last 7 days/12 months (v704a)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband/partner's occupation (grouped) (v705)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Respondent currently working (v714)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Respondent has a job, but currently absent (v714a)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Husband/partner's total number of years of education (v715)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Respondent's occupation (v716)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 0-99998

Respondent's occupation (grouped) (v717)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Respondent works for family, others, self (v719)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

NA-Respondent works at home or away (v721)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Husband/partner's educational attainment (v729)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband/partner's age (v730)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 15-98

Respondent worked in last 12 months (v731)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Respondent employed all year/seasonal (v732)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Person who usually decides how to spend respondent's earnings

(v739)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

NA-Type of land where respondent works (v740)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Type of earnings from respondent's work (v741)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Person who usually decides on respondent's health care (v743a)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Person who usually decides on large household purchases (v743b)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

NA-Person who usually decides on household purchases for daily needs (v743c)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Person who usually decides on visits to family or relatives (v743d)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

NA-Person who usually decides on food to be cooked each day
(v743e)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Person who usually decides what to do with money husband earns
(v743f)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Beating justified if wife goes out without telling husband (v744a)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Beating justified if wife neglects the children (v744b)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Beating justified if wife argues with husband (v744c)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Beating justified if wife refuses to have sex with husband (v744d)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Beating justified if wife burns the food (v744e)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Owes a house alone or jointly (v745a)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Owes land alone or jointly (v745b)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Title deed on house own by respondent (v745c)

File: REC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Title deed on land own by respondent (v745d)

File: REC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Respondent earns more than husband/partner (v746)

File: REC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Case Identification (hhid)

File: REC75

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC75

Overview

Type: Discrete
Format: character
Width: 9

Ever heard of a Sexually Transmitted Infection (STI) (v750)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Ever heard of AIDS (v751)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Reduce risk of getting HIV: do not have sex at all (v754bp)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Reduce risk of getting HIV: always use condoms during sex (v754cp)

File: REC75

Reduce risk of getting HIV: always use condoms during sex
(v754cp)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Reduce risk of getting HIV: have 1 sex partner only, who has no other partners (v754dp)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Can get HIV from mosquito bites (v754jp)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Can get HIV by sharing food with person who has AIDS (v754wp)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

A healthy looking person can have HIV (v756)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Condom used during last sex with most recent partner (v761)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Condom used during last sex with 2nd to most recent partner (v761b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Condom used during last sex with 3rd to most recent partner (v761c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source of condoms used for last sex (v762)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-98

Brand of condom used for last sex (v762a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

NA-Source for condoms: Government hospital (v762aa)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS public (v762ab)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS public (v762ac)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS public (v762ad)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS public (v762ae)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS public (v762af)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS public (v762ag)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS public (v762ah)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS public (v762ai)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: private hospital/clinic (v762aj)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: pharmacy (v762ak)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: private doctor (v762al)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS private (v762am)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS private (v762an)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS private (v762ao)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS private (v762ap)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS private (v762aq)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS private (v762ar)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS other (v762as)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS other (v762at)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS other (v762au)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS other (v762av)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: CS other (v762aw)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for condoms: other (v762ax)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Don't know any source for condoms (v762az)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: Government hospital (v762ba)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS public (v762bb)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS public (v762bc)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS public (v762bd)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS public (v762be)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS public (v762bf)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS public (v762bg)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS public (v762bh)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS public (v762bi)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: private hospital/clinic (v762bj)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: pharmacy (v762bk)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: private doctor (v762bl)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS private (v762bm)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS private (v762bn)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS private (v762bo)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS private (v762bp)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS private (v762bq)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS private (v762br)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS other (v762bs)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS other (v762bt)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS other (v762bu)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS other (v762bv)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: CS other (v762bw)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Source for female condoms: other (v762bx)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Don't know any source for female condoms (v762bz)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had any STI in last 12 months (v763a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had genital sore/ulcer in last 12 months (v763b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had genital discharge in last 12 months (v763c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had CS STI in last 12 months (v763d)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had CS STI in last 12 months (v763e)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had CS STI in last 12 months (v763f)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had CS STI in last 12 months (v763g)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Number of sex partners, excluding spouse, in last 12 months (v766a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Number of sex partners, including spouse, in last 12 months (v766b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Relationship with most recent sex partner (v767a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Relationship with 2nd to most recent sex partner (v767b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Relationship with 3rd to most recent sex partner (v767c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

NA-Length of time knows last partner (v768a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-301

NA-Length of time knows other partner (1) (v768b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-301

NA-Length of time knows other partner (2) (v768c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-301

NA-Can get a condom (v769)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Can get a female condom (v769a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Sought advice/treatment for last STI infection (v770)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Government hospital (v770a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Government health center

(v770b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Government health post (v770c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: public Family Planning center (v770d)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Rural maternity clinic (CS) (v770e)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Government Health Hut (Case de Sant) (v770f)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: community pharmacy (v770g)

File: REC75

Overview

Sought STI advice/treatment from: community pharmacy (v770g)

File: REC75

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: VCT center (v770h)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Outreach strategy/mobile team (v770i)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Other public (v770j)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: private hospital/clinic/doctor (v770k)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: private pharmacy (v770l)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: private doctor (v770m)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: private laboratory (v770n)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: religious dispensary (v770o)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Other private (v770p)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Sought STI advice/treatment from: CS private (v770q)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Sought STI advice/treatment from: CS private (v770r)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Sought STI advice/treatment from: CS private (v770s)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: CS Shop (v770t)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: CS church (v770u)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Friends/relatives (v770v)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: CS other bar (v770w)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: other (v770x)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

HIV transmitted during pregnancy (v774a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

HIV transmitted during delivery (v774b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

HIV transmitted by breastfeeding (v774c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Knows someone who has, or is suspected of having, HIV (v775)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Would want HIV infection in family to remain secret (v777)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Would be ashamed if someone in the family had HIV (v777a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Willing to care for relative with AIDS (v778)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-A female teacher infected with HIV, but is not sick, should be allowed to con (v779)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Children should be taught about condoms to avoid AIDS (v780)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Ever been tested for HIV (v781)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Know a place to get HIV test (v783)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Government hospital (v784a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Government health center (v784b)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Government health post (v784c)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Family Planning center (v784d)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Rural maternity clinic (v784e)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Government Health Hut (Case de Sant) (v784f)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Community pharmacy (v784g)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: VCT center (v784h)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Outreach strategy/mobile team (v784i)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Other public (v784j)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: private hospital/clinic/doctor (v784k)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Pharmacy (v784l)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Private doctor (v784m)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Private laboratory (v784n)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Religious dispensary (v784o)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Place for HIV test: CS private (v784p)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Place for HIV test: CS private (v784q)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Place for HIV test: CS private (v784r)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Place for HIV test: Other private (v784s)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Shop (v784t)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Church (v784u)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Friend, relative (v784v)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: other (v784x)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Heard about other STIs (v785)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Last 12 months had sex in return for gifts, cash or other (v791a)

File: REC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case Identification (hhid)

File: REC80

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC80

Overview

Type: Discrete
Format: character
Width: 9

NA- Condom used at first sex (v820)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Most recent sex partner younger, the same age or older (v821a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

NA-2nd to most recent sex partner younger, the same age or older (v821b)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

NA-3rd to most recent sex partner younger, the same age or older (v821c)

File: REC80

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-8

Wife justified asking husband to use condom if he has STI (v822)

File: REC80

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Can get HIV by witchcraft or supernatural means (v823)

File: REC80

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Drugs to avoid HIV transmission to baby during pregnancy (v824)

File: REC80

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Would buy vegetables from vendor with HIV (v825)

File: REC80

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-Last time tested for HIV (v826)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Months ago most recent HIV test (v826a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA-Last HIV test: on your own, offered or required (v827)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Received result from last HIV test (v828)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place where last HIV test was taken (v829)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-98

Age of first sex partner (v830)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 95-98

NA-First sex partner younger, same age or older (v831)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Time since last sex with 2nd to most recent partner (v832b)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Time since last sex with 3rd to most recent partner (v832c)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Used condom every time had sex with most recent partner in last 12 months (v833a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Used condom every time had sex with 2nd to most recent partner in last 12 months (v833b)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Used condom every time had sex with 3rd to most recent partner in last 12 months (v833c)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Age of most recent partner (v834a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-98

Age of 2nd to most recent partner (v834b)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 19-98

Age of 3rd to most recent partner (v834c)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 95-98

NA-Alcohol consumption at last sex with most recent partner (v835a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

NA-Alcohol consumption at last sex with 2nd to most recent partner (v835b)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

NA-Alcohol consumption at last sex with 3rd to most recent partner (v835c)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Total lifetime number of sex partners (v836)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

NA-Heard of drugs to help HIV infected people live longer (v837)

File: REC80

Overview

NA-Heard of drugs to help HIV infected people live longer (v837)

File: REC80

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

During antenatal visit talked about: HIV transmitted mother to child (v838a)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

During antenatal visit talked about: things to do to prevent getting HIV (v838b)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

During antenatal visit talked about: getting tested for HIV (v838c)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Offered HIV test as part of antenatal visit (v839)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Offered HIV test between the time went for delivery and before baby was born (v839a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Tested for HIV as part of antenatal visit (v840)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Tested for HIV between the time went for delivery and before baby was born (v840a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Got results of HIV test as part of antenatal visit (v841)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Got results of HIV test when tested before baby was born (v841a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place were HIV test was taken as part of antenatal visit (v842)

File: REC80

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 11-96

Tested for HIV since antenatal visit test (v843)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Knows someone denied health services for having, or suspected of having, HIV; (v844)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA-Knows someone denied social events for having, or suspected of having, HIV; i (v845)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Knows someone verbally abused for having, or suspected of having, HIV; in las (v846)

File: REC80

Overview

NA-Knows someone verbally abused for having, or suspected of having, HIV; in las (v846)

File: REC80

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-People with HIV should be ashamed of themselves (v847)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA-People with HIV should be blamed for bringing disease to community (v848)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA-Children 12-14 should be taught to wait for sex until marriage (v849)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Respondent can refuse sex (v850a)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Respondent can ask partner to use a condom (v850b)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Young men should wait for sex until marriage (v851a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Most young men wait for sex until marriage (v851b)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Unmarried sexually active men should only having sex with one partner (v851c)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Most unmarried sexually active men have only one partner (v851d)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Married men should only have sex with their wives (v851e)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Most married men only have sex with their wives (v851f)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Young women should wait for sex until marriage (v851g)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Most young women wait for sex until marriage (v851h)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Unmarried sexually active women should have only one partner (v851i)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Most unmarried sexually active women have only one partner
(v851j)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Married women should only have sex with their husbands
(v851k)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Most married women only have sex with their husbands (v851l)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

How long ago first had sex with most recent partner (v852a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-499

How long ago first had sex with 2nd most recent partner (v852b)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-499

How long ago first had sex with 3rd most recent partner (v852c)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-499

Times in last 12 months had sex with most recent partner (v853a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Times in last 12 months had sex with 2nd most recent partner (v853b)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Times in last 12 months had sex with 3rd most recent partner (v853c)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Point concurrent sexual partners (v854a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cumulative concurrent sexual partners (v854b)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Received counseling after tested for AIDS during antenatal care (v855)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Knowledge and use of HIV test kits (v856)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Children with HIV should be allowed to attend school with children without HIV (v857a)

File: REC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

People hesitate to take HIV test because reaction of other people if positive (v857b)

File: REC80

Overview

People hesitate to take HIV test because reaction of other people if positive (v857b)

File: REC80

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

People talk badly about people with or believed to have HIV

(v857c)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

People with or believed to have HIV lose respect from other people (v857d)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Would be afraid to get HIV from contact with saliva from infected person (v858)

File: REC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Case Identification (hhid)

File: REC81

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC81

Overview

Type: Discrete
Format: character
Width: 9

Time interview started (hhmm - 24 hour clock) (v801)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 614-2256

Time interview ended (hhmm - 24 hour clock) (v802)

File: REC81

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 655-2257

Length of interview in minutes (v803)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 4-97

Number of visits (v804)

File: REC81

Overview

Number of visits (v804)

File: REC81

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-5

Interviewer identification (v805)

File: REC81

Overview

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 101-182

Keyer identification (v806)

File: REC81

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Presence of children < 10 for 'Wife beating justified' questions (v811)

File: REC81

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-2

Presence of husband for 'Wife beating justified' questions (v812)

File: REC81

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-2

Presence of other males for 'Wife beating justified' questions (v813)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Presence of other females for 'Wife beating justified' questions (v814)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Presence of children < 10 during sexual activity section (v815a)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Presence of male adults during sexual activity section (v815b)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Presence of female adults during sexual activity section (v815c)

File: REC81

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Case Identification (hhid)

File: REC82

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC82

Overview

Type: Discrete
Format: character
Width: 9

Calendar column number (vcol)

File: REC82

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Calendar (vcal)

File: REC82

Overview

Type: Discrete
Format: character
Width: 72

Case Identification (hhid)

File: REC83

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC83

Overview

Type: Discrete
Format: character
Width: 9

Index to Maternal Mortality (mmidx)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-16

Sex of sibling (mm1)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Survival status of sibling (mm2)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Sibling's current age (mm3)

File: REC83

Overview

Sibling's current age (mm3)

File: REC83

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Sibling's date of birth (CMC) (mm4)

File: REC83

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 467-1410

Sibling's marital status (mm5)

File: REC83

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Years since sibling died (mm6)

File: REC83

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Sibling's age at death (mm7)

File: REC83

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Date of death of sibling (CMC) (mm8)

File: REC83

Overview

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 507-1413

Sibling's death and pregnancy (mm9)

File: REC83

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Death and a pregnancy are related (mm10)

File: REC83

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Cause of death sibling (mm11)

File: REC83

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-0

Amount of time between sibling's delivery and death (mm12)

File: REC83

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-998

Place of sibling's death (mm13)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Number of sibling's children (mm14)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Sibling's year of death (mm15)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 9998-9998

Sibling's death due to violence or accident (mm16)

File: REC83

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Case Identification (hhid)

File: REC84

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC84

Overview

Type: Discrete
Format: character
Width: 9

Number of siblings of respondent (mmc1)

File: REC84

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-16

Number of siblings born before respondent's birth (mmc2)

File: REC84

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-13

Sister's reporting*** (mmc3)

File: REC84

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-0

Cut off age for Maternal Mortality collection (in questionnaire) (mmc5)

File: REC84

Cut off age for Maternal Mortality collection (in questionnaire) (mmc5)

File: REC84

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-15

Case Identification (hhid)

File: RECMIL

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: RECMIL

Overview

Type: Discrete
Format: character
Width: 9

Index to Birth History (idxml)

File: RECMIL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Type of mosquito bed net(s) child slept under last night (ml0)

File: RECMIL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Number of times took fansidar during pregnancy (ml1)

File: RECMIL

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Source of antimalarial during pregnancy (ml2)

File: RECMIL

Overview

Source of antimalarial during pregnancy (ml2)

File: RECMD

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-6

NA-Child has fever/cough now (ml11)

File: RECMD

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA-Child has had convulsions in last 2 weeks (ml12)

File: RECMD

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Fansidar taken for fever (ml13a)

File: RECMD

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Chloroquine taken for fever (ml13b)

File: RECMD

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Amodiaquine taken for fever (ml13c)

File: RECML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Quinine taken for fever (ml13d)

File: RECML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Quinine injection/IV taken for fever (ml13da)

File: RECML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Combination with artemisinin taken for fever (ml13e)

File: RECML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Artesunate rectal taken for fever (ml13aa)

File: RECML

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Artesunate injection/IV taken for fever (ml13ab)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS antimalarial taken for fever (ml13f)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS antimalarial taken for fever (ml13g)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other antimalarial taken for fever (ml13h)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antibiotic pill/syrup taken for fever (ml13i)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Antibiotic injection taken for fever (ml13j)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Aspirin taken for fever (ml13k)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Acetaminophen taken for fever (ml13l)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Ibuprofen taken for fever (ml13m)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Paracetamol taken for fever (ml13n)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS other taken for fever (ml13o)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS other taken for fever (ml13p)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other taken for fever (ml13x)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Nothing taken and didn't seek treatment for fever/cough (ml13y)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Don't know if or what was taken for fever (ml13z)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Injection given for fever/convulsion*** (ml14a)

File: RECMDL

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

NA-Suppository given for fever/convulsion*** (ml14b)

File: RECMDL

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

NA-No suppository or injection given for fever/convulsion***

(ml14y)

File: RECMDL

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

NA-Don't know if suppository or injection given for

fever/convulsion*** (ml14z)

File: RECMDL

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Timing of start of fansidar (ml15a)

File: RECMDL

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-Number of days child took fansidar (ml15b)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

NA-First source for fansidar (ml15c)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Timing of start of chloroquine (ml16a)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Number of days child took chloroquine (ml16b)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

NA-First source for chloroquine (ml16c)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Timing of start of amodiaquine (ml17a)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Number of days child took amodiaquine (ml17b)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

NA-First source for amodiaquine (ml17c)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Timing of start of quinine (ml18a)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Number of days child took quinine (ml18b)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

NA-First source for quinine (ml18c)

File: RECMD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-For fever/convulsion: consulted traditional healer*** (ml19a)

File: RECMD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

NA-For fever/convulsion: gave tepid sponging*** (ml19b)

File: RECMD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

NA-For fever/convulsion: gave herbs*** (ml19c)

File: RECMD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

NA-For fever/convulsion: CS*** (ml19d)

File: RECMD

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

NA-For fever/convulsion: CS*** (ml19e)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-For fever/convulsion: CS*** (ml19f)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-For fever/convulsion: other*** (ml19x)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-For fever/convulsion: gave/did nothing*** (ml19y)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-For fever/convulsion: don't know if something else was done*** (ml19z)

File: RECMDL

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Timing of start of combination with artemisinin (ml20a)**File:** RECM**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-Number of days child took combination with artemisinin**(ml20b)****File:** RECM**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

NA-First source for combination with artemisinin (ml20c)**File:** RECM**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-Timing of start of CS antimalarial use (ml21a)**File:** RECM**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-Number of days child took CS antimalarial (ml21b)**File:** RECM**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 7-8

NA-First source for CS antimalarial (ml21c)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Timing of start of CS antimalarial use (ml22a)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Number of days child took CS antimalarial (ml22b)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

NA-First source for CS antimalarial (ml22c)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Timing of start of other anti-malarial use (ml23a)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Number of days child took other anti-malarial (ml23b)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 7-8

NA-First source for other anti-malarial (ml23c)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-First source for antibiotic pill/syrup (ml24c)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Timing of start of artesunate (ml25a)

File: RECMD

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (hhid)

File: RECDV

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: RECDV

Overview

Type: Discrete
Format: character
Width: 9

Weight for Domestic Violence (6 decimals) (d005)

File: RECDV

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: 27927-8308979

Husband/partner jealous if respondent talks with other men

(d101a)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband/partner accuses respondent of unfaithfulness (d101b)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband/partner does not permit respondent to meet female friends (d101c)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband/partner tries to limit respondent's contact with family (d101d)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband/partner insists on knowing where respondent is (d101e)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-Husband/partner doesn't trust respondent with money (d101f)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-CS control issue (d101g)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-CS control issue (d101h)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-CS control issue (d101i)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA-CS control issue (d101j)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Number of control issues answered 'Yes' (D101x = 1) (d102)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Ever been humiliated by husband/partner (d103a)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever been threatened with harm by husband/partner (d103b)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever been insulted or made to feel bad by husband/partner (d103c)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

NA-Ever CS emotional abuse by husband/partner (d103d)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

NA-Ever CS emotional abuse by husband/partner (d103e)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

NA-Ever CS emotional abuse by husband/partner (d103f)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Experienced any emotional violence (D103x series)*** (d104)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Ever been pushed, shook or had something thrown by husband/partner (d105a)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever been slapped by husband/partner (d105b)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever been punched with fist or hit by something harmful by husband/partner (d105c)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever been kicked or dragged by husband/partner (d105d)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever been strangled or burnt by husband/partner (d105e)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever been threatened with knife/gun or other weapon by husband/partner (d105f)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

NA-Ever CS physical violence by husband/partner (d105g)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever been physically forced into unwanted sex by husband/partner (d105h)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever been forced into other unwanted sexual acts by husband/partner (d105i)

File: RECDV

Overview

Ever been forced into other unwanted sexual acts by husband/partner (d105i)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

Ever had arm twisted or hair pulled by husband/partner (d105j)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

Ever been physically forced to perform sexual acts respondent didn't want to (d105k)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

NA-Ever CS physical violence by husband/partner (d105l)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

NA-Ever CS physical violence by husband/partner (d105m)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

NA-Ever CS physical violence by husband/partner (d105n)

File: RECDV

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-4

Experienced any less severe violence (D105A-C,J) by husband/partner (d106)

File: RECDV

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Experienced any severe violence (D105D-F) by husband/partner (d107)

File: RECDV

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Experienced any sexual violence (D105H-I,K) by husband/partner (d108)

File: RECDV

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Timing of first event (from D105 series) in years after marriage (d109)

File: RECDV

Overview

Timing of first event (from D105 series) in years after marriage
(d109)

File: RECDV

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Ever had bruises because of husband/partner's actions (d110a)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Ever had eye injuries, sprains, dislocations or burns because of husband/partner (d110b)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Ever went to health facility because of husband/partner's actions (d110c)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Ever had wounds, broken bones, broken teeth or other serious injury because of h (d110d)

File: RECDV

Overview

Ever had wounds, broken bones, broken teeth or other serious injury because of h (d110d)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-CS because of husband/partner's actions (d110e)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-CS because of husband/partner's actions (d110f)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-CS because of husband/partner's actions (d110g)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-CS because of husband/partner's actions (d110h)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Experienced any of listed husband/partner's actions (D110x series)*** (d111)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Respondent ever physically hurt husband/partner when he was not hurting her (d112)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Frequency of physically hurting husband/partner in last 12 months (d112a)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Husband/partner drinks alcohol (d113)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Frequency of husband/partner being drunk (d114)

File: RECDV

Overview

Frequency of husband/partner being drunk (d114)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-2

Mother: Person who has ever physically hurt respondent (d115b)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Father: Person who has ever physically hurt respondent (d115c)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Daughter: Person who has ever physically hurt respondent (d115d)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

NA-Son: Person who has ever physically hurt respondent (d115e)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sister/brother: Person who has ever physically hurt respondent
(d115f)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Other relative: Person who has ever physically hurt respondent
(d115g)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

NA-Other female family: Person who has ever physically hurt
respondent (d115h)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Other male family: Person who has ever physically hurt
respondent (d115i)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Former partner: Person who has ever physically hurt
respondent (d115j)

File: RECDV

Overview

NA-Former partner: Person who has ever physically hurt respondent (d115j)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Current boyfriend: Person who has ever physically hurt respondent (d115k)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Former boyfriend: Person who has ever physically hurt respondent (d115l)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

NA-Step-mother: Person who has ever physically hurt respondent (d115m)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Step-father: Person who has ever physically hurt respondent (d115n)

File: RECDV

Overview

NA-Step-father: Person who has ever physically hurt respondent
(d115n)

File: RECDV

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Mother-in-law: Person who has ever physically hurt respondent
(d115o)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Father-in-law: Person who has ever physically hurt respondent
(d115p)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Other in-law: Person who has ever physically hurt respondent
(d115q)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

NA-Other male in-law: Person who has ever physically hurt respondent (d115r)

File: RECDV

Overview

NA-Other male in-law: Person who has ever physically hurt respondent (d115r)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Female friend: Person who has ever physically hurt respondent (d115s)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Male friend: Person who has ever physically hurt respondent (d115t)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Neighbor: Person who has ever physically hurt respondent (d115u)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Teacher: Person who has ever physically hurt respondent (d115v)

File: RECDV

Overview

Teacher: Person who has ever physically hurt respondent (d115v)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Employer: Person who has ever physically hurt respondent

(d115w)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

Other: Person who has ever physically hurt respondent (d115x)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-9

No person other than husband/partner ever physically hurt respondent (d115y)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-6

NA-Stranger: Person who has ever physically hurt respondent (d115xa)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Other female in-law/family: Person who has ever physically hurt respondent (d115xb)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Other male in-law/family: Person who has ever physically hurt respondent (d115xc)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Friend: Person who has ever physically hurt respondent (d115xd)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Police: Person who has ever physically hurt respondent (d115xe)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Religious leader: Person who has ever physically hurt respondent (d115xf)

File: RECDV

Overview

Religious leader: Person who has ever physically hurt respondent
(d115xf)

File: RECDV

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Lawyer: Person who has ever physically hurt respondent
(d115xg)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Doctor: Person who has ever physically hurt respondent
(d115xh)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Person who has ever physically hurt respondent (d115xi)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Person who has ever physically hurt respondent (d115xj)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Person who has ever physically hurt respondent (d115xk)

File: RECDV

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Person who hurt respondent most often (d116)

File: RECDV

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-96

Frequency of being hit in last 12 months by other than husband/partner (d117a)

File: RECDV

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-2

Husband/partner: Person who hurt respondent during a pregnancy (d118a)

File: RECDV

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Mother: Person who hurt respondent during a pregnancy (d118b)

File: RECDV

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Father/step-father: Person who hurt respondent during a pregnancy (d118c)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Daughter/son: Person who hurt respondent during a pregnancy (d118d)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Son alone: Person who hurt respondent during a pregnancy (d118e)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sister/brother: Person who hurt respondent during a pregnancy (d118f)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Other relative: Person who hurt respondent during a pregnancy (d118g)

File: RECDV

Overview

Other relative: Person who hurt respondent during a pregnancy
(d118g)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Other female family: Person who hurt respondent during a pregnancy (d118h)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Other male family: Person who hurt respondent during a pregnancy (d118i)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Former husband/partner: Person who hurt respondent during a pregnancy (d118j)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Current boyfriend: Person who hurt respondent during a pregnancy (d118k)

File: RECDV

Overview

Current boyfriend: Person who hurt respondent during a pregnancy (d118k)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Former boyfriend: Person who hurt respondent during a pregnancy (d118l)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Step-mother: Person who hurt respondent during a pregnancy (d118m)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Step-father: Person who hurt respondent during a pregnancy (d118n)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Mother-in-law: Person who hurt respondent during a pregnancy (d118o)

File: RECDV

Overview

Mother-in-law: Person who hurt respondent during a pregnancy
(d118o)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Father-in-law: Person who hurt respondent during a pregnancy
(d118p)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Other in-law: Person who hurt respondent during a pregnancy
(d118q)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Other female/male in-law: Person who hurt respondent during a pregnancy (d118r)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Female friend: Person who hurt respondent during a pregnancy (d118s)

File: RECDV

Overview

NA-Female friend: Person who hurt respondent during a pregnancy (d118s)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Male friend: Person who hurt respondent during a pregnancy (d118t)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Neighbor: Person who hurt respondent during a pregnancy (d118u)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Teacher: Person who hurt respondent during a pregnancy (d118v)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Employer: Person who hurt respondent during a pregnancy (d118w)

File: RECDV

Overview

Employer: Person who hurt respondent during a pregnancy (d118w)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Other: Person who hurt respondent during a pregnancy (d118x)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Respondent was not hurt by anyone during a pregnancy (d118y)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Stranger: Person who hurt respondent during a pregnancy (d118xa)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Other female in-law/family: Person who hurt respondent during a pregnancy (d118xb)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Other male in-law/family: Person who hurt respondent during a pregnancy (d118xc)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Friend: Person who hurt respondent during a pregnancy (d118xd)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Police: Person who hurt respondent during a pregnancy (d118xe)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Religious leader: Person who hurt respondent during a pregnancy (d118xf)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Lawyer: Person who hurt respondent during a pregnancy (d118xg)

File: RECDV

Overview

NA-Lawyer: Person who hurt respondent during a pregnancy
(d118xg)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Doctor: Person who hurt respondent during a pregnancy
(d118xh)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-CS: Person who hurt respondent during a pregnancy (d118xi)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-CS: Person who hurt respondent during a pregnancy (d118xj)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-CS: Person who hurt respondent during a pregnancy (d118xk)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA-Husband/partner: Person respondent went to seek help (d119a)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Mother: Person respondent went to seek help (d119b)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Father: Person respondent went to seek help (d119c)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Daughter: Person respondent went to seek help (d119d)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Son: Person respondent went to seek help (d119e)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Sister: Person respondent went to seek help (d119f)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Brother: Person respondent went to seek help (d119g)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Own family: Person respondent went to seek help (d119h)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Husband/partner family: Person respondent went to seek help

(d119i)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Current/former husband/partner: Person respondent went to seek help (d119j)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Current/former boyfriend: Person respondent went to seek help (d119k)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Former boyfriend alone: Person respondent went to seek help (d119l)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Step-mother: Person respondent went to seek help (d119m)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Step-father: Person respondent went to seek help (d119n)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Mother-in-law: Person respondent went to seek help (d119o)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Father-in-law: Person respondent went to seek help (d119p)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Other female in-law: Person respondent went to seek help (d119q)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Other male in-law: Person respondent went to seek help (d119r)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Female friend: Person respondent went to seek help (d119s)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Male friend: Person respondent went to seek help (d119t)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Neighbor: Person respondent went to seek help (d119u)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Teacher: Person respondent went to seek help (d119v)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Employer: Person respondent went to seek help (d119w)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Other: Person respondent went to seek help (d119x)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Respondent did not seek help from anyone (d119y)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Stranger: Person respondent went to seek help (d119xa)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Social service organization: Person respondent went to seek help

(d119xb)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Person respondent went to seek help (d119xc)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Friend: Person respondent went to seek help (d119xd)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Police: Person respondent went to seek help (d119xe)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Religious leader: Person respondent went to seek help (d119xf)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Lawyer: Person respondent went to seek help (d119xg)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Doctor: Person respondent went to seek help (d119xh)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Person respondent went to seek help (d119xi)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Person respondent went to seek help (d119xj)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Person respondent went to seek help (d119xk)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Main reason never sought help (d120)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Respondent's father ever beat her mother (d121)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Interview interrupted: husband's presence (d122a)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Interview interrupted: other adult male's presence (d122b)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Interview interrupted: adult female's presence (d122c)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

NA-First sex was wanted or forced (d123)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Ever forced to have sex by anyone other than husband/partner in last 12 months (d124)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Ever forced to perform unwanted sexual acts (d125)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Age at first forced sexual act (d126)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 5-99

Person who forced respondent into first sexual act (d127)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Ever told anyone else about violence (d128)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Respondent afraid of husband/partner most of the time, sometimes or never (d129)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Previous husband: ever hit, slap, kick or physically hurt respondent (d130a)

File: RECDV

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Previous husband: physically forced to have sex or to perform sexual acts (d130b)

File: RECDV

Overview

Previous husband: physically forced to have sex or to perform sexual acts (d130b)

File: RECDV

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

NA-Previous husband: humiliate, threaten to hurt, insult or make feel bad (d130c)

File: RECDV

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

Case Identification (hhid)

File: RECG1

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: RECG1

Overview

Type: Discrete
Format: character
Width: 9

Ever heard of female circumcision (g100)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Ever heard of genital cutting (probed) (g101)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Respondent circumcised (g102)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Flesh removed from genital area (g103)

File: RECG1

Overview

Flesh removed from genital area (g103)

File: RECG1

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Genital area just nicked without removing any flesh (g104)

File: RECG1

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Genital area sewn closed (g105)

File: RECG1

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Age at circumcision (in years) (g106)

File: RECG1

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Person who performed circumcision (g107)

File: RECG1

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-98

Number of daughters circumcised (g108)

File: RECG1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-6

NA-Line number of daughter most recently circumcised (from Birth History) (g109)

File: RECG1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0

NA-Flesh removed from genital area of daughter (g110)

File: RECG1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-Genital area of daughter just nicked without removing flesh (g111)

File: RECG1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-Genital area of daughter sewn closed (g112)

File: RECG1

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-Age of daughter at circumcision (in years) (g113)**File:** RECG1**Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 95-98

NA-Person who performed circumcision of daughter (g114)**File:** RECG1**Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 10-98

NA-Any daughter not circumcised (g115)**File:** RECG1**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-Intends to have daughter(s) circumcised in future (g116)**File:** RECG1**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

NA-Cleanliness/hygiene: Female circumcision benefit (g117a)**File:** RECG1**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

NA-Social acceptance: Female circumcision benefit (g117b)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Better marriage prospects: Female circumcision benefit

(g117c)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Virginity/prevent premarital sex: Female circumcision benefit

(g117d)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Greater sexual pleasure for men: Female circumcision benefit

(g117e)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Religious approval: Female circumcision benefit (g117f)

File: RECG1

Overview

NA-Religious approval: Female circumcision benefit (g117f)

File: RECG1

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Female circumcision benefit (g117g)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Female circumcision benefit (g117h)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Female circumcision benefit (g117i)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-CS: Female circumcision benefit (g117j)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Other: Female circumcision benefit (g117x)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-No benefit from female circumcision (g117y)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Female circumcision required by religion (g118)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Female circumcision: continue or be stopped (g119)

File: RECG1

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Case Identification (hhid)

File: RECG2

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: RECG2

Overview

Type: Discrete
Format: character
Width: 9

Daughter's index to birth history (gidx)

File: RECG2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-10

Is daughter circumcised (g121)

File: RECG2

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Daughter's age at circumcision (g122)

File: RECG2

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Was daughter genital area sewn closed (g123)

File: RECG2

Overview

Was daughter genital area sewn closed (g123)

File: RECG2

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Who performed daughter's circumcision (g124)

File: RECG2

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 10-98

Case Identification (hhid)

File: REC91

Overview

Type: Discrete
Format: character
Width: 6

Valid cases: 16787
Invalid: 0

Case Identification (caseid)

File: REC91

Overview

Type: Discrete
Format: character
Width: 9

Valid cases: 16787
Invalid: 0

Ecological Zone (szone)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-4

Valid cases: 16787
Invalid: 0

Malaria Zone (smzone)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 56
Decimals: 0
Range: 1-3

Valid cases: 16787
Invalid: 0

Season of interview (sseason)

File: REC91

Overview

Type: Discrete
Format: numeric
Width: 34
Decimals: 0
Range: 1-2

Valid cases: 16787
Invalid: 0

Highest educational level (s108)

File: REC91

Overview

Highest educational level (s108)

File: REC91

Type: Discrete

Format: numeric

Width: 12

Decimals: 0

Range: 0-9

Valid cases: 16787

Invalid: 0

Highest grade at that level (s109)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 27

Decimals: 0

Range: 0-98

Valid cases: 8317

Invalid: 8470

Program language: Arabic (s111ba)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 16787

Invalid: 0

Program language: Wolof (s111bb)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 16787

Invalid: 0

Program language: Poular (s111bc)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 16787

Invalid: 0

Program language: Serer (s111bd)

File: REC91

Overview

Type: Discrete	Valid cases: 16787
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Program language: Diola (s111be)

File: REC91

Overview

Type: Discrete	Valid cases: 16787
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Program language: Mandingue (s111bf)

File: REC91

Overview

Type: Discrete	Valid cases: 16787
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Program language: Soninke (s111bg)

File: REC91

Overview

Type: Discrete	Valid cases: 16787
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Program language: Other (s111bx)

File: REC91

Overview

Type: Discrete	Valid cases: 16787
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Respondent is Senegalese (s122a)

File: REC91

Overview

Type: Discrete	Valid cases: 16787
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Who participates in education of child (s224b)

File: REC91

Overview

Type: Discrete	Valid cases: 16787
Format: numeric	Invalid: 0
Width: 24	
Decimals: 0	
Range: 0-8	

Unable to participate in any work or social activities during her periods (s239b)

File: REC91

Overview

Type: Discrete	Valid cases: 13742
Format: numeric	Invalid: 3045
Width: 10	
Decimals: 0	
Range: 0-8	

Able to wash and change at home during last period (s239c)

File: REC91

Overview

Type: Discrete	Valid cases: 13742
Format: numeric	Invalid: 3045
Width: 10	
Decimals: 0	
Range: 0-8	

Used sanitary pad, tampon or scraps of fabric during last period (s239d)

File: REC91

Overview

Type: Discrete	Valid cases: 13742
Format: numeric	Invalid: 3045
Width: 10	
Decimals: 0	
Range: 0-8	

Used re-usable products during last period (s239e)

File: REC91

Overview

Type: Discrete	Valid cases: 13439
Format: numeric	Invalid: 3348
Width: 10	
Decimals: 0	
Range: 0-8	

Main reason not using a method (s303a)

File: REC91

Overview

Type: Discrete	Valid cases: 12252
Format: numeric	Invalid: 4535
Width: 30	
Decimals: 0	
Range: 1-98	

Age of partner (s713b)

File: REC91

Overview

Type: Discrete	Valid cases: 12620
Format: numeric	Invalid: 4167
Width: 10	
Decimals: 0	
Range: 15-98	

Condom used for last sex (male or female) (s713c)

File: REC91

Overview

Type: Discrete	Valid cases: 12620
Format: numeric	Invalid: 4167
Width: 10	
Decimals: 0	
Range: 0-8	

Brand of the condom used last time (s729)

File: REC91

Overview

Type: Discrete	Valid cases: 271
Format: numeric	Invalid: 16516
Width: 10	
Decimals: 0	
Range: 1-98	

Received condoms during last 12 months (s730a)

File: REC91

Overview

Type: Discrete	Valid cases: 271
Format: numeric	Invalid: 16516
Width: 10	
Decimals: 0	
Range: 0-8	

Saw family planning message on poster or billboard last few months (s815e)

File: REC91

Overview

Type: Discrete	Valid cases: 16787
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Heard about family planning during Moytou Neff campaigns (s816)

File: REC91

Overview

Type: Discrete	Valid cases: 16787
Format: numeric	Invalid: 0
Width: 10	
Decimals: 0	
Range: 0-8	

Used a condom with partner at last sexual intercourse during period had STD (s1050a)

File: REC91

Overview

Type: Discrete	Valid cases: 911
Format: numeric	Invalid: 15876
Width: 9	
Decimals: 0	
Range: 0-8	

Woman has fistula (s1108a)

File: REC91

Overview

Type: Discrete	Valid cases: 16787
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

Age when had fistula (s1108b)

File: REC91

Overview

Type: Continuous	Valid cases: 57
Format: numeric	Invalid: 16730
Width: 8	Minimum: 1
Decimals: 0	Maximum: 39
Range: 1-39	Mean: 19.8
	Standard deviation: 11.3

know fistula (s1108c)

File: REC91

Overview

Type: Discrete	Valid cases: 16730
Format: numeric	Invalid: 57
Width: 8	
Decimals: 0	
Range: 0-1	

Place where last HIV test was taken:CS Public Sector sources (sv829)

File: REC91

Overview

Type: Discrete	Valid cases: 8031
Format: numeric	Invalid: 8756
Width: 38	
Decimals: 0	
Range: 11-30	

Line number in birth history youngest child living with mother aged 0-4 years (s1402l)

File: REC91

Overview

Type: Discrete	Valid cases: 8066
Format: numeric	Invalid: 8721
Width: 8	
Decimals: 0	
Range: 1-3	

Number of books for child (s1404)

File: REC91

Overview

Number of books for child (s1404)

File: REC91

Type: Discrete

Format: numeric

Width: 17

Decimals: 0

Range: 0-10

Valid cases: 8066

Invalid: 8721

Does child play with: homemade toys (s1405a)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-8

Valid cases: 8066

Invalid: 8721

Does child play with: toys from a shop (s1405b)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-8

Valid cases: 8066

Invalid: 8721

Does child play with: household objects or outside objects (s1405c)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-8

Valid cases: 8066

Invalid: 8721

Number of days in past week child was: left alone for more than one hour (s1406a)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-8

Valid cases: 8066

Invalid: 8721

Number of days in past week child was: left in care of another child < 10 years (s1406b)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-8

Valid cases: 8066
 Invalid: 8721

Line number in birth history youngest child living with mother aged 3-4 years (s1408al)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-6

Valid cases: 4121
 Invalid: 12666

Child attends organized learning or early childhood education program (s1409)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who read books to child: Mother (s1410aa)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who read books to child: Father (s1410ab)

File: REC91

Overview

In last 3 days, Person who read books to child: Father (s1410ab)

File: REC91

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who read books to child: Other (s1410ax)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who read books to child: ;No-one (s1410ay)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who told stories to child: Mother (s1410ba)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who told stories to child: Father (s1410bb)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who told stories to child: Other (s1410bx)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who told stories to child: ;No-one (s1410by)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who sang songs to child: Mother (s1410ca)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who sang songs to child: Father (s1410cb)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who sang songs to child: Other (s1410cx)

File: REC91

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 0-9

Valid cases: 4121
 Invalid: 12666

In last 3 days, Person who sang songs to child: ;No-one (s1410cy)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who took child outside: Mother (s1410da)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who took child outside: Father (s1410db)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who took child outside: Other (s1410dx)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who took child outside: ;No-one (s1410dy)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who played with child: Mother (s1410ea)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who played with child: Father (s1410eb)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who played with child: Other (s1410ex)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who played with child: ;No-one (s1410ey)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who named or counted with child: Mother (s1410fa)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who named or counted with child: Father
 (s1410fb)
 File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who named or counted with child: Other
 (s1410fx)
 File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

In last 3 days, Person who named or counted with child: ;No-one
 (s1410fy)
 File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

Child can identify or name at least 10 letters of alphabet (s1411)
 File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

Child can read at least four words (s1412)
 File: REC91

Overview

Child can read at least four words (s1412)

File: REC91

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-9

Valid cases: 4121

Invalid: 12666

Child can identify or name at least 10 numbers (s1413)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-9

Valid cases: 4121

Invalid: 12666

Child can pick up small object with two fingers (s1414)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-9

Valid cases: 4121

Invalid: 12666

Child is sometimes too sick to play (s1415)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-9

Valid cases: 4121

Invalid: 12666

Child follows simple directions (s1416)

File: REC91

Overview

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-9

Valid cases: 4121

Invalid: 12666

Child can perform task independently (s1417)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

Child gets along well with other children or adults (s1418)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

Child kicks, bites or hits other children or adults (s1419)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

Child gets distracted easily (s1420)

File: REC91

Overview

Type: Discrete	Valid cases: 4121
Format: numeric	Invalid: 12666
Width: 10	
Decimals: 0	
Range: 0-9	

Case Identification (hhid)

File: REC94

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC94

Overview

Type: Discrete
Format: character
Width: 9

Index to Birth History (idx94)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6

Source for iron tablets: Government hospital (s420aa)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: Government health center (s420ab)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: Government health post (s420ac)

File: REC94

Overview

Source for iron tablets: Government health post (s420ac)

File: REC94

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Source for iron tablets: Government Health Hut (Case de Sant) (s420ad)

File: REC94

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Source for iron tablets: Mobile clinic (s420ae)

File: REC94

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Source for iron tablets: Health worker (s420af)

File: REC94

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Source for iron tablets: other public (s420ag)

File: REC94

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Source for iron tablets: private hospital/clinic (s420ah)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: Private Pharmacy (s420ai)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: Private doctor (s420aj)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: Private mobile clinic (s420ak)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: Private health worker (s420al)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: other private medical (s420am)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: Other source - Shop (s420an)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: Other source - traditional practitioner (s420ao)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: Other source - market (s420ap)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: Other source - community worker (s420aq)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source for iron tablets: other (s420ax)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Advantages for iron took-prevent anemia (s421aa)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Advantages for iron took-Protetect child (s421ab)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Advantages for iron took- Protect pregnant (s421ac)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Advantages for iron took- Protect mother (s421ad)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Advantages for iron took- improve child at birth (s421ae)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Advantages for iron took- others (s421ax)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Advantages for iron took-Dont know (s421ay)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Sources of information about iron advantages= ANC visit (s421ba)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Sources of information about iron advantages= Media (s421bb)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Sources of information about iron advantages= Family/neighbor
(s421bc)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Sources of information about iron advantages= ANC visit (s421bd)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Sources of information about iron advantages= community Health worker (s421bx)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Received free bednet during visit (s425a)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Period of pregnant whwn Received free bednet (s425b)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Birth was registered (s428a)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Birth was declared (s428b)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Know how to register Birth (s428c)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Was skin in contact with your skin (s434a)

File: REC94

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Case Identification (hhid)

File: REC95

Overview

Type: Discrete
Format: character
Width: 6

Case Identification (caseid)

File: REC95

Overview

Type: Discrete
Format: character
Width: 9

Index to Birth History (idx95)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Received Vaccin Polio Injectable (svpi)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

VPI day (svpid)

File: REC95

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

VPI month (svpim)

File: REC95

Overview

VPI month (svpim)

File: REC95

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

VPI year (svpiy)

File: REC95

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2014-9998

received Yellow Fever (syf)

File: REC95

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Yellow fever day (syfd)

File: REC95

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

Yellow fever month (syfm)

File: REC95

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

Yellow fever year (syfy)

File: REC95

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2015-9998

Case Identification (mcaseid)

File: MREC01

Overview

Type: Discrete

Format: character

Width: 9

Country code and phase (mv000)

File: MREC01

Overview

Type: Discrete

Format: character

Width: 3

Cluster number (mv001)

File: MREC01

Overview

Type: Continuous

Format: numeric

Width: 5

Decimals: 0

Range: 1-54115

Household number (mv002)

File: MREC01

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-22

Respondent's line number (mv003)

File: MREC01

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 1-49

Ultimate area unit (mv004)

File: MREC01

Overview

Ultimate area unit (mv004)

File: MREC01

Type: Continuous

Format: numeric

Width: 3

Decimals: 0

Range: 1-400

Men's sample weight (6 decimals) (mv005)

File: MREC01

Overview

Type: Continuous

Format: numeric

Width: 7

Decimals: 0

Range: 0-4496841

Month of interview (mv006)

File: MREC01

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 4-12

Year of interview (mv007)

File: MREC01

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 2017-2017

Date of interview (CMC) (mv008)

File: MREC01

Overview

Type: Discrete

Format: numeric

Width: 4

Decimals: 0

Range: 1408-1417

Date of interview Century Day Code (CDC) (mv008a)

File: MREC01

Overview

Type: Continuous
Format: numeric
Width: 5
Decimals: 0
Range: 42831-43096

Month of birth (mv009)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of birth (mv010)

File: MREC01

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1957-2002

Date of birth (CMC) (mv011)

File: MREC01

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 692-1235

Current age (mv012)

File: MREC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 15-59

Age in 5-year groups (mv013)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-10

Completeness of age information (mv014)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Result of interview (mv015)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7

Day of interview (mv016)

File: MREC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-31

Primary sampling unit (mv021)

File: MREC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 1-400

Sample stratum number (mv022)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-28

Sample domain (mv023)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-28

Region (mv024)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-14

Type of place of residence (mv025)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

NA- De facto place of residence (mv026)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Number of visits (mv027)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Interviewer identification (mv028)

File: MREC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 100-180

NA- Keyer identification (mv029)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Field supervisor (mv030)

File: MREC01

Overview

Type: Continuous
Format: numeric
Width: 3
Decimals: 0
Range: 100-180

NA- Field editor (mv031)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

NA- Office editor (mv032)

File: MREC01

NA- Office editor (mv032)

File: MREC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Number of wives/partners (mv035)

File: MREC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

NA -Language of questionnaire (mv045a)

File: MREC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-6

NA -Language of interview (mv045b)

File: MREC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-6

NA -Native language of respondent (mv045c)

File: MREC01

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-6

NA -Translator used (mv046)**File:** MREC01**Overview**

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Time interview started (hhmm - 24 hour clock) (mv801)**File:** MREC01**Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 640-2250

Time interview ended (hhmm - 24 hour clock) (mv802)**File:** MREC01**Overview**

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 650-2258

Length of interview in minutes (mv803)**File:** MREC01**Overview**

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 2-97

Wives/partner list (mrec01_group)**File:** MREC01**Overview**

Type: Discrete
 Format: character
 Width: 5

Line number of wife/partner (mv034)**File:** MREC01

Line number of wife/partner (mv034)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-37

NA- Wife or partner*** (mv034a)

File: MREC01

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Age of wife/partner (mv034b)

File: MREC01

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-58

Case Identification (mcaseid)

File: MREC11

Overview

Type: Discrete
Format: character
Width: 9

Region (mv101)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-14

Type of place of residence (mv102)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

NA- Childhood place of residence*** (mv103)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

NA- Years lived in place of residence (mv104)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 95-98

NA- Type of place of previous residence (mv105)

File: MREC11

NA- Type of place of previous residence (mv105)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

NA- Region of previous residence (mv105a)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Educational level (mv106)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Highest year of education (at level in MV106) (mv107)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Religion (mv130)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Ethnicity (mv131)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 1-996

Total number of years of education (mv133)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA- De facto place of residence (mv134)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Usual resident or visitor (mv135)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Number of household members (total listed) (mv136)

File: MREC11

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 1-50

Number of eligible men in household (de facto) (mv138)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-15

Educational attainment (mv149)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Relationship to household head (mv150)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Sex of household head (mv151)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Age of household head (mv152)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 17-98

Literacy (mv155)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Ever participated in a literacy program (excluding primary school)
(mv156)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Frequency of reading newspaper or magazine (mv157)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Frequency of listening to radio (mv158)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Frequency of watching television (mv159)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

NA- Times away from home in last 12 months (mv167)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA- Away for more than one month in last 12 months (mv168)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Owns a mobile telephone (mv169a)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Use mobile telephone for financial transactions (mv169b)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Has an account in a bank or other financial institution (mv170)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Use of internet (mv171a)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Frequency of using internet last month (mv171b)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Wealth index combined (mv190)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Wealth index factor score combined (5 decimals) (mv191)

File: MREC11

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: -152528-260870

Wealth index for urban/rural (mv190a)

File: MREC11

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

Wealth index factor score for urban/rural (5 decimals) (mv191a)

File: MREC11

Overview

Type: Continuous
Format: numeric
Width: 7
Decimals: 0
Range: -278173-423856

Case Identification (mcaseid)

File: MREC22

Overview

Type: Discrete
Format: character
Width: 9

Total children ever born (mv201)

File: MREC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-31

Sons at home (mv202)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-12

Daughters at home (mv203)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-11

Sons elsewhere (mv204)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Daughters elsewhere (mv205)

File: MREC22

Daughters elsewhere (mv205)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Sons who have died (mv206)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Daughters who have died (mv207)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Age of respondent at 1st birth (mv212)

File: MREC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 10-49

Partner currently pregnant (mv213)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Knowledge of ovulatory cycle (mv217)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Number of living children (mv218)

File: MREC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-26

NA- Most recent pregnancy wanted (mv225)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Number of women fathered children with (mv245)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-95

Married to mother when first child was born (mv246)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Age of most recent child (mv247)

File: MREC22

Overview

Type: Continuous
Format: numeric
Width: 2
Decimals: 0
Range: 0-30

Antenatal check-ups for the mother of most recent child (mv248)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Respondent present during check-ups for most recent child (mv249)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place of birth of most recent child (mv250)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

NA- Reason for not delivering most recent child in health facility (mv251)

File: MREC22

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Amount a child should drink, when that child has diarrhea (mv252)

File: MREC22

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Case Identification (mcaseid)

File: MREC31

Overview

Type: Discrete
Format: character
Width: 9

Knowledge of any contraceptive method (mv301)

File: MREC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

NA- Ever use of any contraceptive method (mv302)

File: MREC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Contraceptive method variable group (mrec31_group)

File: MREC31

Overview

Type: Discrete
Format: character
Width: 4

Type of contraceptive method (m304a)

File: MREC31

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Knows contraceptive method (mv304)

File: MREC31

Overview

Knows contraceptive method (mv304)

File: MREC31

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Ever used contraceptive method (mv305)

File: MREC31

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Contraceptive method currently used (mv307)

File: MREC31

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Case Identification (mcaseid)

File: MREC32

Overview

Type: Discrete
 Format: character
 Width: 9

Current contraceptive method (mv312)

File: MREC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-20

Current contraceptive by method type (mv313)

File: MREC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-8

Brand of condom used (mv323a)

File: MREC32

Overview

Type: Discrete
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 1-98

NA- Cost of condoms (in CURRENCY) last time obtained (mv325b)

File: MREC32

Overview

Type: Discrete
 Format: numeric
 Width: 7
 Decimals: 0
 Range: 9999995-9999998

NA- terviewer shown condom package (mv372a)

File: MREC32

NA- terviewer shown condom package (mv372a)

File: MREC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

On radio heard about Family Planning in the last few months

(mv384a)

File: MREC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

On TV saw about Family Planning in the last few months (mv384b)

File: MREC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

In newspaper read about Family Planning in the last few months

(mv384c)

File: MREC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Heard family planning by text messages on mobile phone (mv384d)

File: MREC32

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 0-1

Discussed Family Planning with health worker in last few months
(mv395)

File: MREC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Possible for a breastfeeding woman to get pregnant (mv396)

File: MREC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Can women get pregnant after birth of a child before period
return (mv396a)

File: MREC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source of family planning for non-users: no source (mv3a00y)

File: MREC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source of family planning for non-users: any source (mv3a00z)

File: MREC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Number of condoms did get last time (mv3a09b)

File: MREC32

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 998-998

Source of condoms (mv3b17)

File: MREC32

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Contraception is woman's business, man should not worry
(mv3b25a)

File: MREC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Women who use contraception become promiscuous (mv3b25b)

File: MREC32

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (mcaseid)

File: MREC41

Overview

Type: Discrete
Format: character
Width: 9

NA -Smokes cigarettes (mv463a)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Smokes pipe (mv463b)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Uses chewing tobacco (mv463c)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Uses snuff (mv463d)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Smokes CS (mv463e)

File: MREC41

NA -Smokes CS (mv463e)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Smokes CS (mv463f)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Smokes CS (mv463g)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Smokes other (mv463x)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Smokes nothing (mv463z)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Frequency currently smokes tobacco (mv463aa)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

NA- Frequency currently uses smokeless tobacco (mv463ab)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

NA- In the past smoked tobacco every day (mv463ac)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Frequency in the past smoked tobacco (mv463ad)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

NA- Number of cigarettes in last 24 hours (mv464)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 98-98

On average respondent smokes daily: manufactured cigarettes
(mv464a)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

On average respondent smokes daily: hand roll cigarettes
(mv464b)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

NA- On average respondent smokes daily: kreteks (mv464c)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

On average respondent smokes daily: pipes full of tobacco
(mv464d)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

On average respondent smokes daily: cigars, cheroots, cigarillos
(mv464e)

File: MREC41

Overview

On average respondent smokes daily: cigars, cheroots, cigarillos (mv464e)

File: MREC41

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent smokes daily: water pipe sessions (mv464f)

File: MREC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent smokes daily: others (mv464g)

File: MREC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent uses daily: snuff by mouth (mv464h)

File: MREC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent uses daily: snuff by nose (mv464i)

File: MREC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent uses daily: chewing tobacco (mv464j)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

On average respondent uses daily: betel quid with tobacco (mv464k)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

On average respondent uses daily: any others (mv464l)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

NA- Heard of tuberculosis or TB (mv474)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: air through coughing or sneezing (mv474a)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: sharing utensils (mv474b)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: touching a person with TB (mv474c)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: food (mv474d)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: sexual contact (mv474e)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: mosquito bites (mv474f)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: CS (mv474g)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: CS (mv474h)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: CS (mv474i)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: CS (mv474j)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis spread by: other (mv474x)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Don't know how tuberculosis is spread (mv474z)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Tuberculosis can be cured (mv475)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Would want tuberculosis infection in family to remain secret (mv476)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Number of injections in last 12 months (mv477)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Number of injections administered by a health worker (mv478)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA- Place where given injection by health worker (mv479)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Syringe and needle from new, unopened package (mv480)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Covered by health insurance (mv481)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Health insurance type: mutual/community organization

(mv481a)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Health insurance type: provided by employer (mv481b)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Health insurance type: social security (mv481c)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Health insurance type: private/commercially purchased

(mv481d)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Health insurance type: CS (mv481e)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Health insurance type: CS (mv481f)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Health insurance type: CS (mv481g)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Health insurance type: CS (mv481h)**File: MREC41****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Health insurance type: other (mv481x)**File: MREC41****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Arrange care of biological children under age 18* (mv482a)****File: MREC41****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Primary caregiver of children under age 18* (mv482b)****File: MREC41****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Arrange care of non-biological children < 18* (mv482c)****File: MREC41****Overview**

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Respondent circumcised (mv483)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Age at circumcision (mv483a)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 95-98

NA- Who performed the circumcision (mv483b)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

NA- Place where circumcision was done (mv483c)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

On average respondent smokes weekly: manufactured cigarettes (mv484a)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

On average respondent smokes weekly: hand roll cigarettes
(mv484b)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

NA- On average respondent smokes weekly: kreteks (mv484c)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

On average respondent smokes weekly: pipes full of tobacco
(mv484d)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

On average respondent smokes weekly: cigars, cheroots, cigarillos
(mv484e)

File: MREC41

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-888

On average respondent smokes weekly: water pipe sessions
(mv484f)

File: MREC41

Overview

On average respondent smokes weekly: water pipe sessions (mv484f)

File: MREC41

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent smokes weekly: others (mv484g)

File: MREC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent uses weekly: snuff by mouth (mv484h)

File: MREC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent uses weekly: snuff by nose (mv484i)

File: MREC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent uses weekly: chewing tobacco (mv484j)

File: MREC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent uses weekly: betel quid with tobacco
(mv484k)

File: MREC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

On average respondent uses weekly: any others (mv484l)

File: MREC41

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 0-888

Case Identification (mcaseid)

File: MREC51

Overview

Type: Discrete
Format: character
Width: 9

Current marital status (mv501)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-5

Currently/formerly/never in union (mv502)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Number of unions (mv503)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Currently residing with wife/partner (mv504)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Number of wives/partners (mv505)

File: MREC51

Number of wives/partners (mv505)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Month of first cohabitation (mv507)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-12

Year of first cohabitation (mv508)

File: MREC51

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 1978-2017

Date of first cohabitation (CMC) (mv509)

File: MREC51

Overview

Type: Continuous
Format: numeric
Width: 4
Decimals: 0
Range: 937-1416

Completeness of date information in MV509 (mv510)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Age at first cohabitation (mv511)

File: MREC51

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 15-56

Years since first cohabitation (mv512)

File: MREC51

Overview

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Range: 0-39

Cohabitation duration (grouped) (mv513)

File: MREC51

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-7

Age at first sex (mv525)

File: MREC51

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 0-98

Time since last sex (mv527)

File: MREC51

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-998

Time since last sex (in days) (mv528)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Time since last sex (in months) (mv529)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 0-998

Age at first sex (imputed) (mv531)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Flag for MV531 (mv532)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-6

Ever been married or in union (mv535)

File: MREC51

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Recent sexual activity (mv536)

File: MREC51

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-3

NA -Intends to wait until marriage to have sex (mv541)

File: MREC51

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Case Identification (mcaseid)

File: MREC61

Overview

Type: Discrete
Format: character
Width: 9

Fertility preference (mv602)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Preferred waiting time for birth of a/another child (mv603)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

Preferred waiting time for birth of a/another child (grouped) (mv604)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-9

Desire for more children (mv605)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-9

Ideal number of children (mv613)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Ideal number of children (grouped) (mv614)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-7

Desired time for future birth (mv616)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-999

NA -Wife's desire for children (mv621)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Ideal number of boys (mv627)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Ideal number of girls (mv628)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Ideal number of either sex (mv629)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA- Problem if wife became pregnant (mv631)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

NA- Wife justified refusing sex: husband has STI (mv633a)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Wife justified refusing sex: husband has other women (mv633b)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Wife justified refusing sex: recent birth (mv633c)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Wife justified refusing sex: tired, not in mood (mv633d)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Wife justified refusing sex: CS reason (mv633e)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Wife justified refusing sex: CS reason (mv633f)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Wife justified refusing sex: CS reason (mv633g)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Wife refuses to have sex, husband has right to: get angry
(mv634a)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Wife refuses to have sex, husband has right to: refuse financial support (mv634b)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Wife refuses to have sex, husband has right to: use force for sex (mv634c)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Wife refuses to have sex, husband has right to: have sex with another women (mv634d)

File: MREC61

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (mcaseid)

File: MREC71

Overview

Type: Discrete
Format: character
Width: 9

Currently working (mv714)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Have a job, but currently absent (mv714a)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Occupation (mv716)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 5
Decimals: 0
Range: 0-99998

Occupation (grouped) (mv717)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA- Works for family, others, self (mv719)

File: MREC71

NA- Works for family, others, self (mv719)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

NA- Works at home or away (mv721)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Worked in last 12 months (mv731)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-2

Employment all year/seasonal (mv732)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Person who usually decides how to spend respondent's earnings (mv739)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5

NA- Type of land where respondent works (mv740)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Type of earnings from respondent's work (mv741)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Person who should have greater say: respondent's health care (mv743a)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

Person who should have greater say: large household purchases (mv743b)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8

NA- Person who should have greater say: daily household purchases (mv743c)

File: MREC71

Overview

NA- Person who should have greater say: daily household purchases (mv743c)

File: MREC71

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

NA- Person who should have greater say: visits to family or relatives (mv743d)

File: MREC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

NA- Person who should have greater say: food to be cooked each day (mv743e)

File: MREC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

NA- Person who should have greater say: deciding what to do with money wife earn (mv743f)

File: MREC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

NA- Person who should have greater say: deciding how many children to have (mv743g)

File: MREC71

Overview

NA- Person who should have greater say: deciding how many children to have (mv743g)

File: MREC71

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Beating justified: wife goes out without telling husband (mv744a)

File: MREC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Beating justified: wife neglects the children (mv744b)

File: MREC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Beating justified: wife argues with husband (mv744c)

File: MREC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Beating justified: wife refuses to have sex with husband (mv744d)

File: MREC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Beating justified: wife burns food (mv744e)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Owns a house alone or jointly (mv745a)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Owns land alone or jointly (mv745b)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Title deed on house own by respondent (mv745c)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Title deed on land own by respondent (mv745d)

File: MREC71

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Childbearing is a woman's concern (mv747a)

File: MREC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Important for mother/child health to get assistance at delivery

(mv747b)

File: MREC71

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Case Identification (mcaseid)

File: MREC75

Overview

Type: Discrete
Format: character
Width: 9

Ever heard of a Sexually Transmitted Infection (STI) (mv750)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Ever heard of AIDS (mv751)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Reduce risk of getting HIV: do not have sex at all (mv754bp)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Reduce risk of getting HIV: always use condoms during sex (mv754cp)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Reduce risk of getting HIV: have 1 sex partner only, who has no other partners (mv754dp)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Can get HIV from mosquito bites (mv754jp)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Can get HIV by sharing food with person who has AIDS (mv754wp)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

A healthy looking person can have HIV (mv756)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Condom used during last sex with most recent partner (mv761)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Condom used during last sex with 2nd to most recent partner
(mv761b)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Condom used during last sex with 3rd to most recent partner
(mv761c)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Source of condoms used for last sex (mv762)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-96

Brand of condom used for last sex (mv762a)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-99

Source for condoms: government hospital (mv762aa)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: Government health Center (mv762ab)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: Government Health Post (mv762ac)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: family planning clinic (mv762ad)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: rural maternity clinic (mv762ae)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: Government Health Hut (Case de sant) (mv762af)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: community pharmacy (mv762ag)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: Outreach strategy/mobile team (mv762ah)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: Other public (mv762ai)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: private hospital/clinic (mv762aj)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: pharmacy (mv762ak)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: private doctor (mv762al)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: religious dispensary (mv762am)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: Other private (mv762an)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Source for condoms: CS private (mv762ao)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Source for condoms: CS private (mv762ap)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Source for condoms: CS private (mv762aq)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Source for condoms: CS private (mv762ar)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: Shop (mv762as)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: Church (mv762at)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: Friends/relatives (mv762au)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: Bar (mv762av)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Source for condoms: CS other (mv762aw)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for condoms: other (mv762ax)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Don't know any source for condoms (mv762az)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: government hospital (mv762ba)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: Government health Center (mv762bb)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: Government Health Post (mv762bc)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: family planning clinic (mv762bd)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: rural maternity clinic (mv762be)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: Government Health Hut (Case de sant) (mv762bf)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: community pharmacy (mv762bg)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: Outreach strategy/mobile team (mv762bh)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: Other public (mv762bi)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: private hospital/clinic (mv762bj)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: pharmacy (mv762bk)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: private doctor (mv762bl)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: religious dispensary (mv762bm)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: Other private (mv762bn)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Source for female condoms: CS private (mv762bo)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Source for female condoms: CS private (mv762bp)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Source for female condoms: CS private (mv762bq)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Source for female condoms: CS private (mv762br)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: Shop (mv762bs)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: Church (mv762bt)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: Friends/relatives (mv762bu)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: Bar (mv762bv)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA -Source for female condoms: CS other (mv762bw)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Source for female condoms: other (mv762bx)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Don't know any source for female condoms (mv762bz)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Had any STI in last 12 months (mv763a)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had genital sore/ulcer in last 12 months (mv763b)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Had genital discharge in last 12 months (mv763c)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Had CS STI in last 12 months (mv763d)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Had CS STI in last 12 months (mv763e)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Had CS STI in last 12 months (mv763f)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Had CS STI in last 12 months (mv763g)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Number of sex partners, excluding spouse, in last 12 months

(mv766a)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Number of sex partners, including spouse, in last 12 months

(mv766b)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Relationship with most recent sex partner (mv767a)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Relationship with 2nd to most recent sex partner (mv767b)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

Relationship with 3rd to most recent sex partner (mv767c)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-96

NA- Length of time had sex relations with most recent partner (mv768a)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-399

NA- Length of time had sex relations with 2nd to most recent partner (mv768b)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-399

NA- Length of time had sex relations with 3rd to most recent partner (mv768c)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 101-399

Can get a condom (mv769)

File: MREC75

Overview

Can get a condom (mv769)

File: MREC75

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Can get a female condom (mv769a)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Sought advice/treatment for last STI infection (mv770)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought STI advice/treatment from: government hospital (mv770a)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought STI advice/treatment from: government health center

(mv770b)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought STI advice/treatment from: government health post
(mv770c)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: public FP center (mv770d)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Maternite rurale (CS) (mv770e)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Government Case de sant
(mv770f)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: community pharmacy (mv770g)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Outreach strategy/mobile team (mv770h)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought STI advice/treatment from: Other public (mv770i)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA- Sought STI advice/treatment from: CS public (mv770j)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought STI advice/treatment from: private hospital/clinic/doctor (mv770k)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought STI advice/treatment from: private pharmacy (mv770l)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Sought STI advice/treatment from: private doctor (mv770m)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: religious dispensary (mv770n)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Other private (mv770o)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Sought STI advice/treatment from: CS private (mv770p)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Sought STI advice/treatment from: CS private (mv770q)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Sought STI advice/treatment from: CS private (mv770r)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Sought STI advice/treatment from: CS private (mv770s)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: CS Shop (mv770t)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: CS church (mv770u)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: Friends/relatives (mv770v)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: CS other bar (mv770w)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Sought STI advice/treatment from: other (mv770x)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

HIV transmitted during pregnancy (mv774a)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

HIV transmitted during delivery (mv774b)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

HIV transmitted by breastfeeding (mv774c)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Knows someone who has, or is suspected of having, HIV (mv775)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Would want HIV infection in family to remain secret (mv777)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Would be ashamed if someone in the family had HIV (mv777a)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Willing to care for relative with AIDS (mv778)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA-A female teacher infected with HIV, but is not sick, should be allowed to con (mv779)

File: MREC75

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA-Children should be taught about condoms to avoid AIDS
(mv780)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Ever been tested for HIV (mv781)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Know a place to get HIV test (mv783)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: government hospital (mv784a)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: CS public Heath center (mv784b)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: CS public health Post (mv784c)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: CS public FP center (mv784d)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: CS public rural maternity (mv784e)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: CS public Government Health Hut (Case de santé) (mv784f)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: community pharmacy (mv784g)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: CS public Avanced mobil strategy (mv784h)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: CS others public (mv784i)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA-Place for HIV test: CS public (mv784j)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: private hospital/clinic/doctor (mv784k)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: CS private pharmacy (mv784l)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: CS private doctor (mv784m)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Religious dispensary (mv784n)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: other private (mv784o)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Place for HIV test: CS private (mv784p)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Place for HIV test: CS private (mv784q)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Place for HIV test: CS private (mv784r)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Place for HIV test: CS other (mv784s)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Shop (mv784t)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Church (mv784u)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: Relative/Neighbor (mv784v)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place for HIV test: other (mv784x)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Heard about other STIs (mv785)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Have ever paid anyone in exchange for sex (mv791)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Last 12 months have given gifts or other goods to have sex

(mv791a)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Have ever given gifts or other goods to have sex (mv791b)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Paid for sex in last 12 months (mv793)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Condom used last time paid for sex in last 12 months (mv793a)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Condom used every time paid for sex in last 12 months (mv793b)

File: MREC75

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Case Identification (mcaseid)

File: MREC80

Overview

Type: Discrete
Format: character
Width: 9

NA -Condom used at first sex (mv820)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Wife justified asking husband to use condom if he has STI (mv822)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Can get HIV by witchcraft or supernatural means (mv823)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Drugs to avoid HIV transmission to baby during pregnancy (mv824)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

Would buy vegetables from vendor with HIV (mv825)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Last time tested for HIV (mv826)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Months ago most recent HIV test (mv826a)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

NA- Last HIV test: on your own, offered or required (mv827)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Received result from last HIV test (mv828)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Place where last HIV test was taken (mv829)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-98

Time since last sex with 2nd to most recent partner (mv832b)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Time since last sex with 3rd to most recent partner (mv832c)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 3
Decimals: 0
Range: 100-998

Used condom every time had sex with most recent partner in last 12 months (mv833a)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Used condom every time had sex with 2nd to most recent partner in last 12 months (mv833b)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Used condom every time had sex with 3rd to most recent partner in last 12 months (mv833c)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Age of most recent partner (mv834a)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-98

Age of 2nd to most recent partner (mv834b)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 10-98

Age of 3rd to most recent partner (mv834c)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 15-98

NA- Alcohol consumption at last sex with most recent partner (mv835a)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

NA- Alcohol consumption at last sex with 2nd to most recent partner (mv835b)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

NA- Alcohol consumption at last sex with 3rd to most recent partner (mv835c)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-4

Total lifetime number of sex partners (mv836)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

NA- Heard of drugs to help HIV infected people live longer (mv837)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Knows someone denied health services for having, or suspected of having, HIV (mv844)

File: MREC80

Overview

NA- Knows someone denied health services for having, or suspected of having, HIV (mv844)

File: MREC80

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Knows someone denied social event for having, or suspected of having, HIV; i (mv845)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA- Knows someone verbally abused for having, or suspected of having, HIV; in la (mv846)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA- People with HIV should be ashamed of themselves (mv847)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- People with HIV should be blamed for bringing disease to community (mv848)

File: MREC80

Overview

NA- People with HIV should be blamed for bringing disease to community (mv848)

File: MREC80

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Children 12-14 should be taught to wait for sex until marriage (mv849)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Young men should wait for sex until marriage (mv851a)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Most young men wait for sex until marriage (mv851b)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Unmarried sexually active men should have only one partner (mv851c)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Most unmarried sexually active men have only one partner (mv851d)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Married men should only have sex with their wives (mv851e)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Most married men only have sex with their wives (mv851f)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Young women should wait for sex until marriage (mv851g)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Most young women wait for sex until marriage (mv851h)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

NA- Unmarried sexually active women should have only one partner (mv851i)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Most unmarried sexually active women have only one partner (mv851j)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Married women should only have sex with their husbands (mv851k)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

NA- Most married women only have sex with their husbands (mv851l)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

How long ago first had sex with most recent partner (mv852a)

File: MREC80

Overview

How long ago first had sex with most recent partner (mv852a)

File: MREC80

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 100-499

How long ago first had sex with 2nd most recent partner (mv852b)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 101-499

How long ago first had sex with 3rd most recent partner (mv852c)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 3

Decimals: 0

Range: 101-499

Times in last 12 months had sex with most recent partner

(mv853a)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

Times in last 12 months had sex with 2nd most recent partner

(mv853b)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 2

Decimals: 0

Range: 1-98

Times in last 12 months had sex with 3rd most recent partner (mv853c)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 1-98

Concurrent sexual partners (mv854a)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Cumulative concurrent sexual partners (mv854b)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Knowledge and use of HIV test kits (mv856)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-3

Children with HIV should be allowed to attend school with children without HIV (mv857a)

File: MREC80

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-8

People hesitate to take HIV test because reaction of other people if positive (mv857b)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

People talk badly about people with or believed to have HIV (mv857c)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

People with or believed to have HIV lose respect from other people (mv857d)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Would be afraid to get HIV from contact with saliva from infected person (mv858)

File: MREC80

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Case Identification (mcaseid)

File: MRECGC

Overview

Type: Discrete
Format: character
Width: 9

Ever heard of female circumcision (mg100)

File: MRECGC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Ever heard of genital cutting (probed) (mg101)

File: MRECGC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Female circumcision benefit: cleanliness/hygiene (mg117a)

File: MRECGC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Female circumcision benefit: social acceptance (mg117b)

File: MRECGC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Female circumcision benefit: better marriage prospects
(mg117c)

File: MRECGC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Female circumcision benefit: virginity/prevent premarital sex
(mg117d)

File: MRECGC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Female circumcision benefit: greater sexual pleasure for men
(mg117e)

File: MRECGC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Female circumcision benefit: religious approval (mg117f)

File: MRECGC

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

NA- Female circumcision benefit: CS (mg117g)

File: MRECGC

Overview

NA- Female circumcision benefit: CS (mg117g)

File: MRECGC

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA- Female circumcision benefit: CS (mg117h)

File: MRECGC

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA- Female circumcision benefit: CS (mg117i)

File: MRECGC

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA- Female circumcision benefit: CS (mg117j)

File: MRECGC

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA- Female circumcision benefit: other (mg117x)

File: MRECGC

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

NA- No benefit from female circumcision (mg117y)

File: MRECGC

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Female circumcision required by religion (mg118)

File: MRECGC

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-8

Female circumcision: continue or be stopped (mg119)

File: MRECGC

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-8

Case Identification (mcaseid)

File: MREC91

Overview

Type: Discrete
Format: character
Width: 9

Ecological Zone (smezone)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4

Malaria Zone (smzonem)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3

Season of interview (smseason)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Highest educational level (sm108)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-4

Highest grade at that level (sm109)

File: MREC91

Highest grade at that level (sm109)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 2
Decimals: 0
Range: 0-98

Language of literacy program: Arabic (sm111ba)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Language of literacy program: Wolof (sm111bb)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Language of literacy program: Poular (sm111bc)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Language of literacy program: Serer (sm111bd)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Language of literacy program: Diola (sm111be)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Language of literacy program: Mandingue (sm111bf)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Language of literacy program: Soninke (sm111bg)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Language of literacy program: Other (sm111bx)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Senegalese nationality (sm122a)

File: MREC91

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 0-1

Saw or read FP informations from posters or panels (sm302e)

File: MREC91

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 0-1

Related Materials

Questionnaires

Enquête Démographique et de Santé Continue 2017, Questionnaire Ménage

Title Enquête Démographique et de Santé Continue 2017, Questionnaire Ménage
 Author(s) Ministère de l'Economie, des Finances et du Plan, République du Sénégal Ministère de la Santé et de l'Action Sociale, République du Sénégal ICF International
 Date 2017-01-20
 Country Senegal
 Language French
 Filename Doc/Questionnaires/Senegal_2017_DHS_questionnaire_ménage.pdf

Enquête Démographique et de Santé Continue 2017, Questionnaire Femme

Title Enquête Démographique et de Santé Continue 2017, Questionnaire Femme
 Author(s) Ministère de l'Economie, des Finances et du Plan, République du Sénégal Ministère de la Santé et de l'Action Sociale, République du Sénégal ICF International
 Date 2017-01-20
 Country Senegal
 Language French
 Filename Senegal_2017_DHS_questionnaire_femme.pdf

Enquête Démographique et de Santé Continue 2017, Questionnaire Homme

Title Enquête Démographique et de Santé Continue 2017, Questionnaire Homme
 Author(s) Ministère de l'Economie, des Finances et du Plan, République du Sénégal Ministère de la Santé et de l'Action Sociale, République du Sénégal ICF International
 Date 2017-01-20
 Country Senegal
 Language French
 Filename Senegal_2017_DHS_questionnaire_homme.pdf

Enquête Démographique et de Santé Continue 2017, Questionnaire Biomarqueur

Title Enquête Démographique et de Santé Continue 2017, Questionnaire Biomarqueur
 Author(s) Ministère de l'Economie, des Finances et du Plan, République du Sénégal Ministère de la Santé et de l'Action Sociale, République du Sénégal ICF International
 Date 2017-01-20
 Country Senegal
 Language French
 Filename Senegal_2017_DHS_questionnaire_biomarqueur.pdf

Reports

Sénégal : Enquête Démographique et de Santé Continue (EDS-Continue) 2017,

Rapport

Title	Sénégal : Enquête Démographique et de Santé Continue (EDS-Continue) 2017. Rapport
Author(s)	Agence Nationale de la Statistique et de la Démographie (ANSO), Dakar, Sénégal The DHS Program, ICF, Rockville, Maryland, USA
Date	2018-09-01
Country	Senegal
Language	French

LISTE DES TABLEAUX ET DES GRAPHIQUES	ix
REMERCIEMENTS	xix
DROITS D'UTILISATION	xxi
UNE ET CONTINUE AU SENEGAL (EDS CONTINUE 2017)	xxii
INDICATEURS DE LA SANTE ET OBJECTIFS DE DEVELOPPEMENT DURABLE	xxii
CARTE DU SENEGAL	xxii
1 PRÉSENTATION ET MÉTHODOLOGIE DE L'ENQUÊTE	1
1.1 Le contexte des enquêtes nationales	1
1.2 Objectifs de l'enquête	1
1.3 Conception de l'échantillon	2
1.4 Questionnaire	2
1.5 Anthropométrie et test d'anémie et test du VIH	3
1.6 Protocole du test du VIH	4
1.7 Protection de la vie privée	5
1.8 Formation du personnel de collecte	5
1.9 Collecte des données	6
1.10 Traitement des données	6
1.11 Taux de réponse	6
2 CARACTÉRISTIQUES DES LOGEMENTS ET DE LA POPULATION DES MENAGES 9	10
2.1 Conditions de vie des ménages	10
2.1.1 Sources d'approvisionnement de l'eau de boisson et traitement	10
2.1.2 Exposition à la fumée à l'intérieur du logement	10
2.1.3 Exposition à la fumée à l'intérieur du logement	11
2.1.4 Autres caractéristiques du logement	11
2.1.5 Sécurité dans le logement	11
2.1.6 Bien-être économique du ménage	11
2.1.7 Logement et famille	12
2.2 Population des ménages et composition	12
2.2.1 Structure de la population	13
2.2.2 Composition des ménages	13
2.3 Instruction	14
2.3.1 Nombre d'instruction atteint	14
2.3.2 Fréquentation scolaire	15
2.4 Les transferts monétaires	16
2.4.1 Coût moyen de programmes de transferts sociaux	16
2.4.2 Support de programmes de transferts sociaux	17
2.4.3 Transferts familiaux	17
2.4.4 Possession de comptes bancaires - participation à des tontines	18
2.5 Coûts de soins	18
2.5.1 Couverture de l'initiative de gratuité des soins pour les enfants de moins de cinq ans	19
3 CARACTÉRISTIQUES DES ENQUÊTES 37	37
3.1 Caractéristiques de base des enquêtes	37
3.2 Niveau d'éducation et de travailleur	38
3.3 Exposition aux médias et utilisation de l'internet	39
3.4 Emploi	40
3.5 Consommation d'alcool	41
3.6 Utilisation de tabac	42
4 NUPITALITÉ ET ACTIVITÉ SEXUELLE 61	61
4.1 État matrimonial	61
4.2 Polygamie	62
4.3 Âge à la première union	63
4.4 Appartenance à des rapports sexuels	64
4.5 Activité sexuelle récente	65
5 RECONDUITE 75	75
5.1 Recours à l'accouchement	75
5.2 Entiers nés et enfants survivants	77
5.3 Intervalles inter-nées	77
5.4 Intervalle entre la dernière enfant et	78
5.5 Âge à la première naissance	79
5.6 Fécundité des adolescentes et comportements en matière de santé reproductive avant l'âge de 15 ans	80
5.6.2 Comportements en matière de santé reproductive avant l'âge de 15 ans	81
6 PRÉFÉRENCE EN MATIÈRE DE RECONDUITE 93	93
6.1 Décret de mariage	93
6.2 Taille idéale de la famille	95
6.3 Planification de la Reconduite	96
6.4 Taux de fertilité	97
7 PLANIFICATION FAMILIALE 105	105
7.1 Connaissance et utilisation de la contraception	105
7.2 Connaissance de la période de fertilité	107
7.3 Source d'approvisionnement de méthodes modernes	107
7.4 Choix informé	108
7.5 Disponibilité pour méthodes contraceptives	108
7.6 Demande en planification familiale	109
7.7 Prise de décision sur la planification familiale	111
7.8 Exposition des non utilisatrices de la planification familiale	112
7.9 Contact des non utilisatrices de la contraception avec des prestataires de planification familiale	112
8 MORTALITÉ DES ENFANTS 133	133
8.1 Mortalité maternelle et mortalité juvénile	144
8.2 Facteurs de risque biostatistiques	136
8.3 Mortalité périnatale	137
8.4 Complications puerielles à hauts risques	138
8.5 Statut de la femme et mortalité des enfants	139
9 SANTÉ MATERNELLE 145	145
9.1 Convaincure de la nécessité des soins prénatals	146
9.1.1 Présentation qualifiée	146
9.1.2 Stade de la grossesse et nombre de visites prénatales	146
9.1.3 Convaincure de la nécessité	147
9.3 Protection contre le tetanos néonatal	148
9.4 Services d'accouchement en établissement de santé	148
9.4.2 Assistance durant l'accouchement par un prestataire de santé qualifié	150
9.4.3 Accouchement chez soi	151
9.4.4 Durée du séjour dans l'établissement de santé après la naissance	151
9.5 Soins postnaux	151
9.5.1 Examen postnatal de la mère	151
9.5.2 Examen postnatal de l'enfant	152
9.6 Protection accès aux soins de santé	153
9.7 Fistule obstétricale	153
10 SANTÉ DE L'INFANT 169	169
10.1 Poids et taille des enfants	169
10.2 Vaccination des enfants	170
10.3 Symptômes d'infections respiratoires aiguës	173
10.4 Accès aux soins	173
10.5 Maladies diarrhéiques	174
10.5.1 Accès aux soins	174
10.5.2 Pratiques alimentaires durant la diarrhée	174
10.5.3 Thérapie de réhydratation par voie orale (TRO) et autres traitements de la diarrhée	175
10.5.4 Accès aux soins	175
10.5.5 Connaissance des sachets de SRO	176
10.6 Évacuation des selles des enfants	176
10.8 Évacuation des selles des enfants	176
11 NUTRITION DES ENFANTS ET DES ADULTES 195	195
11.1 État nutritionnel des enfants	195
11.1.1 État nutritionnel des jeunes enfants	196
11.1.2 Collecte des données	197
11.1.3 Estimation de l'état nutritionnel des enfants	197
11.2 Alimentation du nourrisson et du jeune enfant	199
11.2.1 Allaitement	199
11.2.2 Allaitement exclusif	200
11.2.3 Durée médiane de l'allaitement	201
11.2.4 Accès aux soins	201
11.2.5 Minimum alimentaire acceptable	202
11.3 Prévalence de malnutrition	204
11.3.1 Prévalence de malnutrition chez les enfants	204
11.3.2 Consommation de micronutriments et supplémentation parmi les enfants	206
11.3.3 Consommation de micronutriments et supplémentation parmi les adultes	207
11.6.1 Prévalence de l'anémie parmi les femmes	207
11.6.2 Prévalence de l'anémie parmi les hommes	208
11.7 Connaissance de micronutriments parmi les mères	208
12 PAULIDISME 227	227
12.1 Possession de moustiquaires imprégnées d'insecticide	227
12.2 Accès aux moustiquaires imprégnées d'insecticide	228
12.3 Utilisation des moustiquaires imprégnées d'insecticide par les enfants et les femmes enceintes	229
12.4 Paulidisme pendant la grossesse	230
12.5 Protection contre les moustiques	231
12.5.1 Accès aux moustiquaires imprégnées d'insecticide	232
12.6 Prévalence du faible niveau d'hémoglobine chez les enfants	233
12.6.1 Prévalence du faible niveau d'hémoglobine chez les enfants	234
13 CONNAISSANCE, ATTITUDES ET COMPORTEMENTS VIS-À-VIS DU VIH/AIDS 251	251
13.1 Connaissance du VIH/sida, des moyens de transmission et de prévention	252
13.2 Connaissance du VIH/sida, des moyens de transmission et de prévention	253
13.2.1 Connaissance de la transmission mère-enfant	253
13.2.2 Connaissance de la transmission sexuelle	254
13.4 Partenaires sexuels multiples	256
13.5 Partenaires sexuels multiples	256
13.6 Couverture en services de tests du vih	257
13.6.1 Connaissance de services de test du VIH et test du VIH	257
13.6.2 Accès aux services de test du VIH	258
13.7 Infections sexuellement transmissibles déclarées	259
13.8.1 Connaissance du VIH/sida et comportements parmi les jeunes	260
13.8.2 Premiers rapports sexuels	260
13.8.3 Risques sexuels pour les jeunes	261
13.8.4 Partenaires sexuels multiples	261
13.8.5 Accès aux services de tests du VIH	262
14 PRÉVALENCE DU VIH 291	291
14.1 Taux de couverture des tests du VIH	291
14.2 Prévalence du VIH	292
14.2.1 Prévalence du VIH par âge et sexe	292
14.2.2 Prévalence du VIH et comportements sexuels à risques	293
14.2.3 Prévalence du VIH selon l'âge et le sexe	293
14.2.4 Prévalence du VIH selon d'autres caractéristiques liées au risque de contracter le VIH	294
14.2.5 Prévalence du VIH parmi les couples	294
15 MORTALITÉ ADULTE ET MORTALITÉ MATERELLE 297	297
15.1 Mortalité maternelle	297
15.2 Estimation directe de la mortalité adulte	298
15.3 Tendance de la mortalité adulte	299
15.4 Estimation indirecte de la mortalité maternelle	299
15.5 Tendances de la mortalité liée à la grossesse	300
16 SITUATION DES ENFANTS 305	305
16.1 Estimation de l'incidence d'infanticide s'étendre	305
16.2 Enfants orphelins et résidence avec les parents	306
16.3 Développement du jeune enfant	307
16.3.1 Accès aux soins	307
16.3.2 Apprentissage selon le type d'établissement	308
16.3.3 Accès aux soins	309
16.4 Encadrement inapproprié des jeunes enfants	310
16.5 Indice de développement du jeune enfant	311
17 EXCISION 323	323
17.1 Connaissance de l'excision	324
17.2 Prévalence et type à l'excision	324
17.2.1 Prévalence et type à l'excision	324
17.2.2 Type à l'excision	325
17.2.3 Prévalence et type à l'excision	325
17.3 Opinions à l'égard de l'excision	327
18 POSITION D'UN FEMME DES FEMMES 325	325
18.1 Emploi des femmes et rémunération	325
18.2 Décision concernant l'utilisation du revenu de la femme	326
18.3 Décision concernant l'utilisation du revenu du mari	327
18.4 Contrôle par les femmes de l'utilisation de leurs propres gains et de ceux de leur conjoint	328
18.5 Possession d'un titre de propriété pour la maison et les terres	329
18.7 Possession et utilisation de comptes bancaires et de téléphones portables	339
18.9 Opinion concernant le fait de battre son épouse/partenaire	342
18.10 Opinion concernant le fait de battre son conjoint	342
18.11 Indicateurs du pouvoir d'action des femmes	344
19 VIOLENCE DOMESTIQUE 369	369
19.1 Mesure de la violence	370
19.2 Violence physique	372
19.2.1 Auteurs des actes de violence physique	372
19.3 Prévalence de la violence sexuelle	372
19.3.2 Auteurs des actes de violence sexuelle	372
19.5 Contrôle exercé par le conjoint	373
19.6.1 Prévalence de la violence conjugale	373
19.7 Ressources dues à la violence conjugale	375
19.8 Recherche d'aide par les femmes qui ont subi des actes de violence	375
19.9 Recherche d'aide par les femmes qui ont subi des actes de violence	376
REFÉRENCES 395	395
ANNEXE A PLAN DE SONDEAGE 397	397
A.1 Objectifs de sondage	397
A.2 Base de sondage	397
A.3 Procédure de tirage et la répartition de l'échantillon	398
A.4 Calendrier de tirage et de fréquence	399
A.5 Résultats de l'enquête	400
ANNEXE B DOCUMENTS ET OUTILS D'ÉCHANTILLONNAGE 409	409
ANNEXE C INDICATEURS ET OUTILS POUR L'ÉVALUATION DE LA QUALITÉ DES DONNÉES 451	451
ANNEXE D PERSONNEL DE L'EDS CONTINUE SENEGAL 2017 457	457
ANNEXE E QUESTIONNAIRES 463	463

Sénégal : Enquête Démographique et de Santé Continue (EDS-Continue) 2017, Rapport de synthèse

Title Sénégal : Enquête Démographique et de Santé Continue (EDS-Continue) 2017, Rapport de synthèse

Author(s) The DHS Program

Date 2018-09-01

Language French

Filename <https://www.dhsprogram.com/pubs/pdf/SR252/SR252.pdf>

Key Indicators

Title Key Indicators

Author(s) The DHS Program

Date 2018-09-01

Country Senegal

Language French

Filename <https://www.dhsprogram.com/pubs/pdf/PR101/PR101.pdf>

L'Enquête Continue 2017, Infographic

Title L'Enquête Continue 2017, Infographic

Author(s) The DHS Program

Date 2018-09-01

Country Senegal

Language French

Filename <https://www.dhsprogram.com/pubs/pdf/DM137/DM137.pdf>

Enquête Continue Cinquième Phase 2017, Atlas

Title Enquête Continue Cinquième Phase 2017, Atlas

Author(s) The DHS Program

Date 2018-09-01

Country Senegal

Language French

Filename <https://www.dhsprogram.com/pubs/pdf/ATR19/ATR19.pdf>

Enquête Continue 2017, VIH

Title Enquête Continue 2017, VIH

Author(s) The DHS Program

Date 2018-09-01

Country Senegal

Language French

Filename <https://www.dhsprogram.com/pubs/pdf/HF62/HF62.pdf>

Enquête Continue 2017, Santé maternelle

Title Enquête Continue 2017, Santé maternelle

Author(s) The DHS Program

Date 2018-09-01

Country Senegal
Language French
Filename <https://www.dhsprogram.com/pubs/pdf/OF40/OF40.pdf>

Enquête Continue 2017, Paludisme

Title Enquête Continue 2017, Paludisme
Author(s) The DHS Program
Date 2018-09-01
Country Senegal
Language French
Filename <https://www.dhsprogram.com/pubs/pdf/MF24/MF24.pdf>

Other materials

Standard Recode Manual for DHS-7

Title Standard Recode Manual for DHS-7
Author(s) The DHS Program
Language English
Filename https://dhsprogram.com/pubs/pdf/DHSG4/Recode7_DHS_10Sep2018_DHSG4.pdf
