

Zambia - Demographic and Health Survey 2018

Zambia Statistics Agency (ZamStats), Ministry of Health

Report generated on: February 25, 2020

Visit our data catalog at: https://microdata.worldbank.org/index.php

Overview

Identification

ID NUMBER ZMB_2018_DHS_v01_M

Version

NOTES

The data dictionary was generated from hierarchical data that was downloaded from the The DHS Program website (http://dhsprogram.com).

Overview

ABSTRACT

The primary objective of the 2018 ZDHS was to provide up-to-date estimates of basic demographic and health indicators. Specifically, the ZDHS collected information on:

- Fertility levels and preferences; contraceptive use; maternal and child health; infant, child, and neonatal mortality levels; maternal mortality; and gender, nutrition, and awareness regarding HIV/AIDS and other health issues relevant to the achievement of the Sustainable Development Goals (SDGs)
- Ownership and use of mosquito nets as part of the national malaria eradication programmes
- Health-related matters such as breastfeeding, maternal and childcare (antenatal, delivery, and postnatal), children's immunisations, and childhood diseases
- Anaemia prevalence among women age 15-49 and children age 6-59 months
- Nutritional status of children under age 5 (via weight and height measurements)
- HIV prevalence among men age 15-59 and women age 15-49 and behavioural risk factors related to HIV
- Assessment of situation regarding violence against women

KIND OF DATA

Sample survey data [ssd]

UNITS OF ANALYSIS

- Household
- Individual
- Children age 0-5
- Woman age 15-49
- Man age 15-59

Scope

NOTES

The 2018 Zambia Demographic and Health Survey covered the following topics:

HOUSEHOLD

- Identification
- Usual members and visitors in the selected households
- Background information on each person listed, such as relationship to head of the household, age, sex, marital status, survivorship and residence of bilogical parents, highest educational attainment, and birth registration
- Characteristics of the household's dwelling unit, such as the source of water, type of toilet facilities, type of fuel used for cooking, materials used for the floor, roof and walls of the house, and possessions of durable goods and mosquito nets

INDIVIDUAL WOMAN

- Identification
- Background characteristics (including age, education, and media exposure)
- · Reproduction and child mortality
- Contraception
- Antenatal, delivery, and postnatal care
- Vaccinations and childhood illnesses
- Maternal and child health and nutrition
- · Marriage and sexual activity
- Fertility preferences
- Women's work and husbands' background characteristics
- Knowledge, awareness, and behaviour regarding HIV/AIDS and other sexually transmitted infections (STIs)
- Knowledge, attitudes, and behaviour related to other health issues (e.g., injections, smoking, childhood illnesses, and pregnancy and childbirth)
- Fistula
- · Adult and maternal mortality
- Domestic violence
- Women's empowerment

INDIVIDUAL MAN

- Identification
- Background characteristics
- Reproduction
- Contraception
- Marriage and sexual activity

- Fertility preferences
- Employment and gender roles
- HIV/AIDS
- Other health issues

BIOMARKER

- Weight, height and hemoglobin measurement for children age 0-5
- Hemoglobin measurement and HIV testing for women age 15-49
- HIV testing for men age 15-59

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

The survey covered all de jure household members (usual residents), all women age 15-49, all men age 15-59, and all children age 0-5 years who are usual members of the selected households or who spent the night before the survey in the selected households.

Producers and Sponsors

PRIMARY INVESTIGATOR(S)

Name	Affiliation	
Zambia Statistics Agency (ZamStats)	Government of Zambia	
Ministry of Health	Government of Zambia	

OTHER PRODUCER(S)

Name	Affiliation	Role
University Teaching Hospital Virology Laboratory		Cooperating partners
Department of Population Studies at the University of Zambia		Cooperating partners
ICF		Provided technical assistance through The DHS Program

FUNDING

Name	Abbreviation	Role
Government of Zambia	GovtZMB	
United States Agency for International Development	USAID	
Global Fund	GF	

Metadata Production

METADATA PRODUCED BY

Name	Abbreviation	Affiliation	Role
Development Economics Data Group	DECDG	The World Bank	Documentation of the DDI

DATE OF METADATA PRODUCTION 2020-02-21

DDI DOCUMENT VERSION

Version 01 (February 2020). Metadata is excerpted from "Zambia Demographic and Health Survey 2018" Report.

DDI_ZMB_2018_DHS_v01_M

Sampling

Sampling Procedure

The sampling frame used for the 2018 ZDHS is the Census of Population and Housing (CPH) of the Republic of Zambia, conducted in 2010 by ZamStats. Zambia is divided into 10 provinces. Each province is subdivided into districts, each district into constituencies, and each constituency into wards. In addition to these administrative units, during the 2010 CPH each ward was divided into convenient areas called census supervisory areas (CSAs), and in turn each CSA was divided into enumeration areas (EAs). An enumeration area is a geographical area assigned to an enumerator for the purpose of conducting a census count; according to the Zambian census frame, each EA consists of an average of 110 households.

The current version of the EA frame for the 2010 CPH was updated to accommodate some changes in districts and constituencies that occurred between 2010 and 2017. The list of EAs incorporates census information on households and population counts. Each EA has a cartographic map delineating its boundaries, with identification information and a measure of size, which is the number of residential households enumerated in the 2010 CPH. This list of EAs was used as the sampling frame for the 2018 ZDHS.

The 2018 ZDHS followed a stratified two-stage sample design. The first stage involved selecting sample points (clusters) consisting of EAs. EAs were selected with a probability proportional to their size within each sampling stratum. A total of 545 clusters were selected.

The second stage involved systematic sampling of households. A household listing operation was undertaken in all of the selected clusters. During the listing, an average of 133 households were found in each cluster, from which a fixed number of 25 households were selected through an equal probability systematic selection process, to obtain a total sample size of 13,625 households. Results from this sample are representative at the national, urban and rural, and provincial levels.

For further details on sample selection, see Appendix A of the final report.

Response Rate

Of the 13,595 households in the sample, 12,943 were occupied. Of these occupied households, 12,831 were successfully interviewed, yielding a response rate of 99%.

In the interviewed households, 14,189 women age 15-49 were identified as eligible for individual interviews; 13,683 women were interviewed, yielding a response rate of 96% (the same rate achieved in the 2013-14 survey). A total of 13,251 men were eligible for individual interviews; 12,132 of these men were interviewed, producing a response rate of 92% (a 1 percentage point increase from the previous survey).

Of the households successfully interviewed, 12,505 were interviewed in 2018 and 326 in 2019. As the large majority of households were interviewed in 2018 and the year for reference indicators is 2018.

Weighting

The design weights were adjusted for household non-response and individual non-response to obtain the sampling weights for households and for women and men, respectively. Non-response is adjusted at the sampling stratum level. For the household sampling weight, the household design weight is multiplied by the inverse of the household response rate by stratum. For women's individual sampling weight, the household sampling weight is multiplied by the inverse of women's individual response rate by stratum. After adjusting for non-response, the sampling weights are normalised to obtain the final standard weights that appear in the data files. The normalisation process is done to obtain a total number of unweighted cases equal to the total number of weighted cases at the national level for the total number of households, women, and men. Normalisation is done by multiplying the sampling weight by the estimated sampling fraction obtained from the survey for the household weight and the individual women's and men's weights. The normalised weights are relative weights that are valid for estimating means, proportions, ratios, and rates but are not valid for estimating population totals or for pooled data. A special weight for domestic violence was calculated that accounts for the selection of one woman

per household and for module nonresponse. HIV weights were produced that accounted for HIV testing nonresponse among women and men separately.

Questionnaires

Overview

Four questionnaires were used in the 2018 ZDHS: the Household Questionnaire, the Woman's Questionnaire, the Man's Questionnaire, and the Biomarker Questionnaire. The questionnaires, based on The DHS Program's Model Questionnaires, were adapted to reflect the population and health issues relevant to Zambia. Input on questionnaire content was solicited from various stakeholders representing government ministries and agencies, nongovernmental organisations, and international cooperating partners. After all questionnaires were finalised in English, they were translated into seven local languages: Bemba, Kaonde, Lozi, Lunda, Luvale, Nyanja, and Tonga. In addition, information about the fieldworkers for the survey was collected through a self-administered Fieldworker Questionnaire.

Data Collection

Data Collection Dates

 Start
 End
 Cycle

 2018-07-17
 2019-01-24
 N/A

Data Collection Mode

Face-to-face [f2f]

Data Collection Notes

Data collection was carried out from 17 July 2018 to 24 January 2019 by 22 teams, with each team consisting of seven members typically featuring the following composition: one supervisor, three female interviewers, one male interviewer, and two biomarker technicians.

Fieldwork monitoring was an integral part of the ZDHS. Senior technical staff from ZamStats, the Department of Population Studies at the University of Zambia (UNZA), UTH-VL, and TDRC visited teams regularly to review their work and monitor data quality. ZamStats organised three groups of fieldwork monitors. The first group consisted of 10 provincial coordinators, each responsible for supervising the work of the teams in one province. They helped teams resolve any issues that arose in accessing clusters or while conducting their work, and they supported the technical work of the interviewers. The second group consisted of five biomarker monitors, each responsible for two provinces, who supervised the work of the biomarker technicians. The final supervisory group consisted of three information technology (IT) staff, who were deployed to teams on an as-needed basis to resolve CAPIrelated issues. Three staff members from The DHS Program each independently visited teams to monitor data collection and biomarker collection. These visits occurred 17-21 July, 17 September-1 October, and 2-5 October 2018.

During field visits, monitors provided the teams they visited with critical feedback to improve their performance. All monitors used the ZDHS field-check tables, based on data from the completed clusters, to illustrate problems specific to each team visited

Questionnaires

Four questionnaires were used in the 2018 ZDHS: the Household Questionnaire, the Woman's Questionnaire, the Man's Questionnaire, and the Biomarker Questionnaire. The questionnaires, based on The DHS Program's Model Questionnaires, were adapted to reflect the population and health issues relevant to Zambia. Input on questionnaire content was solicited from various stakeholders representing government ministries and agencies, nongovernmental organisations, and international cooperating partners. After all questionnaires were finalised in English, they were translated into seven local languages: Bemba, Kaonde, Lozi, Lunda, Luvale, Nyanja, and Tonga. In addition, information about the fieldworkers for the survey was collected through a self-administered Fieldworker Questionnaire.

Data Collectors

Name	Abbreviation	Affiliation
Zambia Statistics Agency	ZamStats	

Data Processing

Data Editing

All electronic data files were transferred via a secure internet file streaming system to the ZamStats central office in Lusaka, where they were stored on a password-protected computer. The data processing operation included secondary editing, which required resolution of computer-identified inconsistencies and coding of open-ended questions. The data were processed by two IT specialists and one secondary editor who took part in the main fieldwork training; they were supervised remotely by staff from The DHS Program. Data editing was accomplished using CSPro software. During the fieldwork, field-check tables were generated to check various data quality parameters, and specific feedback was given to the teams to improve performance. Secondary editing and data processing were initiated in July 2018 and completed in March 2019.

Data Appraisal

Estimates of Sampling Error

The estimates from a sample survey are affected by two types of errors: nonsampling errors and sampling errors. Nonsampling errors are the results of mistakes made in implementing data collection and data processing, such as failure to locate and interview the correct household, misunderstanding of the questions on the part of either the interviewer or the respondent, and data entry errors. Although numerous efforts were made during the implementation of the 2018 Zambia Demographic and Health Survey (ZDHS) to minimise this type of error, nonsampling errors are impossible to avoid and difficult to evaluate statistically.

Sampling errors, on the other hand, can be evaluated statistically. The sample of respondents selected in the 2018 ZDHS is only one of many samples that could have been selected from the same population, using the same design and expected size. Each of these samples would yield results that differ somewhat from the results of the actual sample selected. Sampling errors are a measure of the variability among all possible samples. Although the degree of variability is not known exactly, it can be estimated from the survey results.

Sampling error is usually measured in terms of the standard error for a particular statistic (mean, percentage, etc.), which is the square root of the variance. The standard error can be used to calculate confidence intervals within which the true value for the population can reasonably be assumed to fall. For example, for any given statistic calculated from a sample survey, the value of that statistic will fall within a range of plus or minus two times the standard error of that statistic in 95% of all possible samples of identical size and design.

If the sample of respondents had been selected as a simple random sample, it would have been possible to use straightforward formulas for calculating sampling errors. However, the 2018 ZDHS sample is the result of a multi-stage stratified design, and, consequently, it was necessary to use more complex formulas. Sampling errors are computed in SAS, using programs developed by ICF. These programs use the Taylor linearisation method to estimate variances for survey estimates that are means, proportions, or ratios. The Jackknife repeated replication method is used for variance estimation of more complex statistics such as fertility and mortality rates.

Note: A more detailed description of estimates of sampling errors are presented in APPENDIX B of the survey report.

Other forms of Data Appraisal

Data Quality Tables

- Household age distribution
- Age distribution of eligible and interviewed women
- Age distribution of eligible and interviewed men
- Completeness of reporting
- Births by calendar years
- Reporting of age at death in days
- Reporting of age at death in months
- Completeness of information on siblings
- Sibship size and sex ratio of siblings
- Height and weight data completeness and quality for children
- Number of enumeration areas completed by month, according to province, Zambia DHS 2018

Note: Data quality tables are presented in APPENDIX C of the report.

File Description

Variable List

RECHO

Content HOUSEHOLD - Household's basic data
Cases 13595
Variable(s) 52
Structure Type:
Keys: ()
Version
Producer
Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1	hhid	Case Identification	discrete	character	
V2	hv000	Country code and phase	discrete	character	
V3	hv001	Cluster number	contin	numeric	
V4	hv002	Household number	contin	numeric	
V5	hv003	Respondent's line number (answering Household questionnaire)	discrete	numeric	
V6	hv004	Ultimate area unit	contin	numeric	
V7	hv005	Household sample weight (6 decimals)	contin	numeric	
V8	hv006	Month of interview	discrete	numeric	
V9	hv007	Year of interview	discrete	numeric	
V10	hv008	Date of interview (CMC)	discrete	numeric	
V11	hv008a	Date of interview Century Day Code (CDC)	contin	numeric	
V12	hv009	Number of household members	contin	numeric	
V13	hv010	Number of eligible women in household	discrete	numeric	
V14	hv011	Number of eligible men in household	discrete	numeric	
V15	hv012	Number of de jure members	contin	numeric	
V16	hv013	Number of de facto members	contin	numeric	
V17	hv014	Number of children 5 and under (de jure)	discrete	numeric	
V18	hv015	Result of household interview	discrete	numeric	
V19	hv016	Day of interview	contin	numeric	
V20	hv017	Number of visits	discrete	numeric	
V21	hv018	Interviewer identification	contin	numeric	
V22	hv019	NA - Keyer identification	discrete	numeric	
V23	hv020	Ever-married sample	discrete	numeric	
V24	hv021	Primary sampling unit	contin	numeric	
V25	hv022	Sample strata for sampling errors	discrete	numeric	
V26	hv023	Stratification used in sample design	discrete	numeric	
V27	hv024	Province	discrete	numeric	
V28	hv025	Type of place of residence	discrete	numeric	

_				
V29	hv026	NA - Place of residence	discrete	numeric
V30	hv027	Household selected for male interview	discrete	numeric
V31	hv028	NA - Household weight for male subsample (6 decimals)	discrete	numeric
V32	hv030	Field supervisor	contin	numeric
V33	hv031	NA - Field editor	discrete	numeric
V34	hv032	NA - Office editor	discrete	numeric
V35	hv035	Number of eligible children for height and weight	discrete	numeric
V36	hv040	Cluster altitude in meters	contin	numeric
V37	hv041	Total adults measured	discrete	numeric
V38	hv042	Household selected for hemoglobin	discrete	numeric
V39	hv044	Household selected for Domestic Violence module	discrete	numeric
V40	hv045a	Language of questionnaire	discrete	numeric
V41	hv045b	Language of interview	discrete	numeric
V42	hv045c	Native language of respondent	discrete	numeric
V43	hv046	Translator used	discrete	numeric
V44	hv801	Time interview started (hhmm - 24 hour clock)	contin	numeric
V45	hv802	Time interview ended (hhmm - 24 hour clock)	contin	numeric
V46	hv803	Length of interview in minutes	discrete	numeric
V47	hv804	Number of visits for biomarker	discrete	numeric
V48	hv807d	Day of biomarker visit	contin	numeric
V49	hv807m	Month of biomarker visit	discrete	numeric
V50	hv807y	Year of biomarker visit	discrete	numeric
V51	hv807c	Date of biomarker (CMC)	discrete	numeric
V52	hv807a	Date of biomarker Century Day Code (CDC)	contin	numeric

Content HOUSEHOLD - Household schedule

Cases 65454

Variable(s) 31

Structure Type:
 Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V53	hhid	Case Identification	discrete	character	
V54	hvidx	Line number	contin	numeric	
V55	hv101	Relationship to head	discrete	numeric	
V56	hv102	Usual resident	discrete	numeric	
V57	hv103	Slept last night	discrete	numeric	
V58	hv104	Sex of household member	discrete	numeric	
V59	hv105	Age of household members	discrete	numeric	
V60	hv106	Highest educational level attained	discrete	numeric	
V61	hv107	Highest year of education completed	discrete	numeric	
V62	hv108	Education completed in single years	discrete	numeric	
V63	hv109	Educational attainment	discrete	numeric	
V64	hv110	NA - Member still in school	discrete	numeric	
V65	hv111	Mother alive	discrete	numeric	
V66	hv112	Mother's line number	discrete	numeric	
V67	hv113	Father alive	discrete	numeric	
V68	hv114	Father's line number	discrete	numeric	
V69	hv115	Current marital status	discrete	numeric	
V70	hv116	Currently, formerly, never married	discrete	numeric	
V71	hv117	Eligibility for female interview	discrete	numeric	
V72	hv118	Eligibility for male interview	discrete	numeric	
V73	hv120	Children eligibility for height/weight and hemoglobin	discrete	numeric	
V74	hv121	Member attended school during current school year	discrete	numeric	
V75	hv122	Educational level during current school year	discrete	numeric	
V76	hv123	Grade of education during current school year	discrete	numeric	
V77	hv124	Education in single years - current school year	discrete	numeric	
V78	hv125	NA - Member attended school during previous school year	discrete	numeric	
V79	hv126	NA - Educational level during previous school year	discrete	numeric	
V80	hv127	NA - Grade of education during previous school year	discrete	numeric	

V81	hv128	NA - Education in single years - previous school year	discrete	numeric
V82	hv129	NA - School attendance status	discrete	numeric
V83	hv140	Member has a birth certificate	discrete	numeric

Content HOUSEHOLD - Household characteristics

Cases 12831

Variable(s) 97

Structure Type:
 Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V84	hhid	Case Identification	discrete	character	
V85	hv201	Source of drinking water	discrete	numeric	
V86	hv202	Source of non-drinking water	discrete	numeric	
V87	hv201a	Water not available for at least a day last two weeks	discrete	numeric	
V88	hv204	Time to get to water source (minutes)	discrete	numeric	
V89	hv205	Type of toilet facility	discrete	numeric	
V90	hv206	Has electricity	discrete	numeric	
V91	hv207	Has radio	discrete	numeric	
V92	hv208	Has television	discrete	numeric	
V93	hv209	Has refrigerator	discrete	numeric	
V94	hv210	Has bicycle	discrete	numeric	
V95	hv211	Has motorcycle/scooter	discrete	numeric	
V96	hv212	Has car/truck	discrete	numeric	
V97	hv213	Main floor material	discrete	numeric	
V98	hv214	Main wall material	discrete	numeric	
V99	hv215	Main roof material	discrete	numeric	
V100	hv216	Number of rooms used for sleeping	contin	numeric	
V101	hv217	Relationship structure	discrete	numeric	
V102	hv218	Line number of head of household	discrete	numeric	
V103	hv219	Sex of head of household	discrete	numeric	
V104	hv220	Age of head of household	discrete	numeric	
V105	hv221	NA - Has telephone (land-line)	discrete	numeric	
V106	hv225	Share toilet with other households	discrete	numeric	
V107	hv226	Type of cooking fuel	discrete	numeric	
V108	hv227	Has mosquito bed net for sleeping	discrete	numeric	
V109	hv228	Children under 5 slept under mosquito bed net last night	discrete	numeric	
V110	hv230a	Place where household members wash their hands	discrete	numeric	
V111	hv230b	Presence of water at hand washing place	discrete	numeric	

V112	hv232	Items present: Soap or detergent	discrete	numeric
V113	hv232b	Items present: Ash, mud, sand	discrete	numeric
V114	hv232c	NA - Items present: CS	discrete	numeric
V115	hv232d	NA - Items present: CS	discrete	numeric
V116	hv232e	NA - Items present: CS	discrete	numeric
V117	hv232y	Items present: None	discrete	numeric
V118	hv234	NA - Result of salt test for iodine (PPM)	discrete	numeric
V119	hv234a	Result of salt test for iodine	discrete	numeric
V120	hv235	Location of source for water	discrete	numeric
V121	hv236	NA - Person fetching water	discrete	numeric
V122	hv237	Anything done to water to make safe to drink	discrete	numeric
V123	hv237a	Water usually treated by: boil	discrete	numeric
V124	hv237b	Water usually treated by: add bleach/chlorine	discrete	numeric
V125	hv237c	Water usually treated by: strain through a cloth	discrete	numeric
V126	hv237d	Water usually treated by: use water filter	discrete	numeric
V127	hv237e	Water usually treated by: solar disinfection	discrete	numeric
V128	hv237f	Water usually treated by: let it stand and settle	discrete	numeric
V129	hv237g	NA - Water usually treated by: CS	discrete	numeric
V130	hv237h	NA - Water usually treated by: CS	discrete	numeric
V131	hv237i	NA - Water usually treated by: CS	discrete	numeric
V132	hv237j	NA - Water usually treated by: CS	discrete	numeric
V133	hv237k	NA - Water usually treated by: CS	discrete	numeric
V134	hv237x	Water usually treated by: other	discrete	numeric
V135	hv237z	Water usually treated by: don't know	discrete	numeric
V136	hv238	Number of households sharing toilet	discrete	numeric
V137	hv238a	Location of toilet facility	discrete	numeric
V138	hv239	NA - Food cooked on stove or open fire	discrete	numeric
V139	hv240	NA - Household has a chimney, hood or neither	discrete	numeric
V140	hv241	Food cooked in the house/ separate building/ outdoors	discrete	numeric
V141	hv242	Household has separate room used as kitchen	discrete	numeric
V142	hv243a	Has mobile telephone	discrete	numeric
V143	hv243b	Has watch	discrete	numeric
V144	hv243c	Has animal-drawn cart	discrete	numeric
V145	hv243d	Has boat with a motor	discrete	numeric
V146	hv243e	Has a computer	discrete	numeric
V147	hv244	Owns land usable for agriculture	discrete	numeric
V148	hv245	Hectares of agricultural land (1 decimal)	discrete	numeric
V149	hv246	Owns livestock, herds or farm animals	discrete	numeric
V150	hv246a	Owns cattle	discrete	numeric
V151	hv246b	Owns cows/ bulls	discrete	numeric
V152	hv246c	Owns horses/ donkeys/ mules	discrete	numeric

V153	hv246d	Owns goats	discrete	numeric
V154	hv246e	Owns sheep	discrete	numeric
V155	hv246f	Owns chickens/poultry	discrete	numeric
V156	hv246g	Owns traditional cows	discrete	numeric
V157	hv246h	Owns pigs	discrete	numeric
V158	hv246i	Owns rabbits / other poultries	discrete	numeric
V159	hv246j	NA - Owns CS	discrete	numeric
V160	hv246k	NA - Owns CS	discrete	numeric
V161	hv247	Has bank account	discrete	numeric
V162	hv252	Frequency household members smoke inside the house	discrete	numeric
V163	hv253	Has dwelling been sprayed against mosquitoes in last 12 months	discrete	numeric
V164	hv253a	Dwelling sprayed by: government worker/program	discrete	numeric
V165	hv253b	Dwelling sprayed by: private company	discrete	numeric
V166	hv253c	Dwelling sprayed by: NGO	discrete	numeric
V167	hv253d	NA - Dwelling sprayed by: CS	discrete	numeric
V168	hv253e	NA - Dwelling sprayed by: CS	discrete	numeric
V169	hv253f	NA - Dwelling sprayed by: CS	discrete	numeric
V170	hv253g	NA - Dwelling sprayed by: CS	discrete	numeric
V171	hv253h	NA - Dwelling sprayed by: CS	discrete	numeric
V172	hv253x	Dwelling sprayed by: other	discrete	numeric
V173	hv253z	Dwelling sprayed by: don't know	discrete	numeric
V174	hv270	Wealth index combined	discrete	numeric
V175	hv271	Wealth index factor score combined (5 decimals)	contin	numeric
V176	hv270a	Wealth index for urban/rural	discrete	numeric
V177	hv271a	Wealth index factor score for urban/rural (5 decimals)	contin	numeric
V178	hml1	Number of mosquito bed nets	discrete	numeric
V179	hml1a	Number of mosquito bed nets with specific information	discrete	numeric
V180	hml2	Number of children under mosquito bed net previous night	discrete	numeric

Content HOUSEHOLD - Survey specific Household variables

Cases 12831

Variable(s) 20

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V181	hhid	Case Identification	discrete	character	
V182	chl0	NA - Number of de-jure children 5-14 for child labor module	discrete	numeric	
V183	sh108a	How do you store your drinking water	discrete	numeric	
V184	sh119	Own land usable for agriculture	discrete	numeric	
V185	sh120u	Agricultural land unit	discrete	numeric	
V186	sh120n	Agricultural land number	discrete	numeric	
V187	sh121f	Access to Internet	discrete	numeric	
V188	sh121g	Bed	discrete	numeric	
V189	sh121h	Table	discrete	numeric	
V190	sh121i	Sofa	discrete	numeric	
V191	sh121j	Washing machine	discrete	numeric	
V192	sh121k	Air conditioner	discrete	numeric	
V193	sh121l	Generator	discrete	numeric	
V194	sh121m	Microwave	discrete	numeric	
V195	sh121n	Geyser (water heater)	discrete	numeric	
V196	sh121o	Grain grinder	discrete	numeric	
V197	sh121p	Plough	discrete	numeric	
V198	sh121q	Tractor	discrete	numeric	
V199	sh121r	Hammer mill	discrete	numeric	
V200	sh122h	Banana boat	discrete	numeric	

Content HOUSEHOLD - Survey specific Household Schedule variables

Cases 65454

Variable(s) 25

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V201	hhid	Case Identification	discrete	character	
V202	idxh4	Index to Household Schedule	contin	numeric	
V203	sh16	Ever attended school	discrete	numeric	
V204	sh17a	Level of education attended	discrete	numeric	
V205	sh17b	Highest grade completed	discrete	numeric	
V206	sh18	Attend school current year	discrete	numeric	
V207	sh19a	Level of education attending	discrete	numeric	
V208	sh19b	Grade attending	discrete	numeric	
V209	sb112a	Fieldworker number for hemoglobine	contin	numeric	
V210	sb211f	Fieldworker number for ADULT RESPONDENTS (ANEMIA)	contin	numeric	
V211	sb217	Consent for RDT tests (includes QB217, QB226 and QB238)	discrete	numeric	
V212	sb217f	Interviewer that took blood for RDT testing (Includes QB217F and QB226F) $$	contin	numeric	
V213	sb220f	Fieldworker number for PARENT/CARETAKER (ANEMIA)	contin	numeric	
V214	sb243	RDT result 1 - DETERMINE HIV RDT	discrete	numeric	
V215	sb244	RDT result 2 - UNIGOLD HIV RDT	discrete	numeric	
V216	sb248	Was any RDT invalid (the control band did not appear)?	discrete	numeric	
V217	sb249	Number of invalid result using determine RDT	discrete	numeric	
V218	sb250	Number of invalid result using unigold RDT	discrete	numeric	
V219	sb315	Read consent statement to RDT (includes QB315, QB322, QB331)	discrete	numeric	
V220	sb315f	Fieldworker number for RDT (includes QB215F, QB222F)	contin	numeric	
V221	sb335	RDT result 1 - DETERMINE HIV RDT	discrete	numeric	
V222	sb336	RDT result 2 - UNIGOLD HIV RDT	discrete	numeric	
V223	sb340	Was any RDT invalid (the control band did not appear)?	discrete	numeric	
V224	sb341	Number of invalid result using determine RDT	discrete	numeric	
V225	sb342	Number of invalid result using unigold RDT	discrete	numeric	

Content HOUSEHOLD - Women Height/Weight/Hemoglobin

Cases 14922

Variable(s) 39

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V226	hhid	Case Identification	discrete	character	
V227	ha0	Index to Household Schedule	discrete	numeric	
V228	ha1	Woman's age in years	contin	numeric	
V229	ha2	NA - Woman's weight in kilograms (1 decimal)	discrete	numeric	
V230	ha3	NA - Woman's height in centimeters (1 decimal)	discrete	numeric	
V231	ha4	NA - Height/Age percentile	discrete	numeric	
V232	ha5	Height/Age standard deviation	discrete	numeric	
V233	ha6	NA - Height/Age percent ref. median	discrete	numeric	
V234	ha11	Weight/Height standard deviation (DHS)	discrete	numeric	
V235	ha12	NA - Weight/Height percent ref. median (DHS)	discrete	numeric	
V236	ha12a	NA - Weight/Height percent ref. median (Fog)	discrete	numeric	
V237	ha12b	NA - Weight/Height percent ref. median (WHO)	discrete	numeric	
V238	ha13	NA - Result of measurement - height/weight	discrete	numeric	
V239	ha21	NA - Fieldworker measurer code	discrete	numeric	
V240	ha32	Date of birth (CMC)	contin	numeric	
V241	ha33	Completeness of HA32 information	discrete	numeric	
V242	ha35	Smoking (cigarettes in last 24 hours)	discrete	numeric	
V243	ha40	NA - Body Mass Index	discrete	numeric	
V244	ha41	NA - Rohrer's index	discrete	numeric	
V245	ha50	Under age 18	discrete	numeric	
V246	ha51	Line number of parent/caretaker	discrete	numeric	
V247	ha52	Read consent statement - hemoglobin	discrete	numeric	
V248	ha53	Hemoglobin level (g/dl - 1 decimal)	discrete	numeric	
V249	ha54	Currently pregnant	discrete	numeric	
V250	ha55	Result of measurement - hemoglobin	discrete	numeric	
V251	ha56	Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)	discrete	numeric	
V252	ha57	Anemia level	discrete	numeric	
V253	ha58	NA - Agrees to referral - anemia	discrete	numeric	

V254	ha60	Marital status	discrete	numeric
V255	ha61	Read consent statement - HIV	discrete	numeric
V256	ha62	Bar code for HIV blood sample	discrete	character
V257	ha63	Result of measurement - HIV	discrete	numeric
V258	ha64	Consent for additional tests	discrete	numeric
V259	ha65	Result of woman's individual interview	discrete	numeric
V260	ha66	Woman's highest educational level	discrete	numeric
V261	ha67	Woman's highest year of education	discrete	numeric
V262	ha68	Woman's highest educational level (for preliminary and final report)	discrete	numeric
V263	ha69	HIV weight (6 decimals)	contin	numeric
V264	ha70	Interviewer that took blood for HIV testing	contin	numeric

Content HOUSEHOLD - Children Height/Weight/Hemoglobin
Cases 10389
Variable(s) 46
Structure Type:
Keys: ()

Version
Producer
Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V265	hhid	Case Identification	discrete	character	
V266	hc0	Index to Household Schedule	contin	numeric	
V267	hc1	Child's age in months	contin	numeric	
V268	hc1a	Child's age in days	contin	numeric	
V269	hc2	Child's weight in kilograms (1 decimal)	discrete	numeric	
V270	hc3	Child's height in centimeters (1 decimal)	discrete	numeric	
V271	hc4	Height/Age percentile	discrete	numeric	
V272	hc5	Height/Age standard deviation	discrete	numeric	
V273	hc6	Height/Age percent of ref. median	discrete	numeric	
V274	hc7	Weight/Age percentile	discrete	numeric	
V275	hc8	Weight/Age standard deviation	discrete	numeric	
V276	hc9	Weight/Age percent of ref. median	discrete	numeric	
V277	hc10	Weight/Height percentile	discrete	numeric	
V278	hc11	Weight/Height standard deviation	discrete	numeric	
V279	hc12	Weight/Height percent of ref. median	discrete	numeric	
V280	hc13	Result of measurement - height/weight	discrete	numeric	
V281	hc15	Height: lying or standing	discrete	numeric	
V282	hc16	Day of birth	discrete	numeric	
V283	hc17	Date measured (day)	contin	numeric	
V284	hc18	Date measured (month)	discrete	numeric	
V285	hc19	Date measured (year)	discrete	numeric	
V286	hc20	Century Day Code (CDC) of measurement	contin	numeric	
V287	hc21	Fieldworker measurer code	contin	numeric	
V288	hc27	Sex	discrete	numeric	
V289	hc30	Month of birth	discrete	numeric	
V290	hc31	Year of birth	discrete	numeric	
V291	hc32	Date of birth (CMC)	contin	numeric	
V292	hc32a	Century Day Code (CDC) of birth	contin	numeric	

V293	hc33	Completeness of HC32 information	discrete	numeric
V294	hc51	Line number of parent/caretaker	discrete	numeric
V295	hc52	Read consent statement - hemoglobin	discrete	numeric
V296	hc53	Hemoglobin level (g/dl - 1 decimal)	discrete	numeric
V297	hc55	Result of measurement - hemoglobin	discrete	numeric
V298	hc56	Hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric
V299	hc57	Anemia level	discrete	numeric
V300	hc58	NA - Agrees to referral - anemia	discrete	numeric
V301	hc60	Mother's line number (woman's questionnaire)	discrete	numeric
V302	hc61	Mother's highest educational level	discrete	numeric
V303	hc62	Mother's highest year of education	discrete	numeric
V304	hc63	Preceding birth interval (months)	contin	numeric
V305	hc64	Birth order number	contin	numeric
V306	hc68	Mother's highest educational level (for preliminary and final report)	discrete	numeric
V307	hc70	Height/Age standard deviation (new WHO)	discrete	numeric
V308	hc71	Weight/Age standard deviation (new WHO)	discrete	numeric
V309	hc72	Weight/Height standard deviation (new WHO)	discrete	numeric
V310	hc73	BMI standard deviation (new WHO)	discrete	numeric

RECHMA

Content HOUSEHOLD - Men Height/Weight/Hemoglobin

Cases 14331

Variable(s) 38

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V311	hhid	Case Identification	discrete	character	
V312	hb0	Index to Household Schedule	contin	numeric	
V313	hb1	Man's age in years	contin	numeric	
V314	hb2	NA - Man's weight in kilograms (1 decimal)	discrete	numeric	
V315	hb3	NA - Man's height in centimeters (1 decimal)	discrete	numeric	
V316	hb4	NA - Height/Age percentile	discrete	numeric	
V317	hb5	Height/Age standard deviation	discrete	numeric	
V318	hb6	NA - Height/Age percent ref. median	discrete	numeric	
V319	hb11	Weight/Height standard deviation (DHS)	discrete	numeric	
V320	hb12	NA - Weight/Height percent ref. median (DHS)	discrete	numeric	
V321	hb12a	NA - Weight/Height percent ref. median (Fog)	discrete	numeric	
V322	hb12b	NA - Weight/Height percent ref. median (WHO)	discrete	numeric	
V323	hb13	NA - Result of measurement - height/weight	discrete	numeric	
V324	hb21	NA - Fieldworker measurer code	discrete	numeric	
V325	hb32	Date of birth (CMC)	contin	numeric	
V326	hb33	Completeness of HB32 information	discrete	numeric	
V327	hb35	Smoking (cigarettes in last 24 hours)	discrete	numeric	
V328	hb40	NA - Body Mass Index	discrete	numeric	
V329	hb41	NA - Rohrer's index	discrete	numeric	
V330	hb50	Under age 18	discrete	numeric	
V331	hb51	Line number of parent/caretaker	discrete	numeric	
V332	hb52	NA - Read consent statement - hemoglobin	discrete	numeric	
V333	hb53	NA - Hemoglobin level (g/dl - 1 decimal)	discrete	numeric	
V334	hb55	NA - Result of measurement - hemoglobin	discrete	numeric	
V335	hb56	\ensuremath{NA} - Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)	discrete	numeric	
V336	hb57	NA - Anemia level	discrete	numeric	
V337	hb58	NA - Agrees to referral - anemia	discrete	numeric	
V338	hb60	Marital status	discrete	numeric	

_				
V339	hb61	Read consent statement - HIV	discrete	numeric
V340	hb62	Bar code for HIV blood sample	discrete	character
V341	hb63	Result of measurement - HIV	discrete	numeric
V342	hb64	Consent for additional tests	discrete	numeric
V343	hb65	Result of man's individual interview	discrete	numeric
V344	hb66	Man's highest educational level	discrete	numeric
V345	hb67	Man's highest year of education	discrete	numeric
V346	hb68	Man's highest educational level (for preliminary and final report)	discrete	numeric
V347	hb69	HIV weight (6 decimals)	contin	numeric
V348	hb70	Interviewer that took blood for HIV testing	contin	numeric

RECHML

Content HOUSEHOLD - Malaria: by Mosquito Bed Net

Cases 23176

Variable(s) 19

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V375	hhid	Case Identification	discrete	character	
V376	hmlidx	Mosquito Bed Net Designation Number	discrete	numeric	
V377	hml3	Net observed by interviewer	discrete	numeric	
V378	hml4	Months ago net obtained	discrete	numeric	
V379	hml5	NA - Net treated with insecticide when bought	discrete	numeric	
V380	hml6	NA - Net treatment status	discrete	numeric	
V381	hml7	Brand of net	discrete	numeric	
V382	hml8	NA - Net treated since received	discrete	numeric	
V383	hml9	NA - Time since last re-treatment (months)	discrete	numeric	
V384	hml10	Insecticide-Treated Net (ITN)	discrete	numeric	
V385	hml11	Number of persons who slept under this net	discrete	numeric	
V386	hml21	Someone slept under this net last night	discrete	numeric	
V387	hmla	Line number of person who slept in this net	discrete	numeric	
V388	hmlb	Line number of person who slept in this net	contin	numeric	
V389	hmlc	Line number of person who slept in this net	contin	numeric	
V390	hmld	Line number of person who slept in this net	discrete	numeric	
V391	hmle	NA - Line number of person who slept in this net	discrete	numeric	
V392	hml22	Obtained net from campaign, antenatal or immunization visit	discrete	numeric	
V393	hml23	Place where net was obtained	discrete	numeric	

RECHMH

Content HOUSEHOLD - Malaria: by Household Member

Cases 65454

Variable(s) 26

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V349	hhid	Case Identification	discrete	character	
V350	hmhidx	Index to Household Schedule	contin	numeric	
V351	hml12	Type of Mosquito Bed Net(s) person slept under last night	discrete	numeric	
V352	hml13	Net Designation Number (HMLIDX) for 1st net person slept under last night	discrete	numeric	
V353	hml14	Net Designation Number (HMLIDX) for 2nd net person slept under last night	discrete	numeric	
V354	hml15	Net Designation Number (HMLIDX) for 3rd net person slept under last night	discrete	numeric	
V355	hml16	Corrected age from Individual file	discrete	numeric	
V356	hml16a	NA - Age in months (for children)	discrete	numeric	
V357	hml17	Flag for age from Individual file	discrete	numeric	
V358	hml18	Pregnancy status from Individual file	discrete	numeric	
V359	hml19	Person slept under an ever-treated net	discrete	numeric	
V360	hml20	Person slept under an LLIN net	discrete	numeric	
V361	hml30	NA - Line number of parent/caretaker (for malaria testing)	discrete	numeric	
V362	hml31	NA - Read consent statement for malaria	discrete	numeric	
V363	hml32	NA - Final result of malaria from blood smear test	discrete	numeric	
V364	hml32a	NA - Presence of species: falciparum (Pf)	discrete	numeric	
V365	hml32b	NA - Presence of species: malariae (Pm)	discrete	numeric	
V366	hml32c	NA - Presence of species: ovale (Po)	discrete	numeric	
V367	hml32d	NA - Presence of species: vivax (Pv)	discrete	numeric	
V368	hml32e	NA - Presence of species: CS	discrete	numeric	
V369	hml32f	NA - Presence of species: CS	discrete	numeric	
V370	hml32g	NA - Presence of species: CS	discrete	numeric	
V371	hml33	NA - Result of malaria measurement	discrete	numeric	
V372	hml34	Bar code for blood smear sample	discrete	character	
V373	hml35	NA - Result of malaria rapid test	discrete	numeric	
V374	hml36	NA - Fieldworker measurer code for malaria	discrete	numeric	

Content WOMAN - Respondent's basic data

Cases 14189

Variable(s) 45

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V394	hhid	Case Identification	discrete	character	,
V395	caseid	Case Identification	discrete	character	
V396	v000	Country code and phase	discrete	character	
V397	v001	Cluster number	contin	numeric	
V398	v002	Household number	contin	numeric	
V399	v003	Respondent's line number	discrete	numeric	
V400	v004	Ultimate area unit	contin	numeric	
V401	v005	Women's individual sample weight (6 decimals)	contin	numeric	
V402	v006	Month of interview	discrete	numeric	
V403	v007	Year of interview	discrete	numeric	
V404	v008	Date of interview (CMC)	discrete	numeric	
V405	v008a	Date of interview Century Day Code (CDC)	contin	numeric	
V406	v009	Respondent's month of birth	discrete	numeric	
V407	v010	Respondent's year of birth	contin	numeric	
V408	v011	Date of birth (CMC)	contin	numeric	
V409	v012	Respondent's current age	contin	numeric	
V410	v013	Age in 5-year groups	discrete	numeric	
V411	v014	Completeness of age information	discrete	numeric	
V412	v015	Result of individual interview	discrete	numeric	
V413	v016	Day of interview	contin	numeric	
V414	v017	CMC start of calendar	discrete	numeric	
V415	v018	Row of month of interview	discrete	numeric	
V416	v019	Length of calendar	discrete	numeric	
V417	v019a	Number of calendar columns	discrete	numeric	
V418	v020	Ever-married sample	discrete	numeric	
V419	v021	Primary sampling unit	contin	numeric	
V420	v022	Sample strata for sampling errors	discrete	numeric	
V421	v023	Stratification used in sample design	discrete	numeric	

V422	v024	Region	discrete	numeric
V423	v025	Type of place of residence	discrete	numeric
V424	v026	NA - De facto place of residence	discrete	numeric
V425	v027	Number of visits	discrete	numeric
V426	v028	Interviewer identification	contin	numeric
V427	v029	NA - Keyer identification	discrete	numeric
V428	v030	Field supervisor	contin	numeric
V429	v031	NA - Field editor	discrete	numeric
V430	v032	NA - Office editor	discrete	numeric
V431	v034	Line number of husband	discrete	numeric
V432	v040	Cluster altitude in meters	contin	numeric
V433	v042	Household selected for hemoglobin	discrete	numeric
V434	v044	Selected for Domestic Violence module	discrete	numeric
V435	v045a	Language of questionnaire	discrete	numeric
V436	v045b	Language of interview	discrete	numeric
V437	v045c	Native language of respondent	discrete	numeric
V438	v046	Translator used	discrete	numeric

Content WOMAN - Respondent's basic data (continued)

Cases 13683

Variable(s) 64

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V556	hhid	Case Identification	discrete	character	Ì
V557	caseid	Case Identification	discrete	character	
V558	v101	Region	discrete	numeric	
V559	v102	Type of place of residence	discrete	numeric	
V560	v103	NA - Childhood place of residence	discrete	numeric	
V561	v104	Years lived in place of residence	discrete	numeric	
V562	v105	Type of place of previous residence	discrete	numeric	
V563	v105a	Region of previous residence	discrete	numeric	
V564	v106	Highest educational level	discrete	numeric	
V565	v107	Highest year of education	discrete	numeric	
V566	v113	Source of drinking water	discrete	numeric	
V567	v115	Time to get to water source	discrete	numeric	
V568	v116	Type of toilet facility	discrete	numeric	
V569	v119	Household has: electricity	discrete	numeric	
V570	v120	Household has: radio	discrete	numeric	
V571	v121	Household has: television	discrete	numeric	
V572	v122	Household has: refrigerator	discrete	numeric	
V573	v123	Household has: bicycle	discrete	numeric	
V574	v124	Household has: motorcycle/scooter	discrete	numeric	
V575	v125	Household has: car/truck	discrete	numeric	
V576	v127	Main floor material	discrete	numeric	
V577	v128	Main wall material	discrete	numeric	
V578	v129	Main roof material	discrete	numeric	
V579	v130	Religion	discrete	numeric	
V580	v131	NA - Ethnicity	discrete	numeric	
V581	v133	Education in single years	discrete	numeric	
V582	v134	NA - De facto place of residence	discrete	numeric	
V583	v135	Usual resident or visitor	discrete	numeric	

V584	v136	Number of household members (listed)	contin	numeric
V585	v137	Number of children 5 and under in household (de jure)	discrete	numeric
V586	v138	Number of eligible women in household (de facto)	discrete	numeric
V587	v139	De jure region of residence	discrete	numeric
V588	v140	De jure type of place of residence	discrete	numeric
V589	v141	NA - De jure place of residence	discrete	numeric
V590	v149	Educational attainment	discrete	numeric
V591	v150	Relationship to household head	discrete	numeric
V592	v151	Sex of household head	discrete	numeric
V593	v152	Age of household head	discrete	numeric
V594	v153	NA - Household has: telephone (land-line)	discrete	numeric
V595	awfactt	All woman factor - total	discrete	numeric
V596	awfactu	All woman factor - urban/rural	discrete	numeric
V597	awfactr	All woman factor - regional	discrete	numeric
V598	awfacte	All woman factor - educational	discrete	numeric
V599	awfactw	All woman factor - wealth index	discrete	numeric
V600	v155	Literacy	discrete	numeric
V601	v156	NA - Ever participated in a literacy program outside of primary	discrete	numeric
V602	v157	Frequency of reading newspaper or magazine	discrete	numeric
V603	v158	Frequency of listening to radio	discrete	numeric
V604	v159	Frequency of watching television	discrete	numeric
V605	v160	Toilet facilities shared with other households	discrete	numeric
V606	v161	Type of cooking fuel	discrete	numeric
V607	v166	NA - Result of salt test for iodine	discrete	numeric
V608	v167	Number of trips in last 12 months	discrete	numeric
V609	v168	Away for more than one month in last 12 months	discrete	numeric
V610	v169a	Owns a mobile telephone	discrete	numeric
V611	v169b	Use mobile telephone for financial transactions	discrete	numeric
V612	v170	Has an account in a bank or other financial institution	discrete	numeric
V613	v171a	Use of internet	discrete	numeric
V614	v171b	Frequency of using internet last month	discrete	numeric
V615	v190	Wealth index combined	discrete	numeric
V616	v191	Wealth index factor score combined (5 decimals)	contin	numeric
V617	v190a	Wealth index for urban/rural	discrete	numeric
V618	v191a	Wealth index factor score for urban/rural (5 decimals)	contin	numeric
V619	ml101	Type of mosquito bed net(s) slept under last night	discrete	numeric

Content WOMAN - Reproduction and Birth History

Cases 38446

Variable(s) 24

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V620	hhid	Case Identification	discrete	character	
V621	caseid	Case Identification	discrete	character	
V622	bidx	Birth column number	discrete	numeric	
V623	bord	Birth order number	discrete	numeric	
V624	b0	Child is twin	discrete	numeric	
V625	b1	Month of birth	discrete	numeric	
V626	b2	Year of birth	contin	numeric	
V627	b3	Date of birth (CMC)	contin	numeric	
V628	b4	Sex of child	discrete	numeric	
V629	b5	Child is alive	discrete	numeric	
V630	b6	Age at death	discrete	numeric	
V631	b7	Age at death (months, imputed)	contin	numeric	
V632	b8	Current age of child	contin	numeric	
V633	b9	Child lives with whom	discrete	numeric	
V634	b10	Completeness of information	discrete	numeric	
V635	b11	Preceding birth interval (months)	contin	numeric	
V636	b12	Succeeding birth interval (months)	contin	numeric	
V637	b13	Flag for age at death	discrete	numeric	
V638	b15	Live birth between births	discrete	numeric	
V639	b16	Child's line number in household	discrete	numeric	
V640	b17	Day of birth	contin	numeric	
V641	b18	Century Day Code of birth (CDC)	contin	numeric	
V642	b19	Current age of child in months (months since birth for dead children)	contin	numeric	
V643	b20	Duration of pregnancy	discrete	numeric	

Content WOMAN - Reproduction (continued)

Cases 13683

Variable(s) 45

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V644	hhid	Case Identification	discrete	character	
V645	caseid	Case Identification	discrete	character	
V646	v201	Total children ever born	discrete	numeric	
V647	v202	Sons at home	discrete	numeric	
V648	v203	Daughters at home	discrete	numeric	
V649	v204	Sons elsewhere	discrete	numeric	
V650	v205	Daughters elsewhere	discrete	numeric	
V651	v206	Sons who have died	discrete	numeric	
V652	v207	Daughters who have died	discrete	numeric	
V653	v208	Births in last five years	discrete	numeric	
V654	v209	Births in past year	discrete	numeric	
V655	v210	Births in month of interview	discrete	numeric	
V656	v211	Date of first birth (CMC)	contin	numeric	
V657	v212	Age of respondent at 1st birth	contin	numeric	
V658	v213	Currently pregnant	discrete	numeric	
V659	v214	Duration of current pregnancy	discrete	numeric	
V660	v215	Time since last menstrual period	discrete	numeric	
V661	v216	Menstruated in last six weeks	discrete	numeric	
V662	v217	Knowledge of ovulatory cycle	discrete	numeric	
V663	v218	Number of living children	discrete	numeric	
V664	v219	Living children + current pregnancy	discrete	numeric	
V665	v220	Living children + current pregnancy (grouped)	discrete	numeric	
V666	v221	Marriage to first birth interval (months)	discrete	numeric	
V667	v222	Last birth to interview (months)	contin	numeric	
V668	v223	Completeness of current pregnancy information	discrete	numeric	
V669	v224	Entries in birth history	discrete	numeric	
V670	v225	Current pregnancy wanted	discrete	numeric	
V671	v226	Time since last period (comp) (months)	discrete	numeric	

V672	v227	Flag for last period	discrete	numeric
V673	v228	Ever had a terminated pregnancy	discrete	numeric
V674	v229	Month pregnancy ended	discrete	numeric
V675	v230	Year pregnancy ended	discrete	numeric
V676	v231	CMC pregnancy ended	discrete	numeric
V677	v232	Completeness of last termination information	discrete	numeric
V678	v233	Months when pregnancy ended	discrete	numeric
V679	v234	Other such pregnancies	discrete	numeric
V680	v235	Index last child prior to maternity-health (calendar)	discrete	numeric
V681	v237	Birth between last and interview	discrete	numeric
V682	v238	Births in last three years	discrete	numeric
V683	v239	Pregnancies terminated before calendar beginning	discrete	numeric
V684	v240	Month of last termination prior to calendar	discrete	numeric
V685	v241	Year of last termination prior to calendar	discrete	numeric
V686	v242	CMC termination ended prior to calendar	discrete	numeric
V687	v243	Completeness of last termination date prior to calendar	discrete	numeric
V688	v244	Can women get pregnant after birth and before period	discrete	numeric

Content WOMAN - Contraception Table

Cases 143672

Variable(s) 6

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT QUESTION
V689	hhid	Case Identification	discrete	character
V690	caseid	Case Identification	discrete	character
V691	v301	Knowledge of any method	discrete	numeric
V692	v302	NA - Ever use of any method	discrete	numeric
V693	v302a	Ever used anything or tried to delay or avoid getting pregnant	discrete	numeric
V694	rec31_group	Item created from ISSA Group	discrete	character

Content	WOMAN - Contraception Knowledge and Use
Cases	13683
Variable(s)	106
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V695	hhid	Case Identification	discrete	character	
V696	caseid	Case Identification	discrete	character	
V697	v310	NA - Living children at first use	discrete	numeric	
V698	v311	NA - Children at first use (grouped)	discrete	numeric	
V699	v312	Current contraceptive method	discrete	numeric	
V700	v313	Current use by method type	discrete	numeric	
V701	v315	Month of start of use of method	discrete	numeric	
V702	v316	Year of start of use of method	contin	numeric	
V703	v317	Date of start of use of method (CMC)	contin	numeric	
V704	v318	Completeness of information	discrete	numeric	
V705	v319	Years since sterilization	discrete	numeric	
V706	v320	Age at sterilization	discrete	numeric	
V707	v321	Marital duration at sterilization	discrete	numeric	
V708	v322	Parity at sterilization	discrete	numeric	
V709	v323	Brand of pill used	discrete	numeric	
V710	v323a	Brand of condom used	discrete	numeric	
V711	v325a	NA - Cost of current method (in CURRENCY)	discrete	numeric	
V712	v326	Last source for current users	discrete	numeric	
V713	v327	Last source for users by type	discrete	numeric	
V714	v337	Months of use of current method	discrete	numeric	
V715	v359	Last method discontinued in last 5 years	discrete	numeric	
V716	v360	Reason of last discontinuation	discrete	numeric	
V717	v361	Pattern of use	discrete	numeric	
V718	v362	Intention to use	discrete	numeric	
V719	v363	NA - Preferred future method	discrete	numeric	
V720	v364	Contraceptive use and intention	discrete	numeric	
V721	v367	Wanted last child	discrete	numeric	
V722	v372	NA - Shown pill package	discrete	numeric	

V723	v372a	NA - Shown condom package	discrete	numeric
V724	v375a	NA - Main reason not using a method	discrete	numeric
V725	v376	NA - Main reason not to use a method	discrete	numeric
V726	v376a	NA - Would ever use method if married	discrete	numeric
V727	v379	Source known for any method	discrete	numeric
V728	v380	Source known for any method	discrete	numeric
V729	v384a	Heard family planning on radio last few months	discrete	numeric
V730	v384b	Heard family planning on TV last few months	discrete	numeric
V731	v384c	Heard family planning in newspaper/magazine last few months	discrete	numeric
V732	v384d	Heard family planning by text messages on mobile phone	discrete	numeric
V733	v393	Visited by fieldworker in last 12 months	discrete	numeric
V734	v393a	Did fieldworker talk about family planning	discrete	numeric
V735	v394	Visited health facility last 12 months	discrete	numeric
V736	v395	At health facility, told of family planning	discrete	numeric
V737	v3a00a	NA - Source of family planning for non-users: government hospital	discrete	numeric
V738	v3a00b	NA - Source of family planning for non-users: CS public sector	discrete	numeric
V739	v3a00c	NA - Source of family planning for non-users: CS public sector	discrete	numeric
V740	v3a00d	NA - Source of family planning for non-users: CS public sector	discrete	numeric
V741	v3a00e	NA - Source of family planning for non-users: CS public sector	discrete	numeric
V742	v3a00f	NA - Source of family planning for non-users: CS public sector	discrete	numeric
V743	v3a00g	NA - Source of family planning for non-users: CS public sector	discrete	numeric
V744	v3a00h	NA - Source of family planning for non-users: CS public sector	discrete	numeric
V745	v3a00i	NA - Source of family planning for non-users: CS public sector	discrete	numeric
V746	v3a00j	NA - Source of family planning for non-users: private hospital/clinic	discrete	numeric
V747	v3a00k	NA - Source of family planning for non-users: pharmacy	discrete	numeric
V748	v3a00l	NA - Source of family planning for non-users: private doctor	discrete	numeric
V749	v3a00m	NA - Source of family planning for non-users: CS private sector	discrete	numeric
V750	v3a00n	NA - Source of family planning for non-users: CS private sector	discrete	numeric
V751	v3a00o	NA - Source of family planning for non-users: CS private sector	discrete	numeric
V752	v3a00p	NA - Source of family planning for non-users: CS private sector	discrete	numeric
V753	v3a00q	NA - Source of family planning for non-users: CS private sector	discrete	numeric
V754	v3a00r	NA - Source of family planning for non-users: CS private sector	discrete	numeric
V755	v3a00s	NA - Source of family planning for non-users: CS other	discrete	numeric
V756	v3a00t	NA - Source of family planning for non-users: CS other	discrete	numeric
V757	v3a00u	NA - Source of family planning for non-users: CS other	discrete	numeric
V758	v3a00v	NA - Source of family planning for non-users: CS other	discrete	numeric
V759	v3a00w	NA - Source of family planning for non-users: CS other	discrete	numeric
V760	v3a00x	NA - Source of family planning for non-users: other	discrete	numeric
V761	v3a00y	Source of family planning for non-users: no source	discrete	numeric
V762	v3a00z	Source of family planning for non-users: any source	discrete	numeric
V763	v3a01	NA - Told sterilization would mean no more children	discrete	numeric

V764	v3a02	Told about side effects	discrete	numeric
V765	v3a03	Told about side effects by health or family planning worker	discrete	numeric
V766	v3a04	Told how to deal with side effects	discrete	numeric
V767	v3a05	Told about other family planning methods	discrete	numeric
V768	v3a06	Told about other family planning methods by health or family planning worker $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left($	discrete	numeric
V769	v3a07	First source for current method	discrete	numeric
V770	v3a08a	Reason not using: not married	discrete	numeric
V771	v3a08b	Reason not using: not having sex	discrete	numeric
V772	v3a08c	Reason not using: infrequent sex	discrete	numeric
V773	v3a08d	Reason not using: menopausal/hysterectomy	discrete	numeric
V774	v3a08e	Reason not using: subfecund/infecund	discrete	numeric
V775	v3a08f	Reason not using: postpartum amenorrheic	discrete	numeric
V776	v3a08g	Reason not using: breastfeeding	discrete	numeric
V777	v3a08h	Reason not using: fatalistic	discrete	numeric
V778	v3a08i	Reason not using: respondent opposed	discrete	numeric
V779	v3a08j	Reason not using: husband/partner opposed	discrete	numeric
V780	v3a08k	Reason not using: others opposed	discrete	numeric
V781	v3a08l	Reason not using: religious prohibition	discrete	numeric
V782	v3a08m	Reason not using: knows no method	discrete	numeric
V783	v3a08n	Reason not using: knows no source	discrete	numeric
V784	v3a08o	NA - Reason not using: health concerns	discrete	numeric
V785	v3a08p	Reason not using: fear of side effects/health concerns	discrete	numeric
V786	v3a08q	Reason not using: lack of access/too far	discrete	numeric
V787	v3a08r	Reason not using: costs too much	discrete	numeric
V788	v3a08s	Reason not using: inconvenient to use	discrete	numeric
V789	v3a08t	Reason not using: interferes with bodyâ??s processes	discrete	numeric
V790	v3a08u	Reason not using: preferred method not available	discrete	numeric
V791	v3a08v	Reason not using: no method available	discrete	numeric
V792	v3a08w	NA - Reason not using: CS	discrete	numeric
V793	v3a08aa	NA - Reason not using: CS	discrete	numeric
V794	v3a08ab	NA - Reason not using: CS	discrete	numeric
V795	v3a08ac	NA - Reason not using: CS	discrete	numeric
V796	v3a08ad	NA - Reason not using: CS	discrete	numeric
V797	v3a08x	Reason not using: other	discrete	numeric
V798	v3a08z	Reason not using: don't know	discrete	numeric
V799	v3a09a	NA - How many pill cycles did get last time	discrete	numeric
V800	v3a09b	NA - How many condoms did get last time	discrete	numeric

Content WOMAN - Maternity

Cases 9959

Variable(s) 165

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V801	hhid	Case Identification	discrete	character	
V802	caseid	Case Identification	discrete	character	
V803	midx	Index to Birth History	discrete	numeric	
V804	m1	Number of tetanus injections before birth	discrete	numeric	
V805	m1a	Number of tetanus injections before pregnancy	discrete	numeric	
V806	m1b	NA - Month of last tetanus injection before pregnancy	discrete	numeric	
V807	m1c	NA - Year of last tetanus injection before pregnancy	discrete	numeric	
V808	m1d	Years ago received last tetanus injection before pregnancy	contin	numeric	
V809	m1e	Last tetanus injection before pregnancy (CMC)	discrete	numeric	
V810	m2a	Prenatal: doctor	discrete	numeric	
V811	m2b	Prenatal: Nurse/midwife	discrete	numeric	
V812	m2c	Prenatal: Clinical officer	discrete	numeric	
V813	m2d	NA - Prenatal: CS health professional	discrete	numeric	
V814	m2e	NA - Prenatal: CS health professional	discrete	numeric	
V815	m2f	NA - Prenatal: CS health professional	discrete	numeric	
V816	m2g	Prenatal: traditional birth attendant	discrete	numeric	
V817	m2h	Prenatal: Community village health assistant	discrete	numeric	
V818	m2i	Prenatal: Community village health worker	discrete	numeric	
V819	m2j	Prenatal: friend / relative	discrete	numeric	
V820	m2k	Prenatal: other	discrete	numeric	
V821	m2l	NA - Prenatal: CS other	discrete	numeric	
V822	m2m	NA - Prenatal: CS other	discrete	numeric	
V823	m2n	Prenatal: no one	discrete	numeric	
V824	m3a	Assistance: doctor	discrete	numeric	
V825	m3b	Assistance: nurse/midwife	discrete	numeric	
V826	m3c	Assistance: clinical officer	discrete	numeric	
V827	m3d	NA - Assistance: CS health professional	discrete	numeric	
V828	m3e	NA - Assistance: CS health professional	discrete	numeric	

V829	m3f	NA - Assistance: CS health professional	discrete	numeric
V830	m3g	Assistance: traditional birth attendant	discrete	numeric
V831	m3h	Assistance: community health worker	discrete	numeric
V832	m3i	Assistance: relative/ friend	discrete	numeric
V833	m3j	Assistance: community/village health worker	discrete	numeric
V834	m3k	Assistance: other	discrete	numeric
V835	m3l	NA - Assistance: CS other	discrete	numeric
V836	m3m	NA - Assistance: CS other	discrete	numeric
V837	m3n	Assistance: no one	discrete	numeric
V838	m4	Duration of breastfeeding	discrete	numeric
V839	m5	Months of breastfeeding	discrete	numeric
V840	m6	Duration of amenorrhea	discrete	numeric
V841	m7	Months of amenorrhea	discrete	numeric
V842	m8	Duration of abstinence	discrete	numeric
V843	m9	Months of abstinence	discrete	numeric
V844	m10	Wanted pregnancy when became pregnant	discrete	numeric
V845	m11	Desired time would have waited	discrete	numeric
V846	m13	Timing of 1st antenatal check (months)	discrete	numeric
V847	m14	Number of antenatal visits during pregnancy	discrete	numeric
V848	m15	Place of delivery	discrete	numeric
V849	m17	Delivery by caesarean section	discrete	numeric
V850	m17a	Timing on decision for caesarean section	discrete	numeric
V851	m18	Size of child at birth	discrete	numeric
V852	m19	Birth weight in kilograms (3 decimals)	discrete	numeric
V853	m19a	Weight at birth/recall	discrete	numeric
V854	m27	NA - Flag for breastfeeding	discrete	numeric
V855	m28	Flag for amenorrhea	discrete	numeric
V856	m29	Flag for abstinence	discrete	numeric
V857	m34	When child put to breast	discrete	numeric
V858	m35	NA - Number of times breastfed during previous night	discrete	numeric
V859	m36	NA - Number of times breastfed during previous day	discrete	numeric
V860	m38	Drank from bottle with nipple yesterday/last night	discrete	numeric
V861	m39a	Did eat any solid, semi-solid or soft foods yesterday	discrete	numeric
V862	m39	Number of times ate solid, semi-solid or soft food yesterday	discrete	numeric
V863	m42a	During pregnancy: weighed	discrete	numeric
V864	m42b	NA - During pregnancy: height measured	discrete	numeric
V865	m42c	During pregnancy: blood pressure taken	discrete	numeric
V866	m42d	During pregnancy: urine sample taken	discrete	numeric
V867	m42e	During pregnancy: blood sample taken	discrete	numeric
V868	m43	NA - Told about pregnancy complications	discrete	numeric
V869	m44	NA - Told where to go for pregnancy complications	discrete	numeric

V870	m45	During pregnancy, given or bought iron tablets/syrup	discrete	numeric
V871	m46	Days tablets or syrup taken	discrete	numeric
V872	m47	NA - During pregnancy, had difficulty with daylight vision	discrete	numeric
V873	m48	NA - During pregnancy, had difficulty with night blindness	discrete	numeric
V874	m49a	During pregnancy took: SP/fansidar for malaria	discrete	numeric
V875	m49b	NA - During pregnancy took: chloroquine for malaria	discrete	numeric
V876	m49c	NA - During pregnancy took: CS drug for malaria	discrete	numeric
V877	m49d	NA - During pregnancy took: CS drug for malaria	discrete	numeric
V878	m49e	NA - During pregnancy took: CS drug for malaria	discrete	numeric
V879	m49f	NA - During pregnancy took: CS drug for malaria	discrete	numeric
V880	m49g	NA - During pregnancy took: CS drug for malaria	discrete	numeric
V881	m49x	NA - During pregnancy took: other drug for malaria	discrete	numeric
V882	m49z	NA - During pregnancy took: don't know	discrete	numeric
V883	m49y	NA - During pregnancy took: no drug for malaria	discrete	numeric
V884	m54	NA - Received Vitamin A dose in first 2 months after delivery	discrete	numeric
V885	m55	Given child anything other than breast milk	discrete	numeric
V886	m55a	NA - First 3 days, given milk (other than breast milk)	discrete	numeric
V887	m55b	NA - First 3 days, given plain water	discrete	numeric
V888	m55c	NA - First 3 days, given sugar/glucose water	discrete	numeric
V889	m55d	NA - First 3 days, given gripe water	discrete	numeric
V890	m55e	NA - First 3 days, given sugar/salt solution	discrete	numeric
V891	m55f	NA - First 3 days, given fruit juice	discrete	numeric
V892	m55g	NA - First 3 days, given infant formula	discrete	numeric
V893	m55h	NA - First 3 days, given tea/infusions	discrete	numeric
V894	m55i	NA - First 3 days, given honey	discrete	numeric
V895	m55j	NA - First 3 days, given coffee	discrete	numeric
V896	m55k	NA - First 3 days, given country specific	discrete	numeric
V897	m55l	NA - First 3 days, given country specific	discrete	numeric
V898	m55m	NA - First 3 days, given country specific	discrete	numeric
V899	m55n	NA - First 3 days, given country specific	discrete	numeric
V900	m55o	NA - First 3 days, given country specific	discrete	numeric
V901	m55x	NA - First 3 days, given other	discrete	numeric
V902	m55z	NA - First 3 days, given nothing	discrete	numeric
V903	m57a	Antenatal care: respondent's home	discrete	numeric
V904	m57b	Antenatal care: other home	discrete	numeric
V905	m57c	NA - Antenatal care: CS home	discrete	numeric
V906	m57d	NA - Antenatal care: CS home	discrete	numeric
V907	m57e	Antenatal care: government hospital	discrete	numeric
V908	m57f	Antenatal care: government health center	discrete	numeric
V909	m57g	Antenatal care: government health post	discrete	numeric
V910	m57h	Antenatal care: mobile hospital/clinic	discrete	numeric

V911 m971 Antenatal care: Other public health discrete numeric V912 m977 NA - Antenatal care: CS public health discrete numeric V913 m978 NA - Antenatal care: CS public health discrete numeric V916 m970 NA - Antenatal care: Spublic health discrete numeric V916 m970 Antenatal care: When private medical discrete numeric V917 m970 Antenatal care: OS private medical discrete numeric V918 m970 NA - Antenatal care: CS private medical discrete numeric V920 m971 NA - Antenatal care: CS other discrete numeric V921 m975 NA - Antenatal care: CS other discrete numeric V921 m975 NA - Antenatal care: CS other discrete numeric V921 m975 NA - Antenatal care: CS other discrete numeric V921 m977 NA - Antenatal care: CS other discrete numeric V922 m971 <					
V913 m57k NA - Antenatal care: CS public health discrete numeric V914 m57l NA - Antenatal care: private hospital/clinic discrete numeric V916 m57n Antenatal care: private hospital/clinic discrete numeric V917 m57n Antenatal care: other private medical discrete numeric V918 m57p NA - Antenatal care: CS private medical discrete numeric V919 m57p NA - Antenatal care: CS private medical discrete numeric V920 m57f NA - Antenatal care: CS other discrete numeric V921 m57s NA - Antenatal care: CS other discrete numeric V921 m57s NA - Antenatal care: CS other discrete numeric V922 m57t NA - Antenatal care: CS other discrete numeric V921 m57s NA - Antenatal care: CS other discrete numeric V922 m57t NA - Antenatal care: CS other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V926 m60 Drugs for intestinal parasites	V911	m57i	·	discrete	numeric
V914 m571 NA - Antenatal care: CS public health discrete numeric V915 m57m Antenatal care: private hospital/clinic discrete numeric V917 m57n Antenatal care: other private medical discrete numeric V918 m57p NA - Antenatal care: CS private medical discrete numeric V919 m57q NA - Antenatal care: CS private medical discrete numeric V920 m57r NA - Antenatal care: CS other discrete numeric V921 m57s NA - Antenatal care: CS other discrete numeric V922 m57r NA - Antenatal care: CS other discrete numeric V922 m57v NA - Antenatal care: CS other discrete numeric V923 m57v NA - Antenatal care: CS other discrete numeric V924 m57v NA - Antenatal care: CS other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V927 m61 <td></td> <td>-</td> <td>'</td> <td></td> <td></td>		-	'		
V915 m57m Antenatal care: mission hospital/clinic discrete numeric V916 m57n Antenatal care: other private medical discrete numeric V918 m57p NA - Antenatal care: CS private medical discrete numeric V919 m57q NA - Antenatal care: CS private medical discrete numeric V920 m57r NA - Antenatal care: CS private medical discrete numeric V920 m57r NA - Antenatal care: CS other discrete numeric V921 m57s NA - Antenatal care: CS other discrete numeric V922 m57t NA - Antenatal care: CS other discrete numeric V923 m57v NA - Antenatal care: CS other discrete numeric V924 m57x NA - Antenatal care: CS other discrete numeric V925 m57x NA - Antenatal care: CS other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V926 m60<	V913	m57k	NA - Antenatal care: CS public health	discrete	numeric
V916 m57n Antenatal care: mission hospital/clinic discrete numeric V917 m57o Antenatal care: Other private medical discrete numeric V918 m57p NA - Antenatal care: CS private medical discrete numeric V910 m57r NA - Antenatal care: CS private medical discrete numeric V920 m57r NA - Antenatal care: CS other discrete numeric V921 m57s NA - Antenatal care: CS other discrete numeric V922 m57t NA - Antenatal care: CS other discrete numeric V922 m57v NA - Antenatal care: CS other discrete numeric V922 m57v NA - Antenatal care: CS other discrete numeric V925 m57x Antenatal care: CS other discrete numeric V925 m60 Drugs for intestinal parasites during pregnancy discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V926 m6	V914	m57l	NA - Antenatal care: CS public health	discrete	numeric
V917 m570 Antenatal care: other private medical discrete numeric V918 m57p NA - Antenatal care: CS private medical discrete numeric V920 m57r NA - Antenatal care: CS private medical discrete numeric V921 m57s NA - Antenatal care: CS other discrete numeric V921 m57v NA - Antenatal care: CS other discrete numeric V923 m57v NA - Antenatal care: CS other discrete numeric V924 m57v NA - Antenatal care: CS other discrete numeric V924 m57v Antenatal care: Other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V927 m61 Time spent at place of delivery discrete numeric V928 m60 Drugs for intestinal parasites during pregnancy discrete numeric V928 m61 Drug for intestinal parasites during pregnancy discrete numeric V928 <t< td=""><td>V915</td><td>m57m</td><td>Antenatal care: private hospital/clinic</td><td>discrete</td><td>numeric</td></t<>	V915	m57m	Antenatal care: private hospital/clinic	discrete	numeric
V918 m57p NA - Antenatal care: CS private medical discrete numeric V919 m57q NA - Antenatal care: CS private medical discrete numeric V920 m57r NA - Antenatal care: CS other discrete numeric V921 m57s NA - Antenatal care: CS other discrete numeric V923 m57u NA - Antenatal care: CS other discrete numeric V924 m57v NA - Antenatal care: CS other discrete numeric V924 m57v An - Antenatal care: CS other discrete numeric V925 m57x Antenatal care: Other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V928 m62 Respondent's health checked before discharge discrete numeric V929 m61 Time spent at place of delivery discrete numeric V920 m62 Respondent's health facility: deliver of discharge discrete numeric V920 m63 </td <td>V916</td> <td>m57n</td> <td>Antenatal care: mission hospital/clinic</td> <td>discrete</td> <td>numeric</td>	V916	m57n	Antenatal care: mission hospital/clinic	discrete	numeric
V919 m57q NA - Antenatal care: CS private medical discrete numeric V920 m57r NA - Antenatal care: CS other discrete numeric V921 m57s NA - Antenatal care: CS other discrete numeric V922 m57t NA - Antenatal care: CS other discrete numeric V923 m57v NA - Antenatal care: CS other discrete numeric V924 m57v NA - Antenatal care: CS other discrete numeric V925 m57x Antenatal care: CS other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V927 m61 Time spent at place of delivery discrete numeric V928 m62 Respondent's health checked before discharge discrete numeric V929 m63 How long before discharging respondent health check took place discrete numeric V931 m65a NA - Reason didn't deliver at health facility: cost too much discrete numeric V932 m65b NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V934	V917	m57o	Antenatal care: other private medical	discrete	numeric
V920 m57r NA - Antenatal care: CS private medical discrete numeric V921 m57s NA - Antenatal care: CS other discrete numeric V922 m57t NA - Antenatal care: CS other discrete numeric V923 m57u NA - Antenatal care: CS other discrete numeric V924 m57v NA - Antenatal care: CS other discrete numeric V925 m57x Antenatal care: other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V927 m61 Time spent at place of delivery discrete numeric V928 m62 Respondent's health checked before discharge discrete numeric V929 m63 How long before discharging respondent health check took place discrete numeric V929 m63 How long before discharging respondent health check took place discrete numeric V930 m64 Who checked respondent health before discharge discrete numeric V931 m65a NA - Reason didn't deliver at health facility: facility not open discrete numeric V931 m65b NA - Reason didn't deliver at health facility: don't trust facility/poor discrete numeric V933 m65c NA - Reason didn't deliver at health facili	V918	m57p	NA - Antenatal care: CS private medical	discrete	numeric
V921 m57s NA - Antenatal care: CS other discrete numeric V922 m57t NA - Antenatal care: CS other discrete numeric V923 m57u NA - Antenatal care: CS other discrete numeric V924 m57v NA - Antenatal care: Other discrete numeric V925 m57x Antenatal care: other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V927 m61 Time spent at place of delivery discrete numeric V928 m62 Respondent's health checked before discharge discrete numeric V930 m64 Who checked respondent health before discharge discrete numeric V931 m65a NA - Reason didn't deliver at health facility: cost too much discrete numeric V932 m65b NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V933 m65c NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V935 m65e NA - Reason didn't deliver at health facility: not measure and discrete numeric V936 m65f NA - Reason didn't deliver at health facility: not customary discrete numeric V937 m65g NA - Reason didn't deliver	V919	m57q	NA - Antenatal care: CS private medical	discrete	numeric
V922 m57t NA - Antenatal care: CS other discrete numeric V923 m57u NA - Antenatal care: CS other discrete numeric V924 m57v NA - Antenatal care: CS other discrete numeric V925 m57x Antenatal care: other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V927 m61 Time spent at place of delivery discrete numeric V928 m62 Respondent's health checked before discharge discrete numeric V929 m63 How long before discharging respondent health check took place discrete numeric V930 m64 Who checked respondent health before discharge discrete numeric V931 m65a NA - Reason didn't deliver at health facility: cost too much discrete numeric V932 m65b NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V934 m65d NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V935 m65e NA - Reason didn't deliver at health facility: husband/family didn't allow discrete numeric V935 m65f NA - Reason didn't deliver at health facility: not customary discrete numeric	V920	m57r	NA - Antenatal care: CS private medical	discrete	numeric
V923 m57u NA - Antenatal care: CS other discrete numeric V924 m57v NA - Antenatal care: CS other discrete numeric V925 m57x Antenatal care: other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V927 m61 Time spent at place of delivery discrete numeric V928 m62 Respondent's health checked before discharge discrete numeric V930 m64 Who long before discharging respondent health check took place discrete numeric V931 m65a NA - Reason didn't deliver at health facility: cost too much discrete numeric V931 m65b NA - Reason didn't deliver at health facility: facility not open discrete numeric V933 m65b NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V934 m65d NA - Reason didn't deliver at health facility: too female provider discrete numeric V935 m65b NA - Reason didn't deliver at health facility: too female provider discrete numeric V936 m65f NA - Reason didn'	V921	m57s	NA - Antenatal care: CS other	discrete	numeric
V924 m57v NA - Antenatal care: CS other discrete numeric V925 m57x Antenatal care: other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V927 m61 Time spent at place of delivery discrete numeric V928 m62 Respondent's health checked before discharge discrete numeric V929 m63 How long before discharging respondent health check took place discrete numeric V930 m64 Who checked respondent health before discharge discrete numeric V931 m65a NA - Reason didn't deliver at health facility: cost too much discrete numeric V932 m65b NA - Reason didn't deliver at health facility: facility not open discrete numeric V933 m65c NA - Reason didn't deliver at health facility: don't trust facility/poor discrete numeric V934 m65d NA - Reason didn't deliver at health facility: not pemale provider discrete numeric V935 m65e NA - Reason didn't deliver at health facility: not encessary discrete numeric V936 m65f NA - Reason didn't	V922	m57t	NA - Antenatal care: CS other	discrete	numeric
V925 m57x Antenatal care: other discrete numeric V926 m60 Drugs for intestinal parasites during pregnancy discrete numeric V927 m61 Time spent at place of delivery discrete numeric V928 m62 Respondent's health checked before discharge discrete numeric V929 m63 How long before discharging respondent health check took place discrete numeric V930 m64 Who checked respondent health before discharge discrete numeric V931 m65a NA - Reason didn't deliver at health facility: cost too much discrete numeric V932 m65b NA - Reason didn't deliver at health facility: facility: facility: not open discrete numeric V933 m65c NA - Reason didn't deliver at health facility: don't trust facility/poor discrete numeric V934 m65d NA - Reason didn't deliver at health facility: not emeasory discrete numeric V936 m65f NA - Reason didn't deliver at health facility: not emeasory discrete numeric	V923	m57u	NA - Antenatal care: CS other	discrete	numeric
V926m60Drugs for intestinal parasites during pregnancydiscrete numericV927m61Time spent at place of deliverydiscrete numericV928m62Respondent's health checked before dischargediscrete numericV929m63How long before discharging respondent health check took placediscrete numericV930m64Who checked respondent health before dischargediscrete numericV931m65aNA - Reason didn't deliver at health facility: cost too muchdiscrete numericV932m65bNA - Reason didn't deliver at health facility: don't trust facility/poordiscrete numericV933m65cNA - Reason didn't deliver at health facility: don't trust facility/poordiscrete numericV934m65dNA - Reason didn't deliver at health facility: no female providerdiscrete numericV936m65fNA - Reason didn't deliver at health facility: husband/family didn't allowdiscrete numericV937m65gNA - Reason didn't deliver at health facility: not necessarydiscrete numericV938m65hNA - Reason didn't deliver at health facility: CSdiscrete numericV939m65iNA - Reason didn't deliver at health facility: CSdiscrete numericV940m65jNA - Reason didn't deliver at health facility: CSdiscrete numericV941m65kNA - Reason didn't deliver at health facility: CSdiscrete numericV942m65iNA - Reason didn't deliver at health facility: CSdiscrete numericV943m65xNA - Reason didn't deliver	V924	m57v	NA - Antenatal care: CS other	discrete	numeric
V927m61Time spent at place of deliverydiscretenumericV928m62Respondent's health checked before dischargediscretenumericV929m63How long before discharging respondent health check took placediscretenumericV930m64Who checked respondent health before dischargediscretenumericV931m65aNA - Reason didn't deliver at health facility: cost too muchdiscretenumericV932m65bNA - Reason didn't deliver at health facility: facility not opendiscretenumericV933m65cNA - Reason didn't deliver at health facility: too far/no transportdiscretenumericV934m65dNA - Reason didn't deliver at health facility: don't trust facility/poordiscretenumericV935m65eNA - Reason didn't deliver at health facility: no female providerdiscretenumericV936m65fNA - Reason didn't deliver at health facility: not necessarydiscretenumericV937m65gNA - Reason didn't deliver at health facility: not customarydiscretenumericV938m65hNA - Reason didn't deliver at health facility: CSdiscretenumericV939m65iNA - Reason didn't deliver at health facility: CSdiscretenumericV940m65jNA - Reason didn't deliver at health facility: CSdiscretenumericV941m65kNA - Reason didn't deliver at health facility: CSdiscretenumericV942m65iNA - Reason didn't deliver	V925	m57x	Antenatal care: other	discrete	numeric
V928m62Respondent's health checked before dischargediscretenumericV929m63How long before discharging respondent health check took placediscretenumericV930m64Who checked respondent health before dischargediscretenumericV931m65aNA - Reason didn't deliver at health facility: cost too muchdiscretenumericV932m65bNA - Reason didn't deliver at health facility: facility not opendiscretenumericV933m65cNA - Reason didn't deliver at health facility: too far/no transportdiscretenumericV934m65dNA - Reason didn't deliver at health facility: don't trust facility/poor servicediscretenumericV935m65eNA - Reason didn't deliver at health facility: husband/family didn't allowdiscretenumericV936m65fNA - Reason didn't deliver at health facility: not necessarydiscretenumericV938m65hNA - Reason didn't deliver at health facility: not customarydiscretenumericV939m65iNA - Reason didn't deliver at health facility: CSdiscretenumericV940m65jNA - Reason didn't deliver at health facility: CSdiscretenumericV941m65kNA - Reason didn't deliver at health facility: CSdiscretenumericV942m65lNA - Reason didn't deliver at health facility: CSdiscretenumericV943m65xNA - Reason didn't deliver at health facility: OtherdiscretenumericV944	V926	m60	Drugs for intestinal parasites during pregnancy	discrete	numeric
V929 m63 How long before discharging respondent health check took place discrete numeric V930 m64 Who checked respondent health before discharge discrete numeric V931 m65a NA - Reason didn't deliver at health facility: cost too much discrete numeric V932 m65b NA - Reason didn't deliver at health facility: for open discrete numeric V933 m65c NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V934 m65d NA - Reason didn't deliver at health facility: don't trust facility/poor service discrete numeric V935 m65e NA - Reason didn't deliver at health facility: not female provider discrete numeric V936 m65f NA - Reason didn't deliver at health facility: not necessary discrete numeric V937 m65g NA - Reason didn't deliver at health facility: not customary discrete numeric V938 m65h NA - Reason didn't deliver at health facility: CS discrete numeric V939 m65i NA - Reason didn't deliver at health facility: CS discrete numeric V940 m65j NA - Reason didn't deliver at health facility: CS	V927	m61	Time spent at place of delivery	discrete	numeric
V930 m64 Who checked respondent health before discharge discrete numeric V931 m65a NA - Reason didn't deliver at health facility: cost too much discrete numeric V932 m65b NA - Reason didn't deliver at health facility: facility not open discrete numeric V933 m65c NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V934 m65d NA - Reason didn't deliver at health facility: don't trust facility/poor discrete numeric V935 m65e NA - Reason didn't deliver at health facility: no female provider discrete numeric V936 m65f NA - Reason didn't deliver at health facility: not necessary discrete numeric V937 m65g NA - Reason didn't deliver at health facility: not necessary discrete numeric V938 m65h NA - Reason didn't deliver at health facility: not customary discrete numeric V939 m65i NA - Reason didn't deliver at health facility: CS discrete numeric V940 m65j NA - Reason didn't deliver at health facility: CS discrete numeric V941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: CS discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home discrete numeric V948 m70 Baby postnatal check within 2 months	V928	m62	Respondent's health checked before discharge	discrete	numeric
V931m65aNA - Reason didn't deliver at health facility: cost too muchdiscrete numericV932m65bNA - Reason didn't deliver at health facility: facility not opendiscrete numericV933m65cNA - Reason didn't deliver at health facility: too far/no transportdiscrete numericV934m65dNA - Reason didn't deliver at health facility: don't trust facility/poor servicediscrete numericV935m65eNA - Reason didn't deliver at health facility: no female providerdiscrete numericV936m65fNA - Reason didn't deliver at health facility: husband/family didn't allowdiscrete numericV937m65gNA - Reason didn't deliver at health facility: not necessarydiscrete numericV938m65hNA - Reason didn't deliver at health facility: CSdiscrete numericV939m65iNA - Reason didn't deliver at health facility: CSdiscrete numericV940m65jNA - Reason didn't deliver at health facility: CSdiscrete numericV941m65kNA - Reason didn't deliver at health facility: CSdiscrete numericV942m65lNA - Reason didn't deliver at health facility: OSdiscrete numericV943m65xNA - Reason didn't deliver at health facility: otherdiscrete numericV944m66Respondent's health checked after discharge/delivery at homediscrete numericV945m67How long after discharge/delivery at home respondent health check took placediscrete numericV946m68Who checked respondent health after discharge/delivery at home took p	V929	m63	How long before discharging respondent health check took place	discrete	numeric
V932 m65b NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V934 m65d NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V935 m65e NA - Reason didn't deliver at health facility: don't trust facility/poor discrete numeric V936 m65e NA - Reason didn't deliver at health facility: no female provider discrete numeric V937 m65g NA - Reason didn't deliver at health facility: husband/family didn't allow discrete numeric V938 m65h NA - Reason didn't deliver at health facility: not necessary discrete numeric V939 m65i NA - Reason didn't deliver at health facility: not customary discrete numeric V939 m65i NA - Reason didn't deliver at health facility: CS discrete numeric V940 m65j NA - Reason didn't deliver at health facility: CS discrete numeric V941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: CS discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home discrete numeric V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home discrete numeric V948 m70 Baby postnatal check within 2 months	V930	m64	Who checked respondent health before discharge	discrete	numeric
V933 m65c NA - Reason didn't deliver at health facility: too far/no transport discrete numeric V934 m65d NA - Reason didn't deliver at health facility: don't trust facility/poor discrete numeric V935 m65e NA - Reason didn't deliver at health facility: no female provider discrete numeric V936 m65f NA - Reason didn't deliver at health facility: husband/family didn't allow discrete numeric V937 m65g NA - Reason didn't deliver at health facility: not necessary discrete numeric V938 m65h NA - Reason didn't deliver at health facility: not customary discrete numeric V939 m65i NA - Reason didn't deliver at health facility: CS discrete numeric V940 m65j NA - Reason didn't deliver at health facility: CS discrete numeric V941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: OS discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V947 m69 Where respondent check after discharge/delivery at home discrete numeric V948 m70 Baby postnatal check within 2 months	V931	m65a	NA - Reason didn't deliver at health facility: cost too much	discrete	numeric
V934 m65d NA - Reason didn't deliver at health facility: don't trust facility/poor discrete numeric service V935 m65e NA - Reason didn't deliver at health facility: no female provider discrete numeric V936 m65f NA - Reason didn't deliver at health facility: husband/family didn't allow discrete numeric V937 m65g NA - Reason didn't deliver at health facility: not necessary discrete numeric V938 m65h NA - Reason didn't deliver at health facility: not customary discrete numeric V939 m65i NA - Reason didn't deliver at health facility: CS discrete numeric V940 m65j NA - Reason didn't deliver at health facility: CS discrete numeric V941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: OS discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V932	m65b	NA - Reason didn't deliver at health facility: facility not open	discrete	numeric
v935 m65e NA - Reason didn't deliver at health facility: no female provider discrete numeric v936 m65f NA - Reason didn't deliver at health facility: husband/family didn't allow discrete numeric v937 m65g NA - Reason didn't deliver at health facility: not necessary discrete numeric v938 m65h NA - Reason didn't deliver at health facility: not customary discrete numeric v939 m65i NA - Reason didn't deliver at health facility: CS discrete numeric v940 m65j NA - Reason didn't deliver at health facility: CS discrete numeric v941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric v942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric v943 m65x NA - Reason didn't deliver at health facility: other discrete numeric v944 m66 Respondent's health checked after discharge/delivery at home discrete numeric v945 m67 How long after discharge/delivery at home respondent health check took place v946 m68 Who checked respondent health after discharge/delivery at home discrete numeric v947 m69 Where respondent check after discharge/delivery at home took place discrete numeric v948 m70 Baby postnatal check within 2 months discrete numeric	V933	m65c	NA - Reason didn't deliver at health facility: too far/no transport	discrete	numeric
V936 m65f NA - Reason didn't deliver at health facility: husband/family didn't allow discrete numeric V937 m65g NA - Reason didn't deliver at health facility: not necessary discrete numeric V938 m65h NA - Reason didn't deliver at health facility: not customary discrete numeric V939 m65i NA - Reason didn't deliver at health facility: CS discrete numeric V940 m65j NA - Reason didn't deliver at health facility: CS discrete numeric V941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: OS discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V934	m65d		discrete	numeric
V937 m65g NA - Reason didn't deliver at health facility: not necessary discrete numeric V938 m65h NA - Reason didn't deliver at health facility: not customary discrete numeric V939 m65i NA - Reason didn't deliver at health facility: CS discrete numeric V940 m65j NA - Reason didn't deliver at health facility: CS discrete numeric V941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: other discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V935	m65e	NA - Reason didn't deliver at health facility: no female provider	discrete	numeric
V938 m65h NA - Reason didn't deliver at health facility: not customary discrete numeric V939 m65i NA - Reason didn't deliver at health facility: CS discrete numeric V940 m65j NA - Reason didn't deliver at health facility: CS discrete numeric V941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: other discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months	V936	m65f	NA - Reason didn't deliver at health facility: husband/family didn't allow	discrete	numeric
V939 m65i NA - Reason didn't deliver at health facility: CS discrete numeric V940 m65j NA - Reason didn't deliver at health facility: CS discrete numeric V941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: other discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V937	m65g	NA - Reason didn't deliver at health facility: not necessary	discrete	numeric
V940 m65j NA - Reason didn't deliver at health facility: CS discrete numeric V941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: other discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V938	m65h	NA - Reason didn't deliver at health facility: not customary	discrete	numeric
V941 m65k NA - Reason didn't deliver at health facility: CS discrete numeric V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: other discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V939	m65i	NA - Reason didn't deliver at health facility: CS	discrete	numeric
V942 m65l NA - Reason didn't deliver at health facility: CS discrete numeric V943 m65x NA - Reason didn't deliver at health facility: other discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V940	m65j	NA - Reason didn't deliver at health facility: CS	discrete	numeric
V943 m65x NA - Reason didn't deliver at health facility: other discrete numeric V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V941	m65k	NA - Reason didn't deliver at health facility: CS	discrete	numeric
V944 m66 Respondent's health checked after discharge/delivery at home discrete numeric V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V942	m65l	NA - Reason didn't deliver at health facility: CS	discrete	numeric
V945 m67 How long after discharge/delivery at home respondent health check took place V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V943	m65x	NA - Reason didn't deliver at health facility: other	discrete	numeric
V946 m68 Who checked respondent health after discharge/delivery at home discrete numeric V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V944	m66	Respondent's health checked after discharge/delivery at home	discrete	numeric
V947 m69 Where respondent check after discharge/delivery at home took place discrete numeric V948 m70 Baby postnatal check within 2 months discrete numeric	V945	m67		discrete	numeric
V948 m70 Baby postnatal check within 2 months discrete numeric	V946	m68	Who checked respondent health after discharge/delivery at home	discrete	numeric
	V947	m69	Where respondent check after discharge/delivery at home took place	discrete	numeric
V949 m71 Time after delivery postnatal check took place discrete numeric	V948	m70	Baby postnatal check within 2 months	discrete	numeric
	V949	m71	Time after delivery postnatal check took place	discrete	numeric

V950	m72	Person who performed postnatal checkup	discrete	numeric
V951	m73	Place baby was first checked	discrete	numeric
V952	m74	Child's health checked before discharge	discrete	numeric
V953	m75	How long before discharging child health check took place	discrete	numeric
V954	m76	Who checked child health before discharge	discrete	numeric
V955	m77	Was child put on mother's chest and bare skin after birth	discrete	numeric
V956	m78a	During first 2 days health provider: examine cord	discrete	numeric
V957	m78b	During first 2 days health provider: measure temperature	discrete	numeric
V958	m78c	During first 2 days health provider: counsel on newborn dangers	discrete	numeric
V959	m78d	During first 2 days health provider: counsel on breastfeeding	discrete	numeric
V960	m78e	During first 2 days health provider: observe breastfeeding	discrete	numeric
V961	m78f	NA - During first 2 days health provider: CS	discrete	numeric
V962	m78g	NA - During first 2 days health provider: CS	discrete	numeric
V963	m78h	NA - During first 2 days health provider: CS	discrete	numeric
V964	m78i	NA - During first 2 days health provider: CS	discrete	numeric
V965	m78j	NA - During first 2 days health provider: CS	discrete	numeric

Content WOMAN - Health and Breastfeeding

Cases 13683

Variable(s) 179

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V966	hhid	Case Identification	discrete	character	
V967	caseid	Case Identification	discrete	character	
V968	v401	Last birth a caesarean section	discrete	numeric	
V969	v404	Currently breastfeeding	discrete	numeric	
V970	v405	Currently amenorrheic	discrete	numeric	
V971	v406	Currently abstaining	discrete	numeric	
V972	v407	NA - Number of times breastfed during night	discrete	numeric	
V973	v408	NA - Number of times breastfed during day	discrete	numeric	
V974	v409	Gave child plain water	discrete	numeric	
V975	v409a	NA - Gave child sugar water	discrete	numeric	
V976	v410	Gave child juice	discrete	numeric	
V977	v410a	NA - Gave child tea or coffee	discrete	numeric	
V978	v411	Gave child tinned, powdered or fresh milk	discrete	numeric	
V979	v411a	Gave child baby formula	discrete	numeric	
V980	v412	NA - Gave child fresh milk	discrete	numeric	
V981	v412a	Gave child fortified baby food (cerelac, etc)	discrete	numeric	
V982	v412b	NA - Gave child other porridge/gruel	discrete	numeric	
V983	v412c	Gave child soup/clear broth	discrete	numeric	
V984	v413	Gave child other liquid	discrete	numeric	
V985	v413a	NA - Gave child CS liquid	discrete	numeric	
V986	v413b	NA - Gave child CS liquid	discrete	numeric	
V987	v413c	NA - Gave child CS liquid	discrete	numeric	
V988	v413d	NA - Gave child CS liquid	discrete	numeric	
V989	v414a	NA - Gave child CS foods	discrete	numeric	
V990	v414b	NA - Gave child CS foods	discrete	numeric	
V991	v414c	NA - Gave child CS foods	discrete	numeric	
V992	v414d	NA - Gave child CS foods	discrete	numeric	
V993	v414e	Gave child bread, noodles, other made from grains	discrete	numeric	

V994	v414f	Gave child potatoes, cassava, or other tubers	discrete	numeric
V995	v414g	Gave child eggs	discrete	numeric
V996	v414h	Gave child meat (beef, pork, lamb, chicken, etc)	discrete	numeric
V997	v414i	Gave child pumpkin, carrots, squash (yellow or orange inside)	discrete	numeric
V998	v414j	Gave child any dark green leafy vegetables	discrete	numeric
V999	v414k	Gave child mangoes, papayas, other vitamin A fruits	discrete	numeric
V1000	v414l	Gave child any other fruits	discrete	numeric
V1001	v414m	Gave child liver, heart, other organs	discrete	numeric
V1002	v414n	Gave child fish or shellfish	discrete	numeric
V1003	v414o	Gave child food made from beans, peas, lentils, nuts	discrete	numeric
V1004	v414p	Gave child cheese, yogurt, other milk products	discrete	numeric
V1005	v414q	NA - Gave child oil, fats, butter, products made of them	discrete	numeric
V1006	v414r	NA - Gave child chocolates, sweets, candies, pastries, etc	discrete	numeric
V1007	v414s	Gave child other solid-semisolid food	discrete	numeric
V1008	v414t	Gave child CS foods: caterpillar	discrete	numeric
V1009	v414u	NA - Gave child CS foods	discrete	numeric
V1010	v414v	Gave child yogurt	discrete	numeric
V1011	v414w	NA - Gave child CS foods	discrete	numeric
V1012	v415	Drank from bottle with nipple yesterday/last night	discrete	numeric
V1013	v416	Heard of oral rehydration	discrete	numeric
V1014	v417	Entries in pregnancy and postnatal care roster	discrete	numeric
V1015	v418	Entries in immunization roster	discrete	numeric
V1016	v418a	Entries in child health roster	discrete	numeric
V1017	v419	Entries in height/weight roster	discrete	numeric
V1018	v420	NA - Measurer's code	discrete	numeric
V1019	v421	NA - Assistant measurer's code	discrete	numeric
V1020	v426	When child put to breast	discrete	numeric
V1021	v437	NA - Respondent's weight in kilograms (1 decimal)	discrete	numeric
V1022	v438	NA - Respondent's height in centimeters (1 decimal)	discrete	numeric
V1023	v439	NA - Height/Age percentile	discrete	numeric
V1024	v440	Height/Age standard deviation	discrete	numeric
V1025	v441	NA - Height/Age percent ref. median	discrete	numeric
V1026	v442	NA - Weight/Height percent ref. median (DHS)	discrete	numeric
V1027	v443	NA - Weight/Height percent ref. median (Fog)	discrete	numeric
V1028	v444	NA - Weight/Height percent ref. median (WHO)	discrete	numeric
V1029	v444a	Weight/Height standard deviation (DHS)	discrete	numeric
V1030	v445	NA - Body Mass Index	discrete	numeric
V1031	v446	NA - Rohrer's index	discrete	numeric
V1032	v447	NA - Result of measurement - height/weight	discrete	numeric
V1033	v447a	Women's age in years (from household questionnaire)	contin	numeric
V1034	v452a	Under age 18 (from household questionnaire)	discrete	numeric

V1035	v452b	Line number of parent/caretaker	discrete	numeric
V1036	v452c	Read consent statement - hemoglobin	discrete	numeric
V1037	v453	Hemoglobin level (g/dl - 1 decimal)	discrete	numeric
V1038	v454	Currently pregnant (from household questionnaire)	discrete	numeric
V1039	v455	Result of measurement - hemoglobin	discrete	numeric
V1040	v456	Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)	contin	numeric
V1041	v457	Anemia level	discrete	numeric
V1042	v458	NA - Agrees to referral - anemia	discrete	numeric
V1043	v459	Have mosquito bed net for sleeping (from household questionnaire)	discrete	numeric
V1044	v460	Children under 5 slept under mosquito bed net last night (household questionnair	discrete	numeric
V1045	v461	Respondent slept under mosquito bed net	discrete	numeric
V1046	v462	NA - Washed hands before preparing last meal	discrete	numeric
V1047	v463a	Smokes cigarettes	discrete	numeric
V1048	v463b	Smokes pipe full of tobacco	discrete	numeric
V1049	v463c	Chews tobacco	discrete	numeric
V1050	v463d	Snuffs by nose	discrete	numeric
V1051	v463e	NA - Smokes kreteks	discrete	numeric
V1052	v463f	Smokes cigars, cheroots or cigarillos	discrete	numeric
V1053	v463g	Smokes water pipe	discrete	numeric
V1054	v463h	Snuff by mouth	discrete	numeric
V1055	v463i	NA - Chews betel quid with tobacco	discrete	numeric
V1056	v463j	NA - Smokes/uses country specific	discrete	numeric
V1057	v463k	NA - Smokes/uses country specific	discrete	numeric
V1058	v463l	NA - Smokes/uses country specific	discrete	numeric
V1059	v463x	Smokes/uses other	discrete	numeric
V1060	v463z	Does not use cigarettes and tobacco	discrete	numeric
V1061	v463aa	Frequency smokes cigarettes	discrete	numeric
V1062	v463ab	Frequency currently uses other type of tobacco	discrete	numeric
V1063	v464	Number of cigarettes in last 24 hours	discrete	numeric
V1064	v465	Disposal of youngest child's stools when not using toilet	discrete	numeric
V1065	v466	\ensuremath{NA} - When child is seriously ill, can decide whether medical treatment sought	discrete	numeric
V1066	v467a	NA - Getting medical help for self: know where to go	discrete	numeric
V1067	v467b	Getting medical help for self: getting permission to go	discrete	numeric
V1068	v467c	Getting medical help for self: getting money needed for treatment	discrete	numeric
V1069	v467d	Getting medical help for self: distance to health facility	discrete	numeric
V1070	v467e	Getting medical help for self: having to take transport	discrete	numeric
V1071	v467f	Getting medical help for self: not wanting to go alone	discrete	numeric
V1072	v467g	Getting medical help for self: concern no female health provider	discrete	numeric
V1073	v467h	Getting medical help for self: concern no provider	discrete	numeric

V1074	v467i	NA - Getting medical help for self: concern no drugs available	discrete	numeric
V1075	v467j	Getting medical help for self: rude attitude of health provider	discrete	numeric
V1076	v467k	NA - Getting medical help for self: CS	discrete	numeric
V1077	v467l	NA - Getting medical help for self: CS	discrete	numeric
V1078	v467m	NA - Getting medical help for self: CS	discrete	numeric
V1079	v468	Record for Last Birth	discrete	numeric
V1080	v469e	Times gave child powdered/tinned/fresh milk	discrete	numeric
V1081	v469f	Times gave child infant formula	discrete	numeric
V1082	v469x	Times gave child yogurt	discrete	numeric
V1083	v471a	NA - Mother had tinned, powdered or fresh milk	discrete	numeric
V1084	v471b	NA - Mother had tea or coffee	discrete	numeric
V1085	v471c	NA - Mother had any other liquid	discrete	numeric
V1086	v471d	NA - Mother had CS liquid	discrete	numeric
V1087	v471e	NA - Mother had CS liquid	discrete	numeric
V1088	v471f	NA - Mother had CS liquid	discrete	numeric
V1089	v471g	NA - Mother had CS liquid	discrete	numeric
V1090	v472a	NA - Mother had CS foods	discrete	numeric
V1091	v472b	NA - Mother had CS foods	discrete	numeric
V1092	v472c	NA - Mother had CS foods	discrete	numeric
V1093	v472d	NA - Mother had CS foods	discrete	numeric
V1094	v472e	NA - Mother had bread, noodles, other made from grains	discrete	numeric
V1095	v472f	NA - Mother had potatoes, cassava, or other tubers	discrete	numeric
V1096	v472g	NA - Mother had eggs	discrete	numeric
V1097	v472h	NA - Mother had meat (beef, pork, lamb, chicken, etc)	discrete	numeric
V1098	v472i	NA - Mother had pumpkin, carrots, squash (yellow or orange inside)	discrete	numeric
V1099	v472j	NA - Mother had any dark green leafy vegetables	discrete	numeric
V1100	v472k	NA - Mother had mangoes, papayas, other vitamin A fruits	discrete	numeric
V1101	v472l	NA - Mother had any other fruits	discrete	numeric
V1102	v472m	NA - Mother had liver, heart, other organs	discrete	numeric
V1103	v472n	NA - Mother had fish or shellfish	discrete	numeric
V1104	v472o	NA - Mother had food made from beans, peas, lentils, nuts	discrete	numeric
V1105	v472p	NA - Mother had cheese, yogurt, other milk products	discrete	numeric
V1106	v472q	NA - Mother had oil, fats, butter, products made of them	discrete	numeric
V1107	v472r	NA - Mother had chocolates, sweets, candies, pastries, etc	discrete	numeric
V1108	v472s	NA - Mother had other solid-semisolid food	discrete	numeric
V1109	v472t	NA - Mother had CS foods	discrete	numeric
V1110	v472u	NA - Mother had CS foods	discrete	numeric
V1111	v473a	Read consent statement - HIV	discrete	numeric
V1112	v473b	Result of measurement - HIV	discrete	numeric
V1113	v474	NA - Heard of tuberculosis or TB	discrete	numeric
V1114	v474a	NA - Tuberculosis spread by: air when coughing or sneezing	discrete	numeric

1	4 41			. 1
	v474b	NA - Tuberculosis spread by: sharing utensils		numeric
V1116		NA - Tuberculosis spread by: touching a person with TB	discrete	numeric
V1117	v474d	NA - Tuberculosis spread by: food	discrete	numeric
V1118	v474e	NA - Tuberculosis spread by: sexual contact	discrete	numeric
V1119	v474f	NA - Tuberculosis spread by: mosquito bites	discrete	numeric
V1120	v474g	NA - Tuberculosis spread by: CS	discrete	numeric
V1121	v474h	NA - Tuberculosis spread by: CS	discrete	numeric
V1122	v474i	NA - Tuberculosis spread by: CS	discrete	numeric
V1123	v474j	NA - Tuberculosis spread by: CS	discrete	numeric
V1124	v474x	NA - Tuberculosis spread by: other	discrete	numeric
V1125	v474z	NA - Tuberculosis spread by: don't know	discrete	numeric
V1126	v475	NA - Tuberculosis can be cured	discrete	numeric
V1127	v476	NA - Keep secret when family member gets TB	discrete	numeric
V1128	v477	Number of injections in last 12 months	discrete	numeric
V1129	v478	Number of injections administered by a health worker	discrete	numeric
V1130	v479	NA - Place of injection by health worker	discrete	numeric
V1131	v480	Syringe and needle from new, unopened package	discrete	numeric
V1132	v481	Covered by health insurance	discrete	numeric
V1133	v481a	Health insurance type: mutual/community organization	discrete	numeric
V1134	v481b	Health insurance type: provided by employer	discrete	numeric
V1135	v481c	Health insurance type: social security	discrete	numeric
V1136	v481d	Health insurance type: private/commercially purchased	discrete	numeric
V1137	v481e	Health insurance type: low cost payment scheme	discrete	numeric
V1138	v481f	Health insurance type: high cost payment scheme	discrete	numeric
V1139	v481g	NA - Health insurance type: CS	discrete	numeric
V1140	v481h	NA - Health insurance type: CS	discrete	numeric
V1141	v481x	Health insurance type: other	discrete	numeric
V1142	v482a	NA - Arrange care of biological children under age 18	discrete	numeric
V1143	v482b	NA - Primary caregiver of children under age 18	discrete	numeric
V1144	v482c	NA - Arrange care of non-biological children < 18	discrete	numeric

Content	WOMAN - Child's vaccinations
Cases	6063
Variable(s)	138
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1145	hhid	Case Identification	discrete	character	
V1146	caseid	Case Identification	discrete	character	
V1147	hidx	Index to birth history	discrete	numeric	
V1148	h1	Has health card	discrete	numeric	
V1149	h1a	Has health card and or other vaccination document	discrete	numeric	
V1150	h2	Received BCG	discrete	numeric	
V1151	h2d	BCG day	discrete	numeric	
V1152	h2m	BCG month	discrete	numeric	
V1153	h2y	BCG year	discrete	numeric	
V1154	h3	Received DPT 1	discrete	numeric	
V1155	h3d	DPT 1 day	discrete	numeric	
V1156	h3m	DPT 1 month	discrete	numeric	
V1157	h3y	DPT 1 year	discrete	numeric	
V1158	h4	Received POLIO 1	discrete	numeric	
V1159	h4d	POLIO 1 day	discrete	numeric	
V1160	h4m	POLIO 1 month	discrete	numeric	
V1161	h4y	POLIO 1 year	discrete	numeric	
V1162	h5	Received DPT 2	discrete	numeric	
V1163	h5d	DPT 2 day	discrete	numeric	
V1164	h5m	DPT 2 month	discrete	numeric	
V1165	h5y	DPT 2 year	discrete	numeric	
V1166	h6	Received POLIO 2	discrete	numeric	
V1167	h6d	POLIO 2 day	discrete	numeric	
V1168	h6m	POLIO 2 month	discrete	numeric	
V1169	h6y	POLIO 2 year	discrete	numeric	
V1170	h7	Received DPT 3	discrete	numeric	
V1171	h7d	DPT 3 day	discrete	numeric	
V1172	h7m	DPT 3 month	discrete	numeric	

V1173	h7y	DPT 3 year	discrete	numeric
V1174	h8	Received POLIO 3	discrete	numeric
V1175	h8d	POLIO 3 day	discrete	numeric
V1176	h8m	POLIO 3 month	discrete	numeric
V1177	h8y	POLIO 3 year	discrete	numeric
V1178	h9	Received MEASLES 1	discrete	numeric
V1179	h9d	MEASLES 1 day	discrete	numeric
V1180	h9m	MEASLES 1 month	discrete	numeric
V1181	h9y	MEASLES 1 year	discrete	numeric
V1182	h9a	Received MEASLES 2	discrete	numeric
V1183	h9ad	MEASLES 2 day	discrete	numeric
V1184	h9am	MEASLES 2 month	discrete	numeric
V1185	h9ay	MEASLES 2 year	discrete	numeric
V1186	h0	Received POLIO 0	discrete	numeric
V1187	h0d	POLIO 0 day	discrete	numeric
V1188	h0m	POLIO 0 month	discrete	numeric
V1189	h0y	POLIO 0 year	discrete	numeric
V1190	h10	Ever had vaccination	discrete	numeric
V1191	h33	Received Vitamin A1 (most recent)	discrete	numeric
V1192	h33d	Vitamin A1 day	discrete	numeric
V1193	h33m	Vitamin A1 month	discrete	numeric
V1194	h33y	Vitamin A1 year	discrete	numeric
V1195	h35	NA - Any vaccinations in last 2 years part of campaign	discrete	numeric
V1196	h36a	NA - Vaccinated during Campaign A	discrete	numeric
V1197	h36b	NA - Vaccinated during Campaign B	discrete	numeric
V1198	h36c	NA - Vaccinated during Campaign C	discrete	numeric
V1199	h36d	NA - Vaccinated during Campaign D	discrete	numeric
V1200	h36e	NA - Vaccinated during Campaign E	discrete	numeric
V1201	h36f	NA - Vaccinated during Campaign F	discrete	numeric
V1202	h40	NA - Received Vitamin A2 (2nd most recent)	discrete	numeric
V1203	h40d	NA - Vitamin A2 day	discrete	numeric
V1204	h40m	NA - Vitamin A2 month	discrete	numeric
V1205	h40y	NA - Vitamin A2 year	discrete	numeric
V1206	h41a	NA - Received vitamin A after most recent in card	discrete	numeric
V1207	h41b	NA - Ever received Vitamin A dose	discrete	numeric
V1208	h50	NA - Received Hepatitis B at birth	discrete	numeric
V1209	h50d	NA - Hepatitis B at birth day	discrete	numeric
V1210	h50m	NA - Hepatitis B at birth month	discrete	numeric
V1211	h50y	NA - Hepatitis B at birth year	discrete	numeric
V1212	h51	Received Pentavalent 1	discrete	numeric
V1213	h51d	Pentavalent 1 day	discrete	numeric

V1214	h51m	Pentavalent 1 month	discrete	numeric
V1215	h51y	Pentavalent 1 year	discrete	numeric
V1216	h52	Received Pentavalent 2	discrete	numeric
V1217	h52d	Pentavalent 2 day	discrete	numeric
V1218	h52m	Pentavalent 2 month	discrete	numeric
V1219	h52y	Pentavalent 2 year	discrete	numeric
V1220	h53	Received Pentavalent 3	discrete	numeric
V1221	h53d	Pentavalent 3 day	discrete	numeric
V1222	h53m	Pentavalent 3 month	discrete	numeric
V1223	h53y	Pentavalent 3 year	discrete	numeric
V1224	h54	Received Pneumococcal 1	discrete	numeric
V1225	h54d	Pneumococcal 1 day	discrete	numeric
V1226	h54m	Pneumococcal 1 month	discrete	numeric
V1227	h54y	Pneumococcal 1 year	discrete	numeric
V1228	h55	Received Pneumococcal 2	discrete	numeric
V1229	h55d	Pneumococcal 2 day	discrete	numeric
V1230	h55m	Pneumococcal 2 month	discrete	numeric
V1231	h55y	Pneumococcal 2 year	discrete	numeric
V1232	h56	Received Pneumococcal 3	discrete	numeric
V1233	h56d	Pneumococcal 3 day	discrete	numeric
V1234	h56m	Pneumococcal 3 month	discrete	numeric
V1235	h56y	Pneumococcal 3 year	discrete	numeric
V1236	h57	Received Rotavirus 1	discrete	numeric
V1237	h57d	Rotavirus 1 day	discrete	numeric
V1238	h57m	Rotavirus 1 month	discrete	numeric
V1239	h57y	Rotavirus 1 year	discrete	numeric
V1240	h58	Received Rotavirus 2	discrete	numeric
V1241	h58d	Rotavirus 2 day	discrete	numeric
V1242	h58m	Rotavirus 2 month	discrete	numeric
V1243	h58y	Rotavirus 2 year	discrete	numeric
V1244	h59	NA - Received Rotavirus 3	discrete	numeric
V1245	h59d	NA - Rotavirus 3 day	discrete	numeric
V1246	h59m	NA - Rotavirus 3 month	discrete	numeric
V1247	h59y	NA - Rotavirus 3 year	discrete	numeric
V1248	h60	NA - Received Polio inactive	discrete	numeric
V1249	h60d	NA - Polio inactive day	discrete	numeric
V1250	h60m	NA - Polio inactive month	discrete	numeric
V1251	h60y	NA - Polio inactive year	discrete	numeric
V1252	h61	Received Hepatitis B 1	discrete	numeric
V1253	h61d	Hepatitis B 1 day	discrete	numeric
V1254	h61m	Hepatitis B 1 month	discrete	numeric

V1255 h61y Hepatitis B 1 year discrete numeric V1256 h62 Received Hepatitis B 2 discrete numeric V1257 h62d Hepatitis B 2 day discrete numeric V1258 h62m Hepatitis B 2 month discrete numeric V1260 h63 Received Hepatitis B 3 discrete numeric V1261 h63d Hepatitis B 3 day discrete numeric V1262 h63m Hepatitis B 3 month discrete numeric V1263 h63m Hepatitis B 3 year discrete numeric V1264 h64 Received Hilb 1 discrete numeric V1265 h640 Hilb 1 day discrete numeric V1266 h64m Hilb 1 year discrete numeric V1267 h64y Hilb 2 day discrete numeric V1270 h65m Hilb 2 month discrete numeric V1271 h65y Hilb 2 month discrete <th></th> <th></th> <th></th> <th></th> <th></th>					
V1257 h62d Hepatitis B 2 day discrete numeric V1258 h62m Hepatitis B 2 year discrete numeric V1259 h62y Hepatitis B 2 year discrete numeric V1260 h63 Received Hepatitis B 3 discrete numeric V1261 h63d Hepatitis B 3 month discrete numeric V1262 h63m Hepatitis B 3 year discrete numeric V1263 h64 Hepatitis B 3 year discrete numeric V1264 h64 Received HiB 1 discrete numeric V1265 h64m HiB 1 day discrete numeric V1266 h64m HiB 1 year discrete numeric V1267 h64y HiB 1 year discrete numeric V1268 h65 Received HiB 2 discrete numeric V1270 h65m HiB 2 month discrete numeric V1271 h65y HiB 2 year discrete numeric V1272 h66 Received HiB 3 discrete	V1255	h61y	Hepatitis B 1 year	discrete	numeric
V1258 h62m Hepatitis B 2 month discrete numeric V1259 h62y Hepatitis B 2 year discrete numeric V1260 h63 Received Hepatitis B 3 discrete numeric V1261 h63d Hepatitis B 3 day discrete numeric V1262 h63m Hepatitis B 3 year discrete numeric V1263 h64 Hepatitis B 3 year discrete numeric V1264 h64 Received HiB 1 discrete numeric V1265 h64d HiB 1 day discrete numeric V1266 h64m HiB 1 year discrete numeric V1267 h64y HiB 1 year discrete numeric V1268 h65 Received HiB 2 discrete numeric V1270 h65m HiB 2 day discrete numeric V1271 h65y HiB 2 year discrete numeric V1272 h66 Received HiB 3 discrete numeric V1273 h66d HiB 3 day discrete numeri	V1256	h62	Received Hepatitis B 2	discrete	numeric
V1259 h62y Hepatitis B 2 year discrete numeric V1260 h63 Received Hepatitis B 3 discrete numeric V1261 h63d Hepatitis B 3 day discrete numeric V1262 h63m Hepatitis B 3 year discrete numeric V1263 h63y Hepatitis B 3 year discrete numeric V1264 h64 Received HiB 1 discrete numeric V1265 h64d HiB 1 day discrete numeric V1266 h64m HiB 1 month discrete numeric V1267 h64y HiB 1 year discrete numeric V1268 h65 Received HiB 2 discrete numeric V1270 h65m HiB 2 day discrete numeric V1271 h65y HiB 2 year discrete numeric V1272 h66 Received HiB 3 discrete numeric V1273 h66d HiB 3 day discrete numeric V1274 h66m HiB 3 month discrete numeric	V1257	h62d	Hepatitis B 2 day	discrete	numeric
V1260 h63 Received Hepatitis B 3 day discrete numeric V1261 h63d Hepatitis B 3 day discrete numeric V1262 h63m Hepatitis B 3 month discrete numeric V1263 h63y Hepatitis B 3 year discrete numeric V1264 h64 Received HiB 1 discrete numeric V1265 h64d HiB 1 day discrete numeric V1266 h64m HiB 1 month discrete numeric V1267 h64y HiB 1 year discrete numeric V1268 h65 Received HiB 2 discrete numeric V1270 h65m HiB 2 month discrete numeric V1271 h65y HiB 2 year discrete numeric V1272 h66 Received HiB 3 discrete numeric V1273 h66d HiB 3 day discrete numeric V1274 h66m HiB 3 month discrete numeric V1275 h66g HiB 3 year discrete numeric	V1258	h62m	Hepatitis B 2 month	discrete	numeric
V1261 h63d Hepatitis B 3 day discrete numeric V1262 h63m Hepatitis B 3 year discrete numeric V1263 h63y Hepatitis B 3 year discrete numeric V1264 h64 Received HiB 1 discrete numeric V1265 h64d HiB 1 day discrete numeric V1266 h64m HiB 1 year discrete numeric V1267 h64y HiB 1 year discrete numeric V1268 h65 Received HiB 2 discrete numeric V1270 h65m HiB 2 day discrete numeric V1271 h65y HiB 2 year discrete numeric V1271 h65y HiB 3 day discrete numeric V1271 h66e Received HiB 3 discrete numeric V1271 h66m HiB 3 day discrete numeric V1274 h66m HiB 3 year discrete numeric V1275 h66y HiB 3 year discrete numeric	V1259	h62y	Hepatitis B 2 year	discrete	numeric
V1262 h63m Hepatitis B 3 month discrete numeric V1263 h63y Hepatitis B 3 year discrete numeric V1264 h64 Received HiB 1 discrete numeric V1265 h64d HiB 1 day discrete numeric V1266 h64m HiB 1 month discrete numeric V1267 h64y HiB 1 year discrete numeric V1268 h65 Received HiB 2 discrete numeric V1270 h65m HiB 2 day discrete numeric V1271 h65m HiB 2 year discrete numeric V1271 h65y HiB 2 year discrete numeric V1271 h66 Received HiB 3 discrete numeric V1271 h66m HiB 3 day discrete numeric V1273 h66d HiB 3 year discrete numeric V1274 h66m HiB 3 year discrete numeric V1275 h66y HiB 3 year discrete numeric	V1260	h63	Received Hepatitis B 3	discrete	numeric
V1263 h63y Hepatitis B 3 year discrete numeric V1264 h64 Received HiB 1 discrete numeric V1265 h64d HiB 1 day discrete numeric V1266 h64m HiB 1 month discrete numeric V1267 h64y HiB 1 year discrete numeric V1268 h65 Received HiB 2 discrete numeric V1270 h65d HiB 2 day discrete numeric V1271 h65m HiB 2 month discrete numeric V1271 h65y HiB 2 year discrete numeric V1271 h66 Received HiB 3 discrete numeric V1273 h66d HiB 3 day discrete numeric V1274 h66m HiB 3 year discrete numeric V1275 h66y HiB 3 year discrete numeric V1276 h80a In the last 7 days given: LOCAL NAME for multiple micronutrient powder discrete numeric V1277 h80b In the last 7 days given: LOCAL NAME	V1261	h63d	Hepatitis B 3 day	discrete	numeric
V1264 h64 Received HiB 1 discrete numeric V1265 h64d HiB 1 day discrete numeric V1266 h64m HiB 1 month discrete numeric V1267 h64y HiB 1 year discrete numeric V1268 h65 Received HiB 2 discrete numeric V1270 h65d HiB 2 day discrete numeric V1271 h65m HiB 2 year discrete numeric V1271 h65y HiB 2 year discrete numeric V1272 h66 Received HiB 3 discrete numeric V1273 h66d HiB 3 day discrete numeric V1274 h66m HiB 3 month discrete numeric V1275 h66y HiB 3 year discrete numeric V1276 h80a In the last 7 days given: LOCAL NAME for multiple micronutrient powder discrete numeric V1277 h80b In the last 7 days given: LOCAL NAME ready to use therapeutic food discrete numeric V1278 h80c <td>V1262</td> <td>h63m</td> <td>Hepatitis B 3 month</td> <td>discrete</td> <td>numeric</td>	V1262	h63m	Hepatitis B 3 month	discrete	numeric
V1265h64dHiB 1 daydiscretenumericV1266h64mHiB 1 monthdiscretenumericV1267h64yHiB 1 yeardiscretenumericV1268h65Received HiB 2discretenumericV1269h65dHiB 2 daydiscretenumericV1270h65mHiB 2 monthdiscretenumericV1271h65yHiB 2 yeardiscretenumericV1272h66Received HiB 3discretenumericV1273h66dHiB 3 daydiscretenumericV1274h66mHiB 3 monthdiscretenumericV1275h66yHiB 3 yeardiscretenumericV1276h80aIn the last 7 days given: LOCAL NAME for multiple micronutrient powderdiscretenumericV1277h80bIn the last 7 days given: LOCAL NAME ready to use therapeutic fooddiscretenumericV1278h80cNA - In the last 7 days given: LOCAL NAME for ready to usediscretenumericV1279h80dNA - In the last 7 days given: CSdiscretenumericV1280h80eNA - In the last 7 days given: CSdiscretenumericV1281h80fNA - In the last 7 days given: CSdiscretenumeric	V1263	h63y	Hepatitis B 3 year	discrete	numeric
V1266 h64m HiB 1 month discrete numeric V1267 h64y HiB 1 year discrete numeric V1268 h65 Received HiB 2 discrete numeric V1269 h65d HiB 2 day discrete numeric V1270 h65m HiB 2 month discrete numeric V1271 h65y HiB 2 year discrete numeric V1272 h66 Received HiB 3 discrete numeric V1273 h66d HiB 3 day discrete numeric V1274 h66m HiB 3 month discrete numeric V1275 h66y HiB 3 year discrete numeric V1276 h80a In the last 7 days given: LOCAL NAME for multiple micronutrient powder discrete numeric V1276 h80b In the last 7 days given: LOCAL NAME ready to use therapeutic food discrete numeric V1278 h80c NA - In the last 7 days given: CS discrete numeric V1280 h80e NA - In the last 7 days given: CS discrete numeric	V1264	h64	Received HiB 1	discrete	numeric
V1267h64yHiB 1 yeardiscretenumericV1268h65Received HiB 2discretenumericV1269h65dHiB 2 daydiscretenumericV1270h65mHiB 2 monthdiscretenumericV1271h65yHiB 2 yeardiscretenumericV1272h66Received HiB 3discretenumericV1273h66dHiB 3 daydiscretenumericV1274h66mHiB 3 monthdiscretenumericV1275h66yHiB 3 yeardiscretenumericV1276h80aIn the last 7 days given: LOCAL NAME for multiple micronutrient powderdiscretenumericV1277h80bIn the last 7 days given: LOCAL NAME ready to use therapeutic fooddiscretenumericV1278h80cNA - In the last 7 days given: CSdiscretenumericV1280h80eNA - In the last 7 days given: CSdiscretenumericV1281h80fNA - In the last 7 days given: CSdiscretenumeric	V1265	h64d	HiB 1 day	discrete	numeric
V1268h65Received HiB 2discretenumericV1269h65dHiB 2 daydiscretenumericV1270h65mHiB 2 monthdiscretenumericV1271h65yHiB 2 yeardiscretenumericV1272h66Received HiB 3discretenumericV1273h66dHiB 3 daydiscretenumericV1274h66mHiB 3 monthdiscretenumericV1275h66yHiB 3 yeardiscretenumericV1276h80aIn the last 7 days given: LOCAL NAME for multiple micronutrient powderdiscretenumericV1277h80bIn the last 7 days given: LOCAL NAME ready to use therapeutic fooddiscretenumericV1278h80cNA - In the last 7 days given: CSdiscretenumericV1280h80eNA - In the last 7 days given: CSdiscretenumericV1281h80fNA - In the last 7 days given: CSdiscretenumeric	V1266	h64m	HiB 1 month	discrete	numeric
V1269h65dHiB 2 daydiscretenumericV1270h65mHiB 2 monthdiscretenumericV1271h65yHiB 2 yeardiscretenumericV1272h66Received HiB 3discretenumericV1273h66dHiB 3 daydiscretenumericV1274h66mHiB 3 monthdiscretenumericV1275h66yHiB 3 yeardiscretenumericV1276h80aIn the last 7 days given: LOCAL NAME for multiple micronutrient powderdiscretenumericV1277h80bIn the last 7 days given: LOCAL NAME ready to use therapeutic fooddiscretenumericV1278h80cNA - In the last 7 days given: CSdiscretenumericV1280h80eNA - In the last 7 days given: CSdiscretenumericV1281h80fNA - In the last 7 days given: CSdiscretenumeric	V1267	h64y	HiB 1 year	discrete	numeric
V1270h65mHiB 2 monthdiscretenumericV1271h65yHiB 2 yeardiscretenumericV1272h66Received HiB 3discretenumericV1273h66dHiB 3 daydiscretenumericV1274h66mHiB 3 monthdiscretenumericV1275h66yHiB 3 yeardiscretenumericV1276h80aIn the last 7 days given: LOCAL NAME for multiple micronutrient powderdiscretenumericV1277h80bIn the last 7 days given: LOCAL NAME ready to use therapeutic fooddiscretenumericV1278h80cNA - In the last 7 days given: LOCAL NAME for ready to use supplemental fooddiscretenumericV1279h80dNA - In the last 7 days given: CSdiscretenumericV1280h80eNA - In the last 7 days given: CSdiscretenumericV1281h80fNA - In the last 7 days given: CSdiscretenumeric	V1268	h65	Received HiB 2	discrete	numeric
V1271h65yHiB 2 yeardiscretenumericV1272h66Received HiB 3discretenumericV1273h66dHiB 3 daydiscretenumericV1274h66mHiB 3 monthdiscretenumericV1275h66yHiB 3 yeardiscretenumericV1276h80aIn the last 7 days given: LOCAL NAME for multiple micronutrient powderdiscretenumericV1277h80bIn the last 7 days given: LOCAL NAME ready to use therapeutic fooddiscretenumericV1278h80cNA - In the last 7 days given: LOCAL NAME for ready to use supplemental fooddiscretenumericV1279h80dNA - In the last 7 days given: CSdiscretenumericV1280h80eNA - In the last 7 days given: CSdiscretenumericV1281h80fNA - In the last 7 days given: CSdiscretenumeric	V1269	h65d	HiB 2 day	discrete	numeric
V1272h66Received HiB 3discretenumericV1273h66dHiB 3 daydiscretenumericV1274h66mHiB 3 monthdiscretenumericV1275h66yHiB 3 yeardiscretenumericV1276h80aIn the last 7 days given: LOCAL NAME for multiple micronutrient powderdiscretenumericV1277h80bIn the last 7 days given: LOCAL NAME ready to use therapeutic fooddiscretenumericV1278h80cNA - In the last 7 days given: LOCAL NAME for ready to use supplemental fooddiscretenumericV1279h80dNA - In the last 7 days given: CSdiscretenumericV1280h80eNA - In the last 7 days given: CSdiscretenumericV1281h80fNA - In the last 7 days given: CSdiscretenumeric	V1270	h65m	HiB 2 month	discrete	numeric
V1273h66dHiB 3 daydiscretenumericV1274h66mHiB 3 monthdiscretenumericV1275h66yHiB 3 yeardiscretenumericV1276h80aIn the last 7 days given: LOCAL NAME for multiple micronutrient powderdiscretenumericV1277h80bIn the last 7 days given: LOCAL NAME ready to use therapeutic fooddiscretenumericV1278h80cNA - In the last 7 days given: LOCAL NAME for ready to usediscretenumericV1279h80dNA - In the last 7 days given: CSdiscretenumericV1280h80eNA - In the last 7 days given: CSdiscretenumericV1281h80fNA - In the last 7 days given: CSdiscretenumeric	V1271	h65y	HiB 2 year	discrete	numeric
V1274 h66m HiB 3 month discrete numeric V1275 h66y HiB 3 year discrete numeric V1276 h80a In the last 7 days given: LOCAL NAME for multiple micronutrient powder V1277 h80b In the last 7 days given: LOCAL NAME ready to use therapeutic food discrete numeric V1278 h80c NA - In the last 7 days given: LOCAL NAME for ready to use supplemental food V1279 h80d NA - In the last 7 days given: CS discrete numeric V1280 h80e NA - In the last 7 days given: CS discrete numeric V1281 h80f NA - In the last 7 days given: CS discrete numeric	V1272	h66	Received HiB 3	discrete	numeric
V1275h66yHiB 3 yeardiscretenumericV1276h80aIn the last 7 days given: LOCAL NAME for multiple micronutrient powderdiscretenumericV1277h80bIn the last 7 days given: LOCAL NAME ready to use therapeutic fooddiscretenumericV1278h80cNA - In the last 7 days given: LOCAL NAME for ready to use supplemental fooddiscretenumericV1279h80dNA - In the last 7 days given: CSdiscretenumericV1280h80eNA - In the last 7 days given: CSdiscretenumericV1281h80fNA - In the last 7 days given: CSdiscretenumeric	V1273	h66d	HiB 3 day	discrete	numeric
V1276 h80a In the last 7 days given: LOCAL NAME for multiple micronutrient powder V1277 h80b In the last 7 days given: LOCAL NAME ready to use therapeutic food discrete numeric V1278 h80c NA - In the last 7 days given: LOCAL NAME for ready to use supplemental food V1279 h80d NA - In the last 7 days given: CS discrete numeric V1280 h80e NA - In the last 7 days given: CS discrete numeric V1281 h80f NA - In the last 7 days given: CS discrete numeric	V1274	h66m	HiB 3 month	discrete	numeric
V1277 h80b In the last 7 days given: LOCAL NAME ready to use therapeutic food discrete numeric V1278 h80c NA - In the last 7 days given: LOCAL NAME for ready to use supplemental food V1279 h80d NA - In the last 7 days given: CS discrete numeric V1280 h80e NA - In the last 7 days given: CS discrete numeric V1281 h80f NA - In the last 7 days given: CS discrete numeric	V1275	h66y	HiB 3 year	discrete	numeric
V1278h80cNA - In the last 7 days given: LOCAL NAME for ready to use supplemental fooddiscretenumericV1279h80dNA - In the last 7 days given: CSdiscretenumericV1280h80eNA - In the last 7 days given: CSdiscretenumericV1281h80fNA - In the last 7 days given: CSdiscretenumeric	V1276	h80a		discrete	numeric
supplemental food V1279 h80d NA - In the last 7 days given: CS discrete numeric V1280 h80e NA - In the last 7 days given: CS discrete numeric V1281 h80f NA - In the last 7 days given: CS discrete numeric	V1277	h80b	In the last 7 days given: LOCAL NAME ready to use therapeutic food	discrete	numeric
V1280 h80e NA - In the last 7 days given: CS discrete numeric V1281 h80f NA - In the last 7 days given: CS discrete numeric	V1278	h80c		discrete	numeric
V1281 h80f NA - In the last 7 days given: CS discrete numeric	V1279	h80d	NA - In the last 7 days given: CS	discrete	numeric
	V1280	h80e	NA - In the last 7 days given: CS	discrete	numeric
V1282 h80g NA - In the last 7 days given: CS discrete numeric	V1281	h80f	NA - In the last 7 days given: CS	discrete	numeric
	V1282	h80g	NA - In the last 7 days given: CS	discrete	numeric

REC4A

Content WOMAN - Child's health
Cases 9959
Variable(s) 117
Structure Type:
Keys: ()

Version
Producer
Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V439	hhid	Case Identification	discrete	character	
V440	caseid	Case Identification	discrete	character	
V441	hidxa	Index to birth history	discrete	numeric	
V442	h11	Had diarrhea recently	discrete	numeric	
V443	h11b	NA - Blood in the stools	discrete	numeric	
V444	h12a	Diarrhea: government hospital	discrete	numeric	
V445	h12b	Diarrhea: government health center	discrete	numeric	
V446	h12c	Diarrhea: government health post	discrete	numeric	
V447	h12d	Diarrhea: mobile hospital/ clinic	discrete	numeric	
V448	h12e	Diarrhea: community based agent/ fieldworker	discrete	numeric	
V449	h12f	Diarrhea: other public sector	discrete	numeric	
V450	h12g	NA - Diarrhea: CS public sector	discrete	numeric	
V451	h12h	NA - Diarrhea: CS public sector	discrete	numeric	
V452	h12i	NA - Diarrhea: CS public sector	discrete	numeric	
V453	h12j	Diarrhea: private hospital/clinic	discrete	numeric	
V454	h12k	Diarrhea: private pharmacy	discrete	numeric	
V455	h12l	Diarrhea: private doctor	discrete	numeric	
V456	h12m	Diarrhea: mission hospital	discrete	numeric	
V457	h12n	Diarrhea: private mobile clinic	discrete	numeric	
V458	h12o	Diarrhea: private community based agent/ fieldworker	discrete	numeric	
V459	h12p	Diarrhea: other private medical sector	discrete	numeric	
V460	h12q	NA - Diarrhea: CS private medical	discrete	numeric	
V461	h12r	NA - Diarrhea: CS private medical	discrete	numeric	
V462	h12s	Diarrhea: shop	discrete	numeric	
V463	h12t	Diarrhea: traditional practitioner	discrete	numeric	
V464	h12u	Diarrhea: market	discrete	numeric	
V465	h12v	Diarrhea: itinerant drug seller	discrete	numeric	
V466	h12w	NA - Diarrhea: CS other sector	discrete	numeric	

V467	h12x	Diarrhea: Other	discrete	numeric
V468	h12y	Diarrhea: no treatment	discrete	numeric
V469	h12z	Diarrhea: medical treatment	discrete	numeric
V470	h13	Given oral rehydration	discrete	numeric
V471	h13b	Given pre-packaged ORS liquid	discrete	numeric
V472	h14	Given recommended home solution	discrete	numeric
V473	h15	Given antibiotic pills or syrups	discrete	numeric
V474	h15a	Given antimotility	discrete	numeric
V475	h15b	Given antibiotic injection	discrete	numeric
V476	h15c	Given intravenous (IV)	discrete	numeric
V477	h15d	Given home remedy, herbal medicine	discrete	numeric
V478	h15e	Given zinc	discrete	numeric
V479	h15f	Given other (not antibiotic, antimotility, zinc)	discrete	numeric
V480	h15g	Given unknown pill or syrup	discrete	numeric
V481	h15h	Given non-antibiotic injection	discrete	numeric
V482	h15i	Given unknown injection	discrete	numeric
V483	h15j	NA - Given CS	discrete	numeric
V484	h15k	NA - Given CS	discrete	numeric
V485	h15l	NA - Given CS	discrete	numeric
V486	h15m	NA - Given CS	discrete	numeric
V487	h20	Given other treatment	discrete	numeric
V488	h21a	Given no treatment	discrete	numeric
V489	h21	Received any treatment	discrete	numeric
V490	h22	Had fever in last two weeks	discrete	numeric
V491	h31	Had cough in last two weeks	discrete	numeric
V492	h31b	Short, rapid breaths	discrete	numeric
V493	h31c	Problem in the chest or blocked or running nose	discrete	numeric
V494	h31d	NA - Had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric
V495	h31e	NA - Had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric
V496	h32a	Fever/cough: government hospital	discrete	numeric
V497	h32b	Fever/cough: government health center	discrete	numeric
V498	h32c	Fever/cough: government health post	discrete	numeric
V499	h32d	Fever/cough: mobile hospital/ clinic	discrete	numeric
V500	h32e	Fever/cough: community based agent/ fieldworker	discrete	numeric
V501	h32f	Fever/cough: other public sector	discrete	numeric
V502	h32g	NA - Fever/cough: CS public sector	discrete	numeric
V503	h32h	NA - Fever/cough: CS public sector	discrete	numeric
V504	h32i	NA - Fever/cough: CS public sector	discrete	numeric
V505	h32j	Fever/cough: private hospital/ clinic	discrete	numeric
V506	h32k	Fever/cough: private pharmacy	discrete	numeric
V507	h32l	Fever/cough: private doctor	discrete	numeric

V508	h32m	Fever/cough: private mission hospital/ clinic	discrete	numeric
	h32n	Fever/cough: private mobile clinic	discrete	
	h320	Fever/cough: private community based agent/ fieldworker	discrete	
	h32p	Fever/cough: other private medical sector	discrete	
	h32q	NA - Fever/cough: CS private medical	discrete	
V513	-	NA - Fever/cough: CS private medical	discrete	
	h32s	Fever/cough: shop	discrete	
V515		Fever/cough: traditional practitioner	discrete	
	h32u	Fever/cough: market	discrete	
	h32v	Fever/cough: itinerant drug seller	discrete	numeric
V518	h32w	NA - Fever/cough: CS other sector	discrete	numeric
V519	h32x	Fever/cough: other	discrete	numeric
V520	h32y	Fever/cough: no treatment	discrete	
	h32z	Fever/cough: medical treatment	discrete	numeric
V522	h34	Vitamin A in last 6 months	discrete	numeric
V523	h37a	SP/Fansidar taken for fever	discrete	numeric
V524	h37b	Chloroquine taken for fever	discrete	numeric
V525	h37c	Amodiaquine taken for fever	discrete	numeric
V526	h37d	Quinine taken for fever	discrete	numeric
V527	h37da	Quinine injection/IV taken for fever	discrete	numeric
V528	h37e	Combination with artemisinin taken for fever	discrete	numeric
V529	h37aa	Artesunate rectal taken for fever	discrete	numeric
V530	h37ab	Artesunate injection/IV taken for fever	discrete	numeric
V531	h37f	NA - CS antimalarial taken for fever	discrete	numeric
V532	h37g	NA - CS antimalarial taken for fever	discrete	numeric
V533	h37h	Other antimalarial taken for fever	discrete	numeric
V534	h37i	Antibiotic pill/syrup taken for fever	discrete	numeric
V535	h37j	Antibiotic injection taken for fever	discrete	numeric
V536	h37k	Aspirin taken for fever	discrete	numeric
V537	h37l	Acetaminophen/paracetamol/panadol taken for fever	discrete	numeric
V538	h37m	Ibuprofen taken for fever	discrete	numeric
V539	h37n	NA - CS other taken for fever	discrete	numeric
V540	h37o	NA - CS other for fever/cough	discrete	numeric
V541	h37p	NA - CS other for fever/cough	discrete	numeric
V542	h37x	Other taken for fever	discrete	numeric
V543	h37y	Nothing taken and didn't seek treatment for fever/cough	discrete	numeric
V544	h37z	Don't know if or what was taken for fever	discrete	numeric
V545	h38	Diarrhea in last 2 weeks: amount offered to drink	discrete	numeric
V546	h39	Diarrhea in last 2 weeks: amount offered to eat	discrete	numeric
V547	h42	Taking iron pills, sprinkles or syrup	discrete	numeric
V548	h43	Drugs for intestinal parasites in last 6 months	discrete	numeric

V549	h44a	Place first sought treatment for diarrhea	discrete	numeric
V550	h44b	Days after diarrhea sought advice or treatment	discrete	numeric
V551	h44c	NA - Still has diarrhea	discrete	numeric
V552	h45	NA - Times zinc was given	discrete	numeric
V553	h46a	Place first sought treatment for fever	discrete	numeric
V554	h46b	Number of days after fever began sought advice or treatment	discrete	numeric
V555	h47	Blood taken from child's finger/heel for testing	discrete	numeric

Content WOMAN - Child's Height and Weight
Cases 9959
Variable(s) 32
Structure Type:
Keys: ()

Version
Producer
Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1283	hhid	Case Identification	discrete	character	
V1284	caseid	Case Identification	discrete	character	
V1285	hwidx	Index to Birth History	discrete	numeric	
V1286	hw1	Child's age in months	contin	numeric	
V1287	hw2	Child's weight in kilograms (1 decimal)	discrete	numeric	
V1288	hw3	Child's height in centimeters (1 decimal)	discrete	numeric	
V1289	hw4	Height/Age percentile	discrete	numeric	
V1290	hw5	Height/Age standard deviation	discrete	numeric	
V1291	hw6	Height/Age percent of ref. median	discrete	numeric	
V1292	hw7	Weight/Age percentile	discrete	numeric	
V1293	hw8	Weight/Age standard deviation	discrete	numeric	
V1294	hw9	Weight/Age percent of ref. median	discrete	numeric	
V1295	hw10	Weight/Height percentile	discrete	numeric	
V1296	hw11	Weight/Height standard deviation	discrete	numeric	
V1297	hw12	Weight/Height percent of ref. median	discrete	numeric	
V1298	hw13	Result of measurement - height/weight	discrete	numeric	
V1299	hw15	Height: lying or standing	discrete	numeric	
V1300	hw16	Day of birth of child	discrete	numeric	
V1301	hw17	Date measured (day)	contin	numeric	
V1302	hw18	Date measured (month)	discrete	numeric	
V1303	hw19	Date measured (year)	discrete	numeric	
V1304	hw51	Line number of parent/caretaker	discrete	numeric	
V1305	hw52	Read consent statement - hemoglobin	discrete	numeric	
V1306	hw53	Hemoglobin level (g/dl - 1 decimal)	discrete	numeric	
V1307	hw55	Result of measurement - hemoglobin	discrete	numeric	
V1308	hw56	Hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric	
V1309	hw57	Anemia level	discrete	numeric	
V1310	hw58	NA - Agrees to referral - anemia	discrete	numeric	

V1311 hw70	Height/Age standard deviation (new WHO)	discrete	numeric
V1312 hw71	Weight/Age standard deviation (new WHO)	discrete	numeric
V1313 hw72	Weight/Height standard deviation (new WHO)	discrete	numeric
V1314 hw73	BMI standard deviation (new WHO)	discrete	numeric

Content WOMAN - Marriage and Sexual Exposure

Cases 13683

Variable(s) 29

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1315	hhid	Case Identification	discrete	character	
V1316	caseid	Case Identification	discrete	character	
V1317	v501	Current marital status	discrete	numeric	
V1318	v502	Currently/formerly/never in union	discrete	numeric	
V1319	v503	Number of unions	discrete	numeric	
V1320	v504	Currently residing with husband/partner	discrete	numeric	
V1321	v505	Number of other wives	discrete	numeric	
V1322	v506	Respondent's rank among wives	discrete	numeric	
V1323	v507	Month of first cohabitation	discrete	numeric	
V1324	v508	Year of first cohabitation	contin	numeric	
V1325	v509	Date of first cohabitation (CMC)	contin	numeric	
V1326	v510	Completeness of date information in V509	discrete	numeric	
V1327	v511	Age at first cohabitation	contin	numeric	
V1328	v512	Years since first cohabitation	contin	numeric	
V1329	v513	Cohabitation duration (grouped)	discrete	numeric	
V1330	v525	Age at first sex	discrete	numeric	
V1331	v527	Time since last sex	discrete	numeric	
V1332	v528	Time since last sex (in days)	discrete	numeric	
V1333	v529	Time since last sex (in months)	discrete	numeric	
V1334	v530	Flag for V529	discrete	numeric	
V1335	v531	Age at first sex (imputed)	discrete	numeric	
V1336	v532	Flag for V531	discrete	numeric	
V1337	v535	Ever been married or in union	discrete	numeric	
V1338	v536	Recent sexual activity	discrete	numeric	
V1339	v537	Months of abstinence	discrete	numeric	
V1340	v538	How previous marriage or union ended	discrete	numeric	
V1341	v539	Person who received most of late husband's property	discrete	numeric	
V1342	v540	Respondent received any of late husband's assets or valuables	discrete	numeric	

V1343 v541 Intends to wait until marriage to have sex

discrete numeric

Content WOMAN - Fertility Preferences

Cases 13683

Variable(s) 30

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1344	hhid	Case Identification	discrete	character	,
V1345	caseid	Case Identification	discrete	character	
V1346	v602	Fertility preference	discrete	numeric	
V1347	v603	Preferred waiting time for birth of a/another child	discrete	numeric	
V1348	v604	Preferred waiting time for birth of a/another child (grouped)	discrete	numeric	
V1349	v605	Desire for more children	discrete	numeric	
V1350	v613	Ideal number of children	discrete	numeric	
V1351	v614	Ideal number of children (grouped)	discrete	numeric	
V1352	v616	Time for future birth	discrete	numeric	
V1353	v621	Husband's desire for children	discrete	numeric	
V1354	v623	Exposure	discrete	numeric	
V1355	v624	Unmet need	discrete	numeric	
V1356	v625	Exposure (definition 2)	discrete	numeric	
V1357	v626	Unmet need (definition 2)	discrete	numeric	
V1358	v625a	Exposure to need for contraception (definition 3)	discrete	numeric	
V1359	v626a	Unmet need for contraception (definition 3)	discrete	numeric	
V1360	v627	Ideal number of boys	discrete	numeric	
V1361	v628	Ideal number of girls	discrete	numeric	
V1362	v629	Ideal number of either sex	discrete	numeric	
V1363	v631	NA - Problem if became pregnant	discrete	numeric	
V1364	v632	Decision maker for using contraception	discrete	numeric	
V1365	v632a	Decision maker for not using contraception	discrete	numeric	
V1366	v633a	NA - Reason for not having sex: husband has STI	discrete	numeric	
V1367	v633b	Reason for not having sex: husband has other women	discrete	numeric	
V1368	v633c	NA - Reason for not having sex: recent birth	discrete	numeric	
V1369	v633d	NA - Reason for not having sex: tired, not in mood	discrete	numeric	
V1370	v633e	NA - Reason for not having sex: CS	discrete	numeric	
V1371	v633f	NA - Reason for not having sex: CS	discrete	numeric	

V1372	v633g	NA - Reason for not having sex: CS	discrete	numeric
V1373	v634	NA - Husband knows that respondent is using contraception	discrete	numeric

Content WOMAN - Partner's Characteristics
Cases 13683

Variable(s) 37

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1374	hhid	Case Identification	discrete	character	
V1375	caseid	Case Identification	discrete	character	
V1376	v701	Husband/partner's education level	discrete	numeric	
V1377	v702	Husband/partner's highest year of education (at level in V701)	discrete	numeric	
V1378	v704	Husband/partner's occupation	discrete	numeric	
V1379	v704a	Husband/partner worked in last 7 days/12 months	discrete	numeric	
V1380	v705	Husband/partner's occupation (grouped)	discrete	numeric	
V1381	v714	Respondent currently working	discrete	numeric	
V1382	v714a	Respondent has a job, but currently absent	discrete	numeric	
V1383	v715	Husband/partner's total number of years of education	discrete	numeric	
V1384	v716	Respondent's occupation	discrete	numeric	
V1385	v717	Respondent's occupation (grouped)	discrete	numeric	
V1386	v719	Respondent works for family, others, self	discrete	numeric	
V1387	v721	NA - Respondent works at home or away	discrete	numeric	
V1388	v729	Husband/partner's educational attainment	discrete	numeric	
V1389	v730	Husband/partner's age	discrete	numeric	
V1390	v731	Respondent worked in last 12 months	discrete	numeric	
V1391	v732	Respondent employed all year/seasonal	discrete	numeric	
V1392	v739	Person who usually decides how to spend respondent's earnings	discrete	numeric	
V1393	v740	NA - Type of land where respondent works	discrete	numeric	
V1394	v741	Type of earnings from respondent's work	discrete	numeric	
V1395	v743a	Person who usually decides on respondent's health care	discrete	numeric	
V1396	v743b	Person who usually decides on large household purchases	discrete	numeric	
V1397	v743c	Person who usually decides on household purchases for daily needs	discrete	numeric	
V1398	v743d	Person who usually decides on visits to family or relatives	discrete	numeric	
V1399	v743e	NA - Person who usually decides on food to be cooked each day	discrete	numeric	
V1400	v743f	Person who usually decides what to do with money husband earns	discrete	numeric	
V1401	v744a	Beating justified if wife goes out without telling husband	discrete	numeric	

V1402	v744b	Beating justified if wife neglects the children	discrete	numeric
V1403	v744c	Beating justified if wife argues with husband	discrete	numeric
V1404	v744d	Beating justified if wife refuses to have sex with husband	discrete	numeric
V1405	v744e	Beating justified if wife burns the food	discrete	numeric
V1406	v745a	Owns a house alone or jointly	discrete	numeric
V1407	v745b	Owns land alone or jointly	discrete	numeric
V1408	v745c	Title deed on house own by respondent	discrete	numeric
V1409	v745d	Title deed on land own by respondent	discrete	numeric
V1410	v746	Respondent earns more than husband/partner	discrete	numeric

Content WOMAN - AIDS, STIs and Condom Use

Cases 13683

Variable(s) 143

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1411	hhid	Case Identification	discrete	character	
V1412	caseid	Case Identification	discrete	character	
V1413	v750	Ever heard of a Sexually Transmitted Infection (STI)	discrete	numeric	
V1414	v751	Ever heard of AIDS	discrete	numeric	
V1415	v754bp	Reduce risk of getting HIV: do not have sex at all	discrete	numeric	
V1416	v754cp	Reduce risk of getting HIV: always use condoms during sex	discrete	numeric	
V1417	v754dp	Reduce risk of getting HIV: have 1 sex partner only, who has no other partners $$	discrete	numeric	
V1418	v754jp	Can get HIV from mosquito bites	discrete	numeric	
V1419	v754wp	Can get HIV by sharing food with person who has AIDS	discrete	numeric	
V1420	v756	A healthy looking person can have HIV	discrete	numeric	
V1421	v761	Condom used during last sex with most recent partner	discrete	numeric	
V1422	v761b	Condom used during last sex with 2nd to most recent partner	discrete	numeric	
V1423	v761c	Condom used during last sex with 3rd to most recent partner	discrete	numeric	
V1424	v762	Source of condoms used for last sex	discrete	numeric	
V1425	v762a	Brand of condom used for last sex	discrete	numeric	
V1426	v762aa	NA - Source for condoms: government hospital	discrete	numeric	
V1427	v762ab	NA - Source for condoms: CS public	discrete	numeric	
V1428	v762ac	NA - Source for condoms: CS public	discrete	numeric	
V1429	v762ad	NA - Source for condoms: CS public	discrete	numeric	
V1430	v762ae	NA - Source for condoms: CS public	discrete	numeric	
V1431	v762af	NA - Source for condoms: CS public	discrete	numeric	
V1432	v762ag	NA - Source for condoms: CS public	discrete	numeric	
V1433	v762ah	NA - Source for condoms: CS public	discrete	numeric	
V1434	v762ai	NA - Source for condoms: CS public	discrete	numeric	
V1435	v762aj	NA - Source for condoms: private hospital/clinic	discrete	numeric	
V1436	v762ak	NA - Source for condoms: pharmacy	discrete	numeric	
V1437	v762al	NA - Source for condoms: private doctor	discrete	numeric	
V1438	v762am	NA - Source for condoms: CS private	discrete	numeric	

V1439	v762an	NA - Source for condoms: CS private	discrete	numeric
V1440	v762ao	NA - Source for condoms: CS private	discrete	numeric
V1441	v762ap	NA - Source for condoms: CS private	discrete	numeric
V1442	v762aq	NA - Source for condoms: CS private	discrete	numeric
V1443	v762ar	NA - Source for condoms: CS private	discrete	numeric
V1444	v762as	NA - Source for condoms: CS other	discrete	numeric
V1445	v762at	NA - Source for condoms: CS other	discrete	numeric
V1446	v762au	NA - Source for condoms: CS other	discrete	numeric
V1447	v762av	NA - Source for condoms: CS other	discrete	numeric
V1448	v762aw	NA - Source for condoms: CS other	discrete	numeric
V1449	v762ax	NA - Source for condoms: other	discrete	numeric
V1450	v762az	NA - Don't know any source for condoms	discrete	numeric
V1451	v762ba	NA - Source for female condoms: government hospital	discrete	numeric
V1452	v762bb	NA - Source for female condoms: CS public	discrete	numeric
V1453	v762bc	NA - Source for female condoms: CS public	discrete	numeric
V1454	v762bd	NA - Source for female condoms: CS public	discrete	numeric
V1455	v762be	NA - Source for female condoms: CS public	discrete	numeric
V1456	v762bf	NA - Source for female condoms: CS public	discrete	numeric
V1457	v762bg	NA - Source for female condoms: CS public	discrete	numeric
V1458	v762bh	NA - Source for female condoms: CS public	discrete	numeric
V1459	v762bi	NA - Source for female condoms: CS public	discrete	numeric
V1460	v762bj	NA - Source for female condoms: private hospital/clinic	discrete	numeric
V1461	v762bk	NA - Source for female condoms: pharmacy	discrete	numeric
V1462	v762bl	NA - Source for female condoms: private doctor	discrete	numeric
V1463	v762bm	NA - Source for female condoms: CS private	discrete	numeric
V1464	v762bn	NA - Source for female condoms: CS private	discrete	numeric
V1465	v762bo	NA - Source for female condoms: CS private	discrete	numeric
V1466	v762bp	NA - Source for female condoms: CS private	discrete	numeric
V1467	v762bq	NA - Source for female condoms: CS private	discrete	numeric
V1468	v762br	NA - Source for female condoms: CS private	discrete	numeric
V1469	v762bs	NA - Source for female condoms: CS other	discrete	numeric
V1470	v762bt	NA - Source for female condoms: CS other	discrete	numeric
V1471	v762bu	NA - Source for female condoms: CS other	discrete	numeric
V1472	v762bv	NA - Source for female condoms: CS other	discrete	numeric
V1473	v762bw	NA - Source for female condoms: CS other	discrete	numeric
V1474	v762bx	NA - Source for female condoms: other	discrete	numeric
V1475	v762bz	NA - Don't know any source for female condoms	discrete	numeric
V1476	v763a	Had any STI in last 12 months	discrete	numeric
V1477	v763b	Had genital sore/ulcer in last 12 months	discrete	numeric
V1478	v763c	Had genital discharge in last 12 months	discrete	numeric
V1479	v763d	NA - Had CS STI in last 12 months	discrete	numeric

V1480	v763e	NA - Had CS STI in last 12 months	discrete	numeric
V1481	v763f	NA - Had CS STI in last 12 months	discrete	numeric
V1482	v763g	NA - Had CS STI in last 12 months	discrete	numeric
V1483	v766a	Number of sex partners, excluding spouse, in last 12 months	discrete	numeric
V1484	v766b	Number of sex partners, including spouse, in last 12 months	discrete	numeric
V1485	v767a	Relationship with most recent sex partner	discrete	numeric
V1486	v767b	Relationship with 2nd to most recent sex partner	discrete	numeric
V1487	v767c	Relationship with 3rd to most recent sex partner	discrete	numeric
V1488	v768a	NA - Length of time knows last partner	discrete	numeric
V1489	v768b	NA - Length of time knows other partner (1)	discrete	numeric
V1490	v768c	NA - Length of time knows other partner (2)	discrete	numeric
V1491	v769	NA - Can get a condom	discrete	numeric
V1492	v769a	NA - Can get a female condom	discrete	numeric
V1493	v770	Sought advice/treatment for last STI infection	discrete	numeric
V1494	v770a	Sought STI advice/treatment from: government hospital	discrete	numeric
V1495	v770b	Sought STI advice/treatment from: government health center	discrete	numeric
V1496	v770c	Sought STI advice/treatment from: government health post	discrete	numeric
V1497	v770d	Sought STI advice/treatment from: Stand-alone HTC center	discrete	numeric
V1498	v770e	Sought STI advice/treatment from: mobile HTC services	discrete	numeric
V1499	v770f	Sought STI advice/treatment from: other public	discrete	numeric
V1500	v770g	NA - Sought STI advice/treatment from: CS public	discrete	numeric
V1501	v770h	NA - Sought STI advice/treatment from: CS public	discrete	numeric
V1502	v770i	NA - Sought STI advice/treatment from: CS public	discrete	numeric
V1503	v770j	NA - Sought STI advice/treatment from: CS public	discrete	numeric
V1504	v770k	Sought STI advice/treatment from: private hospital/clinic/doctor	discrete	numeric
V1505	v770l	Sought STI advice/treatment from: mission hospital/clinic	discrete	numeric
V1506	v770m	Sought STI advice/treatment from: private stand-alone HTC center	discrete	numeric
V1507	v770n	Sought STI advice/treatment from: pharmacy	discrete	numeric
V1508	v770o	Sought STI advice/treatment from: mobile HTC services	discrete	numeric
V1509	v770p	Sought STI advice/treatment from: other private	discrete	numeric
V1510	v770q	NA - Sought STI advice/treatment from: CS private	discrete	numeric
V1511	v770r	NA - Sought STI advice/treatment from: CS private	discrete	numeric
V1512	v770s	NA - Sought STI advice/treatment from: CS private	discrete	numeric
V1513	v770t	Sought STI advice/treatment from: shop	discrete	numeric
V1514	v770u	NA - Sought STI advice/treatment from: CS other	discrete	numeric
V1515	v770v	NA - Sought STI advice/treatment from: CS other	discrete	numeric
V1516	v770w	NA - Sought STI advice/treatment from: CS other	discrete	numeric
V1517	v770x	Sought STI advice/treatment from: other	discrete	numeric
V1518	v774a	HIV transmitted during pregnancy	discrete	numeric
V1519	v774b	HIV transmitted during delivery	discrete	numeric
V1520	v774c	HIV transmitted by breastfeeding	discrete	numeric

V1521	v775	NA - Knows someone who has, or is suspected of having, HIV	discrete	numeric
V1522	v777	NA - Would want HIV infection in family to remain secret	discrete	numeric
V1523	v777a	Would be ashamed if someone in the family had HIV	discrete	numeric
V1524	v778	NA - Willing to care for relative with AIDS	discrete	numeric
V1525	v779	\ensuremath{NA} - A female teacher infected with HIV, but is not sick, should be allowed to c	discrete	numeric
V1526	v780	NA - Children should be taught about condoms to avoid AIDS	discrete	numeric
V1527	v781	Ever been tested for HIV	discrete	numeric
V1528	v783	Know a place to get HIV test	discrete	numeric
V1529	v784a	Place for HIV test: government hospital	discrete	numeric
V1530	v784b	Place for HIV test: government health center	discrete	numeric
V1531	v784c	Place for HIV test: government health post	discrete	numeric
V1532	v784d	Place for HIV test: stand-alone HTC center	discrete	numeric
V1533	v784e	Place for HIV test: mobile HTC services	discrete	numeric
V1534	v784f	Place for HIV test: other public	discrete	numeric
V1535	v784g	NA - Place for HIV test: CS public	discrete	numeric
V1536	v784h	NA - Place for HIV test: CS public	discrete	numeric
V1537	v784i	NA - Place for HIV test: CS public	discrete	numeric
V1538	v784j	NA - Place for HIV test: CS public	discrete	numeric
V1539	v784k	Place for HIV test: private hospital/clinic/doctor	discrete	numeric
V1540	v784l	Place for HIV test: mission hospital/ clinic	discrete	numeric
V1541	v784m	Place for HIV test: stand-alone HTC center	discrete	numeric
V1542	v784n	Place for HIV test: pharmacy	discrete	numeric
V1543	v784o	Place for HIV test: mobile HTC center	discrete	numeric
V1544	v784p	Place for HIV test: other private	discrete	numeric
V1545	v784q	NA - Place for HIV test: CS private	discrete	numeric
V1546	v784r	NA - Place for HIV test: CS private	discrete	numeric
V1547	v784s	NA - Place for HIV test: CS private	discrete	numeric
V1548	v784t	NA - Place for HIV test: CS other	discrete	numeric
V1549	v784u	NA - Place for HIV test: CS other	discrete	numeric
V1550	v784v	NA - Place for HIV test: CS other	discrete	numeric
V1551	v784x	Place for HIV test: other	discrete	numeric
V1552	v785	Heard about other STIs	discrete	numeric
V1553	v791a	Last 12 months had sex in return for gifts, cash or other	discrete	numeric

Content WOMAN - HIV, STIs and Condom Use (continued)

Cases 13683

Variable(s) 76

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1554	hhid	Case Identification	discrete	character	
V1555	caseid	Case Identification	discrete	character	
V1556	v820	Condom used at first sex	discrete	numeric	
V1557	v821a	NA - Most recent sex partner younger, the same age or older	discrete	numeric	
V1558	v821b	NA - 2nd to most recent sex partner younger, the same age or older	discrete	numeric	
V1559	v821c	NA - 3rd to most recent sex partner younger, the same age or older	discrete	numeric	
V1560	v822	Wife justified asking husband to use condom if he has STI	discrete	numeric	
V1561	v823	Can get HIV by witchcraft or supernatural means	discrete	numeric	
V1562	v824	Drugs to avoid HIV transmission to baby during pregnancy	discrete	numeric	
V1563	v825	Would buy vegetables from vendor with HIV	discrete	numeric	
V1564	v826	NA - Last time tested for HIV	discrete	numeric	
V1565	v826a	Months ago most recent HIV test	discrete	numeric	
V1566	v827	NA - Last HIV test: on your own, offered or required	discrete	numeric	
V1567	v828	Received result from last HIV test	discrete	numeric	
V1568	v829	Place where last HIV test was taken	discrete	numeric	
V1569	v830	Age of first sex partner	discrete	numeric	
V1570	v831	First sex partner younger, same age or older	discrete	numeric	
V1571	v832b	Time since last sex with 2nd to most recent partner	discrete	numeric	
V1572	v832c	Time since last sex with 3rd to most recent partner	discrete	numeric	
V1573	v833a	Used condom every time had sex with most recent partner in last 12 months	discrete	numeric	
V1574	v833b	Used condom every time had sex with 2nd to most recent partner in last 12 months	discrete	numeric	
V1575	v833c	Used condom every time had sex with 3rd to most recent partner in last 12 months	discrete	numeric	
V1576	v834a	Age of most recent partner	discrete	numeric	
V1577	v834b	Age of 2nd to most recent partner	discrete	numeric	
V1578	v834c	Age of 3rd to most recent partner	discrete	numeric	
V1579	v835a	Alcohol consumption at last sex with most recent partner	discrete	numeric	

V1580	v835b	Alcohol consumption at last sex with 2nd to most recent partner	discrete	numeric
V1581	v835c	Alcohol consumption at last sex with 3rd to most recent partner	discrete	numeric
V1582	v836	Total lifetime number of sex partners	discrete	numeric
V1583	v837	NA - Heard of drugs to help HIV infected people live longer	discrete	numeric
V1584	v838a	During antenatal visit talked about: HIV transmitted mother to child	discrete	numeric
V1585	v838b	During antenatal visit talked about: things to do to prevent getting HIV	discrete	numeric
V1586	v838c	During antenatal visit talked about: getting tested for HIV	discrete	numeric
V1587	v839	Offered HIV test as part of antenatal visit	discrete	numeric
V1588	v839a	Offered HIV test between the time went for delivery and before baby was born	discrete	numeric
V1589	v840	Tested for HIV as part of antenatal visit	discrete	numeric
V1590	v840a	Tested for HIV between the time went for delivery and before baby was born	discrete	numeric
V1591	v841	Got results of HIV test as part of antenatal visit	discrete	numeric
V1592	v841a	Got results of HIV test when tested before baby was born	discrete	numeric
V1593	v842	Place were HIV test was taken as part of antenatal visit	discrete	numeric
V1594	v843	Tested for HIV since antenatal visit test	discrete	numeric
V1595	v844	\ensuremath{NA} - Knows someone denied health services for having, or suspected of having, \ensuremath{HI}	discrete	numeric
V1596	v845	\ensuremath{NA} - Knows someone denied social events for having, or suspected of having, $\ensuremath{HIV};$	discrete	numeric
V1597	v846	\ensuremath{NA} - Knows someone verbally abused for having, or suspected of having, HIV; in I	discrete	numeric
V1598	v847	NA - People with HIV should be ashamed of themselves	discrete	numeric
V1599	v848	NA - People with HIV should be blamed for bringing disease to community	discrete	numeric
V1600	v849	NA - Children 12-14 should be taught to wait for sex until marriage	discrete	numeric
V1601	v850a	Respondent can refuse sex	discrete	numeric
V1602	v850b	Respondent can ask partner to use a condom	discrete	numeric
V1603	v851a	NA - Young men should wait for sex until marriage	discrete	numeric
V1604	v851b	NA - Most young men wait for sex until marriage	discrete	numeric
V1605	v851c	NA - Unmarried sexually active men should only having sex with one partner	discrete	numeric
V1606	v851d	NA - Most unmarried sexually active men have only one partner	discrete	numeric
V1607	v851e	NA - Married men should only have sex with their wives	discrete	numeric
V1608	v851f	NA - Most married men only have sex with their wives	discrete	numeric
V1609	v851g	NA - Young women should wait for sex until marriage	discrete	numeric
V1610	v851h	NA - Most young women wait for sex until marriage	discrete	numeric
V1611	v851i	NA - Unmarried sexually active women should have only one partner	discrete	numeric
V1612	v851j	NA - Most unmarried sexually active women have only one partner	discrete	numeric
V1613	v851k	NA - Married women should only have sex with their husbands	discrete	numeric
V1614	v851l	NA - Most married women only have sex with their husbands	discrete	numeric
V1615	v852a	How long ago first had sex with most recent partner	discrete	numeric

V1616	v852b	How long ago first had sex with 2nd most recent partner	discrete	numeric
V1617	v852c	How long ago first had sex with 3rd most recent partner	discrete	numeric
V1618	v853a	Times in last 12 months had sex with most recent partner	discrete	numeric
V1619	v853b	Times in last 12 months had sex with 2nd most recent partner	discrete	numeric
V1620	v853c	Times in last 12 months had sex with 3rd most recent partner	discrete	numeric
V1621	v854a	NA - Point concurrent sexual partners	discrete	numeric
V1622	v854b	NA - Cumulative concurrent sexual partners	discrete	numeric
V1623	v855	Received counseling after tested for AIDS during antenatal care	discrete	numeric
V1624	v856	Knowledge and use of HIV test kits	discrete	numeric
V1625	v857a	Children with HIV should be allowed to attend school with children without HIV	discrete	numeric
V1626	v857b	People hesitate to take HIV test because reaction of other people if positive	discrete	numeric
V1627	v857c	People talk badly about people with or believed to have HIV	discrete	numeric
V1628	v857d	People with or believed to have HIV lose respect from other people	discrete	numeric
V1629	v858	Would be afraid to get HIV from contact with saliva from infected person	discrete	numeric

Content WOMAN - Characteristics of Interview

Cases 13683

Variable(s) 15

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1630	hhid	Case Identification	discrete	character	
V1631	caseid	Case Identification	discrete	character	
V1632	v801	Time interview started (hhmm - 24 hour clock)	contin	numeric	
V1633	v802	Time interview ended (hhmm - 24 hour clock)	contin	numeric	
V1634	v803	Length of interview in minutes	discrete	numeric	
V1635	v804	Number of visits	discrete	numeric	
V1636	v805	Interviewer identification	contin	numeric	
V1637	v806	NA - Keyer identification	discrete	numeric	
V1638	v811	Presence of children < 10 for 'Wife beating justified' questions	discrete	numeric	
V1639	v812	Presence of husband for 'Wife beating justified' questions	discrete	numeric	
V1640	v813	Presence of other males for 'Wife beating justified' questions	discrete	numeric	
V1641	v814	Presence of other females for 'Wife beating justified' questions	discrete	numeric	
V1642	v815a	Presence of children < 10 during sexual activity section	discrete	numeric	
V1643	v815b	Presence of male adults during sexual activity section	discrete	numeric	
V1644	v815c	Presence of female adults during sexual activity section	discrete	numeric	

Content WOMAN - Calendar

Cases 27366

Variable(s) 4

Structure Type: Keys: ()

Version
Producer
Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1645	hhid	Case Identification	discrete	character	
V1646	caseid	Case Identification	discrete	character	
V1647	vcol	Calendar column number	discrete	numeric	
V1648	vcal	Calendar	discrete	character	

Content WOMAN - Maternal Mortality
Cases 72188

Variable(s) 21

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1649	hhid	Case Identification	discrete	character	
V1650	caseid	Case Identification	discrete	character	
V1651	mmidx	Index to Maternal Mortality	discrete	numeric	
V1652	mm1	Sex of sibling	discrete	numeric	
V1653	mm2	Survival status of sibling	discrete	numeric	
V1654	mm3	Sibling's current age	discrete	numeric	
V1655	mm4	Sibling's date of birth (CMC)	contin	numeric	
V1656	mm5	NA - Sibling's marital status	discrete	numeric	
V1657	mm6	Years since sibling died	discrete	numeric	
V1658	mm7	Sibling's age at death	discrete	numeric	
V1659	mm8	Date of death of sibling (CMC)	contin	numeric	
V1660	mm9	Sibling's death and pregnancy	discrete	numeric	
V1661	mm10	NA - Death and a pregnancy are related	discrete	numeric	
V1662	mm11	NA - Cause of death sibling	discrete	numeric	
V1663	mm12	Amount of time between sibling's delivery and death	discrete	numeric	
V1664	mm13	NA - Place of sibling's death	discrete	numeric	
V1665	mm14	NA - Number of sibling's children	discrete	numeric	
V1666	mm15	NA - Sibling's year of death	discrete	numeric	
V1667	mm16	Sibling's death due to violence or accident	discrete	numeric	
V1668	s1322a	Received a caesarean section	discrete	numeric	
V1669	s1322b	Died in the hospital	discrete	numeric	

Content WOMAN - Maternal Mortality (suite)

Cases 13683

Variable(s) 6

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1670	hhid	Case Identification	discrete	character	
V1671	caseid	Case Identification	discrete	character	
V1672	mmc1	Number of siblings of respondent	discrete	numeric	
V1673	mmc2	Number of siblings born before respondent's birth	discrete	numeric	
V1674	mmc3	NA - Sister's reporting	discrete	numeric	
V1675	mmc5	Cut off age for Maternal Mortality collection (in questionnaire)	discrete	numeric	

RECML

Content WOMAN - Malaria
Cases 9959
Variable(s) 69
Structure Type: Keys: ()
Version
Producer
Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1764	hhid	Case Identification	discrete	character	
V1765	caseid	Case Identification	discrete	character	
V1766	idxml	Index to Birth History	discrete	numeric	
V1767	ml0	Type of mosquito bed net(s) child slept under last night	discrete	numeric	
V1768	ml1	Number of times took fansidar during pregnancy	discrete	numeric	
V1769	ml2	Source of antimalarial during pregnancy	discrete	numeric	
V1770	ml11	NA - Child has fever/cough now	discrete	numeric	
V1771	ml12	NA - Child has had convulsions in last 2 weeks	discrete	numeric	
V1772	ml13a	Fansidar taken for fever	discrete	numeric	
V1773	ml13b	Chloroquine taken for fever	discrete	numeric	
V1774	ml13c	Amodiaquine taken for fever	discrete	numeric	
V1775	ml13d	Quinine taken for fever	discrete	numeric	
V1776	ml13da	Quinine injection/IV taken for fever	discrete	numeric	
V1777	ml13e	Combination with artemisinin taken for fever	discrete	numeric	
V1778	ml13aa	Artesunate rectal taken for fever	discrete	numeric	
V1779	ml13ab	Artesunate injection/IV taken for fever	discrete	numeric	
V1780	ml13f	NA - CS antimalarial taken for fever	discrete	numeric	
V1781	ml13g	NA - CS antimalarial taken for fever	discrete	numeric	
V1782	ml13h	Other antimalarial taken for fever	discrete	numeric	
V1783	ml13i	Antibiotic pill/syrup taken for fever	discrete	numeric	
V1784	ml13j	Antibiotic injection taken for fever	discrete	numeric	
V1785	ml13k	Aspirin taken for fever	discrete	numeric	
V1786	ml13l	Acetaminophen/paracetamol/panadol taken for fever	discrete	numeric	
V1787	ml13m	Ibuprofen taken for fever	discrete	numeric	
V1788	ml13n	NA - CS other taken for fever	discrete	numeric	
V1789	ml13o	NA - CS other taken for fever	discrete	numeric	
V1790	ml13p	NA - CS other taken for fever	discrete	numeric	
V1791	ml13x	Other taken for fever	discrete	numeric	

V1792 mil3y Nothing taken and didn't seek treatment for fever/cough discrete numeric V1793 mil3z Don't know if or what was taken for fever/convulsion discrete numeric V1795 mil14b NA - Suppository given for fever/convulsion discrete numeric V1795 mil14b NA - Suppository given for fever/convulsion discrete numeric V1796 mil27 NA - No suppository or injection given for fever/convulsion discrete numeric V1797 mil15c NA - No suppository or injection given for fever/convulsion discrete numeric V1798 mil15c NA - Number of start of fansidar discrete numeric V1800 mil15c NA - Number of days child took fansidar discrete numeric V1801 mil16c NA - Sirts source for fansidar discrete numeric V1803 mil16c NA - First source for chloroquine discrete numeric V1803 mil16c NA - First source for amodiaquine discrete numeric V1803 mil17b NA - Number of days child took amodiaquine discrete numeric V1808 mil28b NA - Number of days child took quinine disc					
V1794 mil-14 NA - Injection given for fever/convulsion discrete numeric numeric mil-14 NA - Suppository given for fever/convulsion discrete numeric nu	V1792	ml13y	Nothing taken and didn't seek treatment for fever/cough	discrete	numeric
V1795 ml14b NA - Suppository given for fever/convulsion discrete numeric V1796 ml14y NA - No suppository or injection given for fever/convulsion discrete numeric V1797 ml14z NA - Don't know if suppository or injection given for fever/convulsion discrete numeric V1798 ml15a Timing of start of fansidar discrete numeric V1799 ml15b NA - Number of days child took fansidar discrete numeric V1800 ml15c NA - First source for fansidar discrete numeric V1800 ml15c NA - Number of days child took folloroquine discrete numeric V1800 ml16c NA - Number of days child took chloroquine discrete numeric V1803 ml16c NA - Number of days child took folloroquine discrete numeric V1804 ml17a Timing of start of amodiaquine discrete numeric V1805 ml17b NA - Number of days child took amodiaquine discrete numeric V1806 ml17c NA - First source for amodiaquine discrete numeric V1808 ml18b NA - Number of days child took amodiaquine discrete numeric V1808 ml18b NA - Number of days child took quinine discrete numeric V1809 ml18c NA - First source for quinine discrete numeric V1809 ml18c NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepld sponging discrete numeric V1812 ml19c NA - For fever/convulsion: gave herbs discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19c NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: CS discrete numeric V1817 ml19c NA - For fever/convulsion: CS discrete numeric V1818 ml19c NA - For fever/convulsion: CS discrete numeric V1819 ml19c NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of CS antimalarial use discrete numeric V1820 ml20b NA - Number of days child took CS antimalarial discrete numeric V1822 ml20a NA - Timing of start of CS antimalarial use discrete numeric V1822 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1829 ml22a NA - Tim	V1793	ml13z	Don't know if or what was taken for fever	discrete	numeric
V1796 m114y NA - No suppository or injection given for fever/convulsion discrete numeric V1797 m114z NA - Don't know if suppository or injection given for fever/convulsion discrete numeric V1798 m115b NA - Number of days child took fansidar discrete numeric V1799 m115b NA - Number of days child took fansidar discrete numeric V1800 m115c NA - First source for fansidar V1801 m115c Timing of start of chloroquine discrete numeric V1802 m116b NA - Number of days child took chloroquine discrete numeric V1803 m116c NA - First source for chloroquine discrete numeric V1804 m117a Timing of start of amodiaquine discrete numeric V1805 m117b NA - Number of days child took amodiaquine discrete numeric V1806 m117c NA - First source for amodiaquine discrete numeric V1807 m118a Timing of start of quinine discrete numeric V1808 m118b NA - Number of days child took amodiaquine discrete numeric V1809 m118c NA - First source for amodiaquine discrete numeric V1810 m119a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 m119b NA - For fever/convulsion: gave herbs discrete numeric V1811 m119c NA - For fever/convulsion: gave herbs discrete numeric V1813 m119d NA - For fever/convulsion: CS discrete numeric V1814 m119e NA - For fever/convulsion: CS discrete numeric V1815 m119f NA - For fever/convulsion: Gs V1816 m119x NA - For fever/convulsion: Gs V1817 m119y NA - For fever/convulsion: Gs V1818 m119c NA - For fever/convulsion: Gs V1819 m119c NA - For fever/convulsion: Gs V1810 m119c NA - For fever/convulsion: Gs V1811 m119c NA - For fever/convulsion: Grave flat on thing discrete numeric V1812 m119c NA - For fever/convulsion: Gs V1813 m119d NA - For fever/convulsion: Gort know if something else was done discrete numeric V1811 m119c NA - For fever/convulsion: Gort know if something else was done discrete numeric V1812 m119c NA - For fever/convulsion: Gort know if something else was done discrete numeric V1812 m119c NA - For fever/convulsion: Gort know if something else was done discrete numeric V1823 m121c NA -	V1794	ml14a	NA - Injection given for fever/convulsion	discrete	numeric
V1797 m1142 NA - Don't know if suppository or injection given for fever/convulsion discrete numeric V1798 m115a Timing of start of fansidar discrete numeric V1799 m115b NA - Number of days child took fansidar discrete numeric V1800 m115c NA - First source for fansidar discrete numeric V1801 m116a Timing of start of chloroquine discrete numeric V1802 m116b NA - Number of days child took chloroquine discrete numeric V1803 m116c NA - First source for chloroquine discrete numeric V1804 m117a Timing of start of amodiaquine discrete numeric V1805 m117b NA - Number of days child took amodiaquine discrete numeric V1806 m117c NA - First source for amodiaquine discrete numeric V1807 m118a Timing of start of quinine discrete numeric V1808 m117b NA - Number of days child took quinine discrete numeric V1809 m118b NA - Mumber of days child took quinine discrete numeric V1810 m119a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 m119b NA - For fever/convulsion: gave tepid sponging discrete numeric V1811 m119b NA - For fever/convulsion: gave herbs discrete numeric V1813 m119d NA - For fever/convulsion: CS discrete numeric V1814 m119e NA - For fever/convulsion: CS discrete numeric V1815 m119f NA - For fever/convulsion: CS discrete numeric V1816 m119x NA - For fever/convulsion: CS discrete numeric V1817 m119y NA - For fever/convulsion: CS V1818 m119c NA - For fever/convulsion: don't know if something else was done discrete numeric V1811 m119c NA - For fever/convulsion: don't know if something else was done discrete numeric V1812 m120a NA - For fever/convulsion: don't know if something else was done discrete numeric V1811 m119c NA - For fever/convulsion: don't know if something else was done discrete numeric V1812 m120a NA - For fever/convulsion: don't know if something else was done discrete numeric V1821 m120a NA - For fever/convulsion: don't know if something else was done discrete numeric V1822 m121a NA - For fever for Santimalarial V1823 m121b NA - Number of days child took CS antimalarial V182	V1795	ml14b	NA - Suppository given for fever/convulsion	discrete	numeric
V1798 ml15a Timing of start of fansidar discrete numeric V1799 ml15b NA - Number of days child took fansidar discrete numeric V1800 ml15c NA - First source for fansidar discrete numeric V1801 ml16a Timing of start of chloroquine discrete numeric V1802 ml16b NA - Number of days child took chloroquine discrete numeric V1803 ml16c NA - First source for chloroquine discrete numeric V1804 ml17a Timing of start of amodiaquine discrete numeric V1805 ml17b NA - Number of days child took amodiaquine discrete numeric V1806 ml17c NA - First source for amodiaquine discrete numeric V1807 ml18a Timing of start of quinine discrete numeric V1808 ml18b NA - Number of days child took quinine discrete numeric V1809 ml18c NA - First source for quinine discrete numeric V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19b NA - For fever/convulsion: CS discrete numeric V1815 ml19r NA - For fever/convulsion: CS discrete numeric V1816 ml19r NA - For fever/convulsion: CS discrete numeric V1817 ml19y NA - For fever/convulsion: OS discrete numeric V1818 ml19c NA - For fever/convulsion: OS discrete numeric V1819 ml20a NA - For fever/convulsion: OS discrete numeric V1811 ml19r NA - For fever/convulsion: OS discrete numeric V1812 ml19r NA - For fever/convulsion: OS discrete numeric V1813 ml19q NA - For fever/convulsion: OS discrete numeric V1814 ml19p NA - For fever/convulsion: OS discrete numeric V1815 ml19r NA - For fever/convulsion: OS discrete numeric V1816 ml19r NA - For fever/convulsion: OS discrete numeric V1817 ml19p NA - For fever/convulsion: OS discrete numeric V1818 ml192 NA - For fever/convulsion: OS discrete numeric V1821 ml20c NA - First source for CS antimalarial use V1822 ml21a NA - Timing of start of CS antimalarial V1823 ml21b NA - Number of days child took combination with artemisinin discrete numeric V1824 ml21c NA - First source for CS antimala	V1796	ml14y	NA - No suppository or injection given for fever/convulsion	discrete	numeric
V1799 ml15b NA - Number of days child took fansidar discrete numeric V1800 ml15c NA - First source for fansidar discrete numeric V1801 ml16a Timing of start of chloroquine discrete numeric V1802 ml16b NA - Number of days child took chloroquine discrete numeric V1803 ml16c NA - First source for chloroquine discrete numeric V1804 ml17a Timing of start of amodiaquine discrete numeric V1805 ml17b NA - Number of days child took amodiaquine discrete numeric V1806 ml17c NA - First source for amodiaquine discrete numeric V1807 ml18a Timing of start of quinine discrete numeric V1808 ml18b NA - Number of days child took quinine discrete numeric V1809 ml18c NA - First source for quinine discrete numeric V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave herbs discrete numeric V1812 ml19c NA - For fever/convulsion: GS discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19b NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: OS discrete numeric V1816 ml19x NA - For fever/convulsion: OS discrete numeric V1817 ml19y NA - For fever/convulsion: OS discrete numeric V1818 ml19x NA - For fever/convulsion: OS discrete numeric V1819 ml19x NA - For fever/convulsion: OS discrete numeric V1811 ml19b NA - For fever/convulsion: OS discrete numeric V1812 ml19c NA - For fever/convulsion: OS discrete numeric V1813 ml19c NA - For fever/convulsion: OS discrete numeric V1814 ml19c NA - For fever/convulsion: OS discrete numeric V1815 ml19c NA - For fever/convulsion: OS discrete numeric V1816 ml19x NA - For fever/convulsion: OS discrete numeric V1817 ml19y NA - For fever/convulsion: OS discrete numeric V1818 ml19c NA - For fever/convulsion: OS discrete numeric V1819 ml20a Timing of start of CS antimalarial use discrete numeric V1820 ml21b NA - Number of days child took CS antimalarial discrete numeric V1821 ml21c NA - First source for CS antimalarial discrete numeric V1822 ml223 Timing of start of OS ant	V1797	ml14z	NA - Don't know if suppository or injection given for fever/convulsion	discrete	numeric
V1800 ml15c NA - First source for fansidar discrete numeric V1801 ml16a Timing of start of chloroquine discrete numeric V1802 ml16b NA - Number of days child took chloroquine discrete numeric V1803 ml16c NA - First source for chloroquine discrete numeric V1804 ml17a Timing of start of amodiaquine discrete numeric V1805 ml17b NA - Number of days child took amodiaquine discrete numeric V1806 ml17b NA - Number of days child took amodiaquine discrete numeric V1807 ml18a Timing of start of quinine discrete numeric V1808 ml18b NA - Number of days child took quinine discrete numeric V1808 ml18b NA - Number of days child took quinine discrete numeric V1809 ml18c NA - First source for quinine discrete numeric V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1811 ml19d NA - For fever/convulsion: gave herbs discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1817 ml19y NA - For fever/convulsion: OS discrete numeric V1818 ml19a NA - For fever/convulsion: OS discrete numeric V1819 ml19a NA - For fever/convulsion: OS discrete numeric V1810 ml19a NA - For fever/convulsion: OS discrete numeric V1811 ml19b NA - For fever/convulsion: OS discrete numeric V1812 ml19c NA - For fever/convulsion: OS discrete numeric V1813 ml19c NA - For fever/convulsion: OS discrete numeric V1814 ml19c NA - For fever/convulsion: OS discrete numeric V1815 ml19c NA - For fever/convulsion: OS discrete numeric V1816 ml19x NA - For fever/convulsion: OS discrete numeric V1817 ml19y NA - For fever/convulsion: OS discrete numeric V1818 ml19c NA - For fever/convulsion: OS discrete numeric V1819 ml20a NA - First source for CS antimalarial V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for CS antimalarial V1822 ml21a NA - Timing of start o	V1798	ml15a	Timing of start of fansidar	discrete	numeric
V1801 ml16a Timing of start of chloroquine discrete numeric V1802 ml16b NA - Number of days child took chloroquine discrete numeric V1803 ml16c NA - First source for chloroquine discrete numeric V1804 ml17a Timing of start of amodiaquine discrete numeric V1805 ml17b NA - Number of days child took amodiaquine discrete numeric V1806 ml17c NA - First source for amodiaquine discrete numeric V1807 ml18a Timing of start of quinine discrete numeric V1808 ml18b NA - Number of days child took quinine discrete numeric V1809 ml18c NA - First source for quinine discrete numeric V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1812 ml19c NA - For fever/convulsion: gave herbs discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: CS discrete numeric V1817 ml19y NA - For fever/convulsion: CS discrete numeric V1818 ml19v NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Sumber of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for CS antimalarial use discrete numeric V1824 ml21c NA - Timing of start of CS antimalarial discrete numeric V1826 ml22b NA - Timing of start of CS antimalarial discrete numeric V1828 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1829 ml22b NA - Number of days child took C3 antimalarial V1820 ml22c NA - First source for CS antimalarial use discrete numeric V1821 ml22c NA - First source for CS antimalarial use discrete numeric V1821 ml22c NA - First source for CS antimalarial use discrete numeric V1821 ml22c NA - First source for CS antimalarial use discrete numeric V1821 ml22c NA - First source for Other anti-malarial discrete nu	V1799	ml15b	NA - Number of days child took fansidar	discrete	numeric
V1802 ml16b NA - Number of days child took chloroquine discrete numeric V1803 ml16c NA - First source for chloroquine discrete numeric V1804 ml17a Timing of start of amodiaquine discrete numeric V1805 ml17b NA - Number of days child took amodiaquine discrete numeric V1806 ml17c NA - First source for amodiaquine discrete numeric V1807 ml18a Timing of start of quinine discrete numeric V1808 ml18b NA - Number of days child took quinine discrete numeric V1809 ml18c NA - First source for quinine discrete numeric V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1812 ml19c NA - For fever/convulsion: GS discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS V1816 ml19x NA - For fever/convulsion: CS V1817 ml19y NA - For fever/convulsion: OS V1818 ml19g NA - For fever/convulsion: OS V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1821 ml20a Timing of start of combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial V1826 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial V1827 ml22c NA - First source for CS antimalarial use discrete numeric V1828 ml23a Timing of start of Other anti-malarial V1829 ml23b NA - Number of days child took CS antimalarial V1820 ml23b NA - Sumber of days child took CS antimalarial V1821 ml22c NA - First source for CS antimalarial V1821 ml22c NA - First source for CS antimalarial V1822 ml22a NA - Timing of start of Other anti-malarial V1824 ml22c NA - First source for CS antimalarial V1827 ml22c NA - First source for Other anti-malarial V1828 ml23b NA - First source for Other anti-malarial V1829 ml23b NA - First source for Other anti-malarial	V1800	ml15c	NA - First source for fansidar	discrete	numeric
V1803 ml16c NA - First source for chloroquine discrete numeric V1804 ml17a Timing of start of amodiaquine discrete numeric V1805 ml17b NA - Number of days child took amodiaquine discrete numeric V1806 ml17c NA - First source for amodiaquine discrete numeric V1807 ml18a Timing of start of quinine discrete numeric V1808 ml18b NA - Number of days child took quinine discrete numeric V1809 ml18c NA - First source for quinine discrete numeric V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1812 ml19c NA - For fever/convulsion: gave tepid sponging discrete numeric V1813 ml19d NA - For fever/convulsion: CS V1814 ml19e NA - For fever/convulsion: CS V1815 ml19f NA - For fever/convulsion: CS V1816 ml19x NA - For fever/convulsion: CS V1817 ml19y NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - First source for combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial V1827 ml22c NA - First source for CS antimalarial use discrete numeric V1828 ml23a Timing of start of CS antimalarial use discrete numeric V1829 ml23b NA - Number of days child took CS antimalarial V1829 ml23b NA - Number of days child took CS antimalarial V1820 ml22c NA - First source for CS antimalarial use discrete numeric V1821 ml22c NA - First source for Other anti-malarial V1822 ml23a NA - First source for other anti-malarial V1824 ml25c numeric	V1801	ml16a	Timing of start of chloroquine	discrete	numeric
V1804 mI17a Timing of start of amodiaquine discrete numeric V1805 mI17b NA - Number of days child took amodiaquine discrete numeric V1806 mI17c NA - First source for amodiaquine discrete numeric V1807 mI18a Timing of start of quinine discrete numeric V1808 mI18b NA - Number of days child took quinine discrete numeric V1809 mI18c NA - First source for quinine discrete numeric V1810 mI19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 mI19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1811 mI19b NA - For fever/convulsion: gave herbs discrete numeric V1811 mI19d NA - For fever/convulsion: CS discrete numeric V1813 mI19d NA - For fever/convulsion: CS discrete numeric V1814 mI19p NA - For fever/convulsion: gave/did nothing discrete numeric V1816 mI19p NA - For fever/convulsion: gave/did nothing discrete numeric V1818 <td< td=""><td>V1802</td><td>ml16b</td><td>NA - Number of days child took chloroquine</td><td>discrete</td><td>numeric</td></td<>	V1802	ml16b	NA - Number of days child took chloroquine	discrete	numeric
V1805 ml17b NA - Number of days child took amodiaquine discrete numeric V1806 ml17c NA - First source for amodiaquine discrete numeric V1807 ml18a Timing of start of quinine discrete numeric V1808 ml18b NA - Number of days child took quinine discrete numeric V1809 ml18c NA - First source for quinine discrete numeric V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1812 ml19c NA - For fever/convulsion: gave herbs discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: OS discrete numeric V1817 ml19y NA - For fever/convulsion: other discrete numeric V1818 ml19g NA - For fever/convulsion: gave/did nothing discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial V1824 ml21c NA - First source for CS antimalarial V1826 ml22a NA - Timing of start of CS antimalarial V1827 ml22b NA - Number of days child took CS antimalarial V1828 ml23a Timing of start of CS antimalarial V1829 ml23b NA - Number of days child took CS antimalarial V1820 ml22b NA - Number of days child took CS antimalarial V1821 ml22c NA - First source for CS antimalarial V1820 ml22a NA - Timing of start of CS antimalarial V1821 ml22c NA - First source for CS antimalarial V1821 ml22c NA - First source for CS antimalarial V1821 ml22c NA - First source for CS antimalarial V1821 ml22c NA - First source for CS antimalarial V1821 ml22c NA - First source for CS antimalarial V1821 ml22c NA - First source for CS antimalarial V1822 ml23a NA - First source for CS antimalarial V1824 ml24c NA - First source for other anti-m	V1803	ml16c	NA - First source for chloroquine	discrete	numeric
V1806 mI17c NA - First source for amodiaquine discrete numeric V1807 mi18a Timing of start of quinine discrete numeric V1808 mi18b NA - Number of days child took quinine discrete numeric V1809 mi18c NA - First source for quinine discrete numeric V1810 mi19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 mi19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1812 mi19c NA - For fever/convulsion: gave herbs discrete numeric V1813 mi19d NA - For fever/convulsion: CS discrete numeric V1814 mi19e NA - For fever/convulsion: Other discrete numeric V1815 mi19f NA - For fever/convulsion: other discrete numeric V1817 mi19g NA - For fever/convulsion: don't know if something else was done discrete numeric V1818 mi19g NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 mi20a	V1804	ml17a	Timing of start of amodiaquine	discrete	numeric
V1807 ml18a Timing of start of quinine discrete numeric V1808 ml18b NA - Number of days child took quinine discrete numeric V1809 ml18c NA - First source for quinine discrete numeric V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1812 ml19c NA - For fever/convulsion: gave herbs discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: OS discrete numeric V1817 ml19y NA - For fever/convulsion: other discrete numeric V1818 ml19z NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1823 ml21b NA - Timing of start of CS antimalarial use discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1826 ml22a NA - Timing of start of CS antimalarial discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial discrete numeric V1829 ml23b NA - Number of days child took CS antimalarial discrete numeric V1829 ml23b NA - Number of days child took CS antimalarial discrete numeric V1829 ml23c NA - First source for Other anti-malarial discrete numeric V1820 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for other anti-malarial discrete numeric	V1805	ml17b	NA - Number of days child took amodiaquine	discrete	numeric
V1808 ml18b NA - Number of days child took quinine discrete numeric V1809 ml18c NA - First source for quinine discrete numeric V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1812 ml19c NA - For fever/convulsion: gave herbs discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: OS discrete numeric V1817 ml19y NA - For fever/convulsion: dher discrete numeric V1818 ml19z NA - For fever/convulsion: dher discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - Timing of start of CS antimalarial use discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - Timing of start of CS antimalarial use discrete numeric V1828 ml23a Timing of start of OS antimalarial use discrete numeric V1829 ml23b NA - Number of days child took CS antimalarial discrete numeric V1829 ml23b NA - Number of days child took CS antimalarial discrete numeric V1829 ml23b NA - Number of days child took CS antimalarial discrete numeric V1820 ml23c NA - First source for CS antimalarial use discrete numeric V1821 ml24c NA - First source for CS antimalarial use discrete numeric V1821 ml24c NA - First source for CS antimalarial use discrete numeric	V1806	ml17c	NA - First source for amodiaquine	discrete	numeric
V1809 ml18c NA - First source for quinine discrete numeric V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1812 ml19c NA - For fever/convulsion: gave herbs discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: CS discrete numeric V1817 ml19y NA - For fever/convulsion: other discrete numeric V1818 ml19z NA - For fever/convulsion: gave/did nothing discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial discrete numeric V1826 ml22b NA - Timing of start of CS antimalarial discrete numeric V1827 ml22c NA - Timing of start of CS antimalarial discrete numeric V1828 ml23a Timing of start of CS antimalarial discrete numeric V1829 ml23b NA - Number of days child took CS antimalarial discrete numeric V1829 ml23b NA - Number of days child took CS antimalarial discrete numeric V1829 ml23b NA - Number of days child took CS antimalarial discrete numeric V1829 ml23b NA - Number of days child took Other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric	V1807	ml18a	Timing of start of quinine	discrete	numeric
V1810 ml19a NA - For fever/convulsion: consulted traditional healer discrete numeric V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1812 ml19c NA - For fever/convulsion: gave herbs discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: other discrete numeric V1817 ml19y NA - For fever/convulsion: gave/did nothing discrete numeric V1818 ml19z NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1828 ml22a NA - Timing of start of CS antimalarial discrete numeric V1829 ml22b NA - Number of days child took CS antimalarial discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1820 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for other anti-malarial	V1808	ml18b	NA - Number of days child took quinine	discrete	numeric
V1811 ml19b NA - For fever/convulsion: gave tepid sponging discrete numeric V1812 ml19c NA - For fever/convulsion: gave herbs discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: other discrete numeric V1817 ml19y NA - For fever/convulsion: gave/did nothing discrete numeric V1818 ml19z NA - For fever/convulsion: gave/did nothing discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial discrete numeric V1826 ml22b NA - Timing of start of CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of ther anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took CS antimalarial discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1829 ml23c NA - First source for Other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial	V1809	ml18c	NA - First source for quinine	discrete	numeric
V1812 ml19c NA - For fever/convulsion: gave herbs discrete numeric V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: other discrete numeric V1817 ml19y NA - For fever/convulsion: gave/did nothing discrete numeric V1818 ml19z NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1829 ml23b NA - First source for other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric	V1810	ml19a	NA - For fever/convulsion: consulted traditional healer	discrete	numeric
V1813 ml19d NA - For fever/convulsion: CS discrete numeric V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: other discrete numeric V1817 ml19y NA - For fever/convulsion: gave/did nothing discrete numeric V1818 ml19z NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1820 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for other anti-malarial	V1811	ml19b	NA - For fever/convulsion: gave tepid sponging	discrete	numeric
V1814 ml19e NA - For fever/convulsion: CS discrete numeric V1815 ml19f NA - For fever/convulsion: CS discrete numeric V1816 ml19x NA - For fever/convulsion: other discrete numeric V1817 ml19y NA - For fever/convulsion: gave/did nothing discrete numeric V1818 ml19z NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1829 ml23c NA - First source for other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric	V1812	ml19c	NA - For fever/convulsion: gave herbs	discrete	numeric
V1815 ml19f NA - For fever/convulsion: CS V1816 ml19x NA - For fever/convulsion: other V1817 ml19y NA - For fever/convulsion: gave/did nothing V1818 ml19z NA - For fever/convulsion: gave/did nothing V1819 ml20a Timing of start of combination with artemisinin V1820 ml20b NA - Number of days child took combination with artemisinin V1821 ml20c NA - First source for combination with artemisinin V1822 ml21a NA - Timing of start of CS antimalarial use V1823 ml21b NA - Number of days child took CS antimalarial V1824 ml21c NA - First source for CS antimalarial V1825 ml22a NA - Timing of start of CS antimalarial V1826 ml22b NA - Timing of start of CS antimalarial V1827 ml22c NA - Timing of start of CS antimalarial V1828 ml22b NA - Number of days child took CS antimalarial V1829 ml22c NA - First source for CS antimalarial V1820 ml22c NA - First source for CS antimalarial V1821 ml22c NA - First source for CS antimalarial V1822 ml22c NA - First source for CS antimalarial V1823 ml23c NA - Number of days child took CS antimalarial V1824 ml23c NA - First source for CS antimalarial V1825 ml23a Timing of start of other anti-malarial V1826 ml23c NA - Number of days child took other anti-malarial V1830 ml23c NA - First source for other anti-malarial V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric discrete numeric discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup	V1813	ml19d	NA - For fever/convulsion: CS	discrete	numeric
V1816 ml19x NA - For fever/convulsion: other discrete numeric V1817 ml19y NA - For fever/convulsion: gave/did nothing discrete numeric V1818 ml19z NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial use discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial V1830 ml23c NA - First source for other anti-malarial V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1814	ml19e	NA - For fever/convulsion: CS	discrete	numeric
V1817 ml19y NA - For fever/convulsion: gave/did nothing discrete numeric V1818 ml19z NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for other anti-malarial discrete numeric	V1815	ml19f	NA - For fever/convulsion: CS	discrete	numeric
V1818 ml19z NA - For fever/convulsion: don't know if something else was done discrete numeric V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1816	ml19x	NA - For fever/convulsion: other	discrete	numeric
V1819 ml20a Timing of start of combination with artemisinin discrete numeric V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1817	ml19y	NA - For fever/convulsion: gave/did nothing	discrete	numeric
V1820 ml20b NA - Number of days child took combination with artemisinin discrete numeric V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1818	ml19z	NA - For fever/convulsion: don't know if something else was done	discrete	numeric
V1821 ml20c NA - First source for combination with artemisinin discrete numeric V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1819	ml20a	Timing of start of combination with artemisinin	discrete	numeric
V1822 ml21a NA - Timing of start of CS antimalarial use discrete numeric V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1820	ml20b	NA - Number of days child took combination with artemisinin	discrete	numeric
V1823 ml21b NA - Number of days child took CS antimalarial discrete numeric V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1821	ml20c	NA - First source for combination with artemisinin	discrete	numeric
V1824 ml21c NA - First source for CS antimalarial discrete numeric V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1822	ml21a	NA - Timing of start of CS antimalarial use	discrete	numeric
V1825 ml22a NA - Timing of start of CS antimalarial use discrete numeric V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1823	ml21b	NA - Number of days child took CS antimalarial	discrete	numeric
V1826 ml22b NA - Number of days child took CS antimalarial discrete numeric V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1824	ml21c	NA - First source for CS antimalarial	discrete	numeric
V1827 ml22c NA - First source for CS antimalarial discrete numeric V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1825	ml22a	NA - Timing of start of CS antimalarial use	discrete	numeric
V1828 ml23a Timing of start of other anti-malarial use discrete numeric V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1826	ml22b	NA - Number of days child took CS antimalarial	discrete	numeric
V1829 ml23b NA - Number of days child took other anti-malarial discrete numeric V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1827	ml22c	NA - First source for CS antimalarial	discrete	numeric
V1830 ml23c NA - First source for other anti-malarial discrete numeric V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1828	ml23a	Timing of start of other anti-malarial use	discrete	numeric
V1831 ml24c NA - First source for antibiotic pill/syrup discrete numeric	V1829	ml23b	NA - Number of days child took other anti-malarial	discrete	numeric
	V1830	ml23c	NA - First source for other anti-malarial	discrete	numeric
V1832 ml25a Timing of start of artesunate discrete numeric	V1831	ml24c	NA - First source for antibiotic pill/syrup	discrete	numeric
	V1832	ml25a	Timing of start of artesunate	discrete	numeric

RECDV

Content WOMAN - Domestic Violence

Cases 9503

Variable(s) 176

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1833	hhid	Case Identification	discrete	character	
V1834	caseid	Case Identification	discrete	character	
V1835	d005	Weight for Domestic Violence (6 decimals)	contin	numeric	
V1836	d101a	Husband/partner jealous if respondent talks with other men	discrete	numeric	
V1837	d101b	Husband/partner accuses respondent of unfaithfulness	discrete	numeric	
V1838	d101c	Husband/partner does not permit respondent to meet female friends	discrete	numeric	
V1839	d101d	Husband/partner tries to limit respondent's contact with family	discrete	numeric	
V1840	d101e	Husband/partner insists on knowing where respondent is	discrete	numeric	
V1841	d101f	NA - Husband/partner doesn't trust respondent with money	discrete	numeric	
V1842	d101g	NA - CS control issue	discrete	numeric	
V1843	d101h	NA - CS control issue	discrete	numeric	
V1844	d101i	NA - CS control issue	discrete	numeric	
V1845	d101j	NA - CS control issue	discrete	numeric	
V1846	d102	Number of control issues answered 'Yes' (D101 $x = 1$)	discrete	numeric	
V1847	d103a	Ever been humiliated by husband/partner	discrete	numeric	
V1848	d103b	Ever been threatened with harm by husband/partner	discrete	numeric	
V1849	d103c	Ever been insulted or made to feel bad by husband/partner	discrete	numeric	
V1850	d103d	NA - Ever CS emotional abuse by husband/partner	discrete	numeric	
V1851	d103e	NA - Ever CS emotional abuse by husband/partner	discrete	numeric	
V1852	d103f	NA - Ever CS emotional abuse by husband/partner	discrete	numeric	
V1853	d104	Experienced any emotional violence (D103x series)	discrete	numeric	
V1854	d105a	Ever been pushed, shook or had something thrown by husband/partner	discrete	numeric	
V1855	d105b	Ever been slapped by husband/partner	discrete	numeric	
V1856	d105c	Ever been punched with fist or hit by something harmful by husband/partner	discrete	numeric	
V1857	d105d	Ever been kicked or dragged by husband/partner	discrete	numeric	
V1858	d105e	Ever been strangled or burnt by husband/partner	discrete	numeric	

_				_
V1859	d105f	Ever been threatened with knife/gun or other weapon by husband/partner	discrete	numeric
V1860	d105g	NA - Ever CS physical violence by husband/partner	discrete	numeric
V1861	d105h	Ever been physically forced into unwanted sex by husband/partner	discrete	numeric
V1862	d105i	Ever been forced into other unwanted sexual acts by husband/partner	discrete	numeric
V1863	d105j	Ever had arm twisted or hair pulled by husband/partner	discrete	numeric
V1864	d105k	Ever been physically forced to perform sexual acts respondent didn't want to	discrete	numeric
V1865	d105l	NA - Ever CS physical violence by husband/partner	discrete	numeric
V1866	d105m	NA - Ever CS physical violence by husband/partner	discrete	numeric
V1867	d105n	NA - Ever CS physical violence by husband/partner	discrete	numeric
V1868	d106	Experienced any less severe violence (D105A-C,J) by husband/partner	discrete	numeric
V1869	d107	Experienced any severe violence (D105D-F) by husband/partner	discrete	numeric
V1870	d108	Experienced any sexual violence (D105H-I,K) by husband/partner	discrete	numeric
V1871	d109	Timing of first event (from D105 series) in years after marriage	discrete	numeric
V1872	d110a	Ever had bruises because of husband/partner's actions	discrete	numeric
V1873	d110b	Ever had eye injuries, sprains, dislocations or burns because of husband/partner	discrete	numeric
V1874	d110c	NA - Ever went to health facility because of husband/partner's actions	discrete	numeric
V1875	d110d	Ever had wounds, broken bones, broken teeth or other serious injury because of h	discrete	numeric
V1876	d110e	NA - CS because of husband/partner's actions	discrete	numeric
V1877	d110f	NA - CS because of husband/partner's actions	discrete	numeric
V1878	d110g	NA - CS because of husband/partner's actions	discrete	numeric
V1879	d110h	NA - CS because of husband/partner's actions	discrete	numeric
V1880	d111	Experienced any of listed husband/partner's actions (D110x series)	discrete	numeric
V1881	d112	Respondent ever physically hurt husband/partner when he was not hurting her	discrete	numeric
V1882	d112a	Frequency of physically hurting husband/partner in last 12 months	discrete	numeric
V1883	d113	Husband/partner drinks alcohol	discrete	numeric
V1884	d114	Frequency of husband/partner being drunk	discrete	numeric
V1885	d115b	Mother: Person who has ever physically hurt respondent	discrete	numeric
V1886	d115c	Father: Person who has ever physically hurt respondent	discrete	numeric
V1887	d115d	Daughter/Son: Person who has ever physically hurt respondent	discrete	numeric
V1888	d115e	NA - Son: Person who has ever physically hurt respondent	discrete	numeric
V1889	d115f	Sister/brother: Person who has ever physically hurt respondent	discrete	numeric
V1890	d115g	Other relative: Person who has ever physically hurt respondent	discrete	numeric
V1891	d115h	NA - Other female family: Person who has ever physically hurt respondent	discrete	numeric
V1892	d115i	NA - Other male family: Person who has ever physically hurt respondent	discrete	numeric
V1893	d115j	NA - Former partner: Person who has ever physically hurt respondent	discrete	numeric
V1894	d115k	Current boyfriend: Person who has ever physically hurt respondent	discrete	numeric

V1895	d115l	Former boyfriend: Person who has ever physically hurt respondent	discrete	numeric
V1896	d115m	NA - Step-mother: Person who has ever physically hurt respondent	discrete	numeric
V1897	d115n	NA - Step-father: Person who has ever physically hurt respondent	discrete	numeric
V1898	d115o	Mother-in-law: Person who has ever physically hurt respondent	discrete	numeric
V1899	d115p	Father-in-law: Person who has ever physically hurt respondent	discrete	numeric
V1900	d115q	Other in-law: Person who has ever physically hurt respondent	discrete	numeric
V1901	d115r	NA - Other male in-law: Person who has ever physically hurt respondent	discrete	numeric
V1902	d115s	NA - Female friend: Person who has ever physically hurt respondent	discrete	numeric
V1903	d115t	NA - Male friend: Person who has ever physically hurt respondent	discrete	numeric
V1904	d115u	NA - Neighbor: Person who has ever physically hurt respondent	discrete	numeric
V1905	d115v	Teacher: Person who has ever physically hurt respondent	discrete	numeric
V1906	d115w	Employer: Person who has ever physically hurt respondent	discrete	numeric
V1907	d115x	Other: Person who has ever physically hurt respondent	discrete	numeric
V1908	d115y	No person other than husband/partner ever physically hurt respondent	discrete	numeric
V1909	d115xa	NA - Stranger: Person who has ever physically hurt respondent	discrete	numeric
V1910	d115xb	NA - Other female in-law/family: Person who has ever physically hurt respondent	discrete	numeric
V1911	d115xc	NA - Other male in-law/family: Person who has ever physically hurt respondent	discrete	numeric
V1912	d115xd	NA - Friend: Person who has ever physically hurt respondent	discrete	numeric
V1913	d115xe	Police: Person who has ever physically hurt respondent	discrete	numeric
V1914	d115xf	NA - Religious leader: Person who has ever physically hurt respondent	discrete	numeric
V1915	d115xg	NA - Lawyer: Person who has ever physically hurt respondent	discrete	numeric
V1916	d115xh	NA - Doctor: Person who has ever physically hurt respondent	discrete	numeric
V1917	d115xi	NA - CS: Person who has ever physically hurt respondent	discrete	numeric
V1918	d115xj	NA - CS: Person who has ever physically hurt respondent	discrete	numeric
V1919	d115xk	NA - CS: Person who has ever physically hurt respondent	discrete	numeric
V1920	d116	NA - Person who hurt respondent most often	discrete	numeric
V1921	d117a	Frequency of being hit in last 12 months by other than husband/partner	discrete	numeric
V1922	d118a	Husband/partner: Person who hurt respondent during a pregnancy	discrete	numeric
V1923	d118b	Mother: Person who hurt respondent during a pregnancy	discrete	numeric
V1924	d118c	Father/step-father: Person who hurt respondent during a pregnancy	discrete	numeric
V1925	d118d	Daughter/son: Person who hurt respondent during a pregnancy	discrete	numeric
V1926	d118e	NA - Son alone: Person who hurt respondent during a pregnancy	discrete	numeric
V1927	d118f	Sister/brother: Person who hurt respondent during a pregnancy	discrete	numeric
V1928	d118g	Other relative: Person who hurt respondent during a pregnancy	discrete	numeric
V1929	d118h	NA - Other female family: Person who hurt respondent during a pregnancy	discrete	numeric
V1930	d118i	NA - Other male family: Person who hurt respondent during a pregnancy	discrete	numeric

V1931	d118j	Former husband/partner: Person who hurt respondent during a pregnancy	discrete	numeric
V1932	d118k	Current boyfriend: Person who hurt respondent during a pregnancy	discrete	numeric
V1933	d118l	Former boyfriend: Person who hurt respondent during a pregnancy	discrete	numeric
V1934	d118m	NA - Step-mother: Person who hurt respondent during a pregnancy	discrete	numeric
V1935	d118n	NA - Step-father: Person who hurt respondent during a pregnancy	discrete	numeric
V1936	d118o	Mother-in-law: Person who hurt respondent during a pregnancy	discrete	numeric
V1937	d118p	Father-in-law: Person who hurt respondent during a pregnancy	discrete	numeric
V1938	d118q	Other in-law: Person who hurt respondent during a pregnancy	discrete	numeric
V1939	d118r	NA - Other female/male in-law: Person who hurt respondent during a pregnancy	discrete	numeric
V1940	d118s	NA - Female friend: Person who hurt respondent during a pregnancy	discrete	numeric
V1941	d118t	NA - Male friend: Person who hurt respondent during a pregnancy	discrete	numeric
V1942	d118u	NA - Neighbor: Person who hurt respondent during a pregnancy	discrete	numeric
V1943	d118v	Teacher: Person who hurt respondent during a pregnancy	discrete	numeric
V1944	d118w	Employer: Person who hurt respondent during a pregnancy	discrete	numeric
V1945	d118x	Other: Person who hurt respondent during a pregnancy	discrete	numeric
V1946	d118y	Respondent was not hurt by anyone during a pregnancy	discrete	numeric
V1947	d118xa	NA - Stranger: Person who hurt respondent during a pregnancy	discrete	numeric
V1948	d118xb	NA - Other female in-law/family: Person who hurt respondent during a pregnancy	discrete	numeric
V1949	d118xc	NA - Other male in-law/family: Person who hurt respondent during a pregnancy	discrete	numeric
V1950	d118xd	NA - Friend: Person who hurt respondent during a pregnancy	discrete	numeric
V1951	d118xe	Police: Person who hurt respondent during a pregnancy	discrete	numeric
V1952	d118xf	NA - Religious leader: Person who hurt respondent during a pregnancy	discrete	numeric
V1953	d118xg	NA - Lawyer: Person who hurt respondent during a pregnancy	discrete	numeric
V1954	d118xh	NA - Doctor: Person who hurt respondent during a pregnancy	discrete	numeric
V1955	d118xi	NA - CS: Person who hurt respondent during a pregnancy	discrete	numeric
V1956	d118xj	NA - CS: Person who hurt respondent during a pregnancy	discrete	numeric
V1957	d118xk	NA - CS: Person who hurt respondent during a pregnancy	discrete	numeric
V1958	d119a	NA - Husband/partner: Person respondent went to seek help	discrete	numeric
V1959	d119b	NA - Mother: Person respondent went to seek help	discrete	numeric
V1960	d119c	NA - Father: Person respondent went to seek help	discrete	numeric
V1961	d119d	NA - Daughter: Person respondent went to seek help	discrete	numeric
V1962	d119e	NA - Son: Person respondent went to seek help	discrete	numeric
V1963	d119f	NA - Sister: Person respondent went to seek help	discrete	numeric
V1964	d119g	NA - Brother: Person respondent went to seek help	discrete	numeric
V1965	d119h	Own family: Person respondent went to seek help	discrete	numeric
V1966	d119i	Husband/partner family: Person respondent went to seek help	discrete	numeric
V1967	d119j	Current/former husband/partner: Person respondent went to seek help	discrete	numeric
V1968	d119k	Current/former boyfriend: Person respondent went to seek help	discrete	numeric

V1969	d119l	NA - Former boyfriend alone: Person respondent went to seek help	discrete	numeric
V1970	d119m	NA - Step-mother: Person respondent went to seek help	discrete	numeric
V1971	d119n	NA - Step-father: Person respondent went to seek help	discrete	numeric
V1972	d119o	NA - Mother-in-law: Person respondent went to seek help	discrete	numeric
V1973	d119p	NA - Father-in-law: Person respondent went to seek help	discrete	numeric
V1974	d119q	NA - Other female in-law: Person respondent went to seek help	discrete	numeric
V1975	d119r	NA - Other male in-law: Person respondent went to seek help	discrete	numeric
V1976	d119s	NA - Female friend: Person respondent went to seek help	discrete	numeric
V1977	d119t	NA - Male friend: Person respondent went to seek help	discrete	numeric
V1978	d119u	Neighbor: Person respondent went to seek help	discrete	numeric
V1979	d119v	NA - Teacher: Person respondent went to seek help	discrete	numeric
V1980	d119w	NA - Employer: Person respondent went to seek help	discrete	numeric
V1981	d119x	Other: Person respondent went to seek help	discrete	numeric
V1982	d119y	Respondent did not seek help from anyone	discrete	numeric
V1983	d119xa	NA - Stranger: Person respondent went to seek help	discrete	numeric
V1984	d119xb	Social service organization: Person respondent went to seek help	discrete	numeric
V1985	d119xc	NA - CS: Person respondent went to seek help	discrete	numeric
V1986	d119xd	Friend: Person respondent went to seek help	discrete	numeric
V1987	d119xe	Police: Person respondent went to seek help	discrete	numeric
V1988	d119xf	Religious leader: Person respondent went to seek help	discrete	numeric
V1989	d119xg	Lawyer: Person respondent went to seek help	discrete	numeric
V1990	d119xh	Doctor: Person respondent went to seek help	discrete	numeric
V1991	d119xi	NA - CS: Person respondent went to seek help	discrete	numeric
V1992	d119xj	NA - CS: Person respondent went to seek help	discrete	numeric
V1993	d119xk	NA - CS: Person respondent went to seek help	discrete	numeric
V1994	d120	NA - Main reason never sought help	discrete	numeric
V1995	d121	Respondent's father ever beat her mother	discrete	numeric
V1996	d122a	Interview interrupted: husband's presence	discrete	numeric
V1997	d122b	Interview interrupted: other adult male's presence	discrete	numeric
V1998	d122c	Interview interrupted: adult female's presence	discrete	numeric
V1999	d123	NA - First sex was wanted or forced	discrete	numeric
V2000	d124	Ever forced to have sex by anyone other than husband/partner in last 12 months	discrete	numeric
V2001	d125	Ever forced to perform unwanted sexual acts	discrete	numeric
V2002	d126	Age at first forced sexual act	discrete	numeric
V2003	d127	Person who forced respondent into first sexual act	discrete	numeric
V2004	d128	Ever told anyone else about violence	discrete	numeric
V2005	d129	Respondent afraid of husband/partner most of the time, sometimes or never	discrete	numeric
V2006	d130a	Previous husband: ever hit, slap, kick or physically hurt respondent	discrete	numeric
V2007	d130b	Previous husband: physically forced to have sex or to perform sexual acts	discrete	numeric

V2008 d130c Previous husband: humiliate, threaten to hurt, insult or make feel bad discrete numeric

Content WOMAN - Country specific variables

Cases 13683

Variable(s) 77

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1676	hhid	Case Identification	discrete	character	
V1677	caseid	Case Identification	discrete	character	
V1678	s816a	Listened on radio last six months: Your Health Matters	discrete	numeric	
V1679	s816b	Listened on radio last six months: Other Health Related Programmes	discrete	numeric	
V1680	s816aa	Seen on television last six months: Your Health Matters	discrete	numeric	
V1681	s816ab	Seen on television last six months: Other Health Related Programmes	discrete	numeric	
V1682	s908a	Husband: Paid in cash or kind	discrete	numeric	
V1683	s932f	Justifies domestic violence: Wife makes major household decision without consult	discrete	numeric	
V1684	s1019aa	Disclosed results of AIDS test with: Husband/Partner	discrete	numeric	
V1685	s1019ab	Disclosed results of AIDS test with: Family member	discrete	numeric	
V1686	s1019ac	Disclosed results of AIDS test with: Religious leader	discrete	numeric	
V1687	s1019ad	Disclosed results of AIDS test with: Friend	discrete	numeric	
V1688	s1019ae	Disclosed results of AIDS test with: Other	discrete	numeric	
V1689	s1023aa	Disclosed results of HIV test with: Husband/Partner	discrete	numeric	
V1690	s1023ab	Disclosed results of HIV test with: Family member	discrete	numeric	
V1691	s1023ac	Disclosed results of HIV test with: Religious leader	discrete	numeric	
V1692	s1023ad	Disclosed results of HIV test with: Friend	discrete	numeric	
V1693	s1023ae	Disclosed results of HIV test with: Other	discrete	numeric	
V1694	s1029aa	Disclosed results of HIV test with: Husband/Partner	discrete	numeric	
V1695	s1029ab	Disclosed results of HIV test with: Family member	discrete	numeric	
V1696	s1029ac	Disclosed results of HIV test with: Religious leader	discrete	numeric	
V1697	s1029ad	Disclosed results of HIV test with: Friend	discrete	numeric	
V1698	s1029ae	Disclosed results of HIV test with: Other	discrete	numeric	
V1699	s1050a	Husbands and wives do not always agree on everything. If a wife knows her husban	discrete	numeric	
V1700	s1110a	Ever told by doctor or health worker that have raised blood pressure or hyperten	discrete	numeric	

l				
V1701	s1110b	In past two weeks, have taken prescribed drugs (medication) for raised blood pr	discrete	numeric
V1702	s1110c	Ever told by doctor or health worker that have raised blood sugar or diabetes	discrete	numeric
V1703	s1110d	In past two weeks, have taken prescribed drugs (medication) for diabetes	discrete	numeric
V1704	s1111a	In past 5 years: Ever undergone chirurgical operation	discrete	numeric
V1705	s1111ba	Most recent type of operation: hernia operation?	discrete	numeric
V1706	s1111bb	Most recent type of operation: caesarean section?	discrete	numeric
V1707	s1111bc	Most recent type of operation: laparotomy (cutting open the abdomen)	discrete	numeric
V1708	s1111bd	Most recent type of operation: lump removal?	discrete	numeric
V1709	s1111be	Most recent type of operation: abscess drainage?	discrete	numeric
V1710	s1111bf	Most recent type of operation: wound closure?	discrete	numeric
V1711	s1111bg	Most recent type of operation: open fracture?	discrete	numeric
V1712	s1111bh	Most recent type of operation: minor operation?	discrete	numeric
V1713	s1111bi	Most recent type of operation: appendicitis?	discrete	numeric
V1714	s1111bj	Most recent type of operation: Female Tubal ligation?	discrete	numeric
V1715	s1111bk	Most recent type of operation: Ectopic Pregnancy?	discrete	numeric
V1716	s1111bl	Most recent type of operation: Eye surgery?	discrete	numeric
V1717	s1111bm	Most recent type of operation: Fistula Repair?	discrete	numeric
V1718	s1111bn	Most recent type of operation: Hysterectomy?	discrete	numeric
V1719	s1111bo	Most recent type of operation: Mastectomy?	discrete	numeric
V1720	s1111bx	Most recent type of operation: OTHERS?	discrete	numeric
V1721	s1111c	In past 5 years: Ever told that might need another chirurgical operation	discrete	numeric
V1722	s1111cc	Did you undergo the surgery?	discrete	numeric
V1723	s1111da	Why did you not undergo it: could not reach the doctor?	discrete	numeric
V1724	s1111db	Why did you not undergo it: could not afford the operation?	discrete	numeric
V1725	s1111dc	Why did you not undergo it: could not afford to get to the hospital?	discrete	numeric
V1726	s1111dd	Why did you not undergo it: could not afford the time off work?	discrete	numeric
V1727	s1111de	Why did you not undergo it: was too far to get to the hospital?	discrete	numeric
V1728	s1111df	Why did you not undergo it: did not trust the operation would make me better?	discrete	numeric
V1729	s1111dg	Why did you not undergo it: fear of care?	discrete	numeric
V1730	s1111dh	Why did you not undergo it: out of shame?	discrete	numeric
V1731	s1111di	Why did you not undergo it: spouse/family would not let me go?	discrete	numeric
V1732	s1111dj	Why did you not undergo it: It was not needed anymore?	discrete	numeric
V1733	s1111dx	Why did you not undergo it: other reason?	discrete	numeric
V1734	s1201	Ever experienced a constant leakage of urine or stool from vagina	discrete	numeric
V1735	s1202	Ever heard of fistula	discrete	numeric
V1736	s1203	Problem start after delivered a baby or had a stillbirth	discrete	numeric
V1737	s1204	Problem start after normal or difficult labor and delivery	discrete	numeric

V1738	s1205	Cause of fistula	discrete	numeric
V1739	s1206	Days after problem leakage started	discrete	numeric
V1740	s1207	Sought treatment for fistula	discrete	numeric
V1741	s1208a	Reason not sought treatment for fistula: don't know can be fixed	discrete	numeric
V1742	s1208b	Reason not sought treatment for fistula: don't know where to go	discrete	numeric
V1743	s1208c	Reason not sought treatment for fistula: too expensive	discrete	numeric
V1744	s1208d	Reason not sought treatment for fistula: too far	discrete	numeric
V1745	s1208e	Reason not sought treatment for fistula: poor quality of care	discrete	numeric
V1746	s1208f	Reason not sought treatment for fistula: could not get permission	discrete	numeric
V1747	s1208g	Reason not sought treatment for fistula: embarrassment	discrete	numeric
V1748	s1208h	Reason not sought treatment for fistula: problem disappeared	discrete	numeric
V1749	s1208x	Reason not sought treatment for fistula: other	discrete	numeric
V1750	s1209	Person last sought treatment from for fistula	discrete	numeric
V1751	s1210	Operation to fix fistula	discrete	numeric
V1752	s1211	Treatment stopped the leakage completely	discrete	numeric

Content WOMAN - Country specific Maternity variables

Cases 9959

Variable(s) 4

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1753	hhid	Case Identification	discrete	character	
V1754	caseid	Case Identification	discrete	character	
V1755	idx94	Index to Birth History	discrete	numeric	
V1756	s614a	How many days after the diarrhea began did you first seek treatment or advice?	discrete	numeric	

Content WOMAN - Country specific Health and Vaccination variables

Cases 6063

Variable(s) 7

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V1757	hhid	Case Identification	discrete	character	
V1758	caseid	Case Identification	discrete	character	
V1759	idx95	Index to Birth History	discrete	numeric	
V1760	shp4	Received Polio 4	discrete	numeric	
V1761	shp4d	Polio 4 day	discrete	numeric	
V1762	shp4m	Polio 4 month	discrete	numeric	
V1763	shp4y	Polio 4 year	discrete	numeric	

Content MAN - Respondent's basic data

Cases 10058 Variable(s) 40

Structure Type: Keys: ()

Version
Producer
Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2009	mcaseid	Case Identification	discrete	character	
V2010	mv000	Country code and phase	discrete	character	
V2011	mv001	Cluster number	contin	numeric	
V2012	mv002	Household number	contin	numeric	
V2013	mv003	Respondent's line number	discrete	numeric	
V2014	mv004	Ultimate area unit	contin	numeric	
V2015	mv005	Men's sample weight (6 decimals)	contin	numeric	
V2016	mv006	Month of interview	discrete	numeric	
V2017	mv007	Year of interview	discrete	numeric	
V2018	mv008	Date of interview (CMC)	discrete	numeric	
V2019	mv008a	Date of interview Century Day Code (CDC)	contin	numeric	
V2020	mv009	Month of birth	discrete	numeric	
V2021	mv010	Year of birth	contin	numeric	
V2022	mv011	Date of birth (CMC)	contin	numeric	
V2023	mv012	Current age	contin	numeric	
V2024	mv013	Age in 5-year groups	discrete	numeric	
V2025	mv014	Completeness of age information	discrete	numeric	
V2026	mv015	Result of interview	discrete	numeric	
V2027	mv016	Day of interview	contin	numeric	
V2028	mv021	Primary sampling unit	contin	numeric	
V2029	mv022	Sample stratum number	discrete	numeric	
V2030	mv023	Sample domain	discrete	numeric	
V2031	mv024	Region	discrete	numeric	
V2032	mv025	Type of place of residence	discrete	numeric	
V2033	mv026	NA - De facto place of residence	discrete	numeric	
V2034	mv027	Number of visits	discrete	numeric	
V2035	mv028	Interviewer identification	contin	numeric	
V2036	mv029	NA - Keyer identification	discrete	numeric	

V2037	mv030	Field supervisor	contin	numeric
V2038	mv031	NA - Field editor	discrete	numeric
V2039	mv032	NA - Office editor	discrete	numeric
V2040	mv035	Number of wives/partners	discrete	numeric
V2041	mv045a	Language of questionnaire	discrete	numeric
V2042	mv045b	Language of interview	discrete	numeric
V2043	mv045c	Native language of respondent	discrete	numeric
V2044	mv046	Translator used	discrete	numeric
V2045	mv801	Time interview started (hhmm - 24 hour clock)	contin	numeric
V2046	mv802	Time interview ended (hhmm - 24 hour clock)	contin	numeric
V2047	mv803	Length of interview in minutes	discrete	numeric
V2048	mrec01_group	Wives/partner list	discrete	character

Content MAN - Respondent's basic data (continued)

Cases 12132

Variable(s) 36

Structure Type: Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2049	mcaseid	Case Identification	discrete	character	
V2050	mv101	Region	discrete	numeric	
V2051	mv102	Type of place of residence	discrete	numeric	
V2052	mv103	NA - Childhood place of residence	discrete	numeric	
V2053	mv104	Years lived in place of residence	discrete	numeric	
V2054	mv105	Type of place of previous residence	discrete	numeric	
V2055	mv105a	Region of previous residence	discrete	numeric	
V2056	mv106	Educational level	discrete	numeric	
V2057	mv107	Highest year of education (at level in MV106)	discrete	numeric	
V2058	mv130	Religion	discrete	numeric	
V2059	mv131	NA - Ethnicity	discrete	numeric	
V2060	mv133	Total number of years of education	discrete	numeric	
V2061	mv134	NA - De facto place of residence	discrete	numeric	
V2062	mv135	Usual resident or visitor	discrete	numeric	
V2063	mv136	Number of household members (total listed)	contin	numeric	
V2064	mv138	Number of eligible men in household (de facto)	discrete	numeric	
V2065	mv149	Educational attainment	discrete	numeric	
V2066	mv150	Relationship to household head	discrete	numeric	
V2067	mv151	Sex of household head	discrete	numeric	
V2068	mv152	Age of household head	discrete	numeric	
V2069	mv155	Literacy	discrete	numeric	
V2070	mv156	NA - Ever participated in a literacy program (excluding primary school)	discrete	numeric	
V2071	mv157	Frequency of reading newspaper or magazine	discrete	numeric	
V2072	mv158	Frequency of listening to radio	discrete	numeric	
V2073	mv159	Frequency of watching television	discrete	numeric	
V2074	mv167	Times away from home in last 12 months	discrete	numeric	
V2075	mv168	Away for more than one month in last 12 months	discrete	numeric	
V2076	mv169a	Owns a mobile telephone	discrete	numeric	

V2077	mv169b	Use mobile telephone for financial transactions	discrete	numeric
V2078	mv170	Has an account in a bank or other financial institution	discrete	numeric
V2079	mv171a	Use of internet	discrete	numeric
V2080	mv171b	Frequency of using internet last month	discrete	numeric
V2081	mv190	Wealth index combined	discrete	numeric
V2082	mv191	Wealth index factor score combined (5 decimals)	contin	numeric
V2083	mv190a	Wealth index for urban/rural	discrete	numeric
V2084	mv191a	Wealth index factor score for urban/rural (5 decimals)	contin	numeric

Content MAN - Reproduction

Cases 12132

Variable(s) 21

Structure Type:
 Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2085	mcaseid	Case Identification	discrete	character	
V2086	mv201	Total children ever born	contin	numeric	
V2087	mv202	Sons at home	discrete	numeric	
V2088	mv203	Daughters at home	discrete	numeric	
V2089	mv204	Sons elsewhere	discrete	numeric	
V2090	mv205	Daughters elsewhere	discrete	numeric	
V2091	mv206	Sons who have died	discrete	numeric	
V2092	mv207	Daughters who have died	discrete	numeric	
V2093	mv212	Age of respondent at 1st birth	contin	numeric	
V2094	mv213	Partner currently pregnant	discrete	numeric	
V2095	mv217	Knowledge of ovulatory cycle	discrete	numeric	
V2096	mv218	Number of living children	contin	numeric	
V2097	mv225	NA - Most recent pregnancy wanted	discrete	numeric	
V2098	mv245	Number of women fathered children with	discrete	numeric	
V2099	mv246	NA - Married to mother when first child was born	discrete	numeric	
V2100	mv247	Age of most recent child	contin	numeric	
V2101	mv248	Antenatal check-ups for the mother of most recent child	discrete	numeric	
V2102	mv249	Respondent present during check-ups for most recent child	discrete	numeric	
V2103	mv250	Place of birth of most recent child	discrete	numeric	
V2104	mv251	NA - Reason for not delivering most recent child in health facility	discrete	numeric	
V2105	mv252	Amount a child should drink, when that child has diarrhea	discrete	numeric	

Content MAN - Contraception Table

Cases 127386 Variable(s) 4

Structure Type: Keys: ()

Version
Producer
Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2106	mcaseid	Case Identification	discrete	character	
V2107	mv301	Knowledge of any contraceptive method	discrete	numeric	
V2108	mv302	NA - Ever use of any contraceptive method	discrete	numeric	
V2109	mrec31_group	Contraceptive method variable group	discrete	character	

Content MAN - Contraception Knowledge and Use

Cases 12132

Variable(s) 19

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2110	mcaseid	Case Identification	discrete	character	
V2111	mv312	Current contraceptive method	discrete	numeric	
V2112	mv313	Current contraceptive by method type	discrete	numeric	
V2113	mv323a	NA - Brand of condom used	discrete	numeric	
V2114	mv325b	NA - Cost of condoms (in CURRENCY) last time obtained	discrete	numeric	
V2115	mv372a	NA - Interviewer shown condom package	discrete	numeric	
V2116	mv384a	On radio heard about Family Planning in the last few months	discrete	numeric	
V2117	mv384b	On TV saw about Family Planning in the last few months	discrete	numeric	
V2118	mv384c	In newspaper read about Family Planning in the last few months	discrete	numeric	
V2119	mv384d	Heard family planning by text messages on mobile phone	discrete	numeric	
V2120	mv395	Discussed Family Planning with health worker in last few months	discrete	numeric	
V2121	mv396	Possible for a breastfeeding woman to get pregnant	discrete	numeric	
V2122	mv396a	Can women get pregnant after birth of a child before period return	discrete	numeric	
V2123	mv3a00y	Source of family planning for non-users: no source	discrete	numeric	
V2124	mv3a00z	Source of family planning for non-users: any source	discrete	numeric	
V2125	mv3a09b	NA - Number of condoms did get last time	discrete	numeric	
V2126	mv3b17	Source of condoms	discrete	numeric	
V2127	mv3b25a	Contraception is woman's business, man should not worry	discrete	numeric	
V2128	mv3b25b	Women who use contraception become promiscuous	discrete	numeric	

Content MAN - Tuberculosis and other Health Issues

Cases 12132

Variable(s) 75

Structure Type:
 Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2129	mcaseid	Case Identification	discrete	character	
V2130	mv463a	NA - Smokes cigarettes	discrete	numeric	
V2131	mv463b	NA - Smokes pipe	discrete	numeric	
V2132	mv463c	NA - Uses chewing tobacco	discrete	numeric	
V2133	mv463d	NA - Uses snuff	discrete	numeric	
V2134	mv463e	NA - Smokes/uses CS	discrete	numeric	
V2135	mv463f	NA - Smokes/uses CS	discrete	numeric	
V2136	mv463g	NA - Smokes/uses CS	discrete	numeric	
V2137	mv463x	NA - Smokes/uses other	discrete	numeric	
V2138	mv463z	NA - Smokes nothing	discrete	numeric	
V2139	mv463aa	Frequency currently smokes tobacco	discrete	numeric	
V2140	mv463ab	Frequency currently uses smokeless tobacco	discrete	numeric	
V2141	mv463ac	In the past smoked tobacco every day	discrete	numeric	
V2142	mv463ad	Frequency in the past smoked tobacco	discrete	numeric	
V2143	mv464	NA - Number of cigarettes in last 24 hours	discrete	numeric	
V2144	mv464a	On average respondent smokes daily: manufactured cigarettes	discrete	numeric	
V2145	mv464b	On average respondent smokes daily: hand roll cigarettes	discrete	numeric	
V2146	mv464c	NA - On average respondent smokes daily: kreteks	discrete	numeric	
V2147	mv464d	On average respondent smokes daily: pipes full of tobacco	discrete	numeric	
V2148	mv464e	On average respondent smokes daily: cigars, cheroots, cigarillos	discrete	numeric	
V2149	mv464f	On average respondent smokes daily: water pipe sessions	discrete	numeric	
V2150	mv464g	On average respondent smokes daily: others	discrete	numeric	
V2151	mv464h	On average respondent uses daily: snuff by mouth	discrete	numeric	
V2152	mv464i	On average respondent uses daily: snuff by nose	discrete	numeric	
V2153	mv464j	On average respondent uses daily: chewing tobacco	discrete	numeric	
V2154	mv464k	NA - On average respondent uses daily: betel quid with tobacco	discrete	numeric	
V2155	mv464l	On average respondent uses daily: any others	discrete	numeric	
V2156	mv474	NA - Heard of tuberculosis or TB	discrete	numeric	

V2157	mv474a	NA - Tuberculosis spread by: air through coughing or sneezing	discrete	numeric
V2158	mv474b	NA - Tuberculosis spread by: sharing utensils	discrete	numeric
V2159	mv474c	NA - Tuberculosis spread by: touching a person with TB	discrete	numeric
V2160	mv474d	NA - Tuberculosis spread by: food	discrete	numeric
V2161	mv474e	NA - Tuberculosis spread by: sexual contact	discrete	numeric
V2162	mv474f	NA - Tuberculosis spread by: mosquito bites	discrete	numeric
V2163	mv474g	NA - Tuberculosis spread by: CS	discrete	numeric
V2164	mv474h	NA - Tuberculosis spread by: CS	discrete	numeric
V2165	mv474i	NA - Tuberculosis spread by: CS	discrete	numeric
V2166	mv474j	NA - Tuberculosis spread by: CS	discrete	numeric
V2167	mv474x	NA - Tuberculosis spread by: other	discrete	numeric
V2168	mv474z	NA - Don't know how tuberculosis is spread	discrete	numeric
V2169	mv475	NA - Tuberculosis can be cured	discrete	numeric
V2170	mv476	NA - Would want tuberculosis infection in family to remain secret	discrete	numeric
V2171	mv477	Number of injections in last 12 months	discrete	numeric
V2172	mv478	Number of injections administered by a health worker	discrete	numeric
V2173	mv479	NA - Place where given injection by health worker	discrete	numeric
V2174	mv480	Syringe and needle from new, unopened package	discrete	numeric
V2175	mv481	Covered by health insurance	discrete	numeric
V2176	mv481a	Health insurance type: mutual/community organization	discrete	numeric
V2177	mv481b	Health insurance type: provided by employer	discrete	numeric
V2178	mv481c	Health insurance type: social security	discrete	numeric
V2179	mv481d	Health insurance type: private/commercially purchased	discrete	numeric
V2180	mv481e	Health insurance type: CS	discrete	numeric
V2181	mv481f	Health insurance type: CS	discrete	numeric
V2182	mv481g	NA - Health insurance type: CS	discrete	numeric
V2183	mv481h	NA - Health insurance type: CS	discrete	numeric
V2184	mv481x	Health insurance type: other	discrete	numeric
V2185	mv482a	NA - Arrange care of biological children under age 18	discrete	numeric
V2186	mv482b	NA - Primary caregiver of children under age 18	discrete	numeric
V2187	mv482c	NA - Arrange care of non-biological children < 18	discrete	numeric
V2188	mv483	Respondent circumcised	discrete	numeric
V2189	mv483a	Age at circumcision	discrete	numeric
V2190	mv483b	Who performed the circumcision	discrete	numeric
V2191	mv483c	Place where circumcision was done	discrete	numeric
V2192	mv484a	On average respondent smokes weekly: manufactured cigarettes	discrete	numeric
V2193	mv484b	On average respondent smokes weekly: hand roll cigarettes	discrete	numeric
V2194	mv484c	NA - On average respondent smokes weekly: kreteks	discrete	numeric
V2195	mv484d	On average respondent smokes weekly: pipes full of tobacco	discrete	numeric
V2196	mv484e	On average respondent smokes weekly: cigars, cheroots, cigarillos	discrete	numeric
V2197	mv484f	On average respondent smokes weekly: water pipe sessions	discrete	numeric

V2198 mv484g	On average respondent smokes weekly: others	discrete numeric
V2199 mv484h	On average respondent uses weekly: snuff by mouth	discrete numeric
V2200 mv484i	On average respondent uses weekly: snuff by nose	discrete numeric
V2201 mv484j	On average respondent uses weekly: chewing tobacco	discrete numeric
V2202 mv484k	NA - On average respondent uses weekly: betel quid with tobacco	discrete numeric
V2203 mv484I	On average respondent uses weekly: any others	discrete numeric

Content MAN - Marriage and Sexual Exposure

Cases 12132

Variable(s) 22

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2204	mcaseid	Case Identification	discrete	character	
V2205	mv501	Current marital status	discrete	numeric	
V2206	mv502	Currently/formerly/never in union	discrete	numeric	
V2207	mv503	Number of unions	discrete	numeric	
V2208	mv504	Currently residing with wife/partner	discrete	numeric	
V2209	mv505	Number of wives/partners	discrete	numeric	
V2210	mv507	Month of first cohabitation	discrete	numeric	
V2211	mv508	Year of first cohabitation	contin	numeric	
V2212	mv509	Date of first cohabitation (CMC)	contin	numeric	
V2213	mv510	Completeness of date information in MV509	discrete	numeric	
V2214	mv511	Age at first cohabitation	contin	numeric	
V2215	mv512	Years since first cohabitation	contin	numeric	
V2216	mv513	Cohabitation duration (grouped)	discrete	numeric	
V2217	mv525	Age at first sex	discrete	numeric	
V2218	mv527	Time since last sex	discrete	numeric	
V2219	mv528	Time since last sex (in days)	discrete	numeric	
V2220	mv529	Time since last sex (in months)	discrete	numeric	
V2221	mv531	Age at first sex (imputed)	discrete	numeric	
V2222	mv532	Flag for MV531	discrete	numeric	
V2223	mv535	Ever been married or in union	discrete	numeric	
V2224	mv536	Recent sexual activity	discrete	numeric	
V2225	mv541	Intends to wait until marriage to have sex	discrete	numeric	

Content MAN - Fertility Preferences

Cases 12132

Variable(s) 24

Structure Type:
Keys: ()

Version

Producer

Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2226	mcaseid	Case Identification	discrete	character	
V2227	mv602	Fertility preference	discrete	numeric	
V2228	mv603	Preferred waiting time for birth of a/another child	discrete	numeric	
V2229	mv604	Preferred waiting time for birth of a/another child (grouped)	discrete	numeric	
V2230	mv605	Desire for more children	discrete	numeric	
V2231	mv613	Ideal number of children	discrete	numeric	
V2232	mv614	Ideal number of children (grouped)	discrete	numeric	
V2233	mv616	Desired time for future birth	discrete	numeric	
V2234	mv621	NA - Wife's desire for children	discrete	numeric	
V2235	mv627	Ideal number of boys	discrete	numeric	
V2236	mv628	Ideal number of girls	discrete	numeric	
V2237	mv629	Ideal number of either sex	discrete	numeric	
V2238	mv631	NA - Problem if wife became pregnant	discrete	numeric	
V2239	mv633a	NA - Wife justified refusing sex: husband has STI	discrete	numeric	
V2240	mv633b	Wife justified refusing sex: husband has other women	discrete	numeric	
V2241	mv633c	NA - Wife justified refusing sex: recent birth	discrete	numeric	
V2242	mv633d	NA - Wife justified refusing sex: tired, not in mood	discrete	numeric	
V2243	mv633e	NA - Wife justified refusing sex: CS reason	discrete	numeric	
V2244	mv633f	NA - Wife justified refusing sex: CS reason	discrete	numeric	
V2245	mv633g	NA - Wife justified refusing sex: CS reason	discrete	numeric	
V2246	mv634a	NA - Wife refuses to have sex, husband has right to: get angry	discrete	numeric	
V2247	mv634b	NA - Wife refuses to have sex, husband has right to: refuse financial support	discrete	numeric	
V2248	mv634c	NA - Wife refuses to have sex, husband has right to: use force for sex	discrete	numeric	
V2249	mv634d	NA - Wife refuses to have sex, husband has right to: have sex with another women	discrete	numeric	

Content MAN - Employment

Cases 12132

Variable(s) 30

Structure Type:
Keys: ()

Version

Producer

Missing Data

V2250 mcaseld Case Identification discrete character V2251 mv714 Currently working discrete numeric V2252 mv714a Have a job, but currently absent discrete numeric V2253 mv716 Occupation (grouped) discrete numeric V2254 mv717 Occupation (grouped) discrete numeric V2255 mv719 NA - Works for family, others, self discrete numeric V2256 mv721 NA - Works at home or away discrete numeric V2258 mv731 Worked in last 12 months discrete numeric V2258 mv732 Employment all year/seasonal discrete numeric V2259 mv733 Person who usually decides how to spend respondent's earnings discrete numeric V2260 mv740 NA - Type of land where respondent's work discrete numeric V2261 mv741 Type of earnings from respondent's work discrete numeric V2261 mv743b P	ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2252 mv714a Have a job, but currently absent discrete numeric V2253 mv716 Occupation discrete numeric V2254 mv717 Occupation (grouped) discrete numeric V2255 mv719 NA - Works for family, others, self discrete numeric V2256 mv721 NA - Works at home or away discrete numeric V2257 mv731 Worked in last 12 months discrete numeric V2258 mv732 Employment all year/seasonal discrete numeric V2259 mv739 Person who usually decides how to spend respondent's earnings discrete numeric V2260 mv740 NA - Type of land where respondent works discrete numeric V2261 mv741 Type of earnings from respondent's work discrete numeric V2262 mv743a Person who should have greater say: large household purchases discrete numeric V2263 mv743b Person who should have greater say: daily household purchases discrete numeric V2264 mv743c Person who should have greater say: deciding what to do with discrete numeric V2265 mv743f NA - Person who should have greater say: deciding what to do with discrete numeric V2267 mv744b Beating justified: wife goes out without telling husband discrete	V2250	mcaseid	Case Identification	discrete	character	
V2253mv716Occupation (grouped)discrete numericV2254mv717Occupation (grouped)discrete numericV2255mv719NA - Works for family, others, selfdiscrete numericV2256mv721NA - Works at home or awaydiscrete numericV2257mv731Worked in last 12 monthsdiscrete numericV2258mv732Employment all year/seasonaldiscrete numericV2259mv739Person who usually decides how to spend respondent's earningsdiscrete numericV2260mv740NA - Type of land where respondent worksdiscrete numericV2261mv741Type of earnings from respondent's workdiscrete numericV2262mv743aPerson who should have greater say: respondent's health carediscrete numericV2263mv743bPerson who should have greater say: large household purchasesdiscrete numericV2264mv743cPerson who should have greater say: daily household purchasesdiscrete numericV2265mv743dNA - Person who should have greater say: deciding visits to family or relativesdiscrete numericV2266mv743eNA - Person who should have greater say: deciding what to do with money wife eardiscrete numericV2267mv743fNA - Person who should have greater say: deciding how many children to havediscrete numericV2268mv743gNA - Person who should have greater say: deciding how many children to havediscrete numericV2270mv744dBeating justified: wife neglects the childrendiscrete numeric <td>V2251</td> <td>mv714</td> <td>Currently working</td> <td>discrete</td> <td>numeric</td> <td></td>	V2251	mv714	Currently working	discrete	numeric	
V2254 mv717 Ocupation (grouped) discrete numeric V2255 mv719 NA - Works for family, others, self discrete numeric V2256 mv721 NA - Works at home or away discrete numeric V2257 mv731 Worked in last 12 months discrete numeric V2258 mv732 Employment all year/seasonal discrete numeric V2259 mv739 Person who usually decides how to spend respondent's earnings discrete numeric V2260 mv740 NA - Type of land where respondent works discrete numeric V2261 mv741 Type of earnings from respondent's work discrete numeric V2262 mv743a Person who should have greater say: respondent's health care discrete numeric V2263 mv743b Person who should have greater say: large household purchases discrete numeric V2264 mv743c Person who should have greater say: daily household purchases discrete numeric V2265 mv743d NA - Person who should have greater say: doi to be cooked each day discrete numeric V2266 mv743e NA - Person who should have greater say: deciding what to do with money wife ear discrete numeric V2268 mv743g NA - Person who should have greater say: deciding how many children to have discrete numeric V2270 mv744b	V2252	mv714a	Have a job, but currently absent	discrete	numeric	
V2255 mv719 NA - Works for family, others, self discrete numeric V2256 mv721 NA - Works at home or away discrete numeric V2257 mv731 Worked in last 12 months discrete numeric V2258 mv732 Employment all year/seasonal discrete numeric V2259 mv739 Person who usually decides how to spend respondent's earnings discrete numeric V2260 mv740 NA - Type of land where respondent works discrete numeric V2261 mv741 Type of earnings from respondent's work discrete numeric V2262 mv743a Person who should have greater say: respondent's health care discrete numeric V2263 mv743b Person who should have greater say: large household purchases discrete numeric V2264 mv743c Person who should have greater say: daily household purchases discrete numeric V2265 mv743d NA - Person who should have greater say: deciding what to do with money wife ear discrete numeric V2267 mv743f NA - Person who should have greater say: deciding how many children to have <t< td=""><td>V2253</td><td>mv716</td><td>Occupation</td><td>discrete</td><td>numeric</td><td></td></t<>	V2253	mv716	Occupation	discrete	numeric	
V2256mv721NA - Works at home or awaydiscretenumericV2257mv731Worked in last 12 monthsdiscretenumericV2258mv732Employment all year/seasonaldiscretenumericV2259mv739Person who usually decides how to spend respondent's earningsdiscretenumericV2260mv740NA - Type of land where respondent worksdiscretenumericV2261mv741Type of earnings from respondent's workdiscretenumericV2262mv7439Person who should have greater say: respondent's health carediscretenumericV2263mv7430Person who should have greater say: large household purchasesdiscretenumericV2264mv7432Person who should have greater say: visits to family or relativesdiscretenumericV2265mv7430NA - Person who should have greater say: deciding what to do with money wife eardiscretenumericV2267mv7431NA - Person who should have greater say: deciding what to do with money wife eardiscretenumericV2268mv7432Beating justified: wife goes out without telling husbanddiscretenumericV2271mv7440Beating justified: wife argues with husbanddiscretenumericV2271mv7440Beating justified: wife refuses to have sex with husbanddiscretenumericV2271mv7440Beating justified: wife burns fooddiscretenumericV2272mv7445Owns a house alone or jointlydiscrete	V2254	mv717	Occupation (grouped)	discrete	numeric	
V2257mv731Worked in last 12 monthsdiscretenumericV2258mv732Employment all year/seasonaldiscretenumericV2259mv739Person who usually decides how to spend respondent's earningsdiscretenumericV2260mv740NA - Type of land where respondent worksdiscretenumericV2261mv741Type of earnings from respondent's workdiscretenumericV2262mv743aPerson who should have greater say: respondent's health carediscretenumericV2263mv743bPerson who should have greater say: large household purchasesdiscretenumericV2264mv743cPerson who should have greater say: daily household purchasesdiscretenumericV2265mv743dNA - Person who should have greater say: visits to family or relativesdiscretenumericV2266mv743eNA - Person who should have greater say: deciding what to do with money wife eardiscretenumericV2268mv743fNA - Person who should have greater say: deciding how many children to havediscretenumericV2269mv744bBeating justified: wife goes out without telling husbanddiscretenumericV2270mv744bBeating justified: wife neglects the childrendiscretenumericV2271mv744dBeating justified: wife argues with husbanddiscretenumericV2272mv744dBeating justified: wife burns fooddiscretenumericV2273mv745bOwns a house alone or	V2255	mv719	NA - Works for family, others, self	discrete	numeric	
V2258mv732Employment all year/seasonaldiscretenumericV2259mv739Person who usually decides how to spend respondent's earningsdiscretenumericV2260mv740NA - Type of land where respondent worksdiscretenumericV2261mv741Type of earnings from respondent's workdiscretenumericV2262mv743aPerson who should have greater say: respondent's health carediscretenumericV2263mv743bPerson who should have greater say: large household purchasesdiscretenumericV2264mv743cPerson who should have greater say: daily household purchasesdiscretenumericV2265mv743dNA - Person who should have greater say: visits to family or relativesdiscretenumericV2266mv743eNA - Person who should have greater say: food to be cooked each daydiscretenumericV2267mv743fNA - Person who should have greater say: deciding what to do with money wife eardiscretenumericV2268mv743gNA - Person who should have greater say: deciding how many children to havediscretenumericV2269mv744aBeating justified: wife goes out without telling husbanddiscretenumericV2270mv744bBeating justified: wife argues with husbanddiscretenumericV2271mv744cBeating justified: wife burns fooddiscretenumericV2272mv744bBeating justified: wife burns fooddiscretenumericV2273mv7	V2256	mv721	NA - Works at home or away	discrete	numeric	
V2259mv739Person who usually decides how to spend respondent's earningsdiscretenumericV2260mv740NA - Type of land where respondent worksdiscretenumericV2261mv741Type of earnings from respondent's workdiscretenumericV2262mv743aPerson who should have greater say: respondent's health carediscretenumericV2263mv743bPerson who should have greater say: large household purchasesdiscretenumericV2264mv743cPerson who should have greater say: daily household purchasesdiscretenumericV2265mv743dNA - Person who should have greater say: visits to family or relativesdiscretenumericV2266mv743eNA - Person who should have greater say: deciding what to do with money wife eardiscretenumericV2267mv743fNA - Person who should have greater say: deciding how many children to havediscretenumericV2269mv744aBeating justified: wife goes out without telling husbanddiscretenumericV2270mv744bBeating justified: wife neglects the childrendiscretenumericV2271mv744cBeating justified: wife argues with husbanddiscretenumericV2272mv744dBeating justified: wife refuses to have sex with husbanddiscretenumericV2273mv744eBeating justified: wife burns fooddiscretenumericV2274mv745aOwns a house alone or jointlydiscretenumeric	V2257	mv731	Worked in last 12 months	discrete	numeric	
V2260mv740NA - Type of land where respondent worksdiscretenumericV2261mv741Type of earnings from respondent's workdiscretenumericV2262mv743aPerson who should have greater say: respondent's health carediscretenumericV2263mv743bPerson who should have greater say: large household purchasesdiscretenumericV2264mv743cPerson who should have greater say: daily household purchasesdiscretenumericV2265mv743dNA - Person who should have greater say: visits to family or relativesdiscretenumericV2266mv743eNA - Person who should have greater say: dociding what to do with money wife eardiscretenumericV2267mv743fNA - Person who should have greater say: deciding how many children to havediscretenumericV2268mv743gNA - Person who should have greater say: deciding how many children to havediscretenumericV2269mv744aBeating justified: wife goes out without telling husbanddiscretenumericV2270mv744bBeating justified: wife neglects the childrendiscretenumericV2271mv744cBeating justified: wife argues with husbanddiscretenumericV2272mv744dBeating justified: wife refuses to have sex with husbanddiscretenumericV2273mv744eBeating justified: wife burns fooddiscretenumericV2274mv745aOwns a house alone or jointlydiscretenumeric	V2258	mv732	Employment all year/seasonal	discrete	numeric	
V2261mv741Type of earnings from respondent's workdiscretenumericV2262mv743aPerson who should have greater say: respondent's health carediscretenumericV2263mv743bPerson who should have greater say: large household purchasesdiscretenumericV2264mv743cPerson who should have greater say: daily household purchasesdiscretenumericV2265mv743dNA - Person who should have greater say: visits to family or relativesdiscretenumericV2266mv743eNA - Person who should have greater say: deciding what to do with money wife eardiscretenumericV2267mv743fNA - Person who should have greater say: deciding how many children to havediscretenumericV2268mv743gNA - Person who should have greater say: deciding how many children to havediscretenumericV2269mv744aBeating justified: wife goes out without telling husbanddiscretenumericV2270mv744bBeating justified: wife neglects the childrendiscretenumericV2271mv744cBeating justified: wife argues with husbanddiscretenumericV2272mv744dBeating justified: wife burns fooddiscretenumericV2273mv745aOwns a house alone or jointlydiscretenumericV2275mv745bOwns land alone or jointlydiscretenumeric	V2259	mv739	Person who usually decides how to spend respondent's earnings	discrete	numeric	
N2262 mv743a Person who should have greater say: respondent's health care discrete numeric N2263 mv743b Person who should have greater say: large household purchases discrete numeric N2264 mv743c Person who should have greater say: visits to family or relatives discrete numeric N2265 mv743d NA - Person who should have greater say: visits to family or relatives discrete numeric N2266 mv743e NA - Person who should have greater say: food to be cooked each day discrete numeric N2267 mv743f NA - Person who should have greater say: deciding what to do with money wife ear N2268 mv743g NA - Person who should have greater say: deciding how many discrete numeric N2269 mv744a Beating justified: wife goes out without telling husband discrete numeric N2270 mv744b Beating justified: wife neglects the children discrete numeric N2271 mv744c Beating justified: wife argues with husband discrete numeric N2272 mv744d Beating justified: wife refuses to have sex with husband discrete numeric N2273 mv744e Beating justified: wife burns food discrete numeric N2274 mv745a Owns a house alone or jointly discrete numeric N2275 mv745b Owns land alone or jointly discrete numeric	V2260	mv740	NA - Type of land where respondent works	discrete	numeric	
V2263mv743bPerson who should have greater say: large household purchasesdiscretenumericV2264mv743cPerson who should have greater say: daily household purchasesdiscretenumericV2265mv743dNA - Person who should have greater say: visits to family or relativesdiscretenumericV2266mv743eNA - Person who should have greater say: food to be cooked each daydiscretenumericV2267mv743fNA - Person who should have greater say: deciding what to do with money wife eardiscretenumericV2268mv743gNA - Person who should have greater say: deciding how many children to havediscretenumericV2269mv744aBeating justified: wife goes out without telling husbanddiscretenumericV2270mv744bBeating justified: wife neglects the childrendiscretenumericV2271mv744cBeating justified: wife argues with husbanddiscretenumericV2272mv744dBeating justified: wife refuses to have sex with husbanddiscretenumericV2273mv744eBeating justified: wife burns fooddiscretenumericV2274mv745aOwns a house alone or jointlydiscretenumericV2275mv745bOwns land alone or jointlydiscretenumeric	V2261	mv741	Type of earnings from respondent's work	discrete	numeric	
V2264mv743cPerson who should have greater say: daily household purchasesdiscretenumericV2265mv743dNA - Person who should have greater say: visits to family or relativesdiscretenumericV2266mv743eNA - Person who should have greater say: food to be cooked each daydiscretenumericV2267mv743fNA - Person who should have greater say: deciding what to do with money wife eardiscretenumericV2268mv743gNA - Person who should have greater say: deciding how many children to havediscretenumericV2269mv744aBeating justified: wife goes out without telling husbanddiscretenumericV2270mv744bBeating justified: wife neglects the childrendiscretenumericV2271mv744cBeating justified: wife argues with husbanddiscretenumericV2272mv744dBeating justified: wife refuses to have sex with husbanddiscretenumericV2273mv744eBeating justified: wife burns fooddiscretenumericV2274mv745bOwns a house alone or jointlydiscretenumeric	V2262	mv743a	Person who should have greater say: respondent's health care	discrete	numeric	
V2265mv743dNA - Person who should have greater say: visits to family or relativesdiscretenumericV2266mv743eNA - Person who should have greater say: food to be cooked each daydiscretenumericV2267mv743fNA - Person who should have greater say: deciding what to do with money wife eardiscretenumericV2268mv743gNA - Person who should have greater say: deciding how many children to havediscretenumericV2269mv744aBeating justified: wife goes out without telling husbanddiscretenumericV2270mv744bBeating justified: wife neglects the childrendiscretenumericV2271mv744cBeating justified: wife argues with husbanddiscretenumericV2272mv744dBeating justified: wife refuses to have sex with husbanddiscretenumericV2273mv744eBeating justified: wife burns fooddiscretenumericV2274mv745aOwns a house alone or jointlydiscretenumericV2275mv745bOwns land alone or jointlydiscretenumeric	V2263	mv743b	Person who should have greater say: large household purchases	discrete	numeric	
V2266mv743eNA - Person who should have greater say: food to be cooked each daydiscretenumericV2267mv743fNA - Person who should have greater say: deciding what to do with money wife eardiscretenumericV2268mv743gNA - Person who should have greater say: deciding how many children to havediscretenumericV2269mv744aBeating justified: wife goes out without telling husbanddiscretenumericV2270mv744bBeating justified: wife neglects the childrendiscretenumericV2271mv744cBeating justified: wife argues with husbanddiscretenumericV2272mv744dBeating justified: wife refuses to have sex with husbanddiscretenumericV2273mv744eBeating justified: wife burns fooddiscretenumericV2274mv745aOwns a house alone or jointlydiscretenumericV2275mv745bOwns land alone or jointlydiscretenumeric	V2264	mv743c	Person who should have greater say: daily household purchases	discrete	numeric	
V2267mv743fNA - Person who should have greater say: deciding what to do with money wife eardiscrete numericV2268mv743gNA - Person who should have greater say: deciding how many children to havediscrete numericV2269mv744aBeating justified: wife goes out without telling husbanddiscrete numericV2270mv744bBeating justified: wife neglects the childrendiscrete numericV2271mv744cBeating justified: wife argues with husbanddiscrete numericV2272mv744dBeating justified: wife refuses to have sex with husbanddiscrete numericV2273mv744eBeating justified: wife burns fooddiscrete numericV2274mv745aOwns a house alone or jointlydiscrete numericV2275mv745bOwns land alone or jointlydiscrete numeric	V2265	mv743d	NA - Person who should have greater say: visits to family or relatives	discrete	numeric	
woney wife ear V2268 mv743g NA - Person who should have greater say: deciding how many children to have V2269 mv744a Beating justified: wife goes out without telling husband discrete numeric V2270 mv744b Beating justified: wife neglects the children discrete numeric V2271 mv744c Beating justified: wife argues with husband discrete numeric V2272 mv744d Beating justified: wife refuses to have sex with husband discrete numeric V2273 mv744e Beating justified: wife burns food discrete numeric V2274 mv745a Owns a house alone or jointly discrete numeric V2275 mv745b Owns land alone or jointly discrete numeric	V2266	mv743e	\ensuremath{NA} - Person who should have greater say: food to be cooked each day	discrete	numeric	
children to have V2269 mv744a Beating justified: wife goes out without telling husband discrete numeric V2270 mv744b Beating justified: wife neglects the children discrete numeric V2271 mv744c Beating justified: wife argues with husband discrete numeric V2272 mv744d Beating justified: wife refuses to have sex with husband discrete numeric V2273 mv744e Beating justified: wife burns food discrete numeric V2274 mv745a Owns a house alone or jointly discrete numeric V2275 mv745b Owns land alone or jointly discrete numeric	V2267	mv743f		discrete	numeric	
V2270mv744bBeating justified: wife neglects the childrendiscretenumericV2271mv744cBeating justified: wife argues with husbanddiscretenumericV2272mv744dBeating justified: wife refuses to have sex with husbanddiscretenumericV2273mv744eBeating justified: wife burns fooddiscretenumericV2274mv745aOwns a house alone or jointlydiscretenumericV2275mv745bOwns land alone or jointlydiscretenumeric	V2268	mv743g		discrete	numeric	
V2271mv744cBeating justified: wife argues with husbanddiscretenumericV2272mv744dBeating justified: wife refuses to have sex with husbanddiscretenumericV2273mv744eBeating justified: wife burns fooddiscretenumericV2274mv745aOwns a house alone or jointlydiscretenumericV2275mv745bOwns land alone or jointlydiscretenumeric	V2269	mv744a	Beating justified: wife goes out without telling husband	discrete	numeric	
V2272mv744dBeating justified: wife refuses to have sex with husbanddiscretenumericV2273mv744eBeating justified: wife burns fooddiscretenumericV2274mv745aOwns a house alone or jointlydiscretenumericV2275mv745bOwns land alone or jointlydiscretenumeric	V2270	mv744b	Beating justified: wife neglects the children	discrete	numeric	
V2273mv744eBeating justified: wife burns fooddiscretenumericV2274mv745aOwns a house alone or jointlydiscretenumericV2275mv745bOwns land alone or jointlydiscretenumeric	V2271	mv744c	Beating justified: wife argues with husband	discrete	numeric	
V2274 mv745a Owns a house alone or jointly discrete numeric V2275 mv745b Owns land alone or jointly discrete numeric	V2272	mv744d	Beating justified: wife refuses to have sex with husband	discrete	numeric	
V2275 mv745b Owns land alone or jointly discrete numeric	V2273	mv744e	Beating justified: wife burns food	discrete	numeric	
	V2274	mv745a	Owns a house alone or jointly	discrete	numeric	
V2276 mv745c Title deed on house own by respondent discrete numeric	V2275	mv745b	Owns land alone or jointly	discrete	numeric	
	V2276	mv745c	Title deed on house own by respondent	discrete	numeric	

V2277	mv745d	Title deed on land own by respondent	discrete	numeric
V2278	mv747a	NA - Childbearing is a woman's concern	discrete	numeric
V2279	mv747b	NA - Important for mother/child health to get assistance at delivery	discrete	numeric

Content MAN - AIDS, STIs and Condom Use
Cases 12132
Variable(s) 147
Structure Type:
Keys: ()
Version
Producer
Missing Data

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2280	mcaseid	Case Identification	discrete	character	
V2281	mv750	Ever heard of a Sexually Transmitted Infection (STI)	discrete	numeric	
V2282	mv751	Ever heard of AIDS	discrete	numeric	
V2283	mv754bp	Reduce risk of getting HIV: do not have sex at all	discrete	numeric	
V2284	mv754cp	Reduce risk of getting HIV: always use condoms during sex	discrete	numeric	
V2285	mv754dp	Reduce risk of getting HIV: have 1 sex partner only, who has no other partners $% \left(1\right) =\left(1\right) +\left($	discrete	numeric	
V2286	mv754jp	Can get HIV from mosquito bites	discrete	numeric	
V2287	mv754wp	Can get HIV by sharing food with person who has AIDS	discrete	numeric	
V2288	mv756	A healthy looking person can have HIV	discrete	numeric	
V2289	mv761	Condom used during last sex with most recent partner	discrete	numeric	
V2290	mv761b	Condom used during last sex with 2nd to most recent partner	discrete	numeric	
V2291	mv761c	Condom used during last sex with 3rd to most recent partner	discrete	numeric	
V2292	mv762	Source of condoms used for last sex	discrete	numeric	
V2293	mv762a	Brand of condom used for last sex	discrete	numeric	
V2294	mv762aa	NA - Source for condoms: government hospital	discrete	numeric	
V2295	mv762ab	NA - Source for condoms: CS public	discrete	numeric	
V2296	mv762ac	NA - Source for condoms: CS public	discrete	numeric	
V2297	mv762ad	NA - Source for condoms: CS public	discrete	numeric	
V2298	mv762ae	NA - Source for condoms: CS public	discrete	numeric	
V2299	mv762af	NA - Source for condoms: CS public	discrete	numeric	
V2300	mv762ag	NA - Source for condoms: CS public	discrete	numeric	
V2301	mv762ah	NA - Source for condoms: CS public	discrete	numeric	
V2302	mv762ai	NA - Source for condoms: CS public	discrete	numeric	
V2303	mv762aj	NA - Source for condoms: private hospital/clinic	discrete	numeric	
V2304	mv762ak	NA - Source for condoms: pharmacy	discrete	numeric	
V2305	mv762al	NA - Source for condoms: private doctor	discrete	numeric	
V2306	mv762am	NA - Source for condoms: CS private	discrete	numeric	
V2307	mv762an	NA - Source for condoms: CS private	discrete	numeric	

V2308	mv762ao	NA - Source for condoms: CS private	discrete	numeric
V2309	mv762ap	NA - Source for condoms: CS private	discrete	numeric
V2310	mv762aq	NA - Source for condoms: CS private	discrete	numeric
V2311	mv762ar	NA - Source for condoms: CS private	discrete	numeric
V2312	mv762as	NA - Source for condoms: CS other	discrete	numeric
V2313	mv762at	NA - Source for condoms: CS other	discrete	numeric
V2314	mv762au	NA - Source for condoms: CS other	discrete	numeric
V2315	mv762av	NA - Source for condoms: CS other	discrete	numeric
V2316	mv762aw	NA - Source for condoms: CS other	discrete	numeric
V2317	mv762ax	NA - Source for condoms: other	discrete	numeric
V2318	mv762az	NA - Don't know any source for condoms	discrete	numeric
V2319	mv762ba	NA - Source for female condoms: government hospital	discrete	numeric
V2320	mv762bb	NA - Source for female condoms: CS public	discrete	numeric
V2321	mv762bc	NA - Source for female condoms: CS public	discrete	numeric
V2322	mv762bd	NA - Source for female condoms: CS public	discrete	numeric
V2323	mv762be	NA - Source for female condoms: CS public	discrete	numeric
V2324	mv762bf	NA - Source for female condoms: CS public	discrete	numeric
V2325	mv762bg	NA - Source for female condoms: CS public	discrete	numeric
V2326	mv762bh	NA - Source for female condoms: CS public	discrete	numeric
V2327	mv762bi	NA - Source for female condoms: CS public	discrete	numeric
V2328	mv762bj	NA - Source for female condoms: private hospital/clinic	discrete	numeric
V2329	mv762bk	NA - Source for female condoms: pharmacy	discrete	numeric
V2330	mv762bl	NA - Source for female condoms: private doctor	discrete	numeric
V2331	mv762bm	NA - Source for female condoms: CS private	discrete	numeric
V2332	mv762bn	NA - Source for female condoms: CS private	discrete	numeric
V2333	mv762bo	NA - Source for female condoms: CS private	discrete	numeric
V2334	mv762bp	NA - Source for female condoms: CS private	discrete	numeric
V2335	mv762bq	NA - Source for female condoms: CS private	discrete	numeric
V2336	mv762br	NA - Source for female condoms: CS private	discrete	numeric
V2337	mv762bs	NA - Source for female condoms: CS other	discrete	numeric
V2338	mv762bt	NA - Source for female condoms: CS other	discrete	numeric
V2339	mv762bu	NA - Source for female condoms: CS other	discrete	numeric
V2340	mv762bv	NA - Source for female condoms: CS other	discrete	numeric
V2341	mv762bw	NA - Source for female condoms: CS other	discrete	numeric
V2342	mv762bx	NA - Source for female condoms: other	discrete	numeric
V2343	mv762bz	NA - Don't know any source for female condoms	discrete	numeric
V2344	mv763a	Had any STI in last 12 months	discrete	numeric
V2345	mv763b	Had genital sore/ulcer in last 12 months	discrete	numeric
V2346	mv763c	Had genital discharge in last 12 months	discrete	numeric
V2347	mv763d	NA - Had CS STI in last 12 months	discrete	numeric
V2348	mv763e	NA - Had CS STI in last 12 months	discrete	numeric

V2349	mv763f	NA - Had CS STI in last 12 months	discrete	numeric
V2350	mv763g	NA - Had CS STI in last 12 months	discrete	numeric
V2351	mv766a	Number of sex partners, excluding spouse, in last 12 months	discrete	numeric
V2352	mv766b	Number of sex partners, including spouse, in last 12 months	discrete	numeric
V2353	mv767a	Relationship with most recent sex partner	discrete	numeric
V2354	mv767b	Relationship with 2nd to most recent sex partner	discrete	numeric
V2355	mv767c	Relationship with 3rd to most recent sex partner	discrete	numeric
V2356	mv768a	NA - Length of time had sex relations with most recent partner	discrete	numeric
V2357	mv768b	NA - Length of time had sex relations with 2nd to most recent partner	discrete	numeric
V2358	mv768c	NA - Length of time had sex relations with 3rd to most recent partner	discrete	numeric
V2359	mv769	NA - Can get a condom	discrete	numeric
V2360	mv769a	NA - Can get a female condom	discrete	numeric
V2361	mv770	Sought advice/treatment for last STI infection	discrete	numeric
V2362	mv770a	Sought STI advice/treatment from: government hospital	discrete	numeric
V2363	mv770b	Sought STI advice/treatment from: government health center	discrete	numeric
V2364	mv770c	Sought STI advice/treatment from: government health post	discrete	numeric
V2365	mv770d	Sought STI advice/treatment from: stand-alone HTC center	discrete	numeric
V2366	mv770e	Sought STI advice/treatment from: familiy planning clinic	discrete	numeric
V2367	mv770f	Sought STI advice/treatment from: mobile HTC center	discrete	numeric
V2368	mv770g	Sought STI advice/treatment from: other public	discrete	numeric
V2369	mv770h	NA - Sought STI advice/treatment from: CS public	discrete	numeric
V2370	mv770i	NA - Sought STI advice/treatment from: CS public	discrete	numeric
V2371	mv770j	NA - Sought STI advice/treatment from: CS public	discrete	numeric
V2372	mv770k	Sought STI advice/treatment from: private hospital/clinic/doctor	discrete	numeric
V2373	mv770l	Sought STI advice/treatment from: mission hospital/ clinic	discrete	numeric
V2374	mv770m	Sought STI advice/treatment from: stand-alone HTC center	discrete	numeric
V2375	mv770n	Sought STI advice/treatment from: pharmacy	discrete	numeric
V2376	mv770o	Sought STI advice/treatment from: mobile HTC center	discrete	numeric
V2377	mv770p	Sought STI advice/treatment from: other private	discrete	numeric
V2378	mv770q	NA - Sought STI advice/treatment from: CS private	discrete	numeric
V2379	mv770r	NA - Sought STI advice/treatment from: CS private	discrete	numeric
V2380	mv770s	NA - Sought STI advice/treatment from: CS private	discrete	numeric
V2381	mv770t	Sought STI advice/treatment from: shop	discrete	numeric
V2382	mv770u	NA - Sought STI advice/treatment from: CS other	discrete	numeric
V2383	mv770v	NA - Sought STI advice/treatment from: CS other	discrete	numeric
V2384	mv770w	NA - Sought STI advice/treatment from: CS other	discrete	numeric
V2385	mv770x	Sought STI advice/treatment from: other	discrete	numeric
V2386	mv774a	HIV transmitted during pregnancy	discrete	numeric
V2387	mv774b	HIV transmitted during delivery	discrete	numeric

V2388	mv774c	HIV transmitted by breastfeeding	discrete	numeric
V2389	mv775	NA - Knows someone who has, or is suspected of having, HIV	discrete	numeric
V2390	mv777	NA - Would want HIV infection in family to remain secret	discrete	numeric
V2391	mv777a	Would be ashamed if someone in the family had HIV	discrete	numeric
V2392	mv778	NA - Willing to care for relative with AIDS	discrete	numeric
V2393	mv779	\ensuremath{NA} - A female teacher infected with HIV, but is not sick, should be allowed to c	discrete	numeric
V2394	mv780	NA - Children should be taught about condoms to avoid AIDS	discrete	numeric
V2395	mv781	Ever been tested for HIV	discrete	numeric
V2396	mv783	Know a place to get HIV test	discrete	numeric
V2397	mv784a	Place for HIV test: government hospital	discrete	numeric
V2398	mv784b	Place for HIV test: government health center	discrete	numeric
V2399	mv784c	Place for HIV test: government health post	discrete	numeric
V2400	mv784d	Place for HIV test: stand-alone HTC center	discrete	numeric
V2401	mv784e	Place for HIV test: family planning clinic	discrete	numeric
V2402	mv784f	Place for HIV test: mobile HTC center	discrete	numeric
V2403	mv784g	Place for HIV test: other public	discrete	numeric
V2404	mv784h	NA - Place for HIV test: CS public	discrete	numeric
V2405	mv784i	NA - Place for HIV test: CS public	discrete	numeric
V2406	mv784j	NA - Place for HIV test: CS public	discrete	numeric
V2407	mv784k	Place for HIV test: private hospital/clinic/doctor	discrete	numeric
V2408	mv784l	Place for HIV test: mission hospital/clinic	discrete	numeric
V2409	mv784m	Place for HIV test: stand-alone HTC center	discrete	numeric
V2410	mv784n	Place for HIV test: pharmacy	discrete	numeric
V2411	mv784o	Place for HIV test: mobile HTC center	discrete	numeric
V2412	mv784p	Place for HIV test: other private	discrete	numeric
V2413	mv784q	NA - Place for HIV test: CS private	discrete	numeric
V2414	mv784r	NA - Place for HIV test: CS private	discrete	numeric
V2415	mv784s	NA - Place for HIV test: CS other	discrete	numeric
V2416	mv784t	NA - Place for HIV test: CS other	discrete	numeric
V2417	mv784u	NA - Place for HIV test: CS other	discrete	numeric
V2418	mv784v	NA - Place for HIV test: CS other	discrete	numeric
V2419	mv784x	Place for HIV test: other	discrete	numeric
V2420	mv785	Heard about other STIs	discrete	numeric
V2421	mv791	Have ever paid anyone in exchange for sex	discrete	numeric
V2422	mv791a	Last 12 months have given gifts or other goods to have sex	discrete	numeric
V2423	mv791b	Have ever given gifts or other goods to have sex	discrete	numeric
V2424	mv793	Paid for sex in last 12 months	discrete	numeric
V2425	mv793a	Condom used last time paid for sex in last 12 months	discrete	numeric
V2426	mv793b	Condom used every time paid for sex in last 12 months	discrete	numeric

MREC80

Content MAN - AIDS, STIs and Condom Use (continued)

Cases 12132

Variable(s) 56

Structure Type: Keys: ()

Version

Producer

Missing Data

Variables

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2427	mcaseid	Case Identification	discrete	character	
V2428	mv820	Condom used at first sex	discrete	numeric	
V2429	mv822	Wife justified asking husband to use condom if he has STI	discrete	numeric	
V2430	mv823	Can get HIV by witchcraft or supernatural means	discrete	numeric	
V2431	mv824	Drugs to avoid HIV transmission to baby during pregnancy	discrete	numeric	
V2432	mv825	Would buy vegetables from vendor with HIV	discrete	numeric	
V2433	mv826	NA - Last time tested for HIV	discrete	numeric	
V2434	mv826a	Months ago most recent HIV test	discrete	numeric	
V2435	mv827	NA - Last HIV test: on your own, offered or required	discrete	numeric	
V2436	mv828	Received result from last HIV test	discrete	numeric	
V2437	mv829	Place where last HIV test was taken	discrete	numeric	
V2438	mv832b	Time since last sex with 2nd to most recent partner	discrete	numeric	
V2439	mv832c	Time since last sex with 3rd to most recent partner	discrete	numeric	
V2440	mv833a	Used condom every time had sex with most recent partner in last 12 months	discrete	numeric	
V2441	mv833b	Used condom every time had sex with 2nd to most recent partner in last 12 months	discrete	numeric	
V2442	mv833c	Used condom every time had sex with 3rd to most recent partner in last 12 months	discrete	numeric	
V2443	mv834a	Age of most recent partner	discrete	numeric	
V2444	mv834b	Age of 2nd to most recent partner	discrete	numeric	
V2445	mv834c	Age of 3rd to most recent partner	discrete	numeric	
V2446	mv835a	Alcohol consumption at last sex with most recent partner	discrete	numeric	
V2447	mv835b	Alcohol consumption at last sex with 2nd to most recent partner	discrete	numeric	
V2448	mv835c	Alcohol consumption at last sex with 3rd to most recent partner	discrete	numeric	
V2449	mv836	Total lifetime number of sex partners	discrete	numeric	
V2450	mv837	NA - Heard of drugs to help HIV infected people live longer	discrete	numeric	
V2451	mv844	NA - Knows someone denied health services for having, or suspected of having, HI	discrete	numeric	

V2452	mv845	\ensuremath{NA} - Knows someone denied social event for having, or suspected of having, $\ensuremath{HIV};$	discrete	numeric
V2453	mv846	\ensuremath{NA} - Knows someone verbally abused for having, or suspected of having, HIV; in I	discrete	numeric
V2454	mv847	NA - People with HIV should be ashamed of themselves	discrete	numeric
V2455	mv848	NA - People with HIV should be blamed for bringing disease to community	discrete	numeric
V2456	mv849	NA - Children 12-14 should be taught to wait for sex until marriage	discrete	numeric
V2457	mv851a	NA - Young men should wait for sex until marriage	discrete	numeric
V2458	mv851b	NA - Most young men wait for sex until marriage	discrete	numeric
V2459	mv851c	NA - Unmarried sexually active men should have only one partner	discrete	numeric
V2460	mv851d	NA - Most unmarried sexually active men have only one partner	discrete	numeric
V2461	mv851e	NA - Married men should only have sex with their wives	discrete	numeric
V2462	mv851f	NA - Most married men only have sex with their wives	discrete	numeric
V2463	mv851g	NA - Young women should wait for sex until marriage	discrete	numeric
V2464	mv851h	NA - Most young women wait for sex until marriage	discrete	numeric
V2465	mv851i	NA - Unmarried sexually active women should have only one partner	discrete	numeric
V2466	mv851j	NA - Most unmarried sexually active women have only one partner	discrete	numeric
V2467	mv851k	NA - Married women should only have sex with their husbands	discrete	numeric
V2468	mv851l	NA - Most married women only have sex with their husbands	discrete	numeric
V2469	mv852a	How long ago first had sex with most recent partner	discrete	numeric
V2470	mv852b	How long ago first had sex with 2nd most recent partner	discrete	numeric
V2471	mv852c	How long ago first had sex with 3rd most recent partner	discrete	numeric
V2472	mv853a	Times in last 12 months had sex with most recent partner	discrete	numeric
V2473	mv853b	Times in last 12 months had sex with 2nd most recent partner	discrete	numeric
V2474	mv853c	Times in last 12 months had sex with 3rd most recent partner	discrete	numeric
V2475	mv854a	NA - Concurrent sexual partners	discrete	numeric
V2476	mv854b	NA - Cumulative concurrent sexual partners	discrete	numeric
V2477	mv856	Knowledge and use of HIV test kits	discrete	numeric
V2478	mv857a	Children with HIV should be allowed to attend school with children without \ensuremath{HIV}	discrete	numeric
V2479	mv857b	People hesitate to take HIV test because reaction of other people if positive	discrete	numeric
V2480	mv857c	People talk badly about people with or believed to have HIV	discrete	numeric
V2481	mv857d	People with or believed to have HIV lose respect from other people	discrete	numeric
V2482	mv858	Would be afraid to get HIV from contact with saliva from infected person	discrete	numeric

MREC91

Content MAN - Survey specific variables
Cases 12132
Variable(s) 42
Structure Type:
Keys: ()
Version
Producer
Missing Data

Variables

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2483	mcaseid	Case Identification	discrete	character	
V2484	sm618f	Beating justification: making major HH decision without consulting him	discrete	numeric	
V2485	sm714aa	Disclosed results of AIDS test with: Wife/Partner	discrete	numeric	
V2486	sm714ab	Disclosed results of AIDS test with: Family member	discrete	numeric	
V2487	sm714ac	Disclosed results of AIDS test with: Religious leader	discrete	numeric	
V2488	sm714ad	Disclosed results of AIDS test with: Friend	discrete	numeric	
V2489	sm714ae	Disclosed results of AIDS test with: Other	discrete	numeric	
V2490	sm415f	Flag for QM421	discrete	numeric	
V2491	sm804aa	Why where you circumcised: traditional costum?	discrete	numeric	
V2492	sm804ab	Why where you circumcised: treatment for desease?	discrete	numeric	
V2493	sm804ac	Why where you circumcised: hygiene?	discrete	numeric	
V2494	sm804ad	Why where you circumcised: prevention from desease?	discrete	numeric	
V2495	sm804ae	Why where you circumcised: increase sexual pleasure?	discrete	numeric	
V2496	sm804ax	Why where you circumcised: other?	discrete	numeric	
V2497	sm804az	Why where you circumcised: don't know?	discrete	numeric	
V2498	sm817a	In past 5 years: Ever undergone chirurgical operation	discrete	numeric	
V2499	sm817ba	Most recent type of operation: hernia operation	discrete	numeric	
V2500	sm817bb	Most recent type of operation: hydrocele operation	discrete	numeric	
V2501	sm817bc	Most recent type of operation: laparotomy	discrete	numeric	
V2502	sm817bd	Most recent type of operation: lump removal	discrete	numeric	
V2503	sm817be	Most recent type of operation: abscess drainage	discrete	numeric	
V2504	sm817bf	Most recent type of operation: wound closure	discrete	numeric	
V2505	sm817bg	Most recent type of operation: open fracture	discrete	numeric	
V2506	sm817bh	Most recent type of operation: circumcision	discrete	numeric	
V2507	sm817bi	Most recent type of operation: appendicitis	discrete	numeric	
V2508	sm817bk	Most recent type of operation: minor operation	discrete	numeric	
V2509	sm817bl	Most recent type of operation: eye surgery	discrete	numeric	
V2510	sm817bx	Most recent type of operation: other	discrete	numeric	

V2511	sm817c	In past 5 years: Ever told that might need another chirurgical operation	discrete	numeric
V2512	sm817cc	Did you undergo that surgery?	discrete	numeric
V2513	sm817da	Why you did not access it: could not reach the doctor	discrete	numeric
V2514	sm817db	Why you did not access it: could not afford the operation	discrete	numeric
V2515	sm817dc	Why you did not access it: could not afford to get to the hospital	discrete	numeric
V2516	sm817dd	Why you did not access it: could not afford the time off work	discrete	numeric
V2517	sm817de	Why you did not access it: was too far to get to the hospital	discrete	numeric
V2518	sm817df	Why you did not access it: did not trust the operation	discrete	numeric
V2519	sm817dg	Why you did not access it: fear of care	discrete	numeric
V2520	sm817dh	Why you did not access it: out of shame	discrete	numeric
V2521	sm817di	Why you did not access it: spouse/ family would not let me go	discrete	numeric
V2522	sm817dj	Why you did not access it: it was not needed anymore	discrete	numeric
V2523	sm817dk	Why you did not access it: still waiting	discrete	numeric
V2524	sm817dx	Why you did not access it: other	discrete	numeric

FWRECORD

Content Fieldworker record

Cases 156

Variable(s) 29

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2525	fw101	Fieldworker code	contin	numeric	
V2526	fw000	Country code and phase	discrete	character	
V2527	fw102	Fieldworker region of residence	discrete	numeric	
V2528	fw103	Fieldworker type of place of residence	discrete	numeric	
V2529	fw104	Fieldworker age	discrete	numeric	
V2530	fw105	Fieldworker sex	discrete	numeric	
V2531	fw106	Fieldworker marital status	discrete	numeric	
V2532	fw107	Fieldworker number of living children	discrete	numeric	
V2533	fw108	Fieldworker ever had a child who died	discrete	numeric	
V2534	fw109	Highest level of school attended by fieldworker	discrete	numeric	
V2535	fw110	Highest grade/form/year at that level completed by fieldworker	discrete	numeric	
V2536	fw111	Fieldworker religion	discrete	numeric	
V2537	fw112	Fieldworker ethnicity	discrete	numeric	
V2538	fw113	Languages spoken by fieldworker	discrete	character	
V2539	fw113a	English	discrete	character	
V2540	fw113b	Bemba	discrete	character	
V2541	fw113c	Kaonde	discrete	character	
V2542	fw113d	Lozi	discrete	character	
V2543	fw113e	Lunda	discrete	character	
V2544	fw113f	Luvale	discrete	character	
V2545	fw113g	Nyanja	discrete	character	
V2546	fw113h	Tonga	discrete	character	
V2547	fw113x	Other language	discrete	character	
V2548	fw113y	No other language	discrete	character	
V2549	fw114	Fieldworker's mother tongue/native language	discrete	numeric	
V2550	fw115	Has fieldworker ever worked on a DHS	discrete	numeric	
V2551	fw116	Has fieldworker ever worked on any other survey	discrete	numeric	
V2552	fw117	Was fieldworker working for agency at the time employed for DHS	discrete	numeric	

V2553 fw118 Is fieldworker a permanent or temporary employee of agency

discrete numeric

Case Identification (hhid)

File: RECH0

Overview

Type: Discrete Format: character

Width: 7

Country code and phase (hv000)

File: RECH0

Overview

Type: Discrete Format: character

Width: 3

Cluster number (hv001)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 1-545

Household number (hv002)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-30

Respondent's line number (answering Household questionnaire) (hv003)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-15

Ultimate area unit (hv004)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 1-545

Household sample weight (6 decimals) (hv005)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 8 Decimals: 0 Range: 0-10860753

Month of interview (hv006)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Year of interview (hv007)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2018-2019

Date of interview (CMC) (hv008)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 1423-1429

Date of interview Century Day Code (CDC) (hv008a)

File: RECH0

Type: Continuous Format: numeric Width: 5 Decimals: 0

Range: 43299-43487

Number of household members (hv009)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-28

Number of eligible women in household (hv010)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Number of eligible men in household (hv011)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Number of de jure members (hv012)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-28

Number of de facto members (hv013)

File: RECH0

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-24

Number of children 5 and under (de jure) (hv014)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Result of household interview (hv015)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Day of interview (hv016)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-31

Number of visits (hv017)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Interviewer identification (hv018)

File: RECH0

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 100-2204

NA - Keyer identification (hv019)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Ever-married sample (hv020)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Primary sampling unit (hv021)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 1-545

Sample strata for sampling errors (hv022)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-20

Stratification used in sample design (hv023)

File: RECH0

Province (hv024)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-10

Type of place of residence (hv025)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

NA - Place of residence (hv026)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Household selected for male interview (hv027)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

NA - Household weight for male subsample (6 decimals) (hv028)

File: RECH0

Type: Discrete Format: numeric Width: 1 Decimals: 0

Field supervisor (hv030)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 100-2200

NA - Field editor (hv031)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

NA - Office editor (hv032)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Number of eligible children for height and weight (hv035)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Cluster altitude in meters (hv040)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 345-9999

Total adults measured (hv041)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-11

Household selected for hemoglobin (hv042)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Household selected for Domestic Violence module (hv044)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Language of questionnaire (hv045a)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-99

Language of interview (hv045b)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-99

Native language of respondent (hv045c)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-99

Translator used (hv046)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Time interview started (hhmm - 24 hour clock) (hv801)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 33-2254

Time interview ended (hhmm - 24 hour clock) (hv802)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 52-2315

Length of interview in minutes (hv803)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 2-97

Number of visits for biomarker (hv804)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Day of biomarker visit (hv807d)

File: RECH0

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-31

Month of biomarker visit (hv807m)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Year of biomarker visit (hv807y)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2018-2019

Date of biomarker (CMC) (hv807c)

File: RECH0

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 1423-1429

Date of biomarker Century Day Code (CDC) (hv807a) File: RECH0

Overview

Type: Continuous Format: numeric Width: 5

Decimals: 0

Range: 43300-43486

Case Identification (hhid)

File: RECH1

Overview

Type: Discrete Format: character

Width: 7

Line number (hvidx)

File: RECH1

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-28

Relationship to head (hv101)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Usual resident (hv102)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Slept last night (hv103)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sex of household member (hv104)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Age of household members (hv105)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Highest educational level attained (hv106)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Highest year of education completed (hv107)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Education completed in single years (hv108)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Educational attainment (hv109)

File: RECH1

NA - Member still in school (hv110)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Mother alive (hv111)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Mother's line number (hv112)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-18

Father alive (hv113)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Father's line number (hv114)

File: RECH1

Current marital status (hv115)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Currently, formerly, never married (hv116)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Eligibility for female interview (hv117)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Eligibility for male interview (hv118)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Children eligibility for height/weight and hemoglobin (hv120)

File: RECH1

Member attended school during current school year (hv121) File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Educational level during current school year (hv122)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Grade of education during current school year (hv123)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Education in single years - current school year (hv124)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Member attended school during previous school year (hv125)

File: RECH1

NA - Educational level during previous school year (hv126)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Grade of education during previous school year (hv127)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 98-98

NA - Education in single years - previous school year (hv128)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 97-98

NA - School attendance status (hv129)

File: RECH1

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Member has a birth certificate (hv140)

File: RECH1

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-8

Case Identification (hhid)

File: RECH2

Overview

Type: Discrete Format: character

Width: 7

Source of drinking water (hv201)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Source of non-drinking water (hv202)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Water not available for at least a day last two weeks (hv201a)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Time to get to water source (minutes) (hv204)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-998

Type of toilet facility (hv205)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Has electricity (hv206)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Has radio (hv207)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Has television (hv208)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Has refrigerator (hv209)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Has bicycle (hv210)

File: RECH2

Has motorcycle/scooter (hv211)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Has car/truck (hv212)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Main floor material (hv213)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Main wall material (hv214)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Main roof material (hv215)

File: RECH2

Number of rooms used for sleeping (hv216)

File: RECH2

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-22

Relationship structure (hv217)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Line number of head of household (hv218)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-1

Sex of head of household (hv219)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Age of head of household (hv220)

File: RECH2

NA - Has telephone (land-line) (hv221)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Share toilet with other households (hv225)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Type of cooking fuel (hv226)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Has mosquito bed net for sleeping (hv227)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Children under 5 slept under mosquito bed net last night (hv228)

File: RECH2

Place where household members wash their hands (hv230a)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Presence of water at hand washing place (hv230b)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Items present: Soap or detergent (hv232)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Items present: Ash, mud, sand (hv232b)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Items present: CS (hv232c)

File: RECH2

NA - Items present: CS (hv232d)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Items present: CS (hv232e)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Items present: None (hv232y)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Result of salt test for iodine (PPM) (hv234)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-995

Result of salt test for iodine (hv234a)

File: RECH2

Location of source for water (hv235)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

NA - Person fetching water (hv236)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Anything done to water to make safe to drink (hv237)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Water usually treated by: boil (hv237a)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Water usually treated by: add bleach/chlorine (hv237b)

File: RECH2

Water usually treated by: strain through a cloth (hv237c)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Water usually treated by: use water filter (hv237d)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Water usually treated by: solar disinfection (hv237e)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Water usually treated by: let it stand and settle (hv237f)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Water usually treated by: CS (hv237g)

File: RECH2

NA - Water usually treated by: CS (hv237h)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Water usually treated by: CS (hv237i)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Water usually treated by: CS (hv237j)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Water usually treated by: CS (hv237k)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Water usually treated by: other (hv237x)

File: RECH2

Water usually treated by: don't know (hv237z)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Number of households sharing toilet (hv238)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 2-98

Location of toilet facility (hv238a)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

NA - Food cooked on stove or open fire (hv239)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

NA - Household has a chimney, hood or neither (hv240)

File: RECH2

Food cooked in the house/ separate building/ outdoors (hv241)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Household has separate room used as kitchen (hv242)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Has mobile telephone (hv243a)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Has watch (hv243b)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Has animal-drawn cart (hv243c)

File: RECH2

Has boat with a motor (hv243d)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Has a computer (hv243e)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Owns land usable for agriculture (hv244)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Hectares of agricultural land (1 decimal) (hv245)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-998

Owns livestock, herds or farm animals (hv246)

File: RECH2

Owns cattle (hv246a)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Owns cows/bulls (hv246b)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Owns horses/ donkeys/ mules (hv246c)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Owns goats (hv246d)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Owns sheep (hv246e)

File: RECH2

Owns chickens/poultry (hv246f)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Owns traditional cows (hv246g)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Owns pigs (hv246h)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Owns rabbits / other poultries (hv246i)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Owns CS (hv246j)

File: RECH2

NA - Owns CS (hv246k)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Has bank account (hv247)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Frequency household members smoke inside the house (hv252) File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Has dwelling been sprayed against mosquitoes in last 12 months (hv253)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Dwelling sprayed by: government worker/program (hv253a)

File: RECH2

Dwelling sprayed by: private company (hv253b)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Dwelling sprayed by: NGO (hv253c)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Dwelling sprayed by: CS (hv253d)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Dwelling sprayed by: CS (hv253e)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Dwelling sprayed by: CS (hv253f)

File: RECH2

NA - Dwelling sprayed by: CS (hv253g)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Dwelling sprayed by: CS (hv253h)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Dwelling sprayed by: other (hv253x)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Dwelling sprayed by: don't know (hv253z)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Wealth index combined (hv270)

File: RECH2

Wealth index factor score combined (5 decimals) (hv271)

File: RECH2

Overview

Type: Continuous Format: numeric Width: 7

Decimals: 0

Range: -116307-440876

Wealth index for urban/rural (hv270a)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Wealth index factor score for urban/rural (5 decimals) (hv271a)

File: RECH2

Overview

Type: Continuous Format: numeric Width: 7 Decimals: 0

Range: -204231-730172

Number of mosquito bed nets (hml1)

File: RECH2

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Number of mosquito bed nets with specific information (hml1a)

File: RECH2

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-7

Number of children under mosquito bed net previous night (hml2) File: RECH2

Overview

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-5

Case Identification (hhid)

File: RECH3

Overview

Type: Discrete Format: character

Width: 7

NA - Number of de-jure children 5-14 for child labor module (chl0)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

How do you store your drinking water (sh108a)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Own land usable for agriculture (sh119)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Agricultural land unit (sh120u)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Agricultural land number (sh120n)

File: RECH3

Type: Discrete Format: numeric Width: 16 Decimals: 0

Range: 0-99.8000030517578

Access to Internet (sh121f)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Bed (sh121g) File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Table (sh121h)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sofa (sh121i)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Washing machine (sh121j)

File: RECH3

Air conditioner (sh121k)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Generator (sh121I)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Microwave (sh121m)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Geyser (water heater) (sh121n)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Grain grinder (sh121o)

File: RECH3

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 0-1

Plough (sh121p)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Tractor (sh121q)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Hammer mill (sh121r)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Banana boat (sh122h)

File: RECH3

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Case Identification (hhid)

File: RECH4

Overview

Type: Discrete Format: character

Width: 7

Index to Household Schedule (idxh4)

File: RECH4

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-28

Ever attended school (sh16)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Level of education attended (sh17a)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Highest grade completed (sh17b)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Attend school current year (sh18)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Level of education attending (sh19a)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Grade attending (sh19b)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Fieldworker number for hemoglobine (sb112a)

File: RECH4

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 198-2299

Fieldworker number for ADULT RESPONDENTS (ANEMIA) (sb211f)

File: RECH4

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 198-2299

Consent for RDT tests (includes QB217, QB226 and QB238) (sb217)

File: RECH4

Interviewer that took blood for RDT testing (Includes QB217F and QB226F) (sb217f)

File: RECH4

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 198-2299

Fieldworker number for PARENT/CARETAKER (ANEMIA) (sb220f)

File: RECH4

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 198-2299

RDT result 1 - DETERMINE HIV RDT (sb243)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

RDT result 2 - UNIGOLD HIV RDT (sb244)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Was any RDT invalid (the control band did not appear)? (sb248)

File: RECH4

Number of invalid result using determine RDT (sb249)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Number of invalid result using unigold RDT (sb250)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Read consent statement to RDT (includes QB315, QB322, QB331) (sb315)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Fieldworker number for RDT (includes QB215F, QB222F) (sb315f)

File: RECH4

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 198-2299

RDT result 1 - DETERMINE HIV RDT (sb335)

File: RECH4

RDT result 2 - UNIGOLD HIV RDT (sb336)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Was any RDT invalid (the control band did not appear)? (sb340)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Number of invalid result using determine RDT (sb341)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Number of invalid result using unigold RDT (sb342)

File: RECH4

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Case Identification (hhid)

File: RECH5

Overview

Type: Discrete Format: character

Width: 7

Index to Household Schedule (ha0)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-19

Woman's age in years (ha1)

File: RECH5

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 15-49

NA - Woman's weight in kilograms (1 decimal) (ha2)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9994-9996

NA - Woman's height in centimeters (1 decimal) (ha3)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9994-9996

NA - Height/Age percentile (ha4)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

Height/Age standard deviation (ha5)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

NA - Height/Age percent ref. median (ha6)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0

Range: 99998-99998

Weight/Height standard deviation (DHS) (hall)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

NA - Weight/Height percent ref. median (DHS) (ha12)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 5

Decimals: 0

Range: 99998-99998

NA - Weight/Height percent ref. median (Fog) (ha12a)

File: RECH5

Type: Discrete Format: numeric Width: 5

Decimals: 0

Range: 99998-99998

NA - Weight/Height percent ref. median (WHO) (ha12b)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0

Range: 99998-99998

NA - Result of measurement - height/weight (ha13)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

NA - Fieldworker measurer code (ha21)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Date of birth (CMC) (ha32)

File: RECH5

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 824-1249

Completeness of HA32 information (ha33)

File: RECH5

Smoking (cigarettes in last 24 hours) (ha35)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-94

NA - Body Mass Index (ha40)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

NA - Rohrer's index (ha41)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

Under age 18 (ha50)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Line number of parent/caretaker (ha51)

File: RECH5

Read consent statement - hemoglobin (ha52)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Hemoglobin level (g/dl - 1 decimal) (ha53)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 30-996

Currently pregnant (ha54)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Result of measurement - hemoglobin (ha55)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal) (ha56)

File: RECH5

Anemia level (ha57)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

NA - Agrees to referral - anemia (ha58)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Marital status (ha60)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Read consent statement - HIV (ha61)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Bar code for HIV blood sample (ha62)

File: RECH5

Type: Discrete Format: character

Width: 5

Result of measurement - HIV (ha63)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Consent for additional tests (ha64)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Result of woman's individual interview (ha65)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-7

Woman's highest educational level (ha66)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Woman's highest year of education (ha67)

File: RECH5

Woman's highest educational level (for preliminary and final report) (ha68)

File: RECH5

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

HIV weight (6 decimals) (ha69)

File: RECH5

Overview

Type: Continuous Format: numeric Width: 8 Decimals: 0 Range: 0-10970726

Interviewer that took blood for HIV testing (ha70)

File: RECH5

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 198-2299

Case Identification (hhid)

File: RECH6

Overview

Type: Discrete Format: character

Width: 7

Index to Household Schedule (hc0)

File: RECH6

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 2-25

Child's age in months (hc1)

File: RECH6

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-59

Child's age in days (hc1a)

File: RECH6

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 0-1826

Child's weight in kilograms (1 decimal) (hc2)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 17-9996

Child's height in centimeters (1 decimal) (hc3)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 375-9996

Height/Age percentile (hc4)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 0-9999

Height/Age standard deviation (hc5)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: -594-9999

Height/Age percent of ref. median (hc6)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0 Range: 7529-99999

Weight/Age percentile (hc7)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 0-9999

Weight/Age standard deviation (hc8)

File: RECH6

Weight/Age percent of ref. median (hc9)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0 Range: 4819-99999

Weight/Height percentile (hc10)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 0-9999

Weight/Height standard deviation (hc11)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: -396-9999

Weight/Height percent of ref. median (hc12)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0 Range: 5532-99999

Result of measurement - height/weight (hc13)

File: RECH6

Height: lying or standing (hc15)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Day of birth (hc16)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Date measured (day) (hc17)

File: RECH6

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-31

Date measured (month) (hc18)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Date measured (year) (hc19)

File: RECH6

Century Day Code (CDC) of measurement (hc20)

File: RECH6

Overview

Type: Continuous Format: numeric Width: 5 Decimals: 0

Range: 43300-43486

Fieldworker measurer code (hc21)

File: RECH6

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 198-2299

Sex (hc27) File: RECH6

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Month of birth (hc30)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Year of birth (hc31)

File: RECH6

Date of birth (CMC) (hc32)

File: RECH6

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 1363-1429

Century Day Code (CDC) of birth (hc32a)

File: RECH6

Overview

Type: Continuous Format: numeric Width: 5 Decimals: 0

Range: 41481-43477

Completeness of HC32 information (hc33)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Line number of parent/caretaker (hc51)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-99

Read consent statement - hemoglobin (hc52)

File: RECH6

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 1-9

Hemoglobin level (g/dl - 1 decimal) (hc53)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 31-999

Result of measurement - hemoglobin (hc55)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Hemoglobin level adjusted for altitude (g/dl - 1 decimal) (hc56)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 31-999

Anemia level (hc57)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

NA - Agrees to referral - anemia (hc58)

File: RECH6

Mother's line number (woman's questionnaire) (hc60)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 1-995

Mother's highest educational level (hc61)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Mother's highest year of education (hc62)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Preceding birth interval (months) (hc63)

File: RECH6

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 8-999

Birth order number (hc64)

File: RECH6

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-99

Mother's highest educational level (for preliminary and final report) (hc68)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Height/Age standard deviation (new WHO) (hc70)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: -599-9999

Weight/Age standard deviation (new WHO) (hc71)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: -553-9999

Weight/Height standard deviation (new WHO) (hc72)

File: RECH6

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: -499-9999

BMI standard deviation (new WHO) (hc73)

File: RECH6

Type: Discrete Format: numeric

Width: 4 Decimals: 0 Range: -489-9999

Case Identification (hhid)

File: RECHMA

Overview

Type: Discrete Format: character

Width: 7

Index to Household Schedule (hb0)

File: RECHMA

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-28

Man's age in years (hb1)

File: RECHMA

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 15-59

NA - Man's weight in kilograms (1 decimal) (hb2)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9994-9996

NA - Man's height in centimeters (1 decimal) (hb3)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9994-9996

NA - Height/Age percentile (hb4)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

Height/Age standard deviation (hb5)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

NA - Height/Age percent ref. median (hb6)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0

Range: 99998-99998

Weight/Height standard deviation (DHS) (hb11)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

NA - Weight/Height percent ref. median (DHS) (hb12)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 5

Decimals: 0

Range: 99998-99998

NA - Weight/Height percent ref. median (Fog) (hb12a)

File: RECHMA

Type: Discrete Format: numeric Width: 5 Decimals: 0

Range: 99998-99998

NA - Weight/Height percent ref. median (WHO) (hb12b)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0

Range: 99998-99998

NA - Result of measurement - height/weight (hb13)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

NA - Fieldworker measurer code (hb21)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Date of birth (CMC) (hb32)

File: RECHMA

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 704-1249

Completeness of HB32 information (hb33)

File: RECHMA

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 1-8

Smoking (cigarettes in last 24 hours) (hb35)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-94

NA - Body Mass Index (hb40)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

NA - Rohrer's index (hb41)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

Under age 18 (hb50)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Line number of parent/caretaker (hb51)

File: RECHMA

Type: Discrete Format: numeric Width: 2 Decimals: 0

Range: 0-11

NA - Read consent statement - hemoglobin (hb52)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

NA - Hemoglobin level (g/dl - 1 decimal) (hb53)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 994-996

NA - Result of measurement - hemoglobin (hb55)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

NA - Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal) (hb56)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 997-997

NA - Anemia level (hb57)

File: RECHMA

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 1-4

NA - Agrees to referral - anemia (hb58)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Marital status (hb60)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Read consent statement - HIV (hb61)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Bar code for HIV blood sample (hb62)

File: RECHMA

Overview

Type: Discrete Format: character

Width: 5

Result of measurement - HIV (hb63)

File: RECHMA

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Consent for additional tests (hb64)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Result of man's individual interview (hb65)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-7

Man's highest educational level (hb66)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Man's highest year of education (hb67)

File: RECHMA

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Man's highest educational level (for preliminary and final report) (hb68)

File: RECHMA

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-8

HIV weight (6 decimals) (hb69)

File: RECHMA

Overview

Type: Continuous Format: numeric Width: 8 Decimals: 0 Range: 0-12614371

Interviewer that took blood for HIV testing (hb70)

File: RECHMA

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 198-2299

Case Identification (hhid)

File: RECHML

Overview

Type: Discrete Format: character

Width: 7

Mosquito Bed Net Designation Number (hmlidx)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-7

Net observed by interviewer (hml3)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Months ago net obtained (hml4)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Net treated with insecticide when bought (hml5)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Net treatment status (hml6)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Brand of net (hml7)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-98

NA - Net treated since received (hml8)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Time since last re-treatment (months) (hml9)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 95-98

Insecticide-Treated Net (ITN) (hml10)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Number of persons who slept under this net (hml11)

File: RECHML

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Someone slept under this net last night (hml21)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Line number of person who slept in this net (hmla)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-17

Line number of person who slept in this net (hmlb)

File: RECHML

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-25

Line number of person who slept in this net (hmlc)

File: RECHML

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-24

Line number of person who slept in this net (hmld)

File: RECHML

Type: Discrete Format: numeric Width: 2

Decimals: 0 Range: 1-17

NA - Line number of person who slept in this net (hmle)

File: RECHML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Obtained net from campaign, antenatal or immunization visit (hml22) File: RECHML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Place where net was obtained (hml23)

File: RECHML

Overview

Case Identification (hhid)

File: RECHMH

Overview

Type: Discrete Format: character

Width: 7

Index to Household Schedule (hmhidx)

File: RECHMH

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-28

Type of Mosquito Bed Net(s) person slept under last night (hml12)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Net Designation Number (HMLIDX) for 1st net person slept under last night (hml13)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Net Designation Number (HMLIDX) for 2nd net person slept under last night (hml14)

File: RECHMH

Overview

Net Designation Number (HMLIDX) for 3rd net person slept under last night (hml15)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 3-7

Corrected age from Individual file (hml16)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Age in months (for children) (hml16a)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Flag for age from Individual file (hml17)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Pregnancy status from Individual file (hml18)

File: RECHMH

Overview

Person slept under an ever-treated net (hml19)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Person slept under an LLIN net (hml20)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Line number of parent/caretaker (for malaria testing) (hml30)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-0

NA - Read consent statement for malaria (hml31)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

NA - Final result of malaria from blood smear test (hml32)

File: RECHMH

Overview

NA - Presence of species: falciparum (Pf) (hml32a)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Presence of species: malariae (Pm) (hml32b)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Presence of species: ovale (Po) (hml32c)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Presence of species: vivax (Pv) (hml32d)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Presence of species: CS (hml32e)

File: RECHMH

Overview

NA - Presence of species: CS (hml32f)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Presence of species: CS (hml32g)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Result of malaria measurement (hml33)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Bar code for blood smear sample (hml34)

File: RECHMH

Overview

Type: Discrete Format: character

Width: 1

NA - Result of malaria rapid test (hml35)

File: RECHMH

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Fieldworker measurer code for malaria (hml36)

File: RECHMH

Overview

Type: Discrete Format: numeric

Width: 1 Decimals: 0

Case Identification (hhid)

File: REC01

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC01

Overview

Type: Discrete Format: character Width: 10

Country code and phase (v000)

File: REC01

Overview

Type: Discrete Format: character

Width: 3

Cluster number (v001)

File: REC01

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 1-545

Household number (v002)

File: REC01

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-30

Respondent's line number (v003)

File: REC01

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-19

Ultimate area unit (v004)

File: REC01

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 1-545

Women's individual sample weight (6 decimals) (v005)

File: REC01

Overview

Type: Continuous Format: numeric Width: 8 Decimals: 0 Range: 0-10665160

Month of interview (v006)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Year of interview (v007)

File: REC01

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2018-2019

Date of interview (CMC) (v008)

File: REC01

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 1423-1430

Date of interview Century Day Code (CDC) (v008a)

File: REC01

Overview

Type: Continuous Format: numeric Width: 5 Decimals: 0

Range: 43299-43504

Respondent's month of birth (v009)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Respondent's year of birth (v010)

File: REC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 1968-2004

Date of birth (CMC) (v011)

File: REC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 824-1249

Respondent's current age (v012)

File: REC01

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 15-49

Age in 5-year groups (v013)

File: REC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-7

Completeness of age information (v014)

File: REC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Result of individual interview (v015)

File: REC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-7

Day of interview (v016)

File: REC01

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-31

CMC start of calendar (v017)

File: REC01

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 1357-1357

Row of month of interview (v018)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-14

Length of calendar (v019)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-73

Number of calendar columns (v019a)

File: REC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Ever-married sample (v020)

File: REC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Primary sampling unit (v021)

File: REC01

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 1-545

Sample strata for sampling errors (v022)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-20

Stratification used in sample design (v023)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-20

Region (v024)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-10

Type of place of residence (v025)

File: REC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

NA - De facto place of residence (v026)

File: REC01

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Number of visits (v027)

File: REC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Interviewer identification (v028)

File: REC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 101-2203

NA - Keyer identification (v029)

File: REC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Field supervisor (v030)

File: REC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 100-2200

NA - Field editor (v031)

File: REC01

Type: Discrete Format: numeric Width: 1 Decimals: 0

NA - Office editor (v032)

File: REC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Line number of husband (v034)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-20

Cluster altitude in meters (v040)

File: REC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 345-9999

Household selected for hemoglobin (v042)

File: REC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Selected for Domestic Violence module (v044)

File: REC01

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Language of questionnaire (v045a)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Language of interview (v045b)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Native language of respondent (v045c)

File: REC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Translator used (v046)

File: REC01

Overview

Case Identification (hhid)

File: REC11

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC11

Overview

Type: Discrete Format: character Width: 10

Region (v101) File: REC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-10

Type of place of residence (v102)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

NA - Childhood place of residence (v103)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Years lived in place of residence (v104)

File: REC11

Type: Discrete Format: numeric Width: 2

Decimals: 0 Range: 0-98

Type of place of previous residence (v105)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Region of previous residence (v105a)

File: REC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Highest educational level (v106)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Highest year of education (v107)

File: REC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-10

Source of drinking water (v113)

File: REC11

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-97

Time to get to water source (v115)

File: REC11

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-998

Type of toilet facility (v116)

File: REC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-97

Household has: electricity (v119)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Household has: radio (v120)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Household has: television (v121)

File: REC11

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Household has: refrigerator (v122)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Household has: bicycle (v123)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Household has: motorcycle/scooter (v124)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Household has: car/truck (v125)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Main floor material (v127)

File: REC11

Type: Discrete Format: numeric Width: 2

Decimals: 0 Range: 10-97

Main wall material (v128)

File: REC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-97

Main roof material (v129)

File: REC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-97

Religion (v130)

File: REC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

NA - Ethnicity (v131)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Education in single years (v133)

File: REC11

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-97

NA - De facto place of residence (v134)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Usual resident or visitor (v135)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Number of household members (listed) (v136)

File: REC11

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-28

Number of children 5 and under in household (de jure) (v137)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Number of eligible women in household (de facto) (v138)

File: REC11

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-7

De jure region of residence (v139)

File: REC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-97

De jure type of place of residence (v140)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

NA - De jure place of residence (v141)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Educational attainment (v149)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Relationship to household head (v150)

File: REC11

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Sex of household head (v151)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Age of household head (v152)

File: REC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 15-98

NA - Household has: telephone (land-line) (v153)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

All woman factor - total (awfactt)

File: REC11

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-100

All woman factor - urban/rural (awfactu)

File: REC11

All woman factor - regional (awfactr)

File: REC11

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-100

All woman factor - educational (awfacte)

File: REC11

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-100

All woman factor - wealth index (awfactw)

File: REC11

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-100

Literacy (v155)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

NA - Ever participated in a literacy program outside of primary (v156)

File: REC11

Frequency of reading newspaper or magazine (v157)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Frequency of listening to radio (v158)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Frequency of watching television (v159)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Toilet facilities shared with other households (v160)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Type of cooking fuel (v161)

File: REC11

NA - Result of salt test for iodine (v166)

File: REC11

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-997

Number of trips in last 12 months (v167)

File: REC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-90

Away for more than one month in last 12 months (v168)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Owns a mobile telephone (v169a)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Use mobile telephone for financial transactions (v169b)

File: REC11

Has an account in a bank or other financial institution (v170) File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Use of internet (v171a)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Frequency of using internet last month (v171b)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Wealth index combined (v190)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Wealth index factor score combined (5 decimals) (v191)

File: REC11

Type: Continuous Format: numeric Width: 7

Decimals: 0

Range: -116307-440876

Wealth index for urban/rural (v190a)

File: REC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Wealth index factor score for urban/rural (5 decimals) (v191a) File: REC11

Overview

Type: Continuous Format: numeric Width: 7

Decimals: 0

Range: -200100-730172

Type of mosquito bed net(s) slept under last night (ml101) File: REC11

Overview

Case Identification (hhid)

File: REC21

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC21

Overview

Type: Discrete Format: character

Width: 10

Birth column number (bidx)

File: REC21

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-14

Birth order number (bord)

File: REC21

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-14

Child is twin (b0)

File: REC21

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Month of birth (b1)

File: REC21

Type: Discrete Format: numeric Width: 2 Decimals: 0

Range: 1-12

Year of birth (b2)

File: REC21

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 1981-2019

Date of birth (CMC) (b3)

File: REC21

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 973-1429

Sex of child (b4)

File: REC21

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Child is alive (b5)

File: REC21

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Age at death (b6)

File: REC21

Age at death (months, imputed) (b7)

File: REC21

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 0-396

Current age of child (b8)

File: REC21

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-37

Child lives with whom (b9)

File: REC21

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Completeness of information (b10)

File: REC21

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Preceding birth interval (months) (b11)

File: REC21

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 8-251

Succeeding birth interval (months) (b12)

File: REC21

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 8-251

Flag for age at death (b13)

File: REC21

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Live birth between births (b15)

File: REC21

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Child's line number in household (b16)

File: REC21

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-24

Day of birth (b17)

File: REC21

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-31

Century Day Code of birth (CDC) (b18)

File: REC21

Overview

Type: Continuous Format: numeric Width: 5 Decimals: 0

Range: 29589-43477

Current age of child in months (months since birth for dead children) (b19)

File: REC21

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 0-452

Duration of pregnancy (b20)

File: REC21

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0

Decimals: 0 Range: 4-10

Case Identification (hhid)

File: REC22

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC22

Overview

Type: Discrete Format: character Width: 10

Total children ever born (v201)

File: REC22

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-14

Sons at home (v202)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Daughters at home (v203)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Sons elsewhere (v204)

File: REC22

Daughters elsewhere (v205)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Sons who have died (v206)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Daughters who have died (v207)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Births in last five years (v208)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Births in past year (v209)

File: REC22

Births in month of interview (v210)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Date of first birth (CMC) (v211)

File: REC22

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 973-1429

Age of respondent at 1st birth (v212)

File: REC22

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 12-43

Currently pregnant (v213)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Duration of current pregnancy (v214)

File: REC22

Time since last menstrual period (v215)

File: REC22

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Menstruated in last six weeks (v216)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Knowledge of ovulatory cycle (v217)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Number of living children (v218)

File: REC22

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-14

Living children + current pregnancy (v219)

File: REC22

Living children + current pregnancy (grouped) (v220)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Marriage to first birth interval (months) (v221)

File: REC22

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-996

Last birth to interview (months) (v222)

File: REC22

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 0-404

Completeness of current pregnancy information (v223)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 7-8

Entries in birth history (v224)

File: REC22

Current pregnancy wanted (v225)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Time since last period (comp) (months) (v226)

File: REC22

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-998

Flag for last period (v227)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Ever had a terminated pregnancy (v228)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Month pregnancy ended (v229)

File: REC22

Year pregnancy ended (v230)

File: REC22

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 1980-9998

CMC pregnancy ended (v231)

File: REC22

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 970-9998

Completeness of last termination information (v232)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Months when pregnancy ended (v233)

File: REC22

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Other such pregnancies (v234)

File: REC22

Index last child prior to maternity-health (calendar) (v235)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Birth between last and interview (v237)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Births in last three years (v238)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Pregnancies terminated before calendar beginning (v239)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Month of last termination prior to calendar (v240)

File: REC22

Year of last termination prior to calendar (v241)

File: REC22

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 1980-9998

CMC termination ended prior to calendar (v242)

File: REC22

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 970-9998

Completeness of last termination date prior to calendar (v243)

File: REC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Can women get pregnant after birth and before period (v244)

File: REC22

Overview

Case Identification (hhid)

File: REC31

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC31

Overview

Type: Discrete Format: character

Width: 10

Knowledge of any method (v301)

File: REC31

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

NA - Ever use of any method (v302)

File: REC31

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Ever used anything or tried to delay or avoid getting pregnant (v302a)

File: REC31

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Item created from ISSA Group (rec31 group)

File: REC31

Type: Discrete Format: character Width: 4

Case Identification (hhid)

File: REC32

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC32

Overview

Type: Discrete Format: character

Width: 10

NA - Living children at first use (v310)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

NA - Children at first use (grouped) (v311)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 4-5

Current contraceptive method (v312)

File: REC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-20

Current use by method type (v313)

File: REC32

Month of start of use of method (v315)

File: REC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Year of start of use of method (v316)

File: REC32

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 1997-2019

Date of start of use of method (CMC) (v317)

File: REC32

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 1174-1429

Completeness of information (v318)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Years since sterilization (v319)

File: REC32

Age at sterilization (v320)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Marital duration at sterilization (v321)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Parity at sterilization (v322)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Brand of pill used (v323)

File: REC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Brand of condom used (v323a)

File: REC32

NA - Cost of current method (in CURRENCY) (v325a)

File: REC32

Overview

Type: Discrete Format: numeric Width: 7 Decimals: 0

Range: 9999995-999998

Last source for current users (v326)

File: REC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-98

Last source for users by type (v327)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Months of use of current method (v337)

File: REC32

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-998

Last method discontinued in last 5 years (v359)

File: REC32

Type: Discrete Format: numeric Width: 2 Decimals: 0

Range: 1-20

Reason of last discontinuation (v360)

File: REC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pattern of use (v361)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-4

Intention to use (v362)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

NA - Preferred future method (v363)

File: REC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Contraceptive use and intention (v364)

File: REC32

Wanted last child (v367)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

NA - Shown pill package (v372)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Shown condom package (v372a)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Main reason not using a method (v375a)

File: REC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 11-98

NA - Main reason not to use a method (v376)

File: REC32

NA - Would ever use method if married (v376a)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Source known for any method (v379)

File: REC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-98

Source known for any method (v380)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Heard family planning on radio last few months (v384a)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Heard family planning on TV last few months (v384b)

File: REC32

Heard family planning in newspaper/magazine last few months (v384c)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Heard family planning by text messages on mobile phone (v384d)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Visited by fieldworker in last 12 months (v393)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Did fieldworker talk about family planning (v393a)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Visited health facility last 12 months (v394)

File: REC32

At health facility, told of family planning (v395)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: government hospital (v3a00a)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS public sector (v3a00b)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS public sector (v3a00c)

File: REC32

Overview

NA - Source of family planning for non-users: CS public sector (v3a00d)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS public sector (v3a00e)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS public sector (v3a00f)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS public sector (v3a00g)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS public sector (v3a00h)

File: REC32

NA - Source of family planning for non-users: CS public sector (v3a00i) File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: private hospital/clinic (v3a00j)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: pharmacy (v3a00k)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: private doctor (v3a00l)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS private sector

(v3a00m) File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS private sector (v3a00n)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS private sector (v3a00o)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS private sector (v3a00p)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS private sector (v3a00q)

File: REC32

Overview

NA - Source of family planning for non-users: CS private sector (v3a00r)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS other (v3a00s)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS other (v3a00t)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS other (v3a00u)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: CS other (v3a00v)

File: REC32

Overview

NA - Source of family planning for non-users: CS other (v3a00w) File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source of family planning for non-users: other (v3a00x)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Source of family planning for non-users: no source (v3a00y)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Source of family planning for non-users: any source (v3a00z)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Told sterilization would mean no more children (v3a01)

File: REC32

Overview

Told about side effects (v3a02)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Told about side effects by health or family planning worker (v3a03)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Told how to deal with side effects (v3a04)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Told about other family planning methods (v3a05)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Told about other family planning methods by health or family planning worker (v3a06)

File: REC32

Overview

First source for current method (v3a07)

File: REC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-98

Reason not using: not married (v3a08a)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: not having sex (v3a08b)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: infrequent sex (v3a08c)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: menopausal/hysterectomy (v3a08d)

File: REC32

Overview

Reason not using: subfecund/infecund (v3a08e)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: postpartum amenorrheic (v3a08f)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: breastfeeding (v3a08g)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: fatalistic (v3a08h)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: respondent opposed (v3a08i)

File: REC32

Overview

Reason not using: husband/partner opposed (v3a08j)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: others opposed (v3a08k)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: religious prohibition (v3a08l)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: knows no method (v3a08m)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: knows no source (v3a08n)

File: REC32

Overview

NA - Reason not using: health concerns (v3a08o)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: fear of side effects/health concerns (v3a08p)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: lack of access/too far (v3a08q)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: costs too much (v3a08r)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: inconvenient to use (v3a08s)

File: REC32

Overview

Reason not using: interferes with bodyâ??s processes (v3a08t)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: preferred method not available (v3a08u)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: no method available (v3a08v)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason not using: CS (v3a08w)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason not using: CS (v3a08aa)

File: REC32

Overview

NA - Reason not using: CS (v3a08ab)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason not using: CS (v3a08ac)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason not using: CS (v3a08ad)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: other (v3a08x)

File: REC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not using: don't know (v3a08z)

File: REC32

Overview

NA - How many pill cycles did get last time (v3a09a)

File: REC32

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 998-998

NA - How many condoms did get last time (v3a09b)

File: REC32

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0

Range: 998-998

Case Identification (hhid)

File: REC41

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC41

Overview

Type: Discrete Format: character Width: 10

Index to Birth History (midx)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Number of tetanus injections before birth (m1)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Number of tetanus injections before pregnancy (m1a)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Month of last tetanus injection before pregnancy (m1b)

File: REC41

NA - Year of last tetanus injection before pregnancy (m1c)

File: REC41

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9997-9998

Years ago received last tetanus injection before pregnancy (m1d) File: REC41

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-33

Last tetanus injection before pregnancy (CMC) (m1e)

File: REC41

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 1029-9996

Prenatal: doctor (m2a)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Prenatal: Nurse/midwife (m2b)

File: REC41

Prenatal: Clinical officer (m2c)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Prenatal: CS health professional (m2d)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Prenatal: CS health professional (m2e)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Prenatal: CS health professional (m2f)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Prenatal: traditional birth attendant (m2g)

File: REC41

Prenatal: Community village health assistant (m2h)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Prenatal: Community village health worker (m2i)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Prenatal: friend / relative (m2j)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Prenatal: other (m2k)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Prenatal: CS other (m2l)

File: REC41

NA - Prenatal: CS other (m2m)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Prenatal: no one (m2n)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Assistance: doctor (m3a)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Assistance: nurse/midwife (m3b)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Assistance: clinical officer (m3c)

File: REC41

NA - Assistance: CS health professional (m3d)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Assistance: CS health professional (m3e)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Assistance: CS health professional (m3f)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Assistance: traditional birth attendant (m3g)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Assistance: community health worker (m3h)

File: REC41

Assistance: relative/ friend (m3i)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Assistance: community/village health worker (m3j)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Assistance: other (m3k)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Assistance: CS other (m3l)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Assistance: CS other (m3m)

File: REC41

Assistance: no one (m3n)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Duration of breastfeeding (m4)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 93-98

Months of breastfeeding (m5)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Duration of amenorrhea (m6)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Months of amenorrhea (m7)

File: REC41

Duration of abstinence (m8)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Months of abstinence (m9)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Wanted pregnancy when became pregnant (m10)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Desired time would have waited (m11)

File: REC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-998

Timing of 1st antenatal check (months) (m13)

File: REC41

Number of antenatal visits during pregnancy (m14) File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Place of delivery (m15)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Delivery by caesarean section (m17)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Timing on decision for caesarean section (m17a)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Size of child at birth (m18)

File: REC41

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 1-8

Birth weight in kilograms (3 decimals) (m19)

File: REC41

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 500-9998

Weight at birth/recall (m19a)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

NA - Flag for breastfeeding (m27)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Flag for amenorrhea (m28)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Flag for abstinence (m29)

File: REC41

When child put to breast (m34)

File: REC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-299

NA - Number of times breastfed during previous night (m35)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 96-96

NA - Number of times breastfed during previous day (m36)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 96-96

Drank from bottle with nipple yesterday/last night (m38)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Did eat any solid, semi-solid or soft foods yesterday (m39a)

File: REC41

Number of times ate solid, semi-solid or soft food yesterday (m39) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

During pregnancy: weighed (m42a)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - During pregnancy: height measured (m42b)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

During pregnancy: blood pressure taken (m42c)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

During pregnancy: urine sample taken (m42d)

File: REC41

During pregnancy: blood sample taken (m42e)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Told about pregnancy complications (m43)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Told where to go for pregnancy complications (m44)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

During pregnancy, given or bought iron tablets/syrup (m45)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Days tablets or syrup taken (m46)

File: REC41

NA - During pregnancy, had difficulty with daylight vision (m47) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During pregnancy, had difficulty with night blindness (m48) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

During pregnancy took: SP/fansidar for malaria (m49a) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During pregnancy took: chloroquine for malaria (m49b) File: REC41

.

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During pregnancy took: CS drug for malaria (m49c)

File: REC41

NA - During pregnancy took: CS drug for malaria (m49d)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During pregnancy took: CS drug for malaria (m49e)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During pregnancy took: CS drug for malaria (m49f)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During pregnancy took: CS drug for malaria (m49g)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During pregnancy took: other drug for malaria (m49x)

File: REC41

NA - During pregnancy took: don't know (m49z)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During pregnancy took: no drug for malaria (m49y)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Received Vitamin A dose in first 2 months after delivery (m54) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given child anything other than breast milk (m55)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given milk (other than breast milk) (m55a)

File: REC41

NA - First 3 days, given plain water (m55b)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given sugar/glucose water (m55c)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given gripe water (m55d)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given sugar/salt solution (m55e)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given fruit juice (m55f)

File: REC41

NA - First 3 days, given infant formula (m55g)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given tea/infusions (m55h)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given honey (m55i)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given coffee (m55j)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given country specific (m55k)

File: REC41

NA - First 3 days, given country specific (m55l)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given country specific (m55m)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given country specific (m55n)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given country specific (m55o)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - First 3 days, given other (m55x)

File: REC41

NA - First 3 days, given nothing (m55z)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antenatal care: respondent's home (m57a)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antenatal care: other home (m57b)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Antenatal care: CS home (m57c)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Antenatal care: CS home (m57d)

File: REC41

Antenatal care: government hospital (m57e)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antenatal care: government health center (m57f)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antenatal care: government health post (m57g)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antenatal care: mobile hospital/clinic (m57h)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antenatal care: other public health (m57i)

File: REC41

NA - Antenatal care: CS public health (m57j)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Antenatal care: CS public health (m57k)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Antenatal care: CS public health (m57l)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antenatal care: private hospital/clinic (m57m)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antenatal care: mission hospital/clinic (m57n)

File: REC41

Antenatal care: other private medical (m57o)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Antenatal care: CS private medical (m57p)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Antenatal care: CS private medical (m57q)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Antenatal care: CS private medical (m57r)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Antenatal care: CS other (m57s)

File: REC41

NA - Antenatal care: CS other (m57t)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Antenatal care: CS other (m57u)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Antenatal care: CS other (m57v)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antenatal care: other (m57x)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Drugs for intestinal parasites during pregnancy (m60)

File: REC41

Time spent at place of delivery (m61)

File: REC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Respondent's health checked before discharge (m62)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

How long before discharging respondent health check took place (m63)

File: REC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Who checked respondent health before discharge (m64)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

NA - Reason didn't deliver at health facility: cost too much (m65a)

File: REC41

NA - Reason didn't deliver at health facility: facility not open (m65b) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason didn't deliver at health facility: too far/no transport (m65c)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason didn't deliver at health facility: don't trust facility/poor service (m65d)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason didn't deliver at health facility: no female provider (m65e)

File: REC41

Overview

NA - Reason didn't deliver at health facility: husband/family didn't allow (m65f)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason didn't deliver at health facility: not necessary (m65g)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason didn't deliver at health facility: not customary (m65h)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason didn't deliver at health facility: CS (m65i)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason didn't deliver at health facility: CS (m65j)

File: REC41

Overview

NA - Reason didn't deliver at health facility: CS (m65k)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason didn't deliver at health facility: CS (m65l)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Reason didn't deliver at health facility: other (m65x)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Respondent's health checked after discharge/delivery at home (m66) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

How long after discharge/delivery at home respondent health check took place (m67)

File: REC41

Overview

Who checked respondent health after discharge/delivery at home (m68)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Where respondent check after discharge/delivery at home took place (m69)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Baby postnatal check within 2 months (m70)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Time after delivery postnatal check took place (m71)

File: REC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Person who performed postnatal checkup (m72)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Place baby was first checked (m73)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Child's health checked before discharge (m74)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

How long before discharging child health check took place (m75)

File: REC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Who checked child health before discharge (m76)

File: REC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Was child put on mother's chest and bare skin after birth (m77)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

During first 2 days health provider: examine cord (m78a) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

During first 2 days health provider: measure temperature (m78b) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

During first 2 days health provider: counsel on newborn dangers (m78c)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

During first 2 days health provider: counsel on breastfeeding (m78d) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

During first 2 days health provider: observe breastfeeding (m78e) File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During first 2 days health provider: CS (m78f)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During first 2 days health provider: CS (m78g)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During first 2 days health provider: CS (m78h)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During first 2 days health provider: CS (m78i)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - During first 2 days health provider: CS (m78j)

File: REC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Case Identification (hhid)

File: REC42

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC42

Overview

Type: Discrete Format: character

Width: 10

Last birth a caesarean section (v401)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Currently breastfeeding (v404)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Currently amenorrheic (v405)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Currently abstaining (v406)

File: REC42

NA - Number of times breastfed during night (v407)

File: REC42

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 96-96

NA - Number of times breastfed during day (v408)

File: REC42

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 96-96

Gave child plain water (v409)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child sugar water (v409a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child juice (v410)

File: REC42

NA - Gave child tea or coffee (v410a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child tinned, powdered or fresh milk (v411)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child baby formula (v411a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child fresh milk (v412)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child fortified baby food (cerelac, etc) (v412a)

File: REC42

Type: Discrete Format: numeric Width: 1 Decimals: 0

Range: 0-8

NA - Gave child other porridge/gruel (v412b)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child soup/clear broth (v412c)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child other liquid (v413)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child CS liquid (v413a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child CS liquid (v413b)

File: REC42

NA - Gave child CS liquid (v413c)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child CS liquid (v413d)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child CS foods (v414a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child CS foods (v414b)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child CS foods (v414c)

File: REC42

NA - Gave child CS foods (v414d)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child bread, noodles, other made from grains (v414e)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child potatoes, cassava, or other tubers (v414f)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child eggs (v414g)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child meat (beef, pork, lamb, chicken, etc) (v414h)

File: REC42

Gave child pumpkin, carrots, squash (yellow or orange inside) (v414i) File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child any dark green leafy vegetables (v414j)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child mangoes, papayas, other vitamin A fruits (v414k) File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child any other fruits (v414l)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child liver, heart, other organs (v414m)

File: REC42

Gave child fish or shellfish (v414n)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child food made from beans, peas, lentils, nuts (v414o)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child cheese, yogurt, other milk products (v414p)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child oil, fats, butter, products made of them (v414q)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child chocolates, sweets, candies, pastries, etc (v414r)

File: REC42

Gave child other solid-semisolid food (v414s)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child CS foods: caterpillar (v414t)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child CS foods (v414u)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Gave child yogurt (v414v)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Gave child CS foods (v414w)

File: REC42

Drank from bottle with nipple yesterday/last night (v415)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Heard of oral rehydration (v416)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Entries in pregnancy and postnatal care roster (v417)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Entries in immunization roster (v418)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Entries in child health roster (v418a)

File: REC42

Entries in height/weight roster (v419)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

NA - Measurer's code (v420)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

NA - Assistant measurer's code (v421)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

When child put to breast (v426)

File: REC42

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-299

NA - Respondent's weight in kilograms (1 decimal) (v437)

File: REC42

Type: Discrete Format: numeric Width: 4 Decimals: 0

Range: 9994-9996

NA - Respondent's height in centimeters (1 decimal) (v438)

File: REC42

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9994-9996

NA - Height/Age percentile (v439)

File: REC42

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

Height/Age standard deviation (v440)

File: REC42

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

NA - Height/Age percent ref. median (v441)

File: REC42

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0

Range: 99998-99998

NA - Weight/Height percent ref. median (DHS) (v442)

File: REC42

Type: Discrete Format: numeric Width: 5

Decimals: 0

Range: 99998-99998

NA - Weight/Height percent ref. median (Fog) (v443)

File: REC42

Overview

Type: Discrete Format: numeric Width: 5

Decimals: 0

Range: 99998-99998

NA - Weight/Height percent ref. median (WHO) (v444)

File: REC42

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0

Range: 99998-99998

Weight/Height standard deviation (DHS) (v444a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

NA - Body Mass Index (v445)

File: REC42

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

NA - Rohrer's index (v446)

File: REC42

NA - Result of measurement - height/weight (v447)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Women's age in years (from household questionnaire) (v447a)

File: REC42

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 15-49

Under age 18 (from household questionnaire) (v452a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Line number of parent/caretaker (v452b)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Read consent statement - hemoglobin (v452c)

File: REC42

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 1-5

Hemoglobin level (g/dl - 1 decimal) (v453)

File: REC42

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 32-996

Currently pregnant (from household questionnaire) (v454)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Result of measurement - hemoglobin (v455)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal) (v456)

File: REC42

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 30-999

Anemia level (v457)

File: REC42

NA - Agrees to referral - anemia (v458)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Have mosquito bed net for sleeping (from household questionnaire) (v459)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Children under 5 slept under mosquito bed net last night (household questionnair (v460)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Respondent slept under mosquito bed net (v461)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Washed hands before preparing last meal (v462)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Smokes cigarettes (v463a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Smokes pipe full of tobacco (v463b)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Chews tobacco (v463c)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Snuffs by nose (v463d)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Smokes kreteks (v463e)

File: REC42

Smokes cigars, cheroots or cigarillos (v463f)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Smokes water pipe (v463g)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Snuff by mouth (v463h)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Chews betel quid with tobacco (v463i)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Smokes/uses country specific (v463j)

File: REC42

NA - Smokes/uses country specific (v463k)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Smokes/uses country specific (v463l)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Smokes/uses other (v463x)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Does not use cigarettes and tobacco (v463z)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Frequency smokes cigarettes (v463aa)

File: REC42

Frequency currently uses other type of tobacco (v463ab)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Number of cigarettes in last 24 hours (v464)

File: REC42

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Disposal of youngest child's stools when not using toilet (v465)

File: REC42

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

NA - When child is seriously ill, can decide whether medical treatment sought (v466)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

NA - Getting medical help for self: know where to go (v467a)

File: REC42

Getting medical help for self: getting permission to go (v467b) File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Getting medical help for self: getting money needed for treatment (v467c)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Getting medical help for self: distance to health facility (v467d) File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Getting medical help for self: having to take transport (v467e) File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Getting medical help for self: not wanting to go alone (v467f)

File: REC42

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 0-2

Getting medical help for self: concern no female health provider (v467g)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Getting medical help for self: concern no provider (v467h)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

NA - Getting medical help for self: concern no drugs available (v467i)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Getting medical help for self: rude attitude of health provider (v467j)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

NA - Getting medical help for self: CS (v467k)

File: REC42

NA - Getting medical help for self: CS (v467l)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

NA - Getting medical help for self: CS (v467m)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Record for Last Birth (v468)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Times gave child powdered/tinned/fresh milk (v469e)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Times gave child infant formula (v469f)

File: REC42

Times gave child yogurt (v469x)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had tinned, powdered or fresh milk (v471a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had tea or coffee (v471b)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had any other liquid (v471c)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had CS liquid (v471d)

File: REC42

NA - Mother had CS liquid (v471e)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had CS liquid (v471f)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had CS liquid (v471g)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had CS foods (v472a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had CS foods (v472b)

File: REC42

NA - Mother had CS foods (v472c)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had CS foods (v472d)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had bread, noodles, other made from grains (v472e)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had potatoes, cassava, or other tubers (v472f)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had eggs (v472g)

File: REC42

NA - Mother had meat (beef, pork, lamb, chicken, etc) (v472h)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had pumpkin, carrots, squash (yellow or orange inside) (v472i)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had any dark green leafy vegetables (v472j)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had mangoes, papayas, other vitamin A fruits (v472k)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had any other fruits (v472l)

File: REC42

NA - Mother had liver, heart, other organs (v472m)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had fish or shellfish (v472n)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had food made from beans, peas, lentils, nuts (v472o)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had cheese, yogurt, other milk products (v472p)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had oil, fats, butter, products made of them (v472q)

File: REC42

NA - Mother had chocolates, sweets, candies, pastries, etc (v472r)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had other solid-semisolid food (v472s)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had CS foods (v472t)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Mother had CS foods (v472u)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Read consent statement - HIV (v473a)

File: REC42

Result of measurement - HIV (v473b)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

NA - Heard of tuberculosis or TB (v474)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: air when coughing or sneezing (v474a)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: sharing utensils (v474b)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: touching a person with TB (v474c)

File: REC42

NA - Tuberculosis spread by: food (v474d)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: sexual contact (v474e)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: mosquito bites (v474f)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: CS (v474g)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: CS (v474h)

File: REC42

NA - Tuberculosis spread by: CS (v474i)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: CS (v474j)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: other (v474x)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: don't know (v474z)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis can be cured (v475)

File: REC42

NA - Keep secret when family member gets TB (v476)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Number of injections in last 12 months (v477)

File: REC42

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Number of injections administered by a health worker (v478)

File: REC42

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Place of injection by health worker (v479)

File: REC42

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Syringe and needle from new, unopened package (v480)

File: REC42

Covered by health insurance (v481)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: mutual/community organization (v481a) File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: provided by employer (v481b)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: social security (v481c)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: private/commercially purchased (v481d)

File: REC42

Health insurance type: low cost payment scheme (v481e)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: high cost payment scheme (v481f)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Health insurance type: CS (v481g)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Health insurance type: CS (v481h)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: other (v481x)

File: REC42

NA - Arrange care of biological children under age 18 (v482a) File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Primary caregiver of children under age 18 (v482b)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Arrange care of non-biological children < 18 (v482c)

File: REC42

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Case Identification (hhid)

File: REC43

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC43

Overview

Type: Discrete Format: character Width: 10

Index to birth history (hidx)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Has health card (h1)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Has health card and or other vaccination document (h1a)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Received BCG (h2)

File: REC43

Decimals: 0 Range: 0-8

BCG day (h2d) File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

BCG month (h2m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

BCG year (h2y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received DPT 1 (h3)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

DPT 1 day (h3d)

File: REC43

Decimals: 0 Range: 1-98

DPT 1 month (h3m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

DPT 1 year (h3y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received POLIO 1 (h4)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

POLIO 1 day (h4d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

POLIO 1 month (h4m)

File: REC43

Decimals: 0 Range: 1-98

POLIO 1 year (h4y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received DPT 2 (h5)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

DPT 2 day (h5d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

DPT 2 month (h5m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

DPT 2 year (h5y)

File: REC43

Received POLIO 2 (h6)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

POLIO 2 day (h6d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

POLIO 2 month (h6m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

POLIO 2 year (h6y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received DPT 3 (h7)

File: REC43

Decimals: 0 Range: 0-8

DPT 3 day (h7d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

DPT 3 month (h7m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

DPT 3 year (h7y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received POLIO 3 (h8)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

POLIO 3 day (h8d)

File: REC43

Decimals: 0 Range: 1-98

POLIO 3 month (h8m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

POLIO 3 year (h8y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received MEASLES 1 (h9)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

MEASLES 1 day (h9d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

MEASLES 1 month (h9m)

File: REC43

MEASLES 1 year (h9y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received MEASLES 2 (h9a)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

MEASLES 2 day (h9ad)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

MEASLES 2 month (h9am)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

MEASLES 2 year (h9ay)

File: REC43

Received POLIO 0 (h0)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

POLIO 0 day (h0d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

POLIO 0 month (h0m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

POLIO 0 year (h0y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Ever had vaccination (h10)

File: REC43

Received Vitamin A1 (most recent) (h33)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Vitamin A1 day (h33d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Vitamin A1 month (h33m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Vitamin A1 year (h33y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

NA - Any vaccinations in last 2 years part of campaign (h35)

File: REC43

NA - Vaccinated during Campaign A (h36a)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Vaccinated during Campaign B (h36b)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Vaccinated during Campaign C (h36c)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Vaccinated during Campaign D (h36d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Vaccinated during Campaign E (h36e)

File: REC43

NA - Vaccinated during Campaign F (h36f)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Received Vitamin A2 (2nd most recent) (h40)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Vitamin A2 day (h40d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 97-98

NA - Vitamin A2 month (h40m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 97-98

NA - Vitamin A2 year (h40y)

File: REC43

NA - Received vitamin A after most recent in card (h41a)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Ever received Vitamin A dose (h41b)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Received Hepatitis B at birth (h50)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Hepatitis B at birth day (h50d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 97-98

NA - Hepatitis B at birth month (h50m)

File: REC43

NA - Hepatitis B at birth year (h50y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9997-9998

Received Pentavalent 1 (h51)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Pentavalent 1 day (h51d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pentavalent 1 month (h51m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pentavalent 1 year (h51y)

File: REC43

Received Pentavalent 2 (h52)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Pentavalent 2 day (h52d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pentavalent 2 month (h52m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pentavalent 2 year (h52y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received Pentavalent 3 (h53)

File: REC43

Pentavalent 3 day (h53d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pentavalent 3 month (h53m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pentavalent 3 year (h53y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received Pneumococcal 1 (h54)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Pneumococcal 1 day (h54d)

File: REC43

Pneumococcal 1 month (h54m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pneumococcal 1 year (h54y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received Pneumococcal 2 (h55)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Pneumococcal 2 day (h55d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pneumococcal 2 month (h55m)

File: REC43

Pneumococcal 2 year (h55y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received Pneumococcal 3 (h56)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Pneumococcal 3 day (h56d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pneumococcal 3 month (h56m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Pneumococcal 3 year (h56y)

File: REC43

Received Rotavirus 1 (h57)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Rotavirus 1 day (h57d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Rotavirus 1 month (h57m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Rotavirus 1 year (h57y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received Rotavirus 2 (h58)

File: REC43

Rotavirus 2 day (h58d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Rotavirus 2 month (h58m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Rotavirus 2 year (h58y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

NA - Received Rotavirus 3 (h59)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Rotavirus 3 day (h59d)

File: REC43

NA - Rotavirus 3 month (h59m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 97-98

NA - Rotavirus 3 year (h59y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9997-9998

NA - Received Polio inactive (h60)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Polio inactive day (h60d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 97-98

NA - Polio inactive month (h60m)

File: REC43

NA - Polio inactive year (h60y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9997-9998

Received Hepatitis B 1 (h61)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Hepatitis B 1 day (h61d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Hepatitis B 1 month (h61m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Hepatitis B 1 year (h61y)

File: REC43

Received Hepatitis B 2 (h62)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Hepatitis B 2 day (h62d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Hepatitis B 2 month (h62m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Hepatitis B 2 year (h62y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received Hepatitis B 3 (h63)

File: REC43

Hepatitis B 3 day (h63d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Hepatitis B 3 month (h63m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Hepatitis B 3 year (h63y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received HiB 1 (h64)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

HiB 1 day (h64d)

File: REC43

HiB 1 month (h64m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

HiB 1 year (h64y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received HiB 2 (h65)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

HiB 2 day (h65d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

HiB 2 month (h65m)

File: REC43

Decimals: 0 Range: 1-98

HiB 2 year (h65y)

File: REC43

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2015-9998

Received HiB 3 (h66)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

HiB 3 day (h66d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

HiB 3 month (h66m)

File: REC43

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

HiB 3 year (h66y)

File: REC43

In the last 7 days given: LOCAL NAME for multiple micronutrient powder (h80a)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

In the last 7 days given: LOCAL NAME ready to use therapeutic food (h80b)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - In the last 7 days given: LOCAL NAME for ready to use supplemental food (h80c)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - In the last 7 days given: CS (h80d)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - In the last 7 days given: CS (h80e)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - In the last 7 days given: CS (h80f)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - In the last 7 days given: CS (h80g)

File: REC43

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Case Identification (hhid)

File: REC4A

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC4A

Overview

Type: Discrete Format: character

Width: 10

Index to birth history (hidxa)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Had diarrhea recently (h11)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Blood in the stools (h11b)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Diarrhea: government hospital (h12a)

File: REC4A

Diarrhea: government health center (h12b)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: government health post (h12c)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: mobile hospital/ clinic (h12d)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: community based agent/ fieldworker (h12e)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: other public sector (h12f)

File: REC4A

NA - Diarrhea: CS public sector (h12g)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Diarrhea: CS public sector (h12h)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Diarrhea: CS public sector (h12i)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: private hospital/clinic (h12j)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: private pharmacy (h12k)

File: REC4A

Diarrhea: private doctor (h12l)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: mission hospital (h12m)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: private mobile clinic (h12n)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: private community based agent/ fieldworker (h12o)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: other private medical sector (h12p)

File: REC4A

NA - Diarrhea: CS private medical (h12q)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Diarrhea: CS private medical (h12r)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: shop (h12s)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: traditional practitioner (h12t)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: market (h12u)

File: REC4A

Diarrhea: itinerant drug seller (h12v)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Diarrhea: CS other sector (h12w)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: Other (h12x)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: no treatment (h12y)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Diarrhea: medical treatment (h12z)

File: REC4A

Given oral rehydration (h13)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given pre-packaged ORS liquid (h13b)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given recommended home solution (h14)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given antibiotic pills or syrups (h15)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given antimotility (h15a)

File: REC4A

Given antibiotic injection (h15b)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given intravenous (IV) (h15c)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given home remedy, herbal medicine (h15d)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given zinc (h15e)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given other (not antibiotic, antimotility, zinc) (h15f)

File: REC4A

Given unknown pill or syrup (h15g)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given non-antibiotic injection (h15h)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given unknown injection (h15i)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Given CS (h15j)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Given CS (h15k)

File: REC4A

NA - Given CS (h15l)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Given CS (h15m)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given other treatment (h20)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Given no treatment (h21a)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Received any treatment (h21)

File: REC4A

Had fever in last two weeks (h22)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Had cough in last two weeks (h31)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Short, rapid breaths (h31b)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Problem in the chest or blocked or running nose (h31c)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

NA - Had fever/cough in last 2 weeks: amount offered to drink (h31d)

File: REC4A

NA - Had fever/cough in last 2 weeks: amount offered to eat (h31e) File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Fever/cough: government hospital (h32a)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: government health center (h32b)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: government health post (h32c)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: mobile hospital/ clinic (h32d)

File: REC4A

Fever/cough: community based agent/ fieldworker (h32e)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: other public sector (h32f)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Fever/cough: CS public sector (h32g)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Fever/cough: CS public sector (h32h)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Fever/cough: CS public sector (h32i)

File: REC4A

Fever/cough: private hospital/ clinic (h32j)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: private pharmacy (h32k)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: private doctor (h32l)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: private mission hospital/ clinic (h32m)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: private mobile clinic (h32n)

File: REC4A

Fever/cough: private community based agent/ fieldworker (h32o)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: other private medical sector (h32p)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Fever/cough: CS private medical (h32q)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Fever/cough: CS private medical (h32r)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: shop (h32s)

File: REC4A

Fever/cough: traditional practitioner (h32t)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: market (h32u)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: itinerant drug seller (h32v)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Fever/cough: CS other sector (h32w)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: other (h32x)

File: REC4A

Fever/cough: no treatment (h32y)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Fever/cough: medical treatment (h32z)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Vitamin A in last 6 months (h34)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

SP/Fansidar taken for fever (h37a)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Chloroquine taken for fever (h37b)

File: REC4A

Amodiaquine taken for fever (h37c)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Quinine taken for fever (h37d)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Quinine injection/IV taken for fever (h37da)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Combination with artemisinin taken for fever (h37e)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Artesunate rectal taken for fever (h37aa)

File: REC4A

Artesunate injection/IV taken for fever (h37ab)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS antimalarial taken for fever (h37f)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS antimalarial taken for fever (h37g)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Other antimalarial taken for fever (h37h)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antibiotic pill/syrup taken for fever (h37i)

File: REC4A

Antibiotic injection taken for fever (h37j)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Aspirin taken for fever (h37k)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Acetaminophen/paracetamol/panadol taken for fever (h37l)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Ibuprofen taken for fever (h37m)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS other taken for fever (h37n)

File: REC4A

NA - CS other for fever/cough (h37o)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS other for fever/cough (h37p)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Other taken for fever (h37x)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Nothing taken and didn't seek treatment for fever/cough (h37y)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Don't know if or what was taken for fever (h37z)

File: REC4A

Diarrhea in last 2 weeks: amount offered to drink (h38)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Diarrhea in last 2 weeks: amount offered to eat (h39)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Taking iron pills, sprinkles or syrup (h42)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Drugs for intestinal parasites in last 6 months (h43)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Place first sought treatment for diarrhea (h44a)

File: REC4A

Days after diarrhea sought advice or treatment (h44b)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Still has diarrhea (h44c)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Times zinc was given (h45)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 98-98

Place first sought treatment for fever (h46a)

File: REC4A

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Number of days after fever began sought advice or treatment (h46b)

File: REC4A

Type: Discrete Format: numeric

Width: 2 Decimals: 0 Range: 0-98

Blood taken from child's finger/heel for testing (h47) File: REC4A

Overview

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-8

Case Identification (hhid)

File: REC44

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC44

Overview

Type: Discrete Format: character Width: 10

Index to Birth History (hwidx)

File: REC44

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Child's age in months (hw1)

File: REC44

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-59

Child's weight in kilograms (1 decimal) (hw2)

File: REC44

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 17-9996

Child's height in centimeters (1 decimal) (hw3)

File: REC44

Type: Discrete Format: numeric Width: 4 Decimals: 0

Decimals: 0 Range: 375-9996

Height/Age percentile (hw4)

File: REC44

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 0-9999

Height/Age standard deviation (hw5)

File: REC44

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: -594-9999

Height/Age percent of ref. median (hw6)

File: REC44

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0 Range: 7529-99999

Weight/Age percentile (hw7)

File: REC44

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 0-9999

Weight/Age standard deviation (hw8)

File: REC44

Weight/Age percent of ref. median (hw9)

File: REC44

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0 Range: 4819-99999

Weight/Height percentile (hw10)

File: REC44

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 0-9999

Weight/Height standard deviation (hw11)

File: REC44

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: -396-9999

Weight/Height percent of ref. median (hw12)

File: REC44

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0 Range: 5532-99999

Result of measurement - height/weight (hw13)

File: REC44

Height: lying or standing (hw15)

File: REC44

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Day of birth of child (hw16)

File: REC44

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Date measured (day) (hw17)

File: REC44

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-31

Date measured (month) (hw18)

File: REC44

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Date measured (year) (hw19)

File: REC44

Line number of parent/caretaker (hw51)

File: REC44

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-99

Read consent statement - hemoglobin (hw52)

File: REC44

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Hemoglobin level (g/dl - 1 decimal) (hw53)

File: REC44

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 31-999

Result of measurement - hemoglobin (hw55)

File: REC44

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Hemoglobin level adjusted for altitude (g/dl - 1 decimal) (hw56)

File: REC44

Type: Discrete Format: numeric Width: 4

Decimals: 0 Range: 31-9999

Anemia level (hw57)

File: REC44

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

NA - Agrees to referral - anemia (hw58)

File: REC44

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Height/Age standard deviation (new WHO) (hw70)

File: REC44

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: -599-9999

Weight/Age standard deviation (new WHO) (hw71)

File: REC44

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: -553-9999

Weight/Height standard deviation (new WHO) (hw72)

File: REC44

Type: Discrete Format: numeric

Width: 4 Decimals: 0 Range: -499-9999

BMI standard deviation (new WHO) (hw73)

File: REC44

Overview

Type: Discrete Format: numeric

Width: 4 Decimals: 0 Range: -489-9999

Case Identification (hhid)

File: REC51

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC51

Overview

Type: Discrete Format: character

Width: 10

Current marital status (v501)

File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Currently/formerly/never in union (v502)

File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Number of unions (v503)

File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Currently residing with husband/partner (v504)

File: REC51

Type: Discrete Format: numeric Width: 1 Decimals: 0

Decimals: 0 Range: 1-2

Number of other wives (v505)

File: REC51

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Respondent's rank among wives (v506)

File: REC51

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Month of first cohabitation (v507)

File: REC51

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Year of first cohabitation (v508)

File: REC51

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 1980-2018

Date of first cohabitation (CMC) (v509)

File: REC51

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 964-1428

Completeness of date information in V509 (v510)

File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Age at first cohabitation (v511)

File: REC51

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 10-44

Years since first cohabitation (v512)

File: REC51

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-38

Cohabitation duration (grouped) (v513)

File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Age at first sex (v525)

File: REC51

Time since last sex (v527)

File: REC51

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Time since last sex (in days) (v528)

File: REC51

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Time since last sex (in months) (v529)

File: REC51

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-998

Flag for V529 (v530)

File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Age at first sex (imputed) (v531)

File: REC51

Flag for V531 (v532)

File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Ever been married or in union (v535)

File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Recent sexual activity (v536)

File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Months of abstinence (v537)

File: REC51

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

How previous marriage or union ended (v538)

File: REC51

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 1-3

Person who received most of late husband's property (v539) File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-7

Respondent received any of late husband's assets or valuables (v540) File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Intends to wait until marriage to have sex (v541) File: REC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Case Identification (hhid)

File: REC61

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC61

Overview

Type: Discrete Format: character Width: 10

Fertility preference (v602)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Preferred waiting time for birth of a/another child (v603)

File: REC61

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Preferred waiting time for birth of a/another child (grouped) (v604)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Desire for more children (v605)

File: REC61

Ideal number of children (v613)

File: REC61

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Ideal number of children (grouped) (v614)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Time for future birth (v616)

File: REC61

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Husband's desire for children (v621)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Exposure (v623)

File: REC61

Unmet need (v624)

File: REC61

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-99

Exposure (definition 2) (v625)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Unmet need (definition 2) (v626)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Exposure to need for contraception (definition 3) (v625a)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Unmet need for contraception (definition 3) (v626a)

File: REC61

Ideal number of boys (v627)

File: REC61

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Ideal number of girls (v628)

File: REC61

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Ideal number of either sex (v629)

File: REC61

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Problem if became pregnant (v631)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-4

Decision maker for using contraception (v632)

File: REC61

Decision maker for not using contraception (v632a)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

NA - Reason for not having sex: husband has STI (v633a)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Reason for not having sex: husband has other women (v633b)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Reason for not having sex: recent birth (v633c)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Reason for not having sex: tired, not in mood (v633d)

File: REC61

NA - Reason for not having sex: CS (v633e)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Reason for not having sex: CS (v633f)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Reason for not having sex: CS (v633g)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Husband knows that respondent is using contraception (v634)

File: REC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Case Identification (hhid)

File: REC71

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC71

Overview

Type: Discrete Format: character

Width: 10

Husband/partner's education level (v701)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Husband/partner's highest year of education (at level in V701) (v702)

File: REC71

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Husband/partner's occupation (v704)

File: REC71

Overview

Type: Discrete Format: numeric Width: 5 Decimals: 0 Range: 0-99998

Husband/partner worked in last 7 days/12 months (v704a)

File: REC71

Husband/partner's occupation (grouped) (v705)

File: REC71

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-99

Respondent currently working (v714)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Respondent has a job, but currently absent (v714a)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Husband/partner's total number of years of education (v715)

File: REC71

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Respondent's occupation (v716)

File: REC71

Respondent's occupation (grouped) (v717)

File: REC71

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-99

Respondent works for family, others, self (v719)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

NA - Respondent works at home or away (v721)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Husband/partner's educational attainment (v729)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Husband/partner's age (v730)

File: REC71

Type: Discrete Format: numeric Width: 2

Decimals: 0 Range: 15-98

Respondent worked in last 12 months (v731)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Respondent employed all year/seasonal (v732)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Person who usually decides how to spend respondent's earnings (v739)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

NA - Type of land where respondent works (v740)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Type of earnings from respondent's work (v741)

File: REC71

Person who usually decides on respondent's health care (v743a) File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Person who usually decides on large household purchases (v743b) File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Person who usually decides on household purchases for daily needs (v743c)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Person who usually decides on visits to family or relatives (v743d) File: RFC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

NA - Person who usually decides on food to be cooked each day (v743e)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Person who usually decides what to do with money husband earns (v743f)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-7

Beating justified if wife goes out without telling husband (v744a)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Beating justified if wife neglects the children (v744b)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Beating justified if wife argues with husband (v744c)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Beating justified if wife refuses to have sex with husband (v744d)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Beating justified if wife burns the food (v744e)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Owns a house alone or jointly (v745a)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Owns land alone or jointly (v745b)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Title deed on house own by respondent (v745c)

File: REC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Title deed on land own by respondent (v745d)

File: REC71

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-8

Respondent earns more than husband/partner (v746) File: REC71

Overview

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 1-8

Case Identification (hhid)

File: REC75

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC75

Overview

Type: Discrete Format: character

Width: 10

Ever heard of a Sexually Transmitted Infection (STI) (v750)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Ever heard of AIDS (v751)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reduce risk of getting HIV: do not have sex at all (v754bp)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Reduce risk of getting HIV: always use condoms during sex (v754cp)

File: REC75

Reduce risk of getting HIV: have 1 sex partner only, who has no other partners (v754dp)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Can get HIV from mosquito bites (v754jp)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Can get HIV by sharing food with person who has AIDS (v754wp)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

A healthy looking person can have HIV (v756)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Condom used during last sex with most recent partner (v761)

File: REC75

Condom used during last sex with 2nd to most recent partner (v761b) File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Condom used during last sex with 3rd to most recent partner (v761c) File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Source of condoms used for last sex (v762)

File: REC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-98

Brand of condom used for last sex (v762a)

File: REC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

NA - Source for condoms: government hospital (v762aa)

File: REC75

NA - Source for condoms: CS public (v762ab)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (v762ac)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (v762ad)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (v762ae)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (v762af)

File: REC75

NA - Source for condoms: CS public (v762ag)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (v762ah)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (v762ai)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: private hospital/clinic (v762aj)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: pharmacy (v762ak)

File: REC75

NA - Source for condoms: private doctor (v762al)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS private (v762am)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS private (v762an)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS private (v762ao)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS private (v762ap)

File: REC75

NA - Source for condoms: CS private (v762aq)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS private (v762ar)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS other (v762as)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS other (v762at)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS other (v762au)

File: REC75

NA - Source for condoms: CS other (v762av)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS other (v762aw)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: other (v762ax)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Don't know any source for condoms (v762az)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: government hospital (v762ba)

File: REC75

NA - Source for female condoms: CS public (v762bb)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (v762bc)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (v762bd)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (v762be)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (v762bf)

File: REC75

NA - Source for female condoms: CS public (v762bg)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (v762bh)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (v762bi)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: private hospital/clinic (v762bj)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: pharmacy (v762bk)

File: REC75

NA - Source for female condoms: private doctor (v762bl)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS private (v762bm)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS private (v762bn)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS private (v762bo)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS private (v762bp)

File: REC75

NA - Source for female condoms: CS private (v762bq)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS private (v762br)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS other (v762bs)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS other (v762bt)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS other (v762bu)

File: REC75

NA - Source for female condoms: CS other (v762bv)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS other (v762bw)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: other (v762bx)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Don't know any source for female condoms (v762bz)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Had any STI in last 12 months (v763a)

File: REC75

Had genital sore/ulcer in last 12 months (v763b)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Had genital discharge in last 12 months (v763c)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Had CS STI in last 12 months (v763d)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Had CS STI in last 12 months (v763e)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Had CS STI in last 12 months (v763f)

File: REC75

NA - Had CS STI in last 12 months (v763g)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Number of sex partners, excluding spouse, in last 12 months (v766a) File: REC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Number of sex partners, including spouse, in last 12 months (v766b) File: REC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Relationship with most recent sex partner (v767a)

File: REC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Relationship with 2nd to most recent sex partner (v767b)

File: REC75

Relationship with 3rd to most recent sex partner (v767c)

File: REC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

NA - Length of time knows last partner (v768a)

File: REC75

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-301

NA - Length of time knows other partner (1) (v768b)

File: REC75

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-301

NA - Length of time knows other partner (2) (v768c)

File: REC75

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-301

NA - Can get a condom (v769)

File: REC75

NA - Can get a female condom (v769a)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Sought advice/treatment for last STI infection (v770)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: government hospital (v770a) File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: government health center (v770b) File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: government health post (v770c)

File: REC75

Sought STI advice/treatment from: Stand-alone HTC center (v770d) File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: mobile HTC services (v770e) File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: other public (v770f) File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS public (v770g) File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS public (v770h)

File: REC75

NA - Sought STI advice/treatment from: CS public (v770i)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS public (v770j)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: private hospital/clinic/doctor (v770k)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: mission hospital/clinic (v770l)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: private stand-alone HTC center

(v770m)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: pharmacy (v770n)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: mobile HTC services (v770o)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: other private (v770p)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS private (v770q)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS private (v770r)

File: REC75

NA - Sought STI advice/treatment from: CS private (v770s)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: shop (v770t)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS other (v770u)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS other (v770v)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS other (v770w)

File: REC75

Sought STI advice/treatment from: other (v770x)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

HIV transmitted during pregnancy (v774a)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

HIV transmitted during delivery (v774b)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

HIV transmitted by breastfeeding (v774c)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Knows someone who has, or is suspected of having, HIV (v775)

File: REC75

NA - Would want HIV infection in family to remain secret (v777)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Would be ashamed if someone in the family had HIV (v777a)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Willing to care for relative with AIDS (v778)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - A female teacher infected with HIV, but is not sick, should be allowed to c (v779)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Children should be taught about condoms to avoid AIDS (v780)

File: REC75

Ever been tested for HIV (v781)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Know a place to get HIV test (v783)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: government hospital (v784a)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: government health center (v784b)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: government health post (v784c)

File: REC75

Place for HIV test: stand-alone HTC center (v784d)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: mobile HTC services (v784e)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: other public (v784f)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS public (v784g)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS public (v784h)

File: REC75

NA - Place for HIV test: CS public (v784i)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS public (v784j)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: private hospital/clinic/doctor (v784k)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: mission hospital/ clinic (v784I)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: stand-alone HTC center (v784m)

File: REC75

Place for HIV test: pharmacy (v784n)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: mobile HTC center (v784o)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: other private (v784p)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS private (v784q)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS private (v784r)

File: REC75

NA - Place for HIV test: CS private (v784s)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS other (v784t)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS other (v784u)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS other (v784v)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: other (v784x)

File: REC75

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 0-1

Heard about other STIs (v785)

File: REC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Last 12 months had sex in return for gifts, cash or other (v791a) File: REC75

Overview

Case Identification (hhid)

File: REC80

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC80

Overview

Type: Discrete Format: character Width: 10

Condom used at first sex (v820)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Most recent sex partner younger, the same age or older (v821a)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

NA - 2nd to most recent sex partner younger, the same age or older (v821b)

File: REC80

Overview

NA - 3rd to most recent sex partner younger, the same age or older (v821c)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Wife justified asking husband to use condom if he has STI (v822)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Can get HIV by witchcraft or supernatural means (v823)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Drugs to avoid HIV transmission to baby during pregnancy (v824)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Would buy vegetables from vendor with HIV (v825)

File: REC80

Overview

NA - Last time tested for HIV (v826)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Months ago most recent HIV test (v826a)

File: REC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Last HIV test: on your own, offered or required (v827)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Received result from last HIV test (v828)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place where last HIV test was taken (v829)

File: REC80

Overview

Age of first sex partner (v830)

File: REC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-98

First sex partner younger, same age or older (v831)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Time since last sex with 2nd to most recent partner (v832b)

File: REC80

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Time since last sex with 3rd to most recent partner (v832c)

File: REC80

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Used condom every time had sex with most recent partner in last 12 months (v833a)

File: REC80

Overview

Used condom every time had sex with 2nd to most recent partner in last 12 months (v833b)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Used condom every time had sex with 3rd to most recent partner in last 12 months (v833c)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Age of most recent partner (v834a)

File: REC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-98

Age of 2nd to most recent partner (v834b)

File: REC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 17-98

Age of 3rd to most recent partner (v834c)

File: REC80

Overview

Alcohol consumption at last sex with most recent partner (v835a)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Alcohol consumption at last sex with 2nd to most recent partner (v835b)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Alcohol consumption at last sex with 3rd to most recent partner (v835c)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Total lifetime number of sex partners (v836)

File: REC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

NA - Heard of drugs to help HIV infected people live longer (v837)

File: REC80

Overview

During antenatal visit talked about: HIV transmitted mother to child (v838a)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

During antenatal visit talked about: things to do to prevent getting HIV (v838b)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

During antenatal visit talked about: getting tested for HIV (v838c)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Offered HIV test as part of antenatal visit (v839)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Offered HIV test between the time went for delivery and before baby was born (v839a)

File: REC80

Overview

Tested for HIV as part of antenatal visit (v840)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Tested for HIV between the time went for delivery and before baby was born (v840a)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Got results of HIV test as part of antenatal visit (v841)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Got results of HIV test when tested before baby was born (v841a)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place were HIV test was taken as part of antenatal visit (v842)

File: REC80

Overview

Tested for HIV since antenatal visit test (v843)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Knows someone denied health services for having, or suspected of having, HI (v844)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Knows someone denied social events for having, or suspected of having, HIV; (v845)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Knows someone verbally abused for having, or suspected of having, HIV; in I (v846)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - People with HIV should be ashamed of themselves (v847)

File: REC80

Overview

NA - People with HIV should be blamed for bringing disease to community (v848)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Children 12-14 should be taught to wait for sex until marriage (v849)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Respondent can refuse sex (v850a)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Respondent can ask partner to use a condom (v850b)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Young men should wait for sex until marriage (v851a)

File: REC80

Overview

NA - Most young men wait for sex until marriage (v851b)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Unmarried sexually active men should only having sex with one partner (v851c)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Most unmarried sexually active men have only one partner (v851d)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Married men should only have sex with their wives (v851e)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Most married men only have sex with their wives (v851f)

File: REC80

Overview

NA - Young women should wait for sex until marriage (v851g)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Most young women wait for sex until marriage (v851h)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Unmarried sexually active women should have only one partner (v851i)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Most unmarried sexually active women have only one partner (v851j)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Married women should only have sex with their husbands (v851k)

File: REC80

Overview

NA - Most married women only have sex with their husbands (v851l) File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

How long ago first had sex with most recent partner (v852a) File: REC80

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-499

How long ago first had sex with 2nd most recent partner (v852b) File: REC80

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-499

How long ago first had sex with 3rd most recent partner (v852c) File: REC80

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-499

Times in last 12 months had sex with most recent partner (v853a) File: REC80

Overview

Times in last 12 months had sex with 2nd most recent partner (v853b) File: REC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Times in last 12 months had sex with 3rd most recent partner (v853c) File: REC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

NA - Point concurrent sexual partners (v854a)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Cumulative concurrent sexual partners (v854b)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Received counseling after tested for AIDS during antenatal care (v855) File: REC80

Overview

Knowledge and use of HIV test kits (v856)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Children with HIV should be allowed to attend school with children without HIV (v857a)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

People hesitate to take HIV test because reaction of other people if positive (v857b)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

People talk badly about people with or believed to have HIV (v857c)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

People with or believed to have HIV lose respect from other people (v857d)

File: REC80

Overview

Would be afraid to get HIV from contact with saliva from infected person (v858)

File: REC80

Overview

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 0-8

Case Identification (hhid)

File: REC81

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC81

Overview

Type: Discrete Format: character Width: 10

Time interview started (hhmm - 24 hour clock) (v801)

File: REC81

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 600-2255

Time interview ended (hhmm - 24 hour clock) (v802)

File: REC81

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 611-2320

Length of interview in minutes (v803)

File: REC81

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 5-97

Number of visits (v804)

File: REC81

Interviewer identification (v805)

File: REC81

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 101-2203

NA - Keyer identification (v806)

File: REC81

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Presence of children < 10 for 'Wife beating justified' questions (v811) File: REC81

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Presence of husband for 'Wife beating justified' questions (v812)

File: REC81

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Presence of other males for 'Wife beating justified' questions (v813)

File: REC81

Presence of other females for 'Wife beating justified' questions (v814) File: REC81

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Presence of children < 10 during sexual activity section (v815a) File: REC81

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Presence of male adults during sexual activity section (v815b) File: REC81

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Presence of female adults during sexual activity section (v815c) File: REC81

Overview

Case Identification (hhid)

File: REC82

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC82

Overview

Type: Discrete Format: character

Width: 10

Calendar column number (vcol)

File: REC82

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Calendar (vcal)

File: REC82

Overview

Type: Discrete Format: character

Width: 73

Case Identification (hhid)

File: REC83

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC83

Overview

Type: Discrete Format: character Width: 10

Index to Maternal Mortality (mmidx)

File: REC83

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-19

Sex of sibling (mm1)

File: REC83

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Survival status of sibling (mm2)

File: REC83

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Sibling's current age (mm3)

File: REC83

Sibling's date of birth (CMC) (mm4)

File: REC83

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 321-1423

NA - Sibling's marital status (mm5)

File: REC83

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Years since sibling died (mm6)

File: REC83

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Sibling's age at death (mm7)

File: REC83

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Date of death of sibling (CMC) (mm8)

File: REC83

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 650-1425

Sibling's death and pregnancy (mm9)

File: REC83

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Death and a pregnancy are related (mm10)

File: REC83

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Cause of death sibling (mm11)

File: REC83

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-0

Amount of time between sibling's delivery and death (mm12)

File: REC83

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

NA - Place of sibling's death (mm13)

File: REC83

NA - Number of sibling's children (mm14)

File: REC83

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

NA - Sibling's year of death (mm15)

File: REC83

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 9998-9998

Sibling's death due to violence or accident (mm16)

File: REC83

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Received a caesarean section (s1322a)

File: REC83

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Died in the hospital (s1322b)

File: REC83

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-1

Case Identification (hhid)

File: REC84

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC84

Overview

Type: Discrete Format: character

Width: 10

Number of siblings of respondent (mmc1)

File: REC84

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-19

Number of siblings born before respondent's birth (mmc2)

File: REC84

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-14

NA - Sister's reporting (mmc3)

File: REC84

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-0

Cut off age for Maternal Mortality collection (in questionnaire) (mmc5)

File: REC84

Type: Discrete Format: numeric

Width: 2 Decimals: 0 Range: 10-15

Case Identification (hhid)

File: RECML

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: RECML

Overview

Type: Discrete Format: character Width: 10

Index to Birth History (idxml)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Type of mosquito bed net(s) child slept under last night (ml0)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Number of times took fansidar during pregnancy (ml1)

File: RECML

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Source of antimalarial during pregnancy (ml2)

File: RECML

NA - Child has fever/cough now (ml11)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Child has had convulsions in last 2 weeks (ml12)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Fansidar taken for fever (ml13a)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Chloroquine taken for fever (ml13b)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Amodiaguine taken for fever (ml13c)

File: RECML

Quinine taken for fever (ml13d)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Quinine injection/IV taken for fever (ml13da)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Combination with artemisinin taken for fever (ml13e)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Artesunate rectal taken for fever (ml13aa)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Artesunate injection/IV taken for fever (ml13ab)

File: RECML

NA - CS antimalarial taken for fever (ml13f)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS antimalarial taken for fever (ml13g)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Other antimalarial taken for fever (ml13h)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antibiotic pill/syrup taken for fever (ml13i)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Antibiotic injection taken for fever (ml13j)

File: RECML

Aspirin taken for fever (ml13k)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Acetaminophen/paracetamol/panadol taken for fever (ml13l)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Ibuprofen taken for fever (ml13m)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS other taken for fever (ml13n)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS other taken for fever (ml13o)

File: RECML

NA - CS other taken for fever (ml13p)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Other taken for fever (ml13x)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Nothing taken and didn't seek treatment for fever/cough (ml13y) File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Don't know if or what was taken for fever (ml13z)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Injection given for fever/convulsion (ml14a)

File: RECML

NA - Suppository given for fever/convulsion (ml14b)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - No suppository or injection given for fever/convulsion (ml14y) File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Don't know if suppository or injection given for fever/convulsion (ml14z)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Timing of start of fansidar (ml15a)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Number of days child took fansidar (ml15b)

File: RECML

NA - First source for fansidar (ml15c)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Timing of start of chloroquine (ml16a)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Number of days child took chloroquine (ml16b)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 7-8

NA - First source for chloroquine (ml16c)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Timing of start of amodiaguine (ml17a)

File: RECML

NA - Number of days child took amodiaquine (ml17b)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 7-8

NA - First source for amodiaquine (ml17c)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Timing of start of quinine (ml18a)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Number of days child took quinine (ml18b)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 7-8

NA - First source for quinine (ml18c)

File: RECML

NA - For fever/convulsion: consulted traditional healer (ml19a)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - For fever/convulsion: gave tepid sponging (ml19b)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - For fever/convulsion: gave herbs (ml19c)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - For fever/convulsion: CS (ml19d)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - For fever/convulsion: CS (ml19e)

File: RECML

NA - For fever/convulsion: CS (ml19f)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - For fever/convulsion: other (ml19x)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - For fever/convulsion: gave/did nothing (ml19y)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - For fever/convulsion: don't know if something else was done (ml19z)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Timing of start of combination with artemisinin (ml20a)

File: RECML

NA - Number of days child took combination with artemisinin (ml20b) File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 7-8

NA - First source for combination with artemisinin (ml20c)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Timing of start of CS antimalarial use (ml21a)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Number of days child took CS antimalarial (ml21b)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 7-8

NA - First source for CS antimalarial (ml21c)

File: RECML

NA - Timing of start of CS antimalarial use (ml22a)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Number of days child took CS antimalarial (ml22b)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 7-8

NA - First source for CS antimalarial (ml22c)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Timing of start of other anti-malarial use (ml23a)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Number of days child took other anti-malarial (ml23b)

File: RECML

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 7-8

NA - First source for other anti-malarial (ml23c)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - First source for antibiotic pill/syrup (ml24c)

File: RECML

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Timing of start of artesunate (ml25a)

File: RECML

Overview

Case Identification (hhid)

File: RECDV

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: RECDV

Overview

Type: Discrete Format: character

Width: 10

Weight for Domestic Violence (6 decimals) (d005)

File: RECDV

Overview

Type: Continuous Format: numeric Width: 8 Decimals: 0

Range: 37274-16326101

Husband/partner jealous if respondent talks with other men (d101a)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Husband/partner accuses respondent of unfaithfulness (d101b)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Husband/partner does not permit respondent to meet female friends (d101c)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Husband/partner tries to limit respondent's contact with family (d101d)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Husband/partner insists on knowing where respondent is (d101e)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Husband/partner doesn't trust respondent with money (d101f)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - CS control issue (d101g)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - CS control issue (d101h)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - CS control issue (d101i)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - CS control issue (d101j)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Number of control issues answered 'Yes' (D101x = 1) (d102)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Ever been humiliated by husband/partner (d103a)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Ever been threatened with harm by husband/partner (d103b)

File: RECDV

Ever been insulted or made to feel bad by husband/partner (d103c) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

NA - Ever CS emotional abuse by husband/partner (d103d)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

NA - Ever CS emotional abuse by husband/partner (d103e)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

NA - Ever CS emotional abuse by husband/partner (d103f)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Experienced any emotional violence (D103x series) (d104)

File: RECDV

Ever been pushed, shook or had something thrown by husband/partner (d105a)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Ever been slapped by husband/partner (d105b)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Ever been punched with fist or hit by something harmful by husband/partner (d105c)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Ever been kicked or dragged by husband/partner (d105d)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Ever been strangled or burnt by husband/partner (d105e)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Ever been threatened with knife/gun or other weapon by husband/partner (d105f)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

NA - Ever CS physical violence by husband/partner (d105g)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Ever been physically forced into unwanted sex by husband/partner (d105h)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Ever been forced into other unwanted sexual acts by husband/partner (d105i)

File: RECDV

Overview

Ever had arm twisted or hair pulled by husband/partner (d105j)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Ever been physically forced to perform sexual acts respondent didn't want to (d105k)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

NA - Ever CS physical violence by husband/partner (d105l)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

NA - Ever CS physical violence by husband/partner (d105m)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

NA - Ever CS physical violence by husband/partner (d105n)

File: RECDV

Overview

Experienced any less severe violence (D105A-C,J) by husband/partner (d106)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Experienced any severe violence (D105D-F) by husband/partner (d107)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Experienced any sexual violence (D105H-I,K) by husband/partner (d108)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Timing of first event (from D105 series) in years after marriage (d109)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Ever had bruises because of husband/partner's actions (d110a)

File: RECDV

Overview

Ever had eye injuries, sprains, dislocations or burns because of husband/partner (d110b)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Ever went to health facility because of husband/partner's actions (d110c)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Ever had wounds, broken bones, broken teeth or other serious injury because of h (d110d)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS because of husband/partner's actions (d110e)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS because of husband/partner's actions (d110f)

File: RECDV

Overview

NA - CS because of husband/partner's actions (d110g)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS because of husband/partner's actions (d110h)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Experienced any of listed husband/partner's actions (D110x series) (d111)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Respondent ever physically hurt husband/partner when he was not hurting her (d112)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Frequency of physically hurting husband/partner in last 12 months (d112a)

File: RECDV

Overview

Husband/partner drinks alcohol (d113)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Frequency of husband/partner being drunk (d114)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Mother: Person who has ever physically hurt respondent (d115b)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Father: Person who has ever physically hurt respondent (d115c)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Daughter/Son: Person who has ever physically hurt respondent

(d115d)

File: RECDV

Overview

NA - Son: Person who has ever physically hurt respondent (d115e)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sister/brother: Person who has ever physically hurt respondent (d115f)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Other relative: Person who has ever physically hurt respondent (d115g)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

NA - Other female family: Person who has ever physically hurt respondent (d115h)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Other male family: Person who has ever physically hurt respondent (d115i)

File: RECDV

Overview

NA - Former partner: Person who has ever physically hurt respondent (d115j)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Current boyfriend: Person who has ever physically hurt respondent (d115k)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Former boyfriend: Person who has ever physically hurt respondent (d115l)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

NA - Step-mother: Person who has ever physically hurt respondent (d115m)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Step-father: Person who has ever physically hurt respondent (d115n)

File: RECDV

Mother-in-law: Person who has ever physically hurt respondent (d1150)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Father-in-law: Person who has ever physically hurt respondent (d115p) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Other in-law: Person who has ever physically hurt respondent (d115q) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

NA - Other male in-law: Person who has ever physically hurt respondent (d115r)

File: RECDV

Overview

NA - Female friend: Person who has ever physically hurt respondent (d115s)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Male friend: Person who has ever physically hurt respondent (d115t)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Neighbor: Person who has ever physically hurt respondent (d115u)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Teacher: Person who has ever physically hurt respondent (d115v)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Employer: Person who has ever physically hurt respondent (d115w)

File: RECDV

Overview

Other: Person who has ever physically hurt respondent (d115x)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

No person other than husband/partner ever physically hurt respondent (d115y)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

NA - Stranger: Person who has ever physically hurt respondent

(d115xa) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Other female in-law/family: Person who has ever physically hurt respondent (d115xb)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Other male in-law/family: Person who has ever physically hurt respondent (d115xc)

File: RECDV

NA - Friend: Person who has ever physically hurt respondent (d115xd) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Police: Person who has ever physically hurt respondent (d115xe)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

NA - Religious leader: Person who has ever physically hurt respondent (d115xf)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Lawyer: Person who has ever physically hurt respondent (d115xg)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Doctor: Person who has ever physically hurt respondent (d115xh)

File: RECDV

NA - CS: Person who has ever physically hurt respondent (d115xi) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS: Person who has ever physically hurt respondent (d115xj) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS: Person who has ever physically hurt respondent (d115xk) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Person who hurt respondent most often (d116)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-96

Frequency of being hit in last 12 months by other than husband/partner (d117a)

File: RECDV

Husband/partner: Person who hurt respondent during a pregnancy (d118a)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Mother: Person who hurt respondent during a pregnancy (d118b)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Father/step-father: Person who hurt respondent during a pregnancy (d118c)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Daughter/son: Person who hurt respondent during a pregnancy (d118d)

File: RECDV

Overview

NA - Son alone: Person who hurt respondent during a pregnancy

(d118e) File: RFCDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sister/brother: Person who hurt respondent during a pregnancy (d118f)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Other relative: Person who hurt respondent during a pregnancy (d118g)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Other female family: Person who hurt respondent during a pregnancy (d118h)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Other male family: Person who hurt respondent during a pregnancy (d118i)

File: RECDV

Former husband/partner: Person who hurt respondent during a pregnancy (d118j)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Current boyfriend: Person who hurt respondent during a pregnancy (d118k)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Former boyfriend: Person who hurt respondent during a pregnancy (d118l)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Step-mother: Person who hurt respondent during a pregnancy (d118m)

File: RECDV

Overview

NA - Step-father: Person who hurt respondent during a pregnancy (d118n)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Mother-in-law: Person who hurt respondent during a pregnancy (d118o)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Father-in-law: Person who hurt respondent during a pregnancy

(d118p) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Other in-law: Person who hurt respondent during a pregnancy (d118q)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Other female/male in-law: Person who hurt respondent during a pregnancy (d118r)

File: RECDV

NA - Female friend: Person who hurt respondent during a pregnancy (d118s)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Male friend: Person who hurt respondent during a pregnancy (d118t)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Neighbor: Person who hurt respondent during a pregnancy (d118u)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Teacher: Person who hurt respondent during a pregnancy (d118v)

File: RECDV

Overview

Employer: Person who hurt respondent during a pregnancy (d118w) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Other: Person who hurt respondent during a pregnancy (d118x)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Respondent was not hurt by anyone during a pregnancy (d118y)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Stranger: Person who hurt respondent during a pregnancy

(d118xa) File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Other female in-law/family: Person who hurt respondent during a pregnancy (d118xb)

File: RECDV

Overview

NA - Other male in-law/family: Person who hurt respondent during a pregnancy (d118xc)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Friend: Person who hurt respondent during a pregnancy (d118xd)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Police: Person who hurt respondent during a pregnancy (d118xe)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Religious leader: Person who hurt respondent during a pregnancy (d118xf)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Lawyer: Person who hurt respondent during a pregnancy

(d118xg) File: RECDV

Overview

NA - Doctor: Person who hurt respondent during a pregnancy (d118xh)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS: Person who hurt respondent during a pregnancy (d118xi)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS: Person who hurt respondent during a pregnancy (d118xj)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS: Person who hurt respondent during a pregnancy (d118xk)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Husband/partner: Person respondent went to seek help (d119a)

File: RECDV

Overview

NA - Mother: Person respondent went to seek help (d119b)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Father: Person respondent went to seek help (d119c)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Daughter: Person respondent went to seek help (d119d)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Son: Person respondent went to seek help (d119e)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sister: Person respondent went to seek help (d119f)

File: RECDV

Overview

NA - Brother: Person respondent went to seek help (d119g)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Own family: Person respondent went to seek help (d119h)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Husband/partner family: Person respondent went to seek help (d119i)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Current/former husband/partner: Person respondent went to seek help (d119j)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Current/former boyfriend: Person respondent went to seek help (d119k)

File: RECDV

Overview

NA - Former boyfriend alone: Person respondent went to seek help (d119l)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Step-mother: Person respondent went to seek help (d119m)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Step-father: Person respondent went to seek help (d119n)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Mother-in-law: Person respondent went to seek help (d1190)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Father-in-law: Person respondent went to seek help (d119p)

File: RECDV

Overview

NA - Other female in-law: Person respondent went to seek help (d119q)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Other male in-law: Person respondent went to seek help (d119r)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Female friend: Person respondent went to seek help (d119s)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Male friend: Person respondent went to seek help (d119t)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Neighbor: Person respondent went to seek help (d119u)

File: RECDV

Overview

NA - Teacher: Person respondent went to seek help (d119v)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Employer: Person respondent went to seek help (d119w)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Other: Person respondent went to seek help (d119x)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Respondent did not seek help from anyone (d119y)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Stranger: Person respondent went to seek help (d119xa)

File: RECDV

Overview

Social service organization: Person respondent went to seek help (d119xb)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS: Person respondent went to seek help (d119xc)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Friend: Person respondent went to seek help (d119xd)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Police: Person respondent went to seek help (d119xe)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Religious leader: Person respondent went to seek help (d119xf)

File: RECDV

Overview

Lawyer: Person respondent went to seek help (d119xg)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Doctor: Person respondent went to seek help (d119xh)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS: Person respondent went to seek help (d119xi)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS: Person respondent went to seek help (d119xj)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - CS: Person respondent went to seek help (d119xk)

File: RECDV

Overview

NA - Main reason never sought help (d120)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Respondent's father ever beat her mother (d121)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Interview interrupted: husband's presence (d122a)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Interview interrupted: other adult male's presence (d122b)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Interview interrupted: adult female's presence (d122c)

File: RECDV

Overview

NA - First sex was wanted or forced (d123)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

Ever forced to have sex by anyone other than husband/partner in last 12 months (d124)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Ever forced to perform unwanted sexual acts (d125)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Age at first forced sexual act (d126)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 5-98

Person who forced respondent into first sexual act (d127)

File: RECDV

Overview

Ever told anyone else about violence (d128)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Respondent afraid of husband/partner most of the time, sometimes or never (d129)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Previous husband: ever hit, slap, kick or physically hurt respondent (d130a)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Previous husband: physically forced to have sex or to perform sexual acts (d130b)

File: RECDV

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Previous husband: humiliate, threaten to hurt, insult or make feel bad (d130c)

File: RECDV

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-4

Case Identification (hhid)

File: REC91

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC91

Overview

Type: Discrete Format: character Width: 10

Listened on radio last six months: Your Health Matters (s816a)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Listened on radio last six months: Other Health Related Programmes (s816b)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Seen on television last six months: Your Health Matters (s816aa)

File: REC91

Overview

Seen on television last six months: Other Health Related Programmes (s816ab)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Husband: Paid in cash or kind (s908a)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-4

Justifies domestic violence: Wife makes major household decision without consult (s932f)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Disclosed results of AIDS test with: Husband/Partner (s1019aa)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of AIDS test with: Family member (s1019ab)

File: REC91

Overview

Disclosed results of AIDS test with: Religious leader (s1019ac)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of AIDS test with: Friend (s1019ad)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of AIDS test with: Other (s1019ae)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of HIV test with: Husband/Partner (s1023aa)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of HIV test with: Family member (s1023ab)

File: REC91

Overview

Disclosed results of HIV test with: Religious leader (s1023ac)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of HIV test with: Friend (s1023ad)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of HIV test with: Other (s1023ae)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of HIV test with: Husband/Partner (s1029aa)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of HIV test with: Family member (s1029ab)

File: REC91

Overview

Disclosed results of HIV test with: Religious leader (s1029ac)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of HIV test with: Friend (s1029ad)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Disclosed results of HIV test with: Other (s1029ae)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Husbands and wives do not always agree on everything. If a wife knows her husban (s1050a)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Ever told by doctor or health worker that have raised blood pressure or hyperten (s1110a)

File: REC91

Overview

In past two weeks, have taken prescribed drugs (medication) for raised blood pr (s1110b)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Ever told by doctor or health worker that have raised blood sugar or diabetes (s1110c)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

In past two weeks, have taken prescribed drugs (medication) for diabetes (s1110d)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

In past 5 years: Ever undergone chirurgical operation (s1111a)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: hernia operation? (s1111ba)

File: REC91

Overview

Most recent type of operation: caesarean section? (s1111bb)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: laparotomy (cutting open the abdomen) (s1111bc)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: lump removal? (s1111bd)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: abscess drainage? (s1111be)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: wound closure? (s1111bf)

File: REC91

Overview

Most recent type of operation: open fracture? (s1111bg) File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: minor operation? (s1111bh)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: appendicitis? (s1111bi)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: Female Tubal ligation? (s1111bj) File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: Ectopic Pregnancy? (s1111bk)

File: REC91

Overview

Most recent type of operation: Eye surgery? (s1111bl)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: Fistula Repair? (s1111bm)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: Hysterectomy? (s1111bn)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: Mastectomy? (s1111bo)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: OTHERS? (s1111bx)

File: REC91

Overview

In past 5 years: Ever told that might need another chirurgical

operation (s1111c)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Did you undergo the surgery? (s1111cc)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why did you not undergo it: could not reach the doctor? (s1111da)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why did you not undergo it: could not afford the operation? (s1111db)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why did you not undergo it: could not afford to get to the hospital? (s1111dc)

File: REC91

Overview

Why did you not undergo it: could not afford the time off work? (s1111dd)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why did you not undergo it: was too far to get to the hospital? (s1111de)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why did you not undergo it: did not trust the operation would make me better? (s1111df)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why did you not undergo it: fear of care? (s1111dg)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why did you not undergo it: out of shame? (s1111dh)

File: REC91

Overview

Why did you not undergo it: spouse/family would not let me go? (s1111di)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why did you not undergo it: It was not needed anymore? (s1111dj) File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why did you not undergo it: other reason? (s1111dx)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Ever experienced a constant leakage of urine or stool from vagina (s1201)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Ever heard of fistula (s1202)

File: REC91

Overview

Problem start after delivered a baby or had a stillbirth (s1203)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Problem start after normal or difficult labor and delivery (s1204)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Cause of fistula (s1205)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Days after problem leakage started (s1206)

File: REC91

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-90

Sought treatment for fistula (s1207)

File: REC91

Overview

Reason not sought treatment for fistula: don't know can be fixed (s1208a)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not sought treatment for fistula: don't know where to go (s1208b)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not sought treatment for fistula: too expensive (s1208c)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not sought treatment for fistula: too far (s1208d)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not sought treatment for fistula: poor quality of care (s1208e)

File: REC91

Overview

Reason not sought treatment for fistula: could not get permission (s1208f)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not sought treatment for fistula: embarrassment (s1208g)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not sought treatment for fistula: problem disappeared (s1208h)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reason not sought treatment for fistula: other (s1208x)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Person last sought treatment from for fistula (s1209)

File: REC91

Overview

Operation to fix fistula (s1210)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Treatment stopped the leakage completely (s1211)

File: REC91

Overview

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 1-4

Case Identification (hhid)

File: REC94

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC94

Overview

Type: Discrete Format: character Width: 10

Index to Birth History (idx94)

File: REC94

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

How many days after the diarrhea began did you first seek treatment or advice? (s614a)

File: REC94

Overview

Case Identification (hhid)

File: REC95

Overview

Type: Discrete Format: character

Width: 7

Case Identification (caseid)

File: REC95

Overview

Type: Discrete Format: character Width: 10

Index to Birth History (idx95)

File: REC95

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Received Polio 4 (shp4)

File: REC95

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Polio 4 day (shp4d)

File: REC95

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Polio 4 month (shp4m)

File: REC95

Type: Discrete Format: numeric

Width: 2 Decimals: 0 Range: 1-98

Polio 4 year (shp4y)

File: REC95

Overview

Type: Discrete Format: numeric Width: 4

Decimals: 0 Range: 2016-9998

Case Identification (mcaseid)

File: MREC01

Overview

Type: Discrete Format: character Width: 10

Country code and phase (mv000)

File: MREC01

Overview

Type: Discrete Format: character

Width: 3

Cluster number (mv001)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 1-545

Household number (mv002)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-30

Respondent's line number (mv003)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-20

Ultimate area unit (mv004)

File: MREC01

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 1-545

Men's sample weight (6 decimals) (mv005)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 8 Decimals: 0 Range: 0-11430746

Month of interview (mv006)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Year of interview (mv007)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 2018-2019

Date of interview (CMC) (mv008)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 4 Decimals: 0 Range: 1423-1429

Date of interview Century Day Code (CDC) (mv008a)

File: MREC01

Type: Continuous Format: numeric Width: 5 Decimals: 0

Range: 43299-43487

Month of birth (mv009)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Year of birth (mv010)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 1958-2003

Date of birth (CMC) (mv011)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 704-1248

Current age (mv012)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 15-59

Age in 5-year groups (mv013)

File: MREC01

Type: Discrete Format: numeric Width: 2

Decimals: 0 Range: 1-10

Completeness of age information (mv014)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Result of interview (mv015)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-7

Day of interview (mv016)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-31

Primary sampling unit (mv021)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 3 Decimals: 0 Range: 1-545

Sample stratum number (mv022)

File: MREC01

Type: Discrete Format: numeric Width: 2

Decimals: 0 Range: 1-20

Sample domain (mv023)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-20

Region (mv024)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-10

Type of place of residence (mv025)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

NA - De facto place of residence (mv026)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Number of visits (mv027)

File: MREC01

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 1-5

Interviewer identification (mv028)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 100-2204

NA - Keyer identification (mv029)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Field supervisor (mv030)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 100-2200

NA - Field editor (mv031)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

NA - Office editor (mv032)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0

Number of wives/partners (mv035)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Language of questionnaire (mv045a)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Language of interview (mv045b)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Native language of respondent (mv045c)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Translator used (mv046)

File: MREC01

Overview

Time interview started (hhmm - 24 hour clock) (mv801)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 324-2305

Time interview ended (hhmm - 24 hour clock) (mv802)

File: MREC01

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 356-2341

Length of interview in minutes (mv803)

File: MREC01

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 3-97

Wives/partner list (mrec01_group)

File: MREC01

Overview

Type: Discrete Format: character

Width: 5

Case Identification (mcaseid)

File: MREC11

Overview

Type: Discrete Format: character Width: 10

Region (mv101) File: MREC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-10

Type of place of residence (mv102)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

NA - Childhood place of residence (mv103)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Years lived in place of residence (mv104)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Type of place of previous residence (mv105)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Region of previous residence (mv105a)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Educational level (mv106)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Highest year of education (at level in MV106) (mv107)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-10

Religion (mv130)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

NA - Ethnicity (mv131)

File: MREC11

Type: Discrete Format: numeric Width: 1 Decimals: 0

Total number of years of education (mv133)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-97

NA - De facto place of residence (mv134)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Usual resident or visitor (mv135)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Number of household members (total listed) (mv136)

File: MREC11

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 1-22

Number of eligible men in household (de facto) (mv138)

File: MREC11

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 1-7

Educational attainment (mv149)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Relationship to household head (mv150)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Sex of household head (mv151)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Age of household head (mv152)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 16-98

Literacy (mv155)

File: MREC11

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 0-4

NA - Ever participated in a literacy program (excluding primary school) (mv156)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Frequency of reading newspaper or magazine (mv157)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Frequency of listening to radio (mv158)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Frequency of watching television (mv159)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Times away from home in last 12 months (mv167)

File: MREC11

Away for more than one month in last 12 months (mv168) File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Owns a mobile telephone (mv169a)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Use mobile telephone for financial transactions (mv169b) File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Has an account in a bank or other financial institution (mv170) File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Use of internet (mv171a)

File: MREC11

Frequency of using internet last month (mv171b)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Wealth index combined (mv190)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Wealth index factor score combined (5 decimals) (mv191)

File: MREC11

Overview

Type: Continuous Format: numeric Width: 7 Decimals: 0

Range: -116307-440876

Wealth index for urban/rural (mv190a)

File: MREC11

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Wealth index factor score for urban/rural (5 decimals) (mv191a)

File: MREC11

Type: Continuous Format: numeric

Width: 7

Decimals: 0 Range: -204231-682190

Case Identification (mcaseid)

File: MREC22

Overview

Type: Discrete Format: character Width: 10

Total children ever born (mv201)

File: MREC22

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-45

Sons at home (mv202)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-20

Daughters at home (mv203)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-12

Sons elsewhere (mv204)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-13

Daughters elsewhere (mv205)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-18

Sons who have died (mv206)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Daughters who have died (mv207)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Age of respondent at 1st birth (mv212)

File: MREC22

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 8-55

Partner currently pregnant (mv213)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Knowledge of ovulatory cycle (mv217)

File: MREC22

Number of living children (mv218)

File: MREC22

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-38

NA - Most recent pregnancy wanted (mv225)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Number of women fathered children with (mv245)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-95

NA - Married to mother when first child was born (mv246)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Age of most recent child (mv247)

File: MREC22

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-40

Antenatal check-ups for the mother of most recent child (mv248) File: MREC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Respondent present during check-ups for most recent child (mv249) File: MREC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place of birth of most recent child (mv250)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-6

NA - Reason for not delivering most recent child in health facility (mv251)

File: MREC22

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Amount a child should drink, when that child has diarrhea (mv252)

File: MREC22

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-8

Case Identification (mcaseid)

File: MREC31

Overview

Type: Discrete Format: character

Width: 10

Knowledge of any contraceptive method (mv301)

File: MREC31

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

NA - Ever use of any contraceptive method (mv302)

File: MREC31

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Contraceptive method variable group (mrec31_group)

File: MREC31

Overview

Type: Discrete Format: character

Width: 4

Case Identification (mcaseid)

File: MREC32

Overview

Type: Discrete Format: character Width: 10

Current contraceptive method (mv312)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-20

Current contraceptive by method type (mv313)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Brand of condom used (mv323a)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 96-98

NA - Cost of condoms (in CURRENCY) last time obtained (mv325b)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 7 Decimals: 0

Range: 9999995-999998

NA - Interviewer shown condom package (mv372a)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

On radio heard about Family Planning in the last few months (mv384a) File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

On TV saw about Family Planning in the last few months (mv384b) File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

In newspaper read about Family Planning in the last few months (mv384c)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Heard family planning by text messages on mobile phone (mv384d) File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Discussed Family Planning with health worker in last few months (mv395)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Possible for a breastfeeding woman to get pregnant (mv396)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Can women get pregnant after birth of a child before period return (mv396a)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Source of family planning for non-users: no source (mv3a00y)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Source of family planning for non-users: any source (mv3a00z)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Number of condoms did get last time (mv3a09b)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 998-998

Source of condoms (mv3b17)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-98

Contraception is woman's business, man should not worry (mv3b25a)

File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Women who use contraception become promiscuous (mv3b25b) File: MREC32

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Case Identification (mcaseid)

File: MREC41

Overview

Type: Discrete Format: character Width: 10

NA - Smokes cigarettes (mv463a)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Smokes pipe (mv463b)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Uses chewing tobacco (mv463c)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Uses snuff (mv463d)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Smokes/uses CS (mv463e)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Smokes/uses CS (mv463f)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Smokes/uses CS (mv463g)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Smokes/uses other (mv463x)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Smokes nothing (mv463z)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Frequency currently smokes tobacco (mv463aa)

File: MREC41

Frequency currently uses smokeless tobacco (mv463ab)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

In the past smoked tobacco every day (mv463ac)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Frequency in the past smoked tobacco (mv463ad)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

NA - Number of cigarettes in last 24 hours (mv464)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 98-98

On average respondent smokes daily: manufactured cigarettes (mv464a)

File: MREC41

On average respondent smokes daily: hand roll cigarettes (mv464b) File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

NA - On average respondent smokes daily: kreteks (mv464c) File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent smokes daily: pipes full of tobacco (mv464d) File: MRFC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent smokes daily: cigars, cheroots, cigarillos (mv464e)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent smokes daily: water pipe sessions (mv464f) File: MREC41

Type: Discrete Format: numeric Width: 3 Decimals: 0

Decimals: 0 Range: 0-888

On average respondent smokes daily: others (mv464g) File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent uses daily: snuff by mouth (mv464h) File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent uses daily: snuff by nose (mv464i) File: MRFC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent uses daily: chewing tobacco (mv464j) File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

NA - On average respondent uses daily: betel quid with tobacco (mv464k)

File: MREC41

On average respondent uses daily: any others (mv464l) File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

NA - Heard of tuberculosis or TB (mv474)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: air through coughing or sneezing (mv474a)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: sharing utensils (mv474b)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: touching a person with TB (mv474c)

File: MREC41

NA - Tuberculosis spread by: food (mv474d)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: sexual contact (mv474e)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: mosquito bites (mv474f)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: CS (mv474g)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: CS (mv474h)

File: MREC41

NA - Tuberculosis spread by: CS (mv474i)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: CS (mv474j)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis spread by: other (mv474x)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Don't know how tuberculosis is spread (mv474z)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Tuberculosis can be cured (mv475)

File: MREC41

NA - Would want tuberculosis infection in family to remain secret (mv476)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Number of injections in last 12 months (mv477)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Number of injections administered by a health worker (mv478)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Place where given injection by health worker (mv479)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Syringe and needle from new, unopened package (mv480)

File: MREC41

Covered by health insurance (mv481)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: mutual/community organization (mv481a) File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: provided by employer (mv481b)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: social security (mv481c)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: private/commercially purchased (mv481d)

File: MREC41

Health insurance type: CS (mv481e)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: CS (mv481f)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Health insurance type: CS (mv481g)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Health insurance type: CS (mv481h)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Health insurance type: other (mv481x)

File: MREC41

NA - Arrange care of biological children under age 18 (mv482a) File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Primary caregiver of children under age 18 (mv482b)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Arrange care of non-biological children < 18 (mv482c)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Respondent circumcised (mv483)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Age at circumcision (mv483a)

File: MREC41

Type: Discrete Format: numeric Width: 2

Decimals: 0 Range: 0-98

Who performed the circumcision (mv483b)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Place where circumcision was done (mv483c)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

On average respondent smokes weekly: manufactured cigarettes (mv484a)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent smokes weekly: hand roll cigarettes (mv484b) File: MRFC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

NA - On average respondent smokes weekly: kreteks (mv484c)

File: MREC41

On average respondent smokes weekly: pipes full of tobacco (mv484d)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent smokes weekly: cigars, cheroots, cigarillos (mv484e)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent smokes weekly: water pipe sessions (mv484f) File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent smokes weekly: others (mv484g)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent uses weekly: snuff by mouth (mv484h)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent uses weekly: snuff by nose (mv484i) File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent uses weekly: chewing tobacco (mv484j) File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

NA - On average respondent uses weekly: betel quid with tobacco (mv484k)

File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

On average respondent uses weekly: any others (mv484l) File: MREC41

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-888

Case Identification (mcaseid)

File: MREC51

Overview

Type: Discrete Format: character Width: 10

Current marital status (mv501)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-5

Currently/formerly/never in union (mv502)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Number of unions (mv503)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Currently residing with wife/partner (mv504)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Number of wives/partners (mv505)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

Month of first cohabitation (mv507)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-12

Year of first cohabitation (mv508)

File: MREC51

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 1975-2018

Date of first cohabitation (CMC) (mv509)

File: MREC51

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 912-1428

Completeness of date information in MV509 (mv510)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Age at first cohabitation (mv511)

File: MREC51

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 14-55

Years since first cohabitation (mv512)

File: MREC51

Overview

Type: Continuous Format: numeric Width: 2 Decimals: 0 Range: 0-43

Cohabitation duration (grouped) (mv513)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Age at first sex (mv525)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Time since last sex (mv527)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Time since last sex (in days) (mv528)

File: MREC51

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Time since last sex (in months) (mv529)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 0-998

Age at first sex (imputed) (mv531)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Flag for MV531 (mv532)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-6

Ever been married or in union (mv535)

File: MREC51

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Recent sexual activity (mv536)

File: MREC51

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-3

Intends to wait until marriage to have sex (mv541) File: MREC51

Overview

Type: Discrete Format: numeric Width: 1

Width: 1 Decimals: 0 Range: 0-8

Case Identification (mcaseid)

File: MREC61

Overview

Type: Discrete Format: character

Width: 10

Fertility preference (mv602)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Preferred waiting time for birth of a/another child (mv603)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Preferred waiting time for birth of a/another child (grouped) (mv604)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Desire for more children (mv605)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Ideal number of children (mv613)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Ideal number of children (grouped) (mv614)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-7

Desired time for future birth (mv616)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

NA - Wife's desire for children (mv621)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Ideal number of boys (mv627)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Ideal number of girls (mv628)

File: MREC61

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Ideal number of either sex (mv629)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Problem if wife became pregnant (mv631)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-4

NA - Wife justified refusing sex: husband has STI (mv633a)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Wife justified refusing sex: husband has other women (mv633b)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Wife justified refusing sex: recent birth (mv633c)

File: MREC61

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Wife justified refusing sex: tired, not in mood (mv633d)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Wife justified refusing sex: CS reason (mv633e)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Wife justified refusing sex: CS reason (mv633f)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Wife justified refusing sex: CS reason (mv633g)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Wife refuses to have sex, husband has right to: get angry

(mv634a)

File: MREC61

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 0-8

NA - Wife refuses to have sex, husband has right to: refuse financial support (mv634b)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Wife refuses to have sex, husband has right to: use force for sex (mv634c)

File: MREC61

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Wife refuses to have sex, husband has right to: have sex with another women (mv634d)

File: MREC61

Overview

Case Identification (mcaseid)

File: MREC71

Overview

Type: Discrete Format: character Width: 10

Currently working (mv714)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Have a job, but currently absent (mv714a)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Occupation (mv716)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-99

Occupation (grouped) (mv717)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-99

NA - Works for family, others, self (mv719)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

NA - Works at home or away (mv721)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-2

Worked in last 12 months (mv731)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-2

Employment all year/seasonal (mv732)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Person who usually decides how to spend respondent's earnings (mv739)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-5

NA - Type of land where respondent works (mv740)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Type of earnings from respondent's work (mv741)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Person who should have greater say: respondent's health care (mv743a)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Person who should have greater say: large household purchases (mv743b)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Person who should have greater say: daily household purchases (mv743c)

File: MREC71

Overview

NA - Person who should have greater say: visits to family or relatives (mv743d)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

NA - Person who should have greater say: food to be cooked each day (mv743e)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

NA - Person who should have greater say: deciding what to do with money wife ear (mv743f)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

NA - Person who should have greater say: deciding how many children to have (mv743g)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-8

Beating justified: wife goes out without telling husband (mv744a)

File: MREC71

Type: Discrete Format: numeric Width: 1 Decimals: 0

Range: 0-8

Beating justified: wife neglects the children (mv744b)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Beating justified: wife argues with husband (mv744c)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Beating justified: wife refuses to have sex with husband (mv744d)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Beating justified: wife burns food (mv744e)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Owns a house alone or jointly (mv745a)

File: MREC71

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Owns land alone or jointly (mv745b)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Title deed on house own by respondent (mv745c)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Title deed on land own by respondent (mv745d)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Childbearing is a woman's concern (mv747a)

File: MREC71

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Important for mother/child health to get assistance at delivery (mv747b)

File: MREC71

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 0-8

Case Identification (mcaseid)

File: MREC75

Overview

Type: Discrete Format: character Width: 10

Ever heard of a Sexually Transmitted Infection (STI) (mv750)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Ever heard of AIDS (mv751)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Reduce risk of getting HIV: do not have sex at all (mv754bp)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Reduce risk of getting HIV: always use condoms during sex (mv754cp) File: MREC75

Overview

Reduce risk of getting HIV: have 1 sex partner only, who has no other partners (mv754dp)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Can get HIV from mosquito bites (mv754jp)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Can get HIV by sharing food with person who has AIDS (mv754wp)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

A healthy looking person can have HIV (mv756)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Condom used during last sex with most recent partner (mv761)

File: MREC75

Overview

Condom used during last sex with 2nd to most recent partner (mv761b)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Condom used during last sex with 3rd to most recent partner (mv761c)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Source of condoms used for last sex (mv762)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-98

Brand of condom used for last sex (mv762a)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

NA - Source for condoms: government hospital (mv762aa)

File: MREC75

Overview

NA - Source for condoms: CS public (mv762ab)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (mv762ac)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (mv762ad)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (mv762ae)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (mv762af)

File: MREC75

Overview

NA - Source for condoms: CS public (mv762ag)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (mv762ah)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS public (mv762ai)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: private hospital/clinic (mv762aj)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: pharmacy (mv762ak)

File: MREC75

Overview

NA - Source for condoms: private doctor (mv762al)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS private (mv762am)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS private (mv762an)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS private (mv762ao)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS private (mv762ap)

File: MREC75

Overview

NA - Source for condoms: CS private (mv762aq)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS private (mv762ar)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS other (mv762as)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS other (mv762at)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS other (mv762au)

File: MREC75

Overview

NA - Source for condoms: CS other (mv762av)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: CS other (mv762aw)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for condoms: other (mv762ax)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Don't know any source for condoms (mv762az)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: government hospital (mv762ba)

File: MREC75

Overview

NA - Source for female condoms: CS public (mv762bb)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (mv762bc)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (mv762bd)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (mv762be)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (mv762bf)

File: MREC75

Overview

NA - Source for female condoms: CS public (mv762bg)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (mv762bh)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS public (mv762bi)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: private hospital/clinic (mv762bj)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: pharmacy (mv762bk)

File: MREC75

Overview

NA - Source for female condoms: private doctor (mv762bl)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS private (mv762bm)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS private (mv762bn)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS private (mv762bo)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS private (mv762bp)

File: MREC75

Overview

NA - Source for female condoms: CS private (mv762bq)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS private (mv762br)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS other (mv762bs)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS other (mv762bt)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS other (mv762bu)

File: MREC75

Overview

NA - Source for female condoms: CS other (mv762bv)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: CS other (mv762bw)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Source for female condoms: other (mv762bx)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Don't know any source for female condoms (mv762bz)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Had any STI in last 12 months (mv763a)

File: MREC75

Overview

Had genital sore/ulcer in last 12 months (mv763b)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Had genital discharge in last 12 months (mv763c)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Had CS STI in last 12 months (mv763d)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Had CS STI in last 12 months (mv763e)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Had CS STI in last 12 months (mv763f)

File: MREC75

Overview

NA - Had CS STI in last 12 months (mv763g)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Number of sex partners, excluding spouse, in last 12 months (mv766a)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Number of sex partners, including spouse, in last 12 months (mv766b) File: MREC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

Relationship with most recent sex partner (mv767a)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

Relationship with 2nd to most recent sex partner (mv767b)

File: MREC75

Overview

Relationship with 3rd to most recent sex partner (mv767c)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-96

NA - Length of time had sex relations with most recent partner (mv768a)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-399

NA - Length of time had sex relations with 2nd to most recent partner (mv768b)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-399

NA - Length of time had sex relations with 3rd to most recent partner (mv768c)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-399

NA - Can get a condom (mv769)

File: MREC75

Overview

NA - Can get a female condom (mv769a)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Sought advice/treatment for last STI infection (mv770)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: government hospital (mv770a)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: government health center (mv770b)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: government health post (mv770c) File: MREC75

Overview

Sought STI advice/treatment from: stand-alone HTC center (mv770d) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: familiy planning clinic (mv770e) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: mobile HTC center (mv770f) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: other public (mv770g) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS public (mv770h) File: MREC75

Overview

NA - Sought STI advice/treatment from: CS public (mv770i)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS public (mv770j)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: private hospital/clinic/doctor (mv770k)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: mission hospital/ clinic (mv770l) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: stand-alone HTC center (mv770m) File: MREC75

Overview

Sought STI advice/treatment from: pharmacy (mv770n)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: mobile HTC center (mv770o) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: other private (mv770p) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS private (mv770q) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS private (mv770r) File: MREC75

Overview

NA - Sought STI advice/treatment from: CS private (mv770s)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Sought STI advice/treatment from: shop (mv770t)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS other (mv770u)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS other (mv770v)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Sought STI advice/treatment from: CS other (mv770w)

File: MREC75

Overview

Sought STI advice/treatment from: other (mv770x)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

HIV transmitted during pregnancy (mv774a)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

HIV transmitted during delivery (mv774b)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

HIV transmitted by breastfeeding (mv774c)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Knows someone who has, or is suspected of having, HIV (mv775)

File: MREC75

Overview

NA - Would want HIV infection in family to remain secret (mv777) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Would be ashamed if someone in the family had HIV (mv777a)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Willing to care for relative with AIDS (mv778)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - A female teacher infected with HIV, but is not sick, should be allowed to c (mv779)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Children should be taught about condoms to avoid AIDS (mv780)

File: MREC75

Overview

Ever been tested for HIV (mv781)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Know a place to get HIV test (mv783)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: government hospital (mv784a)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: government health center (mv784b)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: government health post (mv784c)

File: MREC75

Overview

Place for HIV test: stand-alone HTC center (mv784d)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: family planning clinic (mv784e)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: mobile HTC center (mv784f)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: other public (mv784g)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS public (mv784h)

File: MREC75

Overview

NA - Place for HIV test: CS public (mv784i)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS public (mv784j)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: private hospital/clinic/doctor (mv784k)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: mission hospital/clinic (mv784I)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: stand-alone HTC center (mv784m)

File: MREC75

Overview

Place for HIV test: pharmacy (mv784n)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: mobile HTC center (mv784o)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: other private (mv784p)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS private (mv784q)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS private (mv784r)

File: MREC75

Overview

NA - Place for HIV test: CS other (mv784s)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS other (mv784t)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS other (mv784u)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Place for HIV test: CS other (mv784v)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place for HIV test: other (mv784x)

File: MREC75

Overview

Heard about other STIs (mv785)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Have ever paid anyone in exchange for sex (mv791)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Last 12 months have given gifts or other goods to have sex (mv791a)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Have ever given gifts or other goods to have sex (mv791b)

File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Paid for sex in last 12 months (mv793)

File: MREC75

Overview

Condom used last time paid for sex in last 12 months (mv793a) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Condom used every time paid for sex in last 12 months (mv793b) File: MREC75

Overview

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 0-8

Case Identification (mcaseid)

File: MREC80

Overview

Type: Discrete Format: character

Width: 10

Condom used at first sex (mv820)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Wife justified asking husband to use condom if he has STI (mv822)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Can get HIV by witchcraft or supernatural means (mv823)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Drugs to avoid HIV transmission to baby during pregnancy (mv824)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Would buy vegetables from vendor with HIV (mv825)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Last time tested for HIV (mv826)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Months ago most recent HIV test (mv826a)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-98

NA - Last HIV test: on your own, offered or required (mv827)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-3

Received result from last HIV test (mv828)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Place where last HIV test was taken (mv829)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-96

Time since last sex with 2nd to most recent partner (mv832b)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Time since last sex with 3rd to most recent partner (mv832c)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-998

Used condom every time had sex with most recent partner in last 12 months (mv833a)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Used condom every time had sex with 2nd to most recent partner in last 12 months (mv833b)

File: MREC80

Overview

Used condom every time had sex with 3rd to most recent partner in last 12 months (mv833c)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Age of most recent partner (mv834a)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 10-98

Age of 2nd to most recent partner (mv834b)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 12-98

Age of 3rd to most recent partner (mv834c)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 13-98

Alcohol consumption at last sex with most recent partner (mv835a)

File: MREC80

Overview

Alcohol consumption at last sex with 2nd to most recent partner (mv835b)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Alcohol consumption at last sex with 3rd to most recent partner (mv835c)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-4

Total lifetime number of sex partners (mv836)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

NA - Heard of drugs to help HIV infected people live longer (mv837)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Knows someone denied health services for having, or suspected of having, HI (mv844)

File: MREC80

Overview

NA - Knows someone denied social event for having, or suspected of having, HIV; (mv845)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - Knows someone verbally abused for having, or suspected of having, HIV; in I (mv846)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

NA - People with HIV should be ashamed of themselves (mv847)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - People with HIV should be blamed for bringing disease to community (mv848)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Children 12-14 should be taught to wait for sex until marriage (mv849)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Young men should wait for sex until marriage (mv851a)

File: MREC80

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Overview

NA - Most young men wait for sex until marriage (mv851b)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Unmarried sexually active men should have only one partner (mv851c)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Most unmarried sexually active men have only one partner (mv851d)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Married men should only have sex with their wives (mv851e)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Most married men only have sex with their wives (mv851f)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Young women should wait for sex until marriage (mv851g)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Most young women wait for sex until marriage (mv851h)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Unmarried sexually active women should have only one partner (mv851i)

File: MREC80

Overview

NA - Most unmarried sexually active women have only one partner (mv851j)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Married women should only have sex with their husbands (mv851k)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

NA - Most married women only have sex with their husbands (mv851l)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

How long ago first had sex with most recent partner (mv852a)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 100-499

How long ago first had sex with 2nd most recent partner (mv852b)

File: MREC80

Overview

How long ago first had sex with 3rd most recent partner (mv852c) File: MREC80

Overview

Type: Discrete Format: numeric Width: 3 Decimals: 0 Range: 101-499

Times in last 12 months had sex with most recent partner (mv853a) File: MREC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Times in last 12 months had sex with 2nd most recent partner (mv853b)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

Times in last 12 months had sex with 3rd most recent partner (mv853c)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-98

NA - Concurrent sexual partners (mv854a)

File: MREC80

Overview

NA - Cumulative concurrent sexual partners (mv854b)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Knowledge and use of HIV test kits (mv856)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-3

Children with HIV should be allowed to attend school with children without HIV (mv857a)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

People hesitate to take HIV test because reaction of other people if positive (mv857b)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

People talk badly about people with or believed to have HIV (mv857c)

File: MREC80

Overview

People with or believed to have HIV lose respect from other people (mv857d)

File: MREC80

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Would be afraid to get HIV from contact with saliva from infected person (mv858)

File: MREC80

Overview

Case Identification (mcaseid)

File: MREC91

Overview

Type: Discrete Format: character Width: 10

Beating justification: making major HH decision without consulting him (sm618f)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Disclosed results of AIDS test with: Wife/Partner (sm714aa)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Disclosed results of AIDS test with: Family member (sm714ab)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Disclosed results of AIDS test with: Religious leader (sm714ac)

File: MREC91

Overview

Disclosed results of AIDS test with: Friend (sm714ad)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Disclosed results of AIDS test with: Other (sm714ae)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Flag for QM421 (sm415f)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-9

Why where you circumcised: traditional costum? (sm804aa)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Why where you circumcised: treatment for desease? (sm804ab)

File: MREC91

Overview

Why where you circumcised: hygiene? (sm804ac)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Why where you circumcised: prevention from desease? (sm804ad) File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Why where you circumcised: increase sexual pleasure? (sm804ae) File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Why where you circumcised: other? (sm804ax)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-8

Why where you circumcised: don't know? (sm804az)

File: MREC91

Overview

In past 5 years: Ever undergone chirurgical operation (sm817a)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: hernia operation (sm817ba)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: hydrocele operation (sm817bb)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: laparotomy (sm817bc)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: lump removal (sm817bd)

File: MREC91

Overview

Most recent type of operation: abscess drainage (sm817be)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: wound closure (sm817bf)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: open fracture (sm817bg)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: circumcision (sm817bh)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: appendicitis (sm817bi)

File: MREC91

Overview

Most recent type of operation: minor operation (sm817bk)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: eye surgery (sm817bl)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Most recent type of operation: other (sm817bx)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

In past 5 years: Ever told that might need another chirurgical operation (sm817c)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Did you undergo that surgery? (sm817cc)

File: MREC91

Overview

Why you did not access it: could not reach the doctor (sm817da) File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why you did not access it: could not afford the operation (sm817db) File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why you did not access it: could not afford to get to the hospital (sm817dc)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why you did not access it: could not afford the time off work (sm817dd)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why you did not access it: was too far to get to the hospital (sm817de)

File: MREC91

Overview

Why you did not access it: did not trust the operation (sm817df) File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why you did not access it: fear of care (sm817dg)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why you did not access it: out of shame (sm817dh)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why you did not access it: spouse/ family would not let me go (sm817di)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why you did not access it: it was not needed anymore (sm817dj) File: MREC91

Overview

Why you did not access it: still waiting (sm817dk)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 0-1

Why you did not access it: other (sm817dx)

File: MREC91

Overview

Type: Discrete Format: numeric Width: 1

Decimals: 0 Range: 0-1

Fieldworker code (fw101)

File: FWRECORD

Overview

Type: Continuous Format: numeric Width: 4 Decimals: 0 Range: 100-2299

Country code and phase (fw000)

File: FWRECORD

Overview

Type: Discrete Format: character

Width: 3

Fieldworker region of residence (fw102)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-99

Fieldworker type of place of residence (fw103)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Fieldworker age (fw104)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 20-99

Fieldworker sex (fw105)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Fieldworker marital status (fw106)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Fieldworker number of living children (fw107)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-99

Fieldworker ever had a child who died (fw108)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Highest level of school attended by fieldworker (fw109)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Highest grade/form/year at that level completed by fieldworker (fw110)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 0-99

Fieldworker religion (fw111)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-99

Fieldworker ethnicity (fw112)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-99

Languages spoken by fieldworker (fw113)

File: FWRECORD

Overview

Type: Discrete Format: character Width: 14

English (fw113a) File: FWRECORD

Overview

Type: Discrete Format: character

Width: 1

Bemba (fw113b) File: FWRECORD

Overview

Type: Discrete Format: character

Width: 1

Kaonde (fw113c) File: FWRECORD

Overview

Type: Discrete Format: character

Width: 1

Lozi (fw113d) File: FWRECORD

Overview

Type: Discrete Format: character

Width: 1

Lunda (fw113e) File: FWRECORD

Overview

Type: Discrete Format: character

Width: 1

Luvale (fw113f) File: FWRECORD

Overview

Type: Discrete Format: character

Width: 1

Nyanja (fw113g) File: FWRECORD

Overview

Type: Discrete Format: character

Width: 1

Tonga (fw113h) File: FWRECORD

Overview

Type: Discrete Format: character

Width: 1

Other language (fw113x)

File: FWRECORD

Overview

Type: Discrete Format: character

Width: 1

No other language (fw113y)

File: FWRECORD

Overview

Type: Discrete Format: character

Width: 1

Fieldworker's mother tongue/native language (fw114)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 2 Decimals: 0 Range: 1-99

Has fieldworker ever worked on a DHS (fw115)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Has fieldworker ever worked on any other survey (fw116)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 1 Decimals: 0 Range: 1-9

Was fieldworker working for agency at the time employed for DHS (fw117)

File: FWRECORD

Overview

Type: Discrete Format: numeric Width: 1

Width: 1 Decimals: 0 Range: 1-9

Is fieldworker a permanent or temporary employee of agency (fw118) File: FWRECORD

Overview

Type: Discrete Format: numeric

Width: 1 Decimals: 0 Range: 1-9

Documentation

Questionnaires

2018 Zambia Demographic and Health Survey, Household Questionnaire

Title 2018 Zambia Demographic and Health Survey, Household Questionnaire

Author(s) Ministry of Health Central Statistical Office

Date 2017-03-16 Country Zambia Language English

Filename Zambia 2018 DHS hh questionnaire.pdf

2018 Zambia Demographic and Health Survey, Woman's Questionnaire

Title 2018 Zambia Demographic and Health Survey, Woman's Questionnaire

Author(s) Ministry of Health Central Statistical Office

Date 2017-06-07 Country Zambia Language English

Filename Zambia 2018 DHS woman questionnaire.pdf

2018 Zambia Demographic and Health Survey, Man's Questionnaire

Title 2018 Zambia Demographic and Health Survey, Man's Questionnaire

Author(s) Ministry of Health Central Statistical Office

Date 2016-05-16 Country Zambia Language English

Filename Zambia 2018 DHS man guestionnaire.pdf

2018 Zambia Demographic and Health Survey, Biomarker Questionnaire

Title 2018 Zambia Demographic and Health Survey, Biomarker Questionnaire

Author(s) Ministry of Health Central Statistical Office

Date 2015-06-09 Country Nigeria Language English

Filename Zambia 2018 DHS biomarker questionnaire.pdf

Reports

Zambia Demographic and Health Survey 2018, Report

Yizie Zambia Semographic and Health Survey 2018, Report Zambia Statistick Agency (Formerly Central Statistical Office), Lucaka, Zambia Minis Authorit; of Health, Lucaka, Zambia Univentity Franching Hospital Virology Laboratory, Lucaka Zambia The One Program, ICF, Rockville, Maryland, USA.



Zambia 2018 Demographic and Health Survey, Summary Report

Title Zambia 2018 Demographic and Health Survey, Summary Report

Author(s) The DHS Program
Date 2020-01-01
Country Zambia
Language English

Filename https://www.dhsprogram.com/pubs/pdf/SR265/SR265.pdf

Zambia 2018 Demographic and Health Survey, Key Indicators

Title Zambia 2018 Demographic and Health Survey, Key Indicators

Author(s) The DHS Program
Date 2020-01-01
Country Zambia
Language English

Filename https://www.dhsprogram.com/pubs/pdf/PR113/PR113.pdf

2018 Demographic and Health Survey, Wall Chart

Title 2018 Demographic and Health Survey, Wall Chart

Author(s) The DHS Program
Date 2020-01-01
Country Zambia
Language English

Filename https://www.dhsprogram.com/pubs/pdf/DM158/DM158.pdf

Fast Facts from The 2018 Zambia DHS

Title Fast Facts from The 2018 Zambia DHS

Author(s) The DHS Program
Date 2020-01-01
Country Zambia
Language English

Filename https://www.dhsprogram.com/pubs/pdf/DM159/DM159.pdf