

Table 1: Number of households and women, and response rates, Albania, 2000

	Urban/Rural		Total
	Urban	Rural	
Sampled households	2977	2205	5182
Occupied households	2897	2073	4970
Completed households	2838	1983	4821
Household response rate	98.0	95.7	97.0
Eligible women	3183	2313	5496
Interviewed women	3163	2293	5456
Women response rate	99.4	99.1	99.3
Children under 5	804	649	1453
Interviewed children under 5	803	649	1452
Child response rate	99.9	100.0	99.9

Table 2: Single year age distribution of household population by sex, Albania, 2000

	Sex			
	male		female	
	Number	Percent	Number	Percent
Age 0	93	.9	77	.7
1	131	1.2	108	1.0
2	178	1.7	148	1.4
3	150	1.4	182	1.7
4	210	2.0	210	2.0
5	112	1.1	136	1.3
6	222	2.1	221	2.1
7	200	1.9	191	1.8
8	241	2.3	198	1.9
9	236	2.2	197	1.9
10	241	2.3	230	2.2
11	218	2.1	215	2.1
12	217	2.1	243	2.3
13	252	2.4	247	2.4
14	220	2.1	223	2.1
15	197	1.9	189	1.8
16	243	2.3	220	2.1
17	212	2.0	207	2.0
18	229	2.2	220	2.1
19	171	1.6	181	1.7
20	175	1.7	208	2.0
21	151	1.4	167	1.6
22	183	1.7	175	1.7
23	148	1.4	154	1.5
24	144	1.4	158	1.5
25	168	1.6	147	1.4
26	156	1.5	169	1.6
27	131	1.2	131	1.3
28	144	1.4	173	1.7
29	131	1.2	147	1.4
30	162	1.5	162	1.6

Table 2: Single year age distribution of household population by sex, Albania, 2000

		Sex			
		male		female	
		Number	Percent	Number	Percent
Age	31	124	1.2	145	1.4
	32	138	1.3	150	1.4
	33	138	1.3	143	1.4
	34	120	1.1	124	1.2
	35	128	1.2	144	1.4
	36	159	1.5	157	1.5
	37	142	1.4	151	1.4
	38	147	1.4	150	1.4
	39	180	1.7	169	1.6
	40	198	1.9	206	2.0
	41	142	1.4	153	1.5
	42	151	1.4	179	1.7
	43	138	1.3	131	1.3
	44	143	1.4	130	1.2
	45	169	1.6	158	1.5
	46	127	1.2	104	1.0
	47	153	1.5	110	1.1
	48	82	.8	93	.9
	49	89	.8	116	1.1
	50	128	1.2	114	1.1
	51	117	1.1	100	1.0
	52	113	1.1	114	1.1
	53	90	.9	92	.9
	54	78	.7	73	.7
	55	80	.8	74	.7
	56	97	.9	81	.8
	57	101	1.0	87	.8
	58	110	1.1	79	.8
	59	81	.8	69	.7
	60	126	1.2	105	1.0
	61	73	.7	56	.5
	62	72	.7	75	.7
	63	68	.6	67	.6
	64	66	.6	51	.5
	65	96	.9	75	.7
	66	50	.5	50	.5
	67	55	.5	74	.7
	68	52	.5	47	.4
	69	39	.4	51	.5
	70+	481	4.6	563	5.4
	Missing/dk	0	.0	6	.1
Total		10514	100.0	10449	100.0

Table 3: Percentage of cases missing information for selected questions, Albania, 2000

	Percent missing	Number
Level of education	.0	17706
Year of education	.1	17706
Number of hours worked	.0	148

Table 4a: Percent distribution of households by background characteristics, Albania, 2000

		Urban/Rural		Total
		Urban	Rural	
region	North	16.2	28.9	23.8
	Central	49.7	29.4	37.5
	South	34.0	41.7	38.6
Number of HH members	1	3.2	5.2	4.4
	2-3	30.0	22.7	25.6
	4-5	54.5	42.5	47.3
	6-7	10.7	22.8	18.0
	8-9	1.4	5.3	3.7
	10+	.3	1.5	1.0
	Total	100.0	100.0	100.0
	Number	1928	2893	4821
Unweighted	2838	1983	4821	

Table 4a: Percent distribution of households by background characteristics, Country, Year

	Urban/Rural		Total
	Urban	Rural	
At least one child age < 15	59.9	62.4	61.4
At least one child age < 5	23.2	25.3	24.5
At least one woman age 15-49	83.3	81.5	82.2
Number	1928	2893	4821
Unweighted	2838	1983	4821

Table 5: Percent distribution of women 15-49 by background characteristics, Albania, 2000

		Percent	Number	Unweighted
region	North	24.1	1314	1198
	Central	38.5	2098	2221
	South	37.5	2043	2037
Urban/Rural	Urban	38.7	2112	3163
	Rural	61.3	3344	2293
Age	15-19	19.5	1066	1018
	20-24	15.0	818	787
	25-29	13.8	753	735
	30-34	13.3	726	742
	35-39	14.4	786	808
	40-44	14.3	782	811
	45-49	9.6	525	555
	Marital status	Currently married	66.8	3553
	Formerly married	3.7	198	211
	Never married	29.5	1569	1495
Ever given birth	yes	81.8	3424	3488
	no	18.2	763	699
Woman's education level	Primary	51.2	2792	2279
	Secondary	40.2	2192	2548
	Higher	8.6	471	629
Total		100.0	5456	5456

Table 6: Percent distribution of children under 5 by background characteristics, Albania, 2000

		Percent	Number	Unweighted
Sex	male	51.2	745	743
	female	48.8	709	709
region	North	30.0	435	408
	Central	38.7	562	568
	South	31.4	456	476
Urban/Rural	Urban	35.5	516	803
	Rural	64.5	937	649
Age	< 6 months	8.1	118	116
	6-11 months	8.0	116	118
	12-23 months	19.9	289	293
	24-35 months	20.6	299	313
	36-47 months	26.7	387	371
	48-59 months	16.8	244	241
Mother's education level	Primary	53.6	780	622
	Secondary	38.1	554	663
	Higher	8.2	120	167
Total		100.0	1453	1452

Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Albania, 2000

		Mean number of CEB	Proportion dead	Number of women
Age	15-19	.032	.036	1066
	20-24	.421	.018	818
	25-29	1.216	.029	753
	30-34	2.130	.033	726
	35-39	2.693	.040	786
	40-44	3.063	.052	782
	45-49	3.156	.045	525
Total		1.651	.041	5456

Table 7w: Sex ratio at birth by mother's age, Albania, 2000

		Total number of boys	Total number of girls	Sex ratio at birth
Age	15-19	21	13	1.66
	20-24	186	158	1.18
	25-29	459	456	1.01
	30-34	796	752	1.06
	35-39	1087	1031	1.05
	40-44	1218	1179	1.03
	45-49	869	787	1.10

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Albania, 2000

		Attending programme	Number of children
Wealth Index Quintiles	Poorest	21.4	121
	Second	21.8	121
	Middle	23.0	116
	Fourth	12.1	143
	Richest	10.1	131
Sex	male	17.0	302
	female	17.7	330
region	North	10.6	191
	Central	18.2	239
	South	22.6	202
Urban/Rural	Urban	25.5	213
	Rural	13.2	418
Age	36-47 months	16.6	387
	48-59 months	18.5	244
Mother's education level	Primary	11.4	357
	Secondary	21.3	225
	Higher	42.0	50
Total		17.3	632

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Albania, 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Sex	male	69.5	76.5	76.7	52.5	21.4
	female	91.6	30.8	37.5	51.0	5.4
region	North	18.9	33.3	.0	63.9	.0
	Central	100.0	57.0	65.5	51.9	19.4
	South	100.0	100.0	55.8	22.4	12.5
Urban/Rural	Urban	68.1	51.2	26.2	68.3	6.2
	Rural	87.2	70.1	72.1	42.4	18.7
1.00		81.9	61.0	56.3	52.0	14.6

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Albania, 2000

		Sex				Total	
		male		female		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number		
region	North	49.2	346	45.9	358	47.5	705
	Central	58.7	520	55.6	450	57.3	970
	South	52.4	487	48.3	466	50.4	953
Urban/Rural	Urban	48.0	449	47.1	458	47.5	907
	Rural	57.0	904	52.0	817	54.6	1721
Age	7.00	35.7	200	38.2	191	36.9	392
	8.00	55.4	241	50.4	198	53.1	438
	9.00	55.0	236	47.6	197	51.6	433
	10.00	58.8	241	52.1	230	55.5	471
	11.00	58.5	218	57.3	215	57.9	433
	12.00	58.5	217	53.7	243	56.0	460
Total		54.0	1353	50.2	1274	52.2	2627

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Albania, 2000

		Sex								
		male			female					
		Literate	Not known	Number	Literate	Not known	Number			
region	North	95.5	.4	1818	90.9	1.0	1753	93.3	.7	3
	Central	96.9	.5	2778	92.4	1.5	2919	94.6	1.0	5
	South	95.4	.8	2997	89.3	2.6	2945	92.4	1.7	5
Urban/Rural	Urban	98.7	.1	2802	95.7	.7	2926	97.2	.4	5
	Rural	94.4	.8	4791	87.9	2.5	4692	91.2	1.7	9
Age	15-24	99.2	.2	1854	99.5	.2	1880	99.4	.2	3
	25-34	99.1	.1	1413	99.4	.1	1492	99.2	.1	2
	35-44	99.2	.0	1529	98.8	.4	1569	99.0	.2	3
	45-54	99.4	.0	1146	97.2	.4	1074	98.3	.2	2
	55-64	96.0	.5	875	84.7	1.7	743	90.8	1.0	1
	65+	71.5	4.3	775	40.1	12.9	860	55.0	8.8	1
Total		96.0	.6	7593	90.9	1.8	7617	93.4	1.2	15

World Summit for Children Goal => Number 7

Table 12: Percentage of the population aged 15 years and older that is literate, Albania, 2000

		Total		
		Literate	Not known	Number
region	North	93.3	.7	3571
	Central	94.6	1.0	5696
	South	92.4	1.7	5943
Urban/Rural	Urban	97.2	.4	5727
	Rural	91.2	1.7	9483
Age	15-24	99.4	.2	3734
	25-34	99.2	.1	2905
	35-44	99.0	.2	3099
	45-54	98.3	.2	2220
	55-64	90.8	1.0	1618
	65+	55.0	8.8	1635
Total		93.4	1.2	15210

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Albania, 2000

		Main source of water					
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected dug well	Protected spring
region	North	43.8	14.6	21.4	4.3	6.7	6.0
	Central	51.9	17.0	10.1	2.6	11.1	4.6
	South	40.4	23.8	19.4	2.4	9.0	1.1
Urban/Rural	Urban	89.6	6.4	1.5	.4	1.4	.1
	Rural	19.8	26.3	25.1	4.4	13.8	5.6
Total		45.5	19.0	16.4	2.9	9.2	3.6

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Albania, 2000

		Main source of water				Total
		Bottle water	Unprotected dug well	Unprotected spring	Tanker truck vendor	
region	North	.0	1.6	1.6	.0	100.0
	Central	.4	.9	1.4	.0	100.0
	South	.3	2.2	.2	1.3	100.0
Urban/Rural	Urban	.6	.0	.0	.0	100.0
	Rural	.1	2.5	1.6	.8	100.0
Total		.3	1.6	1.0	.5	100.0

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Albania, 2000

		Total with safe drinking water	Number of persons
region	North	96.7	5160
	Central	97.3	7824
	South	96.0	7978
Urban/Rural	Urban	99.4	7719
	Rural	95.0	13243
Total		96.7	20962

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Albania, 2000

		kind of toilet facility						Total
		flush to sewage system	pour flush latrine	improved pit latrine	traditional	open pit	missing	
region	North	66.7	23.5	.2	1.5	7.4	.6	100.0
	Central	62.8	19.6	3.2	5.7	8.3	.4	100.0
	South	47.6	32.7	1.8	4.7	11.6	1.5	100.0
Urban/Rural	Urban	94.8	3.3	.4	.4	.8	.4	100.0
	Rural	36.6	38.6	2.8	6.5	14.3	1.2	100.0
Total		58.0	25.6	1.9	4.3	9.3	.9	100.0

World Summit for Children Goal => Number 5

Table 14: Percentage of the population using sanitary means of excreta disposal, Albania, 2000

		Total with sanitary means of excreta disposal	Number of persons
region	North	92.0	5160
	Central	91.3	7824
	South	86.8	7978
Urban/Rural	Urban	98.8	7719
	Rural	84.5	13243
Total		89.8	20962

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Albania, 2000

		Missing height or weight	Number of children
Sex	male	4.7	745
	female	5.0	709
region	North	4.7	435
	Central	5.4	562
	South	4.3	456
Urban/Rural	Urban	4.0	516
	Rural	5.3	937
Age	< 6 months	6.9	118
	6-11 months	2.1	116
	12-23 months	3.1	289
	24-35 months	6.2	299
	36-47 months	5.6	387
	48-59 months	4.5	244
Mother's education level	Primary	3.2	780
	Secondary	7.1	554
	Higher	5.4	120
Total		4.9	1453

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Albania, 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD
Sex	male	15.3	4.8	34.1	19.8	11.9
	female	13.3	3.8	29.4	14.8	10.3
region	North	10.8	5.0	33.9	19.0	7.9
	Central	14.0	3.2	29.2	14.4	12.5
	South	18.1	5.2	33.0	19.4	12.4
Urban/Rural	Urban	14.1	4.9	23.8	12.2	11.9
	Rural	14.4	4.0	36.7	20.5	10.6
Age	< 6 months	7.3	2.4	19.2	5.7	11.4
	6-11 months	10.7	4.8	27.4	10.7	16.5
	12-23 months	20.1	9.2	36.0	22.9	14.6
	24-35 months	15.5	6.9	37.4	21.4	8.2
	36-47 months	12.0	1.0	30.6	16.1	8.9
	48-59 months	14.8	2.1	29.8	16.5	11.7
Mother's education level	Primary	16.9	4.6	38.3	19.7	12.1
	Secondary	11.7	4.2	25.4	15.9	10.7
	Higher	9.3	3.0	19.2	9.4	6.7
Total		14.3	4.3	31.7	17.3	11.1

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Albania, 2000

		Weight for height: -3 SD	Number of children
Sex	male	4.8	557
	female	2.4	553
region	North	2.4	330
	Central	4.1	444
	South	3.9	336
Urban/Rural	Urban	3.7	423
	Rural	3.5	688
Age	< 6 months	5.4	88
	6-11 months	10.1	80
	12-23 months	3.5	202
	24-35 months	2.0	232
	36-47 months	2.5	310
Mother's education level	Primary	3.6	199
	Secondary	4.2	579
	Higher	3.1	434
	Higher	1.4	98
Total		3.6	1111

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Albania, 2000

		Exclusive breastfeeding		Complementary feeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children
Sex	male	13.3	31	25.3	47
	female	6.1	49	21.7	19
region	North	15.9	32	33.4	14
	Central	9.3	22	15.9	38
	South	.0	26	37.4	15
Urban/Rural	Urban	10.1	28	25.7	29
	Rural	8.2	52	23.1	37
Mother's education level	Primary	4.4	33	27.2	32
	Secondary	10.2	40	20.1	26
	Higher	22.6	7	26.1	8
Total		8.9	79	24.2	66

World Summit for Children Goal => Number 16

Table 16: Percent of living children by breastfeeding status, Albania, 2000

		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 12-15 months	Number of children	Children 20-23 months	Number of children
Sex	male	58.6	52	6.8	51
	female	71.7	56	5.7	44
region	North	79.7	35	4.6	20
	Central	59.2	39	5.6	49
	South	58.2	35	8.8	26
Urban/Rural	Urban	57.6	38	6.1	37
	Rural	69.7	70	6.4	58
Mother's education level	Primary	71.3	60	7.5	52
	Secondary	60.1	40	4.3	38
	Higher	48.6	8	7.6	6
Total		65.4	108	6.3	95

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Albania, 2000

		Breastfeeding status				
		Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food
Age	0-1	13.8	17.4	25.9	42.9	.0
	2-3	3.7	5.3	26.2	55.8	9.1
	4-5	1.8	.9	25.6	66.1	5.6
	6-7	18.1	.0	.0	65.9	16.0
	8-9	6.5	7.0	6.3	45.1	35.1
	10-11	17.3	2.9	4.1	29.1	46.5
	12-13	26.8	.0	.0	45.1	28.1
	14-15	22.8	.0	3.9	34.7	38.6
	16-17	41.1	3.4	4.3	35.2	16.0
	18-19	89.5	.0	.0	2.3	8.3
	20-21	92.3	.0	.0	1.3	6.4
	22-23	93.6	.0	.0	1.9	4.5
	24-25	88.7	.0	.0	4.9	6.4
	26-27	88.4	.0	.0	2.1	9.5
	28-29	82.2	2.0	.0	14.7	1.2
	30-31	93.7	6.3	.0	.0	.0
32-33	100.0	.0	.0	.0	.0	
34-35	100.0	.0	.0	.0	.0	

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 16w: Percent distribution of children by breastfeeding status, Albania, 2000

		Total	
		Total	Number of children
Age	0-1	100.0	25
	2-3	100.0	53
	4-5	100.0	38
	6-7	100.0	30
	8-9	100.0	32
	10-11	100.0	44
	12-13	100.0	44
	14-15	100.0	50
	16-17	100.0	47
	18-19	100.0	24
	20-21	100.0	42
	22-23	100.0	42
	24-25	100.0	62
	26-27	100.0	53
	28-29	100.0	41
	30-31	100.0	24
	32-33	100.0	31
34-35	100.0	51	

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, Albania, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	
						Total
region	North	.0	97.4	58.1	41.9	1149
	Central	.0	99.1	30.3	69.7	1809
	South	.0	96.8	45.8	54.2	1862
Urban/Rural	Urban	.0	98.2	28.7	71.3	1928
	Rural	.0	97.6	52.3	47.7	2893
Total		.0	97.8	42.8	57.2	4821

World Summit for Children Goal => Number 14

Table 17a: Percentage of population consuming adequately iodized salt, Albania, 2000

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons
				< 15 PPM	15+ PPM	
region	North	.0	98.5	58.3	41.7	5160
	Central	.0	99.1	32.7	67.3	7824
	South	.0	96.6	45.1	54.9	7978
Urban/Rural	Urban	.0	98.1	29.1	70.9	7719
	Rural	.0	97.9	52.2	47.8	13243
Total		.0	98.0	43.7	56.3	20962

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Albania, 2000

		Vitamin A				
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received
Sex	male	8.2	5.4	13.7	12.8	59.9
	female	6.5	4.5	11.8	14.3	62.9
region	North	6.5	2.3	10.0	15.6	65.6
	Central	3.8	3.2	10.2	11.4	71.4
	South	12.6	9.5	18.4	14.4	45.1
Urban/Rural	Urban	7.5	4.3	14.6	10.9	62.6
	Rural	7.3	5.3	11.7	15.0	60.7
Age	6-11 months	20.3	3.2	6.1	11.0	59.5
	12-23 months	7.2	3.7	7.4	10.9	70.8
	24-35 months	6.7	4.4	18.8	12.5	57.5
	36-47 months	5.0	5.7	13.2	15.4	60.6
	48-59 months	6.0	6.8	14.1	16.1	57.0
Mother's education level	Primary	6.5	4.8	13.9	14.7	60.1
	Secondary	7.9	5.4	11.1	13.0	62.7
	Higher	10.8	4.1	13.0	8.0	64.1
Total		7.4	5.0	12.8	13.5	61.4

World Summit for Children Goal => Number 15

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Albania, 2000

		Total	
		Total	Number of children
Sex	male	100.0	690
	female	100.0	646
region	North	100.0	381
	Central	100.0	529
	South	100.0	425
Urban/Rural	Urban	100.0	475
	Rural	100.0	860
Age	6-11 months	100.0	116
	12-23 months	100.0	289
	24-35 months	100.0	299
	36-47 months	100.0	387
	48-59 months	100.0	244
Mother's education level	Primary	100.0	727
	Secondary	100.0	499
	Higher	100.0	110
Total		100.0	1335

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Albania, 2000

		Received Vitamin A supplement	Not sure if received	Number of women
region	North	22.9	3.2	88
	Central	20.4	11.3	88
	South	37.6	4.9	84
Urban/Rural	Urban	30.7	4.0	103
	Rural	24.3	8.1	157
Woman's education level	Primary	27.2	5.6	126
	Secondary	24.7	9.0	110
	Higher	35.0	.0	24
Total		26.8	6.5	260

World Summit for Children Goal => Number 15

Table 20a. Birth weight and size at birth

		Birth weight				Total	Number
		<2500	2500+	DK/Missing	Not weighted at birth		
region	North	.8	78.6	.0	20.6	100.0	88
	Central	.7	90.4	.0	8.9	100.0	88
	South	5.4	86.7	4.0	3.9	100.0	84
Urban/Rural	Urban	1.8	94.1	1.8	2.3	100.0	103
	Rural	2.5	79.4	1.0	17.1	100.0	157
Woman's education level	Primary	3.1	78.7	2.7	15.4	100.0	126
	Secondary	1.7	90.0	.0	8.3	100.0	110
	Higher	.0	97.4	.0	2.6	100.0	24
Total		2.3	85.2	1.3	11.2	100.0	260

Table 21a Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Albania, 2000

BCG	Vaccination Card	41.3
	Mother's Report	38.4
	Not vaccinated	20.4
DPT1	Vaccination Card	41.7
	Mother's Report	29.0
	Not vaccinated	29.3
DPT2	Vaccination Card	40.5
	Mother's Report	20.9
	Not vaccinated	38.6
DPT3	Vaccination Card	39.2
	Mother's Report	12.5
	Not vaccinated	48.3
Polio 0	Vaccination Card	6.8
	Mother's Report	17.3
	Not vaccinated	75.9
Polio 1	Vaccination Card	22.6
	Mother's Report	34.7
	Not vaccinated	42.6
Polio 2	Vaccination Card	22.4
	Mother's Report	23.8
	Not vaccinated	53.8
Polio 3	Vaccination Card	18.4
	Mother's Report	10.3
	Not vaccinated	71.3
Measles	Vaccination Card	32.3
	Mother's Report	28.7
	Not vaccinated	38.9
All vaccinations	Vaccination Card	13.6
	Mother's Report	3.5
	Doesn't have all vaccinations	83.0
No vaccinations	Vaccination Card	.7
	Mother's Report	14.8
	Has some vaccinations	84.5
Number of children		289.1

World Summit for Children Goal => Number 22

Table 21b Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Albania, 2000

BCG	98.9
DPT 1	96.2
DPT 2	96.5
DPT 3	94.4
Polio 0	100.0
Polio 1	99.0
Polio 2	99.5
Polio 3	100.0
Measles	71.7
All vaccinations	35.5
No vaccinations	.0

World Summit for Children Goal => Number 22

Table 21c Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Albania, 2000

	BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles
Vaccination card	41.3	41.7	40.5	39.2	6.8	22.6	22.4	18.4	32.3
Mother's report	38.4	29.0	20.9	12.5	17.3	34.7	23.8	10.3	28.7
Either	79.6	70.7	61.4	51.7	24.1	57.4	46.2	28.7	61.1
Vaccinated by 12 months of age	78.7	68.0	59.2	48.7	24.1	56.8	46.0	28.7	43.8

World Summit for Children Goal => Number 22

Table 21c Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Albania, 2000

	All	None	Number of children
Vaccination card	13.6	.7	289.1
Mother's report	3.5	14.8	289.1
Either	17.0	15.5	289.1
Vaccinated by 12 months of age	6.0	15.5	289.1

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Albania, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3
Sex	male	80.4	70.7	62.9	52.6	25.9	60.2	49.8	28.3
	female	78.8	70.7	59.6	50.5	22.0	54.0	41.9	29.2
region	North	90.2	81.2	71.6	50.3	43.7	63.8	48.3	27.6
	Central	81.7	72.9	64.9	60.8	17.1	57.9	48.1	36.6
	South	66.9	57.9	46.5	37.9	18.2	50.7	41.2	16.7
Urban/Rural	Urban	81.9	77.9	69.9	63.3	19.8	44.2	40.2	21.8
	Rural	78.4	66.6	56.5	44.9	26.6	64.9	49.6	32.6
Mother's education level	Primary	79.8	65.7	56.3	42.7	24.7	62.9	46.5	29.8
	Secondary	78.2	75.4	66.3	61.0	19.6	47.1	42.5	27.2
	Higher	85.6	84.5	74.3	71.2	43.0	68.2	62.9	28.0
Total		79.6	70.7	61.4	51.7	24.1	57.4	46.2	28.7

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Albania, 2000

		Measles	All	None	% with health card	Number of children
Sex	male	61.0	15.8	15.3	43.6	157
	female	61.1	18.4	15.7	45.3	132
region	North	64.7	16.1	9.8	35.5	73
	Central	61.8	25.1	13.4	55.3	134
	South	56.7	4.8	23.9	34.4	82
Urban/Rural	Urban	66.4	12.8	12.0	61.1	106
	Rural	58.0	19.5	17.5	34.7	183
Mother's education level	Primary	59.4	17.9	15.7	36.1	159
	Secondary	63.7	15.8	16.3	52.8	109
	Higher	60.2	16.8	9.0	63.0	21
Total		61.1	17.0	15.5	44.3	289

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Albania, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet
Sex	male	8.7	745	41.5	16.9	48.7	18.6
	female	5.8	709	35.1	21.8	44.0	31.1
region	North	7.2	435	39.8	17.6	57.0	15.0
	Central	8.5	562	33.0	25.8	44.4	37.5
	South	5.9	456	48.7	7.8	39.6	8.4
Urban/Rural	Urban	6.7	516	46.8	17.6	47.3	30.4
	Rural	7.6	937	35.2	19.4	46.7	20.2
Age	< 6 months	7.8	118	76.4	.0	46.0	.0
	6-11 months	14.5	116	59.7	24.7	37.2	20.4
	12-23 months	10.5	289	42.9	9.8	49.2	22.1
	24-35 months	8.5	299	30.8	32.9	44.0	30.4
	36-47 months	2.9	387	4.3	35.9	59.0	41.7
	48-59 months	5.4	244	22.6	3.9	49.8	18.2
Mother's education level	Primary	9.9	780	36.0	21.5	43.3	23.3
	Secondary	3.8	554	46.1	12.7	62.1	20.3
	Higher	5.9	120	50.3	7.8	40.8	34.9
Total		7.3	1453	39.0	18.8	46.9	23.5

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Albania, 2000

		Other milk or infant formula	Water with feeding	Any recommended treatment	No treatment	Number of children with diarrhea
						1.00
Sex	male	5.3	33.7	93.1	6.9	65
	female	17.3	37.2	95.0	5.0	41
region	North	5.5	42.5	100.0	.0	31
	Central	15.2	34.8	94.2	5.8	48
	South	5.9	27.1	85.9	14.1	27
Urban/Rural	Urban	9.6	33.3	98.2	1.8	35
	Rural	10.2	36.0	91.7	8.3	71
Age	< 6 months	23.6	29.0	100.0	.0	9
	6-11 months	11.4	39.3	93.7	6.3	17
	12-23 months	2.7	26.9	91.0	9.0	30
	24-35 months	11.6	51.7	89.0	11.0	25
	36-47 months	19.4	38.8	100.0	.0	11
	48-59 months	4.3	17.9	100.0	.0	13
Mother's education level	Primary	10.3	41.9	91.5	8.5	78
	Secondary	12.0	14.2	100.0	.0	21
	Higher	.0	23.7	100.0	.0	7
Total		10.0	35.1	93.8	6.2	106

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Albania, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea		Total
				More	Same/Less	
Sex	male	8.7	745	53.7	46.3	100.0
	female	5.8	709	75.0	25.0	100.0
region	North	7.2	435	64.0	36.0	100.0
	Central	8.5	562	73.5	26.5	100.0
	South	5.9	456	39.3	60.7	100.0
Urban/Rural	Urban	6.7	516	68.4	31.6	100.0
	Rural	7.6	937	58.9	41.1	100.0
Age	< 6 months	7.8	118	76.1	23.9	100.0
	6-11 months	14.5	116	73.1	26.9	100.0
	12-23 months	10.5	289	54.1	45.9	100.0
	24-35 months	8.5	299	67.8	32.2	100.0
	36-47 months	2.9	387	56.5	43.5	100.0
	48-59 months	5.4	244	49.7	50.3	100.0
Mother's education level	Primary	9.9	780	64.7	35.3	100.0
	Secondary	3.8	554	56.7	43.3	100.0
	Higher	5.9	120	48.6	51.4	100.0
Total		7.3	1453	62.0	38.0	100.0

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Albania, 2000

		Eating during diarrhea		Total	Received increased fluids and continued eating	Number of children with diarrhea
		somewhat less/same/more	Much less/none			1.00
Sex	male	48.9	51.1	100.0	42.8	65
	female	64.9	35.1	100.0	56.6	41
region	North	52.1	47.9	100.0	41.8	31
	Central	62.8	37.2	100.0	60.7	48
	South	45.0	55.0	100.0	33.5	27
Urban/Rural	Urban	55.6	44.4	100.0	48.6	35
	Rural	54.9	45.1	100.0	48.0	71
Age	< 6 months	66.9	33.1	100.0	51.0	9
	6-11 months	78.2	21.8	100.0	64.6	17
	12-23 months	55.0	45.0	100.0	52.0	30
	24-35 months	54.1	45.9	100.0	47.7	25
	36-47 months	38.5	61.5	100.0	34.2	11
	48-59 months	33.8	66.2	100.0	29.5	13
Mother's education level	Primary	56.1	43.9	100.0	49.8	78
	Secondary	56.0	44.0	100.0	47.2	21
	Higher	42.0	58.0	100.0	34.2	7
Total		55.1	44.9	100.0	48.2	106

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Albania, 2000

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary
Sex	male	1.7	745	30.7	25.7	.0
	female	1.1	709	29.6	51.8	.0
region	North	1.2	435	44.2	15.3	.0
	Central	2.2	562	14.8	37.3	.0
	South	.6	456	77.6	68.6	.0
Urban/Rural	Urban	2.3	516	35.0	20.3	.0
	Rural	.9	937	23.4	57.8	.0
Age	< 6 months	1.8	118	.0	100.0	.0
	6-11 months	2.3	116	.0	76.9	.0
	12-23 months	1.3	289	67.9	.0	.0
	24-35 months	2.5	299	38.7	15.3	.0
	36-47 months	.5	387	.0	19.7	.0
	48-59 months	.9	244	35.1	64.9	.0
Mother's education level	Primary	1.6	780	21.4	43.8	.0
	Secondary	1.1	554	48.9	20.0	.0
	Higher	1.2	120	28.4	28.4	.0
Total		1.4	1453	30.3	35.4	.0

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Albania, 2000

		Village health worker	Private physician	Traditional healer	Other	Any appropriate provider	Number of children with ARI
							1.00
Sex	male	.0	26.6	.0	.0	77.8	13
	female	35.9	5.4	.0	9.5	91.8	8
region	North	.0	31.4	.0	.0	90.9	5
	Central	12.4	17.2	.0	5.7	76.2	12
	South	46.2	.0	.0	.0	100.0	3
Urban/Rural	Urban	.0	31.4	.0	5.9	81.1	12
	Rural	33.1	.0	.0	.0	85.8	8
Age	< 6 months	.0	.0	.0	.0	100.0	2
	6-11 months	.0	25.3	.0	.0	76.9	3
	12-23 months	.0	.0	.0	.0	67.9	4
	24-35 months	35.5	41.1	.0	9.4	100.0	8
	36-47 months	.0	.0	.0	.0	19.7	2
Mother's education level	48-59 months	.0	.0	.0	.0	100.0	2
	Primary	21.4	13.3	.0	.0	81.4	13
	Secondary	.0	24.3	.0	11.5	82.3	6
	Higher	.0	43.3	.0	.0	100.0	1
Total		13.3	18.8	.0	3.5	83.0	20

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Albania, 2000

	Reported illness in last two weeks	Number of children under 5	Drinking during illness		Total	
			More	Same/Less		
Sex	male	16.3	745	55.1	44.9	100.0
	female	12.2	709	70.4	29.6	100.0
region	North	12.7	435	62.0	38.0	100.0
	Central	15.9	562	72.0	28.0	100.0
	South	13.9	456	46.2	53.8	100.0
Urban/Rural	Urban	16.3	516	63.0	37.0	100.0
	Rural	13.2	937	60.5	39.5	100.0
Age	< 6 months	10.6	118	70.9	29.1	100.0
	6-11 months	22.3	116	65.7	34.3	100.0
	12-23 months	20.0	289	58.2	41.8	100.0
	24-35 months	18.5	299	64.4	35.6	100.0
	36-47 months	7.9	387	57.4	42.6	100.0
	48-59 months	10.6	244	58.9	41.1	100.0
Mother's education level	Primary	16.8	780	64.0	36.0	100.0
	Secondary	10.4	554	59.2	40.8	100.0
	Higher	16.5	120	51.7	48.3	100.0
Total		14.3	1453	61.5	38.5	100.0

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Albania, 2000

		Eating during illness		Total	Received increased fluids and continued eating	Number of sick children
		somewhat less/same/more	Much less/none			1.00
Sex	male	52.8	47.2	100.0	45.6	121
	female	61.7	38.3	100.0	48.0	87
region	North	49.6	50.4	100.0	37.2	55
	Central	60.5	39.5	100.0	57.1	90
	South	57.0	43.0	100.0	40.0	63
Urban/Rural	Urban	59.0	41.0	100.0	48.0	84
	Rural	54.9	45.1	100.0	45.6	124
Age	< 6 months	64.5	35.5	100.0	41.3	13
	6-11 months	73.3	26.7	100.0	60.2	26
	12-23 months	51.5	48.5	100.0	46.2	58
	24-35 months	54.8	45.2	100.0	45.7	55
	36-47 months	62.3	37.7	100.0	46.2	31
	48-59 months	43.8	56.2	100.0	38.7	26
Mother's education level	Primary	57.1	42.9	100.0	49.3	131
	Secondary	56.6	43.4	100.0	44.3	58
	Higher	52.9	47.1	100.0	35.6	20
Total		56.5	43.5	100.0	46.6	208

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Albania, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool
region	North	28.6	54.1	87.5	46.5	48.6	29.5
	Central	13.3	35.9	84.5	44.7	52.9	53.2
	South	19.1	54.2	81.7	49.0	62.6	53.7
Urban/Rural	Urban	18.5	46.7	84.4	46.1	54.7	52.5
	Rural	20.8	47.8	84.3	47.4	55.6	39.1
Mother's education level	Primary	19.8	47.0	84.9	46.0	57.3	42.5
	Secondary	19.0	47.1	83.5	46.2	52.2	47.8
	Higher	20.1	47.7	85.9	50.3	58.4	57.0
Total		19.5	47.1	84.4	46.6	55.0	46.8

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Albania, 2000

		Is drinking poorly	Knows at least two signs	Number of caretakers
region	North	15.5	76.6	329
	Central	17.0	86.7	459
	South	19.6	91.8	404
Urban/Rural	Urban	17.7	86.2	688
	Rural	17.1	84.9	504
Mother's education level	Primary	16.3	86.4	485
	Secondary	17.6	85.7	558
	Higher	20.8	83.2	149
Total		17.4	85.7	1192

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Albania, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way
region	North	91.4	47.6	30.3	28.2	49.8
	Central	91.9	52.5	39.9	36.3	56.1
	South	93.2	61.4	50.4	47.5	64.3
Urban/Rural	Urban	97.6	64.8	53.6	49.3	69.1
	Rural	88.9	48.2	33.9	31.7	50.4
Age	15-19	91.6	53.2	41.0	37.6	56.6
	20-24	94.0	56.4	42.7	40.1	59.0
	25-29	95.0	57.6	40.9	37.7	60.7
	30-34	96.3	57.3	42.4	39.7	60.0
	35-39	91.4	55.8	43.7	40.5	59.1
	40-44	89.4	52.1	41.4	38.6	55.0
Woman's education level	45-49	87.1	49.2	37.3	34.5	52.0
	Primary	88.1	45.9	32.4	29.9	48.4
	Secondary	96.3	62.5	49.8	46.4	66.0
	Higher	97.9	69.8	57.2	53.1	73.9
Total		92.3	54.7	41.5	38.5	57.7

Monitoring HIV/AIDS Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Albania, 2000

		Doesn't know any way	Number of women
			1.00
region	North	50.2	1314
	Central	43.9	2098
	South	35.7	2043
Urban/Rural	Urban	30.9	2112
	Rural	49.6	3344
Age	15-19	43.4	1066
	20-24	41.0	818
	25-29	39.3	753
	30-34	40.0	726
	35-39	40.9	786
	40-44	45.0	782
	45-49	48.0	525
Woman's education level	Primary	51.6	2792
	Secondary	34.0	2192
	Higher	26.1	471
Total		42.3	5456

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Albania, 2000, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways
region	North	94.1	47.7	30.9	39.5	20.8
	Central	89.8	48.9	37.3	32.5	21.1
	South	91.8	61.7	52.1	39.6	32.1
Urban/Rural	Urban	95.8	61.6	52.5	42.7	33.7
	Rural	89.3	48.7	35.0	33.6	20.4
Age	15-19	91.6	53.2	41.0	36.7	25.0
Woman's education level	Primary	89.9	48.9	33.6	34.6	21.2
	Secondary	93.3	57.3	48.5	38.4	28.4
	Higher	98.3	74.2	71.6	56.1	48.2
Total		91.6	53.2	41.0	36.7	25.0

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Albania, 2000, 2000

		Knows at least one way	Doesn't know any way	Number of women 1.00
region	North	54.6	45.4	262
	Central	55.4	44.6	423
	South	66.4	33.6	381
Urban/Rural	Urban	69.0	31.0	367
	Rural	53.9	46.1	698
Age	15-19	59.1	40.9	1066
Woman's education level	Primary	53.9	46.1	568
	Secondary	64.2	35.8	475
	Higher	84.6	15.4	22
Total		59.1	40.9	1066

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Albania, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions
Wealth Index Quintiles	Poorest	96.8	1.8	15.9	45.3	.1
	Second	95.9	2.0	15.7	50.0	.3
	Middle	93.4	1.1	13.3	36.5	.1
	Fourth	88.6	.9	8.2	33.1	.2
	Richest	85.7	2.3	8.0	35.1	.1
region	North	91.4	2.0	10.0	42.0	.2
	Central	91.9	2.0	13.8	38.2	.3
	South	93.2	1.1	12.5	41.2	.0
Urban/Rural	Urban	97.6	1.5	15.5	49.1	.2
	Rural	88.9	1.7	10.4	34.7	.1
Age	15-19	91.6	1.4	14.3	41.7	.2
	20-24	94.0	1.7	12.7	38.7	.5
	25-29	95.0	1.1	13.2	40.4	.2
	30-34	96.3	1.1	13.1	40.9	.0
	35-39	91.4	3.0	12.3	42.4	.1
	40-44	89.4	1.4	10.6	39.0	.2
	45-49	87.1	1.8	8.9	37.3	.0
Woman's education level	Primary	88.1	1.7	9.8	33.9	.0
	Secondary	96.3	1.5	13.7	45.2	.3
	Higher	97.9	1.9	21.2	54.6	.5
Total		92.3	1.6	12.4	40.2	.2

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Albania, 2000

		Knows at least one misconception	Doesn't correctly identify any misconception	Number of women
				1.00
Wealth Index Quintiles	Poorest	54.8	45.2	1159
	Second	57.6	42.4	1129
	Middle	43.7	56.3	1096
	Fourth	37.4	62.6	1060
	Richest	40.5	59.5	1012
region	North	46.4	53.6	1314
	Central	46.2	53.8	2098
	South	48.6	51.4	2043
Urban/Rural	Urban	57.0	43.0	2112
	Rural	40.9	59.1	3344
Age	15-19	49.5	50.5	1066
	20-24	45.2	54.8	818
	25-29	47.7	52.3	753
	30-34	47.4	52.6	726
	35-39	50.5	49.5	786
	40-44	44.5	55.5	782
	45-49	42.8	57.2	525
Woman's education level	Primary	39.8	60.2	2792
	Secondary	52.7	47.3	2192
	Higher	64.2	35.8	471
Total		47.1	52.9	5456

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Albania, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three
region	North	69.1	69.6	66.8	52.8	49.0
	Central	55.3	60.4	47.2	38.9	29.7
	South	69.1	67.9	54.3	47.6	38.2
Urban/Rural	Urban	75.1	78.0	67.4	50.4	44.1
	Rural	56.6	57.4	46.5	42.4	33.4
Age	15-19	54.6	58.8	45.4	38.4	31.4
	20-24	64.3	64.7	55.2	45.3	36.0
	25-29	67.6	66.4	56.1	45.9	37.9
	30-34	69.9	70.3	59.8	48.3	40.6
	35-39	66.7	69.8	60.0	49.0	40.9
	40-44	61.7	63.8	54.7	47.1	39.0
	45-49	66.2	67.5	54.7	48.1	40.5
Woman's education level	Primary	56.0	56.9	46.8	40.8	32.7
	Secondary	70.2	72.6	61.4	50.3	42.2
	Higher	80.0	82.1	69.1	50.9	45.1
Total		63.8	65.4	54.6	45.5	37.6

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Albania, 2000

		Did not know any specific way	Number of women 1.00
region	North	26.0	1314
	Central	35.0	2098
	South	27.9	2043
Urban/Rural	Urban	18.0	2112
	Rural	37.9	3344
Age	15-19	37.5	1066
	20-24	28.6	818
	25-29	28.4	753
	30-34	26.6	726
	35-39	27.0	786
	40-44	30.5	782
	45-49	29.6	525
Woman's education level	Primary	38.3	2792
	Secondary	23.0	2192
	Higher	15.0	471
Total		30.2	5456

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Albania, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women
						1.00
region	North	67.1	80.6	83.1	16.9	1314
	Central	60.2	72.7	75.7	24.3	2098
	South	63.8	79.7	81.7	18.3	2043
Urban/Rural	Urban	60.4	77.4	80.4	19.6	2112
	Rural	64.9	77.1	79.3	20.7	3344
Age	15-19	59.1	73.6	77.0	23.0	1066
	20-24	60.2	76.5	79.3	20.7	818
	25-29	62.7	78.9	80.9	19.1	753
	30-34	69.5	82.0	84.6	15.4	726
	35-39	67.4	78.6	81.2	18.8	786
	40-44	63.5	76.7	78.6	21.4	782
Woman's education level	45-49	61.4	75.0	76.8	23.2	525
	Primary	65.7	76.1	78.6	21.4	2792
	Secondary	62.7	79.5	82.2	17.8	2192
	Higher	50.8	73.1	75.0	25.0	471
Total		63.2	77.2	79.7	20.3	5456

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Albania, 2000

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
region	North	91.4	19.3	.2	.0	1314
	Central	91.9	22.5	.3	.1	2098
	South	93.2	31.9	.0	.0	2043
Urban/Rural	Urban	97.6	31.1	.2	.1	2112
	Rural	88.9	21.5	.1	.0	3344
Age	15-19	91.6	25.0	.2	.0	1066
	20-24	94.0	25.8	.5	.0	818
	25-29	95.0	25.3	.2	.0	753
	30-34	96.3	26.0	.0	.0	726
	35-39	91.4	27.0	.1	.1	786
	40-44	89.4	25.1	.2	.1	782
Woman's education level	45-49	87.1	21.3	.0	.0	525
	Primary	88.1	21.1	.0	.0	2792
	Secondary	96.3	29.8	.3	.1	2192
	Higher	97.9	28.3	.5	.0	471
Total		92.3	25.2	.2	.0	5456

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Albania, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women
					1.00
region	North	11.3	.3	100.0	1314
	Central	24.3	1.1	100.0	2098
	South	28.6	.6	100.0	2043
Urban/Rural	Urban	35.3	1.7	100.0	2112
	Rural	14.9	.1	100.0	3344
Age	15-19	24.4	.3	100.0	1066
	20-24	23.9	.7	100.0	818
	25-29	22.8	1.0	100.0	753
	30-34	20.8	.6	100.0	726
	35-39	22.8	1.2	100.0	786
	40-44	21.2	1.0	100.0	782
	45-49	22.8	.4	100.0	525
	Woman's education level	Primary	13.9	.2	100.0
	Secondary	28.0	.9	100.0	2192
	Higher	51.2	3.4	100.0	471
Total		22.8	.7	100.0	5456

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Albania, 2000

		Current method						
		No method	Female sterilization	Male sterilization	Pill	Injections	Condom	LAM
region	North	43.2	1.6	.4	9.4	.5	6.4	4.5
	Central	37.5	.7	.2	5.9	.8	6.7	1.9
	South	46.9	.8	.2	3.1	.6	9.9	2.1
Urban/Rural	Urban	39.1	.7	.2	7.2	.7	12.0	2.7
	Rural	44.7	1.1	.3	4.5	.6	5.2	2.5
Woman's education level	Primary	44.4	1.1	.3	4.6	.7	4.8	2.2
	Secondary	41.0	.8	.1	6.5	.6	10.4	3.1
	Higher	37.0	.5	.6	8.2	.9	15.2	3.1
Total		42.5	.9	.2	5.6	.7	7.9	2.6

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Albania, 2000

		Current method			Total	Any modern method	Any traditional method
		Periodic abstinence	Withdrawal	Other			
region	North	9.5	24.3	.1	100.0	18.3	38.5
	Central	5.1	41.1	.1	100.0	14.3	48.2
	South	8.7	27.3	.4	100.0	14.6	38.5
Urban/Rural	Urban	6.3	30.9	.2	100.0	20.9	40.0
	Rural	8.3	32.5	.3	100.0	11.6	43.7
Woman's education level	Primary	8.5	33.1	.3	100.0	11.5	44.1
	Secondary	6.5	30.9	.2	100.0	18.3	40.6
	Higher	6.2	28.3	.0	100.0	25.4	37.6
Total		7.5	31.8	.2	100.0	15.3	42.2

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Albania, 2000

		Any method	Number of currently married women
			1.00
region	North	56.8	830
	Central	62.5	1349
	South	53.1	1374
Urban/Rural	Urban	60.9	1429
	Rural	55.3	2124
Woman's education level	Primary	55.6	1874
	Secondary	59.0	1363
	Higher	63.0	316
Total		57.5	3553

World Summit for Children Goal => Number 10

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Albania, 2000

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00
region	North	25.8	.0	.0	25.8	88
	Central	30.8	.0	.0	30.8	88
	South	35.0	.0	.0	35.0	84
Urban/Rural	Urban	33.4	.0	.0	33.4	103
	Rural	28.5	.0	.0	28.5	157
Woman's education level	Primary	30.6	.0	.0	30.6	126
	Secondary	27.4	.0	.0	27.4	110
	Higher	43.2	.0	.0	43.2	24
Total		30.4	.0	.0	30.4	260

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Albania, 2000

		Person delivering antenatal care					Total
		No antenatal care received	Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	
region	North	5.7	38.6	47.5	8.2	.0	100.0
	Central	6.0	52.5	36.7	4.9	.0	100.0
	South	1.8	42.4	42.9	12.3	.6	100.0
Urban/Rural	Urban	1.4	71.5	20.2	6.4	.5	100.0
	Rural	6.6	26.8	56.8	9.7	.0	100.0
Woman's education level	Primary	5.3	28.5	58.1	8.2	.0	100.0
	Secondary	4.2	54.7	33.0	8.1	.0	100.0
	Higher	2.1	82.0	2.9	10.8	2.1	100.0
Total		4.5	44.5	42.3	8.4	.2	100.0

World Summit for Children Goals => Numbers 9, 11

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Albania,2000

		Any skilled personnel	Number of women
			1.00
region	North	94.3	88
	Central	94.0	88
	South	97.6	84
Urban/Rural	Urban	98.1	103
	Rural	93.4	157
Woman's education level	Primary	94.7	126
	Secondary	95.8	110
	Higher	95.7	24
Total		95.3	260

World Summit for Children Goals => Numbers 9, 11

Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery Albania, 2000

		Person assisting at delivery				Total	Any skilled personnel	Number of women
		Doctor	Nurse/midwife	Auxiliary midwife	No assistance received			1.00
region	North	60.6	26.0	13.4	.0	100.0	100.0	88
	Central	52.2	40.0	5.3	2.6	100.0	97.4	88
	South	58.4	28.9	12.8	.0	100.0	100.0	84
Urban/Rural	Urban	73.1	16.5	10.4	.0	100.0	100.0	103
	Rural	46.5	41.6	10.5	1.4	100.0	98.6	157
Woman's education level	Primary	36.1	46.9	15.2	1.8	100.0	98.2	126
	Secondary	74.0	19.9	6.1	.0	100.0	100.0	110
	Higher	88.6	5.9	5.5	.0	100.0	100.0	24
Total		57.0	31.6	10.5	.9	100.0	99.1	260

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Albania, 2000

		Birth registered	DK if birth registered	Registration status		
				Must travel too far	Late & didn't want to pay fine	Other
Sex	male	98.7	.0	45.6	15.1	39.3
	female	99.0	.0	11.3	11.1	77.6
region	North	100.0	.0	.0	.0	.0
	Central	99.6	.0	.0	45.7	54.3
	South	96.8	.0	35.0	9.9	55.1
Urban/Rural	Urban	98.7	.0	12.6	12.4	75.0
	Rural	98.9	.0	42.5	14.1	43.4
Age	< 6 months	92.1	.0	40.0	8.0	52.0
	6-11 months	97.0	.0	.0	51.2	48.8
	12-23 months	99.3	.0	70.4	.0	29.6
	24-35 months	99.7	.0	.0	.0	100.0
	36-47 months	100.0	.0	.0	.0	.0
	48-59 months	99.5	.0	.0	.0	100.0
Mother's education level	Primary	98.6	.0	40.2	13.3	46.5
	Secondary	99.1	.0	16.2	.0	83.8
	Higher	99.4	.0	.0	100.0	.0
Total		98.8	.0	31.5	13.5	55.0

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Albania, 2000

		Total	Number of children
	female	100.0	709
region	North	.0	435
	Central	100.0	562
	South	100.0	456
Urban/Rural	Urban	100.0	516
	Rural	100.0	937
Age	< 6 months	100.0	118
	6-11 months	100.0	116
	12-23 months	100.0	289
	24-35 months	100.0	299
	36-47 months	.0	387
	48-59 months	100.0	244
Mother's education level	Primary	100.0	780
	Secondary	100.0	554
	Higher	100.0	120
Total		100.0	1453

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Albania, 2000

		Living arrangement				
		Living with both parents	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive
Sex	male	96.4	.0	.2	.1	1.8
	female	96.6	.0	.1	.1	1.5
region	North	97.5	.0	.0	.1	.7
	Central	95.7	.0	.3	.1	2.9
	South	96.6	.0	.2	.1	1.1
Urban/Rural	Urban	96.3	.0	.4	.2	2.0
	Rural	96.7	.0	.0	.0	1.4
Age	0-4 years	97.0	.0	.2	.0	2.1
	5-9 years	97.2	.0	.1	.1	1.5
	10-14 years	95.6	.0	.2	.2	1.5
Total		96.5	.0	.2	.1	1.6

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Albania, 2000

		Living arrangement			Total	One parent dead status of second parent not known
		Living with mother only: father dead	Living with father only: mother alive	Living with father only: mother dead		
Sex	male	.7	.5	.3	100.0	.0
	female	1.1	.4	.2	100.0	.0
region	North	1.3	.4	.0	100.0	.0
	Central	.6	.3	.2	100.0	.0
	South	1.0	.6	.5	100.0	.0
Urban/Rural	Urban	.3	.5	.3	100.0	.0
	Rural	1.3	.4	.2	100.0	.0
Age	0-4 years	.6	.1	.0	100.0	.0
	5-9 years	.5	.5	.2	100.0	.0
	10-14 years	1.5	.6	.4	100.0	.0
Total		.9	.4	.2	100.0	.0

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Albania, 2000

		Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
Sex	male	.3	1.1	1.1	2921
	female	.2	1.4	1.4	2825
region	North	.1	1.4	1.4	1585
	Central	.3	.9	.9	2128
	South	.3	1.5	1.5	2033
Urban/Rural	Urban	.6	.9	.9	1990
	Rural	.0	1.4	1.4	3756
Age	0-4 years	.2	.6	.6	1486
	5-9 years	.2	.7	.7	1954
	10-14 years	.4	2.1	2.1	2306
Total		.2	1.2	1.2	5746

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Albania, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)
Sex	male	1.0	2.9	48.0	.4	33.50
	female	.8	2.2	62.4	1.5	25.42
region	North	.3	.9	58.5	.9	36.95
	Central	1.7	2.9	48.5	1.2	28.46
	South	.5	3.5	59.1	.8	25.15
Urban/Rural	Urban	.5	2.9	49.1	.6	3.33
	Rural	1.1	2.4	58.2	1.2	43.20
Age	5-9 years	.6	1.6	33.5	.1	15.22
	10-14 years	1.2	3.4	73.4	1.7	41.63
Mother's education level	None	.0	.0	71.0	.0	56.59
	Primary	4.6	2.2	67.5	1.3	50.31
	Secondary +	.7	2.6	54.4	1.0	28.37
	Missing/DK	.0	.0	.0	.0	.00
Total		.9	2.6	55.1	1.0	29.51

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Albania, 2000

		Currently working	Number of children
Sex	male	35.6	2159
	female	27.7	2101
region	North	37.6	1140
	Central	31.8	1553
	South	27.4	1567
Urban/Rural	Urban	6.7	1462
	Rural	44.8	2798
Age	5-9 years	16.3	1954
	10-14 years	44.7	2306
Mother's education level	None	56.6	16
	Primary	51.7	202
	Secondary +	30.6	4041
	Missing/DK	.0	1
Total		31.7	4260

Monitoring Children's Rights Indicator