

HomePatientInterview

Field	Question	Answer
idq <i>(required)</i>	Please select the unique the relevant patient/respondent.	
[Identification]		
sameindiv1 <i>(required)</i>	Please confirm the respondent identity. Name respondent: [lastname_pl], [name_pl] Gender respondent: [gender_pl] Age respondent: [age_pl] <i>Question relevant when: selected(\${patientrespondent_pl} , '1')</i>	1 Yes
		2 No
sameindiv2 <i>(required)</i>	Please confirm patient and respondent identity. Name respondent: [lastname_pl], [name_pl] Gender respondent: [gender_pl] Age respondent: [age_pl] Name patient: [lastnamepatient_pl], [namepatient_pl] Gender patient: [genderpatient_pl] Age patient: [agepatient_pl] <i>Question relevant when: selected(\${patientrespondent_pl} , '2')</i>	1 Yes
		2 No
consenthome	[Surveyor: Read consent reminder to respondent. If possible, do consent for RDT now, and start RDT procedure.] <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	
roomshousehold <i>(required)</i>	How many rooms (excluding kitchen, toilet/bathroom/latrine, corridors) does the household occupy? <i>Exclusive use of the household.</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i> <i>Response constrained to: (>=0 and <=50) or .=-98 or .=-99</i>	
owndwelling <i>(required)</i>	Does your household own this dwelling? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
estimatedrent <i>(required)</i>	Could you estimate the rent you would pay if you rented this dwelling? <i>Enter amount in CFA here.</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${owndwelling} , '1')</i> <i>Response constrained to: .>=0 or .=-98 or .=-99</i>	
rentamount <i>(required)</i>	How much rent does your household pay? <i>Enter amount in CFA here.</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${owndwelling} , '2')</i> <i>Response constrained to: .>=0 or .=-98 or .=-99</i>	
rentperiodowner <i>(required)</i>	Paid per [time period] <i>Enter time period for which rent amount is paid.</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${owndwelling} , '2') and \${rentamount} >0)</i>	1 Week
		2 Month
		3 Year
rentperiodrenter <i>(required)</i>	Paid per [time period] <i>Enter time period for which rent amount would be paid.</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${owndwelling} , '1')</i>	1 Week
		2 Month
		3 Year
members14oryounger <i>(required)</i>	How many members has your household aged 14 years or younger? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i> <i>Response constrained to: (>=0 and <=50)</i>	
members15orolder <i>(required)</i>	How many members has your household aged 15 years or older? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i> <i>Response constrained to: (>=0 and <= \${members14})</i>	
membersjob <i>(required)</i>	How many members of your household have a permanent job or own a steady business? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i> <i>Response constrained to: .>=0 and <= \${members}</i>	
totalincome <i>(required)</i>	Please estimate the total monthly income of your household. <i>Probe: did you include the income of all household members? Were all types of income included: from government or military payments, from work, transfers from family or friends, and asset or rental income?</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i> <i>Response constrained to: .>=0 or .=-98 or .=-99</i>	
radios <i>(required)</i>	How many radios do the people in your household own? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i> <i>Response constrained to: (>=0 and <=50) or .=-98 or .=-99</i>	
tv <i>(required)</i>	How many TVs do the people in your household own? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i> <i>Response constrained to: (>=0 and <=50) or .=-98 or .=-99</i>	

HomePatientInterview

Field	Question	Answer																				
motorcycles <i>(required)</i>	How many motorcycles do the people in your household own? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i> <i>Response constrained to: (.>=0 and .<=50) or .=-98 or .=-99</i>																					
mosquitonets <i>(required)</i>	How many mosquito nets do the people in your household own? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i> <i>Response constrained to: (.>=0 and .<=50) or .=-98 or .=-99</i>																					
sourcedrinkingwater <i>(required)</i>	Which is your household's main source of drinking water? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	<table border="1"> <tr><td>1</td><td>Interior plumbing</td></tr> <tr><td>2</td><td>Interior protected well</td></tr> <tr><td>3</td><td>Unprotected interior well</td></tr> <tr><td>4</td><td>Interior drilling</td></tr> <tr><td>5</td><td>Water seller</td></tr> <tr><td>6</td><td>Public drilling</td></tr> <tr><td>7</td><td>Exterior protected well</td></tr> <tr><td>8</td><td>Exterior unprotected well</td></tr> <tr><td>9</td><td>Fountain or rain water</td></tr> <tr><td>-97</td><td>Other</td></tr> </table>	1	Interior plumbing	2	Interior protected well	3	Unprotected interior well	4	Interior drilling	5	Water seller	6	Public drilling	7	Exterior protected well	8	Exterior unprotected well	9	Fountain or rain water	-97	Other
1	Interior plumbing																					
2	Interior protected well																					
3	Unprotected interior well																					
4	Interior drilling																					
5	Water seller																					
6	Public drilling																					
7	Exterior protected well																					
8	Exterior unprotected well																					
9	Fountain or rain water																					
-97	Other																					
desc_othersource <i>(required)</i>	Specify other source of drinking water <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${sourcedrinkingwater} , '-97')</i>																					
materials	[Surveyor: Material of the dwelling, record by observation] <i>Only ask these questions if the interview is not conducted at home.</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>																					
walls <i>(required)</i>	[Surveyor: Please record the main material of the exterior walls] <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	<table border="1"> <tr><td>1</td><td>Banco/briques en banco</td></tr> <tr><td>2</td><td>Bois/bambou</td></tr> <tr><td>3</td><td>Tôle</td></tr> <tr><td>4</td><td>Pierre</td></tr> <tr><td>5</td><td>Ciment/béton</td></tr> <tr><td>6</td><td>Paille/Chaume</td></tr> <tr><td>7</td><td>Carton</td></tr> <tr><td>-97</td><td>Other</td></tr> </table>	1	Banco/briques en banco	2	Bois/bambou	3	Tôle	4	Pierre	5	Ciment/béton	6	Paille/Chaume	7	Carton	-97	Other				
1	Banco/briques en banco																					
2	Bois/bambou																					
3	Tôle																					
4	Pierre																					
5	Ciment/béton																					
6	Paille/Chaume																					
7	Carton																					
-97	Other																					
desc_otherwalls <i>(required)</i>	Specify other material of the exterior walls <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${walls} , '-97')</i>																					
roof <i>(required)</i>	[Surveyor: Please record the main material of the roof] <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	<table border="1"> <tr><td>1</td><td>Banco/briques en banco</td></tr> <tr><td>2</td><td>Bois/bambou</td></tr> <tr><td>3</td><td>Tôle</td></tr> <tr><td>4</td><td>Ciment/béton</td></tr> <tr><td>5</td><td>Béton</td></tr> <tr><td>-97</td><td>Other</td></tr> </table>	1	Banco/briques en banco	2	Bois/bambou	3	Tôle	4	Ciment/béton	5	Béton	-97	Other								
1	Banco/briques en banco																					
2	Bois/bambou																					
3	Tôle																					
4	Ciment/béton																					
5	Béton																					
-97	Other																					
desc_otherroof <i>(required)</i>	Specify other material of the roof <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${roof} , '-97')</i>																					
floor <i>(required)</i>	[Surveyor: Please record the main material of the floor] <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	<table border="1"> <tr><td>1</td><td>Terre/Sable/Boue</td></tr> <tr><td>2</td><td>Bois/Planche</td></tr> <tr><td>3</td><td>Palme/bambou</td></tr> <tr><td>4</td><td>Ciment/béton/dalle</td></tr> <tr><td>5</td><td>Carreaux/Marbre</td></tr> <tr><td>6</td><td>Graviers</td></tr> <tr><td>-97</td><td>Other</td></tr> </table>	1	Terre/Sable/Boue	2	Bois/Planche	3	Palme/bambou	4	Ciment/béton/dalle	5	Carreaux/Marbre	6	Graviers	-97	Other						
1	Terre/Sable/Boue																					
2	Bois/Planche																					
3	Palme/bambou																					
4	Ciment/béton/dalle																					
5	Carreaux/Marbre																					
6	Graviers																					
-97	Other																					
desc_otherfloor <i>(required)</i>	Specify other material of the floor <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${floor} , '-97')</i>																					
I'm going to read you a list of symptoms. Can you say for each if you/the patient has had this symptom today? <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>																						
labels1home	Please read symptom aloud and record patient's answer. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																
1	Yes																					
2	No																					
feverhome <i>(required)</i>	Fever <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																
1	Yes																					
2	No																					
chillshome <i>(required)</i>	Chills and/or excessive sweating <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																
1	Yes																					
2	No																					

HomePatientInterview

Field	Question	Answer
nauseahome (required)	Nausea or vomiting <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
diarrheahome (required)	Diarrhea <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
digestiveproblemshome (required)	Digestive problems (swelling of the belly, abdominal pain) <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
poorappetitehome (required)	Poor appetite, unwilling to eat or to breastfeed <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
headachehome (required)	Headache <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
stiffnessneckhome (required)	Stiffness of the neck <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
earpainhome (required)	Ear pain or swelling behind the ear <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
swellingcheekshome (required)	Swelling of the cheeks <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
nosebleedhome (required)	Nose bleed <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
I'm going to read you a list of symptoms. Can you say for each if you/the patient has had this symptom today? <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>		
labels2home	Please read symptom aloud and record patient's answer. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
coughhome (required)	Dry cough <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
productivecoughhome (required)	Wet/productive cough <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
breathinghome (required)	Difficulty breathing, rapid or deep breathing <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
skinhome (required)	Skin rash or outbreak, blisters <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
eyeshome (required)	Red or infected eyes <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
mouthulcershome (required)	Mouth ulcers <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
jaundicehome (required)	Jaundice (ictère, jaunisse; yellow eyes or skin) <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
weaknesshome (required)	Weakness, fatigue, malaise <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
prostationhome (required)	Prostration: inability to sit up / inability to breastfeed (small children) <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
musclestiffnesshome (required)	Muscle stiffness, hypertonia <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
convulsionshome (required)	Convulsions <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
consciousnesshome (required)	Reduced consciousness, confusion, coma (irresponsive to sound or touch) <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1 Yes
		2 No
fevertypehome (required)	You mentioned fever. Is the fever permanent or recurrent? <i>A recurrent fever is a strong fever that occurs for a few hours, then suddenly stops, often followed by excessive sweating.</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${feverhome} , '1')</i>	1 Permanent
		2 Recurrent
headachetypehome (required)	You mentioned headache. Is the headache only in front or whole head? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${headachehome} , '1')</i>	1 Only in front
		2 Whole head

HomePatientInterview

Field	Question	Answer																				
illnesschange <i>(required)</i>	Since your survey interview at the CSCOM, has the illness improved at all? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	<table border="1"> <tr><td>1</td><td>Illness is gone/cured</td></tr> <tr><td>2</td><td>Illness has improved considerably</td></tr> <tr><td>3</td><td>Illness has improved somewhat</td></tr> <tr><td>4</td><td>No change</td></tr> <tr><td>5</td><td>Illness is a somewhat worse</td></tr> <tr><td>6</td><td>Illness is much worse</td></tr> </table>	1	Illness is gone/cured	2	Illness has improved considerably	3	Illness has improved somewhat	4	No change	5	Illness is a somewhat worse	6	Illness is much worse								
1	Illness is gone/cured																					
2	Illness has improved considerably																					
3	Illness has improved somewhat																					
4	No change																					
5	Illness is a somewhat worse																					
6	Illness is much worse																					
testquestions	When we spoke at the CSCOM, you told me about some medical tests that the doctor had ordered for you. I'd like to ask you a few more questions about these. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>																					
Test 1 was a [testtypereported1_pl] test. <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${testypereported1_pl} , "")) or selected(\${testypereported1_pl} , 'Other')</i>																						
knowtestisfora1 <i>(required)</i>	Do you know what this test is for? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported1_pl} != ""</i> <i>Response constrained to: not((selected(\${knowtestisfora1} , '1') or selected(\${knowtestisfora1} , '2') or selected(\${knowtestisfora1} , '3') or selected(\${knowtestisfora1} , '4') or selected(\${knowtestisfora1} , '5') or selected(\${knowtestisfora1} , '6') or selected(\${knowtestisfora1} , '7') or selected(\${knowtestisfora1} , '8')) and (selected(\${knowtestisfora1} , '-99') or selected(\${knowtestisfora1} , '-100')) and not(selected(\${knowtestisfora1} , '-99') and selected(\${knowtestisfora1} , '-100')) and not(selected(\${knowtestisfora1} , '1') and selected(\${knowtestisfora1} , '2') and selected(\${knowtestisfora1} , '3')) and not(selected(\${knowtestisfora1} , '2') and selected(\${knowtestisfora1} , '3')) and not(selected(\${knowtestisfora1} , '1') and selected(\${knowtestisfora1} , '2')) and not(selected(\${knowtestisfora1} , '1') and selected(\${knowtestisfora1} , '3'))</i>	<table border="1"> <tr><td>1</td><td>Simple malaria</td></tr> <tr><td>2</td><td>Severe malaria</td></tr> <tr><td>3</td><td>Malaria (simple or severe not specified)</td></tr> <tr><td>4</td><td>Typhoid Fever</td></tr> <tr><td>5</td><td>Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</td></tr> <tr><td>6</td><td>Syphilis</td></tr> <tr><td>7</td><td>Hepatitis</td></tr> <tr><td>8</td><td>Sickle cell disease</td></tr> <tr><td>-99</td><td>Was told but cannot remember or did not understand</td></tr> <tr><td>-100</td><td>Was not told</td></tr> </table>	1	Simple malaria	2	Severe malaria	3	Malaria (simple or severe not specified)	4	Typhoid Fever	5	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.	6	Syphilis	7	Hepatitis	8	Sickle cell disease	-99	Was told but cannot remember or did not understand	-100	Was not told
1	Simple malaria																					
2	Severe malaria																					
3	Malaria (simple or severe not specified)																					
4	Typhoid Fever																					
5	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.																					
6	Syphilis																					
7	Hepatitis																					
8	Sickle cell disease																					
-99	Was told but cannot remember or did not understand																					
-100	Was not told																					
testnecessarya1_1 <i>(required)</i>	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported1_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	<table border="1"> <tr><td>-2</td><td>Strongly disagree</td></tr> <tr><td>-1</td><td>Disagree</td></tr> <tr><td>0</td><td>Neither agree nor disagree, neutral</td></tr> <tr><td>1</td><td>Agree</td></tr> <tr><td>2</td><td>Strongly agree</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	-2	Strongly disagree	-1	Disagree	0	Neither agree nor disagree, neutral	1	Agree	2	Strongly agree	-98	Refused to say								
-2	Strongly disagree																					
-1	Disagree																					
0	Neither agree nor disagree, neutral																					
1	Agree																					
2	Strongly agree																					
-98	Refused to say																					
testnecessarya1_2 <i>(required)</i>	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported1_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	<table border="1"> <tr><td>-2</td><td>Strongly disagree</td></tr> <tr><td>-1</td><td>Disagree</td></tr> <tr><td>0</td><td>Neither agree nor disagree, neutral</td></tr> <tr><td>1</td><td>Agree</td></tr> <tr><td>2</td><td>Strongly agree</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	-2	Strongly disagree	-1	Disagree	0	Neither agree nor disagree, neutral	1	Agree	2	Strongly agree	-98	Refused to say								
-2	Strongly disagree																					
-1	Disagree																					
0	Neither agree nor disagree, neutral																					
1	Agree																					
2	Strongly agree																					
-98	Refused to say																					
Test 1 was a [desc_testypereported1_pl] test. <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_testypereported1_pl} != "" and \${testypereported1_pl} != ""</i>																						
knowtestisforb1 <i>(required)</i>	Do you know what this test is for? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported1_pl} != ""</i> <i>Response constrained to: not((selected(\${knowtestisforb1} , '1') or selected(\${knowtestisforb1} , '2') or selected(\${knowtestisforb1} , '3') or selected(\${knowtestisforb1} , '4') or selected(\${knowtestisforb1} , '5') or selected(\${knowtestisforb1} , '6') or selected(\${knowtestisforb1} , '7') or selected(\${knowtestisforb1} , '8')) and (selected(\${knowtestisforb1} , '-99') or selected(\${knowtestisforb1} , '-100')) and not(selected(\${knowtestisforb1} , '-99') and selected(\${knowtestisforb1} , '-100')) and not(selected(\${knowtestisforb1} , '1') and selected(\${knowtestisforb1} , '2') and selected(\${knowtestisforb1} , '3')) and not(selected(\${knowtestisforb1} , '2') and selected(\${knowtestisforb1} , '3')) and not(selected(\${knowtestisforb1} , '1') and selected(\${knowtestisforb1} , '2')) and not(selected(\${knowtestisforb1} , '1') and selected(\${knowtestisforb1} , '3'))</i>	<table border="1"> <tr><td>1</td><td>Simple malaria</td></tr> <tr><td>2</td><td>Severe malaria</td></tr> <tr><td>3</td><td>Malaria (simple or severe not specified)</td></tr> <tr><td>4</td><td>Typhoid Fever</td></tr> <tr><td>5</td><td>Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</td></tr> <tr><td>6</td><td>Syphilis</td></tr> <tr><td>7</td><td>Hepatitis</td></tr> <tr><td>8</td><td>Sickle cell disease</td></tr> <tr><td>-99</td><td>Was told but cannot remember or did not understand</td></tr> <tr><td>-100</td><td>Was not told</td></tr> </table>	1	Simple malaria	2	Severe malaria	3	Malaria (simple or severe not specified)	4	Typhoid Fever	5	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.	6	Syphilis	7	Hepatitis	8	Sickle cell disease	-99	Was told but cannot remember or did not understand	-100	Was not told
1	Simple malaria																					
2	Severe malaria																					
3	Malaria (simple or severe not specified)																					
4	Typhoid Fever																					
5	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.																					
6	Syphilis																					
7	Hepatitis																					
8	Sickle cell disease																					
-99	Was told but cannot remember or did not understand																					
-100	Was not told																					
testnecessaryb1_1 <i>(required)</i>	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported1_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	<table border="1"> <tr><td>-2</td><td>Strongly disagree</td></tr> <tr><td>-1</td><td>Disagree</td></tr> <tr><td>0</td><td>Neither agree nor disagree, neutral</td></tr> <tr><td>1</td><td>Agree</td></tr> <tr><td>2</td><td>Strongly agree</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	-2	Strongly disagree	-1	Disagree	0	Neither agree nor disagree, neutral	1	Agree	2	Strongly agree	-98	Refused to say								
-2	Strongly disagree																					
-1	Disagree																					
0	Neither agree nor disagree, neutral																					
1	Agree																					
2	Strongly agree																					
-98	Refused to say																					

testnecessaryb1_2 <i>(required)</i>		<table border="1"> <tr><td>-2</td><td>Strongly disagree</td></tr> </table>	-2	Strongly disagree
-2	Strongly disagree			

HomePatientInterview

Field	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported1_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	<table border="1"> <tr><td>-1</td><td>Disagree</td></tr> <tr><td>0</td><td>Neither agree nor disagree, neutral</td></tr> <tr><td>1</td><td>Agree</td></tr> <tr><td>2</td><td>Strongly agree</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	-1	Disagree	0	Neither agree nor disagree, neutral	1	Agree	2	Strongly agree	-98	Refused to say										
-1	Disagree																					
0	Neither agree nor disagree, neutral																					
1	Agree																					
2	Strongly agree																					
-98	Refused to say																					
Test 2 was a [testypereported2_pl] test. <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${testypereported2_pl} , "")) or selected(\${testypereported2_pl} , 'Other')</i>																						
knowtestisfora2 (required)	Do you know what this test is for? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported2_pl} != ""</i> <i>Response constrained to: not((selected(\${knowtestisfora2} , '1') or selected(\${knowtestisfora2} , '2') or selected(\${knowtestisfora2} , '3') or selected(\${knowtestisfora2} , '4') or selected(\${knowtestisfora2} , '5') or selected(\${knowtestisfora2} , '6') or selected(\${knowtestisfora2} , '7') or selected(\${knowtestisfora2} , '8')) and (selected(\${knowtestisfora2} , '-99') or selected(\${knowtestisfora2} , '-100')) and not(selected(\${knowtestisfora2} , '-99') and selected(\${knowtestisfora2} , '-100')) and not(selected(\${knowtestisfora2} , '1') and selected(\${knowtestisfora2} , '2') and selected(\${knowtestisfora2} , '3')) and not(selected(\${knowtestisfora2} , '2') and selected(\${knowtestisfora2} , '3')) and not(selected(\${knowtestisfora2} , '1') and selected(\${knowtestisfora2} , '2')) and not(selected(\${knowtestisfora2} , '1') and selected(\${knowtestisfora2} , '3'))</i>	<table border="1"> <tr><td>1</td><td>Simple malaria</td></tr> <tr><td>2</td><td>Severe malaria</td></tr> <tr><td>3</td><td>Malaria (simple or severe not specified)</td></tr> <tr><td>4</td><td>Typhoid Fever</td></tr> <tr><td>5</td><td>Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</td></tr> <tr><td>6</td><td>Syphilis</td></tr> <tr><td>7</td><td>Hepatitis</td></tr> <tr><td>8</td><td>Sickle cell disease</td></tr> <tr><td>-99</td><td>Was told but cannot remember or did not understand</td></tr> <tr><td>-100</td><td>Was not told</td></tr> </table>	1	Simple malaria	2	Severe malaria	3	Malaria (simple or severe not specified)	4	Typhoid Fever	5	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.	6	Syphilis	7	Hepatitis	8	Sickle cell disease	-99	Was told but cannot remember or did not understand	-100	Was not told
1	Simple malaria																					
2	Severe malaria																					
3	Malaria (simple or severe not specified)																					
4	Typhoid Fever																					
5	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.																					
6	Syphilis																					
7	Hepatitis																					
8	Sickle cell disease																					
-99	Was told but cannot remember or did not understand																					
-100	Was not told																					
testnecessarya2_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported2_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	<table border="1"> <tr><td>-2</td><td>Strongly disagree</td></tr> <tr><td>-1</td><td>Disagree</td></tr> <tr><td>0</td><td>Neither agree nor disagree, neutral</td></tr> <tr><td>1</td><td>Agree</td></tr> <tr><td>2</td><td>Strongly agree</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	-2	Strongly disagree	-1	Disagree	0	Neither agree nor disagree, neutral	1	Agree	2	Strongly agree	-98	Refused to say								
-2	Strongly disagree																					
-1	Disagree																					
0	Neither agree nor disagree, neutral																					
1	Agree																					
2	Strongly agree																					
-98	Refused to say																					
testnecessarya2_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported2_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	<table border="1"> <tr><td>-2</td><td>Strongly disagree</td></tr> <tr><td>-1</td><td>Disagree</td></tr> <tr><td>0</td><td>Neither agree nor disagree, neutral</td></tr> <tr><td>1</td><td>Agree</td></tr> <tr><td>2</td><td>Strongly agree</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	-2	Strongly disagree	-1	Disagree	0	Neither agree nor disagree, neutral	1	Agree	2	Strongly agree	-98	Refused to say								
-2	Strongly disagree																					
-1	Disagree																					
0	Neither agree nor disagree, neutral																					
1	Agree																					
2	Strongly agree																					
-98	Refused to say																					
Test 2 was a [desc_testypereported2_pl] test. <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_testypereported2_pl} != "" and \${testypereported2_pl} != ""</i>																						
knowtestisforb2 (required)	Do you know what this test is for? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported2_pl} != ""</i> <i>Response constrained to: not((selected(\${knowtestisforb2} , '1') or selected(\${knowtestisforb2} , '2') or selected(\${knowtestisforb2} , '3') or selected(\${knowtestisforb2} , '4') or selected(\${knowtestisforb2} , '5') or selected(\${knowtestisforb2} , '6') or selected(\${knowtestisforb2} , '7') or selected(\${knowtestisforb2} , '8')) and (selected(\${knowtestisforb2} , '-99') or selected(\${knowtestisforb2} , '-100')) and not(selected(\${knowtestisforb2} , '-99') and selected(\${knowtestisforb2} , '-100')) and not(selected(\${knowtestisforb2} , '1') and selected(\${knowtestisforb2} , '2') and selected(\${knowtestisforb2} , '3')) and not(selected(\${knowtestisforb2} , '2') and selected(\${knowtestisforb2} , '3')) and not(selected(\${knowtestisforb2} , '1') and selected(\${knowtestisforb2} , '2')) and not(selected(\${knowtestisforb2} , '1') and selected(\${knowtestisforb2} , '3'))</i>	<table border="1"> <tr><td>1</td><td>Simple malaria</td></tr> <tr><td>2</td><td>Severe malaria</td></tr> <tr><td>3</td><td>Malaria (simple or severe not specified)</td></tr> <tr><td>4</td><td>Typhoid Fever</td></tr> <tr><td>5</td><td>Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</td></tr> <tr><td>6</td><td>Syphilis</td></tr> <tr><td>7</td><td>Hepatitis</td></tr> <tr><td>8</td><td>Sickle cell disease</td></tr> <tr><td>-99</td><td>Was told but cannot remember or did not understand</td></tr> <tr><td>-100</td><td>Was not told</td></tr> </table>	1	Simple malaria	2	Severe malaria	3	Malaria (simple or severe not specified)	4	Typhoid Fever	5	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.	6	Syphilis	7	Hepatitis	8	Sickle cell disease	-99	Was told but cannot remember or did not understand	-100	Was not told
1	Simple malaria																					
2	Severe malaria																					
3	Malaria (simple or severe not specified)																					
4	Typhoid Fever																					
5	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.																					
6	Syphilis																					
7	Hepatitis																					
8	Sickle cell disease																					
-99	Was told but cannot remember or did not understand																					
-100	Was not told																					
testnecessarya2_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported2_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	<table border="1"> <tr><td>-2</td><td>Strongly disagree</td></tr> <tr><td>-1</td><td>Disagree</td></tr> <tr><td>0</td><td>Neither agree nor disagree, neutral</td></tr> <tr><td>1</td><td>Agree</td></tr> <tr><td>2</td><td>Strongly agree</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	-2	Strongly disagree	-1	Disagree	0	Neither agree nor disagree, neutral	1	Agree	2	Strongly agree	-98	Refused to say								
-2	Strongly disagree																					
-1	Disagree																					
0	Neither agree nor disagree, neutral																					
1	Agree																					
2	Strongly agree																					
-98	Refused to say																					
testnecessarya2_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"?	<table border="1"> <tr><td>-2</td><td>Strongly disagree</td></tr> <tr><td>-1</td><td>Disagree</td></tr> <tr><td>0</td><td>Neither agree nor disagree, neutral</td></tr> </table>	-2	Strongly disagree	-1	Disagree	0	Neither agree nor disagree, neutral														
-2	Strongly disagree																					
-1	Disagree																					
0	Neither agree nor disagree, neutral																					

HomePatientInterview

Field	Question	Answer
	<p>Test 3 was a [testtypereported3_pl] test.</p> <p>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${testtypereported3_pl} , "")) or selected(\${testtypereported3_pl} , 'Other')</p>	<p>0 Neither agree nor disagree, neutral</p> <p>Agree</p> <p>-2 Strongly agree</p> <p>-98 Refused to say</p>
knowtestisfora3 (required)	<p>Do you know what this test is for?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testtypereported3_pl} != ""</p> <p>Response constrained to: not((selected(\${knowtestisfora3} , '1') or selected(\${knowtestisfora3} , '2') or selected(\${knowtestisfora3} , '3') or selected(\${knowtestisfora3} , '4') or selected(\${knowtestisfora3} , '5') or selected(\${knowtestisfora3} , '6') or selected(\${knowtestisfora3} , '7') or selected(\${knowtestisfora3} , '8')) and (selected(\${knowtestisfora3} , '-99') or selected(\${knowtestisfora3} , '-100')) and not(selected(\${knowtestisfora3} , '-99') and selected(\${knowtestisfora3} , '-100')) and not(selected(\${knowtestisfora3} , '1') and selected(\${knowtestisfora3} , '2') and selected(\${knowtestisfora3} , '3') and not(selected(\${knowtestisfora3} , '2') and selected(\${knowtestisfora3} , '3') and not(selected(\${knowtestisfora3} , '1') and selected(\${knowtestisfora3} , '2') and not(selected(\${knowtestisfora3} , '1') and selected(\${knowtestisfora3} , '3'))</p>	<p>1 Simple malaria</p> <p>2 Severe malaria</p> <p>3 Malaria (simple or severe not specified)</p> <p>4 Typhoid Fever</p> <p>5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</p> <p>6 Syphilis</p> <p>7 Hepatitis</p> <p>8 Sickle cell disease</p> <p>-99 Was told but cannot remember or did not understand</p> <p>-100 Was not told</p>
testnecessarya3_1 (required)	<p>How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testtypereported3_pl} != "" and selected(\${patientrespondent_pl} , '1')</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
testnecessarya3_2 (required)	<p>How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testtypereported3_pl} != "" and selected(\${patientrespondent_pl} , '2')</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
	<p>Test 3 was a [desc_testtypereported3_pl] test.</p> <p>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_testtypereported3_pl} != "" and \${testtypereported3_pl} != ""</p>	

knowtestisforb3 (required)	<p>Do you know what this test is for?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testtypereported3_pl} != ""</p> <p>Response constrained to: not((selected(\${knowtestisforb3} , '1') or selected(\${knowtestisforb3} , '2') or selected(\${knowtestisforb3} , '3') or selected(\${knowtestisforb3} , '4') or selected(\${knowtestisforb3} , '5') or selected(\${knowtestisforb3} , '6') or selected(\${knowtestisforb3} , '7') or selected(\${knowtestisforb3} , '8')) and (selected(\${knowtestisforb3} , '-99') or selected(\${knowtestisforb3} , '-100')) and not(selected(\${knowtestisforb3} , '-99') and selected(\${knowtestisforb3} , '-100')) and not(selected(\${knowtestisforb3} , '1') and selected(\${knowtestisforb3} , '2') and selected(\${knowtestisforb3} , '3') and not(selected(\${knowtestisforb3} , '2') and selected(\${knowtestisforb3} , '3') and not(selected(\${knowtestisforb3} , '1') and selected(\${knowtestisforb3} , '2') and not(selected(\${knowtestisforb3} , '1') and selected(\${knowtestisforb3} , '3'))</p>	<p>1 Simple malaria</p> <p>2 Severe malaria</p> <p>3 Malaria (simple or severe not specified)</p> <p>4 Typhoid Fever</p> <p>5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</p> <p>6 Syphilis</p> <p>7 Hepatitis</p> <p>8 Sickle cell disease</p> <p>-99 Was told but cannot remember or did not understand</p> <p>-100 Was not told</p>
----------------------------	---	--

HomePatientInterview

Field	Question	Answer
testnecessaryb3_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported3_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
testnecessaryb3_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported3_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
Test 4 was a [testypereported4_pl] test. <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${testypereported4_pl} , "")) or selected(\${testypereported4_pl} , 'Other')</i>		
knowtestisfora4 (required)	Do you know what this test is for? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported4_pl} != ""</i> <i>Response constrained to: not((selected(\${knowtestisfora4} , '1') or selected(\${knowtestisfora4} , '2') or selected(\${knowtestisfora4} , '3') or selected(\${knowtestisfora4} , '4') or selected(\${knowtestisfora4} , '5') or selected(\${knowtestisfora4} , '6') or selected(\${knowtestisfora4} , '7') or selected(\${knowtestisfora4} , '8')) and (selected(\${knowtestisfora4} , '-99') or selected(\${knowtestisfora4} , '-100')) and not(selected(\${knowtestisfora4} , '-99') and selected(\${knowtestisfora4} , '-100')) and not(selected(\${knowtestisfora4} , '1') and selected(\${knowtestisfora4} , '2') and selected(\${knowtestisfora4} , '3') and not(selected(\${knowtestisfora4} , '2') and selected(\${knowtestisfora4} , '3') and not(selected(\${knowtestisfora4} , '1') and selected(\${knowtestisfora4} , '2') and not(selected(\${knowtestisfora4} , '1') and selected(\${knowtestisfora4} , '3'))</i>	1 Simple malaria 2 Severe malaria 3 Malaria (simple or severe not specified) 4 Typhoid Fever 5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc. 6 Syphilis 7 Hepatitis 8 Sickle cell disease -99 Was told but cannot remember or did not understand -100 Was not told
testnecessarya4_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported4_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
testnecessarya4_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported4_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

Test 4 was a [desc_testypereported4_pl] test. <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_testypereported4_pl} != "" and \${testypereported4_pl} != ""</i>		
knowtestisforb4 (required)	Do you know what this test is for? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported4_pl} != ""</i> <i>Response constrained to: not((selected(\${knowtestisforb4} , '1') or selected(\${knowtestisforb4} , '2') or selected(\${knowtestisforb4} , '3') or selected(\${knowtestisforb4} , '4') or selected(\${knowtestisforb4} , '5') or selected(\${knowtestisforb4} , '6') or selected(\${knowtestisforb4} , '7') or selected(\${knowtestisforb4} , '8')) and (selected(\${knowtestisforb4} , '-99') or selected(\${knowtestisforb4} , '-100')) and not(selected(\${knowtestisforb4} , '-99') and selected(\${knowtestisforb4} , '-100')) and not(selected(\${knowtestisforb4} , '1') and selected(\${knowtestisforb4} , '2') and selected(\${knowtestisforb4} , '3') and not(selected(\${knowtestisforb4} , '2') and selected(\${knowtestisforb4} , '3') and not(selected(\${knowtestisforb4} , '1') and selected(\${knowtestisforb4} , '2') and not(selected(\${knowtestisforb4} , '1') and selected(\${knowtestisforb4} , '3'))</i>	1 Simple malaria 2 Severe malaria 3 Malaria (simple or severe not specified) 4 Typhoid Fever 5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc. 6 Syphilis 7 Hepatitis 8 Sickle cell disease -99 Was told but cannot remember or did not understand -100 Was not told
testnecessaryb4_1 (required)		-2 Strongly disagree

HomePatientInterview

Field	Question	Answer
	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"?	Disagree
	<i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported4_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
testnecessaryb4_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"?	-2 Strongly disagree
	<i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported4_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
Test 5 was a [testypereported5_pl] test.		
<i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${testypereported5_pl} , "")) or selected(\${testypereported5_pl} , 'Other')</i>		
knowtestisfora5 (required)	Do you know what this test is for?	1 Simple malaria
	<i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported5_pl} != ""</i>	2 Severe malaria
	<i>Response constrained to: not((selected(\${knowtestisfora5} , '1') or selected(\${knowtestisfora5} , '2') or selected(\${knowtestisfora5} , '3') or selected(\${knowtestisfora5} , '4') or selected(\${knowtestisfora5} , '5') or selected(\${knowtestisfora5} , '6') or selected(\${knowtestisfora5} , '7') or selected(\${knowtestisfora5} , '8')) and (selected(\${knowtestisfora5} , '-99') or selected(\${knowtestisfora5} , '-100')) and not(selected(\${knowtestisfora5} , '-99') and selected(\${knowtestisfora5} , '-100')) and not(selected(\${knowtestisfora5} , '1') and selected(\${knowtestisfora5} , '2') and selected(\${knowtestisfora5} , '3') and not(selected(\${knowtestisfora5} , '2') and selected(\${knowtestisfora5} , '3') and not(selected(\${knowtestisfora5} , '1') and selected(\${knowtestisfora5} , '2') and not(selected(\${knowtestisfora5} , '1') and selected(\${knowtestisfora5} , '3'))</i>	3 Malaria (simple or severe not specified)
		4 Typhoid Fever
		5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		6 Syphilis
		7 Hepatitis
		8 Sickle cell disease
		-99 Was told but cannot remember or did not understand
		-100 Was not told
testnecessarya5_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"?	-2 Strongly disagree
	<i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported5_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
testnecessarya5_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"?	-2 Strongly disagree
	<i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported5_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
Test 5 was a [desc_testypereported5_pl] test.		
<i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_testypereported5_pl} != "" and \${testypereported5_pl} != ""</i>		

knowtestisforb5 (required)	Do you know what this test is for?	1 Simple malaria
	<i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported5_pl} != ""</i>	2 Severe malaria
	<i>Response constrained to: not((selected(\${knowtestisforb5} , '1') or selected(\${knowtestisforb5} , '2') or selected(\${knowtestisforb5} , '3') or selected(\${knowtestisforb5} , '4') or selected(\${knowtestisforb5} , '5') or selected(\${knowtestisforb5} , '6') or selected(\${knowtestisforb5} , '7') or selected(\${knowtestisforb5} , '8')) and (selected(\${knowtestisforb5} , '-99') or selected(\${knowtestisforb5} , '-100')) and not(selected(\${knowtestisforb5} , '-99') and selected(\${knowtestisforb5} , '-100')) and not(selected(\${knowtestisforb5} , '1') and selected(\${knowtestisforb5} , '2') and selected(\${knowtestisforb5} , '3') and not(selected(\${knowtestisforb5} , '2') and selected(\${knowtestisforb5} , '3') and not(selected(\${knowtestisforb5} , '1') and selected(\${knowtestisforb5} , '2') and not(selected(\${knowtestisforb5} , '1') and selected(\${knowtestisforb5} , '3'))</i>	3 Malaria (simple or severe not specified)
		4 Typhoid Fever
		5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		6 Syphilis
		7 Hepatitis
		8 Sickle cell disease
		-99 Was told but cannot remember or did not understand
		-100 Was not told

HomePatientInterview

Field	Question	Answer
testnecessaryb5_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported5_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
testnecessaryb5_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported5_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
Test 6 was a [testypereported6_pl] test. <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${testypereported6_pl} , "")) or selected(\${testypereported6_pl} , 'Other')</i>		
knowtestisfora6 (required)	Do you know what this test is for? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported6_pl} != ""</i> <i>Response constrained to: not((selected(\${knowtestisfora6} , '1') or selected(\${knowtestisfora6} , '2') or selected(\${knowtestisfora6} , '3') or selected(\${knowtestisfora6} , '4') or selected(\${knowtestisfora6} , '5') or selected(\${knowtestisfora6} , '6') or selected(\${knowtestisfora6} , '7') or selected(\${knowtestisfora6} , '8')) and (selected(\${knowtestisfora6} , '-99') or selected(\${knowtestisfora6} , '-100')) and not(selected(\${knowtestisfora6} , '-99') and selected(\${knowtestisfora6} , '-100')) and not(selected(\${knowtestisfora6} , '1') and selected(\${knowtestisfora6} , '2') and selected(\${knowtestisfora6} , '3')) and not(selected(\${knowtestisfora6} , '2') and selected(\${knowtestisfora6} , '3')) and not(selected(\${knowtestisfora6} , '1') and selected(\${knowtestisfora6} , '2')) and not(selected(\${knowtestisfora6} , '1') and selected(\${knowtestisfora6} , '3'))</i>	1 Simple malaria 2 Severe malaria 3 Malaria (simple or severe not specified) 4 Typhoid Fever 5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc. 6 Syphilis 7 Hepatitis 8 Sickle cell disease -99 Was told but cannot remember or did not understand -100 Was not told
testnecessarya6_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported6_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

testnecessarya6_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported6_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
Test 6 was a [desc_testypereported6_pl] test. <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_testypereported6_pl} != "" and \${testypereported6_pl} != ""</i>		
knowtestisforb6 (required)	Do you know what this test is for? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported6_pl} != ""</i> <i>Response constrained to: not((selected(\${knowtestisforb6} , '1') or selected(\${knowtestisforb6} , '2') or selected(\${knowtestisforb6} , '3') or selected(\${knowtestisforb6} , '4') or selected(\${knowtestisforb6} , '5') or selected(\${knowtestisforb6} , '6') or selected(\${knowtestisforb6} , '7') or selected(\${knowtestisforb6} , '8')) and (selected(\${knowtestisforb6} , '-99') or selected(\${knowtestisforb6} , '-100')) and not(selected(\${knowtestisforb6} , '-99') and selected(\${knowtestisforb6} , '-100')) and not(selected(\${knowtestisforb6} , '1') and selected(\${knowtestisforb6} , '2') and selected(\${knowtestisforb6} , '3')) and not(selected(\${knowtestisforb6} , '2') and selected(\${knowtestisforb6} , '3')) and not(selected(\${knowtestisforb6} , '1') and selected(\${knowtestisforb6} , '2')) and not(selected(\${knowtestisforb6} , '1') and selected(\${knowtestisforb6} , '3'))</i>	1 Simple malaria 2 Severe malaria 3 Malaria (simple or severe not specified) 4 Typhoid Fever 5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc. 6 Syphilis 7 Hepatitis 8 Sickle cell disease -99 Was told but cannot remember or did not understand -100 Was not told
testnecessaryb6_1 (required)		-2 Strongly disagree

HomePatientInterview

Field	Question	Answer
	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"?	1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
testnecessaryb6_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported6_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
Test 7 was a [testypereported7_pl] test. <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${testypereported7_pl} , "")) or selected(\${testypereported7_pl} , 'Other')</i>		
knowtestisfora7 (required)	Do you know what this test is for? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported7_pl} != ""</i> <i>Response constrained to: not((selected(\${knowtestisfora7} , '1') or selected(\${knowtestisfora7} , '2') or selected(\${knowtestisfora7} , '3') or selected(\${knowtestisfora7} , '4') or selected(\${knowtestisfora7} , '5') or selected(\${knowtestisfora7} , '6') or selected(\${knowtestisfora7} , '7') or selected(\${knowtestisfora7} , '8')) and (selected(\${knowtestisfora7} , '-99') or selected(\${knowtestisfora7} , '-100')) and not(selected(\${knowtestisfora7} , '-99') and selected(\${knowtestisfora7} , '-100')) and not(selected(\${knowtestisfora7} , '1') and selected(\${knowtestisfora7} , '2') and selected(\${knowtestisfora7} , '3')) and not(selected(\${knowtestisfora7} , '2') and selected(\${knowtestisfora7} , '3')) and not(selected(\${knowtestisfora7} , '1') and selected(\${knowtestisfora7} , '2')) and not(selected(\${knowtestisfora7} , '1') and selected(\${knowtestisfora7} , '3'))</i>	1 Simple malaria 2 Severe malaria 3 Malaria (simple or severe not specified) 4 Typhoid Fever 5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc. 6 Syphilis 7 Hepatitis 8 Sickle cell disease -99 Was told but cannot remember or did not understand -100 Was not told
testnecessarya_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

testnecessarya_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported7_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
Test 7 was a [desc_testypereported7_pl] test. <i>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_testypereported7_pl} != "" and \${testypereported7_pl} != ""</i>		
knowtestisforb7 (required)	Do you know what this test is for? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported7_pl} != ""</i> <i>Response constrained to: not((selected(\${knowtestisforb7} , '1') or selected(\${knowtestisforb7} , '2') or selected(\${knowtestisforb7} , '3') or selected(\${knowtestisforb7} , '4') or selected(\${knowtestisforb7} , '5') or selected(\${knowtestisforb7} , '6') or selected(\${knowtestisforb7} , '7') or selected(\${knowtestisforb7} , '8')) and (selected(\${knowtestisforb7} , '-99') or selected(\${knowtestisforb7} , '-100')) and not(selected(\${knowtestisforb7} , '-99') and selected(\${knowtestisforb7} , '-100')) and not(selected(\${knowtestisforb7} , '1') and selected(\${knowtestisforb7} , '2') and selected(\${knowtestisforb7} , '3')) and not(selected(\${knowtestisforb7} , '2') and selected(\${knowtestisforb7} , '3')) and not(selected(\${knowtestisforb7} , '1') and selected(\${knowtestisforb7} , '2')) and not(selected(\${knowtestisforb7} , '1') and selected(\${knowtestisforb7} , '3'))</i>	1 Simple malaria 2 Severe malaria 3 Malaria (simple or severe not specified) 4 Typhoid Fever 5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc. 6 Syphilis 7 Hepatitis 8 Sickle cell disease -99 Was told but cannot remember or did not understand -100 Was not told
testnecessaryb7_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

HomePatientInterview

Field	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? Question	-1 Disagree Answer Neither agree nor disagree, neutral
	Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${testypereported7_pl} != "" and selected(\${patientrespondent_pl} , '1')	1 Agree 2 Strongly agree -98 Refused to say
testnecessarib7_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${testypereported7_pl} != "" and selected(\${patientrespondent_pl} , '2')	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
Test 8 was a [testypereported8_pl] test. Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${testypereported8_pl} , "")) or selected(\${testypereported8_pl} , 'Other')		
knowtestisfora8 (required)	Do you know what this test is for? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${testypereported8_pl} != "" Response constrained to: not((selected(\${knowtestisfora8} , '1') or selected(\${knowtestisfora8} , '2') or selected(\${knowtestisfora8} , '3') or selected(\${knowtestisfora8} , '4') or selected(\${knowtestisfora8} , '5') or selected(\${knowtestisfora8} , '6') or selected(\${knowtestisfora8} , '7') or selected(\${knowtestisfora8} , '8') and (selected(\${knowtestisfora8} , '-99') or selected(\${knowtestisfora8} , '-100')))) and not(selected(\${knowtestisfora8} , '-99') and selected(\${knowtestisfora8} , '-100')) and not(selected(\${knowtestisfora8} , '1') and selected(\${knowtestisfora8} , '2') and selected(\${knowtestisfora8} , '3') and not(selected(\${knowtestisfora8} , '2') and selected(\${knowtestisfora8} , '3') and not(selected(\${knowtestisfora8} , '1') and selected(\${knowtestisfora8} , '2') and not(selected(\${knowtestisfora8} , '1') and selected(\${knowtestisfora8} , '3'))	1 Simple malaria 2 Severe malaria 3 Malaria (simple or severe not specified) 4 Typhoid Fever 5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc. 6 Syphilis 7 Hepatitis 8 Sickle cell disease -99 Was told but cannot remember or did not understand -100 Was not told
testnecessarya8_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${testypereported8_pl} != "" and selected(\${patientrespondent_pl} , '2')	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

testnecessarya8_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${testypereported8_pl} != "" and selected(\${patientrespondent_pl} , '2')	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
Test 8 was a [desc_testypereported8_pl] test. Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_testypereported8_pl} != "" and \${testypereported8_pl} != ""		
knowtestisforb8 (required)	Do you know what this test is for? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${testypereported8_pl} != "" Response constrained to: not((selected(\${knowtestisforb8} , '1') or selected(\${knowtestisforb8} , '2') or selected(\${knowtestisforb8} , '3') or selected(\${knowtestisforb8} , '4') or selected(\${knowtestisforb8} , '5') or selected(\${knowtestisforb8} , '6') or selected(\${knowtestisforb8} , '7') or selected(\${knowtestisforb8} , '8') and (selected(\${knowtestisforb8} , '-99') or selected(\${knowtestisforb8} , '-100')))) and not(selected(\${knowtestisforb8} , '-99') and selected(\${knowtestisforb8} , '-100')) and not(selected(\${knowtestisforb8} , '1') and selected(\${knowtestisforb8} , '2') and selected(\${knowtestisforb8} , '3') and not(selected(\${knowtestisforb8} , '2') and selected(\${knowtestisforb8} , '3') and not(selected(\${knowtestisforb8} , '1') and selected(\${knowtestisforb8} , '2') and not(selected(\${knowtestisforb8} , '1') and selected(\${knowtestisforb8} , '3'))	1 Simple malaria 2 Severe malaria 3 Malaria (simple or severe not specified) 4 Typhoid Fever 5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc. 6 Syphilis 7 Hepatitis 8 Sickle cell disease -99 Was told but cannot remember or did not understand -100 Was not told

HomePatientInterview

Field	Question	Answer
testnecessaryb8_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"?	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
testnecessaryb8_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"?	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
Test 9 was a [testypereported9_pl] test.		
Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${testypereported9_pl} , "")) or selected(\${testypereported9_pl} , 'Other')		
knowtestisfora9 (required)	Do you know what this test is for?	1 Simple malaria
		2 Severe malaria
		3 Malaria (simple or severe not specified)
		4 Typhoid Fever
		5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		6 Syphilis
		7 Hepatitis
		8 Sickle cell disease
		-99 Was told but cannot remember or did not understand
		-100 Was not told

testnecessarya9_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"?	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
testnecessarya9_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"?	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
Test 9 was a [desc_testypereported9_pl] test.		
Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_testypereported9_pl} != "" and \${testypereported9_pl} != ""		
knowtestisforb9 (required)	Do you know what this test is for?	1 Simple malaria
		2 Severe malaria
		3 Malaria (simple or severe not specified)
		4 Typhoid Fever
		5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		6 Syphilis
		7 Hepatitis
		8 Sickle cell disease
		-99 Was told but cannot remember or did not understand
		-100 Was not told

HomePatientInterview

Field	Question	Answer
testnecessaryb9_1 (required)	<p>How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported9_pl} != "" and selected(\${patientrespondent_pl} , '1')</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
testnecessaryb9_2 (required)	<p>How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported9_pl} != "" and selected(\${patientrespondent_pl} , '2')</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
<p>Test 10 was a [testypereported10_pl] test.</p> <p>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${testypereported10_pl} , "")) or selected(\${testypereported10_pl} , 'Other')</p>		
knowtestisfora10 (required)	<p>Do you know what this test is for?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported10_pl} != ""</p> <p>Response constrained to: not((selected(\${knowtestisfora10} , '1') or selected(\${knowtestisfora10} , '2') or selected(\${knowtestisfora10} , '3') or selected(\${knowtestisfora10} , '4') or selected(\${knowtestisfora10} , '5') or selected(\${knowtestisfora10} , '6') or selected(\${knowtestisfora10} , '7') or selected(\${knowtestisfora10} , '8')) and (selected(\${knowtestisfora10} , '-99') or selected(\${knowtestisfora10} , '-100')) and not(selected(\${knowtestisfora10} , '-99') and selected(\${knowtestisfora10} , '-100')) and not(selected(\${knowtestisfora10} , '1') and selected(\${knowtestisfora10} , '2') and selected(\${knowtestisfora10} , '3')) and not(selected(\${knowtestisfora10} , '2') and selected(\${knowtestisfora10} , '3')) and not(selected(\${knowtestisfora10} , '1') and selected(\${knowtestisfora10} , '2')) and not(selected(\${knowtestisfora10} , '1') and selected(\${knowtestisfora10} , '3'))</p>	<p>1 Simple malaria</p> <p>2 Severe malaria</p> <p>3 Malaria (simple or severe not specified)</p> <p>4 Typhoid Fever</p> <p>5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</p> <p>6 Syphilis</p> <p>7 Hepatitis</p> <p>8 Sickle cell disease</p> <p>-99 Was told but cannot remember or did not understand</p> <p>-100 Was not told</p>

testnecessarya10_1 (required)	<p>How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported10_pl} != "" and selected(\${patientrespondent_pl} , '1')</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
testnecessarya10_2 (required)	<p>How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported10_pl} != "" and selected(\${patientrespondent_pl} , '2')</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
<p>Test 10 was a [desc_testypereported10_pl] test.</p> <p>Group relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_testypereported10_pl} != "" and \${testypereported10_pl} != ""</p>		
knowtestisforb10 (required)	<p>Do you know what this test is for?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported10_pl} != ""</p> <p>Response constrained to: not((selected(\${knowtestisforb10} , '1') or selected(\${knowtestisforb10} , '2') or selected(\${knowtestisforb10} , '3') or selected(\${knowtestisforb10} , '4') or selected(\${knowtestisforb10} , '5') or selected(\${knowtestisforb10} , '6') or selected(\${knowtestisforb10} , '7') or selected(\${knowtestisforb10} , '8')) and (selected(\${knowtestisforb10} , '-99') or selected(\${knowtestisforb10} , '-100')) and not(selected(\${knowtestisforb10} , '-99') and selected(\${knowtestisforb10} , '-100')) and not(selected(\${knowtestisforb10} , '1') and selected(\${knowtestisforb10} , '2') and selected(\${knowtestisforb10} , '3')) and not(selected(\${knowtestisforb10} , '2') and selected(\${knowtestisforb10} , '3')) and not(selected(\${knowtestisforb10} , '1') and selected(\${knowtestisforb10} , '2')) and not(selected(\${knowtestisforb10} , '1') and selected(\${knowtestisforb10} , '3'))</p>	<p>1 Simple malaria</p> <p>2 Severe malaria</p> <p>3 Malaria (simple or severe not specified)</p> <p>4 Typhoid Fever</p> <p>5 Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</p> <p>6 Syphilis</p> <p>7 Hepatitis</p> <p>8 Sickle cell disease</p> <p>-99 Was told but cannot remember or did not understand</p> <p>-100 Was not told</p>

HomePatientInterview

Field	Question	Answer
testnecessaryb10_1 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment I need"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testtypereported10_pl} != "" and selected(\${patientrespondent_pl} , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
testnecessaryb10_2 (required)	How strongly do you agree or disagree with the statement "This test was necessary to decide about the treatment [namepatient_pl] needs"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testtypereported10_pl} != "" and selected(\${patientrespondent_pl} , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
itemsquestions	You were prescribed some medications at the CSCCom. I would like to ask you some additional questions about these drugs. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed1_pl} != "" and (selected(\${purchaseditema1_pl} , '1') or selected(\${purchaseditemb1_pl} , '1'))</i>	

knowmedisfora1 (required)	Do you know what illness or symptoms [namedmed1_pl] is for? <i>Medication 1</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed1_pl} , "")) or selected(\${namedmed1_pl} , 'other')) and \${namedmed1_pl} != "" and \${purchaseditema1_pl} = 1</i> <i>Response constrained to: not((selected(\${knowmedisfora1} , '1') or selected(\${knowmedisfora1} , '2') or selected(\${knowmedisfora1} , '3') or selected(\${knowmedisfora1} , '4') or selected(\${knowmedisfora1} , '5') or selected(\${knowmedisfora1} , '6') or selected(\${knowmedisfora1} , '7') or selected(\${knowmedisfora1} , '8') or selected(\${knowmedisfora1} , '9') or selected(\${knowmedisfora1} , '10') or selected(\${knowmedisfora1} , '11') or selected(\${knowmedisfora1} , '12') or selected(\${knowmedisfora1} , '13') or selected(\${knowmedisfora1} , '14') or selected(\${knowmedisfora1} , '15') or selected(\${knowmedisfora1} , '-97')) and (selected(\${knowmedisfora1} , '-99') or selected(\${knowmedisfora1} , '-100')) and not(selected(\${knowmedisfora1} , '-99') and selected(\${knowmedisfora1} , '-100'))</i>	1 Pain reducing 2 Fever reducing 3 Vitamins, minerals, nutrition supplement 4 Malaria 5 Typhoid Fever 6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA)) 7 Pneumonia 8 Dysentery 9 Gastrointestinal infection, stomach infection, or diarrhea 10 High blood pressure 11 Blood sugar regulation/diabetes 12 Ear infection 13 Syphilis 14 Hepatitis 15 Sickle cell disease, sickle cell anemia -97 Other -99 Was told, but cannot remember or did not understand -100 Was not told
knowmedisforb1 (required)	Do you know what illness or symptoms [desc_othernamedmed1_pl] is for? <i>Medication 1</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamedmed1_pl} != "" and selected(\${namedmed1_pl} , 'other') and \${purchaseditemb1_pl} = 1</i> <i>Response constrained to: not((selected(\${knowmedisforb1} , '1') or selected(\${knowmedisforb1} , '2') or selected(\${knowmedisforb1} , '3') or selected(\${knowmedisforb1} , '4') or selected(\${knowmedisforb1} , '5') or selected(\${knowmedisforb1} , '6') or selected(</i>	1 Pain reducing 2 Fever reducing 3 Vitamins, minerals, nutrition supplement 4 Malaria 5 Typhoid Fever 6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA)) 7 Pneumonia

HomePatientInterview

Field	Question	Answer
	<i>Selected(\${knowmedisforb1} , '7') or selected(\${knowmedisforb1} , '8') or selected(\${knowmedisforb1} , '9') or selected(\${knowmedisforb1} , '10') or selected(\${knowmedisforb1} , '11') or selected(\${knowmedisforb1} , '12') or selected(\${knowmedisforb1} , '13') or selected(\${knowmedisforb1} , '14') or selected(\${knowmedisforb1} , '15') or selected(\${knowmedisforb1} , '-97')) and (selected(\${knowmedisforb1} , '-99') or selected(\${knowmedisforb1} , '-100')) and not(selected(\${knowmedisforb1} , '-99') and selected(\${knowmedisforb1} , '-100'))</i>	8 Dysentery 9 Gastrointestinal infection, stomach infection, or diarrhea 10 High blood pressure 11 Blood sugar regulation/diabetes 12 Ear infection 13 Syphilis 14 Hepatitis 15 Sickle cell disease, sickle cell anemia -97 Other -99 Was told, but cannot remember or did not understand -100 Was not told
desc_otherknowmedisfora1 (required)	Specify other illness or symptom. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisfora1} , '-97') and \${named1_pl} != "" and \${purchaseditema1_pl} = 1</i>	
desc_otherknowmedisforb1 (required)	Specify other illness or symptom. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb1} , '-97') and \${named1_pl} != "" and \${purchaseditemb1_pl} = 1</i>	
takingmeda1_1 (required)	Are you currently taking [named1_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named1_pl} , "")) or selected(\${named1_pl} , 'other')) and \${named1_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema1_pl} = 1</i>	1 Yes 2 No -98 Refused to say
takingmeda1_2 (required)	Is [namepatient_pl] currently taking [named1_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named1_pl} , "")) or selected(\${named1_pl} , 'other')) and \${named1_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema1_pl} = 1</i>	1 Yes 2 No -98 Refused to say
takingmedb1_1 (required)	Are you currently taking [desc_othersnamed1_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed1_pl} != "" and selected(\${named1_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb1_pl} = 1</i>	1 Yes 2 No -98 Refused to say

takingmedb1_2 (required)	Is [namepatient_pl] currently taking [desc_othersnamed1_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed1_pl} != "" and selected(\${named1_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb1_pl} = 1</i>	1 Yes 2 No -98 Refused to say
whynottaking1 (required)	Why not? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named1_pl} != "" and (\${takingmeda1_1} = 2 or \${takingmeda1_2} = 2 or \${takingmedb1_1} = 2 or \${takingmedb1_2} = 2) and (selected(\${purchaseditema1_pl} , '1') or selected(\${purchaseditemb1_pl} , '1'))</i>	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_otherswhynottakinga1_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named1_pl} != "" and selected(\${takingmeda1_1} , '2') and selected(\${whynottaking1} , '-97') and \${purchaseditema1_pl} = 1</i>	
desc_otherswhynottakinga1_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named1_pl} != "" and selected(\${takingmeda1_2} , '2') and selected(\${whynottaking1} , '-97') and \${purchaseditema1_pl} = 1</i>	
desc_otherswhynottakingb1_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named1_pl} != "" and selected(\${takingmedb1_1} , '2') and selected(\${whynottaking1} , '-97') and \${purchaseditemb1_pl} = 1</i>	
desc_otherswhynottakingb1_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named1_pl} != "" and selected(\${takingmedb1_2} , '2') and selected(\${whynottaking1} , '-97') and \${purchaseditemb1_pl} = 1</i>	
helpedcuringmeda1_1 (required)		-2 Strongly disagree

HomePatientInterview

Field	How strongly do you agree or disagree with the statement "[named1_pl] makes me feel better"?	-1 Disagree 0 Neither agree nor disagree, neutral
	Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named1_pl} , "")) or selected(\${named1_pl} , 'other') and \${named1_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema1_pl} =1	1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmeda1_2 (required)	How strongly do you agree or disagree with the statement "[named1_pl] makes [namepatient_pl] feel better"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb1_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed1_pl] makes me feel better"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb1_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed1_pl] makes [namepatient_pl] feel better"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmeda1 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named1_pl]"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedb1 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed1_pl]"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
knowmedisfora2 (required)	Do you know what illness or symptoms [named2_pl] is for? Medication 2 Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named2_pl} , "")) or selected(\${named2_pl} , 'other') and \${named2_pl} != "" and \${purchaseditema2_pl} =1 Response constrained to: not((selected(\${knowmedisfora2} , '1') or selected(\${knowmedisfora2} , '2') or selected(\${knowmedisfora2} , '3') or selected(\${knowmedisfora2} , '4') or selected(\${knowmedisfora2} , '5') or selected(\${knowmedisfora2} , '6') or selected(\${knowmedisfora2} , '7') or selected(\${knowmedisfora2} , '8') or selected(\${knowmedisfora2} , '9') or selected(\${knowmedisfora2} , '10') or selected(\${knowmedisfora2} , '11') or selected(\${knowmedisfora2} , '12') or selected(\${knowmedisfora2} , '13') or selected(\${knowmedisfora2} , '14') or selected(\${knowmedisfora2} , '15') or selected(\${knowmedisfora2} , '-97')) and (selected(\${knowmedisfora2} , '-99') or selected(\${knowmedisfora2} , '-100')) and not(selected(\${knowmedisfora2} , '-99') and selected(\${knowmedisfora2} , '-100'))	1 Pain reducing 2 Fever reducing 3 Vitamins, minerals, nutrition supplement 4 Malaria 5 Typhoid Fever 6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA)) 7 Pneumonia 8 Dysentery 9 Gastrointestinal infection, stomach infection, or diarrhea 10 High blood pressure 11 Blood sugar regulation/diabetes 12 Ear infection 13 Syphilis 14 Hepatitis 15 Sickle cell disease, sickle cell anemia -97 Other -99 Was told, but cannot remember or did not understand -100 Was not told
knowmedisforb2 (required)	Do you know what illness or symptoms [desc_othernamed2_pl] is for? Medication 2	1 Pain reducing

HomePatientInterview

Field	Question	Answer
	<p>medication 2</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${desc_othernamed2_pl} != "" and selected(\${named2_pl} , 'other') and (selected(\${purchaseditemb2_pl} = 1</p> <p>Response constrained to: not((selected(\${knowmedisforb2} , '1') or selected(\${knowmedisforb2} , '2') or selected(\${knowmedisforb2} , '3') or selected(\${knowmedisforb2} , '4') or selected(\${knowmedisforb2} , '5') or selected(\${knowmedisforb2} , '6') or selected(\${knowmedisforb2} , '7') or selected(\${knowmedisforb2} , '8') or selected(\${knowmedisforb2} , '9') or selected(\${knowmedisforb2} , '10') or selected(\${knowmedisforb2} , '11') or selected(\${knowmedisforb2} , '12') or selected(\${knowmedisforb2} , '13') or selected(\${knowmedisforb2} , '14') or selected(\${knowmedisforb2} , '15') or selected(\${knowmedisforb2} , '-97')) and (selected(\${knowmedisforb2} , '-99') or selected(\${knowmedisforb2} , '-100')) and not(selected(\${knowmedisforb2} , '-99') and selected(\${knowmedisforb2} , '-100'))</p>	<p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
desc_othenknowmedisfora2 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisfora2} , '-97') and (selected(\${named2_pl} != "" and (selected(\${purchaseditema2_pl} = 1</p>	
desc_othenknowmedisforb2 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb2} , '-97') and (selected(\${named2_pl} != "" and (selected(\${purchaseditemb2_pl} = 1</p>	
takingmeda2_1 (required)	<p>Are you currently taking [named2_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named2_pl} , "")) or selected(\${named2_pl} , 'other') and (selected(\${named2_pl} != "" and selected(\${patientrespondent_pl} , '1') and (selected(\${purchaseditema2_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>

takingmeda2_2 (required)	<p>Is [namepatient_pl] currently taking [named2_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named2_pl} , "")) or selected(\${named2_pl} , 'other') and (selected(\${named2_pl} != "" and selected(\${patientrespondent_pl} , '2') and (selected(\${purchaseditema2_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb2_1 (required)	<p>Are you currently taking [desc_othenamed2_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${desc_othenamed2_pl} != "" and selected(\${named2_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and (selected(\${purchaseditemb2_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb2_2 (required)	<p>Is [namepatient_pl] currently taking [desc_othenamed2_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${desc_othenamed2_pl} != "" and selected(\${named2_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and (selected(\${purchaseditemb2_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
whynottaking2 (required)	<p>Why not?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${named2_pl} != "" and (selected(\${takingmeda2_1} = 2 or (selected(\${takingmedb2_1} = 2 or (selected(\${takingmedb2_2} = 2) and (selected(\${purchaseditema2_pl} , '1') or selected(\${purchaseditemb2_pl} , '1'))</p>	<p>1 Finished full dose</p> <p>2 Got better</p> <p>3 Do not think it's working</p> <p>4 Another person took/is taking the drug</p> <p>5 Saving some of the drug for later/another person</p> <p>6 Did not purchase full dose</p> <p>-97 Other</p>
desc_othenwhynottakinga2_1 (required)	<p>Specify other reason.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${named2_pl} != "" and selected(\${takingmeda2_1} , '2') and selected(\${whynottaking2} , '-97') and (selected(\${purchaseditema2_pl} = 1</p>	
desc_othenwhynottakinga2_2 (required)	<p>Specify other reason.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${named2_pl} != "" and selected(\${takingmeda2_2} , '2') and selected(\${whynottaking2} , '-97') and (selected(\${purchaseditema2_pl} = 1</p>	

HomePatientInterview

Field	Question	Answer
desc_otherwhynottakingb2_1 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named2_pl} != "" and selected(\${takingmedb2_1} , '2') and selected(\${whynottaking2} , '-97') and \${purchaseditemb2_pl} = 1	
desc_otherwhynottakingb2_2 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named2_pl} != "" and selected(\${takingmedb2_2} , '2') and selected(\${whynottaking2} , '-97') and \${purchaseditemb2_pl} = 1	
helpedcuringmeda2_1 (required)	How strongly do you agree or disagree with the statement "[named2_pl] makes me feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named2_pl} , "")) or selected(\${named2_pl} , 'other') and \${named2_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema2_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmeda2_2 (required)	How strongly do you agree or disagree with the statement "[named2_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named2_pl} , "")) or selected(\${named2_pl} , 'other') and \${named2_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema2_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmedb2_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed2_pl] makes me feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed2_pl} != "" and selected(\${named2_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb2_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say

helpedcuringmedb2_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed2_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed2_pl} != "" and selected(\${named2_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb2_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
betterevenwithoutmeda2 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named2_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named2_pl} , "")) or selected(\${named2_pl} , 'other') and \${named2_pl} != "" and \${purchaseditema2_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
betterevenwithoutmedb2 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed2_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed2_pl} != "" and selected(\${named2_pl} , 'other') and \${purchaseditemb2_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
knowmedisfora3 (required)	Do you know what illness or symptoms [named3_pl] is for? Medication 3 Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named3_pl} , "")) or selected(\${named3_pl} , 'other') and \${named3_pl} != "" and \${purchaseditema3_pl} = 1 Response constrained to: not((selected(\${knowmedisfora3} , '1') or selected(\${knowmedisfora3} , '2') or selected(\${knowmedisfora3} , '3') or selected(\${knowmedisfora3} , '4') or selected(\${knowmedisfora3} , '5') or selected(\${knowmedisfora3} , '6') or selected(\${knowmedisfora3} , '7') or selected(\${knowmedisfora3} , '8') or selected(\${knowmedisfora3} , '9') or selected(\${knowmedisfora3} , '10') or selected(\${knowmedisfora3} , '11') or selected(1 Pain reducing
		2 Fever reducing
		3 Vitamins, minerals, nutrition supplement
		4 Malaria
		5 Typhoid Fever
		6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))
		7 Pneumonia
		8 Dysentery
		9 Gastrointestinal infection, stomach infection.

HomePatientInterview

Field	Question	Answer
		or diarrhea
		10 High blood pressure
		11 Blood sugar regulation/diabetes
		12 Ear infection
		13 Syphilis
		14 Hepatitis
		15 Sickle cell disease, sickle cell anemia
		-97 Other
		-99 Was told, but cannot remember or did not understand
		-100 Was not told
knowmedisforb3 (required)	<p>Do you know what illness or symptoms [desc_othernamed3_pl] is for?</p> <p>Medication 3</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${knowmedisforb3} , '12') or selected(\${knowmedisforb3} , '13') or selected(\${knowmedisforb3} , '14') or selected(\${knowmedisforb3} , '15') or selected(\${knowmedisforb3} , '-97')) and (selected(\${knowmedisforb3} , '-99') or selected(\${knowmedisforb3} , '-100')) and not(selected(\${knowmedisforb3} , '-99') and selected(\${knowmedisforb3} , '-100'))</p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>

desc_otherknowmedisfora3 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisfora3} , '-97') and (selected(\${namemed3_pl} , 'other') and (selected(\${knowmedisforb3} , '-97') and selected(\${namemed3_pl} , 'other') and selected(\${purchaseditemb3_pl} =1</p>	
desc_otherknowmedisforb3 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb3} , '-97') and (selected(\${namemed3_pl} , 'other') and (selected(\${knowmedisforb3} , '-97') and selected(\${namemed3_pl} , 'other') and selected(\${purchaseditemb3_pl} =1</p>	
takingmeda3_1 (required)	<p>Are you currently taking [namemed3_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namemed3_pl} , '') or selected(\${namemed3_pl} , 'other')) and (selected(\${namemed3_pl} , '-97') and selected(\${patientrespondent_pl} , '1') and selected(\${purchaseditema3_pl} =1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmeda3_2 (required)	<p>Is [namepatient_pl] currently taking [namemed3_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namemed3_pl} , '') or selected(\${namemed3_pl} , 'other')) and (selected(\${namemed3_pl} , '-97') and selected(\${patientrespondent_pl} , '2') and selected(\${purchaseditema3_pl} =1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb3_1 (required)	<p>Are you currently taking [desc_othernamed3_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${desc_othernamed3_pl} , '-97') and selected(\${namemed3_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and selected(\${purchaseditemb3_pl} =1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb3_2 (required)	<p>Is [namepatient_pl] currently taking [desc_othernamed3_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${desc_othernamed3_pl} , '-97') and selected(\${namemed3_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and selected(\${purchaseditemb3_pl} =1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
whynottaking3 (required)	<p>Why not?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${namemed3_pl} , '-97') and (selected(\${takingmeda3_1} =2 or selected(\${takingmeda3_2} =2 or selected(\${takingmedb3_1} =2 or selected(\${takingmedb3_2} =2) and selected(\${purchaseditema3_pl} , '1') or selected(\${purchaseditemb3_pl} , '1'))</p>	<p>1 Finished full dose</p> <p>2 Got better</p> <p>3 Do not think it's working</p> <p>4 Another person took/is taking the drug</p> <p>5 Saving some of the drug for later/another</p>

HomePatientInterview

Field	Question	Answer
		person
		6 Did not purchase full dose
		-97 Other
desc_otherwhynottakinga3_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named3_pl} != "" and selected(\${takingmeda3_1} , '2') and selected(\${whynottaking3} , '-97') and \${purchaseditema3_pl} = 1</i>	
desc_otherwhynottakinga3_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named3_pl} != "" and selected(\${takingmeda3_2} , '2') and selected(\${whynottaking3} , '-97') and \${purchaseditema3_pl} = 1</i>	
desc_otherwhynottakingb3_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named3_pl} != "" and selected(\${takingmedb3_1} , '2') and selected(\${whynottaking3} , '-97') and \${purchaseditemb3_pl} = 1</i>	
desc_otherwhynottakingb3_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named3_pl} != "" and selected(\${takingmedb3_2} , '2') and selected(\${whynottaking3} , '-97') and \${purchaseditemb3_pl} = 1</i>	
helpedcuringmeda3_1 (required)	How strongly do you agree or disagree with the statement "[named3_pl] makes me feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named3_pl} , "")) or selected(\${named3_pl} , 'other')) and \${named3_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema3_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

helpedcuringmeda3_2 (required)	How strongly do you agree or disagree with the statement "[named3_pl] makes [namepatient_pl] feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named3_pl} , "")) or selected(\${named3_pl} , 'other')) and \${named3_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema3_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb3_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed3_pl] makes me feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed3_pl} != "" and selected(\${named3_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb3_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb3_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed3_pl] makes [namepatient_pl] feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed3_pl} != "" and selected(\${named3_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb3_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmeda3 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named3_pl]"? <i>Probe: does the respondent think this medication was absolutely necessary?</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named3_pl} , "")) or selected(\${named3_pl} , 'other')) and \${named3_pl} != "" and \${purchaseditema3_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

HomePatientInterview

<p>better even without it [desc_othersnamed3_pl] (required)</p> <p>Field</p> <p>Question Do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othersnamed3_pl]"?</p> <p><i>Probe: does the respondent think this medication was absolutely necessary?</i></p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed3_pl} != "" and selected(\${named3_pl} , 'other') and \${purchaseditemb3_pl} = 1</i></p>	<p>Answer</p> <p>-2 Strongly disagree</p> <p>Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
<p>knowmedisfora4 (required)</p> <p>Do you know what illness or symptoms [named4_pl] is for?</p> <p><i>Medication 4</i></p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named4_pl} , "")) or selected(\${named4_pl} , 'other')) and \${named4_pl} != "" and \${purchaseditema4_pl} = 1</i></p> <p><i>Response constrained to: not((selected(\${knowmedisfora4} , '1') or selected(\${knowmedisfora4} , '2') or selected(\${knowmedisfora4} , '3') or selected(\${knowmedisfora4} , '4') or selected(\${knowmedisfora4} , '5') or selected(\${knowmedisfora4} , '6') or selected(\${knowmedisfora4} , '7') or selected(\${knowmedisfora4} , '8') or selected(\${knowmedisfora4} , '9') or selected(\${knowmedisfora4} , '10') or selected(\${knowmedisfora4} , '11') or selected(\${knowmedisfora4} , '12') or selected(\${knowmedisfora4} , '13') or selected(\${knowmedisfora4} , '14') or selected(\${knowmedisfora4} , '15') or selected(\${knowmedisfora4} , '-97')) and (selected(\${knowmedisfora4} , '-99') or selected(\${knowmedisfora4} , '-100')) and not(selected(\${knowmedisfora4} , '-99') and selected(\${knowmedisfora4} , '-100'))</i></p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>

<p>knowmedisforb4 (required)</p> <p>Do you know what illness or symptoms [desc_othersnamed4_pl] is for?</p> <p><i>Medication 4</i></p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed4_pl} != "" and selected(\${named4_pl} , 'other') and \${purchaseditemb4_pl} = 1</i></p> <p><i>Response constrained to: not((selected(\${knowmedisforb4} , '1') or selected(\${knowmedisforb4} , '2') or selected(\${knowmedisforb4} , '3') or selected(\${knowmedisforb4} , '4') or selected(\${knowmedisforb4} , '5') or selected(\${knowmedisforb4} , '6') or selected(\${knowmedisforb4} , '7') or selected(\${knowmedisforb4} , '8') or selected(\${knowmedisforb4} , '9') or selected(\${knowmedisforb4} , '10') or selected(\${knowmedisforb4} , '11') or selected(\${knowmedisforb4} , '12') or selected(\${knowmedisforb4} , '13') or selected(\${knowmedisforb4} , '14') or selected(\${knowmedisforb4} , '15') or selected(\${knowmedisforb4} , '-97')) and (selected(\${knowmedisforb4} , '-99') or selected(\${knowmedisforb4} , '-100')) and not(selected(\${knowmedisforb4} , '-99') and selected(\${knowmedisforb4} , '-100'))</i></p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
<p>desc_othersknowmedisfora4 (required)</p> <p>Specify other illness or symptom.</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisfora4} , '-97') and \${named4_pl} != "" and \${purchaseditema4_pl} = 1</i></p>	
<p>desc_othersknowmedisforb4 (required)</p> <p>Specify other illness or symptom.</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb4} , '-97') and \${named4_pl} != "" and \${purchaseditemb4_pl} = 1</i></p>	
<p>takingmeda4_1 (required)</p> <p>Are you currently taking [named4_pl]?</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and</i></p>	<p>1 Yes</p> <p>2 No</p>

HomePatientInterview

Field	Question	Answer
	<i>not(selected(\${named4_pl} , "") or selected(\${named4_pl} , 'other')) and \${named4_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema4_pl} =1</i>	-98 Refused to say
takingmeda4_2 (required)	Is [namepatient_pl] currently taking [named4_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named4_pl} , "") or selected(\${named4_pl} , 'other')) and \${named4_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema4_pl} =1</i>	1 Yes 2 No -98 Refused to say
takingmedb4_1 (required)	Are you currently taking [desc_othernamed4_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed4_pl} != "" and selected(\${named4_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb4_pl} =1</i>	1 Yes 2 No -98 Refused to say
takingmedb4_2 (required)	Is [namepatient_pl] currently taking [desc_othernamed4_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed4_pl} != "" and selected(\${named4_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb4_pl} =1</i>	1 Yes 2 No -98 Refused to say
whynottaking4 (required)	Why not? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named4_pl} != "" and (\${takingmeda4_1} =2 or \${takingmeda4_2} =2 or \${takingmedb4_1} =2 or \${takingmedb4_2} =2) and (selected(\${purchaseditema4_pl} , '1') or selected(\${purchaseditemb4_pl} , '1'))</i>	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_otherswhynottakinga4_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named4_pl} != "" and selected(\${takingmeda4_1} , '2') and selected(\${whynottaking4} , '-97') and \${purchaseditema4_pl} =1</i>	
desc_otherswhynottakinga4_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named4_pl} != "" and selected(\${takingmeda4_2} , '2') and selected(\${whynottaking4} , '-97') and \${purchaseditema4_pl} =1</i>	

desc_otherswhynottakingb4_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named4_pl} != "" and selected(\${takingmedb4_1} , '2') and selected(\${whynottaking4} , '-97') and \${purchaseditemb4_pl} =1</i>	
desc_otherswhynottakingb4_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named4_pl} != "" and selected(\${takingmedb4_2} , '2') and selected(\${whynottaking4} , '-97') and \${purchaseditemb4_pl} =1</i>	
helpedcuringmeda4_1 (required)	How strongly do you agree or disagree with the statement "[named4_pl] makes me feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named4_pl} , "") or selected(\${named4_pl} , 'other')) and \${named4_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema4_pl} =1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmeda4_2 (required)	How strongly do you agree or disagree with the statement "[named4_pl] makes [namepatient_pl] feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named4_pl} , "") or selected(\${named4_pl} , 'other')) and \${named4_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema4_pl} =1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb4_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed4_pl] makes me feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed4_pl} != "" and selected(\${named4_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb4_pl} =1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree

HomePatientInterview

Field	Question	Answer
helpedcuringmedb4_2 (required)	<p>How strongly do you agree or disagree with the statement "[desc_othernamed4_pl] makes [namepatient_pl] feel better"?</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed4_pl} != "" and selected(\${named4_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb4_pl} = 1</i></p>	<p>-98 Refused to say</p> <p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
betterevenwithoutmeda4 (required)	<p>How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named4_pl]"?</p> <p><i>Probe: does the respondent think this medication was absolutely necessary?</i></p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named4_pl} , "")) or selected(\${named4_pl} , 'other')) and \${named4_pl} != "" and \${purchaseditema4_pl} = 1</i></p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
betterevenwithoutmedb4 (required)	<p>How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed4_pl]"?</p> <p><i>Probe: does the respondent think this medication was absolutely necessary?</i></p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed4_pl} != "" and selected(\${named4_pl} , 'other') and \${purchaseditemb4_pl} = 1</i></p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>

knowmedisfora5 (required)	<p>Do you know what illness or symptoms [named5_pl] is for?</p> <p><i>Medication 5</i></p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named5_pl} , "")) or selected(\${named5_pl} , 'other')) and \${named5_pl} != "" and \${purchaseditema5_pl} = 1</i></p> <p><i>Response constrained to: not((selected(\${knowmedisfora5} , '1') or selected(\${knowmedisfora5} , '2') or selected(\${knowmedisfora5} , '3') or selected(\${knowmedisfora5} , '4') or selected(\${knowmedisfora5} , '5') or selected(\${knowmedisfora5} , '6') or selected(\${knowmedisfora5} , '7') or selected(\${knowmedisfora5} , '8') or selected(\${knowmedisfora5} , '9') or selected(\${knowmedisfora5} , '10') or selected(\${knowmedisfora5} , '11') or selected(\${knowmedisfora5} , '12') or selected(\${knowmedisfora5} , '13') or selected(\${knowmedisfora5} , '14') or selected(\${knowmedisfora5} , '15') or selected(\${knowmedisfora5} , '-97')) and (selected(\${knowmedisfora5} , '-99') or selected(\${knowmedisfora5} , '-100')) and not(selected(\${knowmedisfora5} , '-99') and selected(\${knowmedisfora5} , '-100'))</i></p>	1	Pain reducing
		2	Fever reducing
		3	Vitamins, minerals, nutrition supplement
		4	Malaria
		5	Typhoid Fever
		6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))
		7	Pneumonia
		8	Dysentery
		9	Gastrointestinal infection, stomach infection, or diarrhea
		10	High blood pressure
		11	Blood sugar regulation/diabetes
		12	Ear infection
		13	Syphilis
		14	Hepatitis
		15	Sickle cell disease, sickle cell anemia
	-97	Other	
	-99	Was told, but cannot remember or did not understand	
	-100	Was not told	
knowmedisforb5 (required)	<p>Do you know what illness or symptoms [desc_othernamed5_pl] is for?</p> <p><i>Medication 5</i></p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed5_pl} != "" and selected(\${named5_pl} , 'other') and \${purchaseditemb5_pl} = 1</i></p> <p><i>Response constrained to: not((selected(\${knowmedisforb5} , '1') or selected(\${knowmedisforb5} , '2') or selected(\${knowmedisforb5} , '3') or selected(\${knowmedisforb5} , '4') or selected(\${knowmedisforb5} , '5') or selected(\${knowmedisforb5} , '6') or selected(</i></p>	1	Pain reducing
		2	Fever reducing
		3	Vitamins, minerals, nutrition supplement
		4	Malaria
		5	Typhoid Fever
		6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))
		7	Pneumonia

HomePatientInterview

Field	Question	Answer
	<i>selected(\${knowmedisforb5} , '7') or selected(\${knowmedisforb5} , '8') or selected(\${knowmedisforb5} , '9') or selected(\${knowmedisforb5} , '10') or selected(\${knowmedisforb5} , '11') or selected(</i>	8 Dysentery
	<i>selected(\${knowmedisforb5} , '12') or selected(\${knowmedisforb5} , '13') or selected(\${knowmedisforb5} , '14') or selected(\${knowmedisforb5} , '15') or selected(\${knowmedisforb5} , '-97')) and (selected(\${knowmedisforb5} , '-99') or selected(\${knowmedisforb5} , '-100')) and not(selected(\${knowmedisforb5} , '-99') and selected(\${knowmedisforb5} , '-100'))</i>	9 Gastrointestinal infection, stomach infection, or diarrhea
		10 High blood pressure
		11 Blood sugar regulation/diabetes
		12 Ear infection
		13 Syphilis
		14 Hepatitis
		15 Sickle cell disease, sickle cell anemia
		-97 Other
		-99 Was told, but cannot remember or did not understand
		-100 Was not told
desc_otherknowmedisfora5 (required)	Specify other illness or symptom. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisfora5} , '-97') and \${named5_pl} != "" and \${purchaseditema5_pl} = 1</i>	
desc_otherknowmedisforb5 (required)	Specify other illness or symptom. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb5} , '-97') and \${named5_pl} != "" and \${purchaseditemb5_pl} = 1</i>	
takingmeda5_1 (required)	Are you currently taking [named5_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named5_pl} , "")) or selected(\${named5_pl} , 'other')) and \${named5_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema5_pl} = 1</i>	1 Yes 2 No -98 Refused to say
takingmeda5_2 (required)	Is [namepatient_pl] currently taking [named5_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named5_pl} , "")) or selected(\${named5_pl} , 'other')) and \${named5_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema5_pl} = 1</i>	1 Yes 2 No -98 Refused to say
takingmedb5_1 (required)	Are you currently taking [desc_othernamed5_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed5_pl} != "" and selected(\${named5_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb5_pl} = 1</i>	1 Yes 2 No -98 Refused to say

takingmedb5_2 (required)	Is [namepatient_pl] currently taking [desc_othernamed5_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed5_pl} != "" and selected(\${named5_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb5_pl} = 1</i>	1 Yes 2 No -98 Refused to say
whynottaking5 (required)	Why not? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named5_pl} != "" and (\${takingmeda5_1} = 2 or \${takingmeda5_2} = 2 or \${takingmedb5_1} = 2 or \${takingmedb5_2} = 2) and (selected(\${purchaseditema5_pl} , '1') or selected(\${purchaseditemb5_pl} , '1'))</i>	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_otherwhynottakinga5_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named5_pl} != "" and selected(\${takingmeda5_1} , '2') and selected(\${whynottaking5} , '-97') and \${purchaseditema5_pl} = 1</i>	
desc_otherwhynottakinga5_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named5_pl} != "" and selected(\${takingmeda5_2} , '2') and selected(\${whynottaking5} , '-97') and \${purchaseditema5_pl} = 1</i>	
desc_otherwhynottakingb5_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named5_pl} != "" and selected(\${takingmedb5_1} , '2') and selected(\${whynottaking5} , '-97') and \${purchaseditemb5_pl} = 1</i>	
desc_otherwhynottakingb5_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named5_pl} != "" and selected(\${takingmedb5_2} , '2') and selected(\${whynottaking5} , '-97') and \${purchaseditemb5_pl} = 1</i>	
helpedcuringmeda5_1 (required)		-2 Strongly disagree

HomePatientInterview

Field	How strongly do you agree or disagree with the statement "[named5_pl] makes me feel better"?	-1 Disagree 0 Neither agree nor disagree, neutral
	Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named5_pl} , "")) or selected(\${named5_pl} , 'other') and \${named5_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema5_pl} =1	1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmeda5_2 (required)	How strongly do you agree or disagree with the statement "[named5_pl] makes [namepatient_pl] feel better"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb5_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed5_pl] makes me feel better"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb5_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed5_pl] makes [namepatient_pl] feel better"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmeda5 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named5_pl]"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedb5 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed5_pl]"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
knowmedisfora6 (required)	Do you know what illness or symptoms [named6_pl] is for? Medication 6 Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named6_pl} , "")) or selected(\${named6_pl} , 'other') and \${named6_pl} != "" and \${purchaseditema6_pl} =1 Response constrained to: not((selected(\${knowmedisfora6} , '1') or selected(\${knowmedisfora6} , '2') or selected(\${knowmedisfora6} , '3') or selected(\${knowmedisfora6} , '4') or selected(\${knowmedisfora6} , '5') or selected(\${knowmedisfora6} , '6') or selected(\${knowmedisfora6} , '7') or selected(\${knowmedisfora6} , '8') or selected(\${knowmedisfora6} , '9') or selected(\${knowmedisfora6} , '10') or selected(\${knowmedisfora6} , '11') or selected(\${knowmedisfora6} , '12') or selected(\${knowmedisfora6} , '13') or selected(\${knowmedisfora6} , '14') or selected(\${knowmedisfora6} , '15') or selected(\${knowmedisfora6} , '-97')) and (selected(\${knowmedisfora6} , '-99') or selected(\${knowmedisfora6} , '-100')) and not(selected(\${knowmedisfora6} , '-99') and selected(\${knowmedisfora6} , '-100'))	1 Pain reducing 2 Fever reducing 3 Vitamins, minerals, nutrition supplement 4 Malaria 5 Typhoid Fever 6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA)) 7 Pneumonia 8 Dysentery 9 Gastrointestinal infection, stomach infection, or diarrhea 10 High blood pressure 11 Blood sugar regulation/diabetes 12 Ear infection 13 Syphilis 14 Hepatitis 15 Sickle cell disease, sickle cell anemia -97 Other -99 Was told, but cannot remember or did not understand -100 Was not told
knowmedisforb6 (required)	Do you know what illness or symptoms [desc_othernamed6_pl] is for? Medication 6	1 Pain reducing

HomePatientInterview

Field	Question	Answer
	<p>medication o</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${desc_othersymptoms6_pl} != "" and selected(\${namedmed6_pl} , 'other') and (selected(\${purchaseditemb6_pl} = 1</p> <p>Response constrained to: not((selected(\${knowmedisforb6} , '1') or selected(\${knowmedisforb6} , '2') or selected(\${knowmedisforb6} , '3') or selected(\${knowmedisforb6} , '4') or selected(\${knowmedisforb6} , '5') or selected(\${knowmedisforb6} , '6') or selected(\${knowmedisforb6} , '7') or selected(\${knowmedisforb6} , '8') or selected(\${knowmedisforb6} , '9') or selected(\${knowmedisforb6} , '10') or selected(\${knowmedisforb6} , '11') or selected(\${knowmedisforb6} , '12') or selected(\${knowmedisforb6} , '13') or selected(\${knowmedisforb6} , '14') or selected(\${knowmedisforb6} , '15') or selected(\${knowmedisforb6} , '-97')) and (selected(\${knowmedisforb6} , '-99') or selected(\${knowmedisforb6} , '-100')) and not(selected(\${knowmedisforb6} , '-99') and selected(\${knowmedisforb6} , '-100'))</p>	<p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
desc_othersymptoms6 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb6} , '-97') and (selected(\${namedmed6_pl} != "" and (selected(\${purchaseditema6_pl} = 1</p>	
desc_othersymptoms6 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb6} , '-97') and (selected(\${namedmed6_pl} != "" and (selected(\${purchaseditemb6_pl} = 1</p>	
takingmeda6_1 (required)	<p>Are you currently taking [namedmed6_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed6_pl} , "") or selected(\${namedmed6_pl} , 'other')) and (selected(\${namedmed6_pl} != "" and selected(\${patientrespondent_pl} , '1') and (selected(\${purchaseditema6_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>

takingmeda6_2 (required)	<p>Is [namepatient_pl] currently taking [namedmed6_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed6_pl} , "") or selected(\${namedmed6_pl} , 'other')) and (selected(\${namedmed6_pl} != "" and selected(\${patientrespondent_pl} , '2') and (selected(\${purchaseditema6_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb6_1 (required)	<p>Are you currently taking [desc_othersymptoms6_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${desc_othersymptoms6_pl} != "" and selected(\${namedmed6_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and (selected(\${purchaseditemb6_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb6_2 (required)	<p>Is [namepatient_pl] currently taking [desc_othersymptoms6_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${desc_othersymptoms6_pl} != "" and selected(\${namedmed6_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and (selected(\${purchaseditemb6_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
whynottaking6 (required)	<p>Why not?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${namedmed6_pl} != "" and (selected(\${takingmeda6_1} = 2 or (selected(\${takingmeda6_2} = 2 or (selected(\${takingmedb6_1} = 2 or (selected(\${takingmedb6_2} = 2) and selected(\${purchaseditema6_pl} , '1') or selected(\${purchaseditemb6_pl} , '1'))</p>	<p>1 Finished full dose</p> <p>2 Got better</p> <p>3 Do not think it's working</p> <p>4 Another person took/is taking the drug</p> <p>5 Saving some of the drug for later/another person</p> <p>6 Did not purchase full dose</p> <p>-97 Other</p>
desc_otherswhynottakinga6_1 (required)	<p>Specify other reason.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${namedmed6_pl} != "" and selected(\${takingmeda6_1} , '2') and selected(\${whynottaking6} , '-97') and (selected(\${purchaseditema6_pl} = 1</p>	
desc_otherswhynottakinga6_2 (required)	<p>Specify other reason.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (selected(\${namedmed6_pl} != "" and selected(\${takingmeda6_2} , '2') and selected(\${whynottaking6} , '-97') and (selected(\${purchaseditema6_pl} = 1</p>	

HomePatientInterview

Field	Question	Answer
desc_otherwhynottakingb6_1 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named6_pl} != "" and selected(\${takingmedb6_1} , '2') and selected(\${whynottaking6} , '-97') and \${purchaseditemb6_pl} = 1	
desc_otherwhynottakingb6_2 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named6_pl} != "" and selected(\${takingmedb6_2} , '2') and selected(\${whynottaking6} , '-97') and \${purchaseditemb6_pl} = 1	
helpedcuringmeda6_1 (required)	How strongly do you agree or disagree with the statement "[named6_pl] makes me feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named6_pl} , "")) or selected(\${named6_pl} , 'other') and \${named6_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema6_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmeda6_2 (required)	How strongly do you agree or disagree with the statement "[named6_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named6_pl} , "")) or selected(\${named6_pl} , 'other') and \${named6_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema6_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmedb6_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed6_pl] makes me feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed6_pl} != "" and selected(\${named6_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb6_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say

helpedcuringmedb6_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed6_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed6_pl} != "" and selected(\${named6_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb6_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
betterevenwithoutmeda6 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named6_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named6_pl} , "")) or selected(\${named6_pl} , 'other') and \${named6_pl} != "" and \${purchaseditema6_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
betterevenwithoutmedb6 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed6_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed6_pl} != "" and selected(\${named6_pl} , 'other') and \${purchaseditemb6_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
knowmedisfora7 (required)	Do you know what illness or symptoms [named7_pl] is for? Medication 7 Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named7_pl} , "")) or selected(\${named7_pl} , 'other') and \${named7_pl} != "" and \${purchaseditema7_pl} = 1 Response constrained to: not((selected(\${knowmedisfora7} , '1') or selected(\${knowmedisfora7} , '2') or selected(\${knowmedisfora7} , '3') or selected(\${knowmedisfora7} , '4') or selected(\${knowmedisfora7} , '5') or selected(\${knowmedisfora7} , '6') or selected(\${knowmedisfora7} , '7') or selected(\${knowmedisfora7} , '8') or selected(\${knowmedisfora7} , '9') or selected(\${knowmedisfora7} , '10') or selected(\${knowmedisfora7} , '11') or selected(1 Pain reducing
		2 Fever reducing
		3 Vitamins, minerals, nutrition supplement
		4 Malaria
		5 Typhoid Fever
		6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))
		7 Pneumonia
		8 Dysentery
		9 Gastrointestinal infection, stomach infection.

HomePatientInterview

Field	Question	Answer
		or diarrhea
		10 High blood pressure
		11 Blood sugar regulation/diabetes
		12 Ear infection
		13 Syphilis
		14 Hepatitis
		15 Sickle cell disease, sickle cell anemia
		-97 Other
		-99 Was told, but cannot remember or did not understand
		-100 Was not told
knowmedisforb7 (required)	<p>Do you know what illness or symptoms [desc_othersnamed7_pl] is for?</p> <p>Medication 7</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othersnamed7_pl} != "" and selected(\${named7_pl} , 'other') and \${purchaseditemb7_pl} = 1</p> <p>Response constrained to: not((selected(\${knowmedisforb7} , '1') or selected(\${knowmedisforb7} , '2') or selected(\${knowmedisforb7} , '3') or selected(\${knowmedisforb7} , '4') or selected(\${knowmedisforb7} , '5') or selected(\${knowmedisforb7} , '6') or selected(\${knowmedisforb7} , '7') or selected(\${knowmedisforb7} , '8') or selected(\${knowmedisforb7} , '9') or selected(\${knowmedisforb7} , '10') or selected(\${knowmedisforb7} , '11') or selected(\${knowmedisforb7} , '12') or selected(\${knowmedisforb7} , '13') or selected(\${knowmedisforb7} , '14') or selected(\${knowmedisforb7} , '15') or selected(\${knowmedisforb7} , '-97')) and (selected(\${knowmedisforb7} , '-99') or selected(\${knowmedisforb7} , '-100')) and not(selected(\${knowmedisforb7} , '-99') and selected(\${knowmedisforb7} , '-100'))</p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>

desc_othersknowmedisfora7 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${knowmedisfora7} , '-97') and \${named7_pl} != "" and \${purchaseditema7_pl} = 1</p>	
desc_othersknowmedisforb7 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${knowmedisforb7} , '-97') and \${named7_pl} != "" and \${purchaseditemb7_pl} = 1</p>	
takingmeda7_1 (required)	<p>Are you currently taking [named7_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and not(selected(\${named7_pl} , "") or selected(\${named7_pl} , 'other')) and \${named7_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema7_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmeda7_2 (required)	<p>Is [namepatient_pl] currently taking [named7_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and not(selected(\${named7_pl} , "") or selected(\${named7_pl} , 'other')) and \${named7_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema7_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb7_1 (required)	<p>Are you currently taking [desc_othersnamed7_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othersnamed7_pl} != "" and selected(\${named7_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb7_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb7_2 (required)	<p>Is [namepatient_pl] currently taking [desc_othersnamed7_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othersnamed7_pl} != "" and selected(\${named7_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb7_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
whynottaking7 (required)	<p>Why not?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${named7_pl} != "" and (\${takingmeda7_1} = 2 or \${takingmeda7_2} = 2 or \${takingmedb7_1} = 2 or \${takingmedb7_2} = 2) and (selected(\${purchaseditema7_pl} , '1') or selected(\${purchaseditemb7_pl} , '1'))</p>	<p>1 Finished full dose</p> <p>2 Got better</p> <p>3 Do not think it's working</p> <p>4 Another person took/is taking the drug</p> <p>5 Saving some of the drug for later/another</p>

HomePatientInterview

Field	Question	Answer
		person
		6 Did not purchase full dose
		-97 Other
desc_otherwhynottakinga7_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named7_pl} != "" and selected(\${takingmeda7_1} , '2') and selected(\${whynottaking7} , '-97') and \${purchaseditema7_pl} = 1</i>	
desc_otherwhynottakinga7_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named7_pl} != "" and selected(\${takingmeda7_2} , '2') and selected(\${whynottaking7} , '-97') and \${purchaseditema7_pl} = 1</i>	
desc_otherwhynottakingb7_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named7_pl} != "" and selected(\${takingmedb7_1} , '2') and selected(\${whynottaking7} , '-97') and \${purchaseditemb7_pl} = 1</i>	
desc_otherwhynottakingb7_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named7_pl} != "" and selected(\${takingmedb7_2} , '2') and selected(\${whynottaking7} , '-97') and \${purchaseditemb7_pl} = 1</i>	
helpedcuringmeda7_1 (required)	How strongly do you agree or disagree with the statement "[named7_pl] makes me feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named7_pl} , "")) or selected(\${named7_pl} , 'other')) and \${named7_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema7_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

helpedcuringmeda7_2 (required)	How strongly do you agree or disagree with the statement "[named7_pl] makes [namepatient_pl] feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named7_pl} , "")) or selected(\${named7_pl} , 'other')) and \${named7_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema7_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb7_1 (required)	How strongly do you agree or disagree with the statement "[desc_othersnamed7_pl] makes me feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed7_pl} != "" and selected(\${named7_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb7_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb7_2 (required)	How strongly do you agree or disagree with the statement "[desc_othersnamed7_pl] makes [namepatient_pl] feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed7_pl} != "" and selected(\${named7_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb7_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmeda7 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named7_pl]"? <i>Probe: does the respondent think this medication was absolutely necessary?</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named7_pl} , "")) or selected(\${named7_pl} , 'other')) and \${named7_pl} != "" and \${purchaseditema7_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

HomePatientInterview

<p>betterevenwithoutmed7 (required)</p> <p>Field</p>	<p>Question Do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed7_pl]"?</p> <p><i>Probe: does the respondent think this medication was absolutely necessary?</i></p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed7_pl} != "" and selected(\${named7_pl} , 'other') and \${purchaseditemb7_pl} = 1</i></p>	<p>Answer</p> <p>-2 Strongly disagree</p> <p>Disagree</p>
		<p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
<p>knowmedisfora8 (required)</p>	<p>Do you know what illness or symptoms [named8_pl] is for?</p> <p><i>Medication 8</i></p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named8_pl} , "") or selected(\${named8_pl} , 'other')) and \${named8_pl} != "" and \${purchaseditema8_pl} = 1</i></p> <p><i>Response constrained to: not((selected(\${knowmedisfora8} , '1') or selected(\${knowmedisfora8} , '2') or selected(\${knowmedisfora8} , '3') or selected(\${knowmedisfora8} , '4') or selected(\${knowmedisfora8} , '5') or selected(\${knowmedisfora8} , '6') or selected(\${knowmedisfora8} , '7') or selected(\${knowmedisfora8} , '8') or selected(\${knowmedisfora8} , '9') or selected(\${knowmedisfora8} , '10') or selected(\${knowmedisfora8} , '11') or selected(\${knowmedisfora8} , '12') or selected(\${knowmedisfora8} , '13') or selected(\${knowmedisfora8} , '14') or selected(\${knowmedisfora8} , '15') or selected(\${knowmedisfora8} , '-97')) and (selected(\${knowmedisfora8} , '-99') or selected(\${knowmedisfora8} , '-100')) and not(selected(\${knowmedisfora8} , '-99') and selected(\${knowmedisfora8} , '-100'))</i></p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>

<p>knowmedisforb8 (required)</p>	<p>Do you know what illness or symptoms [desc_othernamed8_pl] is for?</p> <p><i>Medication 8</i></p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed8_pl} != "" and selected(\${named8_pl} , 'other') and \${purchaseditemb8_pl} = 1</i></p> <p><i>Response constrained to: not((selected(\${knowmedisforb8} , '1') or selected(\${knowmedisforb8} , '2') or selected(\${knowmedisforb8} , '3') or selected(\${knowmedisforb8} , '4') or selected(\${knowmedisforb8} , '5') or selected(\${knowmedisforb8} , '6') or selected(\${knowmedisforb8} , '7') or selected(\${knowmedisforb8} , '8') or selected(\${knowmedisforb8} , '9') or selected(\${knowmedisforb8} , '10') or selected(\${knowmedisforb8} , '11') or selected(\${knowmedisforb8} , '12') or selected(\${knowmedisforb8} , '13') or selected(\${knowmedisforb8} , '14') or selected(\${knowmedisforb8} , '15') or selected(\${knowmedisforb8} , '-97')) and (selected(\${knowmedisforb8} , '-99') or selected(\${knowmedisforb8} , '-100')) and not(selected(\${knowmedisforb8} , '-99') and selected(\${knowmedisforb8} , '-100'))</i></p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
<p>desc_othenknowmedisfora8 (required)</p>	<p>Specify other illness or symptom.</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisfora8} , '-97') and \${named8_pl} != "" and \${purchaseditema8_pl} = 1</i></p>	
<p>desc_othenknowmedisforb8 (required)</p>	<p>Specify other illness or symptom.</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb8} , '-97') and \${named8_pl} != "" and \${purchaseditemb8_pl} = 1</i></p>	
<p>takingmeda8_1 (required)</p>	<p>Are you currently taking [named8_pl]?</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and</i></p>	<p>1 Yes</p> <p>2 No</p>

HomePatientInterview

Field	Question	Answer
	<i>not(selected(\${named8_pl} , "") or selected(\${named8_pl} , 'other')) and \${named8_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema8_pl} =1</i>	-98 Refused to say
takingmeda8_2 (required)	Is [namepatient_pl] currently taking [named8_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named8_pl} , "") or selected(\${named8_pl} , 'other')) and \${named8_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema8_pl} =1</i>	1 Yes 2 No -98 Refused to say
takingmedb8_1 (required)	Are you currently taking [desc_othernamed8_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed8_pl} != "" and selected(\${named8_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb8_pl} =1</i>	1 Yes 2 No -98 Refused to say
takingmedb8_2 (required)	Is [namepatient_pl] currently taking [desc_othernamed8_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed8_pl} != "" and selected(\${named8_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb8_pl} =1</i>	1 Yes 2 No -98 Refused to say
whynottaking8 (required)	Why not? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named8_pl} != "" and (\${takingmeda8_1} =2 or \${takingmeda8_2} =2 or \${takingmedb8_1} =2 or \${takingmedb8_2} =2) and (selected(\${purchaseditema8_pl} , '1') or selected(\${purchaseditemb8_pl} , '1'))</i>	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_otherswhynottakinga8_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named8_pl} != "" and selected(\${takingmeda8_1} , '2') and selected(\${whynottaking8} , '-97') and \${purchaseditema8_pl} =1</i>	
desc_otherswhynottakinga8_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named8_pl} != "" and selected(\${takingmeda8_2} , '2') and selected(\${whynottaking8} , '-97') and \${purchaseditema8_pl} =1</i>	

desc_otherswhynottakingb8_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named8_pl} != "" and selected(\${takingmedb8_1} , '2') and selected(\${whynottaking8} , '-97') and \${purchaseditemb8_pl} =1</i>	
desc_otherswhynottakingb8_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named8_pl} != "" and selected(\${takingmedb8_2} , '2') and selected(\${whynottaking8} , '-97') and \${purchaseditemb8_pl} =1</i>	
helpedcuringmeda8_1 (required)	How strongly do you agree or disagree with the statement "[named8_pl] makes me feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named8_pl} , "") or selected(\${named8_pl} , 'other')) and \${named8_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema8_pl} =1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmeda8_2 (required)	How strongly do you agree or disagree with the statement "[named8_pl] makes [namepatient_pl] feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named8_pl} , "") or selected(\${named8_pl} , 'other')) and \${named8_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema8_pl} =1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb8_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed8_pl] makes me feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed8_pl} != "" and selected(\${named8_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb8_pl} =1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree

HomePatientInterview

Field	Question	Answer
helpedcuringmedb8_2 (required)	<p>How strongly do you agree or disagree with the statement "[desc_othernamed8_pl] makes [namepatient_pl] feel better"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othernamed8_pl} != "" and selected(\${namedmed8_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb8_pl} = 1</p>	<p>-98 Refused to say</p> <p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
betterevenwithoutmeda8 (required)	<p>How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [namedmed8_pl]"?</p> <p>Probe: does the respondent think this medication was absolutely necessary?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and not(selected(\${namedmed8_pl} , "")) or selected(\${namedmed8_pl} , 'other')) and \${namedmed8_pl} != "" and \${purchaseditema8_pl} = 1</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
betterevenwithoutmedb8 (required)	<p>How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed8_pl]"?</p> <p>Probe: does the respondent think this medication was absolutely necessary?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othernamed8_pl} != "" and selected(\${namedmed8_pl} , 'other') and \${purchaseditemb8_pl} = 1</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>

knowmedisfora9 (required)	<p>Do you know what illness or symptoms [named9_pl] is for?</p> <p>Medication 9</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and not(selected(\${named9_pl} , "")) or selected(\${named9_pl} , 'other')) and \${named9_pl} != "" and \${purchaseditema9_pl} = 1</p> <p>Response constrained to: not((selected(\${knowmedisfora9} , '1') or selected(\${knowmedisfora9} , '2') or selected(\${knowmedisfora9} , '3') or selected(\${knowmedisfora9} , '4') or selected(\${knowmedisfora9} , '5') or selected(\${knowmedisfora9} , '6') or selected(\${knowmedisfora9} , '7') or selected(\${knowmedisfora9} , '8') or selected(\${knowmedisfora9} , '9') or selected(\${knowmedisfora9} , '10') or selected(\${knowmedisfora9} , '11') or selected(\${knowmedisfora9} , '12') or selected(\${knowmedisfora9} , '13') or selected(\${knowmedisfora9} , '14') or selected(\${knowmedisfora9} , '15') or selected(\${knowmedisfora9} , '-97')) and (selected(\${knowmedisfora9} , '-99') or selected(\${knowmedisfora9} , '-100')) and not(selected(\${knowmedisfora9} , '-99') and selected(\${knowmedisfora9} , '-100'))</p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
knowmedisforb9 (required)	<p>Do you know what illness or symptoms [desc_othernamed9_pl] is for?</p> <p>Medication 9</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othernamed9_pl} != "" and selected(\${named9_pl} , 'other') and \${purchaseditemb9_pl} = 1</p> <p>Response constrained to: not((selected(\${knowmedisforb9} , '1') or selected(\${knowmedisforb9} , '2') or selected(\${knowmedisforb9} , '3') or selected(\${knowmedisforb9} , '4') or selected(\${knowmedisforb9} , '5') or selected(\${knowmedisforb9} , '6') or selected(</p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p>

HomePatientInterview

Field	<p><i>Selected(\${knowmedisforb9} , '7') or selected(\${knowmedisforb9} , '8') or selected(\${knowmedisforb9} , '9') or selected(\${knowmedisforb9} , '10') or selected(\${knowmedisforb9} , '11') or selected(\${knowmedisforb9} , '12') or selected(\${knowmedisforb9} , '13') or selected(\${knowmedisforb9} , '14') or selected(\${knowmedisforb9} , '15') or selected(\${knowmedisforb9} , '-97')) and (selected(\${knowmedisforb9} , '-99') or selected(\${knowmedisforb9} , '-100')) and not(selected(\${knowmedisforb9} , '-99') and selected(\${knowmedisforb9} , '-100'))</i></p>	Answer	Dysentery
		9 10 11 12 13 14 15 -97 -99 -100	Gastrointestinal infection, stomach infection, or diarrhea High blood pressure Blood sugar regulation/diabetes Ear infection Syphilis Hepatitis Sickle cell disease, sickle cell anemia Other Was told, but cannot remember or did not understand Was not told
desc_otherknowmedisfora9 (required)	Specify other illness or symptom. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisfora9} , '-97') and \${named9_pl} != "" and \${purchaseditema9_pl} = 1</i>		
desc_otherknowmedisforb9 (required)	Specify other illness or symptom. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb9} , '-97') and \${named9_pl} != "" and \${purchaseditemb9_pl} = 1</i>		
takingmeda9_1 (required)	Are you currently taking [named9_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named9_pl} , "")) or selected(\${named9_pl} , 'other')) and \${named9_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema9_pl} = 1</i>	1 2 -98	Yes No Refused to say
takingmeda9_2 (required)	Is [namepatient_pl] currently taking [named9_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named9_pl} , "")) or selected(\${named9_pl} , 'other')) and \${named9_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema9_pl} = 1</i>	1 2 -98	Yes No Refused to say
takingmedb9_1 (required)	Are you currently taking [desc_othernamed9_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed9_pl} != "" and selected(\${named9_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb9_pl} = 1</i>	1 2 -98	Yes No Refused to say
takingmedb9_2 (required)	Is [namepatient_pl] currently taking [desc_othernamed9_pl]? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed9_pl} != "" and selected(\${named9_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb9_pl} = 1</i>	1 2 -98	Yes No Refused to say
whynottaking9 (required)	Why not? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named9_pl} != "" and (\${takingmeda9_1} = 2 or \${takingmeda9_2} = 2 or \${takingmedb9_1} = 2 or \${takingmedb9_2} = 2) and (selected(\${purchaseditema9_pl} , '1') or selected(\${purchaseditemb9_pl} , '1'))</i>	1 2 3 4 5 6 -97	Finished full dose Got better Do not think it's working Another person took/is taking the drug Saving some of the drug for later/another person Did not purchase full dose Other
desc_otherswhynottakinga9_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named9_pl} != "" and selected(\${takingmeda9_1} , '2') and selected(\${whynottaking9} , '-97') and \${purchaseditema9_pl} = 1</i>		
desc_otherswhynottakinga9_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named9_pl} != "" and selected(\${takingmeda9_2} , '2') and selected(\${whynottaking9} , '-97') and \${purchaseditema9_pl} = 1</i>		
desc_otherswhynottakingb9_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named9_pl} != "" and selected(\${takingmedb9_1} , '2') and selected(\${whynottaking9} , '-97') and \${purchaseditemb9_pl} = 1</i>		
desc_otherswhynottakingb9_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named9_pl} != "" and selected(\${takingmedb9_2} , '2') and selected(\${whynottaking9} , '-97') and \${purchaseditemb9_pl} = 1</i>		
helpedcuringmeda9_1 (required)		-2	Strongly disagree

HomePatientInterview

Field	Question	Answer
	How strongly do you agree or disagree with the statement "[named9_pl] makes me feel better"?	-1 Disagree
	Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named9_pl} , "")) or selected(\${named9_pl} , 'other') and \${named9_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema9_pl} =1	0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmeda9_2 (required)	How strongly do you agree or disagree with the statement "[named9_pl] makes [namepatient_pl] feel better"?	-2 Strongly disagree
	Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named9_pl} , "")) or selected(\${named9_pl} , 'other') and \${named9_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema9_pl} =1	-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmedb9_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed9_pl] makes me feel better"?	-2 Strongly disagree
	Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed9_pl} != "" and selected(\${named9_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb9_pl} =1	-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmedb9_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed9_pl] makes [namepatient_pl] feel better"?	-2 Strongly disagree
	Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed9_pl} != "" and selected(\${named9_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb9_pl} =1	-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
betterevenwithoutmeda9 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named9_pl]"?	-2 Strongly disagree
	Probe: does the respondent think this medication was absolutely necessary?	-1 Disagree
	Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named9_pl} , "")) or selected(\${named9_pl} , 'other') and \${named9_pl} != "" and \${purchaseditema9_pl} =1	0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
betterevenwithoutmedb9 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed9_pl]"?	-2 Strongly disagree
	Probe: does the respondent think this medication was absolutely necessary?	-1 Disagree
	Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed9_pl} != "" and selected(\${named9_pl} , 'other') and \${purchaseditemb9_pl} =1	0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
knowmedisfora10 (required)	Do you know what illness or symptoms [named10_pl] is for? Medication 10	1 Pain reducing
	Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named10_pl} , "")) or selected(\${named10_pl} , 'other') and \${named10_pl} != "" and \${purchaseditema10_pl} =1	2 Fever reducing
	Response constrained to: not((selected(\${knowmedisfora10} , '1') or selected(\${knowmedisfora10} , '2') or selected(\${knowmedisfora10} , '3') or selected(\${knowmedisfora10} , '4') or selected(\${knowmedisfora10} , '5') or selected(\${knowmedisfora10} , '6') or selected(\${knowmedisfora10} , '7') or selected(\${knowmedisfora10} , '8') or selected(\${knowmedisfora10} , '9') or selected(\${knowmedisfora10} , '10') or selected(\${knowmedisfora10} , '11') or selected(\${knowmedisfora10} , '12') or selected(\${knowmedisfora10} , '13') or selected(\${knowmedisfora10} , '14') or selected(\${knowmedisfora10} , '15') or selected(\${knowmedisfora10} , '-97')) and (selected(\${knowmedisfora10} , '-99') or selected(\${knowmedisfora10} , '-100')) and not(selected(\${knowmedisfora10} , '-99') and selected(\${knowmedisfora10} , '-100'))	3 Vitamins, minerals, nutrition supplement
		4 Malaria
		5 Typhoid Fever
		6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))
		7 Pneumonia
		8 Dysentery
		9 Gastrointestinal infection, stomach infection, or diarrhea
		10 High blood pressure
		11 Blood sugar regulation/diabetes
		12 Ear infection
		13 Syphilis
		14 Hepatitis
		15 Sickle cell disease, sickle cell anemia
		-97 Other
		-99 Was told, but cannot remember or did not understand
		-100 Was not told
knowmedisforb10 (required)	Do you know what illness or symptoms [desc_othernamed10_pl] is for? Medication 10	1 Pain reducing

HomePatientInterview

Field	Question	Answer																																		
	<p><i>medication 10</i></p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othernamed10_pl} != "" and selected(\${named10_pl} , 'other') and \${purchaseditemb10_pl} = 1</p> <p>Response constrained to: not((selected(\${knowmedisforb10} , '1') or selected(\${knowmedisforb10} , '2') or selected(\${knowmedisforb10} , '3') or selected(\${knowmedisforb10} , '4') or selected(\${knowmedisforb10} , '5') or selected(\${knowmedisforb10} , '6') or selected(\${knowmedisforb10} , '7') or selected(\${knowmedisforb10} , '8') or selected(\${knowmedisforb10} , '9') or selected(\${knowmedisforb10} , '10') or selected(\${knowmedisforb10} , '11') or selected(\${knowmedisforb10} , '12') or selected(\${knowmedisforb10} , '13') or selected(\${knowmedisforb10} , '14') or selected(\${knowmedisforb10} , '15') or selected(\${knowmedisforb10} , '-97')) and (selected(\${knowmedisforb10} , '-99') or selected(\${knowmedisforb10} , '-100')) and not(selected(\${knowmedisforb10} , '-99') and selected(\${knowmedisforb10} , '-100'))</p>	<table border="1"> <tr><td>2</td><td>Fever reducing</td></tr> <tr><td>3</td><td>Vitamins, minerals, nutrition supplement</td></tr> <tr><td>4</td><td>Malaria</td></tr> <tr><td>5</td><td>Typhoid Fever</td></tr> <tr><td>6</td><td>Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</td></tr> <tr><td>7</td><td>Pneumonia</td></tr> <tr><td>8</td><td>Dysentery</td></tr> <tr><td>9</td><td>Gastrointestinal infection, stomach infection, or diarrhea</td></tr> <tr><td>10</td><td>High blood pressure</td></tr> <tr><td>11</td><td>Blood sugar regulation/diabetes</td></tr> <tr><td>12</td><td>Ear infection</td></tr> <tr><td>13</td><td>Syphilis</td></tr> <tr><td>14</td><td>Hepatitis</td></tr> <tr><td>15</td><td>Sickle cell disease, sickle cell anemia</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Was told, but cannot remember or did not understand</td></tr> <tr><td>-100</td><td>Was not told</td></tr> </table>	2	Fever reducing	3	Vitamins, minerals, nutrition supplement	4	Malaria	5	Typhoid Fever	6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))	7	Pneumonia	8	Dysentery	9	Gastrointestinal infection, stomach infection, or diarrhea	10	High blood pressure	11	Blood sugar regulation/diabetes	12	Ear infection	13	Syphilis	14	Hepatitis	15	Sickle cell disease, sickle cell anemia	-97	Other	-99	Was told, but cannot remember or did not understand	-100	Was not told
2	Fever reducing																																			
3	Vitamins, minerals, nutrition supplement																																			
4	Malaria																																			
5	Typhoid Fever																																			
6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))																																			
7	Pneumonia																																			
8	Dysentery																																			
9	Gastrointestinal infection, stomach infection, or diarrhea																																			
10	High blood pressure																																			
11	Blood sugar regulation/diabetes																																			
12	Ear infection																																			
13	Syphilis																																			
14	Hepatitis																																			
15	Sickle cell disease, sickle cell anemia																																			
-97	Other																																			
-99	Was told, but cannot remember or did not understand																																			
-100	Was not told																																			
desc_othenknowmedisfora10 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${knowmedisfora10} , '-97') and \${named10_pl} != "" and \${purchaseditema10_pl} = 1</p>																																			
desc_othenknowmedisforb10 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${knowmedisforb10} , '-97') and \${named10_pl} != "" and \${purchaseditemb10_pl} = 1</p>																																			
takingmeda10_1 (required)	<p>Are you currently taking [named10_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and not(selected(\${named10_pl} , "")) or selected(\${named10_pl} , 'other')) and \${named10_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema10_pl} = 1</p>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	1	Yes	2	No	-98	Refused to say																												
1	Yes																																			
2	No																																			
-98	Refused to say																																			

takingmeda10_2 (required)	<p>Is [namepatient_pl] currently taking [named10_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and not(selected(\${named10_pl} , "")) or selected(\${named10_pl} , 'other')) and \${named10_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema10_pl} = 1</p>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	1	Yes	2	No	-98	Refused to say								
1	Yes															
2	No															
-98	Refused to say															
takingmedb10_1 (required)	<p>Are you currently taking [desc_othenamed10_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othenamed10_pl} != "" and selected(\${named10_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb10_pl} = 1</p>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	1	Yes	2	No	-98	Refused to say								
1	Yes															
2	No															
-98	Refused to say															
takingmedb10_2 (required)	<p>Is [namepatient_pl] currently taking [desc_othenamed10_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othenamed10_pl} != "" and selected(\${named10_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb10_pl} = 1</p>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>-98</td><td>Refused to say</td></tr> </table>	1	Yes	2	No	-98	Refused to say								
1	Yes															
2	No															
-98	Refused to say															
whynottaking10 (required)	<p>Why not?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${named10_pl} != "" and (\${takingmeda10_1} = 2 or \${takingmeda10_2} = 2 or \${takingmedb10_1} = 2 or \${takingmedb10_2} = 2) and (selected(\${purchaseditema10_pl} , '1') or selected(\${purchaseditemb10_pl} , '1'))</p>	<table border="1"> <tr><td>1</td><td>Finished full dose</td></tr> <tr><td>2</td><td>Got better</td></tr> <tr><td>3</td><td>Do not think it's working</td></tr> <tr><td>4</td><td>Another person took/is taking the drug</td></tr> <tr><td>5</td><td>Saving some of the drug for later/another person</td></tr> <tr><td>6</td><td>Did not purchase full dose</td></tr> <tr><td>-97</td><td>Other</td></tr> </table>	1	Finished full dose	2	Got better	3	Do not think it's working	4	Another person took/is taking the drug	5	Saving some of the drug for later/another person	6	Did not purchase full dose	-97	Other
1	Finished full dose															
2	Got better															
3	Do not think it's working															
4	Another person took/is taking the drug															
5	Saving some of the drug for later/another person															
6	Did not purchase full dose															
-97	Other															
desc_othenwhynottakinga10_1 (required)	<p>Specify other reason.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${named10_pl} != "" and selected(\${takingmeda10_1} , '2') and selected(\${whynottaking10} , '-97') and \${purchaseditema10_pl} = 1</p>															
desc_othenwhynottakinga10_2 (required)	<p>Specify other reason.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${named10_pl} != "" and selected(\${takingmeda10_2} , '2') and selected(\${whynottaking10} , '-97') and \${purchaseditema10_pl} = 1</p>															

HomePatientInterview

Field	Question	Answer
desc_otherwhynottakingb10_1 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named10_pl} != "" and selected(\${takingmedb10_1} , '2') and selected(\${whynottaking10} , '-97') and \${purchaseditemb10_pl} = 1	
desc_otherwhynottakingb10_2 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named10_pl} != "" and selected(\${takingmedb10_2} , '2') and selected(\${whynottaking10} , '-97') and \${purchaseditemb10_pl} = 1	
helpedcuringmeda10_1 (required)	How strongly do you agree or disagree with the statement "[named10_pl] makes me feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named10_pl} , "")) or selected(\${named10_pl} , 'other')) and \${named10_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema10_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
helpedcuringmeda10_2 (required)	How strongly do you agree or disagree with the statement "[named10_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named10_pl} , "")) or selected(\${named10_pl} , 'other')) and \${named10_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema10_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
helpedcuringmedb10_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed10_pl] makes me feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed10_pl} != "" and selected(\${named10_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb10_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say

helpedcuringmedb10_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed10_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed10_pl} != "" and selected(\${named10_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb10_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
betterevenwithoutmeda10 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named10_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named10_pl} , "")) or selected(\${named10_pl} , 'other')) and \${named10_pl} != "" and \${purchaseditema10_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
betterevenwithoutmedb10 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed10_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed10_pl} != "" and selected(\${named10_pl} , 'other') and \${purchaseditemb10_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
knowmedisfora11 (required)	Do you know what illness or symptoms [named11_pl] is for? Medication 11 Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named11_pl} , "")) or selected(\${named11_pl} , 'other')) and \${named11_pl} != "" and \${purchaseditema11_pl} = 1 Response constrained to: not((selected(\${knowmedisfora11} , '1') or selected(\${knowmedisfora11} , '2') or selected(\${knowmedisfora11} , '3') or selected(\${knowmedisfora11} , '4') or selected(\${knowmedisfora11} , '5') or selected(\${knowmedisfora11} , '6') or selected(\${knowmedisfora11} , '7') or selected(\${knowmedisfora11} , '8') or selected(\${knowmedisfora11} , '9') or selected(\${knowmedisfora11} , '10') or selected(\${knowmedisfora11} , '11') or selected(1 Pain reducing
		2 Fever reducing
		3 Vitamins, minerals, nutrition supplement
		4 Malaria
		5 Typhoid Fever
6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))		
7 Pneumonia		
8 Dysentery		
9 Gastrointestinal infection, stomach infection,		

HomePatientInterview

Field	Question	Answer
		or diarrhea
		10 High blood pressure
		11 Blood sugar regulation/diabetes
		12 Ear infection
		13 Syphilis
		14 Hepatitis
		15 Sickle cell disease, sickle cell anemia
		-97 Other
		-99 Was told, but cannot remember or did not understand
		-100 Was not told
knowmedisforb11 (required)	<p>Do you know what illness or symptoms [desc_othernamed11_pl] is for?</p> <p>Medication 11</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${desc_othernamed11_pl} != "" and selected(\${named11_pl} , 'other') and \${purchaseditemb11_pl} = 1</p> <p>Response constrained to: not((selected(\${knowmedisforb11} , '1') or selected(\${knowmedisforb11} , '2') or selected(\${knowmedisforb11} , '3') or selected(\${knowmedisforb11} , '4') or selected(\${knowmedisforb11} , '5') or selected(\${knowmedisforb11} , '6') or selected(\${knowmedisforb11} , '7') or selected(\${knowmedisforb11} , '8') or selected(\${knowmedisforb11} , '9') or selected(\${knowmedisforb11} , '10') or selected(\${knowmedisforb11} , '11') or selected(\${knowmedisforb11} , '12') or selected(\${knowmedisforb11} , '13') or selected(\${knowmedisforb11} , '14') or selected(\${knowmedisforb11} , '15') or selected(\${knowmedisforb11} , '-97')) and (selected(\${knowmedisforb11} , '-99') or selected(\${knowmedisforb11} , '-100')) and not(selected(\${knowmedisforb11} , '-99') and selected(\${knowmedisforb11} , '-100'))</p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>

desc_otherknowmedisfora11 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${knowmedisfora11} , '-97') and \${named11_pl} != "" and \${purchaseditema11_pl} = 1</p>	
desc_otherknowmedisforb11 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${knowmedisforb11} , '-97') and \${named11_pl} != "" and \${purchaseditemb11_pl} = 1</p>	
takingmeda11_1 (required)	<p>Are you currently taking [named11_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and not(selected(\${named11_pl} , "") or selected(\${named11_pl} , 'other')) and \${named11_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema11_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmeda11_2 (required)	<p>Is [namepatient_pl] currently taking [named11_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and not(selected(\${named11_pl} , "") or selected(\${named11_pl} , 'other')) and \${named11_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema11_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb11_1 (required)	<p>Are you currently taking [desc_othernamed11_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${desc_othernamed11_pl} != "" and selected(\${named11_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb11_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb11_2 (required)	<p>Is [namepatient_pl] currently taking [desc_othernamed11_pl]?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${desc_othernamed11_pl} != "" and selected(\${named11_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb11_pl} = 1</p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
whynottaking11 (required)	<p>Why not?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${named11_pl} != "" and (\${takingmeda11_1} = 2 or \${takingmeda11_2} = 2 or \${takingmedb11_1} = 2 or \${takingmedb11_2} = 2) and (selected(\${purchaseditema11_pl} , '1') or</p>	<p>1 Finished full dose</p> <p>2 Got better</p> <p>3 Do not think it's working</p> <p>4 Another person took/is taking the drug</p>

HomePatientInterview

Field	Question	Answer
	<i>selected(\${purchaseditemb11_pl} , '1')</i>	4 Another person tooks taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_otherwhynottakinga11_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed11_pl} != "" and selected(\${takingmeda11_1} , '2') and selected(\${whynottaking11} , '-97') and \${purchaseditema11_pl} = 1</i>	
desc_otherwhynottakinga11_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed11_pl} != "" and selected(\${takingmeda11_2} , '2') and selected(\${whynottaking11} , '-97') and \${purchaseditema11_pl} = 1</i>	
desc_otherwhynottakingb11_1 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed11_pl} != "" and selected(\${takingmedb11_1} , '2') and selected(\${whynottaking11} , '-97') and \${purchaseditemb11_pl} = 1</i>	
desc_otherwhynottakingb11_2 (required)	Specify other reason. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed11_pl} != "" and selected(\${takingmedb11_2} , '2') and selected(\${whynottaking11} , '-97') and \${purchaseditemb11_pl} = 1</i>	
helpedcuringmeda11_1 (required)	How strongly do you agree or disagree with the statement "[namedmed11_pl] makes me feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed11_pl} , "")) or selected(\${namedmed11_pl} , 'other') and \${namedmed11_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema11_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

helpedcuringmeda11_2 (required)	How strongly do you agree or disagree with the statement "[namedmed11_pl] makes [namepatient_pl] feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed11_pl} , "")) or selected(\${namedmed11_pl} , 'other') and \${namedmed11_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema11_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb11_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamedmed11_pl] makes me feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamedmed11_pl} != "" and selected(\${namedmed11_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb11_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb11_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamedmed11_pl] makes [namepatient_pl] feel better"? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamedmed11_pl} != "" and selected(\${namedmed11_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb11_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmeda11 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [namedmed11_pl]"? <i>Probe: does the respondent think this medication was absolutely necessary?</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed11_pl} , "")) or selected(\${namedmed11_pl} , 'other') and \${namedmed11_pl} != "" and \${purchaseditema11_pl} = 1</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedb11 (required)		-2 Strongly disagree

HomePatientInterview

Field	Question	Answer
	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed11_pl]"?	-1 Disagree 0 Neither agree nor disagree, neutral
	Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed11_pl} != "" and selected(\${named11_pl} , 'other') and \${purchaseditemb11_pl} = 1	1 Agree 2 Strongly agree -98 Refused to say
knowmedisfora12 (required)	Do you know what illness or symptoms [named12_pl] is for? Medication 12 Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named12_pl} , "")) or selected(\${named12_pl} , 'other') and \${named12_pl} != "" and \${purchaseditema12_pl} = 1 Response constrained to: not((selected(\${knowmedisfora12} , '1') or selected(\${knowmedisfora12} , '2') or selected(\${knowmedisfora12} , '3') or selected(\${knowmedisfora12} , '4') or selected(\${knowmedisfora12} , '5') or selected(\${knowmedisfora12} , '6') or selected(\${knowmedisfora12} , '7') or selected(\${knowmedisfora12} , '8') or selected(\${knowmedisfora12} , '9') or selected(\${knowmedisfora12} , '10') or selected(\${knowmedisfora12} , '11') or selected(\${knowmedisfora12} , '12') or selected(\${knowmedisfora12} , '13') or selected(\${knowmedisfora12} , '14') or selected(\${knowmedisfora12} , '15') or selected(\${knowmedisfora12} , '-97')) and (selected(\${knowmedisfora12} , '-99') or selected(\${knowmedisfora12} , '-100')) and not(selected(\${knowmedisfora12} , '-99') and selected(\${knowmedisfora12} , '-100'))	1 Pain reducing 2 Fever reducing 3 Vitamins, minerals, nutrition supplement 4 Malaria 5 Typhoid Fever 6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA)) 7 Pneumonia 8 Dysentery 9 Gastrointestinal infection, stomach infection, or diarrhea 10 High blood pressure 11 Blood sugar regulation/diabetes 12 Ear infection 13 Syphilis 14 Hepatitis 15 Sickle cell disease, sickle cell anemia -97 Other -99 Was told, but cannot remember or did not understand -100 Was not told

knowmedisforb12 (required)	Do you know what illness or symptoms [desc_othernamed12_pl] is for? Medication 12 Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed12_pl} != "" and selected(\${named12_pl} , 'other') and \${purchaseditemb12_pl} = 1 Response constrained to: not((selected(\${knowmedisforb12} , '1') or selected(\${knowmedisforb12} , '2') or selected(\${knowmedisforb12} , '3') or selected(\${knowmedisforb12} , '4') or selected(\${knowmedisforb12} , '5') or selected(\${knowmedisforb12} , '6') or selected(\${knowmedisforb12} , '7') or selected(\${knowmedisforb12} , '8') or selected(\${knowmedisforb12} , '9') or selected(\${knowmedisforb12} , '10') or selected(\${knowmedisforb12} , '11') or selected(\${knowmedisforb12} , '12') or selected(\${knowmedisforb12} , '13') or selected(\${knowmedisforb12} , '14') or selected(\${knowmedisforb12} , '15') or selected(\${knowmedisforb12} , '-97')) and (selected(\${knowmedisforb12} , '-99') or selected(\${knowmedisforb12} , '-100')) and not(selected(\${knowmedisforb12} , '-99') and selected(\${knowmedisforb12} , '-100'))	1 Pain reducing 2 Fever reducing 3 Vitamins, minerals, nutrition supplement 4 Malaria 5 Typhoid Fever 6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA)) 7 Pneumonia 8 Dysentery 9 Gastrointestinal infection, stomach infection, or diarrhea 10 High blood pressure 11 Blood sugar regulation/diabetes 12 Ear infection 13 Syphilis 14 Hepatitis 15 Sickle cell disease, sickle cell anemia -97 Other -99 Was told, but cannot remember or did not understand -100 Was not told
desc_otherknowmedisfora12 (required)	Specify other illness or symptom. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisfora12} , '-97') and \${named12_pl} != "" and \${purchaseditema12_pl} = 1	
desc_otherknowmedisforb12 (required)	Specify other illness or symptom. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb12} , '-97') and \${named12_pl} != "" and \${purchaseditemb12_pl} = 1	

HomePatientInterview

takingmeda12_1 (required) Field	Are you currently taking [namedmed12_pl]? Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed12_pl} , '') or selected(\${namedmed12_pl} , 'other')) and \${namedmed12_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema12_pl} = 1	1 Yes 2 No -98 Refused to say
takingmeda12_2 (required)	Is [namepatient_pl] currently taking [namedmed12_pl]? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed12_pl} , '') or selected(\${namedmed12_pl} , 'other')) and \${namedmed12_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema12_pl} = 1	1 Yes 2 No -98 Refused to say
takingmedb12_1 (required)	Are you currently taking [desc_othernamedmed12_pl]? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamedmed12_pl} != "" and selected(\${namedmed12_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb12_pl} = 1	1 Yes 2 No -98 Refused to say
takingmedb12_2 (required)	Is [namepatient_pl] currently taking [desc_othernamedmed12_pl]? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamedmed12_pl} != "" and selected(\${namedmed12_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb12_pl} = 1	1 Yes 2 No -98 Refused to say
whynottaking12 (required)	Why not? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed12_pl} != "" and (\${takingmeda12_1} = 2 or \${takingmeda12_2} = 2 or \${takingmedb12_1} = 2 or \${takingmedb12_2} = 2) and (selected(\${purchaseditema12_pl} , '1') or selected(\${purchaseditemb12_pl} , '1'))	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_otherswhynottakinga12_1 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed12_pl} != "" and selected(\${takingmeda12_1} , '2') and selected(\${whynottaking12} , '-97') and \${purchaseditema12_pl} = 1	

desc_otherswhynottakinga12_2 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed12_pl} != "" and selected(\${takingmeda12_2} , '2') and selected(\${whynottaking12} , '-97') and \${purchaseditema12_pl} = 1	
desc_otherswhynottakingb12_1 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed12_pl} != "" and selected(\${takingmedb12_1} , '2') and selected(\${whynottaking12} , '-97') and \${purchaseditemb12_pl} = 1	
desc_otherswhynottakingb12_2 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed12_pl} != "" and selected(\${takingmedb12_2} , '2') and selected(\${whynottaking12} , '-97') and \${purchaseditemb12_pl} = 1	
helpedcuringmeda12_1 (required)	How strongly do you agree or disagree with the statement "[namedmed12_pl] makes me feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed12_pl} , '') or selected(\${namedmed12_pl} , 'other')) and \${namedmed12_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema12_pl} = 1	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmeda12_2 (required)	How strongly do you agree or disagree with the statement "[namepatient_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed12_pl} , '') or selected(\${namedmed12_pl} , 'other')) and \${namedmed12_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema12_pl} = 1	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedb12_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamedmed12_pl] makes me	-2 Strongly disagree -1 Disagree

HomePatientInterview

Field	Question	Answer
	feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed12_pl} != "" and selected(\${named12_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb12_pl} = 1	0 Neither agree nor disagree, neutral 1 Agree
helpedcuringmedb12_2 (required)	How strongly do you agree or disagree with the statement "[desc_othersnamed12_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed12_pl} != "" and selected(\${named12_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb12_pl} = 1	2 Strongly agree -98 Refused to say -2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmeda12 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named12_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named12_pl} , "") or selected(\${named12_pl} , 'other')) and \${named12_pl} != "" and \${purchaseditema12_pl} = 1	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedb12 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othersnamed12_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed12_pl} != "" and selected(\${named12_pl} , 'other') and \${purchaseditemb12_pl} = 1	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

knowmedisfora13 (required)	Do you know what illness or symptoms [named13_pl] is for? Medication 13 Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named13_pl} , "") or selected(\${named13_pl} , 'other')) and \${named13_pl} != "" and \${purchaseditema13_pl} = 1 Response constrained to: not((selected(\${knowmedisfora13} , '1') or selected(\${knowmedisfora13} , '2') or selected(\${knowmedisfora13} , '3') or selected(\${knowmedisfora13} , '4') or selected(\${knowmedisfora13} , '5') or selected(\${knowmedisfora13} , '6') or selected(\${knowmedisfora13} , '7') or selected(\${knowmedisfora13} , '8') or selected(\${knowmedisfora13} , '9') or selected(\${knowmedisfora13} , '10') or selected(\${knowmedisfora13} , '11') or selected(\${knowmedisfora13} , '12') or selected(\${knowmedisfora13} , '13') or selected(\${knowmedisfora13} , '14') or selected(\${knowmedisfora13} , '15') or selected(\${knowmedisfora13} , '-97')) and (selected(\${knowmedisfora13} , '-99') or selected(\${knowmedisfora13} , '-100')) and not(selected(\${knowmedisfora13} , '-99') and selected(\${knowmedisfora13} , '-100'))	1 Pain reducing 2 Fever reducing 3 Vitamins, minerals, nutrition supplement 4 Malaria 5 Typhoid Fever 6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA)) 7 Pneumonia 8 Dysentery 9 Gastrointestinal infection, stomach infection, or diarrhea 10 High blood pressure 11 Blood sugar regulation/diabetes 12 Ear infection 13 Syphilis 14 Hepatitis 15 Sickle cell disease, sickle cell anemia -97 Other -99 Was told, but cannot remember or did not understand -100 Was not told
knowmedisforb13 (required)	Do you know what illness or symptoms [desc_othersnamed13_pl] is for? Medication 13 Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed13_pl} != "" and selected(\${named13_pl} , 'other') and \${purchaseditemb13_pl} = 1 Response constrained to: not((selected(\${knowmedisforb13} , '1') or selected(\${knowmedisforb13} , '2') or selected(\${knowmedisforb13} , '3') or selected(\${knowmedisforb13} , '4') or selected(\${knowmedisforb13} , '5') or selected(\${knowmedisforb13} , '6') or selected(\${knowmedisforb13} , '7') or selected(\${knowmedisforb13} , '8') or selected(\${knowmedisforb13} , '9') or selected(\${knowmedisforb13} , '10') or selected(\${knowmedisforb13} , '11') or selected(\${knowmedisforb13} , '12') or selected(\${knowmedisforb13} , '13') or selected(\${knowmedisforb13} , '14') or selected(\${knowmedisforb13} , '15') or selected(\${knowmedisforb13} , '-97')) and (selected(\${knowmedisforb13} , '-99') or selected(\${knowmedisforb13} , '-100')) and not(selected(\${knowmedisforb13} , '-99') and selected(\${knowmedisforb13} , '-100'))	1 Pain reducing 2 Fever reducing 3 Vitamins, minerals, nutrition supplement 4 Malaria 5 Typhoid Fever 6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA)) 7 Pneumonia

HomePatientInterview

Field	Question	Answer
	<p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${knowmedisforb13} , '6') or selected(\${knowmedisforb13} , '7') or selected(\${knowmedisforb13} , '8') or selected(\${knowmedisforb13} , '9') or selected(\${knowmedisforb13} , '10') or selected(\${knowmedisforb13} , '11') or selected(\${knowmedisforb13} , '12') or selected(\${knowmedisforb13} , '13') or selected(\${knowmedisforb13} , '14') or selected(\${knowmedisforb13} , '15') or selected(\${knowmedisforb13} , '-97')) and (selected(\${knowmedisforb13} , '-99') or selected(\${knowmedisforb13} , '-100')) and not(selected(\${knowmedisforb13} , '-99') and selected(\${knowmedisforb13} , '-100'))</i></p>	<p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
desc_otherknowmedisfora13 (required)	<p>Specify other illness or symptom.</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${knowmedisfora13} , '-97') and \${named13_pl} != "" and \${purchaseditema13_pl} = 1</i></p>	
desc_otherknowmedisforb13 (required)	<p>Specify other illness or symptom.</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and selected(\${knowmedisforb13} , '-97') and \${named13_pl} != "" and \${purchaseditemb13_pl} = 1</i></p>	
takingmeda13_1 (required)	<p>Are you currently taking [named13_pl]?</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and not(selected(\${named13_pl} , "")) or selected(\${named13_pl} , 'other')) and \${named13_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema13_pl} = 1</i></p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmeda13_2 (required)	<p>Is [namepatient_pl] currently taking [named13_pl]?</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and not(selected(\${named13_pl} , "")) or selected(\${named13_pl} , 'other')) and \${named13_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema13_pl} = 1</i></p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>

takingmedb13_1 (required)	<p>Are you currently taking [desc_othernamed13_pl]?</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othernamed13_pl} != "" and selected(\${named13_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb13_pl} = 1</i></p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
takingmedb13_2 (required)	<p>Is [namepatient_pl] currently taking [desc_othernamed13_pl]?</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${desc_othernamed13_pl} != "" and selected(\${named13_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb13_pl} = 1</i></p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>
whynottaking13 (required)	<p>Why not?</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${named13_pl} != "" and (\${takingmeda13_1} = 2 or \${takingmeda13_2} = 2 or \${takingmedb13_1} = 2 or \${takingmedb13_2} = 2) and (selected(\${purchaseditema13_pl} , '1') or selected(\${purchaseditemb13_pl} , '1'))</i></p>	<p>1 Finished full dose</p> <p>2 Got better</p> <p>3 Do not think it's working</p> <p>4 Another person took/is taking the drug</p> <p>5 Saving some of the drug for later/another person</p> <p>6 Did not purchase full dose</p> <p>-97 Other</p>
desc_otherwhynottakinga13_1 (required)	<p>Specify other reason.</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${named13_pl} != "" and selected(\${takingmeda13_1} , '2') and selected(\${whynottaking13} , '-97') and \${purchaseditema13_pl} = 1</i></p>	
desc_otherwhynottakinga13_2 (required)	<p>Specify other reason.</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${named13_pl} != "" and selected(\${takingmeda13_2} , '2') and selected(\${whynottaking13} , '-97') and \${purchaseditema13_pl} = 1</i></p>	
desc_otherwhynottakingb13_1 (required)	<p>Specify other reason.</p> <p><i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1') and \${named13_pl} != "" and selected(\${takingmedb13_1} , '2') and selected(\${whynottaking13} , '-97') and \${purchaseditemb13_pl} = 1</i></p>	
desc_otherwhynottakingb13_2 (required)	<p>Specify other reason.</p>	

HomePatientInterview

Field	Question	Answer
helpedcuringmeda13_1 (required)	<p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named13_pl} != "" and selected(\${takingmedb13_2} , '2') and selected(\${whynottaking13} , '-97') and \${purchaseditemb13_pl} = 1</p> <p>How strongly do you agree or disagree with the statement "[named13_pl] makes me feel better"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named13_pl} , "" or selected(\${named13_pl} , 'other')) and \${named13_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema13_pl} = 1</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
helpedcuringmeda13_2 (required)	<p>How strongly do you agree or disagree with the statement "[named13_pl] makes [namepatient_pl] feel better"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named13_pl} , "" or selected(\${named13_pl} , 'other')) and \${named13_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema13_pl} = 1</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
helpedcuringmedb13_1 (required)	<p>How strongly do you agree or disagree with the statement "[desc_othernamed13_pl] makes me feel better"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed13_pl} != "" and selected(\${named13_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb13_pl} = 1</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
helpedcuringmedb13_2 (required)	<p>How strongly do you agree or disagree with the statement "[desc_othernamed13_pl] makes [namepatient_pl] feel better"?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed13_pl} != "" and selected(\${named13_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb13_pl} = 1</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>

betterevenwithoutmeda13 (required)	<p>How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named13_pl]"?</p> <p>Probe: does the respondent think this medication was absolutely necessary?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named13_pl} , "" or selected(\${named13_pl} , 'other')) and \${named13_pl} != "" and \${purchaseditema13_pl} = 1</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
betterevenwithoutmedb13 (required)	<p>How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed13_pl]"?</p> <p>Probe: does the respondent think this medication was absolutely necessary?</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed13_pl} != "" and selected(\${named13_pl} , 'other') and \${purchaseditemb13_pl} = 1</p>	<p>-2 Strongly disagree</p> <p>-1 Disagree</p> <p>0 Neither agree nor disagree, neutral</p> <p>1 Agree</p> <p>2 Strongly agree</p> <p>-98 Refused to say</p>
knowmedisfora14 (required)	<p>Do you know what illness or symptoms [named14_pl] is for?</p> <p>Medication 14</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named14_pl} , "" or selected(\${named14_pl} , 'other')) and \${named14_pl} != "" and \${purchaseditema14_pl} = 1</p> <p>Response constrained to: not((selected(\${knowmedisfora14} , '1') or selected(\${knowmedisfora14} , '2') or selected(\${knowmedisfora14} , '3') or selected(\${knowmedisfora14} , '4') or selected(\${knowmedisfora14} , '5') or selected(\${knowmedisfora14} , '6') or selected(\${knowmedisfora14} , '7') or selected(\${knowmedisfora14} , '8') or selected(\${knowmedisfora14} , '9') or selected(\${knowmedisfora14} , '10') or selected(\${knowmedisfora14} , '11') or selected(\${knowmedisfora14} , '12') or selected(\${knowmedisfora14} , '13') or selected(\${knowmedisfora14} , '14') or selected(\${knowmedisfora14} , '15') or selected(\${knowmedisfora14} , '-97')) and (selected(\${knowmedisfora14} , '-99') or selected(\${knowmedisfora14} , '-100')) and not(selected(\${knowmedisfora14} , '-99') and selected(\${knowmedisfora14} , '-100'))</p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p>

HomePatientInterview

Field	Question	Answer
		15 Sickle cell disease, sickle cell anemia -97 Other
		-99 Was told, but cannot remember or did not understand
		-100 Was not told
knowmedisforb14 (required)	Do you know what illness or symptoms [desc_othersnamed14_pl] is for? <i>Medication 14</i> Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed14_pl} != "" and selected(\${named14_pl} , 'other') and \${purchaseditemb14_pl} = 1 Response constrained to: not((selected(\${knowmedisforb14} , '1') or selected(\${knowmedisforb14} , '2') or selected(\${knowmedisforb14} , '3') or selected(\${knowmedisforb14} , '4') or selected(\${knowmedisforb14} , '5') or selected(\${knowmedisforb14} , '6') or selected(\${knowmedisforb14} , '7') or selected(\${knowmedisforb14} , '8') or selected(\${knowmedisforb14} , '9') or selected(\${knowmedisforb14} , '10') or selected(\${knowmedisforb14} , '11') or selected(\${knowmedisforb14} , '12') or selected(\${knowmedisforb14} , '13') or selected(\${knowmedisforb14} , '14') or selected(\${knowmedisforb14} , '15') or selected(\${knowmedisforb14} , '-97')) and (selected(\${knowmedisforb14} , '-99') or selected(\${knowmedisforb14} , '-100')) and not(selected(\${knowmedisforb14} , '-99') and selected(\${knowmedisforb14} , '-100'))	1 Pain reducing 2 Fever reducing 3 Vitamins, minerals, nutrition supplement 4 Malaria 5 Typhoid Fever 6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA)) 7 Pneumonia 8 Dysentery 9 Gastrointestinal infection, stomach infection, or diarrhea 10 High blood pressure 11 Blood sugar regulation/diabetes 12 Ear infection 13 Syphilis 14 Hepatitis 15 Sickle cell disease, sickle cell anemia -97 Other -99 Was told, but cannot remember or did not understand -100 Was not told
desc_othersknowmedisfora14 (required)	Specify other illness or symptom. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisfora14} , '-97') and \${named14_pl} != "" and \${purchaseditema14_pl} = 1	

desc_othersknowmedisforb14 (required)	Specify other illness or symptom. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb14} , '-97') and \${named14_pl} != "" and \${purchaseditemb14_pl} = 1	
takingmeda14_1 (required)	Are you currently taking [named14_pl]? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named14_pl} , "") or selected(\${named14_pl} , 'other')) and \${named14_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema14_pl} = 1	1 Yes 2 No -98 Refused to say
takingmeda14_2 (required)	Is [namepatient_pl] currently taking [named14_pl]? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named14_pl} , "") or selected(\${named14_pl} , 'other')) and \${named14_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema14_pl} = 1	1 Yes 2 No -98 Refused to say
takingmedb14_1 (required)	Are you currently taking [desc_othersnamed14_pl]? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed14_pl} != "" and selected(\${named14_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb14_pl} = 1	1 Yes 2 No -98 Refused to say
takingmedb14_2 (required)	Is [namepatient_pl] currently taking [desc_othersnamed14_pl]? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed14_pl} != "" and selected(\${named14_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb14_pl} = 1	1 Yes 2 No -98 Refused to say
whynottaking14 (required)	Why not? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named14_pl} != "" and (\${takingmeda14_1} = 2 or \${takingmeda14_2} = 2 or \${takingmedb14_1} = 2 or \${takingmedb14_2} = 2) and (selected(\${purchaseditema14_pl} , '1') or selected(\${purchaseditemb14_pl} , '1'))	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other

HomePatientInterview

Field	Question	Answer
otherwhynottakinga14_1 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named14_pl} != "" and selected(\${takingmeda14_1} , '2') and selected(\${whynottaking14} , '-97') and \${purchaseditema14_pl} = 1	
desc_otherwhynottakinga14_2 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named14_pl} != "" and selected(\${takingmeda14_2} , '2') and selected(\${whynottaking14} , '-97') and \${purchaseditema14_pl} = 1	
desc_otherwhynottakingb14_1 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named14_pl} != "" and selected(\${takingmedb14_1} , '2') and selected(\${whynottaking14} , '-97') and \${purchaseditemb14_pl} = 1	
desc_otherwhynottakingb14_2 (required)	Specify other reason. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${named14_pl} != "" and selected(\${takingmedb14_2} , '2') and selected(\${whynottaking14} , '-97') and \${purchaseditemb14_pl} = 1	
helpedcuringmeda14_1 (required)	How strongly do you agree or disagree with the statement "[named14_pl] makes me feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named14_pl} , "")) or selected(\${named14_pl} , 'other')) and \${named14_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema14_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmeda14_2 (required)	How strongly do you agree or disagree with the statement "[named14_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named14_pl} , "")) or selected(\${named14_pl} , 'other')) and \${named14_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema14_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say

helpedcuringmedb14_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed14_pl] makes me feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed14_pl} != "" and selected(\${named14_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb14_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmedb14_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamed14_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed14_pl} != "" and selected(\${named14_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb14_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
betterevenwithoutmeda14 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named14_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named14_pl} , "")) or selected(\${named14_pl} , 'other')) and \${named14_pl} != "" and \${purchaseditema14_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
betterevenwithoutmedb14 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamed14_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed14_pl} != "" and selected(\${named14_pl} , 'other') and \${purchaseditemb14_pl} = 1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
knowmedisfora15 (required)	Do you know what illness or symptoms [named15_pl] is for? Medication 15 Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named15_pl} , "")) or selected(\${named15_pl} , 'other')) and	1 Pain reducing
		2 Fever reducing
		3 Vitamins, minerals, nutrition supplement
		4 Malaria

HomePatientInterview

Field	Question	Answer
	<p><i>Response constrained to: not((selected(\${knowmedisfora15} , '1') or selected(\${knowmedisfora15} , '2') or selected(\${knowmedisfora15} , '3') or selected(\${knowmedisfora15} , '4') or selected(\${knowmedisfora15} , '5') or selected(\${knowmedisfora15} , '6') or selected(\${knowmedisfora15} , '7') or selected(\${knowmedisfora15} , '8') or selected(\${knowmedisfora15} , '9') or selected(\${knowmedisfora15} , '10') or selected(\${knowmedisfora15} , '11') or selected(\${knowmedisfora15} , '12') or selected(\${knowmedisfora15} , '13') or selected(\${knowmedisfora15} , '14') or selected(\${knowmedisfora15} , '15') or selected(\${knowmedisfora15} , '-97') and (selected(\${knowmedisfora15} , '-99') or selected(\${knowmedisfora15} , '-100')))) and not(selected(\${knowmedisfora15} , '-99') and selected(\${knowmedisfora15} , '-100'))</i></p>	<p>Malaria</p> <p>Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>

knowmedisforb15 (required)	<p>Do you know what illness or symptoms [desc_othernamed15_pl] is for?</p> <p>Medication 15</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamed15_pl} != "" and selected(\${named15_pl} , 'other') and \${purchaseditemb15_pl} = 1</p> <p>Response constrained to: not((selected(\${knowmedisforb15} , '1') or selected(\${knowmedisforb15} , '2') or selected(\${knowmedisforb15} , '3') or selected(\${knowmedisforb15} , '4') or selected(\${knowmedisforb15} , '5') or selected(\${knowmedisforb15} , '6') or selected(\${knowmedisforb15} , '7') or selected(\${knowmedisforb15} , '8') or selected(\${knowmedisforb15} , '9') or selected(\${knowmedisforb15} , '10') or selected(\${knowmedisforb15} , '11') or selected(\${knowmedisforb15} , '12') or selected(\${knowmedisforb15} , '13') or selected(\${knowmedisforb15} , '14') or selected(\${knowmedisforb15} , '15') or selected(\${knowmedisforb15} , '-97') and (selected(\${knowmedisforb15} , '-99') or selected(\${knowmedisforb15} , '-100')))) and not(selected(\${knowmedisforb15} , '-99') and selected(\${knowmedisforb15} , '-100'))</p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
desc_othenknowmedisfora15 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisfora15} , '-97') and \${named15_pl} != "" and \${purchaseditema15_pl} = 1</p>	
desc_othenknowmedisforb15 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${knowmedisforb15} , '-97') and \${named15_pl} != "" and \${purchaseditemb15_pl} = 1</p>	

HomePatientInterview

takingmeda15_1 (required) Field	Are you currently taking [namedmed15_pl]? Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and	1 Yes
		2 No
	not(selected(\${namedmed15_pl} , '') or selected(\${namedmed15_pl} , 'other')) and \${namedmed15_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema15_pl} =1	-98 Refused to say
takingmeda15_2 (required)	Is [namepatient_pl] currently taking [namedmed15_pl]? Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed15_pl} , '') or selected(\${namedmed15_pl} , 'other')) and \${namedmed15_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema15_pl} =1	1 Yes
		2 No
		-98 Refused to say
takingmedb15_1 (required)	Are you currently taking [desc_othernamedmed15_pl]? Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamedmed15_pl} != "" and selected(\${namedmed15_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb15_pl} =1	1 Yes
		2 No
		-98 Refused to say
takingmedb15_2 (required)	Is [namepatient_pl] currently taking [desc_othernamedmed15_pl]? Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othernamedmed15_pl} != "" and selected(\${namedmed15_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb15_pl} =1	1 Yes
		2 No
		-98 Refused to say
whynottaking15 (required)	Why not? Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed15_pl} != "" and (\${takingmeda15_1} =2 or \${takingmeda15_2} =2 or \${takingmedb15_1} =2 or \${takingmedb15_2} =2) and (selected(\${purchaseditema15_pl} , '1') or selected(\${purchaseditemb15_pl} , '1'))	1 Finished full dose
		2 Got better
		3 Do not think it's working
		4 Another person took/is taking the drug
		5 Saving some of the drug for later/another person
		6 Did not purchase full dose
		-97 Other
desc_otherswhynottakinga15_1 (required)	Specify other reason. Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed15_pl} != "" and selected(\${takingmeda15_1} , '2') and selected(\${whynottaking15} , '-97') and \${purchaseditema15_pl} =1	

desc_otherswhynottakinga15_2 (required)	Specify other reason. Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed15_pl} != "" and selected(\${takingmeda15_2} , '2') and selected(\${whynottaking15} , '-97') and \${purchaseditema15_pl} =1	
desc_otherswhynottakingb15_1 (required)	Specify other reason. Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed15_pl} != "" and selected(\${takingmedb15_1} , '2') and selected(\${whynottaking15} , '-97') and \${purchaseditemb15_pl} =1	
desc_otherswhynottakingb15_2 (required)	Specify other reason. Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${namedmed15_pl} != "" and selected(\${takingmedb15_2} , '2') and selected(\${whynottaking15} , '-97') and \${purchaseditemb15_pl} =1	
helpedcuringmeda15_1 (required)	How strongly do you agree or disagree with the statement "[namedmed15_pl] makes me feel better"? Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed15_pl} , '') or selected(\${namedmed15_pl} , 'other')) and \${namedmed15_pl} != "" and selected(\${patientrespondent_pl} , '1') and \${purchaseditema15_pl} =1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmeda15_2 (required)	How strongly do you agree or disagree with the statement "[namepatient_pl] makes [namepatient_pl] feel better"? Question Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${namedmed15_pl} , '') or selected(\${namedmed15_pl} , 'other')) and \${namedmed15_pl} != "" and selected(\${patientrespondent_pl} , '2') and \${purchaseditema15_pl} =1	-2 Strongly disagree
		-1 Disagree
		0 Neither agree nor disagree, neutral
		1 Agree
		2 Strongly agree
		-98 Refused to say
helpedcuringmedb15_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamedmed15_pl] makes me	-2 Strongly disagree
		-1 Disagree

HomePatientInterview

Field	Question	Answer																																																										
	feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed15_pl} != "" and selected(\${named15_pl} , 'other') and selected(\${patientrespondent_pl} , '1') and \${purchaseditemb15_pl} = 1	0 Neither agree nor disagree, neutral 1 Agree																																																										
helpedcuringmedb15_2 (required)	How strongly do you agree or disagree with the statement "[desc_othersnamed15_pl] makes [namepatient_pl] feel better"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed15_pl} != "" and selected(\${named15_pl} , 'other') and selected(\${patientrespondent_pl} , '2') and \${purchaseditemb15_pl} = 1	2 Strongly agree -98 Refused to say -2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say																																																										
betterevenwithoutmeda15 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [named15_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and not(selected(\${named15_pl} , "")) or selected(\${named15_pl} , 'other') and \${named15_pl} != "" and \${purchaseditema15_pl} = 1	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say																																																										
betterevenwithoutmedb15 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othersnamed15_pl]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${desc_othersnamed15_pl} != "" and selected(\${named15_pl} , 'other') and \${purchaseditemb15_pl} = 1	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say																																																										
itemafter1 (required)	Did you purchase any additional treatment or take any additional medications besides the ones you bought at the CSCom visit? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))	1 Yes 2 No																																																										
typeitemafter1 (required)	Which type of item? (1) Question relevant when: selected(\${itemafter} , '1')	1 Drug/medication with known name 2 Equipment/materials																																																										
namedmedafter1 (required)	Which is the name of the drug/medication? Question relevant when: selected(\${itemafter} , '1') and selected(\${typeitemafter} , '1')	<table border="1"> <tbody> <tr> <td>acefylline_piperazine</td> <td>Acéfylline pipérazine</td> </tr> <tr> <td>acefylline_piperazine-diphenhydramine-hcl</td> <td>Acefylline Piperazine+ Diphenhydramine Hcl</td> </tr> <tr> <td>acetaminophene</td> <td>Acétaminophène</td> </tr> <tr> <td>acetaminophene_(para)-dextromethorphan-pseud.</td> <td>Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine</td> </tr> <tr> <td>acetylcysteine</td> <td>Acetylcysteine</td> </tr> <tr> <td>acetylsalicylic_acid</td> <td>Acetylsalicylic acid</td> </tr> <tr> <td>acid_benzoique</td> <td>Acide benzoïque</td> </tr> <tr> <td>acid_valproique</td> <td>Acide valproïque</td> </tr> <tr> <td>actapulgite</td> <td>Actapulgite</td> </tr> <tr> <td>actifed</td> <td>Actifed</td> </tr> <tr> <td>albendazole</td> <td>Albendazole</td> </tr> <tr> <td>alimemazine</td> <td>Alimemazine</td> </tr> <tr> <td>allergosone</td> <td>Allergosone</td> </tr> <tr> <td>almex</td> <td>Almex</td> </tr> <tr> <td>ammonium_chloride</td> <td>Ammonium Chloride</td> </tr> <tr> <td>amodiaquine</td> <td>Amodiaquine</td> </tr> <tr> <td>amodix</td> <td>Amodix</td> </tr> <tr> <td>amoquin</td> <td>Amoquin</td> </tr> <tr> <td>amoxicillin</td> <td>Amoxicillin</td> </tr> <tr> <td>amoxicilline-cla</td> <td>Amoxicilline + Cla</td> </tr> <tr> <td>amoxitem</td> <td>Amoxitem</td> </tr> <tr> <td>ampicilline</td> <td>Ampicilline</td> </tr> <tr> <td>analgin</td> <td>Analgin</td> </tr> <tr> <td>antipy_benzo_otic_sol</td> <td>Antipy Benzo Otic Sol</td> </tr> <tr> <td>antropine</td> <td>Antropine</td> </tr> <tr> <td>arcet</td> <td>Arcet</td> </tr> <tr> <td>artefan</td> <td>Artefan</td> </tr> <tr> <td>artemether</td> <td>Artemether</td> </tr> <tr> <td>artemether_injectable</td> <td>Artemether</td> </tr> </tbody> </table>	acefylline_piperazine	Acéfylline pipérazine	acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl	acetaminophene	Acétaminophène	acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine	acetylcysteine	Acetylcysteine	acetylsalicylic_acid	Acetylsalicylic acid	acid_benzoique	Acide benzoïque	acid_valproique	Acide valproïque	actapulgite	Actapulgite	actifed	Actifed	albendazole	Albendazole	alimemazine	Alimemazine	allergosone	Allergosone	almex	Almex	ammonium_chloride	Ammonium Chloride	amodiaquine	Amodiaquine	amodix	Amodix	amoquin	Amoquin	amoxicillin	Amoxicillin	amoxicilline-cla	Amoxicilline + Cla	amoxitem	Amoxitem	ampicilline	Ampicilline	analgin	Analgin	antipy_benzo_otic_sol	Antipy Benzo Otic Sol	antropine	Antropine	arcet	Arcet	artefan	Artefan	artemether	Artemether	artemether_injectable	Artemether
acefylline_piperazine	Acéfylline pipérazine																																																											
acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl																																																											
acetaminophene	Acétaminophène																																																											
acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine																																																											
acetylcysteine	Acetylcysteine																																																											
acetylsalicylic_acid	Acetylsalicylic acid																																																											
acid_benzoique	Acide benzoïque																																																											
acid_valproique	Acide valproïque																																																											
actapulgite	Actapulgite																																																											
actifed	Actifed																																																											
albendazole	Albendazole																																																											
alimemazine	Alimemazine																																																											
allergosone	Allergosone																																																											
almex	Almex																																																											
ammonium_chloride	Ammonium Chloride																																																											
amodiaquine	Amodiaquine																																																											
amodix	Amodix																																																											
amoquin	Amoquin																																																											
amoxicillin	Amoxicillin																																																											
amoxicilline-cla	Amoxicilline + Cla																																																											
amoxitem	Amoxitem																																																											
ampicilline	Ampicilline																																																											
analgin	Analgin																																																											
antipy_benzo_otic_sol	Antipy Benzo Otic Sol																																																											
antropine	Antropine																																																											
arcet	Arcet																																																											
artefan	Artefan																																																											
artemether	Artemether																																																											
artemether_injectable	Artemether																																																											

HomePatientInterview

Field	Question	Answer	(injectable)
		artemether_tablet	Artemether (tablet)
		artemether-lumefantrine	Artemether + Lumefantrine
		artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
		artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
		artesunate	Artesunate
		artesunate_injectable	Artesunate (injectable)
		artesunate_tablet	Artesunate (tablet)
		asa	ASA
		aspegic	Aspegic
		aspirin	Aspirin
		atropine	Atropine
		attapulgite	Attapulgite
		augmentine	Augmentine
		aureomycine	Aureomycine
		azithromycin	Azithromycin
		bactopoumon	Bactopoumon
		bactox	Bactox
		benadryl	Benadryl
		benzaote	Benzaote
		benzocaine	Benzocaine
		benzododecinium	Benzododecinium
		benzoic_acid	Benzoic Acid
		betadine	Betadine
		biafine	Biafine
		biakof	Biakof
		binozyt	Binozyt
		broncoxil	Broncoxil
		bronquidiazina	Bronquidiazina
		brufen	Brufen
		brumed	Brumed
		cac_1000	CAC 1000 sandoz
		caflam	Caflam
		camoquin	Camoquin
		carbetux	Carbetux
		carbocisteine	Carbocisteine
		cataflam	Cataflam
		cedrox	Cedrox
		cefadroxil	Cefadroxil
		cefixime	Cefixime
		ceftriaxone	Ceftriaxone
		celestene	Celestene
		chloropyramine	Chloropyramine
		chloroquine	Chloroquine
		chlorphenamine	Chlorphenamine
		chlortetracycline	Chlortetracycline
		ciprofloxacin	Ciprofloxacin
		cipronat	Cipronat
		clamoxy	Clamoxy
		cloperastine	Cloperastine
		clotrimazole	Clotrimazole
		coartem	Coartem
		codeine	Codeine
		collu-hextril	Collu-Hextril
		combiart	Combiart
		combiart_adult	Combiart adult
		cotrimoxazol (trimoprim)	Cotrimoxazol

HomePatientInterview

Field	Question	Answer	(Trimoprim)
		cta_adolescent	CTA Adolescent
		cta_adulte	CTA Adulte
		cta_enfant	CTA Enfant
		cyproheptadine	Cyproheptadine
		debridat	Debridat
		depakine	Depakine
		dexamethasone	Dexamethasone
		dextromethorphan	Dextromethorphan
		diazole	Diazole
		diclofenac	Diclofenac
		diclopara	Diclopara
		diosmectite	Diosmectite
		diphenhydramine	Diphénhydramine
		diphenoxylate	Diphénoxylylate
		doliprane	Doliprane
		dolotab	Dolotab
		domperidone	Domperidone
		dysenteral	Dysentéral
		efferalgan	Efferalgan
		ercefuryl	Ercefuryl
		erycin	Erycin
		erythromycin	Erythromycin
		febrilex	Febrilex
		fer_acidefolique	Fer + acide folique
		fercefol	Fercefol
		flagyl	Flagyl
		flucazol	Flucazol
		fluconazole	Fluconazole
		fluditec	Fluditec
		fluoxine	Fluoxine
		gastroседal	Gastroседal
		gentamycin	Gentamycin
		grippex	Grippex
		hepatisane	Hépatisane
		hexachlorophene	Hexachlorophène
		hexetidine	Hexétidine
		huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
		ibugesic	Ibugesic
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letaline_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine

HomePatientInterview

Field	Question	Answer	metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgin	Novalgin
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onguent_antibiotique	Onguent antibiotique
			oracefal	Oracefal
			orasef_zinc	Orasef Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgic
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent
			perfalgan	Perfalgan
			peridys	Peridys
			phenazone	Phénazone
			phenylpropanolamine	Phénylpropanolamine
			polydexa	Polydexa
			polymyxine	Polymyxine
			pommade_a_la_tetracycline	pommade à la tétracycline
			prednisone	Prednisone
			primalan	Primalan
			promethazine	Promethazine
			prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
			pseudoephedrine	Pseudoephedrine
			quinimax	Quinimax
			quinine	Quinine
			quinine_injectable	Quinine (injectable)
			quinine_tablet	Quinine (tablet)
			radioselectan	Radioselectan
			rhinathiol	Rhinathiol
			royal_(chest-lung)	Royal (Chest & Lung)
			salbutamol	Salbutamol
			smecta	Smecta
			smectites	Smectites
			solu-medrol	Solu-Medrol
			sro	SRO
			sterimar	Stérimar
			sudrex	Sudrex
			sulfamethoxazol	Sulfamethoxazol
			sulfur	Sulfur

HomePatientInterview

Field	Question	Answer	synozole	Synozole
		tao_(troleandomycin)		TAO (troleandomycin)
		terpin_hydrate		Terpin Hydrate
		terpine_codeine		Terpine Codeine
		terpone_expectoant		Terpone expectoant
		tetracycline_oointment		Tetracycline Oointment
		thermalene		Theralene
		tres_orix		Tres Orix
		trimebutine		Trimébutine
		trimetabol		Trimetabol
		uclaprim		Uclaprim
		unasyn		Unasyn
		valproate		Valproate
		valproic_acid		Valproic Acid
		vermin-dazol		Vermin-Dazol
		verzol		Verzol
		vinciseptil		Vinciseptil
		vita_bebe		Vita BeBe
		vitafer		Vitafer
		vitamine_b		Vitamine B
		vogalene		Vogalene
		xylometazoline		Xylométaoline
		zinc		Zinc
		other		Other
desc_othenamedafter1 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${itemafter1} , '1') and selected(\${typeitemafter1} , '1') and selected(\${namedafter1} , 'other')</i>			

equipafter1 (required)	Which is the equipment/material? <i>Question relevant when: selected(\${itemafter1} , '1') and selected(\${typeitemafter1} , '2')</i>		alcohol	Alcohol
			bandage	Bandage
			bande_de_pansement	Dressing
			catheter_intraveineuse	Intravenous catheter
			colton	Cotton
			compress	Compress
			desinfectant	Disinfectant
			epicranni	Winged infusion set (scalp vein set, butterfly set)
			fluide_intraveineuse	Intravenous fluid
			iodine	Iodine
			infusion_IV_fluids	Infusion
			perfuseur	Perfuseur
			polyodoniodex	Polyodon Iodex
			povidine-iodine	Povidone iodine
			syringe	Syringe
			serum_glucose	Glucose serum
			serum_sale_(salin)	Saline serum
			sparadrap	Bandaid
			gloves	Gloves
			other	Other
desc_otherequipafter1 (required)	Specify other equipment/material: <i>Question relevant when: selected(\${itemafter1} , '1') and selected(\${typeitemafter1} , '2') and selected(\${equipafter1} , 'other')</i>			
prescrmedafter1 (required)	Was [namedafter1] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter1} , '1') and not(selected(\${namedafter1} , "")) or selected(\${namedafter1} , 'other') and \${namedafter1} != ""</i>	1	Prescribed at the CSCOM visit at which the first interview was done	
		2	Prescribed at the same CSCOM, but different visit	
		3	Prescribed at a different healthcare facility	

HomePatientInterview

Field	Question	Answer										
prescmedaafterb1 (required)	Was [desc_othernamedafter1] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter1} , '1') and \${desc_othernamedafter1} != "" and \${namedafter1} != ""</i>	<table border="1"> <tr> <td>1</td> <td>The medication was not prescribed</td> </tr> <tr> <td>1</td> <td>Prescribed at the CSCOM visit at which the first interview was done</td> </tr> <tr> <td>2</td> <td>Prescribed at the same CSCOM, but different visit</td> </tr> <tr> <td>3</td> <td>Prescribed at a different healthcare facility</td> </tr> <tr> <td>4</td> <td>The medication was not prescribed</td> </tr> </table>	1	The medication was not prescribed	1	Prescribed at the CSCOM visit at which the first interview was done	2	Prescribed at the same CSCOM, but different visit	3	Prescribed at a different healthcare facility	4	The medication was not prescribed
1	The medication was not prescribed											
1	Prescribed at the CSCOM visit at which the first interview was done											
2	Prescribed at the same CSCOM, but different visit											
3	Prescribed at a different healthcare facility											
4	The medication was not prescribed											
costitemaaftera1 (required)	What was the price paid for [namedafter1]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter1} , '1') and not(selected(\${namedafter1} , "")) or selected(\${namedafter1} , 'other') and \${namedafter1} != ""</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemaafterb1 (required)	What was the price paid for [desc_othernamedafter1]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter1} , '1') and \${desc_othernamedafter1} != "" and selected(\${namedafter1} , 'other')</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemaafterc1 (required)	What was the price paid for [equipafter1]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter1} , '1') and not(selected(\${equipafter1} , "")) or selected(\${equipafter1} , 'other') and \${equipafter1} != ""</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemaafterd1 (required)	What was the price paid for [desc_otherequipafter1]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter1} , '1') and \${desc_otherequipafter1} != "" and selected(\${equipafter1} , 'other')</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											

wheregetmedaaftera1 (required)	Where did you get [namedafter1] from? <i>Question relevant when: selected(\${itemafter1} , '1') and not(selected(\${namedafter1} , "")) or selected(\${namedafter1} , 'other') and \${namedafter1} != ""</i>	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
wheregetmedaafterb1 (required)	Where did you get [desc_othernamedafter1] from? <i>Question relevant when: selected(\${itemafter1} , '1') and \${desc_othernamedafter1} != "" and \${namedafter1} != ""</i>	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
desc_othewheregetmedaaftera1 (required)	Specify, where did you get [namedafter1] from? <i>Question relevant when: selected(\${itemafter1} , '1') and not(selected(\${namedafter1} , "")) or selected(\${namedafter1} , 'other') and \${namedafter1} != "" and selected(\${wheregetmedaaftera1} , '-97')</i>																					
desc_othewheregetmedaafterb1 (required)	Specify, where did you get [desc_othernamedafter1] from? <i>Question relevant when: selected(\${itemafter1} , '1') and \${desc_othernamedafter1} != "" and \${namedafter1} != "" and selected(\${wheregetmedaafterb1} , '-97')</i>																					
knowmedisforaaftera1 (required)	Do you know what illness or symptoms [namedafter1] is for?	<table border="1"> <tr><td>1</td><td>Pain reducing</td></tr> <tr><td>2</td><td>Fever reducing</td></tr> </table>	1	Pain reducing	2	Fever reducing																
1	Pain reducing																					
2	Fever reducing																					

HomePatientInterview

Field	Question	Answer
	<p>Question relevant when: <i>selected(\${itemafter1} , '1') and not(selected(\${namedafter1} , '')) or selected(\${namedafter1} , 'other')) and \${namedafter1} !=''</i></p> <p>Response constrained to: <i>not((selected(\${knowmedisforafter1} , '1') or selected(\${knowmedisforafter1} , '2') or selected(\${knowmedisforafter1} , '3') or selected(\${knowmedisforafter1} , '4') or selected(\${knowmedisforafter1} , '5') or selected(\${knowmedisforafter1} , '6') or selected(\${knowmedisforafter1} , '7') or selected(\${knowmedisforafter1} , '8') or selected(\${knowmedisforafter1} , '9') or selected(\${knowmedisforafter1} , '10') or selected(\${knowmedisforafter1} , '11') or selected(\${knowmedisforafter1} , '12') or selected(\${knowmedisforafter1} , '13') or selected(\${knowmedisforafter1} , '14') or selected(\${knowmedisforafter1} , '15') or selected(\${knowmedisforafter1} , '-97')) and (selected(\${knowmedisforafter1} , '-99') or selected(\${knowmedisforafter1} , '-100')) and not(selected(\${knowmedisforafter1} , '-99') and selected(\${knowmedisforafter1} , '-100'))</i></p>	<p>1 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>

knowmedisforafterb1 (required)	<p>Do you know what illness or symptoms [desc_othernamedafter1] is for?</p> <p>Question relevant when: <i>selected(\${itemafter1} , '1') and \${desc_othernamedafter1} !='' and \${namedafter1} !=''</i></p> <p>Response constrained to: <i>not((selected(\${knowmedisforafterb1} , '1') or selected(\${knowmedisforafterb1} , '2') or selected(\${knowmedisforafterb1} , '3') or selected(\${knowmedisforafterb1} , '4') or selected(\${knowmedisforafterb1} , '5') or selected(\${knowmedisforafterb1} , '6') or selected(\${knowmedisforafterb1} , '7') or selected(\${knowmedisforafterb1} , '8') or selected(\${knowmedisforafterb1} , '9') or selected(\${knowmedisforafterb1} , '10') or selected(\${knowmedisforafterb1} , '11') or selected(\${knowmedisforafterb1} , '12') or selected(\${knowmedisforafterb1} , '13') or selected(\${knowmedisforafterb1} , '14') or selected(\${knowmedisforafterb1} , '15') or selected(\${knowmedisforafterb1} , '-97')) and (selected(\${knowmedisforafterb1} , '-99') or selected(\${knowmedisforafterb1} , '-100')) and not(selected(\${knowmedisforafterb1} , '-99') and selected(\${knowmedisforafterb1} , '-100'))</i></p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
desc_otherknowmedisforaftera1 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: <i>selected(\${knowmedisforaftera1} , '-97') and \${namedafter1} !=''</i></p>	
desc_otherknowmedisforafterb1 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: <i>selected(\${knowmedisforafterb1} , '-97') and \${namedafter1} !=''</i></p>	
takingmedaftera1_1 (required)	<p>Are you currently taking [namedafter1]?</p> <p>Question relevant when: <i>selected(\${itemafter1} , '1') and not(selected(\${namedafter1} , '')) or selected(\${namedafter1} , 'other')) and \${namedafter1} !='' and selected(\${patientrespondent_pl} , '1')</i></p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>

HomePatientInterview

Field	Question	Answer
takingmedaftera1_2 (required)	Is [namepatient_pl] currently taking [namemedafter1]? Question relevant when: selected(\${itemafter1} , '1') and not(selected(\${namemedafter1} , "")) or selected(\${namemedafter1} , 'other') and \${namemedafter1} != "" and selected(\${patientrespondent_pl} , '2')	1 Yes 2 No -98 Refused to say
takingmedafterb1_1 (required)	Are you currently taking [desc_othernamemedafter1]? Question relevant when: selected(\${itemafter1} , '1') and \${desc_othernamemedafter1} != "" and \${namemedafter1} != "" and selected(\${patientrespondent_pl} , '1')	1 Yes 2 No -98 Refused to say
takingmedafterb1_2 (required)	Is [namepatient_pl] currently taking [desc_othernamemedafter1]? Question relevant when: selected(\${itemafter1} , '1') and \${desc_othernamemedafter1} != "" and \${namemedafter1} != "" and selected(\${patientrespondent_pl} , '2')	1 Yes 2 No -98 Refused to say
whynottakingmedafter1 (required)	Why not? Question relevant when: selected(\${itemafter1} , '1') and (\${takingmedaftera1_1} = 2 or \${takingmedaftera1_2} = 2 or \${takingmedafterb1_1} = 2 or \${takingmedafterb1_2} = 2) and \${namemedafter1} != ""	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_whynottakingmedaftera1_1 (required)	Specify why the medication is not taken Question relevant when: selected(\${itemafter1} , '1') and selected(\${takingmedaftera1_1} , '2') and selected(\${whynottakingmedafter1} , '-97') and \${namemedafter1} != ""	
desc_whynottakingmedaftera1_2 (required)	Specify why the medication is not taken Question relevant when: selected(\${itemafter1} , '1') and selected(\${takingmedaftera1_2} , '2') and selected(\${whynottakingmedafter1} , '-97') and \${namemedafter1} != ""	
desc_whynottakingmedafterb1_1 (required)	Specify why the medication is not taken Question relevant when: selected(\${itemafter1} , '1') and selected(\${takingmedafterb1_1} , '2') and selected(\${whynottakingmedafter1} , '-97') and \${namemedafter1} != ""	
desc_whynottakingmedafterb1_2 (required)	Specify why the medication is not taken Question relevant when: selected(\${itemafter1} , '1') and selected(\${takingmedafterb1_2} , '2') and selected(\${whynottakingmedafter1} , '-97') and \${namemedafter1} != ""	

helpedcuringmedaftera1_1 (required)	How strongly do you agree or disagree with the statement "[namemedafter1] makes me feel better"? Question relevant when: selected(\${itemafter1} , '1') and not(selected(\${namemedafter1} , "")) or selected(\${namemedafter1} , 'other') and \${namemedafter1} != "" and selected(\${patientrespondent_pl} , '1')	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaftera1_2 (required)	How strongly do you agree or disagree with the statement "[namepatient_pl] makes [namepatient_pl] feel better"? Question relevant when: selected(\${itemafter1} , '1') and not(selected(\${namemedafter1} , "")) or selected(\${namemedafter1} , 'other') and \${namemedafter1} != "" and selected(\${patientrespondent_pl} , '2')	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedafterb1_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamemedafter1] makes me feel better"? Question relevant when: selected(\${itemafter1} , '1') and \${desc_othernamemedafter1} != "" and selected(\${patientrespondent_pl} , '1') and \${namemedafter1} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedafterb1_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamemedafter1] makes [namepatient_pl] feel better"? Question relevant when: selected(\${itemafter1} , '1') and \${desc_othernamemedafter1} != "" and selected(\${patientrespondent_pl} , '2') and \${namemedafter1} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedaftera1 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [namemedafter1]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: selected(\${itemafter1} , '1') and not(selected(\${namemedafter1} , ""))	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree

HomePatientInterview

Field	Question	Answer																																																																														
	or selected(\${namemedafter1} , 'other') and \${namemedafter1} != ""	2 Strongly agree -98 Refused to say																																																																														
betterevenwithoutmedaafterb1 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamemedafter1]"? <i>Probe: does the respondent think this medication was absolutely necessary?</i> <i>Question relevant when: selected(\${itemafter1} , '1') and \${desc_othernamemedafter1} != "" and \${namemedafter1} != ""</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say																																																																														
itemafter2 (required)	Was another medication taken? <i>Question relevant when: selected(\${itemafter1} , '1')</i>	1 Yes 2 No																																																																														
typeitemafter2 (required)	Which type of item? (2) <i>Question relevant when: selected(\${itemafter2} , '1')</i>	1 Drug/medication with known name 2 Equipment/materials																																																																														
namemedafter2 (required)	Which is the name of the drug/medication? <i>Question relevant when: selected(\${itemafter2} , '1') and selected(\${typeitemafter2} , '1')</i>	<table border="1"> <tbody> <tr><td>acefylline_piperazine</td><td>Acéfylline pipérazine</td></tr> <tr><td>acefylline_piperazine-diphenhydramine-hcl</td><td>Acefylline Piperazine+ Diphenhydramine Hcl</td></tr> <tr><td>acetaminophene</td><td>Acétaminophène</td></tr> <tr><td>acetaminophene_(para)-dextromethorphan-pseud.</td><td>Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine</td></tr> <tr><td>acetylcysteine</td><td>Acétylcystéine</td></tr> <tr><td>acetylsalicylic_acid</td><td>Acétylsalicylic acid</td></tr> <tr><td>acid_benzoïque</td><td>Acide benzoïque</td></tr> <tr><td>acid_valproïque</td><td>Acide valproïque</td></tr> <tr><td>actapulgite</td><td>Actapulgite</td></tr> <tr><td>actifed</td><td>Actifed</td></tr> <tr><td>albendazole</td><td>Albendazole</td></tr> <tr><td>alimemazine</td><td>Alimemazine</td></tr> <tr><td>allergosone</td><td>Allergosone</td></tr> <tr><td>almex</td><td>Almex</td></tr> <tr><td>ammonium_chloride</td><td>Ammonium Chloride</td></tr> <tr><td>amodiaquine</td><td>Amodiaquine</td></tr> <tr><td>amodix</td><td>Amodix</td></tr> <tr><td>amoquin</td><td>Amoquin</td></tr> <tr><td>amoxicillin</td><td>Amoxicillin</td></tr> <tr><td>amoxicilline-cla</td><td>Amoxicilline + Cla</td></tr> <tr><td>amoxitem</td><td>Amoxitem</td></tr> <tr><td>ampicilline</td><td>Ampicilline</td></tr> <tr><td>analgin</td><td>Analgin</td></tr> <tr><td>antipy_benzo_otic_sol</td><td>Antipy Benzo Otic Sol</td></tr> <tr><td>antropine</td><td>Antropine</td></tr> <tr><td>arcet</td><td>Arcet</td></tr> <tr><td>artefan</td><td>Artefan</td></tr> <tr><td>artemether</td><td>Artemether</td></tr> <tr><td>artemether_injectable</td><td>Artemether (injectable)</td></tr> <tr><td>artemether_tablet</td><td>Artemether (tablet)</td></tr> <tr><td>artemether-lumefantrine</td><td>Artemether + Lumefantrine</td></tr> <tr><td>artemether-lumefantrine_injectable</td><td>Artemether + Lumefantrine (injectable)</td></tr> <tr><td>artemether-lumefantrine_tablet</td><td>Artemether + Lumefantrine (tablet)</td></tr> <tr><td>artesunate</td><td>Artesunate</td></tr> <tr><td>artesunate_injectable</td><td>Artesunate (injectable)</td></tr> <tr><td>artesunate_tablet</td><td>Artesunate (tablet)</td></tr> <tr><td>asa</td><td>ASA</td></tr> <tr><td>aspegic</td><td>Aspegic</td></tr> <tr><td>aspirin</td><td>Aspirin</td></tr> </tbody> </table>	acefylline_piperazine	Acéfylline pipérazine	acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl	acetaminophene	Acétaminophène	acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine	acetylcysteine	Acétylcystéine	acetylsalicylic_acid	Acétylsalicylic acid	acid_benzoïque	Acide benzoïque	acid_valproïque	Acide valproïque	actapulgite	Actapulgite	actifed	Actifed	albendazole	Albendazole	alimemazine	Alimemazine	allergosone	Allergosone	almex	Almex	ammonium_chloride	Ammonium Chloride	amodiaquine	Amodiaquine	amodix	Amodix	amoquin	Amoquin	amoxicillin	Amoxicillin	amoxicilline-cla	Amoxicilline + Cla	amoxitem	Amoxitem	ampicilline	Ampicilline	analgin	Analgin	antipy_benzo_otic_sol	Antipy Benzo Otic Sol	antropine	Antropine	arcet	Arcet	artefan	Artefan	artemether	Artemether	artemether_injectable	Artemether (injectable)	artemether_tablet	Artemether (tablet)	artemether-lumefantrine	Artemether + Lumefantrine	artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)	artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)	artesunate	Artesunate	artesunate_injectable	Artesunate (injectable)	artesunate_tablet	Artesunate (tablet)	asa	ASA	aspegic	Aspegic	aspirin	Aspirin
acefylline_piperazine	Acéfylline pipérazine																																																																															
acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl																																																																															
acetaminophene	Acétaminophène																																																																															
acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine																																																																															
acetylcysteine	Acétylcystéine																																																																															
acetylsalicylic_acid	Acétylsalicylic acid																																																																															
acid_benzoïque	Acide benzoïque																																																																															
acid_valproïque	Acide valproïque																																																																															
actapulgite	Actapulgite																																																																															
actifed	Actifed																																																																															
albendazole	Albendazole																																																																															
alimemazine	Alimemazine																																																																															
allergosone	Allergosone																																																																															
almex	Almex																																																																															
ammonium_chloride	Ammonium Chloride																																																																															
amodiaquine	Amodiaquine																																																																															
amodix	Amodix																																																																															
amoquin	Amoquin																																																																															
amoxicillin	Amoxicillin																																																																															
amoxicilline-cla	Amoxicilline + Cla																																																																															
amoxitem	Amoxitem																																																																															
ampicilline	Ampicilline																																																																															
analgin	Analgin																																																																															
antipy_benzo_otic_sol	Antipy Benzo Otic Sol																																																																															
antropine	Antropine																																																																															
arcet	Arcet																																																																															
artefan	Artefan																																																																															
artemether	Artemether																																																																															
artemether_injectable	Artemether (injectable)																																																																															
artemether_tablet	Artemether (tablet)																																																																															
artemether-lumefantrine	Artemether + Lumefantrine																																																																															
artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)																																																																															
artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)																																																																															
artesunate	Artesunate																																																																															
artesunate_injectable	Artesunate (injectable)																																																																															
artesunate_tablet	Artesunate (tablet)																																																																															
asa	ASA																																																																															
aspegic	Aspegic																																																																															
aspirin	Aspirin																																																																															

HomePatientInterview

Field	Question	Answer	
		atropine	Atropine
		attapulgite	Attapulgite
		augmentine	Augmentine
		aureomycine	Aureomycine
		azithromycin	Azithromycin
		bactopoumon	Bactopoumon
		bactox	Bactox
		benadryl	Benadryl
		benzaote	Benzaote
		benzocaine	Benzocaine
		benzododecinium	Benzododecinium
		benzoic_acid	Benzoic Acid
		betadine	Betadine
		biafine	Biafine
		biakof	Biakof
		binozyt	Binozyt
		broncoxil	Broncoxil
		bronquidiazina	Bronquidiazina
		brufen	Brufen
		brumed	Brumed
		cac_1000	CAC 1000 sandoz
		caflam	Caflam
		camoquin	Camoquin
		carbetux	Carbetux
		carbocisteine	Carbocisteine
		cataflam	Cataflam
		cedrox	Cedrox
		cefadroxil	Cefadroxil
		cefixime	Cefixime
		ceftriaxone	Ceftriaxone
		celestene	Celestene
		chloropyramine	Chloropyramine
		chloroquine	Chloroquine
		chlorphenamine	Chlorphenamine
		chlortetracycline	Chlortetracycline
		ciprofloxacin	Ciprofloxacin
		cipronat	Cipronat
		clamoxy	Clamoxy
		cloperastine	Cloperastine
		clotrimazole	Clotrimazole
		coartem	Coartem
		codeine	Codeine
		collu-hextril	Collu-Hextril
		combiart	Combiart
		combiart_adult	Combiart adult
		cotrimoxazol_(trimoprim)	Cotrimoxazol (Trimoprim)
		cta_adolescent	CTA Adolescent
		cta_adulte	CTA Adulte
		cta_enfant	CTA Enfant
		cyproheptadine	Cyproheptadine
		debridat	Debridat
		depakine	Depakine
		dexamethasone	Dexamethasone
		dextromethorphan	Dextromethorphan
		diazole	Diazole
		diclofenac	Diclofenac
		diclopara	Diclopara
		diosmectite	Diosmectite
		diphenhydramine	Diphénhydramine
		diphenoxylate	Diphénoxyate
		doliprane	Doliprane

HomePatientInterview

Field	Question	Answer	dolotab	Dolotab
			domperidone	Domperidone
			dysenteral	Dysentéral
			efferalgan	Efferalgan
			ercefuryl	Ercefuryl
			erycin	Erycin
			erythromycin	Erythromycin
			febrilex	Febrilex
			fer_acidefolique	Fer + acide folique
			fercefol	Fercefol
			flagyl	Flagyl
			flucazol	Flucazol
			fluconazole	Fluconazole
			fluditec	Fluditec
			fluoxine	Fluoxine
			gastrosedal	Gastrosédal
			gentamycin	Gentamycin
			grippex	Grippex
			hepatisane	Hépatisane
			hexachlorophene	Hexachlorophène
			hexetidine	Hexétidine
			huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
			ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaline_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite
			mequitazine	Mequitazine
			metamizole	Métamizole
			methylprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgin	Novalgin
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onquent antibiotique	Onquent antibiotique

HomePatientInterview

Field	Question	Answer	oracefal	Oracefal
			orasef_zinc	Orasef Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgic
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent
			perfalgan	Perfalgan
			peridys	Peridys
			phenazone	Phénazone
			phenylpropanolamine	Phénylpropanolamine
			polydexa	Polydexa
			polymyxine	Polymyxine
			pommade_a_la_tetracycline	pommade à la tétracycline
			prednisone	Prednisone
			primalan	Primalan
			promethazine	Promethazine
			prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
			pseudoephedrine	Pseudoephedrine
			quinimax	Quinimax
			quinine	Quinine
			quinine_injectable	Quinine (injectable)
			quinine_tablet	Quinine (tablet)
			radioselectan	Radioselectan
			rhinathiol	Rhinathiol
			royal_(chest-lung)	Royal (Chest & Lung)
			salbutamol	Salbutamol
			smecta	Smecta
			smectites	Smectites
			solu-medrol	Solu-Medrol
			sro	SRO
			sterimar	Stérimar
			sudrex	Sudrex
			sulfamethoxazol	Sulfamethoxazol
			sulfur	Sulfur
			synozole	Synozole
			tao_(troleandomycin)	TAO (troleandomycin)
			terpin_hydrate	Terpin Hydrate
			terpine_codeine	Terpine Codeine
			terpone_expectorant	Terpone expectorant
			tetracycline_ointment	Tetracycline Ointment
			theralene	Theralene
			tres_orix	Tres Orix
			trimebutine	Trimébutine
			trimetabol	Trimetabol
			uclaprim	Uclaprim
			unasyn	Unasyn
			valproate	Valproate
			valproic_acid	Valproic Acid
			vermin-dazol	Vermin-Dazol
			verzol	Verzol

HomePatientInterview

Field	Question	Answer	vinciseptil	Vinciseptil
			vita_bebe	Vita BeBe
			vitafer	Vitafer
			vitamine_b	Vitamine B
			vogalene	Vogalene
			xylometazoline	Xylométazoline
			zinc	Zinc
			other	Other
desc_othernamedafter2 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${itemafter2} , '1') and selected(\${typeitemafter2} , '1') and selected(\${namedafter2} , 'other')</i>			

equipafter2 (required)	Which is the equipment/material? <i>Question relevant when: selected(\${itemafter2} , '1') and selected(\${typeitemafter2} , '2')</i>		alcohol	Alcohol
			bandage	Bandage
			bande_de_pansement	Dressing
			catheter_intraveineuse	Intravenous catheter
			colton	Cotton
			compress	Compress
			desinfectant	Disinfectant
			epicranni	Winged infusion set (scalp vein set, butterfly set)
			fluide_intraveineuse	Intravenous fluid
			iodine	Iodine
			infusion_IV_fluids	Infusion
			perfuseur	Perfuseur
			polyodoniodex	Polyodon Iodex
			povidine-iodine	Povidone iodine
			syringe	Syringe
		desc_otherequipafter2 (required)	Specify other equipment/material: <i>Question relevant when: selected(\${itemafter2} , '1') and selected(\${typeitemafter2} , '2') and selected(\${equipafter2} , 'other')</i>	
	serum_sale_(salin)			Saline serum
prescrmedaftera2 (required)	Was [namedafter2] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter2} , '1') and not(selected(\${namedafter2} , "")) or selected(\${namedafter2} , 'other') and \${namedafter2} != ""</i>	1	Prescribed at the CSCOM visit at which the first interview was done	
		2	Prescribed at the same CSCOM, but different visit	
		3	Prescribed at a different healthcare facility	

HomePatientInterview

Field	Question	Answer										
prescmedaferb2 (required)	Was [desc_othernamedafer2] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafer2} , '1') and \${desc_othernamedafer2} != "" and \${namedafer2} != ""</i>	<table border="1"> <tr> <td>1</td> <td>The medication was not prescribed</td> </tr> <tr> <td>2</td> <td>Prescribed at the CSCOM visit at which the first interview was done</td> </tr> <tr> <td>3</td> <td>Prescribed at the same CSCOM, but different visit</td> </tr> <tr> <td>4</td> <td>Prescribed at a different healthcare facility</td> </tr> <tr> <td>5</td> <td>The medication was not prescribed</td> </tr> </table>	1	The medication was not prescribed	2	Prescribed at the CSCOM visit at which the first interview was done	3	Prescribed at the same CSCOM, but different visit	4	Prescribed at a different healthcare facility	5	The medication was not prescribed
1	The medication was not prescribed											
2	Prescribed at the CSCOM visit at which the first interview was done											
3	Prescribed at the same CSCOM, but different visit											
4	Prescribed at a different healthcare facility											
5	The medication was not prescribed											
costitemafera2 (required)	What was the price paid for [namedafer2]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafer2} , '1') and not(selected(\${namedafer2} , "")) or selected(\${namedafer2} , 'other')</i> and \${namedafer2} != "" <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemaferb2 (required)	What was the price paid for [desc_othernamedafer2]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafer2} , '1') and \${desc_othernamedafer2} != "" and selected(\${namedafer2} , 'other')</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemaffer2 (required)	What was the price paid for [equipafer2]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafer2} , '1') and not(selected(\${equipafer2} , "")) or selected(\${equipafer2} , 'other')</i> and \${equipafer2} != "" <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemaferd2 (required)	What was the price paid for [desc_otherequipafer2]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafer2} , '1') and \${desc_otherequipafer2} != "" and selected(\${equipafer2} , 'other')</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											

wheregetmedafera2 (required)	Where did you get [namedafer2] from? <i>Question relevant when: selected(\${itemafer2} , '1') and not(selected(\${namedafer2} , "")) or selected(\${namedafer2} , 'other')</i> and \${namedafer2} != ""	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
wheregetmedaferb2 (required)	Where did you get [desc_othernamedafer2] from? <i>Question relevant when: selected(\${itemafer2} , '1') and \${desc_othernamedafer2} != "" and \${namedafer2} != ""</i>	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
desc_othewheregetmedafera2 (required)	Specify: Where did you get [namedafer2] from? <i>Question relevant when: selected(\${itemafer2} , '1') and not(selected(\${namedafer2} , "")) or selected(\${namedafer2} , 'other')</i> and \${namedafer2} != "" and selected(\${wheregetmedafera2} , '-97')																					
desc_othewheregetmedaferb2 (required)	Specify: Where did you get [desc_othernamedafer2] from? <i>Question relevant when: selected(\${itemafer2} , '1') and \${desc_othernamedafer2} != "" and \${namedafer2} != "" and selected(\${wheregetmedaferb2} , '-97')</i>																					
knowmedisforafera2 (required)	Do you know what illness or symptoms [namedafer2] is for?	<table border="1"> <tr><td>1</td><td>Pain reducing</td></tr> <tr><td>2</td><td>Fever reducing</td></tr> </table>	1	Pain reducing	2	Fever reducing																
1	Pain reducing																					
2	Fever reducing																					

HomePatientInterview

Field	Question	Answer
	<p>Question relevant when: <i>selected(\${itemafter2} , '1') and not(selected(\${namedafter2} , '')) or selected(\${namedafter2} , 'other')) and \${namedafter2} !=''</i></p> <p>Response constrained to: <i>not((selected(\${knowmedisforaftera2} , '1') or selected(\${knowmedisforaftera2} , '2') or selected(\${knowmedisforaftera2} , '3') or selected(\${knowmedisforaftera2} , '4') or selected(\${knowmedisforaftera2} , '5') or selected(\${knowmedisforaftera2} , '6') or selected(\${knowmedisforaftera2} , '7') or selected(\${knowmedisforaftera2} , '8') or selected(\${knowmedisforaftera2} , '9') or selected(\${knowmedisforaftera2} , '10') or selected(\${knowmedisforaftera2} , '11') or selected(\${knowmedisforaftera2} , '12') or selected(\${knowmedisforaftera2} , '13') or selected(\${knowmedisforaftera2} , '14') or selected(\${knowmedisforaftera2} , '15') or selected(\${knowmedisforaftera2} , '-97')) and (selected(\${knowmedisforaftera2} , '-99') or selected(\${knowmedisforaftera2} , '-100')))) and not(selected(\${knowmedisforaftera2} , '-99') and selected(\${knowmedisforaftera2} , '-100'))</i></p>	<p>1 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>

knowmedisforafterb2 (required)	<p>Do you know what illness or symptoms [desc_othernamedafter2] is for?</p> <p>Question relevant when: <i>selected(\${itemafter2} , '1') and \${desc_othernamedafter2} !='' and \${namedafter2} !=''</i></p> <p>Response constrained to: <i>not((selected(\${knowmedisforafterb2} , '1') or selected(\${knowmedisforafterb2} , '2') or selected(\${knowmedisforafterb2} , '3') or selected(\${knowmedisforafterb2} , '4') or selected(\${knowmedisforafterb2} , '5') or selected(\${knowmedisforafterb2} , '6') or selected(\${knowmedisforafterb2} , '7') or selected(\${knowmedisforafterb2} , '8') or selected(\${knowmedisforafterb2} , '9') or selected(\${knowmedisforafterb2} , '10') or selected(\${knowmedisforafterb2} , '11') or selected(\${knowmedisforafterb2} , '12') or selected(\${knowmedisforafterb2} , '13') or selected(\${knowmedisforafterb2} , '14') or selected(\${knowmedisforafterb2} , '15') or selected(\${knowmedisforafterb2} , '-97')) and (selected(\${knowmedisforafterb2} , '-99') or selected(\${knowmedisforafterb2} , '-100')))) and not(selected(\${knowmedisforafterb2} , '-99') and selected(\${knowmedisforafterb2} , '-100'))</i></p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
desc_otherknowmedisforaftera2 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: <i>selected(\${knowmedisforaftera2} , '-97') and \${namedafter2} !=''</i></p>	
desc_otherknowmedisforafterb2 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: <i>selected(\${knowmedisforafterb2} , '-97') and \${namedafter2} !=''</i></p>	
takingmedaftera2_1 (required)	<p>Are you currently taking [namedafter2]?</p> <p>Question relevant when: <i>selected(\${itemafter2} , '1') and not(selected(\${namedafter2} , '')) or selected(\${namedafter2} , 'other')) and \${namedafter2} !='' and selected(\${patientrespondent_pl} , '1')</i></p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>

HomePatientInterview

Field	Question	Answer
takingmedaftera2_2 (required)	Is [namepatient_pl] currently taking [namemedafter2]? <i>Question relevant when: selected(\${itemafter2} , '1') and not(selected(\${namemedafter2} , "")) or selected(\${namemedafter2} , 'other')) and \${namemedafter2} != "" and selected(\${patientrespondent_pl} , '2')</i>	1 Yes 2 No -98 Refused to say
takingmedaferb2_1 (required)	Are you currently taking [desc_othernamemedafter2]? <i>Question relevant when: selected(\${itemafter2} , '1') and \${desc_othernamemedafter2} != "" and \${namemedafter2} != "" and selected(\${patientrespondent_pl} , '1')</i>	1 Yes 2 No -98 Refused to say
takingmedaferb2_2 (required)	Is [namepatient_pl] currently taking [desc_othernamemedafter2]? <i>Question relevant when: selected(\${itemafter2} , '1') and \${desc_othernamemedafter2} != "" and \${namemedafter2} != "" and selected(\${patientrespondent_pl} , '2')</i>	1 Yes 2 No -98 Refused to say
whynottakingmedafer2 (required)	Why not? <i>Question relevant when: selected(\${itemafter2} , '1') and (\${takingmedafer2_1} = 2 or \${takingmedafer2_2} = 2 or \${takingmedafer2_1} = 2 or \${takingmedafer2_2} = 2) and \${namemedafter2} != ""</i>	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_whynottakingmedafer2_1 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter2} , '1') and selected(\${takingmedafer2_1} , '2') and selected(\${whynottakingmedafer2} , '-97') and \${namemedafter2} != ""</i>	
desc_whynottakingmedafer2_2 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter2} , '1') and selected(\${takingmedafer2_2} , '2') and selected(\${whynottakingmedafer2} , '-97') and \${namemedafter2} != ""</i>	
desc_whynottakingmedaferb2_1 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter2} , '1') and selected(\${takingmedaferb2_1} , '2') and selected(\${whynottakingmedafer2} , '-97') and \${namemedafter2} != ""</i>	
desc_whynottakingmedaferb2_2 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter2} , '1') and selected(\${takingmedaferb2_2} , '2') and selected(\${whynottakingmedafer2} , '-97') and \${namemedafter2} != ""</i>	

helpedcuringmedafer2_1 (required)	How strongly do you agree or disagree with the statement "[namemedafter2] makes me feel better"? <i>Question relevant when: selected(\${itemafter2} , '1') and not(selected(\${namemedafter2} , "")) or selected(\${namemedafter2} , 'other')) and \${namemedafter2} != "" and selected(\${patientrespondent_pl} , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedafer2_2 (required)	How strongly do you agree or disagree with the statement "[namepatient_pl] makes [namepatient_pl] feel better"? <i>Question relevant when: selected(\${itemafter2} , '1') and not(selected(\${namemedafter2} , "")) or selected(\${namemedafter2} , 'other')) and \${namemedafter2} != "" and selected(\${patientrespondent_pl} , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaferb2_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamemedafter2] makes me feel better"? <i>Question relevant when: selected(\${itemafter2} , '1') and \${desc_othernamemedafter2} != "" and selected(\${patientrespondent_pl} , '1') and \${namemedafter2} != ""</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaferb2_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamemedafter2] makes [namepatient_pl] feel better"? <i>Question relevant when: selected(\${itemafter2} , '1') and \${desc_othernamemedafter2} != "" and selected(\${patientrespondent_pl} , '2') and \${namemedafter2} != ""</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedafer2 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [namemedafter2]? <i>Probe: does the respondent think this medication was absolutely necessary?</i> <i>Question relevant when: selected(\${itemafter2} , '1') and not(selected(\${namemedafter2} , ""))</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree

HomePatientInterview

Field	Question	Answer																																																																														
	or selected(\${namemedafter2} , 'other') and \${namemedafter2} != ""	2 Strongly agree -98 Refused to say																																																																														
betterevenwithoutmedaafterb2 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamedafter2]"? <i>Probe: does the respondent think this medication was absolutely necessary?</i> <i>Question relevant when: selected(\${itemafter2} , '1') and \${desc_othernamedafter2} != "" and \${namemedafter2} != ""</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say																																																																														
itemafter3 (required)	Was another medication taken? <i>Question relevant when: selected(\${itemafter2} , '1')</i>	1 Yes 2 No																																																																														
typeitemafter3 (required)	Which type of item? (3) <i>Question relevant when: selected(\${itemafter3} , '1')</i>	1 Drug/medication with known name 2 Equipment/materials																																																																														
namemedafter3 (required)	Which is the name of the drug/medication? <i>Question relevant when: selected(\${itemafter3} , '1') and selected(\${typeitemafter3} , '1')</i>	<table border="1"> <tbody> <tr><td>acefylline_piperazine</td><td>Acéfylline pipérazine</td></tr> <tr><td>acefylline_piperazine-diphenhydramine-hcl</td><td>Acefylline Piperazine+ Diphenhydramine Hcl</td></tr> <tr><td>acetaminophene</td><td>Acétaminophène</td></tr> <tr><td>acetaminophene_(para)-dextromethorphan-pseud.</td><td>Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine</td></tr> <tr><td>acetylcysteine</td><td>Acetylcysteine</td></tr> <tr><td>acetylsalicylic_acid</td><td>Acetylsalicylic acid</td></tr> <tr><td>acid_benzoïque</td><td>Acide benzoïque</td></tr> <tr><td>acid_valproïque</td><td>Acide valproïque</td></tr> <tr><td>actapulgite</td><td>Actapulgite</td></tr> <tr><td>actifed</td><td>Actifed</td></tr> <tr><td>albendazole</td><td>Albendazole</td></tr> <tr><td>alimemazine</td><td>Alimemazine</td></tr> <tr><td>allergosone</td><td>Allergosone</td></tr> <tr><td>almex</td><td>Almex</td></tr> <tr><td>ammonium_chloride</td><td>Ammonium Chloride</td></tr> <tr><td>amodiaquine</td><td>Amodiaquine</td></tr> <tr><td>amodix</td><td>Amodix</td></tr> <tr><td>amoquin</td><td>Amoquin</td></tr> <tr><td>amoxicillin</td><td>Amoxicillin</td></tr> <tr><td>amoxicilline-cla</td><td>Amoxicilline + Cla</td></tr> <tr><td>amoxitem</td><td>Amoxitem</td></tr> <tr><td>ampicilline</td><td>Ampicilline</td></tr> <tr><td>analgin</td><td>Analgin</td></tr> <tr><td>antipy_benzo_otic_sol</td><td>Antipy Benzo Otic Sol</td></tr> <tr><td>antropine</td><td>Antropine</td></tr> <tr><td>arcet</td><td>Arcet</td></tr> <tr><td>artefan</td><td>Artefan</td></tr> <tr><td>artemether</td><td>Artemether</td></tr> <tr><td>artemether_injectable</td><td>Artemether (injectable)</td></tr> <tr><td>artemether_tablet</td><td>Artemether (tablet)</td></tr> <tr><td>artemether-lumefantrine</td><td>Artemether + Lumefantrine</td></tr> <tr><td>artemether-lumefantrine_injectable</td><td>Artemether + Lumefantrine (injectable)</td></tr> <tr><td>artemether-lumefantrine_tablet</td><td>Artemether + Lumefantrine (tablet)</td></tr> <tr><td>artesunate</td><td>Artesunate</td></tr> <tr><td>artesunate_injectable</td><td>Artesunate (injectable)</td></tr> <tr><td>artesunate_tablet</td><td>Artesunate (tablet)</td></tr> <tr><td>asa</td><td>ASA</td></tr> <tr><td>aspegic</td><td>Aspegic</td></tr> <tr><td>aspirin</td><td>Aspirin</td></tr> </tbody> </table>	acefylline_piperazine	Acéfylline pipérazine	acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl	acetaminophene	Acétaminophène	acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine	acetylcysteine	Acetylcysteine	acetylsalicylic_acid	Acetylsalicylic acid	acid_benzoïque	Acide benzoïque	acid_valproïque	Acide valproïque	actapulgite	Actapulgite	actifed	Actifed	albendazole	Albendazole	alimemazine	Alimemazine	allergosone	Allergosone	almex	Almex	ammonium_chloride	Ammonium Chloride	amodiaquine	Amodiaquine	amodix	Amodix	amoquin	Amoquin	amoxicillin	Amoxicillin	amoxicilline-cla	Amoxicilline + Cla	amoxitem	Amoxitem	ampicilline	Ampicilline	analgin	Analgin	antipy_benzo_otic_sol	Antipy Benzo Otic Sol	antropine	Antropine	arcet	Arcet	artefan	Artefan	artemether	Artemether	artemether_injectable	Artemether (injectable)	artemether_tablet	Artemether (tablet)	artemether-lumefantrine	Artemether + Lumefantrine	artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)	artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)	artesunate	Artesunate	artesunate_injectable	Artesunate (injectable)	artesunate_tablet	Artesunate (tablet)	asa	ASA	aspegic	Aspegic	aspirin	Aspirin
acefylline_piperazine	Acéfylline pipérazine																																																																															
acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl																																																																															
acetaminophene	Acétaminophène																																																																															
acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine																																																																															
acetylcysteine	Acetylcysteine																																																																															
acetylsalicylic_acid	Acetylsalicylic acid																																																																															
acid_benzoïque	Acide benzoïque																																																																															
acid_valproïque	Acide valproïque																																																																															
actapulgite	Actapulgite																																																																															
actifed	Actifed																																																																															
albendazole	Albendazole																																																																															
alimemazine	Alimemazine																																																																															
allergosone	Allergosone																																																																															
almex	Almex																																																																															
ammonium_chloride	Ammonium Chloride																																																																															
amodiaquine	Amodiaquine																																																																															
amodix	Amodix																																																																															
amoquin	Amoquin																																																																															
amoxicillin	Amoxicillin																																																																															
amoxicilline-cla	Amoxicilline + Cla																																																																															
amoxitem	Amoxitem																																																																															
ampicilline	Ampicilline																																																																															
analgin	Analgin																																																																															
antipy_benzo_otic_sol	Antipy Benzo Otic Sol																																																																															
antropine	Antropine																																																																															
arcet	Arcet																																																																															
artefan	Artefan																																																																															
artemether	Artemether																																																																															
artemether_injectable	Artemether (injectable)																																																																															
artemether_tablet	Artemether (tablet)																																																																															
artemether-lumefantrine	Artemether + Lumefantrine																																																																															
artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)																																																																															
artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)																																																																															
artesunate	Artesunate																																																																															
artesunate_injectable	Artesunate (injectable)																																																																															
artesunate_tablet	Artesunate (tablet)																																																																															
asa	ASA																																																																															
aspegic	Aspegic																																																																															
aspirin	Aspirin																																																																															

HomePatientInterview

Field	Question	Answer	
		atropine	Atropine
		attapulgite	Attapulgite
		augmentine	Augmentine
		aureomycine	Aureomycine
		azithromycin	Azithromycin
		bactopoumon	Bactopoumon
		bactox	Bactox
		benadryl	Benadryl
		benzaote	Benzaote
		benzocaine	Benzocaine
		benzododecinium	Benzododecinium
		benzoic_acid	Benzoic Acid
		betadine	Betadine
		biafine	Biafine
		biakof	Biakof
		binozyt	Binozyt
		broncoxil	Broncoxil
		bronquidiazina	Bronquidiazina
		brufen	Brufen
		brumed	Brumed
		cac_1000	CAC 1000 sandoz
		caflam	Caflam
		camoquin	Camoquin
		carbetux	Carbetux
		carbocisteine	Carbocisteine
		cataflam	Cataflam
		cedrox	Cedrox
		cefadroxil	Cefadroxil
		cefixime	Cefixime
		ceftriaxone	Ceftriaxone
		celestene	Celestene
		chloropyramine	Chloropyramine
		chloroquine	Chloroquine
		chlorphenamine	Chlorphenamine
		chlortetracycline	Chlortetracycline
		ciprofloxacin	Ciprofloxacin
		cipronat	Cipronat
		clamoxy	Clamoxy
		cloperastine	Cloperastine
		clotrimazole	Clotrimazole
		coartem	Coartem
		codeine	Codeine
		collu-hextril	Collu-Hextril
		combiart	Combiart
		combiart_adult	Combiart adult
		cotrimoxazol_(trimoprim)	Cotrimoxazol (Trimoprim)
		cta_adolescent	CTA Adolescent
		cta_adulte	CTA Adulte
		cta_enfant	CTA Enfant
		cyproheptadine	Cyproheptadine
		debridat	Debridat
		depakine	Depakine
		dexamethasone	Dexamethasone
		dextromethorphan	Dextromethorphan
		diazole	Diazole
		diclofenac	Diclofenac
		diclopara	Diclopara
		diosmectite	Diosmectite
		diphenhydramine	Diphénhydramine
		diphenoxylate	Diphénoxyate
		doliprane	Doliprane

HomePatientInterview

Field	Question	Answer	dolotab	Dolotab
			domperidone	Domperidone
			dysenteral	Dysentéral
			efferalgan	Efferalgan
			ercefuryl	Ercefuryl
			erycin	Erycin
			erythromycin	Erythromycin
			febrilex	Febrilex
			fer_acidefolique	Fer + acide folique
			fercefol	Fercefol
			flagyl	Flagyl
			flucazol	Flucazol
			fluconazole	Fluconazole
			fluditec	Fluditec
			fluoxine	Fluoxine
			gastrosedal	Gastrosédal
			gentamycin	Gentamycin
			grippex	Grippex
			hepatisane	Hépatisane
			hexachlorophene	Hexachlorophène
			hexetidine	Hexétidine
			huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
			ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaline_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite
			mequitazine	Mequitazine
			metamizole	Métamizole
			methylprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgine	Novalgine
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onquent antibiotique	Onquent antibiotique

HomePatientInterview

Field	Question	Answer	oracefal	Oracefal
			orasef_zinc	Orasef Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgic
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent
			perfalgan	Perfalgan
			peridys	Peridys
			phenazone	Phénazone
			phenylpropanolamine	Phénylpropanolamine
			polydexa	Polydexa
			polymyxine	Polymyxine
			pommade_a_la_tetracycline	pommade à la tétracycline
			prednisone	Prednisone
			primalan	Primalan
			promethazine	Promethazine
			prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
			pseudoephedrine	Pseudoephedrine
			quinimax	Quinimax
			quinine	Quinine
			quinine_injectable	Quinine (injectable)
			quinine_tablet	Quinine (tablet)
			radioselectan	Radioselectan
			rhinathiol	Rhinathiol
			royal_(chest-lung)	Royal (Chest & Lung)
			salbutamol	Salbutamol
			smecta	Smecta
			smectites	Smectites
			solu-medrol	Solu-Medrol
			sro	SRO
			sterimar	Stérimar
			sudrex	Sudrex
			sulfamethoxazol	Sulfamethoxazol
			sulfur	Sulfur
			synozole	Synozole
			tao_(troleandomycin)	TAO (troleandomycin)
			terpin_hydrate	Terpin Hydrate
			terpine_codeine	Terpine Codeine
			terpone_expectoant	Terpone expectoant
			tetracycline_oointment	Tetracycline Oointment
			theralene	Theralene
			tres_orix	Tres Orix
			trimebutine	Trimébutine
			trimetabol	Trimetabol
			uclaprim	Uclaprim
			unasyn	Unasyn
			valproate	Valproate
			valproic_acid	Valproic Acid
			vermin-dazol	Vermin-Dazol
			verzol	Verzol

HomePatientInterview

Field	Question	Answer	vinciseptil	Vinciseptil
			vita_bebe	Vita BeBe
			vitafer	Vitafer
			vitamine_b	Vitamine B
			vogalene	Vogalene
			xylometazoline	Xylométazoline
			zinc	Zinc
			other	Other
desc_othernamedafter3 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${itemafter3} , '1') and selected(\${typeitemafter3} , '1') and selected(\${namedafter3} , 'other')</i>			
equipafter3 (required)	Which is the equipment/material? <i>Question relevant when: selected(\${itemafter3} , '1') and selected(\${typeitemafter3} , '2')</i>		alcohol	Alcohol
			bandage	Bandage
			bande_de_pansement	Dressing
			catheter_intraveineuse	Intravenous catheter
			cotton	Cotton
			compress	Compress
			desinfectant	Disinfectant
			epicranni	Winged infusion set (scalp vein set, butterfly set)
			fluide_intraveineuse	Intravenous fluid
			iodine	Iodine
			infusion_IV_fluids	Infusion
			perfuseur	Perfuseur
			polyodoniodes	Polyodon Iodex
			povidine-iodine	Povidone iodine
			syringe	Syringe
			serum_glucose	Glucose serum
			serum_sale_(salin)	Saline serum
			sparadrap	Bandaid
			gloves	Gloves
			other	Other

desc_otherequipafter3 (required)	Specify other equipment/material: <i>Question relevant when: selected(\${itemafter3} , '1') and selected(\${typeitemafter3} , '2') and selected(\${equipafter3} , 'other')</i>			
prescrmedaftera3 (required)	Was [namedafter3] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter3} , '1') and not(selected(\${namedafter3} , "")) or selected(\${namedafter3} , 'other') and \${namedafter3} != ""</i>	1	Prescribed at the CSCOM visit at which the first interview was done	
		2	Prescribed at the same CSCOM, but different visit	
		3	Prescribed at a different healthcare facility	
		4	The medication was not prescribed	
prescrmedafterb3 (required)	Was [desc_othernamedafter3] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter3} , '1') and \${desc_othernamedafter3} != "" and \${namedafter3} != ""</i>	1	Prescribed at the CSCOM visit at which the first interview was done	
		2	Prescribed at the same CSCOM, but different visit	
		3	Prescribed at a different healthcare facility	
		4	The medication was not prescribed	
costitemaftera3 (required)	What was the price paid for [namedafter3]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter3} , '1') and not(selected(\${namedafter3} , "")) or selected(\${namedafter3} , 'other') and \${namedafter3} != ""</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>			
costitemafterb3 (required)	What was the price paid for [desc_othernamedafter3]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter3} , '1') and \${desc_othernamedafter3} != "" and selected(\${namedafter3} , 'other')</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>			
costitemafterc3 (required)	What was the price paid for [equipafter3]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter3} , '1') and not(selected(\${equipafter3} , "")) or selected(\${equipafter3} , 'other') and \${equipafter3} != ""</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>			

HomePatientInterview

Field	Question	Answer																				
costitemafterd3 (required)	What was the price paid for [desc_otherequipafter3]? Question relevant when: selected(\${itemafter3} , '1') and not(selected(\${desc_otherequipafter3} , '99')) Response constrained to: (>=0 and .<=50000) or .=-99																					
wheretmedaftera3 (required)	Where did you get [namemedafter3] from? Question relevant when: selected(\${itemafter3} , '1') and not(selected(\${namemedafter3} , '')) or selected(\${namemedafter3} , 'other') and \${namemedafter3} !=''	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
wheretmedafterb3 (required)	Where did you get [desc_othernamemedafter3] from? Question relevant when: selected(\${itemafter3} , '1') and \${desc_othernamemedafter3} !='' and \${namemedafter3} !=''	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
desc_othewheregetmedaftera3 (required)	Specify: Where did you get [namemedafter3] from? Question relevant when: selected(\${itemafter3} , '1') and not(selected(\${namemedafter3} , '')) or selected(\${namemedafter3} , 'other') and \${namemedafter3} !='' and selected(\${wheretmedaftera3} , '-97')																					
desc_othewheregetmedafterb3 (required)	Specify: Where did you get [desc_othernamemedafter3] from? Question relevant when: selected(\${itemafter3} , '1') and \${desc_othernamemedafter3} !='' and \${namemedafter3} !='' and selected(\${wheretmedafterb3} , '-97')																					

knowmedisforaftera3 (required)	Do you know what illness or symptoms [namemedafter3] is for? Question relevant when: selected(\${itemafter3} , '1') and not(selected(\${namemedafter3} , '')) or selected(\${namemedafter3} , 'other') and \${namemedafter3} !='' Response constrained to: not((selected(\${knowmedisforaftera3} , '1') or selected(\${knowmedisforaftera3} , '2') or selected(\${knowmedisforaftera3} , '3') or selected(\${knowmedisforaftera3} , '4') or selected(\${knowmedisforaftera3} , '5') or selected(\${knowmedisforaftera3} , '6') or selected(\${knowmedisforaftera3} , '7') or selected(\${knowmedisforaftera3} , '8') or selected(\${knowmedisforaftera3} , '9') or selected(\${knowmedisforaftera3} , '10') or selected(\${knowmedisforaftera3} , '11') or selected(\${knowmedisforaftera3} , '12') or selected(\${knowmedisforaftera3} , '13') or selected(\${knowmedisforaftera3} , '14') or selected(\${knowmedisforaftera3} , '15') or selected(\${knowmedisforaftera3} , '-97')) and (selected(\${knowmedisforaftera3} , '-99') or selected(\${knowmedisforaftera3} , '-100')) and not(selected(\${knowmedisforaftera3} , '-99') and selected(\${knowmedisforaftera3} , '-100'))	<table border="1"> <tr><td>1</td><td>Pain reducing</td></tr> <tr><td>2</td><td>Fever reducing</td></tr> <tr><td>3</td><td>Vitamins, minerals, nutrition supplement</td></tr> <tr><td>4</td><td>Malaria</td></tr> <tr><td>5</td><td>Typhoid Fever</td></tr> <tr><td>6</td><td>Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</td></tr> <tr><td>7</td><td>Pneumonia</td></tr> <tr><td>8</td><td>Dysentery</td></tr> <tr><td>9</td><td>Gastrointestinal infection, stomach infection, or diarrhea</td></tr> <tr><td>10</td><td>High blood pressure</td></tr> <tr><td>11</td><td>Blood sugar regulation/diabetes</td></tr> <tr><td>12</td><td>Ear infection</td></tr> <tr><td>13</td><td>Syphilis</td></tr> <tr><td>14</td><td>Hepatitis</td></tr> <tr><td>15</td><td>Sickle cell disease, sickle cell anemia</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Was told, but cannot remember or did not understand</td></tr> <tr><td>-100</td><td>Was not told</td></tr> </table>	1	Pain reducing	2	Fever reducing	3	Vitamins, minerals, nutrition supplement	4	Malaria	5	Typhoid Fever	6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))	7	Pneumonia	8	Dysentery	9	Gastrointestinal infection, stomach infection, or diarrhea	10	High blood pressure	11	Blood sugar regulation/diabetes	12	Ear infection	13	Syphilis	14	Hepatitis	15	Sickle cell disease, sickle cell anemia	-97	Other	-99	Was told, but cannot remember or did not understand	-100	Was not told
1	Pain reducing																																					
2	Fever reducing																																					
3	Vitamins, minerals, nutrition supplement																																					
4	Malaria																																					
5	Typhoid Fever																																					
6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))																																					
7	Pneumonia																																					
8	Dysentery																																					
9	Gastrointestinal infection, stomach infection, or diarrhea																																					
10	High blood pressure																																					
11	Blood sugar regulation/diabetes																																					
12	Ear infection																																					
13	Syphilis																																					
14	Hepatitis																																					
15	Sickle cell disease, sickle cell anemia																																					
-97	Other																																					
-99	Was told, but cannot remember or did not understand																																					
-100	Was not told																																					
knowmedisforafterb3 (required)	Do you know what illness or symptoms [desc_othernamemedafter3] is for? Question relevant when: selected(\${itemafter3} , '1') and \${desc_othernamemedafter3} !='' and \${namemedafter3} !='' Response constrained to: not((selected(\${knowmedisforafterb3} , '1') or selected(\${knowmedisforafterb3} , '2') or selected(\${knowmedisforafterb3} , '3') or selected(\${knowmedisforafterb3} , '4') or selected(\${knowmedisforafterb3} , '5') or selected(\${knowmedisforafterb3} , '6') or selected(\${knowmedisforafterb3} , '7') or selected(\${knowmedisforafterb3} , '8') or selected(\${knowmedisforafterb3} , '9') or selected(<table border="1"> <tr><td>1</td><td>Pain reducing</td></tr> <tr><td>2</td><td>Fever reducing</td></tr> <tr><td>3</td><td>Vitamins, minerals, nutrition supplement</td></tr> <tr><td>4</td><td>Malaria</td></tr> <tr><td>5</td><td>Typhoid Fever</td></tr> <tr><td>6</td><td>Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</td></tr> <tr><td>7</td><td>Pneumonia</td></tr> </table>	1	Pain reducing	2	Fever reducing	3	Vitamins, minerals, nutrition supplement	4	Malaria	5	Typhoid Fever	6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))	7	Pneumonia																						
1	Pain reducing																																					
2	Fever reducing																																					
3	Vitamins, minerals, nutrition supplement																																					
4	Malaria																																					
5	Typhoid Fever																																					
6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))																																					
7	Pneumonia																																					

HomePatientInterview

Field	Question	Answer
	<i>\$(knowmedisforafterb3) , '10') or selected(\$(knowmedisforafterb3) , '11') or selected(\$(knowmedisforafterb3) , '12) or selected(\$(knowmedisforafterb3) , '13) or selected(\$(knowmedisforafterb3) , '14) or selected(\$(knowmedisforafterb3) , '15) or selected(\$(knowmedisforafterb3) , '-97')) and (selected(\$(knowmedisforafterb3) , '-99) or selected(\$(knowmedisforafterb3) , '-100')) and not(selected(\$(knowmedisforafterb3) , '-99) and selected(\$(knowmedisforafterb3) , '-100'))</i>	8 Dysentery 9 Gastrointestinal infection, stomach infection, or diarrhea 10 High blood pressure 11 Blood sugar regulation/diabetes 12 Ear infection 13 Syphilis 14 Hepatitis 15 Sickle cell disease, sickle cell anemia -97 Other -99 Was told, but cannot remember or did not understand -100 Was not told
desc_otherknowmedisforaftera3 (required)	Specify other illness or symptom. <i>Question relevant when: selected(\$(knowmedisforaftera3) , '-97) and \$(namedafter3) != ""</i>	
desc_otherknowmedisforafterb3 (required)	Specify other illness or symptom. <i>Question relevant when: selected(\$(knowmedisforafterb3) , '-97) and \$(namedafter3) != ""</i>	
takingmedaftera3_1 (required)	Are you currently taking [namedafter3]? <i>Question relevant when: selected(\$(itemafter3) , '1) and not(selected(\$(namedafter3) , "")) or selected(\$(namedafter3) , 'other') and \$(namedafter3) != "" and selected(\$(patientrespondent_pl) , '1')</i>	1 Yes 2 No -98 Refused to say
takingmedaftera3_2 (required)	Is [namepatient_pl] currently taking [namedafter3]? <i>Question relevant when: selected(\$(itemafter3) , '1) and not(selected(\$(namedafter3) , "")) or selected(\$(namedafter3) , 'other') and \$(namedafter3) != "" and selected(\$(patientrespondent_pl) , '2')</i>	1 Yes 2 No -98 Refused to say
takingmedafterb3_1 (required)	Are you currently taking [desc_othernamedafter3]? <i>Question relevant when: selected(\$(itemafter3) , '1) and \$(desc_othernamedafter3) != "" and \$(namedafter3) != "" and selected(\$(patientrespondent_pl) , '1')</i>	1 Yes 2 No -98 Refused to say
takingmedafterb3_2 (required)	Is [namepatient_pl] currently taking [desc_othernamedafter3]? <i>Question relevant when: selected(\$(itemafter3) , '1) and \$(desc_othernamedafter3) != "" and \$(namedafter3) != "" and selected(\$(patientrespondent_pl) , '2')</i>	1 Yes 2 No -98 Refused to say
whynottakingmedafter3 (required)	Why not? <i>Question relevant when: selected(\$(itemafter3) , '1) and (\$(takingmedaftera3_1) = 2 or \$(takingmedaftera3_2) = 2 or \$(takingmedafterb3_1) = 2 or \$(takingmedafterb3_2) = 2) and \$(namedafter3) != ""</i>	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_whynottakingmedaftera3_1 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\$(itemafter3) , '1) and selected(\$(takingmedaftera3_1) , '2) and selected(\$(whynottakingmedafter3) , '-97) and \$(namedafter3) != ""</i>	
desc_whynottakingmedaftera3_2 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\$(itemafter3) , '1) and selected(\$(takingmedaftera3_2) , '2) and selected(\$(whynottakingmedafter3) , '-97) and \$(namedafter3) != ""</i>	
desc_whynottakingmedafterb3_1 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\$(itemafter3) , '1) and selected(\$(takingmedafterb3_1) , '2) and selected(\$(whynottakingmedafter3) , '-97) and \$(namedafter3) != ""</i>	
desc_whynottakingmedafterb3_2 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\$(itemafter3) , '1) and selected(\$(takingmedafterb3_2) , '2) and selected(\$(whynottakingmedafter3) , '-97) and \$(namedafter3) != ""</i>	
helpedcuringmedaftera3_1 (required)	How strongly do you agree or disagree with the statement "[namedafter3] makes me feel better"? <i>Question relevant when: selected(\$(itemafter3) , '1) and not(selected(\$(namedafter3) , "")) or selected(\$(namedafter3) , 'other') and \$(namedafter3) != "" and selected(\$(patientrespondent_pl) , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaftera3_2 (required)	How strongly do you agree or disagree with the statement "[namepatient_pl] feel better"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral

HomePatientInterview

Field	Question	Answer
	Question relevant when: selected(\${itemafter3} , '1') and not(selected(\${namedafter3} , "")) or selected(\${namedafter3} , 'other') and \${namedafter3} != "" and selected(\${patientrespondent_pl} , '2')	1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaafterb3_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamedafter3] makes me feel better"? Question relevant when: selected(\${itemafter3} , '1') and \${desc_othernamedafter3} != "" and selected(\${patientrespondent_pl} , '1') and \${namedafter3} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaafterb3_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamedafter3] makes [namepatient_pl] feel better"? Question relevant when: selected(\${itemafter3} , '1') and \${desc_othernamedafter3} != "" and selected(\${patientrespondent_pl} , '2') and \${namedafter3} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedaaftera3 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [namedafter3]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: selected(\${itemafter3} , '1') and not(selected(\${namedafter3} , "")) or selected(\${namedafter3} , 'other') and \${namedafter3} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedaafterb3 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamedafter3]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: selected(\${itemafter3} , '1') and \${desc_othernamedafter3} != "" and \${namedafter3} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
itemafter4 (required)	Was another medication taken? Question relevant when: selected(\${itemafter3} , '1')	1 Yes 2 No
typeitemafter4 (required)	Which type of item? (4) Question relevant when: selected(\${itemafter4} , '1')	1 Drug/medication with known name 2 Equipment/materials
namedafter4 (required)	Which is the name of the drug/medication? Question relevant when: selected(\${itemafter4} , '1') and selected(\${typeitemafter4} , '1')	acefylline_piperazine Acéfylline pipérazine acefylline_piperazine-diphenhydramine-hcl Acéfylline Piperazine+ Diphenhydramine Hcl acetaminophene Acétaminophène acetaminophene_(para)-dextromethorphan-pseud. Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine acetylcysteine Acétylcystéine acetylsalicylic_acid Acétylsalicylique acid acid_benzoïque Acide benzoïque acid_valproïque Acide valproïque actapulgite Actapulgite actifed Actifed albendazole Albendazole alimemazine Alimemazine allergosone Allergosone almex Almex ammonium_chloride Ammonium Chloride amodiaquine Amodiaquine amodix Amodix amoquin Amoquin amoxicillin Amoxicillin amoxicilline-cla Amoxicilline + Cla amoxitem Amoxitem ampicilline Ampicilline analgin Analgin antipy_benzo_otic_sol Antipy Benzo Otic Sol antropine Antropine

HomePatientInterview

Field	Question	Answer
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether- lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether- lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgite Attapulgite
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine
		benzododecinium Benzododecinium
		benzoic_acid Benzoic Acid
		betadine Betadine
		biafine Biafine
		biakof Biakof
		binozyt Binozyt
		broncoxil Broncoxil
		bronquidiazina Bronquidiazina
		brufen Brufen
		brumed Brumed
		cac_1000 CAC 1000 sandoz
		caflam Caflam
		camoquin Camoquin
		carbetux Carbetux
		carbocisteine Carbocisteine
		cataflam Cataflam
		cedrox Cedrox
		cefadroxil Cefadroxil
		cefixime Cefixime
		ceftriaxone Ceftriaxone
		celestene Celestene
		chloropyramine Chloropyramine
		chloroquine Chloroquine
		chlorphenamine Chlorphenamine
		chlortetracycline Chlortetracycline
		ciprofloxacin Ciprofloxacin
		cipronat Cipronat
		clamoxy Clamoxy
		cloperastine Cloperastine
		clotrimazole Clotrimazole
		coartem Coartem
		codeine Codeine

HomePatientInterview

Field	Question	Answer	collu-hextril	Collu-Hextril
			combiart	Combiart
			combiart_adult	Combiart adult
			cotrimoxazol_(trimoprim)	Cotrimoxazol (Trimoprim)
			cta_adolescent	CTA Adolescent
			cta_adulte	CTA Adulte
			cta_enfant	CTA Enfant
			cyproheptadine	Cyproheptadine
			debridat	Debridat
			depakine	Depakine
			dexamethasone	Dexamethasone
			dextromethorphan	Dextromethorphan
			diazole	Diazole
			diclofenac	Diclofenac
			diclopara	Diclopara
			diosmectite	Diosmectite
			diphenhydramine	Diphénhydramine
			diphenoxylate	Diphénoxylate
			doliprane	Doliprane
			dolotab	Dolotab
			domperidone	Domperidone
			dysenteral	Dysentéral
			efferalgan	Efferalgan
			ercefuryl	Ercefuryl
			erycin	Erycin
			erythromycin	Erythromycin
			febrilex	Febrilex
			fer_acidefolique	Fer + acide folique
			fercefol	Fercefol
			flagyl	Flagyl
			flucazol	Flucazol
			fluconazole	Fluconazole
			fluditec	Fluditec
			fluoxine	Fluoxine
			gastrosedal	Gastrosédal
			gentamycin	Gentamycin
			grippex	Grippex
			hepatisane	Hépatisane
			hexachlorophene	Hexachlorophène
			hexetidine	Hexétidine
			huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
			ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaline_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite

HomePatientInterview

Field	Question	Answer	mequitazine	Mequitazine
			metamizole	Métamizole
			methylprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgin	Novalgin
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onguent_antibiotique	Onguent antibiotique
			oracefal	Oracefal
			oraseal_zinc	Oraseal Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgin
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent
			perfalgan	Perfalgan
			peridys	Peridys
			phenazone	Phénazone
			phenylpropanolamine	Phénylpropanolamine
			polydexa	Polydexa
			polymyxine	Polymyxine
			pommade_a_la_tetracycline	pommade à la tétracycline
			prednisone	Prednisone
			primalan	Primalan
			promethazine	Promethazine
			prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
			pseudoephedrine	Pseudoephedrine
			quinimax	Quinimax
			quinine	Quinine
			quinine_injectable	Quinine (injectable)
			quinine_tablet	Quinine (tablet)
			radioselectan	Radioselectan
			rhinathiol	Rhinathiol
			royal_(chest-lung)	Royal (Chest & Lung)
			salbutamol	Salbutamol
			smecta	Smecta
			smectites	Smectites
			solu-medrol	Solu-Medrol
			sro	SRO

HomePatientInterview

Field	Question	Answer	sterimar	Stérimar
			sudrex	Sudrex
			sulfamethoxazol	Sulfamethoxazol
			sulfur	Sulfur
			synozole	Synozole
			tao_(troleandomycin)	TAO (troleandomycin)
			terpin_hydrate	Terpin Hydrate
			terpine_codeine	Terpine Codeine
			terpone_expectorant	Terpone expectorant
			tetracycline_ointment	Tetracycline Ointment
			theralene	Theralene
			tres_orix	Tres Orix
			trimebutine	Trimébutine
			trimetabol	Trimetabol
			uclaprim	Uclaprim
			unasyn	Unasyn
			valproate	Valproate
			valproic_acid	Valproic Acid
			vermin-dazol	Vermin-Dazol
			verzol	Verzol
			vinciseptil	Vinciseptil
			vita_bebe	Vita BeBe
			vitafer	Vitafer
			vitamine_b	Vitamine B
			vogalene	Vogalene
			xylometazoline	Xylométazoline
			zinc	Zinc
			other	Other
desc_othernamedafter4 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${itemafter4} , '1') and selected(\${typeitemafter4} , '1') and selected(\${namemedafter4} , 'other')</i>			

equipafter4 (required)	Which is the equipment/material? <i>Question relevant when: selected(\${itemafter4} , '1') and selected(\${typeitemafter4} , '2')</i>		alcohol	Alcohol
			bandage	Bandage
			bande_de_pansement	Dressing
			catheter_intraveineuse	Intravenous catheter
			colton	Cotton
			compress	Compress
			desinfectant	Disinfectant
			epicranni	Winged infusion set (scalp vein set, butterfly set)
			fluide_intraveineuse	Intravenous fluid
			iodine	Iodine
			infusion_IV_fluids	Infusion
			perfuseur	Perfuseur
			polyodoniodex	Polyodon Iodex
			povidine-iodine	Povidone iodine
			syringe	Syringe
			serum_glucose	Glucose serum
			serum_sale_(salin)	Saline serum
			sparadrap	Bandaïd
			gloves	Gloves
			other	Other
desc_otherequipafter4 (required)	Specify other equipment/material: <i>Question relevant when: selected(\${itemafter4} , '1') and selected(\${typeitemafter4} , '2') and selected(\${equipafter4} , 'other')</i>			
prescrmedafter4 (required)	Was [namemedafter4] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter4} , '1') and not(selected(\${namemedafter4} , "")) or selected(\${namemedafter4} , 'other') and \${namemedafter4} != ""</i>	1	Prescribed at the CSCOM visit at which the first interview was done	
		2	Prescribed at the same CSCOM, but different visit	
		3	Prescribed at a different healthcare facility	

HomePatientInterview

Field	Question	Answer										
prescmedafterb4 (required)	Was [desc_othernamedafter4] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter4} , '1') and \${desc_othernamedafter4} != "" and \${namedafter4} != ""</i>	<table border="1"> <tr> <td>1</td> <td>The medication was not prescribed</td> </tr> <tr> <td>1</td> <td>Prescribed at the CSCOM visit at which the first interview was done</td> </tr> <tr> <td>2</td> <td>Prescribed at the same CSCOM, but different visit</td> </tr> <tr> <td>3</td> <td>Prescribed at a different healthcare facility</td> </tr> <tr> <td>4</td> <td>The medication was not prescribed</td> </tr> </table>	1	The medication was not prescribed	1	Prescribed at the CSCOM visit at which the first interview was done	2	Prescribed at the same CSCOM, but different visit	3	Prescribed at a different healthcare facility	4	The medication was not prescribed
1	The medication was not prescribed											
1	Prescribed at the CSCOM visit at which the first interview was done											
2	Prescribed at the same CSCOM, but different visit											
3	Prescribed at a different healthcare facility											
4	The medication was not prescribed											
costitemaftera4 (required)	What was the price paid for [namedafter4]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter4} , '1') and not(selected(\${namedafter4} , "")) or selected(\${namedafter4} , 'other') and \${namedafter4} != ""</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemafterb4 (required)	What was the price paid for [desc_othernamedafter4]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter4} , '1') and \${desc_othernamedafter4} != "" and selected(\${namedafter4} , 'other')</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemafferc4 (required)	What was the price paid for [equipafter4]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter4} , '1') and not(selected(\${equipafter4} , "")) or selected(\${equipafter4} , 'other') and \${equipafter4} != ""</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemafterd4 (required)	What was the price paid for [desc_otherequipafter4]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter4} , '1') and \${desc_otherequipafter4} != "" and selected(\${equipafter4} , 'other')</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											

wheregetmedaftera4 (required)	Where did you get [namedafter4] from? <i>Question relevant when: selected(\${itemafter4} , '1') and not(selected(\${namedafter4} , "")) or selected(\${namedafter4} , 'other') and \${namedafter4} != ""</i>	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
wheregetmedafterb4 (required)	Where did you get [desc_othernamedafter4] from? <i>Question relevant when: selected(\${itemafter4} , '1') and \${desc_othernamedafter4} != "" and \${namedafter4} != ""</i>	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
desc_othewheregetmedaftera4 (required)	Specify: Where did you get [namedafter4] from? <i>Question relevant when: selected(\${itemafter4} , '1') and not(selected(\${namedafter4} , "")) or selected(\${namedafter4} , 'other') and \${namedafter4} != "" and selected(\${wheregetmedaftera4} , '-97')</i>																					
desc_othewheregetmedafterb4 (required)	Specify: Where did you get [desc_othernamedafter4] from? <i>Question relevant when: selected(\${itemafter4} , '1') and \${desc_othernamedafter4} != "" and \${namedafter4} != "" and selected(\${wheregetmedafterb4} , '-97')</i>																					
knowmedisforaftera4 (required)	Do you know what illness or symptoms [namedafter4] is for?	<table border="1"> <tr><td>1</td><td>Pain reducing</td></tr> <tr><td>2</td><td>Fever reducing</td></tr> </table>	1	Pain reducing	2	Fever reducing																
1	Pain reducing																					
2	Fever reducing																					

HomePatientInterview

Field	Question	Answer
	<p>Question relevant when: <i>selected(\${itemafter4} , '1') and not(selected(\${namedafter4} , '')) or selected(\${namedafter4} , 'other')) and \${namedafter4} !=''</i></p> <p>Response constrained to: <i>not((selected(\${knowmedisforafter4} , '1') or selected(\${knowmedisforafter4} , '2') or selected(\${knowmedisforafter4} , '3') or selected(\${knowmedisforafter4} , '4') or selected(\${knowmedisforafter4} , '5') or selected(\${knowmedisforafter4} , '6') or selected(\${knowmedisforafter4} , '7') or selected(\${knowmedisforafter4} , '8') or selected(\${knowmedisforafter4} , '9') or selected(\${knowmedisforafter4} , '10') or selected(\${knowmedisforafter4} , '11') or selected(\${knowmedisforafter4} , '12') or selected(\${knowmedisforafter4} , '13') or selected(\${knowmedisforafter4} , '14') or selected(\${knowmedisforafter4} , '15') or selected(\${knowmedisforafter4} , '-97')) and (selected(\${knowmedisforafter4} , '-99') or selected(\${knowmedisforafter4} , '-100')))) and not(selected(\${knowmedisforafter4} , '-99') and selected(\${knowmedisforafter4} , '-100'))</i></p>	<p>1 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>

knowmedisforafterb4 (required)	<p>Do you know what illness or symptoms [desc_othernamedafter4] is for?</p> <p>Question relevant when: <i>selected(\${itemafter4} , '1') and \${desc_othernamedafter4} !='' and \${namedafter4} !=''</i></p> <p>Response constrained to: <i>not((selected(\${knowmedisforafterb4} , '1') or selected(\${knowmedisforafterb4} , '2') or selected(\${knowmedisforafterb4} , '3') or selected(\${knowmedisforafterb4} , '4') or selected(\${knowmedisforafterb4} , '5') or selected(\${knowmedisforafterb4} , '6') or selected(\${knowmedisforafterb4} , '7') or selected(\${knowmedisforafterb4} , '8') or selected(\${knowmedisforafterb4} , '9') or selected(\${knowmedisforafterb4} , '10') or selected(\${knowmedisforafterb4} , '11') or selected(\${knowmedisforafterb4} , '12') or selected(\${knowmedisforafterb4} , '13') or selected(\${knowmedisforafterb4} , '14') or selected(\${knowmedisforafterb4} , '15') or selected(\${knowmedisforafterb4} , '-97')) and (selected(\${knowmedisforafterb4} , '-99') or selected(\${knowmedisforafterb4} , '-100')))) and not(selected(\${knowmedisforafterb4} , '-99') and selected(\${knowmedisforafterb4} , '-100'))</i></p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
desc_otherknowmedisforaftera4 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: <i>selected(\${knowmedisforaftera4} , '-97') and \${namedafter4} !=''</i></p>	
desc_otherknowmedisforafterb4 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: <i>selected(\${knowmedisforafterb4} , '-97') and \${namedafter4} !=''</i></p>	
takingmedaftera4_1 (required)	<p>Are you currently taking [namedafter4]?</p> <p>Question relevant when: <i>selected(\${itemafter4} , '1') and not(selected(\${namedafter4} , '')) or selected(\${namedafter4} , 'other')) and \${namedafter4} !='' and selected(\${patientrespondent_pl} , '1')</i></p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>

HomePatientInterview

Field	Question	Answer
takingmedaftera4_2 (required)	Is [namepatient_pl] currently taking [namemedafter4]? <i>Question relevant when: selected(\${itemafter4} , '1') and not(selected(\${namemedafter4} , "")) or selected(\${namemedafter4} , 'other')) and \${namemedafter4} != "" and selected(\${patientrespondent_pl} , '2')</i>	1 Yes 2 No -98 Refused to say
takingmedafterb4_1 (required)	Are you currently taking [desc_othernamemedafter4]? <i>Question relevant when: selected(\${itemafter4} , '1') and \${desc_othernamemedafter4} != "" and \${namemedafter4} != "" and selected(\${patientrespondent_pl} , '1')</i>	1 Yes 2 No -98 Refused to say
takingmedafterb4_2 (required)	Is [namepatient_pl] currently taking [desc_othernamemedafter4]? <i>Question relevant when: selected(\${itemafter4} , '1') and \${desc_othernamemedafter4} != "" and \${namemedafter4} != "" and selected(\${patientrespondent_pl} , '2')</i>	1 Yes 2 No -98 Refused to say
whynottakingmedafter4 (required)	Why not? <i>Question relevant when: selected(\${itemafter4} , '1') and (\${takingmedaftera4_1} = 2 or \${takingmedaftera4_2} = 2 or \${takingmedafterb4_1} = 2 or \${takingmedafterb4_2} = 2) and \${namemedafter4} != ""</i>	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_whynottakingmedaftera4_1 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter4} , '1') and selected(\${takingmedaftera4_1} , '2') and selected(\${whynottakingmedafter4} , '-97') and \${namemedafter4} != ""</i>	
desc_whynottakingmedaftera4_2 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter4} , '1') and selected(\${takingmedaftera4_2} , '2') and selected(\${whynottakingmedafter4} , '-97') and \${namemedafter4} != ""</i>	
desc_whynottakingmedafterb4_1 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter4} , '1') and selected(\${takingmedafterb4_1} , '2') and selected(\${whynottakingmedafter4} , '-97') and \${namemedafter4} != ""</i>	
desc_whynottakingmedafterb4_2 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter4} , '1') and selected(\${takingmedafterb4_2} , '2') and selected(\${whynottakingmedafter4} , '-97') and \${namemedafter4} != ""</i>	

helpedcuringmedaftera4_1 (required)	How strongly do you agree or disagree with the statement "[namemedafter4] makes me feel better"? <i>Question relevant when: selected(\${itemafter4} , '1') and not(selected(\${namemedafter4} , "")) or selected(\${namemedafter4} , 'other')) and \${namemedafter4} != "" and selected(\${patientrespondent_pl} , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaftera4_2 (required)	How strongly do you agree or disagree with the statement "[namepatient_pl] makes [namepatient_pl] feel better"? <i>Question relevant when: selected(\${itemafter4} , '1') and not(selected(\${namemedafter4} , "")) or selected(\${namemedafter4} , 'other')) and \${namemedafter4} != "" and selected(\${patientrespondent_pl} , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedafterb4_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamemedafter4] makes me feel better"? <i>Question relevant when: selected(\${itemafter4} , '1') and \${desc_othernamemedafter4} != "" and selected(\${patientrespondent_pl} , '1') and \${namemedafter4} != ""</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedafterb4_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamemedafter4] makes [namepatient_pl] feel better"? <i>Question relevant when: selected(\${itemafter4} , '1') and \${desc_othernamemedafter4} != "" and selected(\${patientrespondent_pl} , '2') and \${namemedafter4} != ""</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedaftera4 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [namemedafter4]? <i>Probe: does the respondent think this medication was absolutely necessary?</i> <i>Question relevant when: selected(\${itemafter4} , '1') and not(selected(\${namemedafter4} , ""))</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree

HomePatientInterview

Field	Question	Answer																																																																														
	or selected(\${namemedafter4} , 'other') and \${namemedafter4} != ""	2 Strongly agree -98 Refused to say																																																																														
betterevenwithoutmedaferb4 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamedafter4]"? <i>Probe: does the respondent think this medication was absolutely necessary?</i> <i>Question relevant when: selected(\${itemafter4} , '1') and \${desc_othernamedafter4} != "" and \${namemedafter4} != ""</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say																																																																														
itemafter5 (required)	Was another medication taken? <i>Question relevant when: selected(\${itemafter4} , '1')</i>	1 Yes 2 No																																																																														
typeitemafter5 (required)	Which type of item? (5) <i>Question relevant when: selected(\${itemafter5} , '1')</i>	1 Drug/medication with known name 2 Equipment/materials																																																																														
namemedafter5 (required)	Which is the name of the drug/medication? <i>Question relevant when: selected(\${itemafter5} , '1') and selected(\${typeitemafter5} , '1')</i>	<table border="1"> <tbody> <tr><td>acefylline_piperazine</td><td>Acéfylline pipérazine</td></tr> <tr><td>acefylline_piperazine-diphenhydramine-hcl</td><td>Acefylline Piperazine+ Diphenhydramine Hcl</td></tr> <tr><td>acetaminophene</td><td>Acétaminophène</td></tr> <tr><td>acetaminophene_(para)-dextromethorphan-pseud.</td><td>Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine</td></tr> <tr><td>acetylcysteine</td><td>Acétylcystéine</td></tr> <tr><td>acetylsalicylic_acid</td><td>Acétylsalicylic acid</td></tr> <tr><td>acid_benzoïque</td><td>Acide benzoïque</td></tr> <tr><td>acid_valproïque</td><td>Acide valproïque</td></tr> <tr><td>actapulgite</td><td>Actapulgite</td></tr> <tr><td>actifed</td><td>Actifed</td></tr> <tr><td>albendazole</td><td>Albendazole</td></tr> <tr><td>alimemazine</td><td>Alimemazine</td></tr> <tr><td>allergosone</td><td>Allergosone</td></tr> <tr><td>almex</td><td>Almex</td></tr> <tr><td>ammonium_chloride</td><td>Ammonium Chloride</td></tr> <tr><td>amodiaquine</td><td>Amodiaquine</td></tr> <tr><td>amodix</td><td>Amodix</td></tr> <tr><td>amoquin</td><td>Amoquin</td></tr> <tr><td>amoxicillin</td><td>Amoxicillin</td></tr> <tr><td>amoxicilline-cla</td><td>Amoxicilline + Cla</td></tr> <tr><td>amoxitem</td><td>Amoxitem</td></tr> <tr><td>ampicilline</td><td>Ampicilline</td></tr> <tr><td>analgin</td><td>Analgin</td></tr> <tr><td>antipy_benzo_otic_sol</td><td>Antipy Benzo Otic Sol</td></tr> <tr><td>antropine</td><td>Antropine</td></tr> <tr><td>arcet</td><td>Arcet</td></tr> <tr><td>artefan</td><td>Artefan</td></tr> <tr><td>artemether</td><td>Artemether</td></tr> <tr><td>artemether_injectable</td><td>Artemether (injectable)</td></tr> <tr><td>artemether_tablet</td><td>Artemether (tablet)</td></tr> <tr><td>artemether-lumefantrine</td><td>Artemether + Lumefantrine</td></tr> <tr><td>artemether-lumefantrine_injectable</td><td>Artemether + Lumefantrine (injectable)</td></tr> <tr><td>artemether-lumefantrine_tablet</td><td>Artemether + Lumefantrine (tablet)</td></tr> <tr><td>artesunate</td><td>Artesunate</td></tr> <tr><td>artesunate_injectable</td><td>Artesunate (injectable)</td></tr> <tr><td>artesunate_tablet</td><td>Artesunate (tablet)</td></tr> <tr><td>asa</td><td>ASA</td></tr> <tr><td>aspegic</td><td>Aspegic</td></tr> <tr><td>aspirin</td><td>Aspirin</td></tr> </tbody> </table>	acefylline_piperazine	Acéfylline pipérazine	acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl	acetaminophene	Acétaminophène	acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine	acetylcysteine	Acétylcystéine	acetylsalicylic_acid	Acétylsalicylic acid	acid_benzoïque	Acide benzoïque	acid_valproïque	Acide valproïque	actapulgite	Actapulgite	actifed	Actifed	albendazole	Albendazole	alimemazine	Alimemazine	allergosone	Allergosone	almex	Almex	ammonium_chloride	Ammonium Chloride	amodiaquine	Amodiaquine	amodix	Amodix	amoquin	Amoquin	amoxicillin	Amoxicillin	amoxicilline-cla	Amoxicilline + Cla	amoxitem	Amoxitem	ampicilline	Ampicilline	analgin	Analgin	antipy_benzo_otic_sol	Antipy Benzo Otic Sol	antropine	Antropine	arcet	Arcet	artefan	Artefan	artemether	Artemether	artemether_injectable	Artemether (injectable)	artemether_tablet	Artemether (tablet)	artemether-lumefantrine	Artemether + Lumefantrine	artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)	artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)	artesunate	Artesunate	artesunate_injectable	Artesunate (injectable)	artesunate_tablet	Artesunate (tablet)	asa	ASA	aspegic	Aspegic	aspirin	Aspirin
acefylline_piperazine	Acéfylline pipérazine																																																																															
acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl																																																																															
acetaminophene	Acétaminophène																																																																															
acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine																																																																															
acetylcysteine	Acétylcystéine																																																																															
acetylsalicylic_acid	Acétylsalicylic acid																																																																															
acid_benzoïque	Acide benzoïque																																																																															
acid_valproïque	Acide valproïque																																																																															
actapulgite	Actapulgite																																																																															
actifed	Actifed																																																																															
albendazole	Albendazole																																																																															
alimemazine	Alimemazine																																																																															
allergosone	Allergosone																																																																															
almex	Almex																																																																															
ammonium_chloride	Ammonium Chloride																																																																															
amodiaquine	Amodiaquine																																																																															
amodix	Amodix																																																																															
amoquin	Amoquin																																																																															
amoxicillin	Amoxicillin																																																																															
amoxicilline-cla	Amoxicilline + Cla																																																																															
amoxitem	Amoxitem																																																																															
ampicilline	Ampicilline																																																																															
analgin	Analgin																																																																															
antipy_benzo_otic_sol	Antipy Benzo Otic Sol																																																																															
antropine	Antropine																																																																															
arcet	Arcet																																																																															
artefan	Artefan																																																																															
artemether	Artemether																																																																															
artemether_injectable	Artemether (injectable)																																																																															
artemether_tablet	Artemether (tablet)																																																																															
artemether-lumefantrine	Artemether + Lumefantrine																																																																															
artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)																																																																															
artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)																																																																															
artesunate	Artesunate																																																																															
artesunate_injectable	Artesunate (injectable)																																																																															
artesunate_tablet	Artesunate (tablet)																																																																															
asa	ASA																																																																															
aspegic	Aspegic																																																																															
aspirin	Aspirin																																																																															

HomePatientInterview

Field	Question	Answer
		atropine Atropine
		attapulgite Attapulgite
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine
		benzododecinium Benzododecinium
		benzoic_acid Benzoic Acid
		betadine Betadine
		biafine Biafine
		biakof Biakof
		binozyt Binozyt
		broncoxil Broncoxil
		bronquidiazina Bronquidiazina
		brufen Brufen
		brumed Brumed
		cac_1000 CAC 1000 sandoz
		caflam Caflam
		camoquin Camoquin
		carbetux Carbetux
		carbocisteine Carbocisteine
		cataflam Cataflam
		cedrox Cedrox
		cefadroxil Cefadroxil
		cefixime Cefixime
		ceftriaxone Ceftriaxone
		celestene Celestene
		chloropyramine Chloropyramine
		chloroquine Chloroquine
		chlorphenamine Chlorphenamine
		chlortetracycline Chlortetracycline
		ciprofloxacin Ciprofloxacin
		cipronat Cipronat
		clamoxyll Clamoxyll
		cloperastine Cloperastine
		clotrimazole Clotrimazole
		coartem Coartem
		codeine Codeine
		collu-hextrill Collu-Hextrill
		combiart Combiart
		combiart_adult Combiart adult
		cotrimoxazol_(trimoprim) Cotrimoxazol (Trimoprim)
		cta_adolescent CTA Adolescent
		cta_adulte CTA Adulte
		cta_enfant CTA Enfant
		cyproheptadine Cyproheptadine
		debridat Debridat
		depakine Depakine
		dexamethasone Dexamethasone
		dextromethorphan Dextromethorphan
		diazole Diazole
		diclofenac Diclofenac
		diclopara Diclopara
		diosmectite Diosmectite
		diphenhydramine Diphénhydramine
		diphenoxylate Diphénoxyllate
		doliprane Doliprane

HomePatientInterview

Field	Question	Answer	dolotab	Dolotab
			domperidone	Domperidone
			dysenteral	Dysentéral
			efferalgan	Efferalgan
			ercefuryl	Ercefuryl
			erycin	Erycin
			erythromycin	Erythromycin
			febrilex	Febrilex
			fer_acidefolique	Fer + acide folique
			fercefol	Fercefol
			flagyl	Flagyl
			flucazol	Flucazol
			fluconazole	Fluconazole
			fluditec	Fluditec
			fluoxine	Fluoxine
			gastrosedal	Gastrosédal
			gentamycin	Gentamycin
			grippex	Grippex
			hepatisane	Hépatisane
			hexachlorophene	Hexachlorophène
			hexetidine	Hexétidine
			huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
			ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaline_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite
			mequitazine	Mequitazine
			metamizole	Métamizole
			methylprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgine	Novalgine
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onquent antibiotique	Onquent antibiotique

HomePatientInterview

Field	Question	Answer	oracefal	Oracefal
			orasef_zinc	Orasef Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgic
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent
			perfalgan	Perfalgan
			peridys	Peridys
			phenazone	Phénazone
			phenylpropanolamine	Phénylpropanolamine
			polydexa	Polydexa
			polymyxine	Polymyxine
			pommade_a_la_tetracycline	pommade à la tétracycline
			prednisone	Prednisone
			primalan	Primalan
			promethazine	Promethazine
			prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
			pseudoephedrine	Pseudoephedrine
			quinimax	Quinimax
			quinine	Quinine
			quinine_injectable	Quinine (injectable)
			quinine_tablet	Quinine (tablet)
			radioselectan	Radioselectan
			rhinathiol	Rhinathiol
			royal_(chest-lung)	Royal (Chest & Lung)
			salbutamol	Salbutamol
			smecta	Smecta
			smectites	Smectites
			solu-medrol	Solu-Medrol
			sro	SRO
			sterimar	Stérimar
			sudrex	Sudrex
			sulfamethoxazol	Sulfamethoxazol
			sulfur	Sulfur
			synozole	Synozole
			tao_(troleandomycin)	TAO (troleandomycin)
			terpin_hydrate	Terpin Hydrate
			terpine_codeine	Terpine Codeine
			terpone_expectoant	Terpone expectoant
			tetracycline_oointment	Tetracycline Oointment
			theralene	Theralene
			tres_orix	Tres Orix
			trimebutine	Trimébutine
			trimetabol	Trimetabol
			uclaprim	Uclaprim
			unasyn	Unasyn
			valproate	Valproate
			valproic_acid	Valproic Acid
			vermin-dazol	Vermin-Dazol
			verzol	Verzol

HomePatientInterview

Field	Question	Answer	vinciseptil	Vinciseptil
			vita_bebe	Vita BeBe
			vitafer	Vitafer
			vitamine_b	Vitamine B
			vogalene	Vogalene
			xylometazoline	Xylométazoline
			zinc	Zinc
			other	Other
desc_othernamedafter5 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${itemafter5} , '1') and selected(\${typeitemafter5} , '1') and selected(\${namedafter5} , 'other')</i>			
equipafter5 (required)	Which is the equipment/material? <i>Question relevant when: selected(\${itemafter5} , '1') and selected(\${typeitemafter5} , '2')</i>		alcohol	Alcohol
			bandage	Bandage
			bande_de_pansement	Dressing
			catheter_intraveineuse	Intravenous catheter
			cotton	Cotton
			compress	Compress
			desinfectant	Disinfectant
			epicranni	Winged infusion set (scalp vein set, butterfly set)
			fluide_intraveineuse	Intravenous fluid
			iodine	Iodine
			infusion_IV_fluids	Infusion
			perfuseur	Perfuseur
			polyodoniodex	Polyodon Iodex
			povidine-iodine	Povidone iodine
			syringe	Syringe
			serum_glucose	Glucose serum
			serum_sale_(salin)	Saline serum
			sparadrap	Bandaid
			gloves	Gloves
			other	Other

desc_otherequipafter5 (required)	Specify other equipment/material: <i>Question relevant when: selected(\${itemafter5} , '1') and selected(\${typeitemafter5} , '2') and selected(\${equipafter5} , 'other')</i>			
prescrmedaftera5 (required)	Was [namedafter5] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${namedafter5} , "")) or selected(\${namedafter5} , 'other') and \${namedafter5} != ""</i>	1	Prescribed at the CSCOM visit at which the first interview was done	
		2	Prescribed at the same CSCOM, but different visit	
		3	Prescribed at a different healthcare facility	
		4	The medication was not prescribed	
prescrmedafterb5 (required)	Was [desc_othernamedafter5] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter5} , '1') and \${desc_othernamedafter5} != "" and \${namedafter5} != ""</i>	1	Prescribed at the CSCOM visit at which the first interview was done	
		2	Prescribed at the same CSCOM, but different visit	
		3	Prescribed at a different healthcare facility	
		4	The medication was not prescribed	
costitemaftera5 (required)	What was the price paid for [namedafter5]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${namedafter5} , "")) or selected(\${namedafter5} , 'other') and \${namedafter5} != ""</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>			
costitemafterb5 (required)	What was the price paid for [desc_othernamedafter5]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter5} , '1') and \${desc_othernamedafter5} != "" and selected(\${namedafter5} , 'other')</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>			
costitemafterc5 (required)	What was the price paid for [equipafter5]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${equipafter5} , "")) or selected(\${equipafter5} , 'other') and \${equipafter5} != ""</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>			

HomePatientInterview

Field	Question	Answer																				
costitemafterd5 (required)	What was the price paid for [desc_otherequipafter5]? Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${desc_otherequipafter5} , '1') and selected(\${equipafter5} , 'other')) Response constrained to: (>=0 and .<=50000) or .=-99																					
wheretmedaftera5 (required)	Where did you get [namemedafter5] from? Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${namemedafter5} , '')) or selected(\${namemedafter5} , 'other') and \${namemedafter5} !=''	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
wheretmedafterb5 (required)	Where did you get [desc_othernamedafter5] from? Question relevant when: selected(\${itemafter5} , '1') and \${desc_othernamedafter5} !='' and \${namemedafter5} !=''	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
desc_othewheregetmedaftera5 (required)	Specify: Where did you get [namemedafter5] from? Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${namemedafter5} , '')) or selected(\${namemedafter5} , 'other') and \${namemedafter5} !='' and selected(\${wheretmedaftera5} , '-97')																					
desc_othewheregetmedafterb5 (required)	Specify: Where did you get [desc_othernamedafter5] from? Question relevant when: selected(\${itemafter5} , '1') and \${desc_othernamedafter5} !='' and \${namemedafter5} !='' and selected(\${wheretmedafterb5} , '-97')																					

knowmedisforaftera5 (required)	Do you know what illness or symptoms [namemedafter5] is for? Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${namemedafter5} , '')) or selected(\${namemedafter5} , 'other') and \${namemedafter5} !='' Response constrained to: not((selected(\${knowmedisforaftera5} , '1') or selected(\${knowmedisforaftera5} , '2') or selected(\${knowmedisforaftera5} , '3') or selected(\${knowmedisforaftera5} , '4') or selected(\${knowmedisforaftera5} , '5') or selected(\${knowmedisforaftera5} , '6') or selected(\${knowmedisforaftera5} , '7') or selected(\${knowmedisforaftera5} , '8') or selected(\${knowmedisforaftera5} , '9') or selected(\${knowmedisforaftera5} , '10') or selected(\${knowmedisforaftera5} , '11') or selected(\${knowmedisforaftera5} , '12') or selected(\${knowmedisforaftera5} , '13') or selected(\${knowmedisforaftera5} , '14') or selected(\${knowmedisforaftera5} , '15') or selected(\${knowmedisforaftera5} , '-97')) and (selected(\${knowmedisforaftera5} , '-99') or selected(\${knowmedisforaftera5} , '-100')) and not(selected(\${knowmedisforaftera5} , '-99') and selected(\${knowmedisforaftera5} , '-100'))	<table border="1"> <tr><td>1</td><td>Pain reducing</td></tr> <tr><td>2</td><td>Fever reducing</td></tr> <tr><td>3</td><td>Vitamins, minerals, nutrition supplement</td></tr> <tr><td>4</td><td>Malaria</td></tr> <tr><td>5</td><td>Typhoid Fever</td></tr> <tr><td>6</td><td>Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</td></tr> <tr><td>7</td><td>Pneumonia</td></tr> <tr><td>8</td><td>Dysentery</td></tr> <tr><td>9</td><td>Gastrointestinal infection, stomach infection, or diarrhea</td></tr> <tr><td>10</td><td>High blood pressure</td></tr> <tr><td>11</td><td>Blood sugar regulation/diabetes</td></tr> <tr><td>12</td><td>Ear infection</td></tr> <tr><td>13</td><td>Syphilis</td></tr> <tr><td>14</td><td>Hepatitis</td></tr> <tr><td>15</td><td>Sickle cell disease, sickle cell anemia</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Was told, but cannot remember or did not understand</td></tr> <tr><td>-100</td><td>Was not told</td></tr> </table>	1	Pain reducing	2	Fever reducing	3	Vitamins, minerals, nutrition supplement	4	Malaria	5	Typhoid Fever	6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))	7	Pneumonia	8	Dysentery	9	Gastrointestinal infection, stomach infection, or diarrhea	10	High blood pressure	11	Blood sugar regulation/diabetes	12	Ear infection	13	Syphilis	14	Hepatitis	15	Sickle cell disease, sickle cell anemia	-97	Other	-99	Was told, but cannot remember or did not understand	-100	Was not told
1	Pain reducing																																					
2	Fever reducing																																					
3	Vitamins, minerals, nutrition supplement																																					
4	Malaria																																					
5	Typhoid Fever																																					
6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))																																					
7	Pneumonia																																					
8	Dysentery																																					
9	Gastrointestinal infection, stomach infection, or diarrhea																																					
10	High blood pressure																																					
11	Blood sugar regulation/diabetes																																					
12	Ear infection																																					
13	Syphilis																																					
14	Hepatitis																																					
15	Sickle cell disease, sickle cell anemia																																					
-97	Other																																					
-99	Was told, but cannot remember or did not understand																																					
-100	Was not told																																					
knowmedisforafterb5 (required)	Do you know what illness or symptoms [desc_othernamedafter5] is for? Question relevant when: selected(\${itemafter5} , '1') and \${desc_othernamedafter5} !='' and \${namemedafter5} !='' Response constrained to: not((selected(\${knowmedisforafterb5} , '1') or selected(\${knowmedisforafterb5} , '2') or selected(\${knowmedisforafterb5} , '3') or selected(\${knowmedisforafterb5} , '4') or selected(\${knowmedisforafterb5} , '5') or selected(\${knowmedisforafterb5} , '6') or selected(\${knowmedisforafterb5} , '7') or selected(\${knowmedisforafterb5} , '8') or selected(\${knowmedisforafterb5} , '9') or selected(<table border="1"> <tr><td>1</td><td>Pain reducing</td></tr> <tr><td>2</td><td>Fever reducing</td></tr> <tr><td>3</td><td>Vitamins, minerals, nutrition supplement</td></tr> <tr><td>4</td><td>Malaria</td></tr> <tr><td>5</td><td>Typhoid Fever</td></tr> <tr><td>6</td><td>Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</td></tr> <tr><td>7</td><td>Pneumonia</td></tr> </table>	1	Pain reducing	2	Fever reducing	3	Vitamins, minerals, nutrition supplement	4	Malaria	5	Typhoid Fever	6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))	7	Pneumonia																						
1	Pain reducing																																					
2	Fever reducing																																					
3	Vitamins, minerals, nutrition supplement																																					
4	Malaria																																					
5	Typhoid Fever																																					
6	Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))																																					
7	Pneumonia																																					

HomePatientInterview

Field	Question	Answer
		8 Dysentery
		9 Gastrointestinal infection, stomach infection, or diarrhea
		10 High blood pressure
		11 Blood sugar regulation/diabetes
		12 Ear infection
		13 Syphilis
		14 Hepatitis
		15 Sickle cell disease, sickle cell anemia
		-97 Other
		-99 Was told, but cannot remember or did not understand
		-100 Was not told
desc_otherknowmedisforaftera5 (required)	Specify other illness or symptom. Question relevant when: selected(\${knowmedisforafterb5} ,'-97') and \${namedafter5} !=""	
desc_otherknowmedisforafterb5 (required)	Specify other illness or symptom. Question relevant when: selected(\${knowmedisforafterb5} ,'-97') and \${namedafter5} !=""	
takingmedaftera5_1 (required)	Are you currently taking [namedafter5]? Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${namedafter5} , "")) or selected(\${namedafter5} , 'other') and \${namedafter5} !="" and selected(\${patientrespondent_pl} , '1')	1 Yes 2 No -98 Refused to say
takingmedaftera5_2 (required)	Is [namepatient_pl] currently taking [namedafter5]? Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${namedafter5} , "")) or selected(\${namedafter5} , 'other') and \${namedafter5} !="" and selected(\${patientrespondent_pl} , '2')	1 Yes 2 No -98 Refused to say
takingmedafterb5_1 (required)	Are you currently taking [desc_othernamedafter5]? Question relevant when: selected(\${itemafter5} , '1') and \${desc_othernamedafter5} !="" and \${namedafter5} !="" and selected(\${patientrespondent_pl} , '1')	1 Yes 2 No -98 Refused to say
takingmedafterb5_2 (required)	Is [namepatient_pl] currently taking [desc_othernamedafter5]? Question relevant when: selected(\${itemafter5} , '1') and \${desc_othernamedafter5} !="" and \${namedafter5} !="" and selected(\${patientrespondent_pl} , '2')	1 Yes 2 No -98 Refused to say

whynottakingmedafter5 (required)	Why not? Question relevant when: selected(\${itemafter5} , '1') and (\${takingmedaftera5_1} =2 or \${takingmedaftera5_2} =2 or \${takingmedafterb5_1} =2 or \${takingmedafterb5_2} =2) and \${namedafter5} !=""	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_whynottakingmedaftera5_1 (required)	Specify why the medication is not taken Question relevant when: selected(\${itemafter5} , '1') and selected(\${takingmedaftera5_1} , '2') and selected(\${whynottakingmedafter5} , '-97') and \${namedafter5} !=""	
desc_whynottakingmedaftera5_2 (required)	Specify why the medication is not taken Question relevant when: selected(\${itemafter5} , '1') and selected(\${takingmedaftera5_2} , '2') and selected(\${whynottakingmedafter5} , '-97') and \${namedafter5} !=""	
desc_whynottakingmedafterb5_1 (required)	Specify why the medication is not taken Question relevant when: selected(\${itemafter5} , '1') and selected(\${takingmedafterb5_1} , '2') and selected(\${whynottakingmedafter5} , '-97') and \${namedafter5} !=""	
desc_whynottakingmedafterb5_2 (required)	Specify why the medication is not taken Question relevant when: selected(\${itemafter5} , '1') and selected(\${takingmedafterb5_2} , '2') and selected(\${whynottakingmedafter5} , '-97') and \${namedafter5} !=""	
helpedcuringmedaftera5_1 (required)	How strongly do you agree or disagree with the statement "[namedafter5] makes me feel better"? Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${namedafter5} , "")) or selected(\${namedafter5} , 'other') and \${namedafter5} !="" and selected(\${patientrespondent_pl} , '1')	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaftera5_2 (required)	How strongly do you agree or disagree with the statement "[namepatient_pl] feel better"?	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral

HomePatientInterview

Field	Question	Answer
	Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${namedafter5} , "")) or selected(\${namedafter5} , 'other') and \${namedafter5} != "" and selected(\${patientrespondent_pl} , '2')	1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaafterb5_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamedafter5] makes me feel better"? Question relevant when: selected(\${itemafter5} , '1') and \${desc_othernamedafter5} != "" and selected(\${patientrespondent_pl} , '1') and \${namedafter5} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaafterb5_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamedafter5] makes [namepatient_pl] feel better"? Question relevant when: selected(\${itemafter5} , '1') and \${desc_othernamedafter5} != "" and selected(\${patientrespondent_pl} , '2') and \${namedafter5} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedaaftera5 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [namedafter5]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: selected(\${itemafter5} , '1') and not(selected(\${namedafter5} , "")) or selected(\${namedafter5} , 'other') and \${namedafter5} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedaafterb5 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamedafter5]"? Probe: does the respondent think this medication was absolutely necessary? Question relevant when: selected(\${itemafter5} , '1') and \${desc_othernamedafter5} != "" and \${namedafter5} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
itemafter6 (required)	Was another medication taken? Question relevant when: selected(\${itemafter5} , '1')	1 Yes 2 No
typeitemafter6 (required)	Which type of item? (6) Question relevant when: selected(\${itemafter6} , '1')	1 Drug/medication with known name 2 Equipment/materials
namedafter6 (required)	Which is the name of the drug/medication? Question relevant when: selected(\${itemafter6} , '1') and selected(\${typeitemafter6} , '1')	acefylline_piperazine Acéfylline pipérazine acefylline_piperazine-diphenhydramine-hcl Acefylline Piperazine+ Diphenhydramine Hcl acetaminophene Acétaminophène acetaminophene_(para)-dextromethorphan-pseud. Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine acetylcysteine Acetylcysteine acetylsalicylic_acid Acetylsalicylic acid acid_benzoïque Acide benzoïque acid_valproïque Acide valproïque actapulgite Actapulgite actifed Actifed albendazole Albendazole alimemazine Alimemazine allergosone Allergosone almex Almex ammonium_chloride Ammonium Chloride amodiaquine Amodiaquine amodix Amodix amoquin Amoquin amoxicillin Amoxicillin amoxicilline-cla Amoxicilline + Cla amoxitem Amoxitem ampicilline Ampicilline analgin Analgin antipy_benzo_otic_sol Antipy Benzo Otic Sol antropine Antropine

HomePatientInterview

Field	Question	Answer
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether- lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether- lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgite Attapulgite
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine
		benzododecinium Benzododecinium
		benzoic_acid Benzoic Acid
		betadine Betadine
		biafine Biafine
		biakof Biakof
		binozyt Binozyt
		broncoxil Broncoxil
		bronquidiazina Bronquidiazina
		brufen Brufen
		brumed Brumed
		cac_1000 CAC 1000 sandoz
		caflam Caflam
		camoquin Camoquin
		carbetux Carbetux
		carbocisteine Carbocisteine
		cataflam Cataflam
		cedrox Cedrox
		cefadroxil Cefadroxil
		cefixime Cefixime
		ceftriaxone Ceftriaxone
		celestene Celestene
		chloropyramine Chloropyramine
		chloroquine Chloroquine
		chlorphenamine Chlorphenamine
		chlortetracycline Chlortetracycline
		ciprofloxacin Ciprofloxacin
		cipronat Cipronat
		clamoxy Clamoxy
		cloperastine Cloperastine
		clotrimazole Clotrimazole
		coartem Coartem
		codeine Codeine

HomePatientInterview

Field	Question	Answer	collu-hextril	Collu-Hextril
			combiart	Combiart
			combiart_adult	Combiart adult
			cotrimoxazol_(trimoprim)	Cotrimoxazol (Trimoprim)
			cta_adolescent	CTA Adolescent
			cta_adulte	CTA Adulte
			cta_enfant	CTA Enfant
			cyproheptadine	Cyproheptadine
			debridat	Debridat
			depakine	Depakine
			dexamethasone	Dexamethasone
			dextromethorphan	Dextromethorphan
			diazole	Diazole
			diclofenac	Diclofenac
			diclopara	Diclopara
			diosmectite	Diosmectite
			diphenhydramine	Diphénhydramine
			diphenoxylate	Diphénoxylylate
			doliprane	Doliprane
			dolotab	Dolotab
			domperidone	Domperidone
			dysenteral	Dysentéral
			efferalgan	Efferalgan
			ercefuryl	Ercefuryl
			erycin	Erycin
			erythromycin	Erythromycin
			febrilex	Febrilex
			fer_acidefolique	Fer + acide folique
			fercefol	Fercefol
			flagyl	Flagyl
			flucazol	Flucazol
			fluconazole	Fluconazole
			fluditec	Fluditec
			fluoxine	Fluoxine
			gastroedal	Gastrosédal
			gentamycin	Gentamycin
			grippex	Grippex
			hepatisane	Hépatisane
			hexachlorophene	Hexachlorophène
			hexetidine	Hexétidine
			huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
			ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaline_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite

HomePatientInterview

Field	Question	Answer	mequitazine	Mequitazine
			metamizole	Métamizole
			methylprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgin	Novalgin
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onguent_antibiotique	Onguent antibiotique
			oracefal	Oracefal
			orasef_zinc	Orasef Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgin
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent
			perfalgan	Perfalgan
			peridys	Peridys
			phenazone	Phénazone
			phenylpropanolamine	Phénylpropanolamine
			polydexa	Polydexa
			polymyxine	Polymyxine
			pommade_a_la_tetracycline	pommade à la tétracycline
			prednisone	Prednisone
			primalan	Primalan
			promethazine	Promethazine
			prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
			pseudoephedrine	Pseudoephedrine
			quinimax	Quinimax
			quinine	Quinine
			quinine_injectable	Quinine (injectable)
			quinine_tablet	Quinine (tablet)
			radioselectan	Radioselectan
			rhinathiol	Rhinathiol
			royal_(chest-lung)	Royal (Chest & Lung)
			salbutamol	Salbutamol
			smecta	Smecta
			smectites	Smectites
			solu-medrol	Solu-Medrol
			sro	SRO

HomePatientInterview

Field	Question	Answer	sterimar	Stérimar
			sudrex	Sudrex
			sulfamethoxazol	Sulfamethoxazol
			sulfur	Sulfur
			synozole	Synozole
			tao_(troleandomycin)	TAO (troleandomycin)
			terpin_hydrate	Terpin Hydrate
			terpine_codeine	Terpine Codeine
			terpone_expectorant	Terpone expectorant
			tetracycline_ointment	Tetracycline Ointment
			theralene	Theralene
			tres_orix	Tres Orix
			trimebutine	Trimébutine
			trimetabol	Trimetabol
			uclaprim	Uclaprim
			unasyn	Unasyn
			valproate	Valproate
			valproic_acid	Valproic Acid
			vermin-dazol	Vermin-Dazol
			verzol	Verzol
			vinciseptil	Vinciseptil
			vita_bebe	Vita BeBe
			vitafer	Vitafer
			vitamine_b	Vitamine B
			vogalene	Vogalene
			xylometazoline	Xylométazoline
			zinc	Zinc
			other	Other
desc_othernamedafter6 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${itemafter6} , '1') and selected(\${typeitemafter6} , '1') and selected(\${namemedafter6} , 'other')</i>			

equipafter6 (required)	Which is the equipment/material? <i>Question relevant when: selected(\${itemafter6} , '1') and selected(\${typeitemafter6} , '2')</i>		alcohol	Alcohol
			bandage	Bandage
			bande_de_pansement	Dressing
			catheter_intraveineuse	Intravenous catheter
			colton	Cotton
			compress	Compress
			desinfectant	Disinfectant
			epicranni	Winged infusion set (scalp vein set, butterfly set)
			fluide_intraveineuse	Intravenous fluid
			iodine	Iodine
			infusion_IV_fluids	Infusion
			perfuseur	Perfuseur
			polyodoniodex	Polyodon Iodex
			povidine-iodine	Povidone iodine
			syringe	Syringe
			serum_glucose	Glucose serum
			serum_sale_(salin)	Saline serum
			sparadrap	Bandaïd
			gloves	Gloves
			other	Other
desc_otherequipafter6 (required)	Specify other equipment/material: <i>Question relevant when: selected(\${itemafter6} , '1') and selected(\${typeitemafter6} , '2') and selected(\${equipafter6} , 'other')</i>			
prescrmedafter6 (required)	Was [namemedafter6] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter6} , '1') and not(selected(\${namemedafter6} , "")) or selected(\${namemedafter6} , 'other') and \${namemedafter6} != ""</i>	1	Prescribed at the CSCOM visit at which the first interview was done	
		2	Prescribed at the same CSCOM, but different visit	
		3	Prescribed at a different healthcare facility	

HomePatientInterview

Field	Question	Answer										
prescmedafterb6 (required)	Was [desc_othernamedafter6] prescribed to you at the CSCOM visit where you were first interviewed? <i>Probe: prescribed by a doctor or nurse at formal healthcare facility, including hospitals, private doctor, etc., or not prescribed?</i> <i>Question relevant when: selected(\${itemafter6} , '1') and \${desc_othernamedafter6} != "" and \${namedafter6} != ""</i>	<table border="1"> <tr> <td>1</td> <td>The medication was not prescribed</td> </tr> <tr> <td>1</td> <td>Prescribed at the CSCOM visit at which the first interview was done</td> </tr> <tr> <td>2</td> <td>Prescribed at the same CSCOM, but different visit</td> </tr> <tr> <td>3</td> <td>Prescribed at a different healthcare facility</td> </tr> <tr> <td>4</td> <td>The medication was not prescribed</td> </tr> </table>	1	The medication was not prescribed	1	Prescribed at the CSCOM visit at which the first interview was done	2	Prescribed at the same CSCOM, but different visit	3	Prescribed at a different healthcare facility	4	The medication was not prescribed
1	The medication was not prescribed											
1	Prescribed at the CSCOM visit at which the first interview was done											
2	Prescribed at the same CSCOM, but different visit											
3	Prescribed at a different healthcare facility											
4	The medication was not prescribed											
costitemaftera6 (required)	What was the price paid for [namedafter6]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter6} , '1') and not(selected(\${namedafter6} , "")) or selected(\${namedafter6} , 'other') and \${namedafter6} != ""</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemafterb6 (required)	What was the price paid for [desc_othernamedafter6]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter6} , '1') and \${desc_othernamedafter6} != "" and selected(\${namedafter6} , 'other')</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemafterc6 (required)	What was the price paid for [equipafter6]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter6} , '1') and not(selected(\${equipafter6} , "")) or selected(\${equipafter6} , 'other') and \${equipafter6} != ""</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											
costitemafterd6 (required)	What was the price paid for [desc_otherequipafter6]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${itemafter6} , '1') and \${desc_otherequipafter6} != "" and selected(\${equipafter6} , 'other')</i> <i>Response constrained to: (>=0 and .<=50000) or .=-99</i>											

wheregetmedaftera6 (required)	Where did you get [namedafter6] from? <i>Question relevant when: selected(\${itemafter6} , '1') and not(selected(\${namedafter6} , "")) or selected(\${namedafter6} , 'other') and \${namedafter6} != ""</i>	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
wheregetmedafterb6 (required)	Where did you get [desc_othernamedafter6] from? <i>Question relevant when: selected(\${itemafter6} , '1') and \${desc_othernamedafter6} != "" and \${namedafter6} != ""</i>	<table border="1"> <tr><td>1</td><td>Doctor / nurse / pharmacy at CSCOM (SI)</td></tr> <tr><td>2</td><td>Doctor / nurse / pharmacy at a hospital</td></tr> <tr><td>3</td><td>Private doctor / nurse</td></tr> <tr><td>4</td><td>Pharmacy / Pharmacist</td></tr> <tr><td>5</td><td>Itinerant drug seller / market / shop</td></tr> <tr><td>6</td><td>Traditional healer</td></tr> <tr><td>7</td><td>Community health worker</td></tr> <tr><td>8</td><td>Midwife</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-99</td><td>Don't know</td></tr> </table>	1	Doctor / nurse / pharmacy at CSCOM (SI)	2	Doctor / nurse / pharmacy at a hospital	3	Private doctor / nurse	4	Pharmacy / Pharmacist	5	Itinerant drug seller / market / shop	6	Traditional healer	7	Community health worker	8	Midwife	-97	Other	-99	Don't know
1	Doctor / nurse / pharmacy at CSCOM (SI)																					
2	Doctor / nurse / pharmacy at a hospital																					
3	Private doctor / nurse																					
4	Pharmacy / Pharmacist																					
5	Itinerant drug seller / market / shop																					
6	Traditional healer																					
7	Community health worker																					
8	Midwife																					
-97	Other																					
-99	Don't know																					
desc_othewheregetmedaftera6 (required)	Specify: Where did you get [namedafter6] from? <i>Question relevant when: selected(\${itemafter6} , '1') and not(selected(\${namedafter6} , "")) or selected(\${namedafter6} , 'other') and \${namedafter6} != "" and selected(\${wheregetmedaftera6} , '-97')</i>																					
desc_othewheregetmedafterb6 (required)	Specify: Where did you get [desc_othernamedafter6] from? <i>Question relevant when: selected(\${itemafter6} , '1') and \${desc_othernamedafter6} != "" and \${namedafter6} != "" and selected(\${wheregetmedafterb6} , '-97')</i>																					
knowmedisforaftera6 (required)	Do you know what illness or symptoms [namedafter6] is for?	<table border="1"> <tr><td>1</td><td>Pain reducing</td></tr> <tr><td>2</td><td>Fever reducing</td></tr> </table>	1	Pain reducing	2	Fever reducing																
1	Pain reducing																					
2	Fever reducing																					

HomePatientInterview

Field	Question	Answer
	<p>Question relevant when: <i>selected(\${itemafter6} , '1') and not(selected(\${namedafter6} , '')) or selected(\${namedafter6} , 'other')) and \${namedafter6} !=''</i></p> <p>Response constrained to: <i>not((selected(\${knowmedisforafter6} , '1') or selected(\${knowmedisforafter6} , '2') or selected(\${knowmedisforafter6} , '3') or selected(\${knowmedisforafter6} , '4') or selected(\${knowmedisforafter6} , '5') or selected(\${knowmedisforafter6} , '6') or selected(\${knowmedisforafter6} , '7') or selected(\${knowmedisforafter6} , '8') or selected(\${knowmedisforafter6} , '9') or selected(\${knowmedisforafter6} , '10') or selected(\${knowmedisforafter6} , '11') or selected(\${knowmedisforafter6} , '12') or selected(\${knowmedisforafter6} , '13') or selected(\${knowmedisforafter6} , '14') or selected(\${knowmedisforafter6} , '15') or selected(\${knowmedisforafter6} , '-97')) and (selected(\${knowmedisforafter6} , '-99') or selected(\${knowmedisforafter6} , '-100')))) and not(selected(\${knowmedisforafter6} , '-99') and selected(\${knowmedisforafter6} , '-100'))</i></p>	<p>1 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>

knowmedisforafterb6 (required)	<p>Do you know what illness or symptoms [desc_othernamedafter6] is for?</p> <p>Question relevant when: <i>selected(\${itemafter6} , '1') and \${desc_othernamedafter6} !='' and \${namedafter6} !=''</i></p> <p>Response constrained to: <i>not((selected(\${knowmedisforafterb6} , '1') or selected(\${knowmedisforafterb6} , '2') or selected(\${knowmedisforafterb6} , '3') or selected(\${knowmedisforafterb6} , '4') or selected(\${knowmedisforafterb6} , '5') or selected(\${knowmedisforafterb6} , '6') or selected(\${knowmedisforafterb6} , '7') or selected(\${knowmedisforafterb6} , '8') or selected(\${knowmedisforafterb6} , '9') or selected(\${knowmedisforafterb6} , '10') or selected(\${knowmedisforafterb6} , '11') or selected(\${knowmedisforafterb6} , '12') or selected(\${knowmedisforafterb6} , '13') or selected(\${knowmedisforafterb6} , '14') or selected(\${knowmedisforafterb6} , '15') or selected(\${knowmedisforafterb6} , '-97')) and (selected(\${knowmedisforafterb6} , '-99') or selected(\${knowmedisforafterb6} , '-100')))) and not(selected(\${knowmedisforafterb6} , '-99') and selected(\${knowmedisforafterb6} , '-100'))</i></p>	<p>1 Pain reducing</p> <p>2 Fever reducing</p> <p>3 Vitamins, minerals, nutrition supplement</p> <p>4 Malaria</p> <p>5 Typhoid Fever</p> <p>6 Bronchitis, cough, or respiratory infection (Infection respiratoires aiguës (IRA))</p> <p>7 Pneumonia</p> <p>8 Dysentery</p> <p>9 Gastrointestinal infection, stomach infection, or diarrhea</p> <p>10 High blood pressure</p> <p>11 Blood sugar regulation/diabetes</p> <p>12 Ear infection</p> <p>13 Syphilis</p> <p>14 Hepatitis</p> <p>15 Sickle cell disease, sickle cell anemia</p> <p>-97 Other</p> <p>-99 Was told, but cannot remember or did not understand</p> <p>-100 Was not told</p>
desc_otherknowmedisforaftera6 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: <i>selected(\${knowmedisforaftera6} , '-97') and \${namedafter6} !=''</i></p>	
desc_otherknowmedisforafterb6 (required)	<p>Specify other illness or symptom.</p> <p>Question relevant when: <i>selected(\${knowmedisforafterb6} , '-97') and \${namedafter6} !=''</i></p>	
takingmedaftera6_1 (required)	<p>Are you currently taking [namedafter6]?</p> <p>Question relevant when: <i>selected(\${itemafter6} , '1') and not(selected(\${namedafter6} , '')) or selected(\${namedafter6} , 'other')) and \${namedafter6} !='' and selected(\${patientrespondent_pl} , '1')</i></p>	<p>1 Yes</p> <p>2 No</p> <p>-98 Refused to say</p>

HomePatientInterview

Field	Question	Answer
takingmedaftera6_2 (required)	Is [namepatient_pl] currently taking [namemedafter6]? <i>Question relevant when: selected(\${itemafter6} , '1') and not(selected(\${namemedafter6} , "")) or selected(\${namemedafter6} , 'other')) and \${namemedafter6} != "" and selected(\${patientrespondent_pl} , '2')</i>	1 Yes 2 No -98 Refused to say
takingmedafterb6_1 (required)	Are you currently taking [desc_othernamemedafter6]? <i>Question relevant when: selected(\${itemafter6} , '1') and \${desc_othernamemedafter6} != "" and \${namemedafter6} != "" and selected(\${patientrespondent_pl} , '1')</i>	1 Yes 2 No -98 Refused to say
takingmedafterb6_2 (required)	Is [namepatient_pl] currently taking [desc_othernamemedafter6]? <i>Question relevant when: selected(\${itemafter6} , '1') and \${desc_othernamemedafter6} != "" and \${namemedafter6} != "" and selected(\${patientrespondent_pl} , '2')</i>	1 Yes 2 No -98 Refused to say
whynottakingmedafter6 (required)	Why not? <i>Question relevant when: selected(\${itemafter6} , '1') and (\${takingmedaftera6_1} = 2 or \${takingmedaftera6_2} = 2 or \${takingmedafterb6_1} = 2 or \${takingmedafterb6_2} = 2) and \${namemedafter6} != ""</i>	1 Finished full dose 2 Got better 3 Do not think it's working 4 Another person took/is taking the drug 5 Saving some of the drug for later/another person 6 Did not purchase full dose -97 Other
desc_whynottakingmedaftera6_1 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter6} , '1') and selected(\${takingmedaftera6_1} , '2') and selected(\${whynottakingmedafter6} , '-97') and \${namemedafter6} != ""</i>	
desc_whynottakingmedaftera6_2 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter6} , '1') and selected(\${takingmedaftera6_2} , '2') and selected(\${whynottakingmedafter6} , '-97') and \${namemedafter6} != ""</i>	
desc_whynottakingmedafterb6_1 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter6} , '1') and selected(\${takingmedafterb6_1} , '2') and selected(\${whynottakingmedafter6} , '-97') and \${namemedafter6} != ""</i>	
desc_whynottakingmedafterb6_2 (required)	Specify why the medication is not taken <i>Question relevant when: selected(\${itemafter6} , '1') and selected(\${takingmedafterb6_2} , '2') and selected(\${whynottakingmedafter6} , '-97') and \${namemedafter6} != ""</i>	

helpedcuringmedaftera6_1 (required)	How strongly do you agree or disagree with the statement "[namemedafter6] makes me feel better"? <i>Question relevant when: selected(\${itemafter6} , '1') and not(selected(\${namemedafter6} , "")) or selected(\${namemedafter6} , 'other')) and \${namemedafter6} != "" and selected(\${patientrespondent_pl} , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedaftera6_2 (required)	How strongly do you agree or disagree with the statement "[namemedafter6] makes [namepatient_pl] feel better"? <i>Question relevant when: selected(\${itemafter6} , '1') and not(selected(\${namemedafter6} , "")) or selected(\${namemedafter6} , 'other')) and \${namemedafter6} != "" and selected(\${patientrespondent_pl} , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedafterb6_1 (required)	How strongly do you agree or disagree with the statement "[desc_othernamemedafter6] makes me feel better"? <i>Question relevant when: selected(\${itemafter6} , '1') and \${desc_othernamemedafter6} != "" and selected(\${patientrespondent_pl} , '1') and \${namemedafter6} != ""</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
helpedcuringmedafterb6_2 (required)	How strongly do you agree or disagree with the statement "[desc_othernamemedafter6] makes [namepatient_pl] feel better"? <i>Question relevant when: selected(\${itemafter6} , '1') and \${desc_othernamemedafter6} != "" and selected(\${patientrespondent_pl} , '2') and \${namemedafter6} != ""</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
betterevenwithoutmedaftera6 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [namemedafter6]? <i>Probe: does the respondent think this medication was absolutely necessary?</i> <i>Question relevant when: selected(\${itemafter6} , '1') and not(selected(\${namemedafter6} , ""))</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree

HomePatientInterview

Field	Question	Answer
	or selected(\${namedafter6} , 'other') and \${namedafter6} != ""	2 Strongly agree -98 Refused to say
betterevenwithoutmedafter6 (required)	How strongly do you agree or disagree with the statement "The illness would have likely gotten better even without [desc_othernamedafter6]"? <i>Probe: does the respondent think this medication was absolutely necessary?</i> Question relevant when: selected(\${itemafter6} , '1') and \${desc_othernamedafter6} != "" and \${namedafter6} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
visit	Now, I would like to ask you some questions about your CSCom visit. Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))	
timewaiting (required)	How much time did you spend waiting to see a doctor/nurse? <i>In minutes</i> Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) Response constrained to: (>=0 and .<=999) or .=-98 or .=-99	
timeconsulting (required)	How much time did you spend consulting with a doctor/nurse? <i>In minutes</i> Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) Response constrained to: (>=0 and .<=999) or .=-98 or .=-99	
tellcostbefore (required)	Did the CSCOM staff tell you how much the medications cost before you received them? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and (\${named1_pl} != "" or \${desc_othernamed1_pl} != "")	1 Yes 2 No -98 Refused to say
explaintests (required)	How strongly do you agree or disagree with the statement "The doctor/nurse clearly explained the medical tests and their results to me"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported1_pl} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
addmedicaltesting (required)	How strongly do you agree or disagree with the statement "The doctor/nurse should have done additional medical testing before prescribing treatment?" Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

fewermedicaltests (required)	How strongly do you agree or disagree with the statement "The doctor/nurse should have carried out fewer tests"? <i>Give an example: the test was not necessary or too expensive.</i> Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported1_pl} != ""	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
treatbasedresults_1 (required)	How strongly do you agree or disagree with the statement "The doctor/nurse based the treatment decision strongly on the result of my medical tests"? <i>Give an example: "the test didn't change the treatment" vs. "the test decided the treatment"</i> Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported1_pl} != "" and selected(\${patientrespondent_pl} , '1')	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
treatbasedresults_2 (required)	How strongly do you agree or disagree with the statement "The doctor/nurse based the treatment decision strongly on the result of [namepatient_pl]'s medical tests." <i>Give an example: "the test didn't change the treatment" vs. "the test decided the treatment"</i> Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${testypereported1_pl} != "" and selected(\${patientrespondent_pl} , '2')	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
explaindiagnosis_1 (required)	How strongly do you agree or disagree with the statement "The doctor/nurse clearly explained to me what illness I have"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${patientrespondent_pl} , '1')	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
explaindiagnosis_2 (required)	How strongly do you agree or disagree with the statement "The doctor/nurse clearly explained to me what illness [namepatient_pl] has"? Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and selected(\${patientrespondent_pl} , '2')	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree

HomePatientInterview

Field	Question	Answer
	<i>selected(\$[patientrespondent_pl] , 2)</i>	2 Strongly agree -98 Refused to say
diffaddmed_1 (required)	Think of the treatment you got at the clinic or the drugs the doctor prescribed. How strongly do you agree or disagree with the statement "The doctor should have given me a different or additional treatment or drug. "? <i>Give examples: an injection instead of pills or the reverse, a less expensive drug (note: a drug that the respondent knows is available - not "I want the drug I received to be less expensive"), an antibiotic or vitamins in addition to the drugs received, etc.</i> <i>Question relevant when: (selected(\$[sameindiv1] , '1') or selected(\$[sameindiv2] , '1')) and selected(\$[patientrespondent_pl] , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
diffaddmed_2 (required)	Think of the treatment the patient got at the clinic or the drugs the doctor prescribed. How strongly do you agree or disagree with the statement "The doctor should have given [namepatient_pl] a different or additional treatment or drug. "? <i>Give examples: an injection instead of pills or the reverse, a less expensive drug (note: a drug that the respondent knows is available - not "I want the drug I received to be less expensive"), an antibiotic or vitamins in addition to the drugs received, etc.</i> <i>Question relevant when: (selected(\$[sameindiv1] , '1') or selected(\$[sameindiv2] , '1')) and selected(\$[patientrespondent_pl] , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
fewermed_1 (required)	Think of the treatment you got at the clinic or the drugs the doctor prescribed. How strongly do you agree or disagree with the statement "The doctor should have prescribed fewer drugs. "? <i>Question relevant when: (selected(\$[sameindiv1] , '1') or selected(\$[sameindiv2] , '1')) and selected(\$[patientrespondent_pl] , '1')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
fewermed_2 (required)	Think of the treatment [namepatient_pl] got at the clinic or the drugs the doctor prescribed. How strongly do you agree or disagree with the statement "The doctor should have prescribed fewer drugs. "? <i>Question relevant when: (selected(\$[sameindiv1] , '1') or selected(\$[sameindiv2] , '1')) and selected(\$[patientrespondent_pl] , '2')</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say

doctorspatients (required)	How strongly do you agree or disagree with the statement "CSCCom doctors have only the health of their patients on their minds." <i>Question relevant when: (selected(\$[sameindiv1] , '1') or selected(\$[sameindiv2] , '1'))</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
doctorscosts (required)	How strongly do you agree or disagree with the statement "CSCCom doctors pay attention to the cost of the medications they prescribe." <i>Question relevant when: (selected(\$[sameindiv1] , '1') or selected(\$[sameindiv2] , '1'))</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
doctorsfinancialsituation (required)	How strongly do you agree or disagree with the statement "CSCCom doctors worry about the financial situation of the clinic and pharmacy or their own salary." <i>Question relevant when: (selected(\$[sameindiv1] , '1') or selected(\$[sameindiv2] , '1'))</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
doctorslisten (required)	How strongly do you agree or disagree with the statement "CSCCom doctors listen to patients and give them whatever medications they would like to buy." <i>Question relevant when: (selected(\$[sameindiv1] , '1') or selected(\$[sameindiv2] , '1'))</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree 2 Strongly agree -98 Refused to say
doctorsmeddontneed (required)	How strongly do you agree or disagree with the statement "CSCCom doctors often prescribe medications people don't need." <i>Question relevant when: (selected(\$[sameindiv1] , '1') or selected(\$[sameindiv2] , '1'))</i>	-2 Strongly disagree -1 Disagree 0 Neither agree nor disagree, neutral 1 Agree

HomePatientInterview

Field	Question	Answer	
availability (required)	From your or others' experience, how often does it happen that a drug or test that you need are not available at this CSCCom? <i>Probe: if they have been to this CSCCom two times or more, or know anyone who has been there, how often did it occur? If they know of less than 2 visits, enter "don't know".</i> <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	2	Strongly agree
		-98	Refused to say
		1	Very often: more than half the time
		2	Occasionally: sometimes, but not more than half the time
		3	Rarely: has happened before but was an exception
		4	Never
		-99	Don't know/not enough experience
changehealthcare (required)	If there was anything you could change about the healthcare provided at your local CSCCom, what would it be? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>		
rdt (required)	[Surveyor: RDT test: did the patient/guardian consent to be tested?] <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1'))</i>	1	Yes
		2	No
refusedrdt	Thank you very much for your answers. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${rdt} = 2</i>		
rdtresult (required)	[Surveyor: What was the RDT test result? Do not yet reveal test result to respondent.] <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${rdt} = 1</i>	1	Positive
		2	Negative
		3	Inconclusive
malariareult1 (required)	How certain are you that the result of the malaria test will show that you do or do not have malaria? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${rdt} = 1 and \${patientrespondent_pl} = 1</i>	1	Will definitely show no malaria
		2	More likely show no malaria
		3	Unsure/equally likely
		4	More likely show malaria
		5	Definitely show malaria
		-98	Refused to say
malariareult2 (required)	How certain are you that the result of the malaria test will show that [namepatient_pl] does or does not have malaria? <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${rdt} = 1 and \${patientrespondent_pl} = 2</i>	1	Will definitely show no malaria
		2	More likely show no malaria
		3	Unsure/equally likely
		4	More likely show malaria
		5	Definitely show malaria
		-98	Refused to say

counsel	[Surveyor: Inform the respondent of the test result. If the patient tests malaria negative but is taking malaria medication, counsel the respondent that the patient should continue taking the full treatment course. If the patient tests malaria positive but has not recently received malaria treatment, counsel the respondent to follow up with a medical provider.] <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${rdt} = 1</i>		
endhome	Thank you very much for your answers. <i>Question relevant when: (selected(\${sameindiv1} , '1') or selected(\${sameindiv2} , '1')) and \${rdt} = 1</i>		