

# Codebook Newvar File Albania 2002 Males

## 2002 ALBANIAN REPRODUCTIVE HEALTH SURVEY HOUSEHOLD QUESTIONNAIRE

### HH\_ID

		Value
Standard Attributes	Label	Household ID
N	Valid	3965
	Missing	0

### PSU

		Value
Standard Attributes	Label	PSU
N	Valid	3965
	Missing	0

### STRATA

		Value	Count	Percent
Standard Attributes	Label	Strata		
N	Valid		3965	
	Missing		0	
Labeled Values	1.00	Metro Tirana	1402	35.4%
	2.00	Other Urban	1380	34.8%
	3.00	Other Rural	1183	29.8%

### STAT\_CD

		Value
Standard Attributes	Label	Statistics Code
N	Valid	3965
	Missing	0

### DISTRICT

		Value
Standard Attributes	Label	District
N	Valid	3965
	Missing	0

### KOMUNA

		Value
Standard Attributes	Label	Komuna
N	Valid	3965
	Missing	0

### LOCALITY

		Value
Standard Attributes	Label	Locality
N	Valid	3965
	Missing	0

**VISIT\_N**

		Value
Standard Attributes	Label	Visit Number
N	Valid	3965
	Missing	0

**VISIT\_DA**

		Value
Standard Attributes	Label	Visit Day
N	Valid	3965
	Missing	0

**VISIT\_MO**

		Value
Standard Attributes	Label	Visit Month
N	Valid	3965
	Missing	0

**RESULT**

		Value	Count	Percent
Standard Attributes	Label	Result		
N	Valid	3965		
	Missing	0		
Labeled Values	1.00	Completed Interview	1740	43.9%
	2.00	No Eligible Man lives in household	1664	42.0%
	3.00	Nobody Home	19	.5%
	4.00	Selected Respondent not home	81	2.0%
	5.00	Household Refusal	2	.1%
	6.00	Selected respondent refusal	4	.1%
	7.00	Unoccupied House	412	10.4%
	8.00	Respondent Incompetent	37	.9%
	9.00	Other	6	.2%
	10.00	Incomplete Interview	0	.0%

**RES\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Result Other		
Valid Values			3965	100.0%

**INTV\_NBR**

		Value
Standard Attributes	Label	Interviewer Number
N	Valid	3965
	Missing	0

**SUPR\_NBR**

		Value
Standard Attributes	Label	Supervisor Number
N	Valid	3965
	Missing	0

**Q1**

		Value	Count	Percent
Standard Attributes	Label	Nbr families in household		
N	Valid	3526		
	Missing	439		
Labeled Values	9.00	Not Sure	0	.0%

**Q2**

		Value	Count	Percent
Standard Attributes	Label	Nbr people live in house		
N	Valid	3526		
	Missing	439		
Labeled Values	99.00	Not sure	0	.0%

**Q3**

		Value	Count	Percent
Standard Attributes	Label	Nbr Males in house		
N	Valid	3526		
	Missing	439		
Labeled Values	9.00	Not Sure	0	.0%

**Q4\_AGE\_1**

		Value	Count	Percent
Standard Attributes	Label	Age-Male-1		
N	Valid	1860		
	Missing	2105		
Labeled Values	99.00	Not Sure	0	.0%

**Q4\_AGE\_2**

		Value	Count	Percent
Standard Attributes	Label	Age-Male-2		
N	Valid	378		
	Missing	3587		
Labeled Values	99.00	Not Sure	0	.0%

**Q4\_AGE\_3**

		Value	Count	Percent
Standard Attributes	Label	Age-Male-3		
N	Valid	68		
	Missing	3897		
Labeled Values	99.00	Not Sure	0	.0%

**Q4\_AGE\_4**

		Value	Count	Percent
Standard Attributes	Label	Age-Male-4		
N	Valid	12		
	Missing	3953		
Labeled Values	99.00	Not Sure	0	.0%

**Q4\_AGE\_5**

		Value	Count	Percent
Standard Attributes	Label	Age-Male-5		
N	Valid	2		
	Missing	3963		
Labeled Values	99.00	Not Sure	0	.0%

**Q4\_AGE\_6**

		Value	Count	Percent
Standard Attributes	Label	Age-Male-6		
N	Valid	0		
	Missing	3965		
Labeled Values	99.00	Not Sure	0	.0%

**Q4\_MS\_1**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-Male-1		
N	Valid	1860		
	Missing	2105		
Labeled Values	1.00	Married	1247	31.5%
	2.00	Unregistered Marriage	8	.2%
	3.00	Separated	3	.1%
	4.00	Divorced	7	.2%
	5.00	Widowed	3	.1%
	6.00	Never Married	591	14.9%
	8.00	Unknown	1	.0%

**Q4\_MS\_2**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-Male-2		
N	Valid	378		
	Missing	3587		
Labeled Values	1.00	Married	23	.6%
	2.00	Unregistered Marriage	2	.1%
	3.00	Separated	1	.0%
	4.00	Divorced	1	.0%
	5.00	Widowed	0	.0%
	6.00	Never Married	351	8.9%
	8.00	Unknown	0	.0%

**Q4\_MS\_3**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-Male-3		
N	Valid	68		
	Missing	3897		
Labeled Values	1.00	Married	2	.1%
	2.00	Unregistered Marriage	0	.0%
	3.00	Separated	0	.0%
	4.00	Divorced	0	.0%
	5.00	Widowed	0	.0%
	6.00	Never Married	66	1.7%
	8.00	Unknown	0	.0%

**Q4\_MS\_4**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-Male-4		
N	Valid	12		
	Missing	3953		
Labeled Values	1.00	Married	0	.0%
	2.00	Unregistered Marriage	0	.0%
	3.00	Separated	0	.0%
	4.00	Divorced	0	.0%
	5.00	Widowed	0	.0%
	6.00	Never Married	12	.3%
	8.00	Unknown	0	.0%

**Q4\_MS\_5**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-Male-5		
N	Valid	2		
	Missing	3963		
Labeled Values	1.00	Married	0	.0%
	2.00	Unregistered Marriage	0	.0%
	3.00	Separated	0	.0%
	4.00	Divorced	0	.0%
	5.00	Widowed	0	.0%
	6.00	Never Married	2	.1%
	8.00	Unknown	0	.0%

**Q4\_MS\_6**

		Value	Count	Percent
Standard Attributes	Label	Marital Status-Male-6		
N	Valid	0		
	Missing	3965		
Labeled Values	1.00	Married	0	.0%
	2.00	Unregistered Marriage	0	.0%
	3.00	Separated	0	.0%
	4.00	Divorced	0	.0%
	5.00	Widowed	0	.0%
	6.00	Never Married	0	.0%
	8.00	Unknown	0	.0%

**Q4\_ED1\_1**

		Value	Count	Percent
Standard Attributes	Label	Education Level-Male-1		
N	Valid	1860		
	Missing	2105		
Labeled Values	.00	No School	30	.8%
	1.00	Elementary Education (1-4)	22	.6%
	2.00	Post elementary (5-8)	726	18.3%
	3.00	High School	681	17.2%
	4.00	Basic Secondary + Vocational	166	4.2%
	5.00	Complete Secondary + technical	11	.3%
	6.00	University / Postgraduate	222	5.6%
	8.00	Unknown	2	.1%

**Q4\_ED1\_2**

		Value	Count	Percent
Standard Attributes	Label	Education Level-Male-2		
N	Valid	378		
	Missing	3587		
Labeled Values	.00	No School	7	.2%
	1.00	Elementary Education (1-4)	5	.1%
	2.00	Post elementary (5-8)	192	4.8%
	3.00	High School	144	3.6%
	4.00	Basic Secondary + Vocational	17	.4%
	5.00	Complete Secondary + technical	1	.0%
	6.00	University / Postgraduate	12	.3%
	8.00	Unknown	0	.0%

**Q4\_ED1\_3**

		Value	Count	Percent
Standard Attributes	Label	Education Level-Male-3		
N	Valid	68		
	Missing	3897		
Labeled Values	.00	No School	1	.0%
	1.00	Elementary Education (1-4)	0	.0%
	2.00	Post elementary (5-8)	41	1.0%
	3.00	High School	21	.5%
	4.00	Basic Secondary + Vocational	4	.1%
	5.00	Complete Secondary + technical	1	.0%
	6.00	University / Postgraduate	0	.0%
	8.00	Unknown	0	.0%

**Q4\_ED1\_4**

		Value	Count	Percent
Standard Attributes	Label	Education Level-Male-4		
N	Valid	12		
	Missing	3953		
Labeled Values	.00	No School	0	.0%
	1.00	Elementary Education (1-4)	0	.0%
	2.00	Post elementary (5-8)	10	.3%
	3.00	High School	2	.1%
	4.00	Basic Secondary + Vocational	0	.0%
	5.00	Complete Secondary + technical	0	.0%
	6.00	University / Postgraduate	0	.0%
	8.00	Unknown	0	.0%

**Q4\_ED1\_5**

		Value	Count	Percent
Standard Attributes	Label	Education Level-Male-5		
N	Valid	2		
	Missing	3963		
Labeled Values	.00	No School	0	.0%
	1.00	Elementary Education (1-4)	0	.0%
	2.00	Post elementary (5-8)	1	.0%
	3.00	High School	1	.0%
	4.00	Basic Secondary + Vocational	0	.0%
	5.00	Complete Secondary + technical	0	.0%
	6.00	University / Postgraduate	0	.0%
	8.00	Unknown	0	.0%

**Q4\_ED1\_6**

		Value	Count	Percent
Standard Attributes	Label	Education Level-Male-6		
N	Valid		0	
	Missing		3965	
Labeled Values	.00	No School	0	.0%
	1.00	Elementary Education (1-4)	0	.0%
	2.00	Post elementary (5-8)	0	.0%
	3.00	High School	0	.0%
	4.00	Basic Secondary + Vocational	0	.0%
	5.00	Complete Secondary + technical	0	.0%
	6.00	University / Postgraduate	0	.0%
	8.00	Unknown	0	.0%

**Q5**

		Value
Standard Attributes	Label	Rank Order-Male Selected
N	Valid	1861
	Missing	2104

## MALE QUESTIONNAIRE

### BGN\_HOUR

		Value
Standard Attributes	Label	Hour Interview Began
N	Valid	1740
	Missing	0

### BGN\_MIN

		Value
Standard Attributes	Label	Minute Interview Began
N	Valid	1740
	Missing	0

### MALE\_ID

		Value
Standard Attributes	Label	Male-id
N	Valid	1740
	Missing	0

## I. BACKGROUND CHARACTERISTICS

### Q100\_MM

		Value	Count	Percent
Standard Attributes	Label	Month of Birth		
N	Valid	1740		
	Missing	0		
Labeled Values	98.00	Do not Know	1	.1%

### Q100\_YY

		Value	Count	Percent
Standard Attributes	Label	Year of Birth		
N	Valid	1740		
	Missing	0		
Labeled Values	9898.00	Do not Know	0	.0%

### Q101\_AGE

		Value
Standard Attributes	Label	Current Age
N	Valid	1740
	Missing	0

### Q102\_GRD

		Value
Standard Attributes	Label	Highest Grade attend School
N	Valid	1740
	Missing	0

### Q102\_YRS

		Value
Standard Attributes	Label	Number of years in grade-attend School
N	Valid	1732
	Missing	8



**Q103**

		Value	Count	Percent
Standard Attributes	Label	Have High School Diploma		
N	Valid	825		
	Missing	915		
Labeled Values	1.00	Yes	626	36.0%
	2.00	No	199	11.4%

**Q104**

		Value	Count	Percent
Standard Attributes	Label	Employed-Outside Home		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	913	52.5%
	2.00	No	827	47.5%

**Q105**

		Value	Count	Percent
Standard Attributes	Label	Reason-Not Working		
N	Valid	827		
	Missing	913		
Labeled Values	1.00	Attending School	231	13.3%
	2.00	Internal Displacement	7	.4%
	3.00	Looking for Work	399	22.9%
	4.00	Laid Off	6	.3%
	5.00	Does not need/want/like work	5	.3%
	6.00	Medical Leave	10	.6%
	7.00	Caring for Children	0	.0%
	8.00	Inability to find/afford child care	0	.0%
	9.00	Homemaker	55	3.2%
	10.00	Permanent Disability	4	.2%
	11.00	Partner/Spouse does not allow	1	.1%
	12.00	Parents do not allow	15	.9%
	13.00	Odd Jobs (LT 20 Hours /week)	39	2.2%
	14.00	Temporarily Back from Work Abroad	48	2.8%
	20.00	Other	7	.4%

**Q105\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other Reason-Not Working		
Valid Values			1734	99.7%
	DO TE IKI NE ITALI		1	.1%
	LARGIM NGA		1	.1%
	SHQIPERIA			
	LEJE USHTRIE		1	.1%
	PUNE RPRIVATE		1	.1%
	USHTAR		1	.1%
	USHTAR ME LEJE		1	.1%

**Q106**

		Value	Count	Percent
Standard Attributes	Label	Live-Town/Village		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Town	950	54.6%
	2.00	Village	790	45.4%

**Q107\_MO**

		Value	Count	Percent
Standard Attributes	Label	Time-Residence Month		
N	Valid	1740		
	Missing	0		
Labeled Values	.00	Always since Birth	1158	66.6%
	88.00	Do not Remember	0	.0%

**Q107\_YR**

		Value	Count	Percent
Standard Attributes	Label	Time-Residence Year		
N	Valid	1740		
	Missing	0		
Labeled Values	.00	Always since birth	1158	66.6%
	8888.00	Do not remember	11	.6%

**Q107A**

		Value	Count	Percent
Standard Attributes	Label	Live in town/village/outside Albania		
N	Valid	581		
	Missing	1159		
Labeled Values	1.00	Town /other town(urban)	267	15.3%
	2.00	Village/(rural)	311	17.9%
	3.00	Outside Albania	3	.2%

**Q108**

		Value	Count	Percent
Standard Attributes	Label	Marital Status		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Married	1016	58.4%
	2.00	Not Married/Living Together	7	.4%
	3.00	Separated	6	.3%
	4.00	Divorced	5	.3%
	5.00	Widowed	3	.2%
	6.00	Never Married	703	40.4%

**Q109**

		Value	Count	Percent
Standard Attributes	Label	Ever lived w/girlfriend/partner		
N	Valid	703		
	Missing	1037		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	703	40.4%

**Q110**

		Value	Count	Percent
Standard Attributes	Label	Lifetime-Nbr Children Wanted		
N	Valid	703		
	Missing	1037		
Labeled Values	22.00	As many as God Gives	55	3.2%
	33.00	As many as Wife wants	2	.1%
	88.00	Not Sure/DK	97	5.6%

**Q111**

		Value	Count	Percent
Standard Attributes	Label	Times Married/Lived/Girlfriend		
N	Valid	1037		
	Missing	703		
Labeled Values	9.00	Refusal	0	.0%

**Q112\_MO\_1**

		Value	Count	Percent
Standard Attributes	Label	Month-Begin living partner-1		
N	Valid	1037		
	Missing	703		
Labeled Values	88.00	Do not Know	0	.0%

**Q112\_MO\_2**

		Value	Count	Percent
Standard Attributes	Label	Month-Begin living partner-2		
N	Valid	13		
	Missing	1727		
Labeled Values	88.00	Do not Know	0	.0%

**Q112\_MO\_3**

		Value	Count	Percent
Standard Attributes	Label	Month-Begin living partner-3		
N	Valid	1		
	Missing	1739		
Labeled Values	88.00	Do not Know	0	.0%

**Q112\_MO\_4**

		Value	Count	Percent
Standard Attributes	Label	Month-Begin living partner-4		
N	Valid	0		
	Missing	1740		
Labeled Values	88.00	Do not Know	0	.0%

**Q112\_YR\_1**

		Value	Count	Percent
Standard Attributes	Label	Year-Begin living partner-1		
N	Valid	1037		
	Missing	703		
Labeled Values	8888.00	Do not Know	0	.0%

**Q112\_YR\_2**

		Value	Count	Percent
Standard Attributes	Label	Year-Begin living partner-2		
N	Valid	13		
	Missing	1727		
Labeled Values	8888.00	Do not Know	0	.0%

**Q112\_YR\_3**

		Value	Count	Percent
Standard Attributes	Label	Year-Begin living partner-3		
N	Valid	1		
	Missing	1739		
Labeled Values	8888.00	Do not Know	0	.0%

**Q112\_YR\_4**

		Value	Count	Percent
Standard Attributes	Label	Year-Begin living partner-4		
N	Valid	0		
	Missing	1740		
Labeled Values	8888.00	Do not Know	0	.0%

**Q113\_AGE\_1**

		Value
Standard Attributes	Label	Age-Begin living partner-1
N	Valid	1037
	Missing	703

**Q113\_AGE\_2**

		Value
Standard Attributes	Label	Age-Begin living partner-2
N	Valid	13
	Missing	1727

**Q113\_AGE\_3**

		Value
Standard Attributes	Label	Age-Begin living partner-3
N	Valid	1
	Missing	1739

**Q113\_AGE\_4**

		Value
Standard Attributes	Label	Age-Begin living partner-4
N	Valid	0
	Missing	1740

**Q114\_GRD\_1**

		Value
Standard Attributes	Label	Grade-Partner Attained-1
N	Valid	1036
	Missing	704

**Q114\_GRD\_2**

		Value
Standard Attributes	Label	Grade-Partner Attained-2
N	Valid	13
	Missing	1727

**Q114\_GRD\_3**

		Value
Standard Attributes	Label	Grade-Partner Attained-3
N	Valid	1
	Missing	1739

**Q114\_GRD\_4**

		Value
Standard Attributes	Label	Grade-Partner Attained-4
N	Valid	0
	Missing	1740

**Q115\_REL\_1**

		Value	
Standard Attributes	Label	Relationship-Partner-1	
N	Valid		1037
	Missing		703

**Q115\_REL\_2**

		Value	
Standard Attributes	Label	Relationship-Partner-2	
N	Valid		13
	Missing		1727

**Q115\_REL\_3**

		Value	
Standard Attributes	Label	Relationship-Partner-3	
N	Valid		1
	Missing		1739

**Q115\_REL\_4**

		Value	
Standard Attributes	Label	Relationship-Partner-4	
N	Valid		0
	Missing		1740

**Q116\_MO\_1**

		Value	Count	Percent
Standard Attributes	Label	Month-End living Partner-1		
N	Valid		25	
	Missing		1715	
Labeled Values	88.00	Do not Know	0	.0%

**Q116\_MO\_2**

		Value	Count	Percent
Standard Attributes	Label	Month-End living Partner-2		
N	Valid		2	
	Missing		1738	
Labeled Values	88.00	Do not Know	0	.0%

**Q116\_MO\_3**

		Value	Count	Percent
Standard Attributes	Label	Month-End living Partner-3		
N	Valid		0	
	Missing		1740	
Labeled Values	88.00	Do not Know	0	.0%

**Q116\_MO\_4**

		Value	Count	Percent
Standard Attributes	Label	Month-End living Partner-4		
N	Valid		0	
	Missing		1740	
Labeled Values	88.00	Do not Know	0	.0%

**Q116\_YR\_1**

		Value	Count	Percent
Standard Attributes	Label	Year-End living Partner-1		
N	Valid	25		
	Missing	1715		
Labeled Values	8888.00	Do not Know	0	.0%

**Q116\_YR\_2**

		Value	Count	Percent
Standard Attributes	Label	Year-End living Partner-2		
N	Valid	2		
	Missing	1738		
Labeled Values	8888.00	Do not Know	0	.0%

**Q116\_YR\_3**

		Value	Count	Percent
Standard Attributes	Label	Year-End living Partner-3		
N	Valid	0		
	Missing	1740		
Labeled Values	8888.00	Do not Know	0	.0%

**Q116\_YR\_4**

		Value	Count	Percent
Standard Attributes	Label	Year-End living Partner-4		
N	Valid	0		
	Missing	1740		
Labeled Values	8888.00	Do not Know	0	.0%

**Q118**

		Value	Count	Percent
Standard Attributes	Label	First Married-Wish-Children		
N	Valid	1037		
	Missing	703		
Labeled Values	1.00	Yes	959	55.1%
	2.00	No	40	2.3%
	8.00	Not Sure	38	2.2%

**Q119**

		Value	Count	Percent
Standard Attributes	Label	Nbr-Children-Wish-first married		
N	Valid	959		
	Missing	781		
Labeled Values	22.00	As many as God gives	98	5.6%
	33.00	As many as Wife wants	2	.1%
	77.00	Never discussed	0	.0%
	88.00	Not sure	55	3.2%

**Q120**

		Value	Count	Percent
Standard Attributes	Label	Nbr-Children-Wife/Partner Wanted		
N	Valid	1037		
	Missing	703		
Labeled Values	22.00	As many as God gives	95	5.5%
	33.00	As many as Respondent wants	10	.6%
	77.00	Never Discussed	61	3.5%
	88.00	Not sure	87	5.0%

**Q121**

		Value	Count	Percent
Standard Attributes	Label	Wife Currently Employed		
N	Valid	1024		
	Missing	716		
Labeled Values	1.00	Yes	256	14.7%
	2.00	No	768	44.1%
	8.00	DK/REF	0	.0%

**Q122**

		Value	Count	Percent
Standard Attributes	Label	January 1997-ever worked abroad		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	454	26.1%
	2.00	No	1286	73.9%
	8.00	Do not Know	0	.0%

**Q122A**

		Value	Count	Percent
Standard Attributes	Label	Times Abroad-for-job		
N	Valid	454		
	Missing	1286		
Labeled Values	88.00	Unknown	2	.1%

**Q122B**

		Value	Count	Percent
Standard Attributes	Label	Nbr Months-Worked Abroad-1997		
N	Valid	0		
	Missing	1740		
Labeled Values	88.00	Do not know	0	.0%

**Q123\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-begin-work abroad		
N	Valid	454		
	Missing	1286		
Labeled Values	88.00	DK/DR	17	1.0%
	99.00	Refusal	0	.0%

**Q123\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-begin work abroad		
N	Valid	454		
	Missing	1286		
Labeled Values	8888.00	DK/DR	3	.2%
	9999.00	Refuse	0	.0%

**Q123A\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-return-work abroad		
N	Valid	453		
	Missing	1287		
Labeled Values	88.00	DK/DR	9	.5%
	99.00	Refusal	0	.0%

**Q123A\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-return-work abroad		
N	Valid	454		
	Missing	1286		
Labeled Values	8888.00	DK/DR	2	.1%
	9999.00	Refuse	0	.0%

**Q124**

		Value	Count	Percent
Standard Attributes	Label	Listen Radio Daily		
N	Valid	1740		
	Missing	0		
Labeled Values	.00	Never	491	28.2%
	55.00	Does not have access	58	3.3%
	77.00	Not every day	195	11.2%
	88.00	Do not know	17	1.0%

**Q125\_A**

		Value	Count	Percent
Standard Attributes	Label	Radio-Top Albania		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	982	56.4%
	2.00	Not Mentioned	209	12.0%

**Q125\_B**

		Value	Count	Percent
Standard Attributes	Label	Radio-Radio Tirana		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	484	27.8%
	2.00	Not Mentioned	707	40.6%

**Q125\_C**

		Value	Count	Percent
Standard Attributes	Label	Radio-Club FM		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	116	6.7%
	2.00	Not Mentioned	1075	61.8%

**Q125\_D**

		Value	Count	Percent
Standard Attributes	Label	Radio-RASH		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	141	8.1%
	2.00	Not Mentioned	1050	60.3%



**Q125\_E**

		Value	Count	Percent
Standard Attributes N	Label	Radio-Stinet		
	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	56	3.2%
	2.00	Not Mentioned	1135	65.2%

**Q125\_F**

		Value	Count	Percent
Standard Attributes N	Label	Radio-Gold Music		
	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	136	7.8%
	2.00	Not Mentioned	1055	60.6%

**Q125\_G**

		Value	Count	Percent
Standard Attributes N	Label	Radio-Europe Plus		
	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	75	4.3%
	2.00	Not Mentioned	1116	64.1%

**Q125\_H**

		Value	Count	Percent
Standard Attributes N	Label	Radio-Italian Stations		
	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	78	4.5%
	2.00	Not Mentioned	1113	64.0%

**Q125\_I**

		Value	Count	Percent
Standard Attributes N	Label	Radio-BBC		
	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	66	3.8%
	2.00	Not Mentioned	1125	64.7%

**Q125\_J**

		Value	Count	Percent
Standard Attributes N	Label	Radio-Other		
	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	196	11.3%
	2.00	Not Mentioned	995	57.2%

**Q126\_A**

		Value	Count	Percent
Standard Attributes N	Label	Radio PGM-News		
	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	649	37.3%
	2.00	Not Mentioned	542	31.1%

**Q126\_B**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Sports		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	423	24.3%
	2.00	Not Mentioned	768	44.1%

**Q126\_C**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Music		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	1082	62.2%
	2.00	Not Mentioned	109	6.3%

**Q126\_D**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Plays/dramas		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	19	1.1%
	2.00	Not Mentioned	1172	67.4%

**Q126\_E**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Church/Religious		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	7	.4%
	2.00	Not Mentioned	1184	68.0%

**Q126\_F**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Women		
N	Valid	1190		
	Missing	550		
Labeled Values	1.00	Mentioned	3	.2%
	2.00	Not Mentioned	1187	68.2%

**Q126\_G**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Health		
N	Valid	1190		
	Missing	550		
Labeled Values	1.00	Mentioned	18	1.0%
	2.00	Not Mentioned	1172	67.4%

**Q126\_H**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Political Events		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	91	5.2%
	2.00	Not Mentioned	1100	63.2%

**Q126\_I**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-Other Programs		
N	Valid	1190		
	Missing	550		
Labeled Values	1.00	Mentioned	3	.2%
	2.00	Not Mentioned	1187	68.2%

**Q126\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Radio PGM-What Programs		
Valid Values			1738	99.9%
	KURIOZITETE		2	.1%

**Q127\_A**

		Value	Count	Percent
Standard Attributes	Label	Listen 6-8 AM		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	227	13.0%
	2.00	Not Mentioned	964	55.4%

**Q127\_B**

		Value	Count	Percent
Standard Attributes	Label	Listen 8-10 AM		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	160	9.2%
	2.00	Not Mentioned	1031	59.3%

**Q127\_C**

		Value	Count	Percent
Standard Attributes	Label	Listen 10AM-Noon		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	42	2.4%
	2.00	Not Mentioned	1149	66.0%

**Q127\_D**

		Value	Count	Percent
Standard Attributes	Label	Listen Noon-2PM		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	69	4.0%
	2.00	Not Mentioned	1122	64.5%

**Q127\_E**

		Value	Count	Percent
Standard Attributes	Label	Listen 2 PM-4 PM		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	139	8.0%
	2.00	Not Mentioned	1052	60.5%

**Q127\_F**

		Value	Count	Percent
Standard Attributes	Label	Listen 4 PM-6 PM		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	113	6.5%
	2.00	Not Mentioned	1078	62.0%

**Q127\_G**

		Value	Count	Percent
Standard Attributes	Label	Listen 6 PM-8 PM		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	72	4.1%
	2.00	Not Mentioned	1119	64.3%

**Q127\_H**

		Value	Count	Percent
Standard Attributes	Label	Listen 8 PM-10 PM		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	43	2.5%
	2.00	Not Mentioned	1148	66.0%

**Q127\_I**

		Value	Count	Percent
Standard Attributes	Label	Listen After 10 PM		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	66	3.8%
	2.00	Not Mentioned	1125	64.7%

**Q127\_J**

		Value	Count	Percent
Standard Attributes	Label	Listen No Regular Time		
N	Valid	1191		
	Missing	549		
Labeled Values	1.00	Mentioned	685	39.4%
	2.00	Not Mentioned	506	29.1%

**Q128**

		Value	Count	Percent
Standard Attributes	Label	Hours-Watch TV-Daily		
N	Valid	1740		
	Missing	0		
Labeled Values	.00	Never	4	.2%
	55.00	Does Not have Access	7	.4%
	66.00	When Household has electricity	20	1.1%
	77.00	Not Every day	9	.5%
	88.00	Do Not Know	3	.2%

**Q129\_A**

		Value	Count	Percent
Standard Attributes N	Label	TV-TVSH		
	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	906	52.1%
	2.00	Not Mentioned	823	47.3%

**Q129\_B**

		Value	Count	Percent
Standard Attributes N	Label	TV-TVKLAN		
	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	1316	75.6%
	2.00	Not Mentioned	413	23.7%

**Q129\_C**

		Value	Count	Percent
Standard Attributes N	Label	TV-TVA		
	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	632	36.3%
	2.00	Not Mentioned	1097	63.0%

**Q129\_D**

		Value	Count	Percent
Standard Attributes N	Label	TV-TVKOHA		
	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	173	9.9%
	2.00	Not Mentioned	1556	89.4%

**Q129\_E**

		Value	Count	Percent
Standard Attributes N	Label	TV-VISION PLUS		
	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	301	17.3%
	2.00	Not Mentioned	1428	82.1%

**Q129\_F**

		Value	Count	Percent
Standard Attributes N	Label	TV-SHIJAK TV		
	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	286	16.4%
	2.00	Not Mentioned	1443	82.9%

**Q129\_G**

		Value	Count	Percent
Standard Attributes N	Label	TV-TELENORBA		
	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	379	21.8%
	2.00	Not Mentioned	1350	77.6%

**Q129\_H**

		Value	Count	Percent
Standard Attributes	Label	TV-TVALBA		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	64	3.7%
	2.00	Not Mentioned	1665	95.7%

**Q129\_I**

		Value	Count	Percent
Standard Attributes	Label	TV-CALVIN		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	129	7.4%
	2.00	Not Mentioned	1600	92.0%

**Q129\_J**

		Value	Count	Percent
Standard Attributes	Label	TV-TOP Channel		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	701	40.3%
	2.00	Not Mentioned	1028	59.1%

**Q129\_K**

		Value	Count	Percent
Standard Attributes	Label	TV-Foreign channels		
N	Valid	1728		
	Missing	12		
Labeled Values	1.00	Mentioned	330	19.0%
	2.00	Not Mentioned	1398	80.3%

**Q129\_L**

		Value	Count	Percent
Standard Attributes	Label	TV-Other		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	400	23.0%
	2.00	Not Mentioned	1329	76.4%

**Q130\_A**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-News		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	1140	65.5%
	2.00	Not Mentioned	589	33.9%

**Q130\_B**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Commercials		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	83	4.8%
	2.00	Not Mentioned	1646	94.6%

**Q130\_C**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Entertainment		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	791	45.5%
	2.00	Not Mentioned	938	53.9%

**Q130\_D**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Series/Movies		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	1465	84.2%
	2.00	Not Mentioned	264	15.2%

**Q130\_E**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Sport		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	1279	73.5%
	2.00	Not Mentioned	450	25.9%

**Q130\_F**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Music/Videos		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	580	33.3%
	2.00	Not Mentioned	1149	66.0%

**Q130\_G**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Plays/Dramas		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	35	2.0%
	2.00	Not Mentioned	1694	97.4%

**Q130\_H**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Childrens prgm		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	1729	99.4%

**Q130\_I**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Religious		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	9	.5%
	2.00	Not Mentioned	1720	98.9%

**Q130\_J**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Womens		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	2	.1%
	2.00	Not Mentioned	1727	99.3%

**Q130\_K**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Health		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	33	1.9%
	2.00	Not Mentioned	1696	97.5%

**Q130\_L**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Political Events		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	307	17.6%
	2.00	Not Mentioned	1422	81.7%

**Q130\_M**

		Value	Count	Percent
Standard Attributes	Label	TV PGM-Other Programs		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	9	.5%
	2.00	Not Mentioned	1720	98.9%

**Q131\_A**

		Value	Count	Percent
Standard Attributes	Label	Watch 6-8 AM		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	48	2.8%
	2.00	Not Mentioned	1681	96.6%

**Q131\_B**

		Value	Count	Percent
Standard Attributes	Label	Watch 8-10 AM		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	32	1.8%
	2.00	Not Mentioned	1697	97.5%

**Q131\_C**

		Value	Count	Percent
Standard Attributes	Label	Watch 10AM-Noon		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	17	1.0%
	2.00	Not Mentioned	1712	98.4%



**Q131\_D**

		Value	Count	Percent
Standard Attributes	Label	Watch Noon-2PM		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	40	2.3%
	2.00	Not Mentioned	1689	97.1%

**Q131\_E**

		Value	Count	Percent
Standard Attributes	Label	Watch 2 PM-4 PM		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	73	4.2%
	2.00	Not Mentioned	1656	95.2%

**Q131\_F**

		Value	Count	Percent
Standard Attributes	Label	Watch 4 PM-6 PM		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	94	5.4%
	2.00	Not Mentioned	1635	94.0%

**Q131\_G**

		Value	Count	Percent
Standard Attributes	Label	Watch 6 PM-8 PM		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	289	16.6%
	2.00	Not Mentioned	1440	82.8%

**Q131\_H**

		Value	Count	Percent
Standard Attributes	Label	Watch 8 PM-10 PM		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	960	55.2%
	2.00	Not Mentioned	769	44.2%

**Q131\_I**

		Value	Count	Percent
Standard Attributes	Label	Watch After 10 PM		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	758	43.6%
	2.00	Not Mentioned	971	55.8%

**Q131\_J**

		Value	Count	Percent
Standard Attributes	Label	Watch No Regular Time		
N	Valid	1729		
	Missing	11		
Labeled Values	1.00	Mentioned	804	46.2%
	2.00	Not Mentioned	925	53.2%

**Q132**

		Value	Count	Percent
Standard Attributes	Label	How often-Read Newspaper		
N	Valid		1740	
	Missing		0	
Labeled Values	1.00	Daily/Nearly everyday	223	12.8%
	2.00	About 3-4 times/week	154	8.9%
	3.00	Once / twice per week	321	18.4%
	4.00	Less than once per week	229	13.2%
	5.00	Never/almost never	813	46.7%

## II. SEX EDUCATION

### Q201

		Value	Count	Percent
Standard Attributes	Label	Schools teach Sex Ed		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1516	87.1%
	2.00	No	119	6.8%
	8.00	Do not Know	84	4.8%
	9.00	No Response	21	1.2%

### Q202\_A

		Value	Count	Percent
Standard Attributes	Label	Year teach-Human Reproduction		
N	Valid	1600		
	Missing	140		
Labeled Values	77.00	Should not be taught in school	1	.1%
	88.00	Do not know	112	6.4%
	99.00	No response	3	.2%

### Q202\_B

		Value	Count	Percent
Standard Attributes	Label	Year teach- Contraception		
N	Valid	1600		
	Missing	140		
Labeled Values	77.00	Should not be taught in school	1	.1%
	88.00	Do not know	114	6.6%
	99.00	No response	3	.2%

### Q202\_C

		Value	Count	Percent
Standard Attributes	Label	Year teach- STD		
N	Valid	1600		
	Missing	140		
Labeled Values	77.00	Should not be taught in school	1	.1%
	88.00	Do not know	113	6.5%
	99.00	No response	3	.2%

### Q203\_A

		Value	Count	Percent
Standard Attributes	Label	Oppose Sex Ed-get ideas		
N	Valid	140		
	Missing	1600		
Labeled Values	1.00	Yes	115	6.6%
	2.00	No	6	.3%
	8.00	Do not Know	14	.8%
	9.00	No Response	5	.3%

**Q203\_B**

		Value	Count	Percent
Standard Attributes	Label	Oppose Sex Ed-taught at home		
N	Valid	140		
	Missing	1600		
Labeled Values	1.00	Yes	88	5.1%
	2.00	No	19	1.1%
	8.00	Do not Know	27	1.6%
	9.00	No Response	6	.3%

**Q203\_C**

		Value	Count	Percent
Standard Attributes	Label	Oppose Sex Ed-religious beliefs		
N	Valid	140		
	Missing	1600		
Labeled Values	1.00	Yes	72	4.1%
	2.00	No	48	2.8%
	8.00	Do not Know	16	.9%
	9.00	No Response	4	.2%

**Q203\_D**

		Value	Count	Percent
Standard Attributes	Label	Oppose Sex Ed-training		
N	Valid	140		
	Missing	1600		
Labeled Values	1.00	Yes	104	6.0%
	2.00	No	7	.4%
	8.00	Do not Know	24	1.4%
	9.00	No Response	5	.3%

**Q204\_B**

		Value	Count	Percent
Standard Attributes	Label	Parents talk-PG Occurs		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	39	2.2%
	2.00	No	548	31.5%
	8.00	Do not Know	2	.1%
	9.00	No Response	1	.1%

**Q204\_D**

		Value	Count	Percent
Standard Attributes	Label	Parents talk-Contraceptions		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	22	1.3%
	2.00	No	564	32.4%
	8.00	Do not Know	3	.2%
	9.00	No Response	1	.1%

**Q204\_E**

		Value	Count	Percent
Standard Attributes	Label	Parents talk-HIV/AIDS		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	76	4.4%
	2.00	No	510	29.3%
	8.00	Do not Know	4	.2%
	9.00	No Response	0	.0%

**Q204\_F**

		Value	Count	Percent
Standard Attributes	Label	Parents talk-STD		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	20	1.1%
	2.00	No	563	32.4%
	8.00	Do not Know	6	.3%
	9.00	No Response	1	.1%

**Q205\_1**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught Menstrual Cycle		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	154	8.9%
	2.00	No	412	23.7%
	8.00	Do not know	22	1.3%
	9.00	No Response	2	.1%

**Q205\_2**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught Female Reproductive System		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	266	15.3%
	2.00	No	313	18.0%
	8.00	Do not know	11	.6%
	9.00	No Response	0	.0%

**Q205\_3**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught Male reproductive System		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	271	15.6%
	2.00	No	307	17.6%
	8.00	Do not know	12	.7%
	9.00	No Response	0	.0%

**Q205\_4**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught How pregnancy Occurs		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	283	16.3%
	2.00	No	291	16.7%
	8.00	Do not know	16	.9%
	9.00	No Response	0	.0%

**Q205\_5**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught Contraceptive Methods		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	201	11.6%
	2.00	No	377	21.7%
	8.00	Do not know	12	.7%
	9.00	No Response	0	.0%

**Q205\_6**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught HIV/AIDS		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	361	20.7%
	2.00	No	227	13.0%
	8.00	Do not know	2	.1%
	9.00	No Response	0	.0%

**Q205\_7**

		Value	Count	Percent
Standard Attributes	Label	Ever been taught Other Sexually Transmitted diseases		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Yes	167	9.6%
	2.00	No	401	23.0%
	8.00	Do not know	21	1.2%
	9.00	No Response	1	.1%

**Q206\_1**

		Value	Count	Percent
Standard Attributes	Label	Age taught Menstrual Cycle		
N	Valid	154		
	Missing	1586		
Labeled Values	88.00	Do not Remember	0	.0%

**Q206\_2**

		Value	Count	Percent
Standard Attributes	Label	Age taught Female Reproductive System		
N	Valid	266		
	Missing	1474		
Labeled Values	88.00	Do not Remember	0	.0%

**Q206\_3**

		Value	Count	Percent
Standard Attributes	Label	Age taught Male reproductive System		
N	Valid	271		
	Missing	1469		
Labeled Values	88.00	Do not Remember	0	.0%

**Q206\_4**

		Value	Count	Percent
Standard Attributes	Label	Age taught How pregnancy Occurs		
N	Valid	283		
	Missing	1457		
Labeled Values	88.00	Do not Remember	0	.0%

**Q206\_5**

		Value	Count	Percent
Standard Attributes	Label	Age taught Contraceptive Methods		
N	Valid	201		
	Missing	1539		
Labeled Values	88.00	Do not Remember	0	.0%

**Q206\_6**

		Value	Count	Percent
Standard Attributes	Label	Age taught HIV/AID		
N	Valid	361		
	Missing	1379		
Labeled Values	88.00	Do not Remember	0	.0%

**Q206\_7**

		Value	Count	Percent
Standard Attributes	Label	Age taught Other Sexually Transmitted diseases		
N	Valid	167		
	Missing	1573		
Labeled Values	88.00	Do not Remember	0	.0%

**Q208**

		Value	Count	Percent
Standard Attributes	Label	Who-Source-Sex Info		
N	Valid	590		
	Missing	1150		
Labeled Values	1.00	Mother	4	.2%
	2.00	Father	7	.4%
	3.00	Relative	2	.1%
	4.00	Girlfriend	1	.1%
	5.00	Friends	12	.7%
	6.00	Co-worker	2	.1%
	7.00	Colleageues/Peer	49	2.8%
	8.00	Partner/Wife	0	.0%
	9.00	Doctor	6	.3%
	10.00	Nurse/Midwife	0	.0%
	11.00	Teacher	223	12.8%
	12.00	Pharmacist	0	.0%
	13.00	Books	41	2.4%
	14.00	Newspaper/Magazines	33	1.9%
	15.00	Radio	1	.1%
	16.00	TV	185	10.6%
	20.00	Other	0	.0%
	88.00	Do not Remember	24	1.4%

**Q208\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-Source-Sex Info		
Valid Values			1740	100.0%



### III. FERTILITY/PREGNANCY

**Q305**

		Value	Count	Percent
Standard Attributes	Label	Ever made woman pregnant		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	955	54.9%
	2.00	No	330	19.0%
	3.00	Not Sure	11	.6%
	4.00	Never Had Sex	444	25.5%

**Q306**

		Value	Count	Percent
Standard Attributes	Label	Partner-Ever had Stillbirth/Ectopic		
N	Valid	341		
	Missing	1399		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	341	19.6%

**Q307**

		Value	Count	Percent
Standard Attributes	Label	Ever had Live Birth		
N	Valid	955		
	Missing	785		
Labeled Values	1.00	Yes	926	53.2%
	2.00	No	29	1.7%

**Q308**

		Value	Count	Percent
Standard Attributes	Label	Nbr Children-Live Birth		
N	Valid	1740		
	Missing	0		
Labeled Values	88.00	Not Sure/Do not Remember	0	.0%

**Q309**

		Value	Count	Percent
Standard Attributes	Label	Ever-Child Die-After Birth		
N	Valid	926		
	Missing	814		
Labeled Values	1.00	Yes	36	2.1%
	2.00	No	890	51.1%

**Q310**

		Value	Count	Percent
Standard Attributes	Label	Nbr-Children-Die After Birth		
N	Valid	1740		
	Missing	0		
Labeled Values	88.00	Not Sure/Do not Remember	0	.0%

**Q311**

		Value	Count	Percent
Standard Attributes	Label	Total Live Births		
N	Valid	36		
	Missing	1704		
Labeled Values	88.00	Not Sure/Do not Remember	0	.0%

**Q311A**

		Value	Count	Percent
Standard Attributes	Label	Correct Total Live Births		
N	Valid	36		
	Missing	1704		
Labeled Values	1.00	Yes	36	2.1%
	2.00	No	0	.0%

**Q312**

		Value	Count	Percent
Standard Attributes	Label	First time-PG Outcome-first woman pregnant		
N	Valid	955		
	Missing	785		
Labeled Values	1.00	Live Birth	899	51.7%
	4.00	Stillbirth	4	.2%
	6.00	Spontaneous Abortion (Miscarriage)	15	.9%
	7.00	Induced Abortion	10	.6%
	8.00	Ectopic Pregnancy	0	.0%
	9.00	Molar Pregnancy	1	.1%
	10.00	Currently Pregnancy	26	1.5%
	88.00	Do not Know	0	.0%

**Q313\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month first pregnancy ended for woman		
N	Valid	929		
	Missing	811		
Labeled Values	88.00	Do not Remember	6	.3%

**Q313\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-first pregnancy ended for woman		
N	Valid	929		
	Missing	811		
Labeled Values	8888.00	Do not know	1	.1%

**Q314**

		Value	Count	Percent
Standard Attributes	Label	Age-first time got woman pregnant		
N	Valid	1		
	Missing	1739		
Labeled Values	88.00	Do not Know	0	.0%

**Q315**

		Value	Count	Percent
Standard Attributes	Label	Want woman pregnant-first time		
N	Valid	955		
	Missing	785		
Labeled Values	1.00	Yes	875	50.3%
	2.00	No	50	2.9%
	8.00	Not Sure	30	1.7%

**Q316**

		Value	Count	Percent
Standard Attributes	Label	Age-partner-first pregnancy		
N	Valid	955		
	Missing	785		
Labeled Values	88.00	Do not know	2	.1%

**Q317**

		Value	Count	Percent
Standard Attributes	Label	Relationship-partner-at first pregnancy		
N	Valid	955		
	Missing	785		
Labeled Values	1.00	Wife / Partner	898	51.6%
	2.00	Fiancee	48	2.8%
	3.00	Girlfriend	5	.3%
	4.00	Friend	1	.1%
	5.00	Acquaintance	0	.0%
	6.00	Just Met	1	.1%
	7.00	Casual Sexual Partner	0	.0%
	8.00	Relative	0	.0%
	11.00	She was a prostitute	2	.1%
	20.00	Other	0	.0%
	88.00	Do not remember	0	.0%

**Q317\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-relationship-partner-first pregnancy		
Valid Values			1740	100.0%

**Q318**

		Value	Count	Percent
Standard Attributes	Label	Any woman-currently PG-by man		
N	Valid	955		
	Missing	785		
Labeled Values	1.00	Yes	35	2.0%
	2.00	No	909	52.2%
	3.00	Not Sure	11	.6%

**Q319B**

		Value	Count	Percent
Standard Attributes	Label	Month-pregnant-woman		
N	Valid	35		
	Missing	1705		
Labeled Values	88.00	Does not know	1	.1%
	99.00	Refused-no response	1	.1%

**Q320**

		Value	Count	Percent
Standard Attributes	Label	Want current woman pregnant		
N	Valid	35		
	Missing	1705		
Labeled Values	1.00	Yes	33	1.9%
	2.00	No	0	.0%
	8.00	Not sure	2	.1%

**NUM\_LVB**

		Value	Count	Percent
Standard Attributes	Label	Number of Live Births		
N	Valid	926		
	Missing	814		
Labeled Values	88.00	Not Sure/Do not Remember	0	.0%

**Q321\_MO\_1**

		Value	Count	Percent
Standard Attributes	Label	PG-Month Ended-1		
N	Valid	926		
	Missing	814		
Labeled Values	98.00	Do not Know	2	.1%

**Q321\_MO\_2**

		Value	Count	Percent
Standard Attributes	Label	PG-Month Ended-2		
N	Valid	708		
	Missing	1032		
Labeled Values	98.00	Do not Know	5	.3%

**Q321\_MO\_3**

		Value	Count	Percent
Standard Attributes	Label	PG-Month Ended-3		
N	Valid	249		
	Missing	1491		
Labeled Values	98.00	Do not Know	3	.2%

**Q321\_MO\_4**

		Value	Count	Percent
Standard Attributes	Label	PG-Month Ended-4		
N	Valid	77		
	Missing	1663		
Labeled Values	98.00	Do not Know	1	.1%

**Q321\_MO\_5**

		Value	Count	Percent
Standard Attributes	Label	PG-Month Ended-5		
N	Valid	20		
	Missing	1720		
Labeled Values	98.00	Do not Know	2	.1%

**Q321\_MO\_6**

		Value	Count	Percent
Standard Attributes	Label	PG-Month Ended-6		
N	Valid	6		
	Missing	1734		
Labeled Values	98.00	Do not Know	0	.0%

**Q321\_MO\_7**

		Value	Count	Percent
Standard Attributes	Label	PG-Month Ended-7		
N	Valid	1		
	Missing	1739		
Labeled Values	98.00	Do not Know	0	.0%

**Q321\_YR\_1**

		Value	Count	Percent
Standard Attributes	Label	PG-Year Ended-1		
N	Valid	926		
	Missing	814		
Labeled Values	9898.00	Do not Know	0	.0%

**Q321\_YR\_2**

		Value	Count	Percent
Standard Attributes	Label	PG-Year Ended-2		
N	Valid	709		
	Missing	1031		
Labeled Values	9898.00	Do not Know	1	.1%

**Q321\_YR\_3**

		Value	Count	Percent
Standard Attributes	Label	PG-Year Ended-3		
N	Valid	249		
	Missing	1491		
Labeled Values	9898.00	Do not Know	0	.0%

**Q321\_YR\_4**

		Value	Count	Percent
Standard Attributes	Label	PG-Year Ended-4		
N	Valid	77		
	Missing	1663		
Labeled Values	9898.00	Do not Know	0	.0%

**Q321\_YR\_5**

		Value	Count	Percent
Standard Attributes	Label	PG-Year Ended-5		
N	Valid	20		
	Missing	1720		
Labeled Values	9898.00	Do not Know	0	.0%

**Q321\_YR\_6**

		Value	Count	Percent
Standard Attributes	Label	PG-Year Ended-6		
N	Valid	6		
	Missing	1734		
Labeled Values	9898.00	Do not Know	0	.0%

**Q321\_YR\_7**

		Value	Count	Percent
Standard Attributes	Label	PG-Year Ended-7		
N	Valid	1		
	Missing	1739		
Labeled Values	9898.00	Do not Know	0	.0%

**Q322\_1**

		Value	Count	Percent
Standard Attributes	Label	PG-Nbr Wks/Mths PG Last-1		
N	Valid	925		
	Missing	815		
Labeled Values	888.00	Do not Know	3	.2%
	999.00	No Response	0	.0%

**Q322\_2**

		Value	Count	Percent
Standard Attributes	Label	PG-Nbr Wks/Mths PG Last-2		
N	Valid	709		
	Missing	1031		
Labeled Values	888.00	Do not Know	2	.1%
	999.00	No Response	0	.0%

**Q322\_3**

		Value	Count	Percent
Standard Attributes	Label	PG-Nbr Wks/Mths PG Last-3		
N	Valid	249		
	Missing	1491		
Labeled Values	888.00	Do not Know	2	.1%
	999.00	No Response	0	.0%

**Q322\_4**

		Value	Count	Percent
Standard Attributes	Label	PG-Nbr Wks/Mths PG Last-4		
N	Valid	77		
	Missing	1663		
Labeled Values	888.00	Do not Know	2	.1%
	999.00	No Response	0	.0%

**Q322\_5**

		Value	Count	Percent
Standard Attributes	Label	PG-Nbr Wks/Mths PG Last-5		
N	Valid	20		
	Missing	1720		
Labeled Values	888.00	Do not Know	0	.0%
	999.00	No Response	0	.0%

**Q322\_6**

		Value	Count	Percent
Standard Attributes	Label	PG-Nbr Wks/Mths PG Last-6		
N	Valid	6		
	Missing	1734		
Labeled Values	888.00	Do not Know	0	.0%
	999.00	No Response	0	.0%

**Q322\_7**

		Value	Count	Percent
Standard Attributes	Label	PG-Nbr Wks/Mths PG Last-7		
N	Valid	1		
	Missing	1739		
Labeled Values	888.00	Do not Know	0	.0%
	999.00	No Response	0	.0%

**Q323\_1**

		Value	Count	Percent
Standard Attributes	Label	PG-Sex-1		
N	Valid	924		
	Missing	816		
Labeled Values	1.00	Boy	533	30.6%
	2.00	Girl	384	22.1%
	3.00	Both	7	.4%
	8.00	DK	0	.0%

**Q323\_2**

		Value	Count	Percent
Standard Attributes	Label	PG-Sex-2		
N	Valid	707		
	Missing	1033		
Labeled Values	1.00	Boy	347	19.9%
	2.00	Girl	359	20.6%
	3.00	Both	1	.1%
	8.00	DK	0	.0%

**Q323\_3**

		Value	Count	Percent
Standard Attributes	Label	PG-Sex-3		
N	Valid	248		
	Missing	1492		
Labeled Values	1.00	Boy	96	5.5%
	2.00	Girl	152	8.7%
	3.00	Both	0	.0%
	8.00	DK	0	.0%

**Q323\_4**

		Value	Count	Percent
Standard Attributes	Label	PG-Sex-4		
N	Valid	76		
	Missing	1664		
Labeled Values	1.00	Boy	25	1.4%
	2.00	Girl	51	2.9%
	3.00	Both	0	.0%
	8.00	DK	0	.0%

**Q323\_5**

		Value	Count	Percent
Standard Attributes	Label	PG-Sex-5		
N	Valid	19		
	Missing	1721		
Labeled Values	1.00	Boy	6	.3%
	2.00	Girl	13	.7%
	3.00	Both	0	.0%
	8.00	DK	0	.0%

**Q323\_6**

		Value	Count	Percent
Standard Attributes	Label	PG-Sex-6		
N	Valid	6		
	Missing	1734		
Labeled Values	1.00	Boy	2	.1%
	2.00	Girl	4	.2%
	3.00	Both	0	.0%
	8.00	DK	0	.0%

**Q323\_7**

		Value	Count	Percent
Standard Attributes	Label	PG-Sex-7		
N	Valid	1		
	Missing	1739		
Labeled Values	1.00	Boy	0	.0%
	2.00	Girl	1	.1%
	3.00	Both	0	.0%
	8.00	DK	0	.0%

**Q324\_1**

		Value	Count	Percent
Standard Attributes	Label	PG-Child Alive-1		
N	Valid	926		
	Missing	814		
Labeled Values	1.00	Yes	918	52.8%
	2.00	No	8	.5%

**Q324\_2**

		Value	Count	Percent
Standard Attributes	Label	PG-Child Alive-2		
N	Valid	709		
	Missing	1031		
Labeled Values	1.00	Yes	702	40.3%
	2.00	No	7	.4%

**Q324\_3**

		Value	Count	Percent
Standard Attributes	Label	PG-Child Alive-3		
N	Valid	249		
	Missing	1491		
Labeled Values	1.00	Yes	237	13.6%
	2.00	No	12	.7%



**Q324\_4**

		Value	Count	Percent
Standard Attributes	Label	PG-Child Alive-4		
N	Valid	77		
	Missing	1663		
Labeled Values	1.00	Yes	68	3.9%
	2.00	No	9	.5%

**Q324\_5**

		Value	Count	Percent
Standard Attributes	Label	PG-Child Alive-5		
N	Valid	20		
	Missing	1720		
Labeled Values	1.00	Yes	19	1.1%
	2.00	No	1	.1%

**Q324\_6**

		Value	Count	Percent
Standard Attributes	Label	PG-Child Alive-6		
N	Valid	6		
	Missing	1734		
Labeled Values	1.00	Yes	5	.3%
	2.00	No	1	.1%

**Q324\_7**

		Value	Count	Percent
Standard Attributes	Label	PG-Child Alive-7		
N	Valid	1		
	Missing	1739		
Labeled Values	1.00	Yes	1	.1%
	2.00	No	0	.0%

**Q325\_1**

		Value	Count	Percent
Standard Attributes	Label	PG-Age Child Died-1		
N	Valid	8		
	Missing	1732		
Labeled Values	888.00	Do not Know	0	.0%
	999.00	No Response	0	.0%

**Q325\_2**

		Value	Count	Percent
Standard Attributes	Label	PG-Age Child Died-2		
N	Valid	7		
	Missing	1733		
Labeled Values	888.00	Do not Know	0	.0%
	999.00	No Response	0	.0%

**Q325\_3**

		Value	Count	Percent
Standard Attributes	Label	PG-Age Child Died-3		
N	Valid	12		
	Missing	1728		
Labeled Values	888.00	Do not Know	1	.1%
	999.00	No Response	0	.0%

**Q325\_4**

		Value	Count	Percent
Standard Attributes	Label	PG-Age Child Died-4		
N	Valid	9		
	Missing	1731		
Labeled Values	888.00	Do not Know	0	.0%
	999.00	No Response	1	.1%

**Q325\_5**

		Value	Count	Percent
Standard Attributes	Label	PG-Age Child Died-5		
N	Valid	1		
	Missing	1739		
Labeled Values	888.00	Do not Know	0	.0%
	999.00	No Response	0	.0%

**Q325\_6**

		Value	Count	Percent
Standard Attributes	Label	PG-Age Child Died-6		
N	Valid	1		
	Missing	1739		
Labeled Values	888.00	Do not Know	0	.0%
	999.00	No Response	0	.0%

**Q325\_7**

		Value	Count	Percent
Standard Attributes	Label	PG-Age Child Died-7		
N	Valid	0		
	Missing	1740		
Labeled Values	888.00	Do not Know	0	.0%
	999.00	No Response	0	.0%

**Q326\_1**

		Value	Count	Percent
Standard Attributes	Label	PG-Want Child-1		
N	Valid	488		
	Missing	1252		
Labeled Values	1.00	Wanted to get pregnant then	477	27.4%
	2.00	Wanted to get pregnant later	8	.5%
	3.00	Did not want pregnancy or anytime in future	1	.1%
	8.00	Not sure	2	.1%

**Q326\_2**

		Value	Count	Percent
Standard Attributes	Label	PG-Want Child-2		
N	Valid	119		
	Missing	1621		
Labeled Values	1.00	Wanted to get pregnant then	114	6.6%
	2.00	Wanted to get pregnant later	4	.2%
	3.00	Did not want pregnancy or anytime in future	0	.0%
	8.00	Not sure	1	.1%

**Q326\_3**

		Value	Count	Percent
Standard Attributes	Label	PG-Want Child-3		
N	Valid	8		
	Missing	1732		
Labeled Values	1.00	Wanted to get pregnant then	8	.5%
	2.00	Wanted to get pregnant later	0	.0%
	3.00	Did not want pregnancy or anytime in future	0	.0%
	8.00	Not sure	0	.0%

**Q326\_4**

		Value	Count	Percent
Standard Attributes	Label	PG-Want Child-4		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Wanted to get pregnant then	0	.0%
	2.00	Wanted to get pregnant later	0	.0%
	3.00	Did not want pregnancy or anytime in future	0	.0%
	8.00	Not sure	0	.0%

**Q326\_5**

		Value	Count	Percent
Standard Attributes	Label	PG-Want Child-5		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Wanted to get pregnant then	0	.0%
	2.00	Wanted to get pregnant later	0	.0%
	3.00	Did not want pregnancy or anytime in future	0	.0%
	8.00	Not sure	0	.0%

**Q326\_6**

		Value	Count	Percent
Standard Attributes	Label	PG-Want Child-6		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Wanted to get pregnant then	0	.0%
	2.00	Wanted to get pregnant later	0	.0%
	3.00	Did not want pregnancy or anytime in future	0	.0%
	8.00	Not sure	0	.0%

**Q326\_7**

		Value	Count	Percent
Standard Attributes	Label	PG-Want Child-7		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Wanted to get pregnant then	0	.0%
	2.00	Wanted to get pregnant later	0	.0%
	3.00	Did not want pregnancy or anytime in future	0	.0%
	8.00	Not sure	0	.0%

**Q327**

		Value	Count	Percent
Standard Attributes	Label	Abortions-wife/partner had last five years		
N	Valid	955		
	Missing	785		
Labeled Values	1.00	Spontaneous Abortion	25	1.4%
	2.00	Induced Abortions	41	2.4%
	3.00	Both Spontaneous and Induced Abortions	3	.2%
	4.00	None	886	50.9%

**Q328**

		Value	Count	Percent
Standard Attributes	Label	Number spontaneous abortions-last five years		
N	Valid	28		
	Missing	1712		
Labeled Values	88.00	Do not know	0	.0%

**Q329**

		Value	Count	Percent
Standard Attributes	Label	Number induced abortions-last five years		
N	Valid	69		
	Missing	1671		
Labeled Values	88.00	Do not know	0	.0%

## IV. FAMILY PLANNING KNOWLEDGE/ SEXUAL EXPERIENCE

**Q400\_01**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it the pill		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	698	40.1%
	2.00	No	1042	59.9%

**Q400\_02**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it IUD (spiral)		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	202	11.6%
	2.00	No	1538	88.4%

**Q400\_03**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Condoms (prezervati)		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1601	92.0%
	2.00	No	139	8.0%

**Q400\_04**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Foam/Jelly/Cream/Foamy tablets		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	100	5.7%
	2.00	No	1640	94.3%

**Q400\_05**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Tubal ligation		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	287	16.5%
	2.00	No	1453	83.5%

**Q400\_06**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Vasectomy (male sterilization)		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	117	6.7%
	2.00	No	1623	93.3%

**Q400\_07**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Injectables		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	149	8.6%
	2.00	No	1591	91.4%

**Q400\_08**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Emergency Hormonal contraception		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	226	13.0%
	2.00	No	1514	87.0%

**Q400\_09**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Rhythm/calendar method		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	426	24.5%
	2.00	No	1314	75.5%

**Q400\_10**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Withdrawal (coitus interruptus)		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1528	87.8%
	2.00	No	212	12.2%

**Q400\_11**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it other contraceptive methods		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1	.1%
	2.00	No	1739	99.9%

**Q401\_01**

		Value	Count	Percent
Standard Attributes	Label	Know how to use the pill		
N	Valid	698		
	Missing	1042		
Labeled Values	1.00	Yes	455	26.1%
	2.00	No	243	14.0%

**Q401\_02**

		Value	Count	Percent
Standard Attributes	Label	Know how to use IUD (spiral)		
N	Valid	202		
	Missing	1538		
Labeled Values	1.00	Yes	159	9.1%
	2.00	No	43	2.5%

**Q401\_03**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Condoms (prezervati)		
N	Valid	1601		
	Missing	139		
Labeled Values	1.00	Yes	1264	72.6%
	2.00	No	337	19.4%

**Q401\_04**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Foam/Jelly/Cream/Foamy tablets		
N	Valid	100		
	Missing	1640		
Labeled Values	1.00	Yes	83	4.8%
	2.00	No	17	1.0%

**Q401\_05**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Tubal ligation		
N	Valid	287		
	Missing	1453		
Labeled Values	1.00	Yes	198	11.4%
	2.00	No	89	5.1%

**Q401\_06**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Vasectomy (male sterilization)		
N	Valid	117		
	Missing	1623		
Labeled Values	1.00	Yes	88	5.1%
	2.00	No	29	1.7%

**Q401\_07**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Injectables		
N	Valid	149		
	Missing	1591		
Labeled Values	1.00	Yes	112	6.4%
	2.00	No	37	2.1%

**Q401\_08**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Emergency Hormonal contraception		
N	Valid	226		
	Missing	1514		
Labeled Values	1.00	Yes	173	9.9%
	2.00	No	53	3.0%

**Q401\_09**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Rhythm/calendar method		
N	Valid	426		
	Missing	1314		
Labeled Values	1.00	Yes	401	23.0%
	2.00	No	25	1.4%

**Q401\_10**

		Value	Count	Percent
Standard Attributes	Label	Know how to use Withdrawal (coitus interruptus)		
N	Valid	1528		
	Missing	212		
Labeled Values	1.00	Yes	1481	85.1%
	2.00	No	47	2.7%

**Q401\_11**

		Value	Count	Percent
Standard Attributes	Label	Know how to use other contraceptive methods		
N	Valid	1		
	Missing	1739		
Labeled Values	1.00	Yes	1	.1%
	2.00	No	0	.0%

**Q402\_01**

		Value	Count	Percent
Standard Attributes	Label	Ever used it the pill		
N	Valid	698		
	Missing	1042		
Labeled Values	1.00	Yes	57	3.3%
	2.00	No	641	36.8%

**Q402\_02**

		Value	Count	Percent
Standard Attributes	Label	Ever used it IUD (spiral)		
N	Valid	202		
	Missing	1538		
Labeled Values	1.00	Yes	7	.4%
	2.00	No	195	11.2%

**Q402\_03**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Condoms (prezervati)		
N	Valid	1601		
	Missing	139		
Labeled Values	1.00	Yes	552	31.7%
	2.00	No	1049	60.3%

**Q402\_04**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Foam/Jelly/Cream/Foamy tablets		
N	Valid	100		
	Missing	1640		
Labeled Values	1.00	Yes	3	.2%
	2.00	No	97	5.6%

**Q402\_05**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Tubal ligation		
N	Valid	287		
	Missing	1453		
Labeled Values	1.00	Yes	6	.3%
	2.00	No	281	16.1%



**Q402\_06**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Vasectomy (male sterilization)		
N	Valid	117		
	Missing	1623		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	117	6.7%

**Q402\_07**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Injectables		
N	Valid	149		
	Missing	1591		
Labeled Values	1.00	Yes	6	.3%
	2.00	No	143	8.2%

**Q402\_08**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Emergency Hormonal contraception		
N	Valid	226		
	Missing	1514		
Labeled Values	1.00	Yes	39	2.2%
	2.00	No	187	10.7%

**Q402\_09**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Rhythm/calendar method		
N	Valid	426		
	Missing	1314		
Labeled Values	1.00	Yes	197	11.3%
	2.00	No	229	13.2%

**Q402\_10**

		Value	Count	Percent
Standard Attributes	Label	Ever used it Withdrawal (coitus interrptus)		
N	Valid	1528		
	Missing	212		
Labeled Values	1.00	Yes	1261	72.5%
	2.00	No	267	15.3%

**Q402\_11**

		Value	Count	Percent
Standard Attributes	Label	Ever used it other contraceptive methods		
N	Valid	1		
	Missing	1739		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	1	.1%

**Q403\_01**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it the pill		
N	Valid	698		
	Missing	1042		
Labeled Values	1.00	Yes	566	32.5%
	2.00	No	132	7.6%

**Q403\_02**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it IUD (spiral)		
N	Valid	202		
	Missing	1538		
Labeled Values	1.00	Yes	169	9.7%
	2.00	No	33	1.9%

**Q403\_03**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Condoms (prezervati)		
N	Valid	1601		
	Missing	139		
Labeled Values	1.00	Yes	1306	75.1%
	2.00	No	295	17.0%

**Q403\_04**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Foam/Jelly/Cream/Foamy tablets		
N	Valid	100		
	Missing	1640		
Labeled Values	1.00	Yes	88	5.1%
	2.00	No	12	.7%

**Q403\_05**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Tubal ligation		
N	Valid	287		
	Missing	1453		
Labeled Values	1.00	Yes	223	12.8%
	2.00	No	64	3.7%

**Q403\_06**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Vasectomy (male sterilization)		
N	Valid	117		
	Missing	1623		
Labeled Values	1.00	Yes	83	4.8%
	2.00	No	34	2.0%

**Q403\_07**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Injectables		
N	Valid	149		
	Missing	1591		
Labeled Values	1.00	Yes	124	7.1%
	2.00	No	25	1.4%

**Q403\_08**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Emergency Hormonal contraception		
N	Valid	226		
	Missing	1514		
Labeled Values	1.00	Yes	195	11.2%
	2.00	No	31	1.8%

**Q403\_09**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Rhythm/calendar method		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%

**Q403\_10**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it Withdrawal (coitus interrptus)		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%

**Q403\_11**

		Value	Count	Percent
Standard Attributes	Label	Know Where to get it other contraceptive methods		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%

**Q404\_01**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method the pill		
N	Valid	698		
	Missing	1042		
Labeled Values	1.00	Mother	0	.0%
	2.00	Father	1	.1%
	3.00	Relative	4	.2%
	4.00	Boyfriend	6	.3%
	5.00	Friends	65	3.7%
	6.00	Co-worker	19	1.1%
	7.00	Colleague	27	1.6%
	8.00	Partner/Husband	24	1.4%
	9.00	Doctor	32	1.8%
	10.00	Nurse	6	.3%
	11.00	Community Health Worker	5	.3%
	12.00	Teacher	47	2.7%
	13.00	Pharmacist	13	.7%
	14.00	Books	43	2.5%
	15.00	Newspaper/Magazines	85	4.9%
	16.00	Radio	29	1.7%
	17.00	TV	291	16.7%
	20.00	Other	0	.0%
	88.00	Do not Remember	1	.1%

**Q404\_02**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method IUD (spiral)		
N	Valid		202	
	Missing		1538	
Labeled Values	1.00	Mother	3	.2%
	2.00	Father	0	.0%
	3.00	Relative	1	.1%
	4.00	Boyfriend	1	.1%
	5.00	Friends	7	.4%
	6.00	Co-worker	24	1.4%
	7.00	Colleague	1	.1%
	8.00	Partner/Husband	16	.9%
	9.00	Doctor	20	1.1%
	10.00	Nurse	2	.1%
	11.00	Community Health Worker	5	.3%
	12.00	Teacher	13	.7%
	13.00	Pharmacist	1	.1%
	14.00	Books	18	1.0%
	15.00	Newspaper/Magazines	35	2.0%
	16.00	Radio	0	.0%
	17.00	TV	55	3.2%
	20.00	Other	0	.0%
	88.00	Do not Remember	0	.0%

**Q404\_03**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Condoms (prezervati)		
N	Valid		1601	
	Missing		139	
Labeled Values	1.00	Mother	0	.0%
	2.00	Father	4	.2%
	3.00	Relative	7	.4%
	4.00	Boyfriend	4	.2%
	5.00	Friends	387	22.2%
	6.00	Co-worker	13	.7%
	7.00	Colleague	143	8.2%
	8.00	Partner/Husband	1	.1%
	9.00	Doctor	19	1.1%
	10.00	Nurse	2	.1%
	11.00	Community Health Worker	8	.5%
	12.00	Teacher	63	3.6%
	13.00	Pharmacist	39	2.2%
	14.00	Books	21	1.2%
	15.00	Newspaper/Magazines	94	5.4%
	16.00	Radio	7	.4%
	17.00	TV	783	45.0%
	20.00	Other	4	.2%
	88.00	Do not Remember	2	.1%

**Q404\_04**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Foam/Jelly/Cream/Foamy tablets		
N	Valid	100		
	Missing	1640		
Labeled Values	1.00	Mother	0	.0%
	2.00	Father	0	.0%
	3.00	Relative	0	.0%
	4.00	Boyfriend	1	.1%
	5.00	Friends	8	.5%
	6.00	Co-worker	0	.0%
	7.00	Colleague	2	.1%
	8.00	Partner/Husband	1	.1%
	9.00	Doctor	10	.6%
	10.00	Nurse	0	.0%
	11.00	Community Health Worker	2	.1%
	12.00	Teacher	9	.5%
	13.00	Pharmacist	2	.1%
	14.00	Books	11	.6%
	15.00	Newspaper/Magazines	9	.5%
	16.00	Radio	0	.0%
	17.00	TV	45	2.6%
	20.00	Other	0	.0%
	88.00	Do not Remember	0	.0%

**Q404\_05**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Tubal ligation		
N	Valid	287		
	Missing	1453		
Labeled Values	1.00	Mother	1	.1%
	2.00	Father	0	.0%
	3.00	Relative	1	.1%
	4.00	Boyfriend	0	.0%
	5.00	Friends	14	.8%
	6.00	Co-worker	2	.1%
	7.00	Colleague	10	.6%
	8.00	Partner/Husband	15	.9%
	9.00	Doctor	66	3.8%
	10.00	Nurse	5	.3%
	11.00	Community Health Worker	4	.2%
	12.00	Teacher	23	1.3%
	13.00	Pharmacist	1	.1%
	14.00	Books	28	1.6%
	15.00	Newspaper/Magazines	26	1.5%
	16.00	Radio	0	.0%
	17.00	TV	89	5.1%
	20.00	Other	1	.1%
	88.00	Do not Remember	1	.1%

**Q404\_06**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Vasectomy (male sterilization)		
N	Valid		117	
	Missing		1623	
Labeled Values	1.00	Mother	0	.0%
	2.00	Father	0	.0%
	3.00	Relative	3	.2%
	4.00	Boyfriend	1	.1%
	5.00	Friends	0	.0%
	6.00	Co-worker	0	.0%
	7.00	Colleague	2	.1%
	8.00	Partner/Husband	1	.1%
	9.00	Doctor	12	.7%
	10.00	Nurse	0	.0%
	11.00	Community Health Worker	2	.1%
	12.00	Teacher	12	.7%
	13.00	Pharmacist	1	.1%
	14.00	Books	18	1.0%
	15.00	Newspaper/Magazines	11	.6%
	16.00	Radio	0	.0%
	17.00	TV	52	3.0%
	20.00	Other	1	.1%
	88.00	Do not Remember	1	.1%

**Q404\_07**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Injectables		
N	Valid		149	
	Missing		1591	
Labeled Values	1.00	Mother	0	.0%
	2.00	Father	0	.0%
	3.00	Relative	0	.0%
	4.00	Boyfriend	3	.2%
	5.00	Friends	8	.5%
	6.00	Co-worker	3	.2%
	7.00	Colleague	10	.6%
	8.00	Partner/Husband	3	.2%
	9.00	Doctor	11	.6%
	10.00	Nurse	1	.1%
	11.00	Community Health Worker	2	.1%
	12.00	Teacher	17	1.0%
	13.00	Pharmacist	2	.1%
	14.00	Books	16	.9%
	15.00	Newspaper/Magazines	13	.7%
	16.00	Radio	0	.0%
	17.00	TV	60	3.4%
	20.00	Other	0	.0%
	88.00	Do not Remember	0	.0%

**Q404\_08**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Emergency Hormonal contraception		
N	Valid		226	
	Missing		1514	
Labeled Values	1.00	Mother	0	.0%
	2.00	Father	1	.1%
	3.00	Relative	0	.0%
	4.00	Boyfriend	2	.1%
	5.00	Friends	7	.4%
	6.00	Co-worker	12	.7%
	7.00	Colleague	7	.4%
	8.00	Partner/Husband	11	.6%
	9.00	Doctor	9	.5%
	10.00	Nurse	0	.0%
	11.00	Community Health Worker	1	.1%
	12.00	Teacher	16	.9%
	13.00	Pharmacist	2	.1%
	14.00	Books	18	1.0%
	15.00	Newspaper/Magazines	28	1.6%
	16.00	Radio	5	.3%
	17.00	TV	106	6.1%
	20.00	Other	0	.0%
	88.00	Do not Remember	1	.1%

**Q404\_09**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Rhythm/calendar method		
N	Valid		426	
	Missing		1314	
Labeled Values	1.00	Mother	1	.1%
	2.00	Father	0	.0%
	3.00	Relative	39	2.2%
	4.00	Boyfriend	29	1.7%
	5.00	Friends	32	1.8%
	6.00	Co-worker	83	4.8%
	7.00	Colleague	18	1.0%
	8.00	Partner/Husband	107	6.1%
	9.00	Doctor	8	.5%
	10.00	Nurse	1	.1%
	11.00	Community Health Worker	7	.4%
	12.00	Teacher	14	.8%
	13.00	Pharmacist	0	.0%
	14.00	Books	25	1.4%
	15.00	Newspaper/Magazines	19	1.1%
	16.00	Radio	1	.1%
	17.00	TV	39	2.2%
	20.00	Other	2	.1%
	88.00	Do not Remember	1	.1%

**Q404\_10**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method Withdrawal (coitus interruptus)		
N	Valid		1528	
	Missing		212	
Labeled Values	1.00	Mother	0	.0%
	2.00	Father	8	.5%
	3.00	Relative	119	6.8%
	4.00	Boyfriend	46	2.6%
	5.00	Friends	629	36.1%
	6.00	Co-worker	65	3.7%
	7.00	Colleague	391	22.5%
	8.00	Partner/Husband	202	11.6%
	9.00	Doctor	5	.3%
	10.00	Nurse	1	.1%
	11.00	Community Health Worker	1	.1%
	12.00	Teacher	5	.3%
	13.00	Pharmacist	0	.0%
	14.00	Books	12	.7%
	15.00	Newspaper/Magazines	11	.6%
	16.00	Radio	1	.1%
	17.00	TV	5	.3%
	20.00	Other	11	.6%
	88.00	Do not Remember	16	.9%

**Q404\_11**

		Value	Count	Percent
Standard Attributes	Label	Info Source about Method other contraceptive methods		
N	Valid		1	
	Missing		1739	
Labeled Values	1.00	Mother	0	.0%
	2.00	Father	0	.0%
	3.00	Relative	0	.0%
	4.00	Boyfriend	0	.0%
	5.00	Friends	1	.1%
	6.00	Co-worker	0	.0%
	7.00	Colleague	0	.0%
	8.00	Partner/Husband	0	.0%
	9.00	Doctor	0	.0%
	10.00	Nurse	0	.0%
	11.00	Community Health Worker	0	.0%
	12.00	Teacher	0	.0%
	13.00	Pharmacist	0	.0%
	14.00	Books	0	.0%
	15.00	Newspaper/Magazines	0	.0%
	16.00	Radio	0	.0%
	17.00	TV	0	.0%
	20.00	Other	0	.0%
	88.00	Do not Remember	0	.0%



**Q405**

		Value	Count	Percent
Standard Attributes	Label	Most Effective Method		
N	Valid	1737		
	Missing	3		
Labeled Values	1.00	Pill	16	.9%
	2.00	IUD	12	.7%
	3.00	Condom	779	44.8%
	6.00	Foams/Jelly	0	.0%
	7.00	Tubal	60	3.4%
	8.00	Emergency Hormonal Contraception	3	.2%
	9.00	Injectables	5	.3%
	10.00	Vasectomy	5	.3%
	11.00	Rhythm Method	7	.4%
	12.00	Withdrawal	712	40.9%
	77.00	None of Them	6	.3%
	88.00	Do not know	132	7.6%

**Q406\_A**

		Value	Count	Percent
Standard Attributes	Label	Pill-Rate Effectiveness		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Very Effective	86	4.9%
	2.00	Effective	384	22.1%
	3.00	Somewhat Effective	75	4.3%
	4.00	Not very Effective	13	.7%
	8.00	Do not Know	140	8.0%
	9.00	Never Heard of it	1042	59.9%

**Q406\_B**

		Value	Count	Percent
Standard Attributes	Label	IUD-Rate Effectiveness		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Very Effective	58	3.3%
	2.00	Effective	104	6.0%
	3.00	Somewhat Effective	23	1.3%
	4.00	Not very Effective	2	.1%
	8.00	Do not Know	15	.9%
	9.00	Never Heard of it	1538	88.4%

**Q406\_C**

		Value	Count	Percent
Standard Attributes	Label	Condom-Rate Effectiveness		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Very Effective	758	43.6%
	2.00	Effective	505	29.0%
	3.00	Somewhat Effective	78	4.5%
	4.00	Not very Effective	9	.5%
	8.00	Do not Know	251	14.4%
	9.00	Never Heard of it	139	8.0%

**Q406\_D**

		Value	Count	Percent
Standard Attributes	Label	Tubal Lig-Rate Effectiveness		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Very Effective	222	12.8%
	2.00	Effective	39	2.2%
	3.00	Somewhat Effective	7	.4%
	4.00	Not very Effective	6	.3%
	8.00	Do not Know	13	.7%
	9.00	Never Heard of it	1453	83.5%

**Q406\_E**

		Value	Count	Percent
Standard Attributes	Label	Injectables-Rate Effectiveness		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Very Effective	17	1.0%
	2.00	Effective	76	4.4%
	3.00	Somewhat Effective	38	2.2%
	4.00	Not very Effective	2	.1%
	8.00	Do not Know	16	.9%
	9.00	Never Heard of it	1591	91.4%

**Q406\_F**

		Value	Count	Percent
Standard Attributes	Label	Calendar-Rate Effectiveness		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Very Effective	46	2.6%
	2.00	Effective	237	13.6%
	3.00	Somewhat Effective	105	6.0%
	4.00	Not very Effective	20	1.1%
	8.00	Do not Know	18	1.0%
	9.00	Never Heard of it	1314	75.5%

**Q406\_G**

		Value	Count	Percent
Standard Attributes	Label	Withdrawal-Rate Effectiveness		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Very Effective	612	35.2%
	2.00	Effective	579	33.3%
	3.00	Somewhat Effective	271	15.6%
	4.00	Not very Effective	36	2.1%
	8.00	Do not Know	30	1.7%
	9.00	Never Heard of it	212	12.2%

**Q410\_A**

		Value	Count	Percent
Standard Attributes	Label	Month-first sexual intercourse		
N	Valid	589		
	Missing	1151		
Labeled Values	.00	Never had Sexual Intercourse	433	24.9%
	88.00	Do not Remember	3	.2%
	99.00	Refuse to Answer	1	.1%

**Q410\_B**

		Value	Count	Percent
Standard Attributes	Label	Year-first sexual intercourse		
N	Valid	157		
	Missing	1583		
Labeled Values	.00	Never Had Sexual Intercourse	0	.0%
	8888.00	Do not Remember	3	.2%
	9999.00	Refusue to Answer	1	.1%

**Q411**

		Value	Count	Percent
Standard Attributes	Label	Age-first sexual intercourse		
N	Valid	157		
	Missing	1583		
Labeled Values	88.00	Do not Remember	1	.1%

**Q412**

		Value	Count	Percent
Standard Attributes	Label	Relationship-first sexual intercourse		
N	Valid	157		
	Missing	1583		
Labeled Values	1.00	Wife-consensual partner	14	.8%
	2.00	Fiancee	3	.2%
	3.00	Girlfriend	64	3.7%
	4.00	Friend	25	1.4%
	5.00	Lover	27	1.6%
	6.00	Acquaintance	9	.5%
	7.00	Just Met	5	.3%
	8.00	Relative	0	.0%
	9.00	Rape	0	.0%
	10.00	Incest	0	.0%
	20.00	Other	0	.0%
	88.00	Do not Remember	2	.1%
	99.00	Refused	6	.3%

**Q412\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other Relationship-first sexual intercourse		
Valid Values			1740	100.0%

**Q413**

		Value	Count	Percent
Standard Attributes	Label	Time-relationship-first partner		
N	Valid	149		
	Missing	1591		
Labeled Values	.00	First Time We Met	3	.2%
	777.00	Other	0	.0%
	888.00	Do not Remember	10	.6%
	999.00	No Response	3	.2%

**Q413\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-Time-relationship-first partner		
Valid Values			1740	100.0%

**Q414**

		Value	Count	Percent
Standard Attributes	Label	Age-first sexual partner		
N	Valid	154		
	Missing	1586		
Labeled Values	88.00	Do not Know	8	.5%

**Q415**

		Value	Count	Percent
Standard Attributes	Label	Talk-contraception-first time		
N	Valid	156		
	Missing	1584		
Labeled Values	1.00	Yes	61	3.5%
	2.00	No	89	5.1%
	8.00	Do not Know	6	.3%

**Q416**

		Value	Count	Percent
Standard Attributes	Label	Use-contraception-first time		
N	Valid	156		
	Missing	1584		
Labeled Values	1.00	Yes	125	7.2%
	2.00	No	29	1.7%
	8.00	Do not Know	2	.1%
	9.00	Refused	0	.0%

**Q417**

		Value	Count	Percent
Standard Attributes	Label	BC Method Used-first time		
N	Valid	125		
	Missing	1615		
Labeled Values	1.00	Pill	0	.0%
	2.00	IUD	0	.0%
	3.00	Condom	63	3.6%
	6.00	Foams/Jelly	0	.0%
	8.00	Emergency Hormonal Contraception	1	.1%
	9.00	Injectables	0	.0%
	10.00	Other modern method	0	.0%
	11.00	Rhythm Method	0	.0%
	12.00	Withdrawal	61	3.5%
	19.00	Douche	0	.0%
	20.00	Other BC method	0	.0%
	88.00	Do not know	0	.0%

**Q417\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other Modern BC Method Used-first time		
Valid Values			1740	100.0%

**Q418**

		Value	Count	Percent
Standard Attributes	Label	Who-Decided-BC method-first time		
N	Valid	125		
	Missing	1615		
Labeled Values	1.00	You	54	3.1%
	2.00	Your Partner	8	.5%
	3.00	Both you and your partner	60	3.4%
	8.00	Do not Remember	3	.2%

**Q419**

		Value	Count	Percent
Standard Attributes	Label	Reason-not use BC method-first time		
N	Valid	29		
	Missing	1711		
Labeled Values	1.00	Sex was not expected	13	.7%
	2.00	Thought it was safe time of month	0	.0%
	3.00	Did not know where to get method	0	.0%
	4.00	Respondent was against it	0	.0%
	5.00	Partner was against it	1	.1%
	6.00	Did not know about contraceptives	4	.2%
	7.00	Wanted to get pregnant	4	.2%
	8.00	Thought that contraceptive methods-harmful	0	.0%
	9.00	Did not think about it-negligent	3	.2%
	10.00	Respondent-afraid of partner reaction	0	.0%
	11.00	Too Drunk	0	.0%
	12.00	Too Embarrassed to use Method	2	.1%
	20.00	Other	0	.0%
	88.00	Do not Remember	2	.1%

**Q419\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-Reason-not use BC method-first time		
Valid Values			1740	100.0%

**Q420**

		Value	Count	Percent
Standard Attributes	Label	Age-first sexual intercourse		
N	Valid	1150		
	Missing	590		
Labeled Values	.00	Never had intercourse	12	.7%
	88.00	Do not Know	86	4.9%

**Q421**

		Value	Count	Percent
Standard Attributes	Label	Past 30 day-had sex		
N	Valid	1295		
	Missing	445		
Labeled Values	1.00	Yes	1002	57.6%
	2.00	No	280	16.1%
	9.00	Refuse	13	.7%

**Q422**

		Value	Count	Percent
Standard Attributes	Label	Times had sex-past 30 days		
N	Valid	1002		
	Missing	738		
Labeled Values	1.00	Everyday	93	5.3%
	2.00	3-5 times per week	254	14.6%
	3.00	1-2 times per week	434	24.9%
	4.00	2-3 times per month	99	5.7%
	5.00	Only once	44	2.5%
	9.00	Refuse	78	4.5%

**Q423**

		Value	Count	Percent
Standard Attributes	Label	Last sexual intercourse-relationship w/woman		
N	Valid	1002		
	Missing	738		
Labeled Values	1.00	Wife-consensual partner	879	50.5%
	2.00	Fiancee	17	1.0%
	3.00	Girlfriend	63	3.6%
	4.00	Friend	7	.4%
	5.00	Lover	21	1.2%
	6.00	Acquaintance	2	.1%
	7.00	Just Met	0	.0%
	8.00	Relative	0	.0%
	11.00	Prostitute	13	.7%
	20.00	Other	0	.0%
	88.00	Do not Remember	0	.0%
	99.00	Refused	0	.0%

**Q423\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other relationship-w/woman-last time had sex		
Valid Values			1740	100.0%

**Q424**

		Value	Count	Percent
Standard Attributes	Label	Time together-last partner-had sex		
N	Valid	108		
	Missing	1632		
Labeled Values	.00	First Time We Met	0	.0%
	777.00	Other	0	.0%
	888.00	Do not Remember	1	.1%
	999.00	No Response	0	.0%

**Q424\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-time together-last partner-had sex		
Valid Values			1740	100.0%

**Q425**

		Value	Count	Percent
Standard Attributes	Label	Last sexual intercourse-use any contraceptives		
N	Valid	1002		
	Missing	738		
Labeled Values	1.00	Yes	893	51.3%
	2.00	No	108	6.2%
	9.00	Do not Remember/No Response	1	.1%

**Q426**

		Value	Count	Percent
Standard Attributes	Label	Which method used-last had sex		
N	Valid	893		
	Missing	847		
Labeled Values	1.00	Pill	4	.2%
	2.00	IUD	4	.2%
	3.00	Condom	81	4.7%
	4.00	Spermicide	0	.0%
	5.00	Condom+spermicide	0	.0%
	6.00	Condom+Calendar/Withdrawal	3	.2%
	7.00	Tubal Ligation	2	.1%
	8.00	Emergency Hormonal Contraception	1	.1%
	9.00	Injectables	2	.1%
	10.00	Other modern method	0	.0%
	11.00	Rhythm Method	13	.7%
	12.00	Withdrawal	773	44.4%
	13.00	Withdrawal/Calendar Method	10	.6%
	20.00	Other BC method	0	.0%
	88.00	Do not know	0	.0%

**Q426\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other method-used-last had sex		
Valid Values			1740	100.0%

**Q427**

		Value	Count	Percent
Standard Attributes	Label	Use condom w/current contraceptive method		
N	Valid	26		
	Missing	1714		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	24	1.4%
	9.00	Do not Remember/No Response	2	.1%

**Q427A**

		Value	Count	Percent
Standard Attributes	Label	Last 30 days-use condom		
N	Valid	809		
	Missing	931		
Labeled Values	1.00	Yes	26	1.5%
	2.00	No	782	44.9%
	9.00	Do not Remember/No Response	1	.1%

**Q427B**

		Value	Count	Percent
Standard Attributes	Label	Last 30 days-used current contraceptive method		
N	Valid	784		
	Missing	956		
Labeled Values	1.00	At every sexual intercourse	660	37.9%
	2.00	At almost all acts of sexual intercourse	77	4.4%
	3.00	From time to time	22	1.3%
	4.00	Only once	25	1.4%
	9.00	Refusal	0	.0%

**Q428**

		Value	Count	Percent
Standard Attributes	Label	Last 30 days-use any contraceptive method		
N	Valid	109		
	Missing	1631		
Labeled Values	1.00	Yes	9	.5%
	2.00	No	100	5.7%

**Q429**

		Value	Count	Percent
Standard Attributes	Label	Which contraceptive method-last 30 days		
N	Valid	9		
	Missing	1731		
Labeled Values	1.00	Pill	0	.0%
	2.00	IUD	0	.0%
	3.00	Condom	1	.1%
	4.00	Spermicide	0	.0%
	5.00	Condom+spermicide	0	.0%
	6.00	Condom+Calendar/Withdrawal	0	.0%
	7.00	Tubal Ligation	0	.0%
	8.00	Emergency Hormonal Contraception	0	.0%
	9.00	Injectables	0	.0%
	10.00	Other modern method	0	.0%
	11.00	Rhythm Method	0	.0%
	12.00	Withdrawal	8	.5%
	13.00	Withdrawal/Calendar Method	0	.0%
	20.00	Other BC method	0	.0%
	88.00	Do not know	0	.0%

**Q429\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other contraceptive method-last 30 days		
Valid Values			1740	100.0%

**Q430**

		Value	Count	Percent
Standard Attributes	Label	Last 30 days-you/partner use condom		
N	Valid	8		
	Missing	1732		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	7	.4%
	9.00	Do not Remember/No Response	1	.1%



**Q431**

		Value	Count	Percent
Standard Attributes	Label	Last 30 days-you/partner use current method		
N	Valid	93		
	Missing	1647		
Labeled Values	1.00	At every sexual intercourse	56	3.2%
	2.00	At almost all acts of sexual intercourse	25	1.4%
	3.00	From time to time	9	.5%
	4.00	Only once	3	.2%
	9.00	Refusal	0	.0%

**Q432**

		Value	Count	Percent
Standard Attributes	Label	Why choose current method		
N	Valid	902		
	Missing	838		
Labeled Values	1.00	Doctor recommended	10	.6%
	2.00	Cost	15	.9%
	3.00	Very Effective	216	12.4%
	4.00	No side effects	49	2.8%
	5.00	Saw ads	1	.1%
	6.00	Easy to use	181	10.4%
	7.00	Partner prefers it	59	3.4%
	8.00	Knows somebody who uses it	2	.1%
	9.00	Curiosity	2	.1%
	10.00	Allows spontaneity during intercourse	123	7.1%
	11.00	Traditional method/culturally accepted	241	13.9%
	20.00	Other	0	.0%
	88.00	Do not know	3	.2%

**Q432\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other reason-choose current method		
Valid Values			1740	100.0%

**Q433**

		Value	Count	Percent
Standard Attributes	Label	Where get last contraceptive method		
N	Valid	902		
	Missing	838		
Labeled Values	1.00	Health Post	0	.0%
	2.00	Health Center	3	.2%
	3.00	Policlinic	2	.1%
	4.00	Family Plannind Clinic	3	.2%
	5.00	Government Hospital	2	.1%
	6.00	Private Clinic	2	.1%
	7.00	NGO	1	.1%
	8.00	Pharmacy	82	4.7%
	9.00	Open Market	0	.0%
	10.00	Store/kiosk	0	.0%
	11.00	Partner/wife	26	1.5%
	12.00	Friend	1	.1%
	13.00	Relative	0	.0%
	20.00	Other	0	.0%
	77.00	Natural Method	780	44.8%
	88.00	Do not know	0	.0%

**Q433\_OTH**

	Value	Count	Percent
Standard Attributes Label	Other place-get last contraceptive method		
Valid Values		1740	100.0%

**Q434**

	Value	Count	Percent
Standard Attributes Label	Did you pay for method		
N Valid	122		
Missing	1618		
Labeled Values 1.00	Yes	87	5.0%
2.00	No	31	1.8%
3.00	Partner gets the method	4	.2%

**Q435**

	Value	Count	Percent
Standard Attributes Label	LEKI-how much paid for method		
N Valid	87		
Missing	1653		
Labeled Values 85.00	85 Hundred LEKI or more	0	.0%
88.00	Not Sure/do not know	12	.7%

**Q436**

	Value	Count	Percent
Standard Attributes Label	Past 3 months-had sex		
N Valid	293		
Missing	1447		
Labeled Values 1.00	Yes	150	8.6%
2.00	No	132	7.6%
9.00	Refuse	11	.6%

**Q437**

	Value	Count	Percent
Standard Attributes Label	Last sexual intercourse-relationship w/partner		
N Valid	150		
Missing	1590		
Labeled Values 1.00	Wife-consensual partner	71	4.1%
2.00	Fiancee	2	.1%
3.00	Girlfriend	41	2.4%
4.00	Friend	9	.5%
5.00	Lover	14	.8%
6.00	Acquaintance	5	.3%
7.00	Just Met	3	.2%
8.00	Relative	0	.0%
11.00	Prostitute	4	.2%
20.00	Other	0	.0%
88.00	Do not Remember	0	.0%
99.00	Refused	1	.1%

**Q437\_OTH**

	Value	Count	Percent
Standard Attributes Label	Other-relationship-last sexual partner		
Valid Values		1740	100.0%

**Q438**

		Value	Count	Percent
Standard Attributes	Label	Time-length-dating-had sex w/last sexual partner		
N	Valid	72		
	Missing	1668		
Labeled Values	.00	First Time We Met	0	.0%
	777.00	Other	0	.0%
	888.00	Do not Remember	1	.1%
	999.00	No Response	1	.1%

**Q438\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-time together-last partner-had sex		
Valid Values			1740	100.0%

**Q439**

		Value	Count	Percent
Standard Attributes	Label	Last sexual intercourse-use contraceptive method-prevent PG		
N	Valid	150		
	Missing	1590		
Labeled Values	1.00	Yes	131	7.5%
	2.00	No	19	1.1%
	8.00	Do not remember	0	.0%
	9.00	Refuse	0	.0%

**Q440**

		Value	Count	Percent
Standard Attributes	Label	What method-used-last sexual intercourse		
N	Valid	131		
	Missing	1609		
Labeled Values	1.00	Pill	0	.0%
	2.00	IUD	0	.0%
	3.00	Condom	50	2.9%
	4.00	Spermicide	0	.0%
	5.00	Condom+spermicide	0	.0%
	6.00	Condom+Calendar/Withdrawal	1	.1%
	7.00	Tubal Ligation	0	.0%
	8.00	Emergency Hormonal Contraception	0	.0%
	9.00	Injectables	0	.0%
	10.00	Other modern method	0	.0%
	11.00	Rhythm Method	4	.2%
	12.00	Withdrawal	76	4.4%
	13.00	Withdrawal/Calendar Method	0	.0%
	20.00	Other BC method	0	.0%
	88.00	Do not know	0	.0%

**Q440\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-method-used last sexual intercourse		
Valid Values			1740	100.0%

**Q441**

		Value	Count	Percent
Standard Attributes	Label	Use condom and current method-last sexual intercourse		
N	Valid	4		
	Missing	1736		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	4	.2%
	8.00	Do not remember	0	.0%
	9.00	Refuse	0	.0%

**Q441A**

		Value	Count	Percent
Standard Attributes	Label	Use condom-last 3 months-have sex w/woman		
N	Valid	51		
	Missing	1689		
Labeled Values	1.00	At every sexual intercourse	27	1.6%
	2.00	At almost all acts of sexual intercourse	15	.9%
	3.00	From time to time	8	.5%
	8.00	Don't know	1	.1%
	9.00	Refusal	0	.0%

**Q442**

		Value	Count	Percent
Standard Attributes	Label	Where get contraceptive-last time had sex		
N	Valid	55		
	Missing	1685		
Labeled Values	1.00	Health Post	0	.0%
	2.00	Health Center	0	.0%
	3.00	Policlinic	0	.0%
	4.00	Family Plannind Clinic	0	.0%
	5.00	Government Hospital	0	.0%
	6.00	Private Clinic	1	.1%
	7.00	NGO	0	.0%
	8.00	Pharmacy	41	2.4%
	9.00	Open Market	0	.0%
	10.00	Store/kiosk	1	.1%
	11.00	Partner/wife	7	.4%
	12.00	Friend	2	.1%
	13.00	Relative	0	.0%
	20.00	Other	0	.0%
	77.00	Natural Method	3	.2%
	88.00	Do not know	0	.0%

**Q442\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other place-get contraceptive-last time had sex		
Valid Values			1740	100.0%

**Q443**

		Value	Count	Percent
Standard Attributes	Label	Pay for method-last time		
N	Valid	52		
	Missing	1688		
Labeled Values	1.00	Yes	39	2.2%
	2.00	No	4	.2%
	3.00	Partner gets the method	9	.5%

**Q444**

		Value	Count	Percent
Standard Attributes	Label	How much-paid-LEKI-for method		
N	Valid	39		
	Missing	1701		
Labeled Values	85.00	85 Hundred LEKI or more	0	.0%
	88.00	Not Sure/do not know	9	.5%

**Q445**

		Value	Count	Percent
Standard Attributes	Label	Nbr women-past 3 months-had sex		
N	Valid	1152		
	Missing	588		
Labeled Values	85.00	More than 85 women	0	.0%
	88.00	Do not Know	3	.2%
	99.00	NO Response	17	1.0%

**Q446**

		Value	Count	Percent
Standard Attributes	Label	Relationship w/other woman-last time had sex		
N	Valid	39		
	Missing	1701		
Labeled Values	1.00	Wife-consensual partner	3	.2%
	2.00	Fiancee	0	.0%
	3.00	Girlfriend	7	.4%
	4.00	Friend	5	.3%
	5.00	Lover	8	.5%
	6.00	Acquaintance	6	.3%
	7.00	Just Met	4	.2%
	8.00	Relative	0	.0%
	11.00	Prostitute	6	.3%
	20.00	Other	0	.0%
	88.00	Do not Remember	0	.0%
	99.00	Refused	0	.0%

**Q446\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other relationship w/other woman-last time had sex		
Valid Values			1740	100.0%

**Q447**

		Value	Count	Percent
Standard Attributes	Label	Time-length-relationship-w/other woman when had sex		
N	Valid	26		
	Missing	1714		
Labeled Values	.00	First Time We Met	1	.1%
	777.00	Other	0	.0%
	888.00	Do not Remember	1	.1%
	999.00	No Response	0	.0%

**Q447\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-time together-last partner-had sex		
Valid Values			1740	100.0%

**Q449**

		Value	Count	Percent
Standard Attributes	Label	Use contraceptive method w/other woman last time had sex		
N	Valid	39		
	Missing	1701		
Labeled Values	1.00	Yes	36	2.1%
	2.00	No	3	.2%
	9.00	Refuse	0	.0%

**Q450**

		Value	Count	Percent
Standard Attributes	Label	What method-w/other woman-last time had sex		
N	Valid	36		
	Missing	1704		
Labeled Values	1.00	Pill	0	.0%
	2.00	IUD	0	.0%
	3.00	Condom	25	1.4%
	4.00	Spermicide	0	.0%
	5.00	Condom+spermicide	0	.0%
	6.00	Condom+Calendar/Withdrawal	1	.1%
	7.00	Tubal Ligation	0	.0%
	8.00	Emergency Hormonal Contraception	0	.0%
	9.00	Injectables	0	.0%
	10.00	Other modern method	0	.0%
	11.00	Rhythm Method	0	.0%
	12.00	Withdrawal	10	.6%
	13.00	Withdrawal/Calendar Method	0	.0%
	20.00	Other BC method	0	.0%
	88.00	Do not know	0	.0%

**Q450\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other method-w/other woman-last time had sex		
Valid Values			1740	100.0%

**Q451**

		Value	Count	Percent
Standard Attributes	Label	Use condom w/contraceptive method-w/other woman		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%
	8.00	Do not remember	0	.0%
	9.00	Refuse	0	.0%

**Q452**

		Value	Count	Percent
Standard Attributes	Label	How often use condoms-last 3 months		
N	Valid	26		
	Missing	1714		
Labeled Values	1.00	At every sexual intercourse	18	1.0%
	2.00	At almost all acts of sexual intercourse	4	.2%
	3.00	From time to time	1	.1%
	4.00	Only once	3	.2%
	9.00	Refusal	0	.0%

**Q453\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-last time had sex		
N	Valid	143		
	Missing	1597		
Labeled Values	88.00	Do not Know	0	.0%
	99.00	Refuse	0	.0%

**Q453\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-last time had sex		
N	Valid	143		
	Missing	1597		
Labeled Values	8888.00	Do not Know	21	1.2%
	9999.00	Refuse	12	.7%

**Q454**

		Value	Count	Percent
Standard Attributes	Label	Relationship w/woman-had last sex		
N	Valid	143		
	Missing	1597		
Labeled Values	1.00	Wife-consensual partner	51	2.9%
	2.00	Fiancee	2	.1%
	3.00	Girlfriend	33	1.9%
	4.00	Friend	5	.3%
	5.00	Lover	22	1.3%
	6.00	Acquaintance	12	.7%
	7.00	Just Met	9	.5%
	8.00	Relative	0	.0%
	9.00	Rape	0	.0%
	10.00	Incest	0	.0%
	11.00	Prostitute	6	.3%
	20.00	Other	0	.0%
	88.00	Do not Remember	1	.1%
	99.00	Refusal	2	.1%

**Q454\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-Relationship-w/woman-had last sex		
Valid Values			1740	100.0%

**Q455**

		Value	Count	Percent
Standard Attributes	Label	Use BC-last time had sex		
N	Valid	140		
	Missing	1600		
Labeled Values	1.00	Yes	117	6.7%
	2.00	No	23	1.3%
	9.00	No Response	0	.0%

**Q456**

		Value	Count	Percent
Standard Attributes	Label	BC Method Used-last time had sex		
N	Valid	117		
	Missing	1623		
Labeled Values	1.00	Pill	1	.1%
	2.00	IUD	0	.0%
	3.00	Condom	48	2.8%
	4.00	Condom+Espermicide	0	.0%
	5.00	Condom+withdrawal/calendar	3	.2%
	6.00	Foams/Jelly	0	.0%
	7.00	Female sterilization	0	.0%
	8.00	Emergency Hormonal Contraception	0	.0%
	9.00	Injectables	0	.0%
	10.00	Other modern method	0	.0%
	11.00	Rhythm Method	0	.0%
	12.00	Withdrawal	65	3.7%
	13.00	Withdrawal and Calendar	0	.0%
	19.00	Douche (after sexual rel)	0	.0%
	20.00	Other BC method	0	.0%
	88.00	Do not know	0	.0%

**Q456\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-BC Method Used-last time had sex		
Valid Values			1740	100.0%



**Q457**

		Value	Count	Percent
Standard Attributes	Label	Where get BC Method-last time		
N	Valid	52		
	Missing	1688		
Labeled Values	1.00	Health Post	0	.0%
	2.00	Health Center	0	.0%
	3.00	Policlinic	1	.1%
	4.00	Family Plannind Clinic	0	.0%
	5.00	Government Hospital	0	.0%
	6.00	Private Clinic	0	.0%
	7.00	NGO	0	.0%
	8.00	Pharmacy	37	2.1%
	9.00	Open Market	0	.0%
	10.00	Store/kiosk	0	.0%
	11.00	Partner/wife	3	.2%
	12.00	Friend	10	.6%
	13.00	Relative	0	.0%
	20.00	Other	0	.0%
	77.00	Natural Method	0	.0%
	88.00	Do not know	1	.1%

**Q457\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other place get BC method-last time		
Valid Values			1740	100.0%

**Q458**

		Value	Count	Percent
Standard Attributes	Label	Pay for BC method-last time		
N	Valid	52		
	Missing	1688		
Labeled Values	1.00	Yes	32	1.8%
	2.00	No	14	.8%
	3.00	Partner gets method	6	.3%

**Q459**

		Value	Count	Percent
Standard Attributes	Label	How much paid-BC method-last time-LEKI		
N	Valid	32		
	Missing	1708		
Labeled Values	85.00	85 Hundred LEKI or more	0	.0%
	88.00	Not Sure/do not know	6	.3%

**Q460**

		Value	Count	Percent
Standard Attributes	Label	Nbr sex partners-last 12 months		
N	Valid	1295		
	Missing	445		
Labeled Values	85.00	More than 85 lifetime partners	0	.0%
	88.00	Do not Know	3	.2%
	99.00	No Response	30	1.7%

**Q460A**

		Value	Count	Percent
Standard Attributes	Label	Nbr sex partners-lifetime		
N	Valid	1295		
	Missing	445		
Labeled Values	85.00	More than 85 lifetime partners	0	.0%
	87.00	Do not know-at least 4 or more	0	.0%
	88.00	Do not Know	42	2.4%
	99.00	No Response	102	5.9%

**Q461**

		Value	Count	Percent
Standard Attributes	Label	Ever had sex w/prostitute		
N	Valid	1295		
	Missing	445		
Labeled Values	1.00	Yes	114	6.6%
	2.00	No	1135	65.2%
	9.00	Do not remember	46	2.6%

**Q462**

		Value	Count	Percent
Standard Attributes	Label	Last time had sex w/prostitute		
N	Valid	114		
	Missing	1626		
Labeled Values	1.00	In the last month	2	.1%
	2.00	2-3 months ago	8	.5%
	3.00	In the last year/not in the last month	17	1.0%
	4.00	More than a year ago	79	4.5%
	9.00	Do not remember	8	.5%

**Q463**

		Value	Count	Percent
Standard Attributes	Label	Use condom w/prostitute-last time had sex		
N	Valid	113		
	Missing	1627		
Labeled Values	1.00	Yes	105	6.0%
	2.00	No	5	.3%
	9.00	Do not remember	3	.2%

## V. CURRENT AND PAST CONTRACEPTIVE USE

### Q503A

		Value	Count	Percent
Standard Attributes N	Label	Verify respondent used any BC method		
	Valid	1295		
	Missing	445		
Labeled Values	1.00	Did not use method in past 30 days	394	22.6%
	2.00	Used a method in past 30 days	901	51.8%

### Q503

		Value	Count	Percent
Standard Attributes N	Label	Currently Not using BC method		
	Valid	394		
	Missing	1346		
Labeled Values	1.00	Currently using	2	.1%
	2.00	Not currently using	392	22.5%

### Q508\_A

		Value	Count	Percent
Standard Attributes N	Label	Difficult to get-Decision-BC method		
	Valid	805		
	Missing	935		
Labeled Values	1.00	Very Important	102	5.9%
	2.00	Somewhat Important	409	23.5%
	3.00	Not Important	152	8.7%
	8.00	Not Sure	142	8.2%

### Q508\_B

		Value	Count	Percent
Standard Attributes N	Label	Cost of method-Decision to use BC		
	Valid	805		
	Missing	935		
Labeled Values	1.00	Very Important	204	11.7%
	2.00	Somewhat Important	332	19.1%
	3.00	Not Important	107	6.1%
	8.00	Not Sure	162	9.3%

### Q508\_C

		Value	Count	Percent
Standard Attributes N	Label	Little knowledge-Decsion to use BC		
	Valid	805		
	Missing	935		
Labeled Values	1.00	Very Important	267	15.3%
	2.00	Somewhat Important	334	19.2%
	3.00	Not Important	88	5.1%
	8.00	Not Sure	116	6.7%

**Q508\_D**

		Value	Count	Percent
Standard Attributes	Label	Fear/side effects-Decision to use BC		
N	Valid	805		
	Missing	935		
Labeled Values	1.00	Very Important	413	23.7%
	2.00	Somewhat Important	177	10.2%
	3.00	Not Important	85	4.9%
	8.00	Not Sure	130	7.5%

**Q508\_E**

		Value	Count	Percent
Standard Attributes	Label	Husband choice-Decision to use BC		
N	Valid	805		
	Missing	935		
Labeled Values	1.00	Very Important	474	27.2%
	2.00	Somewhat Important	216	12.4%
	3.00	Not Important	106	6.1%
	8.00	Not Sure	9	.5%

**Q508\_F**

		Value	Count	Percent
Standard Attributes	Label	Religious beliefs-Decision to use BC		
N	Valid	805		
	Missing	935		
Labeled Values	1.00	Very Important	72	4.1%
	2.00	Somewhat Important	344	19.8%
	3.00	Not Important	270	15.5%
	8.00	Not Sure	119	6.8%

**Q508\_G**

		Value	Count	Percent
Standard Attributes	Label	Doctor recomend-Decision use BC		
N	Valid	805		
	Missing	935		
Labeled Values	1.00	Very Important	186	10.7%
	2.00	Somewhat Important	287	16.5%
	3.00	Not Important	203	11.7%
	8.00	Not Sure	129	7.4%

**Q508\_H**

		Value	Count	Percent
Standard Attributes	Label	Person advice-Decision use BC		
N	Valid	805		
	Missing	935		
Labeled Values	1.00	Very Important	37	2.1%
	2.00	Somewhat Important	238	13.7%
	3.00	Not Important	381	21.9%
	8.00	Not Sure	149	8.6%

**Q509**

		Value	Count	Percent
Standard Attributes	Label	Effective-Traditional Method vs Modern		
N	Valid	805		
	Missing	935		
Labeled Values	1.00	Current method more effective	389	22.4%
	2.00	About equally effective	317	18.2%
	3.00	Current method/less effective	46	2.6%
	8.00	Do not Know	53	3.0%

**Q510**

		Value	Count	Percent
Standard Attributes	Label	Any problems-current BC method		
N	Valid	903		
	Missing	837		
Labeled Values	1.00	Yes	31	1.8%
	2.00	No	872	50.1%

**Q511**

		Value	Count	Percent
Standard Attributes	Label	Problem w/current BC method		
N	Valid	31		
	Missing	1709		
Labeled Values	1.00	Side Effects	0	.0%
	2.00	Health Concerns	4	.2%
	3.00	Access/Availability	0	.0%
	4.00	Cost	0	.0%
	5.00	Sometime forget to use	0	.0%
	6.00	Sometime difficult to use	7	.4%
	7.00	Husband/Partner disapproves	1	.1%
	8.00	Less effective method-got PG using	19	1.1%
	9.00	Deeply unsatisfied with method	0	.0%
	10.00	Other	0	.0%

**Q511\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other problem w/current BC		
Valid Values			1740	100.0%

**Q512**

		Value	Count	Percent
Standard Attributes	Label	Prefer-another BC method		
N	Valid	903		
	Missing	837		
Labeled Values	1.00	Yes	49	2.8%
	2.00	No	854	49.1%

**Q513**

		Value	Count	Percent
Standard Attributes	Label	What BC method-prefer		
N	Valid		49	
	Missing		1691	
Labeled Values	1.00	Pill	5	.3%
	2.00	IUD	4	.2%
	3.00	Condom	23	1.3%
	4.00	Condom+spermicide	0	.0%
	5.00	Condom+withdrawal/cal	0	.0%
	6.00	Foams/Jelly	0	.0%
	7.00	Female sterilization	1	.1%
	8.00	Emergency Hormonal Contraception	2	.1%
	9.00	Injectables	0	.0%
	10.00	Other modern method	0	.0%
	11.00	Rhythm Method	2	.1%
	12.00	Withdrawal	5	.3%
	13.00	Withdrawal and calendar	1	.1%
	20.00	Other BC method	0	.0%
	88.00	Do not know	6	.3%

**Q513\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other BC method-prefer		
Valid Values			1740	100.0%

**Q514**

		Value	Count	Percent
Standard Attributes	Label	Reason-not to use BC method		
N	Valid		49	
	Missing		1691	
Labeled Values	1.00	Doctor will not prescribe BC	4	.2%
	2.00	Cost	5	.3%
	3.00	Not Available-difficult to obtain	4	.2%
	4.00	Too far away	0	.0%
	5.00	Do not know-how-where to get	2	.1%
	6.00	Wife/Partner objects	7	.4%
	7.00	Religious reasons	0	.0%
	8.00	Fear of side effects	5	.3%
	9.00	Not made up mind	18	1.0%
	10.00	Difficult to use	0	.0%
	11.00	Fear of surgical procedure	0	.0%
	20.00	Other	1	.1%
	88.00	Do not know	3	.2%

**Q514\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-reason-not to use BC		
Valid Values			1739	99.9%
	GRUAJA PAS LINDJES		1	.1%

**Q515**

		Value	Count	Percent
Standard Attributes	Label	Reason-not using BC method-now		
N	Valid	392		
	Missing	1348		
Labeled Values	1.00	Not Sexually Active-No Partner	217	12.5%
	2.00	Trying to get PG	56	3.2%
	3.00	Partner Postpartum/Breastfeeding	14	.8%
	4.00	Partner Currently Pregnant	20	1.1%
	5.00	Partner-Hysterectomy/Menopause	3	.2%
	6.00	Doctor said-cannot have children	13	.7%
	7.00	Tried to get PG-2 years-could not	7	.4%
	8.00	Fear of side effects	5	.3%
	9.00	Lovemaking interrupted	20	1.1%
	10.00	Respondent did not thinkg about using BC	10	.6%
	11.00	Cost-cannot afford	0	.0%
	12.00	Birth control-partner-responsibility	1	.1%
	13.00	Birth control-not effective	0	.0%
	14.00	Respondent-does not want to use BC	11	.6%
	15.00	Partner objects to BC	1	.1%
	16.00	Object-Religios Reasons	4	.2%
	17.00	Does not know where to get BC	0	.0%
	18.00	Respondent does not know how to use	0	.0%
	19.00	Respondent does not believe - get PG	5	.3%
	20.00	Respondent-no time-get to FP clinic	0	.0%
	21.00	Uses Douching	1	.1%
	77.00	Other	0	.0%
	88.00	Do not Know	4	.2%

**Q515\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other Reason-not using BC now		
Valid Values			1740	100.0%

**Q516**

		Value	Count	Percent
Standard Attributes	Label	Use another method-next 12 months		
N	Valid	369		
	Missing	1371		
Labeled Values	1.00	Yes	157	9.0%
	2.00	No	96	5.5%
	8.00	Not sure	116	6.7%

**Q517**

		Value	Count	Percent
Standard Attributes	Label	Think-use BC method-future		
N	Valid	212		
	Missing	1528		
Labeled Values	1.00	Yes	56	3.2%
	2.00	No	85	4.9%
	8.00	Not sure	71	4.1%

**Q518**

		Value	Count	Percent
Standard Attributes	Label	BC Method-would use most		
N	Valid	213		
	Missing	1527		
Labeled Values	1.00	Pill	3	.2%
	2.00	IUD	1	.1%
	3.00	Condom	92	5.3%
	4.00	Condom+spermicide	0	.0%
	5.00	Condom+withdrawal/cal	7	.4%
	6.00	Foams/Jelly	0	.0%
	7.00	Female sterilization	0	.0%
	8.00	Emergency Hormonal Contraception	1	.1%
	9.00	Injectables	0	.0%
	10.00	Other modern method	0	.0%
	11.00	Rhythm Method	5	.3%
	12.00	Withdrawal	98	5.6%
	13.00	Withdrawal and calendar	1	.1%
	20.00	Other BC method	0	.0%
	88.00	Do not know	5	.3%

**Q518\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other BC Method-would use		
Valid Values		1740	100.0%	

**Q519**

		Value	Count	Percent
Standard Attributes	Label	How much willing to pay-BC/month		
N	Valid	104		
	Missing	1636		
Labeled Values	85.00	85 Hundred Leki or more	8	.5%
	88.00	Not sure/do not know	41	2.4%

**Q520**

		Value	Count	Percent
Standard Attributes	Label	Where-want to get BC method		
N	Valid	104		
	Missing	1636		
Labeled Values	1.00	Health Post	0	.0%
	2.00	Health Center	3	.2%
	3.00	Policlinic	1	.1%
	4.00	Family Planning Clinic	1	.1%
	5.00	Gov Hospital/Maternity Ward	0	.0%
	6.00	Private Clinic or Office	0	.0%
	7.00	NGO	1	.1%
	8.00	Pharmacy	78	4.5%
	9.00	Open Market	2	.1%
	10.00	Store/Kiosk	6	.3%
	11.00	Partner/Husband	1	.1%
	12.00	Friend	8	.5%
	13.00	Relative	0	.0%
	20.00	Other	0	.0%
	88.00	Do not Know	3	.2%



**Q520\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-where get BC method		
N	Valid		1740	100.0%
	Missing			
Labeled Values				

**Q521**

		Value	Count	Percent
Standard Attributes	Label	Last year-Talk Contraception-Wife/Partner		
N	Valid		1272	
	Missing		468	
Labeled Values	1.00	Never	838	48.2%
	2.00	One or Two times	245	14.1%
	3.00	Three times or more	169	9.7%
	4.00	Had not partner-last year	20	1.1%

**Q522**

		Value	Count	Percent
Standard Attributes	Label	Agree-use of BC-Wife/Partner		
N	Valid		414	
	Missing		1326	
Labeled Values	1.00	Agrees	333	19.1%
	2.00	Disagrees	33	1.9%
	3.00	Neither agrees nor disagrees	46	2.6%
	8.00	Not Sure/Do not know	2	.1%

**Q523**

		Value	Count	Percent
Standard Attributes	Label	Condom use-BC/Disease/Both		
N	Valid		1295	
	Missing		445	
Labeled Values	1.00	Birth Control Only	86	4.9%
	2.00	Disease Prevention Only	28	1.6%
	3.00	Both	389	22.4%
	4.00	Never used a condom	708	40.7%
	5.00	Used condom out of curiosity	83	4.8%
	8.00	Not sure/do not remember	1	.1%

**Q524**

		Value	Count	Percent
Standard Attributes	Label	Why never use condoms		
N	Valid	792		
	Missing	948		
Labeled Values	1.00	Preventing Pregnancy is woman responsibility	2	.1%
	2.00	Partner(s) objected to use condoms	14	.8%
	3.00	Have only one partner	214	12.3%
	4.00	They are only for use with prostitutes	79	4.5%
	5.00	They are only for extramarital relations	58	3.3%
	6.00	Condoms diminish pleasures/spontaneity	47	2.7%
	7.00	Condoms are less effective in preventing pregnancy	2	.1%
	8.00	Condoms are too difficult to use	10	.6%
	9.00	Lovemaking would be interrupted	8	.5%
	10.00	Condoms use is too messy	10	.6%
	11.00	Cost	12	.7%
	12.00	He has never thought about it	270	15.5%
	13.00	It is embarrassing to buy condoms	17	1.0%
	14.00	Prefers other contraceptive methods	38	2.2%
	20.00	Other	2	.1%
	88.00	Do not know	9	.5%

**Q524\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-Reason-never use condoms		
Valid Values			1738	99.9%
	JO TE DISPONUESHEM		1	.1%
	NUK TREGOHESHIN		1	.1%

**Q551**

		Value	Count	Percent
Standard Attributes	Label	Think partner able to get PG now		
N	Valid	393		
	Missing	1347		
Labeled Values	1.00	Yes	99	5.7%
	2.00	No	255	14.7%
	3.00	Not Sure	18	1.0%
	4.00	Currently Pregnant	21	1.2%

**Q552**

		Value	Count	Percent
Standard Attributes	Label	Reason-partner cannot get PG now		
N	Valid	273		
	Missing	1467		
Labeled Values	1.00	Does not have a partner/not sexually active	196	11.3%
	2.00	Currently breast feeding/postpartum	13	.7%
	3.00	Genital infection	3	.2%
	4.00	Endocrine Dysfunction	16	.9%
	5.00	Hysterectomy	2	.1%
	6.00	Premenopause/Menopause	5	.3%
	7.00	Ovarian Cysts/Ovarian Dysfunction	0	.0%
	8.00	Had both tubes removed/obstructed	3	.2%
	9.00	Tried to get PG/ not succeed / past 2 years	24	1.4%
	10.00	Had operation and cannot get pregnant	0	.0%
	11.00	Respondent is sterile	1	.1%
	12.00	Currently uses method	4	.2%
	20.00	Other	0	.0%
	88.00	Do not Know	6	.3%
	99.00	Refuse to answer	0	.0%

**Q552\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other reason-not get PG		
Valid Values			1740	100.0%

**Q553**

		Value	Count	Percent
Standard Attributes	Label	Intend-have baby-future		
N	Valid	1260		
	Missing	480		
Labeled Values	1.00	Wants a baby	507	29.1%
	2.00	Does not want a baby	624	35.9%
	3.00	Respondent wants/partner disagrees	8	.5%
	4.00	Respondent doesn not want baby/partner wants	3	.2%
	8.00	Do not Know	118	6.8%

**Q554**

		Value	Count	Percent
Standard Attributes	Label	When-want to get PG		
N	Valid	515		
	Missing	1225		
Labeled Values	1.00	Right away	49	2.8%
	2.00	Within next 12 months	51	2.9%
	3.00	Within 1-2 years	79	4.5%
	4.00	After 2 years	66	3.8%
	6.00	After she marries	186	10.7%
	7.00	When God wants	49	2.8%
	8.00	Do not know	35	2.0%

**Q555**

		Value	Count	Percent
Standard Attributes	Label	Ever want operation-prevent PG		
N	Valid	1260		
	Missing	480		
Labeled Values	1.00	Yes	133	7.6%
	2.00	No	1002	57.6%
	3.00	Already Sterilized	3	.2%
	4.00	Has had a vasectomy	1	.1%
	8.00	Not Sure	121	7.0%

**Q556**

		Value	Count	Percent
Standard Attributes	Label	Reason-not have operation-prevent PG		
N	Valid	1123		
	Missing	617		
Labeled Values	1.00	Health risks/fear side effects	205	11.8%
	2.00	Fear of operation	135	7.8%
	3.00	Do not know enough about sterilization	109	6.3%
	4.00	Might want another child	116	6.7%
	5.00	Cost	28	1.6%
	6.00	Does not have partner/not sexually active	12	.7%
	7.00	Age too young/too old	27	1.6%
	8.00	Have not thought about it	280	16.1%
	9.00	Not Culturally acceptable	80	4.6%
	10.00	Religious Reasons	35	2.0%
	11.00	Prefers/use other contraceptive methods	46	2.6%
	12.00	Cannot get PG	4	.2%
	20.00	Other	0	.0%
	88.00	Do not know	46	2.6%

**Q556\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-reason-not be sterilized		
Valid Values			1740	100.0%

## VI. MEN'S HEALTH

### Q601

		Value	Count	Percent
Standard Attributes	Label	Visited health facility-past 12 months		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	240	13.8%
	2.00	No	1498	86.1%
	8.00	Do not Know	2	.1%

### Q603\_A

		Value	Count	Percent
Standard Attributes	Label	Doctor discuss Condoms-past 12 months		
N	Valid	240		
	Missing	1500		
Labeled Values	1.00	Yes	18	1.0%
	2.00	No	220	12.6%
	8.00	Do not Know	2	.1%

### Q603\_B

		Value	Count	Percent
Standard Attributes	Label	Doctor discuss STD-past 12 months		
N	Valid	240		
	Missing	1500		
Labeled Values	1.00	Yes	23	1.3%
	2.00	No	216	12.4%
	8.00	Do not Know	1	.1%

### Q603\_C

		Value	Count	Percent
Standard Attributes	Label	Doctor discuss control for pregnancy-past 12 months		
N	Valid	240		
	Missing	1500		
Labeled Values	1.00	Yes	199	11.4%
	2.00	No	40	2.3%
	8.00	Do not Know	1	.1%

### Q604\_A

		Value	Count	Percent
Standard Attributes	Label	Know where-prevent medical care		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Big Problem	625	35.9%
	2.00	Not a Big Problem	1115	64.1%

### Q604\_C

		Value	Count	Percent
Standard Attributes	Label	Get money-prevent medical care		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Big Problem	843	48.4%
	2.00	Not a Big Problem	897	51.6%

**Q604\_D**

		Value	Count	Percent
Standard Attributes	Label	Distance-prevent medical care		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Big Problem	438	25.2%
	2.00	Not a Big Problem	1302	74.8%

**Q604\_E**

		Value	Count	Percent
Standard Attributes	Label	Take Transport-prevent medical care		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Big Problem	373	21.4%
	2.00	Not a Big Problem	1367	78.6%

**Q604\_G**

		Value	Count	Percent
Standard Attributes	Label	No male doc-prevent medical care		
N	Valid	1739		
	Missing	1		
Labeled Values	1.00	Big Problem	324	18.6%
	2.00	Not a Big Problem	1415	81.3%

**Q614**

		Value	Count	Percent
Standard Attributes	Label	Ever smoke cigarettes		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1013	58.2%
	2.00	No	727	41.8%

**Q615**

		Value	Count	Percent
Standard Attributes	Label	Age-first smoke cigarettes		
N	Valid	1013		
	Missing	727		
Labeled Values	88.00	Do not remember	26	1.5%
	99.00	Refuse	0	.0%

**Q616**

		Value	Count	Percent
Standard Attributes	Label	Smoke 100> cigarettes-lifetime		
N	Valid	1013		
	Missing	727		
Labeled Values	1.00	Yes	842	48.4%
	2.00	No	164	9.4%
	8.00	Do not know	7	.4%
	9.00	Refused	0	.0%

**Q617**

		Value	Count	Percent
Standard Attributes	Label	Age-began smoking-regularly		
N	Valid	842		
	Missing	898		
Labeled Values	.00	Never smoked regularly	26	1.5%
	88.00	Do not remember	9	.5%
	99.00	Refuse to answer	0	.0%

**Q618**

		Value	Count	Percent
Standard Attributes	Label	Past 30 days-smoke cigarettes		
N	Valid	842		
	Missing	898		
Labeled Values	1.00	Every Day	727	41.8%
	2.00	Almost Everyday	30	1.7%
	3.00	Some days	28	1.6%
	4.00	Not at all in last 30 days	57	3.3%
	9.00	Refused	0	.0%

**Q619**

		Value	Count	Percent
Standard Attributes	Label	Past 30 days-how many cigarettes smoked		
N	Valid	785		
	Missing	955		
Labeled Values	1.00	One cigarette/day	7	.4%
	2.00	2-5 Cigarettes/day	54	3.1%
	3.00	6-10 Cigarettes/day	132	7.6%
	4.00	11-19 Cigarettes/day	274	15.7%
	5.00	20 or more Cigarettes/day	318	18.3%

**Q620\_MO**

		Value	Count	Percent
Standard Attributes	Label	Month-last smoke cigarettes		
N	Valid	57		
	Missing	1683		
Labeled Values	88.00	Do not remember	6	.3%
	99.00	Refuse	0	.0%

**Q620\_YR**

		Value	Count	Percent
Standard Attributes	Label	Year-last smoke cigarettes		
N	Valid	57		
	Missing	1683		
Labeled Values	8888.00	Do not remember	0	.0%
	9999.00	Refuse	0	.0%

**Q621**

		Value	Count	Percent
Standard Attributes	Label	Ever told-diabetes by doctor		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	24	1.4%
	2.00	NO	1708	98.2%
	8.00	Not Sure	8	.5%
	9.00	Refuse	0	.0%

**Q622**

		Value	Count	Percent
Standard Attributes	Label	Ever told-heart disease		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	30	1.7%
	2.00	No	1705	98.0%
	8.00	Not sure	5	.3%
	9.00	Refusal	0	.0%

**Q625**

		Value	Count	Percent
Standard Attributes	Label	Ever told-HBP-by doctor		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	56	3.2%
	2.00	NO	1677	96.4%
	8.00	Not Sure	7	.4%
	9.00	Refuse	0	.0%

**Q626**

		Value	Count	Percent
Standard Attributes	Label	Ever told-Hepatitis B		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	111	6.4%
	2.00	No	1598	91.8%
	8.00	Not sure	28	1.6%
	9.00	Refusal	3	.2%

**Q627\_A**

		Value	Count	Percent
Standard Attributes	Label	Discharge from penis-past 12 mths		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	14	.8%
	2.00	NO	1714	98.5%
	8.00	Not Sure	12	.7%

**Q627\_B**

		Value	Count	Percent
Standard Attributes	Label	Itch-genitals-past 12 mths		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	33	1.9%
	2.00	NO	1696	97.5%
	8.00	Not Sure	11	.6%



**Q627\_C**

		Value	Count	Percent
Standard Attributes	Label	Pain-urination-past 12 months		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	39	2.2%
	2.00	NO	1693	97.3%
	8.00	Not Sure	8	.5%

**Q627\_D**

		Value	Count	Percent
Standard Attributes	Label	Pain-during sex-past 12 mths		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	12	.7%
	2.00	NO	1720	98.9%
	8.00	Not Sure	8	.5%

**Q627\_E**

		Value	Count	Percent
Standard Attributes	Label	Sore/warts-genitals-past 12 mnths		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	14	.8%
	2.00	NO	1716	98.6%
	8.00	Not Sure	10	.6%

**Q627\_F**

		Value	Count	Percent
Standard Attributes	Label	Swelling-genitals-past 12 mths		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	3	.2%
	2.00	NO	1727	99.3%
	8.00	Not Sure	10	.6%

**Q628**

		Value	Count	Percent
Standard Attributes	Label	Have treatment-vaginal/genital problems		
N	Valid	75		
	Missing	1665		
Labeled Values	1.00	Yes	43	2.5%
	2.00	NO	32	1.8%
	8.00	Not Sure	0	.0%

**Q629**

		Value	Count	Percent
Standard Attributes	Label	Who treated-problems/vagina/genitals		
N	Valid	43		
	Missing	1697		
Labeled Values	1.00	OB/GYN	5	.3%
	2.00	Family Doctor/GP	16	.9%
	3.00	Dermatolog	4	.2%
	4.00	Infectious Diseases Doctor	13	.7%
	5.00	Nurse/Midwife	0	.0%
	6.00	Pharmacist	2	.1%
	7.00	Partner	0	.0%
	8.00	Friend/Relative	2	.1%
	9.00	Self-Treatment	1	.1%
	20.00	Other	0	.0%
	99.00	Refuse to Answer	0	.0%

**Q629\_OTH**

		Value	Count	Percent
Standard Attributes	Label	who treated-other		
Valid Values			1740	100.0%

**Q630**

		Value	Count	Percent
Standard Attributes	Label	Reason-no treatment-genital problems		
N	Valid	32		
	Missing	1708		
Labeled Values	1.00	Services too far away	0	.0%
	2.00	Do not know where to go	0	.0%
	3.00	Cannot afford services	2	.1%
	4.00	Afraid of knowing results	0	.0%
	5.00	Embarrassed	2	.1%
	6.00	Did not think STD	8	.5%
	7.00	Symptom disappeared	17	1.0%
	8.00	Other	0	.0%
	9.00	Refuse	3	.2%

**Q630\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-reason-no trmt-genital probs		
Valid Values			1740	100.0%

**Q631**

		Value	Count	Percent
Standard Attributes	Label	Drink Alcohol-past 3 mths		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1123	64.5%
	2.00	NO	610	35.1%
	8.00	Not Sure	5	.3%
	9.00	Refuse	2	.1%

**Q632**

		Value	Count	Percent
Standard Attributes	Label	Nbr Drinks/day-avg-past 3 mths		
N	Valid	1123		
	Missing	617		
Labeled Values	.00	No drinks-few sips	52	3.0%
	88.00	Not sure	1	.1%
	99.00	Refuse	5	.3%

**Q633**

		Value	Count	Percent
Standard Attributes	Label	How often drink-past 3 mths		
N	Valid	1065		
	Missing	675		
Labeled Values	1.00	Everyday	154	8.9%
	2.00	Almost everyday	306	17.6%
	3.00	1-2 Times a week	418	24.0%
	4.00	2-3 Times a month	147	8.4%
	5.00	Once a month	30	1.7%
	6.00	1-2 times in three months	10	.6%

**Q634**

		Value	Count	Percent
Standard Attributes	Label	More drinks/day than avg		
N	Valid	1065		
	Missing	675		
Labeled Values	1.00	Yes	319	18.3%
	2.00	NO	730	42.0%
	8.00	Not Sure	10	.6%
	9.00	Refuse	6	.3%

**Q635**

		Value	Count	Percent
Standard Attributes	Label	Nbr Drinks/day-not avg		
N	Valid	319		
	Missing	1421		
Labeled Values	88.00	Not sure	61	3.5%
	99.00	Refuse	12	.7%

## VII. REPRODUCTIVE HEALTH KNOWLEDGE/ATTITUDES

**Q700**

		Value	Count	Percent
Standard Attributes	Label	Ideal nbr of children-Albania		
N	Valid	1740		
	Missing	0		
Labeled Values	.00	No children	1	.1%
	1.00	1 Child	40	2.3%
	2.00	1-2 children	122	7.0%
	3.00	2 children	664	38.2%
	4.00	2-3 Children	420	24.1%
	5.00	3 Children	168	9.7%
	6.00	3-4 Children	57	3.3%
	7.00	4 Children	44	2.5%
	8.00	5 or more Children	11	.6%
	9.00	As many as God gives	113	6.5%
	77.00	As many as Possible	24	1.4%
	88.00	Do not Know	76	4.4%

**Q701**

		Value	Count	Percent
Standard Attributes	Label	Time-menstrul cycle-get PG		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	503	28.9%
	2.00	No	276	15.9%
	8.00	Do not Know	961	55.2%

**Q701A**

		Value	Count	Percent
Standard Attributes	Label	Best time-get PG-in cycle		
N	Valid	503		
	Missing	1237		
Labeled Values	1.00	Just before her periods starts	74	4.3%
	2.00	During her periods	39	2.2%
	3.00	Right after period ends	168	9.7%
	4.00	Halfway between periods	204	11.7%
	8.00	Do not Know	18	1.0%

**Q702**

		Value	Count	Percent
Standard Attributes	Label	Breastfeed-effect on PG		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Increases the chance	24	1.4%
	2.00	Decreases the chance	342	19.7%
	3.00	Has no effect	242	13.9%
	8.00	Do not Know	1132	65.1%

**Q703**

		Value	Count	Percent
Standard Attributes	Label	Woman-right-decide about PG		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	922	53.0%
	2.00	No	818	47.0%
	8.00	Do not Know	0	.0%

**Q704\_A**

		Value	Count	Percent
Standard Attributes	Label	Life endanger-abortion right		
N	Valid	818		
	Missing	922		
Labeled Values	1.00	Yes	702	40.3%
	2.00	No	32	1.8%
	3.00	Depends	46	2.6%
	8.00	Do not Know	38	2.2%

**Q704\_B**

		Value	Count	Percent
Standard Attributes	Label	Fetus-deformed-abortion right		
N	Valid	818		
	Missing	922		
Labeled Values	1.00	Yes	467	26.8%
	2.00	No	119	6.8%
	3.00	Depends	118	6.8%
	8.00	Do not Know	114	6.6%

**Q704\_C**

		Value	Count	Percent
Standard Attributes	Label	PG result/rape-abortion right		
N	Valid	818		
	Missing	922		
Labeled Values	1.00	Yes	497	28.6%
	2.00	No	100	5.7%
	3.00	Depends	140	8.0%
	8.00	Do not Know	81	4.7%

**Q704\_D**

		Value	Count	Percent
Standard Attributes	Label	Health endangered-abortion right		
N	Valid	818		
	Missing	922		
Labeled Values	1.00	Yes	614	35.3%
	2.00	No	77	4.4%
	3.00	Depends	83	4.8%
	8.00	Do not Know	44	2.5%

**Q704\_E**

		Value	Count	Percent
Standard Attributes	Label	Unmarried-abortion right		
N	Valid	818		
	Missing	922		
Labeled Values	1.00	Yes	156	9.0%
	2.00	No	360	20.7%
	3.00	Depends	198	11.4%
	8.00	Do not Know	104	6.0%

**Q704\_F**

		Value	Count	Percent
Standard Attributes	Label	Cannot afford child-abortion right		
N	Valid	818		
	Missing	922		
Labeled Values	1.00	Yes	118	6.8%
	2.00	No	369	21.2%
	3.00	Depends	184	10.6%
	8.00	Do not Know	147	8.4%

**Q705**

		Value	Count	Percent
Standard Attributes	Label	Unwanted PG-what woman should do		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Have baby and keep it	689	39.6%
	2.00	Have baby-give it up for adoption	180	10.3%
	3.00	Have an abortion	438	25.2%
	8.00	Do not Know	433	24.9%

**Q706\_A**

		Value	Count	Percent
Standard Attributes	Label	Become PG-first time sex		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	1206	69.3%
	2.00	Disagree	280	16.1%
	8.00	Do not Know	254	14.6%

**Q706\_B**

		Value	Count	Percent
Standard Attributes	Label	All people should marry		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	1394	80.1%
	2.00	Disagree	294	16.9%
	8.00	Do not Know	52	3.0%

**Q706\_C**

		Value	Count	Percent
Standard Attributes	Label	Woman-virgin when marries		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	1069	61.4%
	2.00	Disagree	553	31.8%
	8.00	Do not Know	118	6.8%

**Q706\_D**

		Value	Count	Percent
Standard Attributes	Label	Woman job-take care of home		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	1410	81.0%
	2.00	Disagree	297	17.1%
	8.00	Do not Know	33	1.9%

**Q706\_E**

		Value	Count	Percent
Standard Attributes	Label	Need permission/husband-work outside home		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	1024	58.9%
	2.00	Disagree	620	35.6%
	8.00	Do not Know	96	5.5%

**Q706\_F**

		Value	Count	Percent
Standard Attributes	Label	Give money to husband		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	1042	59.9%
	2.00	Disagree	573	32.9%
	8.00	Do not Know	125	7.2%

**Q706\_G**

		Value	Count	Percent
Standard Attributes	Label	Husband help with chores/woman works		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	1474	84.7%
	2.00	Disagree	211	12.1%
	8.00	Do not Know	55	3.2%

**Q706\_H**

		Value	Count	Percent
Standard Attributes	Label	Men have final say		
N	Valid	1739		
	Missing	1		
Labeled Values	1.00	Agree	606	34.8%
	2.00	Disagree	1102	63.3%
	8.00	Do not Know	31	1.8%

**Q706\_I**

		Value	Count	Percent
Standard Attributes	Label	Child care/woman job		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	605	34.8%
	2.00	Disagree	1081	62.1%
	8.00	Do not Know	54	3.1%

**Q707**

		Value	Count	Percent
Standard Attributes	Label	Who-decides-nbr of children		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	The woman	7	.4%
	2.00	The man	97	5.6%
	3.00	Both	1562	89.8%
	4.00	Mother-in-law	11	.6%
	5.00	God	52	3.0%
	8.00	Do not Know	11	.6%

**Q708\_A**

		Value	Count	Percent
Standard Attributes	Label	Pill-risk-health problems		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Low Risk	262	15.1%
	2.00	Medium Risk	235	13.5%
	3.00	High Risk	70	4.0%
	8.00	Do not Know	1173	67.4%

**Q708\_B**

		Value	Count	Percent
Standard Attributes	Label	IUD-risk-health problem		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Low Risk	95	5.5%
	2.00	Medium Risk	101	5.8%
	3.00	High Risk	50	2.9%
	8.00	Do not Know	1494	85.9%

**Q708\_C**

		Value	Count	Percent
Standard Attributes	Label	Condom-risk-health problem		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Low Risk	1206	69.3%
	2.00	Medium Risk	94	5.4%
	3.00	High Risk	2	.1%
	8.00	Do not Know	438	25.2%

**Q708\_D**

		Value	Count	Percent
Standard Attributes	Label	Tubal lig-risk health problem		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Low Risk	64	3.7%
	2.00	Medium Risk	145	8.3%
	3.00	High Risk	135	7.8%
	8.00	Do not Know	1396	80.2%



**Q708\_E**

		Value	Count	Percent
Standard Attributes	Label	Injectable-risk health problem		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Low Risk	31	1.8%
	2.00	Medium Risk	87	5.0%
	3.00	High Risk	49	2.8%
	8.00	Do not Know	1573	90.4%

**Q708\_F**

		Value	Count	Percent
Standard Attributes	Label	Abortion/request-risk-health problem		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Low Risk	177	10.2%
	2.00	Medium Risk	328	18.9%
	3.00	High Risk	462	26.6%
	8.00	Do not Know	773	44.4%

**Q712**

		Value	Count	Percent
Standard Attributes	Label	Want info-Contraceptives		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	863	49.6%
	2.00	No	726	41.7%
	8.00	Do not know	151	8.7%

**Q713**

		Value	Count	Percent
Standard Attributes	Label	Best info source-contraceptives		
N	Valid	863		
	Missing	877		
Labeled Values	1.00	Mother	1	.1%
	2.00	Other Relative	2	.1%
	3.00	Girlfriend	0	.0%
	4.00	Wife/Partner	0	.0%
	5.00	Somebody-who uses contraceptives	4	.2%
	6.00	Co-worker	4	.2%
	7.00	Friend/Colleague/Peer	22	1.3%
	8.00	Gynecologist	26	1.5%
	9.00	General Practitioner	71	4.1%
	10.00	Nurse/Midwife	5	.3%
	11.00	Teacher	14	.8%
	12.00	Pharmacist	16	.9%
	13.00	Books	41	2.4%
	14.00	Newspaper/Magazines	112	6.4%
	15.00	Radio	8	.5%
	16.00	TV	534	30.7%
	20.00	Other	1	.1%
	88.00	Do not Remember	2	.1%

**Q713\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other info source-contraceptives		
Valid Values			1739	99.9%
	INTERNETI		1	.1%

**Q714**

		Value	Count	Percent
Standard Attributes	Label	Info-contraceptives-Radio/TV		
N	Valid		1198	
	Missing		542	
Labeled Values	1.00	Yes	844	48.5%
	2.00	No	182	10.5%
	8.00	Do not know	172	9.9%

**Q715**

		Value	Count	Percent
Standard Attributes	Label	Condoms-effective prevent STD		
N	Valid		1740	
	Missing		0	
Labeled Values	1.00	Very Effective	881	50.6%
	2.00	Somewhat Effective	357	20.5%
	3.00	Not very effective	9	.5%
	8.00	Do not Know	493	28.3%

**Q716**

		Value	Count	Percent
Standard Attributes	Label	Tried to obtain condom-past 12 months		
N	Valid		1740	
	Missing		0	
Labeled Values	1.00	Yes	294	16.9%
	2.00	No	1075	61.8%
	3.00	Never had sexual partner	371	21.3%
	4.00	Do not know where to get them	0	.0%
	8.00	Do not know	0	.0%

**Q716\_A**

		Value	Count	Percent
Standard Attributes	Label	Succeeded in obtaining condom-past 12 months		
N	Valid		294	
	Missing		1446	
Labeled Values	1.00	Yes	290	16.7%
	2.00	No	4	.2%

**Q717**

		Value	Count	Percent
Standard Attributes	Label	How have condoms in possession-past 12 months		
N	Valid		290	
	Missing		1450	
Labeled Values	1.00	All the time	57	3.3%
	2.00	Almost all the time	77	4.4%
	3.00	Some of the time	155	8.9%
	4.00	Never	0	.0%
	8.00	Do not remember	1	.1%

**Q717A**

		Value	Count	Percent
Standard Attributes	Label	Brand condoms most used -past 12 months		
N	Valid	290		
	Missing	1450		
Labeled Values	1.00	Durex	2	.1%
	2.00	Kamasutra	0	.0%
	3.00	Romed	1	.1%
	4.00	Unidus	0	.0%
	5.00	Loveplus	66	3.8%
	6.00	Lifestyles	0	.0%
	7.00	Manix	0	.0%
	8.00	Tentation	0	.0%
	9.00	Playboy	4	.2%
	10.00	Silco	0	.0%
	11.00	Protex	0	.0%
	12.00	Aroma	0	.0%
	13.00	Masculan	1	.1%
	14.00	Tahiti	0	.0%
	15.00	For You	118	6.8%
	16.00	For Your More	57	3.3%
	20.00	Other	0	.0%
	88.00	don't know	41	2.4%

**Q717A\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other brand condoms used most-past 12 months		
Valid Values			1740	100.0%

**Q717B**

		Value	Count	Percent
Standard Attributes	Label	Why couldnot get condoms-past 12 months		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Could not find them	0	.0%
	2.00	Found them-bad quality	0	.0%
	3.00	Cost	0	.0%
	4.00	Not time to look for them	0	.0%
	5.00	It is emabarrassing to buy them	0	.0%
	7.00	Other	0	.0%
	8.00	Do not remember	0	.0%

**Q717B\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other reason not get condoms-past 12 months		
Valid Values			1740	100.0%

**Q718**

		Value	Count	Percent
Standard Attributes	Label	Ever talk-partner-use condom		
N	Valid	1369		
	Missing	371		
Labeled Values	1.00	Yes	426	24.5%
	2.00	No	907	52.1%
	3.00	Never had sexual partner	25	1.4%
	8.00	Do not know	7	.4%
	9.00	Refuse	4	.2%

**Q719**

		Value	Count	Percent
Standard Attributes	Label	Ever asked-partner-use condom		
N	Valid	1344		
	Missing	396		
Labeled Values	1.00	Yes	414	23.8%
	2.00	No	908	52.2%
	8.00	Do not know	16	.9%
	9.00	Refuse	6	.3%

**Q720\_A**

		Value	Count	Percent
Standard Attributes	Label	Partner-refuse-use condom		
N	Valid	414		
	Missing	1326		
Labeled Values	1.00	Yes	29	1.7%
	2.00	No	377	21.7%
	8.00	Do not know	6	.3%
	9.00	Refuse	2	.1%

**Q720\_B**

		Value	Count	Percent
Standard Attributes	Label	Partner-refuse sex-use condom		
N	Valid	414		
	Missing	1326		
Labeled Values	1.00	Yes	17	1.0%
	2.00	No	387	22.2%
	8.00	Do not know	7	.4%
	9.00	Refuse	3	.2%

**Q720\_C**

		Value	Count	Percent
Standard Attributes	Label	Partner-threaten-use condom		
N	Valid	414		
	Missing	1326		
Labeled Values	1.00	Yes	3	.2%
	2.00	No	404	23.2%
	8.00	Do not know	5	.3%
	9.00	Refuse	2	.1%

**Q720\_D**

		Value	Count	Percent
Standard Attributes	Label	Partner-yell-use condom		
N	Valid	414		
	Missing	1326		
Labeled Values	1.00	Yes	9	.5%
	2.00	No	398	22.9%
	8.00	Do not know	4	.2%
	9.00	Refuse	3	.2%

**Q720\_E**

		Value	Count	Percent
Standard Attributes	Label	Partner-have sex w/out condom		
N	Valid	414		
	Missing	1326		
Labeled Values	1.00	Yes	19	1.1%
	2.00	No	386	22.2%
	8.00	Do not know	7	.4%
	9.00	Refuse	2	.1%

**Q720\_F**

		Value	Count	Percent
Standard Attributes	Label	Partner-hurt-condom use		
N	Valid	414		
	Missing	1326		
Labeled Values	1.00	Yes	2	.1%
	2.00	No	404	23.2%
	8.00	Do not know	4	.2%
	9.00	Refuse	4	.2%

**Q721\_A**

		Value	Count	Percent
Standard Attributes	Label	Use condom-feel insulted		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	504	29.0%
	2.00	Disagree	769	44.2%
	8.00	Do not Know	426	24.5%
	9.00	Refused	41	2.4%

**Q721\_B**

		Value	Count	Percent
Standard Attributes	Label	Use condom-feel safe from PG		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	1220	70.1%
	2.00	Disagree	122	7.0%
	8.00	Do not Know	354	20.3%
	9.00	Refused	44	2.5%

**Q721\_C**

		Value	Count	Percent
Standard Attributes	Label	Use condom-done something wrong		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	339	19.5%
	2.00	Disagree	836	48.0%
	8.00	Do not Know	514	29.5%
	9.00	Refused	51	2.9%

**Q721\_D**

		Value	Count	Percent
Standard Attributes	Label	Use condom-feel safe from HIV		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	983	56.5%
	2.00	Disagree	175	10.1%
	8.00	Do not Know	494	28.4%
	9.00	Refused	88	5.1%

**Q721\_E**

		Value	Count	Percent
Standard Attributes	Label	Use condom-feel suspicious-partner promiscuous		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	456	26.2%
	2.00	Disagree	480	27.6%
	8.00	Do not Know	666	38.3%
	9.00	Refused	138	7.9%

**Q722\_A**

		Value	Count	Percent
Standard Attributes	Label	Smart idea-use condom new partner		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	1215	69.8%
	2.00	Disagree	70	4.0%
	8.00	Do not Know	417	24.0%
	9.00	Refused	38	2.2%

**Q722\_B**

		Value	Count	Percent
Standard Attributes	Label	Not necessary-know partner-use condom		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	796	45.7%
	2.00	Disagree	481	27.6%
	8.00	Do not Know	430	24.7%
	9.00	Refused	33	1.9%

**Q722\_C**

		Value	Count	Percent
Standard Attributes	Label	Women should ask-use condom		
N	Valid	1739		
	Missing	1		
Labeled Values	1.00	Agree	457	26.3%
	2.00	Disagree	676	38.9%
	8.00	Do not Know	558	32.1%
	9.00	Refused	48	2.8%

**Q722\_D**

		Value	Count	Percent
Standard Attributes	Label	Easy discuss w/partner-use condom		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	614	35.3%
	2.00	Disagree	253	14.5%
	8.00	Do not Know	826	47.5%
	9.00	Refused	47	2.7%

**Q722\_E**

		Value	Count	Percent
Standard Attributes	Label	Diminish sexual enjoyment-use condoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	763	43.9%
	2.00	Disagree	175	10.1%
	8.00	Do not Know	758	43.6%
	9.00	Refused	44	2.5%

**Q722\_F**

		Value	Count	Percent
Standard Attributes	Label	Use more than once-use condoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	61	3.5%
	2.00	Disagree	1309	75.2%
	8.00	Do not Know	336	19.3%
	9.00	Refused	34	2.0%

**Q722\_G**

		Value	Count	Percent
Standard Attributes	Label	Promiscuous-use condoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	636	36.6%
	2.00	Disagree	414	23.8%
	8.00	Do not Know	644	37.0%
	9.00	Refused	46	2.6%

**Q722\_H**

		Value	Count	Percent
Standard Attributes	Label	Embarrassed-ask at store-condoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Agree	387	22.2%
	2.00	Disagree	698	40.1%
	8.00	Do not Know	616	35.4%
	9.00	Refused	39	2.2%

**Q723**

		Value	Count	Percent
Standard Attributes	Label	Any friends use condoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	765	44.0%
	2.00	No	334	19.2%
	8.00	Do not know	641	36.8%

**Q724**

		Value	Count	Percent
Standard Attributes	Label	Friend opinions about condoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Good Opinion-favor use	425	24.4%
	2.00	Bad opinion-dislike	29	1.7%
	3.00	Opinions vary-mixed	271	15.6%
	8.00	Do not know	1015	58.3%



## VIII. SOCIOECONOMIC CHARACTERISTICS

**Q800\_A**

		Value	Count	Percent
Standard Attributes	Label	Flush Toilet-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1233	70.9%
	2.00	No	507	29.1%

**Q800\_B**

		Value	Count	Percent
Standard Attributes	Label	Heating Sys-Houshold has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	47	2.7%
	2.00	No	1693	97.3%

**Q800\_C**

		Value	Count	Percent
Standard Attributes	Label	Refrigerator-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1659	95.3%
	2.00	No	81	4.7%

**Q800\_D**

		Value	Count	Percent
Standard Attributes	Label	TV-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1719	98.8%
	2.00	No	21	1.2%

**Q800\_E**

		Value	Count	Percent
Standard Attributes	Label	Working Auto-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	453	26.0%
	2.00	No	1287	74.0%

**Q800\_F**

		Value	Count	Percent
Standard Attributes	Label	VCR-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	684	39.3%
	2.00	No	1056	60.7%

**Q800\_G**

		Value	Count	Percent
Standard Attributes	Label	Phone-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	588	33.8%
	2.00	No	1152	66.2%

**Q800\_H**

		Value	Count	Percent
Standard Attributes	Label	Cell Phone-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1114	64.0%
	2.00	No	626	36.0%

**Q800\_I**

		Value	Count	Percent
Standard Attributes	Label	Vacation Home-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	28	1.6%
	2.00	No	1712	98.4%

**Q800\_J**

		Value	Count	Percent
Standard Attributes	Label	AC-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	111	6.4%
	2.00	No	1629	93.6%

**Q800\_K**

		Value	Count	Percent
Standard Attributes	Label	Gas/Electric Stove-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1493	85.8%
	2.00	No	247	14.2%

**Q800\_L**

		Value	Count	Percent
Standard Attributes	Label	Computer-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	125	7.2%
	2.00	No	1615	92.8%

**Q800\_M**

		Value	Count	Percent
Standard Attributes	Label	Satellite Antenna-Household has		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	294	16.9%
	2.00	No	1446	83.1%

**Q801**

		Value	Count	Percent
Standard Attributes	Label	Family had access to garden-veg		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	805	46.3%
	2.00	No	935	53.7%

**Q802**

		Value	Count	Percent
Standard Attributes	Label	Main source-drinking water		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Piped Water	1235	71.0%
	2.00	Piped Water-Public tap	126	7.2%
	3.00	Well Water	166	9.5%
	4.00	Public Well	17	1.0%
	5.00	Surface water	3	.2%
	6.00	Rain Water	0	.0%
	7.00	Bottled Water	193	11.1%

**Q803**

		Value	Count	Percent
Standard Attributes	Label	Minutes-get from water source		
N	Valid	146		
	Missing	1594		
Labeled Values	888.00	Not Sure	0	.0%

**Q804**

		Value	Count	Percent
Standard Attributes	Label	Living Arrangements-describe		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Privately owned flat/house	1058	60.8%
	2.00	Rented space flat/house	101	5.8%
	3.00	With immediate family	567	32.6%
	4.00	With other relatives	14	.8%
	5.00	With Friends	0	.0%
	7.00	Other	0	.0%

**Q804\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-living arrangement-describe		
Valid Values			1740	100.0%

**Q805**

		Value	Count	Percent
Standard Attributes	Label	Rooms Occupied by family		
N	Valid	1740		
	Missing	0		
Labeled Values	88.00	Not Sure	0	.0%

**Q806**

		Value	Count	Percent
Standard Attributes	Label	Hours/day have electricity		
N	Valid	1740		
	Missing	0		
Labeled Values	88.00	Not Sure	1	.1%

**Q807**

		Value	Count	Percent
Standard Attributes	Label	Ethnic Background		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Albanian	1701	97.8%
	2.00	Greek	3	.2%
	3.00	Gypsy (Roma)	32	1.8%
	4.00	Macedonian	0	.0%
	5.00	Albanian from Kosovo	0	.0%
	6.00	Mixed Ethnic	0	.0%
	7.00	Other	2	.1%
	9.00	Refused/not stated	2	.1%

**Q807\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other-Ethnic Background		
Valid Values			1738	99.9%
	AMERIKAN		1	.1%
	TURK		1	.1%

**Q808**

		Value	Count	Percent
Standard Attributes	Label	Religion		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Muslim	1422	81.7%
	2.00	Orthodox	181	10.4%
	3.00	Catholic/Protestant	76	4.4%
	4.00	Catholic/Protestant	10	.6%
	7.00	Other	0	.0%
	8.00	No Religion	43	2.5%
	9.00	No Religion	8	.5%

**Q808\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other Religion		
Valid Values			1740	100.0%

**Q809**

		Value	Count	Percent
Standard Attributes	Label	How often-attend religious service		
N	Valid	1689		
	Missing	51		
Labeled Values	1.00	At least once a week	103	5.9%
	2.00	At least once a month	45	2.6%
	3.00	Less than once a month	38	2.2%
	4.00	Only on holidays	1045	60.1%
	5.00	Never	458	26.3%

## IX-A. AIDS/STDs

**Q900\_1**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Syphilis		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	448	25.7%
	2.00	No	1292	74.3%

**Q900\_2**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Gonorrhea		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	293	16.8%
	2.00	No	1447	83.2%

**Q900\_3**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Chlamydia		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	96	5.5%
	2.00	No	1644	94.5%

**Q900\_4**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Yeast infection		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	262	15.1%
	2.00	No	1478	84.9%

**Q900\_5**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Geniral herpes		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	99	5.7%
	2.00	No	1641	94.3%

**Q900\_6**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Genital Warts		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	89	5.1%
	2.00	No	1651	94.9%

**Q900\_7**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it Trichomoniasis		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	108	6.2%
	2.00	No	1632	93.8%

**Q900\_8**

		Value	Count	Percent
Standard Attributes	Label	Ever heard of it HIV/AIDS		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1696	97.5%
	2.00	No	44	2.5%

**Q901\_1**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Syphilis		
N	Valid	448		
	Missing	1292		
Labeled Values	1.00	Yes	5	.3%
	2.00	No	443	25.5%
	8.00	Do not Know	0	.0%

**Q901\_2**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Gonorrhea		
N	Valid	293		
	Missing	1447		
Labeled Values	1.00	Yes	4	.2%
	2.00	No	289	16.6%
	8.00	Do not Know	0	.0%

**Q901\_3**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Chlamydia		
N	Valid	96		
	Missing	1644		
Labeled Values	1.00	Yes	2	.1%
	2.00	No	94	5.4%
	8.00	Do not Know	0	.0%

**Q901\_4**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Yeast infection		
N	Valid	262		
	Missing	1478		
Labeled Values	1.00	Yes	27	1.6%
	2.00	No	235	13.5%
	8.00	Do not Know	0	.0%

**Q901\_5**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Geniral herpes		
N	Valid	99		
	Missing	1641		
Labeled Values	1.00	Yes	1	.1%
	2.00	No	98	5.6%
	8.00	Do not Know	0	.0%

**Q901\_6**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Genital Warts		
N	Valid	89		
	Missing	1651		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	89	5.1%
	8.00	Do not Know	0	.0%

**Q901\_7**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it Trichomoniasis		
N	Valid	108		
	Missing	1632		
Labeled Values	1.00	Yes	2	.1%
	2.00	No	106	6.1%
	8.00	Do not Know	0	.0%

**Q901\_8**

		Value	Count	Percent
Standard Attributes	Label	Ever tested for it HIV/AIDS		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	26	1.5%
	2.00	No	1670	96.0%
	8.00	Do not Know	0	.0%

**Q902\_1**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Syphilis		
N	Valid	5		
	Missing	1735		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	5	.3%
	8.00	Do not Know	0	.0%

**Q902\_2**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Gonorrhea		
N	Valid	4		
	Missing	1736		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	3	.2%
	8.00	Do not Know	1	.1%

**Q902\_3**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Chlamydia		
N	Valid	2		
	Missing	1738		
Labeled Values	1.00	Yes	1	.1%
	2.00	No	1	.1%
	8.00	Do not Know	0	.0%

**Q902\_4**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Yeast infection		
N	Valid	27		
	Missing	1713		
Labeled Values	1.00	Yes	24	1.4%
	2.00	No	3	.2%
	8.00	Do not Know	0	.0%

**Q902\_5**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Geniral herpes		
N	Valid	1		
	Missing	1739		
Labeled Values	1.00	Yes	1	.1%
	2.00	No	0	.0%
	8.00	Do not Know	0	.0%

**Q902\_6**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Genital Warts		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%
	8.00	Do not Know	0	.0%

**Q902\_7**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it Trichomoniasis		
N	Valid	2		
	Missing	1738		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	2	.1%
	8.00	Do not Know	0	.0%

**Q902\_8**

		Value	Count	Percent
Standard Attributes	Label	Ever told you had it HIV/AIDS		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%
	8.00	Do not Know	0	.0%



**Q903\_1**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Syphilis		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%
	8.00	Do not Know	0	.0%

**Q903\_2**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Gonorrhea		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%
	8.00	Do not Know	0	.0%

**Q903\_3**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Chlamydia		
N	Valid	1		
	Missing	1739		
Labeled Values	1.00	Yes	1	.1%
	2.00	No	0	.0%
	8.00	Do not Know	0	.0%

**Q903\_4**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Yeast infection		
N	Valid	24		
	Missing	1716		
Labeled Values	1.00	Yes	23	1.3%
	2.00	No	1	.1%
	8.00	Do not Know	0	.0%

**Q903\_5**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Geniral herpes		
N	Valid	1		
	Missing	1739		
Labeled Values	1.00	Yes	1	.1%
	2.00	No	0	.0%
	8.00	Do not Know	0	.0%

**Q903\_6**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Genital Warts		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%
	8.00	Do not Know	0	.0%

**Q903\_7**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it Trichomoniasis		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%
	8.00	Do not Know	0	.0%

**Q903\_8**

		Value	Count	Percent
Standard Attributes	Label	Take any treatments for it HIV/AIDS		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%
	8.00	Do not Know	0	.0%

**Q904\_1**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Syphilis		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	OB/GYN	0	.0%
	2.00	Family Doctor/GP	0	.0%
	3.00	Dermatolog	0	.0%
	4.00	Infectious Diseasees Doctor	0	.0%
	5.00	Nurse/Midwife	0	.0%
	6.00	Pharmacist	0	.0%
	7.00	Partner	0	.0%
	8.00	Friends/Relative	0	.0%
	9.00	Self-Treatment	0	.0%
	20.00	Other	0	.0%
	99.00	Refuse to answer	0	.0%

**Q904\_2**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Gonorrhea		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	OB/GYN	0	.0%
	2.00	Family Doctor/GP	0	.0%
	3.00	Dermatolog	0	.0%
	4.00	Infectious Diseasees Doctor	0	.0%
	5.00	Nurse/Midwife	0	.0%
	6.00	Pharmacist	0	.0%
	7.00	Partner	0	.0%
	8.00	Friends/Relative	0	.0%
	9.00	Self-Treatment	0	.0%
	20.00	Other	0	.0%
	99.00	Refuse to answer	0	.0%

**Q904\_3**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Chlamydia		
N	Valid	1		
	Missing	1739		
Labeled Values	1.00	OB/GYN	1	.1%
	2.00	Family Doctor/GP	0	.0%
	3.00	Dermatolog	0	.0%
	4.00	Infectious Diseasees Doctor	0	.0%
	5.00	Nurse/Midwife	0	.0%
	6.00	Pharmacist	0	.0%
	7.00	Partner	0	.0%
	8.00	Friends/Relative	0	.0%
	9.00	Self-Treatment	0	.0%
	20.00	Other	0	.0%
	99.00	Refuse to answer	0	.0%

**Q904\_4**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Yeast infection		
N	Valid	23		
	Missing	1717		
Labeled Values	1.00	OB/GYN	5	.3%
	2.00	Family Doctor/GP	12	.7%
	3.00	Dermatolog	2	.1%
	4.00	Infectious Diseasees Doctor	4	.2%
	5.00	Nurse/Midwife	0	.0%
	6.00	Pharmacist	0	.0%
	7.00	Partner	0	.0%
	8.00	Friends/Relative	0	.0%
	9.00	Self-Treatment	0	.0%
	20.00	Other	0	.0%
	99.00	Refuse to answer	0	.0%

**Q904\_5**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Geniral herpes		
N	Valid	1		
	Missing	1739		
Labeled Values	1.00	OB/GYN	0	.0%
	2.00	Family Doctor/GP	0	.0%
	3.00	Dermatolog	0	.0%
	4.00	Infectious Diseasees Doctor	1	.1%
	5.00	Nurse/Midwife	0	.0%
	6.00	Pharmacist	0	.0%
	7.00	Partner	0	.0%
	8.00	Friends/Relative	0	.0%
	9.00	Self-Treatment	0	.0%
	20.00	Other	0	.0%
	99.00	Refuse to answer	0	.0%

**Q904\_6**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Genital Warts		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	OB/GYN	0	.0%
	2.00	Family Doctor/GP	0	.0%
	3.00	Dermatolog	0	.0%
	4.00	Infectious Diseasees Doctor	0	.0%
	5.00	Nurse/Midwife	0	.0%
	6.00	Pharmacist	0	.0%
	7.00	Partner	0	.0%
	8.00	Friends/Relative	0	.0%
	9.00	Self-Treatment	0	.0%
	20.00	Other	0	.0%
	99.00	Refuse to answer	0	.0%

**Q904\_7**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it Trichomoniasis		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	OB/GYN	0	.0%
	2.00	Family Doctor/GP	0	.0%
	3.00	Dermatolog	0	.0%
	4.00	Infectious Diseasees Doctor	0	.0%
	5.00	Nurse/Midwife	0	.0%
	6.00	Pharmacist	0	.0%
	7.00	Partner	0	.0%
	8.00	Friends/Relative	0	.0%
	9.00	Self-Treatment	0	.0%
	20.00	Other	0	.0%
	99.00	Refuse to answer	0	.0%

**Q904\_8**

		Value	Count	Percent
Standard Attributes	Label	Who treated you for it HIV/AIDS		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	OB/GYN	0	.0%
	2.00	Family Doctor/GP	0	.0%
	3.00	Dermatolog	0	.0%
	4.00	Infectious Diseasees Doctor	0	.0%
	5.00	Nurse/Midwife	0	.0%
	6.00	Pharmacist	0	.0%
	7.00	Partner	0	.0%
	8.00	Friends/Relative	0	.0%
	9.00	Self-Treatment	0	.0%
	20.00	Other	0	.0%
	99.00	Refuse to answer	0	.0%

**Q904O\_1**

		Value	Count	Percent
Standard Attributes	Label	Other-treated Syphilis		
Valid Values			1740	100.0%

**Q904O\_2**

	Value	Count	Percent
Standard Attributes Label	Other-treated Gonorrhea		
Valid Values		1740	100.0%

**Q904O\_3**

	Value	Count	Percent
Standard Attributes Label	Other-treated Chlamydia		
Valid Values		1740	100.0%

**Q904O\_4**

	Value	Count	Percent
Standard Attributes Label	Other-treated Yeast infection		
Valid Values		1740	100.0%

**Q904O\_5**

	Value	Count	Percent
Standard Attributes Label	Other-treated Geniral herpes		
Valid Values		1740	100.0%

**Q904O\_6**

	Value	Count	Percent
Standard Attributes Label	Other-treated Genital Warts		
Valid Values		1740	100.0%

**Q904O\_7**

	Value	Count	Percent
Standard Attributes Label	Other-treated Trichomoniasis		
Valid Values		1740	100.0%

**Q904O\_8**

	Value	Count	Percent
Standard Attributes Label	Other-treated HIV/AIDS		
Valid Values		1740	100.0%

**Q905\_A**

	Value	Count	Percent
Standard Attributes Label	Abdominal Pain-STD Symptoms		
N		1740	
	Valid		
	Missing	0	
Labeled Values	1.00	58	3.3%
	2.00	1682	96.7%
	Yes		
	No		

**Q905\_B**

	Value	Count	Percent
Standard Attributes Label	Penis Dischrg-STD Symptoms		
N		1740	
	Valid		
	Missing	0	
Labeled Values	1.00	301	17.3%
	2.00	1439	82.7%
	Yes		
	No		

**Q905\_C**

		Value	Count	Percent
Standard Attributes	Label	Smelling-Dischrg-STD Symptoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	199	11.4%
	2.00	No	1541	88.6%

**Q905\_D**

		Value	Count	Percent
Standard Attributes	Label	Burning Urinary Pain-STD Symptoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	316	18.2%
	2.00	No	1424	81.8%

**Q905\_E**

		Value	Count	Percent
Standard Attributes	Label	Inflamed Genitals-STD Symptoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	274	15.7%
	2.00	No	1466	84.3%

**Q905\_F**

		Value	Count	Percent
Standard Attributes	Label	Swelling-Genital Area-STD Symptoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	117	6.7%
	2.00	No	1623	93.3%

**Q905\_G**

		Value	Count	Percent
Standard Attributes	Label	Genital Sores-STD Symptoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	151	8.7%
	2.00	No	1589	91.3%

**Q905\_H**

		Value	Count	Percent
Standard Attributes	Label	Genital Itch-STD Symptoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	244	14.0%
	2.00	No	1496	86.0%

**Q905\_I**

		Value	Count	Percent
Standard Attributes	Label	Wt Loss-STD Symptoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	137	7.9%
	2.00	No	1603	92.1%

**Q905\_J**

		Value	Count	Percent
Standard Attributes	Label	Difficult-get PG-STD Symptoms		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	85	4.9%
	2.00	No	1655	95.1%

**Q906**

		Value	Count	Percent
Standard Attributes	Label	Place get HIV/AIDS test		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	676	38.9%
	2.00	No	1064	61.1%

**Q907**

		Value	Count	Percent
Standard Attributes	Label	Info source-STD/AIDS		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Mother	3	.2%
	2.00	Father	4	.2%
	3.00	Other Relative	7	.4%
	4.00	Boyfriend	1	.1%
	5.00	Husband/Partner	5	.3%
	6.00	Somebody-who has STD	1	.1%
	7.00	Friend/Colleagues/Peers	143	8.2%
	8.00	OG/GYN/Doctor	5	.3%
	9.00	Dermatologist	1	.1%
	10.00	Infectious Diseases Doctor	27	1.6%
	11.00	Family Doctor/GP	30	1.7%
	12.00	Nurse/Midwife/Fedlcher	8	.5%
	13.00	Teacher	104	6.0%
	14.00	Pharmacist	9	.5%
	15.00	Speciality Books	61	3.5%
	16.00	Newspapers/Magazines	150	8.6%
	17.00	Radio	6	.3%
	18.00	TV	1088	62.5%
	20.00	Other	0	.0%
	77.00	Never heard of any STD	36	2.1%
	99.00	Do not Remember/Refused	51	2.9%

**Q907\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other Info source-STD/AIDS		
Valid Values			1740	100.0%

**Q908\_A**

		Value	Count	Percent
Standard Attributes	Label	AIDS-Public Ads-TV/Radio		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes-Radio	9	.5%
	2.00	Yes-TV	781	44.9%
	3.00	Yes-Both	316	18.2%
	4.00	No	597	34.3%
	8.00	Do not Know	37	2.1%

**Q908\_B**

		Value	Count	Percent
Standard Attributes	Label	STD-Public Ads-TV/Radio		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes-Radio	5	.3%
	2.00	Yes-TV	115	6.6%
	3.00	Yes-Both	217	12.5%
	4.00	No	1239	71.2%
	8.00	Do not Know	164	9.4%

**Q908\_C**

		Value	Count	Percent
Standard Attributes	Label	Condoms-Public Ads-TV/Radio		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes-Radio	19	1.1%
	2.00	Yes-TV	670	38.5%
	3.00	Yes-Both	318	18.3%
	4.00	No	676	38.9%
	8.00	Do not Know	57	3.3%

**Q908\_D**

		Value	Count	Percent
Standard Attributes	Label	Modern BC methodsPublic Ads-TV/Radio		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes-Radio	33	1.9%
	2.00	Yes-TV	82	4.7%
	3.00	Yes-Both	218	12.5%
	4.00	No	1223	70.3%
	8.00	Do not Know	184	10.6%

**Q909**

		Value	Count	Percent
Standard Attributes	Label	Infected w/HIV-show no symptoms		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	880	50.6%
	2.00	No	212	12.2%
	8.00	Do not Know	604	34.7%



**Q910\_A**

		Value	Count	Percent
Standard Attributes	Label	Blood transfusion-AIDS transmit		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	1593	91.6%
	2.00	No	44	2.5%
	8.00	Do not Know	59	3.4%

**Q910\_B**

		Value	Count	Percent
Standard Attributes	Label	Public toilets-AIDS transmit		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	174	10.0%
	2.00	No	1307	75.1%
	8.00	Do not Know	215	12.4%

**Q910\_C**

		Value	Count	Percent
Standard Attributes	Label	Kissing-AIDS transmit		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	426	24.5%
	2.00	No	959	55.1%
	8.00	Do not Know	311	17.9%

**Q910\_D**

		Value	Count	Percent
Standard Attributes	Label	Unprotected sex-AIDS transmit		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	1406	80.8%
	2.00	No	132	7.6%
	8.00	Do not Know	158	9.1%

**Q910\_E**

		Value	Count	Percent
Standard Attributes	Label	Unprotected homosexual-AIDS transmit		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	1111	63.9%
	2.00	No	185	10.6%
	8.00	Do not Know	400	23.0%

**Q910\_F**

		Value	Count	Percent
Standard Attributes	Label	Shaking hands-AIDS transmit		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	61	3.5%
	2.00	No	1499	86.1%
	8.00	Do not Know	136	7.8%

**Q910\_G**

		Value	Count	Percent
Standard Attributes N	Label	Non-sterile needles-AIDS transmit		
	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	1510	86.8%
	2.00	No	77	4.4%
	8.00	Do not Know	109	6.3%

**Q910\_H**

		Value	Count	Percent
Standard Attributes N	Label	Mosquito bites-AIDS transmit		
	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	598	34.4%
	2.00	No	576	33.1%
	8.00	Do not Know	522	30.0%

**Q910\_I**

		Value	Count	Percent
Standard Attributes N	Label	Eating utensils-AIDS transmit		
	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	531	30.5%
	2.00	No	781	44.9%
	8.00	Do not Know	384	22.1%

**Q910\_J**

		Value	Count	Percent
Standard Attributes N	Label	During PG-to baby-AIDS transmit		
	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	1095	62.9%
	2.00	No	135	7.8%
	8.00	Do not Know	466	26.8%

**Q910\_K**

		Value	Count	Percent
Standard Attributes N	Label	Breast Milk-to baby-AIDS transmit		
	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	731	42.0%
	2.00	No	354	20.3%
	8.00	Do not Know	611	35.1%

**Q910\_L**

		Value	Count	Percent
Standard Attributes N	Label	Manicure-AIDS transmit		
	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	279	16.0%
	2.00	No	1076	61.8%
	8.00	Do not Know	341	19.6%

**Q910\_M**

		Value	Count	Percent
Standard Attributes	Label	Dental/surgical trmt-AIDS transmit		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	1329	76.4%
	2.00	No	215	12.4%
	8.00	Do not Know	152	8.7%

**Q911\_A**

		Value	Count	Percent
Standard Attributes	Label	Use Condoms-reduce AIDS risk		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Spontaneous Yes	771	44.3%
	3.00	Probed Yes	648	37.2%
	4.00	Probed No	103	5.9%
	8.00	Do not Know	174	10.0%

**Q911\_B**

		Value	Count	Percent
Standard Attributes	Label	Abstain-sex-reduce AIDS risk		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Spontaneous Yes	108	6.2%
	3.00	Probed Yes	940	54.0%
	4.00	Probed No	554	31.8%
	8.00	Do not Know	94	5.4%

**Q911\_C**

		Value	Count	Percent
Standard Attributes	Label	One Sex Partner-reduce AIDS risk		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Spontaneous Yes	356	20.5%
	3.00	Probed Yes	1032	59.3%
	4.00	Probed No	231	13.3%
	8.00	Do not Know	77	4.4%

**Q911\_D**

		Value	Count	Percent
Standard Attributes	Label	Few Sex Partners-reduce AIDS risk		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Spontaneous Yes	120	6.9%
	3.00	Probed Yes	1315	75.6%
	4.00	Probed No	167	9.6%
	8.00	Do not Know	94	5.4%

**Q911\_E**

		Value	Count	Percent
Standard Attributes	Label	Avoid Prostitutes-reduce AIDS risk		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Spontaneous Yes	630	36.2%
	3.00	Probed Yes	989	56.8%
	4.00	Probed No	43	2.5%
	8.00	Do not Know	34	2.0%

**Q911\_F**

		Value	Count	Percent
Standard Attributes	Label	Avoid Bisexuals-reduce AIDS risk		
N	Valid	1695		
	Missing	45		
Labeled Values	1.00	Spontaneous Yes	75	4.3%
	3.00	Probed Yes	1252	72.0%
	4.00	Probed No	227	13.0%
	8.00	Do not Know	141	8.1%

**Q911\_G**

		Value	Count	Percent
Standard Attributes	Label	Do not Donate Blood-reduce AIDS risk		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Spontaneous Yes	46	2.6%
	3.00	Probed Yes	1155	66.4%
	4.00	Probed No	115	6.6%
	8.00	Do not Know	380	21.8%

**Q911\_H**

		Value	Count	Percent
Standard Attributes	Label	Avoid Transfusions-reduce AIDS risk		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Spontaneous Yes	252	14.5%
	3.00	Probed Yes	1220	70.1%
	4.00	Probed No	127	7.3%
	8.00	Do not Know	97	5.6%

**Q911\_I**

		Value	Count	Percent
Standard Attributes	Label	Partner tested-reduce AIDS risk		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Spontaneous Yes	29	1.7%
	3.00	Probed Yes	1274	73.2%
	4.00	Probed No	242	13.9%
	8.00	Do not Know	151	8.7%

**Q911\_J**

		Value	Count	Percent
Standard Attributes	Label	Sterilize needles-reduce AIDS risk		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Spontaneous Yes	255	14.7%
	3.00	Probed Yes	1311	75.3%
	4.00	Probed No	42	2.4%
	8.00	Do not Know	88	5.1%

**Q911\_K**

		Value	Count	Percent
Standard Attributes	Label	Do not share razors-reduce AIDS risk		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Spontaneous Yes	94	5.4%
	3.00	Probed Yes	1363	78.3%
	4.00	Probed No	129	7.4%
	8.00	Do not Know	110	6.3%

**Q911\_L**

		Value	Count	Percent
Standard Attributes	Label	Other-reduce AIDS risk		
N	Valid	1663		
	Missing	77		
Labeled Values	1.00	Spontaneous Yes	0	.0%
	3.00	Probed Yes	0	.0%
	4.00	Probed No	448	25.7%
	8.00	Do not Know	1215	69.8%

**Q911\_OTH**

		Value	Count	Percent
Standard Attributes	Label	How reduce AIDS risk		
Valid Values			1740	100.0%

**Q912**

		Value	Count	Percent
Standard Attributes	Label	Risk of getting HIV/AIDS		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Great Risk	10	.6%
	2.00	Moderate Risk	16	.9%
	3.00	Little Risk	177	10.2%
	4.00	No Risk at all	1374	79.0%
	8.00	Do not Know	119	6.8%

**Q913**

		Value	Count	Percent
Standard Attributes	Label	Why think at risk to get HIV/AIDS		
N	Valid	203		
	Missing	1537		
Labeled Values	1.00	Received blood transfusions	5	.3%
	2.00	Had many sexual partners	15	.9%
	3.00	Had unprotected sex w/casual partners	28	1.6%
	4.00	Used IV drugs/shared needles	9	.5%
	5.00	Partner had sex w/other women	6	.3%
	6.00	Get infected during dental/medical treatments	126	7.2%
	7.00	Get infected manicure/pedicure	7	.4%
	8.00	Other	0	.0%
	9.00	Do not Know/Refused	7	.4%

**Q913\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other reason-risk to get HIV/AIDS		
Valid Values			1740	100.0%

**Q913A**

		Value	Count	Percent
Standard Attributes	Label	Why no risk to get HIV/AIDS		
N	Valid	1371		
	Missing	369		
Labeled Values	1.00	Only one partner	629	36.1%
	2.00	No sexual relations	383	22.0%
	3.00	Uses condoms	127	7.3%
	4.00	Confidence in Partner	174	10.0%
	5.00	Does not get/need transfusions	38	2.2%
	6.00	Does not share needles	20	1.1%
	7.00	Other	0	.0%
	9.00	Do not Know/Refused	0	.0%

**Q913A\_OT**

		Value	Count	Percent
Standard Attributes	Label	Other reason-no risk get HIV/AIDS		
Valid Values			1740	100.0%

**Q913B**

		Value	Count	Percent
Standard Attributes	Label	What risk get other STD		
N	Valid	1563		
	Missing	177		
Labeled Values	1.00	Great Risk	15	.9%
	2.00	Moderate Risk	17	1.0%
	3.00	Little Risk	80	4.6%
	4.00	No Risk at all	1451	83.4%
	9.00	Do not Know	0	.0%

**Q913C**

		Value	Count	Percent
Standard Attributes	Label	Common-unmarried men-many sex partners		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes-Common	1070	61.5%
	2.00	No-Not Common	441	25.3%
	8.00	Do not know-refuse	185	10.6%

**Q913D**

		Value	Count	Percent
Standard Attributes	Label	Common-married men-many sex partners		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes-Common	452	26.0%
	2.00	No-Not Common	1066	61.3%
	8.00	Do not know-refuse	178	10.2%

**Q913E**

		Value	Count	Percent
Standard Attributes	Label	Common-unmarried men-have sex w/prostitutes		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes-Common	663	38.1%
	2.00	No-Not Common	796	45.7%
	8.00	Do not know-refuse	237	13.6%

**Q913F**

		Value	Count	Percent
Standard Attributes	Label	Common-married men-have sex w/prostitutes		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes-Common	219	12.6%
	2.00	No-Not Common	1272	73.1%
	8.00	Do not know-refuse	205	11.8%

**Q913G**

		Value	Count	Percent
Standard Attributes	Label	Is there a cure for AIDS		
N	Valid	1696		
	Missing	44		
Labeled Values	1.00	Yes	34	2.0%
	2.00	No	1555	89.4%
	8.00	Do not know-no response	107	6.1%

## IX-B VIOLENCE

**Q914**

		Value	Count	Percent
Standard Attributes	Label	Ever see parent-abuse each other		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	763	43.9%
	2.00	No	957	55.0%
	3.00	Did not live with 2 parents	1	.1%
	8.00	Don't know/Refused	19	1.1%

**Q915**

		Value	Count	Percent
Standard Attributes	Label	Ever beaten as child-by family member		
N	Valid	1739		
	Missing	1		
Labeled Values	1.00	Yes	1099	63.2%
	2.00	No	624	35.9%
	8.00	Don't know/Refused	16	.9%

**Q916**

		Value	Count	Percent
Standard Attributes	Label	Times-lived w/men		
N	Valid	1740		
	Missing	0		
Labeled Values	8.00	Don't know	0	.0%

**Q918\_1**

		Value	Count	Percent
Standard Attributes	Label	Ever hurt partner-insulted or swore at partner		
N	Valid	1037		
	Missing	703		
Labeled Values	1.00	Yes	335	19.3%
	2.00	No	662	38.0%
	8.00	Don't know	2	.1%
	9.00	Refused	38	2.2%

**Q918\_2**

		Value	Count	Percent
Standard Attributes	Label	Ever hurt partner-threatened to hurt her or anyone		
N	Valid	1037		
	Missing	703		
Labeled Values	1.00	Yes	34	2.0%
	2.00	No	959	55.1%
	8.00	Don't know	3	.2%
	9.00	Refused	41	2.4%



**Q918\_3**

		Value	Count	Percent
Standard Attributes	Label	Ever hurt partner-pushed, shook, shoved her		
N	Valid	1037		
	Missing	703		
Labeled Values	1.00	Yes	80	4.6%
	2.00	No	913	52.5%
	8.00	Don't know	3	.2%
	9.00	Refused	41	2.4%

**Q918\_4**

		Value	Count	Percent
Standard Attributes	Label	Ever hurt partner-Slapped or twistet your partner		
N	Valid	1037		
	Missing	703		
Labeled Values	1.00	Yes	134	7.7%
	2.00	No	861	49.5%
	8.00	Don't know	0	.0%
	9.00	Refused	42	2.4%

**Q918\_5**

		Value	Count	Percent
Standard Attributes	Label	Ever hurt partner-Hit her with your fist		
N	Valid	1037		
	Missing	703		
Labeled Values	1.00	Yes	33	1.9%
	2.00	No	961	55.2%
	8.00	Don't know	0	.0%
	9.00	Refused	43	2.5%

**Q918\_6**

		Value	Count	Percent
Standard Attributes	Label	Ever hurt partner-Threatened her with a knife other weapon		
N	Valid	1037		
	Missing	703		
Labeled Values	1.00	Yes	2	.1%
	2.00	No	992	57.0%
	8.00	Don't know	0	.0%
	9.00	Refused	43	2.5%

**Q918\_7**

		Value	Count	Percent
Standard Attributes	Label	Ever hurt partner-kicked,choked or beaten your partner		
N	Valid	1037		
	Missing	703		
Labeled Values	1.00	Yes	12	.7%
	2.00	No	984	56.6%
	8.00	Don't know	0	.0%
	9.00	Refused	41	2.4%

**Q918\_8**

		Value	Count	Percent
Standard Attributes	Label	Ever hurt partner-physically forced her to have RS		
N	Valid	1037		
	Missing	703		
Labeled Values	1.00	Yes	11	.6%
	2.00	No	978	56.2%
	8.00	Don't know	2	.1%
	9.00	Refused	46	2.6%

**Q919\_1**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner hurt-insulted or swore at partner		
N	Valid	335		
	Missing	1405		
Labeled Values	1.00	Within last year	190	10.9%
	2.00	1-3 Years ago	99	5.7%
	3.00	4-5 Years ago	27	1.6%
	4.00	5 Years ago or more	19	1.1%

**Q919\_2**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner hurt-threatened to hurt her or anyone		
N	Valid	34		
	Missing	1706		
Labeled Values	1.00	Within last year	16	.9%
	2.00	1-3 Years ago	12	.7%
	3.00	4-5 Years ago	1	.1%
	4.00	5 Years ago or more	5	.3%

**Q919\_3**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner hurt-pushed, shook, shoved her		
N	Valid	80		
	Missing	1660		
Labeled Values	1.00	Within last year	25	1.4%
	2.00	1-3 Years ago	31	1.8%
	3.00	4-5 Years ago	14	.8%
	4.00	5 Years ago or more	10	.6%

**Q919\_4**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner hurt-Slapped or twisted your partner		
N	Valid	134		
	Missing	1606		
Labeled Values	1.00	Within last year	52	3.0%
	2.00	1-3 Years ago	42	2.4%
	3.00	4-5 Years ago	24	1.4%
	4.00	5 Years ago or more	16	.9%

**Q919\_5**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner hurt-Hit her with your fist		
N	Valid	33		
	Missing	1707		
Labeled Values	1.00	Within last year	5	.3%
	2.00	1-3 Years ago	11	.6%
	3.00	4-5 Years ago	6	.3%
	4.00	5 Years ago or more	11	.6%

**Q919\_6**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner hurt-Threatened her with a knife other weapon		
N	Valid	2		
	Missing	1738		
Labeled Values	1.00	Within last year	0	.0%
	2.00	1-3 Years ago	1	.1%
	3.00	4-5 Years ago	1	.1%
	4.00	5 Years ago or more	0	.0%

**Q919\_7**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner hurt-kicked,choked or beaten your partner		
N	Valid	12		
	Missing	1728		
Labeled Values	1.00	Within last year	5	.3%
	2.00	1-3 Years ago	4	.2%
	3.00	4-5 Years ago	0	.0%
	4.00	5 Years ago or more	3	.2%

**Q919\_8**

		Value	Count	Percent
Standard Attributes	Label	Last time-partner hurt-physically forced her to have RS		
N	Valid	11		
	Missing	1729		
Labeled Values	1.00	Within last year	3	.2%
	2.00	1-3 Years ago	5	.3%
	3.00	4-5 Years ago	2	.1%
	4.00	5 Years ago or more	1	.1%

**Q920\_1**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner hurt-insulted or swore at partner		
N	Valid	190		
	Missing	1550		
Labeled Values	66.00	Almost Daily	2	.1%
	77.00	Weekly	38	2.2%
	88.00	Do not Remember	34	2.0%
	99.00	Refused	13	.7%

**Q920\_2**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner hurt-threatened to hurt her or anyone		
N	Valid	16		
	Missing	1724		
Labeled Values	66.00	Almost Daily	0	.0%
	77.00	Weekly	1	.1%
	88.00	Do not Remember	7	.4%
	99.00	Refused	2	.1%

**Q920\_3**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner hurt-pushed, shook, shoved her		
N	Valid	25		
	Missing	1715		
Labeled Values	66.00	Almost Daily	0	.0%
	77.00	Weekly	1	.1%
	88.00	Do not Remember	6	.3%
	99.00	Refused	0	.0%

**Q920\_4**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner hurt-Slapped or twist your partner		
N	Valid	52		
	Missing	1688		
Labeled Values	66.00	Almost Daily	0	.0%
	77.00	Weekly	1	.1%
	88.00	Do not Remember	8	.5%
	99.00	Refused	3	.2%

**Q920\_5**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner hurt-Hit her with your fist		
N	Valid	5		
	Missing	1735		
Labeled Values	66.00	Almost Daily	0	.0%
	77.00	Weekly	0	.0%
	88.00	Do not Remember	2	.1%
	99.00	Refused	0	.0%

**Q920\_6**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner hurt-Threatened her with a knife other weapon		
N	Valid	0		
	Missing	1740		
Labeled Values	66.00	Almost Daily	0	.0%
	77.00	Weekly	0	.0%
	88.00	Do not Remember	0	.0%
	99.00	Refused	0	.0%

**Q920\_7**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner hurt-kicked,choked or beaten your partner		
N	Valid	5		
	Missing	1735		
Labeled Values	66.00	Almost Daily	0	.0%
	77.00	Weekly	0	.0%
	88.00	Do not Remember	0	.0%
	99.00	Refused	0	.0%

**Q920\_8**

		Value	Count	Percent
Standard Attributes	Label	Times/last year-partner hurt-physically forced her to have RS		
N	Valid	3		
	Missing	1737		
Labeled Values	66.00	Almost Daily	0	.0%
	77.00	Weekly	0	.0%
	88.00	Do not Remember	0	.0%
	99.00	Refused	0	.0%

**Q921\_A**

		Value	Count	Percent
Standard Attributes	Label	First partner-times abused		
N	Valid	347		
	Missing	1393		
Labeled Values	1.00	Abused by Partner 1	338	19.4%
	2.00	Not Abused by Partner 1	9	.5%

**Q921\_B**

		Value	Count	Percent
Standard Attributes	Label	Second partner-times abused		
N	Valid	9		
	Missing	1731		
Labeled Values	1.00	Abused by Partner 2	2	.1%
	2.00	Not Abused by Partner 2	7	.4%

**Q921\_C**

		Value	Count	Percent
Standard Attributes	Label	Third partner-times abused		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Abused by Partner 3	0	.0%
	2.00	Not Abused by Partner 3	0	.0%

**Q921\_D**

		Value	Count	Percent
Standard Attributes	Label	Fourth partner-times abused		
N	Valid	0		
	Missing	1740		
Labeled Values	1.00	Abused by Partner 4	0	.0%
	2.00	Not Abused by Partner 4	0	.0%

**Q922**

		Value	Count	Percent
Standard Attributes	Label	Any swelling/bruises-past 12 mths		
N	Valid	55		
	Missing	1685		
Labeled Values	1.00	Yes	6	.3%
	2.00	No	48	2.8%
	8.00	Do not Remember	1	.1%
	9.00	Refused	0	.0%

**Q923**

		Value	Count	Percent
Standard Attributes	Label	Provide medical treatment for injury-abuse		
N	Valid	6		
	Missing	1734		
Labeled Values	1.00	Yes	1	.1%
	2.00	No	5	.3%
	8.00	Do not Remember	0	.0%
	9.00	Refused	0	.0%

**Q924**

		Value	Count	Percent
Standard Attributes	Label	Injuries/abuse-require hospitalization		
N	Valid	1		
	Missing	1739		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	0	.0%
	8.00	Do not Remember	0	.0%
	9.00	Refused	1	.1%

**Q925**

		Value	Count	Percent
Standard Attributes	Label	Partner want sex-after abuse		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Yes, Sometimes	14	.8%
	2.00	Yes-Always	5	.3%
	3.00	No	103	5.9%
	8.00	Do not Remember	25	1.4%
	9.00	Refused	4	.2%

**Q926**

		Value	Count	Percent
Standard Attributes	Label	Believe violence affects health		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Yes	24	1.4%
	2.00	No	107	6.1%
	8.00	Do not Remember	10	.6%
	9.00	Refused	10	.6%

**Q928**

		Value	Count	Percent
Standard Attributes	Label	Violence affected children		
N	Valid	148		
	Missing	1592		
Labeled Values	1.00	Yes	18	1.0%
	2.00	No	101	5.8%
	8.00	Not Sure	29	1.7%
	9.00	Refused	0	.0%

**Q929\_A**

		Value	Count	Percent
Standard Attributes	Label	Witnessed violence-Children affected		
N	Valid	17		
	Missing	1723		
Labeled Values	1.00	Yes	16	.9%
	2.00	No	1	.1%

**Q929\_B**

		Value	Count	Percent
Standard Attributes	Label	Live in fear-Children affected		
N	Valid	17		
	Missing	1723		
Labeled Values	1.00	Yes	10	.6%
	2.00	No	7	.4%

**Q929\_C**

		Value	Count	Percent
Standard Attributes	Label	Injured-Children affected		
N	Valid	17		
	Missing	1723		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	17	1.0%

**Q929\_D**

		Value	Count	Percent
Standard Attributes	Label	Left home-Children affected		
N	Valid	17		
	Missing	1723		
Labeled Values	1.00	Yes	1	.1%
	2.00	No	16	.9%

**Q929\_E**

		Value	Count	Percent
Standard Attributes	Label	Decreased Learning-Children affected		
N	Valid	17		
	Missing	1723		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	17	1.0%

**Q929\_F**

		Value	Count	Percent
Standard Attributes	Label	Other-Children affected		
N	Valid	17		
	Missing	1723		
Labeled Values	1.00	Yes	0	.0%
	2.00	No	17	1.0%

**Q929\_OTH**

		Value	Count	Percent
Standard Attributes	Label	How-Children affected		
Valid Values			1740	100.0%

**Q930**

		Value	Count	Percent
Standard Attributes	Label	Talk to anyone about violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Yes	23	1.3%
	2.00	No	128	7.4%

**Q931\_A**

		Value	Count	Percent
Standard Attributes	Label	Mother-talk about violence		
N	Valid	23		
	Missing	1717		
Labeled Values	1.00	Mentioned	15	.9%
	2.00	Not Mentioned	8	.5%

**Q931\_B**

		Value	Count	Percent
Standard Attributes	Label	Other relative-talk about violence		
N	Valid	23		
	Missing	1717		
Labeled Values	1.00	Mentioned	6	.3%
	2.00	Not Mentioned	17	1.0%

**Q931\_C**

		Value	Count	Percent
Standard Attributes	Label	In-laws--talk about violence		
N	Valid	23		
	Missing	1717		
Labeled Values	1.00	Mentioned	8	.5%
	2.00	Not Mentioned	15	.9%

**Q931\_D**

		Value	Count	Percent
Standard Attributes	Label	Children--talk about violence		
N	Valid	23		
	Missing	1717		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	23	1.3%



**Q931\_E**

		Value	Count	Percent
Standard Attributes	Label	Friend--talk about violence		
N	Valid	23		
	Missing	1717		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	23	1.3%

**Q931\_F**

		Value	Count	Percent
Standard Attributes	Label	Neighbor--talk about violence		
N	Valid	23		
	Missing	1717		
Labeled Values	1.00	Mentioned	3	.2%
	2.00	Not Mentioned	20	1.1%

**Q931\_G**

		Value	Count	Percent
Standard Attributes	Label	Doctor--talk about violence		
N	Valid	23		
	Missing	1717		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	23	1.3%

**Q931\_H**

		Value	Count	Percent
Standard Attributes	Label	Police--talk about violence		
N	Valid	23		
	Missing	1717		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	23	1.3%

**Q931\_I**

		Value	Count	Percent
Standard Attributes	Label	Legal adviser--talk about violence		
N	Valid	23		
	Missing	1717		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	23	1.3%

**Q932**

		Value	Count	Percent
Standard Attributes	Label	Main reason- no legal/medical help		
N	Valid	150		
	Missing	1590		
Labeled Values	1.00	Did not know where to seek help	0	.0%
	2.00	No use/would not do any good	20	1.1%
	3.00	Embarrassed	14	.8%
	4.00	Afraid of more beatings	25	1.4%
	5.00	Afraid of divorce	15	.9%
	6.00	Afraid of losing the children	3	.2%
	7.00	Thought would not be taken seriously	9	.5%
	8.00	Violence is normal/no need to complain	27	1.6%
	9.00	Thought she would be blamed	4	.2%
	10.00	Bring bad name to family	12	.7%
	20.00	Other	0	.0%
	88.00	Do not know/refused	21	1.2%

**Q932\_OTH**

		Value	Count	Percent
Standard Attributes	Label	Other reason-no legal/medical help		
Valid Values			1740	100.0%

**Q933\_A**

		Value	Count	Percent
Standard Attributes	Label	Mother-stop violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	4	.2%
	2.00	Not Mentioned	147	8.4%

**Q933\_B**

		Value	Count	Percent
Standard Attributes	Label	Other relative-stop violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	1	.1%
	2.00	Not Mentioned	150	8.6%

**Q933\_C**

		Value	Count	Percent
Standard Attributes	Label	In-laws--stop violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	16	.9%
	2.00	Not Mentioned	135	7.8%

**Q933\_D**

		Value	Count	Percent
Standard Attributes	Label	Children--stop violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	151	8.7%

**Q933\_E**

		Value	Count	Percent
Standard Attributes	Label	Friend--stop violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	151	8.7%

**Q933\_F**

		Value	Count	Percent
Standard Attributes	Label	Neighbor--stop violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	2	.1%
	2.00	Not Mentioned	149	8.6%

**Q933\_G**

		Value	Count	Percent
Standard Attributes	Label	Doctor--stop violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	151	8.7%

**Q933\_H**

		Value	Count	Percent
Standard Attributes	Label	Police--stop violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	151	8.7%

**Q933\_I**

		Value	Count	Percent
Standard Attributes	Label	Legal adviser--stop violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	151	8.7%

**Q934\_A**

		Value	Count	Percent
Standard Attributes	Label	Drunk-partner-violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	39	2.2%
	2.00	Not Mentioned	112	6.4%

**Q934\_B**

		Value	Count	Percent
Standard Attributes	Label	Does not look after children-partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	19	1.1%
	2.00	Not Mentioned	132	7.6%

**Q934\_C**

		Value	Count	Percent
Standard Attributes	Label	Money troubles-partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	49	2.8%
	2.00	Not Mentioned	102	5.9%

**Q934\_D**

		Value	Count	Percent
Standard Attributes	Label	Unemployed-partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	49	2.8%
	2.00	Not Mentioned	102	5.9%

**Q934\_E**

		Value	Count	Percent
Standard Attributes	Label	No income--partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	16	.9%
	2.00	Not Mentioned	135	7.8%

**Q934\_F**

		Value	Count	Percent
Standard Attributes	Label	Family problems-partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	39	2.2%
	2.00	Not Mentioned	112	6.4%

**Q934\_G**

		Value	Count	Percent
Standard Attributes	Label	Jealous-partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	46	2.6%
	2.00	Not Mentioned	105	6.0%

**Q934\_H**

		Value	Count	Percent
Standard Attributes	Label	Pregnant-partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	1	.1%
	2.00	Not Mentioned	150	8.6%

**Q934\_I**

		Value	Count	Percent
Standard Attributes	Label	No alcohol/drugs-partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	0	.0%
	2.00	Not Mentioned	151	8.7%

**Q934\_J**

		Value	Count	Percent
Standard Attributes	Label	No food at home-partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	10	.6%
	2.00	Not Mentioned	141	8.1%

**Q934\_K**

		Value	Count	Percent
Standard Attributes	Label	Acts according to Kanun--partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	11	.6%
	2.00	Not Mentioned	140	8.0%

**Q934\_L**

		Value	Count	Percent
Standard Attributes	Label	Other--partner violence		
N	Valid	151		
	Missing	1589		
Labeled Values	1.00	Mentioned	1	.1%
	2.00	Not Mentioned	150	8.6%

**Q934\_OTH**

		Value	Count	Percent
Standard Attributes	Label	What cause--partner violence		
Valid Values			1739	99.9%
	ISHTE RASTESI MOMENT		1	.1%

**Q936\_A**

		Value	Count	Percent
Standard Attributes	Label	Goes out w/out telling-abuse justified		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	440	25.3%
	2.00	No	1224	70.3%
	8.00	Do not Remember	76	4.4%

**Q936\_B**

		Value	Count	Percent
Standard Attributes	Label	Neglects children-abuse justified		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	614	35.3%
	2.00	No	1046	60.1%
	8.00	Do not Remember	80	4.6%

**Q936\_C**

		Value	Count	Percent
Standard Attributes	Label	Argues w/him-abuse justified		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	374	21.5%
	2.00	No	1280	73.6%
	8.00	Do not Remember	86	4.9%

**Q936\_D**

		Value	Count	Percent
Standard Attributes	Label	Refuses sex-abuse justified		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	160	9.2%
	2.00	No	1476	84.8%
	8.00	Do not Remember	104	6.0%

**Q936\_E**

		Value	Count	Percent
Standard Attributes	Label	Not happy w/household-abuse justified		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	262	15.1%
	2.00	No	1406	80.8%
	8.00	Do not Remember	72	4.1%

**Q936\_F**

		Value	Count	Percent
Standard Attributes	Label	Asks about girlfriend-abuse justified		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	195	11.2%
	2.00	No	1417	81.4%
	8.00	Do not Remember	128	7.4%

**Q936\_G**

		Value	Count	Percent
Standard Attributes	Label	Unfaithful-abuse justified		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	1143	65.7%
	2.00	No	443	25.5%
	8.00	Do not Remember	154	8.9%

**Q936\_H**

		Value	Count	Percent
Standard Attributes	Label	Dresses sexy-abuse justified		
N	Valid	1740		
	Missing	0		
Labeled Values	1.00	Yes	484	27.8%
	2.00	No	1091	62.7%
	8.00	Do not Remember	165	9.5%

**HOUR\_END**

		Value	Count	Percent
Standard Attributes	Label	Hour interview ended		
N	Valid	1740		
	Missing	0		
Labeled Values	99.00	Time not givien	0	.0%

**MIN\_END**

		Value	Count	Percent
Standard Attributes	Label	Minute interview ended		
N	Valid	1740		
	Missing	0		
Labeled Values	99.00	Time not givien	0	.0%