

Moldova - Reproductive Health Survey 1997

**Institute for Scientific Research of Mother and Child Care (ISRMC) - Moldovan
Ministry of Health**

Report generated on: July 8, 2014

Visit our data catalog at: <http://microdata.worldbank.org>

Sampling

Sampling Procedure

The survey employed a three-stage probability sample design and successfully interviewed 5,412 (98%) of 5,543 women identified in sample households as eligible for interview.

The survey employed a three-stage sampling design using two sampling frames (one for urban areas and one for rural areas) provided by the MSDS. The urban sampling frame was based on the 1989 census, whereas the rural sampling frame consisted of a list of the 1,607 villages in the country, recently updated for household composition in January-April 1997 for an agricultural registry.

In the first stage, 128 census sectors in urban areas and 122 villages were selected as Primary Sampling Units (PSUs) with probability proportional to the number of households in each census sector/village. In the second stage of sampling, clusters of households were randomly selected in each census sector/village chosen in the first stage. Before second-stage selection in urban areas, the Census Division of the MSDS redefined each 1989 census sector selected as a PSU for street boundaries, converted the maps and listings from Russian to Moldavian, and updated the sector's household composition in collaboration with personnel from the local health care units. A cluster of households was randomly selected from the updated sector lists of the PSUs in urban areas and from the household listings in the villages selected as PSUs in the first stage. (Since there were roughly equal numbers of urban and rural households, the sample was designed to be geographically self-weighting.) In each sample strata, urban and rural, the third stage consisted of the random selection of one woman if there were two or more eligible women (aged 15-44 years) living in the same household.

Cluster size determination was based on the number of households required to obtain an average of 20 interviews per cluster. The total number of households in each cluster took into account estimates of unoccupied households, average number of women 15-44 per household, the interview of only one woman per household, and an estimated response rate of 90% in urban areas and 92% in rural areas. In urban areas, the cluster size with a yield of 20 interviews, on average, was determined to be 45 households. In rural areas, because the average number of women 15-44 per household varies considerably by raion, the average number of households needed to obtain 20 complete interviews varied from 42 to 60.

Response Rate

Of the 11,506 households selected, 5,543 were found to include at least one 15-44 year-old woman. Of these women, 5,412 were successfully interviewed, for a response rate of 97.6%. Less than one percent of selected women refused to be interviewed, while another 1.3% could not be located. Response rates were slightly better in rural areas (98%) than in municipalities and other urban areas (97%). In Chisinau (not shown), the response rate was 96%; nearly 3% of women selected in the sample could not be located.

Weighting

Since only one woman was selected from each household containing women of reproductive age, all results have been weighted to compensate for the fact that some households included more than one eligible woman.

Questionnaires

Overview

The questionnaire was first drafted by CDC/DRH consultants based on a core questionnaire used in the 1993 Romanian Reproductive Health Survey. This core questionnaire was reviewed and modified by Moldovan experts in reproductive health and family planning, as well as by USAID and UNFPA. Based on these reviews, a pretest questionnaire was developed and field-tested in April 1997. The questionnaire, developed in Romanian, was translated into Russian after the pretest. All interviewers spoke these two languages.

The questionnaire had two components: (1) A short household questionnaire used to collect residential and geographic information, select information about all women of childbearing age living in sampled households, and information on interview status. This module was also used to randomly select one respondent when there was more than one eligible woman in the household; (2) The longer individual questionnaire collected information on the topics mentioned above.

The major reproductive health topics on which information was collected were: pregnancies and childbearing (a complete history of all pregnancies, including planning status of pregnancies in the last five years, a detailed history of abortions within the last five years, including postabortion counseling, and the history of all births within the last five years, including the patterns of utilization of health services during pregnancy, maternal morbidity, infant health and breast-feeding); family planning (knowledge and history of use of methods of preventing pregnancy, current use of contraception, source of contraception, reasons for not using, reasons for use of less effective methods of contraception, future fertility preferences and intentions to use voluntary sterilization); women's health (health behavior and use of women's health services, tobacco and alcohol use); reproductive health knowledge and attitudes (especially regarding birth control pills, condoms, and IUDs); knowledge about HIV/AIDS transmission and prevention; domestic violence, including violence during the most recent pregnancy; history of sexual abuse; and socioeconomic characteristics of women and their husbands/families. The young women (15-24 years of age) were asked additional questions on sex education, age and contraceptive use at first sexual intercourse, and sexual behaviors.

Most issues have been examined by geographic, demographic, and socio-economic characteristics, making it possible to identify the segments of the population with specific health needs or problems.

Data Collection

Data Collection Dates

Start	End	Cycle
1997-07	1997-09	N/A

Data Collection Mode

Face-to-face [f2f]

DATA COLLECTION NOTES

interviews were conducted at the respondent's homes by trained female interviewers. These interviews generally lasted 45 to 60 minutes. Almost all women selected to participate in the survey agreed to be interviewed and were very cooperative.

Data Processing

No content available

Data Appraisal

Other forms of Data Appraisal

The geographic distribution of the sample, by residence and region, is very close to official figures of the population distribution for 1996, estimated by the Moldovan State Department for Statistics.

The percent distribution of women in the sample by five-year age groups is compared with the 1994 official estimates (the most recent estimates by age group) in Table 2.3. Compared with these estimates, the survey sample has slightly over-represented adolescent women (15-19 yearolds) and under-represented women aged 40-44 by about two percentage points. However, several factors may have contributed to the differences observed: first, there is a three-year difference between the time the official estimates were calculated and the survey was implemented; second, the official estimates are projections of the age composition recorded by the 1989 census and thus dependent on assumptions used in projecting the aging of a cohort; finally, official estimates include any possible age misreporting that occurred in the census.

File Description

Variable List

md97_newvar

Content

Cases 11506

Variable(s) 1611

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V1	hidno_1	id number-household	contin	numeric	
V2	raion	raion number	contin	numeric	
V3	mapa	basic census district	contin	numeric	
V4	htype	rural/urban indicator	discrete	numeric	
V5	hcity	city/town/village	discrete	character	
V6	hlocal	locality	discrete	character	
V7	hvstno	visit number	discrete	numeric	
V8	hdov	visit day	contin	numeric	
V9	hmov	visit month	discrete	numeric	
V10	hres	result codes 1	discrete	numeric	
V11	hres_oth	result codes - other reason/8&9	discrete	character	
V12	hint	interviewer	contin	numeric	
V13	hsup	supervisor	contin	numeric	
V14	hnofam	q01-families in house	discrete	numeric	
V15	hnopeo	q02-people in house	discrete	numeric	
V16	hnow	q03-females in house	discrete	numeric	
V17	wname1	q4.1-first name 1st female	discrete	numeric	
V18	wage1	q4.1-age of 1st female	discrete	numeric	
V19	wms1	q4.1-marital stat. of 1st female	discrete	numeric	
V20	wedl1	q4.1-ed.level 1st female	discrete	numeric	
V21	wedg1	q4.1-ed.grade 1st female	discrete	numeric	
V22	wname2	q4.2-first name 2nd female	discrete	numeric	
V23	wage2	q4.2-age of 2nd female	discrete	numeric	
V24	wms2	q4.2-marital stat. of 2nd female	discrete	numeric	
V25	wedl2	q4.2-ed.level 2nd female	discrete	numeric	
V26	wedg2	q4.2-ed.grade 2nd female	discrete	numeric	
V27	wname3	q4.3-first name 3rd female	discrete	numeric	
V28	wage3	q4.3-age of 3rd female	discrete	numeric	

ID	Name	Label	Type	Format	Question
V29	wms3	q4.3-marital stat. of 3rd female	discrete	numeric	
V30	wedl3	q4.3-ed.level 3rd female	discrete	numeric	
V31	wedg3	q4.3-ed.grade 3rd female	discrete	numeric	
V32	wname4	q4.4-first name 4th female	discrete	numeric	
V33	wage4	q4.4-age of 4th female	discrete	numeric	
V34	wms4	q4.4-marital stat. of 4th female	discrete	numeric	
V35	wedl4	q4.4-ed.level 4th female	discrete	numeric	
V36	wedg4	q4.4-ed.grade 4th female	discrete	numeric	
V37	wname5	q4.5-first name 5th female	discrete	numeric	
V38	wage5	q4.4-age of 5th female	discrete	numeric	
V39	wms5	q4.5-marital stat. of 5th female	discrete	numeric	
V40	wedl5	q4.5-ed.level 5th female	discrete	numeric	
V41	wedg5	q4.5-ed.grade 5th female	discrete	numeric	
V42	wname6	q4.6-first name 6th female	discrete	numeric	
V43	wage6	q4.6-age of 6th female	discrete	numeric	
V44	wms6	q4.6-marital stat. of 6th female	discrete	numeric	
V45	wedl6	q4.6-ed.level 6th female	discrete	numeric	
V46	wedg6	q4.6-ed.grade 6th female	discrete	numeric	
V47	hselect	line number of woman selected	discrete	numeric	
V48	hour_bgn	time started-hour	discrete	numeric	
V49	min_bgn	time started-minutes	contin	numeric	
V50	numar_1	id number-individual questionnaire	contin	numeric	
V51	numar_2	id number-individual-match female select	discrete	numeric	
V52	q100_mth	q100-month of birth	discrete	numeric	
V53	q100_yr	q100-year of birth	contin	numeric	
V54	q101_age	q101-age/last birthday	contin	numeric	
V55	q102_l	q102-education level completed	discrete	numeric	
V56	q102_g	q102-education grade completed	discrete	numeric	
V57	q104	q104-work outside the home	discrete	numeric	
V58	q105	q105-main problem working outside home	discrete	numeric	
V59	q105_oth	q105-other reason not working outside	discrete	character	
V60	q106_a	q106-main reading-newspapers/magazines	discrete	numeric	
V61	q106_b	q106-b-type reading-technical books	discrete	numeric	
V62	q106_c	q106-c-type reading-classical literature	discrete	numeric	
V63	q106_d	q106-d-type reading-recreational lit	discrete	numeric	
V64	q106_e	q106-e-type reading-love/adventure	discrete	numeric	
V65	q106_f	q106-f-type reading-thrillers/sci-fi	discrete	numeric	
V66	q106_g	q106-g-type reading-bible/religious	discrete	numeric	
V67	q106_h	q106-h-type reading-other	discrete	numeric	
V68	q106_oth	q106-h-type reading-other-what	discrete	character	

ID	Name	Label	Type	Format	Question
V69	q107	q107-listen to radio	discrete	numeric	
V70	q108_a	q108-a-radio moldova	discrete	numeric	
V71	q108_b	q108-radio romania	discrete	numeric	
V72	q108_c	q108-c-radio russia	discrete	numeric	
V73	q108_d	q108-d-radio ucraina	discrete	numeric	
V74	q108_e	q108-e-radio nova	discrete	numeric	
V75	q108_f	q108-f-radio plus	discrete	numeric	
V76	q108_g	q108-g-polidisc	discrete	numeric	
V77	q108_h	q108-h-radio eldoradioa	discrete	numeric	
V78	q108_i	q108-i-unda libera	discrete	numeric	
V79	q108_j	q108-j-other	discrete	numeric	
V80	q108_oth	q108-j-other-radio station	discrete	character	
V81	q109	q109-radio program-discuss family plan	discrete	numeric	
V82	q110	q110-hours watching tv	discrete	numeric	
V83	q111_a	q111-a-tv moldova	discrete	numeric	
V84	q111_b	q111-b-romania	discrete	numeric	
V85	q111_c	q111-c-tv moscow	discrete	numeric	
V86	q111_d	q111-d-tv ucraina	discrete	numeric	
V87	q111_e	q111-e-tv catalan	discrete	numeric	
V88	q111_f	q111-f-prednistrovia(tpr)	discrete	numeric	
V89	q111_g	q111-g-cnn/bbc	discrete	numeric	
V90	q111_h	q111-h-other	discrete	numeric	
V91	q111_oth	q111-h-other-television	discrete	character	
V92	q112	q112-tv-last 6 months-family planning	discrete	numeric	
V93	q113	q113-radio/tv-contraceptive ads	discrete	numeric	
V94	q114	q114-marital status	discrete	numeric	
V95	q115	q115-ever lived w/partner	discrete	numeric	
V96	q116	q116-times married/lived w/man	discrete	numeric	
V97	q117_mth	q117-month begin living w/partner	discrete	numeric	
V98	q117_yr	q117-year begin living w/partner	discrete	numeric	
V99	q118	q118-first married-wish-children	discrete	numeric	
V100	q119	q119-wish for number of children	discrete	numeric	
V101	q119_oth	q119-other-nbr of children-wish for	discrete	character	
V102	q120	q120-education level partner completed	discrete	numeric	
V103	q120_g	q120-grade partner completed	discrete	numeric	
V104	q121	q121-age of partner	discrete	numeric	
V105	q122	q122-father living	discrete	numeric	
V106	q123	q123-father live w/you	discrete	numeric	
V107	q124	q124-age-lived with father	discrete	numeric	
V108	q125	q125-close to father between 10 & 15	discrete	numeric	

ID	Name	Label	Type	Format	Question
V109	q126	q126-mother living	discrete	numeric	
V110	q127	q127-mother live w/you	discrete	numeric	
V111	q128	q128-age-lived with mother	discrete	numeric	
V112	q129	q129-close to mother between 10 & 15	discrete	numeric	
V113	q130	q130-education-mother	discrete	numeric	
V114	q130_g	q130-grade mother completed	discrete	numeric	
V115	q201	q201-learn about std in school	discrete	numeric	
V116	q202_a	q202-a-age teach-pregnancy occurs	discrete	numeric	
V117	q202_b	q202-a-age teach-contraceptives	discrete	numeric	
V118	q202_c	q202-c-age teach-std	discrete	numeric	
V119	q203_a	q203-a-oppose sex ed-give idea to begin	discrete	numeric	
V120	q203_b	q203-b-oppose sex ed-taught in home only	discrete	numeric	
V121	q203_c	q203-c-oppose sex ed-religion	discrete	numeric	
V122	q204_a	q204-a-parents talk-menstrual cycle	discrete	numeric	
V123	q204_b	q204-b-parents talk-how pregnancy occurs	discrete	numeric	
V124	q204_c	q204-c-parents talk-contraceptive method	discrete	numeric	
V125	q204_d	q204-d-parents talk-std	discrete	numeric	
V126	q204_e	q204-e-parents talk-hiv/sida	discrete	numeric	
V127	q205_a	q205-a-<19 school taught-menstrual cycle	discrete	numeric	
V128	q206_a	q206-a-grade-taught-menstrual cycle	discrete	numeric	
V129	q207_a	q207-a-who-taught-menstrual cycle	discrete	numeric	
V130	q207_aot	q207-a-who-other-taught-menstrual cycle	discrete	character	
V131	q205_b	q205-b-<19 school taught-female reprod.	discrete	numeric	
V132	q206_b	q206-b-grade-taught-female reprod. sys	discrete	numeric	
V133	q207_b	q207-b-who-taught-female repro.sys	discrete	numeric	
V134	q207_bot	q207-b-who-other-taught-female reproduct	discrete	character	
V135	q205_c	q205-c-<19 school taught-male repro.sys	discrete	numeric	
V136	q206_c	q206-b-grade-taught-male reprod. sys	discrete	numeric	
V137	q207_c	q207-c-who-taught-male repro.sys	discrete	numeric	
V138	q207_cot	q207-c-who-other-taught-male reproductive	discrete	character	
V139	q205_d	q205-d-<19 school taught-how pg occurs	discrete	numeric	
V140	q206_d	q206-d-grade-taught-how pg occurs	discrete	numeric	
V141	q207_d	q207-d-who-taught-how pg occurs	discrete	numeric	
V142	q207_dot	q207-d-who-other-taught-how pg occurs	discrete	character	
V143	q205_e	q205-e-<19 school taught-bc methods	discrete	numeric	
V144	q206_e	q206-e-grade-taught-bc methods	discrete	numeric	
V145	q207_e	q207-e-who-taught-bc methods	discrete	numeric	
V146	q207_eot	q207-e-who-other-taught-bc methods	discrete	character	
V147	q205_f	q205-f-<19 school taught-std	discrete	numeric	
V148	q206_f	q206-f-grade-taught-std	discrete	numeric	

ID	Name	Label	Type	Format	Question
V149	q207_f	q207-f-who-taught-std	discrete	numeric	
V150	q207_fot	q207-f-who-other-taught-std	discrete	character	
V151	q205_g	q205-g-<19 school taught-hiv/aids	discrete	numeric	
V152	q206_g	q206-g-grade-taught-hiv/aids	discrete	numeric	
V153	q207_g	q207-g-who-taught-hiv/aids	discrete	numeric	
V154	q207_got	q207-g-who-other-taught-hiv/aids	discrete	character	
V155	q208	q208-ever attend lecture on sex ed	discrete	numeric	
V156	q209	q209-where lesson on sex ed	discrete	numeric	
V157	q209_oth	q209-other-where-lesson on sex ed	discrete	character	
V158	q300	q300-currently pregnant	discrete	numeric	
V159	q301	q301-months current pg	discrete	numeric	
V160	q302	q302-want current pg	discrete	numeric	
V161	q303	q303-first pg	discrete	numeric	
V162	q304	q304-miscarriage-abort-stillbirth	discrete	numeric	
V163	q305	q305-ever been pg	discrete	numeric	
V164	q306	q306-ever had-still birth/miscarriage	discrete	numeric	
V165	q307	q307-ever had live born children	discrete	numeric	
V166	q308	q308-number of children alive	discrete	numeric	
V167	q309	q309-any children died	discrete	numeric	
V168	q310	q310-number of children died	discrete	numeric	
V169	q310a	q310a-number of live births-correct	discrete	numeric	
V170	q310b	q310b-agree-nbr-live births-correct	discrete	numeric	
V171	pnum	q311-number of pregnancies	contin	numeric	
V172	q311_1	q311-1-pregnancy 1	discrete	numeric	
V173	q312_1	q312_1-how pg 1-ended	discrete	numeric	
V174	q313a_1	q313-1a-month pregnancy ended	discrete	numeric	
V175	q313b_1	q313-1b-pregnacy end year 1	contin	numeric	
V176	q314_1	q314-1-weeks/months pg lasted	contin	numeric	
V177	q315_1	q315_1-baby-boy/girl?	discrete	numeric	
V178	q316_1	q316-1-felt about pg 1	discrete	numeric	
V179	q311_2	q311-2-pregnancy 2	discrete	numeric	
V180	q312_2	q312_2-how pg 2-ended	discrete	numeric	
V181	q313a_2	q313-2a-month pregnancy ended	discrete	numeric	
V182	q313b_2	q313-2b-pregnacy end year 2	contin	numeric	
V183	q314_2	q314-2-week/month pg lasted	contin	numeric	
V184	q315_2	q315_2-baby-boy/girl?	discrete	numeric	
V185	q316_2	q316-2-felt about pg 2	discrete	numeric	
V186	q311_3	q311-3-pregnancy 3	discrete	numeric	
V187	q312_3	q312_3-how pg 3-ended	discrete	numeric	
V188	q313a_3	q313-3a-month pregnancy ended	discrete	numeric	

ID	Name	Label	Type	Format	Question
V189	q313b_3	q313-3b-pregnancy end year 3	contin	numeric	
V190	q314_3	q314-3-week/month pg lasted	contin	numeric	
V191	q315_3	q315_3-baby-boy/girl?	discrete	numeric	
V192	q316_3	q316-3-felt about pg 3	discrete	numeric	
V193	q311_4	q311-4-pregnancy 4	discrete	numeric	
V194	q312_4	q312_4-how pg 4-ended	discrete	numeric	
V195	q313a_4	q313-4a-month pregnancy ended	discrete	numeric	
V196	q313b_4	q313-4b-pregnancy end year 2	contin	numeric	
V197	q314_4	q314-4-week/month pg lasted	contin	numeric	
V198	q315_4	q315_4-baby-boy/girl?	discrete	numeric	
V199	q316_4	q316-4-felt about pg 4	discrete	numeric	
V200	q311_5	q311-5-pregnancy 5	discrete	numeric	
V201	q312_5	q312_5-how pg 5-ended	discrete	numeric	
V202	q313a_5	q313-5a-month pregnancy ended	discrete	numeric	
V203	q313b_5	q313-5b-pregnancy end year	contin	numeric	
V204	q314_5	q314-5-week/month-pg lasted	contin	numeric	
V205	q315_5	q315_5-baby-boy/girl?	discrete	numeric	
V206	q316_5	q316-5-felt about pg 5	discrete	numeric	
V207	q311_6	q311-6-pregnancy 6	discrete	numeric	
V208	q312_6	q312_6-how pg 6-ended	discrete	numeric	
V209	q313a_6	q313-6a-month pregnancy ended	discrete	numeric	
V210	q313b_6	q313-6b-pregnancy end year	contin	numeric	
V211	q314_6	q314-6-week/month-pg lasted	contin	numeric	
V212	q315_6	q315_6-baby-boy/girl?	discrete	numeric	
V213	q316_6	q316-6-felt about pg 6	discrete	numeric	
V214	q311_7	q311-7-pregnancy 7	discrete	numeric	
V215	q312_7	q312_7-how pg 7-ended	discrete	numeric	
V216	q313a_7	q313-7a-month pregnancy ended	discrete	numeric	
V217	q313b_7	q313-7b-pregnancy end year	contin	numeric	
V218	q314_7	q314-7-week/month-pg lasted	contin	numeric	
V219	q315_7	q315_7-baby-boy/girl?	discrete	numeric	
V220	q316_7	q316-7-felt about pg 7	discrete	numeric	
V221	pg69_1	pg table-1-7-all outcomes 6 0r 9	discrete	numeric	
V222	q311_8	q311-8-pregnancy 8	discrete	numeric	
V223	q312_8	q312_8-how pg 8-ended	discrete	numeric	
V224	q313a_8	q313-8a-month pregnancy ended	discrete	numeric	
V225	q313b_8	q313-8b-pregnancy end year	contin	numeric	
V226	q314_8	q314-8-week/month-pg lasted	contin	numeric	
V227	q315_8	q315_8-baby-boy/girl?	discrete	numeric	
V228	q316_8	q316-8-felt about pg 8	discrete	numeric	

ID	Name	Label	Type	Format	Question
V229	q311_9	q311-9-pregnancy 9	discrete	numeric	
V230	q312_9	q312_9-how pg 9-ended	discrete	numeric	
V231	q313a_9	q313-9a-month pregnancy ended	discrete	numeric	
V232	q313b_9	q313-9b-pregnacy end year 9	contin	numeric	
V233	q314_9	q314-9-week/month-pg lasted	contin	numeric	
V234	q315_9	q315_9-baby-boy/girl?	discrete	numeric	
V235	q316_9	q316-9-felt about pg 9	discrete	numeric	
V236	q311_10	q311-10-pregnancy 10	discrete	numeric	
V237	q312_10	q312_10-how pg 10-ended	discrete	numeric	
V238	q313a_10	q313-10a-month pregnancy ended	discrete	numeric	
V239	q313b_10	q313-10b-pregnacy end year	contin	numeric	
V240	q314_10	q314-10-week/month-pg lasted	contin	numeric	
V241	q315_10	q315_10-baby-boy/girl?	discrete	numeric	
V242	q316_10	q316-10-felt about pg 10	discrete	numeric	
V243	q311_11	q311-11-pregnancy 11	discrete	numeric	
V244	q312_11	q312_11-how pg 11-ended	discrete	numeric	
V245	q313a_11	q313-11a-month pregnancy ended	discrete	numeric	
V246	q313b_11	q313-11b-pregnacy end year	contin	numeric	
V247	q314_11	q314-11-week/month-pg lasted	contin	numeric	
V248	q315_11	q315_11-baby-boy/girl?	discrete	numeric	
V249	q316_11	q316-11-felt about pg 11	discrete	numeric	
V250	q311_12	q311-12-pregnancy 12	discrete	numeric	
V251	q312_12	q312-12-how pg 12-ended	discrete	numeric	
V252	q313a_12	q313-12a-month pregnancy ended	discrete	numeric	
V253	q313b_12	q313-12b-pregnacy end year	contin	numeric	
V254	q314_12	q314-12-week/month-pg lasted	contin	numeric	
V255	q315_12	q315_12-baby-boy/girl?	discrete	numeric	
V256	q316_12	q316-12-felt about pg 12	discrete	numeric	
V257	q311_13	q311-13-pregnancy 13	discrete	numeric	
V258	q312_13	q312_13-how pg 13-ended	discrete	numeric	
V259	q313a_13	q313-13a-month pregnancy ended	discrete	numeric	
V260	q313b_13	q313-13b-pregnacy end year	discrete	numeric	
V261	q314_13	q314-13-week/month-pg lasted	discrete	numeric	
V262	q315_13	q315_13-baby/boy/girl?	discrete	numeric	
V263	q316_13	q316-13-felt about pg 13	discrete	numeric	
V264	q311_14	q311-14-pregnancy 14	discrete	numeric	
V265	q312_14	q312_14-how pg 14-ended	discrete	numeric	
V266	q313a_14	q313-14a-month pregnancy ended	discrete	numeric	
V267	q313b_14	q313-14b-pregnacy end year	contin	numeric	
V268	q314_14	q314-14-week/month-pg lasted	discrete	numeric	

ID	Name	Label	Type	Format	Question
V269	q315_14	q315_14-baby-boy/girl?	discrete	numeric	
V270	q316_14	q316-14-felt about pg 14	discrete	numeric	
V271	q311_15	q311-15-pregnancy 15	discrete	numeric	
V272	q312_15	q312_15-how pg 15-ended	discrete	numeric	
V273	q313a_15	q313-15a-month pregnancy ended	discrete	numeric	
V274	q313b_15	q313-15b-pregnacy end year	contin	numeric	
V275	q314_15	q314-15-week/month-pg lasted	discrete	numeric	
V276	q315_15	q315_15-baby/girl/boy?	discrete	numeric	
V277	q316_15	q316-15-felt about pg 15	discrete	numeric	
V278	q311_16	q311-16-pregnancy 16	discrete	numeric	
V279	q312_16	q312_16-how pg 16-ended	discrete	numeric	
V280	q313a_16	q313-16a-month pregnancy ended	discrete	numeric	
V281	q313b_16	q313-16b-pregnacy end year	contin	numeric	
V282	q314_16	q314-16-week/month-pg lasted	discrete	numeric	
V283	q315_16	q315_16-baby-boy/girl?	discrete	numeric	
V284	q316_16	q316-16-felt about pg 16	discrete	numeric	
V285	q311_17	q311-17-pregnancy 17	discrete	numeric	
V286	q312_17	q312_17-how pg 17-ended	discrete	numeric	
V287	q313a_17	q313-17a-month pregnancy ended	discrete	numeric	
V288	q313b_17	q313-17b-pregnacy end year	contin	numeric	
V289	q314_17	q314-17-week/month-pg lasted	discrete	numeric	
V290	q315_17	q315_17-baby/boy/girl?	discrete	numeric	
V291	q316_17	q316-17-felt about pg 17	discrete	numeric	
V292	q311_18	q311-18-pregnancy 18	discrete	numeric	
V293	q312_18	q312_18-how pg 18-ended	discrete	numeric	
V294	q313a_18	q313-18a-month pregnancy ended	discrete	numeric	
V295	q313b_18	q313-18b-pregnacy end year	contin	numeric	
V296	q314_18	q314-18-week/month-pg lasted	discrete	numeric	
V297	q315_18	q315_18-baby-boy/girl?	discrete	numeric	
V298	q316_18	q316-18-felt about pg 18	discrete	numeric	
V299	q311_19	q311-19-pregnancy 19	discrete	numeric	
V300	q312_19	q312_19-how pg 19-ended	discrete	numeric	
V301	q313a_19	q313-19a-month pregnancy ended	discrete	numeric	
V302	q313b_19	q313-19b-pregnacy end year	discrete	numeric	
V303	q314_19	q314-19-week/month-pg lasted	discrete	numeric	
V304	q315_19	q315_19-baby/girl/boy?	discrete	numeric	
V305	q316_19	q316-19-felt about pg 19	discrete	numeric	
V306	q311_20	q311-20-pregnancy 20	discrete	numeric	
V307	q312_20	q312_20-how pg 20-ended	discrete	numeric	
V308	q313a_20	q313-20a-month pregnancy ended	discrete	numeric	

ID	Name	Label	Type	Format	Question
V309	q313b_20	q313-20b-pregnacy end year	discrete	numeric	
V310	q314_20	q314-20-week/month-pg lasted	discrete	numeric	
V311	q315_20	q315_20-baby-boy/girl?	discrete	numeric	
V312	q316_20	q316-20-felt about pg 20	discrete	numeric	
V313	q311_21	q311-21-pregnancy 21	discrete	numeric	
V314	q312_21	q312_21-how pg 21-ended	discrete	numeric	
V315	q313a_21	q313-21a-month pregnancy ended	discrete	numeric	
V316	q313b_21	q313-21b-pregnacy end year	discrete	numeric	
V317	q314_21	q314-21-week/month-pg lasted	discrete	numeric	
V318	q315_21	q315_21-baby-boy/girl?	discrete	numeric	
V319	q316_21	q316-21-felt about pg 21	discrete	numeric	
V320	q317_a	q317-number of induced abortions 1992-97	discrete	numeric	
V321	q317_m	q317-miniabortions since 1992	discrete	numeric	
V322	q318_1	q318-1-pregnacy# abortion-last	discrete	numeric	
V323	q319_1	q319-1-type of abortion	discrete	numeric	
V324	q320_1	q320-1-decision to abort	discrete	numeric	
V325	q320_1ot	q320-1-other-decision to abort	discrete	character	
V326	q321_1	q321-1-where had abortion	discrete	numeric	
V327	q321_1ot	q321-1-other-where had abortion	discrete	character	
V328	q322_1	q322-1-abortion-how much paid	discrete	numeric	
V329	q323_1	q323-1-any complications	discrete	numeric	
V330	q324_1	q324-1-what complications	discrete	numeric	
V331	q324_1ot	q324-1-other-what complications	discrete	character	
V332	q325_1	q325-1-time in hospital	discrete	numeric	
V333	q326_1	q326-1-problems	discrete	numeric	
V334	q327_1	q327-1-what complications	discrete	numeric	
V335	q327_1ot	q327-1-other-what complications	discrete	character	
V336	q328_1	q328-1-doctor discuss bc/before/after	discrete	numeric	
V337	q330_1	q330-1-receive bc after abortion	discrete	numeric	
V338	q318_2	q318-2-pregnacy# abortion next to last	discrete	numeric	
V339	q319_2	q319-2-type of abortion	discrete	numeric	
V340	q320_2	q320-2-decision to abort	discrete	numeric	
V341	q320_2ot	q320-2-other-decision to abort	discrete	character	
V342	q321_2	q321-2-where have abortion	discrete	numeric	
V343	q321_2ot	q321-2-other-where had abortion	discrete	character	
V344	q322_2	q322-2-abortion	discrete	numeric	
V345	q323_2	q323-2-any complications	discrete	numeric	
V346	q324_2	q324-2-what complications	discrete	numeric	
V347	q324_2ot	q324-2-other-what complications	discrete	character	
V348	q325_2	q325-2-time in hospital	discrete	numeric	

ID	Name	Label	Type	Format	Question
V349	q326_2	q326-2-problems	discrete	numeric	
V350	q327_2	q327-2-what complications	discrete	numeric	
V351	q327_2ot	q327-2-other-what complications	discrete	character	
V352	q318_3	q318-3-pregnancy# abortion-2nd to last	discrete	numeric	
V353	q319_3	q319-3-type of abortion	discrete	numeric	
V354	q320_3	q320-3-decision to abort	discrete	numeric	
V355	q320_3ot	q320-3-other-decision to abort	discrete	character	
V356	q321_3	q321-3-where have abortion	discrete	numeric	
V357	q321_3ot	q321-3-other-where had abortion	discrete	character	
V358	q322_3	q322-3-abortion	discrete	numeric	
V359	q323_3	q323-3-any complications	discrete	numeric	
V360	q324_3	q324-3-what complications	discrete	numeric	
V361	q324_3ot	q324-3-other-what complications	discrete	character	
V362	q325_3	q325-3-time in hospital	discrete	numeric	
V363	q326_3	q326-3-problems	discrete	numeric	
V364	q327_3	q327-3-what complications	discrete	numeric	
V365	q327_3ot	q327-3-other-what complications	discrete	character	
V366	q318_4	q318-4-pregnancy# abortion-3rd to last	discrete	numeric	
V367	q319_4	q319-4-type of abortion	discrete	numeric	
V368	q320_4	q320-4-decision to abort	discrete	numeric	
V369	q320_4ot	q320-4-other-decision to abort	discrete	character	
V370	q321_4	q321-4-where have abortion	discrete	numeric	
V371	q321_4ot	q321-4-other-where had abortion	discrete	character	
V372	q322_4	q322-4-abortion	discrete	numeric	
V373	q323_4	q323-4-any complications	discrete	numeric	
V374	q324_4	q324-4-what complications	discrete	numeric	
V375	q324_4ot	q324-4-other-what complications	discrete	character	
V376	q325_4	q325-4-time in hospital	discrete	numeric	
V377	q326_4	q326-4-problems	discrete	numeric	
V378	q327_4	q327-4-what complications	discrete	numeric	
V379	q327_4ot	q327-4-other-what complications	discrete	character	
V380	q331_liv	q331-live births since 1992	discrete	numeric	
V381	q331_mor	q331-stillbirths since 1992	discrete	numeric	
V382	q332_1	q332-1-birth	discrete	numeric	
V383	q333_1	q333-1-smoke before became pg	discrete	numeric	
V384	q334_1	q334-1-continue to smoke while pg	discrete	numeric	
V385	q335_1	q335-1-alcohol consumption	discrete	numeric	
V386	q336_1	q336-1-prenatal care	discrete	numeric	
V387	q337_1	q337-1-month of prenatal care	discrete	numeric	
V388	q338_1	q338-1-visits for prenatal care	discrete	numeric	

ID	Name	Label	Type	Format	Question
V389	q339_1	q339-1-where receive prenatal care	discrete	numeric	
V390	q339_1ot	q339-1-other-where receive prenatal care	discrete	character	
V391	q340_1a	q340-1a-information about nutrition	discrete	numeric	
V392	q340_1b	q340-1b-information about smoking-pg	discrete	numeric	
V393	q340_1c	q340-1c-information about alcohol-pg	discrete	numeric	
V394	q340_1d	q340-1d-information about breastfeeding	discrete	numeric	
V395	q340_1e	q340-1e-information about delivery	discrete	numeric	
V396	q340_1f	q340-1f-information about contraception	discrete	numeric	
V397	q340_1g	q340-1g-information about pg complicatio	discrete	numeric	
V398	q340_1h	q340-1h-information about postnatal care	discrete	numeric	
V399	q332_2	q332-2-birth-next to last	discrete	numeric	
V400	q333_2	q333-2-smoke before became pg	discrete	numeric	
V401	q334_2	q334-2-continue to smoke while pg	discrete	numeric	
V402	q335_2	q335-2-alcohol consumption	discrete	numeric	
V403	q336_2	q336-2-prenatal care	discrete	numeric	
V404	q337_2	q337-2-month of prenatal care	discrete	numeric	
V405	q338_2	q338-2-visits for prenatal care	discrete	numeric	
V406	q339_2	q339-2-where receive prenatal care	discrete	numeric	
V407	q339_2ot	q339-2-other-where receive prenatal care	discrete	character	
V408	q340_2a	q340-2a-information-nutrition	discrete	numeric	
V409	q340_2b	q340-2b-information-smoking during pg	discrete	numeric	
V410	q340_2c	q340-2c-information-alcohol during pg	discrete	numeric	
V411	q340_2d	q340-2d-information-breastfeeding	discrete	numeric	
V412	q340_2e	q340-2e-information-delivery	discrete	numeric	
V413	q340_2f	q340-2f-information-contraception	discrete	numeric	
V414	q340_2g	q340-2g-information-warning signs-pg	discrete	numeric	
V415	q340_2h	q340-2h-information-postnatal care	discrete	numeric	
V416	q332_3	q332-3-birth	discrete	numeric	
V417	q333_3	q333-3-smoke before became pg	discrete	numeric	
V418	q334_3	q334-3-continue to smoke while pg	discrete	numeric	
V419	q335_3	q335-3-alcohol consumption	discrete	numeric	
V420	q336_3	q336-3-prenatal care	discrete	numeric	
V421	q337_3	q337-3-month of prenatal care	discrete	numeric	
V422	q338_3	q338-3-visits for prenatal care	discrete	numeric	
V423	q339_3	q339-3-where receive prenatal care	discrete	numeric	
V424	q339_3ot	q339-3-other-where receive prenatal care	discrete	character	
V425	q340_3a	q340-3a-information-nutrition	discrete	numeric	
V426	q340_3b	q340-3b-information-smoking during pg	discrete	numeric	
V427	q340_3c	q340-3c-information-alcohol during pg	discrete	numeric	
V428	q340_3d	q340-3d-information-breastfeeding	discrete	numeric	

ID	Name	Label	Type	Format	Question
V429	q340_3e	q340-3e-information-delivery	discrete	numeric	
V430	q340_3f	q340-3f-information-contraception	discrete	numeric	
V431	q340_3g	q340-3g-information-warning signs of pg	discrete	numeric	
V432	q340_3h	q340-3h-information-postnatal care	discrete	numeric	
V433	q341_1	q341-1-blood pressure-prenatal visit	discrete	numeric	
V434	q342_1	q342-1-ever told-high blood pressure	discrete	numeric	
V435	q343_1	q343-1-have ultrasound exam	discrete	numeric	
V436	q344_1	q344-1-month of ultrasound exam	discrete	numeric	
V437	q345_1	q345-1-complication required-hospital	discrete	numeric	
V438	q346a_1	q346-a1-complication-miscarriage	discrete	numeric	
V439	q346b_1	q346-b1-complication-1st trimester bleed	discrete	numeric	
V440	q346c_1	q346-c1-complication-2nd trimester bleed	discrete	numeric	
V441	q346d_1	q346-d1-complication-3rd trimester bleed	discrete	numeric	
V442	q346e_1	q346-e1-complication-high blood pressure	discrete	numeric	
V443	q346f_1	q346-f1-complication-diabetes	discrete	numeric	
V444	q346g_1	q346-g1-complication-heart disease	discrete	numeric	
V445	q346h_1	q346-h1-complication-liver disease	discrete	numeric	
V446	q346i_1	q346-i1-complication-urinary tract infec	discrete	numeric	
V447	q346j_1	q346-j1-complication-risk preterm labor	discrete	numeric	
V448	q346k_1	q346-k1-complication-rh izoimmunization	discrete	numeric	
V449	q346l_1	q346-l1-complication-other	discrete	numeric	
V450	q346l_1o	q346-l1-complication-other-what	discrete	character	
V451	q341_2	q341-2-blood pressure-prenatal visit	discrete	numeric	
V452	q342_2	q342-2-ever told-high blood pressure	discrete	numeric	
V453	q343_2	q343-2-ultrasound during pg	discrete	numeric	
V454	q344_2	q344-2-month-ultrasound	discrete	numeric	
V455	q345_2	q345-2-hospital due to complications	discrete	numeric	
V456	q346a_2	q346-a2-complication-miscarriage	discrete	numeric	
V457	q346b_2	q346-b2-complication-1st trimester bleed	discrete	numeric	
V458	q346c_2	q346-c2-complication-2nd trimester bleed	discrete	numeric	
V459	q346d_2	q346-d2-complication-3rd trimester bleed	discrete	numeric	
V460	q346e_2	q346-e2-complication-high blood pressure	discrete	numeric	
V461	q346f_2	q346-f2-complication-diabetes	discrete	numeric	
V462	q346g_2	q346-g2-complication-heart disease	discrete	numeric	
V463	q346h_2	q346-h2-complication-liver disease	discrete	numeric	
V464	q346i_2	q346-i2-complication-urinary tract infec	discrete	numeric	
V465	q346j_2	q346-j2-complication-risk preterm labor	discrete	numeric	
V466	q346k_2	q346-k2-complication-rh izoimmunization	discrete	numeric	
V467	q346l_2	q346-l2-complication-other	discrete	numeric	
V468	q346l_2o	q346-l2-complication-other-what	discrete	character	

ID	Name	Label	Type	Format	Question
V469	q341_3	q341-3-blood pressure-prenatal visit	discrete	numeric	
V470	q342_3	q342-3-ever told-high blood pressure	discrete	numeric	
V471	q343_3	q343-3-have ultrasound during pg	discrete	numeric	
V472	q344_3	q344-3-month of ultrasound	discrete	numeric	
V473	q345_3	q345-3-hospitalized for complications	discrete	numeric	
V474	q346a_3	q346-a3-complication-miscarriage	discrete	numeric	
V475	q346b_3	q346-b3-complication-1st trimester bleed	discrete	numeric	
V476	q346c_3	q346-c3-complication-2nd trimester bleed	discrete	numeric	
V477	q346d_3	q346-d3-complication-3rd trimester bleed	discrete	numeric	
V478	q346e_3	q346-e3-complication-high blood pressure	discrete	numeric	
V479	q346f_3	q346-f3-complication-diabetes	discrete	numeric	
V480	q346g_3	q346-g3-complication-heart disease	discrete	numeric	
V481	q346h_3	q346-h3-complication-liver disease	discrete	numeric	
V482	q346i_3	q346-i3-complication-urinary tract infec	discrete	numeric	
V483	q346j_3	q346-j3-complication-risk preterm labor	discrete	numeric	
V484	q346k_3	q346-k3-complication-rh izoimmunization	discrete	numeric	
V485	q346l_3	q346-l3-complication-other	discrete	numeric	
V486	q346l_3o	q346-l3-complication-other-what	discrete	character	
V487	q347_1	q347-1-vaginal or caesarian delivery	discrete	numeric	
V488	q348a_1	q348-a1-reason ceasarian-fetopelvic disp	discrete	numeric	
V489	q348b_1	q348-b1-reason ceasarian-unfav.presentat	discrete	numeric	
V490	q348c_1	q348-c1-reason ceasarian-fetal distress	discrete	numeric	
V491	q348d_1	q348-d1-reason ceasarian-uterine dysfunc	discrete	numeric	
V492	q348e_1	q348-e1-reason ceasarian-pacenta previa	discrete	numeric	
V493	q348f_1	q348-f1-reason ceasarian-ruptured uterus	discrete	numeric	
V494	q348g_1	q348-g1-reason ceasarian-preeclampsia	discrete	numeric	
V495	q348h_1	q348-h1-reason ceasarian-diabetes	discrete	numeric	
V496	q348i_1	q348-i1-reason ceasarian-repeat c sect	discrete	numeric	
V497	q348j_1	q348-j1-reason ceasarian-do not know	discrete	numeric	
V498	q348k_1	q348-k1-reason ceasarian-other	discrete	numeric	
V499	q348k_1o	q348-k1-what other-reason ceasarian	discrete	character	
V500	q349_1	q349-1-hours-how long labor	discrete	numeric	
V501	q350_1	q350-1-weight of baby-grams	discrete	numeric	
V502	q351_1a	q351-6 wks pn-complication-bleeding	discrete	numeric	
V503	q351_1b	q351-1b-6 wks pn-complication-vag dischr	discrete	numeric	
V504	q351_1c	q351-1c-6 wks pn-complication-infection	discrete	numeric	
V505	q351_1d	q351-1d-6 wks pn-complication-faint/coma	discrete	numeric	
V506	q351_1e	q351-1e-6 wks pn-complication-high fever	discrete	numeric	
V507	q351_1f	q351-1f-6 wks pn-complication-disuria	discrete	numeric	
V508	q351_1g	q351-1g-6 wks pn-complication-painful ut	discrete	numeric	

ID	Name	Label	Type	Format	Question
V509	q351_1h	q351-1h-6 wks pn-complication-breast inf	discrete	numeric	
V510	q347_2	q347-2-vaginal or caesarian delivery	discrete	numeric	
V511	q348a_2	q348-a2-reason ceasarian-fetopelvic disp	discrete	numeric	
V512	q348b_2	q348-b2-reason ceasarian-unfav.presentat	discrete	numeric	
V513	q348c_2	q348-c2-reason ceasarian-fetal distress	discrete	numeric	
V514	q348d_2	q348-d2-reason ceasarian-uterine dysfunc	discrete	numeric	
V515	q348e_2	q348-e2-reason ceasarian-pacenta previa	discrete	numeric	
V516	q348f_2	q348-f2-reason ceasarian-ruptured uterus	discrete	numeric	
V517	q348g_2	q348-g2-reason ceasarian-preeclampsia	discrete	numeric	
V518	q348h_2	q348-h2-reason ceasarian-diabetes	discrete	numeric	
V519	q348i_2	q348-i2-reason ceasarian-repeat c sect	discrete	numeric	
V520	q348j_2	q348-j2-reason ceasarian-do not know	discrete	numeric	
V521	q348k_2	q348-k2-reason ceasarian-other	discrete	numeric	
V522	q348k_2o	q348-k2-what other-reason ceasarian	discrete	character	
V523	q349_2	q349-2-hours-how long labor	discrete	numeric	
V524	q350_2	q350-2-weight of baby-grams	discrete	numeric	
V525	q351_2a	q351-2a-6 wks-pn-complication-bleeding	discrete	numeric	
V526	q351_2b	q351-2b-6 wks-pn-complication-vag.dischr	discrete	numeric	
V527	q351_2c	q351-2c-6 wks-pn-complication-infection	discrete	numeric	
V528	q351_2d	q351-2d-6 wks-pn-complication-faint/coma	discrete	numeric	
V529	q351_2e	q351-2e-6 wks-pn-complication-high fever	discrete	numeric	
V530	q351_2f	q351-2f-6 wks-pn-complication-disuria	discrete	numeric	
V531	q351_2g	q351-2g-6 wks-pn-complication-pain uteru	discrete	numeric	
V532	q351_2h	q351-2h-6 wks-pn-complication-breast inf	discrete	numeric	
V533	q347_3	q347-3-vaginal or caesarian delivery	discrete	numeric	
V534	q348a_3	q348-a3-reason ceasarian-fetopelvic disp	discrete	numeric	
V535	q348b_3	q348-b3-reason ceasarian-unfav.presentat	discrete	numeric	
V536	q348c_3	q348-c3-reason ceasarian-fetal distress	discrete	numeric	
V537	q348d_3	q348-d3-reason ceasarian-uterine dysfunc	discrete	numeric	
V538	q348e_3	q348-e3-reason ceasarian-pacenta previa	discrete	numeric	
V539	q348f_3	q348-f3-reason ceasarian-ruptured uterus	discrete	numeric	
V540	q348g_3	q348-g3-reason ceasarian-preeclampsia	discrete	numeric	
V541	q348h_3	q348-h3-reason ceasarian-diabetes	discrete	numeric	
V542	q348i_3	q348-i3-reason ceasarian-repeat c sect	discrete	numeric	
V543	q348j_3	q348-j3-reason ceasarian-do not know	discrete	numeric	
V544	q348k_3	q348-k3-reason ceasarian-other	discrete	numeric	
V545	q348k_3o	q348-k3-what other-reason ceasarian	discrete	character	
V546	q349_3	q349-3-hours-how long labor	discrete	numeric	
V547	q350_3	q350-3-weight of baby-grams	discrete	numeric	
V548	q351_3a	q351-3a-6 wks-pn-complication-bleeding	discrete	numeric	

ID	Name	Label	Type	Format	Question
V549	q351_3b	q351-3b-6 wks-pn-complication-vag.dischr	discrete	numeric	
V550	q351_3c	q351-3c-6 wks-pn-complication-infection	discrete	numeric	
V551	q351_3d	q351-3d-6 wks-pn-complication-faint/coma	discrete	numeric	
V552	q351_3e	q351-3e-6 wks-pn-complication-high fever	discrete	numeric	
V553	q351_3f	q351-3f-6 wks-pn-complication-disuria	discrete	numeric	
V554	q351_3g	q351-3g-6 wks-pn-complication-pain uteru	discrete	numeric	
V555	q351_3h	q351-3h-6 wks-pn-complication-breast inf	discrete	numeric	
V556	q352_1	q352-postnatal-6 wks after birth	discrete	numeric	
V557	q353_1a	q353-1a-postnatal info-breastfeeding	discrete	numeric	
V558	q353_1b	q353-1b-postnatal info-breastcare	discrete	numeric	
V559	q353_1c	q353-1c-postnatal care-childcare	discrete	numeric	
V560	q353_1d	q353-1d-postnatal info-imunization	discrete	numeric	
V561	q353_1e	q353-1e-postnatal info-nutrition	discrete	numeric	
V562	q353_1f	q353-1f-postnatal info-contraception	discrete	numeric	
V563	q354_1	q354-1-breastfed child	discrete	numeric	
V564	q355_1	q355-1-how long after birth-breastfeed	discrete	numeric	
V565	q356_1	q356-1-still breastfeeding	discrete	numeric	
V566	q357_1	q357-1-age of baby-stop breastfeeding	discrete	numeric	
V567	q358_1	q358-1-age of baby-other food	discrete	numeric	
V568	q352_2	q352-2-postnatal-6 wks after birth	discrete	numeric	
V569	q353_2a	q353-2a-postnatal-info-breastfeeding	discrete	numeric	
V570	q353_2b	q353-2b-postnatal info-breast care	discrete	numeric	
V571	q353_2c	q353-2c-postnatal info-child care	discrete	numeric	
V572	q353_2d	q353-2d-postnatal info-imunization	discrete	numeric	
V573	q353_2e	q353-2e-postnatal info-nutrition	discrete	numeric	
V574	q353_2f	q353-2f-postnatal info-contraception	discrete	numeric	
V575	q354_2	q354-2-breastfed child	discrete	numeric	
V576	q355_2	q355-2-how long after birth-breastfed	discrete	numeric	
V577	q357_2	q357-2-age of baby-stop breastfeeding	discrete	numeric	
V578	q358_2	q358-2-age of baby-other food	discrete	numeric	
V579	q352_3	q352-3-postnatal 6wks after birth	discrete	numeric	
V580	q353_3a	q353-3a-postnatal info-breastfeeding	discrete	numeric	
V581	q353_3b	q353-3b-postnatal info-breast care	discrete	numeric	
V582	q353_3c	q353-3c-postnatal info-child care	discrete	numeric	
V583	q353_3d	q353-3d-postnatal info-imunization	discrete	numeric	
V584	q353_3e	q353-3e-postnatal info-nutrition	discrete	numeric	
V585	q353_3f	q353-3f-postnatal info-contraception	discrete	numeric	
V586	q354_3	q354-3-breastfed child	discrete	numeric	
V587	q355_3	q355-3-how long after birth-breastfeed	discrete	numeric	
V588	q357_3	q357-3-how old baby stopped breastfeed	discrete	numeric	

ID	Name	Label	Type	Format	Question
V589	q358_3	q358-3-age of baby-other food	discrete	numeric	
V590	nastere	number of last birth	discrete	numeric	
V591	q359_1	q359-where gave birth-last time	discrete	numeric	
V592	q359_1ot	q359-other-where gave birth-last time	discrete	character	
V593	q360_1a	q360-1a-rank-hygiene-birth place	discrete	numeric	
V594	q360_1b	q360-1b-rank-comfort-last birth place	discrete	numeric	
V595	q360_1c	q360-1c-rank-hospital crowdedness-last	discrete	numeric	
V596	q360_1d	q360-1d-rank-permission of visitors-last	discrete	numeric	
V597	q360_1e	q360-1e-rank-competence of hcw-last birt	discrete	numeric	
V598	q360_1f	q360-1f-rank-behavior-hcw-last birth pla	discrete	numeric	
V599	q361_1	q361-1-nbr women-share hospital room	discrete	numeric	
V600	q362_1	q362-1-nbr days after birth-left hosp	discrete	numeric	
V601	q363_1	q363-1-month-period returned after birth	discrete	numeric	
V602	q364_1	q364-1-month-resume-sexual intercourse	discrete	numeric	
V603	q365	q365-pregnancy end 1992-1997	discrete	numeric	
V604	q366_a	q366-a-before pg end-partner-push/slap	discrete	numeric	
V605	q366_b	q366-b-before pg end-partner kick/hit	discrete	numeric	
V606	q366_c	q366-c-before pg end-partner-threaten	discrete	numeric	
V607	q366_d	q366-d-before pg end-partner-beat up	discrete	numeric	
V608	q366_e	q366-e-before pg end-partner-force sex	discrete	numeric	
V609	q367_a	q367-a-during pg-partner-push/slap	discrete	numeric	
V610	q367_b	q367-b-during pg-partner hit/kick	discrete	numeric	
V611	q367_c	q367-c-during pg-partner-threaten weapon	discrete	numeric	
V612	q367_d	q367-d-during pg-partner-beat up	discrete	numeric	
V613	q367_e	q367-e-during pg-partner-force sex	discrete	numeric	
V614	q368_a	q368-a-after pg end-partner push/slap	discrete	numeric	
V615	q368_b	q368-b-after pg end-partner hit/kick	discrete	numeric	
V616	q368_c	q368-c-after pg end-partner-threaten	discrete	numeric	
V617	q368_d	q368-d-after pg end-partner-beat up	discrete	numeric	
V618	q368_e	q368-e-after pg end-partner-force sex	discrete	numeric	
V619	q400_a	q400-a-heard of pill	discrete	numeric	
V620	q401_a	q401-a-pill-use	discrete	numeric	
V621	q402_a	q402-a-pill-use	discrete	numeric	
V622	q403_a	q403-a-pill-can get	discrete	numeric	
V623	q404_a	q404-a-pill-discuss about method	discrete	numeric	
V624	q404_aot	q404-a-pill-other-discuss about method	discrete	character	
V625	q400_b	q400-b-iud-heard of	discrete	numeric	
V626	q401_b	q401-b-used iud	discrete	numeric	
V627	q402_b	q402-b-iud-husband/partner	discrete	numeric	
V628	q403_b	q403-a-pill-get	discrete	numeric	

ID	Name	Label	Type	Format	Question
V629	q404_b	q404-b-who told-iud	discrete	numeric	
V630	q404_bot	q404-b-iud-other-discuss about method	discrete	character	
V631	q400_c	q400-c-heard of condoms	discrete	numeric	
V632	q401_c	q401-c-used condom	discrete	numeric	
V633	q402_c	q402-c-use condoms-w/partner	discrete	numeric	
V634	q403_c	q403-c-get condoms	discrete	numeric	
V635	q404_c	q404-c-who told-condoms	discrete	numeric	
V636	q404_cot	q404-c-condom-other-discuss about method	discrete	character	
V637	q400_d	q400-d-heard of foam/jelly/cream	discrete	numeric	
V638	q401_d	q401-d-used foam/jelly/cream	discrete	numeric	
V639	q402_d	q402-d-used foam/cream with partner	discrete	numeric	
V640	q403_d	q403-d-get foam/cream	discrete	numeric	
V641	q404_d	q404-d-who told-foam/jelly/cream	discrete	numeric	
V642	q404_dot	q404-d-foam-other-discuss about method	discrete	character	
V643	q400_e	q400-e-heard of female sterilization	discrete	numeric	
V644	q401_e	q401-e-used female sterilization	discrete	numeric	
V645	q402_e	q402-e-use female ster.w/partner	discrete	numeric	
V646	q403_e	q403-e-get female sterilization	discrete	numeric	
V647	q404_e	q404-e-who told-female sterilization	discrete	numeric	
V648	q404_eot	q404-e-female sterl-other-discuss about	discrete	character	
V649	q400_f	q400-f-heard of vasectomy	discrete	numeric	
V650	q401_f	q401-f-vasectomy-use	discrete	numeric	
V651	q402_f	q402-f-get vasectomy	discrete	numeric	
V652	q403_f	q402-f-use vasectomy w/ partner	discrete	numeric	
V653	q404_f	q404-f-who told-vasectomy	discrete	numeric	
V654	q404_fot	q404-f-vasectomy-other-discuss about met	discrete	character	
V655	q400_g	q400-g-heard of norplant	discrete	numeric	
V656	q401_g	q401-g-used norplant	discrete	numeric	
V657	q402_g	q402-g-use norplant w/partner	discrete	numeric	
V658	q403_g	q403-g-get-norplant	discrete	numeric	
V659	q404_g	q404-g-who told-norplant	discrete	numeric	
V660	q404_got	q404-g-norplant-other-discuss about meth	discrete	character	
V661	q400_h	q400-h-heard of injection methods	discrete	numeric	
V662	q401_h	q401-h-used injection methods	discrete	numeric	
V663	q402_h	q402-h-use injection methods w/partner	discrete	numeric	
V664	q403_h	q403-h-get injections	discrete	numeric	
V665	q404_h	q404-h-who told-injection methods	discrete	numeric	
V666	q404_hot	q404-h-depo provera-other-discuss about	discrete	character	
V667	q400_i	q400-i-heard of calendar method	discrete	numeric	
V668	q401_i	q401-i-used calendar method	discrete	numeric	

ID	Name	Label	Type	Format	Question
V669	q402_i	q402-i-use calendar method w/partner	discrete	numeric	
V670	q404_i	q404-i-who told-calendar method	discrete	numeric	
V671	q404_iot	q404-i-rhythm-other-discuss about method	discrete	character	
V672	q400_j	q400-j-heard of withdrawal	discrete	numeric	
V673	q401_j	q401-j-used withdrawal	discrete	numeric	
V674	q402_j	q402-j-use withdrawal w/partner	discrete	numeric	
V675	q404_j	q404-j-who told-withdrawal	discrete	numeric	
V676	q404_jot	q404-j-withdrawal-other-discuss about me	discrete	character	
V677	q405	q405-most effective contraceptive	discrete	numeric	
V678	q406_1	q406-1-pill-effective	discrete	numeric	
V679	q406_2	q406-2-iud effective	discrete	numeric	
V680	q406_3	q406-3-condom effective	discrete	numeric	
V681	q406_4	q406-4-cream/jelly/foam effective	discrete	numeric	
V682	q406_7	q406-7-female sterilization	discrete	numeric	
V683	q406_8	q406-8-norplant	discrete	numeric	
V684	q406_9	q406-9-injections	discrete	numeric	
V685	q406_11	q406-11-calendar effective	discrete	numeric	
V686	q406_12	q406-12-withdrawal effective	discrete	numeric	
V687	q406_19	q406-19-effective bc-douching	discrete	numeric	
V688	q408	q408-age first menstruation	discrete	numeric	
V689	q409	q409-know about menstruation-begin	discrete	numeric	
V690	q410_mth	q410-month-first sex	discrete	numeric	
V691	q410_yr	q410-year-first sex	discrete	numeric	
V692	q411	q411-age-first intercourse	discrete	numeric	
V693	q412	q412-1st sex-sexual partner relationship	discrete	numeric	
V694	q412_oth	q412-1st sex-other-partner relationship	discrete	character	
V695	q413	q413-1st partner age	discrete	numeric	
V696	q414	q414-last had sex	discrete	numeric	
V697	q414_oth	q414-other-last had sex	discrete	character	
V698	q415	q415-discuss bc method w/partner-bef sex	discrete	numeric	
V699	q416	q416-first sex-use bc method	discrete	numeric	
V700	q417	q417-method used-first sexual contact	discrete	numeric	
V701	q417_oth	q417-other bc used-1st sexual contact	discrete	character	
V702	q418	q418-bc method-who decided-1st time	discrete	numeric	
V703	q419	q419-primary reason not to use	discrete	numeric	
V704	q419_oth	q419-other-primary reason not to use	discrete	character	
V705	q420	q420-age first sexual contact	discrete	numeric	
V706	q421	q421-last 30 days-had sexual contact	discrete	numeric	
V707	q422	q422-last 3 months-sexual contact	discrete	numeric	
V708	q423	q423-nbr of partners-last 3 months	discrete	numeric	

ID	Name	Label	Type	Format	Question
V709	q424	q424-sexual partners in life	discrete	numeric	
V710	q425_mth	q425-month-last sexual contact	discrete	numeric	
V711	q425_yr	q425-year-last sexual contact	contin	numeric	
V712	q501	q501-verify respondent uses bc method	discrete	numeric	
V713	q502	q502-discuss birth control w/partner	discrete	numeric	
V714	q503	q503-last 30 days-use birth control	discrete	numeric	
V715	q504	q504-method of birth control	discrete	numeric	
V716	q504_oth	q504-other-method of birth control	discrete	character	
V717	q505	q505-last 30 days-used condom	discrete	numeric	
V718	q506a	q506a-last 30 days-use bc method-q504?	discrete	numeric	
V719	q506b	q506b-agree-last 30 days-use bc method	discrete	numeric	
V720	q507_a	q507-a-reason no bc-difficult to obtain	discrete	numeric	
V721	q507_b	q507-b-reason trad bc-cost	discrete	numeric	
V722	q507_c	q507-c-reason trad bc-little knowledge	discrete	numeric	
V723	q507_d	q507-d-reason trad bc-side effects	discrete	numeric	
V724	q507_e	q507-e-reason trad bc-partner prefers	discrete	numeric	
V725	q507_f	q507-f-reason trad bc-religion	discrete	numeric	
V726	q507_g	q507-g-reason trad bc-doctor recommends	discrete	numeric	
V727	q508	q508-effectiveness of bc	discrete	numeric	
V728	q509	q509-prefer other bc method	discrete	numeric	
V729	q510	q510-other method bc preferred	discrete	numeric	
V730	q510_oth	q510-other method bc preferred	discrete	character	
V731	q511	q511-reason not to use preferred bc	discrete	numeric	
V732	q511_oth	q511-other-reason not to use preferred bc	discrete	character	
V733	q512	q512-problem getting bc	discrete	numeric	
V734	q513	q513-important problem	discrete	numeric	
V735	q513_oth	q513-other-important problem	discrete	character	
V736	q514	q514-reason-partner-not use bc	discrete	numeric	
V737	q514_oth	q514-other-reason not using bc	discrete	character	
V738	q515	q515-use bc method next 12 months	discrete	numeric	
V739	q516	q516-want-bc method in future	discrete	numeric	
V740	q517	q517-method of birth control-future use	discrete	numeric	
V741	q517_oth	q517-other-birth control-future use	discrete	character	
V742	q518	q518-willing to pay for bc	discrete	numeric	
V743	q519	q519-discuss birth control w/partner	discrete	numeric	
V744	q520	q520-partner agree about bc	discrete	numeric	
V745	q521	q521-use of condom besides bc	discrete	numeric	
V746	q521_oth	q521-other-use of condom besides bc	discrete	character	
V747	q522	q522-condom-never use-reason	discrete	numeric	
V748	q522_oth	q522-condom-never use-other reason	discrete	character	

ID	Name	Label	Type	Format	Question
V749	ja92_1	cal	discrete	numeric	
V750	ja92_2	cal	discrete	numeric	
V751	ja92_3	cal	discrete	numeric	
V752	ja92_4	cal	discrete	numeric	
V753	fe92_1	cal	discrete	numeric	
V754	fe92_2	cal	discrete	numeric	
V755	fe92_3	cal	discrete	numeric	
V756	fe92_4	cal	discrete	numeric	
V757	ma92_1	cal	discrete	numeric	
V758	ma92_2	cal	discrete	numeric	
V759	ma92_3	cal	discrete	numeric	
V760	ma92_4	cal	discrete	numeric	
V761	ap92_1	cal	discrete	numeric	
V762	ap92_2	cal	discrete	numeric	
V763	ap92_3	cal	discrete	numeric	
V764	ap92_4	cal	discrete	numeric	
V765	my92_1	cal	discrete	numeric	
V766	my92_2	cal	discrete	numeric	
V767	my92_3	cal	discrete	numeric	
V768	my92_4	cal	discrete	numeric	
V769	ju92_1	cal	discrete	numeric	
V770	ju92_2	cal	discrete	numeric	
V771	ju92_3	cal	discrete	numeric	
V772	ju92_4	cal	discrete	numeric	
V773	jl92_1	cal	discrete	numeric	
V774	jl92_2	cal	discrete	numeric	
V775	jl92_3	cal	discrete	numeric	
V776	jl92_4	cal	discrete	numeric	
V777	au92_1	cal	discrete	numeric	
V778	au92_2	cal	discrete	numeric	
V779	au92_3	cal 3 08 aug 1992-reason stopped bc	discrete	numeric	
V780	au92_4	cal	discrete	numeric	
V781	se92_1	cal	discrete	numeric	
V782	se92_2	cal	discrete	numeric	
V783	se92_3	cal	discrete	numeric	
V784	se92_4	cal	discrete	numeric	
V785	oc92_1	cal	discrete	numeric	
V786	oc92_2	cal	discrete	numeric	
V787	oc92_3	cal	discrete	numeric	
V788	oc92_4	cal	discrete	numeric	

ID	Name	Label	Type	Format	Question
V789	no92_1	cal	discrete	numeric	
V790	no92_2	cal	discrete	numeric	
V791	no92_3	cal	discrete	numeric	
V792	no92_4	cal	discrete	numeric	
V793	de92_1	cal	discrete	numeric	
V794	de92_2	cal	discrete	numeric	
V795	de92_3	cal	discrete	numeric	
V796	de92_4	cal	discrete	numeric	
V797	c1	c1-1992-all methods=0	discrete	numeric	
V798	c92_2oth	column 2 year 92-other method	discrete	numeric	
V799	c92_2mth	other method-col 2 1992	discrete	character	
V800	c92_3oth	column 3 year 92-other reason	discrete	numeric	
V801	c92_3rea	other reason-col 3 1992	discrete	character	
V802	ja93_1	cal	discrete	numeric	
V803	ja93_2	cal	discrete	numeric	
V804	ja93_3	cal	discrete	numeric	
V805	ja93_4	cal	discrete	numeric	
V806	fe93_1	cal	discrete	numeric	
V807	fe93_2	cal	discrete	numeric	
V808	fe93_3	cal	discrete	numeric	
V809	fe93_4	cal	discrete	numeric	
V810	ma93_1	cal	discrete	numeric	
V811	ma93_2	cal	discrete	numeric	
V812	ma93_3	cal	discrete	numeric	
V813	ma93_4	cal	discrete	numeric	
V814	ap93_1	cal	discrete	numeric	
V815	ap93_2	cal	discrete	numeric	
V816	ap93_3	cal	discrete	numeric	
V817	ap93_4	cal	discrete	numeric	
V818	my93_1	cal	discrete	numeric	
V819	my93_2	cal	discrete	numeric	
V820	my93_3	cal	discrete	numeric	
V821	my93_4	cal	discrete	numeric	
V822	ju93_1	cal	discrete	numeric	
V823	ju93_2	cal	discrete	numeric	
V824	ju93_3	cal	discrete	numeric	
V825	ju93_4	cal	discrete	numeric	
V826	jl93_1	cal	discrete	numeric	
V827	jl93_2	cal	discrete	numeric	
V828	jl93_3	cal	discrete	numeric	

ID	Name	Label	Type	Format	Question
V829	jl93_4	cal	discrete	numeric	
V830	au93_1	cal	discrete	numeric	
V831	au93_2	cal	discrete	numeric	
V832	au93_3	cal	discrete	numeric	
V833	au93_4	cal	discrete	numeric	
V834	se93_1	cal	discrete	numeric	
V835	se93_2	cal	discrete	numeric	
V836	se93_3	cal	discrete	numeric	
V837	se93_4	cal	discrete	numeric	
V838	oc93_1	cal	discrete	numeric	
V839	oc93_2	cal	discrete	numeric	
V840	oc93_3	cal	discrete	numeric	
V841	oc93_4	cal	discrete	numeric	
V842	no93_1	cal	discrete	numeric	
V843	no93_2	cal	discrete	numeric	
V844	no93_3	cal	discrete	numeric	
V845	no93_4	cal	discrete	numeric	
V846	de93_1	cal	discrete	numeric	
V847	de93_2	cal	discrete	numeric	
V848	de93_3	cal	discrete	numeric	
V849	de93_4	cal	discrete	numeric	
V850	c2	c2-1993-all methods=0	discrete	numeric	
V851	c93_2oth	column 2 year 93-other method	discrete	numeric	
V852	c93_2mth	other method-col 2 1993	discrete	character	
V853	c93_3oth	column 3 year 93-other reason	discrete	numeric	
V854	c93_3rea	other reason-col 3 1993	discrete	character	
V855	ja94_1	cal	discrete	numeric	
V856	ja94_2	cal	discrete	numeric	
V857	ja94_3	cal	discrete	numeric	
V858	ja94_4	cal	discrete	numeric	
V859	fe94_1	cal	discrete	numeric	
V860	fe94_2	cal	discrete	numeric	
V861	fe94_3	cal	discrete	numeric	
V862	fe94_4	cal	discrete	numeric	
V863	ma94_1	cal	discrete	numeric	
V864	ma94_2	cal	discrete	numeric	
V865	ma94_3	cal	discrete	numeric	
V866	ma94_4	cal	discrete	numeric	
V867	ap94_1	cal	discrete	numeric	
V868	ap94_2	cal	discrete	numeric	

ID	Name	Label	Type	Format	Question
V869	ap94_3	cal	discrete	numeric	
V870	ap94_4	cal	discrete	numeric	
V871	my94_1	cal	discrete	numeric	
V872	my94_2	cal	discrete	numeric	
V873	my94_3	cal	discrete	numeric	
V874	my94_4	cal	discrete	numeric	
V875	ju94_1	cal	discrete	numeric	
V876	ju94_2	cal	discrete	numeric	
V877	ju94_3	cal	discrete	numeric	
V878	ju94_4	cal	discrete	numeric	
V879	jl94_1	cal	discrete	numeric	
V880	jl94_2	cal	discrete	numeric	
V881	jl94_3	cal	discrete	numeric	
V882	jl94_4	cal	discrete	numeric	
V883	au94_1	cal	discrete	numeric	
V884	au94_2	cal	discrete	numeric	
V885	au94_3	cal	discrete	numeric	
V886	au94_4	cal	discrete	numeric	
V887	se94_1	cal	discrete	numeric	
V888	se94_2	cal	discrete	numeric	
V889	se94_3	cal	discrete	numeric	
V890	se94_4	cal	discrete	numeric	
V891	oc94_1	cal	discrete	numeric	
V892	oc94_2	cal	discrete	numeric	
V893	oc94_3	cal	discrete	numeric	
V894	oc94_4	cal	discrete	numeric	
V895	no94_1	cal	discrete	numeric	
V896	no94_2	cal	discrete	numeric	
V897	no94_3	cal	discrete	numeric	
V898	no94_4	cal	discrete	numeric	
V899	de94_1	cal	discrete	numeric	
V900	de94_2	cal	discrete	numeric	
V901	de94_3	cal	discrete	numeric	
V902	de94_4	cal	discrete	numeric	
V903	c3	c3-1994-all methods=0	discrete	numeric	
V904	c94_2oth	column 2 year 94-other method	discrete	numeric	
V905	c94_2mth	other method-col 2 1994	discrete	character	
V906	c94_3oth	column 3 year 94-other reason	discrete	numeric	
V907	c94_3rea	other reason-col 3 1994	discrete	character	
V908	ja95_1	cal	discrete	numeric	

ID	Name	Label	Type	Format	Question
V909	ja95_2	cal	discrete	numeric	
V910	ja95_3	cal	discrete	numeric	
V911	ja95_4	cal	discrete	numeric	
V912	fe95_1	cal	discrete	numeric	
V913	fe95_2	cal	discrete	numeric	
V914	fe95_3	cal	discrete	numeric	
V915	fe95_4	cal	discrete	numeric	
V916	ma95_1	cal	discrete	numeric	
V917	ma95_2	cal	discrete	numeric	
V918	ma95_3	cal	discrete	numeric	
V919	ma95_4	cal	discrete	numeric	
V920	ap95_1	cal	discrete	numeric	
V921	ap95_2	cal	discrete	numeric	
V922	ap95_3	cal	discrete	numeric	
V923	ap95_4	cal	discrete	numeric	
V924	my95_1	cal	discrete	numeric	
V925	my95_2	cal	discrete	numeric	
V926	my95_3	cal	discrete	numeric	
V927	my95_4	cal	discrete	numeric	
V928	ju95_1	cal	discrete	numeric	
V929	ju95_2	cal	discrete	numeric	
V930	ju95_3	cal	discrete	numeric	
V931	ju95_4	cal	discrete	numeric	
V932	jl95_1	cal	discrete	numeric	
V933	jl95_2	cal	discrete	numeric	
V934	jl95_3	cal	discrete	numeric	
V935	jl95_4	cal	discrete	numeric	
V936	au95_1	cal	discrete	numeric	
V937	au95_2	cal	discrete	numeric	
V938	au95_3	cal	discrete	numeric	
V939	au95_4	cal	discrete	numeric	
V940	se95_1	cal	discrete	numeric	
V941	se95_2	cal	discrete	numeric	
V942	se95_3	cal	discrete	numeric	
V943	se95_4	cal	discrete	numeric	
V944	oc95_1	cal	discrete	numeric	
V945	oc95_2	cal	discrete	numeric	
V946	oc95_3	cal	discrete	numeric	
V947	oc95_4	cal	discrete	numeric	
V948	no95_1	cal	discrete	numeric	

ID	Name	Label	Type	Format	Question
V949	no95_2	cal	discrete	numeric	
V950	no95_3	cal	discrete	numeric	
V951	no95_4	cal	discrete	numeric	
V952	de95_1	cal	discrete	numeric	
V953	de95_2	cal	discrete	numeric	
V954	de95_3	cal	discrete	numeric	
V955	de95_4	cal	discrete	numeric	
V956	c4	c4-1995-all methods=0	discrete	numeric	
V957	c95_2oth	column 2 year 95-other method	discrete	numeric	
V958	c95_2mth	other method-col 2 1995	discrete	character	
V959	c95_3oth	column 3 year 95-other reason	discrete	numeric	
V960	c95_3rea	other reason-col 3 1995	discrete	character	
V961	ja96_1	cal	discrete	numeric	
V962	ja96_2	cal	discrete	numeric	
V963	ja96_3	cal	discrete	numeric	
V964	ja96_4	cal	discrete	numeric	
V965	fe96_1	cal	discrete	numeric	
V966	fe96_2	cal	discrete	numeric	
V967	fe96_3	cal	discrete	numeric	
V968	fe96_4	cal	discrete	numeric	
V969	ma96_1	cal	discrete	numeric	
V970	ma96_2	cal	discrete	numeric	
V971	ma96_3	cal	discrete	numeric	
V972	ma96_4	cal	discrete	numeric	
V973	ap96_1	cal	discrete	numeric	
V974	ap96_2	cal	discrete	numeric	
V975	ap96_3	cal	discrete	numeric	
V976	ap96_4	cal	discrete	numeric	
V977	my96_1	cal	discrete	numeric	
V978	my96_2	cal	discrete	numeric	
V979	my96_3	cal	discrete	numeric	
V980	my96_4	cal	discrete	numeric	
V981	ju96_1	cal	discrete	numeric	
V982	ju96_2	cal	discrete	numeric	
V983	ju96_3	cal	discrete	numeric	
V984	ju96_4	cal	discrete	numeric	
V985	jl96_1	cal	discrete	numeric	
V986	jl96_2	cal	discrete	numeric	
V987	jl96_3	cal	discrete	numeric	
V988	jl96_4	cal	discrete	numeric	

ID	Name	Label	Type	Format	Question
V989	au96_1	cal	discrete	numeric	
V990	au96_2	cal	discrete	numeric	
V991	au96_3	cal	discrete	numeric	
V992	au96_4	cal	discrete	numeric	
V993	se96_1	cal	discrete	numeric	
V994	se96_2	cal	discrete	numeric	
V995	se96_3	cal	discrete	numeric	
V996	se96_4	cal	discrete	numeric	
V997	oc96_1	cal	discrete	numeric	
V998	oc96_2	cal	discrete	numeric	
V999	oc96_3	cal	discrete	numeric	
V1000	oc96_4	cal	discrete	numeric	
V1001	no96_1	cal	discrete	numeric	
V1002	no96_2	cal	discrete	numeric	
V1003	no96_3	cal	discrete	numeric	
V1004	no96_4	cal	discrete	numeric	
V1005	de96_1	cal	discrete	numeric	
V1006	de96_2	cal	discrete	numeric	
V1007	de96_3	cal	discrete	numeric	
V1008	de96_4	cal	discrete	numeric	
V1009	c5	c3-1996-all methods=0	discrete	numeric	
V1010	c96_2oth	column 2 year 96-other method	discrete	numeric	
V1011	c96_2mth	other method-col 2 1996	discrete	character	
V1012	c96_3oth	column 3 year 96-other reason	discrete	numeric	
V1013	c96_3rea	other reason-col 3 1996	discrete	character	
V1014	ja97_1	cal	discrete	numeric	
V1015	ja97_2	cal	discrete	numeric	
V1016	ja97_3	cal	discrete	numeric	
V1017	ja97_4	cal	discrete	numeric	
V1018	fe97_1	cal	discrete	numeric	
V1019	fe97_2	cal	discrete	numeric	
V1020	fe97_3	cal	discrete	numeric	
V1021	fe97_4	cal	discrete	numeric	
V1022	ma97_1	cal	discrete	numeric	
V1023	ma97_2	cal	discrete	numeric	
V1024	ma97_3	cal	discrete	numeric	
V1025	ma97_4	cal	discrete	numeric	
V1026	ap97_1	cal	discrete	numeric	
V1027	ap97_2	cal	discrete	numeric	
V1028	ap97_3	cal	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1029	ap97_4	cal	discrete	numeric	
V1030	my97_1	cal	discrete	numeric	
V1031	my97_2	cal	discrete	numeric	
V1032	my97_3	cal	discrete	numeric	
V1033	my97_4	cal	discrete	numeric	
V1034	ju97_1	cal	discrete	numeric	
V1035	ju97_2	cal	discrete	numeric	
V1036	ju97_3	cal	discrete	numeric	
V1037	ju97_4	cal	discrete	numeric	
V1038	jl97_1	cal	discrete	numeric	
V1039	jl97_2	cal	discrete	numeric	
V1040	jl97_3	cal	discrete	numeric	
V1041	jl97_4	cal	discrete	numeric	
V1042	au97_1	cal	discrete	numeric	
V1043	au97_2	cal	discrete	numeric	
V1044	au97_3	cal	discrete	numeric	
V1045	au97_4	cal	discrete	numeric	
V1046	se97_1	cal	discrete	numeric	
V1047	se97_2	cal	discrete	numeric	
V1048	se97_3	cal	discrete	numeric	
V1049	se97_4	cal	discrete	numeric	
V1050	oc97_1	cal	discrete	numeric	
V1051	oc97_2	cal	discrete	numeric	
V1052	oc97_3	cal	discrete	numeric	
V1053	oc97_4	cal	discrete	numeric	
V1054	c6	c4-1997-all methods=0	discrete	numeric	
V1055	c97_2oth	column 2 year 97-other method	discrete	numeric	
V1056	c97_2mth	other method-col 2 1997	discrete	character	
V1057	c97_3oth	column 3 year 97-other reason	discrete	numeric	
V1058	c97_3rea	other reason-col 3 1997	discrete	character	
V1059	q524_bc	q524_bc method used -january 1992	discrete	numeric	
V1060	q524_mth	q524-start-method used in january 1992	discrete	numeric	
V1061	q524_yr	q524-start-method used in january 1992	discrete	numeric	
V1062	q525	q525-last contraceptive used in calender	discrete	numeric	
V1063	q525_oth	q525-other last contraceptive used/calen	discrete	character	
V1064	q526	q526-where got last used-contraceptive	discrete	numeric	
V1065	q526_oth	q526-other-where got last used-contracep	discrete	character	
V1066	q527	q527-pay for last used method	discrete	numeric	
V1067	q528	q528-cost of method	discrete	numeric	
V1068	q529	q529-who gives/advice on contraceptive	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1069	q529_oth	q529-other-who gives/advice on contracep	discrete	character	
V1070	q530	q530-health provider talk about other bc	discrete	numeric	
V1071	q531	q531-health provider compare bc methods	discrete	numeric	
V1072	q532	q532-medical-explain complications-bc	discrete	numeric	
V1073	q533	q533-satisfied w/family planning service	discrete	numeric	
V1074	q534	q534-physically able to get pregnant	discrete	numeric	
V1075	q535	q535-main motive not pregnant	discrete	numeric	
V1076	q535_oth	q535-other-motive not pregnant	discrete	character	
V1077	q536	q536-last 12 months-wanted condom	discrete	numeric	
V1078	q537	q537-last 12 months-get condom	discrete	numeric	
V1079	q538	q538-reason-not get condom	discrete	numeric	
V1080	q538_oth	q538-other-reason-not get condom	discrete	character	
V1081	q539	q539-intend to have children-future	discrete	numeric	
V1082	q540	q540-after pregnancy-intend have another	discrete	numeric	
V1083	q541	q541-when want to get pg again	discrete	numeric	
V1084	q542	q542-operation to prevent children	discrete	numeric	
V1085	q543	q543-important reason-not prevent pg	discrete	numeric	
V1086	q543_oth	q543-other important reason-not prevent	discrete	character	
V1087	q601	q601-ever had gyn exam	discrete	numeric	
V1088	q602	q602-main reason-no gyn exam	discrete	numeric	
V1089	q602_oth	q602-other-main reason-no gyn exam	discrete	character	
V1090	q603	q603-gyn exam-how often	discrete	numeric	
V1091	q604	q604-vaginal exam-pap test	discrete	numeric	
V1092	q605	q605-main reason-no pap smear	discrete	numeric	
V1093	q605_oth	q605-other-main reason-no pap smear	discrete	character	
V1094	q606	q606-last had pap smear-when	discrete	numeric	
V1095	q607	q607-self-breast exam-heard of	discrete	numeric	
V1096	q608	q608-breast-self exam-ever do	discrete	numeric	
V1097	q609	q609-how often-breast-self exam	discrete	numeric	
V1098	q610	q610-ever tried cigarette smoking	discrete	numeric	
V1099	q611	q611-age-smoked first time	discrete	numeric	
V1100	q612	q612-smoked 100 cigarettes in lifetime	discrete	numeric	
V1101	q613	q613-age-started smoking regularly	discrete	numeric	
V1102	q614	q614-last 30 days-smoke cigarettes	discrete	numeric	
V1103	q615	q615-last 30 days-how many cigarettes	discrete	numeric	
V1104	q616_mth	q616-month-last smoked cigarette	discrete	numeric	
V1105	q616_yr	q616-year-last smoked cigarette	discrete	numeric	
V1106	q617_a	q617-a-diabetes-doctor ever told	discrete	numeric	
V1107	q617_b	q617-b-hypertention-doctor ever told	discrete	numeric	
V1108	q617_c	q617-c-anemia-doctor ever told	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1109	q617_d	q617-d-heart disease-doctor ever told	discrete	numeric	
V1110	q617_e	q617-e-hepatitis b-doctor ever told	discrete	numeric	
V1111	q617_f	q617-f-pid-doctor ever told	discrete	numeric	
V1112	q617_g	q617-g-urinary infection-doctor ever tol	discrete	numeric	
V1113	q617_h	q617-h-ashma-doctor ever told	discrete	numeric	
V1114	q618	q618-alcohol-nbr drinks-past 3 months	discrete	numeric	
V1115	q619	q619-how often drink-alcohol	discrete	numeric	
V1116	q620	q620-drink more than usual-some days	discrete	numeric	
V1117	q621	q621-alcohol-drink more than usual	discrete	numeric	
V1118	q622	q622-how often drink more than usual	discrete	numeric	
V1119	q700	q700-number of ideal children	discrete	numeric	
V1120	q701	q701-most likely for women to get pg	discrete	numeric	
V1121	q701_oth	q701-other-time for women to get pg	discrete	character	
V1122	q702	q702-breastfeeding-effect on pg risk	discrete	numeric	
V1123	q703	q703-women right to decide-pg/abortion	discrete	numeric	
V1124	q704_a	q704-a-women abort-life endangered	discrete	numeric	
V1125	q704_b	q704-b-women abort-fetus deformed	discrete	numeric	
V1126	q704_c	q704-c-women-abort-pg result of rape	discrete	numeric	
V1127	q704_d	q704-d-women-abort-health endangered	discrete	numeric	
V1128	q704_e	q704-e-women abort-unmarried	discrete	numeric	
V1129	q704_f	q704-f-women abort-cannot afford child	discrete	numeric	
V1130	q705	q705-what to do-unwanted pg	discrete	numeric	
V1131	q706_a	q706-a-agree-women pg-1st time sex	discrete	numeric	
V1132	q706_b	q706-b-agree-all people get married	discrete	numeric	
V1133	q706_c	q706-c-agree-youth-have sex-friends sex	discrete	numeric	
V1134	q706_d	q706-d-agree-men not interested in bc	discrete	numeric	
V1135	q706_e	q706-e-agree-women no-discuss bc/partner	discrete	numeric	
V1136	q706_f	q706-f-agree-women have kids-god gives	discrete	numeric	
V1137	q706_g	q706-g-agree-child care-women job	discrete	numeric	
V1138	q706_h	q706-h-agree-women-virgin when married	discrete	numeric	
V1139	q707	q707-who decides how many children	discrete	numeric	
V1140	q708_a	q708-a-pill-risk	discrete	numeric	
V1141	q708_b	q708-b-iud-risk	discrete	numeric	
V1142	q708_c	q708-c-condom-risk	discrete	numeric	
V1143	q708_d	q708-d-female sterilization-risk	discrete	numeric	
V1144	q708_e	q708-e-depo provera-risk	discrete	numeric	
V1145	q708_f	q708-f-abortion-risk	discrete	numeric	
V1146	q708_g	q708-g-miniabortion-risk	discrete	numeric	
V1147	q709_a	q709-a-agree-pill easy to use	discrete	numeric	
V1148	q709_b	q709-b-agree-easy to get	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1149	q709_c	q709-c-agree-pills too expensive	discrete	numeric	
V1150	q709_d	q709-d-agree-stressful to remember pill	discrete	numeric	
V1151	q709_e	q709-e-agree-pill allow spontaneity	discrete	numeric	
V1152	q709_f	q709-f-agree-pill protect against cancer	discrete	numeric	
V1153	q709_g	q709-g-agree-pill diminish sex enjoyment	discrete	numeric	
V1154	q709_h	q709-h-agree-pill make periods regular	discrete	numeric	
V1155	q709_i	q709-i-agree-pill decrease blood loss	discrete	numeric	
V1156	q709_j	q709-j-agree-pill-decrease cramps	discrete	numeric	
V1157	q710_a	q710-a-risk of pill-cancer	discrete	numeric	
V1158	q710_b	q710-b-risk of pill-hypertension	discrete	numeric	
V1159	q710_c	q710-c-risk/pill-myocardial infarction	discrete	numeric	
V1160	q710_d	q710-d-risk/pill-trombophlebitis	discrete	numeric	
V1161	q710_e	q710-e-risk/pill-weight gain	discrete	numeric	
V1162	q710_f	q710-f-risk/pill-std	discrete	numeric	
V1163	q710_g	q710-g-risk/pill-infertility	discrete	numeric	
V1164	q710_h	q710-h-risk/pill-depression	discrete	numeric	
V1165	q710_i	q710-i-risk/pill-headaches/migraines	discrete	numeric	
V1166	q710_j	q710-j-risk/pill-ectopic pg	discrete	numeric	
V1167	q711_a	q711-a-agree iud-inexpensive to use	discrete	numeric	
V1168	q711_b	q711-b-agree iud-stressful to use	discrete	numeric	
V1169	q711_c	q711-c-agree iud-cause spotting	discrete	numeric	
V1170	q711_d	q711-d-agree-iud-increase menstrual pain	discrete	numeric	
V1171	q712_a	q712-a-risk/iud-cancer	discrete	numeric	
V1172	q712_b	q712-b-risk/iud-pid	discrete	numeric	
V1173	q712_c	q712-c-risk/iud-infertility	discrete	numeric	
V1174	q712_d	q712-d-risk/iud-abdominal pain	discrete	numeric	
V1175	q712_e	q712-e-risk/iud-prolonged bleeding	discrete	numeric	
V1176	q712_f	q712-f-risk/iud-ectopic pg	discrete	numeric	
V1177	q713	q713-how effective-condome prevent std	discrete	numeric	
V1178	q714	q714-want more information-bc methods	discrete	numeric	
V1179	q715	q715-who best informed/contraceptive	discrete	numeric	
V1180	q715_oth	q715-other-who best informed/contracepti	discrete	character	
V1181	q716	q716-ever talked w/partner-use condom	discrete	numeric	
V1182	q717_a	q717-a-feel-partner w/condom-embarrassed	discrete	numeric	
V1183	q717_b	q717-b-feel-partner/condom-angry	discrete	numeric	
V1184	q717_c	q717-c-feel-partner/condom-safe from pg	discrete	numeric	
V1185	q717_d	q717-d-feel/condom-safe from hiv	discrete	numeric	
V1186	q717_e	q717-e-feel/condom-done something wrong	discrete	numeric	
V1187	q717_f	q717-f-feel/condom-safe from std	discrete	numeric	
V1188	q718_a	q718-a-agree-condom decrease enjoyment	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1189	q718_b	q718-b-agree-condoms-messy to use	discrete	numeric	
V1190	q718_c	q718-c-agree-condoms-requires self-contr	discrete	numeric	
V1191	q718_d	q718-d-agree-condom-used more than once	discrete	numeric	
V1192	q718_e	q718-e-agree-condoms-users promiscuous	discrete	numeric	
V1193	q718_f	q718-f-agree-condoms-embarrass to buy	discrete	numeric	
V1194	q718_g	q718-g-agree-condoms-embarrass to ask	discrete	numeric	
V1195	q718_h	q718-h-agree-condoms-women donot like	discrete	numeric	
V1196	q718_i	q718-i-agree-condoms-men do not like	discrete	numeric	
V1197	q718_j	q718-j-agree-condoms-use w/new partner	discrete	numeric	
V1198	q718_k	q718-k-agree-condoms-not necessary-know	discrete	numeric	
V1199	q718_l	q718-l-agree-condoms-women ask to use	discrete	numeric	
V1200	q718_m	q718-m-agree-condoms-easy to discuss	discrete	numeric	
V1201	q719_a	q719-a-agree-not wise to plan-luck	discrete	numeric	
V1202	q719_b	q719-b-agree-what happens will	discrete	numeric	
V1203	q719_c	q719-c-agree-life controlled by others	discrete	numeric	
V1204	q719_d	q719-d-agree-must conform to get wants	discrete	numeric	
V1205	q719_e	q719-e-agree-family wants come first	discrete	numeric	
V1206	q719_f	q719-f-agree-determine what will happen	discrete	numeric	
V1207	q719_g	q719-g-agree-get wants-work hard	discrete	numeric	
V1208	q800_a	q800-a-household flush toilet	discrete	numeric	
V1209	q800_b	q800-b-household has central heat	discrete	numeric	
V1210	q800_c	q800-c-household has refrigerator	discrete	numeric	
V1211	q800_d	q800-d-household has television	discrete	numeric	
V1212	q800_e	q800-e-household has automobile	discrete	numeric	
V1213	q800_f	q800-f-household has vcr	discrete	numeric	
V1214	q800_g	q800-g-household has telephone	discrete	numeric	
V1215	q800_h	q800-h-household has vacation home	discrete	numeric	
V1216	q800_i	q800-i-household has orchard/garden	discrete	numeric	
V1217	q801	q801-a-nbr of rooms-house/flat	discrete	numeric	
V1218	q802	q802-house/apartment-best describe	discrete	numeric	
V1219	q803	q803-nationality	discrete	numeric	
V1220	q803_oth	q803-other-nationality	discrete	character	
V1221	q804	q804-language	discrete	numeric	
V1222	q804_oth	q804-other-language	discrete	character	
V1223	q805	q805-religion	discrete	numeric	
V1224	q805_oth	q805-other-religion	discrete	character	
V1225	q806	q806-how often attend religious services	discrete	numeric	
V1226	q900_a	q900-a-syphilis-ever heard of	discrete	numeric	
V1227	q900_b	q900-b-gonorhea-ever heard of	discrete	numeric	
V1228	q900_c	q900-c-trichonosis-ever heard of	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1229	q900_d	q900-d-genital warts-ever heard of	discrete	numeric	
V1230	q900_e	q900-e-genital yeast inf-ever heard of	discrete	numeric	
V1231	q900_f	q900-f-genital herpes-ever heard of	discrete	numeric	
V1232	q900_g	q900-g-hiv/aids virus-ever heard of	discrete	numeric	
V1233	q901	q901-information source-hiv/aids	discrete	numeric	
V1234	q901_oth	q901-other-information source-hiv/aids	discrete	character	
V1235	q902	q902-hiv infected w/out clinical signs	discrete	numeric	
V1236	q903_a	q903-a-way to get hiv-transfusion	discrete	numeric	
V1237	q903_b	q903-b-way to get hiv-public bathrooms	discrete	numeric	
V1238	q903_c	q903-c-way to get hiv-kiss on mouth	discrete	numeric	
V1239	q903_d	q903-d-way to get hiv-sex-heterosexual	discrete	numeric	
V1240	q903_e	q903-e-way to get hiv-sex-homosexual	discrete	numeric	
V1241	q903_f	q903-f-way to get hiv-shaking hands	discrete	numeric	
V1242	q903_g	q903-g-way to get hiv-donate blood	discrete	numeric	
V1243	q903_h	q903-h-way to get hiv-infected needles	discrete	numeric	
V1244	q903_i	q903-i-way to get hiv-mosquito bites	discrete	numeric	
V1245	q903_j	q903-j-way to get hiv-use objects-aids	discrete	numeric	
V1246	q903_k	q903-k-way to get hiv-manicure	discrete	numeric	
V1247	q903_l	q903-l-way to get hiv-surgery/dental	discrete	numeric	
V1248	q904_a	q904-a-people@risk for hiv-married woman	discrete	numeric	
V1249	q904_b	q904-b-people@risk for hiv-married man	discrete	numeric	
V1250	q904_c	q904-c-people@risk for hiv-homosexual	discrete	numeric	
V1251	q904_d	q904-d-people@risk for hiv-prostitute	discrete	numeric	
V1252	q904_e	q904-e-people@risk for hiv-iv drug user	discrete	numeric	
V1253	q904_f	q904-f-people@risk/hiv-unmarried female	discrete	numeric	
V1254	q904_g	q904-g-people@risk/hiv-unmarried man/sex	discrete	numeric	
V1255	q905_a	q905-a-reduce risk-hiv-use condom	discrete	numeric	
V1256	q905_b	q905-b-reduce risk-hiv-no prostitute sex	discrete	numeric	
V1257	q905_c	q905-c-reduce risk-hiv-no iv drugs	discrete	numeric	
V1258	q905_d	q905-d-reduce risk-hiv-one sex partner	discrete	numeric	
V1259	q905_e	q905-e-reduce risk-hiv-partner test hiv	discrete	numeric	
V1260	q905_f	q905-f-reduce risk-hiv-no casual sex	discrete	numeric	
V1261	q905_g	q905-g-reduce risk-hiv-sterilize needles	discrete	numeric	
V1262	q905_h	q905-h-reduce risk-hiv-no bisexual sex	discrete	numeric	
V1263	q905_i	q905-i-reduce risk-hiv-other	discrete	numeric	
V1264	q905_oth	q905-i-other-reduce risk of hiv/aids	discrete	character	
V1265	q906	q906-contact-risk of hiv	discrete	numeric	
V1266	q907	q907-risk of hiv-personal	discrete	numeric	
V1267	q908	q908-episode of violence	discrete	numeric	
V1268	q909_a	q909-a-husband/partner-insult/swear	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1269	q910_a	q910-a-partner-insult-last occured	discrete	numeric	
V1270	q911_a	q911-a-partner-insult-times-last year	discrete	numeric	
V1271	q909_b	q909-b-violence-husband-threaten/hit	discrete	numeric	
V1272	q910_b	q910-b-threaten/hit-last occured-date	discrete	numeric	
V1273	q911_b	q911-a-threaten/hit-times-last year	discrete	numeric	
V1274	q909_c	q909-c-partner-push/shove/slap	discrete	numeric	
V1275	q910_c	q910-c-push/shove/slap-last occured	discrete	numeric	
V1276	q911_c	q911-c-push/shove/slap-times-last year	discrete	numeric	
V1277	q909_d	q909-d-husband/partner-kick/hit w/fist	discrete	numeric	
V1278	q910_d	q910-d-kick/hit-last occured-date	discrete	numeric	
V1279	q911_d	q911-d-partner-kick/hit-times-last year	discrete	numeric	
V1280	q909_e	q909-e-husband/partner-threaten w/knife	discrete	numeric	
V1281	q910_e	q910-e-threaten w/knife-last occured	discrete	numeric	
V1282	q911_e	q911-e-threaten w/knife-times-last year	discrete	numeric	
V1283	q909_f	q909-f-husband/partner-beat up	discrete	numeric	
V1284	q910_f	q910-f-partner-beat up-last occured	discrete	numeric	
V1285	q911_f	q911-f-partner-beat up-times-last year	discrete	numeric	
V1286	q912	q912-trauma	discrete	numeric	
V1287	q913	q913-medical treatment	discrete	numeric	
V1288	q914	q914-need hospital stay for violence	discrete	numeric	
V1289	q915_a	q915-a-report violence-police	discrete	numeric	
V1290	q915_b	q915-b-report violence-parents/relative	discrete	numeric	
V1291	q915_c	q915-c-report violence-friend	discrete	numeric	
V1292	q915_d	q915-d-report violence-medical personnel	discrete	numeric	
V1293	q915_e	q915-e-report violence-	discrete	numeric	
V1294	q915_f	q915-f-report violence-other	discrete	numeric	
V1295	q916	q916-forced sex	discrete	numeric	
V1296	q917	q917-year-forced sex	discrete	numeric	
V1297	q918	q918-who helped after-forced sex	discrete	numeric	
V1298	hour_end	hour-interview ended	discrete	numeric	
V1299	min_end	minute-interview ended	contin	numeric	
V1300	maketime		contin	numeric	
V1301	makeyear		discrete	numeric	
V1302	makemo		discrete	numeric	
V1303	makeday		contin	numeric	
V1304	edityear		discrete	numeric	
V1305	editmo		discrete	numeric	
V1306	editday		contin	numeric	
V1307	timesed		discrete	numeric	
V1308	eclerk		discrete	character	

ID	Name	Label	Type	Format	Question
V1309	vclerk		discrete	character	
V1310	timesver		discrete	numeric	
V1311	errors		discrete	numeric	
V1312	verrors		discrete	numeric	
V1313	wt	weight	discrete	numeric	
V1314	intyr	year of interview	discrete	numeric	
V1315	id	unique id (wra)	contin	numeric	
V1316	intcmc	cmc interview date	discrete	numeric	
V1317	strata	strata	discrete	numeric	
V1318	stratawt	strata weight	discrete	numeric	
V1319	idp	idp/refugee status	discrete	numeric	
V1320	hmediu	residence	discrete	numeric	
V1321	zona	residence (urban/rural)	discrete	numeric	
V1322	nregion	region	discrete	numeric	
V1323	agecat	age group	discrete	numeric	
V1324	mnaccmc	cmc women date of birth	contin	numeric	
V1325	agemth		contin	numeric	
V1326	ageact		contin	numeric	
V1327	newage	age group <3g>	discrete	numeric	
V1328	ageya	age ya group	discrete	numeric	
V1329	mstatus	marital status	discrete	numeric	
V1330	marital	marital status <3g>	discrete	numeric	
V1331	union	marital status <2g>	discrete	numeric	
V1332	nummar	number of marriages	discrete	numeric	
V1333	religion	religion	discrete	numeric	
V1334	relfreq	frequency of religious attendance	discrete	numeric	
V1335	ethnic	ethnicity	discrete	numeric	
V1336	lang	language	discrete	numeric	
V1337	edcat	education	discrete	numeric	
V1338	educ	education <4g>	discrete	numeric	
V1339	newed	education <3g>	discrete	numeric	
V1340	employ	employment	discrete	numeric	
V1341	work	work	discrete	numeric	
V1342	resnowk	reason for not work	discrete	numeric	
V1343	parity	parity	discrete	numeric	
V1344	allchild6	number of children born alive (6+)	discrete	numeric	
V1345	allchild4	number of children born alive (4+)	discrete	numeric	
V1346	livchild6	number of living children (6+)	discrete	numeric	
V1347	livchild4	number of living children (4+)	discrete	numeric	
V1348	lvchild	number of living children+current preg(4+)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1349	tot_pg	total of pregnancies in the history	discrete	numeric	
V1350	npreg	number of complete pregnancies	contin	numeric	
V1351	roompeo	number of rooms per person	discrete	numeric	
V1352	nhor	hours per day of electricity	discrete	numeric	
V1353	ha	household assets	discrete	numeric	
V1354	index	socioeconomic status	discrete	numeric	
V1355	cmcliv	years living continuously	discrete	numeric	
V1356	resdur	residence duration	discrete	numeric	
V1357	resdurr	residence duration	discrete	numeric	
V1358	migstat	migrational status	discrete	numeric	
V1359	migstat4	migrational status <4g>	discrete	numeric	
V1360	agerepro	age to teach about human reproduction	discrete	numeric	
V1361	agecont	age to teach about contraception	discrete	numeric	
V1362	agesti	age to teach about sexually transmitted infections	discrete	numeric	
V1363	opagea	age of begin to teach at school about human reproduction	discrete	numeric	
V1364	opageb	age of begin to teach at school about contraception	discrete	numeric	
V1365	opagec	age of begin to teach at school about sti	discrete	numeric	
V1366	agea	age to taught at school about menstrual cycle	discrete	numeric	
V1367	ageb	age to taught at school about female reproductive system	discrete	numeric	
V1368	agec	age to taught at school about male reproductive system	discrete	numeric	
V1369	aged	age to taught at school about how pregnancy occurs	discrete	numeric	
V1370	agee	age to taught at school about contraceptive methods	discrete	numeric	
V1371	agef	age to taught at school about hiv/aids	discrete	numeric	
V1372	ageg	age to taught at school about other dts	discrete	numeric	
V1373	sisource	most important source of sexual information	discrete	numeric	
V1374	poutcome	last pregnancy outcome	discrete	numeric	
V1375	planstat	planning status of last pregnancy	discrete	numeric	
V1376	knwpil	ever heard pills	discrete	numeric	
V1377	knwiud	ever heard iud	discrete	numeric	
V1378	knwcon	ever heard condoms	discrete	numeric	
V1379	knwvag	ever heard spermicides	discrete	numeric	
V1380	knwfem	ever heard tubal ligation	discrete	numeric	
V1381	knwvas	ever heard vasectomy	discrete	numeric	
V1382	knwnor	ever heard norplant	discrete	numeric	
V1383	knwinj	ever heard injectables	discrete	numeric	
V1384	knwrhy	ever heard periodic abstinence (rhythm method)	discrete	numeric	
V1385	knwwit	ever heard withdrawal	discrete	numeric	
V1386	knwehc	ever heard emergency contraception	discrete	numeric	
V1387	knwotr	ever heard other methods	discrete	numeric	
V1388	knwany	ever heard any method	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1389	knwmod	ever heard any modern method	discrete	numeric	
V1390	knwtrad	ever heard any traditional method	discrete	numeric	
V1391	nummod	number of modern methods	discrete	numeric	
V1392	knapil	know use pills	discrete	numeric	
V1393	knuiud	know use iud	discrete	numeric	
V1394	knucon	know use condoms	discrete	numeric	
V1395	knuvag	know use spermicides	discrete	numeric	
V1396	knufem	know use tubal ligation	discrete	numeric	
V1397	knuvas	know use vasectomy	discrete	numeric	
V1398	knunor	know use norplant	discrete	numeric	
V1399	knuinj	know use injectables	discrete	numeric	
V1400	knurhy	know use periodic abstinence (rhythm method)	discrete	numeric	
V1401	knuwit	know use withdrawal	discrete	numeric	
V1402	knuehc	know use emergency contraception	discrete	numeric	
V1403	knuotr	know use other methods	discrete	numeric	
V1404	knuany	know use any method	discrete	numeric	
V1405	knumod	know use any modern method	discrete	numeric	
V1406	knutrad	know use any traditional method	discrete	numeric	
V1407	usedpil	used pills	discrete	numeric	
V1408	usediud	used iud	discrete	numeric	
V1409	usedcon	used condoms	discrete	numeric	
V1410	usedvag	used spermicides	discrete	numeric	
V1411	usedfem	used tubal ligation	discrete	numeric	
V1412	usedvas	used vasectomy	discrete	numeric	
V1413	usednor	used norplant	discrete	numeric	
V1414	usedinj	used injectables	discrete	numeric	
V1415	usedrhy	used periodic abstinence (rhythm method)	discrete	numeric	
V1416	usedwit	used withdrawal	discrete	numeric	
V1417	usedehc	used emergency contraception	discrete	numeric	
V1418	usedotr	used other methods	discrete	numeric	
V1419	usedany	used any method	discrete	numeric	
V1420	usedmod	used any modern method	discrete	numeric	
V1421	usedtrad	used any traditional method	discrete	numeric	
V1422	kngpil	know get pills	discrete	numeric	
V1423	kngiud	know get iud	discrete	numeric	
V1424	kngcon	know get condoms	discrete	numeric	
V1425	kngvag	know get spermicides	discrete	numeric	
V1426	kngfem	know get tubal ligation	discrete	numeric	
V1427	kngvas	know get vasectomy	discrete	numeric	
V1428	kngnor	know get norplant	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1429	knginj	know get injectables	discrete	numeric	
V1430	kngehc	know get emergency contraception	discrete	numeric	
V1431	kngany	know get any modern method	discrete	numeric	
V1432	num_umod	number of modern methods know how to use it	discrete	numeric	
V1433	sipil	source of information: pills	discrete	numeric	
V1434	siiud	source of information: iud	discrete	numeric	
V1435	sicon	source of information: condoms	discrete	numeric	
V1436	sivag	source of information: spermicides	discrete	numeric	
V1437	sifem	source of information: tubal ligation	discrete	numeric	
V1438	sivas	source of information: vasectomy	discrete	numeric	
V1439	sinor	source of information: norplant	discrete	numeric	
V1440	siinj	source of information: injectables	discrete	numeric	
V1441	sirhy	source of information: rhythm	discrete	numeric	
V1442	siwit	source of information: withdrawal	discrete	numeric	
V1443	i		discrete	numeric	
V1444	bestmf	most effective contraceptive method	discrete	numeric	
V1445	sexex	sexual experience	discrete	numeric	
V1446	lastsex	time of last sexual intercourse	discrete	numeric	
V1447	tsince	time of last sexual intercourse	discrete	numeric	
V1448	methol	last contraceptive method	discrete	numeric	
V1449	bcause	contraception status	discrete	numeric	
V1450	fpuse	current use of contraception method	discrete	numeric	
V1451	methoc	current contraception method	discrete	numeric	
V1452	modtrad	current use of contraception	discrete	numeric	
V1453	rezmetc	the most important reasons for choosing current method	discrete	numeric	
V1454	reznouse	reason for not using current contraceptive method	discrete	numeric	
V1455	tlyr	year of female sterilization	discrete	numeric	
V1456	tlmth	month of female sterilization	contin	numeric	
V1457	infertil	infertil	discrete	numeric	
V1458	intend	future fertility preferences for fertile women	discrete	numeric	
V1459	wantpg	when to become pregnant..	discrete	numeric	
V1460	reznofp	reason to not use fp (all women)	discrete	numeric	
V1461	needfp	potential demand for fp services	discrete	numeric	
V1462	lastmet	last contraceptive method used	discrete	numeric	
V1463	methsour	source of last method	discrete	numeric	
V1464	advisor	advisor to use the last method	discrete	numeric	
V1465	agefrs	age at first sex wra 15-44	discrete	numeric	
V1466	fs15	<15	contin	numeric	
V1467	fs18	<18	contin	numeric	
V1468	fs20	<20	contin	numeric	

ID	Name	Label	Type	Format	Question
V1469	fs22	<22	contin	numeric	
V1470	fs25	<25	contin	numeric	
V1471	fsever	ever in union	contin	numeric	
V1472	fsnever	never in union	contin	numeric	
V1473	agemcalc	age of first marriage/union	discrete	numeric	
V1474	agefm		contin	numeric	
V1475	agemar		contin	numeric	
V1476	fm15	<15	contin	numeric	
V1477	fm18	<18	contin	numeric	
V1478	fm20	<20	contin	numeric	
V1479	fm22	<22	contin	numeric	
V1480	fm25	<25	contin	numeric	
V1481	fmever	ever in union	discrete	numeric	
V1482	fmnever	never in union	discrete	numeric	
V1483	ordenn1		contin	numeric	
V1484	ordenn2		contin	numeric	
V1485	ordenn3		contin	numeric	
V1486	ordenn4		contin	numeric	
V1487	ordenn5		contin	numeric	
V1488	ordenn6		contin	numeric	
V1489	ordenn7		contin	numeric	
V1490	ordenn8		contin	numeric	
V1491	ordenn9		contin	numeric	
V1492	ordenn10		contin	numeric	
V1493	ordenn11		contin	numeric	
V1494	ordenn12		contin	numeric	
V1495	ordenn13		contin	numeric	
V1496	ordenn14		contin	numeric	
V1497	ordenn15		contin	numeric	
V1498	ordenn16		contin	numeric	
V1499	ordenn17		contin	numeric	
V1500	ordenn18		contin	numeric	
V1501	ordenn19		discrete	numeric	
V1502	ordenn20		contin	numeric	
V1503	ordenn21		contin	numeric	
V1504	intpn1		contin	numeric	
V1505	intpn2		contin	numeric	
V1506	intpn3		contin	numeric	
V1507	intpn4		contin	numeric	
V1508	intpn5		contin	numeric	

ID	Name	Label	Type	Format	Question
V1509	intpn6		contin	numeric	
V1510	intpn7		contin	numeric	
V1511	intpn8		contin	numeric	
V1512	intpn9		contin	numeric	
V1513	intpn10		contin	numeric	
V1514	intpn11		contin	numeric	
V1515	intpn12		contin	numeric	
V1516	intpn13		contin	numeric	
V1517	intpn14		contin	numeric	
V1518	intpn15		contin	numeric	
V1519	intpn16		contin	numeric	
V1520	intpn17		contin	numeric	
V1521	intpn18		contin	numeric	
V1522	intpn19		contin	numeric	
V1523	intpn20		contin	numeric	
V1524	intpn21		contin	numeric	
V1525	ordnac		discrete	numeric	
V1526	k		discrete	numeric	
V1527	hijocmc		contin	numeric	
V1528	mq313y1		contin	numeric	
V1529	mq313m1		contin	numeric	
V1530	ord		discrete	numeric	
V1531	cmcprev		contin	numeric	
V1532	fircmc		contin	numeric	
V1533	fbirage	age at first live birth	discrete	numeric	
V1534	pn15	<15	discrete	numeric	
V1535	pn18	<18	contin	numeric	
V1536	pn20	<20	contin	numeric	
V1537	pn22	<22	contin	numeric	
V1538	pn25	<25	contin	numeric	
V1539	pnever	has had live birth	contin	numeric	
V1540	pnnever	never had live birth	contin	numeric	
V1541	fmarcat	age of first marriage/union <4g>	discrete	numeric	
V1542	end1mar	cmc at end of first union	discrete	numeric	
V1543	cmmar	cmc first marriage/union	contin	numeric	
V1544	durunion	duration of the first union	contin	numeric	
V1545	numpart	number of partners (wra 15-44)	discrete	numeric	
V1546	premarital	marital status at 1st sex among young adult	discrete	numeric	
V1547	sexage	age group at 1st sex <15, 15-17, 18-19, 20-24	discrete	numeric	
V1548	cmb	cmc women date of birth	contin	numeric	

ID	Name	Label	Type	Format	Question
V1549	cmsex	cmc firsts sexual intercourse	contin	numeric	
V1550	agesexcalc1	age at first sex wra (dissaggregated)	discrete	numeric	
V1551	agesexcalc	age at first sex wra 15-24	discrete	numeric	
V1552	gynex	last routine gynecologic exam	discrete	numeric	
V1553	resgyn	reason for never had a routine gynecologic exam	discrete	numeric	
V1554	respap	reason for never had a pap test	discrete	numeric	
V1555	lastpap	last pap test	discrete	numeric	
V1556	knowhiv	knowledge of hiv/aids	discrete	numeric	
V1557	knowtest	knowledge of hiv test location for all women	discrete	numeric	
V1558	asym	belief that hiv can be asymptomatic for all women	discrete	numeric	
V1559	syphtdiag	diagnosis for syphilis among all women	discrete	numeric	
V1560	gondiag	diagnosis for gonorrhea among all women	discrete	numeric	
V1561	chlamdia	diagnosis for chlamydia among all women	discrete	numeric	
V1562	trichdiag	diagnosis for trichomoniasis among all women	discrete	numeric	
V1563	wartdiag	diagnosis for genital warts among all women	discrete	numeric	
V1564	yeastdiag	diagnosis for yeast infection among all women	discrete	numeric	
V1565	herpesdiag	diagnosis for genital herpes among all women	discrete	numeric	
V1566	syphtreat	treatment for syphilis among all women	discrete	numeric	
V1567	gontreat	treatment for gonorrhea among all women	discrete	numeric	
V1568	chlamtreat	treatment for chlamydia among all women	discrete	numeric	
V1569	trichtreat	treatment for trichomoniasis among all women	discrete	numeric	
V1570	warttreat	treatment for genital warts among all women	discrete	numeric	
V1571	yeasttreat	treatment for yeast infection among all women	discrete	numeric	
V1572	herpestreat	treatment for genital herpes among all women	discrete	numeric	
V1573	evermarr	ever/never married	discrete	numeric	
V1574	lifeverbal	verbal abuse	discrete	numeric	
V1575	lifephys	physical abuse	discrete	numeric	
V1576	lifesexab	sexual abuse	discrete	numeric	
V1577	yearverbal	verbal abuse ly	discrete	numeric	
V1578	yearphys	physical abuse ly	discrete	numeric	
V1579	yearsexab	sexual abuse ly	discrete	numeric	
V1580	witabuse	witnessed abuse	discrete	numeric	
V1581	expabuse	experienced abuse	discrete	numeric	
V1582	insulted	insulted you, or swore at you	discrete	numeric	
V1583	hurt	threatened to hurt you or someone you care about	discrete	numeric	
V1584	pushed	pushed you, shook you, shoved you, or threw something at you	discrete	numeric	
V1585	slapped	slapped you or twisted your arm	discrete	numeric	
V1586	hit	hit you with his fist or with something else	discrete	numeric	
V1587	weapon	threatened you with a knife or other weapon	discrete	numeric	
V1588	kicked	kicked you, choked you or beat you up	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1589	sexforced	phisically forced you to have sexual relations	discrete	numeric	
V1590	numphys	physical abuse	discrete	numeric	
V1591	numabus	number of abuses	discrete	numeric	
V1592	viover	verbal abuse	discrete	numeric	
V1593	viophys	physical abuse	discrete	numeric	
V1594	viosex	sexual abuse	discrete	numeric	
V1595	viophysm	physical abuse(moderate)	discrete	numeric	
V1596	viophyss	physical abuse(severe)	discrete	numeric	
V1597	insulted1	insulted you, or swore at you (last year)	discrete	numeric	
V1598	hurt1	threatened to hurt you or someone you care about(last year)	discrete	numeric	
V1599	pushed1	pushed you, shook you, shoved you, or threw something at you(last year)	discrete	numeric	
V1600	slapped1	slapped you or twisted your arm(last year)	discrete	numeric	
V1601	hit1	hit you with his fist or with something else(last year)	discrete	numeric	
V1602	weapon1	threatened you with a knife or other weapon(last year)	discrete	numeric	
V1603	kicked1	kicked you, choke you or beat you up(last year)	discrete	numeric	
V1604	sexforced1	phisically forced you to have sexual relations(last year)	discrete	numeric	
V1605	numphys1	physical abuse (last year)	discrete	numeric	
V1606	numabus1	number of abuses last year	discrete	numeric	
V1607	viover1	verbal abuse (last year)	discrete	numeric	
V1608	viophys1	physical abuse (last year)	discrete	numeric	
V1609	viosex1	sexual abuse(last year)	discrete	numeric	
V1610	viophysm1	physical abuse last year(moderate)	discrete	numeric	
V1611	viophyss1	physical abuse last year (severe)	discrete	numeric	

md97_preg

Content

Cases 13516

Variable(s) 370

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V1612	hidno_1	id number-household	contin	numeric	
V1613	hres	result codes 1	discrete	numeric	
V1614	q100_mth	q100-month of birth	discrete	numeric	
V1615	q100_yr	q100-year of birth	contin	numeric	
V1616	q101_age	q101-age/last birthday	contin	numeric	
V1617	q102_l	q102-education level completed	discrete	numeric	
V1618	q102_g	q102-education grade completed	discrete	numeric	
V1619	q104	q104-work outside the home	discrete	numeric	
V1620	q105	q105-main problem working outside home	discrete	numeric	
V1621	q105_oth	q105-other reason not working outside	discrete	character	
V1622	q106_a	q106-main reading-newspapers/magazines	discrete	numeric	
V1623	q106_b	q106-b-type reading-technical books	discrete	numeric	
V1624	q106_c	q106-c-type reading-classical literature	discrete	numeric	
V1625	q106_d	q106-d-type reading-recreational lit	discrete	numeric	
V1626	q106_e	q106-e-type reading-love/adventure	discrete	numeric	
V1627	q106_f	q106-f-type reading-thrillers/sci-fi	discrete	numeric	
V1628	q106_g	q106-g-type reading-bible/religious	discrete	numeric	
V1629	q106_h	q106-h-type reading-other	discrete	numeric	
V1630	q106_oth	q106-h-type reading-other-what	discrete	character	
V1631	q107	q107-listen to radio	discrete	numeric	
V1632	q108_a	q108-a-radio moldova	discrete	numeric	
V1633	q108_b	q108-radio romania	discrete	numeric	
V1634	q108_c	q108-c-radio russia	discrete	numeric	
V1635	q108_d	q108-d-radio ucraina	discrete	numeric	
V1636	q108_e	q108-e-radio nova	discrete	numeric	
V1637	q108_f	q108-f-radio plus	discrete	numeric	
V1638	q108_g	q108-g-polidisc	discrete	numeric	
V1639	q108_h	q108-h-radio eldoradioa	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1640	q108_i	q108-i-unda libera	discrete	numeric	
V1641	q108_j	q108-j-other	discrete	numeric	
V1642	q108_oth	q108-j-other-radio station	discrete	character	
V1643	q109	q109-radio program-discuss family plan	discrete	numeric	
V1644	q110	q110-hours watching tv	discrete	numeric	
V1645	q111_a	q111-a-tv moldova	discrete	numeric	
V1646	q111_b	q111-b-romania	discrete	numeric	
V1647	q111_c	q111-c-tv moscow	discrete	numeric	
V1648	q111_d	q111-d-tv ucraina	discrete	numeric	
V1649	q111_e	q111-e-tv catalan	discrete	numeric	
V1650	q111_f	q111-f-prednistrovia(tpr)	discrete	numeric	
V1651	q111_g	q111-g-cnn/bbc	discrete	numeric	
V1652	q111_h	q111-h-other	discrete	numeric	
V1653	q111_oth	q111-h-other-television	discrete	character	
V1654	q112	q112-tv-last 6 months-family planning	discrete	numeric	
V1655	q113	q113-radio/tv-contraceptive ads	discrete	numeric	
V1656	q114	q114-marital status	discrete	numeric	
V1657	q115	q115-ever lived w/partner	discrete	numeric	
V1658	q116	q116-times married/lived w/man	discrete	numeric	
V1659	q117_mth	q117-month begin living w/partner	discrete	numeric	
V1660	q117_yr	q117-year begin living w/partner	discrete	numeric	
V1661	q118	q118-first married-wish-children	discrete	numeric	
V1662	q119	q119-wish for number of children	discrete	numeric	
V1663	q119_oth	q119-other-nbr of children-wish for	discrete	character	
V1664	q120	q120-education level partner completed	discrete	numeric	
V1665	q120_g	q120-grade partner completed	discrete	numeric	
V1666	q121	q121-age of partner	discrete	numeric	
V1667	q122	q122-father living	discrete	numeric	
V1668	q123	q123-father live w/you	discrete	numeric	
V1669	q124	q124-age-lived with father	discrete	numeric	
V1670	q125	q125-close to father between 10 & 15	discrete	numeric	
V1671	q126	q126-mother living	discrete	numeric	
V1672	q127	q127-mother live w/you	discrete	numeric	
V1673	q128	q128-age-lived with mother	discrete	numeric	
V1674	q129	q129-close to mother between 10 & 15	discrete	numeric	
V1675	q130	q130-education-mother	discrete	numeric	
V1676	q300	q300-currently pregnant	discrete	numeric	
V1677	q301	q301-months current pg	discrete	numeric	
V1678	q302	q302-want current pg	discrete	numeric	
V1679	q303	q303-first pg	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1680	q304	q304-miscarriage-abort-stillbirth	discrete	numeric	
V1681	q305	q305-ever been pg	discrete	numeric	
V1682	q306	q306-ever had-still birth/miscarriage	discrete	numeric	
V1683	q307	q307-ever had live born children	discrete	numeric	
V1684	q308	q308-number of children alive	discrete	numeric	
V1685	q309	q309-any children died	discrete	numeric	
V1686	q310	q310-number of children died	discrete	numeric	
V1687	q310a	q310a-number of live births-correct	discrete	numeric	
V1688	q310b	q310b-agree-nbr-live births-correct	discrete	numeric	
V1689	pnum	q311-number of pregnancies	discrete	numeric	
V1690	q317_a	q317-number of induced abortions 1992-97	discrete	numeric	
V1691	q317_m	q317-miniabortions since 1992	discrete	numeric	
V1692	q331_liv	q331-live births since 1992	discrete	numeric	
V1693	q331_mor	q331-stillbirths since 1992	discrete	numeric	
V1694	q800_a	q800-a-household flush toilet	discrete	numeric	
V1695	q800_b	q800-b-household has central heat	discrete	numeric	
V1696	q800_c	q800-c-household has refrigerator	discrete	numeric	
V1697	q800_d	q800-d-household has television	discrete	numeric	
V1698	q800_e	q800-e-household has automobile	discrete	numeric	
V1699	q800_f	q800-f-household has vcr	discrete	numeric	
V1700	q800_g	q800-g-household has telephone	discrete	numeric	
V1701	q800_h	q800-h-household has vacation home	discrete	numeric	
V1702	q800_i	q800-i-household has orchard/garden	discrete	numeric	
V1703	q801	q801-a-nbr of rooms-house/flat	discrete	numeric	
V1704	q802	q802-house/apartment-best describe	discrete	numeric	
V1705	q803	q803-nationality	discrete	numeric	
V1706	q803_oth	q803-other-nationality	discrete	character	
V1707	q804	q804-language	discrete	numeric	
V1708	q804_oth	q804-other-language	discrete	character	
V1709	q805	q805-religion	discrete	numeric	
V1710	q805_oth	q805-other-religion	discrete	character	
V1711	q806	q806-how often attend religious services	discrete	numeric	
V1712	q908	q908-episode of violence	discrete	numeric	
V1713	q909_a	q909-a-husband/partner-insult/swear	discrete	numeric	
V1714	q910_a	q910-a-partner-insult-last occurred	discrete	numeric	
V1715	q911_a	q911-a-partner-insult-times-last year	discrete	numeric	
V1716	q909_b	q909-b-violence-husband-threaten/hit	discrete	numeric	
V1717	q910_b	q910-b-threaten/hit-last occurred-date	discrete	numeric	
V1718	q911_b	q911-a-threaten/hit-times-last year	discrete	numeric	
V1719	q909_c	q909-c-partner-push/shove/slap	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1720	q910_c	q910-c-push/shove/slap-last occurred	discrete	numeric	
V1721	q911_c	q911-c-push/shove/slap-times-last year	discrete	numeric	
V1722	q909_d	q909-d-husband/partner-kick/hit w/fist	discrete	numeric	
V1723	q910_d	q910-d-kick/hit-last occurred-date	discrete	numeric	
V1724	q911_d	q911-d-partner-kick/hit-times-last year	discrete	numeric	
V1725	q909_e	q909-e-husband/partner-threaten w/knife	discrete	numeric	
V1726	q910_e	q910-e-threaten w/knife-last occurred	discrete	numeric	
V1727	q911_e	q911-e-threaten w/knife-times-last year	discrete	numeric	
V1728	q909_f	q909-f-husband/partner-beat up	discrete	numeric	
V1729	q910_f	q910-f-partner-beat up-last occurred	discrete	numeric	
V1730	q911_f	q911-f-partner-beat up-times-last year	discrete	numeric	
V1731	q912	q912-trauma	discrete	numeric	
V1732	q913	q913-medical treatment	discrete	numeric	
V1733	q914	q914-need hospital stay for violence	discrete	numeric	
V1734	q915_a	q915-a-report violence-police	discrete	numeric	
V1735	q915_b	q915-b-report violence-parents/relative	discrete	numeric	
V1736	q915_c	q915-c-report violence-friend	discrete	numeric	
V1737	q915_d	q915-d-report violence-medical personnel	discrete	numeric	
V1738	q915_e	q915-e-report violence-	discrete	numeric	
V1739	q915_f	q915-f-report violence-other	discrete	numeric	
V1740	q916	q916-forced sex	discrete	numeric	
V1741	q917	q917-year-forced sex	discrete	numeric	
V1742	q918	q918-who helped after-forced sex	discrete	numeric	
V1743	wt	weight	discrete	numeric	
V1744	intyr	year of interview	discrete	numeric	
V1745	id	unique id (wra)	contin	numeric	
V1746	intcmc	cmc interview date	discrete	numeric	
V1747	stratawt	strata weight	discrete	numeric	
V1748	idp	idp/refugee status	discrete	numeric	
V1749	hmediu	residence	discrete	numeric	
V1750	zona	residence (urban/rural)	discrete	numeric	
V1751	nregion	region	discrete	numeric	
V1752	agecat	age group	discrete	numeric	
V1753	mnaccmc	cmc mother at birth	contin	numeric	
V1754	agemth		contin	numeric	
V1755	ageact		contin	numeric	
V1756	newage	age group <3g>	discrete	numeric	
V1757	mstatus	marital status	discrete	numeric	
V1758	marital	marital status <3g>	discrete	numeric	
V1759	union	marital status <2g>	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1760	nummar	number of marriages	discrete	numeric	
V1761	religion	religion	discrete	numeric	
V1762	relfreq	frequency of religious attendance	discrete	numeric	
V1763	ethnic	ethnicity	discrete	numeric	
V1764	lang	language	discrete	numeric	
V1765	edcat	education	discrete	numeric	
V1766	educ	education <4g>	discrete	numeric	
V1767	newed	education <3g>	discrete	numeric	
V1768	employ	employment	discrete	numeric	
V1769	work	work	discrete	numeric	
V1770	resnowk	reason for not work	discrete	numeric	
V1771	parity	parity	discrete	numeric	
V1772	allchild6	number of children born alive (6+)	discrete	numeric	
V1773	allchild4	number of children born alive (4+)	discrete	numeric	
V1774	livchild6	number of living children (6+)	discrete	numeric	
V1775	livchild4	number of living children (4+)	discrete	numeric	
V1776	lvchild	number of living children+current preg(4+)	discrete	numeric	
V1777	tot_pg	total of pregnancies in the history	discrete	numeric	
V1778	npreg	number of complete pregnancies	discrete	numeric	
V1779	roompeo	number of rooms per person	discrete	numeric	
V1780	nhor	hours per day of electricity	discrete	numeric	
V1781	ha	household assets	discrete	numeric	
V1782	index	socioeconomic status	discrete	numeric	
V1783	cmcliv	years living continuously	discrete	numeric	
V1784	migstat	migrational status	discrete	numeric	
V1785	i		discrete	numeric	
V1786	bestmf	most effective contraceptive method	discrete	numeric	
V1787	sexex	sexual experience	discrete	numeric	
V1788	methol	last contraceptive method	discrete	numeric	
V1789	bcuse	contraception status	discrete	numeric	
V1790	fpuse	current use of contraception method	discrete	numeric	
V1791	methoc	current contraception method	discrete	numeric	
V1792	modtrad	current use of contraception	discrete	numeric	
V1793	rezmetc	the most important reasons for choosing current method	discrete	numeric	
V1794	reznouse	reason for not using current contraceptive method	discrete	numeric	
V1795	tlyr	year of female sterilization	discrete	numeric	
V1796	tlmth	month of female sterilization	contin	numeric	
V1797	wantpg	when to become pregnant..	discrete	numeric	
V1798	needfp	potential demand for fp services	discrete	numeric	
V1799	lastmet	last contraceptive method used	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1800	methsour	source of last method	discrete	numeric	
V1801	advisor	advisor to use the last method	discrete	numeric	
V1802	agefm		contin	numeric	
V1803	knowhiv	knowledge of hiv/aids	discrete	numeric	
V1804	knowtest	knowledge of hiv test location for all women	discrete	numeric	
V1805	evermarr	ever/never married	discrete	numeric	
V1806	lifeverbal	verbal abuse	discrete	numeric	
V1807	lifephys	physical abuse	discrete	numeric	
V1808	lifesexab	sexual abuse	discrete	numeric	
V1809	yearverbal	verbal abuse ly	discrete	numeric	
V1810	yearphys	physical abuse ly	discrete	numeric	
V1811	yearsexab	sexual abuse ly	discrete	numeric	
V1812	witabuse	witnessed abuse	discrete	numeric	
V1813	expabuse	experienced abuse	discrete	numeric	
V1814	insulted	insulted you, or swore at you	discrete	numeric	
V1815	hurt	threatened to hurt you or someone you care about	discrete	numeric	
V1816	pushed	pushed you, shook you, shoved you, or threw something at you	discrete	numeric	
V1817	slapped	slapped you or twisted your arm	discrete	numeric	
V1818	hit	hit you with his fist or with something else	discrete	numeric	
V1819	weapon	threatened you with a knife or other weapon	discrete	numeric	
V1820	kicked	kicked you, choke you or beat you up	discrete	numeric	
V1821	sexforced	physically forced you to have sexual relations	discrete	numeric	
V1822	viover	verbal abuse	discrete	numeric	
V1823	viophys	physical abuse	discrete	numeric	
V1824	viosex	sexual abuse	discrete	numeric	
V1825	viover1	verbal abuse (last year)	discrete	numeric	
V1826	viophys1	physical abuse (last year)	discrete	numeric	
V1827	viosex1	sexual abuse(last year)	discrete	numeric	
V1828	orderpreg	order of all pregnancies	discrete	numeric	
V1829	inttaft	interval after all pregnancies	discrete	numeric	
V1830	intprev	previous interval all pregnancies	discrete	numeric	
V1831	sexprev	sex previous pregnancy	discrete	numeric	
V1832	orderlrb	order of live births	discrete	numeric	
V1833	intprevlrb	previous interval live births	discrete	numeric	
V1834	sexprevlrb	sex previous live birth	discrete	numeric	
V1835	border	order of live births and stillbirths	discrete	numeric	
V1836	intprevslb	previous interval live births and stillbirths	discrete	numeric	
V1837	sexprevslb	sex previous live birth and stillbirths	discrete	numeric	
V1838	orderabor	order of abortion	discrete	numeric	
V1839	intprevab	previous interval abortion	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1840	mq312	q312 pregnancy end	discrete	numeric	
V1841	mq313y	q313 year of end of pg.	contin	numeric	
V1842	mq313m	q313 month of end of pg.	contin	numeric	
V1843	mq314	q314 pregnancy duration	contin	numeric	
V1844	mq314w	aux. q314 pregnancy duration in weeks	discrete	numeric	
V1845	mq314m	aux. q314 pregnancy duration in mths	discrete	numeric	
V1846	mq315	q315 baby sex	discrete	numeric	
V1847	mq316	q316 child still alive	discrete	numeric	
V1848	mq318	q318 number of abortion	contin	numeric	
V1849	mq319	q319 abortion type	discrete	numeric	
V1850	mq320	q320 reason of the abortion	discrete	numeric	
V1851	mq321	q321 place of abortion performed	discrete	numeric	
V1852	mq322	q322 amount payed for abortion	discrete	numeric	
V1853	mq323	q323 complications after abortion	discrete	numeric	
V1854	mq324	q324 most important complication after abortion	discrete	numeric	
V1855	mq325	q325 nights spend in hospital after abortion	discrete	numeric	
V1856	mq326	q326 health problems 6 months later as result of abortion	discrete	numeric	
V1857	mq327	q327 most important heath problem 6 mth later	discrete	numeric	
V1858	mq328	q328 either before the most recent abortion doctor talks about contraception	discrete	numeric	
V1859	mq330	q330 after most recent abortion receive a method of contraception	discrete	numeric	
V1860	mq332	q332 number of births between january 1992 and 1997	contin	numeric	
V1861	mq333	q333 cigarettes smoked after you know pregnancy	discrete	numeric	
V1862	mq334	q334 number of cigarettes last 6 mths in pregnancy	discrete	numeric	
V1863	mq335	q335 times per week drink alcoholic beverages in pregnancies	discrete	numeric	
V1864	mq336	q336 any prenatal care visits	discrete	numeric	
V1865	mq337	q337 time to first prenatal visit	discrete	numeric	
V1866	mq338	q338 number of prenatal care visits	discrete	numeric	
V1867	mq339	q339 place of the prenatal care visits	discrete	numeric	
V1868	mq340a	q340 prenatal information about nutrition	discrete	numeric	
V1869	mq340b	q340 prenatal information about smoking during pregnancy	discrete	numeric	
V1870	mq340c	q340 prenatal information about drinking alcohol dur. pg.	discrete	numeric	
V1871	mq340d	q340 prenatal information about nutrition breastfeeding	discrete	numeric	
V1872	mq340e	q340 prenatal information about nutrition delivery	discrete	numeric	
V1873	mq340f	q340 prenatal information about nutrition contraception	discrete	numeric	
V1874	mq340g	q340 prenatal information about nutrition warning signs of pg. complic.	discrete	numeric	
V1875	mq340h	q340 prenatal information about nutrition postnatal care	discrete	numeric	
V1876	mq341	q341 prenatal visit pressure mesure	discrete	numeric	
V1877	mq342	q342 prenatal visit high blood pressure	discrete	numeric	
V1878	mq343	q343 prenatal visit ultrasound exam	discrete	numeric	
V1879	mq344	q344 time of first ultrasound exam	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1880	mq345	q345 complications of pregnancy that require medical attention	discrete	numeric	
V1881	mq346a	q346 complications of pg. risk of miscarriage	discrete	numeric	
V1882	mq346b	q346 complications of pg. first trimester bleeding	discrete	numeric	
V1883	mq346c	q346 complications of pg. second trimester bleeding	discrete	numeric	
V1884	mq346d	q346 complications of pg. third trimester bleeding	discrete	numeric	
V1885	mq346e	q346 complications of pg. high blood pressure	discrete	numeric	
V1886	mq346f	q346 complications of pg. diabetes	discrete	numeric	
V1887	mq346g	q346 complications of pg. heart disease	discrete	numeric	
V1888	mq346h	q346 complications of pg. liver disease	discrete	numeric	
V1889	mq346i	q346 complications of pg. urinary tract infection	discrete	numeric	
V1890	mq346j	q346 complications of pg. risk of preterm labor	discrete	numeric	
V1891	mq346k	q346 complications of pg. rh isoimmunization	discrete	numeric	
V1892	mq346l	q346 complications of pg. other	discrete	numeric	
V1893	mq347	q347 birth type	discrete	numeric	
V1894	mq348a	reason for cesarian section -fetopelvic disproportion	discrete	numeric	
V1895	mq348b	reason for cesarian section -unfavorable present a hon	discrete	numeric	
V1896	mq348c	reason for cesarian section -fetal distress	discrete	numeric	
V1897	mq348d	reason for cesarian section -uterined dysfunction	discrete	numeric	
V1898	mq348e	reason for cesarian section -placenta previa or separated	discrete	numeric	
V1899	mq348f	reason for cesarian section -ruptured uterus	discrete	numeric	
V1900	mq348g	reason for cesarian section -preeclampsia/ eclampsia	discrete	numeric	
V1901	mq348h	reason for cesarian section -diabetes	discrete	numeric	
V1902	mq348i	reason for cesarian section -repeat cesarean section	discrete	numeric	
V1903	mq348j	reason for cesarian section -don't know	discrete	numeric	
V1904	mq348k	reason for cesarian section -other	discrete	numeric	
V1905	mq349	q349 long of labor	discrete	numeric	
V1906	mq350	q350 weight of baby	discrete	numeric	
V1907	mq351a	q351 complications after birth -severe bleeding	discrete	numeric	
V1908	mq351b	q351 complications after birth -bad-smelling vaginal discharge	discrete	numeric	
V1909	mq351c	q351 complications after birth -infection of surgical wound	discrete	numeric	
V1910	mq351d	q351 complications after birth -faint/coma	discrete	numeric	
V1911	mq351e	q351 complications after birth -high fever(39-40c)	discrete	numeric	
V1912	mq351f	q351 complications after birth -disuria	discrete	numeric	
V1913	mq351g	q351 complications after birth -painful uterus	discrete	numeric	
V1914	mq351h	q351 complications after birth -breast infection	discrete	numeric	
V1915	mq352	q352 postnatal visit after 6 weeks	discrete	numeric	
V1916	mq353a	q353 information in check-ups -breastfeeding	discrete	numeric	
V1917	mq353b	q353 information in check-ups -breast care	discrete	numeric	
V1918	mq353c	q353 information in check-ups -child care	discrete	numeric	
V1919	mq353d	q353 information in check-ups -immunization	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1920	mq353e	q353 information in check-ups -nutrition	discrete	numeric	
V1921	mq353f	q353 information in check-ups -contraception	discrete	numeric	
V1922	mq354	q354 breastfeeding of baby	discrete	numeric	
V1923	mq355	q355 long after birth start breastfeeding	discrete	numeric	
V1924	mq356	q356 still breastfeeding	discrete	numeric	
V1925	mq357	q357 age of baby when stoped breastfeeding	discrete	numeric	
V1926	mq358	q358 age of baby when start give other food	discrete	numeric	
V1927	mq359	q359 last birth place	discrete	numeric	
V1928	mq360a	q360 rank of last birth place -hygiene	discrete	numeric	
V1929	mq360b	q360 rank of last birth place -comfort	discrete	numeric	
V1930	mq360c	q360 rank of last birth place -hospital crowdedness	discrete	numeric	
V1931	mq360d	q360 rank of last birth place -permission for visitors	discrete	numeric	
V1932	mq360e	q360 rank of last birth place -competence of health professionals	discrete	numeric	
V1933	mq360f	q360 rank of last birth place -behavior of health professionals	discrete	numeric	
V1934	mq361	q361 number of woman were sharing hospital room	discrete	numeric	
V1935	mq362	q362 days after birth when leave the hospital	discrete	numeric	
V1936	mq363	q363 months after birth of return of period	discrete	numeric	
V1937	mq364	q364 months after birth resume sexual relations	discrete	numeric	
V1938	bq313m	birth month end pregnancy	contin	numeric	
V1939	bq313y	birth year end pregnancy	contin	numeric	
V1940	bq314	birth weeks pregnancy ended	discrete	numeric	
V1941	bq315	birth sex of baby	discrete	numeric	
V1942	bq316	birth want to get pregnant	discrete	numeric	
V1943	lbq313m	live birth month end pregnancy	contin	numeric	
V1944	lbq313y	live birth year end pregnancy	contin	numeric	
V1945	lbq314	live birth weeks pregnancy ended	discrete	numeric	
V1946	lbq315	live birth sex of baby	discrete	numeric	
V1947	lbq316	live birth want to get pregnant	discrete	numeric	
V1948	iaq313m	abortion month end pregnancy	contin	numeric	
V1949	iaq313y	abortion year end pregnancy	contin	numeric	
V1950	iaq314	abortion weeks pregnancy ended	discrete	numeric	
V1951	iaq316	abortion want to get pregnant	contin	numeric	
V1952	x		discrete	numeric	
V1953	wantlp	want to get pregnant	discrete	numeric	
V1954	desirekd	number of children whished at first marrage	discrete	numeric	
V1955	marnum	times ever married/lived with partner	discrete	numeric	
V1956	num_ia		discrete	numeric	
V1957	numbrth		discrete	numeric	
V1958	numliveb		discrete	numeric	
V1959	tot_lb		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1960	j		contin	numeric	
V1961	tot_ab		discrete	numeric	
V1962	pgcmc	date of pregnancy outcome cmc	contin	numeric	
V1963	chldagepg	age of child in months	contin	numeric	
V1964	marcmc	marital status at the time of conception	contin	numeric	
V1965	endcmc	marital status at the time of conception	discrete	numeric	
V1966	marpreg	marital status at end of pregnancy	discrete	numeric	
V1967	marcon	marital status at the time of conception	discrete	numeric	
V1968	mthragepg	maternal age at end of pregnancy	contin	numeric	
V1969	bagecatpg	maternal age at end of pregnancy <6g>	discrete	numeric	
V1970	pgmagepg	maternal age at conception	discrete	numeric	
V1971	chldcmc	cmc age of child lb in month complete	contin	numeric	
V1972	chldage	age of child lb in months	contin	numeric	
V1973	mthrage	mother's age at birth lb in years	contin	numeric	
V1974	bagecat	mother's age at birth in years <6g>	discrete	numeric	
V1975	nsib	number of older siblings	discrete	numeric	
V1976	nsibm	number of older male siblings	discrete	numeric	
V1977	nsibf	number of older female siblings	discrete	numeric	
V1978	h		discrete	numeric	
V1979	breastf	current breastfeeding of last birth	discrete	numeric	
V1980	amenpp	amenorrhea post-partum	discrete	numeric	
V1981	abspp	sexual abstinence post-partum	discrete	numeric	

id number-household (hidno_1)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 13984
Range: 1-13984	Mean: 6759.5
	Standard deviation: 3938.2

raion number (raion)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 59
Range: 1-59	Mean: 31.8
	Standard deviation: 18.3

basic census district (mapa)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 1201
Range: 1-1201	Mean: 178.1
	Standard deviation: 246.5

rural/urban indicator (htype)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

city/town/village (hcity)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 8787
Format: character	Invalid: 0
Width: 18	

locality (hlocal)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1370
Format: character	Invalid: 0
Width: 15	

visit number (hvstno)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-4	

visit day (hdov)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 31
Range: 1-31	Mean: 16.1
	Standard deviation: 9.1

visit month (hmov)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 7-99	

result codes 1 (hres)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-10	

result codes - other reason/8&9 (hres_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 33
Format: character	Invalid: 0
Width: 10	

interviewer (hint)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 11
Decimals: 0	Maximum: 55
Range: 11-55	Mean: 32.5
	Standard deviation: 14.3

supervisor (hsup)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 10
Decimals: 0	Maximum: 50
Range: 10-50	Mean: 29.8
	Standard deviation: 14.2

q01-families in house (hnofam)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11497
Format: numeric	Invalid: 9
Width: 8	
Decimals: 0	
Range: 0-9	

q02-people in house (hnopeo)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11497
Format: numeric	Invalid: 9
Width: 8	
Decimals: 0	
Range: 0-16	

q03-females in house (hnow)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11505
Format: numeric	Invalid: 1
Width: 8	
Decimals: 0	
Range: 0-4	

q4.1-first name 1st female (wname1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11505
Format: numeric	Invalid: 1
Width: 8	
Decimals: 0	
Range: 1-9	

q4.1-age of 1st female (wage1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5526
Format: numeric	Invalid: 5980
Width: 8	
Decimals: 0	
Range: 15-99	

q4.1-marital stat. of 1st female (wms1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5526
Format: numeric	Invalid: 5980
Width: 8	
Decimals: 0	
Range: 1-9	

q4.1-ed.level 1st female (wedl1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5526
Format: numeric	Invalid: 5980
Width: 8	
Decimals: 0	
Range: 0-9	

q4.1-ed.grade 1st female (wedg1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5492
Format: numeric	Invalid: 6014
Width: 8	
Decimals: 0	
Range: 1-12	

q4.2-first name 2nd female (wname2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 2-2	

q4.2-age of 2nd female (wage2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 881
Format: numeric	Invalid: 10625
Width: 8	
Decimals: 0	
Range: 15-99	

q4.2-marital stat. of 2nd female (wms2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 881
Format: numeric	Invalid: 10625
Width: 8	
Decimals: 0	
Range: 1-9	

q4.2-ed.level 2nd female (wedl2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 881
Format: numeric	Invalid: 10625
Width: 8	
Decimals: 0	
Range: 0-9	

q4.2-ed.grade 2nd female (wedg2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 880
Format: numeric	Invalid: 10626
Width: 8	
Decimals: 0	
Range: 1-12	

q4.3-first name 3rd female (wname3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 3-3	

q4.3-age of 3rd female (wage3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 103
Format: numeric	Invalid: 11403
Width: 8	
Decimals: 0	
Range: 15-99	

q4.3-marital stat. of 3rd female (wms3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 103
Format: numeric	Invalid: 11403
Width: 8	
Decimals: 0	
Range: 1-9	

q4.3-ed.level 3rd female (wedl3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 103
Format: numeric	Invalid: 11403
Width: 8	
Decimals: 0	
Range: 0-9	

q4.3-ed.grade 3rd female (wedg3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 103
Format: numeric	Invalid: 11403
Width: 8	
Decimals: 0	
Range: 1-12	

q4.4-first name 4th female (wname4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 4-4	

q4.4-age of 4th female (wage4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 13
Format: numeric	Invalid: 11493
Width: 8	
Decimals: 0	
Range: 15-99	

q4.4-marital stat. of 4th female (wms4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 13
Format: numeric	Invalid: 11493
Width: 8	
Decimals: 0	
Range: 1-9	

q4.4-ed.level 4th female (wedl4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 13
Format: numeric	Invalid: 11493
Width: 8	
Decimals: 0	
Range: 0-9	

q4.4-ed.grade 4th female (wedg4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 13
Format: numeric	Invalid: 11493
Width: 8	
Decimals: 0	
Range: 1-11	

q4.5-first name 5th female (wname5)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 5-5	

q4.4-age of 5th female (wage5)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 99-99	

q4.5-marital stat. of 5th female (wms5)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-9	

q4.5-ed.level 5th female (wedl5)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 0-9	

q4.5-ed.grade 5th female (wedg5)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0

Valid cases: 0
 Invalid: 11506

q4.6-first name 6th female (wname6)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 6-6

Valid cases: 11506
 Invalid: 0

q4.6-age of 6th female (wage6)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 99-99

Valid cases: 0
 Invalid: 11506

q4.6-marital stat. of 6th female (wms6)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 0
 Invalid: 11506

q4.6-ed.level 6th female (wedl6)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 0
 Invalid: 11506

q4.6-ed.grade 6th female (wedg6)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	

line number of woman selected (hselect)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5527
Format: numeric	Invalid: 5979
Width: 8	
Decimals: 0	
Range: 1-4	

time started-hour (hour_bgn)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 8-21	

time started-minutes (min_bgn)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 0
Decimals: 0	Maximum: 58
Range: 0-58	Mean: 19.8
	Standard deviation: 18.3

id number-individual questionnaire (numar_1)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 1
Decimals: 0	Maximum: 13984
Range: 1-13984	Mean: 6784.7
	Standard deviation: 3939.2

id number-individual-match female select (numar_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-4	

q100-month of birth (q100_mth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-99	

q100-year of birth (q100_yr)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 1952
Decimals: 0	Maximum: 1982
Range: 1952-1982	Mean: 1967
	Standard deviation: 8.2

q101-age/last birthday (q101_age)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 15
Decimals: 0	Maximum: 44
Range: 15-44	Mean: 29.7
	Standard deviation: 8.2

q102-education level completed (q102_l)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 0-99	

q102-education grade completed (q102_g)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5411
Format: numeric	Invalid: 6095
Width: 8	
Decimals: 0	
Range: 1-12	

q104-work outside the home (q104)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-3	

q105-main problem working outside home (q105)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1762
Format: numeric	Invalid: 9744
Width: 8	
Decimals: 0	
Range: 1-20	

q105-other reason not working outside (q105_oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 10
Format: character	Invalid: 0
Width: 10	

q106-main reading-newspapers/magazines (q106_a)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q106-b-type reading-technical books (q106_b)

File: md97_newvar

q106-b-type reading-technical books (q106_b)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 5412
 Invalid: 6094

q106-c-type reading-classical literature (q106_c)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 5412
 Invalid: 6094

q106-d-type reading-recreational lit (q106_d)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 5412
 Invalid: 6094

q106-e-type reading-love/adventure (q106_e)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 5412
 Invalid: 6094

q106-f-type reading-thrillers/sci-fi (q106_f)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 5412
 Invalid: 6094

q106-g-type reading-bible/religious (q106_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q106-h-type reading-other (q106_h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q106-h-type reading-other-what (q106_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 36
Format: character	Invalid: 0
Width: 10	

q107-listen to radio (q107)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-a-radio moldova (q108_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-radio romania (q108_b)**File:** md97_newvar

q108-radio romania (q108_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-c-radio russia (q108_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-d-radio ucraina (q108_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-e-radio nova (q108_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-f-radio plus (q108_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-g-polidisc (q108_g)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-h-radio eldoradioa (q108_h)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-i-unda libera (q108_i)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-j-other (q108_j)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q108-j-other-radio station (q108_oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 123
Format: character	Invalid: 0
Width: 15	

q109-radio program-discuss family plan (q109)

File: md97_newvar

q109-radio program-discuss family plan (q109)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q110-hours watching tv (q110)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 0-88	

q111-a-tv moldova (q111_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5148
Format: numeric	Invalid: 6358
Width: 8	
Decimals: 0	
Range: 1-2	

q111-b-romania (q111_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5148
Format: numeric	Invalid: 6358
Width: 8	
Decimals: 0	
Range: 1-2	

q111-c-tv moscow (q111_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5148
Format: numeric	Invalid: 6358
Width: 8	
Decimals: 0	
Range: 1-2	

q111-d-tv ucraina (q111_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5148
Format: numeric	Invalid: 6358
Width: 8	
Decimals: 0	
Range: 1-2	

q111-e-tv catalan (q111_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5148
Format: numeric	Invalid: 6358
Width: 8	
Decimals: 0	
Range: 1-2	

q111-f-prednistrovia(tpr) (q111_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5148
Format: numeric	Invalid: 6358
Width: 8	
Decimals: 0	
Range: 1-2	

q111-g-cnn/bbc (q111_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5148
Format: numeric	Invalid: 6358
Width: 8	
Decimals: 0	
Range: 1-2	

q111-h-other (q111_h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5148
Format: numeric	Invalid: 6358
Width: 8	
Decimals: 0	
Range: 1-2	

q111-h-other-television (q111_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 15

Valid cases: 448
 Invalid: 0

q112-tv-last 6 months-family planning (q112)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 5148
 Invalid: 6358

q113-radio/tv-contraceptive ads (q113)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5412
 Invalid: 6094

q114-marital status (q114)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-6

Valid cases: 5412
 Invalid: 6094

q115-ever lived w/partner (q115)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 953
 Invalid: 10553

q116-times married/lived w/man (q116)**File:** md97_newvar

q116-times married/lived w/man (q116)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 4470
 Invalid: 7036

q117-month begin living w/partner (q117_mth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-98

Valid cases: 4470
 Invalid: 7036

q117-year begin living w/partner (q117_yr)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1969-9898

Valid cases: 4470
 Invalid: 7036

q118-first married-wish-children (q118)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 4470
 Invalid: 7036

q119-wish for number of children (q119)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 4131
 Invalid: 7375

q119-other-nbr of children-wish for (q119_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 4
 Invalid: 0

q120-education level partner completed (q120)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-99

Valid cases: 4028
 Invalid: 7478

q120-grade partner completed (q120_g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-99

Valid cases: 4021
 Invalid: 7485

q121-age of partner (q121)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 17-88

Valid cases: 4028
 Invalid: 7478

q122-father living (q122)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1657
 Invalid: 9849

q123-father live w/you (q123)**File:** md97_newvar

q123-father live w/you (q123)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1446
Format: numeric	Invalid: 10060
Width: 8	
Decimals: 0	
Range: 1-2	

q124-age-lived with father (q124)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 857
Format: numeric	Invalid: 10649
Width: 8	
Decimals: 0	
Range: 0-88	

q125-close to father between 10 & 15 (q125)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1488
Format: numeric	Invalid: 10018
Width: 8	
Decimals: 0	
Range: 1-8	

q126-mother living (q126)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-8	

q127-mother live w/you (q127)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1565
Format: numeric	Invalid: 9941
Width: 8	
Decimals: 0	
Range: 1-2	

q128-age-lived with mother (q128)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 695
Format: numeric	Invalid: 10811
Width: 8	
Decimals: 0	
Range: 0-88	

q129-close to mother between 10 & 15 (q129)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1634
Format: numeric	Invalid: 9872
Width: 8	
Decimals: 0	
Range: 1-8	

q130-education-mother (q130)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1634
Format: numeric	Invalid: 9872
Width: 8	
Decimals: 0	
Range: 0-99	

q130-grade mother completed (q130_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1611
Format: numeric	Invalid: 9895
Width: 8	
Decimals: 0	
Range: 1-99	

q201-learn about std in school (q201)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-9	

q202-a-age teach-pregnancy occurs (q202_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 5-99

Valid cases: 5301
 Invalid: 6205

q202-a-age teach-contraceptives (q202_b)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 5-99

Valid cases: 5301
 Invalid: 6205

q202-c-age teach-std (q202_c)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 5-99

Valid cases: 5301
 Invalid: 6205

q203-a-oppose sex ed-give idea to begin (q203_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 111
 Invalid: 11395

q203-b-oppose sex ed-taught in home only (q203_b)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 111
 Invalid: 11395

q203-c-oppose sex ed-religion (q203_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 111
Format: numeric	Invalid: 11395
Width: 8	
Decimals: 0	
Range: 1-9	

q204-a-parents talk-menstrual cycle (q204_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-9	

q204-b-parents talk-how pregnancy occurs (q204_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-9	

q204-c-parents talk-contraceptive method (q204_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-9	

q204-d-parents talk-std (q204_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-9	

q204-e-parents talk-hiv/sida (q204_e)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 1657
 Invalid: 9849

q205-a-<19 school taught-menstrual cycle (q205_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 1657
 Invalid: 9849

q206-a-grade-taught-menstrual cycle (q206_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 8-17

Valid cases: 1455
 Invalid: 10051

q207-a-who-taught-menstrual cycle (q207_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1455
 Invalid: 10051

q207-a-who-other-taught-menstrual cycle (q207_aot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 8

Valid cases: 1
 Invalid: 0

q205-b-<19 school taught-female reprod. (q205_b)**File:** md97_newvar

q205-b-<19 school taught-female reprod. (q205_b)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 1657
 Invalid: 9849

q206-b-grade-taught-female reprod. sys (q206_b)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 11-17

Valid cases: 1475
 Invalid: 10031

q207-b-who-taught-female repro.sys (q207_b)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1475
 Invalid: 10031

q207-b-who-other-taught-female reproduct (q207_bot)

File: md97_newvar

Overview

Type: Discrete
 Format: character
 Width: 8

Valid cases: 1
 Invalid: 0

q205-c-<19 school taught-male repro.sys (q205_c)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 1657
 Invalid: 9849

q206-b-grade-taught-male reprod. sys (q206_c)

File: md97_newvar

q206-b-grade-taught-male reprod. sys (q206_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1444
Format: numeric	Invalid: 10062
Width: 8	
Decimals: 0	
Range: 11-18	

q207-c-who-taught-male repro.sys (q207_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1444
Format: numeric	Invalid: 10062
Width: 8	
Decimals: 0	
Range: 1-8	

q207-c-who-other-taught-male reproductive (q207_cot)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1
Format: character	Invalid: 0
Width: 8	

q205-d-<19 school taught-how pg occurs (q205_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-9	

q206-d-grade-taught-how pg occurs (q206_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1133
Format: numeric	Invalid: 10373
Width: 8	
Decimals: 0	
Range: 11-18	

q207-d-who-taught-how pg occurs (q207_d)**File:** md97_newvar

q207-d-who-taught-how pg occurs (q207_d)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1133
Format: numeric	Invalid: 10373
Width: 8	
Decimals: 0	
Range: 1-8	

q207-d-who-other-taught-how pg occurs (q207_dot)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

q205-e-<19 school taught-bc methods (q205_e)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-9	

q206-e-grade-taught-bc methods (q206_e)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 539
Format: numeric	Invalid: 10967
Width: 8	
Decimals: 0	
Range: 11-18	

q207-e-who-taught-bc methods (q207_e)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 539
Format: numeric	Invalid: 10967
Width: 8	
Decimals: 0	
Range: 1-8	

q207-e-who-other-taught-bc methods (q207_eot)

File: md97_newvar

q207-e-who-other-taught-bc methods (q207_eot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q205-f-<19 school taught-std (q205_f)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 1657
 Invalid: 9849

q206-f-grade-taught-std (q206_f)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 11-18

Valid cases: 782
 Invalid: 10724

q207-f-who-taught-std (q207_f)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 782
 Invalid: 10724

q207-f-who-other-taught-std (q207_fot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q205-g-<19 school taught-hiv/aids (q205_g)**File:** md97_newvar**Overview**

q205-g-<19 school taught-hiv/aids (q205_g)**File:** md97_newvar

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-9

Valid cases: 1657

Invalid: 9849

q206-g-grade-taught-hiv/aids (q206_g)**File:** md97_newvar**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 10-18

Valid cases: 849

Invalid: 10657

q207-g-who-taught-hiv/aids (q207_g)**File:** md97_newvar**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-8

Valid cases: 849

Invalid: 10657

q207-g-who-other-taught-hiv/aids (q207_got)**File:** md97_newvar**Overview**

Type: Discrete

Format: character

Width: 8

Valid cases: 1

Invalid: 0

q208-ever attend lecture on sex ed (q208)**File:** md97_newvar**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-8

Valid cases: 1657

Invalid: 9849

q209-where lesson on sex ed (q209)**File:** md97_newvar**Overview**

q209-where lesson on sex ed (q209)**File:** md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 76
 Invalid: 11430

q209-other-where-lesson on sex ed (q209_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 15

Valid cases: 1
 Invalid: 0

q300-currently pregnant (q300)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 5412
 Invalid: 6094

q301-months current pg (q301)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 168
 Invalid: 11338

q302-want current pg (q302)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 168
 Invalid: 11338

q303-first pg (q303)**File:** md97_newvar**Overview**

q303-first pg (q303)**File:** md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 168
 Invalid: 11338

q304-miscarriage-abort-stillbirth (q304)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 69
 Invalid: 11437

q305-ever been pg (q305)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-4

Valid cases: 5244
 Invalid: 6262

q306-ever had-still birth/miscarriage (q306)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 412
 Invalid: 11094

q307-ever had live born children (q307)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 4270
 Invalid: 7236

q308-number of children alive (q308)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	
Width: 8	
Decimals: 0	
Range: 0-10	

q309-any children died (q309)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4102
Format: numeric	
Width: 8	
Decimals: 0	
Range: 1-2	

q310-number of children died (q310)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	
Width: 8	
Decimals: 0	
Range: 0-3	

q310a-number of live births-correct (q310a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 273
Format: numeric	
Width: 8	
Decimals: 0	
Range: 1-10	

q310b-agree-nbr-live births-correct (q310b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 273
Format: numeric	
Width: 8	
Decimals: 0	
Range: 1-2	

q311-number of pregnancies (pnum)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 21
Range: 0-21	Mean: 1.2
	Standard deviation: 1.9

q311-1-pregnancy 1 (q311_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-1	

q312_1-how pg 1-ended (q312_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4274
Format: numeric	Invalid: 7232
Width: 8	
Decimals: 0	
Range: 1-9	

q313-1a-month pregnancy ended (q313a_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4274
Format: numeric	Invalid: 7232
Width: 8	
Decimals: 0	
Range: 1-99	

q313-1b-pregnacy end year 1 (q313b_1)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 4274
Format: numeric	Invalid: 7232
Width: 8	Minimum: 1972
Decimals: 0	Maximum: 9898
Range: 1972-9898	Mean: 2000.8
	Standard deviation: 270.3

q314-1-weeks/months pg lasted (q314_1)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 4274
Format: numeric	Invalid: 7232
Width: 8	Minimum: 101
Decimals: 0	Maximum: 210
Range: 101-210	Mean: 193.2
	Standard deviation: 33.6

q315_1-baby-boy/girl? (q315_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2473
Format: numeric	Invalid: 9033
Width: 8	
Decimals: 0	
Range: 1-3	

q316-1-felt about pg 1 (q316_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q311-2-pregnancy 2 (q311_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 2-2	

q312_2-how pg 2-ended (q312_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3449
Format: numeric	Invalid: 8057
Width: 8	
Decimals: 0	
Range: 1-9	

q313-2a-month pregnancy ended (q313a_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3449
Format: numeric	Invalid: 8057
Width: 8	
Decimals: 0	
Range: 1-99	

q313-2b-pregnacy end year 2 (q313b_2)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 3449
Format: numeric	Invalid: 8057
Width: 8	Minimum: 1972
Decimals: 0	Maximum: 9999
Range: 1972-9999	Mean: 2011.3
	Standard deviation: 425.9

q314-2-week/month pg lasted (q314_2)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 3449
Format: numeric	Invalid: 8057
Width: 8	Minimum: 102
Decimals: 0	Maximum: 888
Range: 102-888	Mean: 196.6
	Standard deviation: 36.1

q315_2-baby-boy/girl? (q315_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2005
Format: numeric	Invalid: 9501
Width: 8	
Decimals: 0	
Range: 1-3	

q316-2-felt about pg 2 (q316_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1026
Format: numeric	Invalid: 10480
Width: 8	
Decimals: 0	
Range: 1-8	

q311-3-pregnancy 3 (q311_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 3-3	

q312_3-how pg 3-ended (q312_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2410
Format: numeric	Invalid: 9096
Width: 8	
Decimals: 0	
Range: 1-9	

q313-3a-month pregnancy ended (q313a_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2410
Format: numeric	Invalid: 9096
Width: 8	
Decimals: 0	
Range: 1-99	

q313-3b-pregnacy end year 3 (q313b_3)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 2410
Format: numeric	Invalid: 9096
Width: 8	Minimum: 1972
Decimals: 0	Maximum: 9898
Range: 1972-9898	Mean: 2015.6
	Standard deviation: 482.7

q314-3-week/month pg lasted (q314_3)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 2410
Format: numeric	Invalid: 9096
Width: 8	Minimum: 102
Decimals: 0	Maximum: 888
Range: 102-888	Mean: 197.7
	Standard deviation: 31.5

q315_3-baby-boy/girl? (q315_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1452
Format: numeric	Invalid: 10054
Width: 8	
Decimals: 0	
Range: 1-3	

q316_3-felt about pg 3 (q316_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 324
Format: numeric	Invalid: 11182
Width: 8	
Decimals: 0	
Range: 1-8	

q311_4-pregnancy 4 (q311_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 4-4	

q312_4-how pg 4-ended (q312_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1541
Format: numeric	Invalid: 9965
Width: 8	
Decimals: 0	
Range: 1-9	

q313-4a-month pregnancy ended (q313a_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1541
Format: numeric	Invalid: 9965
Width: 8	
Decimals: 0	
Range: 1-99	

q313-4b-pregnacy end year 2 (q313b_4)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 1541
Format: numeric	Invalid: 9965
Width: 8	Minimum: 1971
Decimals: 0	Maximum: 9898
Range: 1971-9898	Mean: 2025.4
	Standard deviation: 568.9

q314-4-week/month pg lasted (q314_4)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 1541
Format: numeric	Invalid: 9965
Width: 8	Minimum: 102
Decimals: 0	Maximum: 888
Range: 102-888	Mean: 198.7
	Standard deviation: 32.1

q315_4-baby-boy/girl? (q315_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 946
Format: numeric	Invalid: 10560
Width: 8	
Decimals: 0	
Range: 1-3	

q316-4-felt about pg 4 (q316_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 95
Format: numeric	Invalid: 11411
Width: 8	
Decimals: 0	
Range: 1-8	

q311-5-pregnancy 5 (q311_5)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 5-5	

q312_5-how pg 5-ended (q312_5)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 865
Format: numeric	Invalid: 10641
Width: 8	
Decimals: 0	
Range: 1-9	

q313-5a-month pregnancy ended (q313a_5)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 865
Format: numeric	Invalid: 10641
Width: 8	
Decimals: 0	
Range: 1-99	

q313-5b-pregnacy end year (q313b_5)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 865
Format: numeric	Invalid: 10641
Width: 8	Minimum: 1972
Decimals: 0	Maximum: 9898
Range: 1972-9898	Mean: 2056.2
	Standard deviation: 758.1

q314-5-week/month-pg lasted (q314_5)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 865
Format: numeric	Invalid: 10641
Width: 8	Minimum: 102
Decimals: 0	Maximum: 210
Range: 102-210	Mean: 199.1
	Standard deviation: 25.7

q315_5-baby-boy/girl? (q315_5)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 555
Format: numeric	Invalid: 10951
Width: 8	
Decimals: 0	
Range: 1-3	

q316-5-felt about pg 5 (q316_5)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 33
Format: numeric	Invalid: 11473
Width: 8	
Decimals: 0	
Range: 1-8	

q311-6-pregnancy 6 (q311_6)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 6-6	

q312_6-how pg 6-ended (q312_6)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 429
Format: numeric	Invalid: 11077
Width: 8	
Decimals: 0	
Range: 1-9	

q313-6a-month pregnancy ended (q313a_6)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 429
Format: numeric	Invalid: 11077
Width: 8	
Decimals: 0	
Range: 1-99	

q313-6b-pregnacy end year (q313b_6)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 429
Format: numeric	Invalid: 11077
Width: 8	Minimum: 1971
Decimals: 0	Maximum: 9898
Range: 1971-9898	Mean: 2111.4
	Standard deviation: 1004

q314-6-week/month-pg lasted (q314_6)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 429
Format: numeric	Invalid: 11077
Width: 8	Minimum: 102
Decimals: 0	Maximum: 210
Range: 102-210	Mean: 198.6
	Standard deviation: 26.2

q315_6-baby-boy/girl? (q315_6)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 267
Format: numeric	Invalid: 11239
Width: 8	
Decimals: 0	
Range: 1-3	

q316-6-felt about pg 6 (q316_6)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q311-7-pregnancy 7 (q311_7)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 7-7	

q312_7-how pg 7-ended (q312_7)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 219
Format: numeric	Invalid: 11287
Width: 8	
Decimals: 0	
Range: 1-9	

q313-7a-month pregnancy ended (q313a_7)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 219
Format: numeric	Invalid: 11287
Width: 8	
Decimals: 0	
Range: 1-99	

q313-7b-pregnacy end year (q313b_7)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 219
Format: numeric	Invalid: 11287
Width: 8	Minimum: 1970
Decimals: 0	Maximum: 9898
Range: 1970-9898	Mean: 2162.6
	Standard deviation: 1185.1

q314-7-week/month-pg lasted (q314_7)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 219
Format: numeric	Invalid: 11287
Width: 8	Minimum: 104
Decimals: 0	Maximum: 209
Range: 104-209	Mean: 196.6
	Standard deviation: 28.1

q315_7-baby-boy/girl? (q315_7)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 122
Format: numeric	Invalid: 11384
Width: 8	
Decimals: 0	
Range: 1-3	

q316-7-felt about pg 7 (q316_7)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4
Format: numeric	Invalid: 11502
Width: 8	
Decimals: 0	
Range: 1-8	

pg table-1-7-all outcomes 6 or 9 (pg69_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4059
Format: numeric	Invalid: 7447
Width: 8	
Decimals: 0	
Range: 1-2	

q311-8-pregnancy 8 (q311_8)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 8-8	

q312_8-how pg 8-ended (q312_8)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 116
Format: numeric	Invalid: 11390
Width: 8	
Decimals: 0	
Range: 1-9	

q313-8a-month pregnancy ended (q313a_8)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 116
Format: numeric	Invalid: 11390
Width: 8	
Decimals: 0	
Range: 1-99	

q313-8b-pregnacy end year (q313b_8)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 116
Format: numeric	Invalid: 11390
Width: 8	Minimum: 1970
Decimals: 0	Maximum: 9898
Range: 1970-9898	Mean: 2322.6
	Standard deviation: 1614.8

q314-8-week/month-pg lasted (q314_8)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 116
Format: numeric	Invalid: 11390
Width: 8	Minimum: 104
Decimals: 0	Maximum: 209
Range: 104-209	Mean: 197.3
	Standard deviation: 27.2

q315_8-baby-boy/girl? (q315_8)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 58
Format: numeric	Invalid: 11448
Width: 8	
Decimals: 0	
Range: 1-3	

q316-8-felt about pg 8 (q316_8)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3
Format: numeric	Invalid: 11503
Width: 8	
Decimals: 0	
Range: 1-8	

q311-9-pregnancy 9 (q311_9)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 9-9	

q312_9-how pg 9-ended (q312_9)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 73
Format: numeric	Invalid: 11433
Width: 8	
Decimals: 0	
Range: 1-9	

q313-9a-month pregnancy ended (q313a_9)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 73
Format: numeric	Invalid: 11433
Width: 8	
Decimals: 0	
Range: 1-99	

q313-9b-pregnacy end year 9 (q313b_9)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 73
Format: numeric	Invalid: 11433
Width: 8	Minimum: 1972
Decimals: 0	Maximum: 9898
Range: 1972-9898	Mean: 2523.8
	Standard deviation: 2013.5

q314-9-week/month-pg lasted (q314_9)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 73
Format: numeric	Invalid: 11433
Width: 8	Minimum: 105
Decimals: 0	Maximum: 209
Range: 105-209	Mean: 198.6
	Standard deviation: 25.2

q315_9-baby-boy/girl? (q315_9)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 30
Format: numeric	Invalid: 11476
Width: 8	
Decimals: 0	
Range: 1-3	

q316-9-felt about pg 9 (q316_9)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3
Format: numeric	Invalid: 11503
Width: 8	
Decimals: 0	
Range: 1-8	

q311-10-pregnancy 10 (q311_10)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 10-10	

q312_10-how pg 10-ended (q312_10)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 51
Format: numeric	Invalid: 11455
Width: 8	
Decimals: 0	
Range: 1-9	

q313-10a-month pregnancy ended (q313a_10)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 51
Format: numeric	Invalid: 11455
Width: 8	
Decimals: 0	
Range: 1-99	

q313-10b-pregnancy end year (q313b_10)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 51
Format: numeric	Invalid: 11455
Width: 8	Minimum: 1970
Decimals: 0	Maximum: 9898
Range: 1970-9898	Mean: 2601.9
	Standard deviation: 2149.7

q314-10-week/month-pg lasted (q314_10)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 51
Format: numeric	Invalid: 11455
Width: 8	Minimum: 108
Decimals: 0	Maximum: 888
Range: 108-888	Mean: 207.9
	Standard deviation: 101.6

q315_10-baby-boy/girl? (q315_10)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	
Decimals: 0	
Range: 1-3	

q316-10-felt about pg 10 (q316_10)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1
Format: numeric	Invalid: 11505
Width: 8	
Decimals: 0	
Range: 1-8	

q311-11-pregnancy 11 (q311_11)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 11-11	

q312_11-how pg 11-ended (q312_11)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 32
Format: numeric	Invalid: 11474
Width: 8	
Decimals: 0	
Range: 1-9	

q313-11a-month pregnancy ended (q313a_11)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 32
Format: numeric	Invalid: 11474
Width: 8	
Decimals: 0	
Range: 1-99	

q313-11b-pregnacy end year (q313b_11)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 32
Format: numeric	Invalid: 11474
Width: 8	Minimum: 1972
Decimals: 0	Maximum: 9898
Range: 1972-9898	Mean: 2969.7
	Standard deviation: 2660.6

q314-11-week/month-pg lasted (q314_11)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 32
Format: numeric	Invalid: 11474
Width: 8	Minimum: 105
Decimals: 0	Maximum: 888
Range: 105-888	Mean: 212.3
	Standard deviation: 128

q315_11-baby-boy/girl? (q315_11)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-3	

q316-11-felt about pg 11 (q316_11)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

q311-12-pregnancy 12 (q311_12)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 12-12	

q312-12-how pg 12-ended (q312_12)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	
Decimals: 0	
Range: 1-9	

q313-12a-month pregnancy ended (q313a_12)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	
Decimals: 0	
Range: 1-99	

q313-12b-pregnancy end year (q313b_12)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	Minimum: 1973
Decimals: 0	Maximum: 9898
Range: 1973-9898	Mean: 2772.4
	Standard deviation: 2436.9

q314-12-week/month-pg lasted (q314_12)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	Minimum: 105
Decimals: 0	Maximum: 888
Range: 105-888	Mean: 229.1
	Standard deviation: 158.1

q315_12-baby-boy/girl? (q315_12)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 6
Format: numeric	Invalid: 11500
Width: 8	
Decimals: 0	
Range: 1-3	

q316-12-felt about pg 12 (q316_12)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

q311-13-pregnancy 13 (q311_13)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 13-13	

q312_13-how pg 13-ended (q312_13)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 16
Format: numeric	Invalid: 11490
Width: 8	
Decimals: 0	
Range: 1-9	

q313-13a-month pregnancy ended (q313a_13)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 16
Format: numeric	Invalid: 11490
Width: 8	
Decimals: 0	
Range: 1-99	

q313-13b-pregnacy end year (q313b_13)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 16
Format: numeric	Invalid: 11490
Width: 8	
Decimals: 0	
Range: 1973-1989	

q314-13-week/month-pg lasted (q314_13)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 16
Format: numeric	Invalid: 11490
Width: 8	
Decimals: 0	
Range: 202-209	

q315_13-baby/boy/girl? (q315_13)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11
Format: numeric	Invalid: 11495
Width: 8	
Decimals: 0	
Range: 1-3	

q316-13-felt about pg 13 (q316_13)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

q311-14-pregnancy 14 (q311_14)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 14-15	

q312_14-how pg 14-ended (q312_14)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 7
Format: numeric	Invalid: 11499
Width: 8	
Decimals: 0	
Range: 1-9	

q313-14a-month pregnancy ended (q313a_14)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 7
Format: numeric	Invalid: 11499
Width: 8	
Decimals: 0	
Range: 1-99	

q313-14b-pregnancy end year (q313b_14)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 7
Format: numeric	Invalid: 11499
Width: 8	Minimum: 1972
Decimals: 0	Maximum: 9898
Range: 1972-9898	Mean: 3111.4
	Standard deviation: 2992.6

q314-14-week/month-pg lasted (q314_14)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 7
Format: numeric	Invalid: 11499
Width: 8	
Decimals: 0	
Range: 202-209	

q315_14-baby-boy/girl? (q315_14)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4
Format: numeric	Invalid: 11502
Width: 8	
Decimals: 0	
Range: 1-3	

q316-14-felt about pg 14 (q316_14)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

q311-15-pregnancy 15 (q311_15)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11319
Format: numeric	Invalid: 187
Width: 8	
Decimals: 0	
Range: 15-15	

q312_15-how pg 15-ended (q312_15)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4
Format: numeric	Invalid: 11502
Width: 8	
Decimals: 0	
Range: 1-9	

q313-15a-month pregnancy ended (q313a_15)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4
Format: numeric	Invalid: 11502
Width: 8	
Decimals: 0	
Range: 3-99	

q313-15b-pregnancy end year (q313b_15)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 4
Format: numeric	Invalid: 11502
Width: 8	Minimum: 1982
Decimals: 0	Maximum: 9898
Range: 1982-9898	Mean: 5941.5
	Standard deviation: 4568.6

q314-15-week/month-pg lasted (q314_15)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4
Format: numeric	Invalid: 11502
Width: 8	
Decimals: 0	
Range: 202-209	

q315_15-baby/girl/boy? (q315_15)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 1-3	

q316-15-felt about pg 15 (q316_15)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

q311-16-pregnancy 16 (q311_16)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 16-16	

q312_16-how pg 16-ended (q312_16)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 1-9	

q313-16a-month pregnancy ended (q313a_16)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 11-99	

q313-16b-pregnacy end year (q313b_16)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	Minimum: 1987
Decimals: 0	Maximum: 9898
Range: 1987-9898	Mean: 5942.5
	Standard deviation: 5593.9

q314-16-week/month-pg lasted (q314_16)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 202-203	

q315_16-baby-boy/girl? (q315_16)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-3	

q316-16-felt about pg 16 (q316_16)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

q311-17-pregnancy 17 (q311_17)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 17-17	

q312_17-how pg 17-ended (q312_17)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 2
 Invalid: 11504

q313-17a-month pregnancy ended (q313a_17)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 3-99

Valid cases: 2
 Invalid: 11504

q313-17b-pregnancy end year (q313b_17)**File:** md97_newvar**Overview**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1986-9898

Valid cases: 2
 Invalid: 11504
 Minimum: 1986
 Maximum: 9898
 Mean: 5942
 Standard deviation: 5594.6

q314-17-week/month-pg lasted (q314_17)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 203-209

Valid cases: 2
 Invalid: 11504

q315_17-baby/boy/girl? (q315_17)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 1
 Invalid: 11505

q316-17-felt about pg 17 (q316_17)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

q311-18-pregnancy 18 (q311_18)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 18-18	

q312_18-how pg 18-ended (q312_18)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 1-9	

q313-18a-month pregnancy ended (q313a_18)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 2-99	

q313-18b-pregnancy end year (q313b_18)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	Minimum: 1984
Decimals: 0	Maximum: 9898
Range: 1984-9898	Mean: 5941
	Standard deviation: 5596

q314-18-week/month-pg lasted (q314_18)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 203-209	

q315_18-baby-boy/girl? (q315_18)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1
Format: numeric	Invalid: 11505
Width: 8	
Decimals: 0	
Range: 1-3	

q316-18-felt about pg 18 (q316_18)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

q311-19-pregnancy 19 (q311_19)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 19-19	

q312_19-how pg 19-ended (q312_19)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 1-9	

q313-19a-month pregnancy ended (q313a_19)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 6-99	

q313-19b-pregnancy end year (q313b_19)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 1977-1982	

q314-19-week/month-pg lasted (q314_19)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 209-209	

q315_19-baby/girl/boy? (q315_19)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 1-3	

q316-19-felt about pg 19 (q316_19)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

q311-20-pregnancy 20 (q311_20)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 20-20	

q312_20-how pg 20-ended (q312_20)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 1-9	

q313-20a-month pregnancy ended (q313a_20)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 1-99	

q313-20b-pregnancy end year (q313b_20)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 1976-1979	

q314-20-week/month-pg lasted (q314_20)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	
Decimals: 0	
Range: 203-209	

q315_20-baby-boy/girl? (q315_20)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 1
 Invalid: 11505

q316-20-felt about pg 20 (q316_20)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 11506

q311-21-pregnancy 21 (q311_21)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 21-21

Valid cases: 11506
 Invalid: 0

q312_21-how pg 21-ended (q312_21)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 1
 Invalid: 11505

q313-21a-month pregnancy ended (q313a_21)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-99

Valid cases: 1
 Invalid: 11505

q313-21b-pregnacy end year (q313b_21)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1
Format: numeric	Invalid: 11505
Width: 8	
Decimals: 0	
Range: 1976-1976	

q314-21-week/month-pg lasted (q314_21)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1
Format: numeric	Invalid: 11505
Width: 8	
Decimals: 0	
Range: 202-202	

q315_21-baby-boy/girl? (q315_21)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-3	

q316-21-felt about pg 21 (q316_21)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

q317-number of induced abortions 1992-97 (q317_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2306
Format: numeric	Invalid: 9200
Width: 8	
Decimals: 0	
Range: 0-6	

q317-miniabortions since 1992 (q317_m)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2306
Format: numeric	Invalid: 9200
Width: 8	
Decimals: 0	
Range: 0-7	

q318-1-pregancy# abortion-last (q318_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 976
Format: numeric	Invalid: 10530
Width: 8	
Decimals: 0	
Range: 1-5	

q319-1-type of abortion (q319_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 976
Format: numeric	Invalid: 10530
Width: 8	
Decimals: 0	
Range: 1-2	

q320-1-decision to abort (q320_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 976
Format: numeric	Invalid: 10530
Width: 8	
Decimals: 0	
Range: 1-7	

q320-1-other-decision to abort (q320_1ot)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 10
Format: character	Invalid: 0
Width: 10	

q321-1-where had abortion (q321_1)**File:** md97_newvar

q321-1-where had abortion (q321_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 976
Format: numeric	Invalid: 10530
Width: 8	
Decimals: 0	
Range: 1-7	

q321-1-other-where had abortion (q321_1ot)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: character	Invalid: 0
Width: 10	

q322-1-abortion-how much paid (q322_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 976
Format: numeric	Invalid: 10530
Width: 8	
Decimals: 0	
Range: 0-888	

q323-1-any complications (q323_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 976
Format: numeric	Invalid: 10530
Width: 8	
Decimals: 0	
Range: 1-2	

q324-1-what complications (q324_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 118
Format: numeric	Invalid: 11388
Width: 8	
Decimals: 0	
Range: 1-7	

q324-1-other-what complications (q324_1ot)**File:** md97_newvar

q324-1-other-what complications (q324_1ot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 9

Valid cases: 3
 Invalid: 0

q325-1-time in hospital (q325_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 976
 Invalid: 10530

q326-1-problems (q326_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 976
 Invalid: 10530

q327-1-what complications (q327_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 51
 Invalid: 11455

q327-1-other-what complications (q327_1ot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q328-1-doctor discuss bc/before/after (q328_1)**File:** md97_newvar**Overview**

q328-1-doctor discuss bc/before/after (q328_1)

File: md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 976
 Invalid: 10530

q330-1-receive bc after abortion (q330_1)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 976
 Invalid: 10530

q318-2-pregancy# abortion next to last (q318_2)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 2-4

Valid cases: 269
 Invalid: 11237

q319-2-type of abortion (q319_2)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 269
 Invalid: 11237

q320-2-decision to abort (q320_2)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 269
 Invalid: 11237

q320-2-other-decision to abort (q320_2ot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 1
 Invalid: 0

q321-2-where have abortion (q321_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 269
 Invalid: 11237

q321-2-other-where had abortion (q321_2ot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 2
 Invalid: 0

q322-2-abortion (q322_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-888

Valid cases: 269
 Invalid: 11237

q323-2-any complications (q323_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 269
 Invalid: 11237

q324-2-what complications (q324_2)**File:** md97_newvar**Overview**

q324-2-what complications (q324_2)**File:** md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 22
 Invalid: 11484

q324-2-other-what complications (q324_2ot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q325-2-time in hospital (q325_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 269
 Invalid: 11237

q326-2-problems (q326_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 269
 Invalid: 11237

q327-2-what complications (q327_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 13
 Invalid: 11493

q327-2-other-what complications (q327_2ot)**File:** md97_newvar**Overview**

q327-2-other-what complications (q327_2ot)**File: md97_newvar**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q318-3-preganacy# abortion-2nd to last (q318_3)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-5

Valid cases: 67
 Invalid: 11439

q319-3-type of abortion (q319_3)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 67
 Invalid: 11439

q320-3-decision to abort (q320_3)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 67
 Invalid: 11439

q320-3-other-decision to abort (q320_3ot)**File: md97_newvar****Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q321-3-where have abortion (q321_3)**File: md97_newvar****Overview**

q321-3-where have abortion (q321_3)**File:** md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 67
 Invalid: 11439

q321-3-other-where had abortion (q321_3ot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 1
 Invalid: 0

q322-3-abortion (q322_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-888

Valid cases: 67
 Invalid: 11439

q323-3-any complications (q323_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 67
 Invalid: 11439

q324-3-what complications (q324_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 2
 Invalid: 11504

q324-3-other-what complications (q324_3ot)**File:** md97_newvar**Overview**

q324-3-other-what complications (q324_3ot)**File:** md97_newvar

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q325-3-time in hospital (q325_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 67
 Invalid: 11439

q326-3-problems (q326_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 67
 Invalid: 11439

q327-3-what complications (q327_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 0
 Invalid: 11506

q327-3-other-what complications (q327_3ot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q318-4-pregnacy# abortion-3rd to last (q318_4)**File:** md97_newvar**Overview**

q318-4-pregancy# abortion-3rd to last (q318_4)**File:** md97_newvar

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 4-6

Valid cases: 23

Invalid: 11483

q319-4-type of abortion (q319_4)**File:** md97_newvar**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-2

Valid cases: 23

Invalid: 11483

q320-4-decision to abort (q320_4)**File:** md97_newvar**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-7

Valid cases: 23

Invalid: 11483

q320-4-other-decision to abort (q320_4ot)**File:** md97_newvar**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

q321-4-where have abortion (q321_4)**File:** md97_newvar**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-7

Valid cases: 23

Invalid: 11483

q321-4-other-where had abortion (q321_4ot)**File:** md97_newvar**Overview**

q321-4-other-where had abortion (q321_4ot)**File:** md97_newvar

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q322-4-abortion (q322_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-888

Valid cases: 23
 Invalid: 11483

q323-4-any complications (q323_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 23
 Invalid: 11483

q324-4-what complications (q324_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 3
 Invalid: 11503

q324-4-other-what complications (q324_4ot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q325-4-time in hospital (q325_4)**File:** md97_newvar**Overview**

q325-4-time in hospital (q325_4)**File:** md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 23
 Invalid: 11483

q326-4-problems (q326_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 23
 Invalid: 11483

q327-4-what complications (q327_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 1
 Invalid: 11505

q327-4-other-what complications (q327_4ot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q331-live births since 1992 (q331_liv)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-4

Valid cases: 2306
 Invalid: 9200

q331-stillbirths since 1992 (q331_mor)**File:** md97_newvar**Overview**

q331-stillbirths since 1992 (q331_mor)**File:** md97_newvar

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 2306

Invalid: 9200

q332-1-birth (q332_1)**File:** md97_newvar**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-10

Valid cases: 1760

Invalid: 9746

q333-1-smoke before became pg (q333_1)**File:** md97_newvar**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-8

Valid cases: 1760

Invalid: 9746

q334-1-continue to smoke while pg (q334_1)**File:** md97_newvar**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-8

Valid cases: 125

Invalid: 11381

q335-1-alcohol consumption (q335_1)**File:** md97_newvar**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 1-4

Valid cases: 1760

Invalid: 9746

q336-1-prenatal care (q336_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 1-2	

q337-1-month of prenatal care (q337_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-98	

q338-1-visits for prenatal care (q338_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-98	

q339-1-where receive prenatal care (q339_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-7	

q339-1-other-where receive prenatal care (q339_1ot)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 7
Format: character	Invalid: 0
Width: 10	

q340-1a-information about nutrition (q340_1a)**File:** md97_newvar

q340-1a-information about nutrition (q340_1a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-2	

q340-1b-information about smoking-pg (q340_1b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-2	

q340-1c-information about alcohol-pg (q340_1c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-2	

q340-1d-information about breastfeeding (q340_1d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-2	

q340-1e-information about delivery (q340_1e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-2	

q340-1f-information about contraception (q340_1f)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-2	

q340-1g-information about pg complicatio (q340_1g)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-2	

q340-1h-information about postnatal care (q340_1h)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-2	

q332-2-birth-next to last (q332_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 354
Format: numeric	Invalid: 11152
Width: 8	
Decimals: 0	
Range: 2-9	

q333-2-smoke before became pg (q333_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 354
Format: numeric	Invalid: 11152
Width: 8	
Decimals: 0	
Range: 1-8	

q334-2-continue to smoke while pg (q334_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 17
Format: numeric	Invalid: 11489
Width: 8	
Decimals: 0	
Range: 1-8	

q335-2-alcohol consumption (q335_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 354
Format: numeric	Invalid: 11152
Width: 8	
Decimals: 0	
Range: 1-4	

q336-2-prenatal care (q336_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 354
Format: numeric	Invalid: 11152
Width: 8	
Decimals: 0	
Range: 1-2	

q337-2-month of prenatal care (q337_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-98	

q338-2-visits for prenatal care (q338_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 2-98	

q339-2-where receive prenatal care (q339_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-7	

q339-2-other-where receive prenatal care (q339_2ot)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1
Format: character	Invalid: 0
Width: 6	

q340-2a-information-nutrition (q340_2a)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-2	

q340-2b-information-smoking during pg (q340_2b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-2	

q340-2c-information-alcohol during pg (q340_2c)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-2	

q340-2d-information-breastfeeding (q340_2d)

File: md97_newvar

q340-2d-information-breastfeeding (q340_2d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-2	

q340-2e-information-delivery (q340_2e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-2	

q340-2f-information-contraception (q340_2f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-2	

q340-2g-information-warning signs-pg (q340_2g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-2	

q340-2h-information-postnatal care (q340_2h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-2	

q332-3-birth (q332_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 3-5

Valid cases: 27
 Invalid: 11479

q333-3-smoke before became pg (q333_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 27
 Invalid: 11479

q334-3-continue to smoke while pg (q334_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1
 Invalid: 11505

q335-3-alcohol consumption (q335_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-4

Valid cases: 27
 Invalid: 11479

q336-3-prenatal care (q336_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 27
 Invalid: 11479

q337-3-month of prenatal care (q337_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-98	

q338-3-visits for prenatal care (q338_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 3-98	

q339-3-where receive prenatal care (q339_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-7	

q339-3-other-where receive prenatal care (q339_3ot)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

q340-3a-information-nutrition (q340_3a)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q340-3b-information-smoking during pg (q340_3b)

File: md97_newvar

q340-3b-information-smoking during pg (q340_3b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q340-3c-information-alcohol during pg (q340_3c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q340-3d-information-breastfeeding (q340_3d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q340-3e-information-delivery (q340_3e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q340-3f-information-contraception (q340_3f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q340-3g-information-warning signs of pg (q340_3g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q340-3h-information-postnatal care (q340_3h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q341-1-blood pressure-prenatal visit (q341_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-8	

q342-1-ever told-high blood pressure (q342_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1713
Format: numeric	Invalid: 9793
Width: 8	
Decimals: 0	
Range: 1-8	

q343-1-have ultrasound exam (q343_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1742
Format: numeric	Invalid: 9764
Width: 8	
Decimals: 0	
Range: 1-8	

q344-1-month of ultrasound exam (q344_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1353
Format: numeric	Invalid: 10153
Width: 8	
Decimals: 0	
Range: 101-888	

q345-1-complication required-hospital (q345_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 1-8	

q346-a1-complication-miscarriage (q346a_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-b1-complication-1st trimester bleed (q346b_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-c1-complication-2nd trimester bleed (q346c_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-d1-complication-3rd trimester bleed (q346d_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-e1-complication-high blood pressure (q346e_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-f1-complication-diabetes (q346f_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-g1-complication-heart disease (q346g_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-h1-complication-liver disease (q346h_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-i1-complication-urinary tract infec (q346i_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-j1-complication-risk preterm labor (q346j_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-k1-complication-rh izoimmunization (q346k_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-l1-complication-other (q346l_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 522
Format: numeric	Invalid: 10984
Width: 8	
Decimals: 0	
Range: 1-8	

q346-l1-complication-other-what (q346l_1o)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 56
Format: character	Invalid: 0
Width: 10	

q341-2-blood pressure-prenatal visit (q341_2)**File:** md97_newvar

q341-2-blood pressure-prenatal visit (q341_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-8	

q342-2-ever told-high blood pressure (q342_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 345
Format: numeric	Invalid: 11161
Width: 8	
Decimals: 0	
Range: 1-8	

q343-2-ultrasound during pg (q343_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 11158
Width: 8	
Decimals: 0	
Range: 1-8	

q344-2-month-ultrasound (q344_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 225
Format: numeric	Invalid: 11281
Width: 8	
Decimals: 0	
Range: 101-888	

q345-2-hospital due to complications (q345_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 354
Format: numeric	Invalid: 11152
Width: 8	
Decimals: 0	
Range: 1-8	

q346-a2-complication-miscarriage (q346a_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 98
Format: numeric	Invalid: 11408
Width: 8	
Decimals: 0	
Range: 1-8	

q346-b2-complication-1st trimester bleed (q346b_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 98
Format: numeric	Invalid: 11408
Width: 8	
Decimals: 0	
Range: 1-8	

q346-c2-complication-2nd trimester bleed (q346c_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 98
Format: numeric	Invalid: 11408
Width: 8	
Decimals: 0	
Range: 1-8	

q346-d2-complication-3rd trimester bleed (q346d_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 98
Format: numeric	Invalid: 11408
Width: 8	
Decimals: 0	
Range: 1-8	

q346-e2-complication-high blood pressure (q346e_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 98
Format: numeric	Invalid: 11408
Width: 8	
Decimals: 0	
Range: 1-8	

q346-f2-complication-diabetes (q346f_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 98
Format: numeric	Invalid: 11408
Width: 8	
Decimals: 0	
Range: 1-8	

q346-g2-complication-heart disease (q346g_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 98
Format: numeric	Invalid: 11408
Width: 8	
Decimals: 0	
Range: 1-8	

q346-h2-complication-liver disease (q346h_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 98
Format: numeric	Invalid: 11408
Width: 8	
Decimals: 0	
Range: 1-8	

q346-i2-complication-urinary tract infec (q346i_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 98
Format: numeric	Invalid: 11408
Width: 8	
Decimals: 0	
Range: 1-8	

q346-j2-complication-risk preterm labor (q346j_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 98
Format: numeric	Invalid: 11408
Width: 8	
Decimals: 0	
Range: 1-8	

q346-k2-complication-rh izoimmunization (q346k_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 98
 Invalid: 11408

q346-l2-complication-other (q346l_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 98
 Invalid: 11408

q346-l2-complication-other-what (q346l_2o)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 9
 Invalid: 0

q341-3-blood pressure-prenatal visit (q341_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 27
 Invalid: 11479

q342-3-ever told-high blood pressure (q342_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 26
 Invalid: 11480

q343-3-have ultrasound during pg (q343_3)**File:** md97_newvar

q343-3-have ultrasound during pg (q343_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-8	

q344-3-month of ultrasound (q344_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 17
Format: numeric	Invalid: 11489
Width: 8	
Decimals: 0	
Range: 103-888	

q345-3-hospitalized for complications (q345_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-8	

q346-a3-complication-miscarriage (q346a_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-b3-complication-1st trimester bleed (q346b_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-c3-complication-2nd trimester bleed (q346c_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-d3-complication-3rd trimester bleed (q346d_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-e3-complication-high blood pressure (q346e_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-f3-complication-diabetes (q346f_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-g3-complication-heart disease (q346g_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-h3-complication-liver disease (q346h_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-i3-complication-urinary tract infec (q346i_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-j3-complication-risk preterm labor (q346j_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-k3-complication-rh izoimmunization (q346k_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-l3-complication-other (q346l_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	
Decimals: 0	
Range: 1-8	

q346-l3-complication-other-what (q346l_3o)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 6

Valid cases: 2
 Invalid: 0

q347-1-vaginal or caesarian delivery (q347_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1760
 Invalid: 9746

q348-a1-reason ceasarian-fetopelvic disp (q348a_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 110
 Invalid: 11396

q348-b1-reason ceasarian-unfav.presentat (q348b_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 110
 Invalid: 11396

q348-c1-reason ceasarian-fetal distress (q348c_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 110
 Invalid: 11396

q348-d1-reason ceasarian-uterine dysfunc (q348d_1)**File:** md97_newvar

q348-d1-reason ceasarian-uterine dysfunc (q348d_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 110
Format: numeric	Invalid: 11396
Width: 8	
Decimals: 0	
Range: 1-2	

q348-e1-reason ceasarian-pacenta previa (q348e_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 110
Format: numeric	Invalid: 11396
Width: 8	
Decimals: 0	
Range: 1-2	

q348-f1-reason ceasarian-ruptured uterus (q348f_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 110
Format: numeric	Invalid: 11396
Width: 8	
Decimals: 0	
Range: 1-2	

q348-g1-reason ceasarian-preeclampsia (q348g_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 110
Format: numeric	Invalid: 11396
Width: 8	
Decimals: 0	
Range: 1-2	

q348-h1-reason ceasarian-diabetes (q348h_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 110
Format: numeric	Invalid: 11396
Width: 8	
Decimals: 0	
Range: 1-2	

q348-i1-reason ceasarian-repeat c sect (q348i_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 110
Format: numeric	Invalid: 11396
Width: 8	
Decimals: 0	
Range: 1-2	

q348-j1-reason ceasarian-do not know (q348j_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 110
Format: numeric	Invalid: 11396
Width: 8	
Decimals: 0	
Range: 1-2	

q348-k1-reason ceasarian-other (q348k_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 110
Format: numeric	Invalid: 11396
Width: 8	
Decimals: 0	
Range: 1-2	

q348-k1-what other-reason ceasarian (q348k_1o)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 10
Format: character	Invalid: 0
Width: 10	

q349-1-hours-how long labor (q349_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 1-88	

q350-1-weight of baby-grams (q350_1)**File:** md97_newvar

q350-1-weight of baby-grams (q350_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 700-8888	

q351-6 wks pn-complication-bleeding (q351_1a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 1-2	

q351-1b-6 wks pn-complication-vag dischr (q351_1b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 1-2	

q351-1c-6 wks pn-complication-infection (q351_1c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 1-2	

q351-1d-6 wks pn-complication-faint/coma (q351_1d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 1-2	

q351-1e-6 wks pn-complication-high fever (q351_1e)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1760
 Invalid: 9746

q351-1f-6 wks pn-complication-disuria (q351_1f)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1760
 Invalid: 9746

q351-1g-6 wks pn-complication-painful ut (q351_1g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1760
 Invalid: 9746

q351-1h-6 wks pn-complication-breast inf (q351_1h)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1760
 Invalid: 9746

q347-2-vaginal or caesarian delivery (q347_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 354
 Invalid: 11152

q348-a2-reason ceasarian-fetopelvic disp (q348a_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-b2-reason ceasarian-unfav.presentat (q348b_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-c2-reason ceasarian-fetal distress (q348c_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-d2-reason ceasarian-uterine dysfunc (q348d_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-e2-reason ceasarian-pacenta previa (q348e_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-f2-reason ceasarian-ruptured uterus (q348f_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-g2-reason ceasarian-preeclampsia (q348g_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-h2-reason ceasarian-diabetes (q348h_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-i2-reason ceasarian-repeat c sect (q348i_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-j2-reason ceasarian-do not know (q348j_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-k2-reason ceasarian-other (q348k_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 18
Format: numeric	Invalid: 11488
Width: 8	
Decimals: 0	
Range: 1-2	

q348-k2-what other-reason ceasarian (q348k_2o)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1
Format: character	Invalid: 0
Width: 6	

q349-2-hours-how long labor (q349_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 354
Format: numeric	Invalid: 11152
Width: 8	
Decimals: 0	
Range: 1-88	

q350-2-weight of baby-grams (q350_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 354
Format: numeric	Invalid: 11152
Width: 8	
Decimals: 0	
Range: 900-8888	

q351-2a-6 wks-pn-complication-bleeding (q351_2a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 354
Format: numeric	Invalid: 11152
Width: 8	
Decimals: 0	
Range: 1-2	

q351-2b-6 wks-pn-complication-vag.dischr (q351_2b)**File:** md97_newvar

q351-2b-6 wks-pn-complication-vag.dischr (q351_2b)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 354
 Invalid: 11152

q351-2c-6 wks-pn-complication-infection (q351_2c)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 354
 Invalid: 11152

q351-2d-6 wks-pn-complication-faint/coma (q351_2d)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 354
 Invalid: 11152

q351-2e-6 wks-pn-complication-high fever (q351_2e)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 354
 Invalid: 11152

q351-2f-6 wks-pn-complication-disuria (q351_2f)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 354
 Invalid: 11152

q351-2g-6 wks-pn-complication-pain uteru (q351_2g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 354
 Invalid: 11152

q351-2h-6 wks-pn-complication-breast inf (q351_2h)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 354
 Invalid: 11152

q347-3-vaginal or caesarian delivery (q347_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 27
 Invalid: 11479

q348-a3-reason ceasarian-fetopelvic disp (q348a_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-b3-reason ceasarian-unfav.presentat (q348b_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-c3-reason ceasarian-fetal distress (q348c_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-d3-reason ceasarian-uterine dysfunc (q348d_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-e3-reason ceasarian-pacenta previa (q348e_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-f3-reason ceasarian-ruptured uterus (q348f_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-g3-reason ceasarian-preeclampsia (q348g_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-h3-reason ceasarian-diabetes (q348h_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-i3-reason ceasarian-repeat c sect (q348i_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-j3-reason ceasarian-do not know (q348j_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-k3-reason ceasarian-other (q348k_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1
 Invalid: 11505

q348-k3-what other-reason ceasarian (q348k_3o)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q349-3-hours-how long labor (q349_3)**File:** md97_newvar

q349-3-hours-how long labor (q349_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-88	

q350-3-weight of baby-grams (q350_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1100-8888	

q351-3a-6 wks-pn-complication-bleeding (q351_3a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q351-3b-6 wks-pn-complication-vag.dischr (q351_3b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q351-3c-6 wks-pn-complication-infection (q351_3c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-2	

q351-3d-6 wks-pn-complication-faint/coma (q351_3d)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 27
 Invalid: 11479

q351-3e-6 wks-pn-complication-high fever (q351_3e)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 27
 Invalid: 11479

q351-3f-6 wks-pn-complication-disuria (q351_3f)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 27
 Invalid: 11479

q351-3g-6 wks-pn-complication-pain uteru (q351_3g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 27
 Invalid: 11479

q351-3h-6 wks-pn-complication-breast inf (q351_3h)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 27
 Invalid: 11479

q352-postnatal-6 wks after birth (q352_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1752
Format: numeric	Invalid: 9754
Width: 8	
Decimals: 0	
Range: 1-8	

q353-1a-postnatal info-breastfeeding (q353_1a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1306
Format: numeric	Invalid: 10200
Width: 8	
Decimals: 0	
Range: 1-2	

q353-1b-postnatal info-breastcare (q353_1b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1306
Format: numeric	Invalid: 10200
Width: 8	
Decimals: 0	
Range: 1-2	

q353-1c-postnatal care-childcare (q353_1c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1306
Format: numeric	Invalid: 10200
Width: 8	
Decimals: 0	
Range: 1-2	

q353-1d-postnatal info-imunization (q353_1d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1306
Format: numeric	Invalid: 10200
Width: 8	
Decimals: 0	
Range: 1-2	

q353-1e-postnatal info-nutrition (q353_1e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1306
Format: numeric	Invalid: 10200
Width: 8	
Decimals: 0	
Range: 1-2	

q353-1f-postnatal info-contraception (q353_1f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1306
Format: numeric	Invalid: 10200
Width: 8	
Decimals: 0	
Range: 1-2	

q354-1-breastfed child (q354_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1752
Format: numeric	Invalid: 9754
Width: 8	
Decimals: 0	
Range: 1-2	

q355-1-how long after birth-breastfeed (q355_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1650
Format: numeric	Invalid: 9856
Width: 8	
Decimals: 0	
Range: 100-888	

q356-1-still breastfeeding (q356_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1650
Format: numeric	Invalid: 9856
Width: 8	
Decimals: 0	
Range: 1-2	

q357-1-age of baby-stop breastfeeding (q357_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1378
Format: numeric	Invalid: 10128
Width: 8	
Decimals: 0	
Range: 101-888	

q358-1-age of baby-other food (q358_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1650
Format: numeric	Invalid: 9856
Width: 8	
Decimals: 0	
Range: 1-88	

q352-2-postnatal-6 wks after birth (q352_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 346
Format: numeric	Invalid: 11160
Width: 8	
Decimals: 0	
Range: 1-8	

q353-2a-postnatal-info-breastfeeding (q353_2a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 263
Format: numeric	Invalid: 11243
Width: 8	
Decimals: 0	
Range: 1-2	

q353-2b-postnatal info-breast care (q353_2b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 263
Format: numeric	Invalid: 11243
Width: 8	
Decimals: 0	
Range: 1-2	

q353-2c-postnatal info-child care (q353_2c)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 263
Format: numeric	Invalid: 11243
Width: 8	
Decimals: 0	
Range: 1-2	

q353-2d-postnatal info-imunization (q353_2d)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 263
Format: numeric	Invalid: 11243
Width: 8	
Decimals: 0	
Range: 1-2	

q353-2e-postnatal info-nutrition (q353_2e)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 263
Format: numeric	Invalid: 11243
Width: 8	
Decimals: 0	
Range: 1-2	

q353-2f-postnatal info-contraception (q353_2f)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 263
Format: numeric	Invalid: 11243
Width: 8	
Decimals: 0	
Range: 1-2	

q354-2-breastfed child (q354_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 346
Format: numeric	Invalid: 11160
Width: 8	
Decimals: 0	
Range: 1-2	

q355-2-how long after birth-breastfed (q355_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 314
Format: numeric	Invalid: 11192
Width: 8	
Decimals: 0	
Range: 101-888	

q357-2-age of baby-stop breastfeeding (q357_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 314
Format: numeric	Invalid: 11192
Width: 8	
Decimals: 0	
Range: 102-888	

q358-2-age of baby-other food (q358_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 314
Format: numeric	Invalid: 11192
Width: 8	
Decimals: 0	
Range: 1-88	

q352-3-postnatal 6wks after birth (q352_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 27
Format: numeric	Invalid: 11479
Width: 8	
Decimals: 0	
Range: 1-8	

q353-3a-postnatal info-breastfeeding (q353_3a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	
Decimals: 0	
Range: 1-2	

q353-3b-postnatal info-breast care (q353_3b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	
Decimals: 0	
Range: 1-2	

q353-3c-postnatal info-child care (q353_3c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	
Decimals: 0	
Range: 1-2	

q353-3d-postnatal info-imunization (q353_3d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	
Decimals: 0	
Range: 1-2	

q353-3e-postnatal info-nutrition (q353_3e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	
Decimals: 0	
Range: 1-2	

q353-3f-postnatal info-contraception (q353_3f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	
Decimals: 0	
Range: 1-2	

q354-3-breastfed child (q354_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 27
 Invalid: 11479

q355-3-how long after birth-breastfeed (q355_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 101-888

Valid cases: 21
 Invalid: 11485

q357-3-how old baby stopped breastfeed (q357_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 201-888

Valid cases: 21
 Invalid: 11485

q358-3-age of baby-other food (q358_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 21
 Invalid: 11485

number of last birth (nastere)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-21

Valid cases: 1760
 Invalid: 9746

q359-where gave birth-last time (q359_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 1-5	

q359-other-where gave birth-last time (q359_1ot)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 16
Format: character	Invalid: 0
Width: 10	

q360-1a-rank-hygiene-birth place (q360_1a)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1741
Format: numeric	Invalid: 9765
Width: 8	
Decimals: 0	
Range: 1-8	

q360-1b-rank-comfort-last birth place (q360_1b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1741
Format: numeric	Invalid: 9765
Width: 8	
Decimals: 0	
Range: 1-8	

q360-1c-rank-hospital crowdedness-last (q360_1c)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1741
Format: numeric	Invalid: 9765
Width: 8	
Decimals: 0	
Range: 1-8	

q360-1d-rank-permission of visitors-last (q360_1d)

File: md97_newvar

q360-1d-rank-permission of visitors-last (q360_1d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1741
Format: numeric	Invalid: 9765
Width: 8	
Decimals: 0	
Range: 1-8	

q360-1e-rank-competence of hcw-last birt (q360_1e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1741
Format: numeric	Invalid: 9765
Width: 8	
Decimals: 0	
Range: 1-8	

q360-1f-rank-behavior-hcw-last birth pla (q360_1f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1741
Format: numeric	Invalid: 9765
Width: 8	
Decimals: 0	
Range: 1-8	

q361-1-nbr women-share hospital room (q361_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1741
Format: numeric	Invalid: 9765
Width: 8	
Decimals: 0	
Range: 1-888	

q362-1-nbr days after birth-left hosp (q362_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1741
Format: numeric	Invalid: 9765
Width: 8	
Decimals: 0	
Range: 1-888	

q363-1-month-period returned after birth (q363_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 1-88	

q364-1-month-resume-sexual intercourse (q364_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 9746
Width: 8	
Decimals: 0	
Range: 1-88	

q365-pregnancy end 1992-1997 (q365)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-3	

q366-a-before pg end-partner-push/slap (q366_a)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q366-b-before pg end-partner kick/hit (q366_b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q366-c-before pg end-partner-threaten (q366_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q366-d-before pg end-partner-beat up (q366_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q366-e-before pg end-partner-force sex (q366_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q367-a-during pg-partner-push/slap (q367_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q367-b-during pg-partner hit/kick (q367_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q367-c-during pg-partner-threaten weapon (q367_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q367-d-during pg-partner-beat up (q367_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q367-e-during pg-partner-force sex (q367_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q368-a-after pg end-partner push/slap (q368_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q368-b-after pg end-partner hit/kick (q368_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q368-c-after pg end-partner-threaten (q368_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q368-d-after pg end-partner-beat up (q368_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q368-e-after pg end-partner-force sex (q368_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2403
Format: numeric	Invalid: 9103
Width: 8	
Decimals: 0	
Range: 1-8	

q400-a-heard of pill (q400_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q401-a-pill-use (q401_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3599
Format: numeric	Invalid: 7907
Width: 8	
Decimals: 0	
Range: 1-2	

q402-a-pill-use (q402_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3599
Format: numeric	Invalid: 7907
Width: 8	
Decimals: 0	
Range: 1-2	

q403-a-pill-can get (q403_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3599
Format: numeric	Invalid: 7907
Width: 8	
Decimals: 0	
Range: 1-2	

q404-a-pill-discuss about method (q404_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3599
Format: numeric	Invalid: 7907
Width: 8	
Decimals: 0	
Range: 1-88	

q404-a-pill-other-discuss about method (q404_aot)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11
Format: character	Invalid: 0
Width: 10	

q400-b-iud-heard of (q400_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q401-b-used iud (q401_b)**File:** md97_newvar

q401-b-used iud (q401_b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5283
Format: numeric	Invalid: 6223
Width: 8	
Decimals: 0	
Range: 1-2	

q402-b-iud-husband/partner (q402_b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5283
Format: numeric	Invalid: 6223
Width: 8	
Decimals: 0	
Range: 1-2	

q403-a-pill-get (q403_b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5283
Format: numeric	Invalid: 6223
Width: 8	
Decimals: 0	
Range: 1-2	

q404-b-who told-iud (q404_b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5283
Format: numeric	Invalid: 6223
Width: 8	
Decimals: 0	
Range: 1-88	

q404-b-iud-other-discuss about method (q404_bot)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1
Format: character	Invalid: 0
Width: 8	

q400-c-heard of condoms (q400_c)

File: md97_newvar

q400-c-heard of condoms (q400_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q401-c-used condom (q401_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5244
Format: numeric	Invalid: 6262
Width: 8	
Decimals: 0	
Range: 1-2	

q402-c-use condoms-w/partner (q402_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5244
Format: numeric	Invalid: 6262
Width: 8	
Decimals: 0	
Range: 1-2	

q403-c-get condoms (q403_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5244
Format: numeric	Invalid: 6262
Width: 8	
Decimals: 0	
Range: 1-2	

q404-c-who told-condoms (q404_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5244
Format: numeric	Invalid: 6262
Width: 8	
Decimals: 0	
Range: 1-88	

q404-c-condom-other-discuss about method (q404_cot)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4
Format: character	Invalid: 0
Width: 8	

q400-d-heard of foam/jelly/cream (q400_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q401-d-used foam/jelly/cream (q401_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1119
Format: numeric	Invalid: 10387
Width: 8	
Decimals: 0	
Range: 1-2	

q402-d-used foam/cream with partner (q402_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1119
Format: numeric	Invalid: 10387
Width: 8	
Decimals: 0	
Range: 1-2	

q403-d-get foam/cream (q403_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1119
Format: numeric	Invalid: 10387
Width: 8	
Decimals: 0	
Range: 1-2	

q404-d-who told-foam/jelly/cream (q404_d)**File:** md97_newvar

q404-d-who told-foam/jelly/cream (q404_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1119
Format: numeric	Invalid: 10387
Width: 8	
Decimals: 0	
Range: 1-88	

q404-d-foam-other-discuss about method (q404_dot)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: character	Invalid: 0
Width: 9	

q400-e-heard of female sterilization (q400_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q401-e-used female sterilization (q401_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3805
Format: numeric	Invalid: 7701
Width: 8	
Decimals: 0	
Range: 1-2	

q402-e-use female ster.w/partner (q402_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3805
Format: numeric	Invalid: 7701
Width: 8	
Decimals: 0	
Range: 1-2	

q403-e-get female sterilziation (q403_e)**File:** md97_newvar

q403-e-get female sterilization (q403_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3805
Format: numeric	Invalid: 7701
Width: 8	
Decimals: 0	
Range: 1-2	

q404-e-who told-female sterilization (q404_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3805
Format: numeric	Invalid: 7701
Width: 8	
Decimals: 0	
Range: 1-88	

q404-e-female sterl-other-discuss about (q404_eot)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3
Format: character	Invalid: 0
Width: 6	

q400-f-heard of vasectomy (q400_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q401-f-vasectomy-use (q401_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1393
Format: numeric	Invalid: 10113
Width: 8	
Decimals: 0	
Range: 1-2	

q402-f-get vasectomy (q402_f)**File:** md97_newvar

q402-f-get vasectomy (q402_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1393
Format: numeric	Invalid: 10113
Width: 8	
Decimals: 0	
Range: 1-2	

q402-f-use vasectomy w/ partner (q403_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1393
Format: numeric	Invalid: 10113
Width: 8	
Decimals: 0	
Range: 1-2	

q404-f-who told-vasectomy (q404_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1393
Format: numeric	Invalid: 10113
Width: 8	
Decimals: 0	
Range: 1-88	

q404-f-vasectomy-other-discuss about met (q404_fot)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3
Format: character	Invalid: 0
Width: 6	

q400-g-heard of norplant (q400_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q401-g-used norplant (q401_g)**File:** md97_newvar

q401-g-used norplant (q401_g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 206
 Invalid: 11300

q402-g-use norplant w/partner (q402_g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 206
 Invalid: 11300

q403-g-get-norplant (q403_g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 206
 Invalid: 11300

q404-g-who told-norplant (q404_g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 206
 Invalid: 11300

q404-g-norplant-other-discuss about meth (q404_got)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 8

Valid cases: 1
 Invalid: 0

q400-h-heard of injection methods (q400_h)**File:** md97_newvar

q400-h-heard of injection methods (q400_h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-2	

q401-h-used injection methods (q401_h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1245
Format: numeric	Invalid: 10261
Width: 8	
Decimals: 0	
Range: 1-2	

q402-h-use injection methods w/partner (q402_h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1245
Format: numeric	Invalid: 10261
Width: 8	
Decimals: 0	
Range: 1-2	

q403-h-get injections (q403_h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1245
Format: numeric	Invalid: 10261
Width: 8	
Decimals: 0	
Range: 1-2	

q404-h-who told-injection methods (q404_h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1245
Format: numeric	Invalid: 10261
Width: 8	
Decimals: 0	
Range: 1-88	

q404-h-depo provera-other-discuss about (q404_hot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 8

Valid cases: 6
 Invalid: 0

q400-i-heard of calendar method (q400_i)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 5412
 Invalid: 6094

q401-i-used calendar method (q401_i)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 3848
 Invalid: 7658

q402-i-use calendar method w/partner (q402_i)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 3848
 Invalid: 7658

q404-i-who told-calendar method (q404_i)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 3848
 Invalid: 7658

q404-i-rhythm-other-discuss about method (q404_iot)**File:** md97_newvar

q404-i-rhythm-other-discuss about method (q404_iot)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 6

Valid cases: 2
 Invalid: 0

q400-j-heard of withdrawal (q400_j)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 5412
 Invalid: 6094

q401-j-used withdrawal (q401_j)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 4734
 Invalid: 6772

q402-j-use withdrawal w/partner (q402_j)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 4734
 Invalid: 6772

q404-j-who told-withdrawal (q404_j)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 4734
 Invalid: 6772

q404-j-withdrawal-other-discuss about me (q404_jot)**File:** md97_newvar

q404-j-withdrawal-other-discuss about me (q404_jot)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2
Format: character	Invalid: 0
Width: 6	

q405-most effective contraceptive (q405)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-88	

q406-1-pill-effective (q406_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q406-2-iud effective (q406_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q406-3-condom effective (q406_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q406-4-cream/jelly/foam effective (q406_4)**File:** md97_newvar

q406-4-cream/jelly/foam effective (q406_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q406-7-female sterilization (q406_7)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q406-8-norplant (q406_8)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q406-9-injections (q406_9)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q406-11-calendar effective (q406_11)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q406-12-withdrawal effective (q406_12)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q406-19-effective bc-douching (q406_19)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q408-age first menstruation (q408)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 0-99	

q409-know about menstruation-begin (q409)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1649
Format: numeric	Invalid: 9857
Width: 8	
Decimals: 0	
Range: 1-8	

q410-month-first sex (q410_mth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 0-99	

q410-year-first sex (q410_yr)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 975
Format: numeric	Invalid: 10531
Width: 8	
Decimals: 0	
Range: 0-9999	

q411-age-first intercourse (q411)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 975
Format: numeric	Invalid: 10531
Width: 8	
Decimals: 0	
Range: 13-88	

q412-1st sex-sexual partner relationship (q412)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 975
Format: numeric	Invalid: 10531
Width: 8	
Decimals: 0	
Range: 1-88	

q412-1st sex-other-partner relationship (q412_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

q413-1st partner age (q413)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 943
Format: numeric	Invalid: 10563
Width: 8	
Decimals: 0	
Range: 11-88	

q414-last had sex (q414)**File:** md97_newvar

q414-last had sex (q414)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 943
Format: numeric	Invalid: 10563
Width: 8	
Decimals: 0	
Range: 0-999	

q414-other-last had sex (q414_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

q415-discuss bc method w/partner-bef sex (q415)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 943
Format: numeric	Invalid: 10563
Width: 8	
Decimals: 0	
Range: 1-8	

q416-first sex-use bc method (q416)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 943
Format: numeric	Invalid: 10563
Width: 8	
Decimals: 0	
Range: 1-9	

q417-method used-first sexual contact (q417)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 247
Format: numeric	Invalid: 11259
Width: 8	
Decimals: 0	
Range: 1-88	

q417-other bc used-1st sexual contact (q417_oth)**File:** md97_newvar

q417-other bc used-1st sexual contact (q417_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q418-bc method-who decided-1st time (q418)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 247
 Invalid: 11259

q419-primary reason not to use (q419)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 695
 Invalid: 10811

q419-other-primary reason not to use (q419_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 2
 Invalid: 0

q420-age first sexual contact (q420)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 3757
 Invalid: 7749

q421-last 30 days-had sexual contact (q421)**File:** md97_newvar**Overview**

q421-last 30 days-had sexual contact (q421)**File: md97_newvar**Type: Discrete
Format: numericValid cases: 4694
Invalid: 6812

Width: 8

Decimals: 0

Range: 1-9

q422-last 3 months-sexual contact (q422)**File: md97_newvar****Overview**Type: Discrete
Format: numericValid cases: 919
Invalid: 10587

Width: 8

Decimals: 0

Range: 1-9

q423-nbr of partners-last 3 months (q423)**File: md97_newvar****Overview**

Type: Discrete

Valid cases: 4119
Invalid: 7387

Format: numeric

Width: 8

Decimals: 0

Range: 1-99

q424-sexual partners in life (q424)**File: md97_newvar****Overview**

Type: Discrete

Valid cases: 4694
Invalid: 6812

Format: numeric

Width: 8

Decimals: 0

Range: 1-999

q425-month-last sexual contatct (q425_mth)**File: md97_newvar****Overview**

Type: Discrete

Valid cases: 4694
Invalid: 6812

Format: numeric

Width: 8

Decimals: 0

Range: 1-99

q425-year-last sexual contact (q425_yr)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	Minimum: 1973
Decimals: 0	Maximum: 2222
Range: 1973-2222	Mean: 1998.6
	Standard deviation: 20.5

q501-verify respondent uses bc method (q501)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 1-2	

q502-discuss birth control w/partner (q502)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 500
Format: numeric	Invalid: 11006
Width: 8	
Decimals: 0	
Range: 1-2	

q503-last 30 days-use birth control (q503)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4201
Format: numeric	Invalid: 7305
Width: 8	
Decimals: 0	
Range: 1-2	

q504-method of birth control (q504)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3190
Format: numeric	Invalid: 8316
Width: 8	
Decimals: 0	
Range: 1-88	

q504-other-method of birth control (q504_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

q505-last 30 days-used condom (q505)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 2897
 Invalid: 8609

q506a-last 30 days-use bc method-q504? (q506a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 3190
 Invalid: 8316

q506b-agree-last 30 days-use bc method (q506b)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 3190
 Invalid: 8316

q507-a-reason no bc-difficult to obtain (q507_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 989
 Invalid: 10517

q507-b-reason trad bc-cost (q507_b)**File:** md97_newvar

q507-b-reason trad bc-cost (q507_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 989
Format: numeric	Invalid: 10517
Width: 8	
Decimals: 0	
Range: 1-8	

q507-c-reason trad bc-little knowledge (q507_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 989
Format: numeric	Invalid: 10517
Width: 8	
Decimals: 0	
Range: 1-8	

q507-d-reason trad bc-side effects (q507_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 989
Format: numeric	Invalid: 10517
Width: 8	
Decimals: 0	
Range: 1-8	

q507-e-reason trad bc-partner prefers (q507_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 989
Format: numeric	Invalid: 10517
Width: 8	
Decimals: 0	
Range: 1-8	

q507-f-reason trad bc-religion (q507_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 989
Format: numeric	Invalid: 10517
Width: 8	
Decimals: 0	
Range: 1-8	

q507-g-reason trad bc-doctor recommends (q507_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 989
Format: numeric	Invalid: 10517
Width: 8	
Decimals: 0	
Range: 1-8	

q508-effectiveness of bc (q508)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 989
Format: numeric	Invalid: 10517
Width: 8	
Decimals: 0	
Range: 1-8	

q509-prefer other bc method (q509)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3190
Format: numeric	Invalid: 8316
Width: 8	
Decimals: 0	
Range: 1-2	

q510-other method bc preferred (q510)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 663
Format: numeric	Invalid: 10843
Width: 8	
Decimals: 0	
Range: 1-88	

q510-other method bc preferred (q510_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1
Format: character	Invalid: 0
Width: 8	

q511-reason not to use preferred bc (q511)**File:** md97_newvar

q511-reason not to use prefered bc (q511)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 663
Format: numeric	Invalid: 10843
Width: 8	
Decimals: 0	
Range: 1-88	

q511-other-reason not to use prefered bc (q511_oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 37
Format: character	Invalid: 0
Width: 10	

q512-problem getting bc (q512)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3190
Format: numeric	Invalid: 8316
Width: 8	
Decimals: 0	
Range: 1-2	

q513-important problem (q513)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 424
Format: numeric	Invalid: 11082
Width: 8	
Decimals: 0	
Range: 1-88	

q513-other-important problem (q513_oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 7
Format: character	Invalid: 0
Width: 10	

q514-reason-partner-not use bc (q514)

File: md97_newvar

Overview

q514-reason-partner-not use bc (q514)**File:** md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 1504
 Invalid: 10002

q514-other-reason not using bc (q514_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 37
 Invalid: 0

q515-use bc method next 12 months (q515)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1414
 Invalid: 10092

q516-want-bc method in future (q516)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1020
 Invalid: 10486

q517-method of birth control-future use (q517)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 674
 Invalid: 10832

q517-other-birth control-future use (q517_oth)**File:** md97_newvar**Overview**

q517-other-birth control-future use (q517_oth)**File:** md97_newvar

Type: Discrete
 Format: character
 Width: 10

Valid cases: 6
 Invalid: 0

q518-willing to pay for bc (q518)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-888

Valid cases: 550
 Invalid: 10956

q519-discuss birth control w/partner (q519)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-4

Valid cases: 4694
 Invalid: 6812

q520-partner agree about bc (q520)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 2488
 Invalid: 9018

q521-use of condom besides bc (q521)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 4694
 Invalid: 6812

q521-other-use of condom besides bc (q521_oth)**File:** md97_newvar**Overview**

q521-other-use of condom besides bc (q521_oth)**File: md97_newvar**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 7
 Invalid: 0

q522-condom-never use-reason (q522)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 3265
 Invalid: 8241

q522-condom-never use-other reason (q522_oth)**File: md97_newvar****Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 102
 Invalid: 0

cal (ja92_1)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (ja92_2)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ja92_3)**File: md97_newvar****Overview**

cal (ja92_3)**File: md97_newvar**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 0
 Invalid: 11506

cal (ja92_4)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (fe92_1)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (fe92_2)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (fe92_3)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 15
 Invalid: 11491

cal (fe92_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ma92_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (ma92_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ma92_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 28
 Invalid: 11478

cal (ma92_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ap92_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (ap92_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ap92_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 27
 Invalid: 11479

cal (ap92_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (my92_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (my92_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (my92_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 31
 Invalid: 11475

cal (my92_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ju92_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (ju92_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ju92_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 42
 Invalid: 11464

cal (ju92_4)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (jl92_1)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (jl92_2)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (jl92_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 28
 Invalid: 11478

cal (jl92_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (au92_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (au92_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal 3 08 aug 1992-reason stopped bc (au92_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 37
 Invalid: 11469

cal (au92_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (se92_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (se92_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (se92_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 34
 Invalid: 11472

cal (se92_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (oc92_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (oc92_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-88	

cal (oc92_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 48
Format: numeric	Invalid: 11458
Width: 8	
Decimals: 0	
Range: 1-20	

cal (oc92_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (no92_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-9	

cal (no92_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-88	

cal (no92_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 49
Format: numeric	Invalid: 11457
Width: 8	
Decimals: 0	
Range: 1-20	

cal (no92_4)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (de92_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-9	

cal (de92_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-88	

cal (de92_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 38
Format: numeric	Invalid: 11468
Width: 8	
Decimals: 0	
Range: 1-20	

cal (de92_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

c1-1992-all methods=0 (c1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 1-2	

column 2 year 92-other method (c92_2oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2699
Format: numeric	Invalid: 8807
Width: 8	
Decimals: 0	
Range: 2-2	

other method-col 2 1992 (c92_2mth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

column 3 year 92-other reason (c92_3oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2699
Format: numeric	Invalid: 8807
Width: 8	
Decimals: 0	
Range: 2-2	

other reason-col 3 1992 (c92_3rea)**File:** md97_newvar

other reason-col 3 1992 (c92_3rea)

File: md97_newvar

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 0
Invalid: 0

cal (ja93_1)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-9

Valid cases: 11506
Invalid: 0

cal (ja93_2)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-88

Valid cases: 4694
Invalid: 6812

cal (ja93_3)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-20

Valid cases: 61
Invalid: 11445

cal (ja93_4)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 4694
Invalid: 6812

cal (fe93_1)

File: md97_newvar

cal (fe93_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (fe93_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (fe93_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 57
 Invalid: 11449

cal (fe93_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ma93_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (ma93_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ma93_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 54
 Invalid: 11452

cal (ma93_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ap93_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (ap93_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ap93_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 59
Format: numeric	Invalid: 11447
Width: 8	
Decimals: 0	
Range: 1-20	

cal (ap93_4)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (my93_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-9	

cal (my93_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-88	

cal (my93_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 73
Format: numeric	Invalid: 11433
Width: 8	
Decimals: 0	
Range: 1-20	

cal (my93_4)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (ju93_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-9	

cal (ju93_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-88	

cal (ju93_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 61
Format: numeric	Invalid: 11445
Width: 8	
Decimals: 0	
Range: 1-20	

cal (ju93_4)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (jl93_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (jl93_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (jl93_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 70
 Invalid: 11436

cal (jl93_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (au93_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (au93_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (au93_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 52
 Invalid: 11454

cal (au93_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (se93_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (se93_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (se93_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 53
 Invalid: 11453

cal (se93_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (oc93_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (oc93_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (oc93_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 41
 Invalid: 11465

cal (oc93_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (no93_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (no93_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (no93_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 36
 Invalid: 11470

cal (no93_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (de93_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (de93_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (de93_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 53
 Invalid: 11453

cal (de93_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

c2-1993-all methods=0 (c2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 4694
 Invalid: 6812

column 2 year 93-other method (c93_2oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3000
Format: numeric	Invalid: 8506
Width: 8	
Decimals: 0	
Range: 2-2	

other method-col 2 1993 (c93_2mth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

column 3 year 93-other reason (c93_3oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3000
Format: numeric	Invalid: 8506
Width: 8	
Decimals: 0	
Range: 1-2	

other reason-col 3 1993 (c93_3rea)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2
Format: character	Invalid: 0
Width: 13	

cal (ja94_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-9	

cal (ja94_2)

File: md97_newvar

Overview

cal (ja94_2)**File: md97_newvar**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ja94_3)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 68
 Invalid: 11438

cal (ja94_4)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (fe94_1)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (fe94_2)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (fe94_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 55
 Invalid: 11451

cal (fe94_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ma94_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (ma94_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ma94_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 53
 Invalid: 11453

cal (ma94_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ap94_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (ap94_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ap94_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 65
 Invalid: 11441

cal (ap94_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (my94_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (my94_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (my94_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 58
 Invalid: 11448

cal (my94_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ju94_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (ju94_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-88	

cal (ju94_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 54
Format: numeric	Invalid: 11452
Width: 8	
Decimals: 0	
Range: 1-20	

cal (ju94_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (jl94_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-9	

cal (jl94_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-88	

cal (jl94_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 49
 Invalid: 11457

cal (jl94_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (au94_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (au94_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (au94_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 51
 Invalid: 11455

cal (au94_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (se94_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (se94_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (se94_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 49
 Invalid: 11457

cal (se94_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (oc94_1)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (oc94_2)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (oc94_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 43
 Invalid: 11463

cal (oc94_4)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (no94_1)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (no94_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (no94_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 40
 Invalid: 11466

cal (no94_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (de94_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (de94_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (de94_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 44
Format: numeric	Invalid: 11462
Width: 8	
Decimals: 0	
Range: 1-20	

cal (de94_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

c3-1994-all methods=0 (c3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 1-2	

column 2 year 94-other method (c94_2oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3155
Format: numeric	Invalid: 8351
Width: 8	
Decimals: 0	
Range: 1-2	

other method-col 2 1994 (c94_2mth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1
Format: character	Invalid: 0
Width: 8	

column 3 year 94-other reason (c94_3oth)**File:** md97_newvar

column 3 year 94-other reason (c94_3oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3155
Format: numeric	Invalid: 8351
Width: 8	
Decimals: 0	
Range: 1-2	

other reason-col 3 1994 (c94_3rea)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3
Format: character	Invalid: 0
Width: 15	

cal (ja95_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11505
Format: numeric	Invalid: 1
Width: 8	
Decimals: 0	
Range: 0-9	

cal (ja95_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4695
Format: numeric	Invalid: 6811
Width: 8	
Decimals: 0	
Range: 0-88	

cal (ja95_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 146
Format: numeric	Invalid: 11360
Width: 8	
Decimals: 0	
Range: 1-20	

cal (ja95_4)

File: md97_newvar

cal (ja95_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (fe95_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (fe95_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (fe95_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 70
 Invalid: 11436

cal (fe95_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ma95_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (ma95_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (ma95_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 56
 Invalid: 11450

cal (ma95_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ap95_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (ap95_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4695
Format: numeric	Invalid: 6811
Width: 8	
Decimals: 0	
Range: 0-88	

cal (ap95_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 63
Format: numeric	Invalid: 11443
Width: 8	
Decimals: 0	
Range: 1-20	

cal (ap95_4)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (my95_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11505
Format: numeric	Invalid: 1
Width: 8	
Decimals: 0	
Range: 0-9	

cal (my95_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4695
Format: numeric	Invalid: 6811
Width: 8	
Decimals: 0	
Range: 0-88	

cal (my95_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 51
 Invalid: 11455

cal (my95_4)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ju95_1)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (ju95_2)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ju95_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 57
 Invalid: 11449

cal (ju95_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (jl95_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (jl95_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (jl95_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 54
 Invalid: 11452

cal (jl95_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (au95_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (au95_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (au95_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 65
 Invalid: 11441

cal (au95_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4693
 Invalid: 6813

cal (se95_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (se95_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (se95_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 60
 Invalid: 11446

cal (se95_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (oc95_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (oc95_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (oc95_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 53
 Invalid: 11453

cal (oc95_4)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4695
 Invalid: 6811

cal (no95_1)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (no95_2)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (no95_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 53
 Invalid: 11453

cal (no95_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4695
 Invalid: 6811

cal (de95_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (de95_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (de95_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-71

Valid cases: 56
 Invalid: 11450

cal (de95_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4695
 Invalid: 6811

c4-1995-all methods=0 (c4)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4695
Format: numeric	Invalid: 6811
Width: 8	
Decimals: 0	
Range: 0-2	

column 2 year 95-other method (c95_2oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3350
Format: numeric	Invalid: 8156
Width: 8	
Decimals: 0	
Range: 1-2	

other method-col 2 1995 (c95_2mth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2
Format: character	Invalid: 0
Width: 13	

column 3 year 95-other reason (c95_3oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3350
Format: numeric	Invalid: 8156
Width: 8	
Decimals: 0	
Range: 0-2	

other reason-col 3 1995 (c95_3rea)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3
Format: character	Invalid: 0
Width: 15	

cal (ja96_1)

File: md97_newvar

Overview

cal (ja96_1)**File: md97_newvar**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (ja96_2)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (ja96_3)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 79
 Invalid: 11427

cal (ja96_4)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (fe96_1)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (fe96_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (fe96_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 71
 Invalid: 11435

cal (fe96_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ma96_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (ma96_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (ma96_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 71
 Invalid: 11435

cal (ma96_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ap96_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (ap96_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (ap96_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 80
 Invalid: 11426

cal (ap96_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (my96_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11505
Format: numeric	Invalid: 1
Width: 8	
Decimals: 0	
Range: 0-9	

cal (my96_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4695
Format: numeric	Invalid: 6811
Width: 8	
Decimals: 0	
Range: 0-88	

cal (my96_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 85
Format: numeric	Invalid: 11421
Width: 8	
Decimals: 0	
Range: 1-20	

cal (my96_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (ju96_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (ju96_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (ju96_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 62
 Invalid: 11444

cal (ju96_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (jl96_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (jl96_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (jl96_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 73
 Invalid: 11433

cal (jl96_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (au96_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (au96_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (au96_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 72
 Invalid: 11434

cal (au96_4)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (se96_1)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (se96_2)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (se96_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 64
 Invalid: 11442

cal (se96_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (oc96_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (oc96_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (oc96_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 81
 Invalid: 11425

cal (oc96_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4695
 Invalid: 6811

cal (no96_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (no96_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (no96_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 59
 Invalid: 11447

cal (no96_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4695
 Invalid: 6811

cal (de96_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (de96_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (de96_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 67
 Invalid: 11439

cal (de96_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4695
 Invalid: 6811

c3-1996-all methods=0 (c5)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 4695
 Invalid: 6811

column 2 year 96-other method (c96_2oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 3541
 Invalid: 7965

other method-col 2 1996 (c96_2mth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2
Format: character	Invalid: 0
Width: 13	

column 3 year 96-other reason (c96_3oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3541
Format: numeric	Invalid: 7965
Width: 8	
Decimals: 0	
Range: 0-2	

other reason-col 3 1996 (c96_3rea)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5
Format: character	Invalid: 0
Width: 12	

cal (ja97_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11505
Format: numeric	Invalid: 1
Width: 8	
Decimals: 0	
Range: 0-9	

cal (ja97_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4695
Format: numeric	Invalid: 6811
Width: 8	
Decimals: 0	
Range: 0-88	

cal (ja97_3)

File: md97_newvar

Overview

cal (ja97_3)**File:** md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 91
 Invalid: 11415

cal (ja97_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (fe97_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (fe97_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (fe97_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 76
 Invalid: 11430

cal (fe97_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ma97_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (ma97_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4695
 Invalid: 6811

cal (ma97_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 76
 Invalid: 11430

cal (ma97_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (ap97_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11505
Format: numeric	Invalid: 1
Width: 8	
Decimals: 0	
Range: 0-9	

cal (ap97_2)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-88	

cal (ap97_3)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 89
Format: numeric	Invalid: 11417
Width: 8	
Decimals: 0	
Range: 1-20	

cal (ap97_4)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (my97_1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11505
Format: numeric	Invalid: 1
Width: 8	
Decimals: 0	
Range: 0-9	

cal (my97_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-88	

cal (my97_3)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 92
Format: numeric	Invalid: 11414
Width: 8	
Decimals: 0	
Range: 1-20	

cal (my97_4)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4694
Format: numeric	Invalid: 6812
Width: 8	
Decimals: 0	
Range: 0-1	

cal (ju97_1)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11505
Format: numeric	Invalid: 1
Width: 8	
Decimals: 0	
Range: 0-9	

cal (ju97_2)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4695
Format: numeric	Invalid: 6811
Width: 8	
Decimals: 0	
Range: 0-88	

cal (ju97_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 94
 Invalid: 11412

cal (ju97_4)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (jl97_1)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (jl97_2)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 4694
 Invalid: 6812

cal (jl97_3)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 113
 Invalid: 11393

cal (jl97_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4694
 Invalid: 6812

cal (au97_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (au97_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 3537
 Invalid: 7969

cal (au97_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 61
 Invalid: 11445

cal (au97_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 3537
 Invalid: 7969

cal (se97_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11505
 Invalid: 1

cal (se97_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 1250
 Invalid: 10256

cal (se97_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 17
 Invalid: 11489

cal (se97_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 1251
 Invalid: 10255

cal (oc97_1)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-9

Valid cases: 11506
 Invalid: 0

cal (oc97_2)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 0
 Invalid: 11506

cal (oc97_3)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 0
 Invalid: 11506

cal (oc97_4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 11506

c4-1997-all methods=0 (c6)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 4694
 Invalid: 6812

column 2 year 97-other method (c97_2oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 2-2

Valid cases: 3548
 Invalid: 7958

other method-col 2 1997 (c97_2mth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

column 3 year 97-other reason (c97_3oth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3548
Format: numeric	Invalid: 7958
Width: 8	
Decimals: 0	
Range: 1-2	

other reason-col 3 1997 (c97_3rea)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 8
Format: character	Invalid: 0
Width: 15	

q524_bc method used -january 1992 (q524_bc)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2237
Format: numeric	Invalid: 9269
Width: 8	
Decimals: 0	
Range: 0-88	

q524-start-method used in january 1992 (q524_mth)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2237
Format: numeric	Invalid: 9269
Width: 8	
Decimals: 0	
Range: 1-98	

q524-start-method used in january 1992 (q524_yr)

File: md97_newvar

Overview

q524-start-method used in january 1992 (q524_yr)

File: md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1973-9898

Valid cases: 2237
 Invalid: 9269

q525-last contraceptive used in calender (q525)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 3932
 Invalid: 7574

q525-other last contraceptive used/calen (q525_oth)

File: md97_newvar

Overview

Type: Discrete
 Format: character
 Width: 10

Valid cases: 4
 Invalid: 0

q526-where got last used-contraceptive (q526)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 2549
 Invalid: 8957

q526-other-where got last used-contracep (q526_oth)

File: md97_newvar

Overview

Type: Discrete
 Format: character
 Width: 10

Valid cases: 2
 Invalid: 0

q527-pay for last used method (q527)

File: md97_newvar

Overview

q527-pay for last used method (q527)

File: md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 2550
 Invalid: 8956

q528-cost of method (q528)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-888

Valid cases: 1195
 Invalid: 10311

q529-who gives/advice on contraceptive (q529)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-20

Valid cases: 2549
 Invalid: 8957

q529-other-who gives/advice on contracep (q529_oth)

File: md97_newvar

Overview

Type: Discrete
 Format: character
 Width: 10

Valid cases: 10
 Invalid: 0

q530-health provider talk about other bc (q530)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1959
 Invalid: 9547

q531-health provider compare bc methods (q531)

File: md97_newvar

Overview

q531-health provider compare bc methods (q531)

File: md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1027
 Invalid: 10479

q532-medical-explain complications-bc (q532)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 1958
 Invalid: 9548

q533-satisfied w/family planning service (q533)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-5

Valid cases: 1958
 Invalid: 9548

q534-physically able to get pregnant (q534)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-4

Valid cases: 1511
 Invalid: 9995

q535-main motive not pregnant (q535)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-99

Valid cases: 1099
 Invalid: 10407

q535-other-motive not pregnant (q535_oth)

File: md97_newvar

Overview

Type: Discrete
Format: character
Width: 10

Valid cases: 6
Invalid: 0

q536-last 12 months-wanted condom (q536)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-3

Valid cases: 4694
Invalid: 6812

q537-last 12 months-get condom (q537)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-2

Valid cases: 329
Invalid: 11177

q538-reason-not get condom (q538)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8

Valid cases: 3
Invalid: 11503

q538-other-reason-not get condom (q538_oth)

File: md97_newvar

Overview

Type: Discrete
Format: character
Width: 1

Valid cases: 1
Invalid: 0

q539-intend to have children-future (q539)

File: md97_newvar

Overview

q539-intend to have children-future (q539)

File: md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 4526
 Invalid: 6980

q540-after pregnancy-intend have another (q540)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 169
 Invalid: 11337

q541-when want to get pg again (q541)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1703
 Invalid: 9803

q542-operation to prevent children (q542)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-8

Valid cases: 2991
 Invalid: 8515

q543-important reason-not prevent pg (q543)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88

Valid cases: 2552
 Invalid: 8954

q543-other important reason-not prevent (q543_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 106
 Invalid: 0

q601-ever had gyn exam (q601)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 5413
 Invalid: 6093

q602-main reason-no gyn exam (q602)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-99

Valid cases: 615
 Invalid: 10891

q602-other-main reason-no gyn exam (q602_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 6
 Invalid: 0

q603-gyn exam-how often (q603)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 4798
 Invalid: 6708

q604-vaginal exam-pap test (q604)**File:** md97_newvar**Overview**

q604-vaginal exam-pap test (q604)**File:** md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 5413
 Invalid: 6093

q605-main reason-no pap smear (q605)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-99

Valid cases: 3380
 Invalid: 8126

q605-other-main reason-no pap smear (q605_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 30
 Invalid: 0

q606-last had pap smear-when (q606)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 2033
 Invalid: 9473

q607-self-breast exam-heard of (q607)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 5413
 Invalid: 6093

q608-breast-self exam-ever do (q608)**File:** md97_newvar**Overview**

q608-breast-self exam-ever do (q608)**File:** md97_newvar

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 3620
 Invalid: 7886

q609-how often-breast-self exam (q609)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-4

Valid cases: 2397
 Invalid: 9109

q610-ever tried cigarette smoking (q610)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 5413
 Invalid: 6093

q611-age-smoked first time (q611)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 8-99

Valid cases: 1076
 Invalid: 10430

q612-smoked 100 cigarettes in lifetime (q612)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 1076
 Invalid: 10430

q613-age-started smoking regularly (q613)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 351
Format: numeric	Invalid: 11155
Width: 8	
Decimals: 0	
Range: 0-99	

q614-last 30 days-smoke cigarettes (q614)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 351
Format: numeric	Invalid: 11155
Width: 8	
Decimals: 0	
Range: 1-9	

q615-last 30 days-how many cigarettes (q615)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 298
Format: numeric	Invalid: 11208
Width: 8	
Decimals: 0	
Range: 1-5	

q616-month-last smoked cigarette (q616_mth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 54
Format: numeric	Invalid: 11452
Width: 8	
Decimals: 0	
Range: 1-99	

q616-year-last smoked cigarette (q616_yr)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 54
Format: numeric	Invalid: 11452
Width: 8	
Decimals: 0	
Range: 23-99	

q617-a-diabetes-doctor ever told (q617_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-9	

q617-b-hypertention-doctor ever told (q617_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-9	

q617-c-anemia-doctor ever told (q617_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-9	

q617-d-heart disease-doctor ever told (q617_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-9	

q617-e-hepatitis b-doctor ever told (q617_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-9	

q617-f-pid-doctor ever told (q617_f)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 5413
 Invalid: 6093

q617-g-urinary infection-doctor ever tol (q617_g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 5413
 Invalid: 6093

q617-h-ashma-doctor ever told (q617_h)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 5413
 Invalid: 6093

q618-alcohol-nbr drinks-past 3 months (q618)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-99

Valid cases: 5413
 Invalid: 6093

q619-how often drink-alcohol (q619)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-6

Valid cases: 2962
 Invalid: 8544

q620-drink more than usual-some days (q620)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 2962
Format: numeric	Invalid: 8544
Width: 8	
Decimals: 0	
Range: 1-9	

q621-alcohol-drink more than usual (q621)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 750
Format: numeric	Invalid: 10756
Width: 8	
Decimals: 0	
Range: 2-99	

q622-how often drink more than usual (q622)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 748
Format: numeric	Invalid: 10758
Width: 8	
Decimals: 0	
Range: 1-6	

q700-number of ideal children (q700)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 0-88	

q701-most likely for women to get pg (q701)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-8	

q701-other-time for women to get pg (q701_oth)**File:** md97_newvar**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 1
 Invalid: 0

q702-breastfeeding-effect on pg risk (q702)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5413
 Invalid: 6093

q703-women right to decide-pg/abortion (q703)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5413
 Invalid: 6093

q704-a-women abort-life endangered (q704_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1022
 Invalid: 10484

q704-b-women abort-fetus deformed (q704_b)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1022
 Invalid: 10484

q704-c-women-abort-pg result of rape (q704_c)**File:** md97_newvar

q704-c-women-abort-pg result of rape (q704_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1022
Format: numeric	Invalid: 10484
Width: 8	
Decimals: 0	
Range: 1-8	

q704-d-women-abort-health endangered (q704_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1022
Format: numeric	Invalid: 10484
Width: 8	
Decimals: 0	
Range: 1-8	

q704-e-women abort-unmarried (q704_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1022
Format: numeric	Invalid: 10484
Width: 8	
Decimals: 0	
Range: 1-8	

q704-f-women abort-cannot afford child (q704_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1022
Format: numeric	Invalid: 10484
Width: 8	
Decimals: 0	
Range: 1-8	

q705-what to do-unwanted pg (q705)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-8	

q706-a-agree-women pg-1st time sex (q706_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5413
 Invalid: 6093

q706-b-agree-all people get married (q706_b)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5413
 Invalid: 6093

q706-c-agree-youth-have sex-friends sex (q706_c)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-8

Valid cases: 5413
 Invalid: 6093

q706-d-agree-men not interested in bc (q706_d)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5413
 Invalid: 6093

q706-e-agree-women no-discuss bc/partner (q706_e)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5412
 Invalid: 6094

q706-f-agree-women have kids-god gives (q706_f)
 File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q706-g-agree-child care-women job (q706_g)
 File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q706-h-agree-women-virgin when married (q706_h)
 File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q707-who decides how many children (q707)
 File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q708-a-pill-risk (q708_a)
 File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q708-b-iud-risk (q708_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q708-c-condom-risk (q708_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q708-d-female sterilization-risk (q708_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q708-e-depo provera-risk (q708_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q708-f-abortion-risk (q708_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-8	

q708-g-miniabortion-risk (q708_g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5413
 Invalid: 6093

q709-a-agree-pill easy to use (q709_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3600
 Invalid: 7906

q709-b-agree-easy to get (q709_b)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3600
 Invalid: 7906

q709-c-agree-pills too expensive (q709_c)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3600
 Invalid: 7906

q709-d-agree-stressful to remember pill (q709_d)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3600
 Invalid: 7906

q709-e-agree-pill allow spontaneity (q709_e)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3600
 Invalid: 7906

q709-f-agree-pill protect against cancer (q709_f)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3600
 Invalid: 7906

q709-g-agree-pill diminish sex enjoyment (q709_g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3600
 Invalid: 7906

q709-h-agree-pill make periods regular (q709_h)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3600
 Invalid: 7906

q709-i-agree-pill decrease blood loss (q709_i)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3600
 Invalid: 7906

q709-j-agree-pill-decrease cramps (q709_j)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q710-a-risk of pill-cancer (q710_a)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q710-b-risk of pill-hypertention (q710_b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q710-c-risk/pill-myocardial infarction (q710_c)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q710-d-risk/pill-trombophlebitis (q710_d)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q710-e-risk/pill-weight gain (q710_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q710-f-risk/pill-std (q710_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q710-g-risk/pill-infertility (q710_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q710-h-risk/pill-depression (q710_h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q710-i-risk/pill-headaches/migraines (q710_i)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q710-j-risk/pill-ectopic pg (q710_j)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3600
Format: numeric	Invalid: 7906
Width: 8	
Decimals: 0	
Range: 1-8	

q711-a-agree iud-inexpensive to use (q711_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5284
Format: numeric	Invalid: 6222
Width: 8	
Decimals: 0	
Range: 1-8	

q711-b-agree iud-stressful to use (q711_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5284
Format: numeric	Invalid: 6222
Width: 8	
Decimals: 0	
Range: 1-8	

q711-c-agree iud-cause spotting (q711_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5284
Format: numeric	Invalid: 6222
Width: 8	
Decimals: 0	
Range: 1-8	

q711-d-agree-iud-increase menstrual pain (q711_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5284
Format: numeric	Invalid: 6222
Width: 8	
Decimals: 0	
Range: 1-8	

q712-a-risk/iud-cancer (q712_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5284
 Invalid: 6222

q712-b-risk/iud-pid (q712_b)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5284
 Invalid: 6222

q712-c-risk/iud-infertility (q712_c)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5284
 Invalid: 6222

q712-d-risk/iud-abdominal pain (q712_d)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5284
 Invalid: 6222

q712-e-risk/iud-prolonged bleeding (q712_e)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5284
 Invalid: 6222

q712-f-risk/iud-ectopic pg (q712_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5284
Format: numeric	Invalid: 6222
Width: 8	
Decimals: 0	
Range: 1-8	

q713-how effective-condome prevent std (q713)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-8	

q714-want more information-bc methods (q714)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-8	

q715-who best informed/contraceptive (q715)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 3983
Format: numeric	Invalid: 7523
Width: 8	
Decimals: 0	
Range: 1-88	

q715-other-who best informed/contracepti (q715_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 77
Format: character	Invalid: 0
Width: 10	

q716-ever talked w/partner-use condom (q716)**File:** md97_newvar

q716-ever talked w/partner-use condom (q716)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-8	

q717-a-feel-partner w/condom-embarrassed (q717_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q717-b-feel-partner/condom-angry (q717_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q717-c-feel-partner/condom-safe from pg (q717_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q717-d-feel/condom-safe from hiv (q717_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 992
Format: numeric	Invalid: 10514
Width: 8	
Decimals: 0	
Range: 1-8	

q717-e-feel/condom-done something wrong (q717_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q717-f-feel/condom-safe from std (q717_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q718-a-agree-condom decrease enjoyment (q718_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q718-b-agree-condoms-messy to use (q718_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q718-c-agree-condoms-requires self-contr (q718_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q718-d-agree-condom-used more than once (q718_d)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 991
 Invalid: 10515

q718-e-agree-condoms-users promiscuous (q718_e)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 991
 Invalid: 10515

q718-f-agree-condoms-embarrass to buy (q718_f)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 991
 Invalid: 10515

q718-g-agree-condoms-embarrass to ask (q718_g)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 991
 Invalid: 10515

q718-h-agree-condoms-women do not like (q718_h)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 991
 Invalid: 10515

q718-i-agree-condoms-men do not like (q718_i)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 992
Format: numeric	Invalid: 10514
Width: 8	
Decimals: 0	
Range: 1-8	

q718-j-agree-condoms-use w/new partner (q718_j)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q718-k-agree-condoms-not necessary-know (q718_k)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q718-l-agree-condoms-women ask to use (q718_l)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q718-m-agree-condoms-easy to discuss (q718_m)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 991
Format: numeric	Invalid: 10515
Width: 8	
Decimals: 0	
Range: 1-8	

q719-a-agree-not wise to plan-luck (q719_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1657
 Invalid: 9849

q719-b-agree-what happens will (q719_b)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1657
 Invalid: 9849

q719-c-agree-life controlled by others (q719_c)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1657
 Invalid: 9849

q719-d-agree-must conform to get wants (q719_d)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1657
 Invalid: 9849

q719-e-agree-family wants come first (q719_e)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1657
 Invalid: 9849

q719-f-agree-determine what will happen (q719_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-8	

q719-g-agree-get wants-work hard (q719_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1658
Format: numeric	Invalid: 9848
Width: 8	
Decimals: 0	
Range: 1-8	

q800-a-household flush toilet (q800_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-2	

q800-b-household has central heat (q800_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-2	

q800-c-household has refrigerator (q800_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-2	

q800-d-household has television (q800_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-2	

q800-e-household has automobile (q800_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-2	

q800-f-household has vcr (q800_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-2	

q800-g-household has telephone (q800_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-2	

q800-h-household has vacation home (q800_h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 0-2	

q800-i-household has orchard/garden (q800_i)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-8	

q801-a-nbr of rooms-house/flat (q801)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-14	

q802-house/apartment-best describe (q802)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-4	

q803-nationality (q803)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-9	

q803-other-nationality (q803_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 184
Format: character	Invalid: 0
Width: 10	

q804-language (q804)**File:** md97_newvar

q804-language (q804)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-8	

q804-other-language (q804_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 197
Format: character	Invalid: 0
Width: 10	

q805-religion (q805)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-10	

q805-other-religion (q805_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 54
Format: character	Invalid: 0
Width: 10	

q806-how often attend religious services (q806)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5240
Format: numeric	Invalid: 6266
Width: 8	
Decimals: 0	
Range: 1-5	

q900-a-syphilis-ever heard of (q900_a)**File:** md97_newvar**Overview**

q900-a-syphilis-ever heard of (q900_a)**File:** md97_newvarType: Discrete
Format: numericValid cases: 5413
Invalid: 6093Width: 8
Decimals: 0
Range: 1-8**q900-b-gonorhea-ever heard of (q900_b)****File:** md97_newvar**Overview**Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8Valid cases: 5413
Invalid: 6093**q900-c-trichonosis-ever heard of (q900_c)****File:** md97_newvar**Overview**Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8Valid cases: 5412
Invalid: 6094**q900-d-genital warts-ever heard of (q900_d)****File:** md97_newvar**Overview**Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8Valid cases: 5412
Invalid: 6094**q900-e-genital yeast inf-ever heard of (q900_e)****File:** md97_newvar**Overview**Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8Valid cases: 5412
Invalid: 6094

q900-f-genital herpes-ever heard of (q900_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q900-g-hiv/aids virus-ever heard of (q900_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

q901-information source-hiv/aids (q901)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-88	

q901-other-information source-hiv/aids (q901_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 10
Format: character	Invalid: 0
Width: 10	

q902-hiv infected w/out clinical signs (q902)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-a-way to get hiv-transfusion (q903_a)**File:** md97_newvar

q903-a-way to get hiv-transfusion (q903_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-b-way to get hiv-public bathrooms (q903_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-c-way to get hiv-kiss on mouth (q903_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-d-way to get hiv-sex-heterosexual (q903_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-e-way to get hiv-sex-homosexual (q903_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-f-way to get hiv-shaking hands (q903_f)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-g-way to get hiv-donate blood (q903_g)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-h-way to get hiv-infected needles (q903_h)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-i-way to get hiv-mosquito bites (q903_i)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-j-way to get hiv-use objects-aids (q903_j)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-k-way to get hiv-manicure (q903_k)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q903-l-way to get hiv-surgery/dental (q903_l)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q904-a-people@risk for hiv-married woman (q904_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q904-b-people@risk for hiv-married man (q904_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q904-c-people@risk for hiv-homosexual (q904_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q904-d-people@risk for hiv-prostitute (q904_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q904-e-people@risk for hiv-iv drug user (q904_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q904-f-people@risk/hiv-unmarried female (q904_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q904-g-people@risk/hiv-unmarried man/sex (q904_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q905-a-reduce risk-hiv-use condom (q905_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5373
Format: numeric	Invalid: 6133
Width: 8	
Decimals: 0	
Range: 1-8	

q905-b-reduce risk-hiv-no prostitute sex (q905_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q905-c-reduce risk-hiv-no iv drugs (q905_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q905-d-reduce risk-hiv-one sex partner (q905_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5373
Format: numeric	Invalid: 6133
Width: 8	
Decimals: 0	
Range: 1-8	

q905-e-reduce risk-hiv-partner test hiv (q905_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q905-f-reduce risk-hiv-no casual sex (q905_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5373
Format: numeric	Invalid: 6133
Width: 8	
Decimals: 0	
Range: 1-8	

q905-g-reduce risk-hiv-sterilize needles (q905_g)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5373
Format: numeric	Invalid: 6133
Width: 8	
Decimals: 0	
Range: 1-8	

q905-h-reduce risk-hiv-no bisexual sex (q905_h)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5372
Format: numeric	Invalid: 6134
Width: 8	
Decimals: 0	
Range: 1-8	

q905-i-reduce risk-hiv-other (q905_i)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5373
Format: numeric	Invalid: 6133
Width: 8	
Decimals: 0	
Range: 1-8	

q905-i-other-reduce risk of hiv/aids (q905_oth)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 97
Format: character	Invalid: 0
Width: 10	

q906-contact-risk of hiv (q906)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5373
Format: numeric	Invalid: 6133
Width: 8	
Decimals: 0	
Range: 1-8	

q907-risk of hiv-personal (q907)**File:** md97_newvar

q907-risk of hiv-personal (q907)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-8

Valid cases: 1594
 Invalid: 9912

q908-episode of violence (q908)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5413
 Invalid: 6093

q909-a-husband/partner-insult/swear (q909_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 1038
 Invalid: 10468

q910-a-partner-insult-last occurred (q910_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1016
 Invalid: 10490

q911-a-partner-insult-times-last year (q911_a)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-8

Valid cases: 643
 Invalid: 10863

q909-b-violence-husband-threaten/hit (q909_b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1038
Format: numeric	Invalid: 10468
Width: 8	
Decimals: 0	
Range: 1-8	

q910-b-threaten/hit-last occurred-date (q910_b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 636
Format: numeric	Invalid: 10870
Width: 8	
Decimals: 0	
Range: 0-8	

q911-a-threaten/hit-times-last year (q911_b)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 322
Format: numeric	Invalid: 11184
Width: 8	
Decimals: 0	
Range: 0-8	

q909-c-partner-push/shove/slap (q909_c)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1038
Format: numeric	Invalid: 10468
Width: 8	
Decimals: 0	
Range: 0-8	

q910-c-push/shove/slap-last occurred (q910_c)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 652
Format: numeric	Invalid: 10854
Width: 8	
Decimals: 0	
Range: 1-8	

q911-c-push/shove/slap-times-last year (q911_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 285
Format: numeric	Invalid: 11221
Width: 8	
Decimals: 0	
Range: 1-8	

q909-d-husband/partner-kick/hit w/fist (q909_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1037
Format: numeric	Invalid: 10469
Width: 8	
Decimals: 0	
Range: 1-8	

q910-d-kick/hit-last occurred-date (q910_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 427
Format: numeric	Invalid: 11079
Width: 8	
Decimals: 0	
Range: 1-8	

q911-d-partner-kick/hit-times-last year (q911_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 191
Format: numeric	Invalid: 11315
Width: 8	
Decimals: 0	
Range: 0-8	

q909-e-husband/partner-threaten w/knife (q909_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1037
Format: numeric	Invalid: 10469
Width: 8	
Decimals: 0	
Range: 1-8	

q910-e-threaten w/knife-last occurred (q910_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 131
Format: numeric	Invalid: 11375
Width: 8	
Decimals: 0	
Range: 1-8	

q911-e-threaten w/knife-times-last year (q911_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 47
Format: numeric	Invalid: 11459
Width: 8	
Decimals: 0	
Range: 1-8	

q909-f-husband/partner-beat up (q909_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1038
Format: numeric	Invalid: 10468
Width: 8	
Decimals: 0	
Range: 0-8	

q910-f-partner-beat up-last occurred (q910_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 182
Format: numeric	Invalid: 11324
Width: 8	
Decimals: 0	
Range: 1-8	

q911-f-partner-beat up-times-last year (q911_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 78
Format: numeric	Invalid: 11428
Width: 8	
Decimals: 0	
Range: 1-8	

q912-trauma (q912)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 304
Format: numeric	Invalid: 11202
Width: 8	
Decimals: 0	
Range: 1-8	

q913-medical treatment (q913)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 219
Format: numeric	Invalid: 11287
Width: 8	
Decimals: 0	
Range: 0-8	

q914-need hospital stay for violence (q914)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 48
Format: numeric	Invalid: 11458
Width: 8	
Decimals: 0	
Range: 1-8	

q915-a-report violence-police (q915_a)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 305
Format: numeric	Invalid: 11201
Width: 8	
Decimals: 0	
Range: 0-2	

q915-b-report violence-parents/relative (q915_b)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 305
Format: numeric	Invalid: 11201
Width: 8	
Decimals: 0	
Range: 1-2	

q915-c-report violence-friend (q915_c)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 305
Format: numeric	Invalid: 11201
Width: 8	
Decimals: 0	
Range: 1-7	

q915-d-report violence-medical personnel (q915_d)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 305
Format: numeric	Invalid: 11201
Width: 8	
Decimals: 0	
Range: 0-2	

q915-e-report violence- (q915_e)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 305
Format: numeric	Invalid: 11201
Width: 8	
Decimals: 0	
Range: 1-5	

q915-f-report violence-other (q915_f)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 305
Format: numeric	Invalid: 11201
Width: 8	
Decimals: 0	
Range: 1-6	

q916-forced sex (q916)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 0-8	

q917-year-forced sex (q917)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 243
Format: numeric	Invalid: 11263
Width: 8	
Decimals: 0	
Range: 13-88	

q918-who helped after-forced sex (q918)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 243
Format: numeric	Invalid: 11263
Width: 8	
Decimals: 0	
Range: 1-99	

hour-interview ended (hour_end)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 8-22	

minute-interview ended (min_end)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 0
Decimals: 0	Maximum: 58
Range: 0-58	Mean: 28.3
	Standard deviation: 17.7

(maketime)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: -205
Decimals: 0	Maximum: 3674
Range: -205-3674	Mean: 220.4
	Standard deviation: 271

(makeyear)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 95-97	

(makemo)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-9	

(makeday)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 31
Range: 1-31	Mean: 16.3
	Standard deviation: 8

(edityear)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 95-97	

(editmo)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-10	

(editday)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 31
Range: 1-31	Mean: 16.4
	Standard deviation: 8

(timesed)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-5	

(eclerk)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11498
Format: character	Invalid: 0
Width: 2	

(vclerk)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 1	

(timesver)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-0	

(eerrors)**File:** md97_newvar

(errors)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-0	

(verrors)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-0	

weight (wt)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5536
Format: numeric	Invalid: 5970
Width: 8	
Decimals: 0	
Range: 1-4	

year of interview (intyr)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1997-1997	

unique id (wra) (id)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 12	Minimum: 11
Decimals: 0	Maximum: 139841
Range: 11-139841	Mean: 67848.5
	Standard deviation: 39391.9

cmc interview date (intcmc)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 23971-23973

Valid cases: 11506
 Invalid: 0

strata (strata)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0

Valid cases: 0
 Invalid: 11506

strata weight (stratawt)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0

Valid cases: 0
 Invalid: 11506

idp/refugee status (idp)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0

Valid cases: 0
 Invalid: 11506

residence (hmediu)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 11506
 Invalid: 0

residence (urban/rural) (zona)**File:** md97_newvar

residence (urban/rural) (zona)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

region (nregion)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-5	

age group (agecat)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-6	

cmc women date of birth (mnaccmc)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 23432
Decimals: 0	Maximum: 23793
Range: 23432-23793	Mean: 23609.7
	Standard deviation: 98.5

(agemth)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 180
Decimals: 0	Maximum: 540
Range: 180-540	Mean: 362.3
	Standard deviation: 98.5

(ageact)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 15
Decimals: 0	Maximum: 45
Range: 15-45	Mean: 29.8
	Standard deviation: 8.2

age group <3g> (newage)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 2-6	

age ya group (ageya)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-3	

marital status (mstatus)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-4	

marital status <3g> (marital)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-4	

marital status <2g> (union)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

number of marriages (nummar)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4470
Format: numeric	Invalid: 7036
Width: 8	
Decimals: 0	
Range: 0-7	

religion (religion)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5413
Format: numeric	Invalid: 6093
Width: 8	
Decimals: 0	
Range: 1-8	

frequency of religious attendance (relfreq)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 2-5	

ethnicity (ethnic)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-9	

language (lang)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5413
 Invalid: 6093

education (edcat)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-5

Valid cases: 5412
 Invalid: 6094

education <4g> (educ)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-5

Valid cases: 5412
 Invalid: 6094

education <3g> (newed)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-5

Valid cases: 5412
 Invalid: 6094

employment (employ)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 5412
 Invalid: 6094

work (work)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-3	

reason for not work (resnowk)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1691
Format: numeric	Invalid: 9815
Width: 8	
Decimals: 0	
Range: 1-20	

parity (parity)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-10	

number of children born alive (6+) (allchild6)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-6	

number of children born alive (4+) (allchild4)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-4	

number of living children (6+) (livchild6)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-6	

number of living children (4+) (livchild4)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-4	

number of living children+current preg(4+) (lvchild)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-4	

total of pregnancies in the history (tot_pg)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4274
Format: numeric	Invalid: 7232
Width: 8	
Decimals: 0	
Range: 1-21	

number of complete pregnancies (npreg)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 0
Decimals: 0	Maximum: 21
Range: 0-21	Mean: 2.5
	Standard deviation: 2.2

number of rooms per person (roompeo)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

hours per day of electricity (nhor)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	

household assets (ha)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-10	

socioeconomic status (index)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

years living continuously (cmcliv)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 0-8888	

residence duration (resdur)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-8888

Valid cases: 0
 Invalid: 11506

residence duration (resdurr)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-8

Valid cases: 0
 Invalid: 11506

migrational status (migstat)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 11506

migrational status <4g> (migstat4)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-9

Valid cases: 0
 Invalid: 11506

age to teach about human reproduction (agerepro)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 5301
 Invalid: 6205

age to teach about contraception (agecont)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5301
Format: numeric	Invalid: 6205
Width: 8	
Decimals: 0	
Range: 1-8	

age to teach about sexually transmitted infections (agesti)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5301
Format: numeric	Invalid: 6205
Width: 8	
Decimals: 0	
Range: 1-8	

age of begin to teach at school about human reproduction (opagea)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-88	

age of begin to teach at school about contraception (opageb)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-88	

age of begin to teach at school about sti (opagec)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11505
Format: numeric	Invalid: 1
Width: 8	
Decimals: 0	
Range: 1-88	

age to taught at school about menstrual cycle (agea)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-77	

age to taught at school about female reproductive system (ageb)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-77	

age to taught at school about male reproductive system (agec)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-77	

age to taught at school about how pregnancy occurs (aged)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-77	

age to taught at school about contraceptive methods (agee)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-77	

age to taught at school about hiv/aids (agef)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-77	

age to taught at school about other dts (ageg)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-77	

most important source of sexual information (sisource)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	

last pregnancy outcome (poutcome)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4342
Format: numeric	Invalid: 7164
Width: 8	
Decimals: 0	
Range: 1-4	

planning status of last pregnancy (planstat)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2491
Format: numeric	Invalid: 9015
Width: 8	
Decimals: 0	
Range: 1-8	

ever heard pills (knwpil)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

ever heard iud (knwiud)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

ever heard condoms (knwcon)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

ever heard spermicides (knwvag)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

ever heard tubal ligation (knwfem)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

ever heard vasectomy (knwvas)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

ever heard norplant (knwnor)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

ever heard injectables (knwinj)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

ever heard periodic abstinence (rhythm method) (knwrhy)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

ever heard withdrawal (knwwit)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

ever heard emergency contraception (knwehc)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0

Valid cases: 0
 Invalid: 11506

ever heard other methods (knwotr)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0

Valid cases: 0
 Invalid: 11506

ever heard any method (knwany)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 11506
 Invalid: 0

ever heard any modern method (knwmod)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 11506
 Invalid: 0

ever heard any traditional method (knwtrad)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 11506
 Invalid: 0

number of modern methods (nummod)

File: md97_newvar

number of modern methods (nummod)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

know use pills (knupil)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use iud (knuiud)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use condoms (knucon)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use spermicides (knuvag)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use tubal ligation (knufem)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use vasectomy (knuvas)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use norplant (knunor)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use injectables (knuinj)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use periodic abstinence (rhythm method) (knurhy)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use withdrawal (knuwit)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use emergency contraception (knuehc)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	

know use other methods (knuotr)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	

know use any method (knuany)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use any modern method (knumod)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know use any traditional method (knutrad)

File: md97_newvar

know use any traditional method (knutrad)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used pills (usedpil)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used iud (usediud)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used condoms (usedcon)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used spermicides (usedvag)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used tubal ligation (usedfem)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used vasectomy (usedvas)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used norplant (usednor)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used injectables (usedinj)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used periodic abstinence (rhythm method) (usedrhy)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used withdrawal (usedwit)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used emergency contraception (usedehc)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	

used other methods (usedotr)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	

used any method (usedany)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used any modern method (usedmod)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

used any traditional method (usedtrad)

File: md97_newvar

used any traditional method (usedtrad)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know get pills (kngpil)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know get iud (knigiud)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know get condoms (kngcon)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know get spermicides (kngvag)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know get tubal ligation (kngfem)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know get vasectomy (kngvas)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know get norplant (kngnor)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know get injectables (knginj)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

know get emergency contraception (kngehc)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	

know get any modern method (kngany)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-100	

number of modern methods know how to use it (num_umod)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-5	

source of information: pills (sipil)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3599
Format: numeric	Invalid: 7907
Width: 8	
Decimals: 0	
Range: 1-88	

source of information: iud (siiud)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5283
Format: numeric	Invalid: 6223
Width: 8	
Decimals: 0	
Range: 1-88	

source of information: condoms (sicon)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5244
Format: numeric	Invalid: 6262
Width: 8	
Decimals: 0	
Range: 1-88	

source of information: spermicides (sivag)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1119
Format: numeric	Invalid: 10387
Width: 8	
Decimals: 0	
Range: 1-88	

source of information: tubal ligation (sifem)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3805
Format: numeric	Invalid: 7701
Width: 8	
Decimals: 0	
Range: 1-88	

source of information: vasectomy (sivas)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1393
Format: numeric	Invalid: 10113
Width: 8	
Decimals: 0	
Range: 1-88	

source of information: norplant (sinor)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 206
Format: numeric	Invalid: 11300
Width: 8	
Decimals: 0	
Range: 1-88	

source of information: injectables (siinj)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1245
Format: numeric	Invalid: 10261
Width: 8	
Decimals: 0	
Range: 1-88	

source of information: rhythm (sirhy)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3848
Format: numeric	Invalid: 7658
Width: 8	
Decimals: 0	
Range: 1-88	

source of information: withdrawal (siwit)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4734
Format: numeric	Invalid: 6772
Width: 8	
Decimals: 0	
Range: 1-88	

(i)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 2-22	

most effective contraceptive method (bestmf)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-88	

sexual experience (sexex)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

time of last sexual intercourse (lastsex)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 10788
Format: numeric	Invalid: 718
Width: 8	
Decimals: 0	
Range: 1-98	

time of last sexual intercourse (tsince)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: -2-9	

last contraceptive method (methol)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 10788
Format: numeric	Invalid: 718
Width: 8	
Decimals: 0	
Range: 1-88	

contraception status (bcuse)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

current use of contraception method (fpuse)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4730
Format: numeric	Invalid: 6776
Width: 8	
Decimals: 0	
Range: 1-2	

current contraception method (methoc)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-77	

current use of contraception (modtrad)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-77	

the most important reasons for choosing current method (rezmetc)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-88	

reason for not using current contraceptive method (reznouse)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1504
Format: numeric	Invalid: 10002
Width: 8	
Decimals: 0	
Range: 1-88	

year of female sterilization (tlyr)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 99
Format: numeric	Invalid: 11407
Width: 8	
Decimals: 0	
Range: 1978-1992	

month of female sterilization (tlmth)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 99
Format: numeric	Invalid: 11407
Width: 8	Minimum: 1
Decimals: 0	Maximum: 98
Range: 1-98	Mean: 8.1
	Standard deviation: 13.4

infertil (infertil)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 10788
Format: numeric	Invalid: 718
Width: 8	
Decimals: 0	
Range: 0-1	

future fertility preferences for fertile women (intend)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4305
Format: numeric	Invalid: 7201
Width: 8	
Decimals: 0	
Range: 1-8	

when to become pregnant.. (wantpg)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 10788
Format: numeric	Invalid: 718
Width: 8	
Decimals: 0	
Range: 1-88	

reason to not use fp (all women) (reznofp)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 8316
Format: numeric	Invalid: 3190
Width: 8	
Decimals: 0	
Range: -1-88	

potential demand for fp services (needfp)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-7	

last contraceptive method used (lastmet)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-88	

source of last method (methsour)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2549
Format: numeric	Invalid: 8957
Width: 8	
Decimals: 0	
Range: 1-20	

advisor to use the last method (advisor)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2549
Format: numeric	Invalid: 8957
Width: 8	
Decimals: 0	
Range: 1-20	

age at first sex wra 15-44 (agefrs)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 0-88	

<15 (fs15)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 0.4
	Standard deviation: 6.5

<18 (fs18)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 16.1
	Standard deviation: 36.8

<20 (fs20)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 44.5
	Standard deviation: 49.7

<22 (fs22)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 68.1
	Standard deviation: 46.6

<25 (fs25)

File: md97_newvar

Overview

<25 (fs25)**File: md97_newvar**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 5412
 Invalid: 6094
 Minimum: 0
 Maximum: 100
 Mean: 81.9
 Standard deviation: 38.5

ever in union (fsever)**File: md97_newvar****Overview**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 5412
 Invalid: 6094
 Minimum: 0
 Maximum: 100
 Mean: 86.7
 Standard deviation: 33.9

never in union (fsnever)**File: md97_newvar****Overview**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 5412
 Invalid: 6094
 Minimum: 0
 Maximum: 100
 Mean: 13.3
 Standard deviation: 33.9

age of first marriage/union (agemcalc)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 13-9999

Valid cases: 4470
 Invalid: 7036

(agefm)**File: md97_newvar****Overview**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 23633-23973

Valid cases: 4465
 Invalid: 7041
 Minimum: 23633
 Maximum: 23973
 Mean: 23831.2
 Standard deviation: 78

(agemar)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 4465
Format: numeric	Invalid: 7041
Width: 8	Minimum: 162
Decimals: 0	Maximum: 473
Range: 162-473	Mean: 247.1
	Standard deviation: 35.1

<15 (fm15)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 4465
Format: numeric	Invalid: 7041
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 0.2
	Standard deviation: 4.5

<18 (fm18)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 4465
Format: numeric	Invalid: 7041
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 15.1
	Standard deviation: 35.8

<20 (fm20)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 4465
Format: numeric	Invalid: 7041
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 46.8
	Standard deviation: 49.9

<22 (fm22)**File: md97_newvar****Overview**

<22 (fm22)**File: md97_newvar**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 4465
 Invalid: 7041
 Minimum: 0
 Maximum: 100
 Mean: 74.7
 Standard deviation: 43.5

<25 (fm25)**File: md97_newvar****Overview**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 4465
 Invalid: 7041
 Minimum: 0
 Maximum: 100
 Mean: 92.8
 Standard deviation: 25.8

ever in union (fmever)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 100-100

Valid cases: 4465
 Invalid: 7041

never in union (fmnever)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-0

Valid cases: 4465
 Invalid: 7041

(ordenn1)**File: md97_newvar****Overview**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-10
 Invalid: 101

Valid cases: 2463
 Invalid: 9043
 Minimum: 1
 Maximum: 10
 Mean: 2
 Standard deviation: 1

(ordenn2)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 1986
Format: numeric	Invalid: 9520
Width: 8	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.7
Invalid: 11	Standard deviation: 0.9

(ordenn3)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 1440
Format: numeric	Invalid: 10066
Width: 8	Minimum: 1
Decimals: 0	Maximum: 8
Range: 1-8	Mean: 1.6
Invalid: 11	Standard deviation: 0.8

(ordenn4)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 928
Format: numeric	Invalid: 10578
Width: 8	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	Mean: 1.4
Invalid: 11	Standard deviation: 0.7

(ordenn5)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 546
Format: numeric	Invalid: 10960
Width: 8	Minimum: 1
Decimals: 0	Maximum: 6
Range: 1-6	Mean: 1.4
Invalid: 11	Standard deviation: 0.7

(ordenn6)**File:** md97_newvar**Overview**

(ordenn6)**File: md97_newvar**

Type: Continuous	Valid cases: 264
Format: numeric	Invalid: 11242
Width: 8	Minimum: 1
Decimals: 0	Maximum: 5
Range: 1-5	Mean: 1.4
Invalid: 11	Standard deviation: 0.6

(ordenn7)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 122
Format: numeric	Invalid: 11384
Width: 8	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 1.3
Invalid: 11	Standard deviation: 0.6

(ordenn8)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 58
Format: numeric	Invalid: 11448
Width: 8	Minimum: 1
Decimals: 0	Maximum: 3
Range: 1-3	Mean: 1.3
Invalid: 11	Standard deviation: 0.5

(ordenn9)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 29
Format: numeric	Invalid: 11477
Width: 8	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1.3
Invalid: 11	Standard deviation: 0.5

(ordenn10)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 20
Format: numeric	Invalid: 11486
Width: 8	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1.2
Invalid: 11	Standard deviation: 0.4

(ordenn11)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 12
Format: numeric	Invalid: 11494
Width: 8	Minimum: 1
Decimals: 0	Maximum: 3
Range: 1-3	Mean: 1.3
Invalid: 11	Standard deviation: 0.7

(ordenn12)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 6
Format: numeric	Invalid: 11500
Width: 8	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1.3
Invalid: 11	Standard deviation: 0.5

(ordenn13)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 11
Format: numeric	Invalid: 11495
Width: 8	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1.2
Invalid: 11	Standard deviation: 0.4

(ordenn14)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 4
Format: numeric	Invalid: 11502
Width: 8	Minimum: 1
Decimals: 0	Maximum: 1
Range: 1-1	Mean: 1
Invalid: 11	Standard deviation: 0

(ordenn15)**File:** md97_newvar**Overview**

(ordenn15)**File: md97_newvar**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-1
 Invalid: 11

Valid cases: 1
 Invalid: 11505
 Minimum: 1
 Maximum: 1
 Mean: 1

(ordenn16)**File: md97_newvar****Overview**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Invalid: 1000000001

Valid cases: 0
 Invalid: 11506

(ordenn17)**File: md97_newvar****Overview**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 4-4
 Invalid: 11

Valid cases: 1
 Invalid: 11505
 Minimum: 4
 Maximum: 4
 Mean: 4

(ordenn18)**File: md97_newvar****Overview**

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 3-3
 Invalid: 11

Valid cases: 1
 Invalid: 11505
 Minimum: 3
 Maximum: 3
 Mean: 3

(ordenn19)**File: md97_newvar****Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 2
 Invalid: 11504

(ordenn20)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 1
Format: numeric	Invalid: 11505
Width: 8	Minimum: 1
Decimals: 0	Maximum: 1
Range: 1-1	Mean: 1
Invalid: 11	

(ordenn21)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Invalid: 1000000001	

(intpn1)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 1605
Format: numeric	Invalid: 9901
Width: 8	Minimum: 7
Decimals: 0	Maximum: 217
Range: 7-217	Mean: 51.8
Invalid: 1001, 1001, 1001	Standard deviation: 31.9

(intpn2)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 990
Format: numeric	Invalid: 10516
Width: 8	Minimum: 7
Decimals: 0	Maximum: 180
Range: 7-180	Mean: 46.1
Invalid: 1001-1001	Standard deviation: 28.7

(intpn3)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 611
Format: numeric	Invalid: 10895
Width: 8	Minimum: 7
Decimals: 0	Maximum: 171
Range: 7-171	Mean: 38.2
Invalid: 1001-1001	Standard deviation: 23.3

(intpn4)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 280
Format: numeric	Invalid: 11226
Width: 8	Minimum: 7
Decimals: 0	Maximum: 112
Range: 7-112	Mean: 33.3
Invalid: 1001-1001	Standard deviation: 19.9

(intpn5)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 144
Format: numeric	Invalid: 11362
Width: 8	Minimum: 10
Decimals: 0	Maximum: 164
Range: 10-164	Mean: 36.2
Invalid: 1001-1001	Standard deviation: 25.8

(intpn6)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 71
Format: numeric	Invalid: 11435
Width: 8	Minimum: 10
Decimals: 0	Maximum: 91
Range: 10-91	Mean: 34.6
Invalid: 101-101	Standard deviation: 19.9

(intpn7)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 30
Format: numeric	Invalid: 11476
Width: 8	Minimum: 11
Decimals: 0	Maximum: 85
Range: 11-85	Mean: 33.1
Invalid: 101, 101	Standard deviation: 19.9

(intpn8)

File: md97_newvar

Overview

(intpn8)**File: md97_newvar**

Type: Continuous	Valid cases: 13
Format: numeric	Invalid: 11493
Width: 8	Minimum: 10
Decimals: 0	Maximum: 86
Range: 10-86	Mean: 29.5
Invalid: 101, 101, 101	Standard deviation: 23.2

(intpn9)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 9
Format: numeric	Invalid: 11497
Width: 8	Minimum: 13
Decimals: 0	Maximum: 49
Range: 13-49	Mean: 32.3
Invalid: 101, 101	Standard deviation: 15.6

(intpn10)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 4
Format: numeric	Invalid: 11502
Width: 8	Minimum: 21
Decimals: 0	Maximum: 75
Range: 21-75	Mean: 42.5
Invalid: 101, 101	Standard deviation: 25.6

(intpn11)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 3
Format: numeric	Invalid: 11503
Width: 8	Minimum: 20
Decimals: 0	Maximum: 34
Range: 20-34	Mean: 27.7
Invalid: 101, 101	Standard deviation: 7.1

(intpn12)**File: md97_newvar****Overview**

Type: Continuous	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	Minimum: 21
Decimals: 0	Maximum: 23
Range: 21-23	Mean: 22
Invalid: 101, 101	Standard deviation: 1.4

(intpn13)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 2
Format: numeric	Invalid: 11504
Width: 8	Minimum: 19
Decimals: 0	Maximum: 78
Range: 19-78	Mean: 48.5
Invalid: 101, 101	Standard deviation: 41.7

(intpn14)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Invalid: 1000000001, 1000000001	

(intpn15)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Invalid: 1000000001, 1000000001	

(intpn16)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Invalid: 1000000001	

(intpn17)**File:** md97_newvar**Overview**

Type: Continuous	Valid cases: 1
Format: numeric	Invalid: 11505
Width: 8	Minimum: 25
Decimals: 0	Maximum: 25
Range: 25-25	Mean: 25
Invalid: 101	

(intpn18)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 1
Format: numeric	Invalid: 11505
Width: 8	Minimum: 20
Decimals: 0	Maximum: 20
Range: 20-20	Mean: 20
Invalid: 101	

(intpn19)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 1
Format: numeric	Invalid: 11505
Width: 8	Minimum: 41
Decimals: 0	Maximum: 41
Range: 41-41	Mean: 41
Invalid: 101	

(intpn20)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Invalid: 1000000001, 1000000001	

(intpn21)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Invalid: 1000000001	

(ordnac)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-10	

(k)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4274
Format: numeric	Invalid: 7232
Width: 8	
Decimals: 0	
Range: 1-1	

(hijocmc)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 4104
Format: numeric	Invalid: 7402
Width: 8	Minimum: 23654
Decimals: 0	Maximum: 23972
Range: 23654-23972	Mean: 23884.8
Invalid: 100001	Standard deviation: 60.8

(mq313y1)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 4107
Format: numeric	Invalid: 7399
Width: 8	Minimum: 1970
Decimals: 0	Maximum: 9999
Range: 1970-9999	Mean: 1988.3
	Standard deviation: 125.2

(mq313m1)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 4107
Format: numeric	Invalid: 7399
Width: 8	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 6.7
	Standard deviation: 4.7

(ord)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4107
Format: numeric	Invalid: 7399
Width: 8	
Decimals: 0	
Range: 1-20	

(cmcprev)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 4104
Format: numeric	Invalid: 7402
Width: 8	Minimum: 23654
Decimals: 0	Maximum: 23972
Range: 23654-23972	Mean: 23884.8
Invalid: 100001	Standard deviation: 60.8

(fircmc)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 4005
Format: numeric	Invalid: 7501
Width: 8	Minimum: 23654
Decimals: 0	Maximum: 23964
Range: 23654-23964	Mean: 23840
Invalid: 100001	Standard deviation: 73.4

age at first live birth (fbirage)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 15-99	

<15 (pn15)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-0	

<18 (pn18)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 1.5
	Standard deviation: 12.1

<20 (pn20)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 8.8
	Standard deviation: 28.4

<22 (pn22)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 19.6
	Standard deviation: 39.7

<25 (pn25)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 29.7
	Standard deviation: 45.7

has had live birth (pnever)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 34.8
	Standard deviation: 47.6

never had live birth (pnnever)

File: md97_newvar

Overview

never had live birth (pnnever)

File: md97_newvar

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 11506
Invalid: 0
Minimum: 0
Maximum: 100
Mean: 65.2
Standard deviation: 47.6

age of first marriage/union <4g> (fmarcat)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-98

Valid cases: 4470
Invalid: 7036

cmc at end of first union (end1mar)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 23971-23973

Valid cases: 4023
Invalid: 7483

cmc first marriage/union (cmmar)

File: md97_newvar

Overview

Type: Continuous
Format: numeric
Width: 12
Decimals: 0
Range: 23633-118874

Valid cases: 4470
Invalid: 7036
Minimum: 23633
Maximum: 118874
Mean: 23937.5
Standard deviation: 3178.2

duration of the first union (durunion)

File: md97_newvar

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-28
Invalid: 101

Valid cases: 4021
Invalid: 7485
Minimum: 0
Maximum: 28
Mean: 11.1
Standard deviation: 6.5

number of partners (wra 15-44) (numpart)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4730
Format: numeric	Invalid: 6776
Width: 8	
Decimals: 0	
Range: 0-999	

marital status at 1st sex among young adult (premarital)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 1-88	

age group at 1st sex <15, 15-17, 18-19, 20-24 (sexage)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 975
Format: numeric	Invalid: 10531
Width: 8	
Decimals: 0	
Range: 1-8	

cmc women date of birth (cmb)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	Minimum: 23432
Decimals: 0	Maximum: 23793
Range: 23432-23793	Mean: 23609.7
	Standard deviation: 98.5

cmc firts sexual intercourse (cmsex)

File: md97_newvar

Overview

Type: Continuous	Valid cases: 975
Format: numeric	Invalid: 10531
Width: 12	Minimum: 23854
Decimals: 0	Maximum: 118874
Range: 23854-118874	Mean: 24026.9
	Standard deviation: 3040.8

age at first sex wra (dissaggregated) (agesexcalc1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 1657
Format: numeric	Invalid: 9849
Width: 8	
Decimals: 0	
Range: 0-88	

age at first sex wra 15-24 (agesexcalc)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 975
Format: numeric	Invalid: 10531
Width: 8	
Decimals: 0	
Range: 1-8	

last routine gynecologic exam (gynex)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-4	

reason for never had a routine gynecologic exam (resgyn)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 2033
Format: numeric	Invalid: 9473
Width: 8	
Decimals: 0	
Range: 1-88	

reason for never had a pap test (respap)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 3380
Format: numeric	Invalid: 8126
Width: 8	
Decimals: 0	
Range: 1-99	

last pap test (lastpap)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 11506
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-4	

knowledge of hiv/aids (knowhiv)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 1-8	

knowledge of hiv test location for all women (knowtest)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

belief that hiv can be asymptomatic for all women (asym)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5409
Format: numeric	Invalid: 6097
Width: 8	
Decimals: 0	
Range: 1-8	

diagnosis for syphilis among all women (syphdiag)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

diagnosis for gonorrhea among all women (gondiag)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 11506

diagnosis for chlamydia among all women (chlamdia)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 11506

diagnosis for trichomoniasis among all women (trichdiag)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 11506

diagnosis for genital warts among all women (wartdiag)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 11506

diagnosis for yeast infection among all women (yeastdiag)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 11506

diagnosis for genital herpes among all women (herpesdiag)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

treatment for syphilis among all women (syphtrat)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

treatment for gonorrhea among all women (gontreat)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

treatment for chlamydia among all women (chlamtreat)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

treatment for trichomoniasis among all women (trichtreat)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

treatment for genital warts among all women (warttreat)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

treatment for yeast infection among all women (yeasttreat)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

treatment for genital herpes among all women (herpestreat)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 1-8	

ever/never married (evermarr)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4470
Format: numeric	Invalid: 7036
Width: 8	
Decimals: 0	
Range: 1-8	

verbal abuse (lifeverbal)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 854
Format: numeric	Invalid: 10652
Width: 8	
Decimals: 0	
Range: 1-8	

physical abuse (lifephys)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 854
Format: numeric	Invalid: 10652
Width: 8	
Decimals: 0	
Range: 1-8	

sexual abuse (lifesexab)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4023
Format: numeric	Invalid: 7483
Width: 8	
Decimals: 0	
Range: 1-8	

verbal abuse ly (yearverbal)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1024
Format: numeric	Invalid: 10482
Width: 8	
Decimals: 0	
Range: 1-8	

physical abuse ly (yearphys)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 1007
Format: numeric	Invalid: 10499
Width: 8	
Decimals: 0	
Range: 1-8	

sexual abuse ly (yearsexab)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4001
Format: numeric	Invalid: 7505
Width: 8	
Decimals: 0	
Range: 1-8	

witnessed abuse (witabuse)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 11506

experienced abuse (expabuse)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 11506

insulted you, or swore at you (insulted)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 5412
 Invalid: 6094

threatened to hurt you or someone you care about (hurt)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 5412
 Invalid: 6094

pushed you, shook you, shoved you, or threw something at you (pushed)**File:** md97_newvar**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 5412
 Invalid: 6094

slapped you or twisted your arm (slapped)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 0-1	

hit you with his fist or with something else (hit)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 0-1	

threatened you with a knife or other weapon (weapon)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 0-1	

kicked you, choke you or beat you up (kicked)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 0-1	

physically forced you to have sexual relations (sexforced)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 0-1	

physical abuse (numphys)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 0-6	

number of abuses (numabus)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 5412
Format: numeric	Invalid: 6094
Width: 8	
Decimals: 0	
Range: 0-8	

verbal abuse (viover)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4470
Format: numeric	Invalid: 7036
Width: 8	
Decimals: 0	
Range: 0-100	

physical abuse (viophys)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4470
Format: numeric	Invalid: 7036
Width: 8	
Decimals: 0	
Range: 0-100	

sexual abuse (viosex)**File:** md97_newvar**Overview**

Type: Discrete	Valid cases: 4470
Format: numeric	Invalid: 7036
Width: 8	
Decimals: 0	
Range: 0-100	

physical abuse(moderate) (viophysm)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 4470
 Invalid: 7036

physical abuse(severe) (viophyss)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 4470
 Invalid: 7036

insulted you, or swore at you (last year) (insulted1)

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4470
 Invalid: 7036

**threatened to hurt you or someone you care about(last year)
 (hurt1)**

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4470
 Invalid: 7036

**pushed you, shook you, shoved you, or threw something at you(last
 year) (pushed1)**

File: md97_newvar

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 4470
 Invalid: 7036

slapped you or twisted your arm(last year) (slapped1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4470
Format: numeric	Invalid: 7036
Width: 8	
Decimals: 0	
Range: 0-1	

hit you with his fist or with something else(last year) (hit1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4470
Format: numeric	Invalid: 7036
Width: 8	
Decimals: 0	
Range: 0-1	

threatened you with a knife or other weapon(last year) (weapon1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4470
Format: numeric	Invalid: 7036
Width: 8	
Decimals: 0	
Range: 0-1	

kicked you, choke you or beat you up(last year) (kicked1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 4470
Format: numeric	Invalid: 7036
Width: 8	
Decimals: 0	
Range: 0-1	

physically forced you to have sexual relations(last year)

(sexforced1)

File: md97_newvar

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 11506
Width: 8	
Decimals: 0	
Range: 0-1	

physical abuse (last year) (numphys1)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0

Valid cases: 0
Invalid: 11506

number of abuses last year (numabus1)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0

Valid cases: 0
Invalid: 11506

verbal abuse (last year) (viover1)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 4470
Invalid: 7036

physical abuse (last year) (viophys1)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 4470
Invalid: 7036

sexual abuse(last year) (viosex1)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 0
Invalid: 11506

physical abuse last year(moderate) (viophysm1)

File: md97_newvar

physical abuse last year(moderate) (viophysm1)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 4470
Invalid: 7036

physical abuse last year (severe) (viophyss1)

File: md97_newvar

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 4470
Invalid: 7036

id number-household (hidno_1)**File:** md97_preg**Overview**

Type: Continuous	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 13984
Range: 1-13984	Mean: 6816.6
	Standard deviation: 3948.9

result codes 1 (hres)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-10	

q100-month of birth (q100_mth)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-99	

q100-year of birth (q100_yr)**File:** md97_preg**Overview**

Type: Continuous	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	Minimum: 1952
Decimals: 0	Maximum: 1981
Range: 1952-1981	Mean: 1962.7
	Standard deviation: 6.3

q101-age/last birthday (q101_age)**File:** md97_preg**Overview**

Type: Continuous	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	Minimum: 16
Decimals: 0	Maximum: 44
Range: 16-44	Mean: 33.9
	Standard deviation: 6.2

q102-education level completed (q102_l)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-99	

q102-education grade completed (q102_g)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13509
Format: numeric	Invalid: 7
Width: 8	
Decimals: 0	
Range: 1-12	

q104-work outside the home (q104)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

q105-main problem working outside home (q105)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 3183
Format: numeric	Invalid: 10333
Width: 8	
Decimals: 0	
Range: 1-20	

q105-other reason not working outside (q105_oth)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 21
Format: character	Invalid: 0
Width: 10	

q106-main reading-newspapers/magazines (q106_a)**File:** md97_preg

q106-main reading-newspapers/magazines (q106_a)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q106-b-type reading-technical books (q106_b)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q106-c-type reading-classical literature (q106_c)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q106-d-type reading-recreational lit (q106_d)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q106-e-type reading-love/adventure (q106_e)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q106-f-type reading-thrillers/sci-fi (q106_f)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q106-g-type reading-bible/religious (q106_g)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q106-h-type reading-other (q106_h)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q106-h-type reading-other-what (q106_oth)**File:** md97_preg**Overview**

Type: Discrete
 Format: character
 Width: 10

Valid cases: 101
 Invalid: 0

q107-listen to radio (q107)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-a-radio moldova (q108_a)**File:** md97_preg

q108-a-radio moldova (q108_a)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-radio romania (q108_b)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-c-radio russia (q108_c)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-d-radio ucraina (q108_d)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-e-radio nova (q108_e)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-f-radio plus (q108_f)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-g-polidisc (q108_g)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-h-radio eldoradioa (q108_h)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-i-unda libera (q108_i)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-j-other (q108_j)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q108-j-other-radio station (q108_oth)**File:** md97_preg**Overview**

Type: Discrete
 Format: character
 Width: 15

Valid cases: 291
 Invalid: 0

q109-radio program-discuss family plan (q109)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13516
 Invalid: 0

q110-hours watching tv (q110)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-88

Valid cases: 13516
 Invalid: 0

q111-a-tv moldova (q111_a)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 12898
 Invalid: 618

q111-b-romania (q111_b)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 12898
 Invalid: 618

q111-c-tv moscow (q111_c)**File:** md97_preg

q111-c-tv moscow (q111_c)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 12898
 Invalid: 618

q111-d-tv ucraina (q111_d)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 12898
 Invalid: 618

q111-e-tv catalan (q111_e)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 12898
 Invalid: 618

q111-f-prednistrovia(tpr) (q111_f)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 12898
 Invalid: 618

q111-g-cnn/bbc (q111_g)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 12898
 Invalid: 618

q111-h-other (q111_h)

File: md97_preg

Overview

Type: Discrete	Valid cases: 12898
Format: numeric	Invalid: 618
Width: 8	
Decimals: 0	
Range: 1-2	

q111-h-other-television (q111_oth)

File: md97_preg

Overview

Type: Discrete	Valid cases: 991
Format: character	Invalid: 0
Width: 15	

q112-tv-last 6 months-family planning (q112)

File: md97_preg

Overview

Type: Discrete	Valid cases: 12898
Format: numeric	Invalid: 618
Width: 8	
Decimals: 0	
Range: 1-2	

q113-radio/tv-contraceptive ads (q113)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-8	

q114-marital status (q114)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-6	

q115-ever lived w/partner (q115)

File: md97_preg

q115-ever lived w/partner (q115)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 87
 Invalid: 13429

q116-times married/lived w/man (q116)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7

Valid cases: 13446
 Invalid: 70

q117-month begin living w/partner (q117_mth)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-98

Valid cases: 13446
 Invalid: 70

q117-year begin living w/partner (q117_yr)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1969-9898

Valid cases: 13446
 Invalid: 70

q118-first married-wish-children (q118)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 13446
 Invalid: 70

q119-wish for number of children (q119)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 12526
Format: numeric	Invalid: 990
Width: 8	
Decimals: 0	
Range: 1-88	

q119-other-nbr of children-wish for (q119_oth)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 22
Format: character	Invalid: 0
Width: 10	

q120-education level partner completed (q120)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 12239
Format: numeric	Invalid: 1277
Width: 8	
Decimals: 0	
Range: 0-99	

q120-grade partner completed (q120_g)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 12214
Format: numeric	Invalid: 1302
Width: 8	
Decimals: 0	
Range: 1-99	

q121-age of partner (q121)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 12239
Format: numeric	Invalid: 1277
Width: 8	
Decimals: 0	
Range: 19-88	

q122-father living (q122)**File:** md97_preg

q122-father living (q122)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 1184
Format: numeric	Invalid: 12332
Width: 8	
Decimals: 0	
Range: 1-8	

q123-father live w/you (q123)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 951
Format: numeric	Invalid: 12565
Width: 8	
Decimals: 0	
Range: 1-2	

q124-age-lived with father (q124)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 988
Format: numeric	Invalid: 12528
Width: 8	
Decimals: 0	
Range: 0-88	

q125-close to father between 10 & 15 (q125)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 1039
Format: numeric	Invalid: 12477
Width: 8	
Decimals: 0	
Range: 1-8	

q126-mother living (q126)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 1184
Format: numeric	Invalid: 12332
Width: 8	
Decimals: 0	
Range: 1-8	

q127-mother live w/you (q127)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 1066
Format: numeric	Invalid: 12450
Width: 8	
Decimals: 0	
Range: 1-2	

q128-age-lived with mother (q128)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 907
Format: numeric	Invalid: 12609
Width: 8	
Decimals: 0	
Range: 0-88	

q129-close to mother between 10 & 15 (q129)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 1156
Format: numeric	Invalid: 12360
Width: 8	
Decimals: 0	
Range: 1-8	

q130-education-mother (q130)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 1156
Format: numeric	Invalid: 12360
Width: 8	
Decimals: 0	
Range: 0-99	

q300-currently pregnant (q300)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

q301-months current pg (q301)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 225
Format: numeric	Invalid: 13291
Width: 8	
Decimals: 0	
Range: 0-9	

q302-want current pg (q302)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 225
Format: numeric	Invalid: 13291
Width: 8	
Decimals: 0	
Range: 1-8	

q303-first pg (q303)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 225
Format: numeric	Invalid: 13291
Width: 8	
Decimals: 0	
Range: 1-3	

q304-miscarriage-abort-stillbirth (q304)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 1
Format: numeric	Invalid: 13515
Width: 8	
Decimals: 0	
Range: 1-2	

q305-ever been pg (q305)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13291
Format: numeric	Invalid: 225
Width: 8	
Decimals: 0	
Range: 1-4	

q306-ever had still birth/miscarriage (q306)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 3
 Invalid: 13513

q307-ever had live born children (q307)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13512
 Invalid: 4

q308-number of children alive (q308)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-10

Valid cases: 13516
 Invalid: 0

q309-any children died (q309)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2

Valid cases: 13248
 Invalid: 268

q310-number of children died (q310)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-3

Valid cases: 13516
 Invalid: 0

q310a-number of live births-correct (q310a)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 1200
Format: numeric	Invalid: 12316
Width: 8	
Decimals: 0	
Range: 1-10	

q310b-agree-nbr-live births-correct (q310b)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 1200
Format: numeric	Invalid: 12316
Width: 8	
Decimals: 0	
Range: 1-2	

q311-number of pregnancies (pnum)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-21	

q317-number of induced abortions 1992-97 (q317_a)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 7042
Format: numeric	Invalid: 6474
Width: 8	
Decimals: 0	
Range: 0-6	

q317-miniabortions since 1992 (q317_m)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 7042
Format: numeric	Invalid: 6474
Width: 8	
Decimals: 0	
Range: 0-7	

q331-live births since 1992 (q331_liv)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7042
Format: numeric	Invalid: 6474
Width: 8	
Decimals: 0	
Range: 0-4	

q331-stillbirths since 1992 (q331_mor)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7042
Format: numeric	Invalid: 6474
Width: 8	
Decimals: 0	
Range: 0-1	

q800-a-household flush toilet (q800_a)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q800-b-household has central heat (q800_b)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q800-c-household has refrigerator (q800_c)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q800-d-household has television (q800_d)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q800-e-household has automobile (q800_e)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q800-f-household has vcr (q800_f)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q800-g-household has telephone (q800_g)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q800-h-household has vacation home (q800_h)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q800-i-household has orchard/garden (q800_i)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

q801-a-nbr of rooms-house/flat (q801)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-14	

q802-house/apartment-best describe (q802)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-4	

q803-nationality (q803)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-9	

q803-other-nationality (q803_oth)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 416
Format: character	Invalid: 0
Width: 10	

q804-language (q804)**File:** md97_preg

q804-language (q804)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 13516
 Invalid: 0

q804-other-language (q804_oth)

File: md97_preg

Overview

Type: Discrete
 Format: character
 Width: 10

Valid cases: 510
 Invalid: 0

q805-religion (q805)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-10

Valid cases: 13516
 Invalid: 0

q805-other-religion (q805_oth)

File: md97_preg

Overview

Type: Discrete
 Format: character
 Width: 10

Valid cases: 132
 Invalid: 0

q806-how often attend religious services (q806)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-5

Valid cases: 13162
 Invalid: 354

q908-episode of violence (q908)

File: md97_preg

Overview

q908-episode of violence (q908)**File:** md97_pregType: Discrete
Format: numericValid cases: 13516
Invalid: 0Width: 8
Decimals: 0
Range: 1-8**q909-a-husband/partner-insult/swear (q909_a)****File:** md97_preg**Overview**Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8Valid cases: 3598
Invalid: 9918**q910-a-partner-insult-last occurred (q910_a)****File:** md97_preg**Overview**Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8Valid cases: 3536
Invalid: 9980**q911-a-partner-insult-times-last year (q911_a)****File:** md97_preg**Overview**Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8Valid cases: 2278
Invalid: 11238**q909-b-violence-husband-threaten/hit (q909_b)****File:** md97_preg**Overview**Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8Valid cases: 3598
Invalid: 9918

q910-b-threaten/hit-last occurred-date (q910_b)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 2310
 Invalid: 11206

q911-a-threaten/hit-times-last year (q911_b)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1204
 Invalid: 12312

q909-c-partner-push/shove/slap (q909_c)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3598
 Invalid: 9918

q910-c-push/shove/slap-last occurred (q910_c)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 2368
 Invalid: 11148

q911-c-push/shove/slap-times-last year (q911_c)**File:** md97(preg)**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1076
 Invalid: 12440

q909-d-husband/partner-kick/hit w/fist (q909_d)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3598
 Invalid: 9918

q910-d-kick/hit-last occurred-date (q910_d)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 1641
 Invalid: 11875

q911-d-partner-kick/hit-times-last year (q911_d)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 789
 Invalid: 12727

q909-e-husband/partner-threaten w/knife (q909_e)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3598
 Invalid: 9918

q910-e-threaten w/knife-last occurred (q910_e)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 543
 Invalid: 12973

q911-e-threaten w/knife-times-last year (q911_e)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 190
Format: numeric	Invalid: 13326
Width: 8	
Decimals: 0	
Range: 1-8	

q909-f-husband/partner-beat up (q909_f)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 3598
Format: numeric	Invalid: 9918
Width: 8	
Decimals: 0	
Range: 1-8	

q910-f-partner-beat up-last occurred (q910_f)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 733
Format: numeric	Invalid: 12783
Width: 8	
Decimals: 0	
Range: 1-8	

q911-f-partner-beat up-times-last year (q911_f)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 322
Format: numeric	Invalid: 13194
Width: 8	
Decimals: 0	
Range: 1-8	

q912-trauma (q912)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 1146
Format: numeric	Invalid: 12370
Width: 8	
Decimals: 0	
Range: 1-8	

q913-medical treatment (q913)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 879
Format: numeric	Invalid: 12637
Width: 8	
Decimals: 0	
Range: 1-8	

q914-need hospital stay for violence (q914)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 215
Format: numeric	Invalid: 13301
Width: 8	
Decimals: 0	
Range: 1-8	

q915-a-report violence-police (q915_a)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 1146
Format: numeric	Invalid: 12370
Width: 8	
Decimals: 0	
Range: 1-2	

q915-b-report violence-parents/relative (q915_b)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 1146
Format: numeric	Invalid: 12370
Width: 8	
Decimals: 0	
Range: 1-2	

q915-c-report violence-friend (q915_c)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 1146
Format: numeric	Invalid: 12370
Width: 8	
Decimals: 0	
Range: 1-2	

q915-d-report violence-medical personnel (q915_d)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1146
Format: numeric	Invalid: 12370
Width: 8	
Decimals: 0	
Range: 1-2	

q915-e-report violence- (q915_e)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1146
Format: numeric	Invalid: 12370
Width: 8	
Decimals: 0	
Range: 1-2	

q915-f-report violence-other (q915_f)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1146
Format: numeric	Invalid: 12370
Width: 8	
Decimals: 0	
Range: 1-2	

q916-forced sex (q916)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-8	

q917-year-forced sex (q917)

File: md97_preg

Overview

Type: Discrete	Valid cases: 732
Format: numeric	Invalid: 12784
Width: 8	
Decimals: 0	
Range: 14-88	

q918-who helped after-forced sex (q918)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 732
Format: numeric	Invalid: 12784
Width: 8	
Decimals: 0	
Range: 1-99	

weight (wt)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-4	

year of interview (intyr)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1997-1997	

unique id (wra) (id)**File:** md97_preg**Overview**

Type: Continuous	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 12	Minimum: 11
Decimals: 0	Maximum: 139841
Range: 11-139841	Mean: 68167.4
	Standard deviation: 39489

cmc interview date (intcmc)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 23971-23973	

strata weight (stratawt)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0

Valid cases: 0
 Invalid: 13516

idp/refugee status (idp)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0

Valid cases: 0
 Invalid: 13516

residence (hmediu)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 13516
 Invalid: 0

residence (urban/rural) (zona)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3

Valid cases: 13516
 Invalid: 0

region (nregion)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-5

Valid cases: 13516
 Invalid: 0

age group (agecat)**File:** md97_preg

age group (agecat)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-6	

cmc mother at birth (mnaccmc)**File:** md97_preg**Overview**

Type: Continuous	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	Minimum: 23432
Decimals: 0	Maximum: 23774
Range: 23432-23774	Mean: 23559
	Standard deviation: 74.9

(agemth)**File:** md97_preg**Overview**

Type: Continuous	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	Minimum: 197
Decimals: 0	Maximum: 540
Range: 197-540	Mean: 413.1
	Standard deviation: 74.9

(ageact)**File:** md97_preg**Overview**

Type: Continuous	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	Minimum: 16
Decimals: 0	Maximum: 45
Range: 16-45	Mean: 34
	Standard deviation: 6.2

age group <3g> (newage)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 2-6	

marital status (mstatus)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-4	

marital status <3g> (marital)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-4	

marital status <2g> (union)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

number of marriages (nummar)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13446
Format: numeric	Invalid: 70
Width: 8	
Decimals: 0	
Range: 0-7	

religion (religion)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-8	

frequency of religious attendance (relfreq)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 2-5	

ethnicity (ethnic)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-9	

language (lang)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-8	

education (edcat)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-5	

education <4g> (educ)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-5	

education <3g> (newed)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-5	

employment (employ)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

work (work)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

reason for not work (resnowk)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 2992
Format: numeric	Invalid: 10524
Width: 8	
Decimals: 0	
Range: 1-20	

parity (parity)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-10	

number of children born alive (6+) (allchild6)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-6	

number of children born alive (4+) (allchild4)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-4	

number of living children (6+) (livchild6)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-6	

number of living children (4+) (livchild4)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-4	

number of living children+current preg(4+) (lvchild)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-4	

total of pregnancies in the history (tot_pg)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-21	

number of complete pregnancies (npreg)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-21	

number of rooms per person (roompeo)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

hours per day of electricity (nhor)

File: md97_preg

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 13516
Width: 8	
Decimals: 0	

household assets (ha)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-10	

socioeconomic status (index)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

years living continuously (cmcliv)

File: md97_preg

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 13516
Width: 8	
Decimals: 0	
Range: 0-8888	

migrational status (migstat)

File: md97_preg

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 13516
Width: 8	
Decimals: 0	
Range: 1-8	

(i)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-21	

most effective contraceptive method (bestmf)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-88	

sexual experience (sexex)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

last contraceptive method (methol)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-88	

contraception status (bcuse)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-3	

current use of contraception method (fpuse)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-2	

current contraception method (methoc)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-77	

current use of contraception (modtrad)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-77	

the most important reasons for choosing current method (rezmetc)

File: md97_preg

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 13516
Width: 8	
Decimals: 0	
Range: 1-88	

reason for not using current contraceptive method (reznouse)

File: md97_preg

Overview

Type: Discrete	Valid cases: 3453
Format: numeric	Invalid: 10063
Width: 8	
Decimals: 0	
Range: 1-88	

year of female sterilization (tlyr)

File: md97_preg

Overview

Type: Discrete	Valid cases: 379
Format: numeric	Invalid: 13137
Width: 8	
Decimals: 0	
Range: 1978-1992	

month of female sterilization (tlmth)

File: md97_preg

Overview

Type: Continuous	Valid cases: 379
Format: numeric	Invalid: 13137
Width: 8	Minimum: 1
Decimals: 0	Maximum: 98
Range: 1-98	Mean: 9.6
	Standard deviation: 17

when to become pregnant.. (wantpg)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-88	

potential demand for fp services (needfp)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-7	

last contraceptive method used (lastmet)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-88	

source of last method (methsour)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7895
Format: numeric	Invalid: 5621
Width: 8	
Decimals: 0	
Range: 1-20	

advisor to use the last method (advisor)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7895
Format: numeric	Invalid: 5621
Width: 8	
Decimals: 0	
Range: 1-20	

(agefm)

File: md97_preg

Overview

Type: Continuous	Valid cases: 13431
Format: numeric	Invalid: 85
Width: 8	Minimum: 23633
Decimals: 0	Maximum: 23970
Range: 23633-23970	Mean: 23803.2
	Standard deviation: 72.1

knowledge of hiv/aids (knowhiv)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-8	

knowledge of hiv test location for all women (knowtest)

File: md97_preg

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 13516
Width: 8	
Decimals: 0	
Range: 1-8	

ever/never married (evermarr)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13446
Format: numeric	Invalid: 70
Width: 8	
Decimals: 0	
Range: 1-8	

verbal abuse (lifeverbal)

File: md97_preg

Overview

Type: Discrete	Valid cases: 3101
Format: numeric	Invalid: 10415
Width: 8	
Decimals: 0	
Range: 1-8	

physical abuse (lifephys)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3101
 Invalid: 10415

sexual abuse (lifesexab)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 12230
 Invalid: 1286

verbal abuse ly (yearverbal)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3564
 Invalid: 9952

physical abuse ly (yearphys)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 3512
 Invalid: 10004

sexual abuse ly (yearsexab)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 12232
 Invalid: 1284

witnessed abuse (witabuse)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 13516

experienced abuse (expabuse)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8

Valid cases: 0
 Invalid: 13516

insulted you, or swore at you (insulted)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 13516
 Invalid: 0

threatened to hurt you or someone you care about (hurt)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 13516
 Invalid: 0

pushed you, shook you, shoved you, or threw something at you (pushed)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 13516
 Invalid: 0

slapped you or twisted your arm (slapped)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

hit you with his fist or with something else (hit)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

threatened you with a knife or other weapon (weapon)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

kicked you, choke you or beat you up (kicked)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

physically forced you to have sexual relations (sexforced)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

verbal abuse (viover)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 13446
 Invalid: 70

physical abuse (viophys)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 13446
 Invalid: 70

sexual abuse (viosex)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 13446
 Invalid: 70

verbal abuse (last year) (viover1)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 13446
 Invalid: 70

physical abuse (last year) (viophys1)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 13446
 Invalid: 70

sexual abuse(last year) (viosex1)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 13516
Width: 8	
Decimals: 0	
Range: 0-100	

order of all pregnancies (orderpreg)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-21	

interval after all pregnancies (inttaft)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 9242
Format: numeric	Invalid: 4274
Width: 8	
Decimals: 0	
Range: 7-999	
Invalid: 1001	

previous interval all pregnancies (intprev)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 9242
Format: numeric	Invalid: 4274
Width: 8	
Decimals: 0	
Range: 7-999	
Invalid: 1001	

sex previous pregnancy (sexprev)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 5494
Format: numeric	Invalid: 8022
Width: 8	
Decimals: 0	
Range: 1-3	
Invalid: 11	

order of live births (orderlvb)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7895
Format: numeric	Invalid: 5621
Width: 8	
Decimals: 0	
Range: 1-10	

previous interval live births (intprevlb)

File: md97_preg

Overview

Type: Discrete	Valid cases: 3788
Format: numeric	Invalid: 9728
Width: 8	
Decimals: 0	
Range: 7-999	
Invalid: 1001	

sex previous live birth (sexprevlb)

File: md97_preg

Overview

Type: Discrete	Valid cases: 3787
Format: numeric	Invalid: 9729
Width: 8	
Decimals: 0	
Range: 1-3	
Invalid: 11	

order of live births and stillbirths (border)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7968
Format: numeric	Invalid: 5548
Width: 8	
Decimals: 0	
Range: 1-10	

previous interval live births and stillbirths (intprevslb)

File: md97_preg

Overview

Type: Discrete	Valid cases: 3855
Format: numeric	Invalid: 9661
Width: 8	
Decimals: 0	
Range: 7-999	
Invalid: 1001	

sex previous live birth and stillbirths (sexprevslb)

File: md97_preg

Overview

Type: Discrete	Valid cases: 3854
Format: numeric	Invalid: 9662
Width: 8	
Decimals: 0	
Range: 1-3	
Invalid: 11	

order of abortion (orderabor)

File: md97_preg

Overview

Type: Discrete	Valid cases: 4426
Format: numeric	Invalid: 9090
Width: 8	
Decimals: 0	
Range: 1-18	

previous interval abortion (intprevab)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2195
Format: numeric	Invalid: 11321
Width: 8	
Decimals: 0	
Range: 7-999	
Invalid: 1001	

q312 pregnancy end (mq312)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-9	

q313 year of end of pg. (mq313y)

File: md97_preg

Overview

Type: Continuous	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	Minimum: 1970
Decimals: 0	Maximum: 9999
Range: 1970-9999	Mean: 2032.8
	Standard deviation: 595.5

q313 month of end of pg. (mq313m)**File:** md97_preg**Overview**

Type: Continuous	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 8.9
	Standard deviation: 15.5

q314 pregnancy duration (mq314)**File:** md97_preg**Overview**

Type: Continuous	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	Minimum: 103
Decimals: 0	Maximum: 888
Range: 103-888	Mean: 196.4
	Standard deviation: 34.4

aux. q314 pregnancy duration in weeks (mq314w)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 3-998	

aux. q314 pregnancy duration in mths (mq314m)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 1-998	

q315 baby sex (mq315)**File:** md97_preg**Overview**

Type: Discrete	Valid cases: 7967
Format: numeric	Invalid: 5549
Width: 8	
Decimals: 0	
Range: 1-3	

q316 child still alive (mq316)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 3904
Format: numeric	Invalid: 9612
Width: 8	
Decimals: 0	
Range: 1-8	

q318 number of abortion (mq318)**File:** md97(preg)**Overview**

Type: Continuous	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	Minimum: 1
Decimals: 0	Maximum: 6
Range: 1-6	Mean: 1.5
Invalid: 11	Standard deviation: 0.8

q319 abortion type (mq319)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q320 reason of the abortion (mq320)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	
Decimals: 0	
Range: 1-7	
Invalid: 11	

q321 place of abortion performed (mq321)**File:** md97(preg)**Overview**

Type: Discrete	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	
Decimals: 0	
Range: 1-7	
Invalid: 11	

q322 amount payed for abortion (mq322)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	
Decimals: 0	
Range: 0-888	
Invalid: 1001	

q323 complications after abortion (mq323)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q324 most important complication after abortion (mq324)

File: md97_preg

Overview

Type: Discrete	Valid cases: 145
Format: numeric	Invalid: 13371
Width: 8	
Decimals: 0	
Range: 1-7	
Invalid: 11	

q325 nights spend in hospital after abortion (mq325)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	
Decimals: 0	
Range: 0-88	
Invalid: 101	

q326 health problems 6 months later as result of abortion (mq326)

File: md97_preg

Overview

q326 health problems 6 months later as result of abortion (mq326)
File: md97_preg

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8
Invalid: 11

Valid cases: 1333
Invalid: 12183

q327 most important heath problem 6 mth later (mq327)
File: md97_preg

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-7
Invalid: 11

Valid cases: 65
Invalid: 13451

q328 either before the most recent abortion doctor talks about contraception (mq328)

File: md97_preg

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8
Invalid: 1000000001

Valid cases: 0
Invalid: 13516

q330 after most recent abortion receive a method of contraception (mq330)

File: md97_preg

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8
Invalid: 1000000001

Valid cases: 0
Invalid: 13516

q332 number of births between january 1992 and 1997 (mq332)
File: md97_preg

Overview

q332 number of births between january 1992 and 1997 (mq332)

File: md97_preg

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 1-10
Invalid: 101

Valid cases: 2141
Invalid: 11375
Minimum: 1
Maximum: 10
Mean: 1.5
Standard deviation: 0.9

q333 cigarettes smoked after you know pregnancy (mq333)

File: md97_preg

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8
Invalid: 11

Valid cases: 2141
Invalid: 11375

q334 number of cigarettes last 6 mths in pregnancy (mq334)

File: md97_preg

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-8
Invalid: 11

Valid cases: 143
Invalid: 13373

q335 times per week drink alcoholic beverages in pregnancies (mq335)

File: md97_preg

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-4
Invalid: 11

Valid cases: 2141
Invalid: 11375

q336 any prenatal care visits (mq336)

File: md97_preg

Overview

q336 any prenatal care visits (mq336)**File:** md97_preg

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 2141
 Invalid: 11375

q337 time to first prenatal visit (mq337)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-98
 Invalid: 101

Valid cases: 2117
 Invalid: 11399

q338 number of prenatal care visits (mq338)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-98
 Invalid: 101

Valid cases: 2117
 Invalid: 11399

q339 place of the prenatal care visits (mq339)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-7
 Invalid: 11

Valid cases: 2117
 Invalid: 11399

q340 prenatal information about nutrition (mq340a)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 2117
 Invalid: 11399

q340 prenatal information about smoking during pregnancy
 (mq340b)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2117
Format: numeric	Invalid: 11399
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q340 prenatal information about drinking alcohol dur. pg.
 (mq340c)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2117
Format: numeric	Invalid: 11399
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q340 prenatal information about nutrition breastfeeding (mq340d)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2117
Format: numeric	Invalid: 11399
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q340 prenatal information about nutrition delivery (mq340e)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2117
Format: numeric	Invalid: 11399
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q340 prenatal information about nutrition contraception (mq340f)

File: md97_preg

Overview

q340 prenatal information about nutrition contraception (mq340f)

File: md97_preg

Type: Discrete	Valid cases: 2117
Format: numeric	Invalid: 11399
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q340 prenatal information about nutrition warning signs of pg. complic. (mq340g)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2117
Format: numeric	Invalid: 11399
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q340 prenatal information about nutrition postnatal care (mq340h)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2117
Format: numeric	Invalid: 11399
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q341 prenatal visit pressure mesure (mq341)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2117
Format: numeric	Invalid: 11399
Width: 8	
Decimals: 0	
Range: 1-8	
Invalid: 11	

q342 prenatal visit high blood pressure (mq342)

File: md97_preg

Overview

q342 prenatal visit high blood pressure (mq342)**File:** md97_preg

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 2084
 Invalid: 11432

q343 prenatal visit ultrasound exam (mq343)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 2117
 Invalid: 11399

q344 time of first ultrasound exam (mq344)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 101-888
 Invalid: 1001

Valid cases: 1595
 Invalid: 11921

q345 complications of pregnancy that require medical attention (mq345)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 2141
 Invalid: 11375

q346 complications of pg. risk of miscarriage (mq346a)**File:** md97_preg**Overview**

q346 complications of pg. risk of miscarriage (mq346a)

File: md97_preg

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 632
 Invalid: 12884

q346 complications of pg. first trimester bleeding (mq346b)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 632
 Invalid: 12884

q346 complications of pg. second trimestrer bleeding (mq346c)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 632
 Invalid: 12884

q346 complications of pg. third trimestrer bleeding (mq346d)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 632
 Invalid: 12884

q346 complications of pg. high blood pressure (mq346e)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 632
 Invalid: 12884

q346 complications of pg. diabetes (mq346f)

File: md97_preg

Overview

Type: Discrete	Valid cases: 632
Format: numeric	Invalid: 12884
Width: 8	
Decimals: 0	
Range: 1-8	
Invalid: 11	

q346 complications of pg. heart disease (mq346g)

File: md97_preg

Overview

Type: Discrete	Valid cases: 632
Format: numeric	Invalid: 12884
Width: 8	
Decimals: 0	
Range: 1-8	
Invalid: 11	

q346 complications of pg. liver disease (mq346h)

File: md97_preg

Overview

Type: Discrete	Valid cases: 632
Format: numeric	Invalid: 12884
Width: 8	
Decimals: 0	
Range: 1-8	
Invalid: 11	

q346 complications of pg. urinary tract infection (mq346i)

File: md97_preg

Overview

Type: Discrete	Valid cases: 632
Format: numeric	Invalid: 12884
Width: 8	
Decimals: 0	
Range: 1-8	
Invalid: 11	

q346 complications of pg. risk of preterm labor (mq346j)

File: md97_preg

Overview

q346 complications of pg. risk of preterm labor (mq346j)

File: md97_preg

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 632
 Invalid: 12884

q346 complications of pg. rh izoimmunization (mq346k)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 632
 Invalid: 12884

q346 complications of pg. other (mq346l)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 632
 Invalid: 12884

q347 birth type (mq347)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 2141
 Invalid: 11375

reason for cesarian section -fetopelvic disproportion (mq348a)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 129
 Invalid: 13387

reason for cesarian section -unfavorable present a hon (mq348b)
 File: md97_preg

Overview

Type: Discrete	Valid cases: 129
Format: numeric	Invalid: 13387
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

reason for cesarian section -fetal distress (mq348c)
 File: md97_preg

Overview

Type: Discrete	Valid cases: 129
Format: numeric	Invalid: 13387
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

reason for cesarian section -uterined disfunction (mq348d)
 File: md97_preg

Overview

Type: Discrete	Valid cases: 129
Format: numeric	Invalid: 13387
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

reason for cesarian section -placenta previa or separated (mq348e)
 File: md97_preg

Overview

Type: Discrete	Valid cases: 129
Format: numeric	Invalid: 13387
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

reason for cesarian section -ruptured uterus (mq348f)
 File: md97_preg

Overview

reason for cesarian section -ruptured uterus (mq348f)

File: md97_preg

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 129
 Invalid: 13387

reason for cesarian section -preeclampsia/ eclampsia (mq348g)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 129
 Invalid: 13387

reason for cesarian section -diabetes (mq348h)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 129
 Invalid: 13387

reason for cesarian section -repeat cesarean section (mq348i)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 129
 Invalid: 13387

reason for cesarian section -don't know (mq348j)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 129
 Invalid: 13387

reason for cesarian section -other (mq348k)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 129
Format: numeric	Invalid: 13387
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q349 long of labor (mq349)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 2141
Format: numeric	Invalid: 11375
Width: 8	
Decimals: 0	
Range: 1-88	
Invalid: 101	

q350 weight of baby (mq350)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 2141
Format: numeric	Invalid: 11375
Width: 8	
Decimals: 0	
Range: 700-8888	
Invalid: 10001	

q351 complications after birth -severe bleeding (mq351a)

File: md97(preg)

Overview

Type: Discrete	Valid cases: 2141
Format: numeric	Invalid: 11375
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q351 complications after birth -bad-smelling vaginal discharge (mq351b)

File: md97(preg)

Overview

q351 complications after birth -bad-smelling vaginal discharge (mq351b)

File: md97_preg

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-2
Invalid: 11

Valid cases: 2141
Invalid: 11375

q351 complications after birth -infection of surgical wound (mq351c)

File: md97_preg

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-2
Invalid: 11

Valid cases: 2141
Invalid: 11375

q351 complications after birth -faint/coma (mq351d)

File: md97_preg

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-2
Invalid: 11

Valid cases: 2141
Invalid: 11375

q351 complications after birth -high fever(39-40c) (mq351e)

File: md97_preg

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 1-2
Invalid: 11

Valid cases: 2141
Invalid: 11375

q351 complications after birth -disuria (mq351f)

File: md97_preg

Overview

q351 complications after birth -disuria (mq351f)**File:** md97_preg

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 2141
 Invalid: 11375

q351 complications after birth -painful uterus (mq351g)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 2141
 Invalid: 11375

q351 complications after birth -breast infection (mq351h)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 2141
 Invalid: 11375

q352 postnatal visit after 6 weeks (mq352)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 2125
 Invalid: 11391

q353 information in check-ups -breastfeeding (mq353a)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 1589
 Invalid: 11927

q353 information in check-ups -breast care (mq353b)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1589
Format: numeric	Invalid: 11927
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q353 information in check-ups -child care (mq353c)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1589
Format: numeric	Invalid: 11927
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q353 information in check-ups -inmunization (mq353d)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1589
Format: numeric	Invalid: 11927
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q353 information in check-ups -nutrition (mq353e)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1589
Format: numeric	Invalid: 11927
Width: 8	
Decimals: 0	
Range: 1-2	
Invalid: 11	

q353 information in check-ups -contraception (mq353f)

File: md97_preg

Overview

q353 information in check-ups -contraception (mq353f)**File:** md97_preg

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 1589
 Invalid: 11927

q354 breastfeeding of baby (mq354)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 2125
 Invalid: 11391

q355 long after birth start breastfeeding (mq355)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 100-888
 Invalid: 1001

Valid cases: 1985
 Invalid: 11531

q356 still breastfeeding (mq356)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-2
 Invalid: 11

Valid cases: 1650
 Invalid: 11866

q357 age of baby when stoped breastfeeding (mq357)**File:** md97_preg**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 101-888
 Invalid: 1001

Valid cases: 1713
 Invalid: 11803

q358 age of baby when start give other food (mq358)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1985
Format: numeric	Invalid: 11531
Width: 8	
Decimals: 0	
Range: 1-88	
Invalid: 101	

q359 last birth place (mq359)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1760
Format: numeric	Invalid: 11756
Width: 8	
Decimals: 0	
Range: 1-5	
Invalid: 11	

q360 rank of last birth place -hygiene (mq360a)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1741
Format: numeric	Invalid: 11775
Width: 8	
Decimals: 0	
Range: 1-8	
Invalid: 11	

q360 rank of last birth place -comfort (mq360b)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1741
Format: numeric	Invalid: 11775
Width: 8	
Decimals: 0	
Range: 1-8	
Invalid: 11	

q360 rank of last birth place -hospital crowdedness (mq360c)

File: md97_preg

Overview

q360 rank of last birth place -hospital crowdedness (mq360c)

File: md97_preg

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 1741
 Invalid: 11775

q360 rank of last birth place -permission for visitors (mq360d)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 1741
 Invalid: 11775

q360 rank of last birth place -competence of health professionals (mq360e)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 1741
 Invalid: 11775

q360 rank of last birth place -behavior of health professionals (mq360f)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 1741
 Invalid: 11775

q361 number of woman were sharing hospital room (mq361)

File: md97_preg

Overview

q361 number of woman were sharing hospital room (mq361)

File: md97_preg

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88
 Invalid: 101

Valid cases: 1741
 Invalid: 11775

q362 days after birth when leave the hospital (mq362)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88
 Invalid: 101

Valid cases: 1741
 Invalid: 11775

q363 months after birth of return of period (mq363)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88
 Invalid: 101

Valid cases: 1760
 Invalid: 11756

q364 months after birth resume sexual relations (mq364)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-88
 Invalid: 101

Valid cases: 1760
 Invalid: 11756

birth month end pregnancy (bq313m)

File: md97_preg

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-12
 Invalid: 101

Valid cases: 2141
 Invalid: 11375
 Minimum: 1
 Maximum: 12
 Mean: 6.2
 Standard deviation: 3.3

birth year end pregnancy (bq313y)

File: md97_preg

Overview

Type: Continuous	Valid cases: 2141
Format: numeric	Invalid: 11375
Width: 8	Minimum: 1990
Decimals: 0	Maximum: 1997
Range: 1990-1997	Mean: 1994.7
Invalid: 10001	Standard deviation: 1.6

birth weeks pregnancy ended (bq314)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2141
Format: numeric	Invalid: 11375
Width: 8	
Decimals: 0	
Range: 104-998	
Invalid: 1001	

birth sex of baby (bq315)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1692
Format: numeric	Invalid: 11824
Width: 8	
Decimals: 0	
Range: 1-3	
Invalid: 11	

birth want to get pregnant (bq316)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2139
Format: numeric	Invalid: 11377
Width: 8	
Decimals: 0	
Range: 1-8	
Invalid: 11	

live birth month end pregnancy (lbq313m)

File: md97_preg

Overview

live birth month end pregnancy (lbq313m)

File: md97_preg

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-12
 Invalid: 101

Valid cases: 2125
 Invalid: 11391
 Minimum: 1
 Maximum: 12
 Mean: 6.2
 Standard deviation: 3.3

live birth year end pregnancy (lbq313y)

File: md97_preg

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1990-1997
 Invalid: 10001

Valid cases: 2125
 Invalid: 11391
 Minimum: 1990
 Maximum: 1997
 Mean: 1994.7
 Standard deviation: 1.6

live birth weeks pregnancy ended (lbq314)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 104-998
 Invalid: 1001

Valid cases: 2125
 Invalid: 11391

live birth sex of baby (lbq315)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-3
 Invalid: 11

Valid cases: 3306
 Invalid: 10210

live birth want to get pregnant (lbq316)

File: md97_preg

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-8
 Invalid: 11

Valid cases: 2123
 Invalid: 11393

abortion month end pregnancy (iaq313m)

File: md97_preg

Overview

Type: Continuous	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 5.8
Invalid: 101	Standard deviation: 3.1

abortion year end pregnancy (iaq313y)

File: md97_preg

Overview

Type: Continuous	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	Minimum: 1992
Decimals: 0	Maximum: 1997
Range: 1992-1997	Mean: 1994.7
Invalid: 10001	Standard deviation: 1.6

abortion weeks pregnancy ended (iaq314)

File: md97_preg

Overview

Type: Discrete	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	
Decimals: 0	
Range: 104-998	
Invalid: 1001	

abortion want to get pregnant (iaq316)

File: md97_preg

Overview

Type: Continuous	Valid cases: 1333
Format: numeric	Invalid: 12183
Width: 8	Minimum: 1
Decimals: 0	Maximum: 8
Range: 1-8	Mean: 2.7
Invalid: 11	Standard deviation: 0.7

(x)

File: md97_preg

Overview

Type: Discrete	Valid cases: 5
Format: numeric	Invalid: 13511
Width: 8	
Decimals: 0	
Range: 1-1	

want to get pregnant (wantlp)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7313
Format: numeric	Invalid: 6203
Width: 8	
Decimals: 0	
Range: 1-8	

number of children whished at first marriage (desirekd)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-88	

times ever married/lived with partner (marnum)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13446
Format: numeric	Invalid: 70
Width: 8	
Decimals: 0	
Range: 1-7	

(num_ia)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7042
Format: numeric	Invalid: 6474
Width: 8	
Decimals: 0	
Range: 0-4	

(numbrth)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7042
Format: numeric	Invalid: 6474
Width: 8	
Decimals: 0	
Range: 0-3	

(numliveb)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7042
Format: numeric	Invalid: 6474
Width: 8	
Decimals: 0	
Range: 0-3	

(tot_lb)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-10	

(j)

File: md97_preg

Overview

Type: Continuous	Valid cases: 13380
Format: numeric	Invalid: 136
Width: 8	Minimum: 0
Decimals: 0	Maximum: 21
Range: 0-21	Mean: 3.4
	Standard deviation: 2.5

(tot_ab)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-18	

date of pregnancy outcome cmc (pgcmc)

File: md97_preg

Overview

Type: Continuous	Valid cases: 13439
Format: numeric	Invalid: 77
Width: 8	Minimum: 23643
Decimals: 0	Maximum: 23973
Range: 23643-23973	Mean: 23858.5
	Standard deviation: 68.8

age of child in months (chldagepg)

File: md97_preg

Overview

Type: Continuous	Valid cases: 13439
Format: numeric	Invalid: 77
Width: 8	Minimum: 0
Decimals: 0	Maximum: 329
Range: 0-329	Mean: 113.5
	Standard deviation: 68.8

marital status at the time of conception (marcmc)

File: md97_preg

Overview

Type: Continuous	Valid cases: 13446
Format: numeric	Invalid: 70
Width: 12	Minimum: 23633
Decimals: 0	Maximum: 118782
Range: 23633-118782	Mean: 23909.2
	Standard deviation: 3171.5

marital status at the time of conception (endcmc)

File: md97_preg

Overview

Type: Discrete	Valid cases: 12230
Format: numeric	Invalid: 1286
Width: 8	
Decimals: 0	
Range: 23971-23973	

marital status at end of pregnancy (marpreg)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	

marital status at the time of conception (marcon)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-8	

maternal age at end of pregnancy (mthragepg)

File: md97_preg

Overview

Type: Continuous	Valid cases: 13439
Format: numeric	Invalid: 77
Width: 8	Minimum: 13
Decimals: 0	Maximum: 43
Range: 13-43	Mean: 24.5
	Standard deviation: 4.6

maternal age at end of pregnancy <6g> (bagecatpg)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13439
Format: numeric	Invalid: 77
Width: 8	
Decimals: 0	
Range: 1-7	

maternal age at conception (pgmagepg)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13443
Format: numeric	Invalid: 73
Width: 8	
Decimals: 0	
Range: 13-88	

cmc age of child lb in month complete (chldcmc)

File: md97_preg

Overview

Type: Continuous	Valid cases: 7967
Format: numeric	Invalid: 5549
Width: 8	Minimum: 23643
Decimals: 0	Maximum: 23972
Range: 23643-23972	Mean: 23853.4
	Standard deviation: 70

age of child lb in months (chldage)

File: md97_preg

Overview

Type: Continuous	Valid cases: 7967
Format: numeric	Invalid: 5549
Width: 8	Minimum: 0
Decimals: 0	Maximum: 329
Range: 0-329	Mean: 118.6
Invalid: 1001	Standard deviation: 70

mother's age at birth lb in years (mthrage)

File: md97_preg

Overview

Type: Continuous	Valid cases: 7967
Format: numeric	Invalid: 5549
Width: 8	Minimum: 15
Decimals: 0	Maximum: 42
Range: 15-42	Mean: 23.8
	Standard deviation: 4.3

mother's age at birth in years <6g> (bagecat)

File: md97_preg

Overview

Type: Discrete	Valid cases: 7967
Format: numeric	Invalid: 5549
Width: 8	
Decimals: 0	
Range: 1-7	

number of older siblings (nsib)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-2	

number of older male siblings (nsibm)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-2	

number of older female siblings (nsibf)

File: md97_preg

Overview

Type: Discrete	Valid cases: 13516
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-2	

(h)

File: md97_preg

Overview

Type: Discrete	Valid cases: 4213
Format: numeric	Invalid: 9303
Width: 8	
Decimals: 0	
Range: 0-3	

current breastfeeding of last birth (breastf)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2141
Format: numeric	Invalid: 11375
Width: 8	
Decimals: 0	
Range: 1-8	

amenorrhea post-partum (amenpp)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2141
Format: numeric	Invalid: 11375
Width: 8	
Decimals: 0	
Range: 1-8	

sexual abstinence post-partum (abspp)

File: md97_preg

Overview

Type: Discrete	Valid cases: 2141
Format: numeric	Invalid: 11375
Width: 8	
Decimals: 0	
Range: 1-8	

Related Materials

Questionnaires

Reproductive Health Survey 1997 - Questionnaire

Title Reproductive Health Survey 1997 - Questionnaire

Date 1996-06-01

Country Moldova

Filename Questionnaire_Moldova 1997_var_names.pdf

Reports

Reproductive Health Survey 1997 - Final Report

Title Reproductive Health Survey 1997 - Final Report

Author(s) Florina Serbanescu, Leo Morris,, Mihai Stratila, Octavian Bivol

Date 1998-12-01

Country Moldova

Language English

Filename MOLDOVA-1997 - REPRODUCTIVE HEALTH SURVEY.pdf

Technical documents

File Information Newvar File Moldova 1997 Females

Title File Information Newvar File Moldova 1997 Females

Date 1997-01-01

Country Moldova

Language English

Filename md97_newvar_list.pdf

Codebook Newvar File Moldova 1997 Females

Title Codebook Newvar File Moldova 1997 Females

Date 1997-01-01

Country Moldova

Language English

Filename md97_newvar_values.pdf

Codebook Newvar File Moldova 1997 Females

Title Codebook Newvar File Moldova 1997 Females

Date 1997-01-01

Country Moldova

Language English

Filename md97_newvar_valuesnv.pdf

File Information Pregnancies File Moldova 1997 Females

Title File Information Pregnancies File Moldova 1997 Females
Date 1997-01-01
Country Moldova
Language English
Filename md97_preg_list.pdf

Codebook Pregnancies File Moldova 1997 Females

Title Codebook Pregnancies File Moldova 1997 Females
Date 1997-01-01
Country Moldova
Language English
Filename md97_preg_values.pdf

Readme

Title Readme
Date 1997-01-01
Country Moldova
Language English
Filename md97_Readme.pdf
