

Food Insecurity Experience Scale 2020

FAO Statistics Division

report_generated_on: January 13, 2023

visit_data_catalog_at: <https://microdata.worldbank.org/index.php>

Identification

SURVEY ID NUMBER

MDA_2020_FIES_v01_M_v01_A_OCS

TITLE

Food Insecurity Experience Scale 2020

COUNTRY/ECONOMY

Name	Country code
Republic of Moldova	MDA

STUDY TYPE

Socio-Economic/Monitoring Survey [hh/sems]

ABSTRACT

Sustainable Development Goal (SDG) target 2.1 commits countries to end hunger, ensure access by all people to safe, nutritious and sufficient food all year around. Indicator 2.1.2, "Prevalence of moderate or severe food insecurity based on the Food Insecurity Experience Scale (FIES)", provides internationally-comparable estimates of the proportion of the population facing difficulties in accessing food. More detailed background information is available at <http://www.fao.org/in-action/voices-of-the-hungry/fies/en/>.

The FIES-based indicators are compiled using the FIES survey module, containing 8 questions. Two indicators can be computed:

1. The proportion of the population experiencing moderate or severe food insecurity (SDG indicator 2.1.2),
2. The proportion of the population experiencing severe food insecurity.

These data were collected by FAO through the Gallup World Poll. General information on the methodology can be found here: <https://www.gallup.com/178667/gallup-world-poll-work.aspx>. National institutions can also collect FIES data by including the FIES survey module in nationally representative surveys.

Microdata can be used to calculate the indicator 2.1.2 at national level. Instructions for computing this indicator are described in the methodological document available in the documentations tab. Disaggregating results at sub-national level is not encouraged because estimates will suffer from substantial sampling and measurement error.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Scope

NOTES

This dataset contains demographic variables related to number of adults and children in the household, age, education, area (urban/rural), gender, and income. Also, the FIES survey module includes the following questions to compute the FIES-based indicators.

During the last 12 months, was there a time when, because of lack of money or other resources:

1. You were worried you would not have enough food to eat?
2. You were unable to eat healthy and nutritious food?
3. You ate only a few kinds of foods?
4. You had to skip a meal?
5. You ate less than you thought you should?
6. Your household ran out of food?
7. You were hungry but did not eat?
8. You went without eating for a whole day?

The dataset also includes derived variables computed by FAO described in the documentation.

TOPICS

Topic
SDGs
Food Access

KEYWORDS

Keyword
Food Insecurity
SDG

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

Individuals of 15 years or older with access to landline and/or mobile phones.

Producers and sponsors

PRIMARY INVESTIGATORS

Name	Affiliation
FAO Statistics Division	FAO

Sampling

SAMPLING PROCEDURE

A simple stratified sample design was used for selection of mobile phone samples. Within each explicit stratum (service provider), sample of specified size was drawn using pure Random Digit Dial (RDD) procedures. Sampling was done independently within each stratum. All sampled numbers were pre-screened for working status. For respondents contacted by mobile phone, the person answering the mobile phone was selected to participate as long as they were at least 15 years of age or older. For the purpose of data collection, the total initial sample was split into random subsamples (replicate samples) and released sequentially based on the progress of interviewing in different strata. The goal was to release an optimum amount of sample each time to achieve a high response rate while completing the targeted number of interviews within the field period.

Exclusions: NA

Design effect: NA

WEIGHTING

The sample data was weighted to minimize bias in survey-based estimates. The weighting procedure was formulated based on the sample design and was carried out in multiple stages. A probability weight factor (base weight) was constructed to account for selection of telephone numbers from the respective frames and correct for unequal selection probabilities as a result of selecting one adult in landline households and for dual-users coming from both the landline and mobile frame. At the next step, the base weights were post-stratified to adjust for non-response and to match the weighted sample totals to known target population totals obtained from country level census data.

data_collection

DATA COLLECTION MODE

Computer Assisted Telephone Interview [cati]

data_processing

DATA EDITING

Statistical validation assesses the quality of the FIES data collected by testing their consistency with the assumptions of the Rasch model. This analysis involves the interpretation of several statistics that reveal 1) items that do not perform well in a given context, 2) cases with highly erratic response patterns, 3) pairs of items that may be redundant, and 4) the proportion of total variance in the population that is accounted for by the measurement model.

data_appraisal

ESTIMATES OF SAMPLING ERROR

The margin of error is estimated as NA. This is calculated around a proportion at the 95% confidence level. The maximum margin of error was calculated assuming a reported percentage of 50% and takes into account the design effect.

Access policy

CONTACTS

Name	Affiliation	Email	URL
FAO Statistics Division	FAO	Carlo.Cafiero@fao.org	Link

CONFIDENTIALITY

The users shall not take any action with the purpose of identifying any individual entity (i.e. person, household, enterprise, etc.) in the micro dataset(s). If such a disclosure is made inadvertently, no use will be made of the information, and it will be reported immediately to FAO.

ACCESS CONDITIONS

Micro datasets disseminated by FAO shall only be allowed for research and statistical purposes. Any user which requests access working for a commercial company will not be granted access to any micro dataset regardless of their specified purpose. Users requesting access to any datasets must agree to the following minimal conditions:

- The micro dataset will only be used for statistical and/or research purposes;
- Any results derived from the micro dataset will be used solely for reporting aggregated information, and not for any specific individual entities or data subjects;
- The users shall not take any action with the purpose of identifying any individual entity (i.e. person, household, enterprise, etc.) in the micro dataset(s). If such a disclosure is made inadvertently, no use will be made of the information, and it will be reported immediately to FAO;
- The micro dataset cannot be re-disseminated by users or shared with anyone other than the individuals that are granted access to the micro dataset by FAO.

Disclaimer and copyrights

DISCLAIMER

The user of the data acknowledges that the original collector of the data, the authorized distributor of the data, and the relevant funding agency bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

Metadata production

DDI DOCUMENT ID

DDI_MDA_2020_FIES_v01_M_v01_A_OCS

PRODUCERS

Name	Abbreviation	Affiliation	Role
Office of Chief Statistician	OCS	Food and Agriculture Organization	Metadata producer
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2023-01-12

DDI DOCUMENT VERSION

Version 01 (January 2023): This metadata was downloaded from the FAO website (<https://microdata.fao.org/index.php/catalog>) and it is identical to FAO version (MDA_2020_FIES_v01_EN_M_v01_A_OCS). The following two metadata fields were edited - Document ID and Survey ID.

data_dictionary

Data file	Cases	variables
MDA_2020_FIES_v01_EN_M_v01_A_OCS This dataset contains the variables used to calculate the FIES-based indicator, demographic variables and some derived variables calculated by FAO from the survey.	0	23

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

This dataset contains the variables used to calculate the FIES-based indicator, demographic variables and some derived variables calculated by FAO from the survey.

Cases:	0
variables:	23

variables

ID	Name	Label	Question
V1	Random_ID	Unique respondent identifier	
V2	WORRIED	Worried you would not have enough food to eat because of a lack of money or other resources	
V3	HEALTHY	Unable to eat healthy and nutritious food because of a lack of money or other resources	
V4	FEWFOOD	Ate only a few kinds of foods because of a lack of money or other resources	
V5	SKIPPED	Skipped a meal because there was not enough money or other resources to get food	
V6	ATELESS	Ate less than you thought you should because of a lack of money or other resources	
V7	RUNOUT	Household ran out of food because of a lack of money or other resources	
V8	HUNGRY	Hungry but did not eat because there was not enough money or other resources for food?	
V9	WHLDAY	Went without eating for a whole day because of a lack of money or other resources?	
V10	wt	Post-stratification sampling weights	
V11	year	Year when the study was administered in the country	
V12	N_adults	Number of adults 15 years of age and above in household	
V13	N_child	Number of children under 15 years of age in household	
V14	Raw_score	Sum of Affirmative responses to FIES questions	
V15	Raw_score_par	Estimated person parameters using the Rasch model	
V16	Raw_score_par_error	Estimated person parameter errors using the Rasch model	
V17	Prob_Mod_Sev	Probability of being moderately or severely food insecure	
V18	Prob_sev	Probability of being severely food insecure	
V19	Age	Age of the respondent	
V20	Education	Education of the respondent	
V21	Area	Area	
V22	Gender	Gender of the respondent	
V23	Income	Income quintile	

total: 23

RANDOM_ID: Unique respondent identifier**Data file:** MDA_2020_FIES_v01_EN_M_v01_A_OCS**Overview**

Valid: 0 Invalid: 0

Type: Continuous Decimal: 0 Width: 10 Range: 111269276 - 210916825 Format: Numeric

WT: Post-stratification sampling weights**Data file:** MDA_2020_FIES_v01_EN_M_v01_A_OCS**Overview**

Valid: 0 Invalid: 0

Type: Continuous Decimal: 0 Width: 10 Range: 0.237174560937981 - 2.68203124081151 Format: Numeric
Weighted: yes**WORRIED: Worried you would not have enough food to eat because of a lack of money or other resources****Data file:** MDA_2020_FIES_v01_EN_M_v01_A_OCS**Overview**

Valid: 0 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
0	No
1	Yes

HEALTHY: Unable to eat healthy and nutritious food because of a lack of money or other resources**Data file:** MDA_2020_FIES_v01_EN_M_v01_A_OCS**Overview**

Valid: 0 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
0	No

1	Yes
---	-----

FEWFOOD: Ate only a few kinds of foods because of a lack of money or other resources

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
0	No
1	Yes

SKIPPED: Skipped a meal because there was not enough money or other resources to get food

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
0	No
1	Yes

ATELESS: Ate less than you thought you should because of a lack of money or other resources

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
0	No
1	Yes

RUNOUT: Household ran out of food because of a lack of money or other resources

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
0	No
1	Yes

HUNGRY: Hungry but did not eat because there was not enough money or other resources for food?

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
0	No
1	Yes

WHLDAY: Went without eating for a whole day because of a lack of money or other resources?

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
0	No
1	Yes

YEAR: Year when the study was administered in the country

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Decimal: 0 Width: 12 Range: 1 - 1 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
1	2020

N_ADULTS: Number of adults 15 years of age and above in household

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
01	01
02	02
03	03
04	04
05	05
06	06

07	07
09	09
10	10+

N_CHILD: Number of children under 15 years of age in household

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Width: 12 Range: - Format: character

Questions and instructions

CATEGORIES

Value	Category
00	00
01	01
02	02
03	03
04	04
05	05
06	06
08	08

RAW_SCORE: Sum of Affirmative responses to FIES questions

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Continuous Decimal: 0 Width: 10 Range: 0 - 8 Format: Numeric

RAW_SCORE_PAR: Estimated person parameters using the Rasch model

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Continuous Decimal: 0 Width: 10 Range: -2.73364091185093 - 2.89750225269453 Format: Numeric

RAW_SCORE_PAR_ERROR: Estimated person parameter errors using the Rasch model**Data file:** MDA_2020_FIES_v01_EN_M_v01_A_OCS**Overview**

Valid: 0 Invalid: 0

Type: Continuous Decimal: 0 Width: 10 Range: 0.683964996828988 - 1.27484195870196 Format: Numeric

PROB_MOD_SEV: Probability of being moderately or severely food insecure**Data file:** MDA_2020_FIES_v01_EN_M_v01_A_OCS**Overview**

Valid: 0 Invalid: 0

Type: Continuous Decimal: 0 Width: 10 Range: 0 - 0.994088971277708 Format: Numeric

PROB_SEV: Probability of being severely food insecure**Data file:** MDA_2020_FIES_v01_EN_M_v01_A_OCS**Overview**

Valid: 0 Invalid: 0

Type: Continuous Decimal: 0 Width: 10 Range: 0 - 0.788619984059982 Format: Numeric

AGE: Age of the respondent**Data file:** MDA_2020_FIES_v01_EN_M_v01_A_OCS**Overview**

Valid: 0 Invalid: 0

Type: Continuous Decimal: 0 Width: 10 Range: 15 - 85 Format: Numeric

EDUCATION: Education of the respondent**Data file:** MDA_2020_FIES_v01_EN_M_v01_A_OCS**Overview**

Valid: 0 Invalid: 0

Type: Discrete Decimal: 0 Width: 12 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
1	Elementary_or_less
2	Secondary
3	College

4	Dont_know
5	Refused

AREA: Area

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Decimal: 0 Width: 12 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
1	Urban/Suburbs
2	Towns/Rural
3	Dont_know
4	Refused

GENDER: Gender of the respondent

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Decimal: 0 Width: 12 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
1	Male
2	Female

INCOME: Income quintile

Data file: MDA_2020_FIES_v01_EN_M_v01_A_OCS

Overview

Valid: 0 Invalid: 0

Type: Discrete Decimal: 0 Width: 12 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
1	Poorest_20%
2	Second_20%
3	Middle_20%
4	Fourth_20%
5	Richest_20%

study_resources

questionnaires

Food Insecurity Experience Scale: Questions

title Food Insecurity Experience Scale: Questions
language English
filename FIES_Questions.pdf

technical_documents

Computed variables at respondent level

title Computed variables at respondent level
language English
description This document contains the methodology of the derived variables and the computation of the indicator 2.1.2.
filename Derived_variables_and_Computation_indicator.pdf
